DISTRICT 13

SAN BERNARDINO

DRINKING WATER MONITORING SCHEDULE

THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, AND PAST DUE REQUIRED. IF NO TESTING IS LISTED ALL TESTING HAS BEEN WAIVED.

THIS INFORMATION IS VALID AS OF AUGUST 22, 2014.

UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.

THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:

(800) 442-2283

Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:

The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office

Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).

If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at edt@cdph.ca.gov for further information. Changes in the monitoring notification documents will be seen in the next update.

System Number: 1400007
System Name: SIERRA HIGHLAND CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1400007-001						
Source Name: WELL 01 (NORTH)						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 1400007-002						
Source Name: WELL 02 (SOUTH)						
Source Number: 002						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 1400007-003						
Source Name: WELL 03 (CAROL LANE)						
Source Number: 003						
Source Status: ACTIVE UNTREATED						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/06/09	< .000	2014/06	DUE
ANTIMONY	01097	036	2011/06/09	< .000	2014/06	DUE
ARSENIC	01002	036	2011/06/09	< .000	2014/06	DUE
BARIUM	01007	036	2011/06/09	< .000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/09	< .000	2014/06	DUE
CADMIUM	01027	036	2011/06/09	< .000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/09	< .000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2001/02/27	. .000	2004/02	DUE
CYANIDE	01291	036	2011/06/09	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/09	. .120	2014/06	DUE
MERCURY	71900	036	2011/06/09	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/09	< .000	2014/06	DUE
PERCHLORATE	A-031	036	2011/06/09	< .000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400007***

System Name: ***SIERRA HIGHLAND CSD***

PS Code: ***1400007-003***

Source Name: ***WELL 03 (CAROL LANE)***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	01147	036	2011/06/09	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/09	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/23	. 3.600	2014/09	
NITRITE (AS N)	00620	036	2011/06/09	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2009/08/24	.000	2018/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/14	.000	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/14	.000	2012/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/08/24	.000	2015/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/08/24	.000	2015/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/08/24	.000	2015/08	
1,1,2-TRICHLOROETHANE	34511	072	2009/08/24	.000	2015/08	
1,1-DICHLOROETHANE	34496	072	2009/08/24	.000	2015/08	
1,1-DICHLOROETHYLENE	34501	072	2009/08/24	.000	2015/08	
1,2,4-TRICHLOROBENZENE	34551	072	2009/08/24	.000	2015/08	
1,2-DICHLOROBENZENE	34536	072	2009/08/24	.000	2015/08	
1,2-DICHLOROETHANE	34531	072	2009/08/24	.000	2015/08	
1,2-DICHLOROPROPANE	34541	072	2009/08/24	.000	2015/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/08/24	.000	2015/08	
1,4-DICHLOROBENZENE	34571	072	2009/08/24	.000	2015/08	
BENZENE	34030	072	2009/08/24	.000	2015/08	
CARBON TETRACHLORIDE	32102	072	2009/08/24	.000	2015/08	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/08/24	.000	2015/08	
DICHLOROMETHANE	34423	072	2009/08/24	.000	2015/08	
ETHYLBENZENE	34371	072	2009/08/24	.000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400007***

System Name: ***SIERRA HIGHLAND CSD***

PS Code: ***1400007-003***

Source Name: ***WELL 03 (CAROL LANE)***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/08/24	.000	2015/08	
MONOCHLOROBENZENE	34301	072	2009/08/24	.000	2015/08	
STYRENE	77128	072	2009/08/24	.000	2015/08	
TETRACHLOROETHYLENE	34475	072	2009/08/24	.000	2015/08	
TOLUENE	34010	072	2009/08/24	.000	2015/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/08/24	.000	2015/08	
TRICHLOROETHYLENE	39180	072	2009/08/24	.000	2015/08	
TRICHLOROFLUOROMETHANE	34488	072	2009/08/24	.000	2015/08	
VINYL CHLORIDE	39175	072	2009/08/24	.000	2015/08	
XYLENES (TOTAL)	81551	072	2009/08/24	< .500	2015/08	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/06/09	. 58.000	2014/06	DUE
CALCIUM	00916	036	2011/06/09	. 13.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/09	< .000	2014/06	DUE
CHLORIDE	00940	036	2011/06/09	. 2.900	2014/06	DUE
COLOR	00081	036	2011/06/09	< .000	2014/06	DUE
COPPER	01042	036	2011/06/09	< .000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/09	< .000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/09	. 46.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/09	< .000	2014/06	DUE
IRON	01045	036	2011/06/09	< .000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/09	. 3.100	2014/06	DUE
MANGANESE	01055	036	2011/06/09	< .000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/09	< .000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/09	. 7.900	2014/06	DUE
SILVER	01077	036	2011/06/09	< .000	2014/06	DUE
SODIUM	00929	036	2011/06/09	6.400	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/09	. 120.000	2014/06	DUE
SULFATE	00945	036	2011/06/09	5.200	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400007
System Name: SIERRA HIGHLAND CSD

PS Code: 1400007-003
Source Name: WELL 03 (CAROL LANE)
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/09	. 97.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/09	< .000	2014/06	DUE
ZINC	01092	036	2011/06/09	< .000	2014/06	DUE

PS Code: 1400007-004
Source Name: WELLS 01-02 COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2011/06/09	< .000	2014/06	DUE
ANTIMONY	01097	036	2011/06/09	< .000	2014/06	DUE
ARSENIC	01002	036	2011/06/09	< .000	2014/06	DUE
BARIUM	01007	036	2011/06/09	< .000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/09	< .000	2014/06	DUE
CADMIUM	01027	036	2011/06/09	< .000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/09	< .000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/06/09	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/09	. .200	2014/06	DUE
MERCURY	71900	036	2011/06/09	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/09	< .000	2014/06	DUE
PERCHLORATE	A-031	036	2011/06/09	< .000	2014/06	DUE
SELENIUM	01147	036	2011/06/09	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/09	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/09	. 3.600	2012/06	DUE
NITRITE (AS N)	00620	036	2011/06/09	< .000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400007
System Name: SIERRA HIGHLAND CSD

PS Code: 1400007-004
Source Name: WELLS 01-02 COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2009/08/24	4.300	2012/08	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/14	.000	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/14	.000	2012/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/08/24	.000	2015/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/08/24	.000	2015/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/08/24	.000	2015/08	
1,1,2-TRICHLOROETHANE	34511	072	2009/08/24	.000	2015/08	
1,1-DICHLOROETHANE	34496	072	2009/08/24	.000	2015/08	
1,1-DICHLOROETHYLENE	34501	072	2009/08/24	.000	2015/08	
1,2,4-TRICHLOROBENZENE	34551	072	2009/08/24	.000	2015/08	
1,2-DICHLOROBENZENE	34536	072	2009/08/24	.000	2015/08	
1,2-DICHLOROETHANE	34531	072	2009/08/24	.000	2015/08	
1,2-DICHLOROPROPANE	34541	072	2009/08/24	.000	2015/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/08/24	.000	2015/08	
1,4-DICHLOROBENZENE	34571	072	2009/08/24	.000	2015/08	
BENZENE	34030	072	2009/08/24	.000	2015/08	
CARBON TETRACHLORIDE	32102	072	2009/08/24	.000	2015/08	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/08/24	.000	2015/08	
DICHLOROMETHANE	34423	072	2009/08/24	.000	2015/08	
ETHYLBENZENE	34371	072	2009/08/24	.000	2015/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/08/24	.000	2015/08	
MONOCHLOROBENZENE	34301	072	2009/08/24	.000	2015/08	
STYRENE	77128	072	2009/08/24	.000	2015/08	
TETRACHLOROETHYLENE	34475	072	2009/08/24	.000	2015/08	
TOLUENE	34010	072	2009/08/24	.000	2015/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/08/24	.000	2015/08	
TRICHLOROETHYLENE	39180	072	2009/08/24	.000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400007***

System Name: ***SIERRA HIGHLAND CSD***

PS Code: ***1400007-004***

Source Name: ***WELLS 01-02 COMPOSITE***

Source Number: ***004***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TRICHLOROFLUOROMETHANE	34488	072	2009/08/24		.000	2015/08	
VINYL CHLORIDE	39175	072	2009/08/24		.000	2015/08	
XYLENES (TOTAL)	81551	072	2009/08/24	<	.500	2015/08	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/09	.	84.000	2014/06	DUE
CALCIUM	00916	036	2011/06/09	.	22.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/09	<	.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/09	.	2.400	2014/06	DUE
COLOR	00081	036	2011/06/09	<	.000	2014/06	DUE
COPPER	01042	036	2011/06/09	<	.000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/09	<	.000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/09	.	69.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/09	<	.000	2014/06	DUE
IRON	01045	036	2011/06/09	<	.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/09	.	3.400	2014/06	DUE
MANGANESE	01055	036	2011/06/09	<	.000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/09	<	.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/09	.	8.000	2014/06	DUE
SILVER	01077	036	2011/06/09	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/09		6.200	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/09	.	160.000	2014/06	DUE
SULFATE	00945	036	2011/06/09		5.400	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/09	.	120.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/09	<	.000	2014/06	DUE
ZINC	01092	036	2011/06/09	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400007
System Name: SIERRA HIGHLAND CSD

PS Code: 1400007-005
Source Name: NORTH BARLOW WELL
Source Number: 005
Source Status: PENDING
Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400007
System Name: SIERRA HIGHLAND CSD

PS Code: 1400007-005
Source Name: NORTH BARLOW WELL
Source Number: 005
Source Status: PENDING
Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
CARBOFURAN	81405	000			DUE
CHLORDANE	39350	000			DUE
DALAPON	38432	000			DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000			DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000			DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	000			DUE
DIQUAT	78885	000			DUE
ENDOTHALL	38926	000			DUE
ENDRIN	39390	000			DUE
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	000			DUE
HEPTACHLOR	39410	000			DUE
HEPTACHLOR EPOXIDE	39420	000			DUE
HEXACHLOROBENZENE	39700	000			DUE
HEXACHLOROCYCLOPENTADIENE	34386	000			DUE
LINDANE	39340	000			DUE
METHOXYCHLOR	39480	000			DUE
MOLINATE	82199	000			DUE
OXAMYL	38865	000			DUE
PENTACHLOROPHENOL	39032	000			DUE
PICLORAM	39720	000			DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000			DUE
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	000			DUE
TOXAPHENE	39400	000			DUE
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400007
System Name: SIERRA HIGHLAND CSD

PS Code: 1400007-005
Source Name: NORTH BARLOW WELL
Source Number: 005
Source Status: PENDING
Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400007***

System Name: ***SIERRA HIGHLAND CSD***

PS Code: ***1400007-005***

Source Name: ***NORTH BARLOW WELL***

Source Number: ***005***

Source Status: ***PENDING***

Water type:

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400010***

System Name: ***ROLLING GREEN UTILITIES, INC.***

PS Code: ***1400010-001***

Source Name: ***WELL 01 (EAST WELL)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/26	< .000	2017/06	
ANTIMONY	01097	036	2014/06/26	< .000	2017/06	
ARSENIC	01002	036	2014/06/26	< .000	2017/06	
BARIUM	01007	036	2014/06/26	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06	
CADMIUM	01027	036	2014/06/26	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .210	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/26	. 2.500	2015/06	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/11/17**	< .000	**2013/11**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/11	< .000	2015/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/11	< .000	2015/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/11/17	< .000	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/17	< .000	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/17	< .000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/17	< .000	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400010***

System Name: ***ROLLING GREEN UTILITIES, INC.***

PS Code: ***1400010-001***

Source Name: ***WELL 01 (EAST WELL)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2010/11/17	**< .000**	2016/11
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/11/17	**< .000**	2016/11
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/11/17	**< .000**	2016/11
1,2-DICHLOROBENZENE	**34536**	**072**	2010/11/17	**< .000**	2016/11
1,2-DICHLOROETHANE	**34531**	**072**	2010/11/17	**< .000**	2016/11
1,2-DICHLOROPROPANE	**34541**	**072**	2010/11/17	**< .000**	2016/11
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/11/17	**< .000**	2016/11
1,4-DICHLOROBENZENE	**34571**	**072**	2010/11/17	**< .000**	2016/11
BENZENE	**34030**	**072**	2010/11/17	**< .000**	2016/11
CARBON TETRACHLORIDE	**32102**	**072**	2010/11/17	**< .000**	2016/11
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/11/17	**< .000**	2016/11
DICHLOROMETHANE	**34423**	**072**	2010/11/17	**< .000**	2016/11
ETHYLBENZENE	**34371**	**072**	2010/11/17	**< .000**	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/11/17	**< .000**	2016/11
MONOCHLOROBENZENE	**34301**	**072**	2010/11/17	**< .000**	2016/11
STYRENE	**77128**	**072**	2010/11/17	**< .000**	2016/11
TETRACHLOROETHYLENE	**34475**	**072**	2010/11/17	**< .000**	2016/11
TOLUENE	**34010**	**072**	2010/11/17	**< .000**	2016/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/11/17	**< .000**	2016/11
TRICHLOROETHYLENE	**39180**	**072**	2010/11/17	**< .000**	2016/11
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/11/17	**< .000**	2016/11
VINYL CHLORIDE	**39175**	**072**	2010/11/17	**< .000**	2016/11
XYLENES (TOTAL)	**81551**	**072**	2010/11/17	**< .000**	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 68.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 14.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 5.500**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400010
System Name: ROLLING GREEN UTILITIES, INC.

PS Code: 1400010-001
Source Name: WELL 01 (EAST WELL)
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2014/06/26	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/26	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/26	. 45.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/26	< .000	2017/06
IRON	01045	036	2014/06/26	< .000	2017/06
MAGNESIUM	00927	036	2014/06/26	. 2.300	2017/06
MANGANESE	01055	036	2014/06/26	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/26	. 6.900	2017/06
SILVER	01077	036	2014/06/26	< .000	2017/06
SODIUM	00929	036	2014/06/26	. 8.200	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/26	. 130.000	2017/06
SULFATE	00945	036	2014/06/26	. 4.300	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 92.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/26	. .100	2017/06
ZINC	01092	036	2014/06/26	< .000	2017/06

PS Code: 1400010-002
Source Name: WELL 02 (WEST WELL)
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/06/26	< .000	2017/06
ANTIMONY	01097	036	2014/06/26	< .000	2017/06
ARSENIC	01002	036	2014/06/26	< .000	2017/06
BARIUM	01007	036	2014/06/26	< .000	2017/06
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06
CADMIUM	01027	036	2014/06/26	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400010
System Name: ROLLING GREEN UTILITIES, INC.

PS Code: 1400010-002
Source Name: WELL 02 (WEST WELL)
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .190	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/26	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/11/17	< .000	2013/11	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/11	< .000	2015/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/11	< .000	2015/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/11/17	< .000	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/17	< .000	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/17	< .000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/17	< .000	2016/11	
1,1-DICHLOROETHANE	34496	072	2010/11/17	< .000	2016/11	
1,1-DICHLOROETHYLENE	34501	072	2010/11/17	< .000	2016/11	
1,2,4-TRICHLOROBENZENE	34551	072	2010/11/17	< .000	2016/11	
1,2-DICHLOROBENZENE	34536	072	2010/11/17	< .000	2016/11	
1,2-DICHLOROETHANE	34531	072	2010/11/17	< .000	2016/11	
1,2-DICHLOROPROPANE	34541	072	2010/11/17	< .000	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400010***

System Name: ***ROLLING GREEN UTILITIES, INC.***

PS Code: ***1400010-002***

Source Name: ***WELL 02 (WEST WELL)***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/11/17	**< .000**	2016/11
1,4-DICHLOROBENZENE	**34571**	**072**	2010/11/17	**< .000**	2016/11
BENZENE	**34030**	**072**	2010/11/17	**< .000**	2016/11
CARBON TETRACHLORIDE	**32102**	**072**	2010/11/17	**< .000**	2016/11
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/11/17	**< .000**	2016/11
DICHLOROMETHANE	**34423**	**072**	2010/11/17	**< .000**	2016/11
ETHYLBENZENE	**34371**	**072**	2010/11/17	**< .000**	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/11/17	**< .000**	2016/11
MONOCHLOROBENZENE	**34301**	**072**	2010/11/17	**< .000**	2016/11
STYRENE	**77128**	**072**	2010/11/17	**< .000**	2016/11
TETRACHLOROETHYLENE	**34475**	**072**	2010/11/17	**< .000**	2016/11
TOLUENE	**34010**	**072**	2010/11/17	**< .000**	2016/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/11/17	**< .000**	2016/11
TRICHLOROETHYLENE	**39180**	**072**	2010/11/17	**< .000**	2016/11
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/11/17	**< .000**	2016/11
VINYL CHLORIDE	**39175**	**072**	2010/11/17	**< .000**	2016/11
XYLENES (TOTAL)	**81551**	**072**	2010/11/17	**< .000**	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 65.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 13.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 5.300**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/26	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/26	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/26	**. 43.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/26	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/26	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/26	**. 2.300**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400010

System Name: ROLLING GREEN UTILITIES, INC.

PS Code: 1400010-002

Source Name: WELL 02 (WEST WELL)

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/06/26	< .000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06	
PH, LABORATORY	00403	036	2014/06/26	. 6.800	2017/06	
SILVER	01077	036	2014/06/26	< .000	2017/06	
SODIUM	00929	036	2014/06/26	. 8.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/26	. 120.000	2017/06	
SULFATE	00945	036	2014/06/26	. 3.800	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 81.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/26	. .100	2017/06	
ZINC	01092	036	2014/06/26	. 55.000	2017/06	

PS Code: 1400010-003

Source Name: WELL 03 (NORTH WELL)

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/06/26	. 70.000	2017/06	
ANTIMONY	01097	036	2014/06/26	< .000	2017/06	
ARSENIC	01002	036	2014/06/26	< .000	2017/06	
BARIUM	01007	036	2014/06/26	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06	
CADMIUM	01027	036	2014/06/26	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .170	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400010
System Name: ROLLING GREEN UTILITIES, INC.

PS Code: 1400010-003
Source Name: WELL 03 (NORTH WELL)
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/26	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/11/17	< .000	2013/11	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/11	< .000	2015/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/11	< .000	2015/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/11/17	< .000	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/17	< .000	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/17	< .000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/17	< .000	2016/11	
1,1-DICHLOROETHANE	34496	072	2010/11/17	< .000	2016/11	
1,1-DICHLOROETHYLENE	34501	072	2010/11/17	< .000	2016/11	
1,2,4-TRICHLOROBENZENE	34551	072	2010/11/17	< .000	2016/11	
1,2-DICHLOROBENZENE	34536	072	2010/11/17	< .000	2016/11	
1,2-DICHLOROETHANE	34531	072	2010/11/17	< .000	2016/11	
1,2-DICHLOROPROPANE	34541	072	2010/11/17	< .000	2016/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/11/17	< .000	2016/11	
1,4-DICHLOROBENZENE	34571	072	2010/11/17	< .000	2016/11	
BENZENE	34030	072	2010/11/17	< .000	2016/11	
CARBON TETRACHLORIDE	32102	072	2010/11/17	< .000	2016/11	
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/11/17	< .000	2016/11	
DICHLOROMETHANE	34423	072	2010/11/17	< .000	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400010***

System Name: ***ROLLING GREEN UTILITIES, INC.***

PS Code: ***1400010-003***

Source Name: ***WELL 03 (NORTH WELL)***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2010/11/17	**< .000**	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/11/17	**< .000**	2016/11
MONOCHLOROBENZENE	**34301**	**072**	2010/11/17	**< .000**	2016/11
STYRENE	**77128**	**072**	2010/11/17	**< .000**	2016/11
TETRACHLOROETHYLENE	**34475**	**072**	2010/11/17	**< .000**	2016/11
TOLUENE	**34010**	**072**	2010/11/17	**< .000**	2016/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/11/17	**< .000**	2016/11
TRICHLOROETHYLENE	**39180**	**072**	2010/11/17	**< .000**	2016/11
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/11/17	**< .000**	2016/11
VINYL CHLORIDE	**39175**	**072**	2010/11/17	**< .000**	2016/11
XYLENES (TOTAL)	**81551**	**072**	2010/11/17	**< .000**	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 56.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 12.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 2.000**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/26	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/26	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/26	**. 39.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/26	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/26	**. 240.000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/26	**. 2.100**	2017/06
MANGANESE	**01055**	**036**	2014/06/26	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/26	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/26	**. 7.200**	2017/06
SILVER	**01077**	**036**	2014/06/26	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/26	**. 7.500**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/26	**. 110.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400010***

System Name: ***ROLLING GREEN UTILITIES, INC.***

PS Code: ***1400010-003***

Source Name: ***WELL 03 (NORTH WELL)***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	**00945**	**036**	2014/06/26	**. 3.400**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/26	**. 78.000**	2017/06
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/26	**. 3.800**	2017/06
ZINC	**01092**	**036**	2014/06/26	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400011***

System Name: ***MOUNT WHITNEY FISH HATCHERY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1400011-001***					
Source Name: ***WELL 01***					
Source Number: ***001***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400111

System Name: MEADOWCREEK MUTUAL WATER COMPANY

PS Code: 1400111-003

Source Name: WELL 04

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/07/12	< 10.000	2015/07	
ANTIMONY	01097	036	2012/07/12	< 1.000	2015/07	
ARSENIC	01002	036	2012/07/12	< 2.000	2015/07	
BARIUM	01007	036	2012/07/12	7.800	2015/07	
BERYLLIUM	01012	036	2012/07/12	< 1.000	2015/07	
CADMIUM	01027	036	2012/07/12	< .200	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/12	< 1.000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2002/07/29	. .300	2005/07	DUE
CYANIDE	01291	036	2012/07/12	< .004	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/12	< .100	2015/07	
MERCURY	71900	036	2012/07/12	< .020	2015/07	
NICKEL	01067	036	2012/07/12	< 1.000	2015/07	
PERCHLORATE	A-031	036	2012/07/12	< 2.000	2015/07	
SELENIUM	01147	036	2012/07/12	< 2.000	2015/07	
THALLIUM	01059	036	2012/07/12	< .200	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/07	. 2.200	2014/11	
NITRITE (AS N)	00620	036	2012/07/12	< .100	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/14	. 8.480	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/07	< .010	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/07	< .020	2016/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/07/12	< .500	2018/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLOROETHANE	34511	072	2012/07/12	< .500	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400111
System Name: MEADOWCREEK MUTUAL WATER COMPANY

PS Code: 1400111-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/07/12	< .500	2018/07
1,1-DICHLOROETHYLENE	34501	072	2012/07/12	< .500	2018/07
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/12	< .500	2018/07
1,2-DICHLOROBENZENE	34536	072	2012/07/12	< .500	2018/07
1,2-DICHLOROETHANE	34531	072	2012/07/12	< .500	2018/07
1,2-DICHLOROPROPANE	34541	072	2012/07/12	< .500	2018/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/12	< .500	2018/07
1,4-DICHLOROBENZENE	34571	072	2012/07/12	< .500	2018/07
BENZENE	34030	072	2012/07/12	< .500	2018/07
CARBON TETRACHLORIDE	32102	072	2012/07/12	< .500	2018/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/07/12	< .500	2018/07
DICHLOROMETHANE	34423	072	2012/07/12	< .500	2018/07
ETHYLBENZENE	34371	072	2012/07/12	< .500	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/12	< 1.000	2018/07
MONOCHLOROBENZENE	34301	072	2012/07/12	< .500	2018/07
STYRENE	77128	072	2012/07/12	< .500	2018/07
TETRACHLOROETHYLENE	34475	072	2012/07/12	< .500	2018/07
TOLUENE	34010	072	2012/07/12	< .500	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/12	< .500	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/12	< .500	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/12	< .500	2018/07
VINYL CHLORIDE	39175	072	2012/07/12	< .500	2018/07
XYLENES (TOTAL)	81551	072	2012/07/12	< .500	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/12	. 70.000	2015/07
CALCIUM	00916	036	2012/07/12	. 20.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/12	< 10.000	2015/07
CHLORIDE	00940	036	2012/07/12	< 1.000	2015/07
COLOR	00081	036	2012/07/12	< 5.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400111
System Name: MEADOWCREEK MUTUAL WATER COMPANY

PS Code: 1400111-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/07/12	< 10.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/12	< .100	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/12	. 58.100	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/12	< 10.000	2015/07
IRON	01045	036	2012/07/12	< 50.000	2015/07
MAGNESIUM	00927	036	2012/07/12	. 2.000	2015/07
MANGANESE	01055	036	2012/07/12	< 10.000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/12	< 1.000	2015/07
PH, LABORATORY	00403	036	2012/07/12	. 7.400	2015/07
SILVER	01077	036	2012/07/12	< 1.000	2015/07
SODIUM	00929	036	2012/07/12	6.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/12	. 150.000	2015/07
SULFATE	00945	036	2012/07/12	5.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/12	. 110.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/12	< .200	2015/07
ZINC	01092	036	2012/07/12	< 20.000	2015/07

PS Code: 1400111-004
Source Name: WELL 06
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/07/12	< 10.000	2015/07
ANTIMONY	01097	036	2012/07/12	< 1.000	2015/07
ARSENIC	01002	036	2012/07/12	. 2.000	2015/07
BARIUM	01007	036	2012/07/12	8.300	2015/07
BERYLLIUM	01012	036	2012/07/12	< 1.000	2015/07
CADMIUM	01027	036	2012/07/12	< .200	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-004***

Source Name: ***WELL 06***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/07/12	< 1.000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2002/07/29	. .300	2005/07	DUE
CYANIDE	01291	036	2012/07/12	< .004	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/12	< .100	2015/07	
MERCURY	71900	036	2012/07/12	< .020	2015/07	
NICKEL	01067	036	2012/07/12	< 1.000	2015/07	
PERCHLORATE	A-031	036	2012/07/12	< 2.000	2015/07	
SELENIUM	01147	036	2012/07/12	< 2.000	2015/07	
THALLIUM	01059	036	2012/07/12	< .200	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/07	. 1.500	2014/11	
NITRITE (AS N)	00620	036	2012/07/12	< .100	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/14	. 6.420	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/07	< .010	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/07	< .020	2016/11	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/07/12	< .500	2018/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLOROETHANE	34511	072	2012/07/12	< .500	2018/07	
1,1-DICHLOROETHANE	34496	072	2012/07/12	< .500	2018/07	
1,1-DICHLOROETHYLENE	34501	072	2012/07/12	< .500	2018/07	
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROBENZENE	34536	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROETHANE	34531	072	2012/07/12	< .500	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-004***

Source Name: ***WELL 06***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/12	**< .500**	2018/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/12	**< .500**	2018/07
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/12	**< .500**	2018/07
BENZENE	**34030**	**072**	2012/07/12	**< .500**	2018/07
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/12	**< .500**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/12	**< .500**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/12	**< .500**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/12	**< .500**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/12	**< 1.000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/12	**< .500**	2018/07
STYRENE	**77128**	**072**	2012/07/12	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/12	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/12	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/12	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/12	**< .500**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/12	**< .500**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/12	**< .500**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/12	**< .500**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/12	**. 70.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/12	**. 19.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/12	**< 10.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/12	**< 1.000**	2015/07
COLOR	**00081**	**036**	2012/07/12	**< 5.000**	2015/07
COPPER	**01042**	**036**	2012/07/12	**< 10.000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/12	**< .100**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/12	**. 55.600**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/12	**< 10.000**	2015/07
IRON	**01045**	**036**	2012/07/12	**< 50.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-004***

Source Name: ***WELL 06***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	036	2012/07/12	. 2.000	2015/07	
MANGANESE	01055	036	2012/07/12	< 10.000	2015/07	
ODOR THRESHOLD @ 60 C	00086	036	2012/07/12	< 1.000	2015/07	
PH, LABORATORY	00403	036	2012/07/12	. 7.600	2015/07	
SILVER	01077	036	2012/07/12	< 1.000	2015/07	
SODIUM	00929	036	2012/07/12	7.000	2015/07	
SPECIFIC CONDUCTANCE	00095	036	2012/07/12	. 145.000	2015/07	
SULFATE	00945	036	2012/07/12	5.000	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/12	. 110.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/12	< .200	2015/07	
ZINC	01092	036	2012/07/12	< 20.000	2015/07	

PS Code: ***1400111-005***

Source Name: ***WELL 07***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/07/12	< 10.000	2015/07	
ANTIMONY	01097	036	2012/07/12	< 1.000	2015/07	
ARSENIC	01002	036	2012/07/12	. 4.000	2015/07	
BARIUM	01007	036	2012/07/12	10.600	2015/07	
BERYLLIUM	01012	036	2012/07/12	< 1.000	2015/07	
CADMIUM	01027	036	2012/07/12	< .200	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/12	< 1.000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2002/07/29	. .300	2005/07	DUE
CYANIDE	01291	036	2012/07/12	< .004	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/12	< .100	2015/07	
MERCURY	71900	036	2012/07/12	< .020	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-005***

Source Name: ***WELL 07***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
NICKEL	01067	036	2012/07/12	< 1.000	2015/07	
PERCHLORATE	A-031	036	2012/07/12	< 2.000	2015/07	
SELENIUM	01147	036	2012/07/12	< 2.000	2015/07	
THALLIUM	01059	036	2012/07/12	< .200	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/07	. 1.800	2014/11	
NITRITE (AS N)	00620	036	2012/07/12	< .100	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/14	. 6.820	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/07	< .010	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/07	< .020	2016/11	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/07/12	< .500	2018/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLOROETHANE	34511	072	2012/07/12	< .500	2018/07	
1,1-DICHLOROETHANE	34496	072	2012/07/12	< .500	2018/07	
1,1-DICHLOROETHYLENE	34501	072	2012/07/12	< .500	2018/07	
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROBENZENE	34536	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROETHANE	34531	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROPROPANE	34541	072	2012/07/12	< .500	2018/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/12	< .500	2018/07	
1,4-DICHLOROBENZENE	34571	072	2012/07/12	< .500	2018/07	
BENZENE	34030	072	2012/07/12	< .500	2018/07	
CARBON TETRACHLORIDE	32102	072	2012/07/12	< .500	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-005***

Source Name: ***WELL 07***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/12	**< .500**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/12	**< .500**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/12	**< .500**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/12	**< 1.000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/12	**< .500**	2018/07
STYRENE	**77128**	**072**	2012/07/12	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/12	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/12	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/12	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/12	**< .500**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/12	**< .500**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/12	**< .500**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/12	**< .500**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/12	**. 90.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/12	**. 21.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/12	**< 10.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/12	**< 1.000**	2015/07
COLOR	**00081**	**036**	2012/07/12	**< 5.000**	2015/07
COPPER	**01042**	**036**	2012/07/12	**< 10.000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/12	**< .100**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/12	**. 64.700**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/12	**< 10.000**	2015/07
IRON	**01045**	**036**	2012/07/12	**< 50.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/12	**. 3.000**	2015/07
MANGANESE	**01055**	**036**	2012/07/12	**< 10.000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/12	**< 1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/12	**. 7.500**	2015/07
SILVER	**01077**	**036**	2012/07/12	**< 1.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400111

System Name: MEADOWCREEK MUTUAL WATER COMPANY

PS Code: 1400111-005

Source Name: WELL 07

Source Number: 005

Source Status: ACTIVE UNTREATED

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SODIUM	00929	036	2012/07/12		7.000	2015/07	
SPECIFIC CONDUCTANCE	00095	036	2012/07/12	.	166.000	2015/07	
SULFATE	00945	036	2012/07/12		5.000	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/12	.	120.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/12	.	.300	2015/07	
ZINC	01092	036	2012/07/12	<	20.000	2015/07	

PS Code: 1400111-006

Source Name: WELL 08

Source Number: 006

Source Status: ACTIVE UNTREATED

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/07/12	<	10.000	2015/07	
ANTIMONY	01097	036	2012/07/12	<	1.000	2015/07	
ARSENIC	01002	036	2012/07/12	<	2.000	2015/07	
BARIUM	01007	036	2012/07/12		9.400	2015/07	
BERYLLIUM	01012	036	2012/07/12	<	1.000	2015/07	
CADMIUM	01027	036	2012/07/12	<	.200	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/12	<	1.000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2002/07/29	.	.300	2005/07	DUE
CYANIDE	01291	036	2012/07/12	<	.004	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/12	<	.100	2015/07	
MERCURY	71900	036	2012/07/12	<	.020	2015/07	
NICKEL	01067	036	2012/07/12	<	1.000	2015/07	
PERCHLORATE	A-031	036	2012/07/12	<	2.000	2015/07	
SELENIUM	01147	036	2012/07/12	<	2.000	2015/07	
THALLIUM	01059	036	2012/07/12	<	.200	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-006***

Source Name: ***WELL 08***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/07	. 1.500	2014/11	
NITRITE (AS N)	00620	036	2012/07/12	< .100	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/14	. 5.010	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/07	< .010	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/07	< .020	2016/11	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/07/12	< .500	2018/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/07/12	< .500	2018/07	
1,1,2-TRICHLOROETHANE	34511	072	2012/07/12	< .500	2018/07	
1,1-DICHLOROETHANE	34496	072	2012/07/12	< .500	2018/07	
1,1-DICHLOROETHYLENE	34501	072	2012/07/12	< .500	2018/07	
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROBENZENE	34536	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROETHANE	34531	072	2012/07/12	< .500	2018/07	
1,2-DICHLOROPROPANE	34541	072	2012/07/12	< .500	2018/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/12	< .500	2018/07	
1,4-DICHLOROBENZENE	34571	072	2012/07/12	< .500	2018/07	
BENZENE	34030	072	2012/07/12	< .500	2018/07	
CARBON TETRACHLORIDE	32102	072	2012/07/12	< .500	2018/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/07/12	< .500	2018/07	
DICHLOROMETHANE	34423	072	2012/07/12	< .500	2018/07	
ETHYLBENZENE	34371	072	2012/07/12	< .500	2018/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/12	< 1.000	2018/07	
MONOCHLOROBENZENE	34301	072	2012/07/12	< .500	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-006***

Source Name: ***WELL 08***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	**77128**	**072**	2012/07/12	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/12	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/12	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/12	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/12	**< .500**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/12	**< .500**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/12	**< .500**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/12	**< .500**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/12	**. 90.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/12	**. 20.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/12	**< 10.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/12	**< 1.000**	2015/07
COLOR	**00081**	**036**	2012/07/12	**< 5.000**	2015/07
COPPER	**01042**	**036**	2012/07/12	**< 10.000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/12	**< .100**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/12	**. 62.200**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/12	**< 10.000**	2015/07
IRON	**01045**	**036**	2012/07/12	**< 50.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/12	**. 3.000**	2015/07
MANGANESE	**01055**	**036**	2012/07/12	**< 10.000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/12	**< 1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/12	**. 7.500**	2015/07
SILVER	**01077**	**036**	2012/07/12	**< 1.000**	2015/07
SODIUM	**00929**	**036**	2012/07/12	**7.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/12	**. 154.000**	2015/07
SULFATE	**00945**	**036**	2012/07/12	**5.000**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/12	**. 100.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/12	**. .200**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400111

System Name: MEADOWCREEK MUTUAL WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1400111-006						
Source Name: WELL 08						
Source Number: 006						
Source Status: ACTIVE UNTREATED						
Water type: G						
SECONDARY/GP						
ZINC	01092	036	2012/07/12	< 20.000	2015/07	
PS Code: 1400111-007						
Source Name: WELL 09						
Source Number: 007						
Source Status: ACTIVE UNTREATED						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/07/12	< 10.000	2015/07	
ANTIMONY	01097	036	2012/07/12	< 1.000	2015/07	
ARSENIC	01002	036	2012/07/12	. 3.000	2015/07	
BARIUM	01007	036	2012/07/12	7.900	2015/07	
BERYLLIUM	01012	036	2012/07/12	< 1.000	2015/07	
CADMIUM	01027	036	2012/07/12	< .200	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/12	< 1.000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2002/07/29	. .300	2005/07	DUE
CYANIDE	01291	036	2012/07/12	< .004	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/12	< .100	2015/07	
MERCURY	71900	036	2012/07/12	< .020	2015/07	
NICKEL	01067	036	2012/07/12	< 1.000	2015/07	
PERCHLORATE	A-031	036	2012/07/12	< 2.000	2015/07	
SELENIUM	01147	036	2012/07/12	< 2.000	2015/07	
THALLIUM	01059	036	2012/07/12	< .200	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/07	. 1.700	2014/11	
NITRITE (AS N)	00620	036	2012/07/12	< .100	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/14	. 7.230	2015/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-007***

Source Name: ***WELL 09***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
2,4,5-TP (SILVEX)	**39045**	**000**				**DUE**
2,4-D	**39730**	**000**				**DUE**
ATRAZINE	**39033**	**000**				**DUE**
BENTAZON	**38710**	**000**				**DUE**
CARBOFURAN	**81405**	**000**				**DUE**
DALAPON	**38432**	**000**				**DUE**
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/11/07	**< .010**	2016/11	
DINOSEB	**81287**	**000**				**DUE**
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/11/07	**< .020**	2016/11	
GLYPHOSATE	**79743**	**000**				**DUE**
MOLINATE	**82199**	**000**				**DUE**
OXAMYL	**38865**	**000**				**DUE**
PENTACHLOROPHENOL	**39032**	**000**				**DUE**
PICLORAM	**39720**	**000**				**DUE**
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	**39516**	**000**				**DUE**
SIMAZINE	**39055**	**000**				**DUE**
THIOBENCARB	**A-001**	**000**				**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/12	**< .500**	2018/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/12	**< .500**	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/12	**< .500**	2018/07	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/12	**< .500**	2018/07	
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/12	**< .500**	2018/07	
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/07/12	**< .500**	2018/07	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/07/12	**< .500**	2018/07	
1,2-DICHLOROBENZENE	**34536**	**072**	2012/07/12	**< .500**	2018/07	
1,2-DICHLOROETHANE	**34531**	**072**	2012/07/12	**< .500**	2018/07	
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/12	**< .500**	2018/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/12	**< .500**	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400111
System Name: MEADOWCREEK MUTUAL WATER COMPANY

PS Code: 1400111-007
Source Name: WELL 09
Source Number: 007
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2012/07/12	< .500	2018/07
BENZENE	34030	072	2012/07/12	< .500	2018/07
CARBON TETRACHLORIDE	32102	072	2012/07/12	< .500	2018/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/07/12	< .500	2018/07
DICHLOROMETHANE	34423	072	2012/07/12	< .500	2018/07
ETHYLBENZENE	34371	072	2012/07/12	< .500	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/12	< 1.000	2018/07
MONOCHLOROBENZENE	34301	072	2012/07/12	< .500	2018/07
STYRENE	77128	072	2012/07/12	< .500	2018/07
TETRACHLOROETHYLENE	34475	072	2012/07/12	< .500	2018/07
TOLUENE	34010	072	2012/07/12	< .500	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/12	< .500	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/12	< .500	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/12	< .500	2018/07
VINYL CHLORIDE	39175	072	2012/07/12	< .500	2018/07
XYLENES (TOTAL)	81551	072	2012/07/12	< .500	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/12	. 70.000	2015/07
CALCIUM	00916	036	2012/07/12	. 18.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/12	< 10.000	2015/07
CHLORIDE	00940	036	2012/07/12	< 1.000	2015/07
COLOR	00081	036	2012/07/12	< 5.000	2015/07
COPPER	01042	036	2012/07/12	< 10.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/12	< .100	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/12	. 53.100	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/12	< 10.000	2015/07
IRON	01045	036	2012/07/12	< 50.000	2015/07
MAGNESIUM	00927	036	2012/07/12	. 2.000	2015/07
MANGANESE	01055	036	2012/07/12	< 10.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400111***

System Name: ***MEADOWCREEK MUTUAL WATER COMPANY***

PS Code: ***1400111-007***

Source Name: ***WELL 09***

Source Number: ***007***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/12	**< 1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/12	**. 7.600**	2015/07
SILVER	**01077**	**036**	2012/07/12	**< 1.000**	2015/07
SODIUM	**00929**	**036**	2012/07/12	**8.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/12	**. 142.000**	2015/07
SULFATE	**00945**	**036**	2012/07/12	**5.000**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/12	**. 120.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/12	**< .200**	2015/07
ZINC	**01092**	**036**	2012/07/12	**< 20.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400114

System Name: CAL TRANS - DIVISION CREEK

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1400114-001						
Source Name: WELL 01						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: G						
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/04/15	< .440	2014/04	DUE
NITRITE (AS N)	00620	036	2006/03/21	< 20.000	2009/03	DUE
PS Code: 1400114-800						
Source Name: WELL 01 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1400115
System Name: CAL TRANS - COSO JUNCTION

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1400115-002						
Source Name: WELL 1A						
Source Number: 002						
Source Status: ACTIVE RAW						
Water type: G						
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/04/15	. 34.000	2014/04	DUE
NITRITE (AS N)	00620	036	2006/03/21	< 20.000	2009/03	DUE
PS Code: 1400115-800						
Source Name: WELL 01 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400136***

System Name: ***EASTERN SIERRA TRI COUNTY FAIR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1400136-001***					
Source Name: ***WELL 01***					
Source Number: ***001***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1400161***

System Name: ***WHITE MOUNTAIN RESEARCH CENTER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1400161-001***					
Source Name: ***WELL 01***					
Source Number: ***001***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410001
System Name: BISHOP, CITY OF

PS Code: 1410001-001
Source Name: WELL 01 - STANDBY
Source Number: 001
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	108	2011/09/26	. 92.000	2020/09
ANTIMONY	01097	108	2011/09/26	< .000	2020/09
ARSENIC	01002	108	2011/09/26	. 5.700	2020/09
BARIUM	01007	108	2011/09/26	< .000	2020/09
BERYLLIUM	01012	108	2011/09/26	< .000	2020/09
CADMIUM	01027	108	2011/09/26	< .000	2020/09
CHROMIUM (TOTAL)	01034	108	2011/09/26	< .000	2020/09
CHROMIUM, HEXAVALENT	01032	108	2012/03/05	< .000	2021/03
CYANIDE	01291	108	2011/09/26	< .000	2020/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/01/27	. 2.400	2015/01
MERCURY	71900	108	2011/09/26	< .000	2020/09
NICKEL	01067	108	2011/09/26	< .000	2020/09
PERCHLORATE	A-031	108	2011/09/26	< .000	2020/09
SELENIUM	01147	108	2011/09/26	< .000	2020/09
THALLIUM	01059	108	2011/09/26	< .000	2020/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	036	2011/09/26	. 5.400	2014/09
NITRITE (AS N)	00620	036	2011/09/26	< .000	2014/09
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/03/15	6.700	2019/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2008/04/23	.000	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2008/04/23	.000	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2008/04/23	.000	2017/04
1,1,2-TRICHLOROETHANE	34511	108	2008/04/23	.000	2017/04
1,1-DICHLOROETHANE	34496	108	2008/04/23	.000	2017/04
1,1-DICHLOROETHYLENE	34501	108	2008/04/23	.000	2017/04
1,2,4-TRICHLOROBENZENE	34551	108	2008/04/23	.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410001
System Name: BISHOP, CITY OF

PS Code: 1410001-001
Source Name: WELL 01 - STANDBY
Source Number: 001
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	34536	108	2008/04/23	.000	2017/04
1,2-DICHLOROETHANE	34531	108	2008/04/23	.000	2017/04
1,2-DICHLOROPROPANE	34541	108	2008/04/23	.000	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2008/04/23	.000	2017/04
1,4-DICHLOROBENZENE	34571	108	2008/04/23	.000	2017/04
BENZENE	34030	108	2008/04/23	.000	2017/04
CARBON TETRACHLORIDE	32102	108	2008/04/23	.000	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2008/04/23	.000	2017/04
DICHLOROMETHANE	34423	108	2008/04/23	.000	2017/04
ETHYLBENZENE	34371	108	2008/04/23	.000	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2008/04/23	.000	2017/04
MONOCHLOROBENZENE	34301	108	2008/04/23	.000	2017/04
STYRENE	77128	108	2008/04/23	.000	2017/04
TETRACHLOROETHYLENE	34475	108	2008/04/23	.000	2017/04
TOLUENE	34010	108	2008/04/23	.000	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2008/04/23	.000	2017/04
TRICHLOROETHYLENE	39180	108	2008/04/23	.000	2017/04
TRICHLOROFLUOROMETHANE	34488	108	2008/04/23	.000	2017/04
VINYL CHLORIDE	39175	108	2008/04/23	.000	2017/04
XYLENES (TOTAL)	81551	108	2008/04/23	.000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2011/09/26	. 120.000	2020/09
CALCIUM	00916	108	2011/09/26	. 12.000	2020/09
CARBONATE ALKALINITY	00445	108	2011/09/26	< .000	2020/09
CHLORIDE	00940	108	2011/09/26	. 5.000	2020/09
COLOR	00081	108	2011/09/26	< .000	2020/09
COPPER	01042	108	2011/09/26	< .000	2020/09
FOAMING AGENTS (MBAS)	38260	108	2011/09/26	< .000	2020/09
HARDNESS (TOTAL) AS CACO3	00900	108	2011/09/26	. 40.000	2020/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410001***

System Name: ***BISHOP, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410001-001***					
Source Name: ***WELL 01 - STANDBY***					
Source Number: ***001***					
Source Status: ***STANDBY UNTREATED***					
Water type: ***G***					
SECONDARY/GP					
HYDROXIDE ALKALINITY	**71830**	**108**	2011/09/26	**< .000**	2020/09
IRON	**01045**	**108**	2011/09/26	**350.000**	2020/09
MAGNESIUM	**00927**	**108**	2011/09/26	**< .000**	2020/09
MANGANESE	**01055**	**108**	2011/09/26	**< .000**	2020/09
ODOR THRESHOLD @ 60 C	**00086**	**108**	2011/09/26	**. 1.000**	2020/09
PH, LABORATORY	**00403**	**108**	2011/09/26	**. 8.000**	2020/09
SILVER	**01077**	**108**	2011/09/26	**< .000**	2020/09
SODIUM	**00929**	**108**	2011/09/26	**47.000**	2020/09
SPECIFIC CONDUCTANCE	**00095**	**108**	2011/09/26	**. 270.000**	2020/09
SULFATE	**00945**	**108**	2011/09/26	**19.000**	2020/09
TOTAL DISSOLVED SOLIDS	**70300**	**108**	2011/09/26	**. 180.000**	2020/09
TURBIDITY, LABORATORY	**82079**	**108**	2011/09/26	**. 2.300**	2020/09
ZINC	**01092**	**108**	2011/09/26	**< .000**	2020/09
PS Code: ***1410001-002***					
Source Name: ***WELL 02***					
Source Number: ***002***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2011/09/26	**< .000**	2014/09
ANTIMONY	**01097**	**036**	2011/09/26	**< .000**	2014/09
ARSENIC	**01002**	**036**	2011/09/26	**. 2.300**	2014/09
BARIUM	**01007**	**036**	2011/09/26	**< .000**	2014/09
BERYLLIUM	**01012**	**036**	2011/09/26	**< .000**	2014/09
CADMIUM	**01027**	**036**	2011/09/26	**< .000**	2014/09
CHROMIUM (TOTAL)	**01034**	**036**	2011/09/26	**< .000**	2014/09
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/05/16	**< .000**	2015/05
CYANIDE	**01291**	**036**	2011/09/26	**< .000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410001
System Name: BISHOP, CITY OF

PS Code: 1410001-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/26	. .250	2014/09
MERCURY	71900	036	2011/09/26	< .000	2014/09
NICKEL	01067	036	2011/09/26	< .000	2014/09
PERCHLORATE	A-031	036	2011/09/26	< .000	2014/09
SELENIUM	01147	036	2011/09/26	< .000	2014/09
THALLIUM	01059	036	2011/09/26	< .000	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/27	< .000	2015/01
NITRITE (AS N)	00620	036	2011/09/26	< .000	2014/09
RADIOLOGICAL					
GROSS ALPHA	01501	072	2010/10/25	< .000	2016/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/02	< .000	2014/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/02	< .000	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/07/17	< .000	2018/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/07/17	< .000	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/07/17	< .000	2018/07
1,1,2-TRICHLOROETHANE	34511	072	2012/07/17	< .000	2018/07
1,1-DICHLOROETHANE	34496	072	2012/07/17	< .000	2018/07
1,1-DICHLOROETHYLENE	34501	072	2012/07/17	< .000	2018/07
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/17	< .000	2018/07
1,2-DICHLOROBENZENE	34536	072	2012/07/17	< .000	2018/07
1,2-DICHLOROETHANE	34531	072	2012/07/17	< .000	2018/07
1,2-DICHLOROPROPANE	34541	072	2012/07/17	< .000	2018/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/17	< .000	2018/07
1,4-DICHLOROBENZENE	34571	072	2012/07/17	< .000	2018/07
BENZENE	34030	072	2012/07/17	< .000	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410001***
System Name: ***BISHOP, CITY OF***

PS Code: ***1410001-002***
Source Name: ***WELL 02***
Source Number: ***002***
Source Status: ***ACTIVE UNTREATED***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/17	**< .000**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/17	**< .000**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/17	**< .000**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/17	**< .000**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/17	**< .000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/17	**< .000**	2018/07
STYRENE	**77128**	**072**	2012/07/17	**< .000**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/17	**< .000**	2018/07
TOLUENE	**34010**	**072**	2012/07/17	**< .000**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/17	**< .000**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/17	**< .000**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/17	**< .000**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/17	**< .000**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/17	**< .000**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/26	**. 120.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/26	**. 28.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/26	**< .000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/26	**. 1.500**	2014/09
COLOR	**00081**	**036**	2013/02/19	**< .000**	2016/02
COPPER	**01042**	**036**	2011/09/26	**< .000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/26	**< .000**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/26	**. 89.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/26	**< .000**	2014/09
IRON	**01045**	**036**	2011/09/26	**< .000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/26	**. 4.200**	2014/09
MANGANESE	**01055**	**036**	2011/09/26	**< .000**	2014/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/02/19	**< .000**	2016/02
PH, LABORATORY	**00403**	**036**	2013/02/19	**. 7.900**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410001
System Name: BISHOP, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 1410001-002					
Source Name: WELL 02					
Source Number: 002					
Source Status: ACTIVE UNTREATED					
Water type: G					
SECONDARY/GP					
SILVER	01077	036	2011/09/26	< .000	2014/09
SODIUM	00929	036	2011/09/26	11.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/26	. 200.000	2014/09
SULFATE	00945	036	2011/09/26	7.200	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/26	. 140.000	2014/09
TURBIDITY, LABORATORY	82079	036	2013/02/19	. 1.200	2016/02
ZINC	01092	036	2011/09/26	< .000	2014/09
PS Code: 1410001-003					
Source Name: WELL 04					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/09/26	< .000	2014/09
ANTIMONY	01097	036	2011/09/26	< .000	2014/09
ARSENIC	01002	036	2011/09/26	< .000	2014/09
BARIUM	01007	036	2011/09/26	< .000	2014/09
BERYLLIUM	01012	036	2011/09/26	< .000	2014/09
CADMIUM	01027	036	2011/09/26	< .000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/26	< .000	2014/09
CHROMIUM, HEXAVALENT	01032	036	2012/03/05	< .000	2015/03
CYANIDE	01291	036	2011/09/26	< .000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/26	. .220	2014/09
MERCURY	71900	036	2011/09/26	< .000	2014/09
NICKEL	01067	036	2011/09/26	< .000	2014/09
PERCHLORATE	A-031	036	2011/09/26	< .000	2014/09
SELENIUM	01147	036	2011/09/26	< .000	2014/09
THALLIUM	01059	036	2011/09/26	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410001***
System Name: ***BISHOP, CITY OF***

PS Code: ***1410001-003***
Source Name: ***WELL 04***
Source Number: ***003***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/27	**< .000**	2015/01
NITRITE (AS N)	**00620**	**036**	2011/09/26	**< .000**	2014/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/03/15	**< .000**	2019/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/02	**< .000**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/02	**< .000**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/17	**< .000**	2018/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/17	**< .000**	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/17	**< .000**	2018/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/17	**< .000**	2018/07
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/17	**< .000**	2018/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/07/17	**< .000**	2018/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/07/17	**< .000**	2018/07
1,2-DICHLOROBENZENE	**34536**	**072**	2012/07/17	**< .000**	2018/07
1,2-DICHLOROETHANE	**34531**	**072**	2012/07/17	**< .000**	2018/07
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/17	**< .000**	2018/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/17	**< .000**	2018/07
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/17	**< .000**	2018/07
BENZENE	**34030**	**072**	2012/07/17	**< .000**	2018/07
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/17	**< .000**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/17	**< .000**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/17	**< .000**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/17	**< .000**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/17	**< .000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/17	**< .000**	2018/07
STYRENE	**77128**	**072**	2012/07/17	**< .000**	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410001
System Name: BISHOP, CITY OF

PS Code: 1410001-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	072	2012/07/17	< .000	2018/07
TOLUENE	34010	072	2012/07/17	< .000	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/17	< .000	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/17	< .000	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/17	< .000	2018/07
VINYL CHLORIDE	39175	072	2012/07/17	< .000	2018/07
XYLENES (TOTAL)	81551	072	2012/07/17	< .000	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/26	. 61.000	2014/09
CALCIUM	00916	036	2011/09/26	. 14.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/26	< .000	2014/09
CHLORIDE	00940	036	2011/09/26	. 1.600	2014/09
COLOR	00081	036	2011/09/26	< .000	2014/09
COPPER	01042	036	2011/09/26	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/26	< .000	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/26	. 44.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/26	< .000	2014/09
IRON	01045	036	2011/09/26	< .000	2014/09
MAGNESIUM	00927	036	2011/09/26	. 2.600	2014/09
MANGANESE	01055	036	2011/09/26	< .000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/26	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/26	. 7.800	2014/09
SILVER	01077	036	2011/09/26	< .000	2014/09
SODIUM	00929	036	2011/09/26	6.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/26	. 110.000	2014/09
SULFATE	00945	036	2011/09/26	5.900	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/26	. 72.000	2014/09
TURBIDITY, LABORATORY	82079	036	2011/09/26	. .200	2014/09
ZINC	01092	036	2011/09/26	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410001***
System Name: ***BISHOP, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***1410001-601***						
Source Name: ***DBP2-980 POLETA ROAD***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***1410001-602***						
Source Name: ***DBP2-151 S. WARREN STREET***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410001
System Name: BISHOP, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410001-602						
Source Name: DBP2-151 S. WARREN STREET						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 1410001-800						
Source Name: WELL 04 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410002***

System Name: ***LADWP - INDEPENDENCE***

PS Code: ***1410002-001***

Source Name: ***WELL 357***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/04/05	.	.000	2014/04	DUE
ANTIMONY	01097	036	2011/04/05		.000	2014/04	DUE
ARSENIC	01002	036	2011/04/05	.	.000	2014/04	DUE
BARIUM	01007	036	2011/04/05	<	100.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/05	.	.000	2014/04	DUE
CADMIUM	01027	036	2011/04/05	.	.000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/05	.	.000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/11/19	.	.000	2005/11	DUE
CYANIDE	01291	036	2011/04/05	.	.000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/05	.	.107	2014/04	DUE
MERCURY	71900	036	2011/04/05	.	.000	2014/04	DUE
NICKEL	01067	036	2011/04/05	.	.000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/05	.	.000	2014/04	DUE
SELENIUM	01147	036	2011/04/05	.	.000	2014/04	DUE
THALLIUM	01059	036	2011/04/05		.000	2014/04	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/08/20	<	2.000	2014/08	
NITRITE (AS N)	00620	036	2011/04/05	.	.000	2014/04	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	108	2010/03/02		.590	2019/03	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/05	.	.000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/05	.	.000	2014/04	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2008/06/10		.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/10		.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/10		.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/10		.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410002***

System Name: ***LADWP - INDEPENDENCE***

PS Code: ***1410002-001***

Source Name: ***WELL 357***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/06/10		.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/10		.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/10		.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/10		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/10		.000	2014/06	DUE
BENZENE	34030	072	2008/06/10		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/10		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/10		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/10		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/10		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/05	.	.000	2017/04	
MONOCHLOROBENZENE	34301	072	2008/06/10		.000	2014/06	DUE
STYRENE	77128	072	2008/06/10		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/10		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/10		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/10		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/10		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/10		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/10		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/10		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/05	.	68.300	2014/04	DUE
CALCIUM	00916	036	2011/04/05	.	15.900	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/05		.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/05	.	8.410	2014/04	DUE
COLOR	00081	036	2011/04/05	.	3.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410002
System Name: LADWP - INDEPENDENCE

PS Code: 1410002-001
Source Name: WELL 357
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/04/05	. .000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/05	. .000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/05	. 51.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/05	. .000	2014/04	DUE
IRON	01045	036	2011/04/05	.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/05	. 2.750	2014/04	DUE
MANGANESE	01055	036	2011/04/05	. .000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/02/02	.000	2008/02	DUE
PH, LABORATORY	00403	036	2005/02/02	. 7.460	2008/02	DUE
SILVER	01077	036	2011/04/05	. .000	2014/04	DUE
SODIUM	00929	036	2011/04/05	15.600	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/05	. 136.000	2014/04	DUE
SULFATE	00945	036	2011/04/05	17.800	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/05	. 78.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/05	. .100	2014/04	DUE
ZINC	01092	036	2011/04/05	. .000	2014/04	DUE

PS Code: 1410002-003
Source Name: WELL 384
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/04/05	. .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/05	.000	2014/04	DUE
ARSENIC	01002	036	2011/04/05	. .000	2014/04	DUE
BARIUM	01007	036	2011/04/05	< 100.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/05	. .000	2014/04	DUE
CADMIUM	01027	036	2011/04/05	. .000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410002***

System Name: ***LADWP - INDEPENDENCE***

PS Code: ***1410002-003***

Source Name: ***WELL 384***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/04/05	. .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/11/19	. .000	2005/11	DUE
CYANIDE	01291	036	2011/04/05	. .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/05	. .000	2014/04	DUE
MERCURY	71900	036	2011/04/05	. .000	2014/04	DUE
NICKEL	01067	036	2011/04/05	. .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/05	. .000	2014/04	DUE
SELENIUM	01147	036	2011/04/05	. .000	2014/04	DUE
THALLIUM	01059	036	2011/04/05	.000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	< 2.000	2014/08	
NITRITE (AS N)	00620	036	2011/04/05	. .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/03/02	3.640	2019/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/05	. .000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/05	. .000	2014/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/10	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/10	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	072	2008/06/10	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/10	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/10	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410002
System Name: LADWP - INDEPENDENCE

PS Code: 1410002-003
Source Name: WELL 384
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/10		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/10		.000	2014/06	DUE
BENZENE	34030	072	2008/06/10		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/10		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/10		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/10		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/10		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/05	.	.000	2017/04	
MONOCHLOROBENZENE	34301	072	2008/06/10		.000	2014/06	DUE
STYRENE	77128	072	2008/06/10		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/10		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/10		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/10		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/10		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/10		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/10		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/10		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/05	.	83.000	2014/04	DUE
CALCIUM	00916	036	2011/04/05	.	17.900	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/05		.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/05	.	10.400	2014/04	DUE
COLOR	00081	036	2011/04/05	.	3.000	2014/04	DUE
COPPER	01042	036	2011/04/05	.	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/05	.	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/05	.	57.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/05	.	.000	2014/04	DUE
IRON	01045	036	2011/04/05		.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/05	.	3.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410002
System Name: LADWP - INDEPENDENCE

PS Code: 1410002-003
Source Name: WELL 384
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2011/04/05	.	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/02/02		1.000	2008/02	DUE
PH, LABORATORY	00403	036	2005/02/02	.	8.110	2008/02	DUE
SILVER	01077	036	2011/04/05	.	.000	2014/04	DUE
SODIUM	00929	036	2011/04/05		20.200	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/05	.	196.000	2014/04	DUE
SULFATE	00945	036	2011/04/05		20.300	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/05	.	122.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/05	.	.100	2014/04	DUE
ZINC	01092	036	2011/04/05	.	.000	2014/04	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410003
System Name: LADWP - LONE PINE

PS Code: 1410003-001
Source Name: WELL 344
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/11/15	. .000	2014/11	
ANTIMONY	01097	036	2011/11/15	.000	2014/11	
ARSENIC	01002	036	2011/11/15	. .000	2014/11	
BARIUM	01007	036	2011/11/15	.000	2014/11	
BERYLLIUM	01012	036	2011/11/15	. .000	2014/11	
CADMIUM	01027	036	2011/11/15	. .000	2014/11	
CHROMIUM (TOTAL)	01034	036	2011/11/15	. .000	2014/11	
CHROMIUM, HEXAVALENT	01032	036	2002/11/19	. .000	2005/11	DUE
CYANIDE	01291	036	2011/11/15	. .000	2014/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/11/15	. .175	2014/11	
MERCURY	71900	036	2011/11/15	. .000	2014/11	
NICKEL	01067	036	2011/11/15	. .000	2014/11	
PERCHLORATE	A-031	036	2011/11/15	. .000	2014/11	
SELENIUM	01147	036	2011/11/15	. .000	2014/11	
THALLIUM	01059	036	2011/11/15	.000	2014/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	< 2.000	2014/08	
NITRITE (AS N)	00620	036	2011/11/15	. .000	2014/11	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/03/02	3.230	2019/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/15	. .000	2014/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/15	. .000	2014/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/10	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/10	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410003***

System Name: ***LADWP - LONE PINE***

PS Code: ***1410003-001***

Source Name: ***WELL 344***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/06/10		.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/10		.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/10		.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/10		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/10		.000	2014/06	DUE
BENZENE	34030	072	2008/06/10		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/10		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/10		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/10		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/10		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/11/15	.	.000	2017/11	
MONOCHLOROBENZENE	34301	072	2008/06/10		.000	2014/06	DUE
STYRENE	77128	072	2008/06/10		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/10		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/10		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/10		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/10		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/10		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/10		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/10		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/11/15	.	98.800	2014/11	
CALCIUM	00916	036	2011/11/15	.	23.400	2014/11	
CARBONATE ALKALINITY	00445	036	2011/11/15		.000	2014/11	
CHLORIDE	00940	036	2011/11/15	.	7.950	2014/11	
COLOR	00081	036	2011/11/15	.	3.000	2014/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410003***

System Name: ***LADWP - LONE PINE***

PS Code: ***1410003-001***

Source Name: ***WELL 344***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/11/15	.	.000	2014/11	
FOAMING AGENTS (MBAS)	38260	036	2011/11/15	.	.000	2014/11	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/11/15	.	71.000	2014/11	
HYDROXIDE ALKALINITY	71830	036	2011/11/15	.	.000	2014/11	
IRON	01045	036	2011/11/15		.000	2014/11	
MAGNESIUM	00927	036	2011/11/15	.	3.170	2014/11	
MANGANESE	01055	036	2011/11/15	.	.000	2014/11	
ODOR THRESHOLD @ 60 C	00086	036	2005/02/02		.000	2008/02	DUE
PH, LABORATORY	00403	036	2005/02/02	.	6.880	2008/02	DUE
SILVER	01077	036	2011/11/15	.	.000	2014/11	
SODIUM	00929	036	2011/11/15		12.500	2014/11	
SPECIFIC CONDUCTANCE	00095	036	2011/11/15	.	199.000	2014/11	
SULFATE	00945	036	2011/11/15		15.300	2014/11	
TOTAL DISSOLVED SOLIDS	70300	036	2011/11/15	.	122.000	2014/11	
TURBIDITY, LABORATORY	82079	036	2011/11/15	.	.100	2014/11	
ZINC	01092	036	2011/11/15	.	.000	2014/11	

PS Code: ***1410003-002***

Source Name: ***WELL 346***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2011/04/05	.	.000	2014/04	DUE
ANTIMONY	01097	036	2011/04/05		.000	2014/04	DUE
ARSENIC	01002	036	2011/04/05	.	.000	2014/04	DUE
BARIUM	01007	036	2011/04/05	<	100.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/05	.	.000	2014/04	DUE
CADMIUM	01027	036	2011/04/05	.	.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410003
System Name: LADWP - LONE PINE

PS Code: 1410003-002
Source Name: WELL 346
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/04/05	. .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/11/19	. .000	2005/11	DUE
CYANIDE	01291	036	2011/04/05	. .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/05	. .132	2014/04	DUE
MERCURY	71900	036	2011/04/05	. .000	2014/04	DUE
NICKEL	01067	036	2011/04/05	. .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/05	. .000	2014/04	DUE
SELENIUM	01147	036	2011/04/05	. .000	2014/04	DUE
THALLIUM	01059	036	2011/04/05	.000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	. 2.220	2014/08	
NITRITE (AS N)	00620	036	2011/04/05	. .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	072	2010/03/02	5.770	2016/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/05	. .000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/05	. .000	2014/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/10	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/10	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	072	2008/06/10	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/10	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/10	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410003***

System Name: ***LADWP - LONE PINE***

PS Code: ***1410003-002***

Source Name: ***WELL 346***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/10		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/10		.000	2014/06	DUE
BENZENE	34030	072	2008/06/10		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/10		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/10		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/10		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/10		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/05	.	.000	2017/04	
MONOCHLOROBENZENE	34301	072	2008/06/10		.000	2014/06	DUE
STYRENE	77128	072	2008/06/10		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/10		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/10		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/10		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/10		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/10		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/10		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/10		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/05	.	92.100	2014/04	DUE
CALCIUM	00916	036	2011/04/05	.	20.800	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/05		.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/05	.	6.220	2014/04	DUE
COLOR	00081	036	2011/04/05	.	3.000	2014/04	DUE
COPPER	01042	036	2011/04/05	.	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/05	.	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/05	.	66.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/05	.	.000	2014/04	DUE
IRON	01045	036	2011/04/05	<	100.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/05	.	3.430	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410003
System Name: LADWP - LONE PINE

PS Code: 1410003-002
Source Name: WELL 346
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2011/04/05	.	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/02/02		1.000	2008/02	DUE
PH, LABORATORY	00403	036	2005/02/02	.	6.900	2008/02	DUE
SILVER	01077	036	2011/04/05	.	.000	2014/04	DUE
SODIUM	00929	036	2011/04/05		11.600	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/05	.	174.000	2014/04	DUE
SULFATE	00945	036	2011/04/05		11.200	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/05	.	112.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/05	.	.100	2014/04	DUE
ZINC	01092	036	2011/04/05	.	.000	2014/04	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410004
System Name: LADWP - BIG PINE

PS Code: 1410004-001
Source Name: WELL 01 = 341
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/04/05	. .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/05	.000	2014/04	DUE
ARSENIC	01002	036	2011/04/05	< 2.000	2014/04	DUE
BARIUM	01007	036	2011/04/05	< 100.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/05	. .000	2014/04	DUE
CADMIUM	01027	036	2011/04/05	. .000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/05	. .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/11/19	. .000	2005/11	DUE
CYANIDE	01291	036	2011/04/05	. .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/05	. .139	2014/04	DUE
MERCURY	71900	036	2011/04/05	. .000	2014/04	DUE
NICKEL	01067	036	2011/04/05	. .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/05	. .000	2014/04	DUE
SELENIUM	01147	036	2011/04/05	. .000	2014/04	DUE
THALLIUM	01059	036	2011/04/05	.000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	< 2.000	2014/08	
NITRITE (AS N)	00620	036	2011/04/05	. .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/03/02	2.390	2019/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/05	. .000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/05	. .000	2014/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/10	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/10	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410004
System Name: LADWP - BIG PINE

PS Code: 1410004-001
Source Name: WELL 01 = 341
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/06/10		.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/10		.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/10		.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/10		.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/10		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/10		.000	2014/06	DUE
BENZENE	34030	072	2008/06/10		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/10		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/10		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/10		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/10		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/05	.	.000	2017/04	
MONOCHLOROBENZENE	34301	072	2008/06/10		.000	2014/06	DUE
STYRENE	77128	072	2008/06/10		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/10		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/10		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/10		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/10		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/10		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/10		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/10		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/05	.	96.400	2014/04	DUE
CALCIUM	00916	036	2011/04/05	.	24.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/05		.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/05	.	19.200	2014/04	DUE
COLOR	00081	036	2011/04/05	.	3.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410004
System Name: LADWP - BIG PINE

PS Code: 1410004-001
Source Name: WELL 01 = 341
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/04/05	.	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/05	.	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/05	.	76.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/05	.	.000	2014/04	DUE
IRON	01045	036	2011/04/05		.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/05	.	4.010	2014/04	DUE
MANGANESE	01055	036	2011/04/05	.	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/02/02		1.000	2008/02	DUE
PH, LABORATORY	00403	036	2005/02/02	.	7.900	2008/02	DUE
SILVER	01077	036	2011/04/05	.	.000	2014/04	DUE
SODIUM	00929	036	2011/04/05		19.300	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/05	.	225.000	2014/04	DUE
SULFATE	00945	036	2011/04/05		13.900	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/05	.	133.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/05	.	.100	2014/04	DUE
ZINC	01092	036	2011/04/05	.	.000	2014/04	DUE

PS Code: 1410004-002
Source Name: WELL 02 = 352
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/04/05	<	50.000	2014/04	DUE
ANTIMONY	01097	036	2011/04/05		.000	2014/04	DUE
ARSENIC	01002	036	2011/04/05	.	.000	2014/04	DUE
BARIUM	01007	036	2011/04/05	<	100.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/05	.	.000	2014/04	DUE
CADMIUM	01027	036	2011/04/05	.	.000	2014/04	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410004
System Name: LADWP - BIG PINE

PS Code: 1410004-002
Source Name: WELL 02 = 352
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/04/05	. .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/11/19	. .000	2005/11	DUE
CYANIDE	01291	036	2011/04/05	. .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/05	. .000	2014/04	DUE
MERCURY	71900	036	2011/04/05	. .000	2014/04	DUE
NICKEL	01067	036	2011/04/05	. .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/05	. .000	2014/04	DUE
SELENIUM	01147	036	2011/04/05	. .000	2014/04	DUE
THALLIUM	01059	036	2011/04/05	.000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	. 4.470	2014/08	
NITRITE (AS N)	00620	036	2011/04/05	. .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	072	2010/03/02	3.980	2016/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/05	. .000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/05	. .000	2014/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/10	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/10	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/10	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	072	2008/06/10	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/10	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/10	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/10	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410004
System Name: LADWP - BIG PINE

PS Code: 1410004-002
Source Name: WELL 02 = 352
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/10		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/10		.000	2014/06	DUE
BENZENE	34030	072	2008/06/10		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/10		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/10		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/10		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/10		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/05	.	.000	2017/04	
MONOCHLOROBENZENE	34301	072	2008/06/10		.000	2014/06	DUE
STYRENE	77128	072	2008/06/10		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/10		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/10		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/10		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/10		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/10		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/10		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/10		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/05	.	123.000	2014/04	DUE
CALCIUM	00916	036	2011/04/05	.	29.800	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/05		.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/05	.	7.180	2014/04	DUE
COLOR	00081	036	2011/04/05	.	3.000	2014/04	DUE
COPPER	01042	036	2011/04/05	.	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/05	.	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/05	.	100.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/05	.	.000	2014/04	DUE
IRON	01045	036	2011/04/05		.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/05	.	6.140	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410004
System Name: LADWP - BIG PINE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410004-002							
Source Name: WELL 02 = 352							
Source Number: 002							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
MANGANESE	01055	036	2011/04/05	.	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/02/02		1.000	2008/02	DUE
PH, LABORATORY	00403	036	2005/02/02	.	7.260	2008/02	DUE
SILVER	01077	036	2011/04/05	.	.000	2014/04	DUE
SODIUM	00929	036	2011/04/05		13.000	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/05	.	234.000	2014/04	DUE
SULFATE	00945	036	2011/04/05		15.200	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/05	.	138.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/05	.	.100	2014/04	DUE
ZINC	01092	036	2011/04/05	.	68.000	2014/04	DUE
PS Code: 1410004-800							
Source Name: WELL 01 = 341 - TREATED (CL2)							
Source Number: 800							
Source Status: ACTIVE TREATED							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 1410004-801							
Source Name: WELL 02 = 352 - TREATED (CL2)							
Source Number: 801							
Source Status: ACTIVE TREATED							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

PS Code: 1410005-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/04/04	< .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/04	< .000	2014/04	DUE
ARSENIC	01002	036	2011/04/04	< .000	2014/04	DUE
BARIUM	01007	036	2011/04/04	< .000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/04	< .000	2014/04	DUE
CADMIUM	01027	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/07/21	. .000	2006/07	DUE
CYANIDE	01291	036	2011/04/04	< .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/04	< .000	2014/04	DUE
MERCURY	71900	036	2011/04/04	< .000	2014/04	DUE
NICKEL	01067	036	2011/04/04	< .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/04	< .000	2014/04	DUE
SELENIUM	01147	036	2011/04/04	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/04	< .000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/20	. 2.700	2014/02	DUE
NITRITE (AS N)	00620	036	2011/04/04	< .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2006/01/05	.000	2015/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/20	< .000	2016/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/20	< .000	2016/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/05/20	.000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/05/20	.000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/05/20	.000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/05/20	.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/05/20		.000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/05/20		.000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/05/20		.000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	072	2008/05/20		.000	2014/05	DUE
1,2-DICHLOROETHANE	34531	072	2008/05/20		.000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	072	2008/05/20		.000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/05/20		.000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	072	2008/05/20		.000	2014/05	DUE
BENZENE	34030	072	2008/05/20		.000	2014/05	DUE
CARBON TETRACHLORIDE	32102	072	2008/05/20		.000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/05/20		.000	2014/05	DUE
DICHLOROMETHANE	34423	072	2008/05/20		.000	2014/05	DUE
ETHYLBENZENE	34371	072	2008/05/20		.000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/04/12	<	.000	2016/04	
MONOCHLOROBENZENE	34301	072	2008/05/20		.000	2014/05	DUE
STYRENE	77128	072	2008/05/20		.000	2014/05	DUE
TETRACHLOROETHYLENE	34475	072	2008/05/20		.000	2014/05	DUE
TOLUENE	34010	072	2008/05/20		.000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/05/20		.000	2014/05	DUE
TRICHLOROETHYLENE	39180	072	2008/05/20		.000	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/05/20		.000	2014/05	DUE
VINYL CHLORIDE	39175	072	2008/05/20		.000	2014/05	DUE
XYLENES (TOTAL)	81551	072	2008/05/20		.000	2014/05	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/04	.	71.000	2014/04	DUE
CALCIUM	00916	036	2011/04/04	.	17.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/04	<	.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/04	<	.000	2014/04	DUE
COLOR	00081	036	2011/04/04	<	.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

PS Code: 1410005-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/04/04	< .000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/04	< .000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/04	. 44.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/04	< .000	2014/04	DUE
IRON	01045	036	2011/04/04	< .000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/04	. 2.600	2014/04	DUE
MANGANESE	01055	036	2011/04/04	< .000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/04	. 1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/04	. 7.700	2014/04	DUE
SILVER	01077	036	2011/04/04	< .000	2014/04	DUE
SODIUM	00929	036	2011/04/04	3.500	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/04	. 110.000	2014/04	DUE
SULFATE	00945	036	2011/04/04	5.100	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/04	. 69.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/04	< .000	2014/04	DUE
ZINC	01092	036	2011/04/04	< .000	2014/04	DUE

PS Code: 1410005-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/04/04	< .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/04	< .000	2014/04	DUE
ARSENIC	01002	036	2011/04/04	< .000	2014/04	DUE
BARIUM	01007	036	2011/04/04	< .000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/04	< .000	2014/04	DUE
CADMIUM	01027	036	2011/04/04	< .000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

PS Code: 1410005-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/07/21	. .000	2006/07	DUE
CYANIDE	01291	036	2011/04/04	< .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/04	< .000	2014/04	DUE
MERCURY	71900	036	2011/04/04	< .000	2014/04	DUE
NICKEL	01067	036	2011/04/04	< .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/04	< .000	2014/04	DUE
SELENIUM	01147	036	2011/04/04	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/04	< .000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/20	. 6.700	2014/02	DUE
NITRITE (AS N)	00620	036	2011/04/04	< .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2006/01/05	.000	2015/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/20	< .000	2016/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/20	< .000	2016/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/05/20	.000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/05/20	.000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/05/20	.000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/05/20	.000	2014/05	DUE
1,1-DICHLOROETHANE	34496	072	2008/05/20	.000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/05/20	.000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/05/20	.000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	072	2008/05/20	.000	2014/05	DUE
1,2-DICHLOROETHANE	34531	072	2008/05/20	.000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	072	2008/05/20	.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/05/20		.000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	072	2008/05/20		.000	2014/05	DUE
BENZENE	34030	072	2008/05/20		.000	2014/05	DUE
CARBON TETRACHLORIDE	32102	072	2008/05/20		.000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/05/20		.000	2014/05	DUE
DICHLOROMETHANE	34423	072	2008/05/20		.000	2014/05	DUE
ETHYLBENZENE	34371	072	2008/05/20		.000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/04/12	<	.000	2016/04	
MONOCHLOROBENZENE	34301	072	2008/05/20		.000	2014/05	DUE
STYRENE	77128	072	2008/05/20		.000	2014/05	DUE
TETRACHLOROETHYLENE	34475	072	2008/05/20		.000	2014/05	DUE
TOLUENE	34010	072	2008/05/20		.000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/05/20		.000	2014/05	DUE
TRICHLOROETHYLENE	39180	072	2008/05/20		.000	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/05/20		.000	2014/05	DUE
VINYL CHLORIDE	39175	072	2008/05/20		.000	2014/05	DUE
XYLENES (TOTAL)	81551	072	2008/05/20		.000	2014/05	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/04	.	89.000	2014/04	DUE
CALCIUM	00916	036	2011/04/04	.	21.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/04	<	.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/04	.	1.400	2014/04	DUE
COLOR	00081	036	2011/04/04	<	.000	2014/04	DUE
COPPER	01042	036	2011/04/04	<	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/04	<	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/04	.	58.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/04	<	.000	2014/04	DUE
IRON	01045	036	2011/04/04	<	.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/04	.	3.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410005-002							
Source Name: WELL 02							
Source Number: 002							
Source Status: ACTIVE UNTREATED							
Water type: G							
SECONDARY/GP							
MANGANESE	01055	036	2011/04/04	<	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/04		1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/04	.	7.600	2014/04	DUE
SILVER	01077	036	2011/04/04	<	.000	2014/04	DUE
SODIUM	00929	036	2011/04/04		4.500	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/04	.	140.000	2014/04	DUE
SULFATE	00945	036	2011/04/04		7.600	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/04	.	87.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/04	.	.100	2014/04	DUE
ZINC	01092	036	2011/04/04	<	.000	2014/04	DUE
PS Code: 1410005-003							
Source Name: WELL 03							
Source Number: 003							
Source Status: ACTIVE UNTREATED							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2011/04/04	<	.000	2014/04	DUE
ANTIMONY	01097	036	2011/04/04	<	.000	2014/04	DUE
ARSENIC	01002	036	2011/04/04	<	.000	2014/04	DUE
BARIUM	01007	036	2011/04/04	<	.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/04	<	.000	2014/04	DUE
CADMIUM	01027	036	2011/04/04	<	.000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/04	<	.000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/07/21	.	.000	2006/07	DUE
CYANIDE	01291	036	2011/04/04	<	.000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/04	<	.000	2014/04	DUE
MERCURY	71900	036	2011/04/04	<	.000	2014/04	DUE
NICKEL	01067	036	2011/04/04	<	.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

PS Code: 1410005-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/04/04	< .000	2014/04	DUE
SELENIUM	01147	036	2011/04/04	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/04	< .000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/20	< .000	2014/02	DUE
NITRITE (AS N)	00620	036	2011/04/04	< .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2006/01/05	.000	2015/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/20	< .000	2016/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/20	< .000	2016/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/05/20	.000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/05/20	.000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/05/20	.000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/05/20	.000	2014/05	DUE
1,1-DICHLOROETHANE	34496	072	2008/05/20	.000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/05/20	.000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/05/20	.000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	072	2008/05/20	.000	2014/05	DUE
1,2-DICHLOROETHANE	34531	072	2008/05/20	.000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	072	2008/05/20	.000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/05/20	.000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	072	2008/05/20	.000	2014/05	DUE
BENZENE	34030	072	2008/05/20	.000	2014/05	DUE
CARBON TETRACHLORIDE	32102	072	2008/05/20	.000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/05/20	.000	2014/05	DUE
DICHLOROMETHANE	34423	072	2008/05/20	.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
ETHYLBENZENE	34371	072	2008/05/20		.000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/04/12	<	.000	2016/04	
MONOCHLOROBENZENE	34301	072	2008/05/20		.000	2014/05	DUE
STYRENE	77128	072	2008/05/20		.000	2014/05	DUE
TETRACHLOROETHYLENE	34475	072	2008/05/20		.000	2014/05	DUE
TOLUENE	34010	072	2008/05/20		.000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/05/20		.000	2014/05	DUE
TRICHLOROETHYLENE	39180	072	2008/05/20		.000	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/05/20		.000	2014/05	DUE
VINYL CHLORIDE	39175	072	2008/05/20		.000	2014/05	DUE
XYLENES (TOTAL)	81551	072	2008/05/20		.000	2014/05	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/04	.	82.000	2014/04	DUE
CALCIUM	00916	036	2011/04/04	.	19.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/04	<	.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/04	<	.000	2014/04	DUE
COLOR	00081	036	2011/04/04	<	.000	2014/04	DUE
COPPER	01042	036	2011/04/04	<	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/04	<	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/04	.	49.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/04	<	.000	2014/04	DUE
IRON	01045	036	2011/05/02	<	.000	2014/05	DUE
MAGNESIUM	00927	036	2011/04/04	.	2.800	2014/04	DUE
MANGANESE	01055	036	2011/04/04	<	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/04		1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/04	.	7.500	2014/04	DUE
SILVER	01077	036	2011/04/04	<	.000	2014/04	DUE
SODIUM	00929	036	2011/04/04		4.100	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/04	.	120.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410005-003						
Source Name: WELL 03						
Source Number: 003						
Source Status: ACTIVE UNTREATED						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2011/04/04	6.700	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/04	. 80.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/04	. .500	2014/04	DUE
ZINC	01092	036	2011/04/04	< .000	2014/04	DUE
PS Code: 1410005-005						
Source Name: WELL 05						
Source Number: 005						
Source Status: ACTIVE UNTREATED						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/04/04	< .000	2014/04	DUE
ANTIMONY	01097	036	2011/04/04	< .000	2014/04	DUE
ARSENIC	01002	036	2011/04/04	< .000	2014/04	DUE
BARIUM	01007	036	2011/04/04	< .000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/04	< .000	2014/04	DUE
CADMIUM	01027	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/08/11	. .000	2006/08	DUE
CYANIDE	01291	036	2011/04/04	< .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/04	. .100	2014/04	DUE
MERCURY	71900	036	2011/04/04	< .000	2014/04	DUE
NICKEL	01067	036	2011/04/04	< .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/04	< .000	2014/04	DUE
SELENIUM	01147	036	2011/04/04	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/04	< .000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/20	. 2.000	2014/02	DUE
NITRITE (AS N)	00620	036	2011/04/04	< .000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/02/20	< .000	2022/02	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
BENTAZON	38710	000				DUE
DALAPON	38432	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/20	< .000	2016/02	
DINOSEB	81287	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/20	< .000	2016/02	
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
SIMAZINE	39055	000	**2006/02/27**	.000	**2006/02**	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/07/15	.000	2014/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/07/15	.000	2014/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/07/15	.000	2014/07	
1,1,2-TRICHLOROETHANE	34511	072	2008/07/15	.000	2014/07	
1,1-DICHLOROETHANE	34496	072	2008/07/15	.000	2014/07	
1,1-DICHLOROETHYLENE	34501	072	2008/07/15	.000	2014/07	
1,2,4-TRICHLOROBENZENE	34551	072	2008/07/15	.000	2014/07	
1,2-DICHLOROBENZENE	34536	072	2008/07/15	.000	2014/07	
1,2-DICHLOROETHANE	34531	072	2008/07/15	.000	2014/07	
1,2-DICHLOROPROPANE	34541	072	2008/07/15	.000	2014/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/07/15	.000	2014/07	
1,4-DICHLOROBENZENE	34571	072	2008/07/15	.000	2014/07	
BENZENE	34030	072	2008/07/15	.000	2014/07	
CARBON TETRACHLORIDE	32102	072	2008/07/15	.000	2014/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/07/15	.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
DICHLOROMETHANE	34423	072	2008/07/15		.000	2014/07	
ETHYLBENZENE	34371	072	2008/07/15		.000	2014/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/04/12	<	.000	2016/04	
MONOCHLOROBENZENE	34301	072	2008/07/15		.000	2014/07	
STYRENE	77128	072	2008/07/15		.000	2014/07	
TETRACHLOROETHYLENE	34475	072	2008/07/15		.000	2014/07	
TOLUENE	34010	072	2008/07/15		.000	2014/07	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/07/15		.000	2014/07	
TRICHLOROETHYLENE	39180	072	2008/07/15		.000	2014/07	
TRICHLOROFLUOROMETHANE	34488	072	2008/07/15		.000	2014/07	
VINYL CHLORIDE	39175	072	2008/07/15		.000	2014/07	
XYLENES (TOTAL)	81551	072	2008/07/15		.000	2014/07	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/04	.	100.000	2014/04	DUE
CALCIUM	00916	036	2011/04/04	.	21.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/04	<	.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/04	<	.000	2014/04	DUE
COLOR	00081	036	2011/04/04	<	.000	2014/04	DUE
COPPER	01042	036	2011/04/04	<	.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/04	<	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/04	.	59.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/04	<	.000	2014/04	DUE
IRON	01045	036	2011/04/04	<	.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/04	.	3.600	2014/04	DUE
MANGANESE	01055	036	2011/04/04	<	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/04		1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/04	.	7.700	2014/04	DUE
SILVER	01077	036	2011/04/04	<	.000	2014/04	DUE
SODIUM	00929	036	2011/04/04		5.400	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410005
System Name: INDIAN CREEK CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410005-005						
Source Name: WELL 05						
Source Number: 005						
Source Status: ACTIVE UNTREATED						
Water type: G						
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	036	2011/04/04	. 140.000	2014/04	DUE
SULFATE	00945	036	2011/04/04	4.900	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/04	. 88.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/04	. .300	2014/04	DUE
ZINC	01092	036	2011/04/04	< .000	2014/04	DUE
PS Code: 1410005-006						
Source Name: WELL 06						
Source Number: 006						
Source Status: ACTIVE UNTREATED						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/04/04	. 60.000	2014/04	DUE
ANTIMONY	01097	036	2011/04/04	< .000	2014/04	DUE
ARSENIC	01002	036	2011/04/04	< .000	2014/04	DUE
BARIUM	01007	036	2011/04/04	< .000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/04	< .000	2014/04	DUE
CADMIUM	01027	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/04	< .000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/07/21	. .000	2006/07	DUE
CYANIDE	01291	036	2011/04/04	< .000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/04	. .360	2014/04	DUE
MERCURY	71900	036	2011/04/04	< .000	2014/04	DUE
NICKEL	01067	036	2011/04/04	< .000	2014/04	DUE
PERCHLORATE	A-031	036	2011/04/04	< .000	2014/04	DUE
SELENIUM	01147	036	2011/04/04	< .000	2014/04	DUE
THALLIUM	01059	036	2011/04/04	< .000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/20	< .000	2014/02	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-006***

Source Name: ***WELL 06***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRITE (AS N)	**00620**	**036**	**2011/04/04**	**< .000**	**2014/04**	**DUE**
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2013/02/20	**< .000**	2022/02	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	**34676**	**000**				**DUE**
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/02/20	**< .000**	2016/02	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/02/20	**< .000**	2016/02	
SIMAZINE	**39055**	**000**	**2006/02/27**	**.000**	**2006/02**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2008/07/15	**.000**	2014/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2008/07/15	**.000**	2014/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2008/07/15	**.000**	2014/07	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2008/07/15	**.000**	2014/07	
1,1-DICHLOROETHANE	**34496**	**072**	2008/07/15	**.000**	2014/07	
1,1-DICHLOROETHYLENE	**34501**	**072**	2008/07/15	**.000**	2014/07	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2008/07/15	**.000**	2014/07	
1,2-DICHLOROBENZENE	**34536**	**072**	2008/07/15	**.000**	2014/07	
1,2-DICHLOROETHANE	**34531**	**072**	2008/07/15	**.000**	2014/07	
1,2-DICHLOROPROPANE	**34541**	**072**	2008/07/15	**.000**	2014/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2008/07/15	**.000**	2014/07	
1,4-DICHLOROBENZENE	**34571**	**072**	2008/07/15	**.000**	2014/07	
BENZENE	**34030**	**072**	2008/07/15	**.000**	2014/07	
CARBON TETRACHLORIDE	**32102**	**072**	2008/07/15	**.000**	2014/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2008/07/15	**.000**	2014/07	
DICHLOROMETHANE	**34423**	**072**	2008/07/15	**.000**	2014/07	
ETHYLBENZENE	**34371**	**072**	2008/07/15	**.000**	2014/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/04/12	**< .000**	2016/04	
MONOCHLOROBENZENE	**34301**	**072**	2008/07/15	**.000**	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

PS Code: ***1410005-006***

Source Name: ***WELL 06***

Source Number: ***006***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
STYRENE	77128	072	2008/07/15		.000	2014/07	
TETRACHLOROETHYLENE	34475	072	2008/07/15		.000	2014/07	
TOLUENE	34010	072	2008/07/15		.000	2014/07	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/07/15		.000	2014/07	
TRICHLOROETHYLENE	39180	072	2008/07/15		.000	2014/07	
TRICHLOROFLUOROMETHANE	34488	072	2008/07/15		.000	2014/07	
VINYL CHLORIDE	39175	072	2008/07/15		.000	2014/07	
XYLENES (TOTAL)	81551	072	2008/07/15		.000	2014/07	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/04	.	89.000	2014/04	DUE
CALCIUM	00916	036	2011/04/04	.	20.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/04	<	.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/04	.	1.600	2014/04	DUE
COLOR	00081	036	2011/04/04	<	.000	2014/04	DUE
COPPER	01042	036	2011/04/04	.	51.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/04	<	.000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/04	.	50.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/04	<	.000	2014/04	DUE
IRON	01045	036	2011/04/04	<	.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/04	.	3.800	2014/04	DUE
MANGANESE	01055	036	2011/04/04	<	.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/04		1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/04	.	7.800	2014/04	DUE
SILVER	01077	036	2011/04/04	<	.000	2014/04	DUE
SODIUM	00929	036	2011/04/04		5.200	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/04	.	140.000	2014/04	DUE
SULFATE	00945	036	2011/04/04		6.500	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/04	.	86.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/04	.	.300	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410005***

System Name: ***INDIAN CREEK CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***1410005-006***						
Source Name: ***WELL 06***						
Source Number: ***006***						
Source Status: ***ACTIVE UNTREATED***						
Water type: ***G***						
SECONDARY/GP						
ZINC	**01092**	**036**	**2011/04/04**	**< .000**	**2014/04**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410006***
System Name: ***BIG PINE CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410006-001***					
Source Name: ***PURCHASED - WELL 01 = 341***					
Source Number: ***001***					
Source Status: ***PURCHASED TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***1410006-002***					
Source Name: ***PURCHASED - WELL 02 = 352***					
Source Number: ***002***					
Source Status: ***PURCHASED TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***1410006-801***					
Source Name: ***WELL 01 - TREATED (RADON, CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/06/06	< 10.000	2015/06	
ANTIMONY	01097	036	2012/06/06	< 1.000	2015/06	
ARSENIC	01002	036	2012/06/06	< 2.000	2015/06	
BARIUM	01007	036	2012/06/06	10.300	2015/06	
BERYLLIUM	01012	036	2012/06/06	< 1.000	2015/06	
CADMIUM	01027	036	2012/06/06	< .200	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/06	< 1.000	2015/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/06/06	< .004	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/06	< .100	2015/06	
MERCURY	71900	036	2012/06/06	< .020	2015/06	
NICKEL	01067	036	2012/06/06	< 1.000	2015/06	
PERCHLORATE	A-031	036	2011/12/07	< 2.000	2014/12	
SELENIUM	01147	036	2012/06/06	< 2.000	2015/06	
THALLIUM	01059	036	2012/06/06	< .200	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/24	. 1.600	2015/06	
NITRITE (AS N)	00620	036	2012/06/06	< .100	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/06/28	. 7.070	2017/06	
URANIUM (PCI/L)	28012	003	2012/03/27	. 7.630	2012/06	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/06	< .010	2015/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/06	< .020	2015/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/06/06	< .500	2018/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/06/06	< .500	2018/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/06/06	< .500	2018/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2-TRICHLOROETHANE	34511	072	2012/06/06	< .500	2018/06	
1,1-DICHLOROETHANE	34496	072	2012/06/06	< .500	2018/06	
1,1-DICHLOROETHYLENE	34501	072	2012/06/06	< .500	2018/06	
1,2,4-TRICHLOROBENZENE	34551	072	2012/06/06	< .500	2018/06	
1,2-DICHLOROBENZENE	34536	072	2012/06/06	< .500	2018/06	
1,2-DICHLOROETHANE	34531	072	2012/06/06	< .500	2018/06	
1,2-DICHLOROPROPANE	34541	072	2012/06/06	< .500	2018/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	**2006/06/28**	< .500	**2012/06**	**DUE**
1,4-DICHLOROBENZENE	34571	072	2012/06/06	< .500	2018/06	
BENZENE	34030	072	2012/06/06	< .500	2018/06	
CARBON TETRACHLORIDE	32102	072	2012/06/06	< .500	2018/06	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/06/06	< .500	2018/06	
DICHLOROMETHANE	34423	072	2012/06/06	< .500	2018/06	
ETHYLBENZENE	34371	072	2012/06/06	< .500	2018/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/06/06	< 1.000	2018/06	
MONOCHLOROBENZENE	34301	072	2012/06/06	< .500	2018/06	
STYRENE	77128	072	2012/06/06	< .500	2018/06	
TETRACHLOROETHYLENE	34475	072	2012/06/06	< .500	2018/06	
TOLUENE	34010	072	2012/06/06	< .500	2018/06	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/06/06	< .500	2018/06	
TRICHLOROETHYLENE	39180	072	2012/06/06	< .500	2018/06	
TRICHLOROFLUOROMETHANE	34488	072	2012/06/06	< .500	2018/06	
VINYL CHLORIDE	39175	072	2012/06/06	< .500	2018/06	
XYLENES (TOTAL)	81551	072	2012/06/06	< .500	2018/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/06/06	. 90.000	2015/06	
CALCIUM	00916	036	2012/06/06	. 20.000	2015/06	
CARBONATE ALKALINITY	00445	036	2012/06/06	< 10.000	2015/06	
CHLORIDE	00940	036	2012/06/06	. 3.000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410007
System Name: HIGHLAND MOBILE HOME PARK

PS Code: 1410007-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2012/06/06	< 5.000	2015/06
COPPER	01042	036	2012/06/06	. 30.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/06	< .100	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/06	. 58.100	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/06	< 10.000	2015/06
IRON	01045	036	2012/06/06	< 50.000	2015/06
MAGNESIUM	00927	036	2012/06/06	. 2.000	2015/06
MANGANESE	01055	036	2012/06/06	< 10.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/06	< 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/06	. 7.800	2015/06
SILVER	01077	036	2012/06/06	< 1.000	2015/06
SODIUM	00929	036	2012/06/06	6.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/06	. 159.000	2015/06
SULFATE	00945	036	2012/06/06	6.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/06	. 120.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/06	< .200	2015/06
ZINC	01092	036	2012/06/06	< 20.000	2015/06

PS Code: 1410007-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/06/06	< 10.000	2015/06
ANTIMONY	01097	036	2012/06/06	< 1.000	2015/06
ARSENIC	01002	036	2012/06/06	< 2.000	2015/06
BARIUM	01007	036	2012/06/06	8.800	2015/06
BERYLLIUM	01012	036	2012/06/06	< 1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	**01027**	**036**	2012/06/06	**< .200**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/06	**< 1.000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2012/06/06	**< .004**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/06	**< .100**	2015/06	
MERCURY	**71900**	**036**	2012/06/06	**< .020**	2015/06	
NICKEL	**01067**	**036**	2012/06/06	**< 1.000**	2015/06	
PERCHLORATE	**A-031**	**036**	2011/12/07	**< 2.000**	2014/12	
SELENIUM	**01147**	**036**	2012/06/06	**< 2.000**	2015/06	
THALLIUM	**01059**	**036**	2012/06/06	**< .200**	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/24	**. 1.700**	2015/06	
NITRITE (AS N)	**00620**	**036**	2012/06/06	**< .100**	2015/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2011/06/28	**. 7.420**	2017/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/06	**< .010**	2015/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/06	**< .020**	2015/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/06/06	**< .500**	2018/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/06/06	**< .500**	2018/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/06/06	**< .500**	2018/06	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/06/06	**< .500**	2018/06	
1,1-DICHLOROETHANE	**34496**	**072**	2012/06/06	**< .500**	2018/06	
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/06/06	**< .500**	2018/06	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/06/06	**< .500**	2018/06	
1,2-DICHLOROBENZENE	**34536**	**072**	2012/06/06	**< .500**	2018/06	
1,2-DICHLOROETHANE	**34531**	**072**	2012/06/06	**< .500**	2018/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROPROPANE	34541	072	2012/06/06	< .500	2018/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/06/28	< .500	2012/06	DUE
1,4-DICHLOROBENZENE	34571	072	2012/06/06	< .500	2018/06	
BENZENE	34030	072	2012/06/06	< .500	2018/06	
CARBON TETRACHLORIDE	32102	072	2012/06/06	< .500	2018/06	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/06/06	< .500	2018/06	
DICHLOROMETHANE	34423	072	2012/06/06	< .500	2018/06	
ETHYLBENZENE	34371	072	2012/06/06	< .500	2018/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/06/06	< 1.000	2018/06	
MONOCHLOROBENZENE	34301	072	2012/06/06	< .500	2018/06	
STYRENE	77128	072	2012/06/06	< .500	2018/06	
TETRACHLOROETHYLENE	34475	072	2012/06/06	< .500	2018/06	
TOLUENE	34010	072	2012/06/06	< .500	2018/06	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/06/06	< .500	2018/06	
TRICHLOROETHYLENE	39180	072	2012/06/06	< .500	2018/06	
TRICHLOROFLUOROMETHANE	34488	072	2012/06/06	< .500	2018/06	
VINYL CHLORIDE	39175	072	2012/06/06	< .500	2018/06	
XYLENES (TOTAL)	81551	072	2012/06/06	< .500	2018/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/06/06	. 80.000	2015/06	
CALCIUM	00916	036	2012/06/06	. 21.000	2015/06	
CARBONATE ALKALINITY	00445	036	2012/06/06	< 10.000	2015/06	
CHLORIDE	00940	036	2012/06/06	. 2.000	2015/06	
COLOR	00081	036	2012/06/06	< 5.000	2015/06	
COPPER	01042	036	2012/06/06	< 10.000	2015/06	
FOAMING AGENTS (MBAS)	38260	036	2012/06/06	< .100	2015/06	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/06	. 68.900	2015/06	
HYDROXIDE ALKALINITY	71830	036	2012/06/06	< 10.000	2015/06	
IRON	01045	036	2012/06/06	80.000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410007
System Name: HIGHLAND MOBILE HOME PARK

PS Code: 1410007-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	036	2012/06/06	. 4.000	2015/06	
MANGANESE	01055	036	2012/06/06	< 10.000	2015/06	
ODOR THRESHOLD @ 60 C	00086	036	2012/06/06	< 1.000	2015/06	
PH, LABORATORY	00403	036	2012/06/06	. 7.600	2015/06	
SILVER	01077	036	2012/06/06	< 1.000	2015/06	
SODIUM	00929	036	2012/06/06	5.000	2015/06	
SPECIFIC CONDUCTANCE	00095	036	2012/06/06	. 167.000	2015/06	
SULFATE	00945	036	2012/06/06	7.000	2015/06	
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/06	. 120.000	2015/06	
TURBIDITY, LABORATORY	82079	036	2012/06/06	. .600	2015/06	
ZINC	01092	036	2012/06/06	< 20.000	2015/06	

PS Code: 1410007-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/06/06	< 10.000	2015/06	
ANTIMONY	01097	036	2012/06/06	< 1.000	2015/06	
ARSENIC	01002	036	2012/06/06	. 2.000	2015/06	
BARIUM	01007	036	2012/06/06	9.100	2015/06	
BERYLLIUM	01012	036	2012/06/06	< 1.000	2015/06	
CADMIUM	01027	036	2012/06/06	< .200	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/06	< 1.000	2015/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/06/06	< .004	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/06	< .100	2015/06	
MERCURY	71900	036	2012/06/06	< .020	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
NICKEL	01067	036	2012/06/06	< 1.000	2015/06	
PERCHLORATE	A-031	036	2011/12/07	< 2.000	2014/12	
SELENIUM	01147	036	2012/06/06	< 2.000	2015/06	
THALLIUM	01059	036	2012/06/06	< .200	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/24	. 1.500	2015/06	
NITRITE (AS N)	00620	036	2012/06/06	< .100	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/06/28	. 7.830	2017/06	
URANIUM (PCI/L)	28012	003	**2012/03/27**	. 7.070	**2012/06**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/06	< .010	2015/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/06	< .020	2015/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/06/06	< .500	2018/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/06/06	< .500	2018/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/06/06	< .500	2018/06	
1,1,2-TRICHLOROETHANE	34511	072	2012/06/06	< .500	2018/06	
1,1-DICHLOROETHANE	34496	072	2012/06/06	< .500	2018/06	
1,1-DICHLOROETHYLENE	34501	072	2012/06/06	< .500	2018/06	
1,2,4-TRICHLOROBENZENE	34551	072	2012/06/06	< .500	2018/06	
1,2-DICHLOROBENZENE	34536	072	2012/06/06	< .500	2018/06	
1,2-DICHLOROETHANE	34531	072	2012/06/06	< .500	2018/06	
1,2-DICHLOROPROPANE	34541	072	2012/06/06	< .500	2018/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	**2006/06/28**	< .500	**2012/06**	**DUE**
1,4-DICHLOROBENZENE	34571	072	2012/06/06	< .500	2018/06	
BENZENE	34030	072	2012/06/06	< .500	2018/06	
CARBON TETRACHLORIDE	32102	072	2012/06/06	< .500	2018/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/06/06	**< .500**	2018/06
DICHLOROMETHANE	**34423**	**072**	2012/06/06	**< .500**	2018/06
ETHYLBENZENE	**34371**	**072**	2012/06/06	**< .500**	2018/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/06/06	**< 1.000**	2018/06
MONOCHLOROBENZENE	**34301**	**072**	2012/06/06	**< .500**	2018/06
STYRENE	**77128**	**072**	2012/06/06	**< .500**	2018/06
TETRACHLOROETHYLENE	**34475**	**072**	2012/06/06	**< .500**	2018/06
TOLUENE	**34010**	**072**	2012/06/06	**< .500**	2018/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/06/06	**< .500**	2018/06
TRICHLOROETHYLENE	**39180**	**072**	2012/06/06	**< .500**	2018/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/06/06	**< .500**	2018/06
VINYL CHLORIDE	**39175**	**072**	2012/06/06	**< .500**	2018/06
XYLENES (TOTAL)	**81551**	**072**	2012/06/06	**< .500**	2018/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/06	**. 80.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/06	**. 19.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/06	**< 10.000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/06	**. 1.000**	2015/06
COLOR	**00081**	**036**	2012/06/06	**< 5.000**	2015/06
COPPER	**01042**	**036**	2012/06/06	**< 10.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/06	**< .100**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/06	**. 55.600**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/06	**< 10.000**	2015/06
IRON	**01045**	**036**	2012/07/26	**< 50.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/06/06	**. 2.000**	2015/06
MANGANESE	**01055**	**036**	2012/06/06	**< 10.000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/06	**< 1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/06/06	**. 7.800**	2015/06
SILVER	**01077**	**036**	2012/06/06	**< 1.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410007***

System Name: ***HIGHLAND MOBILE HOME PARK***

PS Code: ***1410007-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SODIUM	**00929**	**036**	2012/06/06		**7.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/06	**.**	**156.000**	2015/06
SULFATE	**00945**	**036**	2012/06/06		**6.000**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/06	**.**	**140.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/06	**.**	**4.800**	2015/06
ZINC	**01092**	**036**	2012/06/06	**<**	**20.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410008
System Name: INYO COUNTY PWD - INDEPENDENCE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 1410008-001					
Source Name: PURCHASED - LADWP INDEPENDENCE WELL 357					
Source Number: 001					
Source Status: PURCHASED RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 1410008-002					
Source Name: PURCHASED - WELL 384					
Source Number: 002					
Source Status: PURCHASED RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 1410008-601					
Source Name: DBP2 - 760 NORTH EDWARDS ST					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410008***

System Name: ***INYO COUNTY PWD - INDEPENDENCE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***1410008-601***						
Source Name: ***DBP2 - 760 NORTH EDWARDS ST***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**000**				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410009***

System Name: ***INYO COUNTY PWD - LONE PINE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410009-001***					
Source Name: ***PURCHASED WATER - LADWP LONE PINE***					
Source Number: ***001***					
Source Status: ***PURCHASED RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***1410009-002***					
Source Name: ***PURCHASED - WELL 346***					
Source Number: ***002***					
Source Status: ***PURCHASED RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410500***

System Name: ***NPS - DEATH VALLEY, MESQUITE SPRINGS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410500-001***					
Source Name: ***MESQUITE SPRING***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**< .000**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/08	**< .000**	2017/04
PS Code: ***1410500-800***					
Source Name: ***MESQUITE SPRING - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410502
System Name: NPS - DEATH VALLEY, STOVEPIPE WELLS

PS Code: 1410502-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/04/08	< .000	2017/04	
ANTIMONY	01097	036	2014/04/08	< .000	2017/04	
ARSENIC	01002	036	2014/04/08	< .000	2017/04	
BARIUM	01007	036	2014/04/08	< .000	2017/04	
BERYLLIUM	01012	036	2014/04/08	< .000	2017/04	
CADMIUM	01027	036	2014/04/08	< .000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/08	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/04/08	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/08	. 1.600	2017/04	
MERCURY	71900	036	2014/04/08	< .000	2017/04	
NICKEL	01067	036	2014/04/08	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/08	< .000	2017/04	
SELENIUM	01147	036	2014/04/08	< .000	2017/04	
THALLIUM	01059	036	2014/04/08	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/08	< .000	2015/04	
NITRITE (AS N)	00620	036	2014/04/08	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/08	. 2.440	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/08	< .000	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/08	< .000	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/04/24	< .000	2019/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/04/24	< .000	2019/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/04/24	< .000	2019/04	
1,1,2-TRICHLOROETHANE	34511	072	2013/04/24	< .000	2019/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410502
System Name: NPS - DEATH VALLEY, STOVEPIPE WELLS

PS Code: 1410502-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/04/24	< .000	2019/04
1,1-DICHLOROETHYLENE	34501	072	2013/04/24	< .000	2019/04
1,2,4-TRICHLOROBENZENE	34551	072	2013/04/24	< .000	2019/04
1,2-DICHLOROBENZENE	34536	072	2013/04/24	< .000	2019/04
1,2-DICHLOROETHANE	34531	072	2013/04/24	< .000	2019/04
1,2-DICHLOROPROPANE	34541	072	2013/04/24	< .000	2019/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/04/24	< .000	2019/04
1,4-DICHLOROBENZENE	34571	072	2013/04/24	< .000	2019/04
BENZENE	34030	072	2013/04/24	< .000	2019/04
CARBON TETRACHLORIDE	32102	072	2013/04/24	< .000	2019/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/04/24	< .000	2019/04
DICHLOROMETHANE	34423	072	2013/04/24	< .000	2019/04
ETHYLBENZENE	34371	072	2013/04/24	< .000	2019/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/04/24	< .000	2019/04
MONOCHLOROBENZENE	34301	072	2013/04/24	< .000	2019/04
STYRENE	77128	072	2013/04/24	< .000	2019/04
TETRACHLOROETHYLENE	34475	072	2013/04/24	< .000	2019/04
TOLUENE	34010	072	2013/04/24	< .000	2019/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/04/24	< .000	2019/04
TRICHLOROETHYLENE	39180	072	2013/04/24	< .000	2019/04
TRICHLOROFLUOROMETHANE	34488	072	2013/04/24	< .000	2019/04
VINYL CHLORIDE	39175	072	2013/04/24	< .000	2019/04
XYLENES (TOTAL)	81551	072	2013/04/24	< .000	2019/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/08	. 400.000	2017/04
CALCIUM	00916	036	2014/04/08	. 150.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/08	< .000	2017/04
CHLORIDE	00940	036	2014/04/08	. 1200.000	2017/04
COLOR	00081	036	2014/04/08	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410502

System Name: NPS - DEATH VALLEY, STOVEPIPE WELLS

PS Code: 1410502-001

Source Name: WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2014/04/08	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/08	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/08	. 750.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/08	< .000	2017/04
IRON	01045	036	2014/04/08	. 390.000	2017/04
MAGNESIUM	00927	036	2014/04/08	. 92.000	2017/04
MANGANESE	01055	036	2014/04/08	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/08	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/08	. 7.400	2017/04
SILVER	01077	036	2014/04/08	< .000	2017/04
SODIUM	00929	036	2014/04/08	. 670.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/08	. 4700.000	2017/04
SULFATE	00945	036	2014/04/08	. 380.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/08	. 2900.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/08	. 3.400	2017/04
ZINC	01092	036	2014/04/08	< .000	2017/04

PS Code: 1410502-002

Source Name: STOVEPIPE WELL RO EFFLUENT

Source Number: 002

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410502
System Name: NPS - DEATH VALLEY, STOVEPIPE WELLS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410502-601						
Source Name: DBP2-CAMPGROUND						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 1410502-602						
Source Name: DBP2-RANGER STATION						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410502***

System Name: ***NPS - DEATH VALLEY, STOVEPIPE WELLS***

PS Code: ***1410502-602***

Source Name: ***DBP2-RANGER STATION***

Source Number: ***602***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410503
System Name: NPS - DEATH VALLEY, COW CREEK/NEVARES

PS Code: 1410503-002
Source Name: NAVARES SPRING - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/09/10	< .000	2016/09	
ANTIMONY	01097	036	2013/09/10	< .000	2016/09	
ARSENIC	01002	036	2013/09/10	. 5.700	2016/09	
BARIUM	01007	036	2013/09/10	< .000	2016/09	
BERYLLIUM	01012	036	2013/09/10	< .000	2016/09	
CADMIUM	01027	036	2013/09/10	< .000	2016/09	
CHROMIUM (TOTAL)	01034	036	2013/09/10	< .000	2016/09	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/09/10	< .000	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/07	. 3.300	2017/07	
MERCURY	71900	036	2013/09/10	< .000	2016/09	
NICKEL	01067	036	2013/09/10	< .000	2016/09	
PERCHLORATE	A-031	036	2013/09/10	< .000	2016/09	
SELENIUM	01147	036	2013/09/10	< .000	2016/09	
THALLIUM	01059	036	2013/09/10	< .000	2016/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/08	< .000	2015/04	
NITRITE (AS N)	00620	036	2013/09/10	< .000	2016/09	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2014/04/08	. 19.000	2014/07	
URANIUM (PCI/L)	28012	003	2014/04/08	. 1.200	2014/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/10	< .000	2016/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/10	< .000	2016/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/10	< .000	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/10	< .000	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/10	< .000	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410503
System Name: NPS - DEATH VALLEY, COW CREEK/NEVARES

PS Code: 1410503-002
Source Name: NAVARES SPRING - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2013/09/10	< .000	2019/09
1,1-DICHLOROETHANE	34496	072	2013/09/10	< .000	2019/09
1,1-DICHLOROETHYLENE	34501	072	2013/09/10	< .000	2019/09
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/10	< .000	2019/09
1,2-DICHLOROBENZENE	34536	072	2013/09/10	< .000	2019/09
1,2-DICHLOROETHANE	34531	072	2013/09/10	< .000	2019/09
1,2-DICHLOROPROPANE	34541	072	2013/09/10	< .000	2019/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/10	< .000	2019/09
1,4-DICHLOROBENZENE	34571	072	2013/09/10	< .000	2019/09
BENZENE	34030	072	2013/09/10	< .000	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/10	< .000	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/10	< .000	2019/09
DICHLOROMETHANE	34423	072	2013/09/10	< .000	2019/09
ETHYLBENZENE	34371	072	2013/09/10	< .000	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/10	< .000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/10	< .000	2019/09
STYRENE	77128	072	2013/09/10	< .000	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/10	< .000	2019/09
TOLUENE	34010	072	2013/09/10	< .000	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/10	< .000	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/10	< .000	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/10	< .000	2019/09
VINYL CHLORIDE	39175	072	2013/09/10	< .000	2019/09
XYLENES (TOTAL)	81551	072	2013/09/10	< .000	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/10	. 330.000	2016/09
CALCIUM	00916	036	2013/09/10	. 41.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/10	< .000	2016/09
CHLORIDE	00940	036	2013/09/10	. 34.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410503

System Name: NPS - DEATH VALLEY, COW CREEK/NEVARES

PS Code: 1410503-002

Source Name: NAVARES SPRING - RAW

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2013/09/10	< .000	2016/09
COPPER	01042	036	2013/09/10	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/10	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/10	. 180.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/10	< .000	2016/09
IRON	01045	036	2013/09/10	150.000	2016/09
MAGNESIUM	00927	036	2013/09/10	. 20.000	2016/09
MANGANESE	01055	036	2013/09/10	< .000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/10	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/10	. 7.500	2016/09
SILVER	01077	036	2013/09/10	< .000	2016/09
SODIUM	00929	036	2013/09/10	140.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/10	. 970.000	2016/09
SULFATE	00945	036	2013/09/10	170.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/10	. 620.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/10	. 1.000	2016/09
ZINC	01092	036	2013/09/10	< .000	2016/09

PS Code: 1410503-003T

Source Name: NAVARES SPRING - TREATED

Source Number: 003

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410503
System Name: NPS - DEATH VALLEY, COW CREEK/NEVARES

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410503-601						
Source Name: DBP2-CC DORM						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 1410503-602						
Source Name: DBP2-CC NHA						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410503***

System Name: ***NPS - DEATH VALLEY, COW CREEK/NEVARES***

PS Code: ***1410503-602***

Source Name: ***DBP2-CC NHA***

Source Number: ***602***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410504***

System Name: ***NPS - DEATH VALLEY, GRAPEVINE RS***

PS Code: ***1410504-001***

Source Name: ***GRAPEVINE SPRING***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/04/08	< .000	2017/04	
ANTIMONY	01097	036	2014/04/08	< .000	2017/04	
ARSENIC	01002	036	2014/04/08	. 31.000	2017/04	
BARIUM	01007	036	2014/04/08	< .000	2017/04	
BERYLLIUM	01012	036	2014/04/08	< .000	2017/04	
CADMIUM	01027	036	2014/04/08	< .000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/08	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	**2001/12/07**	. 3.000	**2004/12**	**DUE**
CYANIDE	01291	036	2014/04/08	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/08	. 2.000	2017/04	
MERCURY	71900	036	2014/04/08	< .000	2017/04	
NICKEL	01067	036	2014/04/08	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/08	< .000	2017/04	
SELENIUM	01147	036	2014/04/08	< .000	2017/04	
THALLIUM	01059	036	2014/04/08	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/08	. 4.200	2015/04	
NITRITE (AS N)	00620	036	2014/04/08	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/05/15	. 12.000	2015/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/08	< .000	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/08	< .000	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/04/24	< .000	2019/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/04/24	< .000	2019/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/04/24	< .000	2019/04	
1,1,2-TRICHLOROETHANE	34511	072	2013/04/24	< .000	2019/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410504***

System Name: ***NPS - DEATH VALLEY, GRAPEVINE RS***

PS Code: ***1410504-001***

Source Name: ***GRAPEVINE SPRING***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2013/04/24	**< .000**	2019/04
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/04/24	**< .000**	2019/04
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/04/24	**< .000**	2019/04
1,2-DICHLOROBENZENE	**34536**	**072**	2013/04/24	**< .000**	2019/04
1,2-DICHLOROETHANE	**34531**	**072**	2013/04/24	**< .000**	2019/04
1,2-DICHLOROPROPANE	**34541**	**072**	2013/04/24	**< .000**	2019/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/04/24	**< .000**	2019/04
1,4-DICHLOROBENZENE	**34571**	**072**	2013/04/24	**< .000**	2019/04
BENZENE	**34030**	**072**	2013/04/24	**< .000**	2019/04
CARBON TETRACHLORIDE	**32102**	**072**	2013/04/24	**< .000**	2019/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/04/24	**< .000**	2019/04
DICHLOROMETHANE	**34423**	**072**	2013/04/24	**< .000**	2019/04
ETHYLBENZENE	**34371**	**072**	2013/04/24	**< .000**	2019/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/04/24	**< .000**	2019/04
MONOCHLOROBENZENE	**34301**	**072**	2013/04/24	**< .000**	2019/04
STYRENE	**77128**	**072**	2013/04/24	**< .000**	2019/04
TETRACHLOROETHYLENE	**34475**	**072**	2013/04/24	**< .000**	2019/04
TOLUENE	**34010**	**072**	2013/04/24	**< .000**	2019/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/04/24	**< .000**	2019/04
TRICHLOROETHYLENE	**39180**	**072**	2013/04/24	**< .000**	2019/04
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/04/24	**< .000**	2019/04
VINYL CHLORIDE	**39175**	**072**	2013/04/24	**< .000**	2019/04
XYLENES (TOTAL)	**81551**	**072**	2013/04/24	**< .000**	2019/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/08	**. 210.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/08	**. 7.400**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/08	**. 6.200**	2017/04
CHLORIDE	**00940**	**036**	2014/04/08	**. 42.000**	2017/04
COLOR	**00081**	**036**	2014/04/08	**< .000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410504***

System Name: ***NPS - DEATH VALLEY, GRAPEVINE RS***

PS Code: ***1410504-001***

Source Name: ***GRAPEVINE SPRING***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/04/08	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/08	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/08	. 18.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/08	< .000	2017/04
IRON	01045	036	2014/04/08	< .000	2017/04
MAGNESIUM	00927	036	2014/04/08	< .000	2017/04
MANGANESE	01055	036	2014/04/08	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/08	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/08	. 8.300	2017/04
SILVER	01077	036	2014/04/08	< .000	2017/04
SODIUM	00929	036	2014/04/08	. 140.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/08	. 700.000	2017/04
SULFATE	00945	036	2014/04/08	. 92.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/08	. 490.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/08	. .300	2017/04
ZINC	01092	036	2014/04/08	< .000	2017/04

PS Code: ***1410504-601***

Source Name: ***DBP2-GRAPEVINE HOUSING***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000	**DUE**
DICHLOROACETIC ACID (DCAA)	77288	000	**DUE**
HALOACETIC ACIDS (5) (HAA5)	A-049	000	**DUE**
MONOBROMOACETIC ACID (MBAA)	A-041	000	**DUE**
MONOCHLOROACETIC ACID (MCAA)	A-042	000	**DUE**
TRICHLOROACETIC ACID (TCAA)	82723	000	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410504

System Name: NPS - DEATH VALLEY, GRAPEVINE RS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410504-601						
Source Name: DBP2-GRAPEVINE HOUSING						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 1410504-800						
Source Name: GRAPEVINE SPRING - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410505
System Name: NPS - DEATH VALLEY, FURNACE CREEK

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410505-002							
Source Name: WELL 01							
Source Number: 002							
Source Status: ACTIVE RAW							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 1410505-003							
Source Name: WELL 02							
Source Number: 003							
Source Status: ACTIVE RAW							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 1410505-004							
Source Name: WELL 03							
Source Number: 004							
Source Status: ACTIVE RAW							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 1410505-005							
Source Name: WELL 1-3 COMPOSITE							
Source Number: 005							
Source Status: COMBINATION OR BLEND RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2014/04/08	<	.000	2017/04	
ANTIMONY	01097	036	2014/04/08	<	.000	2017/04	
ARSENIC	01002	003	2014/07/07	.	25.000	2014/10	
ASBESTOS	81855	036	2011/05/03	.	.000	2014/05	DUE
BARIUM	01007	036	2014/04/08	<	.000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410505***

System Name: ***NPS - DEATH VALLEY, FURNACE CREEK***

PS Code: ***1410505-005***

Source Name: ***WELL 1-3 COMPOSITE***

Source Number: ***005***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BERYLLIUM	**01012**	**036**	2014/04/08	**< .000**	2017/04	
CADMIUM	**01027**	**036**	2014/04/08	**< .000**	2017/04	
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/08	**< .000**	2017/04	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2014/04/08	**< .000**	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**003**	2014/07/07	**. 3.800**	2014/10	
LEAD	**01051**	**036**	2014/04/08	**< .000**	2017/04	
MERCURY	**71900**	**036**	2014/04/08	**< .000**	2017/04	
NICKEL	**01067**	**036**	2014/04/08	**< .000**	2017/04	
PERCHLORATE	**A-031**	**036**	2014/04/08	**< .000**	2017/04	
SELENIUM	**01147**	**036**	2014/04/08	**< .000**	2017/04	
THALLIUM	**01059**	**036**	2014/04/08	**< .000**	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**< .000**	2015/04	
NITRITE (AS N)	**00620**	**036**	2014/04/08	**< .000**	2017/04	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**003**	2014/04/08	**. 10.000**	2014/07	
RADIUM 228	**11501**	**003**	2014/04/08	**. .000**	2014/07	
REGULATED SOC						
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/05/15	**< .000**	2015/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/05/03	**< .000**	2017/05	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/05/03	**< .000**	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/05/03	**< .000**	2017/05	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/05/03	**< .000**	2017/05	
1,1-DICHLOROETHANE	**34496**	**072**	2011/05/03	**< .000**	2017/05	
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/05/03	**< .000**	2017/05	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/05/03	**< .000**	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410505***

System Name: ***NPS - DEATH VALLEY, FURNACE CREEK***

PS Code: ***1410505-005***

Source Name: ***WELL 1-3 COMPOSITE***

Source Number: ***005***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	**34536**	**072**	2011/05/03	**< .000**	2017/05
1,2-DICHLOROETHANE	**34531**	**072**	2011/05/03	**< .000**	2017/05
1,2-DICHLOROPROPANE	**34541**	**072**	2011/05/03	**< .000**	2017/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/05/03	**< .000**	2017/05
1,4-DICHLOROBENZENE	**34571**	**072**	2011/05/03	**< .000**	2017/05
BENZENE	**34030**	**072**	2011/05/03	**< .000**	2017/05
CARBON TETRACHLORIDE	**32102**	**072**	2011/05/03	**< .000**	2017/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/05/03	**< .000**	2017/05
DICHLOROMETHANE	**34423**	**072**	2011/05/03	**< .000**	2017/05
ETHYLBENZENE	**34371**	**072**	2011/05/03	**< .000**	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/05/03	**< .000**	2017/05
MONOCHLOROBENZENE	**34301**	**072**	2011/05/03	**< .000**	2017/05
STYRENE	**77128**	**072**	2011/05/03	**< .000**	2017/05
TETRACHLOROETHYLENE	**34475**	**072**	2011/05/03	**< .000**	2017/05
TOLUENE	**34010**	**072**	2011/05/03	**< .000**	2017/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/05/03	**< .000**	2017/05
TRICHLOROETHYLENE	**39180**	**072**	2011/05/03	**< .000**	2017/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/05/03	**< .000**	2017/05
VINYL CHLORIDE	**39175**	**072**	2011/05/03	**< .000**	2017/05
XYLENES (TOTAL)	**81551**	**072**	2011/05/03	**< .000**	2017/05
SECONDARY/GP					
AGGRSSIVE INDEX (CORROSIVITY)	**82383**	**036**	2014/04/08	**. 12.740**	2017/04
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/08	**. 340.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/08	**. 36.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/08	**< .000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/08	**. 33.000**	2017/04
COLOR	**00081**	**036**	2014/04/08	**< .000**	2017/04
COPPER	**01042**	**036**	2014/04/08	**< .000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/08	**< .000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410505***

System Name: ***NPS - DEATH VALLEY, FURNACE CREEK***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410505-005***					
Source Name: ***WELL 1-3 COMPOSITE***					
Source Number: ***005***					
Source Status: ***COMBINATION OR BLEND RAW***					
Water type: ***G***					
SECONDARY/GP					
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/08	**. 170.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/08	**< .000**	2017/04
IRON	**01045**	**036**	2014/04/08	**< .000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/08	**. 20.000**	2017/04
MANGANESE	**01055**	**036**	2014/04/08	**< .000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/08	**. 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/08	**. 7.700**	2017/04
SILVER	**01077**	**036**	2014/04/08	**< .000**	2017/04
SODIUM	**00929**	**036**	2014/04/08	**. 150.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/08	**. 930.000**	2017/04
SULFATE	**00945**	**036**	2014/04/08	**. 160.000**	2017/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/08	**. 590.000**	2017/04
TURBIDITY, LABORATORY	**82079**	**036**	2014/04/08	**< .000**	2017/04
ZINC	**01092**	**036**	2014/04/08	**< .000**	2017/04
PS Code: ***1410505-006***					
Source Name: ***RO EFFLUENT***					
Source Number: ***006***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410505
System Name: NPS - DEATH VALLEY, FURNACE CREEK

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 1410505-007						
Source Name: FINISHED BLENDED WATER						
Source Number: 007						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 1410505-601						
Source Name: DBP2-POST OFFICE						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410505***

System Name: ***NPS - DEATH VALLEY, FURNACE CREEK***

PS Code: ***1410505-602***

Source Name: ***DBP2-TEXAS SPRING CAMPGROUND***

Source Number: ***602***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410506***

System Name: ***NPS - DEATH VALLEY, SCOTTY S CASTLE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410506-001***					
Source Name: ***LOWER SPRING***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**. 3.300**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/08	**< .000**	2017/04
PS Code: ***1410506-800***					
Source Name: ***LOWER SPRING - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410507***

System Name: ***NPS - DEATH VALLEY, WILDROSE CMPGD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410507-001***					
Source Name: ***WILDROSE SPRING***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**< .000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/04/24	**< .000**	2016/04
PS Code: ***1410507-800***					
Source Name: ***WILDROSE SPRING - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410509***

System Name: ***NPS - DEATH VALLEY, EMIGRANT RA/CG***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410509-001***					
Source Name: ***EMIGRANT SPRING***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**. 8.900**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/08	**< .000**	2017/04
PS Code: ***1410509-800***					
Source Name: ***EMIGRANT SPRING - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410510***

System Name: ***LADWP - MANZANAR***

PS Code: ***1410510-001***

Source Name: ***WELL V859***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. .000**	2014/08	
NITRITE (AS N)	**00620**	**036**	**2011/06/21**	**. .000**	**2014/06**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410511***

System Name: ***NPS - MANZANAR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***1410511-001***					
Source Name: ***WELL V859 - PURCHASED RAW***					
Source Number: ***001***					
Source Status: ***PURCHASED TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410800
System Name: CDF - OWENS VALLEY CONSERVATION CORP

PS Code: 1410800-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/03/20	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/20	< 6.000	2017/03
ARSENIC	01002	036	2014/03/20	< 2.000	2017/03
BARIUM	01007	036	2014/03/20	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/20	< 1.000	2017/03
CADMIUM	01027	036	2014/03/20	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/20	< 1.000	2017/03
CYANIDE	01291	036	2014/03/20	< 5.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/20	. .100	2017/03
MERCURY	71900	036	2014/03/20	< 1.000	2017/03
NICKEL	01067	036	2014/03/20	< 10.000	2017/03
PERCHLORATE	A-031	036	2014/03/20	< 4.000	2017/03
SELENIUM	01147	036	2014/03/20	< 5.000	2017/03
THALLIUM	01059	036	2014/03/20	< 1.000	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/20	< 1.000	2015/03
NITRITE (AS N)	00620	036	2012/03/06	. .320	2015/03
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/03/06	. .330	2015/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/20	< .010	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/20	< .020	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/20	< .500	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/20	< .500	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/20	< 10.000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/20	< .500	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/20	< .500	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410800
System Name: CDF - OWENS VALLEY CONSERVATION CORP

PS Code: 1410800-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2014/03/20	< .500	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/20	< .500	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/20	< .500	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/20	< .500	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/20	< .500	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/20	< .500	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/20	< .500	2020/03
BENZENE	34030	072	2014/03/20	< .500	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/20	< .500	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/20	< .500	2020/03
DICHLOROMETHANE	34423	072	2014/03/20	< .500	2020/03
ETHYLBENZENE	34371	072	2014/03/20	< .500	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/20	< 3.000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/20	< .500	2020/03
STYRENE	77128	072	2014/03/20	< .500	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/20	< .500	2020/03
TOLUENE	34010	072	2014/03/20	< .500	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/20	< .500	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/20	< .500	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/20	< 5.000	2020/03
VINYL CHLORIDE	39175	072	2014/03/20	< .500	2020/03
XYLENES (TOTAL)	81551	072	2014/03/20	< .500	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/20	. 55.000	2017/03
CALCIUM	00916	036	2014/03/20	. 13.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/20	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/20	< .500	2017/03
COLOR	00081	036	2014/03/20	< 3.000	2017/03
COPPER	01042	036	2014/03/20	< 50.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410800
System Name: CDF - OWENS VALLEY CONSERVATION CORP

PS Code: 1410800-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/03/20	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/20	. 41.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/20	< 3.000	2017/03
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/03/20	. 2.200	2017/03
MANGANESE	01055	036	2014/03/20	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/20	< 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/20	. 7.200	2017/03
SILVER	01077	036	2014/03/20	< 10.000	2017/03
SODIUM	00929	036	2014/03/20	. 6.200	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/20	. 100.000	2017/03
SULFATE	00945	036	2014/03/20	. 5.900	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/20	. 100.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/20	. 3.000	2017/03
ZINC	01092	036	2014/03/20	< 50.000	2017/03

PS Code: 1410800-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/03/06	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/06	< 6.000	2015/03
ARSENIC	01002	036	2012/03/06	< 2.000	2015/03
BARIUM	01007	036	2012/03/06	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/06	< 1.000	2015/03
CADMIUM	01027	036	2012/03/06	< 1.000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/06	< 1.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410800***

System Name: ***CDF - OWENS VALLEY CONSERVATION CORP***

PS Code: ***1410800-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	**01032**	**036**	**2006/07/13**	**< 1.000**	**2009/07**	**DUE**
CYANIDE	**01291**	**036**	2012/03/06	**< 100.000**	2015/03	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/03/06	**. .200**	2015/03	
MERCURY	**71900**	**036**	2012/03/06	**< 1.000**	2015/03	
NICKEL	**01067**	**036**	2012/03/06	**< 10.000**	2015/03	
PERCHLORATE	**A-031**	**036**	2013/03/27	**< 4.000**	2016/03	
SELENIUM	**01147**	**036**	2012/03/06	**< 5.000**	2015/03	
THALLIUM	**01059**	**036**	2012/03/06	**< 1.000**	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/03/20	**< 1.000**	2015/03	
NITRITE (AS N)	**00620**	**036**	2012/03/06	**< .200**	2015/03	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2012/03/06	**. 1.130**	2021/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/03/27	**< .010**	2016/03	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/03/27	**< .020**	2016/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/06	**< .500**	2018/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/06	**< .500**	2018/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/06	**< 10.000**	2018/03	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/06	**< .500**	2018/03	
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/06	**< .500**	2018/03	
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/06	**< .500**	2018/03	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/06	**< .500**	2018/03	
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/06	**< .500**	2018/03	
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/06	**< .500**	2018/03	
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/06	**< .500**	2018/03	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/06	**< .500**	2018/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 1410800
System Name: CDF - OWENS VALLEY CONSERVATION CORP

PS Code: 1410800-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2012/03/06	< .500	2018/03
BENZENE	34030	072	2012/03/06	< .500	2018/03
CARBON TETRACHLORIDE	32102	072	2012/03/06	< .500	2018/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/03/06	< .500	2018/03
DICHLOROMETHANE	34423	072	2012/03/06	< .500	2018/03
ETHYLBENZENE	34371	072	2012/03/06	< .500	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/11/21	< 3.000	2019/11
MONOCHLOROBENZENE	34301	072	2012/03/06	< .500	2018/03
STYRENE	77128	072	2012/03/06	< .500	2018/03
TETRACHLOROETHYLENE	34475	072	2012/03/06	< .500	2018/03
TOLUENE	34010	072	2012/03/06	< .500	2018/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/03/06	< .500	2018/03
TRICHLOROETHYLENE	39180	072	2012/03/06	< .500	2018/03
TRICHLOROFLUOROMETHANE	34488	072	2012/03/06	< 5.000	2018/03
VINYL CHLORIDE	39175	072	2012/03/06	< .500	2018/03
XYLENES (TOTAL)	81551	072	2012/03/06	< .500	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/03/06	. 65.000	2015/03
CALCIUM	00916	036	2012/03/06	. 13.000	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/06	< 3.000	2015/03
CHLORIDE	00940	036	2012/03/06	. 1.000	2015/03
COLOR	00081	036	2012/03/06	< 3.000	2015/03
COPPER	01042	036	2012/03/06	< 50.000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/06	< .050	2015/03
HARDNESS (TOTAL) AS CACO3	00900	036	2012/03/06	. 43.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/06	< 3.000	2015/03
IRON	01045	036	2012/03/06	< 100.000	2015/03
MAGNESIUM	00927	036	2012/03/06	. 2.400	2015/03
MANGANESE	01055	036	2012/03/06	< 20.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***1410800***

System Name: ***CDF - OWENS VALLEY CONSERVATION CORP***

PS Code: ***1410800-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED		NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/03/06	**<**	**1.000**	2015/03
PH, LABORATORY	**00403**	**036**	2012/03/06	**.**	**7.500**	2015/03
SILVER	**01077**	**036**	2012/03/06	**<**	**10.000**	2015/03
SODIUM	**00929**	**036**	2012/03/06		**6.400**	2015/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/03/06	**.**	**130.000**	2015/03
SULFATE	**00945**	**036**	2012/03/06		**6.500**	2015/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/03/06	**.**	**96.000**	2015/03
TURBIDITY, LABORATORY	**82079**	**036**	2012/03/06	**<**	**.200**	2015/03
ZINC	**01092**	**036**	2012/03/06	**<**	**50.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2600589

System Name: CAL TRANS - CRESTVIEW REST AREA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 2600589-001						
Source Name: WELL 01 (LAT/LONG)						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: G						
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/04/15	. .700	2014/04	DUE
NITRITE (AS N)	00620	000				DUE
PS Code: 2600589-002T						
Source Name: WELL 01 - TREATED						
Source Number: 002						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2600727***
System Name: ***HOT CREEK HATCHERY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2600727-001***					
Source Name: ***SPRING***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***2600727-002***					
Source Name: ***SPRING - TREATED***					
Source Number: ***002***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-003
Source Name: LAKE MARY RAW WATER
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	012	2014/03/05	. 190.000	2015/03
ANTIMONY	01097	012	2014/03/05	< 6.000	2015/03
ARSENIC	01002	012	2014/03/05	< 2.000	2015/03
ASBESTOS	81855	108	2011/02/15	< .200	2020/02
BARIUM	01007	012	2014/03/05	< 100.000	2015/03
BERYLLIUM	01012	012	2014/03/05	< 1.000	2015/03
CADMIUM	01027	012	2014/03/05	< 1.000	2015/03
CHROMIUM (TOTAL)	01034	012	2014/03/05	< 1.000	2015/03
CYANIDE	01291	012	2013/08/28	< 5.000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/08/28	< .100	2014/08
MERCURY	71900	012	2014/03/05	< 1.000	2015/03
NICKEL	01067	012	2014/03/05	< 10.000	2015/03
PERCHLORATE	A-031	012	2013/08/28	< 4.000	2014/08
SELENIUM	01147	012	2014/03/05	< 5.000	2015/03
THALLIUM	01059	012	2014/03/05	< 1.000	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/28	< 1.000	2014/08
NITRITE (AS N)	00620	036	2013/08/28	< 100.000	2016/08
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/02/02	. .000	2020/02
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2012/03/01	. .000	2015/03
2,4,5-TP (SILVEX)	39045	036	2012/03/01	< 1.000	2015/03
2,4-D	39730	036	2012/03/01	< 10.000	2015/03
ALACHLOR	77825	036	2012/03/01	< 1.000	2015/03
ATRAZINE	39033	036	2012/03/01	< .500	2015/03
BENTAZON	38710	036	2012/03/01	< 2.000	2015/03
BENZO (A) PYRENE	34247	036	2012/03/01	< .100	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-003***

Source Name: ***LAKE MARY RAW WATER***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
CARBOFURAN	81405	036	2012/03/01	. .000	2015/03
CHLORDANE	39350	036	2012/03/01	< .100	2015/03
DALAPON	38432	036	2012/03/01	< 10.000	2015/03
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/03/01	< 5.000	2015/03
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/03/01	< 3.000	2015/03
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/01	< .010	2015/03
DINOSEB	81287	036	2012/03/01	< 2.000	2015/03
DIQUAT	78885	036	2012/03/01	. .000	2015/03
ENDOTHALL	38926	036	2012/03/01	< 45.000	2015/03
ENDRIN	39390	036	2012/03/01	< .100	2015/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/01	< .020	2015/03
GLYPHOSATE	79743	036	2012/03/01	. .000	2015/03
HEPTACHLOR	39410	036	2012/03/01	< .010	2015/03
HEPTACHLOR EPOXIDE	39420	036	2012/03/01	< .010	2015/03
HEXACHLOROBENZENE	39700	036	2012/03/01	< .500	2015/03
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/03/01	< 1.000	2015/03
LINDANE	39340	036	2012/03/01	< .200	2015/03
METHOXYCHLOR	39480	036	2012/03/01	< 10.000	2015/03
MOLINATE	82199	036	2012/03/01	< 2.000	2015/03
OXAMYL	38865	036	2012/03/01	. .000	2015/03
PENTACHLOROPHENOL	39032	036	2012/03/01	< .200	2015/03
PICLORAM	39720	036	2012/03/01	< 1.000	2015/03
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/03/01	< .500	2015/03
SIMAZINE	39055	036	2012/03/01	< 1.000	2015/03
THIOBENCARB	A-001	036	2012/03/01	< 1.000	2015/03
TOXAPHENE	39400	036	2012/03/01	< 1.000	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/08/28	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/28	< .500	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-003
Source Name: LAKE MARY RAW WATER
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/28	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/28	< .500	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/28	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/28	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/28	< .500	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/28	< .500	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/28	< .500	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/28	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/28	< .500	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/28	< .500	2014/08
BENZENE	34030	012	2013/08/28	< .500	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/28	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/08/28	< .500	2014/08
DICHLOROMETHANE	34423	012	2013/08/28	< .500	2014/08
ETHYLBENZENE	34371	012	2013/08/28	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/08/28	< 3.000	2014/08
MONOCHLOROBENZENE	34301	012	2013/08/28	< .500	2014/08
STYRENE	77128	012	2013/08/28	< .500	2014/08
TETRACHLOROETHYLENE	34475	012	2013/08/28	< .500	2014/08
TOLUENE	34010	012	2013/08/28	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/08/28	< .500	2014/08
TRICHLOROETHYLENE	39180	012	2013/08/28	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	012	2013/08/28	< 5.000	2014/08
VINYL CHLORIDE	39175	012	2013/08/28	< .500	2014/08
XYLENES (TOTAL)	81551	012	2013/08/28	< .500	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2013/08/28	. 22.000	2014/08
CALCIUM	00916	012	2013/08/28	. 6.800	2014/08
CARBONATE ALKALINITY	00445	012	2013/08/28	< 3.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-003
Source Name: LAKE MARY RAW WATER
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED		NEXT TEST DATE (yyyy/mm)	
CHLORIDE	00940	012	2013/08/28	<	1.000	2014/08	
COLOR	00081	012	2013/08/28	<	3.000	2014/08	
COPPER	01042	012	2012/07/19	<	50.000	2013/07	DUE
FOAMING AGENTS (MBAS)	38260	012	2013/08/28	<	.050	2014/08	
HARDNESS (TOTAL) AS CACO3	00900	012	2013/08/28	.	18.000	2014/08	
HYDROXIDE ALKALINITY	71830	012	2013/08/28	<	3.000	2014/08	
IRON	01045	012	2013/08/28	.	360.000	2014/08	
MAGNESIUM	00927	012	2013/08/28	<	1.000	2014/08	
MANGANESE	01055	012	2012/07/19	<	20.000	2013/07	DUE
ODOR THRESHOLD @ 60 C	00086	012	2013/08/28	<	1.000	2014/08	
PH, LABORATORY	00403	012	2013/08/28	.	7.400	2014/08	
SILVER	01077	012	2014/03/05	<	10.000	2015/03	
SODIUM	00929	012	2013/08/28		1.300	2014/08	
SPECIFIC CONDUCTANCE	00095	012	2013/08/28	.	48.000	2014/08	
SULFATE	00945	012	2013/08/28		4.700	2014/08	
TOTAL DISSOLVED SOLIDS	70300	012	2013/08/28	.	24.000	2014/08	
TURBIDITY, LABORATORY	82079	012	2013/08/28	.	2.400	2014/08	
ZINC	01092	012	2012/07/19	<	50.000	2013/07	DUE

PS Code: 2610001-005
Source Name: WELL 01
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/08/28	<	50.000	2016/08	
ANTIMONY	01097	036	2013/08/28	<	6.000	2016/08	
ARSENIC	01002	036	2014/06/30	.	4.200	2017/06	
BARIUM	01007	036	2013/08/28	<	100.000	2016/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-005***

Source Name: ***WELL 01***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
BERYLLIUM	**01012**	**036**	2013/08/28	**< 1.000**	2016/08
CADMIUM	**01027**	**036**	2013/08/28	**< 1.000**	2016/08
CHROMIUM (TOTAL)	**01034**	**036**	2013/08/28	**< 1.000**	2016/08
CYANIDE	**01291**	**036**	2013/08/28	**< 5.000**	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/28	**. .300**	2016/08
MERCURY	**71900**	**036**	2013/08/28	**< 1.000**	2016/08
NICKEL	**01067**	**036**	2013/08/28	**< 10.000**	2016/08
PERCHLORATE	**A-031**	**036**	2013/08/28	**< 4.000**	2016/08
SELENIUM	**01147**	**036**	2013/08/28	**< 5.000**	2016/08
THALLIUM	**01059**	**036**	2013/08/28	**< 1.000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/28	**< 1.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2013/08/28	**< 100.000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/04/14	**. .225**	2020/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/02/09	**< .010**	2015/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/02/09	**< .020**	2015/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/10/12	**< .500**	2017/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/10/12	**< .500**	2017/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/10/12	**< 10.000**	2017/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/10/12	**< .500**	2017/10
1,1-DICHLOROETHANE	**34496**	**072**	2011/10/12	**< .500**	2017/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/10/12	**< .500**	2017/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/10/12	**< .500**	2017/10
1,2-DICHLOROBENZENE	**34536**	**072**	2011/10/12	**< .500**	2017/10
1,2-DICHLOROETHANE	**34531**	**072**	2011/10/12	**< .500**	2017/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***
System Name: ***MAMMOTH CWD***

PS Code: ***2610001-005***
Source Name: ***WELL 01***
Source Number: ***005***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**072**	2011/10/12	**< .500**	2017/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/10/12	**< .500**	2017/10
1,4-DICHLOROBENZENE	**34571**	**072**	2011/10/12	**< .500**	2017/10
BENZENE	**34030**	**072**	2011/10/12	**< .500**	2017/10
CARBON TETRACHLORIDE	**32102**	**072**	2011/10/12	**< .500**	2017/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/10/12	**< .500**	2017/10
DICHLOROMETHANE	**34423**	**072**	2011/10/12	**< .500**	2017/10
ETHYLBENZENE	**34371**	**072**	2011/10/12	**< .500**	2017/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/08/28	**< 3.000**	2019/08
MONOCHLOROBENZENE	**34301**	**072**	2011/10/12	**< .500**	2017/10
STYRENE	**77128**	**072**	2011/10/12	**< .500**	2017/10
TETRACHLOROETHYLENE	**34475**	**072**	2011/10/12	**< .500**	2017/10
TOLUENE	**34010**	**072**	2011/10/12	**< .500**	2017/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/10/12	**< .500**	2017/10
TRICHLOROETHYLENE	**39180**	**072**	2011/10/12	**< .500**	2017/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/10/12	**< 5.000**	2017/10
VINYL CHLORIDE	**39175**	**072**	2011/10/12	**< .500**	2017/10
XYLENES (TOTAL)	**81551**	**072**	2011/10/12	**< .500**	2017/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/08/28	**. 140.000**	2016/08
CALCIUM	**00916**	**036**	2013/08/28	**. 6.900**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2013/08/28	**< 3.000**	2016/08
CHLORIDE	**00940**	**036**	2013/08/28	**< 1.000**	2016/08
COLOR	**00081**	**036**	2013/08/28	**< 3.000**	2016/08
COPPER	**01042**	**036**	2013/08/28	**< 50.000**	2016/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/08/28	**< .050**	2016/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/28	**. 82.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2013/08/28	**< 3.000**	2016/08
IRON	**01045**	**036**	2014/06/30	**< 100.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-005***

Source Name: ***WELL 01***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	**00927**	**036**	2013/08/28	**. 16.000**	2016/08
MANGANESE	**01055**	**036**	2014/06/30	**< 20.000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/08/28	**< 1.000**	2016/08
PH, LABORATORY	**00403**	**036**	2013/08/28	**. 7.400**	2016/08
SILVER	**01077**	**036**	2013/08/28	**< 10.000**	2016/08
SODIUM	**00929**	**036**	2013/08/28	**19.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/08/28	**. 240.000**	2016/08
SULFATE	**00945**	**036**	2013/08/28	**9.400**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/28	**. 200.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/08/28	**< .200**	2016/08
ZINC	**01092**	**036**	2013/08/28	**< 50.000**	2016/08

PS Code: ***2610001-007***

Source Name: ***WELL 06***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC					
ALUMINUM	**01105**	**036**	2012/07/17	**< 50.000**	2015/07
ANTIMONY	**01097**	**036**	2012/07/17	**< 6.000**	2015/07
ARSENIC	**01002**	**036**	2014/06/19	**. 36.000**	2017/06
BARIUM	**01007**	**036**	2012/07/17	**< 100.000**	2015/07
BERYLLIUM	**01012**	**036**	2012/07/17	**< 1.000**	2015/07
CADMIUM	**01027**	**036**	2012/07/17	**< 1.000**	2015/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/17	**< 1.000**	2015/07
CYANIDE	**01291**	**036**	2012/07/17	**< 100.000**	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/17	**. .200**	2015/07
MERCURY	**71900**	**036**	2012/07/17	**< 1.000**	2015/07
NICKEL	**01067**	**036**	2012/07/17	**< 10.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-007
Source Name: WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2012/07/17	< 4.000	2015/07
SELENIUM	01147	036	2012/07/17	< 5.000	2015/07
THALLIUM	01059	036	2012/07/17	< 1.000	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/28	< 1.000	2014/08
NITRITE (AS N)	00620	036	2012/07/17	< 100.000	2015/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/01/19	. .696	2020/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/28	< .010	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/28	< .020	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/07/26	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/07/26	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/07/26	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	072	2011/07/26	< .500	2017/07
1,1-DICHLOROETHANE	34496	072	2011/07/26	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	072	2011/07/26	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	072	2011/07/26	< .500	2017/07
1,2-DICHLOROBENZENE	34536	072	2011/07/26	< .500	2017/07
1,2-DICHLOROETHANE	34531	072	2011/07/26	< .500	2017/07
1,2-DICHLOROPROPANE	34541	072	2011/07/26	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/07/26	< .500	2017/07
1,4-DICHLOROBENZENE	34571	072	2011/07/26	< .500	2017/07
BENZENE	34030	072	2011/07/26	< .500	2017/07
CARBON TETRACHLORIDE	32102	072	2011/07/26	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/07/26	< .500	2017/07
DICHLOROMETHANE	34423	072	2011/07/26	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-007***

Source Name: ***WELL 06***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2011/07/26	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/08/28	**< 3.000**	2019/08
MONOCHLOROBENZENE	**34301**	**072**	2011/07/26	**< .500**	2017/07
STYRENE	**77128**	**072**	2011/07/26	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**072**	2011/07/26	**< .500**	2017/07
TOLUENE	**34010**	**072**	2011/07/26	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/07/26	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**072**	2011/07/26	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/07/26	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**072**	2011/07/26	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**072**	2011/07/26	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/17	**. 210.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/17	**. 28.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/17	**< 3.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/17	**< 1.000**	2015/07
COLOR	**00081**	**036**	2012/07/17	**< 3.000**	2015/07
COPPER	**01042**	**036**	2012/07/17	**< 50.000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/17	**< .050**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/17	**. 180.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/17	**< 3.000**	2015/07
IRON	**01045**	**036**	2014/06/19	**< 100.000**	2017/06
MAGNESIUM	**00927**	**036**	2012/07/17	**. 26.000**	2015/07
MANGANESE	**01055**	**036**	2014/06/19	**. 360.000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/17	**< 1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/17	**. 7.500**	2015/07
SILVER	**01077**	**036**	2012/07/17	**< 10.000**	2015/07
SODIUM	**00929**	**036**	2012/07/17	**16.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/17	**. 430.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-007
Source Name: WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2012/07/17		42.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/17	.	270.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/17	.	.380	2015/07
ZINC	01092	036	2012/07/17	<	50.000	2015/07

PS Code: 2610001-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC						
ALUMINUM	01105	036	2012/07/17	<	50.000	2015/07
ANTIMONY	01097	036	2012/07/17	<	6.000	2015/07
ARSENIC	01002	036	2014/06/19	.	18.000	2017/06
BARIUM	01007	036	2012/07/17	<	100.000	2015/07
BERYLLIUM	01012	036	2012/07/17	<	1.000	2015/07
CADMIUM	01027	036	2012/07/17	<	1.000	2015/07
CHROMIUM (TOTAL)	01034	036	2012/07/17	<	1.000	2015/07
CYANIDE	01291	036	2012/07/17	<	100.000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/17	.	.200	2015/07
MERCURY	71900	036	2012/07/17	<	1.000	2015/07
NICKEL	01067	036	2012/07/17	<	10.000	2015/07
PERCHLORATE	A-031	036	2012/07/17	<	4.000	2015/07
SELENIUM	01147	036	2012/07/17	<	5.000	2015/07
THALLIUM	01059	036	2012/07/17	<	1.000	2015/07
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/28	<	1.000	2014/08
NITRITE (AS N)	00620	036	2012/07/17	<	100.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-009***

Source Name: ***WELL 10***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/01/19	**. .462**	2020/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/17	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/17	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/07/26	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/07/26	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/07/26	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/07/26	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**072**	2011/07/26	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/07/26	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/07/26	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**072**	2011/07/26	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**072**	2011/07/26	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**072**	2011/07/26	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/07/26	**< .500**	2017/07
1,4-DICHLOROBENZENE	**34571**	**072**	2011/07/26	**< .500**	2017/07
BENZENE	**34030**	**072**	2011/07/26	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**072**	2011/07/26	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/07/26	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**072**	2011/07/26	**< .500**	2017/07
ETHYLBENZENE	**34371**	**072**	2011/07/26	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/08/28	**< 3.000**	2019/08
MONOCHLOROBENZENE	**34301**	**072**	2011/07/26	**< .500**	2017/07
STYRENE	**77128**	**072**	2011/07/26	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**072**	2011/07/26	**< .500**	2017/07
TOLUENE	**34010**	**072**	2011/07/26	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/07/26	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**072**	2011/07/26	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2011/07/26	< 5.000	2017/07
VINYL CHLORIDE	39175	072	2011/07/26	< .500	2017/07
XYLENES (TOTAL)	81551	072	2011/07/26	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/17	. 200.000	2015/07
CALCIUM	00916	036	2012/07/17	. 17.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/17	< 3.000	2015/07
CHLORIDE	00940	036	2012/07/17	< 1.000	2015/07
COLOR	00081	036	2012/07/17	. 3.000	2015/07
COPPER	01042	036	2012/07/17	< 50.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/17	< .050	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/17	. 130.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/17	< 3.000	2015/07
IRON	01045	036	2014/06/19	. 290.000	2017/06
MAGNESIUM	00927	036	2012/07/17	. 21.000	2015/07
MANGANESE	01055	036	2014/06/19	. 310.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2012/07/17	< 1.000	2015/07
PH, LABORATORY	00403	036	2012/07/17	. 7.400	2015/07
SILVER	01077	036	2012/07/17	< 10.000	2015/07
SODIUM	00929	036	2012/07/17	22.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/17	. 360.000	2015/07
SULFATE	00945	036	2012/07/17	17.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/17	. 210.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/17	. 3.200	2015/07
ZINC	01092	036	2012/07/17	< 50.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 2610001-010							
Source Name: GWTP 1 EFFLUENT							
Source Number: 010							
Source Status: ACTIVE TREATED							
Water type: S							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 2610001-011							
Source Name: GWTP 2 EFFLUENT							
Source Number: 011							
Source Status: ACTIVE TREATED							
Water type: S							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 2610001-012							
Source Name: WELL 25							
Source Number: 012							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2014/03/06	<	50.000	2017/03	
ANTIMONY	01097	036	2014/03/06	<	6.000	2017/03	
ARSENIC	01002	036	2014/06/19	.	4.500	2017/06	
BARIUM	01007	036	2014/03/06	<	100.000	2017/03	
BERYLLIUM	01012	036	2014/03/06	<	1.000	2017/03	
CADMIUM	01027	036	2014/03/06	<	1.000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/06	<	1.000	2017/03	
CHROMIUM, HEXAVALENT	01032	036	2008/03/19	<	1.000	2011/03	DUE
CYANIDE	01291	036	2014/03/06	<	5.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/06	.	.200	2017/03	
MERCURY	71900	036	2014/03/06	<	1.000	2017/03	
NICKEL	01067	036	2014/03/06	<	10.000	2017/03	
PERCHLORATE	A-031	036	2014/03/06	<	4.000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***
System Name: ***MAMMOTH CWD***

PS Code: ***2610001-012***
Source Name: ***WELL 25***
Source Number: ***012***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	01147	036	2014/03/06	< 5.000	2017/03	
THALLIUM	01059	036	2014/03/06	< 1.000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/03/06	< 1.000	2015/03	
NITRITE (AS N)	00620	036	2014/03/06	< 100.000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2011/04/14	. .675	2011/07	DUE
RADIUM 228	11501	003				DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/06	< .010	2017/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/06	< .020	2017/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/03/19	< .500	2014/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/03/19	< .500	2014/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/03/19	< 10.000	2014/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/03/19	< .500	2014/03	DUE
1,1-DICHLOROETHANE	34496	072	2008/03/19	< .500	2014/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/03/19	< .500	2014/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/03/19	< .500	2014/03	DUE
1,2-DICHLOROBENZENE	34536	072	2008/03/19	< .500	2014/03	DUE
1,2-DICHLOROETHANE	34531	072	2008/03/19	< .500	2014/03	DUE
1,2-DICHLOROPROPANE	34541	072	2008/03/19	< .500	2014/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/03/19	< .500	2014/03	DUE
1,4-DICHLOROBENZENE	34571	072	2008/03/19	< .500	2014/03	DUE
BENZENE	34030	072	2008/03/19	< .500	2014/03	DUE
CARBON TETRACHLORIDE	32102	072	2008/03/19	< .500	2014/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/03/19	< .500	2014/03	DUE
DICHLOROMETHANE	34423	072	2008/03/19	< .500	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-012***

Source Name: ***WELL 25***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
ETHYLBENZENE	34371	072	2008/03/19	< .500	2014/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/03/19	< 3.000	2014/03	DUE
MONOCHLOROBENZENE	34301	072	2008/03/19	< .500	2014/03	DUE
STYRENE	77128	072	2008/03/19	< .500	2014/03	DUE
TETRACHLOROETHYLENE	34475	072	2008/03/19	< .500	2014/03	DUE
TOLUENE	34010	072	2008/03/19	< .500	2014/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/03/19	< .500	2014/03	DUE
TRICHLOROETHYLENE	39180	072	2008/03/19	< .500	2014/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/03/19	< 5.000	2014/03	DUE
VINYL CHLORIDE	39175	072	2008/03/19	< .500	2014/03	DUE
XYLENES (TOTAL)	81551	072	2008/03/19	< .500	2014/03	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/03/06	. 130.000	2017/03	
CALCIUM	00916	036	2014/03/06	. 9.300	2017/03	
CARBONATE ALKALINITY	00445	036	2014/03/06	< 3.000	2017/03	
CHLORIDE	00940	036	2014/03/06	. 3.100	2017/03	
COLOR	00081	036	2014/03/06	< 3.000	2017/03	
COPPER	01042	036	2014/03/06	< 50.000	2017/03	
FOAMING AGENTS (MBAS)	38260	036	2014/03/06	< .050	2017/03	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/06	. 90.000	2017/03	
HYDROXIDE ALKALINITY	71830	036	2014/03/06	< 3.000	2017/03	
IRON	01045	036	2014/06/19	. 260.000	2017/06	
MAGNESIUM	00927	036	2014/03/06	. 16.000	2017/03	
MANGANESE	01055	036	2014/06/19	< 20.000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/03/06	< 1.000	2017/03	
PH, LABORATORY	00403	036	2014/03/06	. 7.500	2017/03	
SILVER	01077	036	2014/03/06	< 10.000	2017/03	
SODIUM	00929	036	2014/03/06	. 18.000	2017/03	
SPECIFIC CONDUCTANCE	00095	036	2014/03/06	. 230.000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 2610001-012					
Source Name: WELL 25					
Source Number: 012					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2014/03/06	. 8.600	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/06	. 180.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/06	< .200	2017/03
ZINC	01092	036	2014/03/06	< 50.000	2017/03
PS Code: 2610001-015					
Source Name: WELL 15					
Source Number: 015					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/08/28	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/28	< 6.000	2016/08
ARSENIC	01002	036	2014/06/19	. 15.000	2017/06
BARIUM	01007	036	2013/08/28	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/28	< 1.000	2016/08
CADMIUM	01027	036	2013/08/28	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/28	< 1.000	2016/08
CYANIDE	01291	036	2013/08/28	< 5.000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/28	. .400	2016/08
MERCURY	71900	036	2013/08/28	< 1.000	2016/08
NICKEL	01067	036	2013/08/28	< 10.000	2016/08
PERCHLORATE	A-031	036	2013/08/28	< 4.000	2016/08
SELENIUM	01147	036	2013/08/28	< 5.000	2016/08
THALLIUM	01059	036	2013/08/28	< 1.000	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/28	< 1.000	2014/08
NITRITE (AS N)	00620	036	2013/08/28	< 100.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-015***

Source Name: ***WELL 15***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/01/19	**. .195**	2020/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/17	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/17	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/07/26	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/07/26	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/07/26	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/07/26	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**072**	2011/07/26	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/07/26	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/07/26	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**072**	2011/07/26	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**072**	2011/07/26	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**072**	2011/07/26	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/07/26	**< .500**	2017/07
1,4-DICHLOROBENZENE	**34571**	**072**	2011/07/26	**< .500**	2017/07
BENZENE	**34030**	**072**	2011/07/26	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**072**	2011/07/26	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/07/26	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**072**	2011/07/26	**< .500**	2017/07
ETHYLBENZENE	**34371**	**072**	2011/07/26	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/08/28	**< 3.000**	2019/08
MONOCHLOROBENZENE	**34301**	**072**	2011/07/26	**< .500**	2017/07
STYRENE	**77128**	**072**	2011/07/26	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**072**	2011/07/26	**< .500**	2017/07
TOLUENE	**34010**	**072**	2011/07/26	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/07/26	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**072**	2011/07/26	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-015
Source Name: WELL 15
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2011/07/26	< 5.000	2017/07
VINYL CHLORIDE	39175	072	2011/07/26	< .500	2017/07
XYLENES (TOTAL)	81551	072	2011/07/26	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/28	. 190.000	2016/08
CALCIUM	00916	036	2013/08/28	. 5.700	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/28	< 3.000	2016/08
CHLORIDE	00940	036	2013/08/28	. 2.100	2016/08
COLOR	00081	036	2013/08/28	< 3.000	2016/08
COPPER	01042	036	2013/08/28	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/28	< .050	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/28	. 110.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/28	< 3.000	2016/08
IRON	01045	036	2014/06/19	< 100.000	2017/06
MAGNESIUM	00927	036	2013/08/28	. 22.000	2016/08
MANGANESE	01055	036	2014/06/19	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/08/28	< 1.000	2016/08
PH, LABORATORY	00403	036	2013/08/28	. 7.600	2016/08
SILVER	01077	036	2013/08/28	< 10.000	2016/08
SODIUM	00929	036	2013/08/28	28.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/28	. 320.000	2016/08
SULFATE	00945	036	2013/08/28	14.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	. 230.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/28	< .200	2016/08
ZINC	01092	036	2013/08/28	< 50.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***
System Name: ***MAMMOTH CWD***

PS Code: ***2610001-016***
Source Name: ***WELL 16***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/09/12	**< 50.000**	2016/09
ANTIMONY	**01097**	**036**	2013/09/12	**< 6.000**	2016/09
ARSENIC	**01002**	**036**	2014/06/19	**. 21.000**	2017/06
BARIUM	**01007**	**036**	2013/09/12	**. 140.000**	2016/09
BERYLLIUM	**01012**	**036**	2013/09/12	**< 1.000**	2016/09
CADMIUM	**01027**	**036**	2013/09/12	**< 1.000**	2016/09
CHROMIUM (TOTAL)	**01034**	**036**	2013/09/12	**< 1.000**	2016/09
CYANIDE	**01291**	**036**	2013/09/12	**< 5.000**	2016/09
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/12	**. .500**	2016/09
MERCURY	**71900**	**036**	2013/09/12	**< 1.000**	2016/09
NICKEL	**01067**	**036**	2013/09/12	**< 10.000**	2016/09
PERCHLORATE	**A-031**	**036**	2013/09/12	**< 4.000**	2016/09
SELENIUM	**01147**	**036**	2013/09/12	**< 5.000**	2016/09
THALLIUM	**01059**	**036**	2013/09/12	**< 1.000**	2016/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/22	**< .200**	2015/01
NITRITE (AS N)	**00620**	**036**	2013/09/12	**< 100.000**	2016/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/01/19	**. .822**	2020/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/12	**< .010**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/12	**< .020**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/09/12	**< .500**	2019/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/09/12	**< .500**	2019/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/09/12	**< 10.000**	2019/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/09/12	**< .500**	2019/09
1,1-DICHLOROETHANE	**34496**	**072**	2013/09/12	**< .500**	2019/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-016***

Source Name: ***WELL 16***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/09/12	**< .500**	2019/09
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/09/12	**< .500**	2019/09
1,2-DICHLOROBENZENE	**34536**	**072**	2013/09/12	**< .500**	2019/09
1,2-DICHLOROETHANE	**34531**	**072**	2013/09/12	**< .500**	2019/09
1,2-DICHLOROPROPANE	**34541**	**072**	2013/09/12	**< .500**	2019/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/09/12	**< .500**	2019/09
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/12	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/12	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/12	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/12	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/12	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/12	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/12	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/12	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/12	**< .500**	2019/09
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/12	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/12	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/12	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/12	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/12	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/12	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/12	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/09/12	**. 350.000**	2016/09
CALCIUM	**00916**	**036**	2013/09/12	**. 21.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/09/12	**< 3.000**	2016/09
CHLORIDE	**00940**	**036**	2013/09/12	**. 1.500**	2016/09
COLOR	**00081**	**036**	2013/09/12	**. 10.000**	2016/09
COPPER	**01042**	**036**	2013/09/12	**< 50.000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-016***

Source Name: ***WELL 16***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/09/12	< .050	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/12	. 170.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/12	< 3.000	2016/09
IRON	01045	036	2014/06/19	. 1200.000	2017/06
MAGNESIUM	00927	036	2013/09/12	. 28.000	2016/09
MANGANESE	01055	036	2014/06/19	. 190.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/12	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/12	. 6.800	2016/09
SILVER	01077	036	2013/09/12	< 10.000	2016/09
SODIUM	00929	036	2013/09/12	. 52.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/12	. 560.000	2016/09
SULFATE	00945	036	2013/09/12	. 15.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/12	. 390.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/12	. 12.000	2016/09
ZINC	01092	036	2013/09/12	< 50.000	2016/09

PS Code: ***2610001-017***

Source Name: ***WELL 18***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/08/28	< 50.000	2016/08
ANTIMONY	01097	036	2013/08/28	< 6.000	2016/08
ARSENIC	01002	036	2014/06/19	. 19.000	2017/06
BARIUM	01007	036	2013/08/28	< 100.000	2016/08
BERYLLIUM	01012	036	2013/08/28	< 1.000	2016/08
CADMIUM	01027	036	2013/08/28	< 1.000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/28	< 1.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-017***

Source Name: ***WELL 18***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2013/08/28	**< 5.000**	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/28	**. .400**	2016/08
MERCURY	**71900**	**036**	2013/08/28	**< 1.000**	2016/08
NICKEL	**01067**	**036**	2013/08/28	**< 10.000**	2016/08
PERCHLORATE	**A-031**	**036**	2013/08/28	**< 4.000**	2016/08
SELENIUM	**01147**	**036**	2013/08/28	**< 5.000**	2016/08
THALLIUM	**01059**	**036**	2013/08/28	**< 1.000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/28	**< 1.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2013/08/28	**< 100.000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/04/14	**. .000**	2020/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/28	**< .010**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/28	**< .020**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/08/28	**< .500**	2019/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/08/28	**< .500**	2019/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/08/28	**< 10.000**	2019/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/08/28	**< .500**	2019/08
1,1-DICHLOROETHANE	**34496**	**072**	2013/08/28	**< .500**	2019/08
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/08/28	**< .500**	2019/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/08/28	**< .500**	2019/08
1,2-DICHLOROBENZENE	**34536**	**072**	2013/08/28	**< .500**	2019/08
1,2-DICHLOROETHANE	**34531**	**072**	2013/08/28	**< .500**	2019/08
1,2-DICHLOROPROPANE	**34541**	**072**	2013/08/28	**< .500**	2019/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/08/28	**< .500**	2019/08
1,4-DICHLOROBENZENE	**34571**	**072**	2013/08/28	**< .500**	2019/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-017
Source Name: WELL 18
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2013/08/28	< .500	2019/08
CARBON TETRACHLORIDE	32102	072	2013/08/28	< .500	2019/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/08/28	< .500	2019/08
DICHLOROMETHANE	34423	072	2013/08/28	< .500	2019/08
ETHYLBENZENE	34371	072	2013/08/28	< .500	2019/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/08/28	< 3.000	2019/08
MONOCHLOROBENZENE	34301	072	2013/08/28	< .500	2019/08
STYRENE	77128	072	2013/08/28	< .500	2019/08
TETRACHLOROETHYLENE	34475	072	2013/08/28	< .500	2019/08
TOLUENE	34010	072	2013/08/28	< .500	2019/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/08/28	< .500	2019/08
TRICHLOROETHYLENE	39180	072	2013/08/28	< .500	2019/08
TRICHLOROFLUOROMETHANE	34488	072	2013/08/28	< 5.000	2019/08
VINYL CHLORIDE	39175	072	2013/08/28	< .500	2019/08
XYLENES (TOTAL)	81551	072	2013/08/28	< .500	2019/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/28	. 360.000	2016/08
CALCIUM	00916	036	2013/08/28	. 21.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/28	< 3.000	2016/08
CHLORIDE	00940	036	2013/08/28	. 1.900	2016/08
COLOR	00081	036	2013/08/28	< 3.000	2016/08
COPPER	01042	036	2013/08/28	< 50.000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/28	< .050	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/28	. 220.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/28	< 3.000	2016/08
IRON	01045	036	2014/06/19	. 1300.000	2017/06
MAGNESIUM	00927	036	2013/08/28	. 40.000	2016/08
MANGANESE	01055	036	2014/06/19	. 660.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2013/08/28	< 1.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610001
System Name: MAMMOTH CWD

PS Code: 2610001-017
Source Name: WELL 18
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2013/08/28	. 7.000	2016/08
SILVER	01077	036	2013/08/28	< 10.000	2016/08
SODIUM	00929	036	2013/08/28	46.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/28	. 580.000	2016/08
SULFATE	00945	036	2013/08/28	19.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/28	. 400.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/28	< .200	2016/08
ZINC	01092	036	2013/08/28	< 50.000	2016/08

PS Code: 2610001-018
Source Name: WELL 20
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/07/17	< 50.000	2015/07
ANTIMONY	01097	036	2012/07/17	< 6.000	2015/07
ARSENIC	01002	036	2014/06/19	. 7.800	2017/06
BARIUM	01007	036	2012/07/17	< 100.000	2015/07
BERYLLIUM	01012	036	2012/07/17	< 1.000	2015/07
CADMIUM	01027	036	2012/07/17	< 1.000	2015/07
CHROMIUM (TOTAL)	01034	036	2012/07/17	< 1.000	2015/07
CYANIDE	01291	036	2012/07/17	< 100.000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/17	. .500	2015/07
MERCURY	71900	036	2012/07/17	< 1.000	2015/07
NICKEL	01067	036	2012/07/17	< 10.000	2015/07
PERCHLORATE	A-031	036	2012/07/17	< 4.000	2015/07
SELENIUM	01147	036	2012/07/17	< 5.000	2015/07
THALLIUM	01059	036	2012/07/17	< 1.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***
System Name: ***MAMMOTH CWD***

PS Code: ***2610001-018***
Source Name: ***WELL 20***
Source Number: ***018***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/22	**< .200**	2015/01
NITRITE (AS N)	**00620**	**036**	2013/09/12	**< 200.000**	2016/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/04/14	**. .294**	2020/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/12	**< .010**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/12	**< .020**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/09/12	**< .500**	2019/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/09/12	**< .500**	2019/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/09/12	**< 10.000**	2019/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/09/12	**< .500**	2019/09
1,1-DICHLOROETHANE	**34496**	**072**	2013/09/12	**< .500**	2019/09
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/09/12	**< .500**	2019/09
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/09/12	**< .500**	2019/09
1,2-DICHLOROBENZENE	**34536**	**072**	2013/09/12	**< .500**	2019/09
1,2-DICHLOROETHANE	**34531**	**072**	2013/09/12	**< .500**	2019/09
1,2-DICHLOROPROPANE	**34541**	**072**	2013/09/12	**< .500**	2019/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/09/12	**< .500**	2019/09
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/12	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/12	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/12	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/12	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/12	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/12	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/12	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/12	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/12	**< .500**	2019/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***
System Name: ***MAMMOTH CWD***

PS Code: ***2610001-018***
Source Name: ***WELL 20***
Source Number: ***018***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/12	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/12	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/12	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/12	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/12	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/12	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/12	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/17	**. 250.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/17	**. 16.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/17	**< 3.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/17	**< 1.000**	2015/07
COLOR	**00081**	**036**	2012/07/17	**< 3.000**	2015/07
COPPER	**01042**	**036**	2012/07/17	**< 50.000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/17	**< .050**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/17	**. 130.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/17	**< 3.000**	2015/07
IRON	**01045**	**036**	2014/06/19	**. 480.000**	2017/06
MAGNESIUM	**00927**	**036**	2012/07/17	**. 22.000**	2015/07
MANGANESE	**01055**	**036**	2014/06/19	**. 81.000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/17	**< 1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/17	**. 6.700**	2015/07
SILVER	**01077**	**036**	2012/07/17	**< 10.000**	2015/07
SODIUM	**00929**	**036**	2012/07/17	**36.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/17	**. 400.000**	2015/07
SULFATE	**00945**	**036**	2012/07/17	**6.500**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/17	**. 250.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/17	**. .530**	2015/07
ZINC	**01092**	**036**	2012/07/17	**< 50.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-019***

Source Name: ***WELL 17***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/08/28	**< 50.000**	2016/08
ANTIMONY	**01097**	**036**	2013/08/28	**< 6.000**	2016/08
ARSENIC	**01002**	**036**	2014/06/19	**. 88.000**	2017/06
BARIUM	**01007**	**036**	2013/08/28	**< 100.000**	2016/08
BERYLLIUM	**01012**	**036**	2013/08/28	**< 1.000**	2016/08
CADMIUM	**01027**	**036**	2013/08/28	**< 1.000**	2016/08
CHROMIUM (TOTAL)	**01034**	**036**	2013/08/28	**< 1.000**	2016/08
CYANIDE	**01291**	**036**	2013/08/28	**< 5.000**	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/28	**. .500**	2016/08
MERCURY	**71900**	**036**	2013/08/28	**< 1.000**	2016/08
NICKEL	**01067**	**036**	2013/08/28	**< 10.000**	2016/08
PERCHLORATE	**A-031**	**036**	2013/08/28	**< 4.000**	2016/08
SELENIUM	**01147**	**036**	2013/08/28	**< 5.000**	2016/08
THALLIUM	**01059**	**036**	2013/08/28	**< 1.000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/28	**< 1.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2013/08/28	**< 100.000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/01/19	**. .029**	2020/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/28	**< .010**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/28	**< .020**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/08/28	**< .500**	2019/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/08/28	**< .500**	2019/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/08/28	**< 10.000**	2019/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/08/28	**< .500**	2019/08
1,1-DICHLOROETHANE	**34496**	**072**	2013/08/28	**< .500**	2019/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

PS Code: ***2610001-019***

Source Name: ***WELL 17***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/08/28	**< .500**	2019/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/08/28	**< .500**	2019/08
1,2-DICHLOROBENZENE	**34536**	**072**	2013/08/28	**< .500**	2019/08
1,2-DICHLOROETHANE	**34531**	**072**	2013/08/28	**< .500**	2019/08
1,2-DICHLOROPROPANE	**34541**	**072**	2013/08/28	**< .500**	2019/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/08/28	**< .500**	2019/08
1,4-DICHLOROBENZENE	**34571**	**072**	2013/08/28	**< .500**	2019/08
BENZENE	**34030**	**072**	2013/08/28	**< .500**	2019/08
CARBON TETRACHLORIDE	**32102**	**072**	2013/08/28	**< .500**	2019/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/08/28	**< .500**	2019/08
DICHLOROMETHANE	**34423**	**072**	2013/08/28	**< .500**	2019/08
ETHYLBENZENE	**34371**	**072**	2013/08/28	**< .500**	2019/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/08/28	**< 3.000**	2019/08
MONOCHLOROBENZENE	**34301**	**072**	2013/08/28	**< .500**	2019/08
STYRENE	**77128**	**072**	2013/08/28	**< .500**	2019/08
TETRACHLOROETHYLENE	**34475**	**072**	2013/08/28	**< .500**	2019/08
TOLUENE	**34010**	**072**	2013/08/28	**< .500**	2019/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/08/28	**< .500**	2019/08
TRICHLOROETHYLENE	**39180**	**072**	2013/08/28	**< .500**	2019/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/08/28	**< 5.000**	2019/08
VINYL CHLORIDE	**39175**	**072**	2013/08/28	**< .500**	2019/08
XYLENES (TOTAL)	**81551**	**072**	2013/08/28	**< .500**	2019/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/08/28	**. 280.000**	2016/08
CALCIUM	**00916**	**036**	2013/08/28	**. 16.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2013/08/28	**< 3.000**	2016/08
CHLORIDE	**00940**	**036**	2013/08/28	**. 7.400**	2016/08
COLOR	**00081**	**036**	2013/08/28	**< 3.000**	2016/08
COPPER	**01042**	**036**	2013/08/28	**< 50.000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610001-019***					
Source Name: ***WELL 17***					
Source Number: ***019***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/08/28	**< .050**	2016/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/28	**. 110.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2013/08/28	**< 3.000**	2016/08
IRON	**01045**	**036**	2014/06/19	**< 100.000**	2017/06
MAGNESIUM	**00927**	**036**	2013/08/28	**. 17.000**	2016/08
MANGANESE	**01055**	**036**	2014/06/19	**< 20.000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/08/28	**< 1.000**	2016/08
PH, LABORATORY	**00403**	**036**	2013/08/28	**. 7.100**	2016/08
SILVER	**01077**	**036**	2013/08/28	**< 10.000**	2016/08
SODIUM	**00929**	**036**	2013/08/28	**63.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/08/28	**. 480.000**	2016/08
SULFATE	**00945**	**036**	2013/08/28	**15.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/28	**. 380.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/08/28	**< .200**	2016/08
ZINC	**01092**	**036**	2013/08/28	**< 50.000**	2016/08

PS Code: ***2610001-601***

Source Name: ***DBP2-ID2-BLUFFS PUMP HOUSE***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***S***

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**000**			**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**			**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**			**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**			**DUE**
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**000**			**DUE**
TRICHLOROACETIC ACID (TCAA)	**82723**	**000**			**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***

System Name: ***MAMMOTH CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***2610001-601***						
Source Name: ***DBP2-ID2-BLUFFS PUMP HOUSE***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***2610001-602***						
Source Name: ***DBP2-ID5-VACATION PLACE HOUSE***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610001***
System Name: ***MAMMOTH CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610001-800***					
Source Name: ***WELL 01 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***2610001-801***					
Source Name: ***WELL 25 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

PS Code: 2610002-001
Source Name: JUNE LAKE TRMT. PLANT - RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/10/14	< 50.000	2014/10	
ANTIMONY	01097	012	2013/10/14	< 2.000	2014/10	
ARSENIC	01002	012	2013/10/14	. 2.200	2014/10	
ASBESTOS	81855	108	2011/10/17	. .000	2020/10	
BARIUM	01007	012	2013/10/14	28.000	2014/10	
BERYLLIUM	01012	012	2013/10/14	< 1.000	2014/10	
CADMIUM	01027	012	2013/10/14	< 1.000	2014/10	
CHROMIUM (TOTAL)	01034	012	2013/10/14	< 10.000	2014/10	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2013/10/14	< 5.000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/10/14	. .420	2014/10	
MERCURY	71900	012	2013/10/14	. 9.100	2014/10	
NICKEL	01067	012	2013/10/14	< 10.000	2014/10	
PERCHLORATE	A-031	012	2013/10/14	< 4.000	2014/10	
SELENIUM	01147	012	2013/10/14	< 2.000	2014/10	
THALLIUM	01059	012	2013/10/14	< 1.000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/14	< .440	2014/10	
NITRITE (AS N)	00620	036	2013/10/14	< 50.000	2016/10	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2014/03/03	. 28.100	2014/06	DUE
URANIUM (PCI/L)	28012	003	2014/06/23	. 20.000	2014/09	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/14	< .000	2017/07	
2,4,5-TP (SILVEX)	39045	036	2014/07/14	< .070	2017/07	
2,4-D	39730	036	2014/07/14	< .400	2017/07	
ALACHLOR	77825	036	2014/07/14	< .200	2017/07	
ATRAZINE	39033	036	2014/07/14	< .300	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610002***

System Name: ***JUNE LAKE PUD VILLAGE***

PS Code: ***2610002-001***

Source Name: ***JUNE LAKE TRMT. PLANT - RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENTAZON	38710	036	2014/07/14	< .800	2017/07
BENZO (A) PYRENE	34247	036	2014/07/14	< .100	2017/07
CARBOFURAN	81405	036	2012/01/30	< .000	2015/01
CHLORDANE	39350	036	2014/07/14	< .100	2017/07
DALAPON	38432	036	2014/07/14	< 5.000	2017/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/07/14	< 1.000	2017/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/07/14	< 3.000	2017/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/01/30	< .010	2015/01
DINOSEB	81287	036	2014/07/14	< .200	2017/07
DIQUAT	78885	036	2014/07/14	< 4.000	2017/07
ENDOTHALL	38926	036	2014/07/14	< 20.000	2017/07
ENDRIN	39390	036	2014/07/14	< .005	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/01/30	< .010	2015/01
GLYPHOSATE	79743	036	2012/01/30	< .000	2015/01
HEPTACHLOR	39410	036	2014/07/14	< .005	2017/07
HEPTACHLOR EPOXIDE	39420	036	2014/07/14	< .005	2017/07
HEXACHLOROBENZENE	39700	036	2014/07/14	< .100	2017/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/07/14	< 1.000	2017/07
LINDANE	39340	036	2014/07/14	< .005	2017/07
METHOXYCHLOR	39480	036	2014/07/14	< .005	2017/07
MOLINATE	82199	036	2014/07/14	< .500	2017/07
OXAMYL	38865	036	2012/01/30	< .000	2015/01
PENTACHLOROPHENOL	39032	036	2014/07/14	< .050	2017/07
PICLORAM	39720	036	2014/07/14	< .050	2017/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/07/14	< .200	2017/07
SIMAZINE	39055	036	2014/07/14	< .300	2017/07
THIOBENCARB	A-001	036	2014/07/14	< .500	2017/07
TOXAPHENE	39400	036	2014/07/14	< 1.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

PS Code: 2610002-001
Source Name: JUNE LAKE TRMT. PLANT - RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/14	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/14	< .500	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/14	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/14	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/14	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/14	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/14	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/14	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/14	< .500	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/14	< .500	2015/07
BENZENE	34030	012	2014/07/14	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/14	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/14	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/14	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/14	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/14	< .500	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/14	< .500	2015/07
STYRENE	77128	012	2014/07/14	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/14	< .500	2015/07
TOLUENE	34010	012	2014/07/14	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/14	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/14	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/14	< .500	2015/07
VINYL CHLORIDE	39175	012	2014/07/14	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/14	< 1.000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2013/10/14	. 160.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

PS Code: 2610002-001
Source Name: JUNE LAKE TRMT. PLANT - RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
CALCIUM	00916	012	2013/10/14	. 26.000	2014/10
CARBONATE ALKALINITY	00445	012	2013/10/14	3.800	2014/10
CHLORIDE	00940	012	2013/10/14	. 5.600	2014/10
COLOR	00081	012	2013/10/14	. 2.000	2014/10
COPPER	01042	012	2013/10/14	< 10.000	2014/10
FOAMING AGENTS (MBAS)	38260	012	2013/10/14	< .200	2014/10
HARDNESS (TOTAL) AS CACO3	00900	012	2013/10/14	. 84.000	2014/10
HYDROXIDE ALKALINITY	71830	012	2013/10/14	< 1.400	2014/10
IRON	01045	012	2013/10/14	< 50.000	2014/10
MAGNESIUM	00927	012	2013/10/14	. 4.400	2014/10
MANGANESE	01055	012	2013/10/14	< 10.000	2014/10
ODOR THRESHOLD @ 60 C	00086	012	2013/10/14	.000	2014/10
PH, LABORATORY	00403	012	2013/10/14	. 8.360	2014/10
SILVER	01077	012	2013/10/14	< 10.000	2014/10
SODIUM	00929	012	2013/10/14	33.000	2014/10
SPECIFIC CONDUCTANCE	00095	012	2013/10/14	. 283.000	2014/10
SULFATE	00945	012	2013/10/14	5.800	2014/10
TOTAL DISSOLVED SOLIDS	70300	012	2013/10/14	. 160.000	2014/10
TURBIDITY, LABORATORY	82079	012	2013/10/14	. 1.200	2014/10
ZINC	01092	012	2013/10/14	< 50.000	2014/10

PS Code: 2610002-002
Source Name: JUNE LAKE WTP - FINISHED
Source Number: 002
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

PS Code: 2610002-003
Source Name: SNOW CREEK - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/10/14	. 59.000	2014/10	
ANTIMONY	01097	012	2013/10/14	< 2.000	2014/10	
ARSENIC	01002	012	2013/10/14	< 2.000	2014/10	
ASBESTOS	81855	108	2011/10/17	. .000	2020/10	
BARIUM	01007	012	2013/10/14	< 10.000	2014/10	
BERYLLIUM	01012	012	2013/10/14	< 1.000	2014/10	
CADMIUM	01027	012	2013/10/14	< 1.000	2014/10	
CHROMIUM (TOTAL)	01034	012	2013/10/14	< 10.000	2014/10	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2013/10/14	< 5.000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/10/14	< .050	2014/10	
MERCURY	71900	012	2013/10/14	< .200	2014/10	
NICKEL	01067	012	2013/10/14	< 10.000	2014/10	
PERCHLORATE	A-031	012	2013/10/14	< 4.000	2014/10	
SELENIUM	01147	012	2013/10/14	< 2.000	2014/10	
THALLIUM	01059	012	2013/10/14	< 1.000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/14	< .440	2014/10	
NITRITE (AS N)	00620	036	2013/10/14	< 50.000	2016/10	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/01/30	< .000	2015/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/01/30	< .010	2015/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/01/30	< .010	2015/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/14	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/14	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/14	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610002***

System Name: ***JUNE LAKE PUD VILLAGE***

PS Code: ***2610002-003***

Source Name: ***SNOW CREEK - RAW***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/14	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/14	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/14	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/14	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/14	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/14	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/14	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/07/14	**< .500**	2017/07
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/14	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/14	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/14	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/14	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/14	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/14	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/14	**< .500**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/14	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/14	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/14	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/14	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/14	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/14	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/14	**< .500**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/14	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/14	**< 1.000**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2013/10/14	**. 50.000**	2014/10
CALCIUM	**00916**	**012**	2013/10/14	**. 10.000**	2014/10
CARBONATE ALKALINITY	**00445**	**012**	2013/10/14	**< 2.500**	2014/10
CHLORIDE	**00940**	**012**	2013/10/14	**< .500**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

PS Code: 2610002-003
Source Name: SNOW CREEK - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	012	2013/10/14	. 2.000	2014/10
COPPER	01042	012	2013/10/14	< 10.000	2014/10
FOAMING AGENTS (MBAS)	38260	012	2013/10/14	< .100	2014/10
HARDNESS (TOTAL) AS CACO3	00900	012	2013/10/14	. 38.000	2014/10
HYDROXIDE ALKALINITY	71830	012	2013/10/14	< 1.400	2014/10
IRON	01045	012	2013/10/14	< 50.000	2014/10
MAGNESIUM	00927	012	2013/10/14	. 2.900	2014/10
MANGANESE	01055	012	2013/10/14	< 10.000	2014/10
ODOR THRESHOLD @ 60 C	00086	012	2013/10/14	.000	2014/10
PH, LABORATORY	00403	012	2013/10/14	. 7.680	2014/10
SILVER	01077	012	2013/10/14	< 10.000	2014/10
SODIUM	00929	012	2013/10/14	2.300	2014/10
SPECIFIC CONDUCTANCE	00095	012	2013/10/14	. 82.200	2014/10
SULFATE	00945	012	2013/10/14	1.600	2014/10
TOTAL DISSOLVED SOLIDS	70300	012	2013/10/14	. 65.000	2014/10
TURBIDITY, LABORATORY	82079	012	2013/10/14	. .490	2014/10
ZINC	01092	012	2013/10/14	< 50.000	2014/10

PS Code: 2610002-004
Source Name: SNOW CREEK - TREATED
Source Number: 004
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 2610002-005					
Source Name: DIST-FIRE STATION - DBP SITE					
Source Number: 005					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 2610002-006					
Source Name: DIST - OH RIDGE CAMPGROUND - DBP SITE					
Source Number: 006					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 2610002-601					
Source Name: DBP2-FIRE STATION, 2380 HWY 158					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610002
System Name: JUNE LAKE PUD VILLAGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 2610002-601						
Source Name: DBP2-FIRE STATION, 2380 HWY 158						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 2610002-602						
Source Name: DBP2-374 PINE CLIFF RD						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610003
System Name: BRIDGEPORT PUD

PS Code: 2610003-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/25	< 50.000	2014/07	
ANTIMONY	01097	036	2011/07/25	< 2.000	2014/07	
ARSENIC	01002	036	2014/05/27	. 37.000	2017/05	
BARIUM	01007	036	2011/07/25	46.000	2014/07	
BERYLLIUM	01012	036	2011/07/25	< 1.000	2014/07	
CADMIUM	01027	036	2011/07/25	< 1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/25	< 10.000	2014/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/06/26	< .005	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/25	. .290	2014/07	
MERCURY	71900	036	2011/07/25	< .200	2014/07	
NICKEL	01067	036	2011/07/25	< 10.000	2014/07	
PERCHLORATE	A-031	036	2013/06/26	< 4.000	2016/06	
SELENIUM	01147	036	2011/07/25	< 2.000	2014/07	
THALLIUM	01059	036	2011/07/25	< 1.000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/20	. 1.100	2014/11	
NITRITE (AS N)	00620	036	2011/07/25	< 50.000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/07/25	. 4.640	2014/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
BENTAZON	38710	000				DUE
DALAPON	38432	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/25	< .010	2014/07	
DINOSEB	81287	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610003***

System Name: ***BRIDGEPORT PUD***

PS Code: ***2610003-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/25	< .010	2014/07	
GLYPHOSATE	79743	000				DUE
OXAMYL	38865	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/05/02	< .500	2013/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/05/02	< .500	2013/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/05/02	< .500	2013/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/05/02	< .500	2013/05	DUE
1,1-DICHLOROETHANE	34496	072	2007/05/02	< .500	2013/05	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/10/05	< .500	2014/10	
1,2,4-TRICHLOROBENZENE	34551	072	2007/05/02	< .500	2013/05	DUE
1,2-DICHLOROBENZENE	34536	072	2007/05/02	< .500	2013/05	DUE
1,2-DICHLOROETHANE	34531	072	2007/05/02	< .500	2013/05	DUE
1,2-DICHLOROPROPANE	34541	072	2007/05/02	< .500	2013/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/05/02	< .500	2013/05	DUE
1,4-DICHLOROBENZENE	34571	072	2007/05/02	< .500	2013/05	DUE
BENZENE	34030	072	2007/05/02	< .500	2013/05	DUE
CARBON TETRACHLORIDE	32102	072	2007/05/02	< .500	2013/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1999/09/08	< 1.000	2005/09	DUE
DICHLOROMETHANE	34423	072	2007/05/02	< 1.000	2013/05	DUE
ETHYLBENZENE	34371	072	2007/05/02	< .500	2013/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/05/02	< .500	2013/05	DUE
MONOCHLOROBENZENE	34301	072	2007/05/02	< .500	2013/05	DUE
STYRENE	77128	072	2008/10/05	< .500	2014/10	
TETRACHLOROETHYLENE	34475	072	2007/05/02	< .500	2013/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610003
System Name: BRIDGEPORT PUD

PS Code: 2610003-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TOLUENE	34010	072	2007/05/02	<	.500	2013/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/05/02	<	.500	2013/05	DUE
TRICHLOROETHYLENE	39180	072	2007/05/02	<	.500	2013/05	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/05/02	<	.500	2013/05	DUE
VINYL CHLORIDE	39175	072	2007/05/02	<	.500	2013/05	DUE
XYLENES (TOTAL)	81551	072	2007/05/02	<	1.000	2013/05	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2013/05/23	.	180.000	2016/05	
CALCIUM	00916	036	2013/05/23	.	28.000	2016/05	
CARBONATE ALKALINITY	00445	036	2011/07/25	<	2.500	2014/07	
CHLORIDE	00940	036	2013/12/02	.	14.000	2016/12	
COLOR	00081	036	2011/07/25	.	1.000	2014/07	
COPPER	01042	036	2011/07/25	<	10.000	2014/07	
FOAMING AGENTS (MBAS)	38260	036	2011/07/25	<	.200	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/23	.	110.000	2016/05	
HYDROXIDE ALKALINITY	71830	036	2011/07/25	<	1.400	2014/07	
IRON	01045	036	2011/07/25	<	50.000	2014/07	
MAGNESIUM	00927	036	2013/05/23	.	10.000	2016/05	
MANGANESE	01055	036	2011/07/25	<	10.000	2014/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/07/25		.000	2014/07	
PH, LABORATORY	00403	036	2011/07/25	.	7.330	2014/07	
SILVER	01077	036	2011/07/25	<	10.000	2014/07	
SODIUM	00929	036	2013/05/23		80.000	2016/05	
SPECIFIC CONDUCTANCE	00095	036	2013/05/23	.	571.000	2016/05	
SULFATE	00945	036	2013/05/23	.	91.000	2016/05	
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/02	.	320.000	2016/12	
TURBIDITY, LABORATORY	82079	036	2011/07/25	.	.170	2014/07	
ZINC	01092	036	2011/07/25	<	50.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610003
System Name: BRIDGEPORT PUD

PS Code: 2610003-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/25	< 50.000	2014/07	
ANTIMONY	01097	036	2011/07/25	< 2.000	2014/07	
ARSENIC	01002	036	2014/05/27	. 12.000	2017/05	
BARIUM	01007	036	2011/07/25	38.000	2014/07	
BERYLLIUM	01012	036	2011/07/25	< 1.000	2014/07	
CADMIUM	01027	036	2011/07/25	< 1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/25	< 10.000	2014/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/06/26	< .005	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/25	. .250	2014/07	
MERCURY	71900	036	2011/07/25	< .200	2014/07	
NICKEL	01067	036	2011/07/25	< 10.000	2014/07	
PERCHLORATE	A-031	036	2013/06/26	< 4.000	2016/06	
SELENIUM	01147	036	2011/07/25	< 2.000	2014/07	
THALLIUM	01059	036	2011/07/25	< 1.000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/20	. 1.000	2014/11	
NITRITE (AS N)	00620	036	2011/07/25	< 50.000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/07/25	. 3.980	2014/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
BENTAZON	38710	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610003***

System Name: ***BRIDGEPORT PUD***

PS Code: ***2610003-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/25	< .010	2014/07	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/25	< .010	2014/07	
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/06/26	< .500	2019/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/06/26	< .500	2019/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/05/05	< .500	2011/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2013/06/26	< .500	2019/06	
1,1-DICHLOROETHANE	34496	072	2013/06/26	< .500	2019/06	
1,1-DICHLOROETHYLENE	34501	072	2013/06/26	< .500	2019/06	
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	2013/06/26	< .500	2019/06	
1,2-DICHLOROETHANE	34531	072	2013/06/26	< .500	2019/06	
1,2-DICHLOROPROPANE	34541	072	2013/06/26	< .500	2019/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/06/26	< .500	2019/06	
1,4-DICHLOROBENZENE	34571	072	2013/06/26	< .500	2019/06	
BENZENE	34030	072	2013/06/26	< .500	2019/06	
CARBON TETRACHLORIDE	32102	072	2013/06/26	< .500	2019/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610003
System Name: BRIDGEPORT PUD

PS Code: 2610003-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	072	2013/06/26	< .500	2019/06	
ETHYLBENZENE	34371	072	2013/06/26	< .500	2019/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/06/26	< .500	2019/06	
MONOCHLOROBENZENE	34301	072	2013/06/26	< .500	2019/06	
STYRENE	77128	072	2008/10/05	< .500	2014/10	
TETRACHLOROETHYLENE	34475	072	2013/06/26	< .500	2019/06	
TOLUENE	34010	072	2013/06/26	< .500	2019/06	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/06/26	< .500	2019/06	
TRICHLOROETHYLENE	39180	072	2013/06/26	< .500	2019/06	
TRICHLOROFLUOROMETHANE	34488	072	2013/06/26	< .500	2019/06	
VINYL CHLORIDE	39175	072	2013/06/26	< .500	2019/06	
XYLENES (TOTAL)	81551	072	2013/06/26	< 1.000	2019/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2013/05/23	. 81.000	2016/05	
CALCIUM	00916	036	2013/05/23	. 19.000	2016/05	
CARBONATE ALKALINITY	00445	036	2011/07/25	< 2.500	2014/07	
CHLORIDE	00940	036	2011/07/25	. 7.700	2014/07	
COLOR	00081	036	2011/07/25	. 1.000	2014/07	
COPPER	01042	036	2011/07/25	. 260.000	2014/07	
FOAMING AGENTS (MBAS)	38260	036	2011/07/25	< .100	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/23	. 72.000	2016/05	
HYDROXIDE ALKALINITY	71830	036	2011/07/25	< 1.400	2014/07	
IRON	01045	036	2011/07/25	< 50.000	2014/07	
MAGNESIUM	00927	036	2013/05/23	. 5.700	2016/05	
MANGANESE	01055	036	2011/07/25	< 10.000	2014/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/07/25	.000	2014/07	
PH, LABORATORY	00403	036	2011/07/25	. 7.530	2014/07	
SILVER	01077	036	2011/07/25	< 10.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610003***

System Name: ***BRIDGEPORT PUD***

PS Code: ***2610003-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SODIUM	**00929**	**036**	2013/05/23		**12.000**	2016/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/05/23	.	**206.000**	2016/05
SULFATE	**00945**	**036**	2013/05/23	.	**17.000**	2016/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/05/23	.	**140.000**	2016/05
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/25	.	**.160**	2014/07
ZINC	**01092**	**036**	2011/07/25	.	**94.000**	2014/07

PS Code: ***2610003-601***

Source Name: ***DBP2-26 NORTH TAMMARAC RD***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/03	**<**	**1.000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/03	**<**	**1.000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/03	**<**	**1.000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/03	**<**	**1.000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/03	**<**	**1.000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/03	**<**	**1.000**	2015/07
STATE UCMR						
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/03	**<**	**.500**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/03	**<**	**.500**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/03	**<**	**.500**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/03	**<**	**.500**	2015/07
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/03	**<**	**2.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610003***
System Name: ***BRIDGEPORT PUD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610003-602***					
Source Name: ***DBP2-1 JACK SAWYER RD***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/03	**< 1.000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/03	**< 1.000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/03	**< 1.000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/03	**< 1.000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/03	**< 1.000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/03	**< 1.000**	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/03	**< .500**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/03	**< .500**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/03	**< .500**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/03	**< .500**	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/03	**< 2.000**	2015/07
PS Code: ***2610003-800***					
Source Name: ***WELL 02 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610003***

System Name: ***BRIDGEPORT PUD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610003-801***					
Source Name: ***WELL 04 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610004***

System Name: ***JUNE LAKE PUD - DOWN CANYON***

PS Code: ***2610004-001***

Source Name: ***CLARK PLANT - RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**012**	2013/10/14	**< 50.000**	2014/10	
ANTIMONY	**01097**	**012**	2013/10/14	**< 2.000**	2014/10	
ARSENIC	**01002**	**012**	2013/10/14	**< 2.000**	2014/10	
ASBESTOS	**81855**	**108**	2011/10/17	**. .000**	2020/10	
BARIUM	**01007**	**012**	2013/10/14	**< 10.000**	2014/10	
BERYLLIUM	**01012**	**012**	2013/10/14	**< 1.000**	2014/10	
CADMIUM	**01027**	**012**	2013/10/14	**< 1.000**	2014/10	
CHROMIUM (TOTAL)	**01034**	**012**	2013/10/14	**< 10.000**	2014/10	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**012**	2013/10/14	**< 5.000**	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**012**	2013/10/14	**< .050**	2014/10	
MERCURY	**71900**	**012**	2013/10/14	**< .200**	2014/10	
NICKEL	**01067**	**012**	2013/10/14	**< 10.000**	2014/10	
PERCHLORATE	**A-031**	**012**	2013/10/14	**< 4.000**	2014/10	
SELENIUM	**01147**	**012**	2013/10/14	**< 2.000**	2014/10	
THALLIUM	**01059**	**012**	2013/10/14	**< 1.000**	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/10/14	**< .440**	2014/10	
NITRITE (AS N)	**00620**	**036**	2013/10/14	**< 50.000**	2016/10	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2011/07/11	**< .000**	2020/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/01/30	**< .010**	2015/01	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/01/30	**< .010**	2015/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/14	**< .500**	2017/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/14	**< .500**	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/14	**< .500**	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610004
System Name: JUNE LAKE PUD - DOWN CANYON

PS Code: 2610004-001
Source Name: CLARK PLANT - RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2014/07/14	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/14	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/14	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/14	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/14	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/14	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/14	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/14	< .500	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/14	< .500	2017/07
BENZENE	34030	036	2014/07/14	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/14	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/14	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/14	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/14	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/14	< .500	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/14	< .500	2017/07
STYRENE	77128	036	2014/07/14	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/14	< .500	2017/07
TOLUENE	34010	036	2014/07/14	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/14	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/14	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/14	< .500	2017/07
VINYL CHLORIDE	39175	036	2014/07/14	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/14	< 1.000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2013/10/14	. 20.000	2014/10
CALCIUM	00916	012	2013/10/14	. 6.200	2014/10
CARBONATE ALKALINITY	00445	012	2013/10/14	< 2.500	2014/10
CHLORIDE	00940	012	2013/10/14	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610004***

System Name: ***JUNE LAKE PUD - DOWN CANYON***

PS Code: ***2610004-001***

Source Name: ***CLARK PLANT - RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	012	2013/10/14	. 2.000	2014/10
COPPER	01042	012	2013/10/14	< 10.000	2014/10
FOAMING AGENTS (MBAS)	38260	012	2013/10/14	< .100	2014/10
HARDNESS (TOTAL) AS CACO3	00900	012	2013/10/14	. 18.000	2014/10
HYDROXIDE ALKALINITY	71830	012	2013/10/14	< 1.400	2014/10
IRON	01045	012	2013/10/14	< 50.000	2014/10
MAGNESIUM	00927	012	2013/10/14	. .710	2014/10
MANGANESE	01055	012	2013/10/14	< 10.000	2014/10
ODOR THRESHOLD @ 60 C	00086	012	2013/10/14	.000	2014/10
PH, LABORATORY	00403	012	2013/10/14	. 7.140	2014/10
SILVER	01077	012	2013/10/14	< 10.000	2014/10
SODIUM	00929	012	2013/10/14	2.100	2014/10
SPECIFIC CONDUCTANCE	00095	012	2013/10/14	. 51.500	2014/10
SULFATE	00945	012	2013/10/14	6.900	2014/10
TOTAL DISSOLVED SOLIDS	70300	012	2013/10/14	. 21.000	2014/10
TURBIDITY, LABORATORY	82079	012	2013/10/14	. .530	2014/10
ZINC	01092	012	2013/10/14	< 50.000	2014/10

PS Code: ***2610004-002***

Source Name: ***CLARK PLANT - TREATED***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610004
System Name: JUNE LAKE PUD - DOWN CANYON

PS Code: 2610004-003
Source Name: PETERSON PLANT - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2012/10/08	< 50.000	2013/10	DUE
ANTIMONY	01097	012	2012/10/08	< 2.000	2013/10	DUE
ARSENIC	01002	012	2012/10/08	< 2.000	2013/10	DUE
ASBESTOS	81855	108	2011/10/17	. .000	2020/10	
BARIUM	01007	012	2012/10/08	< 10.000	2013/10	DUE
BERYLLIUM	01012	012	2012/10/08	< 1.000	2013/10	DUE
CADMIUM	01027	012	2012/10/08	< 1.000	2013/10	DUE
CHROMIUM (TOTAL)	01034	012	2012/10/08	< 10.000	2013/10	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2012/10/08	< 5.000	2013/10	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2012/10/08	. .052	2013/10	DUE
MERCURY	71900	012	2012/10/08	< .200	2013/10	DUE
NICKEL	01067	012	2012/10/08	< 10.000	2013/10	DUE
PERCHLORATE	A-031	012	2012/10/08	< 4.000	2013/10	DUE
SELENIUM	01147	012	2012/10/08	< 2.000	2013/10	DUE
THALLIUM	01059	012	2012/10/08	< 1.000	2013/10	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/10/08	< .440	2013/10	DUE
NITRITE (AS N)	00620	036	2012/10/08	< 50.000	2015/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/07/11	< .000	2020/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/01/30	< .010	2015/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/01/30	< .010	2015/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/14	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/14	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/14	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610004
System Name: JUNE LAKE PUD - DOWN CANYON

PS Code: 2610004-003
Source Name: PETERSON PLANT - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2-TRICHLOROETHANE	34511	036	2014/07/14	< .500	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/14	< .500	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/14	< .500	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/14	< .500	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/14	< .500	2017/07	
1,4-DICHLOROBENZENE	34571	036	2014/07/14	< .500	2017/07	
BENZENE	34030	036	2014/07/14	< .500	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/14	< .500	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/14	< .500	2017/07	
DICHLOROMETHANE	34423	036	2014/07/14	< .500	2017/07	
ETHYLBENZENE	34371	036	2014/07/14	< .500	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/14	< .500	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/14	< .500	2017/07	
STYRENE	77128	036	2014/07/14	< .500	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/14	< .500	2017/07	
TOLUENE	34010	036	2014/07/14	< .500	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/14	< .500	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/14	< .500	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/14	< .500	2017/07	
VINYL CHLORIDE	39175	036	2014/07/14	< .500	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/14	< 1.000	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2012/10/08	. 51.000	2013/10	DUE
CALCIUM	00916	012	2012/10/08	. 10.000	2013/10	DUE
CARBONATE ALKALINITY	00445	012	2012/10/08	< 2.500	2013/10	DUE
CHLORIDE	00940	012	2012/10/08	< .500	2013/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610004

System Name: JUNE LAKE PUD - DOWN CANYON

PS Code: 2610004-003

Source Name: PETERSON PLANT - RAW

Source Number: 003

Source Status: ACTIVE RAW

Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COLOR	00081	012	2012/10/08	. 1.000	2013/10	DUE
COPPER	01042	012	2012/10/08	< 10.000	2013/10	DUE
FOAMING AGENTS (MBAS)	38260	012	2012/10/08	< .100	2013/10	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2012/10/08	. 37.000	2013/10	DUE
HYDROXIDE ALKALINITY	71830	012	2012/10/08	< 1.400	2013/10	DUE
IRON	01045	012	2012/10/08	< 50.000	2013/10	DUE
MAGNESIUM	00927	012	2012/10/08	. 2.800	2013/10	DUE
MANGANESE	01055	012	2012/10/08	< 10.000	2013/10	DUE
ODOR THRESHOLD @ 60 C	00086	012	2012/10/08	.000	2013/10	DUE
PH, LABORATORY	00403	012	2012/10/08	. 7.730	2013/10	DUE
SILVER	01077	012	2012/10/08	< 10.000	2013/10	DUE
SODIUM	00929	012	2012/10/08	2.500	2013/10	DUE
SPECIFIC CONDUCTANCE	00095	012	2012/10/08	. 90.500	2013/10	DUE
SULFATE	00945	012	2012/10/08	1.500	2013/10	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2012/10/08	. 75.000	2013/10	DUE
TURBIDITY, LABORATORY	82079	012	2012/10/08	. .490	2013/10	DUE
ZINC	01092	012	2012/10/08	< 50.000	2013/10	DUE

PS Code: 2610004-004

Source Name: PETERSON PLANT - TREATED

Source Number: 004

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 2610004
System Name: JUNE LAKE PUD - DOWN CANYON

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: 2610004-005
Source Name: DIST - HUGHES RESIDENCE - DBP SITE
Source Number: 005
Source Status: DISTRIBUTION TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 2610004-006
Source Name: DIST - FERN CREEK STORE - DBP SITE
Source Number: 006
Source Status: DISTRIBUTION TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 2610004-601
Source Name: DBP2-FERN CREEK LODGE, 4628 HWY 158
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: S

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610004
System Name: JUNE LAKE PUD - DOWN CANYON

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 2610004-601						
Source Name: DBP2-FERN CREEK LODGE, 4628 HWY 158						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 2610004-602						
Source Name: DBP2-SILVER LAKE RESORT, 6957 HWY 158						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610300***

System Name: ***CSP - BODIE SHP***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610300-003***					
Source Name: ***SPRING 06***					
Source Number: ***003***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/13	**. 1.510**	2014/08
NITRITE (AS N)	**00620**	**036**	2013/08/13	**< .000**	2016/08
PS Code: ***2610300-004S***					
Source Name: ***MEM-CLEAR NANOFILTRATION MEMBRANE SWTP***					
Source Number: ***004***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

PS Code: 2610700-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/05/07	. .000	2017/05	
ANTIMONY	01097	036	2014/05/07	. .000	2017/05	
ARSENIC	01002	036	2014/05/07	. 6.900	2017/05	
BARIUM	01007	036	2014/05/07	. 11.000	2017/05	
BERYLLIUM	01012	036	2014/05/07	. .000	2017/05	
CADMIUM	01027	036	2014/05/07	. .000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/07	. .000	2017/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/07/23	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/07	. .000	2017/05	
MERCURY	71900	036	2014/05/07	. .000	2017/05	
NICKEL	01067	036	2014/05/07	. .000	2017/05	
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2014/05/07	. .000	2017/05	
THALLIUM	01059	036	2014/05/07	. .000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/07	. .500	2015/05	
NITRITE (AS N)	00620	036	2014/05/07	. .028	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2008/06/18	.616	2011/06	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/08/26	< .010	2011/08	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/08/26	< .020	2011/08	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2005/08/24	< .500	2011/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/08/24	< .500	2011/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/08/24	< 10.000	2011/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/08/24	< .500	2011/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

PS Code: 2610700-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2005/08/24	< .500	2011/08	DUE
1,1-DICHLOROETHYLENE	34501	072	2005/08/24	< .500	2011/08	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2005/08/24	< .500	2011/08	DUE
1,2-DICHLOROBENZENE	34536	072	2005/08/24	< .500	2011/08	DUE
1,2-DICHLOROETHANE	34531	072	2005/08/24	< .500	2011/08	DUE
1,2-DICHLOROPROPANE	34541	072	2005/08/24	< .500	2011/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/08/24	< .500	2011/08	DUE
1,4-DICHLOROBENZENE	34571	072	2005/08/24	< .500	2011/08	DUE
BENZENE	34030	072	2005/08/24	< .500	2011/08	DUE
CARBON TETRACHLORIDE	32102	072	2005/08/24	< .500	2011/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/08/24	< .500	2011/08	DUE
DICHLOROMETHANE	34423	072	2005/08/24	< .500	2011/08	DUE
ETHYLBENZENE	34371	072	2005/08/24	< .500	2011/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/08/26	< 1.000	2014/08	
MONOCHLOROBENZENE	34301	072	2005/08/24	< .500	2011/08	DUE
STYRENE	77128	072	2005/08/24	< .500	2011/08	DUE
TETRACHLOROETHYLENE	34475	072	2005/08/24	< .500	2011/08	DUE
TOLUENE	34010	072	2005/08/24	< .500	2011/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/08/24	< .500	2011/08	DUE
TRICHLOROETHYLENE	39180	072	2005/08/24	< .500	2011/08	DUE
TRICHLOROFLUOROMETHANE	34488	072	2005/08/24	< 5.000	2011/08	DUE
VINYL CHLORIDE	39175	072	2005/08/24	< .500	2011/08	DUE
XYLENES (TOTAL)	81551	072	2005/08/24	< .500	2011/08	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/05/07	. 200.000	2017/05	
CALCIUM	00916	036	2014/05/07	. 35.000	2017/05	
CARBONATE ALKALINITY	00445	036	2014/05/07	. .000	2017/05	
CHLORIDE	00940	036	2014/05/07	. 1.600	2017/05	
COLOR	00081	036	2014/05/07	. 5.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

PS Code: 2610700-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/05/07	. .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/07	. .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/07	. 150.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/07	. .000	2017/05
IRON	01045	036	2014/05/07	. .000	2017/05
MAGNESIUM	00927	036	2014/05/07	. 14.000	2017/05
MANGANESE	01055	036	2014/07/09	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/05/07	. .000	2017/05
PH, LABORATORY	00403	036	2014/05/07	. 7.480	2017/05
SILVER	01077	036	2014/05/07	. .000	2017/05
SODIUM	00929	036	2014/05/07	. 12.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/07	. 330.000	2017/05
SULFATE	00945	036	2014/05/07	. 5.900	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/07	. 180.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/07	. .000	2017/05
ZINC	01092	036	2014/05/07	. 12.000	2017/05

PS Code: 2610700-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/05/07	. .000	2017/05
ANTIMONY	01097	036	2014/05/07	. .000	2017/05
ARSENIC	01002	036	2014/05/07	. 6.700	2017/05
BARIUM	01007	036	2014/05/07	. 12.000	2017/05
BERYLLIUM	01012	036	2014/05/07	. .000	2017/05
CADMIUM	01027	036	2014/05/07	. .000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

PS Code: 2610700-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/05/07	. .000	2017/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/07/23	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/07	. .100	2017/05	
MERCURY	71900	036	2014/05/07	. .000	2017/05	
NICKEL	01067	036	2014/05/07	. .000	2017/05	
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	036	2014/05/07	. .000	2017/05	
THALLIUM	01059	036	2014/05/07	. .000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/07	. 5.100	2015/05	
NITRITE (AS N)	00620	036	2014/05/07	. .000	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2008/06/18	2.460	2011/06	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/08/26	< .010	2011/08	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/08/26	< .020	2011/08	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2005/08/24	< .500	2011/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/08/24	< .500	2011/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/08/24	< 10.000	2011/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/08/24	< .500	2011/08	DUE
1,1-DICHLOROETHANE	34496	072	2005/08/24	< .500	2011/08	DUE
1,1-DICHLOROETHYLENE	34501	072	2005/08/24	< .500	2011/08	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2005/08/24	< .500	2011/08	DUE
1,2-DICHLOROBENZENE	34536	072	2005/08/24	< .500	2011/08	DUE
1,2-DICHLOROETHANE	34531	072	2005/08/24	< .500	2011/08	DUE
1,2-DICHLOROPROPANE	34541	072	2005/08/24	< .500	2011/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

PS Code: 2610700-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/08/24	< .500	2011/08	DUE
1,4-DICHLOROBENZENE	34571	072	2005/08/24	< .500	2011/08	DUE
BENZENE	34030	072	2005/08/24	< .500	2011/08	DUE
CARBON TETRACHLORIDE	32102	072	2005/08/24	< .500	2011/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/08/24	< .500	2011/08	DUE
DICHLOROMETHANE	34423	072	2005/08/24	< .500	2011/08	DUE
ETHYLBENZENE	34371	072	2005/08/24	< .500	2011/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/08/26	< 1.000	2014/08	
MONOCHLOROBENZENE	34301	072	2005/08/24	< .500	2011/08	DUE
STYRENE	77128	072	2005/08/24	< .500	2011/08	DUE
TETRACHLOROETHYLENE	34475	072	2005/08/24	< .500	2011/08	DUE
TOLUENE	34010	072	2005/08/24	< .500	2011/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/08/24	< .500	2011/08	DUE
TRICHLOROETHYLENE	39180	072	2005/08/24	< .500	2011/08	DUE
TRICHLOROFLUOROMETHANE	34488	072	2005/08/24	< 5.000	2011/08	DUE
VINYL CHLORIDE	39175	072	2005/08/24	< .500	2011/08	DUE
XYLENES (TOTAL)	81551	072	2005/08/24	< .500	2011/08	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/05/07	. 250.000	2017/05	
CALCIUM	00916	036	2014/05/07	. 49.000	2017/05	
CARBONATE ALKALINITY	00445	036	2014/05/07	. .000	2017/05	
CHLORIDE	00940	036	2014/05/07	. 2.600	2017/05	
COLOR	00081	036	2014/05/07	. 5.000	2017/05	
COPPER	01042	036	2014/05/07	. .000	2017/05	
FOAMING AGENTS (MBAS)	38260	036	2014/05/07	. .000	2017/05	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/07	. 190.000	2017/05	
HYDROXIDE ALKALINITY	71830	036	2014/05/07	. .000	2017/05	
IRON	01045	036	2014/05/07	. .000	2017/05	
MAGNESIUM	00927	036	2014/05/07	. 16.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610700***

System Name: ***USMC/MTN WARFARE TRNG CTR - BRIDGEPORT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610700-002***					
Source Name: ***WELL 02***					
Source Number: ***002***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
MANGANESE	**01055**	**036**	2014/07/09	. **59.000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/07	. **.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/07	. **7.960**	2017/05
SILVER	**01077**	**036**	2014/05/07	. **.000**	2017/05
SODIUM	**00929**	**036**	2014/05/07	. **14.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/07	. **440.000**	2017/05
SULFATE	**00945**	**036**	2014/05/07	. **7.900**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/07	. **230.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/07	. **.000**	2017/05
ZINC	**01092**	**036**	2014/05/07	. **.000**	2017/05
PS Code: ***2610700-601***					
Source Name: ***DBP2-BUILDING 7056***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**000**			**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**			**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**			**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**			**DUE**
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**000**			**DUE**
TRICHLOROACETIC ACID (TCAA)	**82723**	**000**			**DUE**
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**000**			**DUE**
BROMOFORM (THM)	**32104**	**000**			**DUE**
CHLOROFORM (THM)	**32106**	**000**			**DUE**
DIBROMOCHLOROMETHANE (THM)	**32105**	**000**			**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 2610700-601						
Source Name: DBP2-BUILDING 7056						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 2610700-602						
Source Name: DBP2-BUILDING 2002						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610700
System Name: USMC/MTN WARFARE TRNG CTR - BRIDGEPORT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 2610700-603						
Source Name: DBP2-BUILDING 5005						
Source Number: 603						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 2610700-800						
Source Name: WELL 01 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610700***

System Name: ***USMC/MTN WARFARE TRNG CTR - BRIDGEPORT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***2610700-801***					
Source Name: ***WELL 02 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/03/18	.	.000	2017/03	
ANTIMONY	01097	036	2014/03/18	.	.000	2017/03	
ARSENIC	01002	036	2014/07/16	.	37.000	2017/07	
BARIUM	01007	036	2014/03/18	.	27.000	2017/03	
BERYLLIUM	01012	036	2014/03/18	.	.000	2017/03	
CADMIUM	01027	036	2014/03/18	.	.000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/18	.	.000	2017/03	
CHROMIUM, HEXAVALENT	01032	000					**DUE**
CYANIDE	01291	036	**2011/06/13**	<	5.000	**2014/06**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/16	.	.480	2017/07	
MERCURY	71900	036	2014/03/18	.	.000	2017/03	
NICKEL	01067	036	2014/03/18	.	.000	2017/03	
PERCHLORATE	A-031	036	2012/08/02	<	.000	2015/08	
SELENIUM	01147	036	2014/03/18	.	.000	2017/03	
THALLIUM	01059	036	2014/03/18	.	.000	2017/03	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/03/18	.	5.310	2015/03	
NITRITE (AS N)	00620	036	2014/03/18	.	.000	2017/03	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/03/18	.	8.410	2017/03	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2010/03/02**	<	.000	**2013/03**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2010/03/02**	<	.000	**2013/03**	**DUE**
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2014/03/18	.	.000	2020/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/18	.	.000	2020/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	**2007/03/06**	<	10.000	**2013/03**	**DUE**
1,1,2-TRICHLOROETHANE	34511	072	2014/03/18	.	.000	2020/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2014/03/18	. .000	2020/03	
1,1-DICHLOROETHYLENE	34501	072	2007/03/06	< .500	2013/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/18	. .000	2020/03	
1,2-DICHLOROBENZENE	34536	072	2014/03/18	. .000	2020/03	
1,2-DICHLOROETHANE	34531	072	2014/03/18	. .000	2020/03	
1,2-DICHLOROPROPANE	34541	072	2014/03/18	. .000	2020/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/03/06	< .500	2013/03	DUE
1,4-DICHLOROBENZENE	34571	072	2014/03/18	. .000	2020/03	
BENZENE	34030	072	2014/03/18	. .000	2020/03	
CARBON TETRACHLORIDE	32102	072	2014/03/18	. .000	2020/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/03/06	< .500	2013/03	DUE
DICHLOROMETHANE	34423	072	2014/03/18	. .000	2020/03	
ETHYLBENZENE	34371	072	2014/03/18	. .000	2020/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/03/02	< .000	2016/03	
MONOCHLOROBENZENE	34301	072	2014/03/18	. .000	2020/03	
STYRENE	77128	072	2014/03/18	. .000	2020/03	
TETRACHLOROETHYLENE	34475	072	2007/03/06	< .500	2013/03	DUE
TOLUENE	34010	072	2014/03/18	. .000	2020/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/03/06	< .500	2013/03	DUE
TRICHLOROETHYLENE	39180	072	2007/03/06	< .500	2013/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2014/03/18	. .000	2020/03	
VINYL CHLORIDE	39175	072	2014/03/18	. .000	2020/03	
XYLENES (TOTAL)	81551	072	2014/03/18	. .000	2020/03	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/06/13	. 110.000	2014/06	DUE
CALCIUM	00916	036	2014/03/18	. 43.000	2017/03	
CARBONATE ALKALINITY	00445	036	2011/06/13	< 2.000	2014/06	DUE
CHLORIDE	00940	036	2014/03/18	. 20.000	2017/03	
COLOR	00081	036	2014/03/18	. 5.000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

PS Code: 2610701-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
COPPER	01042	036	2014/03/18	.	.000	2017/03	
FOAMING AGENTS (MBAS)	38260	036	2014/03/18	.	.000	2017/03	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/18	.	120.000	2017/03	
HYDROXIDE ALKALINITY	71830	036	2011/06/13	<	2.000	2014/06	DUE
IRON	01045	036	2014/03/18	.	.000	2017/03	
MAGNESIUM	00927	036	2014/03/18	.	4.300	2017/03	
MANGANESE	01055	036	2014/03/18	.	.000	2017/03	
ODOR THRESHOLD @ 60 C	00086	036	2014/03/18	.	.000	2017/03	
PH, LABORATORY	00403	036	2014/03/18	.	7.710	2017/03	
SILVER	01077	036	2014/03/18	.	.000	2017/03	
SODIUM	00929	036	2014/03/18	.	32.000	2017/03	
SPECIFIC CONDUCTANCE	00095	036	2012/08/02	.	390.000	2015/08	
SULFATE	00945	036	2014/03/18	.	44.000	2017/03	
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/13	.	230.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2014/03/18	.	.000	2017/03	
ZINC	01092	036	2014/03/18	.	.000	2017/03	

PS Code: 2610701-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/03/18	.	.000	2017/03	
ANTIMONY	01097	036	2013/09/12	.	28.000	2016/09	
ARSENIC	01002	036	2014/07/16	.	29.000	2017/07	
BARIUM	01007	036	2014/03/18	.	29.000	2017/03	
BERYLLIUM	01012	036	2014/03/18	.	.000	2017/03	
CADMIUM	01027	036	2014/03/18	.	.000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/03/18	. .000	2017/03	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/03/18	. .000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/16	. .510	2017/07	
MERCURY	71900	036	2014/03/18	. .000	2017/03	
NICKEL	01067	036	2014/03/18	. .000	2017/03	
PERCHLORATE	A-031	036	2012/08/02	< .000	2015/08	
SELENIUM	01147	036	2014/03/18	. .000	2017/03	
THALLIUM	01059	036	2014/03/18	. .000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/03/18	. 9.300	2015/03	
NITRITE (AS N)	00620	036	2014/03/18	. .000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/03/18	. 13.900	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/03/02	< .000	2013/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/03/02	< .000	2013/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/03/18	. .000	2020/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/18	. .000	2020/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/03/06	< 10.000	2013/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2014/03/18	. .000	2020/03	
1,1-DICHLOROETHANE	34496	072	2007/03/06	< .500	2013/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/03/06	< .500	2013/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/18	. .000	2020/03	
1,2-DICHLOROBENZENE	34536	072	2014/03/18	. .000	2020/03	
1,2-DICHLOROETHANE	34531	072	2014/03/18	. .000	2020/03	
1,2-DICHLOROPROPANE	34541	072	2014/03/18	. .000	2020/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

PS Code: 2610701-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/03/06	< .500	2013/03	DUE
1,4-DICHLOROBENZENE	34571	072	2014/03/18	. .000	2020/03	
BENZENE	34030	072	2014/03/18	. .000	2020/03	
CARBON TETRACHLORIDE	32102	072	2014/03/18	. .000	2020/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/03/06	< .500	2013/03	DUE
DICHLOROMETHANE	34423	072	2014/03/18	. .000	2020/03	
ETHYLBENZENE	34371	072	2014/03/18	. .000	2020/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/03/02	< .000	2016/03	
MONOCHLOROBENZENE	34301	072	2014/03/18	. .000	2020/03	
STYRENE	77128	072	2014/03/18	. .000	2020/03	
TETRACHLOROETHYLENE	34475	072	2007/03/06	< .500	2013/03	DUE
TOLUENE	34010	072	2014/03/18	. .000	2020/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/03/06	< .500	2013/03	DUE
TRICHLOROETHYLENE	39180	072	2007/03/06	< .500	2013/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2014/03/18	. .000	2020/03	
VINYL CHLORIDE	39175	072	2014/03/18	. .000	2020/03	
XYLENES (TOTAL)	81551	072	2014/03/18	. .000	2020/03	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/03/18	. 150.000	2017/03	
CALCIUM	00916	036	2014/03/18	. 47.000	2017/03	
CARBONATE ALKALINITY	00445	036	2014/03/18	. .000	2017/03	
CHLORIDE	00940	036	2014/03/18	. 16.000	2017/03	
COLOR	00081	036	2014/03/18	. 5.000	2017/03	
COPPER	01042	036	2014/03/18	. .000	2017/03	
FOAMING AGENTS (MBAS)	38260	036	2014/03/18	. .000	2017/03	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/18	. 150.000	2017/03	
HYDROXIDE ALKALINITY	71830	036	2014/03/18	. .000	2017/03	
IRON	01045	036	2014/03/18	. .000	2017/03	
MAGNESIUM	00927	036	2014/03/18	. 7.500	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

PS Code: 2610701-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MANGANESE	01055	036	2014/03/18	. .000	2017/03	
ODOR THRESHOLD @ 60 C	00086	036	2014/03/18	. .000	2017/03	
PH, LABORATORY	00403	036	2014/03/18	. 7.490	2017/03	
SILVER	01077	036	2014/03/18	. .000	2017/03	
SODIUM	00929	036	2014/03/18	. 28.000	2017/03	
SPECIFIC CONDUCTANCE	00095	036	2012/08/02	. 420.000	2015/08	
SULFATE	00945	036	2014/03/18	. 50.000	2017/03	
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/18	. 250.000	2017/03	
TURBIDITY, LABORATORY	82079	036	2014/03/18	. .000	2017/03	
ZINC	01092	036	2014/03/18	. 20.000	2017/03	

PS Code: 2610701-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/03/18	. .000	2017/03	
ANTIMONY	01097	036	2014/03/18	. 1.000	2017/03	
ARSENIC	01002	036	2014/07/16	. 74.000	2017/07	
BARIUM	01007	036	2014/03/18	. 17.000	2017/03	
BERYLLIUM	01012	036	2014/03/18	. .000	2017/03	
CADMIUM	01027	036	2014/03/18	. .000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/18	. .000	2017/03	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2014/03/18	. .000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/16	. 1.800	2017/07	
MERCURY	71900	036	2014/03/18	. .000	2017/03	
NICKEL	01067	036	2014/03/18	. .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	**A-031**	**036**	2014/03/18	**. .000**	2017/03	
SELENIUM	**01147**	**036**	2014/03/18	**. .000**	2017/03	
THALLIUM	**01059**	**036**	2014/03/18	**. .000**	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/03/18	**. 1.280**	2015/03	
NITRITE (AS N)	**00620**	**036**	2014/03/18	**. .000**	2017/03	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/03/18	**. 1.790**	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	**2010/03/21**	**< .000**	**2013/03**	**DUE**
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	**2010/03/21**	**< .000**	**2013/03**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/03/21	**< .000**	2016/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/03/21	**< .000**	2016/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/03/21	**< .000**	2016/03	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/03/21	**< .000**	2016/03	
1,1-DICHLOROETHANE	**34496**	**072**	2010/03/21	**< .000**	2016/03	
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/03/21	**< .000**	2016/03	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/03/21	**< .000**	2016/03	
1,2-DICHLOROBENZENE	**34536**	**072**	2010/03/21	**< .000**	2016/03	
1,2-DICHLOROETHANE	**34531**	**072**	2010/03/21	**< .000**	2016/03	
1,2-DICHLOROPROPANE	**34541**	**072**	2010/03/21	**< .000**	2016/03	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/03/21	**< .000**	2016/03	
1,4-DICHLOROBENZENE	**34571**	**072**	2010/03/21	**< .000**	2016/03	
BENZENE	**34030**	**072**	2010/03/21	**< .000**	2016/03	
CARBON TETRACHLORIDE	**32102**	**072**	2010/03/21	**< .000**	2016/03	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/03/21	**< .000**	2016/03	
DICHLOROMETHANE	**34423**	**072**	2010/03/21	**< .000**	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

PS Code: 2610701-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2010/03/21	< .000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/03/21	< .000	2016/03
MONOCHLOROBENZENE	34301	072	2010/03/21	< .000	2016/03
STYRENE	77128	072	2010/03/21	< .000	2016/03
TETRACHLOROETHYLENE	34475	072	2010/03/21	< .000	2016/03
TOLUENE	34010	072	2010/03/21	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/03/21	< .000	2016/03
TRICHLOROETHYLENE	39180	072	2010/03/21	< .000	2016/03
TRICHLOROFLUOROMETHANE	34488	072	2010/03/21	< .000	2016/03
VINYL CHLORIDE	39175	072	2010/03/21	< .000	2016/03
XYLENES (TOTAL)	81551	072	2010/03/21	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/18	. 66.000	2017/03
CALCIUM	00916	036	2014/03/18	. 20.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/18	. .000	2017/03
CHLORIDE	00940	036	2014/03/18	. 48.000	2017/03
COLOR	00081	036	2014/03/18	. 5.000	2017/03
COPPER	01042	036	2014/03/18	. .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/18	. .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/18	. 57.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/18	. .000	2017/03
IRON	01045	036	2014/03/18	. 70.000	2017/03
MAGNESIUM	00927	036	2014/03/18	. 1.900	2017/03
MANGANESE	01055	036	2014/03/18	. .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/18	. 1.400	2017/03
PH, LABORATORY	00403	036	2014/03/18	. 7.760	2017/03
SILVER	01077	036	2014/03/18	. .000	2017/03
SODIUM	00929	036	2014/03/18	. 56.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/18	. 480.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 2610701-005					
Source Name: WELL 05					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2014/03/18	. 57.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/18	. 230.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/18	. .260	2017/03
ZINC	01092	036	2014/03/18	. 16.000	2017/03
PS Code: 2610701-006					
Source Name: TREATMENT PLANT - INFLUENT					
Source Number: 006					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 2610701-007					
Source Name: TREATMENT PLANT - EFFLUENT - TREATED					
Source Number: 007					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 2610701-008					
Source Name: WELL 06					
Source Number: 008					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/03/18	. 970.000	2017/03
ANTIMONY	01097	036	2014/03/18	. .000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

PS Code: 2610701-008
Source Name: WELL 06
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ARSENIC	01002	036	2014/07/16	. 48.000	2017/07	
BARIUM	01007	036	2014/03/18	. 31.000	2017/03	
BERYLLIUM	01012	036	2014/03/18	. .000	2017/03	
CADMIUM	01027	036	2014/03/18	. .000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/18	. .000	2017/03	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/03/18	. .000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/16	. .640	2017/07	
MERCURY	71900	036	2014/03/18	. .000	2017/03	
NICKEL	01067	036	2014/03/18	. .000	2017/03	
PERCHLORATE	A-031	036	2014/03/18	. .000	2017/03	
SELENIUM	01147	036	2014/03/18	. .000	2017/03	
THALLIUM	01059	036	2014/03/18	. .000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/13	. .530	2014/11	
NITRITE (AS N)	00620	036	2014/03/18	. .000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/06/19	. 13.200	2016/06	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-008***

Source Name: ***WELL 06***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000				DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	000				DUE
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/06/19	.000	2019/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/06/19	.000	2019/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/06/19	. .000	2019/06	
1,1,2-TRICHLOROETHANE	34511	072	2013/06/19	. .000	2019/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 2610701
System Name: USMC - HOUSING COLEVILLE

PS Code: 2610701-008
Source Name: WELL 06
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/06/19	. .000	2019/06
1,1-DICHLOROETHYLENE	34501	072	2013/06/19	. .000	2019/06
1,2,4-TRICHLOROBENZENE	34551	072	2013/06/19	. .000	2019/06
1,2-DICHLOROBENZENE	34536	072	2013/06/19	.000	2019/06
1,2-DICHLOROETHANE	34531	072	2013/06/19	. .000	2019/06
1,2-DICHLOROPROPANE	34541	072	2013/06/19	. .000	2019/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/06/19	. .000	2019/06
1,4-DICHLOROBENZENE	34571	072	2013/06/19	. .000	2019/06
BENZENE	34030	072	2013/06/19	. .000	2019/06
CARBON TETRACHLORIDE	32102	072	2013/06/19	.000	2019/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/06/19	. .000	2019/06
DICHLOROMETHANE	34423	072	2013/06/19	. .000	2019/06
ETHYLBENZENE	34371	072	2013/06/19	. .000	2019/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/06/19	. .000	2019/06
MONOCHLOROBENZENE	34301	072	2013/06/19	. .000	2019/06
STYRENE	77128	072	2013/06/19	. .000	2019/06
TETRACHLOROETHYLENE	34475	072	2013/06/19	. .000	2019/06
TOLUENE	34010	072	2013/06/19	. .000	2019/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/06/19	.000	2019/06
TRICHLOROETHYLENE	39180	072	2013/06/19	. .000	2019/06
TRICHLOROFLUOROMETHANE	34488	072	2013/06/19	. .000	2019/06
VINYL CHLORIDE	39175	072	2013/06/19	. .000	2019/06
XYLENES (TOTAL)	81551	072	2013/06/19	. .000	2019/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/18	. 120.000	2017/03
CALCIUM	00916	036	2014/03/18	. 39.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/18	. .000	2017/03
CHLORIDE	00940	036	2014/03/18	. 16.000	2017/03
COLOR	00081	036	2014/03/18	. 5.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-008***

Source Name: ***WELL 06***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	**01042**	**036**	2014/03/18	**. .000**	2017/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/18	**. .000**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/18	**. 130.000**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/18	**. .000**	2017/03
IRON	**01045**	**036**	2014/03/18	**. 1400.000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/18	**. 7.600**	2017/03
MANGANESE	**01055**	**036**	2014/03/18	**. 25.000**	2017/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/03/18	**. .000**	2017/03
PH, LABORATORY	**00403**	**036**	2014/03/18	**. 7.440**	2017/03
SILVER	**01077**	**036**	2014/03/18	**. .000**	2017/03
SODIUM	**00929**	**036**	2014/03/18	**. 28.000**	2017/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/03/18	**. 440.000**	2017/03
SULFATE	**00945**	**036**	2014/03/18	**. 60.000**	2017/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/03/18	**. 230.000**	2017/03
TURBIDITY, LABORATORY	**82079**	**036**	2014/03/18	**. 3.500**	2017/03
ZINC	**01092**	**036**	2014/03/18	**. 34.000**	2017/03

PS Code: ***2610701-100T***

Source Name: ***TREATED DISTRIBUTION SAMPLE***

Source Number: ***100***

Source Status: ***COMBINATION OR BLEND TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***2610701-601***						
Source Name: ***DBP2-600 DAVENPORT COURT***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/03/18	**< .000**	2015/03	
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/03/18	**< .000**	2015/03	
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/03/18	**< .000**	2015/03	
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/03/18	**< .000**	2015/03	
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/03/18	**< .000**	2015/03	
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/03/18	**< .000**	2015/03	
STATE UCMR						
BROMODICHLORMETHANE (THM)	**32101**	**012**	2013/09/30	**. .790**	2014/09	
BROMOFORM (THM)	**32104**	**012**	2013/09/30	**1.220**	2014/09	
CHLOROFORM (THM)	**32106**	**012**	2013/09/30	**.000**	2014/09	
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2013/09/30	**1.480**	2014/09	
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**012**	2013/09/30	**. 3.490**	2014/09	
PS Code: ***2610701-602***						
Source Name: ***DBP2-404 GOMEZ ST. SP.A***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**000**				**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**				**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**				**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**				**DUE**
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**000**				**DUE**
TRICHLOROACETIC ACID (TCAA)	**82723**	**000**				**DUE**
STATE UCMR						
BROMODICHLORMETHANE (THM)	**32101**	**012**	2013/09/30	**. .640**	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***2610701***

System Name: ***USMC - HOUSING COLEVILLE***

PS Code: ***2610701-602***

Source Name: ***DBP2-404 GOMEZ ST. SP.A***

Source Number: ***602***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
STATE UCMR					
BROMOFORM (THM)	**32104**	**012**	2013/09/30	**1.070**	2014/09
CHLOROFORM (THM)	**32106**	**012**	2013/09/30	**.000**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2013/09/30	**1.440**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2013/09/30	**. 3.150**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600008***

System Name: ***APPLE VALLEY FOOTHILL CWD***

PS Code: ***3600008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/07/09	**< 50.000**	2015/07
ANTIMONY	**01097**	**036**	2012/07/09	**< 6.000**	2015/07
ARSENIC	**01002**	**036**	2012/07/09	**< 2.000**	2015/07
BARIUM	**01007**	**036**	2012/07/09	**< 100.000**	2015/07
BERYLLIUM	**01012**	**036**	2012/07/09	**< 1.000**	2015/07
CADMIUM	**01027**	**036**	2012/07/09	**< 1.000**	2015/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/09	**. 9.100**	2015/07
CYANIDE	**01291**	**036**	2012/07/09	**< 100.000**	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/09	**. .600**	2015/07
MERCURY	**71900**	**036**	2012/07/09	**< 1.000**	2015/07
NICKEL	**01067**	**036**	2012/07/09	**< 10.000**	2015/07
PERCHLORATE	**A-031**	**036**	2012/07/09	**< 4.000**	2015/07
SELENIUM	**01147**	**036**	2012/07/09	**< 5.000**	2015/07
THALLIUM	**01059**	**036**	2012/07/09	**< 1.000**	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/19	**. 4.400**	2015/06
NITRITE (AS N)	**00620**	**036**	2012/07/09	**< 100.000**	2015/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/05	**. 1.800**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/10/01	**< .010**	2015/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/10/01	**< .020**	2015/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/09	**< .500**	2018/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/09	**< .500**	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/09	**< 10.000**	2018/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/09	**< .500**	2018/07
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/09	**< .500**	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600008
System Name: APPLE VALLEY FOOTHILL CWD

PS Code: 3600008-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2012/07/09	< .500	2018/07
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/09	< .500	2018/07
1,2-DICHLOROBENZENE	34536	072	2012/07/09	< .500	2018/07
1,2-DICHLOROETHANE	34531	072	2012/07/09	< .500	2018/07
1,2-DICHLOROPROPANE	34541	072	2012/07/09	< .500	2018/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/09	< .500	2018/07
1,4-DICHLOROBENZENE	34571	072	2012/07/09	< .500	2018/07
BENZENE	34030	072	2012/07/09	< .500	2018/07
CARBON TETRACHLORIDE	32102	072	2012/07/09	< .500	2018/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/07/09	< .500	2018/07
DICHLOROMETHANE	34423	072	2012/07/09	< .500	2018/07
ETHYLBENZENE	34371	072	2012/07/09	< .500	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/09	< 3.000	2018/07
MONOCHLOROBENZENE	34301	072	2012/07/09	< .500	2018/07
STYRENE	77128	072	2012/07/09	< .500	2018/07
TETRACHLOROETHYLENE	34475	072	2012/07/09	< .500	2018/07
TOLUENE	34010	072	2012/07/09	< .500	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/09	< .500	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/09	< .500	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/09	< 5.000	2018/07
VINYL CHLORIDE	39175	072	2012/07/09	< .500	2018/07
XYLENES (TOTAL)	81551	072	2012/07/09	< .500	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/09	. 130.000	2015/07
CALCIUM	00916	036	2012/07/09	. 35.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/09	< 3.000	2015/07
CHLORIDE	00940	036	2012/07/09	. 23.000	2015/07
COLOR	00081	036	2012/07/09	< 3.000	2015/07
COPPER	01042	036	2012/07/09	< 50.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600008***

System Name: ***APPLE VALLEY FOOTHILL CWD***

PS Code: ***3600008-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2012/07/09	< .050	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/09	. 120.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/09	< 3.000	2015/07
IRON	01045	036	2012/07/09	< 100.000	2015/07
MAGNESIUM	00927	036	2012/07/09	. 8.000	2015/07
MANGANESE	01055	036	2012/07/09	< 20.000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/09	< 1.000	2015/07
PH, LABORATORY	00403	036	2012/07/09	. 8.000	2015/07
SILVER	01077	036	2012/07/09	< 10.000	2015/07
SODIUM	00929	036	2012/07/09	52.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/09	. 500.000	2015/07
SULFATE	00945	036	2012/07/09	82.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/09	. 340.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/09	. .300	2015/07
ZINC	01092	036	2012/07/09	< 50.000	2015/07

PS Code: ***3600008-002***

Source Name: ***WELL 3***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/09/03	< 50.000	2016/09
ANTIMONY	01097	036	2013/09/03	< 6.000	2016/09
ARSENIC	01002	036	2013/09/03	< 2.000	2016/09
BARIUM	01007	036	2013/09/03	< 100.000	2016/09
BERYLLIUM	01012	036	2013/09/03	< 1.000	2016/09
CADMIUM	01027	036	2013/09/03	< 1.000	2016/09
CHROMIUM (TOTAL)	01034	036	2013/09/03	. 2.900	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600008***

System Name: ***APPLE VALLEY FOOTHILL CWD***

PS Code: ***3600008-002***

Source Name: ***WELL 3***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/09/03	< 5.000	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/03	. .800	2016/09	
MERCURY	71900	036	2013/09/03	< 1.000	2016/09	
NICKEL	01067	036	2013/09/03	< 10.000	2016/09	
PERCHLORATE	A-031	036	2013/09/03	< 4.000	2016/09	
SELENIUM	01147	036	2013/09/03	< 5.000	2016/09	
THALLIUM	01059	036	2013/09/03	< 1.000	2016/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/19	. 4.400	2015/06	
NITRITE (AS N)	00620	036	2013/09/03	< 100.000	2016/09	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/05	. .968	2017/05	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
CARBOFURAN	81405	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/03	< .010	2016/09	
DIQUAT	78885	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/03	< .020	2016/09	
GLYPHOSATE	79743	000				DUE
OXAMYL	38865	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/03	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/03	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/03	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/03	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/03	< .500	2019/09	
1,1-DICHLOROETHYLENE	34501	072	2013/09/03	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600008***

System Name: ***APPLE VALLEY FOOTHILL CWD***

PS Code: ***3600008-002***

Source Name: ***WELL 3***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/09/03	**< .500**	2019/09
1,2-DICHLOROBENZENE	**34536**	**072**	2013/09/03	**< .500**	2019/09
1,2-DICHLOROETHANE	**34531**	**072**	2013/09/03	**< .500**	2019/09
1,2-DICHLOROPROPANE	**34541**	**072**	2013/09/03	**< .500**	2019/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/09/03	**< .500**	2019/09
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/03	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/03	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/03	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/03	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/03	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/03	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/03	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/03	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/03	**< .500**	2019/09
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/03	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/03	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/03	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/03	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/03	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/03	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/03	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/09/03	**. 120.000**	2016/09
CALCIUM	**00916**	**036**	2013/09/03	**. 34.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/09/03	**< 3.000**	2016/09
CHLORIDE	**00940**	**036**	2013/09/03	**. 28.000**	2016/09
COLOR	**00081**	**036**	2013/09/03	**. 5.000**	2016/09
COPPER	**01042**	**036**	2013/09/03	**< 50.000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/03	**< .050**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600008***

System Name: ***APPLE VALLEY FOOTHILL CWD***

PS Code: ***3600008-002***

Source Name: ***WELL 3***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/03	.	120.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/03	<	3.000	2016/09
IRON	01045	036	2013/09/03		880.000	2016/09
MAGNESIUM	00927	036	2013/09/03	.	7.600	2016/09
MANGANESE	01055	036	2013/09/03	<	20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/03	<	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/03	.	8.100	2016/09
SILVER	01077	036	2013/09/03	<	10.000	2016/09
SODIUM	00929	036	2013/09/03		55.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/03	.	510.000	2016/09
SULFATE	00945	036	2013/09/03		100.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/03	.	340.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/03	.	6.100	2016/09
ZINC	01092	036	2013/09/03	<	50.000	2016/09

PS Code: ***3600008-801***

Source Name: ***WELL 01 - TREATED (CL2)***

Source Number: ***801***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600008***

System Name: ***APPLE VALLEY FOOTHILL CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3600008-802***					
Source Name: ***WELL 3 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

PS Code: 3600009-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/05/07	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/07	< 6.000	2015/05
ARSENIC	01002	036	2012/05/07	. 3.500	2015/05
BARIUM	01007	036	2012/05/07	< 100.000	2015/05
BERYLLIUM	01012	036	2012/05/07	< 1.000	2015/05
CADMIUM	01027	036	2012/05/07	< 1.000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/07	. 1.700	2015/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	. 2.200	2017/07
CYANIDE	01291	036	2012/05/07	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/07	. 1.100	2015/05
MERCURY	71900	036	2012/05/07	< 1.000	2015/05
NICKEL	01067	036	2012/05/07	< 10.000	2015/05
PERCHLORATE	A-031	036	2012/05/07	< 4.000	2015/05
SELENIUM	01147	036	2012/05/07	< 5.000	2015/05
THALLIUM	01059	036	2012/05/07	< 1.000	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/02	. 3.000	2015/06
NITRITE (AS N)	00620	036	2012/05/07	< 100.000	2015/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/04/02	. 1.020	2015/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/07	< .010	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/07	< .020	2015/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/05/07	< .500	2018/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/05/07	< .500	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/05/07	< 10.000	2018/05
1,1,2-TRICHLOROETHANE	34511	072	2012/05/07	< .500	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

PS Code: 3600009-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/05/07	< .500	2018/05
1,1-DICHLOROETHYLENE	34501	072	2012/05/07	< .500	2018/05
1,2,4-TRICHLOROBENZENE	34551	072	2012/05/07	< .500	2018/05
1,2-DICHLOROBENZENE	34536	072	2012/05/07	< .500	2018/05
1,2-DICHLOROETHANE	34531	072	2012/05/07	< .500	2018/05
1,2-DICHLOROPROPANE	34541	072	2012/05/07	< .500	2018/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/05/07	< .500	2018/05
1,4-DICHLOROBENZENE	34571	072	2012/05/07	< .500	2018/05
BENZENE	34030	072	2012/05/07	< .500	2018/05
CARBON TETRACHLORIDE	32102	072	2012/05/07	< .500	2018/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/05/07	< .500	2018/05
DICHLOROMETHANE	34423	072	2012/05/07	< .500	2018/05
ETHYLBENZENE	34371	072	2012/05/07	< .500	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/07	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2012/05/07	< .500	2018/05
STYRENE	77128	072	2012/05/07	< .500	2018/05
TETRACHLOROETHYLENE	34475	072	2012/05/07	< .500	2018/05
TOLUENE	34010	072	2012/05/07	< .500	2018/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/05/07	< .500	2018/05
TRICHLOROETHYLENE	39180	072	2012/05/07	< .500	2018/05
TRICHLOROFLUOROMETHANE	34488	072	2012/05/07	< 5.000	2018/05
VINYL CHLORIDE	39175	072	2012/05/07	< .500	2018/05
XYLENES (TOTAL)	81551	072	2012/05/07	< .500	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/07	. 120.000	2015/05
CALCIUM	00916	036	2012/05/07	. 31.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/07	< 3.000	2015/05
CHLORIDE	00940	036	2012/05/07	. 12.000	2015/05
COLOR	00081	036	2012/05/07	. 10.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3600009-003					
Source Name: WELL 03					
Source Number: 003					
Source Status: ACTIVE UNTREATED					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2012/05/07	. 260.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/07	< .050	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/07	. 130.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/07	< 3.000	2015/05
IRON	01045	036	2014/06/03	< .000	2017/06
MAGNESIUM	00927	036	2012/05/07	. 12.000	2015/05
MANGANESE	01055	036	2012/05/07	22.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/07	< 1.000	2015/05
PH, LABORATORY	00403	036	2012/05/07	. 8.300	2015/05
SILVER	01077	036	2012/05/07	< 10.000	2015/05
SODIUM	00929	036	2012/05/07	49.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/07	. 490.000	2015/05
SULFATE	00945	036	2012/05/07	120.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/07	. 310.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/07	. .680	2015/05
ZINC	01092	036	2012/05/07	< 50.000	2015/05
PS Code: 3600009-004					
Source Name: WELL 04					
Source Number: 004					
Source Status: ACTIVE UNTREATED					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/05/07	< 50.000	2015/05
ANTIMONY	01097	036	2012/05/07	< 6.000	2015/05
ARSENIC	01002	036	2012/05/07	. 2.200	2015/05
BARIUM	01007	036	2012/05/07	< 100.000	2015/05
BERYLLIUM	01012	036	2012/05/07	< 1.000	2015/05
CADMIUM	01027	036	2012/05/07	< 1.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

PS Code: 3600009-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/05/07	. 2.100	2015/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	< .000	2017/07
CYANIDE	01291	036	2012/05/07	< 100.000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/07	. 1.100	2015/05
MERCURY	71900	036	2012/05/07	< 1.000	2015/05
NICKEL	01067	036	2012/05/07	< 10.000	2015/05
PERCHLORATE	A-031	036	2012/05/07	< 4.000	2015/05
SELENIUM	01147	036	2012/05/07	< 5.000	2015/05
THALLIUM	01059	036	2012/05/07	< 1.000	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/02	. 6.300	2015/06
NITRITE (AS N)	00620	036	2012/05/07	< 100.000	2015/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/04/02	. .320	2015/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/07	< .010	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/07	< .020	2015/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2010/05/25	< .000	2016/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/05/25	< .000	2016/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/05/25	< .000	2016/05
1,1,2-TRICHLOROETHANE	34511	072	2010/05/25	< .000	2016/05
1,1-DICHLOROETHANE	34496	072	2010/05/25	< .000	2016/05
1,1-DICHLOROETHYLENE	34501	072	2010/05/25	< .000	2016/05
1,2,4-TRICHLOROBENZENE	34551	072	2010/05/25	< .000	2016/05
1,2-DICHLOROBENZENE	34536	072	2010/05/25	< .000	2016/05
1,2-DICHLOROETHANE	34531	072	2010/05/25	< .000	2016/05
1,2-DICHLOROPROPANE	34541	072	2010/05/25	< .000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

PS Code: 3600009-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/05/25	< .000	2016/05
1,4-DICHLOROBENZENE	34571	072	2010/05/25	< .000	2016/05
BENZENE	34030	072	2010/05/25	< .000	2016/05
CARBON TETRACHLORIDE	32102	072	2010/05/25	< .000	2016/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/05/25	< .000	2016/05
DICHLOROMETHANE	34423	072	2010/05/25	< .000	2016/05
ETHYLBENZENE	34371	072	2010/05/25	< .000	2016/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/05/25	< .000	2016/05
MONOCHLOROBENZENE	34301	072	2010/05/25	< .000	2016/05
STYRENE	77128	072	2010/05/25	< .000	2016/05
TETRACHLOROETHYLENE	34475	072	2010/05/25	< .000	2016/05
TOLUENE	34010	072	2010/05/25	< .000	2016/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/05/25	< .000	2016/05
TRICHLOROETHYLENE	39180	072	2010/05/25	< .000	2016/05
TRICHLOROFLUOROMETHANE	34488	072	2010/05/25	< .000	2016/05
VINYL CHLORIDE	39175	072	2010/05/25	< .000	2016/05
XYLENES (TOTAL)	81551	072	2010/05/25	< .000	2016/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/07	. 110.000	2015/05
CALCIUM	00916	036	2012/05/07	. 27.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/07	< 3.000	2015/05
CHLORIDE	00940	036	2012/05/07	. 9.800	2015/05
COLOR	00081	036	2012/05/07	< 3.000	2015/05
COPPER	01042	036	2012/05/07	. 60.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/07	< .050	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/07	. 110.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/07	< 3.000	2015/05
IRON	01045	036	2012/05/07	110.000	2015/05
MAGNESIUM	00927	036	2012/05/07	. 11.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

PS Code: 3600009-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2012/05/07	< 20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/07	< 1.000	2015/05
PH, LABORATORY	00403	036	2012/05/07	. 7.900	2015/05
SILVER	01077	036	2012/05/07	< 10.000	2015/05
SODIUM	00929	036	2012/05/07	40.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/07	. 400.000	2015/05
SULFATE	00945	036	2012/05/07	76.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/07	. 240.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/07	. .600	2015/05
ZINC	01092	036	2012/05/07	. 260.000	2015/05

PS Code: 3600009-601
Source Name: DBP2-23237 ROUNDUP
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: G

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/01	< .000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/01	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/01	< .000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/01	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/01	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/01	< .000	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/07/01	< .000	2015/07
BROMOFORM (THM)	32104	012	2014/07/01	< .000	2015/07
CHLOROFORM (THM)	32106	012	2014/07/01	< .000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/01	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600009
System Name: APPLE VALLEY HEIGHTS CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3600009-601					
Source Name: DBP2-23237 ROUNDUP					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/07/01	< .000	2015/07
PS Code: 3600009-602					
Source Name: DBP2-BOOSTER 22418 ROUNDUP					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/01	< .000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/01	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/01	< .000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/01	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/01	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/01	< .000	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/07/01	< .000	2015/07
BROMOFORM (THM)	32104	012	2014/07/01	< .000	2015/07
CHLOROFORM (THM)	32106	012	2014/07/01	< .000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/01	< .000	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/07/01	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600044

System Name: CAL TRANS - DESERT OASIS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3600044-001					
Source Name: DESERT OASIS WELL					
Source Number: 001					
Source Status: ACTIVE RAW					
Water type: G					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/10/16	**. 2.800**	2014/10
NITRITE (AS N)	**00620**	**036**	2013/10/16	**< .000**	2016/10
PS Code: 3600044-800					
Source Name: DESERT OASIS WELL - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600045***

System Name: ***CAL TRANS - MOUNTAIN PASS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3600045-001***					
Source Name: ***WELL 1 - PENDING***					
Source Number: ***001***					
Source Status: ***PENDING***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600222***

System Name: ***JUNIPER RIVIERA CWD***

PS Code: ***3600222-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/10	< .000	2017/02	
ANTIMONY	01097	036	2011/03/21	< .000	2014/03	DUE
ARSENIC	01002	036	2011/03/21	< .000	2014/03	DUE
BARIUM	01007	036	2011/03/21	< .000	2014/03	DUE
BERYLLIUM	01012	036	2011/03/21	< .000	2014/03	DUE
CADMIUM	01027	036	2011/03/21	< .000	2014/03	DUE
CHROMIUM (TOTAL)	01034	036	2011/03/21	< .000	2014/03	DUE
CHROMIUM, HEXAVALENT	01032	036	2001/05/09	. .000	2004/05	DUE
CYANIDE	01291	036	2011/03/21	< .000	2014/03	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/10	. .400	2017/02	
MERCURY	71900	036	2011/03/21	< .000	2014/03	DUE
NICKEL	01067	036	2011/03/21	< .000	2014/03	DUE
PERCHLORATE	A-031	036	2011/03/21	< .000	2014/03	DUE
SELENIUM	01147	036	2011/03/21	< .000	2014/03	DUE
THALLIUM	01059	036	2011/03/21	< .000	2014/03	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/10	. 8.300	2015/02	
NITRITE (AS N)	00620	036	2011/03/21	< .000	2014/03	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	072	2014/02/10	. 6.000	2020/02	
RADIUM 228	11501	003	2014/02/10	. .143	2014/05	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/10	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/10	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/02/10	< .000	2020/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/02/10	< .000	2020/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/02/10	< .000	2020/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600222***

System Name: ***JUNIPER RIVIERA CWD***

PS Code: ***3600222-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/02/10	**< .000**	2020/02
1,1-DICHLOROETHANE	**34496**	**072**	2014/02/10	**< .000**	2020/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/02/10	**< .000**	2020/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/02/10	**< .000**	2020/02
1,2-DICHLOROBENZENE	**34536**	**072**	2014/02/10	**< .000**	2020/02
1,2-DICHLOROETHANE	**34531**	**072**	2014/02/10	**< .000**	2020/02
1,2-DICHLOROPROPANE	**34541**	**072**	2014/02/10	**< .000**	2020/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/02/10	**< .000**	2020/02
1,4-DICHLOROBENZENE	**34571**	**072**	2014/02/10	**< .000**	2020/02
BENZENE	**34030**	**072**	2014/02/10	**< .000**	2020/02
CARBON TETRACHLORIDE	**32102**	**072**	2014/02/10	**< .000**	2020/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/02/10	**< .000**	2020/02
DICHLOROMETHANE	**34423**	**072**	2014/02/10	**< .000**	2020/02
ETHYLBENZENE	**34371**	**072**	2014/02/10	**< .000**	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/10	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2014/02/10	**< .000**	2020/02
STYRENE	**77128**	**072**	2014/02/10	**< .000**	2020/02
TETRACHLOROETHYLENE	**34475**	**072**	2014/02/10	**< .000**	2020/02
TOLUENE	**34010**	**072**	2014/02/10	**< .000**	2020/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/02/10	**< .000**	2020/02
TRICHLOROETHYLENE	**39180**	**072**	2014/02/10	**< .000**	2020/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/02/10	**< .000**	2020/02
VINYL CHLORIDE	**39175**	**072**	2014/02/10	**< .000**	2020/02
XYLENES (TOTAL)	**81551**	**072**	2014/02/10	**< .000**	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/02/10	**. 140.000**	2017/02
CALCIUM	**00916**	**036**	2014/02/10	**. 37.000**	2017/02
CARBONATE ALKALINITY	**00445**	**036**	2014/02/10	**< .000**	2017/02
CHLORIDE	**00940**	**036**	2014/02/10	**. 21.000**	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600222
System Name: JUNIPER RIVIERA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3600222-001						
Source Name: WELL 1						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
COLOR	00081	036	2014/02/10	< .000	2017/02	
COPPER	01042	036	2014/02/10	< .000	2017/02	
FOAMING AGENTS (MBAS)	38260	036	2014/02/10	< .000	2017/02	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/10	. 120.000	2017/02	
HYDROXIDE ALKALINITY	71830	036	2014/02/10	< .000	2017/02	
IRON	01045	036	2014/02/10	< .000	2017/02	
MAGNESIUM	00927	036	2014/02/10	. 7.400	2017/02	
MANGANESE	01055	036	2014/02/10	< .000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/10	. 1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/10	. 7.600	2017/02	
SILVER	01077	036	2014/02/10	< .000	2017/02	
SODIUM	00929	036	2014/02/10	. 39.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/10	. 410.000	2017/02	
SULFATE	00945	036	2014/02/10	. 45.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/10	. 260.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/10	. .400	2017/02	
ZINC	01092	036	2014/02/10	< .000	2017/02	
PS Code: 3600222-002						
Source Name: WELL 2						
Source Number: 002						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/03/21	< .000	2014/03	DUE
ANTIMONY	01097	036	2011/03/21	< .000	2014/03	DUE
ARSENIC	01002	036	2011/03/21	. 5.100	2014/03	DUE
BARIUM	01007	036	2011/03/21	< .000	2014/03	DUE
BERYLLIUM	01012	036	2011/03/21	< .000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600222
System Name: JUNIPER RIVIERA CWD

PS Code: 3600222-002
Source Name: WELL 2
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2011/03/21	< .000	2014/03	DUE
CHROMIUM (TOTAL)	01034	036	2011/03/21	< .000	2014/03	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/03/21	< .000	2014/03	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/21	. 1.900	2014/03	DUE
MERCURY	71900	036	2011/03/21	< .000	2014/03	DUE
NICKEL	01067	036	2011/03/21	< .000	2014/03	DUE
PERCHLORATE	A-031	036	2011/03/21	< .000	2014/03	DUE
SELENIUM	01147	036	2011/03/21	< .000	2014/03	DUE
THALLIUM	01059	036	2011/03/21	< .000	2014/03	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/04/24	. 7.600	2014/04	DUE
NITRITE (AS N)	00620	036	2011/03/21	< .000	2014/03	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/21	. 3.400	2017/03	
RADIUM 228	11501	003				DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/10	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/10	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/21	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/21	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/21	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/21	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/21	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/21	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/21	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/21	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600222***

System Name: ***JUNIPER RIVIERA CWD***

PS Code: ***3600222-002***

Source Name: ***WELL 2***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROETHANE	34531	072	2011/03/21	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/21	< .000	2017/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/21	< .000	2017/03	
1,4-DICHLOROBENZENE	34571	072	2011/03/21	< .000	2017/03	
BENZENE	34030	072	2011/03/21	< .000	2017/03	
CARBON TETRACHLORIDE	32102	072	2011/03/21	< .000	2017/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/21	< .000	2017/03	
DICHLOROMETHANE	34423	072	2011/03/21	< .000	2017/03	
ETHYLBENZENE	34371	072	2011/03/21	< .000	2017/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/03/21	< .000	2017/03	
MONOCHLOROBENZENE	34301	072	2011/03/21	< .000	2017/03	
STYRENE	77128	072	2011/03/21	< .000	2017/03	
TETRACHLOROETHYLENE	34475	072	2011/03/21	< .000	2017/03	
TOLUENE	34010	072	2011/03/21	< .000	2017/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/21	< .000	2017/03	
TRICHLOROETHYLENE	39180	072	2011/03/21	< .000	2017/03	
TRICHLOROFLUOROMETHANE	34488	072	2011/03/21	< .000	2017/03	
VINYL CHLORIDE	39175	072	2011/03/21	< .000	2017/03	
XYLENES (TOTAL)	81551	072	2011/03/21	< .000	2017/03	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/03/21	. 140.000	2014/03	DUE
CALCIUM	00916	036	2011/03/21	. 29.000	2014/03	DUE
CARBONATE ALKALINITY	00445	036	2011/03/21	< .000	2014/03	DUE
CHLORIDE	00940	036	2011/03/21	. 15.000	2014/03	DUE
COLOR	00081	036	2011/03/21	< .000	2014/03	DUE
COPPER	01042	036	2011/03/21	< .000	2014/03	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/03/21	< .000	2014/03	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/03/21	. 88.000	2014/03	DUE
HYDROXIDE ALKALINITY	71830	036	2011/03/21	< .000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600222
System Name: JUNIPER RIVIERA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3600222-002						
Source Name: WELL 2						
Source Number: 002						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
IRON	01045	036	2011/03/21	< .000	2014/03	DUE
MAGNESIUM	00927	036	2011/03/21	. 6.500	2014/03	DUE
MANGANESE	01055	036	2011/03/21	< .000	2014/03	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/03/21	1.000	2014/03	DUE
PH, LABORATORY	00403	036	2011/03/21	. 8.100	2014/03	DUE
SILVER	01077	036	2011/03/21	< .000	2014/03	DUE
SODIUM	00929	036	2011/03/21	37.000	2014/03	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/03/21	. 350.000	2014/03	DUE
SULFATE	00945	036	2011/03/21	42.000	2014/03	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/03/21	. 260.000	2014/03	DUE
TURBIDITY, LABORATORY	82079	036	2011/03/21	. .300	2014/03	DUE
ZINC	01092	036	2011/03/21	< .000	2014/03	DUE
PS Code: 3600222-003						
Source Name: WELL 3 - STANDBY						
Source Number: 003						
Source Status: STANDBY UNTREATED						
Water type: G						
INORGANIC						
ALUMINUM	01105	108	2009/05/13	.000	2018/05	
ANTIMONY	01097	108	2009/05/13	.000	2018/05	
ARSENIC	01002	108	2009/05/13	13.000	2018/05	
BARIUM	01007	108	2009/05/13	.000	2018/05	
BERYLLIUM	01012	108	2009/05/13	.000	2018/05	
CADMIUM	01027	108	2009/05/13	.000	2018/05	
CHROMIUM (TOTAL)	01034	108	2009/05/13	.000	2018/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	108	2009/05/13	.000	2018/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2009/05/13	7.800	2018/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600222
System Name: JUNIPER RIVIERA CWD

PS Code: 3600222-003
Source Name: WELL 3 - STANDBY
Source Number: 003
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	108	2009/05/13	.000	2018/05
NICKEL	01067	108	2009/05/13	.000	2018/05
PERCHLORATE	A-031	108	2008/06/20	.000	2017/06
SELENIUM	01147	108	2009/05/13	.000	2018/05
THALLIUM	01059	108	2009/05/13	.000	2018/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	108	2013/04/24	. 4.700	2022/04
NITRITE (AS N)	00620	108	2009/05/13	.000	2018/05
RADIOLOGICAL					
GROSS ALPHA	01501	108	2008/06/20	.000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2008/06/20	.000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	108	2008/06/20	.000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2008/06/20	.000	2017/06
1,1,2-TRICHLOROETHANE	34511	108	2008/06/20	.000	2017/06
1,1-DICHLOROETHANE	34496	108	2008/06/20	.000	2017/06
1,1-DICHLOROETHYLENE	34501	108	2008/06/20	.000	2017/06
1,2,4-TRICHLOROBENZENE	34551	108	2008/06/20	.000	2017/06
1,2-DICHLOROBENZENE	34536	108	2008/06/20	.000	2017/06
1,2-DICHLOROETHANE	34531	108	2008/06/20	.000	2017/06
1,2-DICHLOROPROPANE	34541	108	2008/06/20	.000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2008/06/20	.000	2017/06
1,4-DICHLOROBENZENE	34571	108	2008/06/20	.000	2017/06
BENZENE	34030	108	2008/06/20	.000	2017/06
CARBON TETRACHLORIDE	32102	108	2008/06/20	.000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	108	2008/06/20	.000	2017/06
DICHLOROMETHANE	34423	108	2008/06/20	.000	2017/06
ETHYLBENZENE	34371	108	2008/06/20	.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600222
System Name: JUNIPER RIVIERA CWD

PS Code: 3600222-003
Source Name: WELL 3 - STANDBY
Source Number: 003
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**108**	2008/06/20	**.000**	2017/06
MONOCHLOROBENZENE	**34301**	**108**	2008/06/20	**.000**	2017/06
STYRENE	**77128**	**108**	2008/06/20	**.000**	2017/06
TETRACHLOROETHYLENE	**34475**	**108**	2008/06/20	**.000**	2017/06
TOLUENE	**34010**	**108**	2008/06/20	**.700**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**108**	2008/06/20	**.000**	2017/06
TRICHLOROETHYLENE	**39180**	**108**	2008/06/20	**.000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**108**	2008/06/20	**.000**	2017/06
VINYL CHLORIDE	**39175**	**108**	2008/06/20	**.000**	2017/06
XYLENES (TOTAL)	**81551**	**108**	2008/06/20	**.000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**108**	2009/05/13	**92.000**	2018/05
CALCIUM	**00916**	**108**	2009/05/13	**18.000**	2018/05
CARBONATE ALKALINITY	**00445**	**108**	2009/05/13	**.000**	2018/05
CHLORIDE	**00940**	**108**	2009/05/13	**21.000**	2018/05
COLOR	**00081**	**108**	2008/06/20	**.000**	2017/06
COPPER	**01042**	**108**	2009/05/13	**.000**	2018/05
FOAMING AGENTS (MBAS)	**38260**	**108**	2009/05/13	**.000**	2018/05
HARDNESS (TOTAL) AS CACO3	**00900**	**108**	2009/05/13	**60.000**	2018/05
HYDROXIDE ALKALINITY	**71830**	**108**	2009/05/13	**.000**	2018/05
IRON	**01045**	**108**	2009/05/13	**.000**	2018/05
MAGNESIUM	**00927**	**108**	2009/05/13	**4.900**	2018/05
MANGANESE	**01055**	**108**	2009/05/13	**.000**	2018/05
ODOR THRESHOLD @ 60 C	**00086**	**108**	2008/06/20	**1.000**	2017/06
PH, LABORATORY	**00403**	**108**	2009/05/13	**8.200**	2018/05
SILVER	**01077**	**108**	2009/05/13	**.000**	2018/05
SODIUM	**00929**	**108**	2009/05/13	**54.000**	2018/05
SPECIFIC CONDUCTANCE	**00095**	**108**	2009/05/13	**370.000**	2018/05
SULFATE	**00945**	**108**	2009/05/13	**49.000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600222
System Name: JUNIPER RIVIERA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3600222-003						
Source Name: WELL 3 - STANDBY						
Source Number: 003						
Source Status: STANDBY UNTREATED						
Water type: G						
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	70300	108	2009/05/13	230.000	2018/05	
TURBIDITY, LABORATORY	82079	108	2008/06/20	.400	2017/06	
ZINC	01092	108	2009/05/13	.000	2018/05	
PS Code: 3600222-601						
Source Name: DBP2-25715 SANTA ROSA RD						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600222***

System Name: ***JUNIPER RIVIERA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3600222-602***						
Source Name: ***DBP2-26029 OCOTILLO WAY***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

PS Code: ***3600306-001***

Source Name: ***EAST WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/05/01	< .000	2017/05	
ANTIMONY	01097	036	2014/05/01	< .000	2017/05	
ARSENIC	01002	036	2014/05/01	. 3.100	2017/05	
BARIUM	01007	036	2014/05/01	< .000	2017/05	
BERYLLIUM	01012	036	2014/05/01	< .000	2017/05	
CADMIUM	01027	036	2014/05/01	< .000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/01	< .000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	**2004/11/02**	. 6.030	**2007/11**	**DUE**
CYANIDE	01291	036	2014/05/01	< .000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	001	2014/07/01	. 2.200	2014/08	
MERCURY	71900	036	2014/05/01	< .000	2017/05	
NICKEL	01067	036	2014/05/01	< .000	2017/05	
PERCHLORATE	A-031	036	2014/05/01	< .000	2017/05	
SELENIUM	01147	036	2014/05/01	< .000	2017/05	
THALLIUM	01059	036	2014/05/01	< .000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/01	. 19.000	2015/05	
NITRITE (AS N)	00620	036	2014/05/01	< .000	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2014/05/01	. 4.800	2023/05	
RADIUM 228	11501	003	2014/06/16	< .000	2014/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/01	< .000	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/01	< .000	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/05/24	< .000	2016/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/05/24	< .000	2016/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/05/24	< .000	2016/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

PS Code: ***3600306-001***

Source Name: ***EAST WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/05/24	**< .000**	2016/05
1,1-DICHLOROETHANE	**34496**	**072**	2010/05/24	**< .000**	2016/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/05/24	**< .000**	2016/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/05/24	**< .000**	2016/05
1,2-DICHLOROBENZENE	**34536**	**072**	2010/05/24	**< .000**	2016/05
1,2-DICHLOROETHANE	**34531**	**072**	2010/05/24	**< .000**	2016/05
1,2-DICHLOROPROPANE	**34541**	**072**	2010/05/24	**< .000**	2016/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/05/24	**< .000**	2016/05
1,4-DICHLOROBENZENE	**34571**	**072**	2010/05/24	**< .000**	2016/05
BENZENE	**34030**	**072**	2010/05/24	**< .000**	2016/05
CARBON TETRACHLORIDE	**32102**	**072**	2010/05/24	**< .000**	2016/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/05/24	**< .000**	2016/05
DICHLOROMETHANE	**34423**	**072**	2010/05/24	**< .000**	2016/05
ETHYLBENZENE	**34371**	**072**	2010/05/24	**< .000**	2016/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/05/24	**< .000**	2016/05
MONOCHLOROBENZENE	**34301**	**072**	2010/05/24	**< .000**	2016/05
STYRENE	**77128**	**072**	2010/05/24	**< .000**	2016/05
TETRACHLOROETHYLENE	**34475**	**072**	2010/05/24	**< .000**	2016/05
TOLUENE	**34010**	**072**	2010/05/24	**< .000**	2016/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/05/24	**< .000**	2016/05
TRICHLOROETHYLENE	**39180**	**072**	2010/05/24	**< .000**	2016/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/05/24	**< .000**	2016/05
VINYL CHLORIDE	**39175**	**072**	2010/05/24	**< .000**	2016/05
XYLENES (TOTAL)	**81551**	**072**	2010/05/24	**< .000**	2016/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/01	**. 140.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/01	**. 55.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/01	**< .000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/01	**. 43.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600306
System Name: THUNDERBIRD CWD

PS Code: 3600306-001
Source Name: EAST WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2014/05/01	< .000	2017/05
COPPER	01042	036	2014/05/01	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/01	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/01	. 180.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/01	< .000	2017/05
IRON	01045	036	2014/05/01	< .000	2017/05
MAGNESIUM	00927	036	2014/05/01	. 10.000	2017/05
MANGANESE	01055	036	2014/05/01	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/01	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/01	. 7.800	2017/05
SILVER	01077	036	2014/05/01	< .000	2017/05
SODIUM	00929	036	2014/05/01	. 48.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/01	. 550.000	2017/05
SULFATE	00945	036	2014/05/01	. 78.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/01	. 320.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/01	. .200	2017/05
ZINC	01092	036	2014/05/01	< .000	2017/05

PS Code: 3600306-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/07/14	< .000	2014/07
ANTIMONY	01097	036	2011/07/14	< .000	2014/07
ARSENIC	01002	036	2011/07/14	. 2.800	2014/07
BARIUM	01007	036	2011/07/14	< .000	2014/07
BERYLLIUM	01012	036	2011/07/14	< .000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

PS Code: ***3600306-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2011/07/14	< .000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/14	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	036	2004/11/02	. 5.090	2007/11	DUE
CYANIDE	01291	036	2011/07/14	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	001	2014/07/01	. 2.300	2014/08	
MERCURY	71900	036	2011/07/14	< .000	2014/07	
NICKEL	01067	036	2011/07/14	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/14	< .000	2014/07	
SELENIUM	01147	036	2011/07/14	< .000	2014/07	
THALLIUM	01059	036	2011/07/14	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/15	. 12.000	2014/08	
NITRITE (AS N)	00620	036	2011/07/14	< .000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/07/14	< .000	2020/07	
RADIUM 228	11501	003	2014/06/03	< .000	2014/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/01	< .000	2014/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/01	< .000	2014/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/03/03	< .000	2020/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/03	< .000	2020/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/03	< .000	2020/03	
1,1,2-TRICHLOROETHANE	34511	072	2014/03/03	< .000	2020/03	
1,1-DICHLOROETHANE	34496	072	2014/03/03	< .000	2020/03	
1,1-DICHLOROETHYLENE	34501	072	2014/03/03	< .000	2020/03	
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/03	< .000	2020/03	
1,2-DICHLOROBENZENE	34536	072	2014/03/03	< .000	2020/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

PS Code: ***3600306-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/03	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/03	**< .000**	2020/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/03/03	**< .000**	2020/03
1,4-DICHLOROBENZENE	**34571**	**072**	2014/03/03	**< .000**	2020/03
BENZENE	**34030**	**072**	2014/03/03	**< .000**	2020/03
CARBON TETRACHLORIDE	**32102**	**072**	2014/03/03	**< .000**	2020/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/03/03	**< .000**	2020/03
DICHLOROMETHANE	**34423**	**072**	2014/03/03	**< .000**	2020/03
ETHYLBENZENE	**34371**	**072**	2014/03/03	**< .000**	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/03/03	**< .000**	2020/03
MONOCHLOROBENZENE	**34301**	**072**	2014/03/03	**< .000**	2020/03
STYRENE	**77128**	**072**	2014/03/03	**< .000**	2020/03
TETRACHLOROETHYLENE	**34475**	**072**	2014/03/03	**< .000**	2020/03
TOLUENE	**34010**	**072**	2014/03/03	**< .000**	2020/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/03/03	**< .000**	2020/03
TRICHLOROETHYLENE	**39180**	**072**	2014/03/03	**< .000**	2020/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/03/03	**< .000**	2020/03
VINYL CHLORIDE	**39175**	**072**	2014/03/03	**< .000**	2020/03
XYLENES (TOTAL)	**81551**	**072**	2014/03/03	**< .000**	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/14	**. 140.000**	2014/07
CALCIUM	**00916**	**036**	2011/07/14	**. 59.000**	2014/07
CARBONATE ALKALINITY	**00445**	**036**	2011/07/14	**< .000**	2014/07
CHLORIDE	**00940**	**036**	2011/07/14	**. 40.000**	2014/07
COLOR	**00081**	**036**	2011/07/14	**< .000**	2014/07
COPPER	**01042**	**036**	2011/07/14	**< .000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/14	**< .000**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/07/14	**. 180.000**	2014/07
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/14	**< .000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3600306
System Name: THUNDERBIRD CWD

PS Code: 3600306-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
IRON	01045	036	2011/07/14	< .000	2014/07	
MAGNESIUM	00927	036	2011/07/14	. 9.800	2014/07	
MANGANESE	01055	036	2011/07/14	< .000	2014/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/07/14	. 1.000	2014/07	
PH, LABORATORY	00403	036	2011/07/14	. 7.900	2014/07	
SILVER	01077	036	2011/07/14	< .000	2014/07	
SODIUM	00929	036	2011/07/14	43.000	2014/07	
SPECIFIC CONDUCTANCE	00095	036	2011/07/14	. 570.000	2014/07	
SULFATE	00945	036	2011/07/14	99.000	2014/07	
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/14	. 370.000	2014/07	
TURBIDITY, LABORATORY	82079	036	2011/07/14	. .300	2014/07	
ZINC	01092	036	2011/07/14	< .000	2014/07	

PS Code: 3600306-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/14	< .000	2014/07	
ANTIMONY	01097	036	2011/07/14	< .000	2014/07	
ARSENIC	01002	036	2011/07/14	. 2.100	2014/07	
BARIUM	01007	036	2011/07/14	< .000	2014/07	
BERYLLIUM	01012	036	2011/07/14	< .000	2014/07	
CADMIUM	01027	036	2011/07/14	< .000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/14	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	036	2004/05/17	< 1.000	2007/05	DUE
CYANIDE	01291	036	2011/07/14	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	001	2014/07/01	. 1.800	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

PS Code: ***3600306-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	**71900**	**036**	2011/07/14	**< .000**	2014/07
NICKEL	**01067**	**036**	2011/07/14	**< .000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/14	**< .000**	2014/07
SELENIUM	**01147**	**036**	2011/07/14	**< .000**	2014/07
THALLIUM	**01059**	**036**	2011/07/14	**< .000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/01	**. 37.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2011/07/14	**< .000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/07/14	**. 3.300**	2020/07
RADIUM 228	**11501**	**003**	2014/06/03	**< .000**	2014/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/01	**< .000**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/01	**< .000**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/03	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/03	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/03	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/03	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/03	**< .000**	2020/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/03	**< .000**	2020/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/03	**< .000**	2020/03
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/03	**< .000**	2020/03
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/03	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/03	**< .000**	2020/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/03/03	**< .000**	2020/03
1,4-DICHLOROBENZENE	**34571**	**072**	2014/03/03	**< .000**	2020/03
BENZENE	**34030**	**072**	2014/03/03	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

PS Code: ***3600306-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**072**	2014/03/03	**< .000**	2020/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/03/03	**< .000**	2020/03
DICHLOROMETHANE	**34423**	**072**	2014/03/03	**< .000**	2020/03
ETHYLBENZENE	**34371**	**072**	2014/03/03	**< .000**	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/03/03	**< .000**	2020/03
MONOCHLOROBENZENE	**34301**	**072**	2014/03/03	**< .000**	2020/03
STYRENE	**77128**	**072**	2014/03/03	**< .000**	2020/03
TETRACHLOROETHYLENE	**34475**	**072**	2014/03/03	**< .000**	2020/03
TOLUENE	**34010**	**072**	2014/03/03	**< .000**	2020/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/03/03	**< .000**	2020/03
TRICHLOROETHYLENE	**39180**	**072**	2014/03/03	**< .000**	2020/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/03/03	**< .000**	2020/03
VINYL CHLORIDE	**39175**	**072**	2014/03/03	**< .000**	2020/03
XYLENES (TOTAL)	**81551**	**072**	2014/03/03	**< .000**	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/14	**. 140.000**	2014/07
CALCIUM	**00916**	**036**	2011/07/14	**. 88.000**	2014/07
CARBONATE ALKALINITY	**00445**	**036**	2011/07/14	**< .000**	2014/07
CHLORIDE	**00940**	**036**	2011/07/14	**. 86.000**	2014/07
COLOR	**00081**	**036**	2011/07/14	**< .000**	2014/07
COPPER	**01042**	**036**	2011/07/14	**< .000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/14	**< .000**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/07/14	**. 270.000**	2014/07
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/14	**< .000**	2014/07
IRON	**01045**	**036**	2011/07/14	**< .000**	2014/07
MAGNESIUM	**00927**	**036**	2011/07/14	**. 14.000**	2014/07
MANGANESE	**01055**	**036**	2011/07/14	**< .000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/14	**1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/14	**. 7.800**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3600306-004***					
Source Name: ***WELL 04***					
Source Number: ***004***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
SILVER	**01077**	**036**	2011/07/14	**< .000**	2014/07
SODIUM	**00929**	**036**	2011/07/14	**50.000**	2014/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/14	**. 790.000**	2014/07
SULFATE	**00945**	**036**	2011/07/14	**130.000**	2014/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/07/14	**. 510.000**	2014/07
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/14	**. .100**	2014/07
ZINC	**01092**	**036**	2011/07/14	**< .000**	2014/07
PS Code: ***3600306-005***					
Source Name: ***FLUORIDE BLEND - WELLS 1, 3, 4***					
Source Number: ***005***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3600306-601***					
Source Name: ***DBP2-25025 ZUNI ROAD***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**000**			**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**			**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**			**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**			**DUE**
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**000**			**DUE**
TRICHLOROACETIC ACID (TCAA)	**82723**	**000**			**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600306***

System Name: ***THUNDERBIRD CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3600306-601***						
Source Name: ***DBP2-25025 ZUNI ROAD***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3600306-602***						
Source Name: ***DBP2-MCROBERTS AND KINGSDALE***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600321***

System Name: ***NPS - HOLE IN THE WALL CAMPGROUND***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3600321-001***							
Source Name: ***WELL 01 (FIRE STATION WELL)***							
Source Number: ***001***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**012**	**2010/02/11**		**13.000**	**2011/02**	**DUE**
NITRITE (AS N)	**00620**	**036**	**2010/02/11**	**<**	**.000**	**2013/02**	**DUE**
PS Code: ***3600321-002***							
Source Name: ***WELL 02 (ROCKING L WELL)***							
Source Number: ***002***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**012**	2014/02/06	**.**	**15.000**	2015/02	
NITRITE (AS N)	**00620**	**036**	**2011/06/16**	**<**	**.000**	**2014/06**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600322***

System Name: ***NPS - MID HILLS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3600322-002***					
Source Name: ***WELL 02***					
Source Number: ***002***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/06	**. 20.000**	2015/02
NITRITE (AS N)	**00620**	**036**	2011/07/07	**< .000**	2014/07
PS Code: ***3600322-800***					
Source Name: ***WELL 02 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3600323***

System Name: ***NPS - ZZYZX DESERT STUDIES CENTER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3600323-001***							
Source Name: ***WELL 01***							
Source Number: ***001***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**012**	**2012/06/11**	**.**	**6.600**	**2013/06**	**DUE**
NITRITE (AS N)	**00620**	**036**	2012/06/11	**<**	**.000**	2015/06	
PS Code: ***3600323-002***							
Source Name: ***WELL 01 - TREATED***							
Source Number: ***002***							
Source Status: ***ACTIVE TREATED***							
Water type: ***G***							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**					

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3601096
System Name: CAL TRANS - C.V. KANE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3601096-001						
Source Name: CV KANE WELL						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: G						
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/12/21	. 6.680	2012/12	DUE
NITRITE (AS N)	00620	036	2010/11/19	.000	2013/11	DUE
PS Code: 3601096-002T						
Source Name: REVERSE OSMOSIS UNIT - TREATED						
Source Number: 002						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3601097
System Name: CAL TRANS - VALLEY WELLS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3601097-001					
Source Name: WELL 01					
Source Number: 001					
Source Status: ACTIVE RAW					
Water type: G					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/10/16	**. 25.000**	2014/10
NITRITE (AS N)	**00620**	**036**	2013/10/16	**< .000**	2016/10
PS Code: 3601097-800					
Source Name: WELL 01 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3601098***

System Name: ***CAL TRANS - FENNER***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3601098-001***					
Source Name: ***WELL 01***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/10/24	**. 12.000**	2014/10
NITRITE (AS N)	**00620**	**036**	2013/10/24	**< .000**	2016/10
PS Code: ***3601098-800***					
Source Name: ***WELL 01 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/01/23	. 1500.000	2017/01
ANTIMONY	01097	036	2014/01/23	< .000	2017/01
ARSENIC	01002	036	2014/01/23	. 28.000	2017/01
BARIUM	01007	036	2014/01/23	< .000	2017/01
BERYLLIUM	01012	036	2014/01/23	< .000	2017/01
CADMIUM	01027	036	2014/01/23	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/23	< .000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2013/09/18	< .000	2016/09
CYANIDE	01291	036	2014/01/23	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/23	. 6.000	2017/01
MERCURY	71900	036	2014/01/23	< .000	2017/01
NICKEL	01067	036	2014/01/23	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/23	< .000	2017/01
SELENIUM	01147	036	2014/01/23	< .000	2017/01
THALLIUM	01059	036	2014/01/23	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/23	< .000	2015/01
NITRITE (AS N)	00620	036	2014/01/23	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/01/23	. 11.000	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/23	< .000	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/23	< .000	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/01/23	< .000	2019/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/23	< .000	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/23	< .000	2019/01
1,1,2-TRICHLOROETHANE	34511	072	2013/01/23	< .000	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/01/23	< .000	2019/01
1,1-DICHLOROETHYLENE	34501	072	2013/01/23	< .000	2019/01
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/23	< .000	2019/01
1,2-DICHLOROBENZENE	34536	072	2013/01/23	< .000	2019/01
1,2-DICHLOROETHANE	34531	072	2013/01/23	< .000	2019/01
1,2-DICHLOROPROPANE	34541	072	2013/01/23	< .000	2019/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/23	< .000	2019/01
1,4-DICHLOROBENZENE	34571	072	2013/01/23	< .000	2019/01
BENZENE	34030	072	2013/01/23	< .000	2019/01
CARBON TETRACHLORIDE	32102	072	2013/01/23	< .000	2019/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/23	< .000	2019/01
DICHLOROMETHANE	34423	072	2013/01/23	< .000	2019/01
ETHYLBENZENE	34371	072	2013/01/23	< .000	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/23	< .000	2019/01
MONOCHLOROBENZENE	34301	072	2013/01/23	< .000	2019/01
STYRENE	77128	072	2013/01/23	< .000	2019/01
TETRACHLOROETHYLENE	34475	072	2013/01/23	< .000	2019/01
TOLUENE	34010	072	2013/01/23	< .000	2019/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/01/23	< .000	2019/01
TRICHLOROETHYLENE	39180	072	2013/01/23	< .000	2019/01
TRICHLOROFLUOROMETHANE	34488	072	2013/01/23	< .000	2019/01
VINYL CHLORIDE	39175	072	2013/01/23	< .000	2019/01
XYLENES (TOTAL)	81551	072	2013/01/23	< .000	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/23	. 150.000	2017/01
CALCIUM	00916	036	2014/01/23	. 19.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/23	14.000	2017/01
CHLORIDE	00940	036	2014/01/23	. 160.000	2017/01
COLOR	00081	036	2014/01/23	. 10.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/01/23	. 590.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/23	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/23	. 56.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/23	< .000	2017/01
IRON	01045	036	2014/01/23	4900.000	2017/01
MAGNESIUM	00927	036	2014/01/23	. 2.100	2017/01
MANGANESE	01055	036	2014/01/23	380.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/23	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/23	. 8.600	2017/01
SILVER	01077	036	2014/01/23	< .000	2017/01
SODIUM	00929	036	2014/01/23	360.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/23	. 1600.000	2017/01
SULFATE	00945	036	2014/01/23	400.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/23	. 990.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/23	. 6.500	2017/01
ZINC	01092	036	2014/01/23	. 52.000	2017/01

PS Code: 3610001-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/01/23	< .000	2016/01
ANTIMONY	01097	036	2013/01/23	< .000	2016/01
ARSENIC	01002	036	2013/01/23	. 4.800	2016/01
BARIUM	01007	036	2013/01/23	< .000	2016/01
BERYLLIUM	01012	036	2013/01/23	< .000	2016/01
CADMIUM	01027	036	2013/01/23	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/01/23	< .000	2016/01	
CHROMIUM, HEXAVALENT	01032	036	2013/09/18	< .000	2016/09	
CYANIDE	01291	036	2013/01/23	< .000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .610	2017/07	
MERCURY	71900	036	2013/01/23	< .000	2016/01	
NICKEL	01067	036	2013/01/23	< .000	2016/01	
PERCHLORATE	A-031	036	2013/01/23	< .000	2016/01	
SELENIUM	01147	036	2013/01/23	< .000	2016/01	
THALLIUM	01059	036	2013/01/23	< .000	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/23	< .000	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/23	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/01/23	< .000	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/23	< .000	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/23	< .000	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/03/02	.000	2015/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/03/02	.000	2015/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/03/02	.000	2015/03	
1,1,2-TRICHLOROETHANE	34511	072	2009/03/02	.000	2015/03	
1,1-DICHLOROETHANE	34496	072	2009/03/02	.000	2015/03	
1,1-DICHLOROETHYLENE	34501	072	2009/03/02	.000	2015/03	
1,2,4-TRICHLOROBENZENE	34551	072	2009/03/02	.000	2015/03	
1,2-DICHLOROBENZENE	34536	072	2009/03/02	.000	2015/03	
1,2-DICHLOROETHANE	34531	072	2009/03/02	.000	2015/03	
1,2-DICHLOROPROPANE	34541	072	2009/03/02	.000	2015/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/03/02	.000	2015/03
1,4-DICHLOROBENZENE	34571	072	2009/03/02	.000	2015/03
BENZENE	34030	072	2009/03/02	.000	2015/03
CARBON TETRACHLORIDE	32102	072	2009/03/02	.000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/03/02	.000	2015/03
DICHLOROMETHANE	34423	072	2009/03/02	.000	2015/03
ETHYLBENZENE	34371	072	2009/03/02	.000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/23	< .000	2019/01
MONOCHLOROBENZENE	34301	072	2009/03/02	.000	2015/03
STYRENE	77128	072	2009/03/02	.000	2015/03
TETRACHLOROETHYLENE	34475	072	2009/03/02	.000	2015/03
TOLUENE	34010	072	2009/03/02	.000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/03/02	.000	2015/03
TRICHLOROETHYLENE	39180	072	2009/03/02	.000	2015/03
TRICHLOROFLUOROMETHANE	34488	072	2009/03/02	.000	2015/03
VINYL CHLORIDE	39175	072	2009/03/02	.000	2015/03
XYLENES (TOTAL)	81551	072	2009/03/02	.000	2015/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/23	. 90.000	2016/01
CALCIUM	00916	036	2013/01/23	. 18.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/23	< .000	2016/01
CHLORIDE	00940	036	2013/01/23	. 3.200	2016/01
COLOR	00081	036	2013/01/23	< .000	2016/01
COPPER	01042	036	2013/01/23	< .000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/23	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/23	. 56.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/23	< .000	2016/01
IRON	01045	036	2013/01/23	< .000	2016/01
MAGNESIUM	00927	036	2013/01/23	. 2.700	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-005					
Source Name: WELL 06					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2013/01/23	< .000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/23	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/23	. 8.100	2016/01
SILVER	01077	036	2013/01/23	< .000	2016/01
SODIUM	00929	036	2013/01/23	67.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/23	. 440.000	2016/01
SULFATE	00945	036	2013/01/23	190.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/23	. 280.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/23	< .000	2016/01
ZINC	01092	036	2013/01/23	< .000	2016/01
PS Code: 3610001-006					
Source Name: WELL 07					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/01/23	< .000	2016/01
ANTIMONY	01097	036	2013/01/23	< .000	2016/01
ARSENIC	01002	036	2013/01/23	. 2.600	2016/01
BARIUM	01007	036	2013/01/23	< .000	2016/01
BERYLLIUM	01012	036	2013/01/23	< .000	2016/01
CADMIUM	01027	036	2013/01/23	< .000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/23	< .000	2016/01
CYANIDE	01291	036	2013/01/23	< .000	2016/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .410	2017/07
MERCURY	71900	036	2013/01/23	< .000	2016/01
NICKEL	01067	036	2013/01/23	< .000	2016/01
PERCHLORATE	A-031	036	2013/01/23	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-006
Source Name: WELL 07
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	01147	036	2013/01/23	< .000	2016/01	
THALLIUM	01059	036	2013/01/23	< .000	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/23	< .000	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/23	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/01/23	< .000	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/23	< .000	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/23	< .000	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/03/02	.000	2015/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/03/02	.000	2015/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/03/02	.000	2015/03	
1,1,2-TRICHLOROETHANE	34511	072	2009/03/02	.000	2015/03	
1,1-DICHLOROETHANE	34496	072	2009/03/02	.000	2015/03	
1,1-DICHLOROETHYLENE	34501	072	2009/03/02	.000	2015/03	
1,2,4-TRICHLOROBENZENE	34551	072	2009/03/02	.000	2015/03	
1,2-DICHLOROBENZENE	34536	072	2009/03/02	.000	2015/03	
1,2-DICHLOROETHANE	34531	072	2009/03/02	.000	2015/03	
1,2-DICHLOROPROPANE	34541	072	2009/03/02	.000	2015/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/03/02	.000	2015/03	
1,4-DICHLOROBENZENE	34571	072	2009/03/02	.000	2015/03	
BENZENE	34030	072	2009/03/02	.000	2015/03	
CARBON TETRACHLORIDE	32102	072	2009/03/02	.000	2015/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/03/02	.000	2015/03	
DICHLOROMETHANE	34423	072	2009/03/02	.000	2015/03	
ETHYLBENZENE	34371	072	2009/03/02	.000	2015/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-006***
Source Name: ***WELL 07***
Source Number: ***006***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/23	**< .000**	2019/01
MONOCHLOROBENZENE	**34301**	**072**	2009/03/02	**.000**	2015/03
STYRENE	**77128**	**072**	2009/03/02	**.000**	2015/03
TETRACHLOROETHYLENE	**34475**	**072**	2009/03/02	**.000**	2015/03
TOLUENE	**34010**	**072**	2009/03/02	**.000**	2015/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/03/02	**.000**	2015/03
TRICHLOROETHYLENE	**39180**	**072**	2009/03/02	**.000**	2015/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/03/02	**.000**	2015/03
VINYL CHLORIDE	**39175**	**072**	2009/03/02	**.000**	2015/03
XYLENES (TOTAL)	**81551**	**072**	2009/03/02	**.000**	2015/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/23	**. 77.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/23	**. 24.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/23	**< .000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/23	**. 2.800**	2016/01
COLOR	**00081**	**036**	2013/01/23	**< .000**	2016/01
COPPER	**01042**	**036**	2013/01/23	**< .000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/23	**< .000**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/23	**. 76.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/23	**< .000**	2016/01
IRON	**01045**	**036**	2013/01/23	**< .000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/23	**. 3.600**	2016/01
MANGANESE	**01055**	**036**	2013/01/23	**< .000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/23	**1.000**	2016/01
PH, LABORATORY	**00403**	**036**	2013/01/23	**. 7.900**	2016/01
SILVER	**01077**	**036**	2013/01/23	**< .000**	2016/01
SODIUM	**00929**	**036**	2013/01/23	**68.000**	2016/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/01/23	**. 490.000**	2016/01
SULFATE	**00945**	**036**	2013/01/23	**170.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-006					
Source Name: WELL 07					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/23	. 320.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/23	. .100	2016/01
ZINC	01092	036	2013/01/23	< .000	2016/01
PS Code: 3610001-013					
Source Name: WELL 04G					
Source Number: 013					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/01/23	< .000	2017/01
ANTIMONY	01097	036	2014/01/23	< .000	2017/01
ARSENIC	01002	036	2014/07/01	< .000	2017/07
BARIUM	01007	036	2014/01/23	< .000	2017/01
BERYLLIUM	01012	036	2014/01/23	< .000	2017/01
CADMIUM	01027	036	2014/01/23	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/23	< .000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2013/09/18	< .000	2016/09
CYANIDE	01291	036	2014/01/23	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .530	2017/07
MERCURY	71900	036	2014/01/23	< .000	2017/01
NICKEL	01067	036	2014/01/23	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/23	< .000	2017/01
SELENIUM	01147	036	2014/01/23	< .000	2017/01
THALLIUM	01059	036	2014/01/23	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/23	< .000	2015/01
NITRITE (AS N)	00620	036	2014/01/23	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-013
Source Name: WELL 04G
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/01/23	. 15.000	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/23	< .000	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/23	< .000	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2010/10/07	< .000	2016/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/10/07	< .000	2016/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/10/07	< .000	2016/10
1,1,2-TRICHLOROETHANE	34511	072	2010/10/07	< .000	2016/10
1,1-DICHLOROETHANE	34496	072	2010/10/07	< .000	2016/10
1,1-DICHLOROETHYLENE	34501	072	2010/10/07	< .000	2016/10
1,2,4-TRICHLOROBENZENE	34551	072	2010/10/07	< .000	2016/10
1,2-DICHLOROBENZENE	34536	072	2010/10/07	< .000	2016/10
1,2-DICHLOROETHANE	34531	072	2010/10/07	< .000	2016/10
1,2-DICHLOROPROPANE	34541	072	2010/10/07	< .000	2016/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/10/07	< .000	2016/10
1,4-DICHLOROBENZENE	34571	072	2010/10/07	< .000	2016/10
BENZENE	34030	072	2010/10/07	< .000	2016/10
CARBON TETRACHLORIDE	32102	072	2010/10/07	< .000	2016/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/10/07	< .000	2016/10
DICHLOROMETHANE	34423	072	2010/10/07	< .000	2016/10
ETHYLBENZENE	34371	072	2010/10/07	< .000	2016/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/10/07	< .000	2016/10
MONOCHLOROBENZENE	34301	072	2010/10/07	< .000	2016/10
STYRENE	77128	072	2010/10/07	< .000	2016/10
TETRACHLOROETHYLENE	34475	072	2010/10/07	< .000	2016/10
TOLUENE	34010	072	2010/10/07	< .000	2016/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/10/07	< .000	2016/10
TRICHLOROETHYLENE	39180	072	2010/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-013
Source Name: WELL 04G
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2010/10/07	< .000	2016/10
VINYL CHLORIDE	39175	072	2010/10/07	< .000	2016/10
XYLENES (TOTAL)	81551	072	2010/10/07	< .000	2016/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/23	. 210.000	2017/01
CALCIUM	00916	036	2014/01/23	. 54.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/23	< .000	2017/01
CHLORIDE	00940	036	2014/01/23	. 52.000	2017/01
COLOR	00081	036	2014/01/23	< .000	2017/01
COPPER	01042	036	2014/01/23	< .000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/23	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/23	. 180.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/23	< .000	2017/01
IRON	01045	036	2014/07/01	< .000	2017/07
MAGNESIUM	00927	036	2014/01/23	. 11.000	2017/01
MANGANESE	01055	036	2014/07/01	. 31.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/01/23	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/23	. 7.100	2017/01
SILVER	01077	036	2014/01/23	< .000	2017/01
SODIUM	00929	036	2014/01/23	60.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/23	. 630.000	2017/01
SULFATE	00945	036	2014/01/23	68.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/23	. 370.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/23	. .200	2017/01
ZINC	01092	036	2014/01/23	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-016***
Source Name: ***WELL 01G***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/01/23	< .000	2016/01	
ANTIMONY	01097	036	2013/01/23	< .000	2016/01	
ARSENIC	01002	036	2014/07/01	< .000	2017/07	
BARIUM	01007	036	2013/01/23	< .000	2016/01	
BERYLLIUM	01012	036	2013/01/23	< .000	2016/01	
CADMIUM	01027	036	2013/01/23	< .000	2016/01	
CHROMIUM (TOTAL)	01034	036	2013/01/23	< .000	2016/01	
CHROMIUM, HEXAVALENT	01032	036	2013/09/18	. 1.500	2016/09	
CYANIDE	01291	036	2013/01/23	< .000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .470	2017/07	
MERCURY	71900	036	2013/01/23	< .000	2016/01	
NICKEL	01067	036	2013/01/23	< .000	2016/01	
PERCHLORATE	A-031	036	2013/01/23	< .000	2016/01	
SELENIUM	01147	036	2013/01/23	< .000	2016/01	
THALLIUM	01059	036	2013/01/23	< .000	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/23	< .000	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/23	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/01/23	. 4.400	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/23	< .000	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/23	< .000	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/03/12	.000	2015/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/03/12	.000	2015/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/03/12	.000	2015/03	
1,1,2-TRICHLOROETHANE	34511	072	2009/03/12	.000	2015/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-016
Source Name: WELL 01G
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2009/03/12	.000	2015/03
1,1-DICHLOROETHYLENE	34501	072	2009/03/12	.000	2015/03
1,2,4-TRICHLOROBENZENE	34551	072	2009/03/12	.000	2015/03
1,2-DICHLOROBENZENE	34536	072	2009/03/12	.000	2015/03
1,2-DICHLOROETHANE	34531	072	2009/03/12	.000	2015/03
1,2-DICHLOROPROPANE	34541	072	2009/03/12	.000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/03/12	.000	2015/03
1,4-DICHLOROBENZENE	34571	072	2009/03/12	.000	2015/03
BENZENE	34030	072	2009/03/12	.000	2015/03
CARBON TETRACHLORIDE	32102	072	2009/03/12	.000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/03/12	.000	2015/03
DICHLOROMETHANE	34423	072	2009/03/12	.000	2015/03
ETHYLBENZENE	34371	072	2009/03/12	.000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/23	< .000	2019/01
MONOCHLOROBENZENE	34301	072	2009/03/12	.000	2015/03
STYRENE	77128	072	2009/03/12	.000	2015/03
TETRACHLOROETHYLENE	34475	072	2009/03/12	.000	2015/03
TOLUENE	34010	072	2009/03/12	.000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/03/12	.000	2015/03
TRICHLOROETHYLENE	39180	072	2009/03/12	.000	2015/03
TRICHLOROFLUOROMETHANE	34488	072	2009/03/12	.000	2015/03
VINYL CHLORIDE	39175	072	2009/03/12	.000	2015/03
XYLENES (TOTAL)	81551	072	2009/03/12	.000	2015/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/23	. 150.000	2016/01
CALCIUM	00916	036	2013/01/23	. 28.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/23	< .000	2016/01
CHLORIDE	00940	036	2013/01/23	. 16.000	2016/01
COLOR	00081	036	2013/01/23	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-016
Source Name: WELL 01G
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2013/01/23	< .000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/23	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/23	. 83.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/23	< .000	2016/01
IRON	01045	036	2014/07/01	< .000	2017/07
MAGNESIUM	00927	036	2013/01/23	. 3.100	2016/01
MANGANESE	01055	036	2014/07/01	. 37.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/01/23	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/23	. 7.800	2016/01
SILVER	01077	036	2013/01/23	< .000	2016/01
SODIUM	00929	036	2013/01/23	38.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/23	. 340.000	2016/01
SULFATE	00945	036	2013/01/23	24.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/23	. 200.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/23	< .000	2016/01
ZINC	01092	036	2013/01/23	< .000	2016/01

PS Code: 3610001-017
Source Name: LOWER BOOSTER COMPLIANCE POINT
Source Number: 017
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-018
Source Name: WELL 05A
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/01/23	< .000	2016/01	
ANTIMONY	01097	036	2013/01/23	< .000	2016/01	
ARSENIC	01002	036	2013/03/05	. 5.500	2016/03	
BARIUM	01007	036	2013/01/23	< .000	2016/01	
BERYLLIUM	01012	036	2013/01/23	< .000	2016/01	
CADMIUM	01027	036	2013/01/23	< .000	2016/01	
CHROMIUM (TOTAL)	01034	036	2013/01/23	< .000	2016/01	
CYANIDE	01291	036	2013/01/23	< .000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/02	. 1.800	2016/07	
MERCURY	71900	036	2013/01/23	< .000	2016/01	
NICKEL	01067	036	2013/01/23	< .000	2016/01	
PERCHLORATE	A-031	036	2013/01/23	< .000	2016/01	
SELENIUM	01147	036	2013/01/23	< .000	2016/01	
THALLIUM	01059	036	2013/01/23	< .000	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/23	< .000	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/23	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/01/23	. 18.000	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/23	< .000	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/23	< .000	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/03/12	.000	2015/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/03/12	.000	2015/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/03/12	.000	2015/03	
1,1,2-TRICHLOROETHANE	34511	072	2009/03/12	.000	2015/03	
1,1-DICHLOROETHANE	34496	072	2009/03/12	.000	2015/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-018
Source Name: WELL 05A
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2009/03/12	.000	2015/03
1,2,4-TRICHLOROBENZENE	34551	072	2009/03/12	.000	2015/03
1,2-DICHLOROBENZENE	34536	072	2009/03/12	.000	2015/03
1,2-DICHLOROETHANE	34531	072	2009/03/12	.000	2015/03
1,2-DICHLOROPROPANE	34541	072	2009/03/12	.000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/03/12	.000	2015/03
1,4-DICHLOROBENZENE	34571	072	2009/03/12	.000	2015/03
BENZENE	34030	072	2009/03/12	.000	2015/03
CARBON TETRACHLORIDE	32102	072	2009/03/12	.000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/03/12	.000	2015/03
DICHLOROMETHANE	34423	072	2009/03/12	.000	2015/03
ETHYLBENZENE	34371	072	2009/03/12	.000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/23	< .000	2019/01
MONOCHLOROBENZENE	34301	072	2009/03/12	.000	2015/03
STYRENE	77128	072	2009/03/12	.000	2015/03
TETRACHLOROETHYLENE	34475	072	2009/03/12	.000	2015/03
TOLUENE	34010	072	2009/03/12	.000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/03/12	.000	2015/03
TRICHLOROETHYLENE	39180	072	2009/03/12	.000	2015/03
TRICHLOROFLUOROMETHANE	34488	072	2009/03/12	.000	2015/03
VINYL CHLORIDE	39175	072	2009/03/12	.000	2015/03
XYLENES (TOTAL)	81551	072	2009/03/12	.000	2015/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/23	. 120.000	2016/01
CALCIUM	00916	036	2013/01/23	. 27.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/23	< .000	2016/01
CHLORIDE	00940	036	2013/01/23	. 100.000	2016/01
COLOR	00081	036	2013/01/23	< .000	2016/01
COPPER	01042	036	2013/01/23	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-018					
Source Name: WELL 05A					
Source Number: 018					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2013/01/23	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/23	. 74.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/23	< .000	2016/01
IRON	01045	036	2013/07/02	< .000	2016/07
MAGNESIUM	00927	036	2013/01/23	. 1.800	2016/01
MANGANESE	01055	036	2013/07/02	< .000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/01/23	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/23	. 8.100	2016/01
SILVER	01077	036	2013/01/23	< .000	2016/01
SODIUM	00929	036	2013/01/23	200.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/23	. 1100.000	2016/01
SULFATE	00945	036	2013/01/23	270.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/23	. 680.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/23	. 1.100	2016/01
ZINC	01092	036	2013/01/23	< .000	2016/01
PS Code: 3610001-020					
Source Name: WELL 14A					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/09/19	< .000	2015/09
ANTIMONY	01097	036	2012/09/19	< .000	2015/09
ARSENIC	01002	036	2014/07/01	< .000	2017/07
BARIUM	01007	036	2012/09/19	< .000	2015/09
BERYLLIUM	01012	036	2012/09/19	< .000	2015/09
CADMIUM	01027	036	2012/09/19	< .000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/19	< .000	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-020***
Source Name: ***WELL 14A***
Source Number: ***020***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2012/09/19	**< .000**	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/01	**. .480**	2017/07
MERCURY	**71900**	**036**	2012/09/19	**< .000**	2015/09
NICKEL	**01067**	**036**	2012/09/19	**< .000**	2015/09
PERCHLORATE	**A-031**	**036**	2012/09/19	**< .000**	2015/09
SELENIUM	**01147**	**036**	2012/09/19	**< .000**	2015/09
THALLIUM	**01059**	**036**	2012/09/19	**< .000**	2015/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/23	**< .000**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/09/19	**< .000**	2015/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/08/10	**. 5.300**	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/09/19	**< .000**	2015/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/09/19	**< .000**	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/08/10	**< .000**	2017/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/08/10	**< .000**	2017/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/08/10	**< .000**	2017/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/08/10	**< .000**	2017/08
1,1-DICHLOROETHANE	**34496**	**072**	2011/08/10	**< .000**	2017/08
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/08/10	**< .000**	2017/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/08/10	**< .000**	2017/08
1,2-DICHLOROBENZENE	**34536**	**072**	2011/08/10	**< .000**	2017/08
1,2-DICHLOROETHANE	**34531**	**072**	2011/08/10	**< .000**	2017/08
1,2-DICHLOROPROPANE	**34541**	**072**	2011/08/10	**< .000**	2017/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/08/10	**< .000**	2017/08
1,4-DICHLOROBENZENE	**34571**	**072**	2011/08/10	**< .000**	2017/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-020***
Source Name: ***WELL 14A***
Source Number: ***020***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2011/08/10	**< .000**	2017/08
CARBON TETRACHLORIDE	**32102**	**072**	2011/08/10	**< .000**	2017/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/08/10	**< .000**	2017/08
DICHLOROMETHANE	**34423**	**072**	2011/08/10	**< .000**	2017/08
ETHYLBENZENE	**34371**	**072**	2011/08/10	**< .000**	2017/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/08/10	**< .000**	2017/08
MONOCHLOROBENZENE	**34301**	**072**	2011/08/10	**< .000**	2017/08
STYRENE	**77128**	**072**	2011/08/10	**< .000**	2017/08
TETRACHLOROETHYLENE	**34475**	**072**	2011/08/10	**< .000**	2017/08
TOLUENE	**34010**	**072**	2011/08/10	**< .000**	2017/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/08/10	**< .000**	2017/08
TRICHLOROETHYLENE	**39180**	**072**	2011/08/10	**< .000**	2017/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/08/10	**< .000**	2017/08
VINYL CHLORIDE	**39175**	**072**	2011/08/10	**< .000**	2017/08
XYLENES (TOTAL)	**81551**	**072**	2011/08/10	**< .000**	2017/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/08/10	**. 180.000**	2014/08
CALCIUM	**00916**	**036**	2011/08/10	**. 55.000**	2014/08
CARBONATE ALKALINITY	**00445**	**036**	2011/08/10	**< .000**	2014/08
CHLORIDE	**00940**	**036**	2011/08/10	**. 43.000**	2014/08
COLOR	**00081**	**036**	2011/08/10	**< .000**	2014/08
COPPER	**01042**	**036**	2011/08/10	**< .000**	2014/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/08/10	**. .180**	2014/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/08/10	**. 170.000**	2014/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/08/10	**< .000**	2014/08
IRON	**01045**	**036**	2014/07/01	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2011/08/10	**. 9.100**	2014/08
MANGANESE	**01055**	**036**	2014/07/01	**. 110.000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/10	**1.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610001-020							
Source Name: WELL 14A							
Source Number: 020							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
PH, LABORATORY	00403	036	2011/08/10	.	7.900	2014/08	
SILVER	01077	036	2012/09/19	<	.000	2015/09	
SODIUM	00929	036	2011/08/10		50.000	2014/08	
SPECIFIC CONDUCTANCE	00095	036	2011/08/10	.	580.000	2014/08	
SULFATE	00945	036	2011/08/10		73.000	2014/08	
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/10	.	370.000	2014/08	
TURBIDITY, LABORATORY	82079	036	2011/08/10	.	.800	2014/08	
ZINC	01092	036	2011/08/10	<	.000	2014/08	
PS Code: 3610001-021							
Source Name: WELL 03G2							
Source Number: 021							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2010/11/02	<	.000	2013/11	DUE
ANTIMONY	01097	036	2010/11/02	<	.000	2013/11	DUE
ARSENIC	01002	036	2010/11/02	<	.000	2013/11	DUE
BARIUM	01007	036	2010/11/02	<	.000	2013/11	DUE
BERYLLIUM	01012	036	2010/11/02	<	.000	2013/11	DUE
CADMIUM	01027	036	2010/11/02	<	.000	2013/11	DUE
CHROMIUM (TOTAL)	01034	036	2010/11/02	<	.000	2013/11	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2010/11/02	<	.000	2013/11	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/08	.	.540	2016/08	
MERCURY	71900	036	2010/11/02	<	.000	2013/11	DUE
NICKEL	01067	036	2010/11/02	<	.000	2013/11	DUE
PERCHLORATE	A-031	036	2010/11/22	<	.000	2013/11	DUE
SELENIUM	01147	036	2010/11/02	<	.000	2013/11	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-021
Source Name: WELL 03G2
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2010/11/02	< .000	2013/11	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/09/19	. 3.500	2013/09	DUE
NITRITE (AS N)	00620	036	2010/11/02	< .000	2013/11	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/08/10	< .000	2014/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/11/02	< .000	2013/11	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/11/02	< .000	2013/11	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/11/02	< .000	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/02	< .000	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/02	< .000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/02	< .000	2016/11	
1,1-DICHLOROETHANE	34496	072	2010/11/02	< .000	2016/11	
1,1-DICHLOROETHYLENE	34501	072	2010/11/02	< .000	2016/11	
1,2,4-TRICHLOROBENZENE	34551	072	2010/11/02	< .000	2016/11	
1,2-DICHLOROBENZENE	34536	072	2010/11/02	< .000	2016/11	
1,2-DICHLOROETHANE	34531	072	2010/11/02	< .000	2016/11	
1,2-DICHLOROPROPANE	34541	072	2010/11/02	< .000	2016/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/11/02	< .000	2016/11	
1,4-DICHLOROBENZENE	34571	072	2010/11/02	< .000	2016/11	
BENZENE	34030	072	2010/11/02	< .000	2016/11	
CARBON TETRACHLORIDE	32102	072	2010/11/02	< .000	2016/11	
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/11/02	< .000	2016/11	
DICHLOROMETHANE	34423	072	2010/11/02	< .000	2016/11	
ETHYLBENZENE	34371	072	2010/11/02	< .000	2016/11	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/11/02	< .000	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-021***
Source Name: ***WELL 03G2***
Source Number: ***021***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
MONOCHLOROBENZENE	34301	072	2010/11/02	< .000	2016/11	
STYRENE	77128	072	2010/11/02	< .000	2016/11	
TETRACHLOROETHYLENE	34475	072	2010/11/02	< .000	2016/11	
TOLUENE	34010	072	2010/11/02	< .000	2016/11	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/11/02	< .000	2016/11	
TRICHLOROETHYLENE	39180	072	2010/11/02	< .000	2016/11	
TRICHLOROFLUOROMETHANE	34488	072	2010/11/02	< .000	2016/11	
VINYL CHLORIDE	39175	072	2010/11/02	< .000	2016/11	
XYLENES (TOTAL)	81551	072	2010/11/02	< .000	2016/11	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2010/11/02	120.000	2013/11	DUE
CALCIUM	00916	036	2010/11/02	42.000	2013/11	DUE
CARBONATE ALKALINITY	00445	036	2010/11/02	< .000	2013/11	DUE
CHLORIDE	00940	036	2010/11/02	34.000	2013/11	DUE
COLOR	00081	036	2010/11/02	5.000	2013/11	DUE
COPPER	01042	036	2010/11/02	< .000	2013/11	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/11/02	< .000	2013/11	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/11/02	140.000	2013/11	DUE
HYDROXIDE ALKALINITY	71830	036	2010/11/02	< .000	2013/11	DUE
IRON	01045	036	2013/08/08	. 730.000	2016/08	
MAGNESIUM	00927	036	2010/11/02	9.000	2013/11	DUE
MANGANESE	01055	036	2013/08/08	. 66.000	2016/08	
ODOR THRESHOLD @ 60 C	00086	036	2010/11/02	1.000	2013/11	DUE
PH, LABORATORY	00403	036	2010/11/02	7.700	2013/11	DUE
SILVER	01077	036	2010/11/02	< .000	2013/11	DUE
SODIUM	00929	036	2010/11/02	68.000	2013/11	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/11/02	540.000	2013/11	DUE
SULFATE	00945	036	2010/11/02	92.000	2013/11	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/11/02	360.000	2013/11	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610001-021						
Source Name: WELL 03G2						
Source Number: 021						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2010/11/02	9.800	2013/11	DUE
ZINC	01092	036	2010/11/02	< .000	2013/11	DUE
PS Code: 3610001-022						
Source Name: WELL 8G2						
Source Number: 022						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/01/23	< .000	2016/01	
ANTIMONY	01097	036	2013/01/23	< .000	2016/01	
ARSENIC	01002	036	2014/07/01	< .000	2017/07	
BARIUM	01007	036	2013/01/23	120.000	2016/01	
BERYLLIUM	01012	036	2013/01/23	< .000	2016/01	
CADMIUM	01027	036	2013/01/23	< .000	2016/01	
CHROMIUM (TOTAL)	01034	036	2013/01/23	< .000	2016/01	
CYANIDE	01291	036	2013/01/23	< .000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. .390	2017/07	
MERCURY	71900	036	2013/01/23	< .000	2016/01	
NICKEL	01067	036	2013/01/23	< .000	2016/01	
PERCHLORATE	A-031	036	2013/01/23	< .000	2016/01	
SELENIUM	01147	036	2013/01/23	< .000	2016/01	
THALLIUM	01059	036	2013/01/23	< .000	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/23	< .000	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/23	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/01/23	. 4.600	2016/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-022***
Source Name: ***WELL 8G2***
Source Number: ***022***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/23	**< .000**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/23	**< .000**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/03/12	**.000**	2015/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/03/12	**.000**	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/03/12	**.000**	2015/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/03/12	**.000**	2015/03
1,1-DICHLOROETHANE	**34496**	**072**	2009/03/12	**.000**	2015/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/03/12	**.000**	2015/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/03/12	**.000**	2015/03
1,2-DICHLOROBENZENE	**34536**	**072**	2009/03/12	**.000**	2015/03
1,2-DICHLOROETHANE	**34531**	**072**	2009/03/12	**.000**	2015/03
1,2-DICHLOROPROPANE	**34541**	**072**	2009/03/12	**.000**	2015/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/03/12	**.000**	2015/03
1,4-DICHLOROBENZENE	**34571**	**072**	2009/03/12	**.000**	2015/03
BENZENE	**34030**	**072**	2009/03/12	**.000**	2015/03
CARBON TETRACHLORIDE	**32102**	**072**	2009/03/12	**.000**	2015/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/03/12	**.000**	2015/03
DICHLOROMETHANE	**34423**	**072**	2009/03/12	**.000**	2015/03
ETHYLBENZENE	**34371**	**072**	2009/03/12	**.000**	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/23	**< .000**	2019/01
MONOCHLOROBENZENE	**34301**	**072**	2009/03/12	**.000**	2015/03
STYRENE	**77128**	**072**	2009/03/12	**.000**	2015/03
TETRACHLOROETHYLENE	**34475**	**072**	2009/03/12	**.000**	2015/03
TOLUENE	**34010**	**072**	2009/03/12	**.000**	2015/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/03/12	**.000**	2015/03
TRICHLOROETHYLENE	**39180**	**072**	2009/03/12	**.000**	2015/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/03/12	**.000**	2015/03
VINYL CHLORIDE	**39175**	**072**	2009/03/12	**.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-022
Source Name: WELL 8G2
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
XYLENES (TOTAL)	81551	072	2009/03/12		.000	2015/03
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2013/01/23	.	200.000	2016/01
CALCIUM	00916	036	2013/01/23	.	55.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/23	<	.000	2016/01
CHLORIDE	00940	036	2013/01/23	.	42.000	2016/01
COLOR	00081	036	2013/01/23	<	.000	2016/01
COPPER	01042	036	2013/01/23	<	.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/23	<	.000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/23	.	170.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/23	<	.000	2016/01
IRON	01045	036	2014/07/01	<	.000	2017/07
MAGNESIUM	00927	036	2013/01/23	.	8.100	2016/01
MANGANESE	01055	036	2014/07/01	.	450.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/01/23		1.000	2016/01
PH, LABORATORY	00403	036	2013/01/23	.	7.600	2016/01
SILVER	01077	036	2013/01/23	<	.000	2016/01
SODIUM	00929	036	2013/01/23		51.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/23	.	570.000	2016/01
SULFATE	00945	036	2013/01/23		66.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/23	.	340.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/23	<	.000	2016/01
ZINC	01092	036	2013/01/23	<	.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-023					
Source Name: FE-MN FILTER PLANT EFFLUENT					
Source Number: 023					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610001-024					
Source Name: EMERGENCY INTERTIE - BALDY MESA (VVWD)					
Source Number: 024					
Source Status: PURCHASED TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610001-025					
Source Name: EMERGENCY INTERTIE - VICTORVILLE					
Source Number: 025					
Source Status: PURCHASED TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610001-026					
Source Name: WELL 15					
Source Number: 026					
Source Status: ACTIVE UNTREATED					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/04/19	< .000	2015/04
ANTIMONY	01097	036	2012/04/19	< .000	2015/04
ARSENIC	01002	036	2012/04/19	. 2.400	2015/04
BARIUM	01007	036	2012/04/19	< .000	2015/04
BERYLLIUM	01012	036	2012/04/19	< .000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

PS Code: 3610001-026
Source Name: WELL 15
Source Number: 026
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2012/04/19	< .000	2015/04	
CHROMIUM (TOTAL)	01034	036	2012/04/19	< .000	2015/04	
CHROMIUM, HEXAVALENT	01032	036	2007/06/28	.000	2010/06	DUE
CYANIDE	01291	036	2012/04/19	< .000	2015/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/19	. .320	2015/04	
MERCURY	71900	036	2012/04/19	< .000	2015/04	
NICKEL	01067	036	2012/04/19	< .000	2015/04	
PERCHLORATE	A-031	036	2013/05/14	< .000	2016/05	
SELENIUM	01147	036	2012/04/19	< .000	2015/04	
THALLIUM	01059	036	2012/04/19	< .000	2015/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/24	< .000	2015/01	
NITRITE (AS N)	00620	036	2012/04/19	< .000	2015/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/04/19	< .000	2015/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/04/19	< .000	2015/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/04/19	< .000	2015/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/04/19	< .000	2018/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/04/19	< .000	2018/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/04/19	< .000	2018/04	
1,1,2-TRICHLOROETHANE	34511	072	2012/04/19	< .000	2018/04	
1,1-DICHLOROETHANE	34496	072	2012/04/19	< .000	2018/04	
1,1-DICHLOROETHYLENE	34501	072	2012/04/19	< .000	2018/04	
1,2,4-TRICHLOROBENZENE	34551	072	2012/04/19	< .000	2018/04	
1,2-DICHLOROBENZENE	34536	072	2012/04/19	< .000	2018/04	
1,2-DICHLOROETHANE	34531	072	2012/04/19	< .000	2018/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610001***
System Name: ***ADELANTO, CITY OF***

PS Code: ***3610001-026***
Source Name: ***WELL 15***
Source Number: ***026***
Source Status: ***ACTIVE UNTREATED***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**072**	2012/04/19	**< .000**	2018/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/04/19	**< .000**	2018/04
1,4-DICHLOROBENZENE	**34571**	**072**	2012/04/19	**< .000**	2018/04
BENZENE	**34030**	**072**	2012/04/19	**< .000**	2018/04
CARBON TETRACHLORIDE	**32102**	**072**	2012/04/19	**< .000**	2018/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/04/19	**< .000**	2018/04
DICHLOROMETHANE	**34423**	**072**	2012/04/19	**< .000**	2018/04
ETHYLBENZENE	**34371**	**072**	2012/04/19	**< .000**	2018/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/04/19	**< .000**	2018/04
MONOCHLOROBENZENE	**34301**	**072**	2012/04/19	**< .000**	2018/04
STYRENE	**77128**	**072**	2012/04/19	**< .000**	2018/04
TETRACHLOROETHYLENE	**34475**	**072**	2012/04/19	**< .000**	2018/04
TOLUENE	**34010**	**072**	2012/04/19	**< .000**	2018/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/04/19	**< .000**	2018/04
TRICHLOROETHYLENE	**39180**	**072**	2012/04/19	**< .000**	2018/04
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/04/19	**< .000**	2018/04
VINYL CHLORIDE	**39175**	**072**	2012/04/19	**< .000**	2018/04
XYLENES (TOTAL)	**81551**	**072**	2012/04/19	**< .000**	2018/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/04/19	**. 78.000**	2015/04
CALCIUM	**00916**	**036**	2012/04/19	**. 34.000**	2015/04
CARBONATE ALKALINITY	**00445**	**036**	2012/04/19	**< .000**	2015/04
CHLORIDE	**00940**	**036**	2012/04/19	**. 2.400**	2015/04
COLOR	**00081**	**036**	2012/04/19	**< .000**	2015/04
COPPER	**01042**	**036**	2012/04/19	**< .000**	2015/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/04/19	**< .000**	2015/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/04/19	**. 98.000**	2015/04
HYDROXIDE ALKALINITY	**71830**	**036**	2012/04/19	**< .000**	2015/04
IRON	**01045**	**036**	2013/06/05	**. 170.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-026					
Source Name: WELL 15					
Source Number: 026					
Source Status: ACTIVE UNTREATED					
Water type: G					
SECONDARY/GP					
MAGNESIUM	00927	036	2012/04/19	. 4.100	2015/04
MANGANESE	01055	036	2013/06/05	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2012/04/19	1.000	2015/04
PH, LABORATORY	00403	036	2012/04/19	. 7.800	2015/04
SILVER	01077	036	2012/04/19	< .000	2015/04
SODIUM	00929	036	2012/04/19	65.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/19	. 520.000	2015/04
SULFATE	00945	036	2012/04/19	180.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/19	. 320.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/19	. 1.800	2015/04
ZINC	01092	036	2012/04/19	< .000	2015/04
PS Code: 3610001-601					
Source Name: DBP2-11771 DANA ST					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 1.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 1.100	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 1.300	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 4.300	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 4.600	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-601					
Source Name: DBP2-11771 DANA ST					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 10.200	2014/10
PS Code: 3610001-602					
Source Name: DBP2-19039 MUSKRAT					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	. 10.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	. 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	. 11.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	. 8.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 17.700	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	. 2.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. 19.500	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 48.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610001
System Name: ADELANTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610001-800					
Source Name: WELL 06 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610001-801					
Source Name: WELL 07 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/07/25	< .000	2015/07	
ANTIMONY	01097	036	2012/06/13	< .000	2015/06	
ARSENIC	01002	036	2012/06/13	< .000	2015/06	
BARIUM	01007	036	2012/06/13	< .000	2015/06	
BERYLLIUM	01012	036	2012/06/13	< .000	2015/06	
CADMIUM	01027	036	2012/06/13	< .000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/13	< .000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2002/03/13	. .000	2005/03	DUE
CYANIDE	01291	036	2012/06/13	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/25	< .000	2015/07	
MERCURY	71900	036	2012/06/13	< .000	2015/06	
NICKEL	01067	036	2012/06/13	< .000	2015/06	
PERCHLORATE	A-031	036	2012/06/13	< .000	2015/06	
SELENIUM	01147	036	2012/06/13	< .000	2015/06	
THALLIUM	01059	036	2012/06/13	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/14	. 4.400	2015/05	
NITRITE (AS N)	00620	036	2012/06/13	< .000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/16	. 15.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/14	< .000	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/14	< .000	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/06/23	< .000	2016/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/06/23	< .000	2016/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/06/23	< .000	2016/06	
1,1,2-TRICHLOROETHANE	34511	072	2010/06/23	< .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2010/06/23	< .000	2016/06
1,1-DICHLOROETHYLENE	34501	072	2010/06/23	< .000	2016/06
1,2,4-TRICHLOROBENZENE	34551	072	2010/06/23	< .000	2016/06
1,2-DICHLOROBENZENE	34536	072	2010/06/23	< .000	2016/06
1,2-DICHLOROETHANE	34531	072	2010/06/23	< .000	2016/06
1,2-DICHLOROPROPANE	34541	072	2010/06/23	< .000	2016/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/06/23	< .000	2016/06
1,4-DICHLOROBENZENE	34571	072	2010/06/23	< .000	2016/06
BENZENE	34030	072	2010/06/23	< .000	2016/06
CARBON TETRACHLORIDE	32102	072	2010/06/23	< .000	2016/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/06/23	< .000	2016/06
DICHLOROMETHANE	34423	072	2010/06/23	< .000	2016/06
ETHYLBENZENE	34371	072	2010/06/23	< .000	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/23	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2010/06/23	< .000	2016/06
STYRENE	77128	072	2010/06/23	< .000	2016/06
TETRACHLOROETHYLENE	34475	072	2010/06/23	< .000	2016/06
TOLUENE	34010	072	2010/06/23	< .000	2016/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/06/23	< .000	2016/06
TRICHLOROETHYLENE	39180	072	2010/06/23	< .000	2016/06
TRICHLOROFLUOROMETHANE	34488	072	2010/06/23	< .000	2016/06
VINYL CHLORIDE	39175	072	2010/06/23	< .000	2016/06
XYLENES (TOTAL)	81551	072	2010/06/23	< .000	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/25	. 140.000	2015/07
CALCIUM	00916	036	2012/07/25	. 37.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/25	< .000	2015/07
CHLORIDE	00940	036	2012/07/25	. 16.000	2015/07
COLOR	00081	036	2012/07/25	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2012/07/25	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/25	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/25	. 110.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/25	< .000	2015/07
IRON	01045	036	2012/07/25	< .000	2015/07
MAGNESIUM	00927	036	2012/07/25	. 5.200	2015/07
MANGANESE	01055	036	2012/07/25	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/25	1.000	2015/07
PH, LABORATORY	00403	036	2012/07/25	. 6.400	2015/07
SILVER	01077	036	2012/07/25	< .000	2015/07
SODIUM	00929	036	2012/07/25	11.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/25	. 290.000	2015/07
SULFATE	00945	036	2012/07/25	4.100	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/25	. 180.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/25	. .700	2015/07
ZINC	01092	036	2012/07/25	< .000	2015/07

PS Code: 3610002-004
Source Name: WELL 08
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/07/25	< .000	2015/07
ANTIMONY	01097	036	2012/06/13	< .000	2015/06
ARSENIC	01002	036	2012/06/13	< .000	2015/06
BARIUM	01007	036	2012/06/13	< .000	2015/06
BERYLLIUM	01012	036	2012/06/13	< .000	2015/06
CADMIUM	01027	036	2012/06/13	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-004***

Source Name: ***WELL 08***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/06/13	< .000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2002/03/13	. .000	2005/03	DUE
CYANIDE	01291	036	2012/06/13	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/25	< .000	2015/07	
MERCURY	71900	036	2012/06/13	< .000	2015/06	
NICKEL	01067	036	2012/06/13	< .000	2015/06	
PERCHLORATE	A-031	036	2012/06/13	< .000	2015/06	
SELENIUM	01147	036	2012/06/13	< .000	2015/06	
THALLIUM	01059	036	2012/06/13	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/14	< .000	2015/05	
NITRITE (AS N)	00620	036	2012/06/13	< .000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/16	. 15.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/14	< .000	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/14	< .000	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/06/23	< .000	2016/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/06/23	< .000	2016/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/06/23	< .000	2016/06	
1,1,2-TRICHLOROETHANE	34511	072	2010/06/23	< .000	2016/06	
1,1-DICHLOROETHANE	34496	072	2010/06/23	< .000	2016/06	
1,1-DICHLOROETHYLENE	34501	072	2010/06/23	< .000	2016/06	
1,2,4-TRICHLOROBENZENE	34551	072	2010/06/23	< .000	2016/06	
1,2-DICHLOROBENZENE	34536	072	2010/06/23	< .000	2016/06	
1,2-DICHLOROETHANE	34531	072	2010/06/23	< .000	2016/06	
1,2-DICHLOROPROPANE	34541	072	2010/06/23	< .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-004
Source Name: WELL 08
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/06/23	< .000	2016/06
1,4-DICHLOROBENZENE	34571	072	2010/06/23	< .000	2016/06
BENZENE	34030	072	2010/06/23	< .000	2016/06
CARBON TETRACHLORIDE	32102	072	2010/06/23	< .000	2016/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/06/23	< .000	2016/06
DICHLOROMETHANE	34423	072	2010/06/23	< .000	2016/06
ETHYLBENZENE	34371	072	2010/06/23	< .000	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/23	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2010/06/23	< .000	2016/06
STYRENE	77128	072	2010/06/23	< .000	2016/06
TETRACHLOROETHYLENE	34475	072	2010/06/23	< .000	2016/06
TOLUENE	34010	072	2010/06/23	< .000	2016/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/06/23	< .000	2016/06
TRICHLOROETHYLENE	39180	072	2010/06/23	< .000	2016/06
TRICHLOROFLUOROMETHANE	34488	072	2010/06/23	< .000	2016/06
VINYL CHLORIDE	39175	072	2010/06/23	< .000	2016/06
XYLENES (TOTAL)	81551	072	2010/06/23	< .000	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/25	. 71.000	2015/07
CALCIUM	00916	036	2012/07/25	. 16.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/25	< .000	2015/07
CHLORIDE	00940	036	2012/07/25	. 13.000	2015/07
COLOR	00081	036	2012/07/25	< .000	2015/07
COPPER	01042	036	2012/07/25	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/25	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/25	. 52.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/25	< .000	2015/07
IRON	01045	036	2012/07/25	< .000	2015/07
MAGNESIUM	00927	036	2012/07/25	. 2.700	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-004***

Source Name: ***WELL 08***

Source Number: ***004***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2012/07/25	<	.000	2015/07	
ODOR THRESHOLD @ 60 C	00086	036	2012/07/25		1.000	2015/07	
PH, LABORATORY	00403	036	2012/07/25	.	6.700	2015/07	
SILVER	01077	036	2012/07/25	<	.000	2015/07	
SODIUM	00929	036	2012/07/25		11.000	2015/07	
SPECIFIC CONDUCTANCE	00095	036	2012/07/25	.	160.000	2015/07	
SULFATE	00945	036	2012/07/25		3.300	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/25	.	110.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/25	.	.300	2015/07	
ZINC	01092	036	2012/07/25	<	.000	2015/07	

PS Code: ***3610002-005***

Source Name: ***WELL 09***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/07/25	<	.000	2015/07	
ANTIMONY	01097	036	2012/06/13	<	.000	2015/06	
ARSENIC	01002	036	2012/06/13	<	.000	2015/06	
BARIUM	01007	036	2012/06/13	<	.000	2015/06	
BERYLLIUM	01012	036	2012/06/13	<	.000	2015/06	
CADMIUM	01027	036	2012/06/13	<	.000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/13	<	.000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	**2002/03/13**	.	.000	**2005/03**	**DUE**
CYANIDE	01291	036	2012/06/13	<	.000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/25	<	.000	2015/07	
MERCURY	71900	036	2012/06/13	<	.000	2015/06	
NICKEL	01067	036	2012/06/13	<	.000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-005***

Source Name: ***WELL 09***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2012/06/13	**< .000**	2015/06
SELENIUM	**01147**	**036**	2012/06/13	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/13	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/14	**. 7.600**	2015/05
NITRITE (AS N)	**00620**	**036**	2012/06/13	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/16	**. 16.000**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/05/14	**< .000**	2017/05
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/05/14	**< .000**	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/06/23	**< .000**	2016/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/06/23	**< .000**	2016/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/06/23	**< .000**	2016/06
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/06/23	**< .000**	2016/06
1,1-DICHLOROETHANE	**34496**	**072**	2010/06/23	**< .000**	2016/06
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/06/23	**< .000**	2016/06
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/06/23	**< .000**	2016/06
1,2-DICHLOROBENZENE	**34536**	**072**	2010/06/23	**< .000**	2016/06
1,2-DICHLOROETHANE	**34531**	**072**	2010/06/23	**< .000**	2016/06
1,2-DICHLOROPROPANE	**34541**	**072**	2010/06/23	**< .000**	2016/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/06/23	**< .000**	2016/06
1,4-DICHLOROBENZENE	**34571**	**072**	2010/06/23	**< .000**	2016/06
BENZENE	**34030**	**072**	2010/06/23	**< .000**	2016/06
CARBON TETRACHLORIDE	**32102**	**072**	2010/06/23	**< .000**	2016/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/06/23	**< .000**	2016/06
DICHLOROMETHANE	**34423**	**072**	2010/06/23	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-005***

Source Name: ***WELL 09***

Source Number: ***005***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2010/06/23	**< .000**	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/06/23	**< .000**	2016/06
MONOCHLOROBENZENE	**34301**	**072**	2010/06/23	**< .000**	2016/06
STYRENE	**77128**	**072**	2010/06/23	**< .000**	2016/06
TETRACHLOROETHYLENE	**34475**	**072**	2010/06/23	**< .000**	2016/06
TOLUENE	**34010**	**072**	2010/06/23	**< .000**	2016/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/06/23	**< .000**	2016/06
TRICHLOROETHYLENE	**39180**	**072**	2010/06/23	**< .000**	2016/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/06/23	**< .000**	2016/06
VINYL CHLORIDE	**39175**	**072**	2010/06/23	**< .000**	2016/06
XYLENES (TOTAL)	**81551**	**072**	2010/06/23	**< .000**	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/25	**. 110.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/25	**. 38.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/25	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/25	**. 39.000**	2015/07
COLOR	**00081**	**036**	2012/07/25	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/25	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/25	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/25	**. 120.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/25	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/25	**290.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/25	**. 5.500**	2015/07
MANGANESE	**01055**	**036**	2012/07/25	**< .000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/25	**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/25	**. 6.800**	2015/07
SILVER	**01077**	**036**	2012/07/25	**< .000**	2015/07
SODIUM	**00929**	**036**	2012/07/25	**16.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/25	**. 340.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-005
Source Name: WELL 09
Source Number: 005
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2012/07/25		11.000	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/25	.	250.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/25	.	.300	2015/07	
ZINC	01092	036	2012/07/25	.	280.000	2015/07	

PS Code: 3610002-006
Source Name: WELL 10
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2012/07/25	<	.000	2015/07	
ANTIMONY	01097	036	2012/06/13	<	.000	2015/06	
ARSENIC	01002	036	2012/06/13	<	.000	2015/06	
BARIUM	01007	036	2012/06/13	<	.000	2015/06	
BERYLLIUM	01012	036	2012/06/13	<	.000	2015/06	
CADMIUM	01027	036	2012/06/13	<	.000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/13	<	.000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2002/03/13	.	.000	2005/03	DUE
CYANIDE	01291	036	2012/06/13	<	.000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/25	<	.000	2015/07	
MERCURY	71900	036	2012/06/13	<	.000	2015/06	
NICKEL	01067	036	2012/06/13	<	.000	2015/06	
PERCHLORATE	A-031	036	2012/06/13	<	.000	2015/06	
SELENIUM	01147	036	2012/06/13	<	.000	2015/06	
THALLIUM	01059	036	2012/06/13	<	.000	2015/06	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/05/14	<	.000	2015/05	
NITRITE (AS N)	00620	036	2012/06/13	<	.000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-006
Source Name: WELL 10
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/16	. 7.900	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/14	< .000	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/14	< .000	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2010/06/23	< .000	2016/06
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/06/23	< .000	2016/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/06/23	< .000	2016/06
1,1,2-TRICHLOROETHANE	34511	072	2010/06/23	< .000	2016/06
1,1-DICHLOROETHANE	34496	072	2010/06/23	< .000	2016/06
1,1-DICHLOROETHYLENE	34501	072	2010/06/23	< .000	2016/06
1,2,4-TRICHLOROBENZENE	34551	072	2010/06/23	< .000	2016/06
1,2-DICHLOROBENZENE	34536	072	2010/06/23	< .000	2016/06
1,2-DICHLOROETHANE	34531	072	2010/06/23	< .000	2016/06
1,2-DICHLOROPROPANE	34541	072	2010/06/23	< .000	2016/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/06/23	< .000	2016/06
1,4-DICHLOROBENZENE	34571	072	2010/06/23	< .000	2016/06
BENZENE	34030	072	2010/06/23	< .000	2016/06
CARBON TETRACHLORIDE	32102	072	2010/06/23	< .000	2016/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/06/23	< .000	2016/06
DICHLOROMETHANE	34423	072	2010/06/23	< .000	2016/06
ETHYLBENZENE	34371	072	2010/06/23	< .000	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/23	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2010/06/23	< .000	2016/06
STYRENE	77128	072	2010/06/23	< .000	2016/06
TETRACHLOROETHYLENE	34475	072	2010/06/23	< .000	2016/06
TOLUENE	34010	072	2010/06/23	< .000	2016/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/06/23	< .000	2016/06
TRICHLOROETHYLENE	39180	072	2010/06/23	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-006***

Source Name: ***WELL 10***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/06/23	**< .000**	2016/06
VINYL CHLORIDE	**39175**	**072**	2010/06/23	**< .000**	2016/06
XYLENES (TOTAL)	**81551**	**072**	2010/06/23	**< .000**	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/25	**. 71.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/25	**. 14.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/25	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/25	**. 2.800**	2015/07
COLOR	**00081**	**036**	2012/07/25	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/25	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/25	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/25	**. 43.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/25	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/25	**< .000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/25	**. 2.100**	2015/07
MANGANESE	**01055**	**036**	2012/07/25	**< .000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/25	**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/25	**. 7.600**	2015/07
SILVER	**01077**	**036**	2012/07/25	**< .000**	2015/07
SODIUM	**00929**	**036**	2012/07/25	**9.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/25	**. 130.000**	2015/07
SULFATE	**00945**	**036**	2012/07/25	**1.700**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/25	**. 88.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/25	**. .300**	2015/07
ZINC	**01092**	**036**	2012/07/25	**< .000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-007***

Source Name: ***WELL 11***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/07/25	**< .000**	2015/07	
ANTIMONY	**01097**	**036**	2012/06/13	**< .000**	2015/06	
ARSENIC	**01002**	**036**	2012/06/13	**< .000**	2015/06	
BARIUM	**01007**	**036**	2012/06/13	**< .000**	2015/06	
BERYLLIUM	**01012**	**036**	2012/06/13	**< .000**	2015/06	
CADMIUM	**01027**	**036**	2012/06/13	**< .000**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/13	**< .000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2002/03/13**	**. .000**	**2005/03**	**DUE**
CYANIDE	**01291**	**036**	2012/06/13	**< .000**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/25	**< .000**	2015/07	
MERCURY	**71900**	**036**	2012/06/13	**< .000**	2015/06	
NICKEL	**01067**	**036**	2012/06/13	**< .000**	2015/06	
PERCHLORATE	**A-031**	**036**	2012/06/13	**< .000**	2015/06	
SELENIUM	**01147**	**036**	2012/06/13	**< .000**	2015/06	
THALLIUM	**01059**	**036**	2012/06/13	**< .000**	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/05/14	**< .000**	2015/05	
NITRITE (AS N)	**00620**	**036**	2012/06/13	**< .000**	2015/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/07/16	**. 28.000**	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/05/14	**< .000**	2017/05	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/05/14	**< .000**	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/06/23	**< .000**	2016/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/06/23	**< .000**	2016/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/06/23	**< .000**	2016/06	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/06/23	**< .000**	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002

System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-007

Source Name: WELL 11

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2010/06/23	< .000	2016/06
1,1-DICHLOROETHYLENE	34501	072	2010/06/23	< .000	2016/06
1,2,4-TRICHLOROBENZENE	34551	072	2010/06/23	< .000	2016/06
1,2-DICHLOROBENZENE	34536	072	2010/06/23	< .000	2016/06
1,2-DICHLOROETHANE	34531	072	2010/06/23	< .000	2016/06
1,2-DICHLOROPROPANE	34541	072	2010/06/23	< .000	2016/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/06/23	< .000	2016/06
1,4-DICHLOROBENZENE	34571	072	2010/06/23	< .000	2016/06
BENZENE	34030	072	2010/06/23	< .000	2016/06
CARBON TETRACHLORIDE	32102	072	2010/06/23	< .000	2016/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/06/23	< .000	2016/06
DICHLOROMETHANE	34423	072	2010/06/23	< .000	2016/06
ETHYLBENZENE	34371	072	2010/06/23	< .000	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/23	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2010/06/23	< .000	2016/06
STYRENE	77128	072	2010/06/23	< .000	2016/06
TETRACHLOROETHYLENE	34475	072	2010/06/23	< .000	2016/06
TOLUENE	34010	072	2010/06/23	< .000	2016/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/06/23	< .000	2016/06
TRICHLOROETHYLENE	39180	072	2010/06/23	< .000	2016/06
TRICHLOROFLUOROMETHANE	34488	072	2010/06/23	< .000	2016/06
VINYL CHLORIDE	39175	072	2010/06/23	< .000	2016/06
XYLENES (TOTAL)	81551	072	2010/06/23	< .000	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/25	. 120.000	2015/07
CALCIUM	00916	036	2012/07/25	. 40.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/25	< .000	2015/07
CHLORIDE	00940	036	2012/07/25	. 45.000	2015/07
COLOR	00081	036	2012/07/25	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-007***

Source Name: ***WELL 11***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/07/25	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/25	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/25	. 120.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/25	< .000	2015/07
IRON	01045	036	2012/07/25	130.000	2015/07
MAGNESIUM	00927	036	2012/07/25	. 5.200	2015/07
MANGANESE	01055	036	2012/07/25	. 25.000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/25	1.000	2015/07
PH, LABORATORY	00403	036	2012/07/25	. 7.200	2015/07
SILVER	01077	036	2012/07/25	< .000	2015/07
SODIUM	00929	036	2012/07/25	20.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/25	. 360.000	2015/07
SULFATE	00945	036	2012/07/25	8.700	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/25	. 250.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/25	. 1.400	2015/07
ZINC	01092	036	2012/07/25	< .000	2015/07

PS Code: ***3610002-008***

Source Name: ***WELL 11 - TREATED***

Source Number: ***008***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-009
Source Name: WELL 12
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/07/25	< .000	2015/07	
ANTIMONY	01097	036	2012/06/13	< .000	2015/06	
ARSENIC	01002	036	2012/06/13	< .000	2015/06	
BARIUM	01007	036	2012/06/13	< .000	2015/06	
BERYLLIUM	01012	036	2012/06/13	< .000	2015/06	
CADMIUM	01027	036	2012/06/13	< .000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/13	< .000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2002/03/13	. .000	2005/03	DUE
CYANIDE	01291	036	2012/06/13	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/25	< .000	2015/07	
MERCURY	71900	036	2012/06/13	< .000	2015/06	
NICKEL	01067	036	2012/06/13	< .000	2015/06	
PERCHLORATE	A-031	036	2012/06/13	< .000	2015/06	
SELENIUM	01147	036	2012/06/13	< .000	2015/06	
THALLIUM	01059	036	2012/06/13	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/14	. 3.500	2015/05	
NITRITE (AS N)	00620	036	2012/06/13	< .000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/16	. 17.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/14	< .000	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/14	< .000	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/06/23	< .000	2016/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/06/23	< .000	2016/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/06/23	< .000	2016/06	
1,1,2-TRICHLOROETHANE	34511	072	2010/06/23	< .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

PS Code: 3610002-009
Source Name: WELL 12
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2010/06/23	< .000	2016/06
1,1-DICHLOROETHYLENE	34501	072	2010/06/23	< .000	2016/06
1,2,4-TRICHLOROBENZENE	34551	072	2010/06/23	< .000	2016/06
1,2-DICHLOROBENZENE	34536	072	2010/06/23	< .000	2016/06
1,2-DICHLOROETHANE	34531	072	2010/06/23	< .000	2016/06
1,2-DICHLOROPROPANE	34541	072	2010/06/23	< .000	2016/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/06/23	< .000	2016/06
1,4-DICHLOROBENZENE	34571	072	2010/06/23	< .000	2016/06
BENZENE	34030	072	2010/06/23	< .000	2016/06
CARBON TETRACHLORIDE	32102	072	2010/06/23	< .000	2016/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/06/23	< .000	2016/06
DICHLOROMETHANE	34423	072	2010/06/23	< .000	2016/06
ETHYLBENZENE	34371	072	2010/06/23	< .000	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/23	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2010/06/23	< .000	2016/06
STYRENE	77128	072	2010/06/23	< .000	2016/06
TETRACHLOROETHYLENE	34475	072	2010/06/23	< .000	2016/06
TOLUENE	34010	072	2010/06/23	< .000	2016/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/06/23	< .000	2016/06
TRICHLOROETHYLENE	39180	072	2010/06/23	< .000	2016/06
TRICHLOROFLUOROMETHANE	34488	072	2010/06/23	< .000	2016/06
VINYL CHLORIDE	39175	072	2010/06/23	< .000	2016/06
XYLENES (TOTAL)	81551	072	2010/06/23	< .000	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/25	. 120.000	2015/07
CALCIUM	00916	036	2012/07/25	. 35.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/25	< .000	2015/07
CHLORIDE	00940	036	2012/07/25	. 27.000	2015/07
COLOR	00081	036	2012/07/25	. 10.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

PS Code: ***3610002-009***

Source Name: ***WELL 12***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	**01042**	**036**	2012/07/25	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/25	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/25	**. 110.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/25	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/25	**570.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/25	**. 6.300**	2015/07
MANGANESE	**01055**	**036**	2012/07/25	**< .000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/25	**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/25	**. 6.600**	2015/07
SILVER	**01077**	**036**	2012/07/25	**< .000**	2015/07
SODIUM	**00929**	**036**	2012/07/25	**14.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/25	**. 310.000**	2015/07
SULFATE	**00945**	**036**	2012/07/25	**8.700**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/25	**. 210.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/25	**. 6.200**	2015/07
ZINC	**01092**	**036**	2012/07/25	**. 58.000**	2015/07

PS Code: ***3610002-011E***

Source Name: ***WELLS 8 & 11 BLEND -DISTRIBUTION-TREATED***

Source Number: ***011***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	**999**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610002-012***					
Source Name: ***PURCHASED - CLAWA***					
Source Number: ***012***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610002-601***					
Source Name: ***DBP2-350 CEDARBROOK DR***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/16	**. 6.500**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/16	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/16	**. 6.500**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/16	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/16	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/16	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/16	**. 6.100**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/16	**. 18.100**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/16	**. 2.800**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/16	**. 14.800**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/16	**. 41.800**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610002
System Name: ALPINE WATER USERS ASSOCIATION

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610002-602					
Source Name: DBP2-589 KARENKENPINES DR					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/16	. 3.800	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/16	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/16	. 3.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/16	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/16	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/16	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/16	. 4.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/16	. 8.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/16	. 1.800	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/16	. 10.200	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/16	. 24.900	2014/10
PS Code: 3610002-800					
Source Name: WELL 01 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610002***

System Name: ***ALPINE WATER USERS ASSOCIATION***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610002-801***					
Source Name: ***WELL 10 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610002-802***					
Source Name: ***WELL 12 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/29	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/29	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/05/29	**< 2.000**	2017/05
BARIUM	**01007**	**036**	2014/05/29	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/29	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/29	**< 1.000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/29	**. 4.800**	2017/05
CYANIDE	**01291**	**036**	2014/05/29	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/29	**. .500**	2017/05
MERCURY	**71900**	**036**	2014/05/29	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/29	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/29	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/29	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/29	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/29	**. 19.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/29	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/03/14	**. 4.760**	2021/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/04/24	**< .010**	2017/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/04/24	**< .020**	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/09/18	**< .500**	2019/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/09/18	**< .500**	2019/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/09/18	**< 10.000**	2019/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/09/18	**< .500**	2019/09
1,1-DICHLOROETHANE	**34496**	**072**	2013/09/18	**< .500**	2019/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-002***

Source Name: ***WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/09/18	**< .500**	2019/09
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/09/18	**< .500**	2019/09
1,2-DICHLOROBENZENE	**34536**	**072**	2013/09/18	**< .500**	2019/09
1,2-DICHLOROETHANE	**34531**	**072**	2013/09/18	**< .500**	2019/09
1,2-DICHLOROPROPANE	**34541**	**072**	2013/09/18	**< .500**	2019/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/09/18	**< .500**	2019/09
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/18	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/18	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/18	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/18	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/18	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/18	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/18	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/18	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/18	**< .500**	2019/09
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/18	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/18	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/18	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/18	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/18	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/29	**. 110.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/29	**. 110.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/29	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/29	**. 240.000**	2017/05
COLOR	**00081**	**036**	2014/05/29	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/29	**< 50.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-002
Source Name: WELL 04
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 400.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 29.000	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/29	. 7.700	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 120.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 1400.000	2017/05
SULFATE	00945	036	2014/05/29	. 200.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 880.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	. .250	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610003-004
Source Name: WELL 09
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/06/12	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/12	< 6.000	2016/06
ARSENIC	01002	036	2013/06/12	< 2.000	2016/06
BARIUM	01007	036	2013/06/12	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/12	< 1.000	2016/06
CADMIUM	01027	036	2013/06/12	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/12	< 1.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-004
Source Name: WELL 09
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2013/06/12	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/12	. .400	2016/06	
MERCURY	71900	036	2013/06/12	< 1.000	2016/06	
NICKEL	01067	036	2013/06/12	< 10.000	2016/06	
PERCHLORATE	A-031	036	2013/06/12	< 4.000	2016/06	
SELENIUM	01147	036	2013/06/12	< 5.000	2016/06	
THALLIUM	01059	036	2013/06/12	< 1.000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/12	. 24.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/12	< 100.000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/03/13	.000	2022/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/07	< .000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/07	< .000	2014/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09	
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09	
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09	
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-004***

Source Name: ***WELL 09***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2012/09/12	**< .500**	2018/09
CARBON TETRACHLORIDE	**32102**	**072**	2012/09/12	**< .500**	2018/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/09/12	**< .500**	2018/09
DICHLOROMETHANE	**34423**	**072**	2012/09/12	**< .500**	2018/09
ETHYLBENZENE	**34371**	**072**	2012/09/12	**< .500**	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/09/12	**< 3.000**	2018/09
MONOCHLOROBENZENE	**34301**	**072**	2012/09/12	**< .500**	2018/09
STYRENE	**77128**	**072**	2012/09/12	**< .500**	2018/09
TETRACHLOROETHYLENE	**34475**	**072**	2012/09/12	**< .500**	2018/09
TOLUENE	**34010**	**072**	2012/09/12	**< .500**	2018/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROETHYLENE	**39180**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/09/12	**< 5.000**	2018/09
VINYL CHLORIDE	**39175**	**072**	2012/09/12	**< .500**	2018/09
XYLENES (TOTAL)	**81551**	**072**	2012/09/12	**< .500**	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/12	**. 120.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/12	**. 28.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/12	**< 3.000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/12	**. 26.000**	2016/06
COLOR	**00081**	**036**	2013/06/12	**< 3.000**	2016/06
COPPER	**01042**	**036**	2013/06/12	**< 50.000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/12	**< .050**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/12	**. 140.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/12	**< 3.000**	2016/06
IRON	**01045**	**036**	2013/06/12	**< 100.000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/12	**. 17.000**	2016/06
MANGANESE	**01055**	**036**	2013/06/12	**< 20.000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/12	**< 1.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-004
Source Name: WELL 09
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2013/06/12	. 7.800	2016/06
SILVER	01077	036	2013/06/12	< 10.000	2016/06
SODIUM	00929	036	2013/06/12	17.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/12	. 380.000	2016/06
SULFATE	00945	036	2013/06/12	16.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/12	. 190.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/12	< .200	2016/06
ZINC	01092	036	2013/06/12	< 50.000	2016/06

PS Code: 3610003-008
Source Name: WELL 11R
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/06/13	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/13	< 6.000	2015/06
ARSENIC	01002	036	2012/06/13	< 2.000	2015/06
BARIUM	01007	036	2012/06/13	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	< 1.000	2015/06
CADMIUM	01027	036	2012/06/13	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/13	. 3.200	2015/06
CYANIDE	01291	036	2012/06/13	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	. .700	2015/06
MERCURY	71900	036	2012/06/13	< 1.000	2015/06
NICKEL	01067	036	2012/06/13	< 10.000	2015/06
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07
SELENIUM	01147	036	2012/06/13	< 5.000	2015/06
THALLIUM	01059	036	2012/06/13	< 1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-008***

Source Name: ***WELL 11R***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/07/11	**. 12.000**	2014/07
NITRITE (AS N)	**00620**	**036**	2012/06/13	**< 100.000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/05/22	**. .660**	2019/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/04/24	**< .010**	2017/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/04/24	**< .020**	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/09/18	**< .500**	2019/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/09/18	**< .500**	2019/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/09/18	**< 10.000**	2019/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/09/18	**< .500**	2019/09
1,1-DICHLOROETHANE	**34496**	**072**	2013/09/18	**< .500**	2019/09
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/09/18	**< .500**	2019/09
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/09/18	**< .500**	2019/09
1,2-DICHLOROBENZENE	**34536**	**072**	2013/09/18	**< .500**	2019/09
1,2-DICHLOROETHANE	**34531**	**072**	2013/09/18	**< .500**	2019/09
1,2-DICHLOROPROPANE	**34541**	**072**	2013/09/18	**< .500**	2019/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/09/18	**< .500**	2019/09
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/18	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/18	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/18	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/18	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/18	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/18	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/18	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/18	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/18	**< .500**	2019/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-008
Source Name: WELL 11R
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	072	2013/09/18	< .500	2019/09
TOLUENE	34010	072	2013/09/18	< .500	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/18	< .500	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/18	< .500	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/18	< 5.000	2019/09
VINYL CHLORIDE	39175	072	2013/09/18	< .500	2019/09
XYLENES (TOTAL)	81551	072	2013/09/18	< .500	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/03	. 92.000	2015/07
CALCIUM	00916	036	2012/06/13	. 45.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/07/03	< 3.000	2015/07
CHLORIDE	00940	036	2012/06/13	. 22.000	2015/06
COLOR	00081	036	2012/06/13	< 3.000	2015/06
COPPER	01042	036	2012/06/13	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/13	. .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/13	. 150.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/07/03	< 3.000	2015/07
IRON	01045	036	2012/06/13	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/13	. 9.700	2015/06
MANGANESE	01055	036	2012/06/13	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/13	< 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/13	. 7.900	2015/06
SILVER	01077	036	2012/06/13	< 10.000	2015/06
SODIUM	00929	036	2012/06/13	48.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/13	. 520.000	2015/06
SULFATE	00945	036	2012/06/13	140.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/13	. 360.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/13	< .200	2015/06
ZINC	01092	036	2012/06/13	< 50.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-009***

Source Name: ***WELL 12***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/29	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/29	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/05/29	**. 2.200**	2017/05
BARIUM	**01007**	**036**	2014/05/29	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/29	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/29	**< 1.000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/29	**. 2.500**	2017/05
CYANIDE	**01291**	**036**	2014/05/29	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/29	**. .500**	2017/05
MERCURY	**71900**	**036**	2014/05/29	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/29	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/29	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/29	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/29	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/29	**. 7.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/29	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/08/24	**< .000**	2019/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/04/24	**< .010**	2017/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/04/24	**< .020**	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/09/12	**< .500**	2018/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/09/12	**< .500**	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/09/12	**< 10.000**	2018/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/09/12	**< .500**	2018/09
1,1-DICHLOROETHANE	**34496**	**072**	2012/09/12	**< .500**	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-009
Source Name: WELL 12
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09
BENZENE	34030	072	2012/09/12	< .500	2018/09
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09
STYRENE	77128	072	2012/09/12	< .500	2018/09
TETRACHLOROETHYLENE	34475	072	2012/09/12	< .500	2018/09
TOLUENE	34010	072	2012/09/12	< .500	2018/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/09/12	< .500	2018/09
TRICHLOROETHYLENE	39180	072	2012/09/12	< .500	2018/09
TRICHLOROFLUOROMETHANE	34488	072	2012/09/12	< 5.000	2018/09
VINYL CHLORIDE	39175	072	2012/09/12	< .500	2018/09
XYLENES (TOTAL)	81551	072	2012/09/12	< .500	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/29	. 100.000	2017/05
CALCIUM	00916	036	2014/05/29	. 27.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/29	. 13.000	2017/05
COLOR	00081	036	2014/05/29	< 3.000	2017/05
COPPER	01042	036	2014/05/29	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-009
Source Name: WELL 12
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 91.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 5.700	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/29	. 8.100	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 33.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 340.000	2017/05
SULFATE	00945	036	2014/05/29	. 47.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 210.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	< .200	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610003-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/29	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/29	< 6.000	2017/05
ARSENIC	01002	036	2014/05/29	< 2.000	2017/05
BARIUM	01007	036	2014/05/29	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/29	< 1.000	2017/05
CADMIUM	01027	036	2014/05/29	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/29	. 1.300	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2014/05/29	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/29	. .400	2017/05
MERCURY	71900	036	2014/05/29	< 1.000	2017/05
NICKEL	01067	036	2014/05/29	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/29	< 4.000	2017/05
SELENIUM	01147	036	2014/05/29	< 5.000	2017/05
THALLIUM	01059	036	2014/05/29	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/29	. 14.000	2015/05
NITRITE (AS N)	00620	036	2014/05/29	< 100.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/08/24	< .000	2019/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2012/09/12	< .500	2018/09
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09
STYRENE	77128	072	2012/09/12	< .500	2018/09
TETRACHLOROETHYLENE	34475	072	2012/09/12	< .500	2018/09
TOLUENE	34010	072	2012/09/12	< .500	2018/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/09/12	< .500	2018/09
TRICHLOROETHYLENE	39180	072	2012/09/12	< .500	2018/09
TRICHLOROFLUOROMETHANE	34488	072	2012/09/12	< 5.000	2018/09
VINYL CHLORIDE	39175	072	2012/09/12	< .500	2018/09
XYLENES (TOTAL)	81551	072	2012/09/12	< .500	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/29	. 110.000	2017/05
CALCIUM	00916	036	2014/05/29	. 34.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/29	. 17.000	2017/05
COLOR	00081	036	2014/05/29	< 3.000	2017/05
COPPER	01042	036	2014/05/29	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 120.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 7.500	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/05/29	. 7.800	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 26.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 360.000	2017/05
SULFATE	00945	036	2014/05/29	. 38.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 230.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	< .200	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610003-013
Source Name: WELL 18
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/13	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/13	< 6.000	2015/06
ARSENIC	01002	036	2012/06/13	. 2.400	2015/06
BARIUM	01007	036	2012/06/13	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	< 1.000	2015/06
CADMIUM	01027	036	2012/06/13	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/13	. 3.700	2015/06
CYANIDE	01291	036	2012/06/13	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	. .500	2015/06
MERCURY	71900	036	2012/06/13	< 1.000	2015/06
NICKEL	01067	036	2012/06/13	< 10.000	2015/06
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07
SELENIUM	01147	036	2012/06/13	< 5.000	2015/06
THALLIUM	01059	036	2012/06/13	< 1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-013
Source Name: WELL 18
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/07/11	. 3.000	2014/07
NITRITE (AS N)	00620	036	2012/06/13	< 100.000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/03/14	. 2.060	2021/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09
BENZENE	34030	072	2012/09/12	< .500	2018/09
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09
STYRENE	77128	072	2012/09/12	< .500	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-013
Source Name: WELL 18
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	072	2012/09/12	< .500	2018/09
TOLUENE	34010	072	2012/09/12	< .500	2018/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/09/12	< .500	2018/09
TRICHLOROETHYLENE	39180	072	2012/09/12	< .500	2018/09
TRICHLOROFLUOROMETHANE	34488	072	2012/09/12	< 5.000	2018/09
VINYL CHLORIDE	39175	072	2012/09/12	< .500	2018/09
XYLENES (TOTAL)	81551	072	2012/09/12	< .500	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/13	. 88.000	2015/06
CALCIUM	00916	036	2012/06/13	. 12.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/13	< 3.000	2015/06
CHLORIDE	00940	036	2012/06/13	. 4.500	2015/06
COLOR	00081	036	2012/06/13	< 3.000	2015/06
COPPER	01042	036	2012/06/13	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/13	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/13	. 36.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/13	< 3.000	2015/06
IRON	01045	036	2012/06/13	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/13	. 1.400	2015/06
MANGANESE	01055	036	2012/06/13	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/13	< 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/13	. 8.400	2015/06
SILVER	01077	036	2012/06/13	< 10.000	2015/06
SODIUM	00929	036	2012/06/13	27.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/13	. 190.000	2015/06
SULFATE	00945	036	2012/06/13	8.900	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/13	. 130.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/13	< .200	2015/06
ZINC	01092	036	2012/06/13	< 50.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-014
Source Name: WELL 19
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/05/29	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/29	< 6.000	2017/05
ARSENIC	01002	036	2014/05/29	< 2.000	2017/05
BARIUM	01007	036	2014/05/29	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/29	< 1.000	2017/05
CADMIUM	01027	036	2014/05/29	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/29	. 6.200	2017/05
CYANIDE	01291	036	2014/05/29	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/29	. .700	2017/05
MERCURY	71900	036	2014/05/29	< 1.000	2017/05
NICKEL	01067	036	2014/05/29	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/29	< 4.000	2017/05
SELENIUM	01147	036	2014/05/29	< 5.000	2017/05
THALLIUM	01059	036	2014/05/29	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/29	. 16.000	2015/05
NITRITE (AS N)	00620	036	2014/05/29	< 100.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/03/15	< .000	2020/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/08/19	.000	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/08/19	.000	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/08/19	.000	2015/08
1,1,2-TRICHLOROETHANE	34511	072	2009/08/19	.000	2015/08
1,1-DICHLOROETHANE	34496	072	2009/08/19	.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-014***

Source Name: ***WELL 19***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/08/19	**.000**	2015/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/08/19	**.000**	2015/08
1,2-DICHLOROBENZENE	**34536**	**072**	2009/08/19	**.000**	2015/08
1,2-DICHLOROETHANE	**34531**	**072**	2009/08/19	**.000**	2015/08
1,2-DICHLOROPROPANE	**34541**	**072**	2009/08/19	**.000**	2015/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/08/19	**.000**	2015/08
1,4-DICHLOROBENZENE	**34571**	**072**	2009/08/19	**.000**	2015/08
BENZENE	**34030**	**072**	2009/08/19	**.000**	2015/08
CARBON TETRACHLORIDE	**32102**	**072**	2009/08/19	**.000**	2015/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/08/19	**.000**	2015/08
DICHLOROMETHANE	**34423**	**072**	2009/08/19	**.000**	2015/08
ETHYLBENZENE	**34371**	**072**	2009/08/19	**.000**	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/08/19	**.000**	2015/08
MONOCHLOROBENZENE	**34301**	**072**	2009/08/19	**.000**	2015/08
STYRENE	**77128**	**072**	2009/08/19	**.000**	2015/08
TETRACHLOROETHYLENE	**34475**	**072**	2009/08/19	**.000**	2015/08
TOLUENE	**34010**	**072**	2009/08/19	**.000**	2015/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/08/19	**.000**	2015/08
TRICHLOROETHYLENE	**39180**	**072**	2009/08/19	**.000**	2015/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/08/19	**.000**	2015/08
VINYL CHLORIDE	**39175**	**072**	2009/08/19	**.000**	2015/08
XYLENES (TOTAL)	**81551**	**072**	2009/08/19	**.000**	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/29	**. 120.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/29	**. 66.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/29	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/29	**. 110.000**	2017/05
COLOR	**00081**	**036**	2014/05/29	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/29	**< 50.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-014
Source Name: WELL 19
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 230.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 16.000	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/29	. 7.800	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 87.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 900.000	2017/05
SULFATE	00945	036	2014/05/29	. 150.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 590.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	< .200	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610003-016
Source Name: WELL 21
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/06/14	< .000	2014/06	DUE
ANTIMONY	01097	036	2011/06/14	< .000	2014/06	DUE
ARSENIC	01002	036	2011/06/14	< .000	2014/06	DUE
BARIUM	01007	036	2011/06/14	< .000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/14	< .000	2014/06	DUE
CADMIUM	01027	036	2011/06/14	< .000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/14	< .000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-016
Source Name: WELL 21
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2011/06/14	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/14	. .630	2014/06	DUE
MERCURY	71900	036	2011/06/14	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/14	< .000	2014/06	DUE
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07	
SELENIUM	01147	036	2011/06/14	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/14	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/11	. 3.800	2014/07	
NITRITE (AS N)	00620	036	2011/06/14	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	072	2013/03/13	. 5.630	2019/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/10/18	< .010	2015/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/10/18	< .020	2015/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/10/09	< .500	2019/10	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/10/09	< .500	2019/10	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/10/09	< 10.000	2019/10	
1,1,2-TRICHLOROETHANE	34511	072	2013/10/09	< .500	2019/10	
1,1-DICHLOROETHANE	34496	072	2013/10/09	< .500	2019/10	
1,1-DICHLOROETHYLENE	34501	072	2013/10/09	< .500	2019/10	
1,2,4-TRICHLOROBENZENE	34551	072	2013/10/09	< .500	2019/10	
1,2-DICHLOROBENZENE	34536	072	2013/10/09	< .500	2019/10	
1,2-DICHLOROETHANE	34531	072	2013/10/09	< .500	2019/10	
1,2-DICHLOROPROPANE	34541	072	2013/10/09	< .500	2019/10	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/10/09	< .500	2019/10	
1,4-DICHLOROBENZENE	34571	072	2013/10/09	< .500	2019/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-016
Source Name: WELL 21
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
BENZENE	34030	072	2013/10/09	< .500	2019/10	
CARBON TETRACHLORIDE	32102	072	2013/10/09	< .500	2019/10	
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/10/09	< .500	2019/10	
DICHLOROMETHANE	34423	072	2013/10/09	< .500	2019/10	
ETHYLBENZENE	34371	072	2013/10/09	< .500	2019/10	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/10/09	< 3.000	2019/10	
MONOCHLOROBENZENE	34301	072	2013/10/09	< .500	2019/10	
STYRENE	77128	072	2013/10/09	< .500	2019/10	
TETRACHLOROETHYLENE	34475	072	2013/10/09	< .500	2019/10	
TOLUENE	34010	072	2013/10/09	< .500	2019/10	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/10/09	< .500	2019/10	
TRICHLOROETHYLENE	39180	072	2013/10/09	< .500	2019/10	
TRICHLOROFLUOROMETHANE	34488	072	2013/10/09	< 5.000	2019/10	
VINYL CHLORIDE	39175	072	2013/10/09	< .500	2019/10	
XYLENES (TOTAL)	81551	072	2013/10/09	< .500	2019/10	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/06/14	. 100.000	2014/06	DUE
CALCIUM	00916	036	2011/06/14	. 110.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/14	< .000	2014/06	DUE
CHLORIDE	00940	036	2011/06/14	. 260.000	2014/06	DUE
COLOR	00081	036	2011/06/14	< .000	2014/06	DUE
COPPER	01042	036	2011/06/14	< .000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/14	< .000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/14	. 390.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/14	< .000	2014/06	DUE
IRON	01045	036	2011/06/14	< .000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/14	. 28.000	2014/06	DUE
MANGANESE	01055	036	2011/06/14	< .000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/14	1.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-016
Source Name: WELL 21
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PH, LABORATORY	00403	036	2011/06/14	.	7.700	2014/06	DUE
SILVER	01077	036	2011/06/14	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/14		130.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/14	.	1400.000	2014/06	DUE
SULFATE	00945	036	2011/06/14		200.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/14	.	870.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/14	.	.100	2014/06	DUE
ZINC	01092	036	2011/06/14	<	.000	2014/06	DUE

PS Code: 3610003-017
Source Name: WELL 22
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/06/13	<	50.000	2015/06
ANTIMONY	01097	036	2012/06/13	<	6.000	2015/06
ARSENIC	01002	036	2012/06/13	<	2.000	2015/06
BARIUM	01007	036	2012/06/13	<	100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	.	1.900	2015/06
CADMIUM	01027	036	2012/06/13	<	1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/13	.	5.700	2015/06
CYANIDE	01291	036	2012/06/13	<	100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	.	1.000	2015/06
MERCURY	71900	036	2012/06/13	<	1.000	2015/06
NICKEL	01067	036	2012/06/13	<	10.000	2015/06
PERCHLORATE	A-031	036	2013/07/11	<	4.000	2016/07
SELENIUM	01147	036	2012/06/13	<	5.000	2015/06
THALLIUM	01059	036	2012/06/13	<	1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-017
Source Name: WELL 22
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/07/11	. 4.500	2014/07
NITRITE (AS N)	00620	036	2012/06/13	< 100.000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/03/11	. .981	2023/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09
BENZENE	34030	072	2012/09/12	< .500	2018/09
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09
STYRENE	77128	072	2012/09/12	< .500	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-017
Source Name: WELL 22
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	072	2012/09/12	< .500	2018/09
TOLUENE	34010	072	2012/09/12	< .500	2018/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/09/12	< .500	2018/09
TRICHLOROETHYLENE	39180	072	2012/09/12	< .500	2018/09
TRICHLOROFLUOROMETHANE	34488	072	2012/09/12	< 5.000	2018/09
VINYL CHLORIDE	39175	072	2012/09/12	< .500	2018/09
XYLENES (TOTAL)	81551	072	2012/09/12	< .500	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/13	. 90.000	2015/06
CALCIUM	00916	036	2012/06/13	. 48.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/13	< 3.000	2015/06
CHLORIDE	00940	036	2012/06/13	. 77.000	2015/06
COLOR	00081	036	2012/06/13	< 3.000	2015/06
COPPER	01042	036	2012/06/13	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/13	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/13	. 160.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/13	< 3.000	2015/06
IRON	01045	036	2012/06/13	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/13	. 9.700	2015/06
MANGANESE	01055	036	2012/06/13	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/13	< 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/13	. 8.000	2015/06
SILVER	01077	036	2012/06/13	< 10.000	2015/06
SODIUM	00929	036	2012/06/13	100.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/13	. 790.000	2015/06
SULFATE	00945	036	2012/06/13	200.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/13	. 510.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/13	< .200	2015/06
ZINC	01092	036	2012/06/13	< 50.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-018
Source Name: WELL 23
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/06/13	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/13	< 6.000	2015/06
ARSENIC	01002	036	2012/06/13	< 2.000	2015/06
BARIUM	01007	036	2012/06/13	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	< 1.000	2015/06
CADMIUM	01027	036	2012/06/13	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/13	. 3.200	2015/06
CYANIDE	01291	036	2012/06/13	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	. .500	2015/06
MERCURY	71900	036	2012/06/13	< 1.000	2015/06
NICKEL	01067	036	2012/06/13	< 10.000	2015/06
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07
SELENIUM	01147	036	2012/06/13	< 5.000	2015/06
THALLIUM	01059	036	2012/06/13	< 1.000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/07/11	. 15.000	2014/07
NITRITE (AS N)	00620	036	2012/06/13	< 100.000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/03/14	. 1.110	2021/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-018
Source Name: WELL 23
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09
BENZENE	34030	072	2012/09/12	< .500	2018/09
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09
STYRENE	77128	072	2012/09/12	< .500	2018/09
TETRACHLOROETHYLENE	34475	072	2012/09/12	< .500	2018/09
TOLUENE	34010	072	2012/09/12	< .500	2018/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/09/12	< .500	2018/09
TRICHLOROETHYLENE	39180	072	2012/09/12	< .500	2018/09
TRICHLOROFLUOROMETHANE	34488	072	2012/09/12	< 5.000	2018/09
VINYL CHLORIDE	39175	072	2012/09/12	< .500	2018/09
XYLENES (TOTAL)	81551	072	2012/09/12	< .500	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/13	. 55.000	2015/06
CALCIUM	00916	036	2012/06/13	. 57.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/13	< 3.000	2015/06
CHLORIDE	00940	036	2012/06/13	. 140.000	2015/06
COLOR	00081	036	2012/06/13	< 3.000	2015/06
COPPER	01042	036	2012/06/13	< 50.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-018
Source Name: WELL 23
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2012/06/13	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/13	. 170.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/13	< 3.000	2015/06
IRON	01045	036	2012/06/13	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/13	. 5.800	2015/06
MANGANESE	01055	036	2012/06/13	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/13	< 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/13	. 8.000	2015/06
SILVER	01077	036	2012/06/13	< 10.000	2015/06
SODIUM	00929	036	2012/06/13	96.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/13	. 820.000	2015/06
SULFATE	00945	036	2012/06/13	130.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/13	. 470.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/13	< .200	2015/06
ZINC	01092	036	2012/06/13	< 50.000	2015/06

PS Code: 3610003-020
Source Name: WELL 25
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/06/14	< .000	2014/06	DUE
ANTIMONY	01097	036	2011/06/14	< .000	2014/06	DUE
ARSENIC	01002	036	2011/06/14	. 3.800	2014/06	DUE
BARIUM	01007	036	2011/06/14	< .000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/14	< .000	2014/06	DUE
CADMIUM	01027	036	2011/06/14	< .000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/14	< .000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-020
Source Name: WELL 25
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2011/06/14	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/14	. .640	2014/06	DUE
MERCURY	71900	036	2011/06/14	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/14	< .000	2014/06	DUE
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07	
SELENIUM	01147	036	2011/06/14	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/14	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/11	. 6.000	2014/07	
NITRITE (AS N)	00620	036	2011/06/14	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/31	. 3.000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/07	< .000	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/07	< .000	2014/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09	
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09	
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09	
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-020
Source Name: WELL 25
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
BENZENE	34030	072	2012/09/12	< .500	2018/09	
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09	
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09	
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09	
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09	
STYRENE	77128	072	2012/09/12	< .500	2018/09	
TETRACHLOROETHYLENE	34475	072	2012/09/12	< .500	2018/09	
TOLUENE	34010	072	2012/09/12	< .500	2018/09	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/09/12	< .500	2018/09	
TRICHLOROETHYLENE	39180	072	2012/09/12	< .500	2018/09	
TRICHLOROFLUOROMETHANE	34488	072	2012/09/12	< 5.000	2018/09	
VINYL CHLORIDE	39175	072	2012/09/12	< .500	2018/09	
XYLENES (TOTAL)	81551	072	2012/09/12	< .500	2018/09	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/06/14	. 74.000	2014/06	DUE
CALCIUM	00916	036	2011/06/14	. 20.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/14	< .000	2014/06	DUE
CHLORIDE	00940	036	2011/06/14	. 64.000	2014/06	DUE
COLOR	00081	036	2011/06/14	< .000	2014/06	DUE
COPPER	01042	036	2011/06/14	< .000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/14	< .000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/14	. 54.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/14	< .000	2014/06	DUE
IRON	01045	036	2011/06/14	120.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/14	. 1.700	2014/06	DUE
MANGANESE	01055	036	2011/06/14	< .000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/14	1.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-020
Source Name: WELL 25
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PH, LABORATORY	00403	036	2011/06/14	.	8.000	2014/06	DUE
SILVER	01077	036	2011/06/14	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/14		73.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/14	.	490.000	2014/06	DUE
SULFATE	00945	036	2011/06/14		62.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/14	.	280.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/14	.	.500	2014/06	DUE
ZINC	01092	036	2011/06/14	<	.000	2014/06	DUE

PS Code: 3610003-021
Source Name: WELL 26
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/06/13	<	50.000	2015/06
ANTIMONY	01097	036	2012/06/13	<	6.000	2015/06
ARSENIC	01002	036	2012/06/13	.	3.000	2015/06
BARIUM	01007	036	2012/06/13	<	100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	<	1.000	2015/06
CADMIUM	01027	036	2012/06/13	<	1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/13	.	3.200	2015/06
CYANIDE	01291	036	2012/06/13	<	100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	.	.600	2015/06
MERCURY	71900	036	2012/06/13	<	1.000	2015/06
NICKEL	01067	036	2012/06/13	<	10.000	2015/06
PERCHLORATE	A-031	036	2013/07/11	<	4.000	2016/07
SELENIUM	01147	036	2012/06/13	<	5.000	2015/06
THALLIUM	01059	036	2012/06/13	<	1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-021
Source Name: WELL 26
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/11	. 2.900	2014/07	
NITRITE (AS N)	00620	036	2012/06/13	< 100.000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/03/13	. 1.580	2022/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/11/17	< .010	2011/11	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/11/17	< .020	2011/11	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09	
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09	
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09	
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09	
BENZENE	34030	072	2012/09/12	< .500	2018/09	
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09	
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09	
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09	
MONOCHLOROBENZENE	34301	072	2012/09/12	< .500	2018/09	
STYRENE	77128	072	2012/09/12	< .500	2018/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-021***

Source Name: ***WELL 26***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2012/09/12	**< .500**	2018/09
TOLUENE	**34010**	**072**	2012/09/12	**< .500**	2018/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROETHYLENE	**39180**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/09/12	**< 5.000**	2018/09
VINYL CHLORIDE	**39175**	**072**	2012/09/12	**< .500**	2018/09
XYLENES (TOTAL)	**81551**	**072**	2012/09/12	**< .500**	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/13	**. 88.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/13	**. 12.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/13	**< 3.000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/13	**. 5.600**	2015/06
COLOR	**00081**	**036**	2012/06/13	**< 3.000**	2015/06
COPPER	**01042**	**036**	2012/06/13	**< 50.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/13	**< .050**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/13	**. 35.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/13	**< 3.000**	2015/06
IRON	**01045**	**036**	2012/06/13	**< 100.000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/13	**. 1.200**	2015/06
MANGANESE	**01055**	**036**	2012/06/13	**< 20.000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/13	**< 1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/06/13	**. 8.500**	2015/06
SILVER	**01077**	**036**	2012/06/13	**< 10.000**	2015/06
SODIUM	**00929**	**036**	2012/06/13	**31.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/13	**. 210.000**	2015/06
SULFATE	**00945**	**036**	2012/06/13	**14.000**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/13	**. 120.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/13	**< .200**	2015/06
ZINC	**01092**	**036**	2012/06/13	**< 50.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-024
Source Name: WELL 30 (HILLTOP WELL)
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/12	< 50.000	2016/06	
ANTIMONY	01097	036	2013/06/12	< 6.000	2016/06	
ARSENIC	01002	036	2013/06/12	< 2.000	2016/06	
BARIUM	01007	036	2013/06/12	< 100.000	2016/06	
BERYLLIUM	01012	036	2013/06/12	< 1.000	2016/06	
CADMIUM	01027	036	2013/06/12	< 1.000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/12	< 1.000	2016/06	
CYANIDE	01291	036	2013/06/12	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/12	. .500	2016/06	
MERCURY	71900	036	2013/06/12	< 1.000	2016/06	
NICKEL	01067	036	2013/06/12	< 10.000	2016/06	
PERCHLORATE	A-031	036	2013/06/12	< 4.000	2016/06	
SELENIUM	01147	036	2013/06/12	< 5.000	2016/06	
THALLIUM	01059	036	2013/06/12	< 1.000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/12	. 5.400	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/12	< 100.000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/15	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/18	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/18	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/18	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/18	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-024
Source Name: WELL 30 (HILLTOP WELL)
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2013/09/18	< .500	2019/09
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/18	< .500	2019/09
1,2-DICHLOROBENZENE	34536	072	2013/09/18	< .500	2019/09
1,2-DICHLOROETHANE	34531	072	2013/09/18	< .500	2019/09
1,2-DICHLOROPROPANE	34541	072	2013/09/18	< .500	2019/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/18	< .500	2019/09
1,4-DICHLOROBENZENE	34571	072	2013/09/18	< .500	2019/09
BENZENE	34030	072	2013/09/18	< .500	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/18	< .500	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/18	< .500	2019/09
DICHLOROMETHANE	34423	072	2013/09/18	< .500	2019/09
ETHYLBENZENE	34371	072	2013/09/18	< .500	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/18	< 3.000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/18	< .500	2019/09
STYRENE	77128	072	2013/09/18	< .500	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/18	< .500	2019/09
TOLUENE	34010	072	2013/09/18	< .500	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/18	< .500	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/18	< .500	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/18	< 5.000	2019/09
VINYL CHLORIDE	39175	072	2013/09/18	< .500	2019/09
XYLENES (TOTAL)	81551	072	2013/09/18	< .500	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/12	. 77.000	2016/06
CALCIUM	00916	036	2013/06/12	. 24.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/12	< 3.000	2016/06
CHLORIDE	00940	036	2013/06/12	. 12.000	2016/06
COLOR	00081	036	2013/06/12	< 3.000	2016/06
COPPER	01042	036	2013/06/12	< 50.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-024
Source Name: WELL 30 (HILLTOP WELL)
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/06/12	< .050	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/12	. 77.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/12	< 3.000	2016/06
IRON	01045	036	2013/06/12	< 100.000	2016/06
MAGNESIUM	00927	036	2013/06/12	. 4.100	2016/06
MANGANESE	01055	036	2013/06/12	< 20.000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/12	< 1.000	2016/06
PH, LABORATORY	00403	036	2013/06/12	. 7.600	2016/06
SILVER	01077	036	2013/06/12	< 10.000	2016/06
SODIUM	00929	036	2013/06/12	14.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/12	. 230.000	2016/06
SULFATE	00945	036	2013/06/12	13.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/12	. 140.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/12	< .200	2016/06
ZINC	01092	036	2013/06/12	< 50.000	2016/06

PS Code: 3610003-025
Source Name: WELL 28
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/06/12	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/12	< 6.000	2016/06
ARSENIC	01002	036	2013/06/12	. 4.600	2016/06
BARIUM	01007	036	2013/06/12	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/12	< 1.000	2016/06
CADMIUM	01027	036	2013/06/12	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/12	. 6.300	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-025***

Source Name: ***WELL 28***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2013/06/12	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/12	. 1.100	2016/06	
MERCURY	71900	036	2013/06/12	< 1.000	2016/06	
NICKEL	01067	036	2013/06/12	< 10.000	2016/06	
PERCHLORATE	A-031	036	2013/06/12	< 4.000	2016/06	
SELENIUM	01147	036	2013/06/12	< 5.000	2016/06	
THALLIUM	01059	036	2013/06/12	< 1.000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/12	. 12.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/12	< 100.000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/03/14	. 2.220	2021/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/29	< .010	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/29	< .020	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/18	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/18	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/18	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHYLENE	34501	072	2013/09/18	< .500	2019/09	
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROBENZENE	34536	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROETHANE	34531	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROPROPANE	34541	072	2013/09/18	< .500	2019/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/18	< .500	2019/09	
1,4-DICHLOROBENZENE	34571	072	2013/09/18	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-025***

Source Name: ***WELL 28***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2013/09/18	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/18	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/18	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/18	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/18	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/18	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/18	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/18	**< .500**	2019/09
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/18	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/18	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/18	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/18	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/18	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/12	**. 70.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/12	**. 25.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/12	**< 3.000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/12	**. 64.000**	2016/06
COLOR	**00081**	**036**	2013/06/12	**< 3.000**	2016/06
COPPER	**01042**	**036**	2013/06/12	**< 50.000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/12	**< .050**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/12	**. 70.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/12	**< 3.000**	2016/06
IRON	**01045**	**036**	2013/06/12	**< 100.000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/12	**. 1.500**	2016/06
MANGANESE	**01055**	**036**	2013/06/12	**< 20.000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/12	**< 1.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-025					
Source Name: WELL 28					
Source Number: 025					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
PH, LABORATORY	00403	036	2013/06/12	. 8.400	2016/06
SILVER	01077	036	2013/06/12	< 10.000	2016/06
SODIUM	00929	036	2013/06/12	77.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/12	. 530.000	2016/06
SULFATE	00945	036	2013/06/12	69.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/12	. 280.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/12	< .200	2016/06
ZINC	01092	036	2013/06/12	< 50.000	2016/06
PS Code: 3610003-026T					
Source Name: WELL 30 (HILLTOP WELL) - TREATED					
Source Number: 026					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-029					
Source Name: WELL 29					
Source Number: 029					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/06/12	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/12	< 6.000	2016/06
ARSENIC	01002	036	2013/06/12	. 2.100	2016/06
BARIUM	01007	036	2013/06/12	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/12	< 1.000	2016/06
CADMIUM	01027	036	2013/06/12	< 1.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-029
Source Name: WELL 29
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/06/12	. 1.800	2016/06	
CYANIDE	01291	036	2013/06/12	< 100.000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/12	. .800	2016/06	
MERCURY	71900	036	2013/06/12	< 1.000	2016/06	
NICKEL	01067	036	2013/06/12	< 10.000	2016/06	
PERCHLORATE	A-031	036	2013/06/12	< 4.000	2016/06	
SELENIUM	01147	036	2013/06/12	< 5.000	2016/06	
THALLIUM	01059	036	2013/06/12	< 1.000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/12	. 6.200	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/12	< 100.000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/03/14	. 2.850	2021/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/18	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/18	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/18	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHYLENE	34501	072	2013/09/18	< .500	2019/09	
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROBENZENE	34536	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROETHANE	34531	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROPROPANE	34541	072	2013/09/18	< .500	2019/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/18	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-029***

Source Name: ***WELL 29***

Source Number: ***029***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/18	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/18	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/18	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/18	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/18	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/18	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/18	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/18	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/18	**< .500**	2019/09
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/18	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/18	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/18	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/18	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/18	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/12	**. 94.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/12	**. 22.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/12	**< 3.000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/12	**. 7.600**	2016/06
COLOR	**00081**	**036**	2013/06/12	**< 3.000**	2016/06
COPPER	**01042**	**036**	2013/06/12	**< 50.000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/12	**< .050**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/12	**. 71.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/12	**< 3.000**	2016/06
IRON	**01045**	**036**	2013/06/12	**< 100.000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/12	**. 3.900**	2016/06
MANGANESE	**01055**	**036**	2013/06/12	**< 20.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-029
Source Name: WELL 29
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2013/06/12	< 1.000	2016/06
PH, LABORATORY	00403	036	2013/06/12	. 8.100	2016/06
SILVER	01077	036	2013/06/12	< 10.000	2016/06
SODIUM	00929	036	2013/06/12	24.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/12	. 260.000	2016/06
SULFATE	00945	036	2013/06/12	18.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/12	. 150.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/12	< .200	2016/06
ZINC	01092	036	2013/06/12	< 50.000	2016/06

PS Code: 3610003-030
Source Name: WELL 17R
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/06/12	< 50.000	2016/06
ANTIMONY	01097	036	2013/06/12	< 6.000	2016/06
ARSENIC	01002	036	2013/06/12	< 2.000	2016/06
BARIUM	01007	036	2013/06/12	< 100.000	2016/06
BERYLLIUM	01012	036	2013/06/12	< 1.000	2016/06
CADMIUM	01027	036	2013/06/12	< 1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/12	. 3.100	2016/06
CYANIDE	01291	036	2013/06/12	< 100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/12	. .900	2016/06
MERCURY	71900	036	2013/06/12	< 1.000	2016/06
NICKEL	01067	036	2013/06/12	< 10.000	2016/06
PERCHLORATE	A-031	036	2013/06/12	< 4.000	2016/06
SELENIUM	01147	036	2013/06/12	< 5.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-030***

Source Name: ***WELL 17R***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2013/06/12	< 1.000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/12	. 6.300	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/12	< 100.000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2014/03/11	. 2.530	2023/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/13	< .010	2016/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/13	< .020	2016/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09	
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09	
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09	
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09	
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09	
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09	
BENZENE	34030	072	2012/09/12	< .500	2018/09	
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09	
DICHLOROMETHANE	34423	072	2012/09/12	< .500	2018/09	
ETHYLBENZENE	34371	072	2012/09/12	< .500	2018/09	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/12	< 3.000	2018/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-030***

Source Name: ***WELL 17R***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	**34301**	**072**	2012/09/12	**< .500**	2018/09
STYRENE	**77128**	**072**	2012/09/12	**< .500**	2018/09
TETRACHLOROETHYLENE	**34475**	**072**	2012/09/12	**< .500**	2018/09
TOLUENE	**34010**	**072**	2012/09/12	**< .500**	2018/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROETHYLENE	**39180**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/09/12	**< 5.000**	2018/09
VINYL CHLORIDE	**39175**	**072**	2012/09/12	**< .500**	2018/09
XYLENES (TOTAL)	**81551**	**072**	2012/09/12	**< .500**	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/12	**. 98.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/12	**. 21.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/12	**< 3.000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/12	**. 21.000**	2016/06
COLOR	**00081**	**036**	2013/06/12	**< 3.000**	2016/06
COPPER	**01042**	**036**	2013/06/12	**< 50.000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/12	**< .050**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/12	**. 66.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/12	**< 3.000**	2016/06
IRON	**01045**	**036**	2013/06/12	**< 100.000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/12	**. 3.000**	2016/06
MANGANESE	**01055**	**036**	2013/06/12	**< 20.000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/12	**< 1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/12	**. 8.200**	2016/06
SILVER	**01077**	**036**	2013/06/12	**< 10.000**	2016/06
SODIUM	**00929**	**036**	2013/06/12	**39.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/12	**. 330.000**	2016/06
SULFATE	**00945**	**036**	2013/06/12	**32.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/12	**. 160.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-030
Source Name: WELL 17R
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2013/06/12	< .200	2016/06
ZINC	01092	036	2013/06/12	< 50.000	2016/06

PS Code: 3610003-031
Source Name: WELL 27 - STANDBY
Source Number: 031
Source Status: STANDBY RAW
Water type: G

INORGANIC					
ALUMINUM	01105	108	2014/05/29	< 50.000	2023/05
ANTIMONY	01097	108	2014/05/29	< 6.000	2023/05
ARSENIC	01002	108	2014/05/29	. 4.000	2023/05
BARIUM	01007	108	2014/05/29	< 100.000	2023/05
BERYLLIUM	01012	108	2014/05/29	< 1.000	2023/05
CADMIUM	01027	108	2014/05/29	< 1.000	2023/05
CHROMIUM (TOTAL)	01034	108	2014/05/29	< 1.000	2023/05
CHROMIUM, HEXAVALENT	01032	108	2011/07/20	< 1.000	2020/07
CYANIDE	01291	108	2014/05/29	< 100.000	2023/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2014/05/29	. .700	2023/05
MERCURY	71900	108	2014/05/29	< 1.000	2023/05
NICKEL	01067	108	2014/05/29	< 10.000	2023/05
PERCHLORATE	A-031	108	2014/05/29	< 4.000	2023/05
SELENIUM	01147	108	2014/05/29	< 5.000	2023/05
THALLIUM	01059	108	2014/05/29	< 1.000	2023/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	108	2014/05/29	. 8.700	2023/05
NITRITE (AS N)	00620	108	2014/05/29	< 100.000	2023/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-031
Source Name: WELL 27 - STANDBY
Source Number: 031
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/03/11	. 4.920	2023/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2012/09/12	< .500	2021/09
1,1,2,2-TETRACHLOROETHANE	34516	108	2012/09/12	< .500	2021/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2012/09/12	< 10.000	2021/09
1,1,2-TRICHLOROETHANE	34511	108	2012/09/12	< .500	2021/09
1,1-DICHLOROETHANE	34496	108	2012/09/12	< .500	2021/09
1,1-DICHLOROETHYLENE	34501	108	2012/09/12	< .500	2021/09
1,2,4-TRICHLOROBENZENE	34551	108	2012/09/12	< .500	2021/09
1,2-DICHLOROBENZENE	34536	108	2012/09/12	< .500	2021/09
1,2-DICHLOROETHANE	34531	108	2012/09/12	< .500	2021/09
1,2-DICHLOROPROPANE	34541	108	2012/09/12	< .500	2021/09
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2012/09/12	< .500	2021/09
1,4-DICHLOROBENZENE	34571	108	2012/09/12	< .500	2021/09
BENZENE	34030	108	2012/09/12	< .500	2021/09
CARBON TETRACHLORIDE	32102	108	2012/09/12	< .500	2021/09
CIS-1,2-DICHLOROETHYLENE	77093	108	2012/09/12	< .500	2021/09
DICHLOROMETHANE	34423	108	2012/09/12	< .500	2021/09
ETHYLBENZENE	34371	108	2012/09/12	< .500	2021/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2012/09/12	< 3.000	2021/09
MONOCHLOROBENZENE	34301	108	2012/09/12	< .500	2021/09
STYRENE	77128	108	2012/09/12	< .500	2021/09
TETRACHLOROETHYLENE	34475	108	2012/09/12	< .500	2021/09
TOLUENE	34010	108	2012/09/12	< .500	2021/09
TRANS-1,2-DICHLOROETHYLENE	34546	108	2012/09/12	< .500	2021/09
TRICHLOROETHYLENE	39180	108	2012/09/12	< .500	2021/09
TRICHLOROFLUOROMETHANE	34488	108	2012/09/12	< 5.000	2021/09
VINYL CHLORIDE	39175	108	2012/09/12	< .500	2021/09
XYLENES (TOTAL)	81551	108	2012/09/12	< .500	2021/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-031					
Source Name: WELL 27 - STANDBY					
Source Number: 031					
Source Status: STANDBY RAW					
Water type: G					
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2014/05/29	. 120.000	2023/05
CALCIUM	00916	108	2014/05/29	. 34.000	2023/05
CARBONATE ALKALINITY	00445	108	2014/05/29	< 3.000	2023/05
CHLORIDE	00940	108	2014/05/29	. 140.000	2023/05
COLOR	00081	108	2014/05/29	< 3.000	2023/05
COPPER	01042	108	2014/05/29	< 50.000	2023/05
FOAMING AGENTS (MBAS)	38260	108	2014/05/29	< .050	2023/05
HARDNESS (TOTAL) AS CACO3	00900	108	2014/05/29	. 97.000	2023/05
HYDROXIDE ALKALINITY	71830	108	2014/05/29	< 3.000	2023/05
IRON	01045	108	2014/05/29	< 100.000	2023/05
MAGNESIUM	00927	108	2014/05/29	. 2.700	2023/05
MANGANESE	01055	108	2014/05/29	< 20.000	2023/05
ODOR THRESHOLD @ 60 C	00086	108	2014/05/29	< 1.000	2023/05
PH, LABORATORY	00403	108	2014/05/29	. 7.900	2023/05
SILVER	01077	108	2014/05/29	< 10.000	2023/05
SODIUM	00929	108	2014/05/29	. 230.000	2023/05
SPECIFIC CONDUCTANCE	00095	108	2014/05/29	. 1200.000	2023/05
SULFATE	00945	108	2014/05/29	. 200.000	2023/05
TOTAL DISSOLVED SOLIDS	70300	108	2014/05/29	. 710.000	2023/05
TURBIDITY, LABORATORY	82079	108	2014/05/29	< .200	2023/05
ZINC	01092	108	2014/05/29	< 50.000	2023/05
PS Code: 3610003-032					
Source Name: WELL 34					
Source Number: 032					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/05/29	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-032
Source Name: WELL 34
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ANTIMONY	01097	036	2014/05/29	< 6.000	2017/05	
ARSENIC	01002	036	2014/05/29	. 2.000	2017/05	
BARIUM	01007	036	2014/05/29	< 100.000	2017/05	
BERYLLIUM	01012	036	2014/05/29	< 1.000	2017/05	
CADMIUM	01027	036	2014/05/29	< 1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/29	. 1.100	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2011/06/14	< .000	2014/06	DUE
CYANIDE	01291	036	2014/05/29	< 100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/29	. .400	2017/05	
MERCURY	71900	036	2014/05/29	< 1.000	2017/05	
NICKEL	01067	036	2014/05/29	< 10.000	2017/05	
PERCHLORATE	A-031	036	2014/05/29	< 4.000	2017/05	
SELENIUM	01147	036	2014/05/29	< 5.000	2017/05	
THALLIUM	01059	036	2014/05/29	< 1.000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/29	. 5.200	2015/05	
NITRITE (AS N)	00620	036	2014/05/29	< 100.000	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2008/05/14	< 3.000	2011/05	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/10/18	< .010	2015/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/10/18	< .020	2015/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/18	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/18	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/18	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/18	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-032
Source Name: WELL 34
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2013/09/18	< .500	2019/09
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/18	< .500	2019/09
1,2-DICHLOROBENZENE	34536	072	2013/09/18	< .500	2019/09
1,2-DICHLOROETHANE	34531	072	2013/09/18	< .500	2019/09
1,2-DICHLOROPROPANE	34541	072	2013/09/18	< .500	2019/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/18	< .500	2019/09
1,4-DICHLOROBENZENE	34571	072	2013/09/18	< .500	2019/09
BENZENE	34030	072	2013/09/18	< .500	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/18	< .500	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/18	< .500	2019/09
DICHLOROMETHANE	34423	072	2013/09/18	< .500	2019/09
ETHYLBENZENE	34371	072	2013/09/18	< .500	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/18	< 3.000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/18	< .500	2019/09
STYRENE	77128	072	2013/09/18	< .500	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/18	< .500	2019/09
TOLUENE	34010	072	2013/09/18	< .500	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/18	< .500	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/18	< .500	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/18	< 5.000	2019/09
VINYL CHLORIDE	39175	072	2013/09/18	< .500	2019/09
XYLENES (TOTAL)	81551	072	2013/09/18	< .500	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/29	. 90.000	2017/05
CALCIUM	00916	036	2014/05/29	. 23.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/29	. 8.200	2017/05
COLOR	00081	036	2014/05/29	< 3.000	2017/05
COPPER	01042	036	2014/05/29	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-032
Source Name: WELL 34
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 79.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 5.000	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/29	. 8.100	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 20.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 250.000	2017/05
SULFATE	00945	036	2014/05/29	. 26.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 150.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	< .200	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610003-033
Source Name: WELL 33
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/05/29	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/29	< 6.000	2017/05
ARSENIC	01002	036	2014/05/29	< 2.000	2017/05
BARIUM	01007	036	2014/05/29	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/29	< 1.000	2017/05
CADMIUM	01027	036	2014/05/29	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/29	< 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-033***

Source Name: ***WELL 33***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	01032	036	2011/07/20	< 1.000	2014/07	
CYANIDE	01291	036	2014/05/29	< 100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/29	. .200	2017/05	
MERCURY	71900	036	2014/05/29	< 1.000	2017/05	
NICKEL	01067	036	2014/05/29	< 10.000	2017/05	
PERCHLORATE	A-031	036	2014/05/29	< 4.000	2017/05	
SELENIUM	01147	036	2014/05/29	< 5.000	2017/05	
THALLIUM	01059	036	2014/05/29	< 1.000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/29	. 5.300	2015/05	
NITRITE (AS N)	00620	036	2014/05/29	< 100.000	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2007/11/14**	< 3.000	**2010/11**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/18	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/18	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/18	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHYLENE	34501	072	2013/09/18	< .500	2019/09	
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROBENZENE	34536	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROETHANE	34531	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROPROPANE	34541	072	2013/09/18	< .500	2019/09	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/18	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-033
Source Name: WELL 33
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2013/09/18	< .500	2019/09
BENZENE	34030	072	2013/09/18	< .500	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/18	< .500	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/18	< .500	2019/09
DICHLOROMETHANE	34423	072	2013/09/18	< .500	2019/09
ETHYLBENZENE	34371	072	2013/09/18	< .500	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/18	< 3.000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/18	< .500	2019/09
STYRENE	77128	072	2013/09/18	< .500	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/18	< .500	2019/09
TOLUENE	34010	072	2013/09/18	< .500	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/18	< .500	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/18	< .500	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/18	< 5.000	2019/09
VINYL CHLORIDE	39175	072	2013/09/18	< .500	2019/09
XYLENES (TOTAL)	81551	072	2013/09/18	< .500	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/29	. 89.000	2017/05
CALCIUM	00916	036	2014/05/29	. 23.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/29	. 8.600	2017/05
COLOR	00081	036	2014/05/29	< 3.000	2017/05
COPPER	01042	036	2014/05/29	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 70.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 2.900	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-033
Source Name: WELL 33
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/29	. 7.800	2017/05
SILVER	01077	036	2014/05/29	< 10.000	2017/05
SODIUM	00929	036	2014/05/29	. 14.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 210.000	2017/05
SULFATE	00945	036	2014/05/29	. 10.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 120.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/29	< .200	2017/05
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610003-034T
Source Name: WELL 33 - CHLORINATED
Source Number: 034
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610003-035
Source Name: WELL 36
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/13	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/13	< 6.000	2015/06
ARSENIC	01002	036	2012/06/13	< 2.000	2015/06
BARIUM	01007	036	2012/06/13	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	< 1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-035
Source Name: WELL 36
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2012/06/13	< 1.000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/13	< 1.000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2011/07/20	< 1.000	2014/07	
CYANIDE	01291	036	2012/06/13	< 100.000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	. .300	2015/06	
MERCURY	71900	036	2012/06/13	< 1.000	2015/06	
NICKEL	01067	036	2012/06/13	< 10.000	2015/06	
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07	
SELENIUM	01147	036	2012/06/13	< 5.000	2015/06	
THALLIUM	01059	036	2012/06/13	< 1.000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/11	. 2.200	2014/07	
NITRITE (AS N)	00620	036	2012/06/13	< 100.000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2008/05/14**	< 3.000	**2011/05**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/13	< .010	2016/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/13	< .020	2016/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/18	< .500	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/18	< .500	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/18	< 10.000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/18	< .500	2019/09	
1,1-DICHLOROETHYLENE	34501	072	2013/09/18	< .500	2019/09	
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROBENZENE	34536	072	2013/09/18	< .500	2019/09	
1,2-DICHLOROETHANE	34531	072	2013/09/18	< .500	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-035***

Source Name: ***WELL 36***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**072**	2013/09/18	**< .500**	2019/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/09/18	**< .500**	2019/09
1,4-DICHLOROBENZENE	**34571**	**072**	2013/09/18	**< .500**	2019/09
BENZENE	**34030**	**072**	2013/09/18	**< .500**	2019/09
CARBON TETRACHLORIDE	**32102**	**072**	2013/09/18	**< .500**	2019/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/09/18	**< .500**	2019/09
DICHLOROMETHANE	**34423**	**072**	2013/09/18	**< .500**	2019/09
ETHYLBENZENE	**34371**	**072**	2013/09/18	**< .500**	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/09/18	**< 3.000**	2019/09
MONOCHLOROBENZENE	**34301**	**072**	2013/09/18	**< .500**	2019/09
STYRENE	**77128**	**072**	2013/09/18	**< .500**	2019/09
TETRACHLOROETHYLENE	**34475**	**072**	2013/09/18	**< .500**	2019/09
TOLUENE	**34010**	**072**	2013/09/18	**< .500**	2019/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROETHYLENE	**39180**	**072**	2013/09/18	**< .500**	2019/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/09/18	**< 5.000**	2019/09
VINYL CHLORIDE	**39175**	**072**	2013/09/18	**< .500**	2019/09
XYLENES (TOTAL)	**81551**	**072**	2013/09/18	**< .500**	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/13	**. 73.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/13	**. 27.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/13	**< 3.000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/13	**. 22.000**	2015/06
COLOR	**00081**	**036**	2012/06/13	**< 3.000**	2015/06
COPPER	**01042**	**036**	2012/06/13	**< 50.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/13	**< .050**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/13	**. 87.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/13	**< 3.000**	2015/06
IRON	**01045**	**036**	2012/06/13	**< 100.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-035
Source Name: WELL 36
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2012/06/13	. 4.700	2015/06
MANGANESE	01055	036	2012/06/13	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/13	< 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/13	. 7.400	2015/06
SILVER	01077	036	2012/06/13	< 10.000	2015/06
SODIUM	00929	036	2012/06/13	14.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/13	. 240.000	2015/06
SULFATE	00945	036	2012/06/13	14.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/13	. 150.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/13	< .200	2015/06
ZINC	01092	036	2012/06/13	< 50.000	2015/06

PS Code: 3610003-036
Source Name: WELL 20R
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/06/13	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/13	< 6.000	2015/06
ARSENIC	01002	036	2012/06/13	< 2.000	2015/06
BARIUM	01007	036	2012/06/13	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/13	< 1.000	2015/06
CADMIUM	01027	036	2012/06/13	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/13	. 4.400	2015/06
CHROMIUM, HEXAVALENT	01032	036	2011/07/20	. 3.700	2014/07
CYANIDE	01291	036	2012/06/13	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/13	. .800	2015/06
MERCURY	71900	036	2012/06/13	< 1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

PS Code: 3610003-036
Source Name: WELL 20R
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	01067	036	2012/06/13	< 10.000	2015/06
PERCHLORATE	A-031	036	2013/07/11	< 4.000	2016/07
SELENIUM	01147	036	2012/06/13	< 5.000	2015/06
THALLIUM	01059	036	2012/06/13	< 1.000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/07/11	. 3.600	2014/07
NITRITE (AS N)	00620	036	2012/06/13	< 100.000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/03/14	. 3.110	2021/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/24	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/24	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/09/12	< .500	2018/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/12	< .500	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/12	< 10.000	2018/09
1,1,2-TRICHLOROETHANE	34511	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHANE	34496	072	2012/09/12	< .500	2018/09
1,1-DICHLOROETHYLENE	34501	072	2012/09/12	< .500	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/12	< .500	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/12	< .500	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/12	< .500	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/12	< .500	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/12	< .500	2018/09
1,4-DICHLOROBENZENE	34571	072	2012/09/12	< .500	2018/09
BENZENE	34030	072	2012/09/12	< .500	2018/09
CARBON TETRACHLORIDE	32102	072	2012/09/12	< .500	2018/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/09/12	< .500	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***

System Name: ***APPLE VALLEY RANCHOS WC***

PS Code: ***3610003-036***

Source Name: ***WELL 20R***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	**34423**	**072**	2012/09/12	**< .500**	2018/09
ETHYLBENZENE	**34371**	**072**	2012/09/12	**< .500**	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/09/12	**< 3.000**	2018/09
MONOCHLOROBENZENE	**34301**	**072**	2012/09/12	**< .500**	2018/09
STYRENE	**77128**	**072**	2012/09/12	**< .500**	2018/09
TETRACHLOROETHYLENE	**34475**	**072**	2012/09/12	**< .500**	2018/09
TOLUENE	**34010**	**072**	2012/09/12	**< .500**	2018/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROETHYLENE	**39180**	**072**	2012/09/12	**< .500**	2018/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/09/12	**< 5.000**	2018/09
VINYL CHLORIDE	**39175**	**072**	2012/09/12	**< .500**	2018/09
XYLENES (TOTAL)	**81551**	**072**	2012/09/12	**< .500**	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/13	**. 85.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/13	**. 17.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/13	**< 3.000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/13	**. 14.000**	2015/06
COLOR	**00081**	**036**	2012/06/13	**< 3.000**	2015/06
COPPER	**01042**	**036**	2012/06/13	**< 50.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/13	**< .050**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/13	**. 52.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/13	**< 3.000**	2015/06
IRON	**01045**	**036**	2012/06/13	**< 100.000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/13	**. 2.300**	2015/06
MANGANESE	**01055**	**036**	2012/06/13	**< 20.000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/13	**< 1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/06/13	**. 8.400**	2015/06
SILVER	**01077**	**036**	2012/06/13	**< 10.000**	2015/06
SODIUM	**00929**	**036**	2012/06/13	**41.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-036					
Source Name: WELL 20R					
Source Number: 036					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SPECIFIC CONDUCTANCE	00095	036	2012/06/13	. 290.000	2015/06
SULFATE	00945	036	2012/06/13	34.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/13	. 180.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/13	< .200	2015/06
ZINC	01092	036	2012/06/13	< 50.000	2015/06
PS Code: 3610003-601					
Source Name: DBP2-20374 FLINT RD					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-800					
Source Name: WELL 04 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-801					
Source Name: WELL 09 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-802					
Source Name: WELL 11R - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-803					
Source Name: WELL 12 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-804					
Source Name: WELL 16 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-805					
Source Name: WELL 17R - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-806					
Source Name: WELL 18 - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-807					
Source Name: WELL 19 - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-808					
Source Name: WELL 20R - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-809					
Source Name: WELL 21 - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-810					
Source Name: WELL 22 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-811					
Source Name: WELL 23 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610003
System Name: APPLE VALLEY RANCHOS WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610003-812					
Source Name: WELL 24 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-813					
Source Name: WELL 25 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-814					
Source Name: WELL 26 - TREATED (CL2)					
Source Number: 814					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610003-815					
Source Name: WELL 27 - STANDBY - TREATED (CL2)					
Source Number: 815					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610003***
System Name: ***APPLE VALLEY RANCHOS WC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610003-818***					
Source Name: ***WELL 34 - TREATED (CL2)***					
Source Number: ***818***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610003-819***					
Source Name: ***WELL 36 - TREATED (CL2)***					
Source Number: ***819***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/18	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/18	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/18	**. 7.100**	2017/06	
BARIUM	**01007**	**036**	2014/06/18	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/18	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/01/10**	**. .000**	**2006/01**	**DUE**
CYANIDE	**01291**	**036**	2014/06/18	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/18	**. .330**	2017/06	
MERCURY	**71900**	**036**	2014/06/18	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/18	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/18	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/18	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/18	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/18	**. 18.000**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/18	**< .000**	2017/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2009/03/04	**1.450**	2015/03	
URANIUM (PCI/L)	**28012**	**072**	2009/09/02	**< .667**	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/18	**< .000**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/18	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/18	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/18	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/18	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/18	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/18	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/18	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/18	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/18	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/18	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/18	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/18	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/18	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/18	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/18	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/18	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/18	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/18	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/18	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/18	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/18	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/18	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/18	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/18	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/18	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/18	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/18	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/18	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 160.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 51.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 8.300**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2014/06/18	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 150.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 5.200	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.800	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 14.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 350.000	2017/06
SULFATE	00945	036	2014/06/18	. 23.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 220.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/18	< .000	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

PS Code: 3610004-005
Source Name: WELL 07
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/06/25	< .000	2017/06
ANTIMONY	01097	036	2014/06/25	< .000	2017/06
ARSENIC	01002	036	2014/06/25	. 4.800	2017/06
BARIUM	01007	036	2014/06/25	< .000	2017/06
BERYLLIUM	01012	036	2014/06/25	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-005***

Source Name: ***WELL 07***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/06/25	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/25	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/01/09	. 1.700	2006/01	DUE
CYANIDE	01291	036	2014/06/25	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/25	. .330	2017/06	
MERCURY	71900	036	2014/06/25	< .000	2017/06	
NICKEL	01067	036	2014/06/25	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/25	< .000	2017/06	
SELENIUM	01147	036	2014/06/25	< .000	2017/06	
THALLIUM	01059	036	2014/06/25	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/25	. 9.700	2015/06	
NITRITE (AS N)	00620	036	2014/06/25	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2009/09/02	1.700	2015/09	
URANIUM (PCI/L)	28012	072	2009/09/02	1.201	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/25	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/25	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/25	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/25	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/25	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/25	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/25	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/25	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/25	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/25	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-005
Source Name: WELL 07
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	036	2014/06/25	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/25	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/25	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/25	< .000	2017/06
BENZENE	34030	036	2014/06/25	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/25	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/25	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/25	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/25	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/25	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/25	< .000	2017/06
STYRENE	77128	036	2014/06/25	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/25	< .000	2017/06
TOLUENE	34010	036	2014/06/25	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/25	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/25	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/25	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/25	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/25	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/25	. 170.000	2017/06
CALCIUM	00916	036	2014/06/25	. 45.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/25	< .000	2017/06
CHLORIDE	00940	036	2014/06/25	. 4.900	2017/06
COLOR	00081	036	2014/06/25	< .000	2017/06
COPPER	01042	036	2014/06/25	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/25	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/25	. 130.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/25	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-005
Source Name: WELL 07
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
IRON	01045	036	2014/06/25	. 130.000	2017/06	
MAGNESIUM	00927	036	2014/06/25	. 4.300	2017/06	
MANGANESE	01055	036	2014/06/25	< .000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/06/25	. 1.000	2017/06	
PH, LABORATORY	00403	036	2014/06/25	. 7.700	2017/06	
SILVER	01077	036	2014/06/25	< .000	2017/06	
SODIUM	00929	036	2014/06/25	. 16.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/25	. 330.000	2017/06	
SULFATE	00945	036	2014/06/25	. 18.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/25	. 200.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/25	. .600	2017/06	
ZINC	01092	036	2014/06/25	< .000	2017/06	

PS Code: 3610004-008
Source Name: WELL 11 - RAW
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2014/06/25	< .000	2017/06	
ANTIMONY	01097	036	2014/06/25	< .000	2017/06	
ARSENIC	01002	036	2014/06/25	< .000	2017/06	
BARIUM	01007	036	2014/06/25	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/25	< .000	2017/06	
CADMIUM	01027	036	2014/06/25	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/25	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/08/08	. 20.000	2006/08	DUE
CYANIDE	01291	036	2014/06/25	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/25	. .340	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-008
Source Name: WELL 11 - RAW
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2014/06/25	< .000	2017/06
NICKEL	01067	036	2014/06/25	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/25	. 4.600	2017/06
SELENIUM	01147	036	2014/06/25	< .000	2017/06
THALLIUM	01059	036	2014/06/25	< .000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/25	. 26.000	2015/06
NITRITE (AS N)	00620	036	2014/06/25	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2009/12/10	3.900	2015/12
URANIUM (PCI/L)	28012	072	2009/09/10	2.735	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/25	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/25	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/25	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/25	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/25	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/25	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/25	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/25	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/25	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/25	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/25	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/25	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/25	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/25	< .000	2017/06
BENZENE	34030	036	2014/06/25	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-008
Source Name: WELL 11 - RAW
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	32102	036	2014/06/25	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/25	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/25	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/25	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/25	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/25	< .000	2017/06
STYRENE	77128	036	2014/06/25	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/25	< .000	2017/06
TOLUENE	34010	036	2014/06/25	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/25	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/25	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/25	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/25	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/25	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/25	. 200.000	2017/06
CALCIUM	00916	036	2014/06/25	. 62.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/25	< .000	2017/06
CHLORIDE	00940	036	2014/06/25	. 7.800	2017/06
COLOR	00081	036	2014/06/25	< .000	2017/06
COPPER	01042	036	2014/06/25	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/25	. .120	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/25	. 190.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/25	< .000	2017/06
IRON	01045	036	2014/06/25	< .000	2017/06
MAGNESIUM	00927	036	2014/06/25	. 7.900	2017/06
MANGANESE	01055	036	2014/06/25	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/25	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/25	. 7.600	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-008
Source Name: WELL 11 - RAW
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SILVER	01077	036	2014/06/25	< .000	2017/06	
SODIUM	00929	036	2014/06/25	. 12.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/25	. 430.000	2017/06	
SULFATE	00945	036	2014/06/25	. 27.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/25	. 250.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/25	. .100	2017/06	
ZINC	01092	036	2014/06/25	< .000	2017/06	

PS Code: 3610004-010
Source Name: WELL 15
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/24	< .000	2017/06	
ANTIMONY	01097	036	2014/06/24	< .000	2017/06	
ARSENIC	01002	036	2014/06/24	< .000	2017/06	
BARIUM	01007	036	2014/06/24	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/24	< .000	2017/06	
CADMIUM	01027	036	2014/06/24	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/24	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2004/09/15	< 1.000	2007/09	DUE
CYANIDE	01291	036	2014/06/24	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	. .350	2017/06	
MERCURY	71900	036	2014/06/24	< .000	2017/06	
NICKEL	01067	036	2014/06/24	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/24	< .000	2017/06	
SELENIUM	01147	036	2014/06/24	< .000	2017/06	
THALLIUM	01059	036	2014/06/24	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-010
Source Name: WELL 15
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/24	. 24.000	2015/06
NITRITE (AS N)	00620	036	2014/06/24	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2009/09/02	3.100	2015/09
URANIUM (PCI/L)	28012	072	2009/09/02	2.801	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/24	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/24	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/24	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/24	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/24	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/24	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/24	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/24	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/24	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/24	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/24	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/24	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/24	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/24	< .000	2017/06
BENZENE	34030	036	2014/06/24	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/24	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/24	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/24	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/24	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/24	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/24	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-010
Source Name: WELL 15
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	036	2014/06/24	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/24	< .000	2017/06
TOLUENE	34010	036	2014/06/24	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/24	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/24	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/24	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/24	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/24	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/24	. 220.000	2017/06
CALCIUM	00916	036	2014/06/24	. 78.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06
CHLORIDE	00940	036	2014/06/24	. 12.000	2017/06
COLOR	00081	036	2014/07/09	< .000	2017/07
COPPER	01042	036	2014/06/24	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	. .190	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/24	. 240.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< .000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 12.000	2017/06
MANGANESE	01055	036	2014/06/24	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/06/24	. 7.600	2017/06
SILVER	01077	036	2014/06/24	< .000	2017/06
SODIUM	00929	036	2014/06/24	. 13.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 520.000	2017/06
SULFATE	00945	036	2014/06/24	. 56.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 330.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/07/09	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004

System Name: WEST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610004-010						
Source Name: WELL 15						
Source Number: 010						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
ZINC	01092	036	2014/06/24	< .000	2017/06	
PS Code: 3610004-011						
Source Name: WELL 16						
Source Number: 011						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/06/12	< .000	2017/06	
ANTIMONY	01097	036	2014/06/12	< .000	2017/06	
ARSENIC	01002	036	2014/06/12	< .000	2017/06	
BARIUM	01007	036	2014/06/12	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/12	< .000	2017/06	
CADMIUM	01027	036	2014/06/12	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/12	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/01/09	. 1.000	2006/01	DUE
CYANIDE	01291	036	2014/06/12	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/12	. .250	2017/06	
MERCURY	71900	036	2014/06/12	< .000	2017/06	
NICKEL	01067	036	2014/06/12	< .000	2017/06	
PERCHLORATE	A-031	036	2014/07/16	< .000	2017/07	
SELENIUM	01147	036	2014/06/12	< .000	2017/06	
THALLIUM	01059	036	2014/06/12	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/12	. 27.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/12	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2010/09/27	< .000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	072	2010/12/01	5.500	2016/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/12	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/12	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/12	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/12	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/12	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/12	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/12	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/12	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/12	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/12	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/12	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/12	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/12	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/12	< .000	2017/06
BENZENE	34030	036	2014/06/12	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/12	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/12	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/12	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/12	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/12	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/12	< .000	2017/06
STYRENE	77128	036	2014/06/12	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/12	< .000	2017/06
TOLUENE	34010	036	2014/06/12	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/12	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/12	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/06/12	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/12	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/12	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/12	. 190.000	2017/06
CALCIUM	00916	036	2014/06/12	. 58.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/12	< .000	2017/06
CHLORIDE	00940	036	2014/06/12	. 8.300	2017/06
COLOR	00081	036	2014/07/16	< .000	2017/07
COPPER	01042	036	2014/06/12	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/12	. .110	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/12	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/12	< .000	2017/06
IRON	01045	036	2014/06/12	< .000	2017/06
MAGNESIUM	00927	036	2014/06/12	. 6.300	2017/06
MANGANESE	01055	036	2014/06/12	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/07/16	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/06/12	. 7.600	2017/06
SILVER	01077	036	2014/06/12	< .000	2017/06
SODIUM	00929	036	2014/06/12	. 10.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/12	. 390.000	2017/06
SULFATE	00945	036	2014/06/12	. 22.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/12	. 260.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/07/16	< .000	2017/07
ZINC	01092	036	2014/06/12	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-012***

Source Name: ***WELL 17***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/26	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/26	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/26	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/26	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/26	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/26	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/26	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2002/05/08**	**. 2.000**	**2005/05**	**DUE**
CYANIDE	**01291**	**036**	2014/06/26	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/26	**. .330**	2017/06	
MERCURY	**71900**	**036**	2014/06/26	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/26	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/26	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/26	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/26	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/26	**. 32.000**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/26	**< .000**	2017/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2011/12/15	**. 4.100**	2017/12	
URANIUM (PCI/L)	**28012**	**072**	2011/12/15	**. 4.400**	2017/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/26	**< .000**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/26	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/26	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/26	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/26	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-012
Source Name: WELL 17
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2014/06/26	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/26	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/26	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/26	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/26	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/26	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/26	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/26	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/26	< .000	2017/06
BENZENE	34030	036	2014/06/26	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/26	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/26	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/26	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/26	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/26	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/26	< .000	2017/06
STYRENE	77128	036	2014/06/26	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/26	. .830	2017/06
TOLUENE	34010	036	2014/06/26	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/26	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/26	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/26	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/26	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/26	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/26	. 180.000	2017/06
CALCIUM	00916	036	2014/06/26	. 59.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/26	< .000	2017/06
CHLORIDE	00940	036	2014/06/26	. 7.700	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-012
Source Name: WELL 17
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/06/26	< .000	2017/06
COPPER	01042	036	2014/06/26	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/26	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/26	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/26	< .000	2017/06
IRON	01045	036	2014/06/26	< .000	2017/06
MAGNESIUM	00927	036	2014/06/26	. 6.400	2017/06
MANGANESE	01055	036	2014/06/26	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/26	. 7.600	2017/06
SILVER	01077	036	2014/06/26	< .000	2017/06
SODIUM	00929	036	2014/06/26	. 12.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/26	. 400.000	2017/06
SULFATE	00945	036	2014/06/26	. 25.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 250.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/26	. .400	2017/06
ZINC	01092	036	2014/06/26	< .000	2017/06

PS Code: 3610004-018
Source Name: WELL 24
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/11	< .000	2017/06
ANTIMONY	01097	036	2014/06/11	< .000	2017/06
ARSENIC	01002	036	2014/06/11	< .000	2017/06
BARIUM	01007	036	2014/06/11	< .000	2017/06
BERYLLIUM	01012	036	2014/06/11	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-018***

Source Name: ***WELL 24***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/06/11	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/11	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/07/15	. .000	2006/07	DUE
CYANIDE	01291	036	2014/06/11	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/11	. .340	2017/06	
MERCURY	71900	036	2014/06/11	< .000	2017/06	
NICKEL	01067	036	2014/06/11	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/11	< .000	2017/06	
SELENIUM	01147	036	2014/06/11	< .000	2017/06	
THALLIUM	01059	036	2014/06/11	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/11	. 7.300	2015/06	
NITRITE (AS N)	00620	036	2014/06/11	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2009/09/02	3.000	2015/09	
URANIUM (PCI/L)	28012	072	2009/09/02	1.668	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/11	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/11	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/11	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/11	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/11	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/11	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/11	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/11	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/11	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/11	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-018***

Source Name: ***WELL 24***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/11	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/11	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/11	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/11	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/11	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/11	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/11	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/11	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/11	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/11	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/11	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/11	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/11	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/11	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/11	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/11	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/11	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/11	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/11	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/11	**. 200.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/11	**. 58.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/11	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/11	**. 5.500**	2017/06
COLOR	**00081**	**036**	2014/06/11	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/11	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/11	**. .170**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/11	**. 180.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/11	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-018***

Source Name: ***WELL 24***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
IRON	**01045**	**036**	2014/06/11	**< .000**	2017/06	
MAGNESIUM	**00927**	**036**	2014/06/11	**. 9.100**	2017/06	
MANGANESE	**01055**	**036**	2014/06/11	**< .000**	2017/06	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/11	**. 1.000**	2017/06	
PH, LABORATORY	**00403**	**036**	2014/06/11	**. 7.400**	2017/06	
SILVER	**01077**	**036**	2014/06/11	**< .000**	2017/06	
SODIUM	**00929**	**036**	2014/06/11	**. 9.100**	2017/06	
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/11	**. 380.000**	2017/06	
SULFATE	**00945**	**036**	2014/06/11	**. 25.000**	2017/06	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/11	**. 230.000**	2017/06	
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/11	**. .300**	2017/06	
ZINC	**01092**	**036**	2014/06/11	**< .000**	2017/06	

PS Code: ***3610004-024***

Source Name: ***WELL 30***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/30	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/30	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/30	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/30	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/30	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/30	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/30	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/01/09**	**. .000**	**2006/01**	**DUE**
CYANIDE	**01291**	**036**	2014/06/30	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/30	**. .330**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-024
Source Name: WELL 30
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2014/06/30	< .000	2017/06
NICKEL	01067	036	2014/06/30	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/30	< .000	2017/06
SELENIUM	01147	036	2014/06/30	< .000	2017/06
THALLIUM	01059	036	2014/06/30	< .000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/30	. 5.200	2015/06
NITRITE (AS N)	00620	036	2014/06/30	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2011/09/20	< .000	2017/09
URANIUM (PCI/L)	28012	072	2011/06/16	. 1.900	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/30	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/30	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/30	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/30	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/30	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/30	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/30	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/30	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/30	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/30	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/30	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/30	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/30	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/30	< .000	2017/06
BENZENE	34030	036	2014/06/30	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-024
Source Name: WELL 30
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	32102	036	2014/06/30	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/30	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/30	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/30	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/30	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/30	< .000	2017/06
STYRENE	77128	036	2014/06/30	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/30	< .000	2017/06
TOLUENE	34010	036	2014/06/30	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/30	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/30	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/30	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/30	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/30	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/30	. 220.000	2017/06
CALCIUM	00916	036	2014/06/30	. 60.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/30	< .000	2017/06
CHLORIDE	00940	036	2014/06/30	. 5.300	2017/06
COLOR	00081	036	2014/07/09	< .000	2017/07
COPPER	01042	036	2014/06/30	. 83.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/30	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/30	. 190.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/30	< .000	2017/06
IRON	01045	036	2014/06/30	< .000	2017/06
MAGNESIUM	00927	036	2014/06/30	. 9.100	2017/06
MANGANESE	01055	036	2014/06/30	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/06/30	. 7.600	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-024
Source Name: WELL 30
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SILVER	01077	036	2014/06/30	< .000	2017/06	
SODIUM	00929	036	2014/06/30	. 10.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/30	. 420.000	2017/06	
SULFATE	00945	036	2014/06/30	. 30.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/30	. 240.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/07/09	. .200	2017/07	
ZINC	01092	036	2014/06/30	< .000	2017/06	

PS Code: 3610004-030
Source Name: WELL 33
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/07/15	. 1.300	2006/07	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	. .300	2017/06	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-030
Source Name: WELL 33
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/18	. 12.000	2015/06
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/06/12	. 3.500	2016/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/18	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/18	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/18	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/18	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/18	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/18	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/18	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/18	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/18	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/18	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/18	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/18	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/18	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/18	< .000	2017/06
BENZENE	34030	036	2014/06/18	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/18	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/18	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/18	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/18	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/18	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/18	< .000	2017/06
STYRENE	77128	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-030
Source Name: WELL 33
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2014/06/18	< .000	2017/06
TOLUENE	34010	036	2014/06/18	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/18	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/18	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/18	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/18	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/18	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 180.000	2017/06
CALCIUM	00916	036	2014/06/18	. 48.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 4.900	2017/06
COLOR	00081	036	2014/06/18	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 150.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 7.900	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.800	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 11.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 330.000	2017/06
SULFATE	00945	036	2014/06/18	. 13.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 210.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/18	< .000	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-031***

Source Name: ***WELL 41***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/04	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/04	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/04	**. 2.100**	2017/06	
BARIUM	**01007**	**036**	2014/06/04	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/04	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/04	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/04	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/01/09**	**. 1.700**	**2006/01**	**DUE**
CYANIDE	**01291**	**036**	2014/06/04	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/04	**. .300**	2017/06	
MERCURY	**71900**	**036**	2014/06/04	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/04	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/07/17	**< .000**	2017/07	
SELENIUM	**01147**	**036**	2014/06/04	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/04	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/17	**. 19.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2014/07/17	**< .000**	2017/07	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2009/09/23	**1.080**	2015/09	
URANIUM (PCI/L)	**28012**	**072**	2009/09/23	**1.067**	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/04	**< .000**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/04	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/04	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/04	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/04	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-031***

Source Name: ***WELL 41***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/04	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/04	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/04	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/04	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/04	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/04	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/04	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/04	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/04	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/07/17	**< .000**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/04	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/04	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/04	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/04	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/17	**< .000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/06/04	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/04	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/04	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/04	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/04	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/04	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/04	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/04	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/04	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/04	**. 190.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/04	**. 51.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/04	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/04	**. 11.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-031***

Source Name: ***WELL 41***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/07/17	< .000	2017/07
COPPER	01042	036	2014/06/04	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/04	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/04	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/04	< .000	2017/06
IRON	01045	036	2014/06/04	< .000	2017/06
MAGNESIUM	00927	036	2014/06/04	. 11.000	2017/06
MANGANESE	01055	036	2014/06/04	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/07/17	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/06/04	. 7.700	2017/06
SILVER	01077	036	2014/06/04	< .000	2017/06
SODIUM	00929	036	2014/06/04	. 15.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/04	. 410.000	2017/06
SULFATE	00945	036	2014/06/04	. 28.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/17	. 270.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/17	. .200	2017/07
ZINC	01092	036	2014/06/04	< .000	2017/06

PS Code: ***3610004-032***

Source Name: ***WELL 42***

Source Number: ***032***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/06/12	< .000	2017/06
ANTIMONY	01097	036	2014/06/12	< .000	2017/06
ARSENIC	01002	036	2014/06/12	< .000	2017/06
BARIUM	01007	036	2014/06/12	< .000	2017/06
BERYLLIUM	01012	036	2014/06/12	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-032***

Source Name: ***WELL 42***

Source Number: ***032***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/06/12	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/12	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/12	. 1.900	2005/12	DUE
CYANIDE	01291	036	2014/06/12	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/12	. .190	2017/06	
MERCURY	71900	036	2014/06/12	< .000	2017/06	
NICKEL	01067	036	2014/06/12	< .000	2017/06	
PERCHLORATE	A-031	036	2014/07/22	. .930	2017/07	
SELENIUM	01147	036	2014/06/12	< .000	2017/06	
THALLIUM	01059	036	2014/06/12	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/12	. 20.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/12	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2009/12/09	2.300	2015/12	
URANIUM (PCI/L)	28012	072	2009/09/02	2.535	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/12	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/12	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/12	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/12	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/12	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/12	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/12	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/12	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/12	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/12	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-032
Source Name: WELL 42
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	036	2014/06/12	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/12	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/12	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/12	< .000	2017/06
BENZENE	34030	036	2014/06/12	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/12	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/12	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/12	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/12	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/12	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/12	< .000	2017/06
STYRENE	77128	036	2014/06/12	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/12	< .000	2017/06
TOLUENE	34010	036	2014/06/12	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/12	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/12	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/12	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/12	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/12	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/12	. 190.000	2017/06
CALCIUM	00916	036	2014/06/12	. 57.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/12	< .000	2017/06
CHLORIDE	00940	036	2014/06/12	. 8.000	2017/06
COLOR	00081	036	2014/07/16	< .000	2017/07
COPPER	01042	036	2014/06/12	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/12	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/12	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/12	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-032***

Source Name: ***WELL 42***

Source Number: ***032***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
IRON	01045	036	2014/06/12	< .000	2017/06	
MAGNESIUM	00927	036	2014/06/12	. 6.000	2017/06	
MANGANESE	01055	036	2014/06/12	< .000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/07/16	. 1.000	2017/07	
PH, LABORATORY	00403	036	2014/06/12	. 7.700	2017/06	
SILVER	01077	036	2014/06/12	< .000	2017/06	
SODIUM	00929	036	2014/06/12	. 14.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/12	. 400.000	2017/06	
SULFATE	00945	036	2014/06/12	. 23.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/12	. 240.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/07/16	. .100	2017/07	
ZINC	01092	036	2014/06/12	< .000	2017/06	

PS Code: ***3610004-033***

Source Name: ***WELL 05A***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	. 2.400	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	**2003/01/10**	. 1.000	**2006/01**	**DUE**
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	. .300	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-033
Source Name: WELL 05A
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2014/06/18	< .000	2017/06
NICKEL	01067	036	2014/06/18	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06
SELENIUM	01147	036	2014/06/18	< .000	2017/06
THALLIUM	01059	036	2014/06/18	< .000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/18	. 14.000	2015/06
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2009/09/02	2.600	2015/09
URANIUM (PCI/L)	28012	072	2009/09/02	1.267	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/18	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/18	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/18	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/18	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/18	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/18	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/18	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/18	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/18	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/18	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/18	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/18	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/18	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/18	< .000	2017/06
BENZENE	34030	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-033***

Source Name: ***WELL 05A***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/18	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/18	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/18	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/18	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/18	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/18	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/18	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/18	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/18	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/18	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/18	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/18	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/18	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/18	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 170.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 47.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 4.900**	2017/06
COLOR	**00081**	**036**	2014/06/18	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/18	**. 150.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/18	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/18	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/18	**. 9.100**	2017/06
MANGANESE	**01055**	**036**	2014/06/18	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/18	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/18	**. 7.800**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-033
Source Name: WELL 05A
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SILVER	01077	036	2014/06/18	< .000	2017/06	
SODIUM	00929	036	2014/06/18	. 12.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 340.000	2017/06	
SULFATE	00945	036	2014/06/18	. 18.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 220.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/18	< .000	2017/06	
ZINC	01092	036	2014/06/18	< .000	2017/06	

PS Code: 3610004-034
Source Name: WELL 18A
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/12	< .000	2017/06	
ANTIMONY	01097	036	2014/06/12	< .000	2017/06	
ARSENIC	01002	036	2014/06/12	< .000	2017/06	
BARIUM	01007	036	2014/06/12	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/12	< .000	2017/06	
CADMIUM	01027	036	2014/06/12	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/12	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/01/09	. 2.300	2006/01	DUE
CYANIDE	01291	036	2014/06/12	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/12	. .270	2017/06	
MERCURY	71900	036	2014/06/12	< .000	2017/06	
NICKEL	01067	036	2014/06/12	< .000	2017/06	
PERCHLORATE	A-031	036	2014/07/22	. 4.700	2017/07	
SELENIUM	01147	036	2014/06/12	< .000	2017/06	
THALLIUM	01059	036	2014/06/12	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-034***

Source Name: ***WELL 18A***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/22	**. 36.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/06/12	**< .000**	2017/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2010/12/06	**4.700**	2016/12
URANIUM (PCI/L)	**28012**	**072**	2010/12/06	**5.000**	2016/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/12	**< .000**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/12	**< .000**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/12	**< .000**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/12	**< .000**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/12	**< .000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/12	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/12	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/12	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/12	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/12	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/12	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/12	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/12	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/12	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/12	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/12	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/12	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/12	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/12	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/12	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/12	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-034
Source Name: WELL 18A
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	036	2014/06/12	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/12	. .730	2017/06
TOLUENE	34010	036	2014/06/12	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/12	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/12	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/12	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/12	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/12	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/12	. 210.000	2017/06
CALCIUM	00916	036	2014/06/12	. 73.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/12	< .000	2017/06
CHLORIDE	00940	036	2014/06/12	. 10.000	2017/06
COLOR	00081	036	2014/07/16	< .000	2017/07
COPPER	01042	036	2014/06/12	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/12	. .150	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/12	. 210.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/12	< .000	2017/06
IRON	01045	036	2014/06/12	< .000	2017/06
MAGNESIUM	00927	036	2014/06/12	. 7.800	2017/06
MANGANESE	01055	036	2014/06/12	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/07/16	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/06/12	. 7.700	2017/06
SILVER	01077	036	2014/06/12	< .000	2017/06
SODIUM	00929	036	2014/06/12	. 13.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/12	. 470.000	2017/06
SULFATE	00945	036	2014/06/12	. 33.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/12	. 300.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/07/16	. .200	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610004-034					
Source Name: WELL 18A					
Source Number: 034					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
ZINC	01092	036	2014/06/12	< .000	2017/06
PS Code: 3610004-035R					
Source Name: ROEMER WTP INFLUENT					
Source Number: 035					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-036T					
Source Name: ROEMER WTP EFFLUENT - TREATED					
Source Number: 036					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-037					
Source Name: WELL 23A					
Source Number: 037					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/06/13	< .000	2017/06
ANTIMONY	01097	036	2014/06/13	< .000	2017/06
ARSENIC	01002	036	2014/06/13	. 2.200	2017/06
BARIUM	01007	036	2014/06/13	< .000	2017/06
BERYLLIUM	01012	036	2014/06/13	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-037***

Source Name: ***WELL 23A***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/06/13	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/13	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2004/06/17	. 1.200	2007/06	DUE
CYANIDE	01291	036	2014/06/13	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/13	. .590	2017/06	
MERCURY	71900	036	2014/06/13	< .000	2017/06	
NICKEL	01067	036	2014/06/13	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/13	< .000	2017/06	
SELENIUM	01147	036	2014/06/13	< .000	2017/06	
THALLIUM	01059	036	2014/06/13	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/13	. 3.300	2015/06	
NITRITE (AS N)	00620	036	2014/06/13	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2009/09/16	2.600	2015/09	
URANIUM (PCI/L)	28012	072	2009/09/16	1.801	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/13	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/13	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/13	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/13	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/13	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/13	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/13	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/13	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/13	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/13	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-037***

Source Name: ***WELL 23A***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/13	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/13	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/13	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/13	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/13	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/13	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/13	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/13	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/13	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/13	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/13	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/13	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/13	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/13	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/13	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/13	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/13	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/13	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/13	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/13	**. 150.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/13	**. 37.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/13	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/13	**. 5.200**	2017/06
COLOR	**00081**	**036**	2014/06/13	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/13	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/13	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/13	**. 120.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/13	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-037***

Source Name: ***WELL 23A***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
IRON	01045	036	2014/06/13	. 890.000	2017/06
MAGNESIUM	00927	036	2014/06/13	. 6.100	2017/06
MANGANESE	01055	036	2014/06/13	. 27.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/13	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/13	. 7.700	2017/06
SILVER	01077	036	2014/06/13	< .000	2017/06
SODIUM	00929	036	2014/06/13	. 20.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/13	. 290.000	2017/06
SULFATE	00945	036	2014/06/13	. 24.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/13	. 180.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/13	. 3.200	2017/06
ZINC	01092	036	2014/06/13	< .000	2017/06

PS Code: ***3610004-038T***

Source Name: ***WELL 23A - TREATED***

Source Number: ***038***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: ***3610004-039T***

Source Name: ***WELL 18A - TREATED (PERCHLORATE)***

Source Number: ***039***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-040T
Source Name: WELL 42 - TREATED (PERCHLORATE)
Source Number: 040
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610004-042
Source Name: WELL 08A
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/25	< .000	2017/06	
ANTIMONY	01097	036	2014/06/25	< .000	2017/06	
ARSENIC	01002	036	2014/06/25	. 4.400	2017/06	
BARIUM	01007	036	2014/06/25	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/25	< .000	2017/06	
CADMIUM	01027	036	2014/06/25	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/25	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2004/12/27	. 1.700	2007/12	DUE
CYANIDE	01291	036	2014/06/25	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/25	. .320	2017/06	
MERCURY	71900	036	2014/06/25	< .000	2017/06	
NICKEL	01067	036	2014/06/25	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/25	< .000	2017/06	
SELENIUM	01147	036	2014/06/25	< .000	2017/06	
THALLIUM	01059	036	2014/06/25	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/25	. 13.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/25	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2009/09/02	2.800	2015/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-042***

Source Name: ***WELL 08A***

Source Number: ***042***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	**28012**	**072**	2009/09/02	**1.534**	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/25	**< .000**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/25	**< .000**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/25	**< .000**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/25	**< .000**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/25	**< .000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/25	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/25	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/25	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/25	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/25	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/25	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/25	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/25	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/25	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/25	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/25	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/25	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/25	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/25	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/25	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/25	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/25	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/25	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/25	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/25	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/25	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-042
Source Name: WELL 08A
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/06/25	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/25	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/25	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/25	. 180.000	2017/06
CALCIUM	00916	036	2014/06/25	. 50.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/25	< .000	2017/06
CHLORIDE	00940	036	2014/06/25	. 5.100	2017/06
COLOR	00081	036	2014/06/25	< .000	2017/06
COPPER	01042	036	2014/06/25	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/25	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/25	. 140.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/25	< .000	2017/06
IRON	01045	036	2014/06/25	< .000	2017/06
MAGNESIUM	00927	036	2014/06/25	. 4.600	2017/06
MANGANESE	01055	036	2014/06/25	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/25	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/25	. 7.700	2017/06
SILVER	01077	036	2014/06/25	< .000	2017/06
SODIUM	00929	036	2014/06/25	. 20.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/25	. 350.000	2017/06
SULFATE	00945	036	2014/06/25	. 21.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/25	. 210.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/25	. .800	2017/06
ZINC	01092	036	2014/06/25	. 91.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-043***

Source Name: ***WELL 04A***

Source Number: ***043***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/18	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/18	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/18	**. 2.700**	2017/06	
BARIUM	**01007**	**036**	2014/06/18	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/18	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2004/12/27**	**< 1.000**	**2007/12**	**DUE**
CYANIDE	**01291**	**036**	2014/06/18	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/18	**. .310**	2017/06	
MERCURY	**71900**	**036**	2014/06/18	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/18	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/18	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/18	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/18	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/18	**. 10.000**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/18	**< .000**	2017/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2009/09/02	**2.500**	2015/09	
URANIUM (PCI/L)	**28012**	**072**	2009/09/02	**1.601**	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/18	**< .000**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/18	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/18	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/18	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/18	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-043
Source Name: WELL 04A
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2014/06/18	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/18	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/18	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/18	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/18	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/18	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/18	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/18	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/18	< .000	2017/06
BENZENE	34030	036	2014/06/18	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/18	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/18	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/18	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/18	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/18	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/18	< .000	2017/06
STYRENE	77128	036	2014/06/18	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/18	< .000	2017/06
TOLUENE	34010	036	2014/06/18	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/18	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/18	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/18	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/18	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/18	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 170.000	2017/06
CALCIUM	00916	036	2014/06/18	. 49.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 4.600	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-043***

Source Name: ***WELL 04A***

Source Number: ***043***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/06/18	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 150.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 6.400	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.800	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 11.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 330.000	2017/06
SULFATE	00945	036	2014/06/18	. 19.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 210.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/18	< .000	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

PS Code: ***3610004-044***

Source Name: ***PURCHASED-SBVMWD***

Source Number: ***044***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-045***

Source Name: ***WELL 54***

Source Number: ***045***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/11	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/11	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/11	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/11	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/11	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/11	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/11	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2006/11/14**	**< 1.000**	**2009/11**	**DUE**
CYANIDE	**01291**	**036**	2014/06/11	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/11	**. .220**	2017/06	
MERCURY	**71900**	**036**	2014/06/11	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/11	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/11	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/11	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/11	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/11	**. 5.200**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/11	**< .000**	2017/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2009/09/02	**1.000**	2015/09	
URANIUM (PCI/L)	**28012**	**072**	2009/09/02	**< .667**	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/11	**< .000**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/11	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/11	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/11	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/11	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-045
Source Name: WELL 54
Source Number: 045
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2014/06/11	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/11	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/11	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/11	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/11	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/11	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/11	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/11	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/11	< .000	2017/06
BENZENE	34030	036	2014/06/11	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/11	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/11	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/11	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/11	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/11	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/11	< .000	2017/06
STYRENE	77128	036	2014/06/11	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/11	< .000	2017/06
TOLUENE	34010	036	2014/06/11	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/11	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/11	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/11	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/11	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/11	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/11	. 190.000	2017/06
CALCIUM	00916	036	2014/06/11	. 52.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/11	< .000	2017/06
CHLORIDE	00940	036	2014/06/11	. 5.900	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-045***

Source Name: ***WELL 54***

Source Number: ***045***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/06/11	< .000	2017/06
COPPER	01042	036	2014/06/11	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/11	. .170	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/11	. 160.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/11	< .000	2017/06
IRON	01045	036	2014/06/11	< .000	2017/06
MAGNESIUM	00927	036	2014/06/11	. 7.900	2017/06
MANGANESE	01055	036	2014/06/11	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/11	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/11	. 7.600	2017/06
SILVER	01077	036	2014/06/11	< .000	2017/06
SODIUM	00929	036	2014/06/11	. 15.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/11	. 370.000	2017/06
SULFATE	00945	036	2014/06/11	. 26.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/11	. 250.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/11	. .600	2017/06
ZINC	01092	036	2014/06/11	< .000	2017/06

PS Code: ***3610004-046T***

Source Name: ***WELL 54 - CHLORINATED***

Source Number: ***046***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-047***

Source Name: ***WELL 01A***

Source Number: ***047***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/18	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/18	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/18	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/18	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/18	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2014/06/18	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/18	**. .260**	2017/06	
MERCURY	**71900**	**036**	2014/06/18	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/18	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/18	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/18	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/18	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/18	**. 24.000**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/18	**< .000**	2017/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2009/09/02	**3.400**	2015/09	
URANIUM (PCI/L)	**28012**	**072**	2009/09/02	**3.002**	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/18	**< .000**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/18	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/18	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/18	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/18	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-047***

Source Name: ***WELL 01A***

Source Number: ***047***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/18	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/18	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/18	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/18	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/18	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/18	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/18	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/18	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/18	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/18	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/18	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/18	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/18	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/18	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/18	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/18	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/18	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/18	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/18	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/18	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/18	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/18	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/18	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/18	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 250.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 94.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 23.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-047***

Source Name: ***WELL 01A***

Source Number: ***047***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/06/18	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 290.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 14.000	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.800	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 10.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 580.000	2017/06
SULFATE	00945	036	2014/06/18	. 43.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 370.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/18	. .500	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

PS Code: ***3610004-048***

Source Name: ***ZONE 4-1 ARSENIC PLANT-EFFLUENT***

Source Number: ***048***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-049
Source Name: ZONE 2-3 PERCHLORATE PLANT - EFFLUENT
Source Number: 049
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610004-050
Source Name: WELL 11 - IX EFFLUENT (PERCHLORATE)
Source Number: 050
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610004-051
Source Name: STATE WATER PROJECT - RAW
Source Number: 051
Source Status: ACTIVE RAW
Water type: S

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	012	2013/08/13	< .000	2014/08	
ANTIMONY	01097	012	2013/08/13	< .000	2014/08	
ARSENIC	01002	012	2013/08/13	. 3.400	2014/08	
ASBESTOS	81855	108	2013/08/13	. .000	2022/08	
BARIUM	01007	012	2013/08/13	< .000	2014/08	
BERYLLIUM	01012	012	2013/08/13	< .000	2014/08	
CADMIUM	01027	012	2013/08/13	< .000	2014/08	
CHROMIUM (TOTAL)	01034	012	2013/08/13	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2013/08/13	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/08/13	. .100	2014/08	
MERCURY	71900	012	2013/08/13	< .000	2014/08	
NICKEL	01067	012	2013/08/13	< .000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-051
Source Name: STATE WATER PROJECT - RAW
Source Number: 051
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	012	2013/08/13	< .000	2014/08
SELENIUM	01147	012	2013/08/13	< .000	2014/08
THALLIUM	01059	012	2013/08/13	< .000	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/13	< .000	2014/08
NITRITE (AS N)	00620	036	2013/08/13	< .000	2016/08
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/13	. 3.800	2016/08
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2013/08/13	< 5.000	2016/08
2,4,5-TP (SILVEX)	39045	036	2013/08/13	< .000	2016/08
2,4-D	39730	036	2013/08/13	< .000	2016/08
ALACHLOR	77825	036	2013/08/13	< .000	2016/08
ATRAZINE	39033	036	2013/08/13	< .000	2016/08
BENTAZON	38710	036	2013/08/13	< .000	2016/08
BENZO (A) PYRENE	34247	036	2013/08/13	< .000	2016/08
CARBOFURAN	81405	036	2013/08/13	< .000	2016/08
CHLORDANE	39350	036	2013/08/13	< .000	2016/08
DALAPON	38432	036	2013/08/13	< .000	2016/08
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/08/13	< .000	2016/08
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/08/13	< .000	2016/08
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/13	< .000	2016/08
DINOSEB	81287	036	2013/08/13	< .000	2016/08
DIQUAT	78885	036	2013/08/13	< 4.000	2016/08
ENDOTHALL	38926	036	2013/08/13	< .000	2016/08
ENDRIN	39390	036	2013/08/13	< .000	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/13	< .000	2016/08
GLYPHOSATE	79743	036	2013/08/13	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-051
Source Name: STATE WATER PROJECT - RAW
Source Number: 051
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
HEPTACHLOR	39410	036	2013/08/13	< .000	2016/08
HEPTACHLOR EPOXIDE	39420	036	2013/08/13	< .000	2016/08
HEXACHLOROBENZENE	39700	036	2013/08/13	< .000	2016/08
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/08/13	< .000	2016/08
LINDANE	39340	036	2013/08/13	< .000	2016/08
METHOXYCHLOR	39480	036	2013/08/13	< .000	2016/08
MOLINATE	82199	036	2013/08/13	< .000	2016/08
OXAMYL	38865	036	2013/08/13	< .000	2016/08
PENTACHLOROPHENOL	39032	036	2013/08/13	< .000	2016/08
PICLORAM	39720	036	2013/08/13	< .000	2016/08
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/08/13	< .000	2016/08
SIMAZINE	39055	036	2013/08/13	< .000	2016/08
THIOBENCARB	A-001	036	2013/08/13	< .000	2016/08
TOXAPHENE	39400	036	2013/08/13	< .000	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/08/13	< .000	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/08/13	< .000	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/08/13	< .000	2014/08
1,1,2-TRICHLOROETHANE	34511	012	2013/08/13	< .000	2014/08
1,1-DICHLOROETHANE	34496	012	2013/08/13	< .000	2014/08
1,1-DICHLOROETHYLENE	34501	012	2013/08/13	< .000	2014/08
1,2,4-TRICHLOROBENZENE	34551	012	2013/08/13	< .000	2014/08
1,2-DICHLOROBENZENE	34536	012	2013/08/13	< .000	2014/08
1,2-DICHLOROETHANE	34531	012	2013/08/13	< .000	2014/08
1,2-DICHLOROPROPANE	34541	012	2013/08/13	< .000	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/08/13	< .000	2014/08
1,4-DICHLOROBENZENE	34571	012	2013/08/13	< .000	2014/08
BENZENE	34030	012	2013/08/13	< .000	2014/08
CARBON TETRACHLORIDE	32102	012	2013/08/13	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

PS Code: ***3610004-051***

Source Name: ***STATE WATER PROJECT - RAW***

Source Number: ***051***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2013/08/13	**< .000**	2014/08
DICHLOROMETHANE	**34423**	**012**	2013/08/13	**< .000**	2014/08
ETHYLBENZENE	**34371**	**012**	2013/08/13	**< .000**	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**012**	2013/08/13	**< .000**	2014/08
MONOCHLOROBENZENE	**34301**	**012**	2013/08/13	**< .000**	2014/08
STYRENE	**77128**	**012**	2013/08/13	**< .000**	2014/08
TETRACHLOROETHYLENE	**34475**	**012**	2013/08/13	**< .000**	2014/08
TOLUENE	**34010**	**012**	2013/08/13	**< .000**	2014/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2013/08/13	**< .000**	2014/08
TRICHLOROETHYLENE	**39180**	**012**	2013/08/13	**< .000**	2014/08
TRICHLOROFLUOROMETHANE	**34488**	**012**	2013/08/13	**< .000**	2014/08
VINYL CHLORIDE	**39175**	**012**	2013/08/13	**< .000**	2014/08
XYLENES (TOTAL)	**81551**	**012**	2013/08/13	**< .000**	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2013/08/13	**. 90.000**	2014/08
CALCIUM	**00916**	**012**	2013/08/13	**. 22.000**	2014/08
CARBONATE ALKALINITY	**00445**	**012**	2013/08/13	**6.200**	2014/08
CHLORIDE	**00940**	**012**	2013/08/13	**. 63.000**	2014/08
COLOR	**00081**	**012**	2013/08/13	**. 5.000**	2014/08
COPPER	**01042**	**012**	2013/08/13	**< .000**	2014/08
FOAMING AGENTS (MBAS)	**38260**	**012**	2013/08/13	**< .000**	2014/08
HARDNESS (TOTAL) AS CACO3	**00900**	**012**	2013/08/13	**. 97.000**	2014/08
HYDROXIDE ALKALINITY	**71830**	**012**	2013/08/13	**< .000**	2014/08
IRON	**01045**	**012**	2013/08/13	**< .000**	2014/08
MAGNESIUM	**00927**	**012**	2013/08/13	**. 10.000**	2014/08
MANGANESE	**01055**	**012**	2013/08/13	**24.000**	2014/08
ODOR THRESHOLD @ 60 C	**00086**	**012**	2013/08/13	**1.000**	2014/08
PH, LABORATORY	**00403**	**012**	2013/08/13	**. 8.600**	2014/08
SILVER	**01077**	**012**	2013/08/13	**< .000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-051
Source Name: STATE WATER PROJECT - RAW
Source Number: 051
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SODIUM	00929	012	2013/08/13		44.000	2014/08	
SPECIFIC CONDUCTANCE	00095	012	2013/08/13	.	450.000	2014/08	
SULFATE	00945	012	2013/08/13		37.000	2014/08	
TOTAL DISSOLVED SOLIDS	70300	012	2013/08/13	.	260.000	2014/08	
TURBIDITY, LABORATORY	82079	012	2013/08/13	.	1.000	2014/08	
ZINC	01092	012	2013/08/13	<	.000	2014/08	

PS Code: 3610004-052
Source Name: LYTLE CREEK - RAW
Source Number: 052
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	012	2013/08/13	<	.000	2014/08	
ANTIMONY	01097	012	2013/08/13	<	.000	2014/08	
ARSENIC	01002	012	2013/08/13	.	2.000	2014/08	
ASBESTOS	81855	108	2013/08/13	.	.000	2022/08	
BARIUM	01007	012	2013/08/13	<	.000	2014/08	
BERYLLIUM	01012	012	2013/08/13	<	.000	2014/08	
CADMIUM	01027	012	2013/08/13	<	.000	2014/08	
CHROMIUM (TOTAL)	01034	012	2013/08/13	<	.000	2014/08	
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	012	2013/08/13	<	.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/08/13	.	.390	2014/08	
MERCURY	71900	012	2013/08/13	<	.000	2014/08	
NICKEL	01067	012	2013/08/13	<	.000	2014/08	
PERCHLORATE	A-031	012	2013/08/13	<	.000	2014/08	
SELENIUM	01147	012	2013/08/13	<	.000	2014/08	
THALLIUM	01059	012	2013/08/13	<	.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004

System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-052

Source Name: LYTLE CREEK - RAW

Source Number: 052

Source Status: ACTIVE RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/13	. 2.000	2014/08
NITRITE (AS N)	00620	036	2013/08/13	< .000	2016/08
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/13	. 5.700	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/13	< .000	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/13	< .000	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/08/13	< .000	2016/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/08/13	< .000	2016/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/08/13	< .000	2016/08
1,1,2-TRICHLOROETHANE	34511	036	2013/08/13	< .000	2016/08
1,1-DICHLOROETHANE	34496	036	2013/08/13	< .000	2016/08
1,1-DICHLOROETHYLENE	34501	036	2013/08/13	< .000	2016/08
1,2,4-TRICHLOROBENZENE	34551	036	2013/08/13	< .000	2016/08
1,2-DICHLOROBENZENE	34536	036	2013/08/13	< .000	2016/08
1,2-DICHLOROETHANE	34531	036	2013/08/13	< .000	2016/08
1,2-DICHLOROPROPANE	34541	036	2013/08/13	< .000	2016/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/08/13	< .000	2016/08
1,4-DICHLOROBENZENE	34571	036	2013/08/13	< .000	2016/08
BENZENE	34030	036	2013/08/13	< .000	2016/08
CARBON TETRACHLORIDE	32102	036	2013/08/13	< .000	2016/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/08/13	< .000	2016/08
DICHLOROMETHANE	34423	036	2013/08/13	< .000	2016/08
ETHYLBENZENE	34371	036	2013/08/13	< .000	2016/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/08/13	< .000	2016/08
MONOCHLOROBENZENE	34301	036	2013/08/13	< .000	2016/08
STYRENE	77128	036	2013/08/13	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004

System Name: WEST VALLEY WATER DISTRICT

PS Code: 3610004-052

Source Name: LYTLE CREEK - RAW

Source Number: 052

Source Status: ACTIVE RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2013/08/13	< .000	2016/08
TOLUENE	34010	036	2013/08/13	< .000	2016/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/08/13	< .000	2016/08
TRICHLOROETHYLENE	39180	036	2013/08/13	< .000	2016/08
TRICHLOROFLUOROMETHANE	34488	036	2013/08/13	< .000	2016/08
VINYL CHLORIDE	39175	036	2013/08/13	< .000	2016/08
XYLENES (TOTAL)	81551	036	2013/08/13	< .000	2016/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2013/08/13	. 190.000	2014/08
CALCIUM	00916	012	2013/08/13	. 51.000	2014/08
CARBONATE ALKALINITY	00445	012	2013/08/13	< .000	2014/08
CHLORIDE	00940	012	2013/08/13	. 2.300	2014/08
COLOR	00081	012	2013/08/13	< .000	2014/08
COPPER	01042	012	2013/08/13	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	012	2013/08/13	< .000	2014/08
HARDNESS (TOTAL) AS CACO3	00900	012	2013/08/13	. 160.000	2014/08
HYDROXIDE ALKALINITY	71830	012	2013/08/13	< .000	2014/08
IRON	01045	012	2013/08/13	< .000	2014/08
MAGNESIUM	00927	012	2013/08/13	. 8.000	2014/08
MANGANESE	01055	012	2013/08/13	< .000	2014/08
ODOR THRESHOLD @ 60 C	00086	012	2013/08/13	1.000	2014/08
PH, LABORATORY	00403	012	2013/08/13	. 8.100	2014/08
SILVER	01077	012	2013/08/13	< .000	2014/08
SODIUM	00929	012	2013/08/13	7.100	2014/08
SPECIFIC CONDUCTANCE	00095	012	2013/08/13	. 350.000	2014/08
SULFATE	00945	012	2013/08/13	23.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	012	2013/08/13	. 220.000	2014/08
TURBIDITY, LABORATORY	82079	012	2013/08/13	. .700	2014/08
ZINC	01092	012	2013/08/13	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610004-601***					
Source Name: ***DBP2-213 E. WALNUT***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/04	**< .000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/04	**< .000**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/04	**< .000**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/04	**< .000**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/04	**< .000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/04	**< .000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/04	**< .000**	2014/09
BROMOFORM (THM)	**32104**	**003**	2014/06/04	**< .000**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/04	**< .000**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/04	**< .000**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/04	**< .000**	2014/09
PS Code: ***3610004-602***					
Source Name: ***DBP2-3750 LYTLE CREEK RD***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/04	**< .000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/04	**. 3.600**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/04	**. 5.200**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/04	**< .000**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/04	**< .000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/04	**. 1.600**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/04	**. 3.400**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610004-602***					
Source Name: ***DBP2-3750 LYTLE CREEK RD***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/06/04	**< .000**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/04	**. 6.200**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/04	**. 2.100**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/04	**. 11.700**	2014/09
PS Code: ***3610004-603***					
Source Name: ***DBP2-15182 CRANE***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/04	**< .000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/04	**< .000**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/04	**< .000**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/04	**< .000**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/04	**< .000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/04	**< .000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/04	**< .000**	2014/09
BROMOFORM (THM)	**32104**	**003**	2014/06/04	**< .000**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/04	**< .000**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/04	**< .000**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/04	**< .000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610004-604					
Source Name: DBP2-WHITE ASH RD					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	< .000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	. 3.000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	. 4.500	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	. 1.500	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	. 3.400	2014/09
BROMOFORM (THM)	32104	003	2014/06/04	< .000	2014/09
CHLOROFORM (THM)	32106	003	2014/06/04	. 6.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/04	. 2.000	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/06/04	. 11.400	2014/09
PS Code: 3610004-605					
Source Name: DBP2-RESERVOIR 6-3 DISCHARGE LINE					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	< .000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	. 1.200	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	. 1.200	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	< .000	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	. 2.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610004-605***					
Source Name: ***DBP2-RESERVOIR 6-3 DISCHARGE LINE***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/06/04	**< .000**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/04	**. 2.900**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/04	**. 1.400**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/04	**. 6.300**	2014/09
PS Code: ***3610004-606***					
Source Name: ***DBP2-18433 BOHNERT***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/04	**< .000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/04	**. 1.200**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/04	**. 1.200**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/04	**< .000**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/04	**< .000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/04	**< .000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/04	**. 2.000**	2014/09
BROMOFORM (THM)	**32104**	**003**	2014/06/04	**< .000**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/04	**. 3.300**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/04	**. 1.400**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/04	**. 6.700**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004

System Name: WEST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610004-607					
Source Name: DBP2-VIA MONTANA AND VIA BONITA					
Source Number: 607					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	< .000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	< .000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	< .000	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	< .000	2014/09
BROMOFORM (THM)	32104	003	2014/06/04	< .000	2014/09
CHLOROFORM (THM)	32106	003	2014/06/04	. 1.000	2014/09
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/06/04	< .000	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/06/04	. 1.700	2014/09
PS Code: 3610004-608					
Source Name: DBP2-HALL AND KINNINGHAM					
Source Number: 608					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/06/04	< .000	2014/09
DICHLOROACETIC ACID (DCAA)	77288	003	2014/06/04	< .000	2014/09
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/06/04	< .000	2014/09
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/06/04	< .000	2014/09
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/06/04	< .000	2014/09
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/06/04	< .000	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/06/04	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610004***

System Name: ***WEST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610004-608***					
Source Name: ***DBP2-HALL AND KINNINGHAM***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/06/04	**< .000**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/04	**< .000**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/04	**< .000**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/04	**< .000**	2014/09
PS Code: ***3610004-800***					
Source Name: ***WELL 07 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610004-801***					
Source Name: ***WELL 15 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610004-802 **Source Name:** WELL 24 - TREATED (CL2) **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-803 **Source Name:** WELL 30 - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-804 **Source Name:** WELL 33 - TREATED (CL2) **Source Number:** 804 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-805 **Source Name:** WELL 41 - TREATED (CL2) **Source Number:** 805 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610004
System Name: WEST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610004-806					
Source Name: WELL 05A - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-807					
Source Name: WELL 08A - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-808					
Source Name: WELL 04A - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610004-809					
Source Name: WELL 01A - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-001***

Source Name: ***BERNINA INTAKE - LACSD RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	012	2014/07/09	< .000	2015/07
ANTIMONY	01097	012	2014/07/09	< .000	2015/07
ARSENIC	01002	012	2014/07/09	< .000	2015/07
ASBESTOS	81855	108	2012/07/25	. .000	2021/07
BARIUM	01007	012	2014/07/09	< .000	2015/07
BERYLLIUM	01012	012	2014/07/09	< .000	2015/07
CADMIUM	01027	012	2014/07/09	< .000	2015/07
CHROMIUM (TOTAL)	01034	012	2014/07/09	< .000	2015/07
CHROMIUM, HEXAVALENT	01032	012	2014/07/09	< .000	2015/07
CYANIDE	01291	012	2014/07/09	< .000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/07/09	. .120	2015/07
MERCURY	71900	012	2014/07/09	< .000	2015/07
NICKEL	01067	012	2014/07/09	< .000	2015/07
PERCHLORATE	A-031	012	2014/07/09	< .000	2015/07
SELENIUM	01147	012	2014/07/09	< .000	2015/07
THALLIUM	01059	012	2014/07/09	< .000	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	< .000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/24	< .000	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2013/07/31	< 5.000	2016/07
2,4,5-TP (SILVEX)	39045	036	2013/07/31	< .000	2016/07
2,4-D	39730	036	2013/07/31	< .000	2016/07
ALACHLOR	77825	036	2013/07/31	< .000	2016/07
ATRAZINE	39033	036	2013/07/31	< .000	2016/07
BENTAZON	38710	036	2013/07/31	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-001
Source Name: BERNINA INTAKE - LACSD RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	036	2013/07/31	< .000	2016/07
CARBOFURAN	81405	036	2013/07/31	< .000	2016/07
CHLORDANE	39350	036	2013/07/31	< .000	2016/07
DALAPON	38432	036	2013/07/31	< .000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/31	< .000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/31	< .000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/31	< .000	2016/07
DINOSEB	81287	036	2013/07/31	< .000	2016/07
DIQUAT	78885	036	2013/07/31	< 4.000	2016/07
ENDOTHALL	38926	036	2013/07/31	< .000	2016/07
ENDRIN	39390	036	2013/07/31	< .000	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/31	< .000	2016/07
GLYPHOSATE	79743	036	2013/07/31	< .000	2016/07
HEPTACHLOR	39410	036	2013/07/31	< .000	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/31	< .000	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/31	< .000	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/31	< .000	2016/07
LINDANE	39340	036	2013/07/31	< .000	2016/07
METHOXYCHLOR	39480	036	2013/07/31	< .000	2016/07
MOLINATE	82199	036	2013/07/31	< .000	2016/07
OXAMYL	38865	036	2013/07/31	< .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/31	< .000	2016/07
PICLORAM	39720	036	2013/07/31	< .000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/31	< .000	2016/07
SIMAZINE	39055	036	2013/07/31	< .000	2016/07
THIOBENCARB	A-001	036	2013/07/31	< .000	2016/07
TOXAPHENE	39400	036	2013/07/31	< .000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/09	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-001
Source Name: BERNINA INTAKE - LACSD RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/09	< .000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/09	< .000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/09	< .000	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/09	< .000	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/09	< .000	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/09	< .000	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/09	< .000	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/09	< .000	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/09	< .000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/07/09	< .000	2015/07
1,4-DICHLOROBENZENE	34571	012	2014/07/09	< .000	2015/07
BENZENE	34030	012	2014/07/09	< .000	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/09	< .000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/09	< .000	2015/07
DICHLOROMETHANE	34423	012	2014/07/09	< .000	2015/07
ETHYLBENZENE	34371	012	2014/07/09	< .000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/07/09	< .000	2015/07
MONOCHLOROBENZENE	34301	012	2014/07/09	< .000	2015/07
STYRENE	77128	012	2014/07/09	< .000	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/09	< .000	2015/07
TOLUENE	34010	012	2014/07/09	< .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/09	< .000	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/09	< .000	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/09	< .000	2015/07
VINYL CHLORIDE	39175	012	2014/07/09	< .000	2015/07
XYLENES (TOTAL)	81551	012	2014/07/09	< .000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2014/07/09	. 77.000	2015/07
CALCIUM	00916	012	2014/07/09	. 19.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-001
Source Name: BERNINA INTAKE - LACSD RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CARBONATE ALKALINITY	00445	012	2014/07/09	< .000	2015/07
CHLORIDE	00940	012	2014/07/09	. 17.000	2015/07
COLOR	00081	012	2014/07/09	< .000	2015/07
COPPER	01042	012	2014/07/09	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	012	2014/07/09	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	012	2014/07/09	. 62.000	2015/07
HYDROXIDE ALKALINITY	71830	012	2014/07/09	< .000	2015/07
IRON	01045	012	2014/07/09	< .000	2015/07
MAGNESIUM	00927	012	2014/07/09	. 3.400	2015/07
MANGANESE	01055	012	2014/07/09	. 20.000	2015/07
ODOR THRESHOLD @ 60 C	00086	012	2014/07/09	. 1.000	2015/07
PH, LABORATORY	00403	012	2014/07/09	. 7.400	2015/07
SILVER	01077	012	2014/07/09	< .000	2015/07
SODIUM	00929	012	2014/07/09	. 13.000	2015/07
SPECIFIC CONDUCTANCE	00095	012	2014/07/09	. 190.000	2015/07
SULFATE	00945	012	2014/07/09	. 3.300	2015/07
TOTAL DISSOLVED SOLIDS	70300	012	2014/07/09	. 100.000	2015/07
TURBIDITY, LABORATORY	82079	012	2014/07/09	. .400	2015/07
ZINC	01092	012	2014/07/09	. 160.000	2015/07

PS Code: 3610005-002
Source Name: BERNINA TRMT PLANT - LACSD TREATED
Source Number: 002
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-003
Source Name: CEDAR GLEN INTAKE - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	012	2014/06/26	< .000	2015/06
ANTIMONY	01097	012	2014/06/26	< .000	2015/06
ARSENIC	01002	012	2014/06/26	< .000	2015/06
ASBESTOS	81855	108	2012/08/29	. .000	2021/08
BARIUM	01007	012	2014/06/26	< .000	2015/06
BERYLLIUM	01012	012	2014/06/26	< .000	2015/06
CADMIUM	01027	012	2014/06/26	< .000	2015/06
CHROMIUM (TOTAL)	01034	012	2014/06/26	< .000	2015/06
CHROMIUM, HEXAVALENT	01032	012	2014/07/09	< .000	2015/07
CYANIDE	01291	012	2014/06/26	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/06/26	< .000	2015/06
MERCURY	71900	012	2014/06/26	< .000	2015/06
NICKEL	01067	012	2014/06/26	< .000	2015/06
PERCHLORATE	A-031	012	2014/06/26	< .000	2015/06
SELENIUM	01147	012	2014/06/26	< .000	2015/06
THALLIUM	01059	012	2014/06/26	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/26	< .000	2015/06
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/06/26	< .000	2017/06
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/06/26	< 5.000	2017/06
2,4,5-TP (SILVEX)	39045	036	2014/06/26	< .000	2017/06
2,4-D	39730	036	2014/06/26	< .000	2017/06
ALACHLOR	77825	036	2014/06/26	< .000	2017/06
ATRAZINE	39033	036	2014/06/26	< .000	2017/06
BENTAZON	38710	036	2014/06/26	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-003
Source Name: CEDAR GLEN INTAKE - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	036	2014/06/26	< .000	2017/06
CARBOFURAN	81405	036	2014/06/26	< .000	2017/06
CHLORDANE	39350	036	2014/06/26	< .000	2017/06
DALAPON	38432	036	2014/06/26	< .000	2017/06
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/06/26	< .000	2017/06
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/06/26	< .000	2017/06
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/26	< .000	2017/06
DINOSEB	81287	036	2014/06/26	< .000	2017/06
DIQUAT	78885	036	2014/06/26	< 4.000	2017/06
ENDOTHALL	38926	036	2014/06/26	< .000	2017/06
ENDRIN	39390	036	2014/06/26	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/26	< .000	2017/06
GLYPHOSATE	79743	036	2014/06/26	< .000	2017/06
HEPTACHLOR	39410	036	2014/06/26	< .000	2017/06
HEPTACHLOR EPOXIDE	39420	036	2014/06/26	< .000	2017/06
HEXACHLOROBENZENE	39700	036	2014/06/26	< .000	2017/06
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/06/26	< .000	2017/06
LINDANE	39340	036	2014/06/26	< .000	2017/06
METHOXYCHLOR	39480	036	2014/06/26	< .000	2017/06
MOLINATE	82199	036	2014/06/26	< .000	2017/06
OXAMYL	38865	036	2014/06/26	< .000	2017/06
PENTACHLOROPHENOL	39032	036	2014/06/26	< .000	2017/06
PICLORAM	39720	036	2014/06/26	< .000	2017/06
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/06/26	< .000	2017/06
SIMAZINE	39055	036	2014/06/26	< .000	2017/06
THIOBENCARB	A-001	036	2014/06/26	< .000	2017/06
TOXAPHENE	39400	036	2014/06/26	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/06/26	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-003***

Source Name: ***CEDAR GLEN INTAKE - RAW***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	**34516**	**012**	2014/06/26	**< .000**	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**012**	2014/06/26	**< .000**	2015/06
1,1,2-TRICHLOROETHANE	**34511**	**012**	2014/06/26	**< .000**	2015/06
1,1-DICHLOROETHANE	**34496**	**012**	2014/06/26	**< .000**	2015/06
1,1-DICHLOROETHYLENE	**34501**	**012**	2014/06/26	**< .000**	2015/06
1,2,4-TRICHLOROBENZENE	**34551**	**012**	2014/06/26	**< .000**	2015/06
1,2-DICHLOROBENZENE	**34536**	**012**	2014/06/26	**< .000**	2015/06
1,2-DICHLOROETHANE	**34531**	**012**	2014/06/26	**< .000**	2015/06
1,2-DICHLOROPROPANE	**34541**	**012**	2014/06/26	**< .000**	2015/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**012**	2014/06/26	**< .000**	2015/06
1,4-DICHLOROBENZENE	**34571**	**012**	2014/06/26	**< .000**	2015/06
BENZENE	**34030**	**012**	2014/06/26	**< .000**	2015/06
CARBON TETRACHLORIDE	**32102**	**012**	2014/06/26	**< .000**	2015/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2014/06/26	**< .000**	2015/06
DICHLOROMETHANE	**34423**	**012**	2014/06/26	**< .000**	2015/06
ETHYLBENZENE	**34371**	**012**	2014/06/26	**< .000**	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**012**	2014/06/26	**< .000**	2015/06
MONOCHLOROBENZENE	**34301**	**012**	2014/06/26	**< .000**	2015/06
STYRENE	**77128**	**012**	2014/06/26	**< .000**	2015/06
TETRACHLOROETHYLENE	**34475**	**012**	2014/06/26	**< .000**	2015/06
TOLUENE	**34010**	**012**	2014/06/26	**< .000**	2015/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2014/06/26	**< .000**	2015/06
TRICHLOROETHYLENE	**39180**	**012**	2014/06/26	**< .000**	2015/06
TRICHLOROFLUOROMETHANE	**34488**	**012**	2014/06/26	**< .000**	2015/06
VINYL CHLORIDE	**39175**	**012**	2014/06/26	**< .000**	2015/06
XYLENES (TOTAL)	**81551**	**012**	2014/06/26	**< .000**	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2014/06/26	**. 78.000**	2015/06
CALCIUM	**00916**	**012**	2014/06/26	**. 18.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610005-003					
Source Name: CEDAR GLEN INTAKE - RAW					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: S					
SECONDARY/GP					
CARBONATE ALKALINITY	00445	012	2014/06/26	< .000	2015/06
CHLORIDE	00940	012	2014/06/26	. 17.000	2015/06
COLOR	00081	012	2014/06/26	< .000	2015/06
COPPER	01042	012	2014/06/26	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	012	2014/06/26	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	012	2014/06/26	. 59.000	2015/06
HYDROXIDE ALKALINITY	71830	012	2014/06/26	< .000	2015/06
IRON	01045	012	2014/06/26	< .000	2015/06
MAGNESIUM	00927	012	2014/06/26	. 3.300	2015/06
MANGANESE	01055	012	2014/06/26	. 23.000	2015/06
ODOR THRESHOLD @ 60 C	00086	012	2014/06/26	. 1.000	2015/06
PH, LABORATORY	00403	012	2014/06/26	. 7.500	2015/06
SILVER	01077	012	2014/06/26	< .000	2015/06
SODIUM	00929	012	2014/06/26	. 13.000	2015/06
SPECIFIC CONDUCTANCE	00095	012	2014/06/26	. 190.000	2015/06
SULFATE	00945	012	2014/06/26	. 3.200	2015/06
TOTAL DISSOLVED SOLIDS	70300	012	2014/06/26	. 85.000	2015/06
TURBIDITY, LABORATORY	82079	012	2014/06/26	. .800	2015/06
ZINC	01092	012	2014/06/26	< .000	2015/06
PS Code: 3610005-004					
Source Name: CEDAR GLEN WTP - TREATED					
Source Number: 004					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610005-005					
Source Name: PURCHASED-CLAWA					
Source Number: 005					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610005-006					
Source Name: WELL 01					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/07/09	< .000	2017/07
ANTIMONY	01097	036	2014/07/09	< .000	2017/07
ARSENIC	01002	036	2014/07/09	< .000	2017/07
BARIUM	01007	036	2014/07/09	< .000	2017/07
BERYLLIUM	01012	036	2014/07/09	< .000	2017/07
CADMIUM	01027	036	2014/07/09	< .000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/09	< .000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/09	< .000	2017/07
CYANIDE	01291	036	2014/07/09	< .000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. .110	2017/07
MERCURY	71900	036	2014/07/09	< .000	2017/07
NICKEL	01067	036	2014/07/09	< .000	2017/07
PERCHLORATE	A-031	036	2014/07/09	< .000	2017/07
SELENIUM	01147	036	2014/07/09	< .000	2017/07
THALLIUM	01059	036	2014/07/09	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	< .000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/02	. 60.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-006
Source Name: WELL 01
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	001	2014/07/02	. 91.000	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/24	< .000	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/24	< .000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/05/16	< .000	2018/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/05/16	< .000	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/05/16	< .000	2018/05
1,1,2-TRICHLOROETHANE	34511	072	2012/05/16	< .000	2018/05
1,1-DICHLOROETHANE	34496	072	2012/05/16	< .000	2018/05
1,1-DICHLOROETHYLENE	34501	072	2012/05/16	< .000	2018/05
1,2,4-TRICHLOROBENZENE	34551	072	2012/05/16	< .000	2018/05
1,2-DICHLOROBENZENE	34536	072	2012/05/16	< .000	2018/05
1,2-DICHLOROETHANE	34531	072	2012/05/16	< .000	2018/05
1,2-DICHLOROPROPANE	34541	072	2012/05/16	< .000	2018/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/05/16	< .000	2018/05
1,4-DICHLOROBENZENE	34571	072	2012/05/16	< .000	2018/05
BENZENE	34030	072	2012/05/16	< .000	2018/05
CARBON TETRACHLORIDE	32102	072	2012/05/16	< .000	2018/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/05/16	< .000	2018/05
DICHLOROMETHANE	34423	072	2012/05/16	< .000	2018/05
ETHYLBENZENE	34371	072	2012/05/16	< .000	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/16	< .000	2018/05
MONOCHLOROBENZENE	34301	072	2012/05/16	< .000	2018/05
STYRENE	77128	072	2012/05/16	< .000	2018/05
TETRACHLOROETHYLENE	34475	072	2012/05/16	< .000	2018/05
TOLUENE	34010	072	2012/05/16	< .000	2018/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/05/16	< .000	2018/05
TRICHLOROETHYLENE	39180	072	2012/05/16	< .000	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-006***

Source Name: ***WELL 01***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/05/16	**< .000**	2018/05
VINYL CHLORIDE	**39175**	**072**	2012/05/16	**< .000**	2018/05
XYLENES (TOTAL)	**81551**	**072**	2012/05/16	**< .000**	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/09	**. 200.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/09	**. 54.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/09	**< .000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/09	**. 13.000**	2017/07
COLOR	**00081**	**036**	2014/07/09	**< .000**	2017/07
COPPER	**01042**	**036**	2014/07/09	**< .000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/09	**< .000**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/09	**. 150.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/09	**< .000**	2017/07
IRON	**01045**	**036**	2014/07/09	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/09	**. 4.000**	2017/07
MANGANESE	**01055**	**036**	2014/07/09	**< .000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/09	**. 1.000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/09	**. 7.600**	2017/07
SILVER	**01077**	**036**	2014/07/09	**< .000**	2017/07
SODIUM	**00929**	**036**	2014/07/09	**. 16.000**	2017/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/09	**. 370.000**	2017/07
SULFATE	**00945**	**036**	2014/07/09	**. 6.100**	2017/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/09	**. 200.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2014/07/09	**< .000**	2017/07
ZINC	**01092**	**036**	2014/07/09	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-007***

Source Name: ***WELL 02***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/07/09	**< .000**	2017/07
ANTIMONY	**01097**	**036**	2014/07/09	**< .000**	2017/07
ARSENIC	**01002**	**036**	2014/07/09	**< .000**	2017/07
BARIUM	**01007**	**036**	2014/07/09	**< .000**	2017/07
BERYLLIUM	**01012**	**036**	2014/07/09	**< .000**	2017/07
CADMIUM	**01027**	**036**	2014/07/09	**< .000**	2017/07
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/09	**< .000**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/09	**< .000**	2017/07
CYANIDE	**01291**	**036**	2014/07/09	**< .000**	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/09	**. .130**	2017/07
MERCURY	**71900**	**036**	2014/07/09	**< .000**	2017/07
NICKEL	**01067**	**036**	2014/07/09	**< .000**	2017/07
PERCHLORATE	**A-031**	**036**	2014/07/09	**< .000**	2017/07
SELENIUM	**01147**	**036**	2014/07/09	**< .000**	2017/07
THALLIUM	**01059**	**036**	2014/07/09	**< .000**	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**< .000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/09	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/06/18	**. 83.000**	2017/06
URANIUM (PCI/L)	**28012**	**001**	2014/06/18	**. 95.000**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/24	**< .000**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/24	**< .000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/05/16	**< .000**	2018/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/05/16	**< .000**	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/05/16	**< .000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-007
Source Name: WELL 02
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2012/05/16	< .000	2018/05
1,1-DICHLOROETHANE	34496	072	2012/05/16	< .000	2018/05
1,1-DICHLOROETHYLENE	34501	072	2012/05/16	< .000	2018/05
1,2,4-TRICHLOROBENZENE	34551	072	2012/05/16	< .000	2018/05
1,2-DICHLOROBENZENE	34536	072	2012/05/16	< .000	2018/05
1,2-DICHLOROETHANE	34531	072	2012/05/16	< .000	2018/05
1,2-DICHLOROPROPANE	34541	072	2012/05/16	< .000	2018/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/05/16	< .000	2018/05
1,4-DICHLOROBENZENE	34571	072	2012/05/16	< .000	2018/05
BENZENE	34030	072	2012/05/16	< .000	2018/05
CARBON TETRACHLORIDE	32102	072	2012/05/16	< .000	2018/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/05/16	< .000	2018/05
DICHLOROMETHANE	34423	072	2012/05/16	< .000	2018/05
ETHYLBENZENE	34371	072	2012/05/16	< .000	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/16	< .000	2018/05
MONOCHLOROBENZENE	34301	072	2012/05/16	< .000	2018/05
STYRENE	77128	072	2012/05/16	< .000	2018/05
TETRACHLOROETHYLENE	34475	072	2012/05/16	< .000	2018/05
TOLUENE	34010	072	2012/05/16	< .000	2018/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/05/16	< .000	2018/05
TRICHLOROETHYLENE	39180	072	2012/05/16	< .000	2018/05
TRICHLOROFLUOROMETHANE	34488	072	2012/05/16	< .000	2018/05
VINYL CHLORIDE	39175	072	2012/05/16	< .000	2018/05
XYLENES (TOTAL)	81551	072	2012/05/16	< .000	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/09	. 230.000	2017/07
CALCIUM	00916	036	2014/07/09	. 63.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/09	< .000	2017/07
CHLORIDE	00940	036	2014/07/09	. 16.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-007
Source Name: WELL 02
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2014/07/09	. 15.000	2017/07
COPPER	01042	036	2014/07/09	< .000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/09	. .110	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/09	. 180.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/09	< .000	2017/07
IRON	01045	036	2014/07/09	. 2000.000	2017/07
MAGNESIUM	00927	036	2014/07/09	. 6.000	2017/07
MANGANESE	01055	036	2014/07/09	. 33.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/09	. 7.300	2017/07
SILVER	01077	036	2014/07/09	< .000	2017/07
SODIUM	00929	036	2014/07/09	. 13.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 400.000	2017/07
SULFATE	00945	036	2014/07/09	. 8.400	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 230.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	. 14.000	2017/07
ZINC	01092	036	2014/07/09	. 300.000	2017/07

PS Code: 3610005-009
Source Name: WELL 05
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/07/09	< .000	2017/07
ANTIMONY	01097	036	2014/07/09	< .000	2017/07
ARSENIC	01002	036	2014/07/09	< .000	2017/07
BARIUM	01007	036	2014/07/09	< .000	2017/07
BERYLLIUM	01012	036	2014/07/09	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-009***

Source Name: ***WELL 05***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**036**	2014/07/09	**< .000**	2017/07
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/09	**< .000**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/09	**< .000**	2017/07
CYANIDE	**01291**	**036**	2014/07/09	**< .000**	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/09	**. .220**	2017/07
MERCURY	**71900**	**036**	2014/07/09	**< .000**	2017/07
NICKEL	**01067**	**036**	2014/07/09	**< .000**	2017/07
PERCHLORATE	**A-031**	**036**	2014/07/09	**< .000**	2017/07
SELENIUM	**01147**	**036**	2014/07/09	**< .000**	2017/07
THALLIUM	**01059**	**036**	2014/07/09	**< .000**	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**< .000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/09	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/02	**. 20.000**	2017/07
URANIUM (PCI/L)	**28012**	**001**	2014/07/02	**. 26.000**	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/24	**< .000**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/24	**< .000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/05/16	**< .000**	2018/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/05/16	**< .000**	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/05/16	**< .000**	2018/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/05/16	**< .000**	2018/05
1,1-DICHLOROETHANE	**34496**	**072**	2012/05/16	**< .000**	2018/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/05/16	**< .000**	2018/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/05/16	**< .000**	2018/05
1,2-DICHLOROBENZENE	**34536**	**072**	2012/05/16	**< .000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-009***

Source Name: ***WELL 05***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	**34531**	**072**	2012/05/16	**< .000**	2018/05
1,2-DICHLOROPROPANE	**34541**	**072**	2012/05/16	**< .000**	2018/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/05/16	**< .000**	2018/05
1,4-DICHLOROBENZENE	**34571**	**072**	2012/05/16	**< .000**	2018/05
BENZENE	**34030**	**072**	2012/05/16	**< .000**	2018/05
CARBON TETRACHLORIDE	**32102**	**072**	2012/05/16	**< .000**	2018/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/05/16	**< .000**	2018/05
DICHLOROMETHANE	**34423**	**072**	2012/05/16	**< .000**	2018/05
ETHYLBENZENE	**34371**	**072**	2012/05/16	**< .000**	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/16	**< .000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2012/05/16	**< .000**	2018/05
STYRENE	**77128**	**072**	2012/05/16	**< .000**	2018/05
TETRACHLOROETHYLENE	**34475**	**072**	2012/05/16	**< .000**	2018/05
TOLUENE	**34010**	**072**	2012/05/16	**< .000**	2018/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/05/16	**< .000**	2018/05
TRICHLOROETHYLENE	**39180**	**072**	2012/05/16	**< .000**	2018/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/05/16	**< .000**	2018/05
VINYL CHLORIDE	**39175**	**072**	2012/05/16	**< .000**	2018/05
XYLENES (TOTAL)	**81551**	**072**	2012/05/16	**< .000**	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/09	**. 220.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/09	**. 64.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/09	**< .000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/09	**. 8.300**	2017/07
COLOR	**00081**	**036**	2014/07/09	**< .000**	2017/07
COPPER	**01042**	**036**	2014/07/09	**< .000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/09	**< .000**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/09	**. 180.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/09	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610005-009***					
Source Name: ***WELL 05***					
Source Number: ***009***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
IRON	**01045**	**036**	2014/07/09	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/09	**. 5.900**	2017/07
MANGANESE	**01055**	**036**	2014/07/09	**< .000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/09	**. 1.000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/09	**. 7.600**	2017/07
SILVER	**01077**	**036**	2014/07/09	**< .000**	2017/07
SODIUM	**00929**	**036**	2014/07/09	**. 9.600**	2017/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/09	**. 370.000**	2017/07
SULFATE	**00945**	**036**	2014/07/09	**. 4.400**	2017/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/09	**. 230.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2014/07/09	**. .800**	2017/07
ZINC	**01092**	**036**	2014/07/09	**. 110.000**	2017/07
PS Code: ***3610005-010***					
Source Name: ***IX VESSEL 1 EFFLUENT***					
Source Number: ***010***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
RADIOLOGICAL					
URANIUM (PCI/L)	**28012**	**001**	2014/07/16	**< .000**	2014/08
PS Code: ***3610005-011***					
Source Name: ***IX VESSEL 2 EFFLUENT***					
Source Number: ***011***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-012***

Source Name: ***WELL 06***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/07/09	**< .000**	2017/07
ANTIMONY	**01097**	**036**	2014/07/09	**< .000**	2017/07
ARSENIC	**01002**	**036**	2014/07/09	**< .000**	2017/07
BARIUM	**01007**	**036**	2014/07/09	**< .000**	2017/07
BERYLLIUM	**01012**	**036**	2014/07/09	**< .000**	2017/07
CADMIUM	**01027**	**036**	2014/07/09	**< .000**	2017/07
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/09	**< .000**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/09	**< .000**	2017/07
CYANIDE	**01291**	**036**	2014/07/09	**< .000**	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/09	**. .230**	2017/07
MERCURY	**71900**	**036**	2014/07/09	**< .000**	2017/07
NICKEL	**01067**	**036**	2014/07/09	**< .000**	2017/07
PERCHLORATE	**A-031**	**036**	2014/07/09	**< .000**	2017/07
SELENIUM	**01147**	**036**	2014/07/09	**< .000**	2017/07
THALLIUM	**01059**	**036**	2014/07/09	**< .000**	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**< .000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/09	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/02	**. 35.000**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/02/06	**< .000**	2016/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/02/06	**< .000**	2016/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/05/16	**< .000**	2018/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/05/16	**< .000**	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/05/16	**< .000**	2018/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/05/16	**< .000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-012***

Source Name: ***WELL 06***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2012/05/16	**< .000**	2018/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/05/16	**< .000**	2018/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/05/16	**< .000**	2018/05
1,2-DICHLOROBENZENE	**34536**	**072**	2012/05/16	**< .000**	2018/05
1,2-DICHLOROETHANE	**34531**	**072**	2012/05/16	**< .000**	2018/05
1,2-DICHLOROPROPANE	**34541**	**072**	2012/05/16	**< .000**	2018/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/05/16	**< .000**	2018/05
1,4-DICHLOROBENZENE	**34571**	**072**	2012/05/16	**< .000**	2018/05
BENZENE	**34030**	**072**	2012/05/16	**< .000**	2018/05
CARBON TETRACHLORIDE	**32102**	**072**	2012/05/16	**< .000**	2018/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/05/16	**< .000**	2018/05
DICHLOROMETHANE	**34423**	**072**	2012/05/16	**< .000**	2018/05
ETHYLBENZENE	**34371**	**072**	2012/05/16	**< .000**	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/16	**< .000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2012/05/16	**< .000**	2018/05
STYRENE	**77128**	**072**	2012/05/16	**< .000**	2018/05
TETRACHLOROETHYLENE	**34475**	**072**	2012/05/16	**< .000**	2018/05
TOLUENE	**34010**	**072**	2012/05/16	**< .000**	2018/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/05/16	**< .000**	2018/05
TRICHLOROETHYLENE	**39180**	**072**	2012/05/16	**< .000**	2018/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/05/16	**< .000**	2018/05
VINYL CHLORIDE	**39175**	**072**	2012/05/16	**< .000**	2018/05
XYLENES (TOTAL)	**81551**	**072**	2012/05/16	**< .000**	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/09	**. 180.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/09	**. 50.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/09	**< .000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/09	**. 5.600**	2017/07
COLOR	**00081**	**036**	2014/07/09	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-012
Source Name: WELL 06
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/07/09	< .000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/09	< .000	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/09	. 150.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/09	< .000	2017/07
IRON	01045	036	2014/07/09	< .000	2017/07
MAGNESIUM	00927	036	2014/07/09	. 5.500	2017/07
MANGANESE	01055	036	2014/07/09	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/09	. 7.700	2017/07
SILVER	01077	036	2014/07/09	< .000	2017/07
SODIUM	00929	036	2014/07/09	. 8.400	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 290.000	2017/07
SULFATE	00945	036	2014/07/09	. 5.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 180.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	. .100	2017/07
ZINC	01092	036	2014/07/09	. 110.000	2017/07

PS Code: 3610005-013
Source Name: WELL 08
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/09	< .000	2017/07
ANTIMONY	01097	036	2014/07/09	< .000	2017/07
ARSENIC	01002	036	2014/07/09	< .000	2017/07
BARIUM	01007	036	2014/07/09	< .000	2017/07
BERYLLIUM	01012	036	2014/07/09	< .000	2017/07
CADMIUM	01027	036	2014/07/09	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

PS Code: 3610005-013
Source Name: WELL 08
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/07/09	< .000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/09	< .000	2017/07
CYANIDE	01291	036	2014/07/09	< .000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. .190	2017/07
MERCURY	71900	036	2014/07/09	< .000	2017/07
NICKEL	01067	036	2014/07/09	< .000	2017/07
PERCHLORATE	A-031	036	2014/07/09	< .000	2017/07
SELENIUM	01147	036	2014/07/09	< .000	2017/07
THALLIUM	01059	036	2014/07/09	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	< .000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/02	. 78.000	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/06	< .000	2016/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/06	< .000	2016/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/05/16	< .000	2018/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/05/16	< .000	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/05/16	< .000	2018/05
1,1,2-TRICHLOROETHANE	34511	072	2012/05/16	< .000	2018/05
1,1-DICHLOROETHANE	34496	072	2012/05/16	< .000	2018/05
1,1-DICHLOROETHYLENE	34501	072	2012/05/16	< .000	2018/05
1,2,4-TRICHLOROBENZENE	34551	072	2012/05/16	< .000	2018/05
1,2-DICHLOROBENZENE	34536	072	2012/05/16	< .000	2018/05
1,2-DICHLOROETHANE	34531	072	2012/05/16	< .000	2018/05
1,2-DICHLOROPROPANE	34541	072	2012/05/16	< .000	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-013***

Source Name: ***WELL 08***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/05/16	**< .000**	2018/05
1,4-DICHLOROBENZENE	**34571**	**072**	2012/05/16	**< .000**	2018/05
BENZENE	**34030**	**072**	2012/05/16	**< .000**	2018/05
CARBON TETRACHLORIDE	**32102**	**072**	2012/05/16	**< .000**	2018/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/05/16	**< .000**	2018/05
DICHLOROMETHANE	**34423**	**072**	2012/05/16	**< .000**	2018/05
ETHYLBENZENE	**34371**	**072**	2012/05/16	**< .000**	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/16	**< .000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2012/05/16	**< .000**	2018/05
STYRENE	**77128**	**072**	2012/05/16	**< .000**	2018/05
TETRACHLOROETHYLENE	**34475**	**072**	2012/05/16	**< .000**	2018/05
TOLUENE	**34010**	**072**	2012/05/16	**< .000**	2018/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/05/16	**< .000**	2018/05
TRICHLOROETHYLENE	**39180**	**072**	2012/05/16	**< .000**	2018/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/05/16	**< .000**	2018/05
VINYL CHLORIDE	**39175**	**072**	2012/05/16	**< .000**	2018/05
XYLENES (TOTAL)	**81551**	**072**	2012/05/16	**< .000**	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/09	**. 180.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/09	**. 38.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/09	**< .000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/09	**. 11.000**	2017/07
COLOR	**00081**	**036**	2014/07/09	**< .000**	2017/07
COPPER	**01042**	**036**	2014/07/09	**< .000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/09	**< .000**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/09	**. 110.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/09	**< .000**	2017/07
IRON	**01045**	**036**	2014/07/09	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/09	**. 3.200**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-013***

Source Name: ***WELL 08***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/07/09	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/09	. 7.400	2017/07
SILVER	01077	036	2014/07/09	< .000	2017/07
SODIUM	00929	036	2014/07/09	. 25.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 310.000	2017/07
SULFATE	00945	036	2014/07/09	. 3.100	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 180.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	. .200	2017/07
ZINC	01092	036	2014/07/09	. 300.000	2017/07

PS Code: ***3610005-101T***

Source Name: ***TRACT R LOT 192 - TREATED***

Source Number: ***101***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: ***3610005-102T***

Source Name: ***TRACT 63-A - TREATED***

Source Number: ***102***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***
System Name: ***LAKE ARROWHEAD CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610005-103T***					
Source Name: ***TRACT 6489 - TREATED***					
Source Number: ***103***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610005-104T***					
Source Name: ***TRACT 7201 - TREATED***					
Source Number: ***104***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610005-105T***					
Source Name: ***TRACT 7513 - TREATED***					
Source Number: ***105***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610005-106T***					
Source Name: ***TRACT 7775 LOT 128 - TREATED***					
Source Number: ***106***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610005-107T						
Source Name: TRACT 7933 - TREATED						
Source Number: 107						
Source Status: ACTIVE TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610005-108T						
Source Name: TRACT 7985 LOT 198-199 - TREATED						
Source Number: 108						
Source Status: ACTIVE TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610005-601						
Source Name: DBP2-364 MITTRY LN						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	.	1.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	.	12.600	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	.	22.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	<	.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	<	.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	.	7.800	2014/08
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	.	15.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	.	1.400	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	.	25.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	.	7.300	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610005-601					
Source Name: DBP2-364 MITTRY LN					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 49.300	2014/08
PS Code: 3610005-602					
Source Name: DBP2-28219 GENEVA DR					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 13.400	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 19.500	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 6.100	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 11.700	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 1.300	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 22.400	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 5.500	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 40.900	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610005
System Name: LAKE ARROWHEAD CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610005-603					
Source Name: DBP2-1298 KODIAK DR					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 5.900	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 10.800	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 4.900	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 7.100	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	< .000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 10.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 3.100	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 20.800	2014/08
PS Code: 3610005-604					
Source Name: DBP2-29051 MAMMOTH DR					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	. 15.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 26.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 10.100	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 13.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610005***

System Name: ***LAKE ARROWHEAD CSD***

PS Code: ***3610005-604***

Source Name: ***DBP2-29051 MAMMOTH DR***

Source Number: ***604***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/21	**< .000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/21	**. 35.500**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/21	**. 5.100**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/21	**. 53.600**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610006
System Name: WATER FACILITIES AUTHORITY-JPA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610006-001						
Source Name: WATER FACILITIES AUTHORITY - FINISHED						
Source Number: 001						
Source Status: ACTIVE TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610006-002						
Source Name: WATER FACILITIES AUTHORITY - RAW						
Source Number: 002						
Source Status: ACTIVE RAW						
Water type: S						
INORGANIC						
ALUMINUM	01105	012	2007/07/17	120.000	2008/07	DUE
ANTIMONY	01097	012	2007/07/17	.000	2008/07	DUE
ARSENIC	01002	012	2007/07/17	.000	2008/07	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2007/07/17	.000	2008/07	DUE
BERYLLIUM	01012	012	2007/07/17	.000	2008/07	DUE
CADMIUM	01027	012	2007/07/17	.000	2008/07	DUE
CHROMIUM (TOTAL)	01034	012	2007/07/17	.000	2008/07	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2007/07/17	.000	2008/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2007/07/17	.110	2008/07	DUE
MERCURY	71900	012	2007/07/17	.000	2008/07	DUE
NICKEL	01067	012	2007/07/17	.000	2008/07	DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	012	2007/07/17	.000	2008/07	DUE
THALLIUM	01059	012	2007/07/17	.000	2008/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2007/07/17	2.400	2008/07	DUE
NITRITE (AS N)	00620	036	2007/07/17	.000	2010/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610006
System Name: WATER FACILITIES AUTHORITY-JPA

PS Code: 3610006-002
Source Name: WATER FACILITIES AUTHORITY - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000				DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	000				DUE
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610006
System Name: WATER FACILITIES AUTHORITY-JPA

PS Code: 3610006-002
Source Name: WATER FACILITIES AUTHORITY - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2005/05/19	< 3.000	2006/05	DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610006
System Name: WATER FACILITIES AUTHORITY-JPA

PS Code: 3610006-002
Source Name: WATER FACILITIES AUTHORITY - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2007/07/17	100.000	2008/07	DUE
CALCIUM	00916	012	2007/07/17	24.000	2008/07	DUE
CARBONATE ALKALINITY	00445	012	2007/07/17	.000	2008/07	DUE
CHLORIDE	00940	012	2007/07/17	64.000	2008/07	DUE
COLOR	00081	012	2007/07/17	.000	2008/07	DUE
COPPER	01042	012	2007/07/17	.000	2008/07	DUE
FOAMING AGENTS (MBAS)	38260	012	2007/07/17	.000	2008/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2007/07/17	100.000	2008/07	DUE
HYDROXIDE ALKALINITY	71830	012	2007/07/17	.000	2008/07	DUE
IRON	01045	012	2007/07/17	.000	2008/07	DUE
MAGNESIUM	00927	012	2007/07/17	14.000	2008/07	DUE
MANGANESE	01055	012	2007/07/17	.000	2008/07	DUE
ODOR THRESHOLD @ 60 C	00086	012	2007/07/17	1.000	2008/07	DUE
PH, LABORATORY	00403	012	2007/07/17	7.800	2008/07	DUE
SILVER	01077	012	2007/07/17	.000	2008/07	DUE
SODIUM	00929	012	2007/07/17	69.000	2008/07	DUE
SPECIFIC CONDUCTANCE	00095	012	2007/07/17	440.000	2008/07	DUE
SULFATE	00945	012	2007/07/17	42.000	2008/07	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2007/07/17	270.000	2008/07	DUE
TURBIDITY, LABORATORY	82079	012	2007/07/17	.100	2008/07	DUE
ZINC	01092	012	2007/07/17	.000	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610006
System Name: WATER FACILITIES AUTHORITY-JPA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610006-601					
Source Name: DBP2-UPLAND #1					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 2.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 3.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	. 1.100	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 6.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 19.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	. 2.900	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 13.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 42.000	2014/10
PS Code: 3610006-602					
Source Name: DBP2-MONTE VISTA #1					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	. 2.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 3.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	. 1.100	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. 8.700	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610006***

System Name: ***WATER FACILITIES AUTHORITY-JPA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610006-602***					
Source Name: ***DBP2-MONTE VISTA #1***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/15	. **27.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/15	. **3.100**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/15	. **17.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/15	. **56.000**	2014/10
PS Code: ***3610006-603***					
Source Name: ***DBP2-CHINO***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/15	. **2.800**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/15	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/15	. **4.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/15	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/15	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/15	. **1.200**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/15	. **8.800**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/15	. **28.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/15	. **3.200**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/15	. **18.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/15	. **58.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610006***

System Name: ***WATER FACILITIES AUTHORITY-JPA***

PS Code: ***3610006-604***

Source Name: ***DBP2-ONTARIO #1***

Source Number: ***604***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/15	. **2.800**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/15	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/15	. **4.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/15	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/15	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/15	. **1.200**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/15	. **8.700**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/15	. **30.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/15	. **3.100**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/15	. **17.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/15	. **59.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-001
Source Name: FISH HATCHERY SPRING
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. .000	2005/12	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	. .200	2017/06	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/04/20	< .000	2014/04	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/11	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/11	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/06/04	< .000	2020/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLOROETHANE	34511	072	2014/06/04	< .000	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-001
Source Name: FISH HATCHERY SPRING
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2014/06/04	< .000	2020/06
1,1-DICHLOROETHYLENE	34501	072	2014/06/04	< .000	2020/06
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/04	< .000	2020/06
1,2-DICHLOROBENZENE	34536	072	2014/06/04	< .000	2020/06
1,2-DICHLOROETHANE	34531	072	2014/06/04	< .000	2020/06
1,2-DICHLOROPROPANE	34541	072	2014/06/04	< .000	2020/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/06/04	< .000	2020/06
1,4-DICHLOROBENZENE	34571	072	2014/06/04	< .000	2020/06
BENZENE	34030	072	2014/06/04	< .000	2020/06
CARBON TETRACHLORIDE	32102	072	2014/06/04	< .000	2020/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/06/04	< .000	2020/06
DICHLOROMETHANE	34423	072	2014/06/04	< .000	2020/06
ETHYLBENZENE	34371	072	2014/06/04	< .000	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/06/04	< .000	2020/06
MONOCHLOROBENZENE	34301	072	2014/06/04	< .000	2020/06
STYRENE	77128	072	2014/06/04	< .000	2020/06
TETRACHLOROETHYLENE	34475	072	2014/06/04	< .000	2020/06
TOLUENE	34010	072	2014/06/04	< .000	2020/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/06/04	< .000	2020/06
TRICHLOROETHYLENE	39180	072	2014/06/04	< .000	2020/06
TRICHLOROFLUOROMETHANE	34488	072	2014/06/04	< .000	2020/06
VINYL CHLORIDE	39175	072	2014/06/04	< .000	2020/06
XYLENES (TOTAL)	81551	072	2014/06/04	< .000	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 210.000	2017/06
CALCIUM	00916	036	2014/06/18	. 34.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 1.400	2017/06
COLOR	00081	036	2011/12/14	< .000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610008-001					
Source Name: FISH HATCHERY SPRING					
Source Number: 001					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 210.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 30.000	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2011/12/14	1.000	2014/12
PH, LABORATORY	00403	036	2014/06/18	. 7.600	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 3.200	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 380.000	2017/06
SULFATE	00945	036	2014/06/18	. 30.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 220.000	2017/06
TURBIDITY, LABORATORY	82079	036	2011/12/14	. .400	2014/12
ZINC	01092	036	2014/06/18	< .000	2017/06
PS Code: 3610008-002					
Source Name: GREEN SPOT SPRING					
Source Number: 002					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/06/18	< .000	2017/06
ANTIMONY	01097	036	2014/06/18	< .000	2017/06
ARSENIC	01002	036	2014/06/18	< .000	2017/06
BARIUM	01007	036	2014/06/18	< .000	2017/06
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06
CADMIUM	01027	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-002***

Source Name: ***GREEN SPOT SPRING***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. .000	2005/12	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	. .310	2017/06	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/04/20	< .000	2014/04	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/11	< .000	2016/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/11	< .000	2016/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/06/04	< .000	2020/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLOROETHANE	34511	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHANE	34496	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHYLENE	34501	072	2014/06/04	< .000	2020/06	
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROBENZENE	34536	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROETHANE	34531	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROPROPANE	34541	072	2014/06/04	< .000	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-002
Source Name: GREEN SPOT SPRING
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/06/04	< .000	2020/06
1,4-DICHLOROBENZENE	34571	072	2014/06/04	< .000	2020/06
BENZENE	34030	072	2014/06/04	< .000	2020/06
CARBON TETRACHLORIDE	32102	072	2014/06/04	< .000	2020/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/06/04	< .000	2020/06
DICHLOROMETHANE	34423	072	2014/06/04	< .000	2020/06
ETHYLBENZENE	34371	072	2014/06/04	< .000	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/06/04	< .000	2020/06
MONOCHLOROBENZENE	34301	072	2014/06/04	< .000	2020/06
STYRENE	77128	072	2014/06/04	< .000	2020/06
TETRACHLOROETHYLENE	34475	072	2014/06/04	< .000	2020/06
TOLUENE	34010	072	2014/06/04	< .000	2020/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/06/04	< .000	2020/06
TRICHLOROETHYLENE	39180	072	2014/06/04	< .000	2020/06
TRICHLOROFLUOROMETHANE	34488	072	2014/06/04	< .000	2020/06
VINYL CHLORIDE	39175	072	2014/06/04	< .000	2020/06
XYLENES (TOTAL)	81551	072	2014/06/04	< .000	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 280.000	2017/06
CALCIUM	00916	036	2014/06/18	. 51.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 4.600	2017/06
COLOR	00081	036	2011/12/14	< .000	2014/12
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 260.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 31.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-002
Source Name: GREEN SPOT SPRING
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2014/06/18	<	.000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2011/12/14		1.000	2014/12	
PH, LABORATORY	00403	036	2014/06/18	.	7.300	2017/06	
SILVER	01077	036	2014/06/18	<	.000	2017/06	
SODIUM	00929	036	2014/06/18	.	8.900	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	.	480.000	2017/06	
SULFATE	00945	036	2014/06/18	.	26.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	.	280.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2011/12/14	.	.300	2014/12	
ZINC	01092	036	2014/06/18	<	.000	2017/06	

PS Code: 3610008-003
Source Name: VAN DUSEN CANYON HORIZ WELLS
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/06/18	<	.000	2017/06	
ANTIMONY	01097	036	2014/06/18	<	.000	2017/06	
ARSENIC	01002	036	2014/06/18	<	.000	2017/06	
BARIUM	01007	036	2014/06/18	<	.000	2017/06	
BERYLLIUM	01012	036	2014/06/18	<	.000	2017/06	
CADMIUM	01027	036	2014/06/18	<	.000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	<	.000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	.	.000	2005/12	DUE
CYANIDE	01291	036	2014/06/18	<	.000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	.	.130	2017/06	
MERCURY	71900	036	2014/06/18	<	.000	2017/06	
NICKEL	01067	036	2014/06/18	<	.000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-003
Source Name: VAN DUSEN CANYON HORIZ WELLS
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/12/08**	< .000	**2013/12**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/11	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/11	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/06/04	< .000	2020/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLOROETHANE	34511	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHANE	34496	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHYLENE	34501	072	2014/06/04	< .000	2020/06	
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROBENZENE	34536	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROETHANE	34531	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROPROPANE	34541	072	2014/06/04	< .000	2020/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/06/04	< .000	2020/06	
1,4-DICHLOROBENZENE	34571	072	2014/06/04	< .000	2020/06	
BENZENE	34030	072	2014/06/04	< .000	2020/06	
CARBON TETRACHLORIDE	32102	072	2014/06/04	< .000	2020/06	
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/06/04	< .000	2020/06	
DICHLOROMETHANE	34423	072	2014/06/04	< .000	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-003***

Source Name: ***VAN DUSEN CANYON HORIZ WELLS***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2014/06/04	**< .000**	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/06/04	**< .000**	2020/06
MONOCHLOROBENZENE	**34301**	**072**	2014/06/04	**< .000**	2020/06
STYRENE	**77128**	**072**	2014/06/04	**< .000**	2020/06
TETRACHLOROETHYLENE	**34475**	**072**	2014/06/04	**< .000**	2020/06
TOLUENE	**34010**	**072**	2014/06/04	**< .000**	2020/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/06/04	**< .000**	2020/06
TRICHLOROETHYLENE	**39180**	**072**	2014/06/04	**< .000**	2020/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/06/04	**< .000**	2020/06
VINYL CHLORIDE	**39175**	**072**	2014/06/04	**< .000**	2020/06
XYLENES (TOTAL)	**81551**	**072**	2014/06/04	**< .000**	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 270.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 48.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 2.800**	2017/06
COLOR	**00081**	**036**	2012/02/01	**< .000**	2015/02
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/18	**. 230.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/18	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/18	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/18	**. 26.000**	2017/06
MANGANESE	**01055**	**036**	2014/06/18	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/02/01	**1.000**	2015/02
PH, LABORATORY	**00403**	**036**	2014/06/18	**. 7.600**	2017/06
SILVER	**01077**	**036**	2014/06/18	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/18	**. 5.400**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/18	**. 420.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-003
Source Name: VAN DUSEN CANYON HORIZ WELLS
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SULFATE	00945	036	2014/06/18	. 11.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 250.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2012/02/01	< .000	2015/02	
ZINC	01092	036	2014/06/18	< .000	2017/06	

PS Code: 3610008-004
Source Name: WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. .000	2005/12	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/23	. .180	2017/07	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 18.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-004
Source Name: WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/03/12	. 5.400	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/07	< .000	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/07	< .000	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/04	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/04	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/04	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/04	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/04	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/04	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/04	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/04	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/04	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/04	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/04	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/04	< .000	2017/06
BENZENE	34030	036	2014/06/04	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/04	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/04	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/04	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/04	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/04	< .000	2017/06
STYRENE	77128	036	2014/06/04	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/04	< .000	2017/06
TOLUENE	34010	036	2014/06/04	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/04	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/07/09	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-004
Source Name: WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/06/04	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/04	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/04	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 340.000	2017/06
CALCIUM	00916	036	2014/06/18	. 73.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 15.000	2017/06
COLOR	00081	036	2014/06/04	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 340.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 37.000	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.400	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 11.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 640.000	2017/06
SULFATE	00945	036	2014/06/18	. 28.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 390.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/04	. .200	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-005***

Source Name: ***WELL 01B***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/18	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/18	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/18	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/18	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/18	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2002/12/04**	**. .000**	**2005/12**	**DUE**
CYANIDE	**01291**	**036**	2014/06/18	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/23	**. 4.500**	2017/07	
MERCURY	**71900**	**036**	2014/06/18	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/18	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/18	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/18	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/18	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/18	**. 2.500**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/18	**< .000**	2017/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/03/12	**. 6.500**	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/04/10	**< .000**	2016/04	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/04/10	**< .000**	2016/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/04	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/04	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/04	**< .000**	2017/06	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/04	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-005
Source Name: WELL 01B
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/06/04	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/04	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/04	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/04	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/04	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/04	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/04	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/04	< .000	2017/06
BENZENE	34030	036	2014/06/04	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/04	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/04	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/04	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/04	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/04	< .000	2017/06
STYRENE	77128	036	2014/06/04	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/04	< .000	2017/06
TOLUENE	34010	036	2014/06/04	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/04	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/07/09	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/06/04	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/04	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/04	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 170.000	2017/06
CALCIUM	00916	036	2014/06/18	. 32.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 6.700	2017/06
COLOR	00081	036	2014/06/04	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610008-005					
Source Name: WELL 01B					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 130.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 11.000	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.700	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 46.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 440.000	2017/06
SULFATE	00945	036	2014/06/18	. 66.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 280.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/04	< .000	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06
PS Code: 3610008-006					
Source Name: WELL 02					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/06/18	. 1400.000	2017/06
ANTIMONY	01097	036	2014/06/18	< .000	2017/06
ARSENIC	01002	036	2014/06/18	< .000	2017/06
BARIUM	01007	036	2014/06/18	< .000	2017/06
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06
CADMIUM	01027	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-006***

Source Name: ***WELL 02***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. 1.700	2005/12	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	< .000	2017/06	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 4.100	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/12/08	< .000	2013/12	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/07	< .000	2016/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/07	< .000	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/06/04	< .000	2020/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLOROETHANE	34511	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHANE	34496	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHYLENE	34501	072	2014/06/04	< .000	2020/06	
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROBENZENE	34536	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROETHANE	34531	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROPROPANE	34541	072	2014/06/04	< .000	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-006***
Source Name: ***WELL 02***
Source Number: ***006***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/06/04	**< .000**	2020/06
1,4-DICHLOROBENZENE	**34571**	**072**	2014/06/04	**< .000**	2020/06
BENZENE	**34030**	**072**	2014/06/04	**< .000**	2020/06
CARBON TETRACHLORIDE	**32102**	**072**	2014/06/04	**< .000**	2020/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/06/04	**< .000**	2020/06
DICHLOROMETHANE	**34423**	**072**	2014/06/04	**< .000**	2020/06
ETHYLBENZENE	**34371**	**072**	2014/06/04	**< .000**	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/06/04	**< .000**	2020/06
MONOCHLOROBENZENE	**34301**	**072**	2014/06/04	**< .000**	2020/06
STYRENE	**77128**	**072**	2014/06/04	**< .000**	2020/06
TETRACHLOROETHYLENE	**34475**	**072**	2014/06/04	**< .000**	2020/06
TOLUENE	**34010**	**072**	2014/06/04	**< .000**	2020/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/06/04	**< .000**	2020/06
TRICHLOROETHYLENE	**39180**	**072**	2014/06/04	**< .000**	2020/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/06/04	**< .000**	2020/06
VINYL CHLORIDE	**39175**	**072**	2014/06/04	**< .000**	2020/06
XYLENES (TOTAL)	**81551**	**072**	2014/06/04	**< .000**	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 230.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 51.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 9.900**	2017/06
COLOR	**00081**	**036**	2014/06/04	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/18	**. 210.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/18	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/18	**. 1500.000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/18	**. 20.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610008-006						
Source Name: WELL 02						
Source Number: 006						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
MANGANESE	01055	036	2014/06/18	. 22.000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06	
PH, LABORATORY	00403	036	2014/06/18	. 7.300	2017/06	
SILVER	01077	036	2014/06/18	< .000	2017/06	
SODIUM	00929	036	2014/06/18	. 12.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 400.000	2017/06	
SULFATE	00945	036	2014/06/18	. 4.800	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 250.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/04	. 3.400	2017/06	
ZINC	01092	036	2014/06/18	< .000	2017/06	
PS Code: 3610008-007						
Source Name: WELL 03						
Source Number: 007						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/06/15	< .000	2014/06	DUE
ANTIMONY	01097	036	2011/06/15	< .000	2014/06	DUE
ARSENIC	01002	036	2011/06/15	< .000	2014/06	DUE
BARIUM	01007	036	2011/06/15	< .000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/15	< .000	2014/06	DUE
CADMIUM	01027	036	2011/06/15	< .000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/15	< .000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. .000	2005/12	DUE
CYANIDE	01291	036	2011/06/15	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/18	. 6.400	2015/01	
MERCURY	71900	036	2011/06/15	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/15	< .000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-007
Source Name: WELL 03
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/06/15	< .000	2014/06	DUE
SELENIUM	01147	036	2011/06/15	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/15	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/06/15	. 2.700	2012/06	DUE
NITRITE (AS N)	00620	036	2011/06/15	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/12/08	< .000	2013/12	DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
ALACHLOR	77825	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/06/09	< .000	2013/06	DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/06/09	< .000	2013/06	DUE
GLYPHOSATE	79743	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-007***
Source Name: ***WELL 03***
Source Number: ***007***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2008/12/22		1.100	2011/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2008/12/03		.000	2011/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2008/12/03		.000	2011/12	DUE
1,1,2-TRICHLOROETHANE	34511	036	2008/12/03		.000	2011/12	DUE
1,1-DICHLOROETHANE	34496	036	2008/12/03		.000	2011/12	DUE
1,1-DICHLOROETHYLENE	34501	036	2008/12/22		1.000	2011/12	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2008/12/03		.000	2011/12	DUE
1,2-DICHLOROBENZENE	34536	036	2008/12/03		.000	2011/12	DUE
1,2-DICHLOROETHANE	34531	036	2008/12/03		.000	2011/12	DUE
1,2-DICHLOROPROPANE	34541	036	2008/12/03		.000	2011/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2008/12/03		.000	2011/12	DUE
1,4-DICHLOROBENZENE	34571	036	2008/12/03		.000	2011/12	DUE
BENZENE	34030	036	2008/12/03		.000	2011/12	DUE
CARBON TETRACHLORIDE	32102	036	2011/12/14	<	.000	2014/12	
CIS-1,2-DICHLOROETHYLENE	77093	036	2008/12/03		.000	2011/12	DUE
DICHLOROMETHANE	34423	036	2008/12/03		.000	2011/12	DUE
ETHYLBENZENE	34371	036	2008/12/03		.000	2011/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2009/07/20		.000	2012/07	DUE
MONOCHLOROBENZENE	34301	036	2008/12/03		.000	2011/12	DUE
STYRENE	77128	036	2008/12/03		.000	2011/12	DUE
TETRACHLOROETHYLENE	34475	036	2008/12/03		.000	2011/12	DUE
TOLUENE	34010	036	2008/12/03		.000	2011/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2008/12/03		.000	2011/12	DUE
TRICHLOROETHYLENE	39180	036	2011/12/14	.	7.000	2014/12	
TRICHLOROFLUOROMETHANE	34488	036	2008/12/03		.000	2011/12	DUE
VINYL CHLORIDE	39175	036	2008/12/03		.000	2011/12	DUE
XYLENES (TOTAL)	81551	036	2008/12/03		.000	2011/12	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/15	.	180.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-007
Source Name: WELL 03
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
CALCIUM	00916	036	2011/06/15	.	33.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/15	<	.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/15	.	7.600	2014/06	DUE
COLOR	00081	036	2008/06/04		.000	2011/06	DUE
COPPER	01042	036	2011/06/15	<	.000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/15	<	.000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/15	.	110.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/15	<	.000	2014/06	DUE
IRON	01045	036	2011/06/15		210.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/15	.	10.000	2014/06	DUE
MANGANESE	01055	036	2011/06/15	<	.000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2008/06/04		1.000	2011/06	DUE
PH, LABORATORY	00403	036	2011/06/15	.	7.700	2014/06	DUE
SILVER	01077	036	2011/06/15	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/15		53.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/15	.	440.000	2014/06	DUE
SULFATE	00945	036	2011/06/15		59.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/15	.	270.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2008/06/04		1.400	2011/06	DUE
ZINC	01092	036	2011/06/15	<	.000	2014/06	DUE

PS Code: 3610008-008
Source Name: WELL 03A
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/06/18	<	.000	2017/06	
ANTIMONY	01097	036	2014/06/18	<	.000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-008
Source Name: WELL 03A
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. 1.700	2005/12	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/23	. 2.500	2017/07	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 2.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/12/08	< .000	2013/12	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/11	< .000	2016/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/11	< .000	2016/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/04	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/04	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-008***

Source Name: ***WELL 03A***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/04	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/04	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/04	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/04	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/04	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/04	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/04	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**. .860**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/04	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/04	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/04	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/04	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/04	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/04	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/04	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/04	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/04	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .000**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/04	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/04	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/04	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 220.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 33.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 6.700**	2017/06
COLOR	**00081**	**036**	2014/06/04	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-008
Source Name: WELL 03A
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 130.000	2017/06	
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06	
IRON	01045	036	2014/06/18	< .000	2017/06	
MAGNESIUM	00927	036	2014/06/18	. 12.000	2017/06	
MANGANESE	01055	036	2014/06/18	< .000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06	
PH, LABORATORY	00403	036	2014/06/18	. 7.600	2017/06	
SILVER	01077	036	2014/06/18	< .000	2017/06	
SODIUM	00929	036	2014/06/18	. 40.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 400.000	2017/06	
SULFATE	00945	036	2014/06/18	. 18.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 250.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/04	. .600	2017/06	
ZINC	01092	036	2014/06/18	< .000	2017/06	

PS Code: 3610008-009
Source Name: WELL 04
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. 1.500	2005/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-009***
Source Name: ***WELL 04***
Source Number: ***009***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/23	. .160	2017/07	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 9.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/12/08**	< .000	**2013/12**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/11	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/11	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/04	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/04	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROETHANE	34531	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROPROPANE	34541	036	2014/06/04	< .000	2017/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/04	< .000	2017/06	
1,4-DICHLOROBENZENE	34571	036	2014/06/04	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-009
Source Name: WELL 04
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2014/06/04	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/04	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/04	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/04	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/04	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/04	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/04	< .000	2017/06
STYRENE	77128	036	2014/06/04	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/04	< .000	2017/06
TOLUENE	34010	036	2014/06/04	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/04	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/04	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/04	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/04	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/04	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 320.000	2017/06
CALCIUM	00916	036	2014/06/18	. 64.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 9.400	2017/06
COLOR	00081	036	2014/06/04	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 300.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 34.000	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610008-009						
Source Name: WELL 04						
Source Number: 009						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
PH, LABORATORY	00403	036	2014/06/18	. 7.400	2017/06	
SILVER	01077	036	2014/06/18	< .000	2017/06	
SODIUM	00929	036	2014/06/18	. 8.800	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 550.000	2017/06	
SULFATE	00945	036	2014/06/18	. 20.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 330.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/04	. .500	2017/06	
ZINC	01092	036	2014/06/18	< .000	2017/06	
PS Code: 3610008-010						
Source Name: WELL 04A						
Source Number: 010						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/12/04	. .000	2005/12	DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/23	. .520	2017/07	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-010
Source Name: WELL 04A
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 12.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/12/08	< .000	2013/12	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/11	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/11	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/04	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/04	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROETHANE	34531	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROPROPANE	34541	036	2014/06/04	< .000	2017/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/04	< .000	2017/06	
1,4-DICHLOROBENZENE	34571	036	2014/06/04	< .000	2017/06	
BENZENE	34030	036	2014/06/04	< .000	2017/06	
CARBON TETRACHLORIDE	32102	036	2014/06/04	< .000	2017/06	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/04	< .000	2017/06	
DICHLOROMETHANE	34423	036	2014/06/04	< .000	2017/06	
ETHYLBENZENE	34371	036	2014/06/04	< .000	2017/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/04	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-010***
Source Name: ***WELL 04A***
Source Number: ***010***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	**34301**	**036**	2014/06/04	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/04	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/04	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/04	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/04	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/04	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/04	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/04	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/04	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 240.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 53.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 17.000**	2017/06
COLOR	**00081**	**036**	2014/06/04	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/18	**. 250.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/18	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/18	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/18	**. 29.000**	2017/06
MANGANESE	**01055**	**036**	2014/06/18	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/04	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/18	**. 7.200**	2017/06
SILVER	**01077**	**036**	2014/06/18	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/18	**. 17.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/18	**. 520.000**	2017/06
SULFATE	**00945**	**036**	2014/06/18	**. 38.000**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/18	**. 330.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610008-010***						
Source Name: ***WELL 04A***						
Source Number: ***010***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/04	**< .000**	2017/06	
ZINC	**01092**	**036**	2014/06/18	**. 110.000**	2017/06	
PS Code: ***3610008-012***						
Source Name: ***WELL 06***						
Source Number: ***012***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/18	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/18	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/18	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/18	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/18	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2002/12/04**	**. 1.300**	**2005/12**	**DUE**
CYANIDE	**01291**	**036**	2014/06/18	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/23	**. .690**	2017/07	
MERCURY	**71900**	**036**	2014/06/18	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/18	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/18	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/18	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/18	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/18	**. 8.600**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/18	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-012***

Source Name: ***WELL 06***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/12/08	< .000	2013/12	DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/10	< .000	2016/07	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/10	< .000	2016/07	
GLYPHOSATE	79743	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/04	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/04	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/04	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/04	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/04	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/04	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-012
Source Name: WELL 06
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	036	2014/06/04	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/04	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/04	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/04	< .000	2017/06
BENZENE	34030	036	2014/06/04	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/07/02	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/04	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/04	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/04	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/04	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/04	< .000	2017/06
STYRENE	77128	036	2014/06/04	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/04	< .000	2017/06
TOLUENE	34010	036	2014/06/04	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/04	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/07/02	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/06/04	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/04	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/04	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 300.000	2017/06
CALCIUM	00916	036	2014/06/18	. 63.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 11.000	2017/06
COLOR	00081	036	2014/06/04	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 270.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-012***

Source Name: ***WELL 06***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
IRON	**01045**	**036**	2014/06/18	**< .000**	2017/06	
MAGNESIUM	**00927**	**036**	2014/06/18	**. 27.000**	2017/06	
MANGANESE	**01055**	**036**	2014/06/18	**< .000**	2017/06	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/04	**. 1.000**	2017/06	
PH, LABORATORY	**00403**	**036**	2014/06/18	**. 7.600**	2017/06	
SILVER	**01077**	**036**	2014/06/18	**< .000**	2017/06	
SODIUM	**00929**	**036**	2014/06/18	**. 17.000**	2017/06	
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/18	**. 540.000**	2017/06	
SULFATE	**00945**	**036**	2014/06/18	**. 16.000**	2017/06	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/18	**. 320.000**	2017/06	
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/04	**< .000**	2017/06	
ZINC	**01092**	**036**	2014/06/18	**< .000**	2017/06	

PS Code: ***3610008-014***

Source Name: ***WELL NO. 8***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/18	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/18	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/18	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/18	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/18	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/18	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2004/06/16**	**. .000**	**2007/06**	**DUE**
CYANIDE	**01291**	**036**	2014/06/18	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/23	**. .570**	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-014***

Source Name: ***WELL NO. 8***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 3.200	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/03/12	. 9.300	2017/03	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/04/03	< .000	2016/04	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-014
Source Name: WELL NO. 8
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/04/03	< .000	2016/04	
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/06/04	< .000	2020/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLOROETHANE	34511	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHANE	34496	072	2014/06/04	< .000	2020/06	
1,1-DICHLOROETHYLENE	34501	072	2014/06/04	< .000	2020/06	
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROBENZENE	34536	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROETHANE	34531	072	2014/06/04	< .000	2020/06	
1,2-DICHLOROPROPANE	34541	072	2014/06/04	< .000	2020/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/06/04	< .000	2020/06	
1,4-DICHLOROBENZENE	34571	072	2014/06/04	< .000	2020/06	
BENZENE	34030	072	2014/06/04	< .000	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-014
Source Name: WELL NO. 8
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	32102	072	2014/06/18	< .000	2020/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/06/04	< .000	2020/06
DICHLOROMETHANE	34423	072	2014/06/04	< .000	2020/06
ETHYLBENZENE	34371	072	2014/06/04	< .000	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/06/04	< .000	2020/06
MONOCHLOROBENZENE	34301	072	2014/06/04	< .000	2020/06
STYRENE	77128	072	2014/06/04	< .000	2020/06
TETRACHLOROETHYLENE	34475	072	2014/06/04	< .000	2020/06
TOLUENE	34010	072	2014/06/04	< .000	2020/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/06/04	< .000	2020/06
TRICHLOROETHYLENE	39180	072	2014/06/18	< .000	2020/06
TRICHLOROFLUOROMETHANE	34488	072	2014/06/04	< .000	2020/06
VINYL CHLORIDE	39175	072	2014/06/04	< .000	2020/06
XYLENES (TOTAL)	81551	072	2014/06/04	< .000	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 260.000	2017/06
CALCIUM	00916	036	2014/06/18	. 74.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 11.000	2017/06
COLOR	00081	036	2014/06/04	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 350.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/25	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 39.000	2017/06
MANGANESE	01055	036	2014/06/25	. 40.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.300	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610008-014						
Source Name: WELL NO. 8						
Source Number: 014						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SILVER	01077	036	2014/06/18	< .000	2017/06	
SODIUM	00929	036	2014/06/18	. 21.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 680.000	2017/06	
SULFATE	00945	036	2014/06/18	. 130.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 460.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/04	< .000	2017/06	
ZINC	01092	036	2014/06/18	< .000	2017/06	
PS Code: 3610008-015						
Source Name: WELL 09						
Source Number: 015						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	. .720	2017/06	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-015
Source Name: WELL 09
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 2.200	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/12/08	< .000	2013/12	DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/10/09	< .000	2016/10	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/10/09	< .000	2016/10	
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-015***

Source Name: ***WELL 09***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
METHOXYCHLOR	**39480**	**000**				**DUE**
MOLINATE	**82199**	**000**				**DUE**
OXAMYL	**38865**	**000**				**DUE**
PENTACHLOROPHENOL	**39032**	**000**				**DUE**
PICLORAM	**39720**	**000**				**DUE**
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	**39516**	**000**				**DUE**
THIOBENCARB	**A-001**	**000**				**DUE**
TOXAPHENE	**39400**	**000**				**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/06/04	**< .000**	2020/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/06/04	**< .000**	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/06/04	**< .000**	2020/06	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/06/04	**< .000**	2020/06	
1,1-DICHLOROETHANE	**34496**	**072**	2014/06/04	**< .000**	2020/06	
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/06/04	**< .000**	2020/06	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/06/04	**< .000**	2020/06	
1,2-DICHLOROBENZENE	**34536**	**072**	2014/06/04	**< .000**	2020/06	
1,2-DICHLOROETHANE	**34531**	**072**	2014/06/04	**< .000**	2020/06	
1,2-DICHLOROPROPANE	**34541**	**072**	2014/06/04	**< .000**	2020/06	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/06/04	**< .000**	2020/06	
1,4-DICHLOROBENZENE	**34571**	**072**	2014/06/04	**< .000**	2020/06	
BENZENE	**34030**	**072**	2014/06/04	**< .000**	2020/06	
CARBON TETRACHLORIDE	**32102**	**072**	2014/06/04	**< .000**	2020/06	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/06/04	**< .000**	2020/06	
DICHLOROMETHANE	**34423**	**072**	2014/06/04	**< .000**	2020/06	
ETHYLBENZENE	**34371**	**072**	2014/06/04	**< .000**	2020/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/06/04	**< .000**	2020/06	
MONOCHLOROBENZENE	**34301**	**072**	2014/06/04	**< .000**	2020/06	
STYRENE	**77128**	**072**	2014/06/04	**< .000**	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-015***

Source Name: ***WELL 09***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2014/06/04	**< .000**	2020/06
TOLUENE	**34010**	**072**	2014/06/04	**< .000**	2020/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/06/04	**< .000**	2020/06
TRICHLOROETHYLENE	**39180**	**072**	2014/06/04	**< .000**	2020/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/06/04	**< .000**	2020/06
VINYL CHLORIDE	**39175**	**072**	2014/06/04	**< .000**	2020/06
XYLENES (TOTAL)	**81551**	**072**	2014/06/04	**< .000**	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 200.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 28.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 5.000**	2017/06
COLOR	**00081**	**036**	2014/06/04	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/18	**. 120.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/18	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/18	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/18	**. 12.000**	2017/06
MANGANESE	**01055**	**036**	2014/06/18	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/04	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/18	**. 7.600**	2017/06
SILVER	**01077**	**036**	2014/06/18	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/18	**. 30.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/18	**. 340.000**	2017/06
SULFATE	**00945**	**036**	2014/06/18	**. 10.000**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/18	**. 210.000**	2017/06
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/04	**< .000**	2017/06
ZINC	**01092**	**036**	2014/06/18	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-016***
Source Name: ***WELL 10***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/23	< .000	2017/07	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/12/08**	< .000	**2013/12**	DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-016***
Source Name: ***WELL 10***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/10/02	< .000	2016/10	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/10/02	< .000	2016/10	
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/06/04	< .000	2020/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/04	< .000	2020/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/04	< .000	2020/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

PS Code: 3610008-016
Source Name: WELL 10
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2014/06/04	< .000	2020/06
1,1-DICHLOROETHANE	34496	072	2014/06/04	< .000	2020/06
1,1-DICHLOROETHYLENE	34501	072	2014/06/04	< .000	2020/06
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/04	< .000	2020/06
1,2-DICHLOROBENZENE	34536	072	2014/06/04	< .000	2020/06
1,2-DICHLOROETHANE	34531	072	2014/06/04	< .000	2020/06
1,2-DICHLOROPROPANE	34541	072	2014/06/04	< .000	2020/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/06/04	< .000	2020/06
1,4-DICHLOROBENZENE	34571	072	2014/06/04	< .000	2020/06
BENZENE	34030	072	2014/06/04	< .000	2020/06
CARBON TETRACHLORIDE	32102	072	2014/06/18	< .000	2020/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/06/04	< .000	2020/06
DICHLOROMETHANE	34423	072	2014/06/04	< .000	2020/06
ETHYLBENZENE	34371	072	2014/06/04	< .000	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/06/04	< .000	2020/06
MONOCHLOROBENZENE	34301	072	2014/06/04	< .000	2020/06
STYRENE	77128	072	2014/06/04	< .000	2020/06
TETRACHLOROETHYLENE	34475	072	2014/06/04	< .000	2020/06
TOLUENE	34010	072	2014/06/04	< .000	2020/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/06/04	< .000	2020/06
TRICHLOROETHYLENE	39180	072	2014/06/18	< .000	2020/06
TRICHLOROFLUOROMETHANE	34488	072	2014/06/04	< .000	2020/06
VINYL CHLORIDE	39175	072	2014/06/04	< .000	2020/06
XYLENES (TOTAL)	81551	072	2014/06/04	< .000	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/18	. 250.000	2017/06
CALCIUM	00916	036	2014/06/18	. 55.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/18	< .000	2017/06
CHLORIDE	00940	036	2014/06/18	. 3.700	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

PS Code: ***3610008-016***
Source Name: ***WELL 10***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/06/04	< .000	2017/06
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 190.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 13.000	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/04	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.900	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 12.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 390.000	2017/06
SULFATE	00945	036	2014/06/18	. 1.800	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 250.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/04	< .000	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

PS Code: ***3610008-017***
Source Name: ***IRON AND MANGANESE PLANT EFFLUENT***
Source Number: ***017***
Source Status: ***ACTIVE TREATED***
Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3610008-018***

Source Name: ***JOSEPH ROWE BLENDING RESERVOIR EFFLUENT***

Source Number: ***018***

Source Status: ***COMBINATION OR BLEND MIXED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

PS Code: ***3610008-601***

Source Name: ***DBP2-1001 VAN DUSEN CYN.***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/09	**< .000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/09	**< .000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/09	**< .000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/09	**< .000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/09	**< .000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/09	**< .000**	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/09	**. 1.100**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/09	**. 1.200**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/09	**< .000**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/09	**. 2.000**	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/09	**. 4.300**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***
System Name: ***BIG BEAR CITY CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610008-602***					
Source Name: ***DBP2-1534 MALABAR WAY***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/09	**< .000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/09	**< .000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/09	**< .000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/09	**< .000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/09	**< .000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/09	**< .000**	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/09	**< .000**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/09	**< .000**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/09	**< .000**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/09	**. 1.000**	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/09	**. 1.000**	2015/07
PS Code: ***3610008-800***					
Source Name: ***FISH HATCHERY AND GREEN SPOT SPRINGS-TRE***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610008
System Name: BIG BEAR CITY CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610008-801					
Source Name: VAN DUSEN CANYON HORIZ WELLS - TREATED (					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610008-802					
Source Name: WELL 02 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610008-803					
Source Name: WELL 06 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610008-804					
Source Name: WELL NO. 8 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610008***

System Name: ***BIG BEAR CITY CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610008-805***					
Source Name: ***WELL 09 - TREATED (CL2)***					
Source Number: ***805***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610009***

System Name: ***BIGHORN - DESERT VIEW WATER AGENCY***

PS Code: ***3610009-001***

Source Name: ***WELL 06***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/05/14	**< .000**	2015/05
ANTIMONY	**01097**	**036**	2012/05/14	**< .000**	2015/05
ARSENIC	**01002**	**036**	2012/05/14	**. 2.800**	2015/05
BARIUM	**01007**	**036**	2012/05/14	**< .000**	2015/05
BERYLLIUM	**01012**	**036**	2012/05/14	**< .000**	2015/05
CADMIUM	**01027**	**036**	2012/05/14	**< .000**	2015/05
CHROMIUM (TOTAL)	**01034**	**036**	2012/05/14	**< .000**	2015/05
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/14	**. 3.300**	2017/07
CYANIDE	**01291**	**036**	2012/05/14	**< .000**	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/05/14	**. .910**	2015/05
MERCURY	**71900**	**036**	2012/05/14	**< .000**	2015/05
NICKEL	**01067**	**036**	2012/05/14	**< .000**	2015/05
PERCHLORATE	**A-031**	**036**	2012/05/14	**< .000**	2015/05
SELENIUM	**01147**	**036**	2012/05/14	**< .000**	2015/05
THALLIUM	**01059**	**036**	2012/05/14	**< .000**	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/14	**. 6.400**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/14	**< .000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2011/11/14	**. 7.700**	2017/11
URANIUM (PCI/L)	**28012**	**072**	2011/11/14	**. 6.600**	2017/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/12/09	**< .000**	2016/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/09	**< .000**	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/12/20	**< .000**	2016/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/12/20	**< .000**	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/12/20	**< .000**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-001
Source Name: WELL 06
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2010/12/20	< .000	2016/12
1,1-DICHLOROETHANE	34496	072	2010/12/20	< .000	2016/12
1,1-DICHLOROETHYLENE	34501	072	2010/12/20	< .000	2016/12
1,2,4-TRICHLOROBENZENE	34551	072	2010/12/20	< .000	2016/12
1,2-DICHLOROBENZENE	34536	072	2010/12/20	< .000	2016/12
1,2-DICHLOROETHANE	34531	072	2010/12/20	< .000	2016/12
1,2-DICHLOROPROPANE	34541	072	2010/12/20	< .000	2016/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/12/20	< .000	2016/12
1,4-DICHLOROBENZENE	34571	072	2010/12/20	< .000	2016/12
BENZENE	34030	072	2010/12/20	< .000	2016/12
CARBON TETRACHLORIDE	32102	072	2010/12/20	< .000	2016/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/12/20	< .000	2016/12
DICHLOROMETHANE	34423	072	2010/12/20	< .000	2016/12
ETHYLBENZENE	34371	072	2010/12/20	< .000	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/12/20	< .000	2016/12
MONOCHLOROBENZENE	34301	072	2010/12/20	< .000	2016/12
STYRENE	77128	072	2010/12/20	< .000	2016/12
TETRACHLOROETHYLENE	34475	072	2010/12/20	< .000	2016/12
TOLUENE	34010	072	2010/12/20	< .000	2016/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/12/20	< .000	2016/12
TRICHLOROETHYLENE	39180	072	2010/12/20	< .000	2016/12
TRICHLOROFLUOROMETHANE	34488	072	2010/12/20	< .000	2016/12
VINYL CHLORIDE	39175	072	2010/12/20	< .000	2016/12
XYLENES (TOTAL)	81551	072	2010/12/20	< .000	2016/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/14	. 200.000	2015/05
CALCIUM	00916	036	2012/05/14	. 40.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/14	< .000	2015/05
CHLORIDE	00940	036	2012/05/14	. 18.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-001
Source Name: WELL 06
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2012/05/14	< .000	2015/05
COPPER	01042	036	2012/05/14	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/14	< .000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/14	. 130.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/14	< .000	2015/05
IRON	01045	036	2012/05/14	< .000	2015/05
MAGNESIUM	00927	036	2012/05/14	. 7.200	2015/05
MANGANESE	01055	036	2012/05/14	< .000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/14	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/14	7.900	2015/05
SILVER	01077	036	2012/05/14	< .000	2015/05
SODIUM	00929	036	2012/05/14	48.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/14	. 450.000	2015/05
SULFATE	00945	036	2012/05/14	32.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/14	. 280.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/14	. .100	2015/05
ZINC	01092	036	2012/05/14	< .000	2015/05

PS Code: 3610009-002
Source Name: WELL 07
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/05/14	< .000	2015/05
ANTIMONY	01097	036	2012/05/14	< .000	2015/05
ARSENIC	01002	036	2012/05/14	. 2.400	2015/05
BARIUM	01007	036	2012/05/14	< .000	2015/05
BERYLLIUM	01012	036	2012/05/14	< .000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-002
Source Name: WELL 07
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	01027	036	2012/05/14	< .000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/14	< .000	2015/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/14	. 3.100	2017/07
CYANIDE	01291	036	2012/05/14	< .000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/14	. .970	2015/05
MERCURY	71900	036	2012/05/14	< .000	2015/05
NICKEL	01067	036	2012/05/14	< .000	2015/05
PERCHLORATE	A-031	036	2012/05/14	< .000	2015/05
SELENIUM	01147	036	2012/05/14	< .000	2015/05
THALLIUM	01059	036	2012/05/14	< .000	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/14	. 7.400	2015/04
NITRITE (AS N)	00620	036	2014/04/14	< .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	072	2011/11/14	. 6.700	2017/11
URANIUM (PCI/L)	28012	072	2011/11/14	. 9.300	2017/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/12/09	< .000	2016/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/12/09	< .000	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/05/13	< .000	2019/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/05/13	< .000	2019/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/05/13	< .000	2019/05
1,1,2-TRICHLOROETHANE	34511	072	2013/05/13	< .000	2019/05
1,1-DICHLOROETHANE	34496	072	2013/05/13	< .000	2019/05
1,1-DICHLOROETHYLENE	34501	072	2013/05/13	< .000	2019/05
1,2,4-TRICHLOROBENZENE	34551	072	2013/05/13	< .000	2019/05
1,2-DICHLOROBENZENE	34536	072	2013/05/13	< .000	2019/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-002
Source Name: WELL 07
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	072	2013/05/13	< .000	2019/05
1,2-DICHLOROPROPANE	34541	072	2013/05/13	< .000	2019/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/05/13	< .000	2019/05
1,4-DICHLOROBENZENE	34571	072	2013/05/13	< .000	2019/05
BENZENE	34030	072	2013/05/13	< .000	2019/05
CARBON TETRACHLORIDE	32102	072	2013/05/13	< .000	2019/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/05/13	< .000	2019/05
DICHLOROMETHANE	34423	072	2013/05/13	< .000	2019/05
ETHYLBENZENE	34371	072	2013/05/13	< .000	2019/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/05/13	< .000	2019/05
MONOCHLOROBENZENE	34301	072	2013/05/13	< .000	2019/05
STYRENE	77128	072	2013/05/13	< .000	2019/05
TETRACHLOROETHYLENE	34475	072	2013/05/13	< .000	2019/05
TOLUENE	34010	072	2013/05/13	< .000	2019/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/05/13	< .000	2019/05
TRICHLOROETHYLENE	39180	072	2013/05/13	< .000	2019/05
TRICHLOROFLUOROMETHANE	34488	072	2013/05/13	< .000	2019/05
VINYL CHLORIDE	39175	072	2013/05/13	< .000	2019/05
XYLENES (TOTAL)	81551	072	2013/05/13	< .000	2019/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/14	. 200.000	2015/05
CALCIUM	00916	036	2012/05/14	. 39.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/14	< .000	2015/05
CHLORIDE	00940	036	2012/05/14	. 18.000	2015/05
COLOR	00081	036	2012/05/14	< .000	2015/05
COPPER	01042	036	2012/05/14	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/14	< .000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/14	. 130.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/14	< .000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-002
Source Name: WELL 07
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
IRON	01045	036	2012/05/14	< .000	2015/05
MAGNESIUM	00927	036	2012/05/14	. 7.400	2015/05
MANGANESE	01055	036	2012/05/14	< .000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/14	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/14	7.900	2015/05
SILVER	01077	036	2012/05/14	< .000	2015/05
SODIUM	00929	036	2012/05/14	50.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/14	. 450.000	2015/05
SULFATE	00945	036	2012/05/14	33.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/14	. 270.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/14	. .100	2015/05
ZINC	01092	036	2012/05/14	< .000	2015/05

PS Code: 3610009-004
Source Name: WELL 03
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/05/12	< .000	2017/05
ANTIMONY	01097	036	2014/05/12	< .000	2017/05
ARSENIC	01002	036	2014/05/12	. 2.800	2017/05
BARIUM	01007	036	2014/05/12	< .000	2017/05
BERYLLIUM	01012	036	2014/05/12	< .000	2017/05
CADMIUM	01027	036	2014/05/12	< .000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/12	< .000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/14	. 3.100	2017/07
CYANIDE	01291	036	2014/05/12	< .000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/12	. .600	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-004
Source Name: WELL 03
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2014/05/12	< .000	2017/05
NICKEL	01067	036	2014/05/12	< .000	2017/05
PERCHLORATE	A-031	036	2014/05/12	< .000	2017/05
SELENIUM	01147	036	2014/05/12	< .000	2017/05
THALLIUM	01059	036	2014/05/12	< .000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/12	. 5.700	2015/05
NITRITE (AS N)	00620	036	2014/05/12	< .000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/09/10	. 15.000	2015/09
URANIUM (PCI/L)	28012	036	2012/09/10	. 17.000	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/12/09	< .000	2016/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/12/09	< .000	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/05/13	< .000	2019/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/05/13	< .000	2019/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/05/13	< .000	2019/05
1,1,2-TRICHLOROETHANE	34511	072	2013/05/13	< .000	2019/05
1,1-DICHLOROETHANE	34496	072	2013/05/13	< .000	2019/05
1,1-DICHLOROETHYLENE	34501	072	2013/05/13	< .000	2019/05
1,2,4-TRICHLOROBENZENE	34551	072	2013/05/13	< .000	2019/05
1,2-DICHLOROBENZENE	34536	072	2013/05/13	< .000	2019/05
1,2-DICHLOROETHANE	34531	072	2013/05/13	< .000	2019/05
1,2-DICHLOROPROPANE	34541	072	2013/05/13	< .000	2019/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/05/13	< .000	2019/05
1,4-DICHLOROBENZENE	34571	072	2013/05/13	< .000	2019/05
BENZENE	34030	072	2013/05/13	< .000	2019/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-004
Source Name: WELL 03
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	32102	072	2013/05/13	< .000	2019/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/05/13	< .000	2019/05
DICHLOROMETHANE	34423	072	2013/05/13	< .000	2019/05
ETHYLBENZENE	34371	072	2013/05/13	< .000	2019/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/05/13	< .000	2019/05
MONOCHLOROBENZENE	34301	072	2013/05/13	< .000	2019/05
STYRENE	77128	072	2013/05/13	< .000	2019/05
TETRACHLOROETHYLENE	34475	072	2013/05/13	< .000	2019/05
TOLUENE	34010	072	2013/05/13	< .000	2019/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/05/13	< .000	2019/05
TRICHLOROETHYLENE	39180	072	2013/05/13	< .000	2019/05
TRICHLOROFLUOROMETHANE	34488	072	2013/05/13	< .000	2019/05
VINYL CHLORIDE	39175	072	2013/05/13	< .000	2019/05
XYLENES (TOTAL)	81551	072	2013/05/13	< .000	2019/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/12	. 240.000	2017/05
CALCIUM	00916	036	2014/05/12	. 48.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05
CHLORIDE	00940	036	2014/05/12	. 28.000	2017/05
COLOR	00081	036	2014/05/12	< .000	2017/05
COPPER	01042	036	2014/05/12	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	. .100	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/12	. 170.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05
IRON	01045	036	2014/05/12	< .000	2017/05
MAGNESIUM	00927	036	2014/05/12	. 12.000	2017/05
MANGANESE	01055	036	2014/05/12	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/12	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/12	. 7.600	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-004
Source Name: WELL 03
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SILVER	01077	036	2014/05/12	< .000	2017/05
SODIUM	00929	036	2014/05/12	. 45.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 540.000	2017/05
SULFATE	00945	036	2014/05/12	. 38.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 340.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/12	. .200	2017/05
ZINC	01092	036	2014/05/12	< .000	2017/05

PS Code: 3610009-006
Source Name: WELL 08
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/05/14	< .000	2015/05
ANTIMONY	01097	036	2012/05/14	< .000	2015/05
ARSENIC	01002	036	2012/05/14	. 6.700	2015/05
BARIUM	01007	036	2012/05/14	< .000	2015/05
BERYLLIUM	01012	036	2012/05/14	< .000	2015/05
CADMIUM	01027	036	2012/05/14	< .000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/14	< .000	2015/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/14	. 3.500	2017/07
CYANIDE	01291	036	2012/05/14	< .000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/14	. .650	2015/05
MERCURY	71900	036	2012/05/14	< .000	2015/05
NICKEL	01067	036	2012/05/14	< .000	2015/05
PERCHLORATE	A-031	036	2012/05/14	< .000	2015/05
SELENIUM	01147	036	2012/05/14	< .000	2015/05
THALLIUM	01059	036	2012/05/14	< .000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-006
Source Name: WELL 08
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/14	. 8.300	2015/04
NITRITE (AS N)	00620	036	2014/04/14	< .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/12/05	< .000	2020/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/30	< .000	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/30	< .000	2015/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/07/27	.000	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/27	.000	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/27	.000	2015/07
1,1,2-TRICHLOROETHANE	34511	072	2009/07/27	.000	2015/07
1,1-DICHLOROETHANE	34496	072	2009/07/27	.000	2015/07
1,1-DICHLOROETHYLENE	34501	072	2009/07/27	.000	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/27	.000	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/27	.000	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/27	.000	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/27	.000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/27	.000	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/27	.000	2015/07
BENZENE	34030	072	2009/07/27	.000	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/27	.000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/27	.000	2015/07
DICHLOROMETHANE	34423	072	2009/07/27	.000	2015/07
ETHYLBENZENE	34371	072	2009/07/27	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/07	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2009/07/27	.000	2015/07
STYRENE	77128	072	2009/07/27	.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-006
Source Name: WELL 08
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
TETRACHLOROETHYLENE	34475	072	2009/07/27		.000	2015/07
TOLUENE	34010	072	2009/07/27		.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/27		.000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/27		.000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/27		.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/27		.000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/27		.000	2015/07
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/05/14	.	150.000	2015/05
CALCIUM	00916	036	2012/05/14	.	20.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/14	<	.000	2015/05
CHLORIDE	00940	036	2012/05/14	.	31.000	2015/05
COLOR	00081	036	2012/05/14	<	.000	2015/05
COPPER	01042	036	2012/05/14	<	.000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/14	<	.000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/14	.	68.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/14	<	.000	2015/05
IRON	01045	036	2012/05/14	<	.000	2015/05
MAGNESIUM	00927	036	2012/05/14	.	1.600	2015/05
MANGANESE	01055	036	2012/05/14	<	.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/14		1.000	2015/05
PH, LABORATORY	00403	036	2012/05/14		8.100	2015/05
SILVER	01077	036	2012/05/14	<	.000	2015/05
SODIUM	00929	036	2012/05/14		72.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/14	.	460.000	2015/05
SULFATE	00945	036	2012/05/14		45.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/14	.	270.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/14	.	.100	2015/05
ZINC	01092	036	2012/05/14	<	.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610009***

System Name: ***BIGHORN - DESERT VIEW WATER AGENCY***

PS Code: ***3610009-007***

Source Name: ***WELL 09***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/05/14	**< .000**	2015/05
ANTIMONY	**01097**	**036**	2012/05/14	**< .000**	2015/05
ARSENIC	**01002**	**036**	2012/05/14	**< .000**	2015/05
BARIUM	**01007**	**036**	2012/05/14	**< .000**	2015/05
BERYLLIUM	**01012**	**036**	2012/05/14	**< .000**	2015/05
CADMIUM	**01027**	**036**	2012/05/14	**< .000**	2015/05
CHROMIUM (TOTAL)	**01034**	**036**	2012/05/14	**< .000**	2015/05
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/14	**. 3.300**	2017/07
CYANIDE	**01291**	**036**	2012/05/14	**< .000**	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/05/14	**. 1.100**	2015/05
MERCURY	**71900**	**036**	2012/05/14	**< .000**	2015/05
NICKEL	**01067**	**036**	2012/05/14	**< .000**	2015/05
PERCHLORATE	**A-031**	**036**	2012/05/14	**< .000**	2015/05
SELENIUM	**01147**	**036**	2012/05/14	**< .000**	2015/05
THALLIUM	**01059**	**036**	2012/05/14	**< .000**	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/14	**. 9.800**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/14	**< .000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2012/05/14	**. 4.800**	2018/05
URANIUM (PCI/L)	**28012**	**072**	2012/05/14	**. 6.500**	2018/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/05/30	**< .000**	2015/05
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/05/30	**< .000**	2015/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/27	**.000**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/27	**.000**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/27	**.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-007
Source Name: WELL 09
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2009/07/27	.000	2015/07
1,1-DICHLOROETHANE	34496	072	2009/07/27	.000	2015/07
1,1-DICHLOROETHYLENE	34501	072	2009/07/27	.000	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/27	.000	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/27	.000	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/27	.000	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/27	.000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/27	.000	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/27	.000	2015/07
BENZENE	34030	072	2009/07/27	.000	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/27	.000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/27	.000	2015/07
DICHLOROMETHANE	34423	072	2009/07/27	.000	2015/07
ETHYLBENZENE	34371	072	2009/07/27	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/06/07	< .000	2016/06
MONOCHLOROBENZENE	34301	072	2009/07/27	.000	2015/07
STYRENE	77128	072	2009/07/27	.000	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/27	.000	2015/07
TOLUENE	34010	072	2009/07/27	.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/27	.000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/27	.000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/27	.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/27	.000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/27	.000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/14	. 170.000	2015/05
CALCIUM	00916	036	2012/05/14	. 41.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/14	< .000	2015/05
CHLORIDE	00940	036	2012/05/14	. 25.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-007
Source Name: WELL 09
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2012/05/14	< .000	2015/05
COPPER	01042	036	2012/05/14	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/14	< .000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/14	. 120.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/14	< .000	2015/05
IRON	01045	036	2012/05/14	< .000	2015/05
MAGNESIUM	00927	036	2012/05/14	. 6.400	2015/05
MANGANESE	01055	036	2012/05/14	< .000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/14	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/14	8.000	2015/05
SILVER	01077	036	2012/05/14	< .000	2015/05
SODIUM	00929	036	2012/05/14	51.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/14	. 470.000	2015/05
SULFATE	00945	036	2012/05/14	48.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/14	. 280.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/14	. .200	2015/05
ZINC	01092	036	2012/05/14	< .000	2015/05

PS Code: 3610009-008
Source Name: WELL 10 (JOHNSON VALLEY WELL)
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/05/12	< .000	2017/05
ANTIMONY	01097	036	2014/05/12	< .000	2017/05
ARSENIC	01002	036	2014/05/12	. 2.000	2017/05
BARIUM	01007	036	2014/05/12	< .000	2017/05
BERYLLIUM	01012	036	2014/05/12	< .000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610009***

System Name: ***BIGHORN - DESERT VIEW WATER AGENCY***

PS Code: ***3610009-008***

Source Name: ***WELL 10 (JOHNSON VALLEY WELL)***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**036**	2014/05/12	**< .000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/12	**< .000**	2017/05
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/14	**. 2.400**	2017/07
CYANIDE	**01291**	**036**	2014/05/12	**< .000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/12	**. .730**	2017/05
MERCURY	**71900**	**036**	2014/05/12	**< .000**	2017/05
NICKEL	**01067**	**036**	2014/05/12	**< .000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/12	**< .000**	2017/05
SELENIUM	**01147**	**036**	2014/05/12	**< .000**	2017/05
THALLIUM	**01059**	**036**	2014/05/12	**< .000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/12	**. 5.700**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/12	**< .000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/06/11	**.000**	2016/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/12/09	**< .000**	2016/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/09	**< .000**	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/09/23	**< .000**	2019/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/09/23	**< .000**	2019/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/09/23	**< .000**	2019/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/09/23	**< .000**	2019/09
1,1-DICHLOROETHANE	**34496**	**072**	2013/09/23	**< .000**	2019/09
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/09/23	**< .000**	2019/09
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/09/23	**< .000**	2019/09
1,2-DICHLOROBENZENE	**34536**	**072**	2013/09/23	**< .000**	2019/09
1,2-DICHLOROETHANE	**34531**	**072**	2013/09/23	**< .000**	2019/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-008
Source Name: WELL 10 (JOHNSON VALLEY WELL)
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2013/09/23	< .000	2019/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/23	< .000	2019/09
1,4-DICHLOROBENZENE	34571	072	2013/09/23	< .000	2019/09
BENZENE	34030	072	2013/09/23	< .000	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/23	< .000	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/23	< .000	2019/09
DICHLOROMETHANE	34423	072	2013/09/23	< .000	2019/09
ETHYLBENZENE	34371	072	2013/09/23	< .000	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/23	< .000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/23	< .000	2019/09
STYRENE	77128	072	2013/09/23	< .000	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/23	< .000	2019/09
TOLUENE	34010	072	2013/09/23	< .000	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/23	< .000	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/23	< .000	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/23	< .000	2019/09
VINYL CHLORIDE	39175	072	2013/09/23	< .000	2019/09
XYLENES (TOTAL)	81551	072	2013/09/23	< .000	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/12	. 160.000	2017/05
CALCIUM	00916	036	2014/05/12	. 19.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/12	< .000	2017/05
CHLORIDE	00940	036	2014/05/12	. 41.000	2017/05
COLOR	00081	003	2014/05/12	< .000	2014/08
COPPER	01042	036	2014/05/12	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/12	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/12	. 67.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/12	< .000	2017/05
IRON	01045	036	2014/05/12	. 310.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

PS Code: 3610009-008
Source Name: WELL 10 (JOHNSON VALLEY WELL)
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2014/05/12	. 4.900	2017/05
MANGANESE	01055	036	2014/05/12	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/12	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/12	. 8.200	2017/05
SILVER	01077	036	2014/05/12	< .000	2017/05
SODIUM	00929	036	2014/05/12	. 96.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/12	. 600.000	2017/05
SULFATE	00945	036	2014/05/12	. 95.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/12	. 350.000	2017/05
TURBIDITY, LABORATORY	82079	003	2014/05/12	. 1.600	2014/08
ZINC	01092	036	2014/05/12	< .000	2017/05

PS Code: 3610009-009D
Source Name: TANK NO. 10 - CHLORINATED
Source Number: 009
Source Status: DISTRIBUTION TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610009-010T
Source Name: WELL 10 (JOHNSON VALLEY WELL) - TREATED
Source Number: 010
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610009-601					
Source Name: DBP2-STATION 1					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/07	. 1.000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/07	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/07	. 1.000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/07	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/07	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/07	< .000	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/07/07	< .000	2015/07
BROMOFORM (THM)	32104	012	2014/07/07	. 3.500	2015/07
CHLOROFORM (THM)	32106	012	2014/07/07	< .000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/07	< .000	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/07/07	. 3.500	2015/07
PS Code: 3610009-602					
Source Name: DBP2-STATION 8					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/07	< .000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/07	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/07	< .000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/07	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/07	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/07	< .000	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/07/07	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610009***

System Name: ***BIGHORN - DESERT VIEW WATER AGENCY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610009-602***						
Source Name: ***DBP2-STATION 8***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
STATE UCMR						
BROMOFORM (THM)	**32104**	**012**	2014/07/07	**. 1.700**	2015/07	
CHLOROFORM (THM)	**32106**	**012**	2014/07/07	**< .000**	2015/07	
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/07	**< .000**	2015/07	
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/07	**. 1.700**	2015/07	
PS Code: ***3610009-603***						
Source Name: ***DBP2-TANK 10***						
Source Number: ***603***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**000**				**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**				**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**				**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**				**DUE**
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**000**				**DUE**
TRICHLOROACETIC ACID (TCAA)	**82723**	**000**				**DUE**
STATE UCMR						
BROMODICHLORMETHANE (THM)	**32101**	**000**				**DUE**
BROMOFORM (THM)	**32104**	**000**				**DUE**
CHLOROFORM (THM)	**32106**	**000**				**DUE**
DIBROMOCHLOROMETHANE (THM)	**32105**	**000**				**DUE**
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**000**				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610009
System Name: BIGHORN - DESERT VIEW WATER AGENCY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610009-800					
Source Name: WELL 06 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610009-801					
Source Name: WELL 07 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610009-803					
Source Name: WELL 03 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610009-805					
Source Name: WELL 08 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610009***

System Name: ***BIGHORN - DESERT VIEW WATER AGENCY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610009-806***					
Source Name: ***WELL 09 - TREATED (CL2)***					
Source Number: ***806***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610011-001***						
Source Name: ***LOWER BURNT MILL 1-5 COMPOSITE***						
Source Number: ***001***						
Source Status: ***COMBINATION OR BLEND UNTREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610011-002***						
Source Name: ***COON TURN 1,3 AND THREE PIGS COMPOSITE***						
Source Number: ***002***						
Source Status: ***COMBINATION OR BLEND RAW***						
Water type: ***S***						
INORGANIC						
ALUMINUM	**01105**	**036**	2011/09/30	**< .000**	2014/09	
ANTIMONY	**01097**	**036**	2011/09/30	**< .000**	2014/09	
ARSENIC	**01002**	**036**	2011/09/30	**< .000**	2014/09	
BARIUM	**01007**	**036**	2011/09/30	**< .000**	2014/09	
BERYLLIUM	**01012**	**036**	2011/09/30	**< .000**	2014/09	
CADMIUM	**01027**	**036**	2011/09/30	**< .000**	2014/09	
CHROMIUM (TOTAL)	**01034**	**036**	2011/09/30	**< .000**	2014/09	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2011/09/30	**< .000**	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/30	**. .200**	2014/09	
MERCURY	**71900**	**036**	2011/09/30	**< .000**	2014/09	
NICKEL	**01067**	**036**	2011/09/30	**< .000**	2014/09	
PERCHLORATE	**A-031**	**036**	2011/11/21	**< .000**	2014/11	
SELENIUM	**01147**	**036**	2011/09/30	**< .000**	2014/09	
THALLIUM	**01059**	**036**	2011/09/30	**< .000**	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/03/03	**. 2.800**	2015/03	
NITRITE (AS N)	**00620**	**036**	2014/03/03	**< .000**	2017/03	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2011/04/04	**< .000**	2020/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-002
Source Name: COON TURN 1,3 AND THREE PIGS COMPOSITE
Source Number: 002
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/29	< .000	2014/11
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/29	< .000	2014/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/10/03	< .000	2017/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/10/03	< .000	2017/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/10/03	< .000	2017/10
1,1,2-TRICHLOROETHANE	34511	072	2011/10/03	< .000	2017/10
1,1-DICHLOROETHANE	34496	072	2011/10/03	< .000	2017/10
1,1-DICHLOROETHYLENE	34501	072	2011/10/03	< .000	2017/10
1,2,4-TRICHLOROBENZENE	34551	072	2011/10/03	< .000	2017/10
1,2-DICHLOROBENZENE	34536	072	2011/10/03	< .000	2017/10
1,2-DICHLOROETHANE	34531	072	2011/10/03	< .000	2017/10
1,2-DICHLOROPROPANE	34541	072	2011/10/03	< .000	2017/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/10/03	< .000	2017/10
1,4-DICHLOROBENZENE	34571	072	2011/10/03	< .000	2017/10
BENZENE	34030	072	2011/10/03	< .000	2017/10
CARBON TETRACHLORIDE	32102	072	2011/10/03	< .000	2017/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/10/03	< .000	2017/10
DICHLOROMETHANE	34423	072	2011/10/03	< .000	2017/10
ETHYLBENZENE	34371	072	2011/10/03	< .000	2017/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/10/03	< .000	2017/10
MONOCHLOROBENZENE	34301	072	2011/10/03	< .000	2017/10
STYRENE	77128	072	2011/10/03	< .000	2017/10
TETRACHLOROETHYLENE	34475	072	2011/10/03	< .000	2017/10
TOLUENE	34010	072	2011/10/03	< .000	2017/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/10/03	< .000	2017/10
TRICHLOROETHYLENE	39180	072	2011/10/03	< .000	2017/10
TRICHLOROFLUOROMETHANE	34488	072	2011/10/03	< .000	2017/10
VINYL CHLORIDE	39175	072	2011/10/03	< .000	2017/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

PS Code: ***3610011-002***

Source Name: ***COON TURN 1,3 AND THREE PIGS COMPOSITE***

Source Number: ***002***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2011/10/03	**< .000**	2017/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/30	**. 150.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/30	**. 42.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/30	**< .000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/30	**. 5.400**	2014/09
COLOR	**00081**	**036**	2011/09/30	**< .000**	2014/09
COPPER	**01042**	**036**	2011/09/30	**< .000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/30	**< .000**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/30	**. 120.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/30	**< .000**	2014/09
IRON	**01045**	**036**	2011/09/30	**< .000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/30	**. 5.700**	2014/09
MANGANESE	**01055**	**036**	2011/09/30	**< .000**	2014/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/30	**1.000**	2014/09
PH, LABORATORY	**00403**	**036**	2011/09/30	**. 8.100**	2014/09
SILVER	**01077**	**036**	2011/09/30	**< .000**	2014/09
SODIUM	**00929**	**036**	2011/09/30	**9.900**	2014/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/09/30	**. 290.000**	2014/09
SULFATE	**00945**	**036**	2011/09/30	**8.600**	2014/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/09/30	**. 190.000**	2014/09
TURBIDITY, LABORATORY	**82079**	**036**	2011/09/30	**. .100**	2014/09
ZINC	**01092**	**036**	2011/09/30	**< .000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

PS Code: ***3610011-003***

Source Name: ***COON TURN 05-VERTICAL***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2011/09/30	**< .000**	2014/09	
ANTIMONY	**01097**	**036**	2011/09/30	**< .000**	2014/09	
ARSENIC	**01002**	**036**	2011/09/30	**< .000**	2014/09	
BARIUM	**01007**	**036**	2011/09/30	**< .000**	2014/09	
BERYLLIUM	**01012**	**036**	2011/09/30	**< .000**	2014/09	
CADMIUM	**01027**	**036**	2011/09/30	**< .000**	2014/09	
CHROMIUM (TOTAL)	**01034**	**036**	2011/09/30	**< .000**	2014/09	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2011/09/30	**< .000**	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/30	**. .120**	2014/09	
MERCURY	**71900**	**036**	2011/09/30	**< .000**	2014/09	
NICKEL	**01067**	**036**	2011/09/30	**< .000**	2014/09	
PERCHLORATE	**A-031**	**036**	2011/11/21	**< .000**	2014/11	
SELENIUM	**01147**	**036**	2011/09/30	**< .000**	2014/09	
THALLIUM	**01059**	**036**	2011/09/30	**< .000**	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/03/03	**. 3.900**	2015/03	
NITRITE (AS N)	**00620**	**036**	2014/03/03	**< .000**	2017/03	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2008/01/21	**.000**	2017/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/11/29	**< .000**	2014/11	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/11/29	**< .000**	2014/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/09/17	**< .000**	2019/09	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/09/17	**< .000**	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/09/17	**< .000**	2019/09	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/09/17	**< .000**	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-003
Source Name: COON TURN 05-VERTICAL
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/09/17	< .000	2019/09
1,1-DICHLOROETHYLENE	34501	072	2013/09/17	< .000	2019/09
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/17	< .000	2019/09
1,2-DICHLOROBENZENE	34536	072	2013/09/17	< .000	2019/09
1,2-DICHLOROETHANE	34531	072	2013/09/17	< .000	2019/09
1,2-DICHLOROPROPANE	34541	072	2013/09/17	< .000	2019/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/17	< .000	2019/09
1,4-DICHLOROBENZENE	34571	072	2013/09/17	< .000	2019/09
BENZENE	34030	072	2013/09/17	< .000	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/17	< .000	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/17	< .000	2019/09
DICHLOROMETHANE	34423	072	2013/09/17	< .000	2019/09
ETHYLBENZENE	34371	072	2013/09/17	< .000	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/17	< .000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/17	< .000	2019/09
STYRENE	77128	072	2013/09/17	< .000	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/17	< .000	2019/09
TOLUENE	34010	072	2013/09/17	< .000	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/17	< .000	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/17	< .000	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/17	< .000	2019/09
VINYL CHLORIDE	39175	072	2013/09/17	< .000	2019/09
XYLENES (TOTAL)	81551	072	2013/09/17	< .000	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/30	. 130.000	2014/09
CALCIUM	00916	036	2011/09/30	. 39.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/30	< .000	2014/09
CHLORIDE	00940	036	2011/09/30	. 6.300	2014/09
COLOR	00081	036	2011/09/30	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-003
Source Name: COON TURN 05-VERTICAL
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2011/09/30	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/30	< .000	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/30	. 120.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/30	< .000	2014/09
IRON	01045	036	2011/09/30	180.000	2014/09
MAGNESIUM	00927	036	2011/09/30	. 5.300	2014/09
MANGANESE	01055	036	2011/09/30	< .000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/30	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/30	. 7.700	2014/09
SILVER	01077	036	2011/09/30	< .000	2014/09
SODIUM	00929	036	2011/09/30	8.700	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/30	. 260.000	2014/09
SULFATE	00945	036	2011/09/30	11.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/30	. 170.000	2014/09
TURBIDITY, LABORATORY	82079	036	2011/09/30	. 1.300	2014/09
ZINC	01092	036	2011/09/30	. 110.000	2014/09

PS Code: 3610011-004
Source Name: LOVER'S LANE 01 & 02 COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/09/30	< .000	2014/09
ANTIMONY	01097	036	2011/09/30	< .000	2014/09
ARSENIC	01002	036	2011/09/30	< .000	2014/09
BARIUM	01007	036	2011/09/30	< .000	2014/09
BERYLLIUM	01012	036	2011/09/30	< .000	2014/09
CADMIUM	01027	036	2011/09/30	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-004
Source Name: LOVER'S LANE 01 & 02 COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/09/30	< .000	2014/09	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/09/30	< .000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/30	. .120	2014/09	
MERCURY	71900	036	2011/09/30	< .000	2014/09	
NICKEL	01067	036	2011/09/30	< .000	2014/09	
PERCHLORATE	A-031	036	2011/09/30	< .000	2014/09	
SELENIUM	01147	036	2011/09/30	< .000	2014/09	
THALLIUM	01059	036	2011/09/30	< .000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/30	. 3.200	2012/09	DUE
NITRITE (AS N)	00620	036	2013/01/08	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2008/01/21	.000	2017/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/29	< .000	2014/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/29	< .000	2014/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/09/17	< .000	2019/09	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/09/17	< .000	2019/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/09/17	< .000	2019/09	
1,1,2-TRICHLOROETHANE	34511	072	2013/09/17	< .000	2019/09	
1,1-DICHLOROETHANE	34496	072	2013/09/17	< .000	2019/09	
1,1-DICHLOROETHYLENE	34501	072	2013/09/17	< .000	2019/09	
1,2,4-TRICHLOROBENZENE	34551	072	2013/09/17	< .000	2019/09	
1,2-DICHLOROBENZENE	34536	072	2013/09/17	< .000	2019/09	
1,2-DICHLOROETHANE	34531	072	2013/09/17	< .000	2019/09	
1,2-DICHLOROPROPANE	34541	072	2013/09/17	< .000	2019/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-004
Source Name: LOVER'S LANE 01 & 02 COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/09/17	< .000	2019/09
1,4-DICHLOROBENZENE	34571	072	2013/09/17	< .000	2019/09
BENZENE	34030	072	2013/09/17	< .000	2019/09
CARBON TETRACHLORIDE	32102	072	2013/09/17	< .000	2019/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/09/17	< .000	2019/09
DICHLOROMETHANE	34423	072	2013/09/17	< .000	2019/09
ETHYLBENZENE	34371	072	2013/09/17	< .000	2019/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/09/17	< .000	2019/09
MONOCHLOROBENZENE	34301	072	2013/09/17	< .000	2019/09
STYRENE	77128	072	2013/09/17	< .000	2019/09
TETRACHLOROETHYLENE	34475	072	2013/09/17	< .000	2019/09
TOLUENE	34010	072	2013/09/17	< .000	2019/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/09/17	< .000	2019/09
TRICHLOROETHYLENE	39180	072	2013/09/17	< .000	2019/09
TRICHLOROFLUOROMETHANE	34488	072	2013/09/17	< .000	2019/09
VINYL CHLORIDE	39175	072	2013/09/17	< .000	2019/09
XYLENES (TOTAL)	81551	072	2013/09/17	< .000	2019/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/30	. 59.000	2014/09
CALCIUM	00916	036	2011/09/30	. 15.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/30	< .000	2014/09
CHLORIDE	00940	036	2011/09/30	. 6.100	2014/09
COLOR	00081	036	2011/09/30	< .000	2014/09
COPPER	01042	036	2011/09/30	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/30	< .000	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/30	. 46.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/30	< .000	2014/09
IRON	01045	036	2011/09/30	240.000	2014/09
MAGNESIUM	00927	036	2011/09/30	. 2.500	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610011-004						
Source Name: LOVER'S LANE 01 & 02 COMPOSITE						
Source Number: 004						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
SECONDARY/GP						
MANGANESE	01055	036	2011/09/30	< .000	2014/09	
ODOR THRESHOLD @ 60 C	00086	036	2011/09/30	1.000	2014/09	
PH, LABORATORY	00403	036	2011/09/30	. 7.300	2014/09	
SILVER	01077	036	2011/09/30	< .000	2014/09	
SODIUM	00929	036	2011/09/30	9.700	2014/09	
SPECIFIC CONDUCTANCE	00095	036	2011/09/30	. 130.000	2014/09	
SULFATE	00945	036	2011/09/30	7.000	2014/09	
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/30	. 83.000	2014/09	
TURBIDITY, LABORATORY	82079	036	2011/09/30	. .600	2014/09	
ZINC	01092	036	2011/09/30	< .000	2014/09	
PS Code: 3610011-005						
Source Name: SAW PIT COMPOSITE (1,2,3 & 5)						
Source Number: 005						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
INORGANIC						
ALUMINUM	01105	036	2011/09/30	< .000	2014/09	
ANTIMONY	01097	036	2011/09/30	< .000	2014/09	
ARSENIC	01002	036	2011/09/30	< .000	2014/09	
BARIUM	01007	036	2011/09/30	< .000	2014/09	
BERYLLIUM	01012	036	2011/09/30	< .000	2014/09	
CADMIUM	01027	036	2011/09/30	< .000	2014/09	
CHROMIUM (TOTAL)	01034	036	2011/09/30	< .000	2014/09	
CHROMIUM, HEXAVALENT	01032	036	2002/06/19	. .000	2005/06	DUE
CYANIDE	01291	036	2011/09/30	< .000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/30	< .000	2014/09	
MERCURY	71900	036	2011/09/30	< .000	2014/09	
NICKEL	01067	036	2011/09/30	< .000	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-005
Source Name: SAW PIT COMPOSITE (1,2,3 & 5)
Source Number: 005
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2011/11/21	< .000	2014/11
SELENIUM	01147	036	2011/09/30	< .000	2014/09
THALLIUM	01059	036	2011/09/30	< .000	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/02	. 22.000	2015/06
NITRITE (AS N)	00620	036	2014/03/03	< .000	2017/03
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/02/16	< .000	2019/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/06	< .000	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/06	< .000	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/11/19	.000	2015/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/11/19	.000	2015/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/11/19	.000	2015/11
1,1,2-TRICHLOROETHANE	34511	072	2009/11/19	.000	2015/11
1,1-DICHLOROETHANE	34496	072	2009/11/19	.000	2015/11
1,1-DICHLOROETHYLENE	34501	072	2009/11/19	.000	2015/11
1,2,4-TRICHLOROBENZENE	34551	072	2009/11/19	.000	2015/11
1,2-DICHLOROBENZENE	34536	072	2009/11/19	.000	2015/11
1,2-DICHLOROETHANE	34531	072	2009/11/19	.000	2015/11
1,2-DICHLOROPROPANE	34541	072	2009/11/19	.000	2015/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/11/19	.000	2015/11
1,4-DICHLOROBENZENE	34571	072	2009/11/19	.000	2015/11
BENZENE	34030	072	2009/11/19	.000	2015/11
CARBON TETRACHLORIDE	32102	072	2009/11/19	.000	2015/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/11/19	.000	2015/11
DICHLOROMETHANE	34423	072	2009/11/19	.000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-005
Source Name: SAW PIT COMPOSITE (1,2,3 & 5)
Source Number: 005
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
ETHYLBENZENE	34371	072	2009/11/19		.000	2015/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/11/19		.000	2015/11
MONOCHLOROBENZENE	34301	072	2009/11/19		.000	2015/11
STYRENE	77128	072	2009/11/19		.000	2015/11
TETRACHLOROETHYLENE	34475	072	2009/11/19		.000	2015/11
TOLUENE	34010	072	2009/11/19		.000	2015/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/11/19		.000	2015/11
TRICHLOROETHYLENE	39180	072	2009/11/19		.000	2015/11
TRICHLOROFLUOROMETHANE	34488	072	2009/11/19		.000	2015/11
VINYL CHLORIDE	39175	072	2009/11/19		.000	2015/11
XYLENES (TOTAL)	81551	072	2009/11/19		.000	2015/11
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/09/30	.	55.000	2014/09
CALCIUM	00916	036	2011/09/30	.	22.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/30	<	.000	2014/09
CHLORIDE	00940	036	2011/09/30	.	11.000	2014/09
COLOR	00081	036	2011/09/30	<	.000	2014/09
COPPER	01042	036	2011/09/30	<	.000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/30	<	.000	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/30	.	73.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/30	<	.000	2014/09
IRON	01045	036	2011/09/30	<	.000	2014/09
MAGNESIUM	00927	036	2011/09/30	.	4.500	2014/09
MANGANESE	01055	036	2011/09/30	<	.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/30		1.000	2014/09
PH, LABORATORY	00403	036	2011/09/30	.	7.300	2014/09
SILVER	01077	036	2011/09/30	<	.000	2014/09
SODIUM	00929	036	2011/09/30		11.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/30	.	220.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610011-005						
Source Name: SAW PIT COMPOSITE (1,2,3 & 5)						
Source Number: 005						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
SECONDARY/GP						
SULFATE	00945	036	2011/09/30	8.800	2014/09	
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/30	. 130.000	2014/09	
TURBIDITY, LABORATORY	82079	036	2011/09/30	. .200	2014/09	
ZINC	01092	036	2011/09/30	< .000	2014/09	
PS Code: 3610011-007						
Source Name: THREE PIGS WELL						
Source Number: 007						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610011-008						
Source Name: UPPER BURNT MILL 07-VERTICAL						
Source Number: 008						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/06/05	< .000	2017/06	
ANTIMONY	01097	036	2014/06/05	< .000	2017/06	
ARSENIC	01002	036	2014/06/05	< .000	2017/06	
BARIUM	01007	036	2014/06/05	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/05	< .000	2017/06	
CADMIUM	01027	036	2014/06/05	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/05	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/06/19	. .000	2005/06	DUE
CYANIDE	01291	036	2014/06/05	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/05	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-008
Source Name: UPPER BURNT MILL 07-VERTICAL
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2014/06/05	< .000	2017/06
NICKEL	01067	036	2014/06/05	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/05	< .000	2017/06
SELENIUM	01147	036	2014/06/05	< .000	2017/06
THALLIUM	01059	036	2014/06/05	< .000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	003	2014/06/05	. 33.000	2014/09
NITRITE (AS N)	00620	036	2014/06/05	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/06/05	< .000	2023/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/05	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/05	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/06/05	< .000	2020/06
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/06/05	< .000	2020/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/06/05	< .000	2020/06
1,1,2-TRICHLOROETHANE	34511	072	2014/06/05	< .000	2020/06
1,1-DICHLOROETHANE	34496	072	2014/06/05	< .000	2020/06
1,1-DICHLOROETHYLENE	34501	072	2014/06/05	< .000	2020/06
1,2,4-TRICHLOROBENZENE	34551	072	2014/06/05	< .000	2020/06
1,2-DICHLOROBENZENE	34536	072	2014/06/05	< .000	2020/06
1,2-DICHLOROETHANE	34531	072	2014/06/05	< .000	2020/06
1,2-DICHLOROPROPANE	34541	072	2014/06/05	< .000	2020/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/06/05	< .000	2020/06
1,4-DICHLOROBENZENE	34571	072	2014/06/05	< .000	2020/06
BENZENE	34030	072	2014/06/05	< .000	2020/06
CARBON TETRACHLORIDE	32102	072	2014/06/05	< .000	2020/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-008
Source Name: UPPER BURNT MILL 07-VERTICAL
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/06/05	< .000	2020/06
DICHLOROMETHANE	34423	072	2014/06/05	< .000	2020/06
ETHYLBENZENE	34371	072	2014/06/05	< .000	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/06/05	< .000	2020/06
MONOCHLOROBENZENE	34301	072	2014/06/05	< .000	2020/06
STYRENE	77128	072	2014/06/05	< .000	2020/06
TETRACHLOROETHYLENE	34475	072	2014/06/05	< .000	2020/06
TOLUENE	34010	072	2014/06/05	. 4.800	2020/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/06/05	< .000	2020/06
TRICHLOROETHYLENE	39180	072	2014/06/05	< .000	2020/06
TRICHLOROFLUOROMETHANE	34488	072	2014/06/05	< .000	2020/06
VINYL CHLORIDE	39175	072	2014/06/05	< .000	2020/06
XYLENES (TOTAL)	81551	072	2014/06/05	< .000	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/05	. 72.000	2017/06
CALCIUM	00916	036	2014/06/05	. 24.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/05	< .000	2017/06
CHLORIDE	00940	036	2014/06/05	. 19.000	2017/06
COLOR	00081	036	2014/06/05	< .000	2017/06
COPPER	01042	036	2014/06/05	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/05	. .130	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/05	. 98.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/05	< .000	2017/06
IRON	01045	036	2014/06/05	< .000	2017/06
MAGNESIUM	00927	036	2014/06/05	. 9.300	2017/06
MANGANESE	01055	036	2014/06/05	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/05	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/05	. 6.500	2017/06
SILVER	01077	036	2014/06/05	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610011-008					
Source Name: UPPER BURNT MILL 07-VERTICAL					
Source Number: 008					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SODIUM	00929	036	2014/06/05	. 13.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/05	. 280.000	2017/06
SULFATE	00945	036	2014/06/05	. 15.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/05	. 180.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/05	. .100	2017/06
ZINC	01092	036	2014/06/05	< .000	2017/06
PS Code: 3610011-009					
Source Name: COON TURN 03 - HORIZONTAL					
Source Number: 009					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610011-010					
Source Name: COON TURN 01 - HORIZONTAL					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610011-012					
Source Name: LOWER BURNT MILL 03-HORIZONTAL					
Source Number: 012					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610011-013					
Source Name: MID BURNT MILL 04-HORIZONTAL					
Source Number: 013					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610011-014					
Source Name: MID BURNT MILL 05-HORIZONTAL					
Source Number: 014					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610011-015					
Source Name: LOWER BURNT MILL 01-HORIZONTAL					
Source Number: 015					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610011-016						
Source Name: LOWER BURNT MILL 02-HORIZONTAL						
Source Number: 016						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610011-017						
Source Name: LOVERS LANE 01-HORIZONTAL						
Source Number: 017						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610011-018						
Source Name: BURNT MILL WELL 19-VERTICAL						
Source Number: 018						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/09/30	< .000	2014/09	
ANTIMONY	01097	036	2011/09/30	< .000	2014/09	
ARSENIC	01002	036	2011/09/30	< .000	2014/09	
BARIUM	01007	036	2011/09/30	< .000	2014/09	
BERYLLIUM	01012	036	2011/09/30	< .000	2014/09	
CADMIUM	01027	036	2011/09/30	< .000	2014/09	
CHROMIUM (TOTAL)	01034	036	2011/09/30	< .000	2014/09	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/09/30	< .000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/30	. .110	2014/09	
MERCURY	71900	036	2011/09/30	< .000	2014/09	
NICKEL	01067	036	2011/09/30	< .000	2014/09	
PERCHLORATE	A-031	036	2011/11/21	< .000	2014/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

PS Code: ***3610011-018***

Source Name: ***BURNT MILL WELL 19-VERTICAL***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	01147	036	2011/09/30	< .000	2014/09	
THALLIUM	01059	036	2011/09/30	< .000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/02	< .000	2015/06	
NITRITE (AS N)	00620	036	2014/03/03	< .000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/07/26	9.800	2014/07	
URANIUM (PCI/L)	28012	036	2009/02/02	11.000	2012/02	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/06	< .000	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/06	< .000	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/06/04	.000	2013/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/06/04	.000	2013/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/06/04	.000	2013/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/06/04	.000	2013/06	DUE
1,1-DICHLOROETHANE	34496	072	2007/06/04	.000	2013/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/06/04	.000	2013/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/06/04	.000	2013/06	DUE
1,2-DICHLOROBENZENE	34536	072	2007/06/04	.000	2013/06	DUE
1,2-DICHLOROETHANE	34531	072	2007/06/04	.000	2013/06	DUE
1,2-DICHLOROPROPANE	34541	072	2007/06/04	.000	2013/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/06/04	.000	2013/06	DUE
1,4-DICHLOROBENZENE	34571	072	2007/06/04	.000	2013/06	DUE
BENZENE	34030	072	2007/06/04	.000	2013/06	DUE
CARBON TETRACHLORIDE	32102	072	2007/06/04	.000	2013/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/06/04	.000	2013/06	DUE
DICHLOROMETHANE	34423	072	2007/06/04	.000	2013/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

PS Code: ***3610011-018***

Source Name: ***BURNT MILL WELL 19-VERTICAL***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
ETHYLBENZENE	**34371**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
MONOCHLOROBENZENE	**34301**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
STYRENE	**77128**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
TETRACHLOROETHYLENE	**34475**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
TOLUENE	**34010**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
TRICHLOROETHYLENE	**39180**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
TRICHLOROFLUOROMETHANE	**34488**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
VINYL CHLORIDE	**39175**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
XYLENES (TOTAL)	**81551**	**072**	**2007/06/04**		**.000**	**2013/06**	**DUE**
SECONDARY/GP							
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/30	.	**110.000**	2014/09	
CALCIUM	**00916**	**036**	2011/09/30	.	**26.000**	2014/09	
CARBONATE ALKALINITY	**00445**	**036**	2011/09/30	<	**.000**	2014/09	
CHLORIDE	**00940**	**036**	2011/09/30	.	**4.900**	2014/09	
COLOR	**00081**	**036**	2011/09/30	<	**.000**	2014/09	
COPPER	**01042**	**036**	2011/09/30	<	**.000**	2014/09	
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/30	<	**.000**	2014/09	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/30	.	**93.000**	2014/09	
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/30	<	**.000**	2014/09	
IRON	**01045**	**036**	2011/09/30		**310.000**	2014/09	
MAGNESIUM	**00927**	**036**	2011/09/30	.	**4.600**	2014/09	
MANGANESE	**01055**	**036**	2011/09/30		**30.000**	2014/09	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/30		**1.000**	2014/09	
PH, LABORATORY	**00403**	**036**	2011/09/30	.	**8.200**	2014/09	
SILVER	**01077**	**036**	2011/09/30	<	**.000**	2014/09	
SODIUM	**00929**	**036**	2011/09/30		**10.000**	2014/09	
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/09/30	.	**230.000**	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610011-018***							
Source Name: ***BURNT MILL WELL 19-VERTICAL***							
Source Number: ***018***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
SECONDARY/GP							
SULFATE	**00945**	**036**	2011/09/30		**9.500**	2014/09	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/09/30	.	**140.000**	2014/09	
TURBIDITY, LABORATORY	**82079**	**036**	2011/09/30	.	**1.300**	2014/09	
ZINC	**01092**	**036**	2011/09/30	.	**76.000**	2014/09	
PS Code: ***3610011-019S***							
Source Name: ***SAWPIT WELL 02***							
Source Number: ***019***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**003**	**1999/07/26**		**16.300**	**1999/10**	**DUE**
PS Code: ***3610011-020S***							
Source Name: ***SAWPIT WELL 03***							
Source Number: ***020***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**003**	**2014/03/03**	.	**37.000**	**2014/06**	**DUE**
PS Code: ***3610011-021***							
Source Name: ***CLAWA WHOLESALE***							
Source Number: ***021***							
Source Status: ***PURCHASED TREATED***							
Water type: ***S***							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**					

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610011-022L						
Source Name: LOVERS LANE 02 - HORIZONTAL						
Source Number: 022						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610011-023S						
Source Name: SAWPIT 01 - HORIZONTAL						
Source Number: 023						
Source Status: ACTIVE RAW						
Water type: G						
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003				DUE
PS Code: 3610011-024						
Source Name: LOWER BURNT MILL 1-3 COMPOSITE						
Source Number: 024						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
INORGANIC						
ALUMINUM	01105	036	2011/09/30	< .000	2014/09	
ANTIMONY	01097	036	2011/09/30	< .000	2014/09	
ARSENIC	01002	036	2011/09/30	< .000	2014/09	
BARIUM	01007	036	2011/09/30	< .000	2014/09	
BERYLLIUM	01012	036	2011/09/30	< .000	2014/09	
CADMIUM	01027	036	2011/09/30	< .000	2014/09	
CHROMIUM (TOTAL)	01034	036	2011/09/30	< .000	2014/09	
CHROMIUM, HEXAVALENT	01032	036	2002/06/19	. .000	2005/06	DUE
CYANIDE	01291	036	2011/09/30	< .000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/30	. .140	2014/09	
MERCURY	71900	036	2011/09/30	< .000	2014/09	
NICKEL	01067	036	2011/09/30	< .000	2014/09	
PERCHLORATE	A-031	036	2011/11/21	< .000	2014/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-024
Source Name: LOWER BURNT MILL 1-3 COMPOSITE
Source Number: 024
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	01147	036	2011/09/30	< .000	2014/09	
THALLIUM	01059	036	2011/09/30	< .000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/03/03	. 9.900	2015/03	
NITRITE (AS N)	00620	036	2014/03/03	< .000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/08/20	.000	2016/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/06	< .000	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/06	< .000	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/05/14	.000	2013/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/05/14	.000	2013/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/05/14	.000	2013/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/05/14	.000	2013/05	DUE
1,1-DICHLOROETHANE	34496	072	2007/05/14	.000	2013/05	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/05/14	.000	2013/05	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/05/14	.000	2013/05	DUE
1,2-DICHLOROBENZENE	34536	072	2007/05/14	.000	2013/05	DUE
1,2-DICHLOROETHANE	34531	072	2007/05/14	.000	2013/05	DUE
1,2-DICHLOROPROPANE	34541	072	2007/05/14	.000	2013/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/05/14	.000	2013/05	DUE
1,4-DICHLOROBENZENE	34571	072	2007/05/14	.000	2013/05	DUE
BENZENE	34030	072	2007/05/14	.000	2013/05	DUE
CARBON TETRACHLORIDE	32102	072	2007/05/14	.000	2013/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/05/14	.000	2013/05	DUE
DICHLOROMETHANE	34423	072	2007/05/14	.000	2013/05	DUE
ETHYLBENZENE	34371	072	2007/05/14	.000	2013/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-024
Source Name: LOWER BURNT MILL 1-3 COMPOSITE
Source Number: 024
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/05/14		.000	2013/05	DUE
MONOCHLOROBENZENE	34301	072	2007/05/14		.000	2013/05	DUE
STYRENE	77128	072	2007/05/14		.000	2013/05	DUE
TETRACHLOROETHYLENE	34475	072	2007/05/14		.000	2013/05	DUE
TOLUENE	34010	072	2007/05/14		.000	2013/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/05/14		.000	2013/05	DUE
TRICHLOROETHYLENE	39180	072	2007/05/14		.000	2013/05	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/05/14		.000	2013/05	DUE
VINYL CHLORIDE	39175	072	2007/05/14		.000	2013/05	DUE
XYLENES (TOTAL)	81551	072	2007/05/14		.000	2013/05	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/09/30	.	120.000	2014/09	
CALCIUM	00916	036	2011/09/30	.	31.000	2014/09	
CARBONATE ALKALINITY	00445	036	2011/09/30	<	.000	2014/09	
CHLORIDE	00940	036	2011/09/30	.	7.200	2014/09	
COLOR	00081	036	2011/09/30	<	.000	2014/09	
COPPER	01042	036	2011/09/30	<	.000	2014/09	
FOAMING AGENTS (MBAS)	38260	036	2011/09/30	<	.000	2014/09	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/30	.	100.000	2014/09	
HYDROXIDE ALKALINITY	71830	036	2011/09/30	<	.000	2014/09	
IRON	01045	036	2011/09/30	<	.000	2014/09	
MAGNESIUM	00927	036	2011/09/30	.	6.400	2014/09	
MANGANESE	01055	036	2011/09/30	<	.000	2014/09	
ODOR THRESHOLD @ 60 C	00086	036	2011/09/30		1.000	2014/09	
PH, LABORATORY	00403	036	2011/09/30	.	7.700	2014/09	
SILVER	01077	036	2011/09/30	<	.000	2014/09	
SODIUM	00929	036	2011/09/30		11.000	2014/09	
SPECIFIC CONDUCTANCE	00095	036	2011/09/30	.	250.000	2014/09	
SULFATE	00945	036	2011/09/30		10.000	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610011-024						
Source Name: LOWER BURNT MILL 1-3 COMPOSITE						
Source Number: 024						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/30	. 150.000	2014/09	
TURBIDITY, LABORATORY	82079	036	2011/09/30	. .100	2014/09	
ZINC	01092	036	2011/09/30	< .000	2014/09	
PS Code: 3610011-025						
Source Name: MID BURNT MILL 4-6 COMPOSITE						
Source Number: 025						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
INORGANIC						
ALUMINUM	01105	036	2011/09/30	< .000	2014/09	
ANTIMONY	01097	036	2011/09/30	< .000	2014/09	
ARSENIC	01002	036	2011/09/30	< .000	2014/09	
BARIUM	01007	036	2011/09/30	< .000	2014/09	
BERYLLIUM	01012	036	2011/09/30	< .000	2014/09	
CADMIUM	01027	036	2011/09/30	< .000	2014/09	
CHROMIUM (TOTAL)	01034	036	2011/09/30	< .000	2014/09	
CHROMIUM, HEXAVALENT	01032	036	2002/06/11	. .000	2005/06	DUE
CYANIDE	01291	036	2011/09/30	< .000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/30	. .110	2014/09	
MERCURY	71900	036	2011/09/30	< .000	2014/09	
NICKEL	01067	036	2011/09/30	< .000	2014/09	
PERCHLORATE	A-031	036	2011/11/21	< .000	2014/11	
SELENIUM	01147	036	2011/09/30	< .000	2014/09	
THALLIUM	01059	036	2011/09/30	< .000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/02	. 26.000	2015/06	
NITRITE (AS N)	00620	036	2014/03/03	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-025
Source Name: MID BURNT MILL 4-6 COMPOSITE
Source Number: 025
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2007/07/09	.000	2016/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/06	< .000	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/06	< .000	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2008/07/07	.000	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/07/07	.000	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/07/07	.000	2014/07
1,1,2-TRICHLOROETHANE	34511	072	2008/07/07	.000	2014/07
1,1-DICHLOROETHANE	34496	072	2008/07/07	.000	2014/07
1,1-DICHLOROETHYLENE	34501	072	2008/07/07	.000	2014/07
1,2,4-TRICHLOROBENZENE	34551	072	2008/07/07	.000	2014/07
1,2-DICHLOROBENZENE	34536	072	2008/07/07	.000	2014/07
1,2-DICHLOROETHANE	34531	072	2008/07/07	.000	2014/07
1,2-DICHLOROPROPANE	34541	072	2008/07/07	.000	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/07/07	.000	2014/07
1,4-DICHLOROBENZENE	34571	072	2008/07/07	.000	2014/07
BENZENE	34030	072	2008/07/07	.000	2014/07
CARBON TETRACHLORIDE	32102	072	2008/07/07	.000	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/07/07	.000	2014/07
DICHLOROMETHANE	34423	072	2008/07/07	.000	2014/07
ETHYLBENZENE	34371	072	2008/07/07	.000	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/07/07	.000	2014/07
MONOCHLOROBENZENE	34301	072	2008/07/07	.000	2014/07
STYRENE	77128	072	2008/07/07	.000	2014/07
TETRACHLOROETHYLENE	34475	072	2008/07/07	.000	2014/07
TOLUENE	34010	072	2008/07/07	.000	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/07/07	.000	2014/07
TRICHLOROETHYLENE	39180	072	2008/07/07	.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***

System Name: ***CEDARPINES PARK MWC***

PS Code: ***3610011-025***

Source Name: ***MID BURNT MILL 4-6 COMPOSITE***

Source Number: ***025***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2008/07/07	**.000**	2014/07
VINYL CHLORIDE	**39175**	**072**	2008/07/07	**.000**	2014/07
XYLENES (TOTAL)	**81551**	**072**	2008/07/07	**.000**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/30	**. 90.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/30	**. 21.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/30	**< .000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/30	**. 11.000**	2014/09
COLOR	**00081**	**036**	2011/09/30	**< .000**	2014/09
COPPER	**01042**	**036**	2011/09/30	**< .000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/30	**< .000**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/30	**. 100.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/30	**< .000**	2014/09
IRON	**01045**	**036**	2011/09/30	**< .000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/30	**. 7.700**	2014/09
MANGANESE	**01055**	**036**	2011/09/30	**< .000**	2014/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/30	**1.000**	2014/09
PH, LABORATORY	**00403**	**036**	2011/09/30	**. 7.400**	2014/09
SILVER	**01077**	**036**	2011/09/30	**< .000**	2014/09
SODIUM	**00929**	**036**	2011/09/30	**12.000**	2014/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/09/30	**. 260.000**	2014/09
SULFATE	**00945**	**036**	2011/09/30	**12.000**	2014/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/09/30	**. 170.000**	2014/09
TURBIDITY, LABORATORY	**82079**	**036**	2011/09/30	**. .100**	2014/09
ZINC	**01092**	**036**	2011/09/30	**. 73.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610011-026							
Source Name: MID BURNT MILL WELL 06 - HORIZONTAL							
Source Number: 026							
Source Status: ACTIVE RAW							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610011-027							
Source Name: SAWPIT WELL 05 - HORIZONTAL							
Source Number: 027							
Source Status: ACTIVE RAW							
Water type: G							
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	003	2014/03/03	.	15.000	2014/06	DUE
PS Code: 3610011-028							
Source Name: SAWPIT AERATION - TREATED							
Source Number: 028							
Source Status: ACTIVE TREATED							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610011-601							
Source Name: DBP2-400 HARTMAN CIRCLE							
Source Number: 601							
Source Status: DISTRIBUTION TREATED							
Water type: S							
HALOACETIC ACIDS							
DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/07	.	2.900	2014/07	
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/07	<	.000	2014/07	
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/07	.	2.900	2014/07	
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/07	<	.000	2014/07	
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/07	<	.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610011
System Name: CEDARPINES PARK MWC

PS Code: 3610011-601
Source Name: DBP2-400 HARTMAN CIRCLE
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/07	< .000	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/04/07	. 3.200	2014/07
BROMOFORM (THM)	32104	003	2014/04/07	. 5.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/07	. 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/07	. 6.400	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/04/07	. 16.200	2014/07

PS Code: 3610011-602
Source Name: DBP2-22356 MOJAVE RIVER
Source Number: 602
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/07	. 1.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/07	< .000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/07	. 1.400	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/07	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/07	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/07	< .000	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/04/07	. 2.400	2014/07
BROMOFORM (THM)	32104	003	2014/04/07	. 4.600	2014/07
CHLOROFORM (THM)	32106	003	2014/04/07	. 1.000	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/07	. 4.100	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610011***
System Name: ***CEDARPINES PARK MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610011-602***					
Source Name: ***DBP2-22356 MOJAVE RIVER***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/07	**. 12.100**	2014/07
PS Code: ***3610011-800***					
Source Name: ***COON TURN BOOSTER STA - CL2***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610011-801***					
Source Name: ***SAW PITT BOOSTER STA - CL2***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2009/10/29	< 50.000	2012/10	DUE
ANTIMONY	01097	036	2009/10/29	< 6.000	2012/10	DUE
ARSENIC	01002	036	2009/10/29	< 2.000	2012/10	DUE
BARIUM	01007	036	2009/10/29	< 100.000	2012/10	DUE
BERYLLIUM	01012	036	2009/10/29	< 1.000	2012/10	DUE
CADMIUM	01027	036	2009/10/29	< 1.000	2012/10	DUE
CHROMIUM (TOTAL)	01034	036	2009/10/29	15.000	2012/10	DUE
CHROMIUM, HEXAVALENT	01032	036	2009/10/29	15.000	2012/10	DUE
CYANIDE	01291	036	2009/10/29	< 100.000	2012/10	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/10/29	.220	2012/10	DUE
MERCURY	71900	036	2009/10/29	< 1.000	2012/10	DUE
NICKEL	01067	036	2009/10/29	< 10.000	2012/10	DUE
PERCHLORATE	A-031	036	2012/09/25	. 6.400	2015/09	
SELENIUM	01147	036	2009/10/29	< 5.000	2012/10	DUE
THALLIUM	01059	036	2009/10/29	< 1.000	2012/10	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/09/25	. 55.000	2013/09	DUE
NITRITE (AS N)	00620	036	2009/10/29	< 400.000	2012/10	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2009/10/29	< 3.000	2012/10	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/10/29	< .010	2012/10	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/10/29	< .020	2012/10	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2009/10/29	< .500	2012/10	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2009/10/29	< .500	2012/10	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2009/10/29	< 10.000	2012/10	DUE
1,1,2-TRICHLOROETHANE	34511	036	2009/10/29	< .500	2012/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2009/10/29	< .500	2012/10	DUE
1,1-DICHLOROETHYLENE	34501	036	2009/10/29	< .500	2012/10	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2009/10/29	< .500	2012/10	DUE
1,2-DICHLOROBENZENE	34536	036	2009/10/29	< .500	2012/10	DUE
1,2-DICHLOROETHANE	34531	036	2009/10/29	< .500	2012/10	DUE
1,2-DICHLOROPROPANE	34541	036	2009/10/29	< .500	2012/10	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2009/10/29	< .500	2012/10	DUE
1,4-DICHLOROBENZENE	34571	036	2009/10/29	< .500	2012/10	DUE
BENZENE	34030	036	2009/10/29	< .500	2012/10	DUE
CARBON TETRACHLORIDE	32102	036	2009/10/29	< .500	2012/10	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2009/10/29	< .500	2012/10	DUE
DICHLOROMETHANE	34423	036	2009/10/29	< .500	2012/10	DUE
ETHYLBENZENE	34371	036	2009/10/29	< .500	2012/10	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2009/10/29	< 3.000	2012/10	DUE
MONOCHLOROBENZENE	34301	036	2009/10/29	< .500	2012/10	DUE
STYRENE	77128	036	2009/10/29	< .500	2012/10	DUE
TETRACHLOROETHYLENE	34475	036	2009/10/29	< .500	2012/10	DUE
TOLUENE	34010	036	2009/10/29	< .500	2012/10	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2009/10/29	< .500	2012/10	DUE
TRICHLOROETHYLENE	39180	036	2009/10/29	< .500	2012/10	DUE
TRICHLOROFLUOROMETHANE	34488	036	2009/10/29	< 5.000	2012/10	DUE
VINYL CHLORIDE	39175	036	2009/10/29	< .500	2012/10	DUE
XYLENES (TOTAL)	81551	036	2009/10/29	< 1.000	2012/10	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/10/29	180.000	2012/10	DUE
CALCIUM	00916	036	2009/10/29	52.000	2012/10	DUE
CARBONATE ALKALINITY	00445	036	2009/10/29	< 2.000	2012/10	DUE
CHLORIDE	00940	036	2009/10/29	18.000	2012/10	DUE
COLOR	00081	036	2009/10/29	< 3.000	2012/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2009/10/29	< 50.000	2012/10	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/10/29	< .050	2012/10	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/10/29	180.000	2012/10	DUE
HYDROXIDE ALKALINITY	71830	036	2009/10/29	< 2.000	2012/10	DUE
IRON	01045	036	2009/10/29	< 100.000	2012/10	DUE
MAGNESIUM	00927	036	2009/10/29	12.000	2012/10	DUE
MANGANESE	01055	036	2009/10/29	< 20.000	2012/10	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/10/29	2.000	2012/10	DUE
PH, LABORATORY	00403	036	2009/10/29	8.000	2012/10	DUE
SILVER	01077	036	2009/10/29	< 10.000	2012/10	DUE
SODIUM	00929	036	2009/10/29	14.000	2012/10	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/10/29	400.000	2012/10	DUE
SULFATE	00945	036	2009/10/29	20.000	2012/10	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/18	. 260.000	2014/08	
TURBIDITY, LABORATORY	82079	036	2009/10/29	.190	2012/10	DUE
ZINC	01092	036	2009/10/29	< 50.000	2012/10	DUE

PS Code: 3610012-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/06/20	< 50.000	2015/06	
ANTIMONY	01097	036	2012/06/20	< 6.000	2015/06	
ARSENIC	01002	036	2012/06/20	. 2.500	2015/06	
BARIUM	01007	036	2012/06/20	< 100.000	2015/06	
BERYLLIUM	01012	036	2012/06/20	< 1.000	2015/06	
CADMIUM	01027	036	2012/06/20	< 1.000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/06/20	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2012/06/20	. 6.200	2015/06
CYANIDE	01291	036	2012/06/20	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/20	. .230	2015/06
MERCURY	71900	036	2012/06/20	< 1.000	2015/06
NICKEL	01067	036	2012/06/20	< 10.000	2015/06
PERCHLORATE	A-031	036	2014/07/01	. 12.000	2017/07
SELENIUM	01147	036	2012/06/20	< 5.000	2015/06
THALLIUM	01059	036	2012/06/20	< 1.000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	. 48.000	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/20	< 3.000	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/20	< .010	2015/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/20	< .020	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/06/20	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/06/20	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/06/20	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHANE	34496	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	036	2012/06/20	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	036	2012/06/20	< .500	2015/06
1,2-DICHLOROBENZENE	34536	036	2012/06/20	< .500	2015/06
1,2-DICHLOROETHANE	34531	036	2012/06/20	< .500	2015/06
1,2-DICHLOROPROPANE	34541	036	2012/06/20	< .500	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/20	< .500	2015/06
1,4-DICHLOROBENZENE	34571	036	2012/06/20	< .500	2015/06
BENZENE	34030	036	2012/06/20	< .500	2015/06
CARBON TETRACHLORIDE	32102	036	2012/06/20	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/06/20	< .500	2015/06
DICHLOROMETHANE	34423	036	2012/06/20	< .500	2015/06
ETHYLBENZENE	34371	036	2012/06/20	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/06/20	< 3.000	2015/06
MONOCHLOROBENZENE	34301	036	2012/06/20	< .500	2015/06
STYRENE	77128	036	2012/06/20	< .500	2015/06
TETRACHLOROETHYLENE	34475	036	2012/06/20	< .500	2015/06
TOLUENE	34010	036	2012/06/20	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/06/20	< .500	2015/06
TRICHLOROETHYLENE	39180	036	2012/06/20	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	036	2012/06/20	< 5.000	2015/06
VINYL CHLORIDE	39175	036	2012/06/20	< .500	2015/06
XYLENES (TOTAL)	81551	036	2012/06/20	< .500	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/20	. 160.000	2015/06
CALCIUM	00916	036	2012/06/20	. 48.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/20	< 2.000	2015/06
CHLORIDE	00940	036	2012/06/20	. 9.800	2015/06
COLOR	00081	036	2012/06/20	< 3.000	2015/06
COPPER	01042	036	2012/06/20	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/20	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/20	. 160.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/20	< 2.000	2015/06
IRON	01045	036	2012/06/20	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/20	. 9.700	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

PS Code: ***3610012-004***
Source Name: ***WELL 05***
Source Number: ***004***
Source Status: ***ACTIVE RAW***
Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2012/06/20	<		20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/20			2.000	2015/06
PH, LABORATORY	00403	036	2012/06/20	.		8.200	2015/06
SILVER	01077	036	2012/06/20	<		10.000	2015/06
SODIUM	00929	036	2012/06/20			24.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/20	.		420.000	2015/06
SULFATE	00945	036	2014/07/01	.		21.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/20	.		270.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/20	.		.092	2015/06
ZINC	01092	036	2012/06/20	<		50.000	2015/06

PS Code: ***3610012-005***
Source Name: ***WELL 06***
Source Number: ***005***
Source Status: ***ACTIVE RAW***
Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2012/06/20	<		50.000	2015/06
ANTIMONY	01097	036	2012/06/20	<		6.000	2015/06
ARSENIC	01002	036	2012/06/20	<		2.000	2015/06
BARIUM	01007	036	2012/06/20	<		100.000	2015/06
BERYLLIUM	01012	036	2012/06/20	<		1.000	2015/06
CADMIUM	01027	036	2012/06/20	<		1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/20			12.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2012/06/20	.		12.000	2015/06
CYANIDE	01291	036	2012/06/20	<		100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/20	.		.240	2015/06
MERCURY	71900	036	2012/06/20	<		1.000	2015/06
NICKEL	01067	036	2012/06/20	<		10.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2013/02/05	. 7.900	2016/02	
SELENIUM	01147	036	2012/06/20	< 5.000	2015/06	
THALLIUM	01059	036	2012/06/20	< 1.000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/12/11	. 39.000	2013/12	DUE
NITRITE (AS N)	00620	036	2012/06/20	< 400.000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/06/20	< 3.000	2015/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/26	< .010	2015/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/26	< .020	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2012/06/20	< .500	2015/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/06/20	< .500	2015/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/06/20	< 10.000	2015/06	
1,1,2-TRICHLOROETHANE	34511	036	2012/06/20	< .500	2015/06	
1,1-DICHLOROETHANE	34496	036	2012/06/20	< .500	2015/06	
1,1-DICHLOROETHYLENE	34501	036	2012/06/20	< .500	2015/06	
1,2,4-TRICHLOROBENZENE	34551	036	2012/06/20	< .500	2015/06	
1,2-DICHLOROBENZENE	34536	036	2012/06/20	< .500	2015/06	
1,2-DICHLOROETHANE	34531	036	2012/06/20	< .500	2015/06	
1,2-DICHLOROPROPANE	34541	036	2012/06/20	< .500	2015/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/20	< .500	2015/06	
1,4-DICHLOROBENZENE	34571	036	2012/06/20	< .500	2015/06	
BENZENE	34030	036	2012/06/20	< .500	2015/06	
CARBON TETRACHLORIDE	32102	036	2012/06/20	< .500	2015/06	
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/06/20	< .500	2015/06	
DICHLOROMETHANE	34423	036	2012/06/20	< .500	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

PS Code: ***3610012-005***
Source Name: ***WELL 06***
Source Number: ***005***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2012/06/20	**< .500**	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/06/20	**< 3.000**	2015/06
MONOCHLOROBENZENE	**34301**	**036**	2012/06/20	**< .500**	2015/06
STYRENE	**77128**	**036**	2012/06/20	**< .500**	2015/06
TETRACHLOROETHYLENE	**34475**	**036**	2012/06/20	**< .500**	2015/06
TOLUENE	**34010**	**036**	2012/06/20	**< .500**	2015/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/06/20	**< .500**	2015/06
TRICHLOROETHYLENE	**39180**	**036**	2012/06/20	**< .500**	2015/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/06/20	**< 5.000**	2015/06
VINYL CHLORIDE	**39175**	**036**	2012/06/20	**< .500**	2015/06
XYLENES (TOTAL)	**81551**	**036**	2012/06/20	**< .500**	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/20	**. 150.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/20	**. 52.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/20	**< 2.000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/20	**. 16.000**	2015/06
COLOR	**00081**	**036**	2012/06/20	**< 3.000**	2015/06
COPPER	**01042**	**036**	2012/06/20	**< 50.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/20	**< .050**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/20	**. 180.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/20	**< 2.000**	2015/06
IRON	**01045**	**036**	2012/06/20	**< 100.000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/20	**. 12.000**	2015/06
MANGANESE	**01055**	**036**	2012/06/20	**< 20.000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/20	**< 1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/06/20	**. 8.100**	2015/06
SILVER	**01077**	**036**	2012/06/20	**< 10.000**	2015/06
SODIUM	**00929**	**036**	2012/06/20	**15.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/20	**. 440.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2012/06/20		24.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/20	.	270.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/20	.	.280	2015/06
ZINC	01092	036	2012/06/20	<	50.000	2015/06

PS Code: 3610012-008
Source Name: WELL 09
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2012/06/20	<	50.000	2015/06
ANTIMONY	01097	036	2012/06/20	<	6.000	2015/06
ARSENIC	01002	036	2012/06/20	<	2.000	2015/06
BARIUM	01007	036	2012/06/20	<	100.000	2015/06
BERYLLIUM	01012	036	2012/06/20	<	1.000	2015/06
CADMIUM	01027	036	2012/06/20	<	1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/20		13.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2012/06/20	.	14.000	2015/06
CYANIDE	01291	036	2012/06/20	<	100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/20	.	.240	2015/06
MERCURY	71900	036	2012/06/20	<	1.000	2015/06
NICKEL	01067	036	2012/06/20	<	10.000	2015/06
PERCHLORATE	A-031	036	2014/07/01	.	14.000	2017/07
SELENIUM	01147	036	2012/06/20	<	5.000	2015/06
THALLIUM	01059	036	2012/06/20	<	1.000	2015/06
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/01	.	69.000	2015/07
NITRITE (AS N)	00620	036	2014/07/01	<	400.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

PS Code: ***3610012-008***
Source Name: ***WELL 09***
Source Number: ***008***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/06/20	**. 3.200**	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/20	**< .010**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/20	**< .020**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/06/20	**< .500**	2015/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/06/20	**< .500**	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/06/20	**< 10.000**	2015/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/06/20	**< .500**	2015/06
1,1-DICHLOROETHANE	**34496**	**036**	2012/06/20	**< .500**	2015/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/06/20	**< .500**	2015/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/06/20	**< .500**	2015/06
1,2-DICHLOROBENZENE	**34536**	**036**	2012/06/20	**< .500**	2015/06
1,2-DICHLOROETHANE	**34531**	**036**	2012/06/20	**< .500**	2015/06
1,2-DICHLOROPROPANE	**34541**	**036**	2012/06/20	**< .500**	2015/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/06/20	**< .500**	2015/06
1,4-DICHLOROBENZENE	**34571**	**036**	2012/06/20	**< .500**	2015/06
BENZENE	**34030**	**036**	2012/06/20	**< .500**	2015/06
CARBON TETRACHLORIDE	**32102**	**036**	2012/06/20	**< .500**	2015/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/06/20	**< .500**	2015/06
DICHLOROMETHANE	**34423**	**036**	2012/06/20	**< .500**	2015/06
ETHYLBENZENE	**34371**	**036**	2012/06/20	**< .500**	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/06/20	**< 3.000**	2015/06
MONOCHLOROBENZENE	**34301**	**036**	2012/06/20	**< .500**	2015/06
STYRENE	**77128**	**036**	2012/06/20	**< .500**	2015/06
TETRACHLOROETHYLENE	**34475**	**036**	2012/06/20	**< .500**	2015/06
TOLUENE	**34010**	**036**	2012/06/20	**< .500**	2015/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/06/20	**< .500**	2015/06
TRICHLOROETHYLENE	**39180**	**036**	2012/06/20	**< .500**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-008
Source Name: WELL 09
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2012/06/20	< 5.000	2015/06
VINYL CHLORIDE	39175	036	2012/06/20	< .500	2015/06
XYLENES (TOTAL)	81551	036	2012/06/20	< .500	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/20	. 180.000	2015/06
CALCIUM	00916	036	2012/06/20	. 73.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/20	< 2.000	2015/06
CHLORIDE	00940	036	2012/06/20	. 17.000	2015/06
COLOR	00081	036	2012/06/20	< 3.000	2015/06
COPPER	01042	036	2012/06/20	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/20	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/20	. 250.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/20	< 2.000	2015/06
IRON	01045	036	2012/06/20	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/20	. 16.000	2015/06
MANGANESE	01055	036	2012/06/20	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/20	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/20	. 8.100	2015/06
SILVER	01077	036	2012/06/20	< 10.000	2015/06
SODIUM	00929	036	2012/06/20	14.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/20	. 580.000	2015/06
SULFATE	00945	036	2014/07/01	. 31.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/20	. 430.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/20	. .110	2015/06
ZINC	01092	036	2012/06/20	< 50.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/06/20	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/20	< 6.000	2015/06
ARSENIC	01002	036	2012/06/20	< 2.000	2015/06
BARIUM	01007	036	2012/06/20	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/20	< 1.000	2015/06
CADMIUM	01027	036	2012/06/20	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/20	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2012/06/20	. 8.200	2015/06
CYANIDE	01291	036	2012/06/20	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/20	. .240	2015/06
MERCURY	71900	036	2012/06/20	< 1.000	2015/06
NICKEL	01067	036	2012/06/20	< 10.000	2015/06
PERCHLORATE	A-031	036	2014/07/01	. 21.000	2017/07
SELENIUM	01147	036	2012/06/20	< 5.000	2015/06
THALLIUM	01059	036	2012/06/20	< 1.000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	. 100.000	2015/07
NITRITE (AS N)	00620	036	2014/07/01	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/20	< 3.000	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/20	. .035	2015/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/20	< .020	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/06/20	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/06/20	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/06/20	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	036	2012/06/20	< .500	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	036	2012/06/20	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	036	2012/06/20	< .500	2015/06
1,2-DICHLOROBENZENE	34536	036	2012/06/20	< .500	2015/06
1,2-DICHLOROETHANE	34531	036	2012/06/20	< .500	2015/06
1,2-DICHLOROPROPANE	34541	036	2012/06/20	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/20	< .500	2015/06
1,4-DICHLOROBENZENE	34571	036	2012/06/20	< .500	2015/06
BENZENE	34030	036	2012/06/20	< .500	2015/06
CARBON TETRACHLORIDE	32102	036	2012/06/20	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/06/20	< .500	2015/06
DICHLOROMETHANE	34423	036	2012/06/20	< .500	2015/06
ETHYLBENZENE	34371	036	2012/06/20	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/06/20	< 3.000	2015/06
MONOCHLOROBENZENE	34301	036	2012/06/20	< .500	2015/06
STYRENE	77128	036	2012/06/20	< .500	2015/06
TETRACHLOROETHYLENE	34475	036	2012/06/20	< .500	2015/06
TOLUENE	34010	036	2012/06/20	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/06/20	< .500	2015/06
TRICHLOROETHYLENE	39180	036	2012/06/20	< .500	2015/06
TRICHLOROFLUOROMETHANE	34488	036	2012/06/20	< 5.000	2015/06
VINYL CHLORIDE	39175	036	2012/06/20	< .500	2015/06
XYLENES (TOTAL)	81551	036	2012/06/20	< .500	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/20	. 170.000	2015/06
CALCIUM	00916	036	2012/06/20	. 73.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/20	< 2.000	2015/06
CHLORIDE	00940	036	2012/06/20	. 14.000	2015/06
COLOR	00081	036	2012/06/20	< 3.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610012-009					
Source Name: WELL 10					
Source Number: 009					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2012/06/20	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/20	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/20	. 250.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/20	< 2.000	2015/06
IRON	01045	036	2012/06/20	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/20	. 16.000	2015/06
MANGANESE	01055	036	2012/06/20	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/20	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/20	. 8.100	2015/06
SILVER	01077	036	2012/06/20	< 10.000	2015/06
SODIUM	00929	036	2012/06/20	15.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/20	. 580.000	2015/06
SULFATE	00945	036	2014/07/01	. 40.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/20	. 390.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/20	. .088	2015/06
ZINC	01092	036	2012/06/20	< 50.000	2015/06
PS Code: 3610012-010					
Source Name: WELL 11					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/06/20	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/20	< 6.000	2015/06
ARSENIC	01002	036	2012/06/20	< 2.000	2015/06
BARIUM	01007	036	2012/06/20	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/20	< 1.000	2015/06
CADMIUM	01027	036	2012/06/20	< 1.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-010
Source Name: WELL 11
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/06/20	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2012/06/20	. 6.400	2015/06
CYANIDE	01291	036	2012/06/20	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/20	. .210	2015/06
MERCURY	71900	036	2012/06/20	< 1.000	2015/06
NICKEL	01067	036	2012/06/20	< 10.000	2015/06
PERCHLORATE	A-031	036	2014/07/01	< 4.000	2017/07
SELENIUM	01147	036	2012/06/20	< 5.000	2015/06
THALLIUM	01059	036	2012/06/20	< 1.000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	. 28.000	2015/07
NITRITE (AS N)	00620	036	2012/06/20	< 400.000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/20	. 8.100	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/20	< .010	2015/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/20	< .020	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/06/20	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/06/20	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/06/20	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHANE	34496	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	036	2012/06/20	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	036	2012/06/20	< .500	2015/06
1,2-DICHLOROBENZENE	34536	036	2012/06/20	< .500	2015/06
1,2-DICHLOROETHANE	34531	036	2012/06/20	< .500	2015/06
1,2-DICHLOROPROPANE	34541	036	2012/06/20	< .500	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-010
Source Name: WELL 11
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/20	< .500	2015/06
1,4-DICHLOROBENZENE	34571	036	2012/06/20	< .500	2015/06
BENZENE	34030	036	2012/06/20	< .500	2015/06
CARBON TETRACHLORIDE	32102	036	2012/06/20	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/06/20	< .500	2015/06
DICHLOROMETHANE	34423	036	2012/06/20	< .500	2015/06
ETHYLBENZENE	34371	036	2012/06/20	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/06/20	< 3.000	2015/06
MONOCHLOROBENZENE	34301	036	2012/06/20	< .500	2015/06
STYRENE	77128	036	2012/06/20	< .500	2015/06
TETRACHLOROETHYLENE	34475	036	2012/06/20	< .500	2015/06
TOLUENE	34010	036	2012/06/20	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/06/20	< .500	2015/06
TRICHLOROETHYLENE	39180	036	2012/06/20	. 1.100	2015/06
TRICHLOROFLUOROMETHANE	34488	036	2012/06/20	< 5.000	2015/06
VINYL CHLORIDE	39175	036	2012/06/20	< .500	2015/06
XYLENES (TOTAL)	81551	036	2012/06/20	< .500	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/20	. 170.000	2015/06
CALCIUM	00916	036	2012/06/20	. 46.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/20	< 2.000	2015/06
CHLORIDE	00940	036	2012/06/20	. 11.000	2015/06
COLOR	00081	036	2012/06/20	< 3.000	2015/06
COPPER	01042	036	2012/06/20	< 50.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/20	< .050	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/20	. 150.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/20	< 2.000	2015/06
IRON	01045	036	2012/06/20	< 100.000	2015/06
MAGNESIUM	00927	036	2012/06/20	. 9.600	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610012-010					
Source Name: WELL 11					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2012/06/20	< 20.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/20	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/20	. 8.200	2015/06
SILVER	01077	036	2012/06/20	< 10.000	2015/06
SODIUM	00929	036	2012/06/20	22.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/20	. 400.000	2015/06
SULFATE	00945	036	2012/06/20	15.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/20	. 260.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/20	. .099	2015/06
ZINC	01092	036	2012/06/20	< 50.000	2015/06
PS Code: 3610012-011					
Source Name: WELL 12 - RAW					
Source Number: 011					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/01/23	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/23	< 6.000	2016/01
ARSENIC	01002	036	2013/01/23	< 2.000	2016/01
BARIUM	01007	036	2013/01/23	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/23	< 1.000	2016/01
CADMIUM	01027	036	2013/01/23	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/23	< 10.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2013/01/23	. 6.600	2016/01
CYANIDE	01291	036	2013/01/23	< 100.000	2016/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/23	. .210	2016/01
MERCURY	71900	036	2013/01/23	< 1.000	2016/01
NICKEL	01067	036	2013/01/23	< 10.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-011
Source Name: WELL 12 - RAW
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/07/01	. 17.000	2017/07
SELENIUM	01147	036	2013/01/23	< 5.000	2016/01
THALLIUM	01059	036	2013/01/23	< 1.000	2016/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	. 88.000	2015/07
NITRITE (AS N)	00620	036	2013/01/23	< 400.000	2016/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/01/23	< 3.000	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/23	. .086	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/23	< .020	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/01/23	< .500	2016/01
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/01/23	< .500	2016/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/01/23	< 10.000	2016/01
1,1,2-TRICHLOROETHANE	34511	036	2013/01/23	< .500	2016/01
1,1-DICHLOROETHANE	34496	036	2013/01/23	< .500	2016/01
1,1-DICHLOROETHYLENE	34501	036	2013/01/23	< .500	2016/01
1,2,4-TRICHLOROBENZENE	34551	036	2013/01/23	< .500	2016/01
1,2-DICHLOROBENZENE	34536	036	2013/01/23	< .500	2016/01
1,2-DICHLOROETHANE	34531	036	2013/01/23	< .500	2016/01
1,2-DICHLOROPROPANE	34541	036	2013/01/23	< .500	2016/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/01/23	< .500	2016/01
1,4-DICHLOROBENZENE	34571	036	2013/01/23	< .500	2016/01
BENZENE	34030	036	2013/01/23	< .500	2016/01
CARBON TETRACHLORIDE	32102	036	2013/01/23	< .500	2016/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/01/23	< .500	2016/01
DICHLOROMETHANE	34423	036	2013/01/23	< .500	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-011
Source Name: WELL 12 - RAW
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2013/01/23	< .500	2016/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/01/23	< 3.000	2016/01
MONOCHLOROBENZENE	34301	036	2013/01/23	< .500	2016/01
STYRENE	77128	036	2013/01/23	< .500	2016/01
TETRACHLOROETHYLENE	34475	036	2013/01/23	< .500	2016/01
TOLUENE	34010	036	2013/01/23	< .500	2016/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/01/23	< .500	2016/01
TRICHLOROETHYLENE	39180	036	2013/01/23	< .500	2016/01
TRICHLOROFLUOROMETHANE	34488	036	2013/01/23	< 5.000	2016/01
VINYL CHLORIDE	39175	036	2013/01/23	< .500	2016/01
XYLENES (TOTAL)	81551	036	2013/01/23	< .500	2016/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/23	. 170.000	2016/01
CALCIUM	00916	036	2013/01/23	. 74.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/23	< 2.000	2016/01
CHLORIDE	00940	036	2013/01/23	. 14.000	2016/01
COLOR	00081	036	2013/01/23	. 5.000	2016/01
COPPER	01042	036	2013/01/23	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/23	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/23	. 250.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/23	< 2.000	2016/01
IRON	01045	036	2013/01/23	110.000	2016/01
MAGNESIUM	00927	036	2013/01/23	. 17.000	2016/01
MANGANESE	01055	036	2013/01/23	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/23	2.000	2016/01
PH, LABORATORY	00403	036	2013/01/23	. 8.000	2016/01
SILVER	01077	036	2013/01/23	< 10.000	2016/01
SODIUM	00929	036	2013/01/23	15.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/23	. 580.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610012-011					
Source Name: WELL 12 - RAW					
Source Number: 011					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2013/01/23	41.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/23	. 370.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/23	. 1.200	2016/01
ZINC	01092	036	2013/01/23	< 50.000	2016/01
PS Code: 3610012-012					
Source Name: WELL 13					
Source Number: 012					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/06/20	< 50.000	2015/06
ANTIMONY	01097	036	2012/06/20	< 6.000	2015/06
ARSENIC	01002	036	2012/06/20	< 2.000	2015/06
BARIUM	01007	036	2012/06/20	< 100.000	2015/06
BERYLLIUM	01012	036	2012/06/20	< 1.000	2015/06
CADMIUM	01027	036	2012/06/20	< 1.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/20	< 10.000	2015/06
CHROMIUM, HEXAVALENT	01032	036	2012/06/20	. 8.000	2015/06
CYANIDE	01291	036	2012/06/20	< 100.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/20	. .210	2015/06
MERCURY	71900	036	2012/06/20	< 1.000	2015/06
NICKEL	01067	036	2012/06/20	< 10.000	2015/06
PERCHLORATE	A-031	036	2014/07/01	. 6.900	2017/07
SELENIUM	01147	036	2012/06/20	< 5.000	2015/06
THALLIUM	01059	036	2012/06/20	< 1.000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/29	. 82.000	2015/07
NITRITE (AS N)	00620	036	2012/08/14	< 400.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-012
Source Name: WELL 13
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/20	. 3.100	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/20	< .010	2015/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/20	< .020	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/06/20	< .500	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/06/20	< .500	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/06/20	< 10.000	2015/06
1,1,2-TRICHLOROETHANE	34511	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHANE	34496	036	2012/06/20	< .500	2015/06
1,1-DICHLOROETHYLENE	34501	036	2012/06/20	< .500	2015/06
1,2,4-TRICHLOROBENZENE	34551	036	2012/06/20	< .500	2015/06
1,2-DICHLOROBENZENE	34536	036	2012/06/20	< .500	2015/06
1,2-DICHLOROETHANE	34531	036	2012/06/20	< .500	2015/06
1,2-DICHLOROPROPANE	34541	036	2012/06/20	< .500	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/20	< .500	2015/06
1,4-DICHLOROBENZENE	34571	036	2012/06/20	< .500	2015/06
BENZENE	34030	036	2012/06/20	< .500	2015/06
CARBON TETRACHLORIDE	32102	036	2012/06/20	< .500	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/06/20	< .500	2015/06
DICHLOROMETHANE	34423	036	2012/06/20	< .500	2015/06
ETHYLBENZENE	34371	036	2012/06/20	< .500	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/06/20	< 3.000	2015/06
MONOCHLOROBENZENE	34301	036	2012/06/20	< .500	2015/06
STYRENE	77128	036	2012/06/20	< .500	2015/06
TETRACHLOROETHYLENE	34475	036	2012/06/20	< .500	2015/06
TOLUENE	34010	036	2012/06/20	< .500	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/06/20	< .500	2015/06
TRICHLOROETHYLENE	39180	036	2012/06/20	< .500	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

PS Code: ***3610012-012***
Source Name: ***WELL 13***
Source Number: ***012***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/06/20	**< 5.000**	2015/06
VINYL CHLORIDE	**39175**	**036**	2012/06/20	**< .500**	2015/06
XYLENES (TOTAL)	**81551**	**036**	2012/06/20	**< .500**	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/20	**. 190.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/20	**. 72.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/20	**< 2.000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/20	**. 21.000**	2015/06
COLOR	**00081**	**036**	2012/06/20	**< 3.000**	2015/06
COPPER	**01042**	**036**	2012/06/20	**< 50.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/20	**< .050**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/20	**. 250.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/20	**< 2.000**	2015/06
IRON	**01045**	**036**	2012/06/20	**< 100.000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/20	**. 17.000**	2015/06
MANGANESE	**01055**	**036**	2012/06/20	**< 20.000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/20	**< 1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/06/20	**. 8.100**	2015/06
SILVER	**01077**	**036**	2012/06/20	**< 10.000**	2015/06
SODIUM	**00929**	**036**	2012/06/20	**19.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/20	**. 580.000**	2015/06
SULFATE	**00945**	**036**	2012/08/14	**. 28.000**	2015/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/20	**. 370.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/20	**. .069**	2015/06
ZINC	**01092**	**036**	2012/06/20	**< 50.000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610012-014					
Source Name: WFA CONNECTION - TREATED					
Source Number: 014					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610012-015					
Source Name: RESERVOIR 7 (WELL 13 AND CDA BLEND NO3)					
Source Number: 015					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610012-016					
Source Name: TREATMENT PLANT EFFLUENT					
Source Number: 016					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610012-017					
Source Name: CDA CONNECTION					
Source Number: 017					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610012-018						
Source Name: ASR WELL 33 - IX TREATED (MVWD)						
Source Number: 018						
Source Status: PURCHASED TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610012-019						
Source Name: WELL 16						
Source Number: 019						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/06/04	<	50.000	2016/06
ANTIMONY	01097	036	2013/06/04	<	6.000	2016/06
ARSENIC	01002	036	2013/06/04	<	2.000	2016/06
BARIUM	01007	036	2013/06/04		170.000	2016/06
BERYLLIUM	01012	036	2013/06/04	<	1.000	2016/06
CADMIUM	01027	036	2013/06/04	<	1.000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/04	<	10.000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2013/06/04	.	6.000	2016/06
CYANIDE	01291	036	2013/06/04	<	100.000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/04	.	.170	2016/06
MERCURY	71900	036	2013/06/04	<	1.000	2016/06
NICKEL	01067	036	2013/06/04	<	10.000	2016/06
PERCHLORATE	A-031	036	2014/07/01	<	4.000	2017/07
SELENIUM	01147	036	2013/06/04	<	5.000	2016/06
THALLIUM	01059	036	2013/06/04	<	1.000	2016/06
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/29	.	220.000	2015/07
NITRITE (AS N)	00620	036	2013/06/04	<	400.000	2016/06
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/03/25	.	3.900	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

PS Code: 3610012-019
Source Name: WELL 16
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/06/04	< .010	2016/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/06/04	< .020	2016/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/03/25	< .500	2017/03
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/25	< .500	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/25	< 10.000	2017/03
1,1,2-TRICHLOROETHANE	34511	036	2014/03/25	< .500	2017/03
1,1-DICHLOROETHANE	34496	036	2014/03/25	< .500	2017/03
1,1-DICHLOROETHYLENE	34501	036	2014/03/25	< .500	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/25	< .500	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/25	< .500	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/25	< .500	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/25	< .500	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/25	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/25	< .500	2017/03
BENZENE	34030	036	2014/03/25	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/25	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/25	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/25	< .500	2017/03
ETHYLBENZENE	34371	036	2014/03/25	< .500	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/25	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/25	< .500	2017/03
STYRENE	77128	036	2014/03/25	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/25	< .500	2017/03
TOLUENE	34010	036	2014/03/25	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/25	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/25	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/25	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/25	< .500	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

PS Code: ***3610012-019***
Source Name: ***WELL 16***
Source Number: ***019***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2014/03/25	**< .500**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/04	**. 270.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/04	**. 150.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/04	**3.900**	2016/06
CHLORIDE	**00940**	**036**	2013/06/04	**. 82.000**	2016/06
COLOR	**00081**	**036**	2013/06/04	**< 3.000**	2016/06
COPPER	**01042**	**036**	2013/06/04	**< 50.000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/04	**. .100**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/04	**. 540.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/04	**< 2.000**	2016/06
IRON	**01045**	**036**	2013/06/04	**< 100.000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/04	**. 37.000**	2016/06
MANGANESE	**01055**	**036**	2013/06/04	**< 20.000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/04	**< 1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/04	**. 8.300**	2016/06
SILVER	**01077**	**036**	2013/06/04	**< 10.000**	2016/06
SODIUM	**00929**	**036**	2013/06/04	**38.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/04	**. 1200.000**	2016/06
SULFATE	**00945**	**036**	2013/06/04	**59.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/04	**. 900.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/04	**. .100**	2016/06
ZINC	**01092**	**036**	2013/06/04	**< 50.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-020***						
Source Name: ***IX TP COMMON EFFLUENT***						
Source Number: ***020***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610012-021***						
Source Name: ***WELL 16 - WTP FINAL BLEND***						
Source Number: ***021***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610012-022***						
Source Name: ***RESERVOIR 4 - INF (CLO4, NO3 BLEND)***						
Source Number: ***022***						
Source Status: ***COMBINATION OR BLEND TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610012-601***						
Source Name: ***DBP2-11902 CENTRAL AVE.***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	**.**	**2.600**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	**<**	**1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	**.**	**2.600**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	**<**	**1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	**<**	**2.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-601***					
Source Name: ***DBP2-11902 CENTRAL AVE.***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	**. 6.100**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	**. 20.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	**. 2.700**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	**. 13.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	**. 42.000**	2014/10
PS Code: ***3610012-602***					
Source Name: ***DBP2-4624 PILGRIM CT.***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	**. 1.100**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	**< 2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	**< 1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	**. 4.600**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	**. 15.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	**. 2.200**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	**. 10.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-602***					
Source Name: ***DBP2-4624 PILGRIM CT.***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **32.000**	2014/10
PS Code: ***3610012-603***					
Source Name: ***DBP2-WFA***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **3.400**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	. **4.600**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	. **1.200**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **7.200**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **21.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **2.700**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **15.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **46.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-604***					
Source Name: ***DBP2-4857 INDEPENDENCE***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **2.600**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	. **2.600**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **6.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **19.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **2.600**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **13.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **41.000**	2014/10
PS Code: ***3610012-605***					
Source Name: ***DBP2-4136 POLK***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **1.300**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	< **2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **4.600**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-605***					
Source Name: ***DBP2-4136 POLK***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **15.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **2.200**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **10.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **32.000**	2014/10
PS Code: ***3610012-606***					
Source Name: ***DBP2-5131 FRANKLIN CT***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	< **1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	< **2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **1.500**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **5.200**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	< **1.000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **3.300**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **11.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-607***					
Source Name: ***DBP2-11723 YORBA***					
Source Number: ***607***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **2.800**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	. **2.800**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **5.900**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **19.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **2.600**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **13.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **40.000**	2014/10
PS Code: ***3610012-608***					
Source Name: ***DBP2-13100 7TH***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **3.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	. **4.200**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	. **1.200**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **5.900**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610012***
System Name: ***CHINO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610012-608***					
Source Name: ***DBP2-13100 7TH***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **19.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **2.700**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **13.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **41.000**	2014/10
PS Code: ***3610012-800***					
Source Name: ***WELL 04 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610012-801***					
Source Name: ***WELL 06 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610012
System Name: CHINO, CITY OF

STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: 3610012-802
Source Name: WELL 11 - TREATED (CL2)
Source Number: 802
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

PS Code: 3610012-803
Source Name: WELL 12 - TREATED (CL2)
Source Number: 803
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

PS Code: 3610012-804
Source Name: WELL 13 - TREATED (CL2)
Source Number: 804
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

PS Code: 3610012-805
Source Name: WELL 14 - TREATED (CL2)
Source Number: 805
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-009
Source Name: RICHARDSON ST. WELL 01
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2010/04/06	< .000	2013/04	DUE
ANTIMONY	01097	036	2010/04/06	< .000	2013/04	DUE
ARSENIC	01002	036	2011/01/05	. 2.600	2014/01	DUE
BARIUM	01007	036	2010/04/06	< .000	2013/04	DUE
BERYLLIUM	01012	036	2010/04/06	< .000	2013/04	DUE
CADMIUM	01027	036	2010/04/06	< .000	2013/04	DUE
CHROMIUM (TOTAL)	01034	036	2010/04/06	< .000	2013/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/10/16	. .000	2006/10	DUE
CYANIDE	01291	036	2010/04/06	< .000	2013/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/01/05	. 1.300	2014/01	DUE
MERCURY	71900	036	2010/04/06	< .000	2013/04	DUE
NICKEL	01067	036	2010/04/06	< .000	2013/04	DUE
PERCHLORATE	A-031	036	2011/01/05	< .000	2014/01	DUE
SELENIUM	01147	036	2010/04/06	< .000	2013/04	DUE
THALLIUM	01059	036	2010/04/06	< .000	2013/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/04/06	22.000	2011/04	DUE
NITRITE (AS N)	00620	036	2010/04/06	< .000	2013/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/05	. 3.400	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/05	. .025	2014/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/04/06	< .000	2013/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2010/04/06	< .000	2013/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2010/04/06	< .000	2013/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2010/04/06	< .000	2013/04	DUE
1,1,2-TRICHLOROETHANE	34511	036	2010/04/06	< .000	2013/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-009
Source Name: RICHARDSON ST. WELL 01
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2010/04/06	< .000	2013/04	DUE
1,1-DICHLOROETHYLENE	34501	036	2010/04/06	< .000	2013/04	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2010/04/06	< .000	2013/04	DUE
1,2-DICHLOROBENZENE	34536	036	2010/04/06	< .000	2013/04	DUE
1,2-DICHLOROETHANE	34531	036	2010/04/06	< .000	2013/04	DUE
1,2-DICHLOROPROPANE	34541	036	2010/04/06	< .000	2013/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2010/04/06	< .000	2013/04	DUE
1,4-DICHLOROBENZENE	34571	036	2010/04/06	< .000	2013/04	DUE
BENZENE	34030	036	2010/04/06	< .000	2013/04	DUE
CARBON TETRACHLORIDE	32102	036	2010/04/06	< .000	2013/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2010/04/06	< .000	2013/04	DUE
DICHLOROMETHANE	34423	036	2010/04/06	< .000	2013/04	DUE
ETHYLBENZENE	34371	036	2010/04/06	< .000	2013/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2010/04/06	< .000	2013/04	DUE
MONOCHLOROBENZENE	34301	036	2010/04/06	< .000	2013/04	DUE
STYRENE	77128	036	2010/04/06	< .000	2013/04	DUE
TETRACHLOROETHYLENE	34475	036	2010/04/06	< .000	2013/04	DUE
TOLUENE	34010	036	2010/04/06	< .000	2013/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2010/04/06	< .000	2013/04	DUE
TRICHLOROETHYLENE	39180	036	2010/04/06	4.600	2013/04	DUE
TRICHLOROFLUOROMETHANE	34488	036	2010/04/06	< .000	2013/04	DUE
VINYL CHLORIDE	39175	036	2010/04/06	< .000	2013/04	DUE
XYLENES (TOTAL)	81551	036	2010/04/06	< .000	2013/04	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2010/04/06	170.000	2013/04	DUE
CALCIUM	00916	036	2010/04/06	50.000	2013/04	DUE
CARBONATE ALKALINITY	00445	036	2010/04/06	< .000	2013/04	DUE
CHLORIDE	00940	036	2010/04/06	13.000	2013/04	DUE
COLOR	00081	036	2010/04/06	< .000	2013/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610013-009						
Source Name: RICHARDSON ST. WELL 01						
Source Number: 009						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
COPPER	01042	036	2010/04/06	< .000	2013/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/04/06	< .000	2013/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/04/06	140.000	2013/04	DUE
HYDROXIDE ALKALINITY	71830	036	2010/04/06	< .000	2013/04	DUE
IRON	01045	036	2010/04/06	< .000	2013/04	DUE
MAGNESIUM	00927	036	2010/04/06	6.000	2013/04	DUE
MANGANESE	01055	036	2010/04/06	< .000	2013/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/04/06	1.000	2013/04	DUE
PH, LABORATORY	00403	036	2010/04/06	7.700	2013/04	DUE
SILVER	01077	036	2010/04/06	< .000	2013/04	DUE
SODIUM	00929	036	2010/04/06	30.000	2013/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/04/06	420.000	2013/04	DUE
SULFATE	00945	036	2010/04/06	34.000	2013/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/04/06	190.000	2013/04	DUE
TURBIDITY, LABORATORY	82079	036	2010/04/06	< .000	2013/04	DUE
ZINC	01092	036	2010/04/06	< .000	2013/04	DUE
PS Code: 3610013-014						
Source Name: RICHARDSON WELL 03						
Source Number: 014						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/04/01	< .000	2017/04	
ANTIMONY	01097	036	2014/04/01	< .000	2017/04	
ARSENIC	01002	036	2014/04/01	< .000	2017/04	
BARIUM	01007	036	2014/04/01	< .000	2017/04	
BERYLLIUM	01012	036	2014/04/01	< .000	2017/04	
CADMIUM	01027	036	2014/04/01	< .000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-014
Source Name: RICHARDSON WELL 03
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/04/01	< .000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/10	. 1.400	2015/01
CYANIDE	01291	036	2014/04/01	< .000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/01	. .810	2017/04
MERCURY	71900	036	2014/04/01	< .000	2017/04
NICKEL	01067	036	2014/04/01	< .000	2017/04
PERCHLORATE	A-031	036	2014/04/01	< .000	2017/04
SELENIUM	01147	036	2014/04/01	< .000	2017/04
THALLIUM	01059	036	2014/04/01	< .000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/14	. 4.400	2015/07
NITRITE (AS N)	00620	036	2014/04/01	< .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/01/28	5.400	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/05/30	< .000	2016/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/05/30	< .000	2016/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/05/30	< .000	2016/05
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/05/30	< .000	2016/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/05/30	< .000	2016/05
1,1,2-TRICHLOROETHANE	34511	036	2013/05/30	< .000	2016/05
1,1-DICHLOROETHANE	34496	036	2013/05/30	< .000	2016/05
1,1-DICHLOROETHYLENE	34501	036	2013/05/30	< .000	2016/05
1,2,4-TRICHLOROBENZENE	34551	036	2013/05/30	< .000	2016/05
1,2-DICHLOROBENZENE	34536	036	2013/05/30	< .000	2016/05
1,2-DICHLOROETHANE	34531	036	2013/05/30	< .000	2016/05
1,2-DICHLOROPROPANE	34541	036	2013/05/30	< .000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-014
Source Name: RICHARDSON WELL 03
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/05/30	< .000	2016/05
1,4-DICHLOROBENZENE	34571	036	2013/05/30	< .000	2016/05
BENZENE	34030	036	2013/05/30	< .000	2016/05
CARBON TETRACHLORIDE	32102	036	2013/05/30	< .000	2016/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/05/30	< .000	2016/05
DICHLOROMETHANE	34423	036	2013/05/30	< .000	2016/05
ETHYLBENZENE	34371	036	2013/05/30	< .000	2016/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/05/30	< .000	2016/05
MONOCHLOROBENZENE	34301	036	2013/05/30	< .000	2016/05
STYRENE	77128	036	2013/05/30	< .000	2016/05
TETRACHLOROETHYLENE	34475	036	2013/05/30	< .000	2016/05
TOLUENE	34010	036	2013/05/30	< .000	2016/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/05/30	< .000	2016/05
TRICHLOROETHYLENE	39180	036	2013/05/30	< .000	2016/05
TRICHLOROFLUOROMETHANE	34488	036	2013/05/30	< .000	2016/05
VINYL CHLORIDE	39175	036	2013/05/30	< .000	2016/05
XYLENES (TOTAL)	81551	036	2013/05/30	< .000	2016/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/01	. 150.000	2017/04
CALCIUM	00916	036	2014/04/01	. 20.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/01	< .000	2017/04
CHLORIDE	00940	036	2014/04/01	. 27.000	2017/04
COLOR	00081	036	2014/04/01	< .000	2017/04
COPPER	01042	036	2014/04/01	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/01	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/01	. 51.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/01	< .000	2017/04
IRON	01045	036	2014/04/01	< .000	2017/04
MAGNESIUM	00927	036	2014/04/01	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610013-014					
Source Name: RICHARDSON WELL 03					
Source Number: 014					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2014/04/01	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/01	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/01	. 7.900	2017/04
SILVER	01077	036	2014/04/01	< .000	2017/04
SODIUM	00929	036	2014/04/01	. 68.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/01	. 420.000	2017/04
SULFATE	00945	036	2014/04/01	. 39.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/01	. 260.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/01	< .000	2017/04
ZINC	01092	036	2014/04/01	< .000	2017/04
PS Code: 3610013-015D					
Source Name: ZONE 2A BLEND SITE - TREATED					
Source Number: 015					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-016D					
Source Name: ZONE 1 BLEND SITE - TREATED					
Source Number: 016					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610013***

System Name: ***LOMA LINDA, CITY OF***

PS Code: ***3610013-017***

Source Name: ***MOUNTAIN VIEW WELL 03***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/04/01	**< .000**	2017/04
ANTIMONY	**01097**	**036**	2014/04/01	**< .000**	2017/04
ARSENIC	**01002**	**036**	2014/07/01	**. 19.000**	2017/07
BARIUM	**01007**	**036**	2014/04/01	**< .000**	2017/04
BERYLLIUM	**01012**	**036**	2014/04/01	**< .000**	2017/04
CADMIUM	**01027**	**036**	2014/04/01	**< .000**	2017/04
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/01	**< .000**	2017/04
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/01/11	**. 2.300**	2015/01
CYANIDE	**01291**	**036**	2014/04/01	**< .000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/01	**. .910**	2017/04
MERCURY	**71900**	**036**	2014/04/01	**< .000**	2017/04
NICKEL	**01067**	**036**	2014/04/01	**< .000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/01	**< .000**	2017/04
SELENIUM	**01147**	**036**	2014/04/01	**< .000**	2017/04
THALLIUM	**01059**	**036**	2014/04/01	**< .000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/21	**. 1.200**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/04/01	**< .000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/01/28	**< .000**	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/05/30	**< .000**	2016/05
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/05/30	**< .000**	2016/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/05/30	**< .000**	2016/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/05/30	**< .000**	2016/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/05/30	**< .000**	2016/05
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/05/30	**< .000**	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-017
Source Name: MOUNTAIN VIEW WELL 03
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/05/30	< .000	2016/05
1,1-DICHLOROETHYLENE	34501	036	2013/05/30	< .000	2016/05
1,2,4-TRICHLOROBENZENE	34551	036	2013/05/30	< .000	2016/05
1,2-DICHLOROBENZENE	34536	036	2013/05/30	< .000	2016/05
1,2-DICHLOROETHANE	34531	036	2013/05/30	< .000	2016/05
1,2-DICHLOROPROPANE	34541	036	2013/05/30	< .000	2016/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/05/30	< .000	2016/05
1,4-DICHLOROBENZENE	34571	036	2013/05/30	< .000	2016/05
BENZENE	34030	036	2013/05/30	< .000	2016/05
CARBON TETRACHLORIDE	32102	036	2013/05/30	< .000	2016/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/05/30	< .000	2016/05
DICHLOROMETHANE	34423	036	2013/05/30	< .000	2016/05
ETHYLBENZENE	34371	036	2013/05/30	< .000	2016/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/05/30	< .000	2016/05
MONOCHLOROBENZENE	34301	036	2013/05/30	< .000	2016/05
STYRENE	77128	036	2013/05/30	< .000	2016/05
TETRACHLOROETHYLENE	34475	036	2013/05/30	< .000	2016/05
TOLUENE	34010	036	2013/05/30	< .000	2016/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/05/30	< .000	2016/05
TRICHLOROETHYLENE	39180	036	2013/05/30	< .000	2016/05
TRICHLOROFLUOROMETHANE	34488	036	2013/05/30	< .000	2016/05
VINYL CHLORIDE	39175	036	2013/05/30	< .000	2016/05
XYLENES (TOTAL)	81551	036	2013/05/30	< .000	2016/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/01	. 110.000	2017/04
CALCIUM	00916	036	2014/04/01	. 3.100	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/01	. 10.000	2017/04
CHLORIDE	00940	036	2014/04/01	. 6.500	2017/04
COLOR	00081	036	2014/04/01	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-017
Source Name: MOUNTAIN VIEW WELL 03
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/04/01	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/01	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/01	. 7.800	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/01	< .000	2017/04
IRON	01045	036	2014/04/01	< .000	2017/04
MAGNESIUM	00927	036	2014/04/01	< .000	2017/04
MANGANESE	01055	036	2014/04/01	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/01	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/01	. 8.900	2017/04
SILVER	01077	036	2014/04/01	< .000	2017/04
SODIUM	00929	036	2014/04/01	. 58.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/01	. 280.000	2017/04
SULFATE	00945	036	2014/04/01	. 20.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/01	. 170.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/01	< .000	2017/04
ZINC	01092	036	2014/04/01	< .000	2017/04

PS Code: 3610013-018
Source Name: RICHARDSON WELL NO. 4
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/03/04	< .000	2017/03
ANTIMONY	01097	036	2014/03/04	< .000	2017/03
ARSENIC	01002	036	2014/03/04	. 33.000	2017/03
BARIUM	01007	036	2014/03/04	< .000	2017/03
BERYLLIUM	01012	036	2014/03/04	< .000	2017/03
CADMIUM	01027	036	2014/03/04	< .000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610013***

System Name: ***LOMA LINDA, CITY OF***

PS Code: ***3610013-018***

Source Name: ***RICHARDSON WELL NO. 4***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/03/04	< .000	2017/03	
CHROMIUM, HEXAVALENT	01032	036	2003/10/16	. .000	2006/10	DUE
CYANIDE	01291	036	2014/03/04	< .000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/04	. 2.900	2017/03	
MERCURY	71900	036	2014/03/04	< .000	2017/03	
NICKEL	01067	036	2014/03/04	< .000	2017/03	
PERCHLORATE	A-031	036	2014/03/04	< .000	2017/03	
SELENIUM	01147	036	2014/03/04	< .000	2017/03	
THALLIUM	01059	036	2014/03/04	< .000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/03/04	< .000	2015/03	
NITRITE (AS N)	00620	036	2014/03/04	< .000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/03/04	< .000	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/04	< .000	2017/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/04	< .000	2017/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/03/04	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/04	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/04	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	036	2014/03/04	< .000	2017/03	
1,1-DICHLOROETHANE	34496	036	2014/03/04	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	036	2014/03/04	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/04	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	036	2014/03/04	< .000	2017/03	
1,2-DICHLOROETHANE	34531	036	2014/03/04	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	036	2014/03/04	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610013***
System Name: ***LOMA LINDA, CITY OF***

PS Code: ***3610013-018***
Source Name: ***RICHARDSON WELL NO. 4***
Source Number: ***018***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/03/04	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**036**	2014/03/04	**< .000**	2017/03
BENZENE	**34030**	**036**	2014/03/04	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**036**	2014/03/04	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/03/04	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**036**	2014/03/04	**< .000**	2017/03
ETHYLBENZENE	**34371**	**036**	2014/03/04	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/03/04	**< .000**	2017/03
MONOCHLOROBENZENE	**34301**	**036**	2014/03/04	**< .000**	2017/03
STYRENE	**77128**	**036**	2014/03/04	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**036**	2014/03/04	**< .000**	2017/03
TOLUENE	**34010**	**036**	2014/03/04	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/03/04	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**036**	2014/03/04	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/03/04	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**036**	2014/03/04	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**036**	2014/03/04	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/03/04	**. 64.000**	2017/03
CALCIUM	**00916**	**036**	2014/03/04	**. 3.000**	2017/03
CARBONATE ALKALINITY	**00445**	**036**	2014/03/04	**. 20.000**	2017/03
CHLORIDE	**00940**	**036**	2014/03/04	**. 25.000**	2017/03
COLOR	**00081**	**036**	2014/03/04	**< .000**	2017/03
COPPER	**01042**	**036**	2014/03/04	**< .000**	2017/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/04	**< .000**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/04	**. 7.600**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/04	**< .000**	2017/03
IRON	**01045**	**036**	2014/03/04	**< .000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/04	**< .000**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-018
Source Name: RICHARDSON WELL NO. 4
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/03/04	< .000	2017/03	
ODOR THRESHOLD @ 60 C	00086	036	2014/03/04	. 1.000	2017/03	
PH, LABORATORY	00403	036	2014/03/04	. 9.000	2017/03	
SILVER	01077	036	2014/03/04	< .000	2017/03	
SODIUM	00929	036	2014/03/04	. 71.000	2017/03	
SPECIFIC CONDUCTANCE	00095	036	2014/03/04	. 390.000	2017/03	
SULFATE	00945	036	2014/03/04	. 35.000	2017/03	
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/04	. 240.000	2017/03	
TURBIDITY, LABORATORY	82079	036	2014/03/04	. .300	2017/03	
ZINC	01092	036	2014/03/04	< .000	2017/03	

PS Code: 3610013-019
Source Name: MOUNTAIN VIEW WELL 04 - STANDBY
Source Number: 019
Source Status: STANDBY UNTREATED
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	108	2010/04/06	73.000	2019/04	
ANTIMONY	01097	108	2010/04/06	< .000	2019/04	
ARSENIC	01002	108	2011/01/05	. 12.000	2020/01	
BARIUM	01007	108	2010/04/06	< .000	2019/04	
BERYLLIUM	01012	108	2010/04/06	< .000	2019/04	
CADMIUM	01027	108	2010/04/06	< .000	2019/04	
CHROMIUM (TOTAL)	01034	108	2010/04/06	< .000	2019/04	
CHROMIUM, HEXAVALENT	01032	108	**2003/10/16**	. .000	**2012/10**	**DUE**
CYANIDE	01291	108	2010/04/06	< .000	2019/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/01/05	. 2.900	2020/01	
MERCURY	71900	108	2010/04/06	< .000	2019/04	
NICKEL	01067	108	2010/04/06	< .000	2019/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-019
Source Name: MOUNTAIN VIEW WELL 04 - STANDBY
Source Number: 019
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	108	2011/01/05	< .000	2020/01
SELENIUM	01147	108	2010/04/06	< .000	2019/04
THALLIUM	01059	108	2010/04/06	< .000	2019/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	108	2010/04/06	< .000	2019/04
NITRITE (AS N)	00620	108	2010/04/06	< .000	2019/04
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/01/05	< .000	2020/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2010/04/06	< .000	2019/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2010/04/06	< .000	2019/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2010/04/06	< .000	2019/04
1,1,2-TRICHLOROETHANE	34511	108	2010/04/06	< .000	2019/04
1,1-DICHLOROETHANE	34496	108	2010/04/06	< .000	2019/04
1,1-DICHLOROETHYLENE	34501	108	2010/04/06	< .000	2019/04
1,2,4-TRICHLOROBENZENE	34551	108	2010/04/06	< .000	2019/04
1,2-DICHLOROBENZENE	34536	108	2010/04/06	< .000	2019/04
1,2-DICHLOROETHANE	34531	108	2010/04/06	< .000	2019/04
1,2-DICHLOROPROPANE	34541	108	2010/04/06	< .000	2019/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2010/04/06	< .000	2019/04
1,4-DICHLOROBENZENE	34571	108	2010/04/06	< .000	2019/04
BENZENE	34030	108	2010/04/06	< .000	2019/04
CARBON TETRACHLORIDE	32102	108	2010/04/06	< .000	2019/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2010/04/06	< .000	2019/04
DICHLOROMETHANE	34423	108	2010/04/06	< .000	2019/04
ETHYLBENZENE	34371	108	2010/04/06	< .000	2019/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2010/04/06	< .000	2019/04
MONOCHLOROBENZENE	34301	108	2010/04/06	< .000	2019/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-019
Source Name: MOUNTAIN VIEW WELL 04 - STANDBY
Source Number: 019
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	108	2010/04/06	< .000	2019/04
TETRACHLOROETHYLENE	34475	108	2010/04/06	< .000	2019/04
TOLUENE	34010	108	2010/04/06	< .000	2019/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2010/04/06	< .000	2019/04
TRICHLOROETHYLENE	39180	108	2010/04/06	< .000	2019/04
TRICHLOROFLUOROMETHANE	34488	108	2010/04/06	< .000	2019/04
VINYL CHLORIDE	39175	108	2010/04/06	< .000	2019/04
XYLENES (TOTAL)	81551	108	2010/04/06	< .000	2019/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2010/04/06	74.000	2019/04
CALCIUM	00916	108	2010/04/06	2.600	2019/04
CARBONATE ALKALINITY	00445	108	2010/04/06	16.000	2019/04
CHLORIDE	00940	108	2010/04/06	31.000	2019/04
COLOR	00081	108	2010/04/06	< .000	2019/04
COPPER	01042	108	2010/04/06	< .000	2019/04
FOAMING AGENTS (MBAS)	38260	108	2010/04/06	< .000	2019/04
HARDNESS (TOTAL) AS CACO3	00900	108	2010/04/06	9.200	2019/04
HYDROXIDE ALKALINITY	71830	108	2010/04/06	< .000	2019/04
IRON	01045	108	2010/04/06	< .000	2019/04
MAGNESIUM	00927	108	2010/04/06	< .000	2019/04
MANGANESE	01055	108	2010/04/06	< .000	2019/04
ODOR THRESHOLD @ 60 C	00086	108	2010/04/06	1.000	2019/04
PH, LABORATORY	00403	108	2010/04/06	8.400	2019/04
SILVER	01077	108	2010/04/06	< .000	2019/04
SODIUM	00929	108	2010/04/06	82.000	2019/04
SPECIFIC CONDUCTANCE	00095	108	2010/04/06	390.000	2019/04
SULFATE	00945	108	2010/04/06	37.000	2019/04
TOTAL DISSOLVED SOLIDS	70300	108	2010/04/06	250.000	2019/04
TURBIDITY, LABORATORY	82079	108	2010/04/06	1.300	2019/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610013-019					
Source Name: MOUNTAIN VIEW WELL 04 - STANDBY					
Source Number: 019					
Source Status: STANDBY UNTREATED					
Water type: G					
SECONDARY/GP					
ZINC	01092	108	2010/04/06	< .000	2019/04
PS Code: 3610013-020T					
Source Name: RICHARDSON WELL 03 - TREATED					
Source Number: 020					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-021T					
Source Name: MOUNTAIN VIEW WELL 03 - TREATED					
Source Number: 021					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-022T					
Source Name: RICHARDSON WELL 04 - TREATED					
Source Number: 022					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-023T
Source Name: MOUNTAIN VIEW WELL 04 - TREATED
Source Number: 023
Source Status: ACTIVE TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610013-024
Source Name: MOUNTAIN VIEW WELL 05
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/05	< .000	2017/02	
ANTIMONY	01097	036	2014/02/05	< .000	2017/02	
ARSENIC	01002	036	2014/02/05	. 21.000	2017/02	
BARIUM	01007	036	2014/02/05	< .000	2017/02	
BERYLLIUM	01012	036	2014/02/05	< .000	2017/02	
CADMIUM	01027	036	2014/02/05	< .000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/05	< .000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2003/07/16	. .000	2006/07	DUE
CYANIDE	01291	036	2014/02/05	< .000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/05	. 1.100	2017/02	
MERCURY	71900	036	2014/02/05	< .000	2017/02	
NICKEL	01067	036	2014/02/05	< .000	2017/02	
PERCHLORATE	A-031	036	2014/02/05	< .000	2017/02	
SELENIUM	01147	036	2014/02/05	< .000	2017/02	
THALLIUM	01059	036	2014/02/05	< .000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/14	< .000	2015/07	
NITRITE (AS N)	00620	036	2014/02/05	< .000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/02/05	< .000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-024
Source Name: MOUNTAIN VIEW WELL 05
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/05	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/05	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/02/05	< .000	2017/02
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/05	< .000	2017/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/05	< .000	2017/02
1,1,2-TRICHLOROETHANE	34511	036	2014/02/05	< .000	2017/02
1,1-DICHLOROETHANE	34496	036	2014/02/05	< .000	2017/02
1,1-DICHLOROETHYLENE	34501	036	2014/02/05	< .000	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/05	< .000	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/05	< .000	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/05	< .000	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/05	< .000	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/05	< .000	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/05	< .000	2017/02
BENZENE	34030	036	2014/02/05	< .000	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/05	< .000	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/05	< .000	2017/02
DICHLOROMETHANE	34423	036	2014/02/05	< .000	2017/02
ETHYLBENZENE	34371	036	2014/02/05	< .000	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/05	< .000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/05	< .000	2017/02
STYRENE	77128	036	2014/02/05	< .000	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/05	< .000	2017/02
TOLUENE	34010	036	2014/02/05	< .000	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/05	< .000	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/05	< .000	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/05	< .000	2017/02
VINYL CHLORIDE	39175	036	2014/02/05	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-024
Source Name: MOUNTAIN VIEW WELL 05
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2014/02/05	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/05	. 95.000	2017/02
CALCIUM	00916	036	2014/02/05	. 2.800	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/05	20.000	2017/02
CHLORIDE	00940	036	2014/02/05	. 8.200	2017/02
COLOR	00081	036	2014/02/05	< .000	2017/02
COPPER	01042	036	2014/02/05	< .000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/05	< .000	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/05	. 7.100	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/05	< .000	2017/02
IRON	01045	036	2014/02/05	< .000	2017/02
MAGNESIUM	00927	036	2014/02/05	< .000	2017/02
MANGANESE	01055	036	2014/02/05	< .000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/05	1.000	2017/02
PH, LABORATORY	00403	036	2014/02/05	. 9.000	2017/02
SILVER	01077	036	2014/02/05	< .000	2017/02
SODIUM	00929	036	2014/02/05	60.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/05	. 290.000	2017/02
SULFATE	00945	036	2014/02/05	21.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/05	. 180.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/05	. .900	2017/02
ZINC	01092	036	2014/02/05	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610013-025					
Source Name: PURCHASED-CITY OF SB					
Source Number: 025					
Source Status: PURCHASED TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-026					
Source Name: INTERTIE - CITY OF REDLANDS					
Source Number: 026					
Source Status: DISTRIBUTION TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-027					
Source Name: INTERTIE-LOMA LINDA UNIVERSITY MED CT					
Source Number: 027					
Source Status: DISTRIBUTION TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-028T					
Source Name: MT VIEW 3 COMBINED VESSEL EFFLUENT					
Source Number: 028					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-029T
Source Name: MT VIEW 3 FINAL BLEND
Source Number: 029
Source Status: COMBINATION OR BLEND TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610013-030
Source Name: RICHARDSON WELL 05
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/04/02	< .000	2017/04
ANTIMONY	01097	036	2014/04/02	< .000	2017/04
ARSENIC	01002	036	2014/07/01	< .000	2017/07
BARIUM	01007	036	2014/04/02	< .000	2017/04
BERYLLIUM	01012	036	2014/04/02	< .000	2017/04
CADMIUM	01027	036	2014/04/02	< .000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/02	< .000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/12	. 2.000	2015/01
CYANIDE	01291	036	2014/04/02	< .000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .560	2017/04
MERCURY	71900	036	2014/04/02	< .000	2017/04
NICKEL	01067	036	2014/04/02	< .000	2017/04
PERCHLORATE	A-031	036	2014/07/01	. 36.000	2017/07
SELENIUM	01147	036	2014/04/02	< .000	2017/04
THALLIUM	01059	036	2014/04/02	< .000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/14	. 40.000	2014/08
NITRITE (AS N)	00620	036	2014/04/02	< .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/02	. 11.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610013***

System Name: ***LOMA LINDA, CITY OF***

PS Code: ***3610013-030***

Source Name: ***RICHARDSON WELL 05***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/04/02	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	036	2014/04/02	< .000	2017/04
2,4-D	39730	036	2014/04/02	< .000	2017/04
ALACHLOR	77825	036	2014/04/02	< .000	2017/04
ATRAZINE	39033	036	2014/04/02	< .000	2017/04
BENTAZON	38710	036	2014/04/02	< .000	2017/04
BENZO (A) PYRENE	34247	036	2014/04/02	< .000	2017/04
CARBOFURAN	81405	036	2014/04/02	< .000	2017/04
CHLORDANE	39350	036	2014/04/02	< .000	2017/04
DALAPON	38432	036	2014/04/02	< .000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/04/02	< .000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/04/02	< .000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/01	. .140	2017/07
DINOSEB	81287	036	2014/04/02	< .000	2017/04
DIQUAT	78885	036	2014/04/02	< 4.000	2017/04
ENDOTHALL	38926	036	2014/04/02	< .000	2017/04
ENDRIN	39390	036	2014/04/02	< .000	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/02	< .000	2017/04
GLYPHOSATE	79743	036	2014/04/02	< .000	2017/04
HEPTACHLOR	39410	036	2014/04/02	< .000	2017/04
HEPTACHLOR EPOXIDE	39420	036	2014/04/02	< .000	2017/04
HEXACHLOROBENZENE	39700	036	2014/04/02	< .000	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/04/02	< .000	2017/04
LINDANE	39340	036	2014/04/02	< .000	2017/04
METHOXYCHLOR	39480	036	2014/04/02	< .000	2017/04
MOLINATE	82199	036	2014/04/02	< .000	2017/04
OXAMYL	38865	036	2014/04/02	< .000	2017/04
PENTACHLOROPHENOL	39032	036	2014/04/02	< .000	2017/04
PICLORAM	39720	036	2014/04/02	< .000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/04/02	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-030
Source Name: RICHARDSON WELL 05
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
SIMAZINE	39055	036	2014/04/02	< .000	2017/04
THIOBENCARB	A-001	036	2014/04/02	< .000	2017/04
TOXAPHENE	39400	036	2014/04/02	< .000	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/04/02	< .000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/02	< .000	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/02	< .000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/02	< .000	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/02	< .000	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/02	< .000	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/02	< .000	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/02	< .000	2015/04
1,2-DICHLOROETHANE	34531	012	2014/04/02	< .000	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/02	< .000	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/02	< .000	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/02	< .000	2015/04
BENZENE	34030	012	2014/04/02	< .000	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/02	< .000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/02	< .000	2015/04
DICHLOROMETHANE	34423	012	2014/04/02	< .000	2015/04
ETHYLBENZENE	34371	012	2014/04/02	< .000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/02	< .000	2017/04
MONOCHLOROBENZENE	34301	012	2014/04/02	< .000	2015/04
STYRENE	77128	012	2014/04/02	< .000	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/02	< .000	2015/04
TOLUENE	34010	012	2014/04/02	< .000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/02	< .000	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/01	. 11.000	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/04/02	< .000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-030
Source Name: RICHARDSON WELL 05
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
VINYL CHLORIDE	39175	012	2014/04/02	< .000	2015/04
XYLENES (TOTAL)	81551	012	2014/04/02	< .000	2015/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/02	. 210.000	2017/04
CALCIUM	00916	036	2014/04/02	. 67.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/02	< .000	2017/04
CHLORIDE	00940	036	2014/04/02	. 13.000	2017/04
COLOR	00081	036	2014/04/02	< .000	2017/04
COPPER	01042	036	2014/04/02	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	. .220	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/02	. 210.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/02	< .000	2017/04
IRON	01045	036	2014/04/02	< .000	2017/04
MAGNESIUM	00927	036	2014/04/02	. 10.000	2017/04
MANGANESE	01055	036	2014/04/02	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/02	. 7.600	2017/04
SILVER	01077	036	2014/04/02	< .000	2017/04
SODIUM	00929	036	2014/04/02	. 19.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 510.000	2017/04
SULFATE	00945	036	2014/04/02	. 45.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/02	. 310.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .700	2017/04
ZINC	01092	036	2014/04/02	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-031
Source Name: RICHARDSON WELL NO 6
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/04/01	< .000	2017/04
ANTIMONY	01097	036	2014/04/01	< .000	2017/04
ARSENIC	01002	036	2014/04/01	< .000	2017/04
BARIUM	01007	036	2014/04/01	< .000	2017/04
BERYLLIUM	01012	036	2014/04/01	< .000	2017/04
CADMIUM	01027	036	2014/04/01	< .000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/01	< .000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/10	. 2.800	2015/01
CYANIDE	01291	036	2014/04/01	< .000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/01	. .840	2017/04
MERCURY	71900	036	2014/04/01	< .000	2017/04
NICKEL	01067	036	2014/04/01	< .000	2017/04
PERCHLORATE	A-031	036	2014/04/01	< .000	2017/04
SELENIUM	01147	036	2014/04/01	< .000	2017/04
THALLIUM	01059	036	2014/04/01	< .000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/14	. 4.100	2015/07
NITRITE (AS N)	00620	036	2014/04/01	< .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/01/28	< .000	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/15	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/15	< .000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/04/03	< .000	2016/04
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/04/03	< .000	2016/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/04/03	< .000	2016/04
1,1,2-TRICHLOROETHANE	34511	036	2013/04/03	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-031
Source Name: RICHARDSON WELL NO 6
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/04/03	< .000	2016/04
1,1-DICHLOROETHYLENE	34501	036	2013/04/03	< .000	2016/04
1,2,4-TRICHLOROBENZENE	34551	036	2013/04/03	< .000	2016/04
1,2-DICHLOROBENZENE	34536	036	2013/04/03	< .000	2016/04
1,2-DICHLOROETHANE	34531	036	2013/04/03	< .000	2016/04
1,2-DICHLOROPROPANE	34541	036	2013/04/03	< .000	2016/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/04/03	< .000	2016/04
1,4-DICHLOROBENZENE	34571	036	2013/04/03	< .000	2016/04
BENZENE	34030	036	2013/04/03	< .000	2016/04
CARBON TETRACHLORIDE	32102	036	2013/04/03	< .000	2016/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/04/03	< .000	2016/04
DICHLOROMETHANE	34423	036	2013/04/03	< .000	2016/04
ETHYLBENZENE	34371	036	2013/04/03	< .000	2016/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/04/03	< .000	2016/04
MONOCHLOROBENZENE	34301	036	2013/04/03	< .000	2016/04
STYRENE	77128	036	2013/04/03	< .000	2016/04
TETRACHLOROETHYLENE	34475	036	2013/04/03	< .000	2016/04
TOLUENE	34010	036	2013/04/03	< .000	2016/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/04/03	< .000	2016/04
TRICHLOROETHYLENE	39180	036	2013/04/03	< .000	2016/04
TRICHLOROFLUOROMETHANE	34488	036	2013/04/03	< .000	2016/04
VINYL CHLORIDE	39175	036	2013/04/03	< .000	2016/04
XYLENES (TOTAL)	81551	036	2013/04/03	< .000	2016/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/01	. 180.000	2017/04
CALCIUM	00916	036	2014/04/01	. 22.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/01	< .000	2017/04
CHLORIDE	00940	036	2014/04/01	. 26.000	2017/04
COLOR	00081	036	2014/04/01	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-031
Source Name: RICHARDSON WELL NO 6
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2014/04/01	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/01	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/01	. 55.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/01	< .000	2017/04
IRON	01045	036	2014/04/01	< .000	2017/04
MAGNESIUM	00927	036	2014/04/01	< .000	2017/04
MANGANESE	01055	036	2014/04/01	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/01	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/01	. 8.000	2017/04
SILVER	01077	036	2014/04/01	< .000	2017/04
SODIUM	00929	036	2014/04/01	. 73.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/01	. 450.000	2017/04
SULFATE	00945	036	2014/04/01	. 43.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/01	. 280.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/01	< .000	2017/04
ZINC	01092	036	2014/04/01	< .000	2017/04

PS Code: 3610013-032
Source Name: MOUNTAIN VIEW WELL 6
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/04/02	< .000	2017/04
ANTIMONY	01097	036	2014/04/02	< .000	2017/04
ARSENIC	01002	036	2014/07/02	< .000	2017/07
BARIUM	01007	036	2014/04/02	< .000	2017/04
BERYLLIUM	01012	036	2014/04/02	< .000	2017/04
CADMIUM	01027	036	2014/04/02	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-032
Source Name: MOUNTAIN VIEW WELL 6
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/04/02	< .000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/11	. 3.300	2015/01
CYANIDE	01291	036	2014/04/02	< .000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .690	2017/04
MERCURY	71900	036	2014/04/02	< .000	2017/04
NICKEL	01067	036	2014/04/02	< .000	2017/04
PERCHLORATE	A-031	036	2014/07/02	. 22.000	2017/07
SELENIUM	01147	036	2014/04/02	< .000	2017/04
THALLIUM	01059	036	2014/04/02	< .000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/23	. 40.000	2014/08
NITRITE (AS N)	00620	036	2014/04/02	< .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/02	. 10.000	2017/04
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/04/02	< 5.000	2017/04
2,4,5-TP (SILVEX)	39045	036	2014/04/02	< .000	2017/04
2,4-D	39730	036	2014/04/02	< .000	2017/04
ALACHLOR	77825	036	2014/04/02	< .000	2017/04
ATRAZINE	39033	036	2014/04/02	< .000	2017/04
BENTAZON	38710	036	2014/04/02	< .000	2017/04
BENZO (A) PYRENE	34247	036	2014/04/02	< .000	2017/04
CARBOFURAN	81405	036	2014/04/02	< .000	2017/04
CHLORDANE	39350	036	2014/04/02	< .000	2017/04
DALAPON	38432	036	2014/04/02	< .000	2017/04
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/04/02	< .000	2017/04
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/04/02	< .000	2017/04
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/02	. .091	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-032
Source Name: MOUNTAIN VIEW WELL 6
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DINOSEB	81287	036	2014/04/02	< .000	2017/04
DIQUAT	78885	036	2014/04/02	< 4.000	2017/04
ENDOTHALL	38926	036	2014/04/02	< .000	2017/04
ENDRIN	39390	036	2014/04/02	< .000	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/02	< .000	2017/04
GLYPHOSATE	79743	036	2014/04/02	< .000	2017/04
HEPTACHLOR	39410	036	2014/04/02	< .000	2017/04
HEPTACHLOR EPOXIDE	39420	036	2014/04/02	< .000	2017/04
HEXACHLOROBENZENE	39700	036	2014/04/02	< .000	2017/04
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/04/02	< .000	2017/04
LINDANE	39340	036	2014/04/02	< .000	2017/04
METHOXYCHLOR	39480	036	2014/04/02	< .000	2017/04
MOLINATE	82199	036	2014/04/02	< .000	2017/04
OXAMYL	38865	036	2014/04/02	< .000	2017/04
PENTACHLOROPHENOL	39032	036	2014/04/02	< .000	2017/04
PICLORAM	39720	036	2014/04/02	< .000	2017/04
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/04/02	< .000	2017/04
SIMAZINE	39055	036	2014/04/02	< .000	2017/04
THIOBENCARB	A-001	036	2014/04/02	< .000	2017/04
TOXAPHENE	39400	036	2014/04/02	< .000	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/04/02	< .000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/04/02	< .000	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/04/02	< .000	2015/04
1,1,2-TRICHLOROETHANE	34511	012	2014/04/02	< .000	2015/04
1,1-DICHLOROETHANE	34496	012	2014/04/02	< .000	2015/04
1,1-DICHLOROETHYLENE	34501	012	2014/04/02	< .000	2015/04
1,2,4-TRICHLOROBENZENE	34551	012	2014/04/02	< .000	2015/04
1,2-DICHLOROBENZENE	34536	012	2014/04/02	< .000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

PS Code: 3610013-032
Source Name: MOUNTAIN VIEW WELL 6
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	012	2014/04/02	< .000	2015/04
1,2-DICHLOROPROPANE	34541	012	2014/04/02	< .000	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/02	< .000	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/04/02	< .000	2015/04
BENZENE	34030	012	2014/04/02	< .000	2015/04
CARBON TETRACHLORIDE	32102	012	2014/04/02	< .000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/04/02	< .000	2015/04
DICHLOROMETHANE	34423	012	2014/04/02	< .000	2015/04
ETHYLBENZENE	34371	012	2014/04/02	< .000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/02	< .000	2017/04
MONOCHLOROBENZENE	34301	012	2014/04/02	< .000	2015/04
STYRENE	77128	012	2014/04/02	< .000	2015/04
TETRACHLOROETHYLENE	34475	012	2014/04/02	< .000	2015/04
TOLUENE	34010	012	2014/04/02	< .000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/04/02	< .000	2015/04
TRICHLOROETHYLENE	39180	012	2014/07/02	. 5.000	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/04/02	< .000	2015/04
VINYL CHLORIDE	39175	012	2014/04/02	< .000	2015/04
XYLENES (TOTAL)	81551	012	2014/04/02	< .000	2015/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/02	. 210.000	2017/04
CALCIUM	00916	036	2014/04/02	. 68.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/02	< .000	2017/04
CHLORIDE	00940	036	2014/04/02	. 14.000	2017/04
COLOR	00081	036	2014/04/02	< .000	2017/04
COPPER	01042	036	2014/04/02	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	. .260	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/02	. 210.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/02	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610013-032					
Source Name: MOUNTAIN VIEW WELL 6					
Source Number: 032					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
IRON	01045	036	2014/04/02	< .000	2017/04
MAGNESIUM	00927	036	2014/04/02	. 10.000	2017/04
MANGANESE	01055	036	2014/04/02	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/02	. 7.700	2017/04
SILVER	01077	036	2014/04/02	< .000	2017/04
SODIUM	00929	036	2014/04/02	. 21.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 510.000	2017/04
SULFATE	00945	036	2014/04/02	. 45.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/02	. 330.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .100	2017/04
ZINC	01092	036	2014/04/02	< .000	2017/04
PS Code: 3610013-033					
Source Name: RICHARDSON TREATMENT PLANT - EFFLUENT					
Source Number: 033					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-603					
Source Name: DBP2-25089 CRESTVIEW DR.					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/06/04	< .000	2015/06
DICHLOROACETIC ACID (DCAA)	77288	012	2014/06/04	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610013***

System Name: ***LOMA LINDA, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610013-603***					
Source Name: ***DBP2-25089 CRESTVIEW DR.***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/06/04	**< .000**	2015/06
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/06/04	**< .000**	2015/06
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/06/04	**< .000**	2015/06
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/06/04	**< .000**	2015/06
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/06/04	**< .000**	2015/06
BROMOFORM (THM)	**32104**	**012**	2014/06/04	**< .000**	2015/06
CHLOROFORM (THM)	**32106**	**012**	2014/06/04	**< .000**	2015/06
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/06/04	**< .000**	2015/06
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/06/04	**< .000**	2015/06
PS Code: ***3610013-604***					
Source Name: ***DBP2-24692 LAWTON AVE.***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/06/04	**< .000**	2015/06
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/06/04	**< .000**	2015/06
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/06/04	**< .000**	2015/06
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/06/04	**< .000**	2015/06
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/06/04	**< .000**	2015/06
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/06/04	**< .000**	2015/06
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/06/04	**< .000**	2015/06
BROMOFORM (THM)	**32104**	**012**	2014/06/04	**< .000**	2015/06
CHLOROFORM (THM)	**32106**	**012**	2014/06/04	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610013
System Name: LOMA LINDA, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610013-604					
Source Name: DBP2-24692 LAWTON AVE.					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: G					
STATE UCMR					
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/06/04	< .000	2015/06
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/06/04	< .000	2015/06
PS Code: 3610013-800					
Source Name: MOUNTAIN VIEW WELL 05 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610013-801					
Source Name: RICHARDSON WELL NO 6 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-008***
Source Name: ***WELL 13***
Source Number: ***008***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/08/16	< .000	2014/08	
ANTIMONY	01097	036	2011/08/16	< .000	2014/08	
ARSENIC	01002	036	2011/08/16	< .000	2014/08	
BARIUM	01007	036	2011/08/16	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/16	< .000	2014/08	
CADMIUM	01027	036	2011/08/16	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/16	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/12/09	. .000	2005/12	DUE
CYANIDE	01291	036	2011/08/16	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .270	2016/09	
MERCURY	71900	036	2011/08/16	< .000	2014/08	
NICKEL	01067	036	2011/08/16	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/16	< .000	2014/08	
SELENIUM	01147	036	2011/08/16	< .000	2014/08	
THALLIUM	01059	036	2011/08/16	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/30	. 5.600	2014/09	
NITRITE (AS N)	00620	036	2011/08/16	< .000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/05/30	. 4.500	2022/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/29	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/29	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-008
Source Name: WELL 13
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 250.000	2016/09
CALCIUM	00916	036	2013/09/30	. 89.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 16.000	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-008
Source Name: WELL 13
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 280.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2014/05/07	< .000	2017/05
MAGNESIUM	00927	036	2013/09/30	. 14.000	2016/09
MANGANESE	01055	036	2014/05/07	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	1.000	2014/08
PH, LABORATORY	00403	036	2013/09/30	. 7.300	2016/09
SILVER	01077	036	2011/08/16	< .000	2014/08
SODIUM	00929	036	2013/09/30	15.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	. 590.000	2016/09
SULFATE	00945	036	2013/09/30	80.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	. 390.000	2016/09
TURBIDITY, LABORATORY	82079	036	2011/08/16	< .000	2014/08
ZINC	01092	036	2013/09/30	< .000	2016/09

PS Code: 3610014-010
Source Name: WELL 15
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/08/16	< .000	2014/08
ANTIMONY	01097	036	2011/08/16	8.900	2014/08
ARSENIC	01002	036	2011/08/16	< .000	2014/08
BARIUM	01007	036	2011/08/16	< .000	2014/08
BERYLLIUM	01012	036	2011/08/16	< .000	2014/08
CADMIUM	01027	036	2011/08/16	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***

System Name: ***COLTON, CITY OF***

PS Code: ***3610014-010***

Source Name: ***WELL 15***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/08/16	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2003/07/30	. 2.100	2006/07	DUE
CYANIDE	01291	036	2011/08/16	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .300	2016/09	
MERCURY	71900	036	2011/08/16	< .000	2014/08	
NICKEL	01067	036	2011/08/16	< .000	2014/08	
PERCHLORATE	A-031	036	2013/10/10	< .000	2016/10	
SELENIUM	01147	036	2011/08/16	< .000	2014/08	
THALLIUM	01059	036	2011/08/16	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/10	. 20.000	2014/10	
NITRITE (AS N)	00620	036	2011/08/16	< .000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/05/07	< .000	2022/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/29	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/29	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09	
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09	
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09	
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09	
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09	
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09	
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-010
Source Name: WELL 15
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 180.000	2016/09
CALCIUM	00916	036	2013/09/30	. 53.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 9.100	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 170.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2013/09/30	< .000	2016/09
MAGNESIUM	00927	036	2013/09/30	. 9.400	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-010
Source Name: WELL 15
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2013/09/30	<	.000	2016/09	
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16		1.000	2014/08	
PH, LABORATORY	00403	036	2013/09/30	.	7.500	2016/09	
SILVER	01077	036	2011/08/16	<	.000	2014/08	
SODIUM	00929	036	2013/09/30		14.000	2016/09	
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	.	390.000	2016/09	
SULFATE	00945	036	2013/09/30		28.000	2016/09	
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	.	250.000	2016/09	
TURBIDITY, LABORATORY	82079	036	2011/08/16	<	.000	2014/08	
ZINC	01092	036	2013/09/30	<	.000	2016/09	

PS Code: 3610014-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/08/16	<	.000	2014/08	
ANTIMONY	01097	036	2011/08/16	<	.000	2014/08	
ARSENIC	01002	036	2011/08/16	<	.000	2014/08	
BARIUM	01007	036	2011/08/16	<	.000	2014/08	
BERYLLIUM	01012	036	2011/08/16	<	.000	2014/08	
CADMIUM	01027	036	2011/08/16	<	.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/16	<	.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/12/09	.	.000	2005/12	DUE
CYANIDE	01291	036	2011/08/16	<	.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	.	.370	2016/09	
MERCURY	71900	036	2011/08/16	<	.000	2014/08	
NICKEL	01067	036	2011/08/16	<	.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-011***
Source Name: ***WELL 16***
Source Number: ***011***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2011/08/16	**< .000**	2014/08
SELENIUM	**01147**	**036**	2011/08/16	**< .000**	2014/08
THALLIUM	**01059**	**036**	2011/08/16	**< .000**	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/30	**. 2.300**	2014/09
NITRITE (AS N)	**00620**	**036**	2011/08/16	**< .000**	2014/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/05/07	**. 6.200**	2022/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/29	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/29	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/09/30	**< .000**	2016/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHANE	**34496**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/09/30	**< .000**	2016/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROBENZENE	**34536**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROETHANE	**34531**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROPROPANE	**34541**	**036**	2013/09/30	**< .000**	2016/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/09/30	**< .000**	2016/09
1,4-DICHLOROBENZENE	**34571**	**036**	2013/09/30	**< .000**	2016/09
BENZENE	**34030**	**036**	2013/09/30	**< .000**	2016/09
CARBON TETRACHLORIDE	**32102**	**036**	2013/09/30	**< .000**	2016/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/09/30	**< .000**	2016/09
DICHLOROMETHANE	**34423**	**036**	2013/09/30	**< .000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 230.000	2016/09
CALCIUM	00916	036	2013/09/30	. 64.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 7.400	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 210.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2014/05/07	< .000	2017/05
MAGNESIUM	00927	036	2013/09/30	. 12.000	2016/09
MANGANESE	01055	036	2014/05/07	. 22.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	1.000	2014/08
PH, LABORATORY	00403	036	2013/09/30	. 7.500	2016/09
SILVER	01077	036	2011/08/16	< .000	2014/08
SODIUM	00929	036	2013/09/30	14.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	. 450.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2013/09/30		47.000	2016/09	
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	.	290.000	2016/09	
TURBIDITY, LABORATORY	82079	036	2011/08/16	.	.200	2014/08	
ZINC	01092	036	2013/09/30	<	.000	2016/09	

PS Code: 3610014-012
Source Name: WELL 17
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/08/16	<	.000	2014/08	
ANTIMONY	01097	036	2011/08/16		15.000	2014/08	
ARSENIC	01002	036	2011/08/16	<	.000	2014/08	
BARIUM	01007	036	2011/08/16	<	.000	2014/08	
BERYLLIUM	01012	036	2011/08/16	<	.000	2014/08	
CADMIUM	01027	036	2011/08/16	<	.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/16	<	.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2003/07/30	.	1.600	2006/07	DUE
CYANIDE	01291	036	2011/08/16	<	.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	.	.250	2016/09	
MERCURY	71900	036	2011/08/16	<	.000	2014/08	
NICKEL	01067	036	2011/08/16	<	.000	2014/08	
PERCHLORATE	A-031	036	2014/07/17	.	10.000	2017/07	
SELENIUM	01147	036	2011/08/16	<	.000	2014/08	
THALLIUM	01059	036	2011/08/16	<	.000	2014/08	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/17	.	33.000	2015/07	
NITRITE (AS N)	00620	036	2011/08/16	<	.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-012***
Source Name: ***WELL 17***
Source Number: ***012***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/05/07	**. 4.900**	2022/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/29	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/29	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/09/30	**< .000**	2016/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHANE	**34496**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/09/30	**< .000**	2016/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROBENZENE	**34536**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROETHANE	**34531**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROPROPANE	**34541**	**036**	2013/09/30	**< .000**	2016/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/09/30	**< .000**	2016/09
1,4-DICHLOROBENZENE	**34571**	**036**	2013/09/30	**< .000**	2016/09
BENZENE	**34030**	**036**	2013/09/30	**< .000**	2016/09
CARBON TETRACHLORIDE	**32102**	**036**	2013/09/30	**< .000**	2016/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/09/30	**< .000**	2016/09
DICHLOROMETHANE	**34423**	**036**	2013/09/30	**< .000**	2016/09
ETHYLBENZENE	**34371**	**036**	2013/09/30	**< .000**	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/09/30	**< .000**	2016/09
MONOCHLOROBENZENE	**34301**	**036**	2013/09/30	**< .000**	2016/09
STYRENE	**77128**	**036**	2013/09/30	**< .000**	2016/09
TETRACHLOROETHYLENE	**34475**	**036**	2013/09/30	**< .000**	2016/09
TOLUENE	**34010**	**036**	2013/09/30	**< .000**	2016/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/09/30	**< .000**	2016/09
TRICHLOROETHYLENE	**39180**	**036**	2013/09/30	**< .000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-012
Source Name: WELL 17
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 190.000	2016/09
CALCIUM	00916	036	2013/09/30	. 57.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 11.000	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 180.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2013/09/30	< .000	2016/09
MAGNESIUM	00927	036	2013/09/30	. 8.900	2016/09
MANGANESE	01055	036	2013/09/30	< .000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	1.000	2014/08
PH, LABORATORY	00403	036	2013/09/30	. 7.500	2016/09
SILVER	01077	036	2011/08/16	< .000	2014/08
SODIUM	00929	036	2013/09/30	14.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	. 420.000	2016/09
SULFATE	00945	036	2013/09/30	27.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	. 280.000	2016/09
TURBIDITY, LABORATORY	82079	036	2011/08/16	< .000	2014/08
ZINC	01092	036	2013/09/30	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-014***
Source Name: ***WELL 19***
Source Number: ***014***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2011/08/16	**< .000**	2014/08	
ANTIMONY	**01097**	**036**	2011/08/16	**< .000**	2014/08	
ARSENIC	**01002**	**036**	2011/08/16	**< .000**	2014/08	
BARIUM	**01007**	**036**	2011/08/16	**< .000**	2014/08	
BERYLLIUM	**01012**	**036**	2011/08/16	**< .000**	2014/08	
CADMIUM	**01027**	**036**	2011/08/16	**< .000**	2014/08	
CHROMIUM (TOTAL)	**01034**	**036**	2011/08/16	**< .000**	2014/08	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2002/12/12**	**. .000**	**2005/12**	**DUE**
CYANIDE	**01291**	**036**	2011/08/16	**< .000**	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/30	**. .280**	2016/09	
MERCURY	**71900**	**036**	2011/08/16	**< .000**	2014/08	
NICKEL	**01067**	**036**	2011/08/16	**< .000**	2014/08	
PERCHLORATE	**A-031**	**036**	2011/08/16	**< .000**	2014/08	
SELENIUM	**01147**	**036**	2011/08/16	**< .000**	2014/08	
THALLIUM	**01059**	**036**	2011/08/16	**< .000**	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/09/30	**. 4.500**	2014/09	
NITRITE (AS N)	**00620**	**036**	2011/08/16	**< .000**	2014/08	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2014/03/31	**. 4.100**	2023/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/29	**< .000**	2015/08	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/29	**< .000**	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/09/30	**< .000**	2016/09	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/09/30	**< .000**	2016/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/09/30	**< .000**	2016/09	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/09/30	**< .000**	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-014
Source Name: WELL 19
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 230.000	2016/09
CALCIUM	00916	036	2013/09/30	. 64.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 7.400	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610014-014***					
Source Name: ***WELL 19***					
Source Number: ***014***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2013/09/30	**< .000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/30	**< .000**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/30	**. 210.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/30	**< .000**	2016/09
IRON	**01045**	**036**	2014/05/07	**< .000**	2017/05
MAGNESIUM	**00927**	**036**	2013/09/30	**. 12.000**	2016/09
MANGANESE	**01055**	**036**	2014/05/07	**< .000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/16	**1.000**	2014/08
PH, LABORATORY	**00403**	**036**	2013/09/30	**. 7.400**	2016/09
SILVER	**01077**	**036**	2011/08/16	**< .000**	2014/08
SODIUM	**00929**	**036**	2013/09/30	**12.000**	2016/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/30	**. 450.000**	2016/09
SULFATE	**00945**	**036**	2013/09/30	**44.000**	2016/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/09/30	**. 280.000**	2016/09
TURBIDITY, LABORATORY	**82079**	**036**	2011/08/16	**. .100**	2014/08
ZINC	**01092**	**036**	2013/09/30	**< .000**	2016/09
PS Code: ***3610014-015***					
Source Name: ***WELL 21***					
Source Number: ***015***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2011/08/16	**< .000**	2014/08
ANTIMONY	**01097**	**036**	2011/08/16	**< .000**	2014/08
ARSENIC	**01002**	**036**	2011/08/16	**< .000**	2014/08
BARIUM	**01007**	**036**	2011/08/16	**< .000**	2014/08
BERYLLIUM	**01012**	**036**	2011/08/16	**< .000**	2014/08
CADMIUM	**01027**	**036**	2011/08/16	**< .000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-015***
Source Name: ***WELL 21***
Source Number: ***015***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/08/16	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/12/09	. .000	2005/12	DUE
CYANIDE	01291	036	2011/08/16	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .430	2016/09	
MERCURY	71900	036	2011/08/16	< .000	2014/08	
NICKEL	01067	036	2011/08/16	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/16	< .000	2014/08	
SELENIUM	01147	036	2011/08/16	< .000	2014/08	
THALLIUM	01059	036	2011/08/16	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/30	. 3.500	2014/09	
NITRITE (AS N)	00620	036	2011/08/16	< .000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/05/07	. 4.900	2022/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/29	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/29	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09	
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09	
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09	
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09	
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09	
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09	
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-015
Source Name: WELL 21
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 230.000	2016/09
CALCIUM	00916	036	2013/09/30	. 60.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 7.400	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 200.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2014/05/07	< .000	2017/05
MAGNESIUM	00927	036	2013/09/30	. 12.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-015
Source Name: WELL 21
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2014/05/07	<	.000	2017/05	
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16		1.000	2014/08	
PH, LABORATORY	00403	036	2013/09/30	.	7.500	2016/09	
SILVER	01077	036	2011/08/16	<	.000	2014/08	
SODIUM	00929	036	2013/09/30		16.000	2016/09	
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	.	440.000	2016/09	
SULFATE	00945	036	2013/09/30		36.000	2016/09	
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	.	280.000	2016/09	
TURBIDITY, LABORATORY	82079	036	2011/08/16	.	.200	2014/08	
ZINC	01092	036	2013/09/30	<	.000	2016/09	

PS Code: 3610014-016
Source Name: WELL 22
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/08/16	<	.000	2014/08	
ANTIMONY	01097	036	2011/08/16	<	.000	2014/08	
ARSENIC	01002	036	2011/08/16	.	2.400	2014/08	
BARIUM	01007	036	2011/08/16	<	.000	2014/08	
BERYLLIUM	01012	036	2011/08/16	<	.000	2014/08	
CADMIUM	01027	036	2011/08/16	<	.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/16	<	.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/12/12	.	1.200	2005/12	DUE
CYANIDE	01291	036	2011/08/16	<	.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	.	.600	2016/09	
MERCURY	71900	036	2011/08/16	<	.000	2014/08	
NICKEL	01067	036	2011/08/16	<	.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-016***
Source Name: ***WELL 22***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2011/08/16	**< .000**	2014/08
SELENIUM	**01147**	**036**	2011/08/16	**< .000**	2014/08
THALLIUM	**01059**	**036**	2011/08/16	**< .000**	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/30	**. 16.000**	2014/09
NITRITE (AS N)	**00620**	**036**	2011/08/16	**< .000**	2014/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2014/03/31	**. 7.100**	2020/03
URANIUM (PCI/L)	**28012**	**072**	2014/03/31	**. 6.100**	2020/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/29	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/29	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/09/30	**< .000**	2016/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHANE	**34496**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/09/30	**< .000**	2016/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROBENZENE	**34536**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROETHANE	**34531**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROPROPANE	**34541**	**036**	2013/09/30	**< .000**	2016/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/09/30	**< .000**	2016/09
1,4-DICHLOROBENZENE	**34571**	**036**	2013/09/30	**< .000**	2016/09
BENZENE	**34030**	**036**	2013/09/30	**< .000**	2016/09
CARBON TETRACHLORIDE	**32102**	**036**	2013/09/30	**< .000**	2016/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/09/30	**< .000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-016
Source Name: WELL 22
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 260.000	2016/09
CALCIUM	00916	036	2013/09/30	. 29.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 66.000	2016/09
COLOR	00081	036	2011/08/16	< .000	2014/08
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 110.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2013/09/30	< .000	2016/09
MAGNESIUM	00927	036	2013/09/30	. 9.200	2016/09
MANGANESE	01055	036	2013/09/30	< .000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	1.000	2014/08
PH, LABORATORY	00403	036	2013/09/30	. 7.700	2016/09
SILVER	01077	036	2011/08/16	< .000	2014/08
SODIUM	00929	036	2013/09/30	130.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610014-016						
Source Name: WELL 22						
Source Number: 016						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	. 790.000	2016/09	
SULFATE	00945	036	2013/09/30	73.000	2016/09	
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	. 460.000	2016/09	
TURBIDITY, LABORATORY	82079	036	2011/08/16	. .100	2014/08	
ZINC	01092	036	2013/09/30	< .000	2016/09	
PS Code: 3610014-017						
Source Name: WELL 23						
Source Number: 017						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/08/17	< .000	2014/08	
ANTIMONY	01097	036	2011/08/17	< .000	2014/08	
ARSENIC	01002	036	2011/08/17	< .000	2014/08	
BARIUM	01007	036	2011/08/17	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/17	< .000	2014/08	
CADMIUM	01027	036	2011/08/17	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/17	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/12/12	. .000	2005/12	DUE
CYANIDE	01291	036	2011/08/17	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .580	2016/09	
MERCURY	71900	036	2011/08/17	< .000	2014/08	
NICKEL	01067	036	2011/08/17	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/17	< .000	2014/08	
SELENIUM	01147	036	2011/08/17	< .000	2014/08	
THALLIUM	01059	036	2011/08/17	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/30	. 5.700	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-017
Source Name: WELL 23
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	00620	036	2011/08/17	< .000	2014/08
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/05/07	. 5.700	2022/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/29	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/29	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-017***
Source Name: ***WELL 23***
Source Number: ***017***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TOLUENE	**34010**	**036**	2013/09/30	**< .000**	2016/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/09/30	**< .000**	2016/09
TRICHLOROETHYLENE	**39180**	**036**	2013/09/30	**< .000**	2016/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/09/30	**< .000**	2016/09
VINYL CHLORIDE	**39175**	**036**	2013/09/30	**< .000**	2016/09
XYLENES (TOTAL)	**81551**	**036**	2013/09/30	**< .000**	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/09/30	**. 240.000**	2016/09
CALCIUM	**00916**	**036**	2013/09/30	**. 53.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/09/30	**< .000**	2016/09
CHLORIDE	**00940**	**036**	2013/09/30	**. 35.000**	2016/09
COLOR	**00081**	**036**	2011/08/17	**< .000**	2014/08
COPPER	**01042**	**036**	2013/09/30	**< .000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/30	**< .000**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/30	**. 170.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/30	**< .000**	2016/09
IRON	**01045**	**036**	2013/09/30	**< .000**	2016/09
MAGNESIUM	**00927**	**036**	2013/09/30	**. 8.900**	2016/09
MANGANESE	**01055**	**036**	2013/09/30	**< .000**	2016/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/17	**1.000**	2014/08
PH, LABORATORY	**00403**	**036**	2013/09/30	**. 7.500**	2016/09
SILVER	**01077**	**036**	2011/08/17	**< .000**	2014/08
SODIUM	**00929**	**036**	2013/09/30	**71.000**	2016/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/30	**. 640.000**	2016/09
SULFATE	**00945**	**036**	2013/09/30	**83.000**	2016/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/09/30	**. 400.000**	2016/09
TURBIDITY, LABORATORY	**82079**	**036**	2011/08/17	**< .000**	2014/08
ZINC	**01092**	**036**	2013/09/30	**< .000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-021
Source Name: WELL 24
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/08/17	< .000	2014/08	
ANTIMONY	01097	036	2011/08/17	< .000	2014/08	
ARSENIC	01002	036	2011/08/17	< .000	2014/08	
BARIUM	01007	036	2011/08/17	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/17	< .000	2014/08	
CADMIUM	01027	036	2011/08/17	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/17	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/06/20	. 2.000	2005/06	DUE
CYANIDE	01291	036	2011/08/17	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .260	2016/09	
MERCURY	71900	036	2011/08/17	< .000	2014/08	
NICKEL	01067	036	2011/08/17	< .000	2014/08	
PERCHLORATE	A-031	036	2014/07/17	. 5.100	2017/07	
SELENIUM	01147	036	2011/08/17	< .000	2014/08	
THALLIUM	01059	036	2011/08/17	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/17	. 27.000	2015/07	
NITRITE (AS N)	00620	036	2011/08/17	< .000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/05/07	. 3.100	2022/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/07	< .000	2014/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/07	< .000	2014/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-021
Source Name: WELL 24
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 190.000	2016/09
CALCIUM	00916	036	2013/09/30	. 59.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 9.000	2016/09
COLOR	00081	036	2011/08/17	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610014-021***					
Source Name: ***WELL 24***					
Source Number: ***021***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2013/09/30	**< .000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/30	**< .000**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/30	**. 180.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/30	**< .000**	2016/09
IRON	**01045**	**036**	2013/09/30	**< .000**	2016/09
MAGNESIUM	**00927**	**036**	2013/09/30	**. 6.900**	2016/09
MANGANESE	**01055**	**036**	2013/09/30	**< .000**	2016/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/17	**1.000**	2014/08
PH, LABORATORY	**00403**	**036**	2013/09/30	**. 7.700**	2016/09
SILVER	**01077**	**036**	2011/08/17	**< .000**	2014/08
SODIUM	**00929**	**036**	2013/09/30	**13.000**	2016/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/30	**. 400.000**	2016/09
SULFATE	**00945**	**036**	2013/09/30	**25.000**	2016/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/09/30	**. 270.000**	2016/09
TURBIDITY, LABORATORY	**82079**	**036**	2011/08/17	**. .400**	2014/08
ZINC	**01092**	**036**	2013/09/30	**< .000**	2016/09
PS Code: ***3610014-022***					
Source Name: ***WELL 26***					
Source Number: ***022***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2011/08/17	**< .000**	2014/08
ANTIMONY	**01097**	**036**	2011/08/17	**< .000**	2014/08
ARSENIC	**01002**	**036**	2011/08/17	**< .000**	2014/08
BARIUM	**01007**	**036**	2011/08/17	**< .000**	2014/08
BERYLLIUM	**01012**	**036**	2011/08/17	**< .000**	2014/08
CADMIUM	**01027**	**036**	2011/08/17	**< .000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-022
Source Name: WELL 26
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/08/17	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/12/09	. .000	2005/12	DUE
CYANIDE	01291	036	2011/08/17	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/30	. .520	2015/08	
MERCURY	71900	036	2011/08/17	< .000	2014/08	
NICKEL	01067	036	2011/08/17	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/17	< .000	2014/08	
SELENIUM	01147	036	2011/08/17	< .000	2014/08	
THALLIUM	01059	036	2011/08/17	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/08/30	< .000	2013/08	DUE
NITRITE (AS N)	00620	036	2011/08/17	< .000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/05/07	< .000	2022/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/07	< .000	2014/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/07	< .000	2014/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2010/09/21	< .000	2013/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2010/09/21	< .000	2013/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2010/09/21	< .000	2013/09	DUE
1,1,2-TRICHLOROETHANE	34511	036	2010/09/21	< .000	2013/09	DUE
1,1-DICHLOROETHANE	34496	036	2010/09/21	< .000	2013/09	DUE
1,1-DICHLOROETHYLENE	34501	036	2010/09/21	< .000	2013/09	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2010/09/21	< .000	2013/09	DUE
1,2-DICHLOROBENZENE	34536	036	2010/09/21	< .000	2013/09	DUE
1,2-DICHLOROETHANE	34531	036	2010/09/21	< .000	2013/09	DUE
1,2-DICHLOROPROPANE	34541	036	2010/09/21	< .000	2013/09	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-022***
Source Name: ***WELL 26***
Source Number: ***022***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2010/09/21	< .000	2013/09	DUE
1,4-DICHLOROBENZENE	34571	036	2010/09/21	< .000	2013/09	DUE
BENZENE	34030	036	2010/09/21	< .000	2013/09	DUE
CARBON TETRACHLORIDE	32102	036	2010/09/21	< .000	2013/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2010/09/21	< .000	2013/09	DUE
DICHLOROMETHANE	34423	036	2010/09/21	< .000	2013/09	DUE
ETHYLBENZENE	34371	036	2010/09/21	< .000	2013/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2010/09/21	< .000	2013/09	DUE
MONOCHLOROBENZENE	34301	036	2010/09/21	< .000	2013/09	DUE
STYRENE	77128	036	2010/09/21	< .000	2013/09	DUE
TETRACHLOROETHYLENE	34475	036	2010/09/21	< .000	2013/09	DUE
TOLUENE	34010	036	2010/09/21	< .000	2013/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2010/09/21	< .000	2013/09	DUE
TRICHLOROETHYLENE	39180	036	2010/09/21	< .000	2013/09	DUE
TRICHLOROFLUOROMETHANE	34488	036	2010/09/21	< .000	2013/09	DUE
VINYL CHLORIDE	39175	036	2010/09/21	< .000	2013/09	DUE
XYLENES (TOTAL)	81551	036	2010/09/21	< .000	2013/09	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/08/30	. 240.000	2015/08	
CALCIUM	00916	036	2012/08/30	. 67.000	2015/08	
CARBONATE ALKALINITY	00445	036	2012/08/30	< .000	2015/08	
CHLORIDE	00940	036	2012/08/30	. 15.000	2015/08	
COLOR	00081	036	2011/08/17	. 5.000	2014/08	
COPPER	01042	036	2012/08/30	< .000	2015/08	
FOAMING AGENTS (MBAS)	38260	036	2012/08/30	< .000	2015/08	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/30	. 220.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/30	< .000	2015/08	
IRON	01045	036	2012/08/30	140.000	2015/08	
MAGNESIUM	00927	036	2012/08/30	. 12.000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-022
Source Name: WELL 26
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	003	2013/07/09	.	92.000	2013/10	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/08/17		1.000	2014/08	
PH, LABORATORY	00403	036	2012/08/30	.	7.800	2015/08	
SILVER	01077	036	2011/08/17	<	.000	2014/08	
SODIUM	00929	036	2012/08/30		23.000	2015/08	
SPECIFIC CONDUCTANCE	00095	036	2012/08/30	.	550.000	2015/08	
SULFATE	00945	036	2012/08/30		62.000	2015/08	
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/30	.	350.000	2015/08	
TURBIDITY, LABORATORY	82079	036	2011/08/17	.	.500	2014/08	
ZINC	01092	036	2012/08/30	<	.000	2015/08	

PS Code: 3610014-023
Source Name: WELL 27
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/08/23	<	.000	2014/08	
ANTIMONY	01097	036	2011/08/23	<	.000	2014/08	
ARSENIC	01002	036	2011/08/23	.	2.600	2014/08	
BARIUM	01007	036	2011/08/23	<	.000	2014/08	
BERYLLIUM	01012	036	2011/08/23	<	.000	2014/08	
CADMIUM	01027	036	2011/08/23	<	.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/23	<	.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/10/01	.	.000	2005/10	DUE
CYANIDE	01291	036	2011/08/23	<	.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	.	.510	2016/09	
MERCURY	71900	036	2011/08/23	<	.000	2014/08	
NICKEL	01067	036	2011/08/23	<	.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-023***
Source Name: ***WELL 27***
Source Number: ***023***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2011/08/23	**< .000**	2014/08
SELENIUM	**01147**	**036**	2011/08/23	**< .000**	2014/08
THALLIUM	**01059**	**036**	2011/08/23	**< .000**	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/30	**< .000**	2014/09
NITRITE (AS N)	**00620**	**036**	2011/08/23	**< .000**	2014/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2014/03/31	**. 4.500**	2023/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/11/07	**< .000**	2014/11
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/11/07	**< .000**	2014/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/09/30	**< .000**	2016/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/09/30	**< .000**	2016/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHANE	**34496**	**036**	2013/09/30	**< .000**	2016/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/09/30	**< .000**	2016/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROBENZENE	**34536**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROETHANE	**34531**	**036**	2013/09/30	**< .000**	2016/09
1,2-DICHLOROPROPANE	**34541**	**036**	2013/09/30	**< .000**	2016/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/09/30	**< .000**	2016/09
1,4-DICHLOROBENZENE	**34571**	**036**	2013/09/30	**< .000**	2016/09
BENZENE	**34030**	**036**	2013/09/30	**< .000**	2016/09
CARBON TETRACHLORIDE	**32102**	**036**	2013/09/30	**< .000**	2016/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/09/30	**< .000**	2016/09
DICHLOROMETHANE	**34423**	**036**	2013/09/30	**< .000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-023***
Source Name: ***WELL 27***
Source Number: ***023***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2013/09/30	**< .000**	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/09/30	**< .000**	2016/09
MONOCHLOROBENZENE	**34301**	**036**	2013/09/30	**< .000**	2016/09
STYRENE	**77128**	**036**	2013/09/30	**< .000**	2016/09
TETRACHLOROETHYLENE	**34475**	**036**	2013/09/30	**< .000**	2016/09
TOLUENE	**34010**	**036**	2013/09/30	**< .000**	2016/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/09/30	**< .000**	2016/09
TRICHLOROETHYLENE	**39180**	**036**	2013/09/30	**< .000**	2016/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/09/30	**< .000**	2016/09
VINYL CHLORIDE	**39175**	**036**	2013/09/30	**< .000**	2016/09
XYLENES (TOTAL)	**81551**	**036**	2013/09/30	**< .000**	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/09/30	**. 230.000**	2016/09
CALCIUM	**00916**	**036**	2013/09/30	**. 51.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/09/30	**< .000**	2016/09
CHLORIDE	**00940**	**036**	2013/09/30	**. 8.000**	2016/09
COLOR	**00081**	**036**	2011/08/23	**< .000**	2014/08
COPPER	**01042**	**036**	2013/09/30	**< .000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/30	**< .000**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/30	**. 160.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/30	**< .000**	2016/09
IRON	**01045**	**036**	2014/05/07	**< .000**	2017/05
MAGNESIUM	**00927**	**036**	2013/09/30	**. 8.400**	2016/09
MANGANESE	**01055**	**036**	2014/05/07	**. 46.000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/23	**1.000**	2014/08
PH, LABORATORY	**00403**	**036**	2013/09/30	**. 7.600**	2016/09
SILVER	**01077**	**036**	2011/08/23	**< .000**	2014/08
SODIUM	**00929**	**036**	2013/09/30	**26.000**	2016/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/30	**. 410.000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-023
Source Name: WELL 27
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SULFATE	00945	036	2013/09/30	35.000	2016/09	
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	. 270.000	2016/09	
TURBIDITY, LABORATORY	82079	036	2011/08/23	. 1.700	2014/08	
ZINC	01092	036	2013/09/30	< .000	2016/09	

PS Code: 3610014-024
Source Name: WELL 28
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/08/23	< .000	2014/08	
ANTIMONY	01097	036	2011/08/23	< .000	2014/08	
ARSENIC	01002	036	2011/08/23	. 2.800	2014/08	
BARIUM	01007	036	2011/08/23	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/23	< .000	2014/08	
CADMIUM	01027	036	2011/08/23	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/23	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2002/11/06	. .000	2005/11	DUE
CYANIDE	01291	036	2011/08/23	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .450	2016/09	
MERCURY	71900	036	2011/08/23	< .000	2014/08	
NICKEL	01067	036	2011/08/23	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/23	< .000	2014/08	
SELENIUM	01147	036	2011/08/23	< .000	2014/08	
THALLIUM	01059	036	2011/08/23	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/30	< .000	2014/09	
NITRITE (AS N)	00620	036	2011/08/23	< .000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-024
Source Name: WELL 28
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/05/07	< .000	2022/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/07	< .000	2014/11
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/07	< .000	2014/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-024
Source Name: WELL 28
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 230.000	2016/09
CALCIUM	00916	036	2013/09/30	. 57.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 9.600	2016/09
COLOR	00081	036	2011/08/23	< .000	2014/08
COPPER	01042	036	2013/09/30	< .000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/30	< .000	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/30	. 180.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/30	< .000	2016/09
IRON	01045	036	2014/05/07	. 140.000	2017/05
MAGNESIUM	00927	036	2013/09/30	. 9.700	2016/09
MANGANESE	01055	003	2014/07/17	. 35.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/08/23	1.000	2014/08
PH, LABORATORY	00403	036	2013/09/30	. 7.600	2016/09
SILVER	01077	036	2011/08/23	< .000	2014/08
SODIUM	00929	036	2013/09/30	23.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/30	. 460.000	2016/09
SULFATE	00945	036	2013/09/30	42.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/30	. 280.000	2016/09
TURBIDITY, LABORATORY	82079	036	2011/08/23	. .300	2014/08
ZINC	01092	036	2013/09/30	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

PS Code: ***3610014-025***
Source Name: ***WELL 29***
Source Number: ***025***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/08/23	< .000	2014/08	
ANTIMONY	01097	036	2011/08/23	< .000	2014/08	
ARSENIC	01002	036	2014/07/17	. 6.500	2017/07	
BARIUM	01007	036	2011/08/23	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/23	< .000	2014/08	
CADMIUM	01027	036	2011/08/23	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/23	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	**2003/06/13**	. .000	**2006/06**	**DUE**
CYANIDE	01291	036	2011/08/23	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/30	. .840	2016/09	
MERCURY	71900	036	2011/08/23	< .000	2014/08	
NICKEL	01067	036	2011/08/23	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/23	< .000	2014/08	
SELENIUM	01147	036	2011/08/23	< .000	2014/08	
THALLIUM	01059	036	2011/08/23	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/30	< .000	2014/09	
NITRITE (AS N)	00620	036	2011/08/23	< .000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/05/07	. 4.300	2022/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/07	< .000	2014/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/07	< .000	2014/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/09/30	< .000	2016/09	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/30	< .000	2016/09	
1,1,2-TRICHLOROETHANE	34511	036	2013/09/30	< .000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-025
Source Name: WELL 29
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/09/30	< .000	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/30	< .000	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/30	< .000	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/30	< .000	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/30	< .000	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/30	< .000	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/30	< .000	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/30	< .000	2016/09
BENZENE	34030	036	2013/09/30	< .000	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/30	< .000	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/30	< .000	2016/09
DICHLOROMETHANE	34423	036	2013/09/30	< .000	2016/09
ETHYLBENZENE	34371	036	2013/09/30	< .000	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/30	< .000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/30	< .000	2016/09
STYRENE	77128	036	2013/09/30	< .000	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/30	< .000	2016/09
TOLUENE	34010	036	2013/09/30	< .000	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/30	< .000	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/30	< .000	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/30	< .000	2016/09
VINYL CHLORIDE	39175	036	2013/09/30	< .000	2016/09
XYLENES (TOTAL)	81551	036	2013/09/30	< .000	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/30	. 220.000	2016/09
CALCIUM	00916	036	2013/09/30	. 56.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/30	< .000	2016/09
CHLORIDE	00940	036	2013/09/30	. 22.000	2016/09
COLOR	00081	036	2011/08/23	. 5.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610014-025***					
Source Name: ***WELL 29***					
Source Number: ***025***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2013/09/30	**< .000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/30	**< .000**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/30	**. 180.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/30	**< .000**	2016/09
IRON	**01045**	**036**	2013/09/30	**190.000**	2016/09
MAGNESIUM	**00927**	**036**	2013/09/30	**. 9.500**	2016/09
MANGANESE	**01055**	**003**	2014/07/17	**< .000**	2014/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/23	**1.000**	2014/08
PH, LABORATORY	**00403**	**036**	2013/09/30	**. 7.600**	2016/09
SILVER	**01077**	**036**	2011/08/23	**< .000**	2014/08
SODIUM	**00929**	**036**	2013/09/30	**39.000**	2016/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/30	**. 490.000**	2016/09
SULFATE	**00945**	**036**	2013/09/30	**44.000**	2016/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/09/30	**. 300.000**	2016/09
TURBIDITY, LABORATORY	**82079**	**036**	2011/08/23	**. 1.300**	2014/08
ZINC	**01092**	**036**	2013/09/30	**< .000**	2016/09
PS Code: ***3610014-026***					
Source Name: ***PURCHASED-CITY OF SB-EMERGENCY USE***					
Source Number: ***026***					
Source Status: ***PURCHASED TREATED***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**000**			**DUE**
ANTIMONY	**01097**	**000**			**DUE**
ARSENIC	**01002**	**000**			**DUE**
BARIUM	**01007**	**000**			**DUE**
BERYLLIUM	**01012**	**000**			**DUE**
CADMIUM	**01027**	**000**			**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-026
Source Name: PURCHASED-CITY OF SB-EMERGENCY USE
Source Number: 026
Source Status: PURCHASED TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***

System Name: ***COLTON, CITY OF***

PS Code: ***3610014-026***

Source Name: ***PURCHASED-CITY OF SB-EMERGENCY USE***

Source Number: ***026***

Source Status: ***PURCHASED TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610014-026***						
Source Name: ***PURCHASED-CITY OF SB-EMERGENCY USE***						
Source Number: ***026***						
Source Status: ***PURCHASED TREATED***						
Water type: ***G***						
SECONDARY/GP						
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE
PS Code: ***3610014-027***						
Source Name: ***WELL 24 COMMON OUTLET - TREATED***						
Source Number: ***027***						
Source Status: ***COMBINATION OR BLEND TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: ***3610014-028***						
Source Name: ***DOMEQC COMMON OUTLET - TREATED***						
Source Number: ***028***						
Source Status: ***COMBINATION OR BLEND TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-029
Source Name: ESTCP IX EFFLUENT - TREATED
Source Number: 029
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

PS Code: 3610014-030
Source Name: WELL 30
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2008/07/29		.000	2011/07	DUE
ANTIMONY	01097	036	2008/07/29		.000	2011/07	DUE
ARSENIC	01002	036	2008/07/29		2.100	2011/07	DUE
BARIUM	01007	036	2008/07/29		28.000	2011/07	DUE
BERYLLIUM	01012	036	2008/07/29		.000	2011/07	DUE
CADMIUM	01027	036	2008/07/29		.000	2011/07	DUE
CHROMIUM (TOTAL)	01034	036	2008/07/29		2.200	2011/07	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2008/07/29		.000	2011/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2008/07/29		.480	2011/07	DUE
MERCURY	71900	036	2008/07/29		.000	2011/07	DUE
NICKEL	01067	036	2008/07/29		.000	2011/07	DUE
PERCHLORATE	A-031	036	2008/07/29		.000	2011/07	DUE
SELENIUM	01147	036	2008/07/29		.000	2011/07	DUE
THALLIUM	01059	036	2008/07/29		.000	2011/07	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2008/07/29		8.600	2009/07	DUE
NITRITE (AS N)	00620	036	2008/07/29		.000	2011/07	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/05/08	.	10.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-030
Source Name: WELL 30
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/07/29	.000	2011/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/07/29	.000	2011/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/05/08	< .000	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/08	< .000	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/08	< .000	2017/05	
1,1,2-TRICHLOROETHANE	34511	036	2014/05/08	< .000	2017/05	
1,1-DICHLOROETHANE	34496	036	2014/05/08	< .000	2017/05	
1,1-DICHLOROETHYLENE	34501	036	2014/05/08	< .000	2017/05	
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/08	< .000	2017/05	
1,2-DICHLOROBENZENE	34536	036	2014/05/08	< .000	2017/05	
1,2-DICHLOROETHANE	34531	036	2014/05/08	< .000	2017/05	
1,2-DICHLOROPROPANE	34541	036	2014/05/08	< .000	2017/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/08	< .000	2017/05	
1,4-DICHLOROBENZENE	34571	036	2014/05/08	< .000	2017/05	
BENZENE	34030	036	2014/05/08	< .000	2017/05	
CARBON TETRACHLORIDE	32102	036	2014/05/08	< .000	2017/05	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/08	< .000	2017/05	
DICHLOROMETHANE	34423	036	2014/05/08	< .000	2017/05	
ETHYLBENZENE	34371	036	2014/05/08	< .000	2017/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/08	< .000	2017/05	
MONOCHLOROBENZENE	34301	036	2014/05/08	< .000	2017/05	
STYRENE	77128	036	2014/05/08	< .000	2017/05	
TETRACHLOROETHYLENE	34475	036	2014/05/08	< .000	2017/05	
TOLUENE	34010	036	2014/05/08	< .000	2017/05	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/08	< .000	2017/05	
TRICHLOROETHYLENE	39180	036	2014/05/08	< .000	2017/05	
TRICHLOROFLUOROMETHANE	34488	036	2014/05/08	< .000	2017/05	
VINYL CHLORIDE	39175	036	2014/05/08	< .000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***

System Name: ***COLTON, CITY OF***

PS Code: ***3610014-030***

Source Name: ***WELL 30***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
XYLENES (TOTAL)	81551	036	2014/05/08	< .000	2017/05	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2008/07/29	160.000	2011/07	DUE
CALCIUM	00916	036	2008/07/29	53.000	2011/07	DUE
CARBONATE ALKALINITY	00445	036	2008/07/29	.000	2011/07	DUE
CHLORIDE	00940	036	2008/07/29	27.000	2011/07	DUE
COLOR	00081	000				DUE
COPPER	01042	036	2008/07/29	.000	2011/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2008/07/29	.000	2011/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2008/07/29	160.000	2011/07	DUE
HYDROXIDE ALKALINITY	71830	036	2008/07/29	.000	2011/07	DUE
IRON	01045	036	2008/07/29	.000	2011/07	DUE
MAGNESIUM	00927	036	2008/07/29	8.000	2011/07	DUE
MANGANESE	01055	036	2008/07/29	.000	2011/07	DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	036	2008/07/29	7.900	2011/07	DUE
SILVER	01077	036	2008/07/29	.000	2011/07	DUE
SODIUM	00929	036	2008/07/29	32.000	2011/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2008/07/29	460.000	2011/07	DUE
SULFATE	00945	036	2008/07/29	43.000	2011/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2008/07/29	300.000	2011/07	DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	036	2008/07/29	.000	2011/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610014-031						
Source Name: WELL 31 - PENDING						
Source Number: 031						
Source Status: PENDING						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610014-032						
Source Name: WELL 28 BLENDING - TREATED						
Source Number: 032						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610014-601						
Source Name: DBP2-1924 BOSTICK AVE						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2013/07/11	< .000	2013/10	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/07/11	< .000	2013/10	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/07/11	< .000	2013/10	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/07/11	< .000	2013/10	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/07/11	< .000	2013/10	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/07/11	< .000	2013/10	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2013/07/11	. 1.600	2013/10	DUE
BROMOFORM (THM)	32104	003	2013/07/11	< .000	2013/10	DUE
CHLOROFORM (THM)	32106	003	2013/07/11	1.300	2013/10	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/07/11	2.200	2013/10	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610014-601						
Source Name: DBP2-1924 BOSTICK AVE						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2013/07/11	. 5.100	2013/10	DUE
PS Code: 3610014-602						
Source Name: DBP2-791 W F ST						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2013/07/11	< .000	2013/10	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/07/11	< .000	2013/10	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/07/11	< .000	2013/10	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/07/11	< .000	2013/10	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/07/11	< .000	2013/10	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/07/11	< .000	2013/10	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2013/07/11	< .000	2013/10	DUE
BROMOFORM (THM)	32104	003	2013/07/11	< .000	2013/10	DUE
CHLOROFORM (THM)	32106	003	2013/07/11	< .000	2013/10	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/07/11	< .000	2013/10	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2013/07/11	< .000	2013/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

PS Code: 3610014-603
Source Name: DBP2-1597 CINDEE LANE
Source Number: 603
Source Status: DISTRIBUTION TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2013/07/11	< .000	2013/10	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/07/11	< .000	2013/10	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/07/11	< .000	2013/10	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/07/11	< .000	2013/10	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/07/11	< .000	2013/10	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/07/11	< .000	2013/10	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2013/07/11	. 1.500	2013/10	DUE
BROMOFORM (THM)	32104	003	2013/07/11	3.200	2013/10	DUE
CHLOROFORM (THM)	32106	003	2013/07/11	1.100	2013/10	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/07/11	2.800	2013/10	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2013/07/11	. 8.600	2013/10	DUE

PS Code: 3610014-604
Source Name: DBP2-2225 JOHN MATICH DR
Source Number: 604
Source Status: DISTRIBUTION TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2013/07/11	< .000	2013/10	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/07/11	< .000	2013/10	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/07/11	< .000	2013/10	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/07/11	< .000	2013/10	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/07/11	< .000	2013/10	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/07/11	< .000	2013/10	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2013/07/11	. 1.200	2013/10	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610014-604						
Source Name: DBP2-2225 JOHN MATICH DR						
Source Number: 604						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMOFORM (THM)	32104	003	2013/07/11	2.400	2013/10	DUE
CHLOROFORM (THM)	32106	003	2013/07/11	1.000	2013/10	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/07/11	2.100	2013/10	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2013/07/11	. 6.700	2013/10	DUE
PS Code: 3610014-800						
Source Name: WELL 30 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610014-801						
Source Name: WELL 31 - TREATED (CL2)						
Source Number: 801						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610014-802					
Source Name: WELL 19 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610014-803					
Source Name: WELL 21 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610014-804					
Source Name: WELL 22 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610014-805					
Source Name: WELL 23 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610014
System Name: COLTON, CITY OF

STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: 3610014-806
Source Name: WELL 26 - TREATED (CL2)
Source Number: 806
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

PS Code: 3610014-807
Source Name: WELL 27 - TREATED (CL2)
Source Number: 807
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

PS Code: 3610014-808
Source Name: WELL 28 - TREATED (CL2)
Source Number: 808
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

PS Code: 3610014-809
Source Name: WELL 29 - TREATED (CL2)
Source Number: 809
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610014***
System Name: ***COLTON, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610014-812***					
Source Name: ***WELL 30 - TREATED (CL2)***					
Source Number: ***812***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-001
Source Name: ALTDORF GROUP - RAW
Source Number: 001
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .110	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/30	. 6.800	2015/06
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/12/30	< .000	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-001
Source Name: ALTDORF GROUP - RAW
Source Number: 001
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 86.000	2015/06
CALCIUM	00916	036	2012/06/29	. 20.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2014/06/30	. 11.000	2017/06
COLOR	00081	036	2014/06/30	< .000	2017/06
COPPER	01042	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-001
Source Name: ALTDORF GROUP - RAW
Source Number: 001
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/06/30	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 74.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 6.200	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/30	. 1.000	2017/06
PH, LABORATORY	00403	036	2012/06/29	. 6.900	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	10.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 210.000	2015/06
SULFATE	00945	036	2012/06/29	11.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/30	. 130.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/30	< .000	2017/06
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-002
Source Name: ALTDORF WELL 01
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-003
Source Name: ALTDORF WELL 02
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610015-006
Source Name: BROOKSIDE GROUP
Source Number: 006
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	< .000	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/19	. 13.000	2014/09
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/12/30	. 3.500	2022/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-006
Source Name: BROOKSIDE GROUP
Source Number: 006
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-006
Source Name: BROOKSIDE GROUP
Source Number: 006
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 74.000	2015/06
CALCIUM	00916	036	2012/06/29	. 16.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 7.100	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 59.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 4.700	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.500	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	13.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 180.000	2015/06
SULFATE	00945	036	2012/06/29	8.600	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 120.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	< .000	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610015-007***					
Source Name: ***BROOKSIDE WELL 01***					
Source Number: ***007***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-008***					
Source Name: ***BROOKSIDE WELL 02***					
Source Number: ***008***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-009***					
Source Name: ***CATHCART WELL***					
Source Number: ***009***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-010***					
Source Name: ***CHAMOIS WELL***					
Source Number: ***010***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2012/06/29	**< .000**	2015/06
ANTIMONY	**01097**	**036**	2012/06/29	**< .000**	2015/06
ARSENIC	**01002**	**036**	2012/06/29	**< .000**	2015/06
BARIUM	**01007**	**036**	2012/06/29	**< .000**	2015/06
BERYLLIUM	**01012**	**036**	2012/06/29	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-010***

Source Name: ***CHAMOIS WELL***

Source Number: ***010***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2012/06/29	< .000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06	
CYANIDE	01291	036	2012/06/29	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .120	2015/06	
MERCURY	71900	036	2012/06/29	< .000	2015/06	
NICKEL	01067	036	2012/06/29	< .000	2015/06	
PERCHLORATE	A-031	036	2012/06/29	< .000	2015/06	
SELENIUM	01147	036	2012/06/29	< .000	2015/06	
THALLIUM	01059	036	2012/06/29	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/19	. 2.400	2014/09	
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/06/27	< .000	2022/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/03/31	.000	2014/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/03/31	.000	2014/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/03/31	.000	2014/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/03/31	.000	2014/03	DUE
1,1-DICHLOROETHANE	34496	072	2008/03/31	.000	2014/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/03/31	.000	2014/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/03/31	.000	2014/03	DUE
1,2-DICHLOROBENZENE	34536	072	2008/03/31	.000	2014/03	DUE
1,2-DICHLOROETHANE	34531	072	2008/03/31	.000	2014/03	DUE
1,2-DICHLOROPROPANE	34541	072	2008/03/31	.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-010
Source Name: CHAMOIS WELL
Source Number: 010
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/03/31		.000	2014/03	DUE
1,4-DICHLOROBENZENE	34571	072	2008/03/31		.000	2014/03	DUE
BENZENE	34030	072	2008/03/31		.000	2014/03	DUE
CARBON TETRACHLORIDE	32102	072	2008/03/31		.000	2014/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/03/31		.000	2014/03	DUE
DICHLOROMETHANE	34423	072	2008/03/31		.000	2014/03	DUE
ETHYLBENZENE	34371	072	2008/03/31		.000	2014/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/03/31		.000	2014/03	DUE
MONOCHLOROBENZENE	34301	072	2008/03/31		.000	2014/03	DUE
STYRENE	77128	072	2008/03/31		.000	2014/03	DUE
TETRACHLOROETHYLENE	34475	072	2008/03/31		.000	2014/03	DUE
TOLUENE	34010	072	2008/03/31		.000	2014/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/03/31		.000	2014/03	DUE
TRICHLOROETHYLENE	39180	072	2008/03/31		.000	2014/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/03/31		.000	2014/03	DUE
VINYL CHLORIDE	39175	072	2008/03/31		.000	2014/03	DUE
XYLENES (TOTAL)	81551	072	2008/03/31		.000	2014/03	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2012/06/29	.	73.000	2015/06	
CALCIUM	00916	036	2012/06/29	.	16.000	2015/06	
CARBONATE ALKALINITY	00445	036	2012/06/29	<	.000	2015/06	
CHLORIDE	00940	036	2012/06/29	.	8.400	2015/06	
COLOR	00081	036	2013/09/19	<	.000	2016/09	
COPPER	01042	036	2012/06/29	<	.000	2015/06	
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	<	.000	2015/06	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	.	58.000	2015/06	
HYDROXIDE ALKALINITY	71830	036	2012/06/29	<	.000	2015/06	
IRON	01045	036	2012/06/29		210.000	2015/06	
MAGNESIUM	00927	036	2012/06/29	.	4.200	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-010
Source Name: CHAMOIS WELL
Source Number: 010
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.300	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 170.000	2015/06
SULFATE	00945	036	2012/06/29	11.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 110.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	. .400	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-011
Source Name: CHILLON WELL - STANDBY
Source Number: 011
Source Status: STANDBY RAW
Water type: G

INORGANIC					
ALUMINUM	01105	108	2012/06/29	< .000	2021/06
ANTIMONY	01097	108	2012/06/29	< .000	2021/06
ARSENIC	01002	108	2012/06/29	< .000	2021/06
BARIUM	01007	108	2012/06/29	< .000	2021/06
BERYLLIUM	01012	108	2012/06/29	< .000	2021/06
CADMIUM	01027	108	2012/06/29	< .000	2021/06
CHROMIUM (TOTAL)	01034	108	2012/06/29	< .000	2021/06
CYANIDE	01291	108	2012/06/29	< .000	2021/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2012/06/29	< .000	2021/06
MERCURY	71900	108	2012/06/29	< .000	2021/06
NICKEL	01067	108	2012/06/29	< .000	2021/06
PERCHLORATE	A-031	108	2012/06/29	< .000	2021/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-011
Source Name: CHILLON WELL - STANDBY
Source Number: 011
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	108	2012/06/29	< .000	2021/06
THALLIUM	01059	108	2012/06/29	< .000	2021/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	108	2014/04/30	. 10.000	2023/04
NITRITE (AS N)	00620	108	2012/06/29	< .000	2021/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/06/28	< .000	2022/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2014/03/31	< .000	2023/03
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/03/31	< .000	2023/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/03/31	< .000	2023/03
1,1,2-TRICHLOROETHANE	34511	108	2014/03/31	< .000	2023/03
1,1-DICHLOROETHANE	34496	108	2014/03/31	< .000	2023/03
1,1-DICHLOROETHYLENE	34501	108	2014/03/31	< .000	2023/03
1,2,4-TRICHLOROBENZENE	34551	108	2014/03/31	< .000	2023/03
1,2-DICHLOROBENZENE	34536	108	2014/03/31	< .000	2023/03
1,2-DICHLOROETHANE	34531	108	2014/03/31	< .000	2023/03
1,2-DICHLOROPROPANE	34541	108	2014/03/31	< .000	2023/03
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/03/31	< .000	2023/03
1,4-DICHLOROBENZENE	34571	108	2014/03/31	< .000	2023/03
BENZENE	34030	108	2014/03/31	< .000	2023/03
CARBON TETRACHLORIDE	32102	108	2014/03/31	< .000	2023/03
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/03/31	< .000	2023/03
DICHLOROMETHANE	34423	108	2014/03/31	< .000	2023/03
ETHYLBENZENE	34371	108	2014/03/31	< .000	2023/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/03/31	< .000	2023/03
MONOCHLOROBENZENE	34301	108	2014/03/31	< .000	2023/03
STYRENE	77128	108	2014/03/31	< .000	2023/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-011
Source Name: CHILLON WELL - STANDBY
Source Number: 011
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	108	2014/03/31	< .000	2023/03
TOLUENE	34010	108	2014/03/31	< .000	2023/03
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/03/31	< .000	2023/03
TRICHLOROETHYLENE	39180	108	2014/03/31	< .000	2023/03
TRICHLOROFLUOROMETHANE	34488	108	2014/03/31	< .000	2023/03
VINYL CHLORIDE	39175	108	2014/03/31	< .000	2023/03
XYLENES (TOTAL)	81551	108	2014/03/31	< .000	2023/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2012/06/29	. 110.000	2021/06
CALCIUM	00916	108	2012/06/29	. 21.000	2021/06
CARBONATE ALKALINITY	00445	108	2012/06/29	< .000	2021/06
CHLORIDE	00940	108	2014/04/30	. 12.000	2023/04
COLOR	00081	108	2014/04/30	< .000	2023/04
COPPER	01042	108	2012/06/29	< .000	2021/06
FOAMING AGENTS (MBAS)	38260	108	2014/04/30	< .000	2023/04
HARDNESS (TOTAL) AS CACO3	00900	108	2012/06/29	. 93.000	2021/06
HYDROXIDE ALKALINITY	71830	108	2012/06/29	< .000	2021/06
IRON	01045	108	2012/06/29	< .000	2021/06
MAGNESIUM	00927	108	2012/06/29	. 9.800	2021/06
MANGANESE	01055	108	2012/06/29	< .000	2021/06
ODOR THRESHOLD @ 60 C	00086	108	2014/04/30	. 1.000	2023/04
PH, LABORATORY	00403	108	2012/06/29	. 7.000	2021/06
SILVER	01077	108	2012/06/29	< .000	2021/06
SODIUM	00929	108	2012/06/29	13.000	2021/06
SPECIFIC CONDUCTANCE	00095	108	2012/06/29	. 240.000	2021/06
SULFATE	00945	108	2012/06/29	6.100	2021/06
TOTAL DISSOLVED SOLIDS	70300	108	2014/04/30	. 150.000	2023/04
TURBIDITY, LABORATORY	82079	108	2014/04/30	< .000	2023/04
ZINC	01092	108	2012/06/29	< .000	2021/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-013
Source Name: GOVERNMENT WELL 02
Source Number: 013
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2009/02/26		.000	2012/02	DUE
ANTIMONY	01097	036	2009/02/26		.000	2012/02	DUE
ARSENIC	01002	036	2009/02/26		.000	2012/02	DUE
BARIUM	01007	036	2009/02/26		.000	2012/02	DUE
BERYLLIUM	01012	036	2009/02/26		.000	2012/02	DUE
CADMIUM	01027	036	2009/02/26		.000	2012/02	DUE
CHROMIUM (TOTAL)	01034	036	2009/02/26		.000	2012/02	DUE
CYANIDE	01291	036	2009/02/26		.000	2012/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/02/26		.130	2012/02	DUE
MERCURY	71900	036	2009/02/26		.000	2012/02	DUE
NICKEL	01067	036	2009/02/26		.000	2012/02	DUE
PERCHLORATE	A-031	036	2008/04/30		.000	2011/04	DUE
SELENIUM	01147	036	2009/02/26		.000	2012/02	DUE
THALLIUM	01059	036	2009/02/26		.000	2012/02	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2009/02/26		5.600	2010/02	DUE
NITRITE (AS N)	00620	036	2009/02/26		.000	2012/02	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2010/12/30		6.200	2013/12	DUE
URANIUM (PCI/L)	28012	036	2010/06/30		15.000	2013/06	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/09/30	<	.000	2013/09	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/09/30	<	.000	2013/09	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2008/03/31		.000	2014/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/03/31		.000	2014/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/03/31		.000	2014/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/03/31		.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015

System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-013

Source Name: GOVERNMENT WELL 02

Source Number: 013

Source Status: ACTIVE UNTREATED

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2008/03/31	.000	2014/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/03/31	.000	2014/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/03/31	.000	2014/03	DUE
1,2-DICHLOROBENZENE	34536	072	2008/03/31	.000	2014/03	DUE
1,2-DICHLOROETHANE	34531	072	2008/03/31	.000	2014/03	DUE
1,2-DICHLOROPROPANE	34541	072	2008/03/31	.000	2014/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/03/31	.000	2014/03	DUE
1,4-DICHLOROBENZENE	34571	072	2008/03/31	.000	2014/03	DUE
BENZENE	34030	072	2008/03/31	.000	2014/03	DUE
CARBON TETRACHLORIDE	32102	072	2008/03/31	.000	2014/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/03/31	.000	2014/03	DUE
DICHLOROMETHANE	34423	072	2008/03/31	.000	2014/03	DUE
ETHYLBENZENE	34371	072	2008/03/31	.000	2014/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/03/31	.000	2014/03	DUE
MONOCHLOROBENZENE	34301	072	2008/03/31	.000	2014/03	DUE
STYRENE	77128	072	2008/03/31	.000	2014/03	DUE
TETRACHLOROETHYLENE	34475	072	2008/03/31	.000	2014/03	DUE
TOLUENE	34010	072	2008/03/31	.000	2014/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/03/31	.000	2014/03	DUE
TRICHLOROETHYLENE	39180	072	2008/03/31	.000	2014/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/03/31	.000	2014/03	DUE
VINYL CHLORIDE	39175	072	2008/03/31	.000	2014/03	DUE
XYLENES (TOTAL)	81551	072	2008/03/31	.000	2014/03	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/02/26	140.000	2012/02	DUE
CALCIUM	00916	036	2009/02/26	34.000	2012/02	DUE
CARBONATE ALKALINITY	00445	036	2009/02/26	.000	2012/02	DUE
CHLORIDE	00940	036	2009/02/26	4.800	2012/02	DUE
COLOR	00081	036	2009/02/26	.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-013
Source Name: GOVERNMENT WELL 02
Source Number: 013
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2009/02/26	.000	2012/02	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/02/26	.000	2012/02	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/02/26	100.000	2012/02	DUE
HYDROXIDE ALKALINITY	71830	036	2009/02/26	.000	2012/02	DUE
IRON	01045	036	2009/02/26	.000	2012/02	DUE
MAGNESIUM	00927	036	2009/02/26	5.500	2012/02	DUE
MANGANESE	01055	036	2009/02/26	.000	2012/02	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/02/26	1.000	2012/02	DUE
PH, LABORATORY	00403	036	2009/02/26	7.500	2012/02	DUE
SILVER	01077	036	2009/02/26	.000	2012/02	DUE
SODIUM	00929	036	2009/02/26	12.000	2012/02	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/02/26	240.000	2012/02	DUE
SULFATE	00945	036	2009/02/26	3.100	2012/02	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/02/26	160.000	2012/02	DUE
TURBIDITY, LABORATORY	82079	036	2009/02/26	.000	2012/02	DUE
ZINC	01092	036	2009/02/26	.000	2012/02	DUE

PS Code: 3610015-017
Source Name: HILLSIDE WELL 04
Source Number: 017
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/06/29	<	.000	2015/06
ANTIMONY	01097	036	2012/06/29	<	.000	2015/06
ARSENIC	01002	036	2012/06/29	<	.000	2015/06
BARIUM	01007	036	2012/06/29	<	.000	2015/06
BERYLLIUM	01012	036	2012/06/29	<	.000	2015/06
CADMIUM	01027	036	2012/06/29	<	.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-017***

Source Name: ***HILLSIDE WELL 04***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06	
CYANIDE	01291	036	2012/06/29	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .190	2015/06	
MERCURY	71900	036	2012/06/29	< .000	2015/06	
NICKEL	01067	036	2012/06/29	< .000	2015/06	
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04	
SELENIUM	01147	036	2012/06/29	< .000	2015/06	
THALLIUM	01059	036	2012/06/29	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/30	. 30.000	2015/05	
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/09/19	< .000	2016/09	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09	
DINOSEB	81287	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-017***

Source Name: ***HILLSIDE WELL 04***

Source Number: ***017***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIQUAT	**78885**	**000**				**DUE**
ENDOTHALL	**38926**	**000**				**DUE**
ENDRIN	**39390**	**000**				**DUE**
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09	
GLYPHOSATE	**79743**	**000**				**DUE**
HEPTACHLOR	**39410**	**000**				**DUE**
HEPTACHLOR EPOXIDE	**39420**	**000**				**DUE**
HEXACHLOROBENZENE	**39700**	**000**				**DUE**
HEXACHLOROCYCLOPENTADIENE	**34386**	**000**				**DUE**
LINDANE	**39340**	**000**				**DUE**
METHOXYCHLOR	**39480**	**000**				**DUE**
MOLINATE	**82199**	**000**				**DUE**
OXAMYL	**38865**	**000**				**DUE**
PENTACHLOROPHENOL	**39032**	**000**				**DUE**
PICLORAM	**39720**	**000**				**DUE**
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	**39516**	**000**				**DUE**
SIMAZINE	**39055**	**000**				**DUE**
THIOBENCARB	**A-001**	**000**				**DUE**
TOXAPHENE	**39400**	**000**				**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03	
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03	
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/31	**< .000**	2020/03	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/31	**< .000**	2020/03	
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/31	**< .000**	2020/03	
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/31	**< .000**	2020/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-017
Source Name: HILLSIDE WELL 04
Source Number: 017
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 71.000	2015/06
CALCIUM	00916	036	2012/06/29	. 17.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 8.100	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 62.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-017
Source Name: HILLSIDE WELL 04
Source Number: 017
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2012/06/29	. 5.000	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.100	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	15.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 210.000	2015/06
SULFATE	00945	036	2012/06/29	8.300	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 140.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	< .000	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-018
Source Name: HILLSIDE WELLS 01-04 - INACTIVE
Source Number: 018
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610015-019
Source Name: HORST WELL
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-020
Source Name: JEWEL WELL 64
Source Number: 020
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .130	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/19	< .000	2014/09
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/12/30	. 6.700	2019/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-020***

Source Name: ***JEWEL WELL 64***

Source Number: ***020***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/31	**< .000**	2020/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/31	**< .000**	2020/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/03/31	**< .000**	2020/03
1,4-DICHLOROBENZENE	**34571**	**072**	2014/03/31	**< .000**	2020/03
BENZENE	**34030**	**072**	2014/03/31	**< .000**	2020/03
CARBON TETRACHLORIDE	**32102**	**072**	2014/03/31	**< .000**	2020/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/03/31	**< .000**	2020/03
DICHLOROMETHANE	**34423**	**072**	2014/03/31	**< .000**	2020/03
ETHYLBENZENE	**34371**	**072**	2014/03/31	**< .000**	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/03/31	**< .000**	2020/03
MONOCHLOROBENZENE	**34301**	**072**	2014/03/31	**< .000**	2020/03
STYRENE	**77128**	**072**	2014/03/31	**< .000**	2020/03
TETRACHLOROETHYLENE	**34475**	**072**	2014/03/31	**< .000**	2020/03
TOLUENE	**34010**	**072**	2014/03/31	**< .000**	2020/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/03/31	**< .000**	2020/03
TRICHLOROETHYLENE	**39180**	**072**	2014/03/31	**< .000**	2020/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/03/31	**< .000**	2020/03
VINYL CHLORIDE	**39175**	**072**	2014/03/31	**< .000**	2020/03
XYLENES (TOTAL)	**81551**	**072**	2014/03/31	**< .000**	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/29	**. 110.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/29	**. 24.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/29	**< .000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/29	**. 6.400**	2015/06
COLOR	**00081**	**036**	2013/09/19	**< .000**	2016/09
COPPER	**01042**	**036**	2012/06/29	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-020
Source Name: JEWEL WELL 64
Source Number: 020
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 83.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 5.700	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.400	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 200.000	2015/06
SULFATE	00945	036	2012/06/29	3.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 130.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	. .700	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-021
Source Name: LEWTER WELL
Source Number: 021
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-021***

Source Name: ***LEWTER WELL***

Source Number: ***021***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**. .150**	2015/06
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/19	**. 2.400**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/12/30	**. 13.000**	2019/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/31	**< .000**	2020/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/31	**< .000**	2020/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/03/31	**< .000**	2020/03
1,4-DICHLOROBENZENE	**34571**	**072**	2014/03/31	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-021
Source Name: LEWTER WELL
Source Number: 021
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 140.000	2015/06
CALCIUM	00916	036	2012/06/29	. 27.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 6.000	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 93.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 6.300	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-021
Source Name: LEWTER WELL
Source Number: 021
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2012/06/29	. 7.300	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	14.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 240.000	2015/06
SULFATE	00945	036	2012/06/29	2.700	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 160.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	. .300	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-023
Source Name: MAPLE SRRINGS WELL
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610015-024
Source Name: OLD MILL SPRINGS 01
Source Number: 024
Source Status: ACTIVE UNTREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610015-025					
Source Name: OLD MILL SPRINGS 02					
Source Number: 025					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-026					
Source Name: OLD MILL SPRINGS 03					
Source Number: 026					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-027					
Source Name: OLD MILL SPRINGS 04					
Source Number: 027					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-028					
Source Name: OLD MILL SPRINGS 05					
Source Number: 028					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610015-029					
Source Name: OLD MILL SPRINGS 06					
Source Number: 029					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-030					
Source Name: OLD MILL SPRINGS 07					
Source Number: 030					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-032					
Source Name: OLD MILL SPRINGS 09					
Source Number: 032					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-033					
Source Name: OLD MILL SPRINGS 10					
Source Number: 033					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610015-036***					
Source Name: ***OLD MILL SPRINGS 13***					
Source Number: ***036***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-037***					
Source Name: ***OLD MILL SPRINGS 14***					
Source Number: ***037***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-038***					
Source Name: ***OLD MILL SPRINGS 15***					
Source Number: ***038***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-039***					
Source Name: ***OLD MILL WELLS 1-15***					
Source Number: ***039***					
Source Status: ***COMBINATION OR BLEND UNTREATED***					
Water type: ***S***					
INORGANIC					
ALUMINUM	**01105**	**036**	2012/06/29	**< .000**	2015/06
ANTIMONY	**01097**	**036**	2012/06/29	**< .000**	2015/06
ARSENIC	**01002**	**036**	2012/06/29	**< .000**	2015/06
BARIUM	**01007**	**036**	2012/06/29	**< .000**	2015/06
BERYLLIUM	**01012**	**036**	2012/06/29	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-039
Source Name: OLD MILL WELLS 1-15
Source Number: 039
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .170	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/19	. 12.000	2014/09
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/12/30	. 3.500	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-039
Source Name: OLD MILL WELLS 1-15
Source Number: 039
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 91.000	2015/06
CALCIUM	00916	036	2012/06/29	. 20.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 7.700	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	. .100	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 81.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 7.800	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610015-039***					
Source Name: ***OLD MILL WELLS 1-15***					
Source Number: ***039***					
Source Status: ***COMBINATION OR BLEND UNTREATED***					
Water type: ***S***					
SECONDARY/GP					
MANGANESE	**01055**	**036**	2012/06/29	**< .000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/19	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2012/06/29	**. 7.200**	2015/06
SILVER	**01077**	**036**	2012/06/29	**< .000**	2015/06
SODIUM	**00929**	**036**	2012/06/29	**12.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/29	**. 210.000**	2015/06
SULFATE	**00945**	**036**	2012/06/29	**7.900**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/29	**. 140.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/19	**< .000**	2016/09
ZINC	**01092**	**036**	2012/06/29	**< .000**	2015/06
PS Code: ***3610015-040***					
Source Name: ***PINECREST HORIZONTAL WELL 01***					
Source Number: ***040***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-041***					
Source Name: ***PIONEER VERTICAL WELL***					
Source Number: ***041***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610015-042							
Source Name: PIONEER WELL 01							
Source Number: 042							
Source Status: ACTIVE RAW							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610015-043							
Source Name: PIONEER WELL 02							
Source Number: 043							
Source Status: ACTIVE RAW							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610015-044							
Source Name: VALLE WELL							
Source Number: 044							
Source Status: ACTIVE UNTREATED							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2006/02/28		.000	2009/02	DUE
ANTIMONY	01097	036	2006/02/28		.000	2009/02	DUE
ARSENIC	01002	036	2006/02/28		.000	2009/02	DUE
BARIUM	01007	036	2006/02/28		.000	2009/02	DUE
BERYLLIUM	01012	036	2006/02/28		.000	2009/02	DUE
CADMIUM	01027	036	2006/02/28		.000	2009/02	DUE
CHROMIUM (TOTAL)	01034	036	2006/02/28		.000	2009/02	DUE
CYANIDE	01291	036	2006/02/28		.000	2009/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/02/28		.100	2009/02	DUE
MERCURY	71900	036	2006/02/28		.000	2009/02	DUE
NICKEL	01067	036	2006/02/28		.000	2009/02	DUE
PERCHLORATE	A-031	036	2002/09/10	.	.000	2005/09	DUE
SELENIUM	01147	036	2006/02/28		.000	2009/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-044
Source Name: VALLE WELL
Source Number: 044
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
THALLIUM	01059	036	2006/02/28		.000	2009/02	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2007/10/31		.000	2008/10	DUE
NITRITE (AS N)	00620	036	2006/02/28		.000	2009/02	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2007/04/30		10.000	2010/04	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2006/01/31		.000	2009/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2006/01/31		.000	2009/01	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2002/09/10		.000	2008/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/09/10		.000	2008/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/09/10	.	.000	2008/09	DUE
1,1,2-TRICHLOROETHANE	34511	072	2002/09/10	.	.000	2008/09	DUE
1,1-DICHLOROETHANE	34496	072	2002/09/10	.	.000	2008/09	DUE
1,1-DICHLOROETHYLENE	34501	072	2002/09/10	.	.000	2008/09	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2002/09/10	.	.000	2008/09	DUE
1,2-DICHLOROBENZENE	34536	072	2002/09/10		.000	2008/09	DUE
1,2-DICHLOROETHANE	34531	072	2002/09/10	.	.000	2008/09	DUE
1,2-DICHLOROPROPANE	34541	072	2002/09/10	.	.000	2008/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/09/10	.	.000	2008/09	DUE
1,4-DICHLOROBENZENE	34571	072	2002/09/10	.	.000	2008/09	DUE
BENZENE	34030	072	2002/09/10	.	.000	2008/09	DUE
CARBON TETRACHLORIDE	32102	072	2002/09/10		.000	2008/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/09/10	.	.000	2008/09	DUE
DICHLOROMETHANE	34423	072	2002/09/10	.	.000	2008/09	DUE
ETHYLBENZENE	34371	072	2002/09/10	.	.000	2008/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/06/29		.000	2013/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-044
Source Name: VALLE WELL
Source Number: 044
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
MONOCHLOROBENZENE	34301	072	2002/09/10	.	.000	2008/09	DUE
STYRENE	77128	072	2002/09/10	.	.000	2008/09	DUE
TETRACHLOROETHYLENE	34475	072	2002/09/10	.	.000	2008/09	DUE
TOLUENE	34010	072	2002/09/10	.	.000	2008/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/09/10		.000	2008/09	DUE
TRICHLOROETHYLENE	39180	072	2002/09/10	.	.000	2008/09	DUE
TRICHLOROFLUOROMETHANE	34488	072	2002/09/10	.	.000	2008/09	DUE
VINYL CHLORIDE	39175	072	2002/09/10	.	.000	2008/09	DUE
XYLENES (TOTAL)	81551	072	2002/09/10	.	.000	2008/09	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2005/11/30	.	170.000	2008/11	DUE
CALCIUM	00916	036	2005/11/30	.	42.000	2008/11	DUE
CARBONATE ALKALINITY	00445	036	2005/11/30		.000	2008/11	DUE
CHLORIDE	00940	036	2005/11/30	.	10.000	2008/11	DUE
COLOR	00081	036	2005/12/29	.	.000	2008/12	DUE
COPPER	01042	036	2005/11/30	.	.000	2008/11	DUE
FOAMING AGENTS (MBAS)	38260	036	2005/11/30	.	.000	2008/11	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2005/11/30	.	130.000	2008/11	DUE
HYDROXIDE ALKALINITY	71830	036	2005/11/30	.	.000	2008/11	DUE
IRON	01045	036	2005/11/30		.000	2008/11	DUE
MAGNESIUM	00927	036	2005/11/30	.	8.100	2008/11	DUE
MANGANESE	01055	036	2005/11/30	.	.000	2008/11	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/12/29		1.000	2008/12	DUE
PH, LABORATORY	00403	036	2005/11/30	.	7.200	2008/11	DUE
SILVER	01077	036	2006/02/28		.000	2009/02	DUE
SODIUM	00929	036	2005/11/30		11.000	2008/11	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/11/30	.	290.000	2008/11	DUE
SULFATE	00945	036	2005/11/30		.000	2008/11	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2005/11/30	.	180.000	2008/11	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610015-044						
Source Name: VALLE WELL						
Source Number: 044						
Source Status: ACTIVE UNTREATED						
Water type: G						
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2005/12/29	. .400	2008/12	DUE
ZINC	01092	036	2005/11/30	. .000	2008/11	DUE
PS Code: 3610015-045						
Source Name: WILLOW SPRINGS 01						
Source Number: 045						
Source Status: ACTIVE UNTREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610015-046						
Source Name: WILLOW SPRINGS 02						
Source Number: 046						
Source Status: ACTIVE UNTREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610015-047						
Source Name: WILLOW SPRINGS 03						
Source Number: 047						
Source Status: ACTIVE UNTREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-049***

Source Name: ***WILLOW WELLS 01-04***

Source Number: ***049***

Source Status: ***COMBINATION OR BLEND UNTREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/06/29	**< .000**	2015/06
ANTIMONY	**01097**	**036**	2012/06/29	**< .000**	2015/06
ARSENIC	**01002**	**036**	2012/06/29	**< .000**	2015/06
BARIUM	**01007**	**036**	2012/06/29	**< .000**	2015/06
BERYLLIUM	**01012**	**036**	2012/06/29	**< .000**	2015/06
CADMIUM	**01027**	**036**	2012/06/29	**< .000**	2015/06
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/29	**< .000**	2015/06
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**< .000**	2015/06
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/19	**. 20.000**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/12/30	**. 3.200**	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-049
Source Name: WILLOW WELLS 01-04
Source Number: 049
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 77.000	2015/06
CALCIUM	00916	036	2012/06/29	. 18.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 6.000	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-049***

Source Name: ***WILLOW WELLS 01-04***

Source Number: ***049***

Source Status: ***COMBINATION OR BLEND UNTREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/29	**< .000**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/29	**. 64.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/29	**< .000**	2015/06
IRON	**01045**	**036**	2012/06/29	**< .000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/29	**. 4.700**	2015/06
MANGANESE	**01055**	**036**	2012/06/29	**< .000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/19	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2012/06/29	**. 6.500**	2015/06
SILVER	**01077**	**036**	2012/06/29	**< .000**	2015/06
SODIUM	**00929**	**036**	2012/06/29	**12.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/29	**. 190.000**	2015/06
SULFATE	**00945**	**036**	2012/06/29	**6.800**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/29	**. 130.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/19	**< .000**	2016/09
ZINC	**01092**	**036**	2012/06/29	**< .000**	2015/06

PS Code: ***3610015-050***

Source Name: ***WILSON WELL 01***

Source Number: ***050***

Source Status: ***ACTIVE RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610015-051					
Source Name: WILSON WELL 02					
Source Number: 051					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-052					
Source Name: BERGSCHRUND HORIZONTAL WELL					
Source Number: 052					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-053					
Source Name: PINECREST HORIZONTAL WELL 02					
Source Number: 053					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-054					
Source Name: PINECREST GROUP					
Source Number: 054					
Source Status: COMBINATION OR BLEND UNTREATED					
Water type: S					
INORGANIC					
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-054***

Source Name: ***PINECREST GROUP***

Source Number: ***054***

Source Status: ***COMBINATION OR BLEND UNTREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**036**	2012/06/29	**< .000**	2015/06
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/29	**< .000**	2015/06
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**< .000**	2015/06
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/19	**. 5.900**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/12/30	**< .000**	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/31	**< .000**	2020/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/31	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-054
Source Name: PINECREST GROUP
Source Number: 054
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 66.000	2015/06
CALCIUM	00916	036	2012/06/29	. 20.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 25.000	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 64.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 3.300	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610015-054					
Source Name: PINECREST GROUP					
Source Number: 054					
Source Status: COMBINATION OR BLEND UNTREATED					
Water type: S					
SECONDARY/GP					
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.300	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	13.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 210.000	2015/06
SULFATE	00945	036	2012/06/29	5.200	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 130.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	. .200	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06
PS Code: 3610015-055					
Source Name: LOWER HORIZONTAL WELL					
Source Number: 055					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-056					
Source Name: CYPRESS VERTICAL WELL					
Source Number: 056					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-056
Source Name: CYPRESS VERTICAL WELL
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .180	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/19	< .000	2014/09
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/12/30	< .000	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-056
Source Name: CYPRESS VERTICAL WELL
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 110.000	2015/06
CALCIUM	00916	036	2012/06/29	. 26.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 6.800	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 79.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-056
Source Name: CYPRESS VERTICAL WELL
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2012/06/29	. 3.600	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.400	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 200.000	2015/06
SULFATE	00945	036	2012/06/29	9.200	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 130.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	< .000	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-057
Source Name: WILSON VERTICAL WELL
Source Number: 057
Source Status: ACTIVE RAW
Water type: G

INORGANIC	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .130	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-057***

Source Name: ***WILSON VERTICAL WELL***

Source Number: ***057***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/19	**. 4.800**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/12/30	**. 7.000**	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/31	**< .000**	2020/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/31	**< .000**	2020/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/03/31	**< .000**	2020/03
1,4-DICHLOROBENZENE	**34571**	**072**	2014/03/31	**< .000**	2020/03
BENZENE	**34030**	**072**	2014/03/31	**< .000**	2020/03
CARBON TETRACHLORIDE	**32102**	**072**	2014/03/31	**< .000**	2020/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/03/31	**< .000**	2020/03
DICHLOROMETHANE	**34423**	**072**	2014/03/31	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-057
Source Name: WILSON VERTICAL WELL
Source Number: 057
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 120.000	2015/06
CALCIUM	00916	036	2012/06/29	. 28.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 15.000	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 110.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 11.000	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.500	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	14.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 280.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-057
Source Name: WILSON VERTICAL WELL
Source Number: 057
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2012/06/29		12.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	.	190.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	<	.000	2016/09
ZINC	01092	036	2012/06/29	.	52.000	2015/06

PS Code: 3610015-058
Source Name: ANDERSON VERTICAL WELL
Source Number: 058
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC						
ALUMINUM	01105	036	2012/06/29	<	.000	2015/06
ANTIMONY	01097	036	2012/06/29	<	.000	2015/06
ARSENIC	01002	036	2012/06/29	<	.000	2015/06
BARIUM	01007	036	2012/06/29	<	.000	2015/06
BERYLLIUM	01012	036	2012/06/29	<	.000	2015/06
CADMIUM	01027	036	2012/06/29	<	.000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	<	.000	2015/06
CYANIDE	01291	036	2012/06/29	<	.000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	.	.200	2015/06
MERCURY	71900	036	2012/06/29	<	.000	2015/06
NICKEL	01067	036	2012/06/29	<	.000	2015/06
PERCHLORATE	A-031	036	2014/04/30	<	.000	2017/04
SELENIUM	01147	036	2012/06/29	<	.000	2015/06
THALLIUM	01059	036	2012/06/29	<	.000	2015/06
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/19	.	4.000	2014/09
NITRITE (AS N)	00620	036	2012/06/29	<	.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-058
Source Name: ANDERSON VERTICAL WELL
Source Number: 058
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/12/30	. 8.900	2019/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-058***

Source Name: ***ANDERSON VERTICAL WELL***

Source Number: ***058***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/03/31	**< .000**	2020/03
VINYL CHLORIDE	**39175**	**072**	2014/03/31	**< .000**	2020/03
XYLENES (TOTAL)	**81551**	**072**	2014/03/31	**< .000**	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/29	**. 170.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/29	**. 47.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/29	**< .000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/29	**. 10.000**	2015/06
COLOR	**00081**	**036**	2013/09/19	**< .000**	2016/09
COPPER	**01042**	**036**	2012/06/29	**. 73.000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/29	**< .000**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/29	**. 150.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/29	**< .000**	2015/06
IRON	**01045**	**036**	2012/06/29	**< .000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/29	**. 7.800**	2015/06
MANGANESE	**01055**	**036**	2012/06/29	**< .000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/19	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2012/06/29	**. 7.400**	2015/06
SILVER	**01077**	**036**	2012/06/29	**< .000**	2015/06
SODIUM	**00929**	**036**	2012/06/29	**12.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/29	**. 330.000**	2015/06
SULFATE	**00945**	**036**	2012/06/29	**13.000**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/29	**. 210.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/19	**< .000**	2016/09
ZINC	**01092**	**036**	2012/06/29	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-059***

Source Name: ***WILSONS GROUP***

Source Number: ***059***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/06/29	**< .000**	2015/06
ANTIMONY	**01097**	**036**	2012/06/29	**< .000**	2015/06
ARSENIC	**01002**	**036**	2012/06/29	**< .000**	2015/06
BARIUM	**01007**	**036**	2012/06/29	**< .000**	2015/06
BERYLLIUM	**01012**	**036**	2012/06/29	**< .000**	2015/06
CADMIUM	**01027**	**036**	2012/06/29	**< .000**	2015/06
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/29	**< .000**	2015/06
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**< .000**	2015/06
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/30	**. 6.300**	2015/06
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/12/30	**. 9.600**	2019/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-059
Source Name: WILSONS GROUP
Source Number: 059
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	. .570	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 120.000	2015/06
CALCIUM	00916	036	2012/06/29	. 34.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2014/06/30	. 33.000	2017/06
COLOR	00081	036	2014/06/30	< .000	2017/06
COPPER	01042	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-059
Source Name: WILSONS GROUP
Source Number: 059
Source Status: COMBINATION OR BLEND RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/06/30	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 120.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 8.800	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/30	. 1.000	2017/06
PH, LABORATORY	00403	036	2012/06/29	. 6.900	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	21.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 320.000	2015/06
SULFATE	00945	036	2012/06/29	21.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/30	. 230.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/30	< .000	2017/06
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-060
Source Name: PIONEER GROUP
Source Number: 060
Source Status: COMBINATION OR BLEND RAW
Water type: S

INORGANIC

ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-060***

Source Name: ***PIONEER GROUP***

Source Number: ***060***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**< .000**	2015/06
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/30	**. 7.400**	2015/06
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/12/30	**. 3.700**	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/31	**< .000**	2020/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/03/31	**< .000**	2020/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROBENZENE	**34536**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROETHANE	**34531**	**072**	2014/03/31	**< .000**	2020/03
1,2-DICHLOROPROPANE	**34541**	**072**	2014/03/31	**< .000**	2020/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/03/31	**< .000**	2020/03
1,4-DICHLOROBENZENE	**34571**	**072**	2014/03/31	**< .000**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-060
Source Name: PIONEER GROUP
Source Number: 060
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 85.000	2015/06
CALCIUM	00916	036	2012/06/29	. 20.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2014/06/30	. 11.000	2017/06
COLOR	00081	036	2014/06/30	< .000	2017/06
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/30	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 80.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 7.000	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/30	. 1.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-060
Source Name: PIONEER GROUP
Source Number: 060
Source Status: COMBINATION OR BLEND RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2012/06/29	. 7.100	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 210.000	2015/06
SULFATE	00945	036	2012/06/29	11.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/30	. 120.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/30	. .200	2017/06
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: 3610015-061
Source Name: HORST, CATHCART, BERGSCHRUND GROUP
Source Number: 061
Source Status: COMBINATION OR BLEND RAW
Water type: S

INORGANIC

ALUMINUM	01105	036	2012/06/29	< .000	2015/06
ANTIMONY	01097	036	2012/06/29	< .000	2015/06
ARSENIC	01002	036	2012/06/29	< .000	2015/06
BARIUM	01007	036	2012/06/29	< .000	2015/06
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06
CADMIUM	01027	036	2012/06/29	< .000	2015/06
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06
CYANIDE	01291	036	2012/06/29	< .000	2015/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .100	2015/06
MERCURY	71900	036	2012/06/29	< .000	2015/06
NICKEL	01067	036	2012/06/29	< .000	2015/06
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-061
Source Name: HORST, CATHCART, BERGSCHRUND GROUP
Source Number: 061
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/30	. 2.800	2015/06
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/12/30	. 4.600	2022/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015

System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-061

Source Name: HORST, CATHCART, BERGSCHRUND GROUP

Source Number: 061

Source Status: COMBINATION OR BLEND RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 68.000	2015/06
CALCIUM	00916	036	2012/06/29	. 13.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2014/06/30	. 73.000	2017/06
COLOR	00081	036	2014/06/30	< .000	2017/06
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/30	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 47.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 3.500	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/30	. 1.000	2017/06
PH, LABORATORY	00403	036	2012/06/29	. 6.900	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 170.000	2015/06
SULFATE	00945	036	2012/06/29	8.500	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/30	. 300.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/30	. .200	2017/06
ZINC	01092	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-062
Source Name: MORMON SPRINGS VERTICAL WELL
Source Number: 062
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2006/02/28		.000	2009/02	DUE
ANTIMONY	01097	036	2006/02/28		.000	2009/02	DUE
ARSENIC	01002	036	2006/02/28		.000	2009/02	DUE
BARIUM	01007	036	2006/02/28		.000	2009/02	DUE
BERYLLIUM	01012	036	2006/02/28		.000	2009/02	DUE
CADMIUM	01027	036	2006/02/28		.000	2009/02	DUE
CHROMIUM (TOTAL)	01034	036	2006/02/28		.000	2009/02	DUE
CYANIDE	01291	036	2006/02/28		.000	2009/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/02/28		.200	2009/02	DUE
MERCURY	71900	036	2006/02/28		.000	2009/02	DUE
NICKEL	01067	036	2006/02/28		.000	2009/02	DUE
PERCHLORATE	A-031	036	2002/09/10	.	.000	2005/09	DUE
SELENIUM	01147	036	2006/02/28		.000	2009/02	DUE
THALLIUM	01059	036	2006/02/28		.000	2009/02	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2006/02/28		2.900	2007/02	DUE
NITRITE (AS N)	00620	036	2006/02/28		.000	2009/02	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2005/01/31	.	29.000	2008/01	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2006/01/31		.000	2009/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2006/01/31		.000	2009/01	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2002/09/10		.000	2008/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/09/10		.000	2008/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/09/10	.	.000	2008/09	DUE
1,1,2-TRICHLOROETHANE	34511	072	2002/09/10	.	.000	2008/09	DUE
1,1-DICHLOROETHANE	34496	072	2002/09/10	.	.000	2008/09	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-062
Source Name: MORMON SPRINGS VERTICAL WELL
Source Number: 062
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHYLENE	34501	072	2002/09/10	.	.000	2008/09	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2002/09/10	.	.000	2008/09	DUE
1,2-DICHLOROBENZENE	34536	072	2002/09/10		.000	2008/09	DUE
1,2-DICHLOROETHANE	34531	072	2002/09/10	.	.000	2008/09	DUE
1,2-DICHLOROPROPANE	34541	072	2002/09/10	.	.000	2008/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/09/10	.	.000	2008/09	DUE
1,4-DICHLOROBENZENE	34571	072	2002/09/10	.	.000	2008/09	DUE
BENZENE	34030	072	2002/09/10	.	.000	2008/09	DUE
CARBON TETRACHLORIDE	32102	072	2002/09/10		.000	2008/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/09/10	.	.000	2008/09	DUE
DICHLOROMETHANE	34423	072	2002/09/10	.	.000	2008/09	DUE
ETHYLBENZENE	34371	072	2002/09/10	.	.000	2008/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/02/28		.000	2012/02	DUE
MONOCHLOROBENZENE	34301	072	2002/09/10	.	.000	2008/09	DUE
STYRENE	77128	072	2002/09/10	.	.000	2008/09	DUE
TETRACHLOROETHYLENE	34475	072	2002/09/10	.	.000	2008/09	DUE
TOLUENE	34010	072	2002/09/10	.	.000	2008/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/09/10		.000	2008/09	DUE
TRICHLOROETHYLENE	39180	072	2002/09/10	.	.000	2008/09	DUE
TRICHLOROFLUOROMETHANE	34488	072	2002/09/10	.	.000	2008/09	DUE
VINYL CHLORIDE	39175	072	2002/09/10	.	.000	2008/09	DUE
XYLENES (TOTAL)	81551	072	2002/09/10	.	.000	2008/09	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2005/11/30	.	160.000	2008/11	DUE
CALCIUM	00916	036	2005/11/30	.	48.000	2008/11	DUE
CARBONATE ALKALINITY	00445	036	2005/11/30		.000	2008/11	DUE
CHLORIDE	00940	036	2005/11/30	.	36.000	2008/11	DUE
COLOR	00081	036	2002/09/10	.	.000	2005/09	DUE
COPPER	01042	036	2005/11/30	.	.000	2008/11	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-062
Source Name: MORMON SPRINGS VERTICAL WELL
Source Number: 062
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
FOAMING AGENTS (MBAS)	38260	036	2005/11/30	.	.000	2008/11	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2005/11/30	.	150.000	2008/11	DUE
HYDROXIDE ALKALINITY	71830	036	2005/11/30	.	.000	2008/11	DUE
IRON	01045	036	2005/11/30		.000	2008/11	DUE
MAGNESIUM	00927	036	2005/11/30	.	6.700	2008/11	DUE
MANGANESE	01055	036	2005/11/30	.	22.000	2008/11	DUE
ODOR THRESHOLD @ 60 C	00086	036	2002/09/10		1.000	2005/09	DUE
PH, LABORATORY	00403	036	2005/11/30	.	7.400	2008/11	DUE
SILVER	01077	036	2006/02/28		.000	2009/02	DUE
SODIUM	00929	036	2005/11/30		25.000	2008/11	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/11/30	.	400.000	2008/11	DUE
SULFATE	00945	036	2005/11/30		22.000	2008/11	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2005/11/30	.	240.000	2008/11	DUE
TURBIDITY, LABORATORY	82079	036	2002/09/10	.	.100	2005/09	DUE
ZINC	01092	036	2005/11/30	.	310.000	2008/11	DUE

PS Code: 3610015-063T
Source Name: LOWER HORIZONTAL WELL - TREATED
Source Number: 063
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610015-064T***					
Source Name: ***CYPRESS VERTICAL WELL - TREATED***					
Source Number: ***064***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-065T***					
Source Name: ***WILSON VERTICAL WELL - TREATED***					
Source Number: ***065***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-066T***					
Source Name: ***ANDERSON VERTICAL WELL - TREATED***					
Source Number: ***066***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610015-067***					
Source Name: ***COMBINED WILSON 01 AND 02 - TREATED***					
Source Number: ***067***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610015-068***						
Source Name: ***PIONEER COLLECTION - TREATED CL2 PO4***						
Source Number: ***068***						
Source Status: ***ACTIVE TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610015-069***						
Source Name: ***HORST COLLECTION - TREATED CL2 PO4***						
Source Number: ***069***						
Source Status: ***COMBINATION OR BLEND TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610015-070***						
Source Name: ***CHAMOIS VERTICAL WELL***						
Source Number: ***070***						
Source Status: ***ACTIVE UNTREATED***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2012/06/29	**< .000**	2015/06	
ANTIMONY	**01097**	**036**	2012/06/29	**< .000**	2015/06	
ARSENIC	**01002**	**036**	2012/06/29	**< .000**	2015/06	
BARIUM	**01007**	**036**	2012/06/29	**< .000**	2015/06	
BERYLLIUM	**01012**	**036**	2012/06/29	**< .000**	2015/06	
CADMIUM	**01027**	**036**	2012/06/29	**< .000**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/29	**< .000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/02/28**	**. .000**	**2006/02**	**DUE**
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**. .110**	2015/06	
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06	
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06	
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-070
Source Name: CHAMOIS VERTICAL WELL
Source Number: 070
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2012/06/29	< .000	2015/06
THALLIUM	01059	036	2012/06/29	< .000	2015/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/19	. 5.200	2014/09
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06
RADIOLOGICAL					
GROSS ALPHA	01501	003	2014/06/30	. 24.000	2014/09
URANIUM (PCI/L)	28012	003	2014/06/30	. 24.000	2014/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-070
Source Name: CHAMOIS VERTICAL WELL
Source Number: 070
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 120.000	2015/06
CALCIUM	00916	036	2012/06/29	. 25.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 6.900	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 75.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 3.000	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.100	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	18.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 220.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-070
Source Name: CHAMOIS VERTICAL WELL
Source Number: 070
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SULFATE	00945	036	2012/06/29	3.800	2015/06	
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 150.000	2015/06	
TURBIDITY, LABORATORY	82079	036	2013/09/19	< .000	2016/09	
ZINC	01092	036	2012/06/29	< .000	2015/06	

PS Code: 3610015-071
Source Name: FELSEN VERTICAL WELL
Source Number: 071
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/06/29	< .000	2015/06	
ANTIMONY	01097	036	2012/06/29	< .000	2015/06	
ARSENIC	01002	036	2012/06/29	< .000	2015/06	
BARIUM	01007	036	2012/06/29	< .000	2015/06	
BERYLLIUM	01012	036	2012/06/29	< .000	2015/06	
CADMIUM	01027	036	2012/06/29	< .000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/29	< .000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2003/05/07	. .000	2006/05	DUE
CYANIDE	01291	036	2012/06/29	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/29	. .140	2015/06	
MERCURY	71900	036	2012/06/29	< .000	2015/06	
NICKEL	01067	036	2012/06/29	< .000	2015/06	
PERCHLORATE	A-031	036	2014/04/30	< .000	2017/04	
SELENIUM	01147	036	2012/06/29	< .000	2015/06	
THALLIUM	01059	036	2012/06/29	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/19	. 4.000	2014/09	
NITRITE (AS N)	00620	036	2012/06/29	< .000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-071
Source Name: FELSEN VERTICAL WELL
Source Number: 071
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/12/30	. 7.300	2019/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .000	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .000	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/31	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/31	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-071
Source Name: FELSEN VERTICAL WELL
Source Number: 071
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 140.000	2015/06
CALCIUM	00916	036	2012/06/29	. 38.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 15.000	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 130.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 9.500	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.300	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 290.000	2015/06
SULFATE	00945	036	2012/06/29	11.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 190.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	. .300	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-072***

Source Name: ***PINECREST VERTICAL WELL***

Source Number: ***072***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/06/29	**< .000**	2015/06	
ANTIMONY	**01097**	**036**	2012/06/29	**< .000**	2015/06	
ARSENIC	**01002**	**036**	2012/06/29	**< .000**	2015/06	
BARIUM	**01007**	**036**	2012/06/29	**< .000**	2015/06	
BERYLLIUM	**01012**	**036**	2012/06/29	**< .000**	2015/06	
CADMIUM	**01027**	**036**	2012/06/29	**< .000**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/29	**< .000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/05/02**	**. .000**	**2006/05**	**DUE**
CYANIDE	**01291**	**036**	2012/06/29	**< .000**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/29	**. .160**	2015/06	
MERCURY	**71900**	**036**	2012/06/29	**< .000**	2015/06	
NICKEL	**01067**	**036**	2012/06/29	**< .000**	2015/06	
PERCHLORATE	**A-031**	**036**	2014/04/30	**< .000**	2017/04	
SELENIUM	**01147**	**036**	2012/06/29	**< .000**	2015/06	
THALLIUM	**01059**	**036**	2012/06/29	**< .000**	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/09/19	**. 3.100**	2014/09	
NITRITE (AS N)	**00620**	**036**	2012/06/29	**< .000**	2015/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2013/12/30	**. 4.800**	2019/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/09/19	**< .000**	2016/09	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/09/19	**< .000**	2016/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/31	**< .000**	2020/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/31	**< .000**	2020/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/31	**< .000**	2020/03	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/31	**< .000**	2020/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

PS Code: 3610015-072
Source Name: PINECREST VERTICAL WELL
Source Number: 072
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2014/03/31	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/31	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/31	< .000	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/31	< .000	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/31	< .000	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/31	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/31	< .000	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/31	< .000	2020/03
BENZENE	34030	072	2014/03/31	< .000	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/31	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/31	< .000	2020/03
DICHLOROMETHANE	34423	072	2014/03/31	< .000	2020/03
ETHYLBENZENE	34371	072	2014/03/31	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/31	< .000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/31	< .000	2020/03
STYRENE	77128	072	2014/03/31	< .000	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/31	< .000	2020/03
TOLUENE	34010	072	2014/03/31	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/31	< .000	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/31	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/31	< .000	2020/03
VINYL CHLORIDE	39175	072	2014/03/31	< .000	2020/03
XYLENES (TOTAL)	81551	072	2014/03/31	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/29	. 96.000	2015/06
CALCIUM	00916	036	2012/06/29	. 27.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/29	< .000	2015/06
CHLORIDE	00940	036	2012/06/29	. 15.000	2015/06
COLOR	00081	036	2013/09/19	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

PS Code: ***3610015-072***

Source Name: ***PINECREST VERTICAL WELL***

Source Number: ***072***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/06/29	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/29	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/29	. 86.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/29	< .000	2015/06
IRON	01045	036	2012/06/29	< .000	2015/06
MAGNESIUM	00927	036	2012/06/29	. 4.400	2015/06
MANGANESE	01055	036	2012/06/29	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	1.000	2016/09
PH, LABORATORY	00403	036	2012/06/29	. 7.100	2015/06
SILVER	01077	036	2012/06/29	< .000	2015/06
SODIUM	00929	036	2012/06/29	15.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/29	. 220.000	2015/06
SULFATE	00945	036	2012/06/29	4.100	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/29	. 130.000	2015/06
TURBIDITY, LABORATORY	82079	036	2013/09/19	. .300	2016/09
ZINC	01092	036	2012/06/29	< .000	2015/06

PS Code: ***3610015-073***

Source Name: ***PURCHASED-CLAWA***

Source Number: ***073***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610015-074					
Source Name: DST SYS - PINECREST ZONE SUPPLY					
Source Number: 074					
Source Status: DISTRIBUTION RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-075					
Source Name: CHAMOIS VERTICAL BLEND - TREATED					
Source Number: 075					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-076					
Source Name: PINECREST VERTICAL - TREATED PO4					
Source Number: 076					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610015-601					
Source Name: DBP2-347 DONNER DR					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610015-601						
Source Name: DBP2-347 DONNER DR						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610015-602						
Source Name: DBP2-23463 SHORT WAY						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610015
System Name: CRESTLINE VILLAGE CWD - DIVISION 10

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610015-602						
Source Name: DBP2-23463 SHORT WAY						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610015-800						
Source Name: PIONEER COLLECTION - CL2						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610015-801						
Source Name: HORST COLLECTION - CL2						
Source Number: 801						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610015-802						
Source Name: CHILLON WELL - STANDBY - TREATED (CL2)						
Source Number: 802						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610015***

System Name: ***CRESTLINE VILLAGE CWD - DIVISION 10***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610015-803***					
Source Name:					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type:					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-001
Source Name: HORIZONTAL WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/12/20	< .000	2014/12	
ANTIMONY	01097	036	2011/12/20	< .000	2014/12	
ARSENIC	01002	036	2011/12/20	< .000	2014/12	
BARIUM	01007	036	2011/12/20	< .000	2014/12	
BERYLLIUM	01012	036	2011/12/20	< .000	2014/12	
CADMIUM	01027	036	2011/12/20	< .000	2014/12	
CHROMIUM (TOTAL)	01034	036	2011/12/20	< .000	2014/12	
CHROMIUM, HEXAVALENT	01032	036	2002/06/27	. .000	2005/06	DUE
CYANIDE	01291	036	2011/12/20	< .000	2014/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/20	. .170	2014/12	
MERCURY	71900	036	2011/12/20	< .000	2014/12	
NICKEL	01067	036	2011/12/20	< .000	2014/12	
PERCHLORATE	A-031	036	2011/12/20	< .000	2014/12	
SELENIUM	01147	036	2011/12/20	< .000	2014/12	
THALLIUM	01059	036	2011/12/20	< .000	2014/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/07	< .000	2015/05	
NITRITE (AS N)	00620	036	2011/12/20	< .000	2014/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/25	. 6.600	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/06	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/06	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/12/12	< .500	2014/12	
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/12/12	< .500	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/12/12	< 10.000	2014/12	
1,1,2-TRICHLOROETHANE	34511	072	2008/12/12	< .500	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-001
Source Name: HORIZONTAL WELL
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2008/12/12	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	072	2008/12/12	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	072	2008/12/12	< .500	2014/12
1,2-DICHLOROBENZENE	34536	072	2008/12/12	< .500	2014/12
1,2-DICHLOROETHANE	34531	072	2008/12/12	< .500	2014/12
1,2-DICHLOROPROPANE	34541	072	2008/12/12	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/12/12	< .500	2014/12
1,4-DICHLOROBENZENE	34571	072	2008/12/12	< .500	2014/12
BENZENE	34030	072	2008/12/12	< .500	2014/12
CARBON TETRACHLORIDE	32102	072	2008/12/12	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/12/12	< .500	2014/12
DICHLOROMETHANE	34423	072	2008/12/12	< .500	2014/12
ETHYLBENZENE	34371	072	2008/12/12	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/12/12	< 3.000	2014/12
MONOCHLOROBENZENE	34301	072	2008/12/12	< .500	2014/12
STYRENE	77128	072	2008/12/12	< .500	2014/12
TETRACHLOROETHYLENE	34475	072	2008/12/12	< .500	2014/12
TOLUENE	34010	072	2008/12/12	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/12/12	< .500	2014/12
TRICHLOROETHYLENE	39180	072	2008/12/12	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	072	2008/12/12	< 5.000	2014/12
VINYL CHLORIDE	39175	072	2008/12/12	< .500	2014/12
XYLENES (TOTAL)	81551	072	2008/12/12	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/12/20	. 160.000	2014/12
CALCIUM	00916	036	2014/07/09	. 39.000	2017/07
CARBONATE ALKALINITY	00445	036	2011/12/20	< .000	2014/12
CHLORIDE	00940	036	2011/12/20	. 2.200	2014/12
COLOR	00081	036	2011/12/20	< .000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610016***

System Name: ***GLEN MARTIN MWC***

PS Code: ***3610016-001***

Source Name: ***HORIZONTAL WELL***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/12/20	< .000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/20	< .000	2014/12
HARDNESS (TOTAL) AS CACO3	00900	036	2011/12/20	. 100.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/20	< .000	2014/12
IRON	01045	036	2011/12/20	< .000	2014/12
MAGNESIUM	00927	036	2011/12/20	. 6.300	2014/12
MANGANESE	01055	036	2011/12/20	< .000	2014/12
ODOR THRESHOLD @ 60 C	00086	036	2011/12/20	. 1.000	2014/12
PH, LABORATORY	00403	036	2014/07/09	. 7.200	2017/07
SILVER	01077	036	2011/12/20	< .000	2014/12
SODIUM	00929	036	2011/12/20	. 8.900	2014/12
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 270.000	2017/07
SULFATE	00945	036	2011/12/20	. 4.900	2014/12
TOTAL DISSOLVED SOLIDS	70300	036	2011/12/20	. 160.000	2014/12
TURBIDITY, LABORATORY	82079	036	2011/12/20	. .100	2014/12
ZINC	01092	036	2011/12/20	< .000	2014/12

PS Code: ***3610016-002***

Source Name: ***WELL 01 (ROBINSON)***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2011/12/20	< .000	2014/12
ANTIMONY	01097	036	2011/12/20	< .000	2014/12
ARSENIC	01002	036	2011/12/20	< .000	2014/12
BARIUM	01007	036	2011/12/20	< .000	2014/12
BERYLLIUM	01012	036	2011/12/20	< .000	2014/12
CADMIUM	01027	036	2011/12/20	< .000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-002
Source Name: WELL 01 (ROBINSON)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/12/20	< .000	2014/12	
CHROMIUM, HEXAVALENT	01032	036	2002/06/27	. .000	2005/06	DUE
CYANIDE	01291	036	2011/12/20	< .000	2014/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/20	. .180	2014/12	
MERCURY	71900	036	2011/12/20	< .000	2014/12	
NICKEL	01067	036	2011/12/20	< .000	2014/12	
PERCHLORATE	A-031	036	2011/12/20	< .000	2014/12	
SELENIUM	01147	036	2011/12/20	< .000	2014/12	
THALLIUM	01059	036	2011/12/20	< .000	2014/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/07	. 18.000	2015/05	
NITRITE (AS N)	00620	036	2011/12/20	< .000	2014/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/25	< .000	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/25	< .000	2015/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/25	< .000	2015/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/12/12	< .500	2014/12	
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/12/12	< .500	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/12/12	< 10.000	2014/12	
1,1,2-TRICHLOROETHANE	34511	072	2008/12/12	< .500	2014/12	
1,1-DICHLOROETHANE	34496	072	2008/12/12	< .500	2014/12	
1,1-DICHLOROETHYLENE	34501	072	2008/12/12	< .500	2014/12	
1,2,4-TRICHLOROBENZENE	34551	072	2008/12/12	< .500	2014/12	
1,2-DICHLOROBENZENE	34536	072	2008/12/12	< .500	2014/12	
1,2-DICHLOROETHANE	34531	072	2008/12/12	< .500	2014/12	
1,2-DICHLOROPROPANE	34541	072	2008/12/12	< .500	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-002
Source Name: WELL 01 (ROBINSON)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/12/12	< .500	2014/12
1,4-DICHLOROBENZENE	34571	072	2008/12/12	< .500	2014/12
BENZENE	34030	072	2008/12/12	< .500	2014/12
CARBON TETRACHLORIDE	32102	072	2008/12/12	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/12/12	< .500	2014/12
DICHLOROMETHANE	34423	072	2008/12/12	< .500	2014/12
ETHYLBENZENE	34371	072	2008/12/12	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/12/12	< 3.000	2014/12
MONOCHLOROBENZENE	34301	072	2008/12/12	< .500	2014/12
STYRENE	77128	072	2008/12/12	< .500	2014/12
TETRACHLOROETHYLENE	34475	072	2008/12/12	< .500	2014/12
TOLUENE	34010	072	2008/12/12	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/12/12	< .500	2014/12
TRICHLOROETHYLENE	39180	072	2008/12/12	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	072	2008/12/12	< 5.000	2014/12
VINYL CHLORIDE	39175	072	2008/12/12	< .500	2014/12
XYLENES (TOTAL)	81551	072	2008/12/12	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/12/20	. 130.000	2014/12
CALCIUM	00916	036	2014/07/09	. 33.000	2017/07
CARBONATE ALKALINITY	00445	036	2011/12/20	< .000	2014/12
CHLORIDE	00940	036	2011/12/20	. 5.600	2014/12
COLOR	00081	036	2011/12/20	< .000	2014/12
COPPER	01042	036	2011/12/20	< .000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/20	< .000	2014/12
HARDNESS (TOTAL) AS CACO3	00900	036	2011/12/20	. 130.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/20	< .000	2014/12
IRON	01045	036	2011/12/20	. 210.000	2014/12
MAGNESIUM	00927	036	2011/12/20	. 7.800	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-002
Source Name: WELL 01 (ROBINSON)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2011/12/20	< .000	2014/12	
ODOR THRESHOLD @ 60 C	00086	036	2011/12/20	. 1.000	2014/12	
PH, LABORATORY	00403	036	2014/07/09	. 7.400	2017/07	
SILVER	01077	036	2011/12/20	< .000	2014/12	
SODIUM	00929	036	2011/12/20	. 8.800	2014/12	
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 250.000	2017/07	
SULFATE	00945	036	2011/12/20	. 3.300	2014/12	
TOTAL DISSOLVED SOLIDS	70300	036	2011/12/20	. 140.000	2014/12	
TURBIDITY, LABORATORY	82079	036	2011/12/20	. .200	2014/12	
ZINC	01092	036	2011/12/20	< .000	2014/12	

PS Code: 3610016-003
Source Name: WELL 02 (NEW)
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/12/20	< .000	2014/12	
ANTIMONY	01097	036	2011/12/20	< .000	2014/12	
ARSENIC	01002	036	2011/12/20	< .000	2014/12	
BARIUM	01007	036	2011/12/20	< .000	2014/12	
BERYLLIUM	01012	036	2011/12/20	< .000	2014/12	
CADMIUM	01027	036	2011/12/20	< .000	2014/12	
CHROMIUM (TOTAL)	01034	036	2011/12/20	< .000	2014/12	
CHROMIUM, HEXAVALENT	01032	036	2002/06/27	. .000	2005/06	DUE
CYANIDE	01291	036	2011/12/20	< .000	2014/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/20	. .130	2014/12	
MERCURY	71900	036	2011/12/20	< .000	2014/12	
NICKEL	01067	036	2011/12/20	< .000	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-003
Source Name: WELL 02 (NEW)
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2011/12/20	< .000	2014/12
SELENIUM	01147	036	2011/12/20	< .000	2014/12
THALLIUM	01059	036	2011/12/20	< .000	2014/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/07	. 4.100	2015/05
NITRITE (AS N)	00620	036	2011/12/20	< .000	2014/12
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/09/25	. 4.400	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/25	< .000	2015/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/25	< .000	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2008/12/12	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/12/12	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/12/12	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	072	2008/12/12	< .500	2014/12
1,1-DICHLOROETHANE	34496	072	2008/12/12	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	072	2008/12/12	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	072	2008/12/12	< .500	2014/12
1,2-DICHLOROBENZENE	34536	072	2008/12/12	< .500	2014/12
1,2-DICHLOROETHANE	34531	072	2008/12/12	< .500	2014/12
1,2-DICHLOROPROPANE	34541	072	2008/12/12	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/12/12	< .500	2014/12
1,4-DICHLOROBENZENE	34571	072	2008/12/12	< .500	2014/12
BENZENE	34030	072	2008/12/12	< .500	2014/12
CARBON TETRACHLORIDE	32102	072	2008/12/12	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/12/12	< .500	2014/12
DICHLOROMETHANE	34423	072	2008/12/12	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610016
System Name: GLEN MARTIN MWC

PS Code: 3610016-003
Source Name: WELL 02 (NEW)
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2008/12/12	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/12/12	< 3.000	2014/12
MONOCHLOROBENZENE	34301	072	2008/12/12	< .500	2014/12
STYRENE	77128	072	2008/12/12	< .500	2014/12
TETRACHLOROETHYLENE	34475	072	2008/12/12	< .500	2014/12
TOLUENE	34010	072	2008/12/12	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/12/12	< .500	2014/12
TRICHLOROETHYLENE	39180	072	2008/12/12	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	072	2008/12/12	< 5.000	2014/12
VINYL CHLORIDE	39175	072	2008/12/12	< .500	2014/12
XYLENES (TOTAL)	81551	072	2008/12/12	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/12/20	. 150.000	2014/12
CALCIUM	00916	036	2014/07/09	. 32.000	2017/07
CARBONATE ALKALINITY	00445	036	2011/12/20	< .000	2014/12
CHLORIDE	00940	036	2011/12/20	. 5.000	2014/12
COLOR	00081	036	2011/12/20	< .000	2014/12
COPPER	01042	036	2011/12/20	< .000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/20	< .000	2014/12
HARDNESS (TOTAL) AS CACO3	00900	036	2011/12/20	. 100.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/20	< .000	2014/12
IRON	01045	036	2011/12/20	< .000	2014/12
MAGNESIUM	00927	036	2011/12/20	. 6.100	2014/12
MANGANESE	01055	036	2011/12/20	< .000	2014/12
ODOR THRESHOLD @ 60 C	00086	036	2011/12/20	. 1.000	2014/12
PH, LABORATORY	00403	036	2014/07/09	. 7.200	2017/07
SILVER	01077	036	2011/12/20	< .000	2014/12
SODIUM	00929	036	2011/12/20	. 10.000	2014/12
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 250.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610016***
System Name: ***GLEN MARTIN MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610016-003***					
Source Name: ***WELL 02 (NEW)***					
Source Number: ***003***					
Source Status: ***ACTIVE UNTREATED***					
Water type: ***G***					
SECONDARY/GP					
SULFATE	**00945**	**036**	2011/12/20	**. 3.100**	2014/12
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/12/20	**. 150.000**	2014/12
TURBIDITY, LABORATORY	**82079**	**036**	2011/12/20	**. .100**	2014/12
ZINC	**01092**	**036**	2011/12/20	**< .000**	2014/12
PS Code: ***3610016-800***					
Source Name: ***WELL 01 (ROBINSON) - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610017***
System Name: ***HAVASU WC***

PS Code: ***3610017-001R***
Source Name: ***LAKE HAVASU - RAW***
Source Number: ***001***
Source Status: ***ACTIVE RAW***
Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2014/03/07	< .000	2015/03	
ANTIMONY	01097	012	2014/03/07	< .000	2015/03	
ARSENIC	01002	012	2014/03/07	. 2.400	2015/03	
ASBESTOS	81855	108	2012/06/08	. .000	2021/06	
BARIUM	01007	012	2014/03/07	. 120.000	2015/03	
BERYLLIUM	01012	012	2014/03/07	< .000	2015/03	
CADMIUM	01027	012	2014/03/07	< .000	2015/03	
CHROMIUM (TOTAL)	01034	012	2014/03/07	< .000	2015/03	
CHROMIUM, HEXAVALENT	01032	012	2005/04/08	. .000	2006/04	DUE
CYANIDE	01291	012	2014/03/07	< .000	2015/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/03/07	. .280	2015/03	
MERCURY	71900	012	2014/03/07	< .000	2015/03	
NICKEL	01067	012	2014/03/07	< .000	2015/03	
PERCHLORATE	A-031	012	2014/03/07	< .000	2015/03	
SELENIUM	01147	012	2014/03/07	< .000	2015/03	
THALLIUM	01059	012	2014/03/07	< .000	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/03/07	< .000	2015/03	
NITRITE (AS N)	00620	036	2014/03/07	< .000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2008/03/07	3.000	2014/03	DUE
URANIUM (PCI/L)	28012	072	2008/12/05	4.300	2014/12	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2012/12/07	< 5.000	2015/12	
2,4,5-TP (SILVEX)	39045	036	2012/12/07	< .000	2015/12	
2,4-D	39730	036	2012/12/07	< .000	2015/12	
ALACHLOR	77825	036	2012/12/07	< .000	2015/12	
ATRAZINE	39033	036	2012/12/07	< .000	2015/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610017***
System Name: ***HAVASU WC***

PS Code: ***3610017-001R***
Source Name: ***LAKE HAVASU - RAW***
Source Number: ***001***
Source Status: ***ACTIVE RAW***
Water type: ***S***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENTAZON	38710	036	2012/12/07	< .000	2015/12
BENZO (A) PYRENE	34247	036	2012/12/07	< .000	2015/12
CARBOFURAN	81405	036	2012/12/07	< .000	2015/12
CHLORDANE	39350	036	2012/12/07	< .000	2015/12
DALAPON	38432	036	2012/12/07	< .000	2015/12
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/12/07	< .000	2015/12
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/12/07	< .000	2015/12
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/12/07	< .000	2015/12
DINOSEB	81287	036	2012/12/07	< .000	2015/12
DIQUAT	78885	036	2012/12/07	< 4.000	2015/12
ENDOTHALL	38926	036	2012/12/07	< .000	2015/12
ENDRIN	39390	036	2012/12/07	< .000	2015/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/12/07	< .000	2015/12
GLYPHOSATE	79743	036	2012/12/07	< .000	2015/12
HEPTACHLOR	39410	036	2012/12/07	< .000	2015/12
HEPTACHLOR EPOXIDE	39420	036	2012/12/07	< .000	2015/12
HEXACHLOROBENZENE	39700	036	2012/12/07	< .000	2015/12
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/12/07	< .000	2015/12
LINDANE	39340	036	2012/12/07	< .000	2015/12
METHOXYCHLOR	39480	036	2012/12/07	< .000	2015/12
MOLINATE	82199	036	2012/12/07	< .000	2015/12
OXAMYL	38865	036	2012/12/07	< .000	2015/12
PENTACHLOROPHENOL	39032	036	2012/12/07	< .000	2015/12
PICLORAM	39720	036	2012/12/07	< .000	2015/12
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/12/07	< .000	2015/12
SIMAZINE	39055	036	2012/12/07	< .000	2015/12
THIOBENCARB	A-001	036	2012/12/07	< .000	2015/12
TOXAPHENE	39400	036	2012/12/07	< .000	2015/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610017
System Name: HAVASU WC

PS Code: 3610017-001R
Source Name: LAKE HAVASU - RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/03/07	< .000	2015/03
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/03/07	< .000	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/03/07	< .000	2015/03
1,1,2-TRICHLOROETHANE	34511	012	2014/03/07	< .000	2015/03
1,1-DICHLOROETHANE	34496	012	2014/03/07	< .000	2015/03
1,1-DICHLOROETHYLENE	34501	012	2014/03/07	< .000	2015/03
1,2,4-TRICHLOROBENZENE	34551	012	2014/03/07	< .000	2015/03
1,2-DICHLOROBENZENE	34536	012	2014/03/07	< .000	2015/03
1,2-DICHLOROETHANE	34531	012	2014/03/07	< .000	2015/03
1,2-DICHLOROPROPANE	34541	012	2014/03/07	< .000	2015/03
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/03/07	< .000	2015/03
1,4-DICHLOROBENZENE	34571	012	2014/03/07	< .000	2015/03
BENZENE	34030	012	2014/03/07	< .000	2015/03
CARBON TETRACHLORIDE	32102	012	2014/03/07	< .000	2015/03
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/03/07	< .000	2015/03
DICHLOROMETHANE	34423	012	2014/03/07	< .000	2015/03
ETHYLBENZENE	34371	012	2014/03/07	< .000	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/03/07	< .000	2015/03
MONOCHLOROBENZENE	34301	012	2014/03/07	< .000	2015/03
STYRENE	77128	012	2014/03/07	< .000	2015/03
TETRACHLOROETHYLENE	34475	012	2014/03/07	< .000	2015/03
TOLUENE	34010	012	2014/03/07	< .000	2015/03
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/03/07	< .000	2015/03
TRICHLOROETHYLENE	39180	012	2014/03/07	< .000	2015/03
TRICHLOROFLUOROMETHANE	34488	012	2014/03/07	< .000	2015/03
VINYL CHLORIDE	39175	012	2014/03/07	< .000	2015/03
XYLENES (TOTAL)	81551	012	2014/03/07	< .000	2015/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2014/03/07	. 170.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610017
System Name: HAVASU WC

PS Code: 3610017-001R
Source Name: LAKE HAVASU - RAW
Source Number: 001
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	012	2014/03/07	. 73.000	2015/03
CARBONATE ALKALINITY	00445	012	2014/03/07	< .000	2015/03
CHLORIDE	00940	012	2014/03/07	. 79.000	2015/03
COLOR	00081	012	2014/03/07	< .000	2015/03
COPPER	01042	012	2014/03/07	< .000	2015/03
FOAMING AGENTS (MBAS)	38260	012	2014/03/07	< .000	2015/03
HARDNESS (TOTAL) AS CACO3	00900	012	2014/03/07	. 280.000	2015/03
HYDROXIDE ALKALINITY	71830	012	2014/03/07	< .000	2015/03
IRON	01045	012	2014/03/07	< .000	2015/03
MAGNESIUM	00927	012	2014/03/07	. 25.000	2015/03
MANGANESE	01055	012	2014/03/07	< .000	2015/03
ODOR THRESHOLD @ 60 C	00086	012	2014/03/07	. 1.000	2015/03
PH, LABORATORY	00403	012	2014/03/07	. 8.100	2015/03
SILVER	01077	012	2014/03/07	< .000	2015/03
SODIUM	00929	012	2014/03/07	. 80.000	2015/03
SPECIFIC CONDUCTANCE	00095	012	2014/03/07	. 920.000	2015/03
SULFATE	00945	012	2014/03/07	. 220.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	012	2014/03/07	. 590.000	2015/03
TURBIDITY, LABORATORY	82079	012	2014/03/07	. .800	2015/03
ZINC	01092	012	2014/03/07	< .000	2015/03

PS Code: 3610017-002T
Source Name: HAVASU WTP - TREATED
Source Number: 002
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610017
System Name: HAVASU WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610017-601					
Source Name: DBP2-CEMENT PLANT					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/02	. 2.200	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/02	. 15.300	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/02	. 31.500	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/02	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/02	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/02	. 14.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/02	. 19.600	2014/08
BROMOFORM (THM)	32104	003	2014/05/02	. 1.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/02	. 30.700	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/02	. 8.400	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/02	. 59.700	2014/08
PS Code: 3610017-602					
Source Name: DBP2-148621 DESERT VIEW LN					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610017***

System Name: ***HAVASU WC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610017-602***						
Source Name: ***DBP2-148621 DESERT VIEW LN***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-001
Source Name: BEE TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/07/18	< .000	2014/07	
ANTIMONY	01097	012	2013/07/18	< .000	2014/07	
ARSENIC	01002	012	2013/07/18	< .000	2014/07	
ASBESTOS	81855	108	2011/05/23	< .200	2020/05	
BARIUM	01007	012	2013/07/18	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/18	< .000	2014/07	
CADMIUM	01027	012	2013/07/18	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/18	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	012	2007/06/26	.000	2008/06	DUE
CYANIDE	01291	012	2013/07/18	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/18	. .300	2014/07	
MERCURY	71900	012	2013/07/18	< .000	2014/07	
NICKEL	01067	012	2013/07/18	< .000	2014/07	
PERCHLORATE	A-031	012	2013/07/18	< .000	2014/07	
SELENIUM	01147	012	2013/07/18	< .000	2014/07	
THALLIUM	01059	012	2013/07/18	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	. 4.800	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< .000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/13	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/13	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/05/13	< .000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/05/13	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-001
Source Name: BEE TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2-TRICHLOROETHANE	34511	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHANE	34496	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/05/13	< .000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROETHANE	34531	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	036	2011/05/13	< .000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/13	< .000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2011/05/13	< .000	2014/05	DUE
BENZENE	34030	036	2011/05/13	< .000	2014/05	DUE
CARBON TETRACHLORIDE	32102	036	2011/05/13	< .000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/05/13	< .000	2014/05	DUE
DICHLOROMETHANE	34423	036	2011/05/13	< .000	2014/05	DUE
ETHYLBENZENE	34371	036	2011/05/13	< .000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/05/13	< .000	2014/05	DUE
MONOCHLOROBENZENE	34301	036	2011/05/13	< .000	2014/05	DUE
STYRENE	77128	036	2011/05/13	< .000	2014/05	DUE
TETRACHLOROETHYLENE	34475	036	2011/05/13	< .000	2014/05	DUE
TOLUENE	34010	036	2011/05/13	< .000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/05/13	< .000	2014/05	DUE
TRICHLOROETHYLENE	39180	036	2011/05/13	< .000	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	036	2011/05/13	< .000	2014/05	DUE
VINYL CHLORIDE	39175	036	2011/05/13	< .000	2014/05	DUE
XYLENES (TOTAL)	81551	036	2011/05/13	< .000	2014/05	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2013/07/18	. 130.000	2014/07	
CALCIUM	00916	012	2013/07/18	. 33.000	2014/07	
CARBONATE ALKALINITY	00445	012	2013/07/18	< .000	2014/07	
CHLORIDE	00940	012	2013/07/18	. 3.900	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-001
Source Name: BEE TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	012	2013/07/18	< .000	2014/07
COPPER	01042	012	2013/07/18	< .000	2014/07
FOAMING AGENTS (MBAS)	38260	012	2013/07/18	< .000	2014/07
HARDNESS (TOTAL) AS CACO3	00900	012	2013/07/18	. 120.000	2014/07
HYDROXIDE ALKALINITY	71830	012	2013/07/18	< .000	2014/07
IRON	01045	012	2013/07/18	< .000	2014/07
MAGNESIUM	00927	012	2013/07/18	. 9.500	2014/07
MANGANESE	01055	012	2013/07/18	< .000	2014/07
ODOR THRESHOLD @ 60 C	00086	012	2013/07/18	1.000	2014/07
PH, LABORATORY	00403	012	2013/07/18	. 8.000	2014/07
SILVER	01077	012	2013/07/18	< .000	2014/07
SODIUM	00929	012	2013/07/18	13.000	2014/07
SPECIFIC CONDUCTANCE	00095	012	2013/07/18	. 290.000	2014/07
SULFATE	00945	012	2013/07/18	30.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	012	2013/07/18	. 190.000	2014/07
TURBIDITY, LABORATORY	82079	012	2013/07/18	< .000	2014/07
ZINC	01092	012	2013/07/18	< .000	2014/07

PS Code: 3610018-002
Source Name: WELL 01
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/10	< .000	2017/07
ANTIMONY	01097	036	2014/07/10	< .000	2017/07
ARSENIC	01002	036	2014/07/10	< .000	2017/07
BARIUM	01007	036	2014/07/10	< .000	2017/07
BERYLLIUM	01012	036	2014/07/10	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-002
Source Name: WELL 01
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/07/10	< .000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/10	< .000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2007/06/19	2.900	2010/06	DUE
CYANIDE	01291	036	2014/07/10	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/10	. .210	2017/07	
MERCURY	71900	036	2014/07/10	< .000	2017/07	
NICKEL	01067	036	2014/07/10	< .000	2017/07	
PERCHLORATE	A-031	036	2014/07/10	. 8.200	2017/07	
SELENIUM	01147	036	2014/07/10	< .000	2017/07	
THALLIUM	01059	036	2014/07/10	< .000	2017/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/10	. 50.000	2015/07	
NITRITE (AS N)	00620	036	2014/07/10	< .000	2017/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/10	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/10	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/10	< .000	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/10	< .000	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/10	< .000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/10	< .000	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/10	< .000	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/10	< .000	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/10	< .000	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/10	< .000	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/10	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/10	**< .000**	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/07/10	**< .000**	2017/07	
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/10	**< .000**	2017/07	
BENZENE	**34030**	**036**	2014/07/10	**< .000**	2017/07	
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/10	**< .000**	2017/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/10	**< .000**	2017/07	
DICHLOROMETHANE	**34423**	**036**	2014/07/10	**< .000**	2017/07	
ETHYLBENZENE	**34371**	**036**	2014/07/10	**< .000**	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/10	**< .000**	2017/07	
MONOCHLOROBENZENE	**34301**	**036**	2014/07/10	**< .000**	2017/07	
STYRENE	**77128**	**036**	2014/07/10	**< .000**	2017/07	
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/10	**< .000**	2017/07	
TOLUENE	**34010**	**036**	2014/07/10	**< .000**	2017/07	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/10	**< .000**	2017/07	
TRICHLOROETHYLENE	**39180**	**036**	2014/07/10	**< .000**	2017/07	
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/10	**< .000**	2017/07	
VINYL CHLORIDE	**39175**	**036**	2014/07/10	**< .000**	2017/07	
XYLENES (TOTAL)	**81551**	**036**	2014/07/10	**< .000**	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/10	**. 210.000**	2017/07	
CALCIUM	**00916**	**036**	2014/07/10	**. 64.000**	2017/07	
CARBONATE ALKALINITY	**00445**	**036**	2014/07/10	**< .000**	2017/07	
CHLORIDE	**00940**	**036**	2014/07/10	**. 13.000**	2017/07	
COLOR	**00081**	**036**	**2011/05/26**	**< .000**	**2014/05**	**DUE**
COPPER	**01042**	**036**	2014/07/10	**< .000**	2017/07	
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/10	**< .000**	2017/07	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/10	**. 210.000**	2017/07	
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/10	**< .000**	2017/07	
IRON	**01045**	**036**	2014/07/10	**. 200.000**	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-002
Source Name: WELL 01
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MAGNESIUM	00927	036	2014/07/10	. 13.000	2017/07	
MANGANESE	01055	036	2014/07/10	< .000	2017/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/05/26	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2014/07/10	. 7.600	2017/07	
SILVER	01077	036	2014/07/10	< .000	2017/07	
SODIUM	00929	036	2014/07/10	. 20.000	2017/07	
SPECIFIC CONDUCTANCE	00095	036	2014/07/10	. 490.000	2017/07	
SULFATE	00945	036	2014/07/10	. 23.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/10	. 320.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/05/26	. .100	2014/05	DUE
ZINC	01092	036	2014/07/10	< .000	2017/07	

PS Code: 3610018-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2014/07/10	< .000	2017/07	
ANTIMONY	01097	036	2014/07/10	< .000	2017/07	
ARSENIC	01002	036	2014/07/10	< .000	2017/07	
BARIUM	01007	036	2014/07/10	< .000	2017/07	
BERYLLIUM	01012	036	2014/07/10	< .000	2017/07	
CADMIUM	01027	036	2014/07/10	< .000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/10	< .000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2007/06/19	2.300	2010/06	DUE
CYANIDE	01291	036	2014/07/10	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/10	. .250	2017/07	
MERCURY	71900	036	2014/07/10	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	01067	036	2014/07/10	< .000	2017/07
PERCHLORATE	A-031	036	2014/07/21	< .000	2017/07
SELENIUM	01147	036	2014/07/10	< .000	2017/07
THALLIUM	01059	036	2014/07/10	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/28	. 17.000	2015/07
NITRITE (AS N)	00620	036	2014/07/10	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/10	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/10	< .000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/10	< .000	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/10	< .000	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/10	< .000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/10	< .000	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/10	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/10	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/10	< .000	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/10	< .000	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/10	< .000	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/10	< .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/10	< .000	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/10	< .000	2017/07
BENZENE	34030	036	2014/07/10	< .000	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/10	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/10	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
DICHLOROMETHANE	34423	036	2014/07/10	< .000	2017/07	
ETHYLBENZENE	34371	036	2014/07/10	< .000	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/10	< .000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/10	< .000	2017/07	
STYRENE	77128	036	2014/07/10	< .000	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/10	< .000	2017/07	
TOLUENE	34010	036	2014/07/10	< .000	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/10	< .000	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/10	< .000	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/10	< .000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/10	< .000	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/10	< .000	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/07/10	. 200.000	2017/07	
CALCIUM	00916	036	2014/07/10	. 49.000	2017/07	
CARBONATE ALKALINITY	00445	036	2014/07/10	< .000	2017/07	
CHLORIDE	00940	036	2014/07/10	. 9.500	2017/07	
COLOR	00081	036	2011/05/26	< .000	2014/05	DUE
COPPER	01042	036	2014/07/10	< .000	2017/07	
FOAMING AGENTS (MBAS)	38260	036	2014/07/10	< .000	2017/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/10	. 170.000	2017/07	
HYDROXIDE ALKALINITY	71830	036	2014/07/10	< .000	2017/07	
IRON	01045	036	2014/07/10	< .000	2017/07	
MAGNESIUM	00927	036	2014/07/10	. 11.000	2017/07	
MANGANESE	01055	036	2014/07/10	< .000	2017/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/05/26	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2014/07/10	. 7.700	2017/07	
SILVER	01077	036	2014/07/10	< .000	2017/07	
SODIUM	00929	036	2014/07/10	. 16.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SPECIFIC CONDUCTANCE	00095	036	2014/07/10	.	380.000	2017/07	
SULFATE	00945	036	2014/07/10	.	10.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/10	.	240.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/05/26	<	.000	2014/05	DUE
ZINC	01092	036	2014/07/10	<	.000	2017/07	

PS Code: 3610018-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/07/10	.	65.000	2017/07	
ANTIMONY	01097	036	2014/07/10	<	.000	2017/07	
ARSENIC	01002	036	2014/07/10	<	.000	2017/07	
BARIUM	01007	036	2014/07/10	<	.000	2017/07	
BERYLLIUM	01012	036	2014/07/10	<	.000	2017/07	
CADMIUM	01027	036	2014/07/10	<	.000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/10	<	.000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2007/06/19		2.600	2010/06	DUE
CYANIDE	01291	036	2014/07/10	<	.000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/10	.	.270	2017/07	
MERCURY	71900	036	2014/07/10	<	.000	2017/07	
NICKEL	01067	036	2014/07/10	<	.000	2017/07	
PERCHLORATE	A-031	036	2014/07/21	<	.000	2017/07	
SELENIUM	01147	036	2014/07/10	<	.000	2017/07	
THALLIUM	01059	036	2014/07/10	<	.000	2017/07	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/28	.	14.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	**00620**	**036**	2014/07/10	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/07/19	**< .000**	2019/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/10	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/10	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/10	**< .000**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/10	**< .000**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/10	**< .000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/10	**< .000**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/10	**< .000**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/10	**< .000**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/10	**< .000**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/10	**< .000**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/10	**< .000**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/10	**< .000**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/07/10	**< .000**	2017/07
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/10	**< .000**	2017/07
BENZENE	**34030**	**036**	2014/07/10	**< .000**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/10	**< .000**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/10	**< .000**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/10	**< .000**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/10	**< .000**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/10	**< .000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/10	**< .000**	2017/07
STYRENE	**77128**	**036**	2014/07/10	**< .000**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/10	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TOLUENE	34010	036	2014/07/10	< .000	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/10	< .000	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/10	< .000	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/10	< .000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/10	< .000	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/10	< .000	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/07/10	. 200.000	2017/07	
CALCIUM	00916	036	2014/07/10	. 43.000	2017/07	
CARBONATE ALKALINITY	00445	036	2014/07/10	< .000	2017/07	
CHLORIDE	00940	036	2014/07/10	. 5.900	2017/07	
COLOR	00081	036	2011/05/26	< .000	2014/05	DUE
COPPER	01042	036	2014/07/10	< .000	2017/07	
FOAMING AGENTS (MBAS)	38260	036	2014/07/10	< .000	2017/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/10	. 150.000	2017/07	
HYDROXIDE ALKALINITY	71830	036	2014/07/10	< .000	2017/07	
IRON	01045	036	2014/07/10	. 120.000	2017/07	
MAGNESIUM	00927	036	2014/07/10	. 9.500	2017/07	
MANGANESE	01055	036	2014/07/10	< .000	2017/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/05/26	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2014/07/10	. 7.700	2017/07	
SILVER	01077	036	2014/07/10	< .000	2017/07	
SODIUM	00929	036	2014/07/10	. 19.000	2017/07	
SPECIFIC CONDUCTANCE	00095	036	2014/07/10	. 360.000	2017/07	
SULFATE	00945	036	2014/07/10	. 14.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/10	. 230.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/05/26	. .100	2014/05	DUE
ZINC	01092	036	2014/07/10	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-008***

Source Name: ***WELL 13***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/26	< .000	2017/06	
ANTIMONY	01097	036	2014/06/26	< .000	2017/06	
ARSENIC	01002	036	2014/06/26	< .000	2017/06	
BARIUM	01007	036	2014/06/26	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06	
CADMIUM	01027	036	2014/06/26	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	**2007/06/19**	5.100	**2010/06**	**DUE**
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .420	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/28	. 24.000	2015/07	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	. .030	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/26	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/26	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/26	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/26	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/26	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-008***

Source Name: ***WELL 13***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/26	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/26	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/26	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/26	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/26	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/26	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/26	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/26	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/26	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/26	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/26	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/26	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/26	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/26	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/26	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/26	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/26	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/26	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 180.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 55.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 10.000**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-008
Source Name: WELL 13
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/06/26	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/26	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/26	. 200.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/26	< .000	2017/06
IRON	01045	036	2014/06/26	< .000	2017/06
MAGNESIUM	00927	036	2014/06/26	. 16.000	2017/06
MANGANESE	01055	036	2014/06/26	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/26	. 7.600	2017/06
SILVER	01077	036	2014/06/26	< .000	2017/06
SODIUM	00929	036	2014/06/26	. 18.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/26	. 470.000	2017/06
SULFATE	00945	036	2014/06/26	. 54.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 330.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/26	< .000	2017/06
ZINC	01092	036	2014/06/26	< .000	2017/06

PS Code: 3610018-010
Source Name: WELL 16
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/26	< .000	2017/06
ANTIMONY	01097	036	2014/06/26	< .000	2017/06
ARSENIC	01002	036	2014/06/26	< .000	2017/06
BARIUM	01007	036	2014/06/26	< .000	2017/06
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06
CADMIUM	01027	036	2014/06/26	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-010
Source Name: WELL 16
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2007/06/19	.000	2010/06	DUE
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .470	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/28	. 59.000	2015/07	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/09/20	< .000	2019/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/26	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/26	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/26	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/26	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/26	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/26	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/26	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/26	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/26	< .000	2017/06	
1,2-DICHLOROETHANE	34531	036	2014/06/26	< .000	2017/06	
1,2-DICHLOROPROPANE	34541	036	2014/06/26	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-010***

Source Name: ***WELL 16***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/26	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/26	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/26	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/26	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/26	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/26	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/26	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/26	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/26	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/26	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/26	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/26	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/26	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/26	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/26	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 170.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 65.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 15.000**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/26	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/26	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/26	**. 210.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/26	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/26	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/26	**. 10.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-010***

Source Name: ***WELL 16***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/06/26	< .000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06	
PH, LABORATORY	00403	036	2014/06/26	. 7.800	2017/06	
SILVER	01077	036	2014/06/26	< .000	2017/06	
SODIUM	00929	036	2014/06/26	. 14.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/26	. 480.000	2017/06	
SULFATE	00945	036	2014/06/26	. 29.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 300.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/26	< .000	2017/06	
ZINC	01092	036	2014/06/26	< .000	2017/06	

PS Code: ***3610018-011***

Source Name: ***ARTHUR BRIDGE WTP - INTAKES - RAW***

Source Number: ***011***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	012	2013/07/18	< .000	2014/07	
ANTIMONY	01097	012	2013/07/18	< .000	2014/07	
ARSENIC	01002	012	2013/07/18	< .000	2014/07	
ASBESTOS	81855	108	2011/05/23	< .200	2020/05	
BARIUM	01007	012	2013/07/18	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/18	< .000	2014/07	
CADMIUM	01027	012	2013/07/18	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/18	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	012	**2007/06/26**	.000	**2008/06**	**DUE**
CYANIDE	01291	012	2013/07/18	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/18	. .610	2014/07	
MERCURY	71900	012	2013/07/18	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-011
Source Name: ARTHUR BRIDGE WTP - INTAKES - RAW
Source Number: 011
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
NICKEL	01067	012	2013/07/18	< .000	2014/07	
PERCHLORATE	A-031	012	2013/07/18	< .000	2014/07	
SELENIUM	01147	012	2013/07/18	< .000	2014/07	
THALLIUM	01059	012	2013/07/18	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	< .000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< .000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	3.500	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/12	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/12	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/05/12	< .000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/05/12	< .000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/05/12	< .000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/05/12	< .000	2014/05	DUE
1,1-DICHLOROETHANE	34496	036	2011/05/12	< .000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/05/12	< .000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/05/12	< .000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	036	2011/05/12	< .000	2014/05	DUE
1,2-DICHLOROETHANE	34531	036	2011/05/12	< .000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	036	2011/05/12	< .000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/12	< .000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2011/05/12	< .000	2014/05	DUE
BENZENE	34030	036	2011/05/12	< .000	2014/05	DUE
CARBON TETRACHLORIDE	32102	036	2011/05/12	< .000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/05/12	< .000	2014/05	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-011
Source Name: ARTHUR BRIDGE WTP - INTAKES - RAW
Source Number: 011
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
DICHLOROMETHANE	34423	036	2011/05/12	< .000	2014/05	DUE
ETHYLBENZENE	34371	036	2011/05/12	< .000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/05/12	< .000	2014/05	DUE
MONOCHLOROBENZENE	34301	036	2011/05/12	< .000	2014/05	DUE
STYRENE	77128	036	2011/05/12	< .000	2014/05	DUE
TETRACHLOROETHYLENE	34475	036	2011/05/12	< .000	2014/05	DUE
TOLUENE	34010	036	2011/05/12	< .000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/05/12	< .000	2014/05	DUE
TRICHLOROETHYLENE	39180	036	2011/05/12	< .000	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	036	2011/05/12	< .000	2014/05	DUE
VINYL CHLORIDE	39175	036	2011/05/12	< .000	2014/05	DUE
XYLENES (TOTAL)	81551	036	2011/05/12	< .000	2014/05	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2013/07/18	. 180.000	2014/07	
CALCIUM	00916	012	2013/07/18	. 50.000	2014/07	
CARBONATE ALKALINITY	00445	012	2013/07/18	9.600	2014/07	
CHLORIDE	00940	012	2013/07/18	. 3.000	2014/07	
COLOR	00081	012	2013/07/18	< .000	2014/07	
COPPER	01042	012	2013/07/18	< .000	2014/07	
FOAMING AGENTS (MBAS)	38260	012	2013/07/18	< .000	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	012	2013/07/18	. 160.000	2014/07	
HYDROXIDE ALKALINITY	71830	012	2013/07/18	< .000	2014/07	
IRON	01045	012	2013/07/18	< .000	2014/07	
MAGNESIUM	00927	012	2013/07/18	. 9.600	2014/07	
MANGANESE	01055	012	2013/07/18	< .000	2014/07	
ODOR THRESHOLD @ 60 C	00086	012	2013/07/18	1.000	2014/07	
PH, LABORATORY	00403	012	2013/07/18	. 8.300	2014/07	
SILVER	01077	012	2013/07/18	< .000	2014/07	
SODIUM	00929	012	2013/07/18	13.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-011
Source Name: ARTHUR BRIDGE WTP - INTAKES - RAW
Source Number: 011
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	012	2013/07/18	. 350.000	2014/07	
SULFATE	00945	012	2013/07/18	17.000	2014/07	
TOTAL DISSOLVED SOLIDS	70300	012	2013/07/18	. 210.000	2014/07	
TURBIDITY, LABORATORY	82079	012	2013/07/18	. .500	2014/07	
ZINC	01092	012	2013/07/18	< .000	2014/07	

PS Code: 3610018-012
Source Name: DAY CANYON
Source Number: 012
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/07/18	. 160.000	2014/07	
ANTIMONY	01097	012	2013/07/18	< .000	2014/07	
ARSENIC	01002	012	2013/07/18	< .000	2014/07	
ASBESTOS	81855	108	2011/05/23	< .200	2020/05	
BARIUM	01007	012	2013/07/18	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/18	< .000	2014/07	
CADMIUM	01027	012	2013/07/18	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/18	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	012	2007/06/26	.000	2008/06	DUE
CYANIDE	01291	012	2013/07/18	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/18	. .250	2014/07	
MERCURY	71900	012	2013/07/18	< .000	2014/07	
NICKEL	01067	012	2013/07/18	< .000	2014/07	
PERCHLORATE	A-031	012	2013/07/18	< .000	2014/07	
SELENIUM	01147	012	2013/07/18	< .000	2014/07	
THALLIUM	01059	012	2013/07/18	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-012***

Source Name: ***DAY CANYON***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	< .000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< .000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/13	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/13	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/05/13	< .000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHANE	34496	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/05/13	< .000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROETHANE	34531	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	036	2011/05/13	< .000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/13	< .000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2011/05/13	< .000	2014/05	DUE
BENZENE	34030	036	2011/05/13	< .000	2014/05	DUE
CARBON TETRACHLORIDE	32102	036	2011/05/13	< .000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/05/13	< .000	2014/05	DUE
DICHLOROMETHANE	34423	036	2011/05/13	< .000	2014/05	DUE
ETHYLBENZENE	34371	036	2011/05/13	< .000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/05/13	< .000	2014/05	DUE
MONOCHLOROBENZENE	34301	036	2011/05/13	< .000	2014/05	DUE
STYRENE	77128	036	2011/05/13	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-012***

Source Name: ***DAY CANYON***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TETRACHLOROETHYLENE	**34475**	**036**	**2011/05/13**	**<**	**.000**	**2014/05**	**DUE**
TOLUENE	**34010**	**036**	**2011/05/13**	**<**	**.000**	**2014/05**	**DUE**
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	**2011/05/13**	**<**	**.000**	**2014/05**	**DUE**
TRICHLOROETHYLENE	**39180**	**036**	2012/03/20	**<**	**.000**	2015/03	
TRICHLOROFLUOROMETHANE	**34488**	**036**	**2011/05/13**	**<**	**.000**	**2014/05**	**DUE**
VINYL CHLORIDE	**39175**	**036**	**2011/05/13**	**<**	**.000**	**2014/05**	**DUE**
XYLENES (TOTAL)	**81551**	**036**	**2011/05/13**	**<**	**.000**	**2014/05**	**DUE**
SECONDARY/GP							
BICARBONATE ALKALINITY	**00440**	**012**	2013/07/18	**.**	**190.000**	2014/07	
CALCIUM	**00916**	**012**	2013/07/18	**.**	**51.000**	2014/07	
CARBONATE ALKALINITY	**00445**	**012**	2013/07/18	**<**	**.000**	2014/07	
CHLORIDE	**00940**	**012**	2013/07/18	**.**	**2.300**	2014/07	
COLOR	**00081**	**012**	2013/07/18	**<**	**.000**	2014/07	
COPPER	**01042**	**012**	2013/07/18	**<**	**.000**	2014/07	
FOAMING AGENTS (MBAS)	**38260**	**012**	2013/07/18	**<**	**.000**	2014/07	
HARDNESS (TOTAL) AS CACO3	**00900**	**012**	2013/07/18	**.**	**160.000**	2014/07	
HYDROXIDE ALKALINITY	**71830**	**012**	2013/07/18	**<**	**.000**	2014/07	
IRON	**01045**	**012**	2013/07/18		**150.000**	2014/07	
MAGNESIUM	**00927**	**012**	2013/07/18	**.**	**7.300**	2014/07	
MANGANESE	**01055**	**012**	2013/07/18	**<**	**.000**	2014/07	
ODOR THRESHOLD @ 60 C	**00086**	**012**	2013/07/18		**1.000**	2014/07	
PH, LABORATORY	**00403**	**012**	2013/07/18	**.**	**8.300**	2014/07	
SILVER	**01077**	**012**	2013/07/18	**<**	**.000**	2014/07	
SODIUM	**00929**	**012**	2013/07/18		**9.600**	2014/07	
SPECIFIC CONDUCTANCE	**00095**	**012**	2013/07/18	**.**	**320.000**	2014/07	
SULFATE	**00945**	**012**	2013/07/18		**12.000**	2014/07	
TOTAL DISSOLVED SOLIDS	**70300**	**012**	2013/07/18	**.**	**190.000**	2014/07	
TURBIDITY, LABORATORY	**82079**	**012**	2013/07/18	**.**	**.300**	2014/07	
ZINC	**01092**	**012**	2013/07/18	**<**	**.000**	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-013
Source Name: RESERVOIR 8B RAW - DEER CREEK SOURCES
Source Number: 013
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610018-014
Source Name: EAST CANYON
Source Number: 014
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/07/18	< .000	2014/07	
ANTIMONY	01097	012	2013/07/18	< .000	2014/07	
ARSENIC	01002	012	2013/07/18	< .000	2014/07	
ASBESTOS	81855	108	2011/05/23	< .200	2020/05	
BARIUM	01007	012	2013/07/18	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/18	< .000	2014/07	
CADMIUM	01027	012	2013/07/18	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/18	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	012	2007/06/26	.000	2008/06	DUE
CYANIDE	01291	012	2013/07/18	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/18	. .170	2014/07	
MERCURY	71900	012	2013/07/18	< .000	2014/07	
NICKEL	01067	012	2013/07/18	< .000	2014/07	
PERCHLORATE	A-031	012	2013/07/18	< .000	2014/07	
SELENIUM	01147	012	2013/07/18	< .000	2014/07	
THALLIUM	01059	012	2013/07/18	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	< .000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< .000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-014
Source Name: EAST CANYON
Source Number: 014
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/13	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/13	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/05/13	< .000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHANE	34496	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/05/13	< .000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROETHANE	34531	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	036	2011/05/13	< .000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/13	< .000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2011/05/13	< .000	2014/05	DUE
BENZENE	34030	036	2011/05/13	< .000	2014/05	DUE
CARBON TETRACHLORIDE	32102	036	2011/05/13	< .000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/05/13	< .000	2014/05	DUE
DICHLOROMETHANE	34423	036	2011/05/13	< .000	2014/05	DUE
ETHYLBENZENE	34371	036	2011/05/13	< .000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/05/13	< .000	2014/05	DUE
MONOCHLOROBENZENE	34301	036	2011/05/13	< .000	2014/05	DUE
STYRENE	77128	036	2011/05/13	< .000	2014/05	DUE
TETRACHLOROETHYLENE	34475	036	2011/05/13	< .000	2014/05	DUE
TOLUENE	34010	036	2011/05/13	< .000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/05/13	< .000	2014/05	DUE
TRICHLOROETHYLENE	39180	036	2011/05/13	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-014
Source Name: EAST CANYON
Source Number: 014
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TRICHLOROFLUOROMETHANE	34488	036	2011/05/13	< .000	2014/05	DUE
VINYL CHLORIDE	39175	036	2011/05/13	< .000	2014/05	DUE
XYLENES (TOTAL)	81551	036	2011/05/13	< .000	2014/05	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2013/07/18	. 150.000	2014/07	
CALCIUM	00916	012	2013/07/18	. 31.000	2014/07	
CARBONATE ALKALINITY	00445	012	2013/07/18	< .000	2014/07	
CHLORIDE	00940	012	2013/07/18	. 4.000	2014/07	
COLOR	00081	012	2013/07/18	< .000	2014/07	
COPPER	01042	012	2013/07/18	< .000	2014/07	
FOAMING AGENTS (MBAS)	38260	012	2013/07/18	< .000	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	012	2013/07/18	. 100.000	2014/07	
HYDROXIDE ALKALINITY	71830	012	2013/07/18	< .000	2014/07	
IRON	01045	012	2013/07/18	< .000	2014/07	
MAGNESIUM	00927	012	2013/07/18	. 6.800	2014/07	
MANGANESE	01055	012	2013/07/18	< .000	2014/07	
ODOR THRESHOLD @ 60 C	00086	012	2013/07/18	1.000	2014/07	
PH, LABORATORY	00403	012	2013/07/18	. 8.300	2014/07	
SILVER	01077	012	2013/07/18	< .000	2014/07	
SODIUM	00929	012	2013/07/18	15.000	2014/07	
SPECIFIC CONDUCTANCE	00095	012	2013/07/18	. 270.000	2014/07	
SULFATE	00945	012	2013/07/18	13.000	2014/07	
TOTAL DISSOLVED SOLIDS	70300	012	2013/07/18	. 160.000	2014/07	
TURBIDITY, LABORATORY	82079	012	2013/07/18	< .000	2014/07	
ZINC	01092	012	2013/07/18	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-016
Source Name: HERMOSA TUNNEL
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/05/12	< .000	2014/05	DUE
ANTIMONY	01097	036	2011/05/12	< .000	2014/05	DUE
ARSENIC	01002	036	2011/05/12	< .000	2014/05	DUE
BARIUM	01007	036	2011/05/12	< .000	2014/05	DUE
BERYLLIUM	01012	036	2011/05/12	< .000	2014/05	DUE
CADMIUM	01027	036	2011/05/12	< .000	2014/05	DUE
CHROMIUM (TOTAL)	01034	036	2011/05/12	< .000	2014/05	DUE
CHROMIUM, HEXAVALENT	01032	036	2007/06/26	.000	2010/06	DUE
CYANIDE	01291	036	2011/05/12	< .000	2014/05	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/05/12	. .120	2014/05	DUE
MERCURY	71900	036	2011/05/12	< .000	2014/05	DUE
NICKEL	01067	036	2011/05/12	< .000	2014/05	DUE
PERCHLORATE	A-031	036	2011/05/12	< .000	2014/05	DUE
SELENIUM	01147	036	2011/05/12	< .000	2014/05	DUE
THALLIUM	01059	036	2011/05/12	< .000	2014/05	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/20	. 3.300	2014/06	DUE
NITRITE (AS N)	00620	036	2011/05/12	< .000	2014/05	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/12	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/12	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/05/12	< .000	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/05/12	< .000	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/05/12	< .000	2017/05	
1,1,2-TRICHLOROETHANE	34511	072	2011/05/12	< .000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-016
Source Name: HERMOSA TUNNEL
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2011/05/12	< .000	2017/05	
1,1-DICHLOROETHYLENE	34501	072	2011/05/12	< .000	2017/05	
1,2,4-TRICHLOROBENZENE	34551	072	2011/05/12	< .000	2017/05	
1,2-DICHLOROBENZENE	34536	072	2011/05/12	< .000	2017/05	
1,2-DICHLOROETHANE	34531	072	2011/05/12	< .000	2017/05	
1,2-DICHLOROPROPANE	34541	072	2011/05/12	< .000	2017/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/05/12	< .000	2017/05	
1,4-DICHLOROBENZENE	34571	072	2011/05/12	< .000	2017/05	
BENZENE	34030	072	2011/05/12	< .000	2017/05	
CARBON TETRACHLORIDE	32102	072	2011/05/12	< .000	2017/05	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/05/12	< .000	2017/05	
DICHLOROMETHANE	34423	072	2011/05/12	< .000	2017/05	
ETHYLBENZENE	34371	072	2011/05/12	< .000	2017/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/05/12	< .000	2017/05	
MONOCHLOROBENZENE	34301	072	2011/05/12	< .000	2017/05	
STYRENE	77128	072	2011/05/12	< .000	2017/05	
TETRACHLOROETHYLENE	34475	072	2011/05/12	< .000	2017/05	
TOLUENE	34010	072	2011/05/12	< .000	2017/05	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/05/12	< .000	2017/05	
TRICHLOROETHYLENE	39180	072	2011/05/12	< .000	2017/05	
TRICHLOROFLUOROMETHANE	34488	072	2011/05/12	< .000	2017/05	
VINYL CHLORIDE	39175	072	2011/05/12	< .000	2017/05	
XYLENES (TOTAL)	81551	072	2011/05/12	< .000	2017/05	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/05/12	. 170.000	2014/05	DUE
CALCIUM	00916	036	2011/05/12	. 42.000	2014/05	DUE
CARBONATE ALKALINITY	00445	036	2011/05/12	< .000	2014/05	DUE
CHLORIDE	00940	036	2011/05/12	. 2.400	2014/05	DUE
COLOR	00081	036	2011/05/12	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-016
Source Name: HERMOSA TUNNEL
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/05/12	< .000	2014/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/05/12	< .000	2014/05	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/05/12	. 140.000	2014/05	DUE
HYDROXIDE ALKALINITY	71830	036	2011/05/12	< .000	2014/05	DUE
IRON	01045	036	2011/05/12	< .000	2014/05	DUE
MAGNESIUM	00927	036	2011/05/12	. 7.500	2014/05	DUE
MANGANESE	01055	036	2011/05/12	< .000	2014/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/05/12	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2011/05/12	. 7.500	2014/05	DUE
SILVER	01077	036	2011/05/12	< .000	2014/05	DUE
SODIUM	00929	036	2011/05/12	8.700	2014/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/05/12	. 300.000	2014/05	DUE
SULFATE	00945	036	2011/05/12	15.000	2014/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/05/12	. 200.000	2014/05	DUE
TURBIDITY, LABORATORY	82079	036	2011/05/12	< .000	2014/05	DUE
ZINC	01092	036	2011/05/12	< .000	2014/05	DUE

PS Code: 3610018-017
Source Name: MWD PURCHASED WATER - RAW
Source Number: 017
Source Status: PURCHASED TREATED
Water type: S

INORGANIC

ALUMINUM	01105	012	2013/07/18	< .000	2014/07	
ANTIMONY	01097	012	2013/07/18	< .000	2014/07	
ARSENIC	01002	012	2013/07/18	. 2.500	2014/07	
ASBESTOS	81855	108	2011/05/23	< .200	2020/05	
BARIUM	01007	012	2013/07/18	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/18	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-017***

Source Name: ***MWD PURCHASED WATER - RAW***

Source Number: ***017***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	012	2013/07/18	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/18	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	012	2007/06/26	.000	2008/06	DUE
CYANIDE	01291	012	2013/07/18	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/18	. .140	2014/07	
MERCURY	71900	012	2013/07/18	< .000	2014/07	
NICKEL	01067	012	2013/07/18	< .000	2014/07	
PERCHLORATE	A-031	012	2013/07/18	< .000	2014/07	
SELENIUM	01147	012	2013/07/18	< .000	2014/07	
THALLIUM	01059	012	2013/07/18	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	< .000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< .000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2011/05/12	. .000	2014/05	DUE
2,4,5-TP (SILVEX)	39045	036	2011/05/12	< .000	2014/05	DUE
2,4-D	39730	036	2011/05/12	< .000	2014/05	DUE
ALACHLOR	77825	036	2011/05/12	< .000	2014/05	DUE
ATRAZINE	39033	036	2011/05/12	< .000	2014/05	DUE
BENTAZON	38710	036	2011/05/12	< .000	2014/05	DUE
BENZO (A) PYRENE	34247	036	2011/05/12	< .000	2014/05	DUE
CARBOFURAN	81405	036	2011/05/12	< .000	2014/05	DUE
CHLORDANE	39350	036	2011/05/12	< .000	2014/05	DUE
DALAPON	38432	036	2011/05/12	< .000	2014/05	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2011/05/12	< .000	2014/05	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2011/05/12	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-017***

Source Name: ***MWD PURCHASED WATER - RAW***

Source Number: ***017***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/12	< .000	2014/05	DUE
DINOSEB	81287	036	2011/05/12	< .000	2014/05	DUE
DIQUAT	78885	036	2011/05/12	< .000	2014/05	DUE
ENDOTHALL	38926	036	2011/05/12	< .000	2014/05	DUE
ENDRIN	39390	036	2011/05/12	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/12	< .000	2014/05	DUE
GLYPHOSATE	79743	036	2011/05/12	< .000	2014/05	DUE
HEPTACHLOR	39410	036	2011/05/12	< .000	2014/05	DUE
HEPTACHLOR EPOXIDE	39420	036	2011/05/12	< .000	2014/05	DUE
HEXACHLOROBENZENE	39700	036	2011/05/12	< .000	2014/05	DUE
HEXACHLOROCYCLOPENTADIENE	34386	036	2011/05/12	< .000	2014/05	DUE
LINDANE	39340	036	2011/05/12	< .000	2014/05	DUE
METHOXYCHLOR	39480	036	2011/05/12	< .000	2014/05	DUE
MOLINATE	82199	036	2011/05/12	< .000	2014/05	DUE
OXAMYL	38865	036	2011/05/12	< .000	2014/05	DUE
PENTACHLOROPHENOL	39032	036	2011/05/12	< .000	2014/05	DUE
PICLORAM	39720	036	2011/05/12	< .000	2014/05	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2011/05/12	< .000	2014/05	DUE
SIMAZINE	39055	036	2011/05/12	< .000	2014/05	DUE
THIOBENCARB	A-001	036	2011/05/12	< .000	2014/05	DUE
TOXAPHENE	39400	036	2011/05/12	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	012	2013/07/18	< .000	2014/07	
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/18	< .000	2014/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/18	< .000	2014/07	
1,1,2-TRICHLOROETHANE	34511	012	2013/07/18	< .000	2014/07	
1,1-DICHLOROETHANE	34496	012	2013/07/18	< .000	2014/07	
1,1-DICHLOROETHYLENE	34501	012	2013/07/18	< .000	2014/07	
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/18	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-017***

Source Name: ***MWD PURCHASED WATER - RAW***

Source Number: ***017***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	**34536**	**012**	2013/07/18	**< .000**	2014/07
1,2-DICHLOROETHANE	**34531**	**012**	2013/07/18	**< .000**	2014/07
1,2-DICHLOROPROPANE	**34541**	**012**	2013/07/18	**< .000**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**012**	2013/07/18	**< .000**	2014/07
1,4-DICHLOROBENZENE	**34571**	**012**	2013/07/18	**< .000**	2014/07
BENZENE	**34030**	**012**	2013/07/18	**< .000**	2014/07
CARBON TETRACHLORIDE	**32102**	**012**	2013/07/18	**< .000**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2013/07/18	**< .000**	2014/07
DICHLOROMETHANE	**34423**	**012**	2013/07/18	**< .000**	2014/07
ETHYLBENZENE	**34371**	**012**	2013/07/18	**< .000**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**012**	2013/07/18	**< .000**	2014/07
MONOCHLOROBENZENE	**34301**	**012**	2013/07/18	**< .000**	2014/07
STYRENE	**77128**	**012**	2013/07/18	**< .000**	2014/07
TETRACHLOROETHYLENE	**34475**	**012**	2013/07/18	**< .000**	2014/07
TOLUENE	**34010**	**012**	2013/07/18	**< .000**	2014/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2013/07/18	**< .000**	2014/07
TRICHLOROETHYLENE	**39180**	**012**	2013/07/18	**< .000**	2014/07
TRICHLOROFLUOROMETHANE	**34488**	**012**	2013/07/18	**< .000**	2014/07
VINYL CHLORIDE	**39175**	**012**	2013/07/18	**< .000**	2014/07
XYLENES (TOTAL)	**81551**	**012**	2013/07/18	**< .000**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2013/07/18	**. 73.000**	2014/07
CALCIUM	**00916**	**012**	2013/07/18	**. 26.000**	2014/07
CARBONATE ALKALINITY	**00445**	**012**	2013/07/18	**20.000**	2014/07
CHLORIDE	**00940**	**012**	2013/07/18	**. 72.000**	2014/07
COLOR	**00081**	**012**	2013/07/18	**. 10.000**	2014/07
COPPER	**01042**	**012**	2013/07/18	**< .000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**012**	2013/07/18	**< .000**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**012**	2013/07/18	**. 120.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-017
Source Name: MWD PURCHASED WATER - RAW
Source Number: 017
Source Status: PURCHASED TREATED
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HYDROXIDE ALKALINITY	71830	012	2013/07/18	< .000	2014/07
IRON	01045	012	2013/07/18	< .000	2014/07
MAGNESIUM	00927	012	2013/07/18	. 13.000	2014/07
MANGANESE	01055	012	2013/07/18	33.000	2014/07
ODOR THRESHOLD @ 60 C	00086	012	2013/07/18	1.000	2014/07
PH, LABORATORY	00403	012	2013/07/18	. 8.700	2014/07
SILVER	01077	012	2013/07/18	< .000	2014/07
SODIUM	00929	012	2013/07/18	59.000	2014/07
SPECIFIC CONDUCTANCE	00095	012	2013/07/18	. 510.000	2014/07
SULFATE	00945	012	2013/07/18	45.000	2014/07
TOTAL DISSOLVED SOLIDS	70300	012	2013/07/18	. 290.000	2014/07
TURBIDITY, LABORATORY	82079	012	2013/07/18	. 1.700	2014/07
ZINC	01092	012	2013/07/18	< .000	2014/07

PS Code: 3610018-018
Source Name: LLOYD MICHAEL WTP - TREATED
Source Number: 018
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610018-020
Source Name: ROYER NESBITT WTP - RAW
Source Number: 020
Source Status: COMBINATION OR BLEND RAW
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-021
Source Name: ROYER NESBITT WTP - TREATED
Source Number: 021
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610018-022
Source Name: SMITH TUNNEL
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/07/18	< .000	2014/07	
ANTIMONY	01097	012	2013/07/18	< .000	2014/07	
ARSENIC	01002	012	2013/07/18	< .000	2014/07	
ASBESTOS	81855	108	2011/05/23	< .200	2020/05	
BARIUM	01007	012	2013/07/18	< .000	2014/07	
BERYLLIUM	01012	012	2013/07/18	< .000	2014/07	
CADMIUM	01027	012	2013/07/18	< .000	2014/07	
CHROMIUM (TOTAL)	01034	012	2013/07/18	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	012	2007/06/26	.000	2008/06	DUE
CYANIDE	01291	012	2013/07/18	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/07/18	. .210	2014/07	
MERCURY	71900	012	2013/07/18	< .000	2014/07	
NICKEL	01067	012	2013/07/18	< .000	2014/07	
PERCHLORATE	A-031	012	2013/07/18	< .000	2014/07	
SELENIUM	01147	012	2013/07/18	< .000	2014/07	
THALLIUM	01059	012	2013/07/18	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	< .000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< .000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-022***

Source Name: ***SMITH TUNNEL***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/13	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/13	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/05/13	< .000	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/05/13	< .000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHANE	34496	036	2011/05/13	< .000	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/05/13	< .000	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROBENZENE	34536	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROETHANE	34531	036	2011/05/13	< .000	2014/05	DUE
1,2-DICHLOROPROPANE	34541	036	2011/05/13	< .000	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/13	< .000	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2011/05/13	< .000	2014/05	DUE
BENZENE	34030	036	2011/05/13	< .000	2014/05	DUE
CARBON TETRACHLORIDE	32102	036	2011/05/13	< .000	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/05/13	< .000	2014/05	DUE
DICHLOROMETHANE	34423	036	2011/05/13	< .000	2014/05	DUE
ETHYLBENZENE	34371	036	2011/05/13	< .000	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/05/13	< .000	2014/05	DUE
MONOCHLOROBENZENE	34301	036	2011/05/13	< .000	2014/05	DUE
STYRENE	77128	036	2011/05/13	< .000	2014/05	DUE
TETRACHLOROETHYLENE	34475	036	2011/05/13	< .000	2014/05	DUE
TOLUENE	34010	036	2011/05/13	< .000	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/05/13	< .000	2014/05	DUE
TRICHLOROETHYLENE	39180	036	2011/05/13	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-022***

Source Name: ***SMITH TUNNEL***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TRICHLOROFLUOROMETHANE	**34488**	**036**	**2011/05/13**	**< .000**	**2014/05**	**DUE**
VINYL CHLORIDE	**39175**	**036**	**2011/05/13**	**< .000**	**2014/05**	**DUE**
XYLENES (TOTAL)	**81551**	**036**	**2011/05/13**	**< .000**	**2014/05**	**DUE**
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**012**	2013/07/18	**. 190.000**	2014/07	
CALCIUM	**00916**	**012**	2013/07/18	**. 51.000**	2014/07	
CARBONATE ALKALINITY	**00445**	**012**	2013/07/18	**< .000**	2014/07	
CHLORIDE	**00940**	**012**	2013/07/18	**. 2.900**	2014/07	
COLOR	**00081**	**012**	2013/07/18	**< .000**	2014/07	
COPPER	**01042**	**012**	2013/07/18	**< .000**	2014/07	
FOAMING AGENTS (MBAS)	**38260**	**012**	2013/07/18	**< .000**	2014/07	
HARDNESS (TOTAL) AS CACO3	**00900**	**012**	2013/07/18	**. 160.000**	2014/07	
HYDROXIDE ALKALINITY	**71830**	**012**	2013/07/18	**< .000**	2014/07	
IRON	**01045**	**012**	2013/07/18	**< .000**	2014/07	
MAGNESIUM	**00927**	**012**	2013/07/18	**. 8.200**	2014/07	
MANGANESE	**01055**	**012**	2013/07/18	**< .000**	2014/07	
ODOR THRESHOLD @ 60 C	**00086**	**012**	2013/07/18	**1.000**	2014/07	
PH, LABORATORY	**00403**	**012**	2013/07/18	**. 8.100**	2014/07	
SILVER	**01077**	**012**	2013/07/18	**< .000**	2014/07	
SODIUM	**00929**	**012**	2013/07/18	**10.000**	2014/07	
SPECIFIC CONDUCTANCE	**00095**	**012**	2013/07/18	**. 350.000**	2014/07	
SULFATE	**00945**	**012**	2013/07/18	**22.000**	2014/07	
TOTAL DISSOLVED SOLIDS	**70300**	**012**	2013/07/18	**. 210.000**	2014/07	
TURBIDITY, LABORATORY	**82079**	**012**	2013/07/18	**< .000**	2014/07	
ZINC	**01092**	**012**	2013/07/18	**< .000**	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-023
Source Name: THAYER TUNNEL
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/05/13	< .000	2014/05	DUE
ANTIMONY	01097	036	2011/05/13	< .000	2014/05	DUE
ARSENIC	01002	036	2011/05/13	< .000	2014/05	DUE
BARIUM	01007	036	2011/05/13	< .000	2014/05	DUE
BERYLLIUM	01012	036	2011/05/13	< .000	2014/05	DUE
CADMIUM	01027	036	2011/05/13	< .000	2014/05	DUE
CHROMIUM (TOTAL)	01034	036	2011/05/13	< .000	2014/05	DUE
CHROMIUM, HEXAVALENT	01032	036	2007/06/26	.000	2010/06	DUE
CYANIDE	01291	036	2011/05/13	< .000	2014/05	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/05/13	. .180	2014/05	DUE
MERCURY	71900	036	2011/05/13	< .000	2014/05	DUE
NICKEL	01067	036	2011/05/13	< .000	2014/05	DUE
PERCHLORATE	A-031	036	2011/05/13	< .000	2014/05	DUE
SELENIUM	01147	036	2011/05/13	< .000	2014/05	DUE
THALLIUM	01059	036	2011/05/13	< .000	2014/05	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/09	. 3.200	2014/07	
NITRITE (AS N)	00620	036	2011/05/13	< .000	2014/05	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/20	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/13	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/13	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/05/13	< .000	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/05/13	< .000	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/05/13	< .000	2017/05	
1,1,2-TRICHLOROETHANE	34511	072	2011/05/13	< .000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-023
Source Name: THAYER TUNNEL
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2011/05/13	< .000	2017/05	
1,1-DICHLOROETHYLENE	34501	072	2011/05/13	< .000	2017/05	
1,2,4-TRICHLOROBENZENE	34551	072	2011/05/13	< .000	2017/05	
1,2-DICHLOROBENZENE	34536	072	2011/05/13	< .000	2017/05	
1,2-DICHLOROETHANE	34531	072	2011/05/13	< .000	2017/05	
1,2-DICHLOROPROPANE	34541	072	2011/05/13	< .000	2017/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/05/13	< .000	2017/05	
1,4-DICHLOROBENZENE	34571	072	2011/05/13	< .000	2017/05	
BENZENE	34030	072	2011/05/13	< .000	2017/05	
CARBON TETRACHLORIDE	32102	072	2011/05/13	< .000	2017/05	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/05/13	< .000	2017/05	
DICHLOROMETHANE	34423	072	2011/05/13	< .000	2017/05	
ETHYLBENZENE	34371	072	2011/05/13	< .000	2017/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/05/13	< .000	2017/05	
MONOCHLOROBENZENE	34301	072	2011/05/13	< .000	2017/05	
STYRENE	77128	072	2011/05/13	< .000	2017/05	
TETRACHLOROETHYLENE	34475	072	2011/05/13	< .000	2017/05	
TOLUENE	34010	072	2011/05/13	< .000	2017/05	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/05/13	< .000	2017/05	
TRICHLOROETHYLENE	39180	072	2011/05/13	< .000	2017/05	
TRICHLOROFLUOROMETHANE	34488	072	2011/05/13	< .000	2017/05	
VINYL CHLORIDE	39175	072	2011/05/13	< .000	2017/05	
XYLENES (TOTAL)	81551	072	2011/05/13	< .000	2017/05	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/05/13	. 150.000	2014/05	DUE
CALCIUM	00916	036	2011/05/13	. 35.000	2014/05	DUE
CARBONATE ALKALINITY	00445	036	2011/05/13	< .000	2014/05	DUE
CHLORIDE	00940	036	2011/05/13	. 1.900	2014/05	DUE
COLOR	00081	036	2011/05/13	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-023
Source Name: THAYER TUNNEL
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/05/13	<	.000	2014/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/05/13	.	.130	2014/05	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/05/13	.	120.000	2014/05	DUE
HYDROXIDE ALKALINITY	71830	036	2011/05/13	<	.000	2014/05	DUE
IRON	01045	036	2011/05/13	<	.000	2014/05	DUE
MAGNESIUM	00927	036	2011/05/13	.	5.800	2014/05	DUE
MANGANESE	01055	036	2011/05/13	<	.000	2014/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/05/13		1.000	2014/05	DUE
PH, LABORATORY	00403	036	2011/05/13	.	7.400	2014/05	DUE
SILVER	01077	036	2011/05/13	<	.000	2014/05	DUE
SODIUM	00929	036	2011/05/13		7.900	2014/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/05/13	.	260.000	2014/05	DUE
SULFATE	00945	036	2011/05/13		9.200	2014/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/05/13	.	160.000	2014/05	DUE
TURBIDITY, LABORATORY	82079	036	2011/05/13	<	.000	2014/05	DUE
ZINC	01092	036	2011/05/13	<	.000	2014/05	DUE

PS Code: 3610018-024
Source Name: TUNNEL 'A'
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/05/13	<	.000	2014/05	DUE
ANTIMONY	01097	036	2011/05/13	<	.000	2014/05	DUE
ARSENIC	01002	036	2011/05/13	<	.000	2014/05	DUE
BARIUM	01007	036	2011/05/13	<	.000	2014/05	DUE
BERYLLIUM	01012	036	2011/05/13	<	.000	2014/05	DUE
CADMIUM	01027	036	2011/05/13	<	.000	2014/05	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-024
Source Name: TUNNEL 'A'
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/05/13	< .000	2014/05	DUE
CHROMIUM, HEXAVALENT	01032	036	2007/06/26	.000	2010/06	DUE
CYANIDE	01291	036	2011/05/13	< .000	2014/05	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/05/13	< .000	2014/05	DUE
MERCURY	71900	036	2011/05/13	< .000	2014/05	DUE
NICKEL	01067	036	2011/05/13	< .000	2014/05	DUE
PERCHLORATE	A-031	036	2011/05/13	< .000	2014/05	DUE
SELENIUM	01147	036	2011/05/13	< .000	2014/05	DUE
THALLIUM	01059	036	2011/05/13	< .000	2014/05	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/20	. 3.100	2014/06	DUE
NITRITE (AS N)	00620	036	2011/05/13	< .000	2014/05	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/05/13	. 5.800	2017/05	
URANIUM (PCI/L)	28012	072	2011/05/13	. 4.700	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/13	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/13	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/05/13	< .000	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/05/13	< .000	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/05/13	< .000	2017/05	
1,1,2-TRICHLOROETHANE	34511	072	2011/05/13	< .000	2017/05	
1,1-DICHLOROETHANE	34496	072	2011/05/13	< .000	2017/05	
1,1-DICHLOROETHYLENE	34501	072	2011/05/13	< .000	2017/05	
1,2,4-TRICHLOROBENZENE	34551	072	2011/05/13	< .000	2017/05	
1,2-DICHLOROBENZENE	34536	072	2011/05/13	< .000	2017/05	
1,2-DICHLOROETHANE	34531	072	2011/05/13	< .000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-024***

Source Name: ***TUNNEL 'A'***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROPROPANE	34541	072	2011/05/13	< .000	2017/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/05/13	< .000	2017/05	
1,4-DICHLOROBENZENE	34571	072	2011/05/13	< .000	2017/05	
BENZENE	34030	072	2011/05/13	< .000	2017/05	
CARBON TETRACHLORIDE	32102	072	2011/05/13	< .000	2017/05	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/05/13	< .000	2017/05	
DICHLOROMETHANE	34423	072	2011/05/13	< .000	2017/05	
ETHYLBENZENE	34371	072	2011/05/13	< .000	2017/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/05/13	< .000	2017/05	
MONOCHLOROBENZENE	34301	072	2011/05/13	< .000	2017/05	
STYRENE	77128	072	2011/05/13	< .000	2017/05	
TETRACHLOROETHYLENE	34475	072	2011/05/13	< .000	2017/05	
TOLUENE	34010	072	2011/05/13	< .000	2017/05	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/05/13	< .000	2017/05	
TRICHLOROETHYLENE	39180	072	2011/05/13	< .000	2017/05	
TRICHLOROFLUOROMETHANE	34488	072	2011/05/13	< .000	2017/05	
VINYL CHLORIDE	39175	072	2011/05/13	< .000	2017/05	
XYLENES (TOTAL)	81551	072	2011/05/13	< .000	2017/05	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/05/13	. 120.000	2014/05	DUE
CALCIUM	00916	036	2011/05/13	. 28.000	2014/05	DUE
CARBONATE ALKALINITY	00445	036	2011/05/13	< .000	2014/05	DUE
CHLORIDE	00940	036	2011/05/13	. 1.500	2014/05	DUE
COLOR	00081	036	2011/05/13	< .000	2014/05	DUE
COPPER	01042	036	2011/05/13	< .000	2014/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/05/13	< .000	2014/05	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/05/13	. 88.000	2014/05	DUE
HYDROXIDE ALKALINITY	71830	036	2011/05/13	< .000	2014/05	DUE
IRON	01045	036	2011/05/13	< .000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-024
Source Name: TUNNEL 'A'
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MAGNESIUM	00927	036	2011/05/13	.	3.400	2014/05	DUE
MANGANESE	01055	036	2011/05/13	<	.000	2014/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/05/13	.	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2011/05/13	.	7.700	2014/05	DUE
SILVER	01077	036	2011/05/13	<	.000	2014/05	DUE
SODIUM	00929	036	2011/05/13		6.900	2014/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/05/13	.	200.000	2014/05	DUE
SULFATE	00945	036	2011/05/13		4.100	2014/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/05/13	.	120.000	2014/05	DUE
TURBIDITY, LABORATORY	82079	036	2011/05/13	<	.000	2014/05	DUE
ZINC	01092	036	2011/05/13	<	.000	2014/05	DUE

PS Code: 3610018-025
Source Name: WELL 05
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/07/10	<	.000	2017/07	
ANTIMONY	01097	036	2014/07/10	<	.000	2017/07	
ARSENIC	01002	036	2014/07/10	<	.000	2017/07	
BARIUM	01007	036	2014/07/10	<	.000	2017/07	
BERYLLIUM	01012	036	2014/07/10	<	.000	2017/07	
CADMIUM	01027	036	2014/07/10	<	.000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/10	<	.000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2007/06/19		2.100	2010/06	DUE
CYANIDE	01291	036	2014/07/10	<	.000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/10	.	.290	2017/07	
MERCURY	71900	036	2014/07/10	<	.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-025
Source Name: WELL 05
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	01067	036	2014/07/10	< .000	2017/07
PERCHLORATE	A-031	036	2014/07/21	< .000	2017/07
SELENIUM	01147	036	2014/07/10	< .000	2017/07
THALLIUM	01059	036	2014/07/10	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/28	. 5.800	2015/07
NITRITE (AS N)	00620	036	2014/07/10	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/10	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/10	< .000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/10	< .000	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/10	< .000	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/10	< .000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/10	< .000	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/10	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/10	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/10	< .000	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/10	< .000	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/10	< .000	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/10	< .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/10	< .000	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/10	< .000	2017/07
BENZENE	34030	036	2014/07/10	< .000	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/10	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/10	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-025***

Source Name: ***WELL 05***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
DICHLOROMETHANE	34423	036	2014/07/10	< .000	2017/07	
ETHYLBENZENE	34371	036	2014/07/10	< .000	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/10	< .000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/10	< .000	2017/07	
STYRENE	77128	036	2014/07/10	< .000	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/10	< .000	2017/07	
TOLUENE	34010	036	2014/07/10	< .000	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/10	< .000	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/10	< .000	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/10	< .000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/10	< .000	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/10	< .000	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/07/10	. 190.000	2017/07	
CALCIUM	00916	036	2014/07/10	. 40.000	2017/07	
CARBONATE ALKALINITY	00445	036	2014/07/10	< .000	2017/07	
CHLORIDE	00940	036	2014/07/10	. 4.500	2017/07	
COLOR	00081	036	2011/05/26	< .000	2014/05	DUE
COPPER	01042	036	2014/07/10	< .000	2017/07	
FOAMING AGENTS (MBAS)	38260	036	2014/07/10	< .000	2017/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/10	. 130.000	2017/07	
HYDROXIDE ALKALINITY	71830	036	2014/07/10	< .000	2017/07	
IRON	01045	036	2014/07/10	< .000	2017/07	
MAGNESIUM	00927	036	2014/07/10	. 8.200	2017/07	
MANGANESE	01055	036	2014/07/10	< .000	2017/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/05/26	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2014/07/10	. 7.700	2017/07	
SILVER	01077	036	2014/07/10	< .000	2017/07	
SODIUM	00929	036	2014/07/10	. 19.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-025
Source Name: WELL 05
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SPECIFIC CONDUCTANCE	00095	036	2014/07/10	.	320.000	2017/07	
SULFATE	00945	036	2014/07/10	.	12.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/10	.	200.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/05/26	<	.000	2014/05	DUE
ZINC	01092	036	2014/07/10	<	.000	2017/07	

PS Code: 3610018-027
Source Name: WELL 17
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/06/05	<	.000	2017/06	
ANTIMONY	01097	036	2014/06/05	<	.000	2017/06	
ARSENIC	01002	036	2014/06/05	<	.000	2017/06	
BARIUM	01007	036	2014/06/05	.	120.000	2017/06	
BERYLLIUM	01012	036	2014/06/05	<	.000	2017/06	
CADMIUM	01027	036	2014/06/05	<	.000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/05	<	.000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2002/08/06	.	4.200	2005/08	DUE
CYANIDE	01291	036	2014/06/05	<	.000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/05	.	.250	2017/06	
MERCURY	71900	036	2014/06/05	<	.000	2017/06	
NICKEL	01067	036	2014/06/05	<	.000	2017/06	
PERCHLORATE	A-031	036	2014/06/05	<	.000	2017/06	
SELENIUM	01147	036	2014/06/05	<	.000	2017/06	
THALLIUM	01059	036	2014/06/05	<	.000	2017/06	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/28	.	75.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-027
Source Name: WELL 17
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	00620	036	2014/06/05	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/06/05	. 3.700	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	. .340	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/05	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/05	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/05	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/05	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/05	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/05	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/05	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/05	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/05	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/05	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/05	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/05	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/05	< .000	2017/06
BENZENE	34030	036	2014/06/05	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/05	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/05	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/05	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/05	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/05	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/05	< .000	2017/06
STYRENE	77128	036	2014/06/05	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/05	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-027***

Source Name: ***WELL 17***

Source Number: ***027***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TOLUENE	**34010**	**036**	2014/06/05	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/05	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/05	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/05	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/05	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/05	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/05	**. 330.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/05	**. 110.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/05	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/05	**. 23.000**	2017/06
COLOR	**00081**	**036**	2014/06/05	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/05	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/05	**. .120**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/05	**. 400.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/05	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/05	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/05	**. 32.000**	2017/06
MANGANESE	**01055**	**036**	2014/06/05	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/05	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/05	**. 7.400**	2017/06
SILVER	**01077**	**036**	2014/06/05	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/05	**. 17.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/05	**. 830.000**	2017/06
SULFATE	**00945**	**036**	2014/06/05	**. 69.000**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/05	**. 570.000**	2017/06
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/05	**. .400**	2017/06
ZINC	**01092**	**036**	2014/06/05	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-029***

Source Name: ***WELL 19***

Source Number: ***029***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/26	< .000	2017/06	
ANTIMONY	01097	036	2014/06/26	< .000	2017/06	
ARSENIC	01002	036	2014/06/26	< .000	2017/06	
BARIUM	01007	036	2014/06/26	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06	
CADMIUM	01027	036	2014/06/26	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	**2007/06/19**	.000	**2010/06**	**DUE**
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .520	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/28	. 33.000	2015/07	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	. .084	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/30	< .020	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/26	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/26	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/26	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/26	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-029***

Source Name: ***WELL 19***

Source Number: ***029***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/26	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/26	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/26	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/26	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/26	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/26	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/26	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/26	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/26	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/26	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/26	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/26	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/26	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/26	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/26	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/26	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/26	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/26	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 160.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 51.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 8.000**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-029
Source Name: WELL 19
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/06/26	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/26	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/26	. 160.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/26	< .000	2017/06
IRON	01045	036	2014/06/26	< .000	2017/06
MAGNESIUM	00927	036	2014/06/26	. 8.800	2017/06
MANGANESE	01055	036	2014/06/26	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/26	. 7.900	2017/06
SILVER	01077	036	2014/06/26	< .000	2017/06
SODIUM	00929	036	2014/06/26	. 12.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/26	. 380.000	2017/06
SULFATE	00945	036	2014/06/26	. 23.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 230.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/26	. .100	2017/06
ZINC	01092	036	2014/06/26	< .000	2017/06

PS Code: 3610018-033
Source Name: WELL 23
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/29	< .000	2017/05
ANTIMONY	01097	036	2014/05/29	< .000	2017/05
ARSENIC	01002	036	2014/05/29	< .000	2017/05
BARIUM	01007	036	2014/05/29	< .000	2017/05
BERYLLIUM	01012	036	2014/05/29	< .000	2017/05
CADMIUM	01027	036	2014/05/29	< .000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-033
Source Name: WELL 23
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/05/29	< .000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2002/08/09	. 3.100	2005/08	DUE
CYANIDE	01291	036	2014/05/29	< .000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/29	. .170	2017/05	
MERCURY	71900	036	2014/05/29	< .000	2017/05	
NICKEL	01067	036	2014/05/29	< .000	2017/05	
PERCHLORATE	A-031	036	2014/05/29	< .000	2017/05	
SELENIUM	01147	036	2014/05/29	< .000	2017/05	
THALLIUM	01059	036	2014/05/29	< .000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/28	. 69.000	2015/07	
NITRITE (AS N)	00620	036	2014/05/29	< .000	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/29	. 4.100	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/29	< .000	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/05/29	< .000	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/29	< .000	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/29	< .000	2017/05	
1,1,2-TRICHLOROETHANE	34511	036	2014/05/29	< .000	2017/05	
1,1-DICHLOROETHANE	34496	036	2014/05/29	< .000	2017/05	
1,1-DICHLOROETHYLENE	34501	036	2014/05/29	< .000	2017/05	
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/29	< .000	2017/05	
1,2-DICHLOROBENZENE	34536	036	2014/05/29	< .000	2017/05	
1,2-DICHLOROETHANE	34531	036	2014/05/29	< .000	2017/05	
1,2-DICHLOROPROPANE	34541	036	2014/05/29	< .000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-033
Source Name: WELL 23
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/29	< .000	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/29	< .000	2017/05
BENZENE	34030	036	2014/05/29	< .000	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/29	< .000	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/29	< .000	2017/05
DICHLOROMETHANE	34423	036	2014/05/29	< .000	2017/05
ETHYLBENZENE	34371	036	2014/05/29	< .000	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/29	< .000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/29	< .000	2017/05
STYRENE	77128	036	2014/05/29	< .000	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/29	< .000	2017/05
TOLUENE	34010	036	2014/05/29	< .000	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/29	< .000	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/29	< .000	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/29	< .000	2017/05
VINYL CHLORIDE	39175	036	2014/05/29	< .000	2017/05
XYLENES (TOTAL)	81551	036	2014/05/29	< .000	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/29	. 210.000	2017/05
CALCIUM	00916	036	2014/05/29	. 75.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< .000	2017/05
CHLORIDE	00940	036	2014/05/29	. 17.000	2017/05
COLOR	00081	036	2014/05/29	< .000	2017/05
COPPER	01042	036	2014/05/29	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 250.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< .000	2017/05
IRON	01045	036	2014/05/29	< .000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 15.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-033
Source Name: WELL 23
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/05/29	< .000	2017/05	
ODOR THRESHOLD @ 60 C	00086	036	2014/05/29	. 1.000	2017/05	
PH, LABORATORY	00403	036	2014/05/29	. 7.700	2017/05	
SILVER	01077	036	2014/05/29	< .000	2017/05	
SODIUM	00929	036	2014/05/29	. 20.000	2017/05	
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 580.000	2017/05	
SULFATE	00945	036	2014/05/29	. 42.000	2017/05	
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 380.000	2017/05	
TURBIDITY, LABORATORY	82079	036	2014/05/29	. .800	2017/05	
ZINC	01092	036	2014/05/29	< .000	2017/05	

PS Code: 3610018-034
Source Name: WELL 24
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/06/26	< .000	2017/06	
ANTIMONY	01097	036	2014/06/26	< .000	2017/06	
ARSENIC	01002	036	2014/06/26	< .000	2017/06	
BARIUM	01007	036	2014/06/26	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06	
CADMIUM	01027	036	2014/06/26	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	**2007/06/19**	.000	**2010/06**	**DUE**
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .500	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-034***

Source Name: ***WELL 24***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2014/06/26	**< .000**	2017/06
SELENIUM	**01147**	**036**	2014/06/26	**< .000**	2017/06
THALLIUM	**01059**	**036**	2014/06/26	**< .000**	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/28	**. 24.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/06/26	**< .000**	2017/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/07/19	**< .000**	2019/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/21	**. .160**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/26	**< .000**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/26	**< .000**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/26	**< .000**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/26	**< .000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/26	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/26	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/26	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/26	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/26	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/26	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/26	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/26	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/26	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/26	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/26	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-034***

Source Name: ***WELL 24***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2014/06/26	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/26	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/26	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/26	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/26	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/26	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/26	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/26	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/26	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/26	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 170.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 49.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 6.200**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/26	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/26	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/26	**. 160.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/26	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/26	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/26	**. 8.900**	2017/06
MANGANESE	**01055**	**036**	2014/06/26	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/26	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/26	**. 7.800**	2017/06
SILVER	**01077**	**036**	2014/06/26	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/26	**. 13.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/26	**. 370.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610018-034						
Source Name: WELL 24						
Source Number: 034						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2014/06/26	. 21.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/26	. 230.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/26	. .700	2017/06	
ZINC	01092	036	2014/06/26	< .000	2017/06	
PS Code: 3610018-035						
Source Name: WELL 26						
Source Number: 035						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/06/26	< .000	2017/06	
ANTIMONY	01097	036	2014/06/26	< .000	2017/06	
ARSENIC	01002	036	2014/06/26	< .000	2017/06	
BARIUM	01007	036	2014/06/26	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/26	< .000	2017/06	
CADMIUM	01027	036	2014/06/26	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/26	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2007/06/19	3.800	2010/06	DUE
CYANIDE	01291	036	2014/06/26	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/26	. .280	2017/06	
MERCURY	71900	036	2014/06/26	< .000	2017/06	
NICKEL	01067	036	2014/06/26	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/26	< .000	2017/06	
SELENIUM	01147	036	2014/06/26	< .000	2017/06	
THALLIUM	01059	036	2014/06/26	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/28	. 33.000	2015/07	
NITRITE (AS N)	00620	036	2014/06/26	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-035
Source Name: WELL 26
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/26	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/26	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/26	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/26	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/26	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/26	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/26	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/26	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/26	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/26	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/26	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/26	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/26	< .000	2017/06
BENZENE	34030	036	2014/06/26	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/26	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/26	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/26	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/26	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/26	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/26	< .000	2017/06
STYRENE	77128	036	2014/06/26	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/26	< .000	2017/06
TOLUENE	34010	036	2014/06/26	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/26	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/26	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-035***

Source Name: ***WELL 26***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/26	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/26	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/26	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/26	**. 200.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/26	**. 67.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/26	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/26	**. 17.000**	2017/06
COLOR	**00081**	**036**	2014/06/26	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/26	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/26	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/26	**. 240.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/26	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/26	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/26	**. 16.000**	2017/06
MANGANESE	**01055**	**036**	2014/06/26	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/26	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/26	**. 7.800**	2017/06
SILVER	**01077**	**036**	2014/06/26	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/26	**. 21.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/26	**. 560.000**	2017/06
SULFATE	**00945**	**036**	2014/06/26	**. 40.000**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/26	**. 390.000**	2017/06
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/26	**< .000**	2017/06
ZINC	**01092**	**036**	2014/06/26	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-037***

Source Name: ***WELL 30***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/07/10	< .000	2017/07	
ANTIMONY	01097	036	2014/07/10	< .000	2017/07	
ARSENIC	01002	036	2014/07/10	< .000	2017/07	
BARIUM	01007	036	2014/07/10	< .000	2017/07	
BERYLLIUM	01012	036	2014/07/10	< .000	2017/07	
CADMIUM	01027	036	2014/07/10	< .000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/10	< .000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	**2007/06/19**	3.900	**2010/06**	**DUE**
CYANIDE	01291	036	2014/07/10	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/10	. .210	2017/07	
MERCURY	71900	036	2014/07/10	< .000	2017/07	
NICKEL	01067	036	2014/07/10	< .000	2017/07	
PERCHLORATE	A-031	036	2014/07/21	< .000	2017/07	
SELENIUM	01147	036	2014/07/10	< .000	2017/07	
THALLIUM	01059	036	2014/07/10	< .000	2017/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/28	. 34.000	2015/07	
NITRITE (AS N)	00620	036	2014/07/10	< .000	2017/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/10	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/10	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/10	< .000	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/10	< .000	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/10	< .000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/10	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-037***

Source Name: ***WELL 30***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2014/07/10	< .000	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/10	< .000	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/10	< .000	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/10	< .000	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/10	< .000	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/10	< .000	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/10	< .000	2017/07	
1,4-DICHLOROBENZENE	34571	036	2014/07/10	< .000	2017/07	
BENZENE	34030	036	2014/07/10	< .000	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/10	< .000	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/10	< .000	2017/07	
DICHLOROMETHANE	34423	036	2014/07/10	< .000	2017/07	
ETHYLBENZENE	34371	036	2014/07/10	< .000	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/10	< .000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/10	< .000	2017/07	
STYRENE	77128	036	2014/07/10	< .000	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/10	< .000	2017/07	
TOLUENE	34010	036	2014/07/10	< .000	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/10	< .000	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/10	< .000	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/10	< .000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/10	< .000	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/10	< .000	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/07/10	. 190.000	2017/07	
CALCIUM	00916	036	2014/07/10	. 48.000	2017/07	
CARBONATE ALKALINITY	00445	036	2014/07/10	< .000	2017/07	
CHLORIDE	00940	036	2014/07/10	. 8.900	2017/07	
COLOR	00081	036	**2011/05/26**	< .000	**2014/05**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610018-037***						
Source Name: ***WELL 30***						
Source Number: ***037***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
COPPER	**01042**	**036**	2014/07/10	**< .000**	2017/07	
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/10	**< .000**	2017/07	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/10	**. 160.000**	2017/07	
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/10	**< .000**	2017/07	
IRON	**01045**	**036**	2014/07/10	**< .000**	2017/07	
MAGNESIUM	**00927**	**036**	2014/07/10	**. 9.900**	2017/07	
MANGANESE	**01055**	**036**	2014/07/10	**< .000**	2017/07	
ODOR THRESHOLD @ 60 C	**00086**	**036**	**2011/05/26**	**1.000**	**2014/05**	**DUE**
PH, LABORATORY	**00403**	**036**	2014/07/10	**. 7.800**	2017/07	
SILVER	**01077**	**036**	2014/07/10	**< .000**	2017/07	
SODIUM	**00929**	**036**	2014/07/10	**. 24.000**	2017/07	
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/10	**. 410.000**	2017/07	
SULFATE	**00945**	**036**	2014/07/10	**. 20.000**	2017/07	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/10	**. 270.000**	2017/07	
TURBIDITY, LABORATORY	**82079**	**036**	**2011/05/26**	**< .000**	**2014/05**	**DUE**
ZINC	**01092**	**036**	2014/07/10	**< .000**	2017/07	
PS Code: ***3610018-038***						
Source Name: ***WELL 31***						
Source Number: ***038***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2014/02/27	**< .000**	2017/02	
ANTIMONY	**01097**	**036**	2014/02/27	**< .000**	2017/02	
ARSENIC	**01002**	**036**	2014/02/27	**< .000**	2017/02	
BARIUM	**01007**	**036**	2014/02/27	**< .000**	2017/02	
BERYLLIUM	**01012**	**036**	2014/02/27	**< .000**	2017/02	
CADMIUM	**01027**	**036**	2014/02/27	**< .000**	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-038
Source Name: WELL 31
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/02/27	< .000	2017/02
CHROMIUM, HEXAVALENT	01032	036	2013/07/25	. 2.600	2016/07
CYANIDE	01291	036	2014/02/27	< .000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/27	. .190	2017/02
MERCURY	71900	036	2014/02/27	< .000	2017/02
NICKEL	01067	036	2014/02/27	< .000	2017/02
PERCHLORATE	A-031	036	2014/02/27	< .000	2017/02
SELENIUM	01147	036	2014/02/27	< .000	2017/02
THALLIUM	01059	036	2014/02/27	< .000	2017/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/28	. 68.000	2015/07
NITRITE (AS N)	00620	036	2014/02/27	< .000	2017/02
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/02/27	< .000	2023/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/21	. .012	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/26	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/26	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/26	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/26	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/26	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/26	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/26	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/26	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/26	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/26	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/26	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-038
Source Name: WELL 31
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/26	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/26	< .000	2017/06
BENZENE	34030	036	2014/06/26	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/26	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/26	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/26	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/26	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/26	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/26	< .000	2017/06
STYRENE	77128	036	2014/06/26	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/26	< .000	2017/06
TOLUENE	34010	036	2014/06/26	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/26	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/26	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/26	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/26	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/26	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/27	. 200.000	2017/02
CALCIUM	00916	036	2014/02/27	. 72.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/27	< .000	2017/02
CHLORIDE	00940	036	2014/02/27	. 18.000	2017/02
COLOR	00081	036	2014/06/26	< .000	2017/06
COPPER	01042	036	2014/02/27	< .000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/27	< .000	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/27	. 240.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/27	< .000	2017/02
IRON	01045	036	2014/02/27	< .000	2017/02
MAGNESIUM	00927	036	2014/02/27	. 15.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-038
Source Name: WELL 31
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/02/27	< .000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/06/26	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/02/27	. 7.500	2017/02
SILVER	01077	036	2014/02/27	< .000	2017/02
SODIUM	00929	036	2014/02/27	. 22.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/27	. 560.000	2017/02
SULFATE	00945	036	2014/02/27	. 42.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/27	. 400.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/06/26	< .000	2017/06
ZINC	01092	036	2014/02/27	< .000	2017/02

PS Code: 3610018-039
Source Name: WELL 33
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/07	. 360.000	2014/09
ANTIMONY	01097	036	2011/09/07	< .000	2014/09
ARSENIC	01002	036	2011/09/07	< .000	2014/09
BARIUM	01007	036	2011/09/07	< .000	2014/09
BERYLLIUM	01012	036	2011/09/07	< .000	2014/09
CADMIUM	01027	036	2011/09/07	< .000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/07	< .000	2014/09
CHROMIUM, HEXAVALENT	01032	036	2013/07/25	. 2.000	2016/07
CYANIDE	01291	036	2011/09/07	< .000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/07	. .240	2014/09
MERCURY	71900	036	2011/09/07	< .000	2014/09
NICKEL	01067	036	2011/09/07	< .000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-039***

Source Name: ***WELL 33***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2013/07/25	**< .000**	2016/07
SELENIUM	**01147**	**036**	2011/09/07	**< .000**	2014/09
THALLIUM	**01059**	**036**	2011/09/07	**< .000**	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/07/25	**. 56.000**	2014/07
NITRITE (AS N)	**00620**	**036**	2012/06/21	**< .000**	2015/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/08/03	**< .000**	2019/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/25	**. .800**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/09/07	**< .000**	2014/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/09/07	**< .000**	2014/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/09/07	**< .000**	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/09/07	**< .000**	2014/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/09/07	**< .000**	2014/09
1,1-DICHLOROETHANE	**34496**	**036**	2011/09/07	**< .000**	2014/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/09/07	**< .000**	2014/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/09/07	**< .000**	2014/09
1,2-DICHLOROBENZENE	**34536**	**036**	2011/09/07	**< .000**	2014/09
1,2-DICHLOROETHANE	**34531**	**036**	2011/09/07	**< .000**	2014/09
1,2-DICHLOROPROPANE	**34541**	**036**	2011/09/07	**< .000**	2014/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/09/07	**< .000**	2014/09
1,4-DICHLOROBENZENE	**34571**	**036**	2011/09/07	**< .000**	2014/09
BENZENE	**34030**	**036**	2011/09/07	**< .000**	2014/09
CARBON TETRACHLORIDE	**32102**	**036**	2011/09/07	**< .000**	2014/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/09/07	**< .000**	2014/09
DICHLOROMETHANE	**34423**	**036**	2011/09/07	**< .000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-039
Source Name: WELL 33
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2011/09/07	< .000	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/09/07	< .000	2014/09
MONOCHLOROBENZENE	34301	036	2011/09/07	< .000	2014/09
STYRENE	77128	036	2011/09/07	< .000	2014/09
TETRACHLOROETHYLENE	34475	036	2011/09/07	< .000	2014/09
TOLUENE	34010	036	2011/09/07	< .000	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/09/07	< .000	2014/09
TRICHLOROETHYLENE	39180	036	2011/09/07	< .000	2014/09
TRICHLOROFLUOROMETHANE	34488	036	2011/09/07	< .000	2014/09
VINYL CHLORIDE	39175	036	2011/09/07	< .000	2014/09
XYLENES (TOTAL)	81551	036	2011/09/07	< .000	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/07	. 160.000	2014/09
CALCIUM	00916	036	2011/09/07	. 39.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/07	< .000	2014/09
CHLORIDE	00940	036	2011/09/07	. 10.000	2014/09
COLOR	00081	036	2011/09/07	. 5.000	2014/09
COPPER	01042	036	2011/09/07	< .000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/07	< .000	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/07	. 120.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/07	< .000	2014/09
IRON	01045	036	2011/09/07	1300.000	2014/09
MAGNESIUM	00927	036	2011/09/07	. 7.200	2014/09
MANGANESE	01055	036	2011/09/07	46.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/07	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/07	. 8.000	2014/09
SILVER	01077	036	2011/09/07	< .000	2014/09
SODIUM	00929	036	2011/09/07	54.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/07	. 470.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610018-039						
Source Name: WELL 33						
Source Number: 039						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2011/09/07	57.000	2014/09	
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/07	. 280.000	2014/09	
TURBIDITY, LABORATORY	82079	036	2011/09/07	. 11.000	2014/09	
ZINC	01092	036	2011/09/07	< .000	2014/09	
PS Code: 3610018-040						
Source Name: RESERVOIR 8B TREATED-DEER CREEK SOURCES						
Source Number: 040						
Source Status: ACTIVE TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610018-042						
Source Name: WELL 38						
Source Number: 042						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/07/10	< .000	2017/07	
ANTIMONY	01097	036	2014/07/10	< .000	2017/07	
ARSENIC	01002	036	2014/07/10	< .000	2017/07	
BARIUM	01007	036	2014/07/10	< .000	2017/07	
BERYLLIUM	01012	036	2014/07/10	< .000	2017/07	
CADMIUM	01027	036	2014/07/10	< .000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/10	< .000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	**2007/06/19**	3.000	**2010/06**	**DUE**
CYANIDE	01291	036	2014/07/10	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/10	. .340	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-042***

Source Name: ***WELL 38***

Source Number: ***042***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2014/07/10	< .000	2017/07
NICKEL	01067	036	2014/07/10	< .000	2017/07
PERCHLORATE	A-031	036	2014/07/21	< .000	2017/07
SELENIUM	01147	036	2014/07/10	< .000	2017/07
THALLIUM	01059	036	2014/07/10	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/28	. 13.000	2015/07
NITRITE (AS N)	00620	036	2014/07/10	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/07/19	< .000	2019/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/10	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/10	< .000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/10	< .000	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/10	< .000	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/10	< .000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/10	< .000	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/10	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/10	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/10	< .000	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/10	< .000	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/10	< .000	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/10	< .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/10	< .000	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/10	< .000	2017/07
BENZENE	34030	036	2014/07/10	< .000	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/10	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-042***

Source Name: ***WELL 38***

Source Number: ***042***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/10	< .000	2017/07	
DICHLOROMETHANE	34423	036	2014/07/10	< .000	2017/07	
ETHYLBENZENE	34371	036	2014/07/10	< .000	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/10	< .000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/10	< .000	2017/07	
STYRENE	77128	036	2014/07/10	< .000	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/10	< .000	2017/07	
TOLUENE	34010	036	2014/07/10	< .000	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/10	< .000	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/10	< .000	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/10	< .000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/10	< .000	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/10	< .000	2017/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/07/10	. 170.000	2017/07	
CALCIUM	00916	036	2014/07/10	. 31.000	2017/07	
CARBONATE ALKALINITY	00445	036	2014/07/10	< .000	2017/07	
CHLORIDE	00940	036	2014/07/10	. 5.800	2017/07	
COLOR	00081	036	2011/05/26	< .000	2014/05	DUE
COPPER	01042	036	2014/07/10	< .000	2017/07	
FOAMING AGENTS (MBAS)	38260	036	2014/07/10	< .000	2017/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/10	. 99.000	2017/07	
HYDROXIDE ALKALINITY	71830	036	2014/07/10	< .000	2017/07	
IRON	01045	036	2014/07/10	< .000	2017/07	
MAGNESIUM	00927	036	2014/07/10	. 5.000	2017/07	
MANGANESE	01055	036	2014/07/10	< .000	2017/07	
ODOR THRESHOLD @ 60 C	00086	036	2011/05/26	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2014/07/10	. 7.800	2017/07	
SILVER	01077	036	2014/07/10	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610018-042							
Source Name: WELL 38							
Source Number: 042							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
SODIUM	00929	036	2014/07/10	.	32.000	2017/07	
SPECIFIC CONDUCTANCE	00095	036	2014/07/10	.	320.000	2017/07	
SULFATE	00945	036	2014/07/10	.	15.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/10	.	200.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/05/26	<	.000	2014/05	DUE
ZINC	01092	036	2014/07/10	<	.000	2017/07	
PS Code: 3610018-043							
Source Name: RESERVOIR 3-1 - TREATED							
Source Number: 043							
Source Status: COMBINATION OR BLEND TREATED							
Water type: S							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610018-044							
Source Name: ARTHUR BRIDGE WTP - TREATED							
Source Number: 044							
Source Status: ACTIVE TREATED							
Water type: S							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610018-045					
Source Name: RESERVOIR 1 - TREATED					
Source Number: 045					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610018-046					
Source Name: RESERVOIR 2A - TREATED					
Source Number: 046					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610018-047					
Source Name: RESERVOIR 3A - TREATED					
Source Number: 047					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610018-048					
Source Name: CANYON SOURCES - RAW					
Source Number: 048					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-049
Source Name: CB-7 MWD PURCHASED WATER - RAW
Source Number: 049
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610018-050
Source Name: WELL 42
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/19	< .000	2017/06	
ANTIMONY	01097	036	2014/06/19	< .000	2017/06	
ARSENIC	01002	036	2014/06/19	< .000	2017/06	
BARIUM	01007	036	2014/06/19	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/19	< .000	2017/06	
CADMIUM	01027	036	2014/06/19	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/19	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2007/06/21	1.900	2010/06	DUE
CYANIDE	01291	036	2014/06/19	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/19	. .240	2017/06	
MERCURY	71900	036	2014/06/19	< .000	2017/06	
NICKEL	01067	036	2014/06/19	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/19	< .000	2017/06	
SELENIUM	01147	036	2014/06/19	< .000	2017/06	
THALLIUM	01059	036	2014/06/19	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/19	. 8.500	2015/06	
NITRITE (AS N)	00620	036	2014/06/19	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/09/21	.000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-050
Source Name: WELL 42
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/19	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/19	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/19	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/19	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/19	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/19	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/19	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/19	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/19	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/19	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/19	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/19	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/19	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/19	< .000	2017/06
BENZENE	34030	036	2014/06/19	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/19	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/19	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/19	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/19	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/19	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/19	< .000	2017/06
STYRENE	77128	036	2014/06/19	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/19	< .000	2017/06
TOLUENE	34010	036	2014/06/19	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/19	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/19	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/19	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/19	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-050***

Source Name: ***WELL 42***

Source Number: ***050***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2014/06/19	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/19	**. 160.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/19	**. 37.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/19	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/19	**. 7.300**	2017/06
COLOR	**00081**	**036**	2014/06/19	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/19	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/19	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/19	**. 120.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/19	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/19	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/19	**. 5.500**	2017/06
MANGANESE	**01055**	**036**	2014/06/19	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/19	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/19	**. 7.800**	2017/06
SILVER	**01077**	**036**	2014/06/19	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/19	**. 18.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/19	**. 290.000**	2017/06
SULFATE	**00945**	**036**	2014/06/19	**. 5.800**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/19	**. 180.000**	2017/06
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/19	**. .100**	2017/06
ZINC	**01092**	**036**	2014/06/19	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-051***

Source Name: ***WELL 41***

Source Number: ***051***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/18	< .000	2017/06	
ANTIMONY	01097	036	2014/06/18	< .000	2017/06	
ARSENIC	01002	036	2014/06/18	< .000	2017/06	
BARIUM	01007	036	2014/06/18	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/18	< .000	2017/06	
CADMIUM	01027	036	2014/06/18	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	**2007/06/21**	1.900	**2010/06**	**DUE**
CYANIDE	01291	036	2014/06/18	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	. .170	2017/06	
MERCURY	71900	036	2014/06/18	< .000	2017/06	
NICKEL	01067	036	2014/06/18	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	< .000	2017/06	
SELENIUM	01147	036	2014/06/18	< .000	2017/06	
THALLIUM	01059	036	2014/06/18	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/18	. 6.900	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/09/21	.000	2016/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/18	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/18	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/19	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/19	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/19	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/19	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-051***

Source Name: ***WELL 41***

Source Number: ***051***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/19	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/19	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/19	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/19	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/19	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/19	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/19	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/19	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/19	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/19	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/19	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/19	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/19	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/19	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/19	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/19	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/19	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/19	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/19	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/19	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/19	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/19	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/19	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 160.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 35.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 4.400**	2017/06
COLOR	**00081**	**036**	2014/06/18	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-051
Source Name: WELL 41
Source Number: 051
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/06/18	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/18	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/18	. 110.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/18	< .000	2017/06
IRON	01045	036	2014/06/18	< .000	2017/06
MAGNESIUM	00927	036	2014/06/18	. 5.600	2017/06
MANGANESE	01055	036	2014/06/18	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/18	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/18	. 7.800	2017/06
SILVER	01077	036	2014/06/18	< .000	2017/06
SODIUM	00929	036	2014/06/18	. 17.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/18	. 280.000	2017/06
SULFATE	00945	036	2014/06/18	. 7.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/18	. 190.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/18	< .000	2017/06
ZINC	01092	036	2014/06/18	< .000	2017/06

PS Code: 3610018-052
Source Name: WELL 39
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/19	< .000	2017/06
ANTIMONY	01097	036	2014/06/19	< .000	2017/06
ARSENIC	01002	036	2014/06/19	< .000	2017/06
BARIUM	01007	036	2014/06/19	< .000	2017/06
BERYLLIUM	01012	036	2014/06/19	< .000	2017/06
CADMIUM	01027	036	2014/06/19	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-052
Source Name: WELL 39
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/06/19	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/06/19	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/19	. .220	2017/06	
MERCURY	71900	036	2014/06/19	< .000	2017/06	
NICKEL	01067	036	2014/06/19	< .000	2017/06	
PERCHLORATE	A-031	036	2014/06/19	< .000	2017/06	
SELENIUM	01147	036	2014/06/19	< .000	2017/06	
THALLIUM	01059	036	2014/06/19	< .000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/19	. 9.900	2015/06	
NITRITE (AS N)	00620	036	2014/06/19	< .000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2009/03/12	.000	2018/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/19	< .000	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/19	< .000	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/06/19	< .000	2017/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/19	< .000	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/19	< .000	2017/06	
1,1,2-TRICHLOROETHANE	34511	036	2014/06/19	< .000	2017/06	
1,1-DICHLOROETHANE	34496	036	2014/06/19	< .000	2017/06	
1,1-DICHLOROETHYLENE	34501	036	2014/06/19	< .000	2017/06	
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/19	< .000	2017/06	
1,2-DICHLOROBENZENE	34536	036	2014/06/19	< .000	2017/06	
1,2-DICHLOROETHANE	34531	036	2014/06/19	< .000	2017/06	
1,2-DICHLOROPROPANE	34541	036	2014/06/19	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-052
Source Name: WELL 39
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/19	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/19	< .000	2017/06
BENZENE	34030	036	2014/06/19	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/19	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/19	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/19	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/19	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/19	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/19	< .000	2017/06
STYRENE	77128	036	2014/06/19	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/19	< .000	2017/06
TOLUENE	34010	036	2014/06/19	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/19	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/19	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/19	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/19	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/19	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/19	. 160.000	2017/06
CALCIUM	00916	036	2014/06/19	. 31.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/19	< .000	2017/06
CHLORIDE	00940	036	2014/06/19	. 5.300	2017/06
COLOR	00081	036	2014/06/19	< .000	2017/06
COPPER	01042	036	2014/06/19	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/19	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/19	. 100.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/19	< .000	2017/06
IRON	01045	036	2014/06/19	< .000	2017/06
MAGNESIUM	00927	036	2014/06/19	. 6.200	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-052
Source Name: WELL 39
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MANGANESE	01055	036	2014/06/19	< .000	2017/06	
ODOR THRESHOLD @ 60 C	00086	036	2014/06/19	. 1.000	2017/06	
PH, LABORATORY	00403	036	2014/06/19	. 7.800	2017/06	
SILVER	01077	036	2014/06/19	< .000	2017/06	
SODIUM	00929	036	2014/06/19	. 21.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/19	. 290.000	2017/06	
SULFATE	00945	036	2014/06/19	. 10.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/19	. 180.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/19	< .000	2017/06	
ZINC	01092	036	2014/06/19	< .000	2017/06	

PS Code: 3610018-053
Source Name: WELL 40
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/19	< .000	2017/06	
ANTIMONY	01097	036	2014/06/19	< .000	2017/06	
ARSENIC	01002	036	2014/06/19	< .000	2017/06	
BARIUM	01007	036	2014/06/19	< .000	2017/06	
BERYLLIUM	01012	036	2014/06/19	< .000	2017/06	
CADMIUM	01027	036	2014/06/19	< .000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/19	< .000	2017/06	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2014/06/19	< .000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/19	. .250	2017/06	
MERCURY	71900	036	2014/06/19	< .000	2017/06	
NICKEL	01067	036	2014/06/19	< .000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-053
Source Name: WELL 40
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/06/19	< .000	2017/06
SELENIUM	01147	036	2014/06/19	< .000	2017/06
THALLIUM	01059	036	2014/06/19	< .000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/19	. 3.900	2015/06
NITRITE (AS N)	00620	036	2014/06/19	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2009/06/08	.000	2018/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/19	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/19	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/19	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/19	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/19	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/19	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/19	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/19	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/19	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/19	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/19	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/19	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/19	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/19	< .000	2017/06
BENZENE	34030	036	2014/06/19	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/19	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/19	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/19	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-053
Source Name: WELL 40
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/06/19	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/19	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/19	< .000	2017/06
STYRENE	77128	036	2014/06/19	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/19	< .000	2017/06
TOLUENE	34010	036	2014/06/19	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/19	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/19	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/19	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/19	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/19	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/19	. 160.000	2017/06
CALCIUM	00916	036	2014/06/19	. 29.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/19	< .000	2017/06
CHLORIDE	00940	036	2014/06/19	. 4.500	2017/06
COLOR	00081	036	2014/06/19	< .000	2017/06
COPPER	01042	036	2014/06/19	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/19	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/19	. 98.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/19	< .000	2017/06
IRON	01045	036	2014/06/19	< .000	2017/06
MAGNESIUM	00927	036	2014/06/19	. 6.000	2017/06
MANGANESE	01055	036	2014/06/19	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/19	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/19	. 7.900	2017/06
SILVER	01077	036	2014/06/19	< .000	2017/06
SODIUM	00929	036	2014/06/19	. 21.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/19	. 270.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-053***

Source Name: ***WELL 40***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SULFATE	**00945**	**036**	2014/06/19	**. 10.000**	2017/06	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/19	**. 160.000**	2017/06	
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/19	**< .000**	2017/06	
ZINC	**01092**	**036**	2014/06/19	**< .000**	2017/06	

PS Code: ***3610018-054***

Source Name: ***WELL 43***

Source Number: ***054***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/19	**< .000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/19	**< .000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/19	**< .000**	2017/06	
BARIUM	**01007**	**036**	2014/06/19	**< .000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/19	**< .000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/19	**< .000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/19	**< .000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2014/06/19	**< .000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/19	**. .200**	2017/06	
MERCURY	**71900**	**036**	2014/06/19	**< .000**	2017/06	
NICKEL	**01067**	**036**	2014/06/19	**< .000**	2017/06	
PERCHLORATE	**A-031**	**036**	2014/06/19	**< .000**	2017/06	
SELENIUM	**01147**	**036**	2014/06/19	**< .000**	2017/06	
THALLIUM	**01059**	**036**	2014/06/19	**< .000**	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/19	**. 13.000**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/06/19	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-054
Source Name: WELL 43
Source Number: 054
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2009/12/28	< .000	2018/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/19	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/19	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/19	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/19	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/19	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/19	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/19	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/19	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/19	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/19	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/19	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/19	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/19	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/19	< .000	2017/06
BENZENE	34030	036	2014/06/19	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/19	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/19	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/19	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/19	< .000	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/19	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/19	< .000	2017/06
STYRENE	77128	036	2014/06/19	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/19	< .000	2017/06
TOLUENE	34010	036	2014/06/19	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/19	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/19	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

PS Code: 3610018-054
Source Name: WELL 43
Source Number: 054
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/06/19	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/19	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/19	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/19	. 170.000	2017/06
CALCIUM	00916	036	2014/06/19	. 42.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/19	< .000	2017/06
CHLORIDE	00940	036	2014/06/19	. 7.600	2017/06
COLOR	00081	036	2014/06/19	< .000	2017/06
COPPER	01042	036	2014/06/19	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/19	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/19	. 140.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/19	< .000	2017/06
IRON	01045	036	2014/06/19	< .000	2017/06
MAGNESIUM	00927	036	2014/06/19	. 7.700	2017/06
MANGANESE	01055	036	2014/06/19	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/19	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/19	. 7.700	2017/06
SILVER	01077	036	2014/06/19	< .000	2017/06
SODIUM	00929	036	2014/06/19	. 18.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/19	. 340.000	2017/06
SULFATE	00945	036	2014/06/19	. 13.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/19	. 210.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/19	< .000	2017/06
ZINC	01092	036	2014/06/19	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610018-055					
Source Name: WELL 46 - COCA COLA WELL					
Source Number: 055					
Source Status: PENDING					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610018-056					
Source Name: LLOYD MICHAEL WTP - RAW					
Source Number: 056					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610018-057					
Source Name: UPLAND PURCHASED WATER - TREATED					
Source Number: 057					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610018-058					
Source Name: WELL 19 GAC - TREATED					
Source Number: 058					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610018-059***					
Source Name: ***BOOSTER 2C - INTERZONE 3***					
Source Number: ***059***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610018-601***					
Source Name: ***DBP2-RESERVOIR 3C-2 EFFLUENT***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/07	**. 9.500**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/07	**. 2.800**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/07	**. 15.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/07	**. 1.300**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/07	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/07	**. 1.300**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/07	**. 9.400**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/07	**. 28.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/07	**. 2.500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/07	**. 26.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/07	**. 66.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610018-602					
Source Name: DBP2-RESERVOIR 3 EFFLUENT					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 4.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 1.400	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 5.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 3.800	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 12.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 1.400	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 10.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 27.000	2014/10
PS Code: 3610018-603					
Source Name: DBP2-5002 AGGAZZOTTI RD.					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 11.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 2.400	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 16.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	. 1.500	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 1.300	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 4.600	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610018-603					
Source Name: DBP2-5002 AGGAZZOTTI RD.					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/07/07	. 34.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 21.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 60.000	2014/10
PS Code: 3610018-604					
Source Name: DBP2-14295 E CONSTITUTION WY					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	< 2.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	< 1.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	< 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	< 1.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610018-605***					
Source Name: ***DBP2-7410 ARBOR LN***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/07	< **1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/07	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/07	< **2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/07	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/07	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/07	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/07	< **1.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/07	. **1.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/07	< **1.000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/07	< **1.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/07	. **1.800**	2014/10
PS Code: ***3610018-606***					
Source Name: ***DBP2-10485 ALMOND ST***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/07	. **10.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/07	. **2.700**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/07	. **15.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/07	. **1.500**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/07	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/07	. **1.200**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/07	. **7.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610018
System Name: CUCAMONGA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610018-606					
Source Name: DBP2-10485 ALMOND ST					
Source Number: 606					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/07/07	. 28.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 1.600	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 24.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 61.000	2014/10
PS Code: 3610018-607					
Source Name: DBP2-5072 CASTLE CT					
Source Number: 607					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 6.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 2.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 8.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 3.500	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 14.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 11.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 29.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

PS Code: ***3610018-608***

Source Name: ***DBP2-8525 RED HILL COUNTRY CLUB DR***

Source Number: ***608***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/07	**< 1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/07	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/07	**< 2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/07	**< 1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/07	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/07	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/07	**< 1.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/07	**< 1.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/07	**< 1.000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/07	**< 1.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/07	**< .500**	2014/10

PS Code: ***3610018-800***

Source Name: ***RESERVOIR 1B - TREATED (CL2)***

Source Number: ***800***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610018***

System Name: ***CUCAMONGA VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610018-801***					
Source Name: ***RESERVOIR 1C - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610019
System Name: SAN BERNARDINO VALLEY WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610019-003						
Source Name: PURCHASED-CITY OF SB						
Source Number: 003						
Source Status: PURCHASED TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610019-004						
Source Name: NINTH STREET WELL NORTH						
Source Number: 004						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/07/19	. 63.000	2015/07	
ANTIMONY	01097	036	2012/07/19	< .000	2015/07	
ARSENIC	01002	036	2012/07/19	< .000	2015/07	
BARIUM	01007	036	2012/07/19	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/19	< .000	2015/07	
CADMIUM	01027	036	2012/07/19	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/19	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/07/19	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/19	. .360	2015/07	
MERCURY	71900	036	2012/07/19	< .000	2015/07	
NICKEL	01067	036	2012/07/19	< .000	2015/07	
PERCHLORATE	A-031	036	2012/12/05	< .000	2015/12	
SELENIUM	01147	036	2012/07/19	< .000	2015/07	
THALLIUM	01059	036	2012/07/19	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 29.000	2015/07	
NITRITE (AS N)	00620	036	2012/07/19	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/22	. 7.500	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610019
System Name: SAN BERNARDINO VALLEY WD

PS Code: 3610019-004
Source Name: NINTH STREET WELL NORTH
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/19	< .000	2015/07	
DIQUAT	78885	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/19	< .000	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/04/22	< .000	2016/04	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/04/22	< .000	2016/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/04/22	< .000	2016/04	
1,1,2-TRICHLOROETHANE	34511	036	2013/04/22	< .000	2016/04	
1,1-DICHLOROETHANE	34496	036	2013/04/22	< .000	2016/04	
1,1-DICHLOROETHYLENE	34501	036	2013/04/22	< .000	2016/04	
1,2,4-TRICHLOROBENZENE	34551	036	2013/04/22	< .000	2016/04	
1,2-DICHLOROBENZENE	34536	036	2013/04/22	< .000	2016/04	
1,2-DICHLOROETHANE	34531	036	2013/04/22	< .000	2016/04	
1,2-DICHLOROPROPANE	34541	036	2013/04/22	< .000	2016/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/04/22	< .000	2016/04	
1,4-DICHLOROBENZENE	34571	036	2013/04/22	< .000	2016/04	
BENZENE	34030	036	2013/04/22	< .000	2016/04	
CARBON TETRACHLORIDE	32102	036	2013/04/22	< .000	2016/04	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/04/22	< .000	2016/04	
DICHLOROMETHANE	34423	036	2013/04/22	< .000	2016/04	
ETHYLBENZENE	34371	036	2013/04/22	< .000	2016/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/04/22	< .000	2016/04	
MONOCHLOROBENZENE	34301	036	2013/04/22	< .000	2016/04	
STYRENE	77128	036	2013/04/22	< .000	2016/04	
TETRACHLOROETHYLENE	34475	036	2013/04/22	< .000	2016/04	
TOLUENE	34010	036	2013/04/22	< .000	2016/04	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/04/22	< .000	2016/04	
TRICHLOROETHYLENE	39180	036	2013/04/22	< .000	2016/04	
TRICHLOROFLUOROMETHANE	34488	036	2013/04/22	< .000	2016/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610019
System Name: SAN BERNARDINO VALLEY WD

PS Code: 3610019-004
Source Name: NINTH STREET WELL NORTH
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
VINYL CHLORIDE	39175	036	2013/04/22	< .000	2016/04
XYLENES (TOTAL)	81551	036	2013/04/22	< .000	2016/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/19	. 240.000	2015/07
CALCIUM	00916	036	2012/07/19	. 82.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/19	< .000	2015/07
CHLORIDE	00940	036	2012/07/19	. 16.000	2015/07
COLOR	00081	036	2014/07/09	< .000	2017/07
COPPER	01042	036	2012/07/19	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/19	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/19	. 260.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/19	< .000	2015/07
IRON	01045	036	2012/07/19	. 190.000	2015/07
MAGNESIUM	00927	036	2012/07/19	. 15.000	2015/07
MANGANESE	01055	036	2012/07/19	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2012/07/19	. 7.700	2015/07
SILVER	01077	036	2012/07/19	< .000	2015/07
SODIUM	00929	036	2012/07/19	. 19.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/19	. 590.000	2015/07
SULFATE	00945	036	2012/07/19	. 54.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/19	. 390.000	2015/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	. .100	2017/07
ZINC	01092	036	2012/07/19	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610019***

System Name: ***SAN BERNARDINO VALLEY WD***

PS Code: ***3610019-005***

Source Name: ***NINTH STREET WELL SOUTH***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/07/19	**< .000**	2015/07	
ANTIMONY	**01097**	**036**	2012/07/19	**< .000**	2015/07	
ARSENIC	**01002**	**036**	2012/07/19	**< .000**	2015/07	
BARIUM	**01007**	**036**	2012/07/19	**< .000**	2015/07	
BERYLLIUM	**01012**	**036**	2012/07/19	**< .000**	2015/07	
CADMIUM	**01027**	**036**	2012/07/19	**< .000**	2015/07	
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/19	**< .000**	2015/07	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2012/07/19	**< .000**	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/19	**. .350**	2015/07	
MERCURY	**71900**	**036**	2012/07/19	**< .000**	2015/07	
NICKEL	**01067**	**036**	2012/07/19	**< .000**	2015/07	
PERCHLORATE	**A-031**	**036**	2012/12/05	**< .000**	2015/12	
SELENIUM	**01147**	**036**	2012/07/19	**< .000**	2015/07	
THALLIUM	**01059**	**036**	2012/07/19	**< .000**	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 20.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2012/07/19	**< .000**	2015/07	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/04/22	**. 6.500**	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/19	**< .000**	2015/07	
DIQUAT	**78885**	**000**				**DUE**
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/19	**< .000**	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/04/22	**< .000**	2016/04	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/04/22	**< .000**	2016/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/04/22	**< .000**	2016/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610019
System Name: SAN BERNARDINO VALLEY WD

PS Code: 3610019-005
Source Name: NINTH STREET WELL SOUTH
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2013/04/22	< .000	2016/04
1,1-DICHLOROETHANE	34496	036	2013/04/22	< .000	2016/04
1,1-DICHLOROETHYLENE	34501	036	2013/04/22	< .000	2016/04
1,2,4-TRICHLOROBENZENE	34551	036	2013/04/22	< .000	2016/04
1,2-DICHLOROBENZENE	34536	036	2013/04/22	< .000	2016/04
1,2-DICHLOROETHANE	34531	036	2013/04/22	< .000	2016/04
1,2-DICHLOROPROPANE	34541	036	2013/04/22	< .000	2016/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/04/22	< .000	2016/04
1,4-DICHLOROBENZENE	34571	036	2013/04/22	< .000	2016/04
BENZENE	34030	036	2013/04/22	< .000	2016/04
CARBON TETRACHLORIDE	32102	036	2013/04/22	< .000	2016/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/04/22	< .000	2016/04
DICHLOROMETHANE	34423	036	2013/04/22	< .000	2016/04
ETHYLBENZENE	34371	036	2013/04/22	< .000	2016/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/04/22	< .000	2016/04
MONOCHLOROBENZENE	34301	036	2013/04/22	< .000	2016/04
STYRENE	77128	036	2013/04/22	< .000	2016/04
TETRACHLOROETHYLENE	34475	036	2013/04/22	< .000	2016/04
TOLUENE	34010	036	2013/04/22	< .000	2016/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/04/22	< .000	2016/04
TRICHLOROETHYLENE	39180	036	2013/04/22	< .000	2016/04
TRICHLOROFLUOROMETHANE	34488	036	2013/04/22	< .000	2016/04
VINYL CHLORIDE	39175	036	2013/04/22	< .000	2016/04
XYLENES (TOTAL)	81551	036	2013/04/22	< .000	2016/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/19	. 240.000	2015/07
CALCIUM	00916	036	2012/07/19	. 76.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/19	< .000	2015/07
CHLORIDE	00940	036	2012/07/19	. 15.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610019
System Name: SAN BERNARDINO VALLEY WD

PS Code: 3610019-005
Source Name: NINTH STREET WELL SOUTH
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2014/07/09	< .000	2017/07
COPPER	01042	036	2012/07/19	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/19	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/19	. 240.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/19	< .000	2015/07
IRON	01045	036	2012/07/19	< .000	2015/07
MAGNESIUM	00927	036	2012/07/19	. 13.000	2015/07
MANGANESE	01055	036	2012/07/19	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2012/07/19	. 7.800	2015/07
SILVER	01077	036	2012/07/19	< .000	2015/07
SODIUM	00929	036	2012/07/19	. 18.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/19	. 560.000	2015/07
SULFATE	00945	036	2012/07/19	. 48.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/19	. 370.000	2015/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	< .000	2017/07
ZINC	01092	036	2012/07/19	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610021
System Name: FALLSVALE SERVICE COMPANY

PS Code: 3610021-002
Source Name: SNOW CREEK HORIZONTAL WELL
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/01/13	< .000	2017/01
ANTIMONY	01097	036	2014/01/13	< .000	2017/01
ARSENIC	01002	036	2014/01/13	< .000	2017/01
BARIUM	01007	036	2014/01/13	< .000	2017/01
BERYLLIUM	01012	036	2014/01/13	< .000	2017/01
CADMIUM	01027	036	2014/01/13	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/13	< .000	2017/01
CYANIDE	01291	036	2014/01/13	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/13	. .110	2017/01
MERCURY	71900	036	2014/01/13	< .000	2017/01
NICKEL	01067	036	2014/01/13	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/13	< .000	2017/01
SELENIUM	01147	036	2014/01/13	< .000	2017/01
THALLIUM	01059	036	2014/01/13	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/13	< .000	2015/01
NITRITE (AS N)	00620	036	2014/01/13	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/01/13	< .000	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/13	< .000	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/13	< .000	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/05/14	< .000	2018/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/05/14	< .000	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/05/14	< .000	2018/05
1,1,2-TRICHLOROETHANE	34511	072	2012/05/14	< .000	2018/05
1,1-DICHLOROETHANE	34496	072	2012/05/14	< .000	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610021
System Name: FALLSVALE SERVICE COMPANY

PS Code: 3610021-002
Source Name: SNOW CREEK HORIZONTAL WELL
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2012/05/14	< .000	2018/05
1,2,4-TRICHLOROBENZENE	34551	072	2012/05/14	< .000	2018/05
1,2-DICHLOROBENZENE	34536	072	2012/05/14	< .000	2018/05
1,2-DICHLOROETHANE	34531	072	2012/05/14	< .000	2018/05
1,2-DICHLOROPROPANE	34541	072	2012/05/14	< .000	2018/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/05/14	< .000	2018/05
1,4-DICHLOROBENZENE	34571	072	2012/05/14	< .000	2018/05
BENZENE	34030	072	2012/05/14	< .000	2018/05
CARBON TETRACHLORIDE	32102	072	2012/05/14	< .000	2018/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/05/14	< .000	2018/05
DICHLOROMETHANE	34423	072	2012/05/14	< .000	2018/05
ETHYLBENZENE	34371	072	2012/05/14	< .000	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/01/13	< .000	2020/01
MONOCHLOROBENZENE	34301	072	2012/05/14	< .000	2018/05
STYRENE	77128	072	2012/05/14	< .000	2018/05
TETRACHLOROETHYLENE	34475	072	2012/05/14	< .000	2018/05
TOLUENE	34010	072	2012/05/14	< .000	2018/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/05/14	< .000	2018/05
TRICHLOROETHYLENE	39180	072	2012/05/14	< .000	2018/05
TRICHLOROFLUOROMETHANE	34488	072	2012/05/14	< .000	2018/05
VINYL CHLORIDE	39175	072	2012/05/14	< .000	2018/05
XYLENES (TOTAL)	81551	072	2012/05/14	< .000	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/13	. 98.000	2017/01
CALCIUM	00916	036	2014/01/13	. 18.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/13	< .000	2017/01
CHLORIDE	00940	036	2014/01/13	< .000	2017/01
COLOR	00081	036	2014/01/13	< .000	2017/01
COPPER	01042	036	2014/01/13	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610021
System Name: FALLSVALE SERVICE COMPANY

PS Code: 3610021-002
Source Name: SNOW CREEK HORIZONTAL WELL
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/01/13	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/13	. 71.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/13	< .000	2017/01
IRON	01045	036	2014/01/13	< .000	2017/01
MAGNESIUM	00927	036	2014/01/13	. 6.400	2017/01
MANGANESE	01055	036	2014/01/13	< .000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/13	. 1.000	2017/01
PH, LABORATORY	00403	036	2014/01/13	. 7.800	2017/01
SILVER	01077	036	2014/01/13	< .000	2017/01
SODIUM	00929	036	2014/01/13	. 2.300	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/13	. 150.000	2017/01
SULFATE	00945	036	2014/01/13	. 8.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/13	. 71.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/13	< .000	2017/01
ZINC	01092	036	2014/01/13	. 60.000	2017/01

PS Code: 3610021-003
Source Name: BIG FALLS WELL
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/01/13	< .000	2017/01
ANTIMONY	01097	036	2014/01/13	< .000	2017/01
ARSENIC	01002	036	2014/01/13	< .000	2017/01
BARIUM	01007	036	2014/01/13	< .000	2017/01
BERYLLIUM	01012	036	2014/01/13	< .000	2017/01
CADMIUM	01027	036	2014/01/13	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/13	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610021***

System Name: ***FALLSVALE SERVICE COMPANY***

PS Code: ***3610021-003***

Source Name: ***BIG FALLS WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/01/13	**< .000**	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/01/13	**. .290**	2017/01
MERCURY	**71900**	**036**	2014/01/13	**< .000**	2017/01
NICKEL	**01067**	**036**	2014/01/13	**< .000**	2017/01
PERCHLORATE	**A-031**	**036**	2014/01/13	**< .000**	2017/01
SELENIUM	**01147**	**036**	2014/01/13	**< .000**	2017/01
THALLIUM	**01059**	**036**	2014/01/13	**< .000**	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/13	**< .000**	2015/01
NITRITE (AS N)	**00620**	**036**	2014/01/13	**< .000**	2017/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/01/13	**< .000**	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/01/13	**< .000**	2017/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/01/13	**< .000**	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/05/14	**< .000**	2018/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/05/14	**< .000**	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/05/14	**< .000**	2018/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/05/14	**< .000**	2018/05
1,1-DICHLOROETHANE	**34496**	**072**	2012/05/14	**< .000**	2018/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/05/14	**< .000**	2018/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/05/14	**< .000**	2018/05
1,2-DICHLOROBENZENE	**34536**	**072**	2012/05/14	**< .000**	2018/05
1,2-DICHLOROETHANE	**34531**	**072**	2012/05/14	**< .000**	2018/05
1,2-DICHLOROPROPANE	**34541**	**072**	2012/05/14	**< .000**	2018/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/05/14	**< .000**	2018/05
1,4-DICHLOROBENZENE	**34571**	**072**	2012/05/14	**< .000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610021
System Name: FALLSVALE SERVICE COMPANY

PS Code: 3610021-003
Source Name: BIG FALLS WELL
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2012/05/14	< .000	2018/05
CARBON TETRACHLORIDE	32102	072	2012/05/14	< .000	2018/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/05/14	< .000	2018/05
DICHLOROMETHANE	34423	072	2012/05/14	< .000	2018/05
ETHYLBENZENE	34371	072	2012/05/14	< .000	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/01/13	< .000	2020/01
MONOCHLOROBENZENE	34301	072	2012/05/14	< .000	2018/05
STYRENE	77128	072	2012/05/14	< .000	2018/05
TETRACHLOROETHYLENE	34475	072	2012/05/14	< .000	2018/05
TOLUENE	34010	072	2012/05/14	< .000	2018/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/05/14	< .000	2018/05
TRICHLOROETHYLENE	39180	072	2012/05/14	< .000	2018/05
TRICHLOROFLUOROMETHANE	34488	072	2012/05/14	< .000	2018/05
VINYL CHLORIDE	39175	072	2012/05/14	< .000	2018/05
XYLENES (TOTAL)	81551	072	2012/05/14	< .000	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/13	. 120.000	2017/01
CALCIUM	00916	036	2014/01/13	. 35.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/13	< .000	2017/01
CHLORIDE	00940	036	2014/01/13	< .000	2017/01
COLOR	00081	036	2014/01/13	< .000	2017/01
COPPER	01042	036	2014/01/13	< .000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/13	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/13	. 120.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/13	< .000	2017/01
IRON	01045	036	2014/01/13	< .000	2017/01
MAGNESIUM	00927	036	2014/01/13	. 7.100	2017/01
MANGANESE	01055	036	2014/01/13	< .000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/13	. 1.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610021***

System Name: ***FALLSVALE SERVICE COMPANY***

PS Code: ***3610021-003***

Source Name: ***BIG FALLS WELL***

Source Number: ***003***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	**00403**	**036**	2014/01/13	**. 7.200**	2017/01
SILVER	**01077**	**036**	2014/01/13	**< .000**	2017/01
SODIUM	**00929**	**036**	2014/01/13	**. 3.700**	2017/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/01/13	**. 230.000**	2017/01
SULFATE	**00945**	**036**	2014/01/13	**. 21.000**	2017/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/01/13	**. 140.000**	2017/01
TURBIDITY, LABORATORY	**82079**	**036**	2014/01/13	**. .800**	2017/01
ZINC	**01092**	**036**	2014/01/13	**< .000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-002
Source Name: RACCOON SLANT WELL
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/21	< .000	2014/10	
ANTIMONY	01097	036	2011/10/21	< .000	2014/10	
ARSENIC	01002	036	2011/10/21	< .000	2014/10	
BARIUM	01007	036	2011/10/21	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/21	< .000	2014/10	
CADMIUM	01027	036	2011/10/21	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/21	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/11	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/21	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	. .110	2014/10	
MERCURY	71900	036	2011/10/21	< .000	2014/10	
NICKEL	01067	036	2011/10/21	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/21	< .000	2014/10	
SELENIUM	01147	036	2011/10/21	< .000	2014/10	
THALLIUM	01059	036	2011/10/21	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/17	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/21	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/02	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/02	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/02	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610022***
System Name: ***DWP - FAWNSKIN***

PS Code: ***3610022-002***
Source Name: ***RACCOON SLANT WELL***
Source Number: ***002***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2011/03/02	**< .000**	2017/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/03/02	**< .000**	2017/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROBENZENE	**34536**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROETHANE	**34531**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROPROPANE	**34541**	**072**	2011/03/02	**< .000**	2017/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/03/02	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**072**	2011/03/02	**< .000**	2017/03
BENZENE	**34030**	**072**	2011/03/02	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**072**	2011/03/02	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/03/02	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**072**	2011/03/02	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/02	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/19	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2011/03/02	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/02	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/02	**< .000**	2017/03
TOLUENE	**34010**	**072**	2011/03/02	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/03/02	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**072**	2011/03/02	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/03/02	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**072**	2011/03/02	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**072**	2011/03/02	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/21	**. 280.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/21	**. 69.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/21	**< .000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/21	**. 2.900**	2014/10
COLOR	**00081**	**036**	2011/10/21	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-002
Source Name: RACCOON SLANT WELL
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/10/21	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/21	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/21	. 220.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/21	< .000	2014/10
IRON	01045	036	2011/10/21	< .000	2014/10
MAGNESIUM	00927	036	2011/10/21	. 14.000	2014/10
MANGANESE	01055	036	2011/10/21	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/21	. 7.200	2014/10
SILVER	01077	036	2011/10/21	< .000	2014/10
SODIUM	00929	036	2011/10/21	9.600	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 430.000	2014/10
SULFATE	00945	036	2011/10/21	5.500	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 260.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/21	. .100	2014/10
ZINC	01092	036	2011/10/21	< .000	2014/10

PS Code: 3610022-003
Source Name: NORTH SHORE 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/21	< .000	2014/10
ANTIMONY	01097	036	2011/10/21	< .000	2014/10
ARSENIC	01002	036	2011/10/21	. 8.500	2014/10
BARIUM	01007	036	2011/10/21	< .000	2014/10
BERYLLIUM	01012	036	2011/10/21	< .000	2014/10
CADMIUM	01027	036	2011/10/21	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610022***

System Name: ***DWP - FAWNSKIN***

PS Code: ***3610022-003***

Source Name: ***NORTH SHORE 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/21	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/11	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/21	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	. 1.100	2014/10	
MERCURY	71900	036	2011/10/21	< .000	2014/10	
NICKEL	01067	036	2011/10/21	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/21	< .000	2014/10	
SELENIUM	01147	036	2011/10/21	< .000	2014/10	
THALLIUM	01059	036	2011/10/21	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/22	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/21	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/17	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/17	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/17	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/17	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/17	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/17	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/17	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/17	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-003
Source Name: NORTH SHORE 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/17	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/17	< .000	2017/03
BENZENE	34030	072	2011/03/17	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/17	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/17	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/17	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/17	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/19	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/17	< .000	2017/03
STYRENE	77128	072	2011/03/17	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/17	< .000	2017/03
TOLUENE	34010	072	2011/03/17	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/17	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/17	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/17	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/17	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/17	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/21	. 57.000	2014/10
CALCIUM	00916	036	2011/10/21	. 1.600	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/21	45.000	2014/10
CHLORIDE	00940	036	2011/10/21	. 4.400	2014/10
COLOR	00081	036	2011/10/21	< .000	2014/10
COPPER	01042	036	2011/10/21	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/21	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/21	. 10.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/21	< .000	2014/10
IRON	01045	036	2011/10/21	< .000	2014/10
MAGNESIUM	00927	036	2011/10/21	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610022-003					
Source Name: NORTH SHORE 03					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2011/10/21	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/21	. 9.700	2014/10
SILVER	01077	036	2011/10/21	< .000	2014/10
SODIUM	00929	036	2011/10/21	57.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 270.000	2014/10
SULFATE	00945	036	2011/10/21	7.400	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 160.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/21	< .000	2014/10
ZINC	01092	036	2011/10/21	< .000	2014/10
PS Code: 3610022-006					
Source Name: SLANT WELL B					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610022-007					
Source Name: SLANT WELL C					
Source Number: 007					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-009
Source Name: CEDAR WELL SLANT WELLS B,C&2 COMPOSITE
Source Number: 009
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/21	< .000	2014/10	
ANTIMONY	01097	036	2011/10/21	< .000	2014/10	
ARSENIC	01002	036	2011/10/21	< .000	2014/10	
BARIUM	01007	036	2011/10/21	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/21	< .000	2014/10	
CADMIUM	01027	036	2011/10/21	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/21	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2001/06/19	. .000	2004/06	DUE
CYANIDE	01291	036	2011/10/21	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	. .130	2014/10	
MERCURY	71900	036	2011/10/21	< .000	2014/10	
NICKEL	01067	036	2011/10/21	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/21	< .000	2014/10	
SELENIUM	01147	036	2011/10/21	< .000	2014/10	
THALLIUM	01059	036	2011/10/21	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/17	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/21	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2007/11/28	9.700	2013/11	DUE
URANIUM (PCI/L)	28012	072	2007/11/28	6.900	2013/11	DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
DIQUAT	78885	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	1997/02/04	.000	2003/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610022***

System Name: ***DWP - FAWNSKIN***

PS Code: ***3610022-009***

Source Name: ***CEDAR WELL SLANT WELLS B,C&2 COMPOSITE***

Source Number: ***009***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1,2,2-TETRACHLOROETHANE	34516	072	1997/02/04		.000	2003/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1997/02/04		.000	2003/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	1997/02/04		.000	2003/02	DUE
1,1-DICHLOROETHANE	34496	072	1997/02/04		.000	2003/02	DUE
1,1-DICHLOROETHYLENE	34501	072	1997/02/04		.000	2003/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1997/02/04		.000	2003/02	DUE
1,2-DICHLOROBENZENE	34536	072	1997/02/04		.000	2003/02	DUE
1,2-DICHLOROETHANE	34531	072	1997/02/04		.000	2003/02	DUE
1,2-DICHLOROPROPANE	34541	072	1997/02/04		.000	2003/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1997/02/04		.000	2003/02	DUE
1,4-DICHLOROBENZENE	34571	072	1997/02/04		.000	2003/02	DUE
BENZENE	34030	072	1997/02/04		.000	2003/02	DUE
CARBON TETRACHLORIDE	32102	072	1997/02/04		.000	2003/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1997/02/04		.000	2003/02	DUE
DICHLOROMETHANE	34423	072	1997/02/04		.000	2003/02	DUE
ETHYLBENZENE	34371	072	1997/02/04		.000	2003/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/19	<	.000	2020/02	
MONOCHLOROBENZENE	34301	072	1997/02/04		.000	2003/02	DUE
STYRENE	77128	072	1997/02/04		.000	2003/02	DUE
TETRACHLOROETHYLENE	34475	072	1997/02/04		.000	2003/02	DUE
TOLUENE	34010	072	1997/02/04		.000	2003/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1997/02/04		.000	2003/02	DUE
TRICHLOROETHYLENE	39180	072	1997/02/04		.000	2003/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	1997/02/04		.000	2003/02	DUE
VINYL CHLORIDE	39175	072	1997/02/04		.000	2003/02	DUE
XYLENES (TOTAL)	81551	072	1997/02/04		.000	2003/02	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/10/21	.	170.000	2014/10	
CALCIUM	00916	036	2011/10/21	.	34.000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-009
Source Name: CEDAR WELL SLANT WELLS B,C&2 COMPOSITE
Source Number: 009
Source Status: COMBINATION OR BLEND RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CARBONATE ALKALINITY	00445	036	2011/10/21	< .000	2014/10
CHLORIDE	00940	036	2011/10/21	. 4.800	2014/10
COLOR	00081	036	2011/10/21	< .000	2014/10
COPPER	01042	036	2011/10/21	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/21	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/21	. 120.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/21	< .000	2014/10
IRON	01045	036	2011/10/21	< .000	2014/10
MAGNESIUM	00927	036	2011/10/21	. 9.400	2014/10
MANGANESE	01055	036	2011/10/21	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/21	. 7.400	2014/10
SILVER	01077	036	2011/10/21	< .000	2014/10
SODIUM	00929	036	2011/10/21	11.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 260.000	2014/10
SULFATE	00945	036	2011/10/21	2.100	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 160.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/21	< .000	2014/10
ZINC	01092	036	2011/10/21	< .000	2014/10

PS Code: 3610022-010
Source Name: CEDAR WELL 02 (HORIZONTAL)
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-011T
Source Name: CEDAR WELL 02 (HORIZONTAL) - TREATED
Source Number: 011
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610022-012
Source Name: CHEROKEE WELL
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/05/09	. 100.000	2015/05	
ANTIMONY	01097	036	2012/05/09	< .000	2015/05	
ARSENIC	01002	036	2012/05/09	. 6.700	2015/05	
BARIUM	01007	036	2012/05/09	< .000	2015/05	
BERYLLIUM	01012	036	2012/05/09	< .000	2015/05	
CADMIUM	01027	036	2012/05/09	< .000	2015/05	
CHROMIUM (TOTAL)	01034	036	2012/05/09	< .000	2015/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/05/09	< .000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/09	. .700	2015/05	
MERCURY	71900	036	2012/05/09	< .000	2015/05	
NICKEL	01067	036	2012/05/09	< .000	2015/05	
PERCHLORATE	A-031	036	2014/05/28	< .000	2017/05	
SELENIUM	01147	036	2012/05/09	< .000	2015/05	
THALLIUM	01059	036	2012/05/09	< .000	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/17	< .000	2014/10	
NITRITE (AS N)	00620	036	2012/05/09	< .000	2015/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/03/06	. 3.300	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-012
Source Name: CHEROKEE WELL
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/05/28	< .000	2020/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/05/28	< .000	2020/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/05/28	< .000	2020/05
1,1,2-TRICHLOROETHANE	34511	072	2014/05/28	< .000	2020/05
1,1-DICHLOROETHANE	34496	072	2014/05/28	< .000	2020/05
1,1-DICHLOROETHYLENE	34501	072	2014/05/28	< .000	2020/05
1,2,4-TRICHLOROBENZENE	34551	072	2014/05/28	< .000	2020/05
1,2-DICHLOROBENZENE	34536	072	2014/05/28	< .000	2020/05
1,2-DICHLOROETHANE	34531	072	2014/05/28	< .000	2020/05
1,2-DICHLOROPROPANE	34541	072	2014/05/28	< .000	2020/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/05/28	< .000	2020/05
1,4-DICHLOROBENZENE	34571	072	2014/05/28	< .000	2020/05
BENZENE	34030	072	2014/05/28	< .000	2020/05
CARBON TETRACHLORIDE	32102	072	2014/05/28	< .000	2020/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/05/28	< .000	2020/05
DICHLOROMETHANE	34423	072	2014/05/28	< .000	2020/05
ETHYLBENZENE	34371	072	2014/05/28	< .000	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2014/05/28	< .000	2020/05
STYRENE	77128	072	2014/05/28	< .000	2020/05
TETRACHLOROETHYLENE	34475	072	2014/05/28	< .000	2020/05
TOLUENE	34010	072	2014/05/28	< .000	2020/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/05/28	< .000	2020/05
TRICHLOROETHYLENE	39180	072	2014/05/28	< .000	2020/05
TRICHLOROFLUOROMETHANE	34488	072	2014/05/28	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/28	< .000	2020/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610022***

System Name: ***DWP - FAWNSKIN***

PS Code: ***3610022-012***

Source Name: ***CHEROKEE WELL***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2014/05/28	**< .000**	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/05/09	**. 140.000**	2015/05
CALCIUM	**00916**	**036**	2012/05/09	**. 13.000**	2015/05
CARBONATE ALKALINITY	**00445**	**036**	2012/05/09	**24.000**	2015/05
CHLORIDE	**00940**	**036**	2012/05/09	**. 7.900**	2015/05
COLOR	**00081**	**036**	2012/05/09	**< .000**	2015/05
COPPER	**01042**	**036**	2012/05/09	**< .000**	2015/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/05/09	**< .000**	2015/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/05/09	**. 64.000**	2015/05
HYDROXIDE ALKALINITY	**71830**	**036**	2012/05/09	**< .000**	2015/05
IRON	**01045**	**036**	2012/05/09	**140.000**	2015/05
MAGNESIUM	**00927**	**036**	2012/05/09	**. 7.300**	2015/05
MANGANESE	**01055**	**036**	2012/05/09	**< .000**	2015/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/05/09	**1.000**	2015/05
PH, LABORATORY	**00403**	**036**	2012/05/09	**. 9.000**	2015/05
SILVER	**01077**	**036**	2012/05/09	**< .000**	2015/05
SODIUM	**00929**	**036**	2012/05/09	**55.000**	2015/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/05/09	**. 350.000**	2015/05
SULFATE	**00945**	**036**	2012/05/09	**12.000**	2015/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/05/09	**. 200.000**	2015/05
TURBIDITY, LABORATORY	**82079**	**036**	2012/05/09	**. 1.900**	2015/05
ZINC	**01092**	**036**	2012/05/09	**< .000**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-013
Source Name: SEMINOLE WELL (GWUDI) - RAW
Source Number: 013
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	012	2014/05/28	< .000	2015/05	
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/17	< .000	2014/10	
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/28	< .000	2017/05	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610022***

System Name: ***DWP - FAWNSKIN***

PS Code: ***3610022-013***

Source Name: ***SEMINOLE WELL (GWUDI) - RAW***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/05/28	< .000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-013
Source Name: SEMINOLE WELL (GWUDI) - RAW
Source Number: 013
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/28	< .000	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/28	< .000	2017/05
1,1,2-TRICHLOROETHANE	34511	036	2014/05/28	< .000	2017/05
1,1-DICHLOROETHANE	34496	036	2014/05/28	< .000	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/28	< .000	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/28	< .000	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/28	< .000	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/28	< .000	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/28	< .000	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/28	< .000	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/28	< .000	2017/05
BENZENE	34030	036	2014/05/28	< .000	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/28	< .000	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/28	< .000	2017/05
DICHLOROMETHANE	34423	036	2014/05/28	< .000	2017/05
ETHYLBENZENE	34371	036	2014/05/28	< .000	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/28	< .000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/28	< .000	2017/05
STYRENE	77128	036	2014/05/28	< .000	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/28	< .000	2017/05
TOLUENE	34010	036	2014/05/28	< .000	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/28	< .000	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/28	< .000	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/28	< .000	2017/05
VINYL CHLORIDE	39175	036	2014/05/28	< .000	2017/05
XYLENES (TOTAL)	81551	036	2014/05/28	< .000	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

PS Code: 3610022-013
Source Name: SEMINOLE WELL (GWUDI) - RAW
Source Number: 013
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

PS Code: 3610022-014
Source Name: SEMINOLE WELL - SWTP EFFLUENT
Source Number: 014
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610022
System Name: DWP - FAWNSKIN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610022-601					
Source Name: DBP2-MOHAWK X SIOUX					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/10	< .000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/10	. 1.100	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/10	. 1.100	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/10	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/10	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/10	< .000	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/04/10	. 1.600	2014/07
BROMOFORM (THM)	32104	003	2014/04/10	< .000	2014/07
CHLOROFORM (THM)	32106	003	2014/04/10	. 1.800	2014/07
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/04/10	. 1.200	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/04/10	. 4.600	2014/07
PS Code: 3610022-602					
Source Name: DBP2-1268 PINEY RIDGE					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/10	< .000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/10	< .000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/10	< .000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/10	< .000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/10	< .000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/10	< .000	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/04/10	. 1.200	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610022***
System Name: ***DWP - FAWNSKIN***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610022-602***					
Source Name: ***DBP2-1268 PINEY RIDGE***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/04/10	**< .000**	2014/07
CHLOROFORM (THM)	**32106**	**003**	2014/04/10	**. 1.000**	2014/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/04/10	**< .000**	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/10	**. 2.200**	2014/07
PS Code: ***3610022-800***					
Source Name: ***RACCOON SLANT WELL - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610022-801***					
Source Name: ***NORTH SHORE 03 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-001***

Source Name: ***ANGELS HIGH SPRINGS COMP***

Source Number: ***001***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/08	< .000	2014/07	
ANTIMONY	01097	036	2011/07/08	< .000	2014/07	
ARSENIC	01002	036	2011/07/08	< .000	2014/07	
BARIUM	01007	036	2011/07/08	< .000	2014/07	
BERYLLIUM	01012	036	2011/07/08	< .000	2014/07	
CADMIUM	01027	036	2011/07/08	< .000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/08	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	. .000	2005/10	DUE
CYANIDE	01291	036	2011/07/08	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/08	< .000	2014/07	
MERCURY	71900	036	2011/07/08	< .000	2014/07	
NICKEL	01067	036	2011/07/08	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/08	< .000	2014/07	
SELENIUM	01147	036	2011/07/08	< .000	2014/07	
THALLIUM	01059	036	2011/07/08	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/17	< .000	2015/01	
NITRITE (AS N)	00620	036	2014/01/17	< .000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	. 7.000	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/07/16	.000	2012/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/07/16	.000	2012/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/16	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/16	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-001
Source Name: ANGELS HIGH SPRINGS COMP
Source Number: 001
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2009/07/16	.000	2015/07
1,1-DICHLOROETHYLENE	34501	072	2009/07/16	.000	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/16	.000	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/16	.000	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/16	.000	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/16	.000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/16	.000	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/16	.000	2015/07
BENZENE	34030	072	2009/07/16	.000	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/16	.000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/16	.000	2015/07
DICHLOROMETHANE	34423	072	2009/07/16	.000	2015/07
ETHYLBENZENE	34371	072	2009/07/16	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/07/16	.000	2015/07
MONOCHLOROBENZENE	34301	072	2009/07/16	.000	2015/07
STYRENE	77128	072	2009/07/16	.000	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/16	.000	2015/07
TOLUENE	34010	072	2009/07/16	.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/16	.000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/16	.000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/16	.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/16	.000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/16	.000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/08	. 98.000	2014/07
CALCIUM	00916	036	2011/07/08	. 26.000	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/08	< .000	2014/07
CHLORIDE	00940	036	2011/07/08	. 1.900	2014/07
COLOR	00081	036	2014/02/03	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-001***

Source Name: ***ANGELS HIGH SPRINGS COMP***

Source Number: ***001***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/07/08	< .000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/08	< .000	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2011/07/08	. 68.000	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/08	< .000	2014/07
IRON	01045	036	2013/01/16	< .000	2016/01
MAGNESIUM	00927	036	2011/07/08	. 1.700	2014/07
MANGANESE	01055	036	2013/01/16	< .000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2014/02/03	1.000	2017/02
PH, LABORATORY	00403	036	2011/07/08	. 6.700	2014/07
SILVER	01077	036	2011/07/08	< .000	2014/07
SODIUM	00929	036	2011/07/08	7.500	2014/07
SPECIFIC CONDUCTANCE	00095	036	2011/07/08	. 160.000	2014/07
SULFATE	00945	036	2011/07/08	1.500	2014/07
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/08	. 110.000	2014/07
TURBIDITY, LABORATORY	82079	036	2014/02/03	< .000	2017/02
ZINC	01092	036	2011/07/08	< .000	2014/07

PS Code: ***3610023-007***

Source Name: ***HORIZ WELL 01***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610023-008					
Source Name: HORIZ WELL 02					
Source Number: 008					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-009					
Source Name: HORIZ WELL 03					
Source Number: 009					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-010					
Source Name: HORIZ WELL 04					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-011					
Source Name: HORIZ WELL 05					
Source Number: 011					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610023-012 **Source Name:** HORIZ WELL 06 **Source Number:** 012 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-013 **Source Name:** HORIZ WELL 07 **Source Number:** 013 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-014 **Source Name:** HORIZ WELL 08 **Source Number:** 014 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-017 **Source Name:** HORIZ WELL 12 **Source Number:** 017 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610023-018					
Source Name: HORIZ WELL 13					
Source Number: 018					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-019					
Source Name: HORIZ WELL 14					
Source Number: 019					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-020					
Source Name: HORIZ WELL 15					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-021					
Source Name: HORIZ WELL 16					
Source Number: 021					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610023-025 **Source Name:** HORIZ WELL 30 **Source Number:** 025 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-026 **Source Name:** HORIZ WELL 31 **Source Number:** 026 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-027 **Source Name:** HORIZ WELL 32 **Source Number:** 027 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610023-028 **Source Name:** HORIZ WELL 33 **Source Number:** 028 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-029
Source Name: HORIZ WELL 34
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610023-030
Source Name: HORIZ WELL 35
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610023-031
Source Name: HORIZ WELL 36
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610023-034
Source Name: MEADOW 01
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/04/29	< .000	2017/04
ANTIMONY	01097	036	2014/04/29	< .000	2017/04
ARSENIC	01002	036	2014/04/29	. 5.900	2017/04
BARIUM	01007	036	2014/04/29	< .000	2017/04
BERYLLIUM	01012	036	2014/04/29	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-034
Source Name: MEADOW 01
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/04/29	< .000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/29	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	. .000	2005/10	DUE
CYANIDE	01291	036	2014/04/29	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	. .150	2017/04	
MERCURY	71900	036	2014/04/29	< .000	2017/04	
NICKEL	01067	036	2014/04/29	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/29	< .000	2017/04	
SELENIUM	01147	036	2014/04/29	< .000	2017/04	
THALLIUM	01059	036	2014/04/29	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/29	< .000	2015/04	
NITRITE (AS N)	00620	036	2014/04/29	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	. 35.000	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/09	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/09	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/16	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHANE	34496	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHYLENE	34501	072	2009/07/16	.000	2015/07	
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/16	.000	2015/07	
1,2-DICHLOROBENZENE	34536	072	2009/07/16	.000	2015/07	
1,2-DICHLOROETHANE	34531	072	2009/07/16	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-034
Source Name: MEADOW 01
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2009/07/16	.000	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/16	.000	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/16	.000	2015/07
BENZENE	34030	072	2009/07/16	.000	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/16	.000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/16	.000	2015/07
DICHLOROMETHANE	34423	072	2009/07/16	.000	2015/07
ETHYLBENZENE	34371	072	2009/07/16	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/07/16	.000	2015/07
MONOCHLOROBENZENE	34301	072	2009/07/16	.000	2015/07
STYRENE	77128	072	2009/07/16	.000	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/16	.000	2015/07
TOLUENE	34010	072	2009/07/16	.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/16	.000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/16	.000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/16	.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/16	.000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/16	.000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 240.000	2017/04
CALCIUM	00916	036	2014/04/29	. 57.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	< .000	2017/04
CHLORIDE	00940	036	2014/04/29	. 5.800	2017/04
COLOR	00081	036	2012/12/10	< .000	2015/12
COPPER	01042	036	2014/04/29	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 160.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< .000	2017/04
IRON	01045	036	2014/04/29	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-034
Source Name: MEADOW 01
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MAGNESIUM	00927	036	2014/04/29	.	3.300	2017/04	
MANGANESE	01055	036	2014/04/29	.	34.000	2017/04	
ODOR THRESHOLD @ 60 C	00086	036	2012/12/10		1.000	2015/12	
PH, LABORATORY	00403	036	2014/04/29	.	7.600	2017/04	
SILVER	01077	036	2014/04/29	<	.000	2017/04	
SODIUM	00929	036	2014/04/29	.	17.000	2017/04	
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	.	370.000	2017/04	
SULFATE	00945	036	2014/04/29	.	5.300	2017/04	
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	.	230.000	2017/04	
TURBIDITY, LABORATORY	82079	036	2012/12/10	.	1.600	2015/12	
ZINC	01092	036	2014/04/29	.	190.000	2017/04	

PS Code: 3610023-035
Source Name: MEADOW 02
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/04/29	<	.000	2017/04	
ANTIMONY	01097	036	2014/04/29	<	.000	2017/04	
ARSENIC	01002	036	2014/04/29	<	.000	2017/04	
BARIUM	01007	036	2014/04/29	<	.000	2017/04	
BERYLLIUM	01012	036	2014/04/29	<	.000	2017/04	
CADMIUM	01027	036	2014/04/29	<	.000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/29	<	.000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	.	.000	2005/10	DUE
CYANIDE	01291	036	2014/04/29	<	.000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	.	.140	2017/04	
MERCURY	71900	036	2014/04/29	<	.000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-035***

Source Name: ***MEADOW 02***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
NICKEL	01067	036	2014/04/29	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/29	< .000	2017/04	
SELENIUM	01147	036	2014/04/29	< .000	2017/04	
THALLIUM	01059	036	2014/04/29	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/29	. 2.300	2015/04	
NITRITE (AS N)	00620	036	2014/04/29	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	. 19.000	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2009/07/16**	.000	**2012/07**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2009/07/16**	.000	**2012/07**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/16	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHANE	34496	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHYLENE	34501	072	2009/07/16	.680	2015/07	
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/16	.000	2015/07	
1,2-DICHLOROBENZENE	34536	072	2009/07/16	.000	2015/07	
1,2-DICHLOROETHANE	34531	072	2009/07/16	.000	2015/07	
1,2-DICHLOROPROPANE	34541	072	2009/07/16	.000	2015/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/16	.000	2015/07	
1,4-DICHLOROBENZENE	34571	072	2009/07/16	.000	2015/07	
BENZENE	34030	072	2009/07/16	.000	2015/07	
CARBON TETRACHLORIDE	32102	072	2009/07/16	.000	2015/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/16	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-035
Source Name: MEADOW 02
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
DICHLOROMETHANE	34423	072	2009/07/16		.000	2015/07
ETHYLBENZENE	34371	072	2009/07/16		.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/07/16		.000	2015/07
MONOCHLOROBENZENE	34301	072	2009/07/16		.000	2015/07
STYRENE	77128	072	2009/07/16		.000	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/16		.000	2015/07
TOLUENE	34010	072	2009/07/16		.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/16		.000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/16		.000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/16		.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/16		.000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/16		.000	2015/07
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/04/29	.	190.000	2017/04
CALCIUM	00916	036	2014/04/29	.	47.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	<	.000	2017/04
CHLORIDE	00940	036	2014/04/29	.	4.700	2017/04
COLOR	00081	036	2014/06/02	<	.000	2017/06
COPPER	01042	036	2014/04/29	<	.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	<	.000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	.	130.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	<	.000	2017/04
IRON	01045	036	2014/04/29	<	.000	2017/04
MAGNESIUM	00927	036	2014/04/29	.	3.300	2017/04
MANGANESE	01055	036	2014/04/29	<	.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/06/02	.	1.000	2017/06
PH, LABORATORY	00403	036	2014/04/29	.	7.200	2017/04
SILVER	01077	036	2014/04/29	<	.000	2017/04
SODIUM	00929	036	2014/04/29	.	13.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610023-035						
Source Name: MEADOW 02						
Source Number: 035						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 310.000	2017/04	
SULFATE	00945	036	2014/04/29	. 3.100	2017/04	
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 210.000	2017/04	
TURBIDITY, LABORATORY	82079	036	2014/06/02	< .000	2017/06	
ZINC	01092	036	2014/04/29	. 450.000	2017/04	
PS Code: 3610023-036						
Source Name: PARK WELL 01						
Source Number: 036						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/07/08	< .000	2014/07	
ANTIMONY	01097	036	2011/07/08	< .000	2014/07	
ARSENIC	01002	036	2011/07/08	< .000	2014/07	
BARIUM	01007	036	2011/07/08	< .000	2014/07	
BERYLLIUM	01012	036	2011/07/08	< .000	2014/07	
CADMIUM	01027	036	2011/07/08	< .000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/08	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	. .000	2005/10	DUE
CYANIDE	01291	036	2011/07/08	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/08	. .110	2014/07	
MERCURY	71900	036	2011/07/08	< .000	2014/07	
NICKEL	01067	036	2011/07/08	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/08	< .000	2014/07	
SELENIUM	01147	036	2011/07/08	< .000	2014/07	
THALLIUM	01059	036	2011/07/08	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/07/08	< .000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-036
Source Name: PARK WELL 01
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRITE (AS N)	00620	036	2011/07/08	< .000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/10/15	3.800	2013/10	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/11/10	.000	2012/11	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/11/10	.000	2012/11	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/11/10	.000	2015/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/11/10	.000	2015/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/11/10	.000	2015/11	
1,1,2-TRICHLOROETHANE	34511	072	2009/11/10	.000	2015/11	
1,1-DICHLOROETHANE	34496	072	2009/11/10	.000	2015/11	
1,1-DICHLOROETHYLENE	34501	072	2009/11/10	.000	2015/11	
1,2,4-TRICHLOROBENZENE	34551	072	2009/11/10	.000	2015/11	
1,2-DICHLOROBENZENE	34536	072	2009/11/10	.000	2015/11	
1,2-DICHLOROETHANE	34531	072	2009/11/10	.000	2015/11	
1,2-DICHLOROPROPANE	34541	072	2009/11/10	.000	2015/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/11/10	.000	2015/11	
1,4-DICHLOROBENZENE	34571	072	2009/11/10	.000	2015/11	
BENZENE	34030	072	2009/11/10	.000	2015/11	
CARBON TETRACHLORIDE	32102	072	2009/11/10	.000	2015/11	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/11/10	.000	2015/11	
DICHLOROMETHANE	34423	072	2009/11/10	.000	2015/11	
ETHYLBENZENE	34371	072	2009/11/10	.000	2015/11	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/11/10	.000	2015/11	
MONOCHLOROBENZENE	34301	072	2009/11/10	.000	2015/11	
STYRENE	77128	072	2009/11/10	.000	2015/11	
TETRACHLOROETHYLENE	34475	072	2009/11/10	.000	2015/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-036***

Source Name: ***PARK WELL 01***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TOLUENE	34010	072	2009/11/10		.000	2015/11	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/11/10		.000	2015/11	
TRICHLOROETHYLENE	39180	072	2009/11/10		.000	2015/11	
TRICHLOROFLUOROMETHANE	34488	072	2009/11/10		.000	2015/11	
VINYL CHLORIDE	39175	072	2009/11/10		.000	2015/11	
XYLENES (TOTAL)	81551	072	2009/11/10		.000	2015/11	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/07/08	.	76.000	2014/07	
CALCIUM	00916	036	2011/07/08	.	18.000	2014/07	
CARBONATE ALKALINITY	00445	036	2011/07/08	<	.000	2014/07	
CHLORIDE	00940	036	2011/07/08	.	2.000	2014/07	
COLOR	00081	036	**2009/11/10**		.000	**2012/11**	**DUE**
COPPER	01042	036	2011/07/08	<	.000	2014/07	
FOAMING AGENTS (MBAS)	38260	036	2011/07/08	<	.000	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/07/08	.	49.000	2014/07	
HYDROXIDE ALKALINITY	71830	036	2011/07/08	<	.000	2014/07	
IRON	01045	036	2011/07/08	<	.000	2014/07	
MAGNESIUM	00927	036	2011/07/08	.	2.100	2014/07	
MANGANESE	01055	036	2011/07/08	<	.000	2014/07	
ODOR THRESHOLD @ 60 C	00086	036	**2009/11/10**		1.000	**2012/11**	**DUE**
PH, LABORATORY	00403	036	2011/07/08	.	7.100	2014/07	
SILVER	01077	036	2011/07/08	<	.000	2014/07	
SODIUM	00929	036	2011/07/08		7.500	2014/07	
SPECIFIC CONDUCTANCE	00095	036	2011/07/08	.	120.000	2014/07	
SULFATE	00945	036	2011/07/08		1.000	2014/07	
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/08	.	93.000	2014/07	
TURBIDITY, LABORATORY	82079	036	**2009/11/10**		1.000	**2012/11**	**DUE**
ZINC	01092	036	2011/07/08	<	.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-039***

Source Name: ***SNOW CANYON COMPOSITE***

Source Number: ***039***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/04/29	< .000	2017/04	
ANTIMONY	01097	036	2014/04/29	< .000	2017/04	
ARSENIC	01002	036	2014/04/29	< .000	2017/04	
BARIUM	01007	036	2014/04/29	< .000	2017/04	
BERYLLIUM	01012	036	2014/04/29	< .000	2017/04	
CADMIUM	01027	036	2014/04/29	< .000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/29	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	**2002/10/17**	. .000	**2005/10**	**DUE**
CYANIDE	01291	036	2014/04/29	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	< .000	2017/04	
MERCURY	71900	036	2014/04/29	< .000	2017/04	
NICKEL	01067	036	2014/04/29	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/29	< .000	2017/04	
SELENIUM	01147	036	2014/04/29	< .000	2017/04	
THALLIUM	01059	036	2014/04/29	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/29	. 6.900	2015/04	
NITRITE (AS N)	00620	036	2014/04/29	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	. 19.000	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2009/07/16**	.000	**2012/07**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2009/07/16**	.000	**2012/07**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/16	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/16	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-039***

Source Name: ***SNOW CANYON COMPOSITE***

Source Number: ***039***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/16		**.000**	2015/07	
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/16		**.000**	2015/07	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/16		**.000**	2015/07	
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/16		**.000**	2015/07	
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/16		**.000**	2015/07	
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/16		**.000**	2015/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/16		**.000**	2015/07	
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/16		**.000**	2015/07	
BENZENE	**34030**	**072**	2009/07/16		**.000**	2015/07	
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/16		**.000**	2015/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/16		**.000**	2015/07	
DICHLOROMETHANE	**34423**	**072**	2009/07/16		**.000**	2015/07	
ETHYLBENZENE	**34371**	**072**	2009/07/16		**.000**	2015/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/07/16		**.000**	2015/07	
MONOCHLOROBENZENE	**34301**	**072**	2009/07/16		**.000**	2015/07	
STYRENE	**77128**	**072**	2009/07/16		**.000**	2015/07	
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/16		**.000**	2015/07	
TOLUENE	**34010**	**072**	2009/07/16		**.000**	2015/07	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/16		**.000**	2015/07	
TRICHLOROETHYLENE	**39180**	**072**	2009/07/16		**.000**	2015/07	
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/07/16		**.000**	2015/07	
VINYL CHLORIDE	**39175**	**072**	2009/07/16		**.000**	2015/07	
XYLENES (TOTAL)	**81551**	**072**	2009/07/16		**.000**	2015/07	
SECONDARY/GP							
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/29	**.**	**120.000**	2017/04	
CALCIUM	**00916**	**036**	2014/04/29	**.**	**31.000**	2017/04	
CARBONATE ALKALINITY	**00445**	**036**	2014/04/29	**<**	**.000**	2017/04	
CHLORIDE	**00940**	**036**	2014/04/29	**.**	**3.700**	2017/04	
COLOR	**00081**	**036**	**2007/09/10**		**.000**	**2010/09**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610023-039***						
Source Name: ***SNOW CANYON COMPOSITE***						
Source Number: ***039***						
Source Status: ***COMBINATION OR BLEND RAW***						
Water type: ***S***						
SECONDARY/GP						
COPPER	**01042**	**036**	2014/04/29	**< .000**	2017/04	
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/29	**< .000**	2017/04	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/29	**. 92.000**	2017/04	
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/29	**< .000**	2017/04	
IRON	**01045**	**036**	2014/04/29	**. 170.000**	2017/04	
MAGNESIUM	**00927**	**036**	2014/04/29	**. 3.400**	2017/04	
MANGANESE	**01055**	**036**	2014/04/29	**< .000**	2017/04	
ODOR THRESHOLD @ 60 C	**00086**	**036**	**2007/09/10**	**1.000**	**2010/09**	**DUE**
PH, LABORATORY	**00403**	**036**	2014/04/29	**. 6.800**	2017/04	
SILVER	**01077**	**036**	2014/04/29	**< .000**	2017/04	
SODIUM	**00929**	**036**	2014/04/29	**. 9.000**	2017/04	
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/29	**. 220.000**	2017/04	
SULFATE	**00945**	**036**	2014/04/29	**. 1.800**	2017/04	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/29	**. 160.000**	2017/04	
TURBIDITY, LABORATORY	**82079**	**036**	**2007/09/10**	**.100**	**2010/09**	**DUE**
ZINC	**01092**	**036**	2014/04/29	**< .000**	2017/04	
PS Code: ***3610023-040***						
Source Name: ***STABLE WELL***						
Source Number: ***040***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2011/07/08	**< .000**	2014/07	
ANTIMONY	**01097**	**036**	2011/07/08	**< .000**	2014/07	
ARSENIC	**01002**	**036**	2011/07/08	**< .000**	2014/07	
BARIUM	**01007**	**036**	2011/07/08	**< .000**	2014/07	
BERYLLIUM	**01012**	**036**	2011/07/08	**< .000**	2014/07	
CADMIUM	**01027**	**036**	2011/07/08	**< .000**	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-040***

Source Name: ***STABLE WELL***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/07/08	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	. .000	2005/10	DUE
CYANIDE	01291	036	2011/07/08	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/08	< .000	2014/07	
MERCURY	71900	036	2011/07/08	< .000	2014/07	
NICKEL	01067	036	2011/07/08	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/08	< .000	2014/07	
SELENIUM	01147	036	2011/07/08	< .000	2014/07	
THALLIUM	01059	036	2011/07/08	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/17	< .000	2015/01	
NITRITE (AS N)	00620	036	2014/01/17	< .000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	5.100	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/07/16	.000	2012/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/07/16	.000	2012/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/16	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHANE	34496	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHYLENE	34501	072	2009/07/16	.000	2015/07	
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/16	.000	2015/07	
1,2-DICHLOROBENZENE	34536	072	2009/07/16	.000	2015/07	
1,2-DICHLOROETHANE	34531	072	2009/07/16	.000	2015/07	
1,2-DICHLOROPROPANE	34541	072	2009/07/16	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-040
Source Name: STABLE WELL
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/16	.000	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/16	.000	2015/07
BENZENE	34030	072	2009/07/16	.000	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/16	.000	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/16	.000	2015/07
DICHLOROMETHANE	34423	072	2009/07/16	.000	2015/07
ETHYLBENZENE	34371	072	2009/07/16	.000	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/07/16	.000	2015/07
MONOCHLOROBENZENE	34301	072	2009/07/16	.000	2015/07
STYRENE	77128	072	2009/07/16	.000	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/16	.000	2015/07
TOLUENE	34010	072	2009/07/16	.000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/16	.000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/16	.000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/16	.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/16	.000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/16	.000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/08	. 86.000	2014/07
CALCIUM	00916	036	2011/07/08	. 25.000	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/08	< .000	2014/07
CHLORIDE	00940	036	2011/07/08	. 2.100	2014/07
COLOR	00081	036	2014/03/10	< .000	2017/03
COPPER	01042	036	2011/07/08	< .000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/08	< .000	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2011/07/08	. 60.000	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/08	< .000	2014/07
IRON	01045	036	2011/07/08	< .000	2014/07
MAGNESIUM	00927	036	2011/07/08	. 1.700	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-040***

Source Name: ***STABLE WELL***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2011/07/08	<	.000	2014/07	
ODOR THRESHOLD @ 60 C	00086	036	2014/03/10	.	1.000	2017/03	
PH, LABORATORY	00403	036	2011/07/08	.	6.700	2014/07	
SILVER	01077	036	2011/07/08	<	.000	2014/07	
SODIUM	00929	036	2011/07/08		7.300	2014/07	
SPECIFIC CONDUCTANCE	00095	036	2011/07/08	.	150.000	2014/07	
SULFATE	00945	036	2011/07/08		2.200	2014/07	
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/08	.	120.000	2014/07	
TURBIDITY, LABORATORY	82079	036	2014/03/10	.	.100	2017/03	
ZINC	01092	036	2011/07/08	<	.000	2014/07	

PS Code: ***3610023-041***

Source Name: ***TANK FARM WELLS COMP***

Source Number: ***041***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/04/29	<	.000	2017/04	
ANTIMONY	01097	036	2014/04/29	<	.000	2017/04	
ARSENIC	01002	036	2014/04/29	<	.000	2017/04	
BARIUM	01007	036	2014/04/29	<	.000	2017/04	
BERYLLIUM	01012	036	2014/04/29	<	.000	2017/04	
CADMIUM	01027	036	2014/04/29	<	.000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/29	<	.000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	.	.000	2005/10	DUE
CYANIDE	01291	036	2014/04/29	<	.000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	<	.000	2017/04	
MERCURY	71900	036	2014/04/29	<	.000	2017/04	
NICKEL	01067	036	2014/04/29	<	.000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-041***

Source Name: ***TANK FARM WELLS COMP***

Source Number: ***041***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/04/29	< .000	2017/04	
SELENIUM	01147	036	2014/04/29	< .000	2017/04	
THALLIUM	01059	036	2014/04/29	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/29	. 3.000	2015/04	
NITRITE (AS N)	00620	036	2014/04/29	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	. 6.100	2016/10	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/07/16	. .000	2012/07	DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/07/16	. .000	2012/07	DUE
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-041***

Source Name: ***TANK FARM WELLS COMP***

Source Number: ***041***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
HEPTACHLOR EPOXIDE	**39420**	**000**				**DUE**
HEXACHLOROBENZENE	**39700**	**000**				**DUE**
HEXACHLOROCYCLOPENTADIENE	**34386**	**000**				**DUE**
LINDANE	**39340**	**000**				**DUE**
METHOXYCHLOR	**39480**	**000**				**DUE**
OXAMYL	**38865**	**000**				**DUE**
PENTACHLOROPHENOL	**39032**	**000**				**DUE**
PICLORAM	**39720**	**000**				**DUE**
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	**39516**	**000**				**DUE**
TOXAPHENE	**39400**	**000**				**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/16	**. .000**	2015/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/16	**. .000**	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/16	**. .000**	2015/07	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/16	**. .000**	2015/07	
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/16	**. .000**	2015/07	
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/16	**. .000**	2015/07	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/16	**. .000**	2015/07	
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/16	**. .000**	2015/07	
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/16	**. .000**	2015/07	
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/16	**. .000**	2015/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/16	**. .000**	2015/07	
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/16	**. .000**	2015/07	
BENZENE	**34030**	**072**	2009/07/16	**. .000**	2015/07	
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/16	**. .000**	2015/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/16	**. .000**	2015/07	
DICHLOROMETHANE	**34423**	**072**	2009/07/16	**. .000**	2015/07	
ETHYLBENZENE	**34371**	**072**	2009/07/16	**. .000**	2015/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/07/16	**. .000**	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-041
Source Name: TANK FARM WELLS COMP
Source Number: 041
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	072	2009/07/16	. .000	2015/07
STYRENE	77128	072	2009/07/16	. .000	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/16	. .000	2015/07
TOLUENE	34010	072	2009/07/16	. .000	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/16	. .000	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/16	. .000	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/16	. .000	2015/07
VINYL CHLORIDE	39175	072	2009/07/16	. .000	2015/07
XYLENES (TOTAL)	81551	072	2009/07/16	. .000	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 120.000	2017/04
CALCIUM	00916	036	2014/04/29	. 31.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	< .000	2017/04
CHLORIDE	00940	036	2014/04/29	. 1.700	2017/04
COLOR	00081	036	2013/07/01	< .000	2016/07
COPPER	01042	036	2014/04/29	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 84.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< .000	2017/04
IRON	01045	036	2014/04/29	< .000	2017/04
MAGNESIUM	00927	036	2014/04/29	. 1.600	2017/04
MANGANESE	01055	036	2014/04/29	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2013/07/01	1.000	2016/07
PH, LABORATORY	00403	036	2014/04/29	. 6.900	2017/04
SILVER	01077	036	2014/04/29	< .000	2017/04
SODIUM	00929	036	2014/04/29	. 7.800	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 200.000	2017/04
SULFATE	00945	036	2014/04/29	. 1.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 130.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610023-041***					
Source Name: ***TANK FARM WELLS COMP***					
Source Number: ***041***					
Source Status: ***COMBINATION OR BLEND RAW***					
Water type: ***S***					
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**036**	2013/07/01	**< .000**	2016/07
ZINC	**01092**	**036**	2014/04/29	**< .000**	2017/04
PS Code: ***3610023-800***					
Source Name: ***CENTRAL CHLORINATION - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610023-801***					
Source Name: ***MEADOW 01 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610023-802***					
Source Name: ***MEADOW 02 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-803
Source Name: STABLE WELL - TREATED (CL2)
Source Number: 803
Source Status: ACTIVE TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610023-937
Source Name: SKI HILL 02 COMPOSITE
Source Number: 937
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/08	< .000	2014/07	
ANTIMONY	01097	036	2011/07/08	< .000	2014/07	
ARSENIC	01002	036	2011/07/08	< .000	2014/07	
BARIUM	01007	036	2011/07/08	< .000	2014/07	
BERYLLIUM	01012	036	2011/07/08	< .000	2014/07	
CADMIUM	01027	036	2011/07/08	< .000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/08	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	036	2002/10/17	. .000	2005/10	DUE
CYANIDE	01291	036	2011/07/08	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/08	< .000	2014/07	
MERCURY	71900	036	2011/07/08	< .000	2014/07	
NICKEL	01067	036	2011/07/08	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/08	< .000	2014/07	
SELENIUM	01147	036	2011/07/08	< .000	2014/07	
THALLIUM	01059	036	2011/07/08	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/17	< .000	2015/01	
NITRITE (AS N)	00620	036	2014/01/17	< .000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/28	< .000	2016/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610023
System Name: GREEN VALLEY MWC

PS Code: 3610023-937
Source Name: SKI HILL 02 COMPOSITE
Source Number: 937
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/07/16	.000	2012/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/07/16	.000	2012/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/16	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/16	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHANE	34496	072	2009/07/16	.000	2015/07	
1,1-DICHLOROETHYLENE	34501	072	2009/07/16	.000	2015/07	
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/16	.000	2015/07	
1,2-DICHLOROBENZENE	34536	072	2009/07/16	.000	2015/07	
1,2-DICHLOROETHANE	34531	072	2009/07/16	.000	2015/07	
1,2-DICHLOROPROPANE	34541	072	2009/07/16	.000	2015/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/16	.000	2015/07	
1,4-DICHLOROBENZENE	34571	072	2009/07/16	.000	2015/07	
BENZENE	34030	072	2009/07/16	.000	2015/07	
CARBON TETRACHLORIDE	32102	072	2009/07/16	.000	2015/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/16	.000	2015/07	
DICHLOROMETHANE	34423	072	2009/07/16	.000	2015/07	
ETHYLBENZENE	34371	072	2009/07/16	.000	2015/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/07/16	.000	2015/07	
MONOCHLOROBENZENE	34301	072	2009/07/16	.000	2015/07	
STYRENE	77128	072	2009/07/16	.000	2015/07	
TETRACHLOROETHYLENE	34475	072	2009/07/16	.000	2015/07	
TOLUENE	34010	072	2009/07/16	.000	2015/07	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/16	.000	2015/07	
TRICHLOROETHYLENE	39180	072	2009/07/16	.000	2015/07	
TRICHLOROFLUOROMETHANE	34488	072	2009/07/16	.000	2015/07	
VINYL CHLORIDE	39175	072	2009/07/16	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

PS Code: ***3610023-937***

Source Name: ***SKI HILL 02 COMPOSITE***

Source Number: ***937***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2009/07/16	**.000**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/08	**. 47.000**	2014/07
CALCIUM	**00916**	**036**	2011/07/08	**. 12.000**	2014/07
CARBONATE ALKALINITY	**00445**	**036**	2011/07/08	**< .000**	2014/07
CHLORIDE	**00940**	**036**	2011/07/08	**. 1.700**	2014/07
COLOR	**00081**	**036**	2014/01/07	**< .000**	2017/01
COPPER	**01042**	**036**	2011/07/08	**< .000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/08	**< .000**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/07/08	**. 24.000**	2014/07
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/08	**< .000**	2014/07
IRON	**01045**	**036**	2011/07/08	**< .000**	2014/07
MAGNESIUM	**00927**	**036**	2011/07/08	**< .000**	2014/07
MANGANESE	**01055**	**036**	2011/07/08	**< .000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/01/07	**. 1.000**	2017/01
PH, LABORATORY	**00403**	**036**	2011/07/08	**. 6.700**	2014/07
SILVER	**01077**	**036**	2011/07/08	**< .000**	2014/07
SODIUM	**00929**	**036**	2011/07/08	**7.200**	2014/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/08	**. 85.000**	2014/07
SULFATE	**00945**	**036**	2011/07/08	**1.100**	2014/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/07/08	**. 80.000**	2014/07
TURBIDITY, LABORATORY	**82079**	**036**	2014/01/07	**< .000**	2017/01
ZINC	**01092**	**036**	2011/07/08	**< .000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610023***

System Name: ***GREEN VALLEY MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610023-938***					
Source Name: ***CLAWA WHOLESALE***					
Source Number: ***938***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-002***
Source Name: ***WELL 03-A***
Source Number: ***002***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/08/08	**< .000**	2015/08
ANTIMONY	**01097**	**036**	2012/08/08	**< .000**	2015/08
ARSENIC	**01002**	**036**	2013/09/25	**< .000**	2016/09
BARIUM	**01007**	**036**	2012/08/08	**< .000**	2015/08
BERYLLIUM	**01012**	**036**	2012/08/08	**< .000**	2015/08
CADMIUM	**01027**	**036**	2012/08/08	**< .000**	2015/08
CHROMIUM (TOTAL)	**01034**	**036**	2012/08/08	**< .000**	2015/08
CYANIDE	**01291**	**036**	2012/08/08	**< .000**	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/25	**. .340**	2016/09
MERCURY	**71900**	**036**	2012/08/08	**< .000**	2015/08
NICKEL	**01067**	**036**	2012/08/08	**< .000**	2015/08
PERCHLORATE	**A-031**	**036**	2012/08/08	**< .000**	2015/08
SELENIUM	**01147**	**036**	2012/08/08	**< .000**	2015/08
THALLIUM	**01059**	**036**	2012/08/08	**< .000**	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/25	**. 5.400**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/08/08	**< .000**	2015/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/08/08	**. 5.000**	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/08	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/08	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/08/08	**< .000**	2018/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/08/08	**< .000**	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/08/08	**< .000**	2018/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/08/08	**< .000**	2018/08
1,1-DICHLOROETHANE	**34496**	**072**	2012/08/08	**< .000**	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-002***
Source Name: ***WELL 03-A***
Source Number: ***002***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/08/08	**< .000**	2018/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/08/08	**< .000**	2018/08
1,2-DICHLOROBENZENE	**34536**	**072**	2012/08/08	**< .000**	2018/08
1,2-DICHLOROETHANE	**34531**	**072**	2012/08/08	**< .000**	2018/08
1,2-DICHLOROPROPANE	**34541**	**072**	2012/08/08	**< .000**	2018/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/08/08	**< .000**	2018/08
1,4-DICHLOROBENZENE	**34571**	**072**	2012/08/08	**< .000**	2018/08
BENZENE	**34030**	**072**	2012/08/08	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/08	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/08	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/08	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/08	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/08	**< .000**	2018/08
MONOCHLOROBENZENE	**34301**	**072**	2012/08/08	**< .000**	2018/08
STYRENE	**77128**	**072**	2012/08/08	**< .000**	2018/08
TETRACHLOROETHYLENE	**34475**	**072**	2012/08/08	**< .000**	2018/08
TOLUENE	**34010**	**072**	2012/08/08	**< .000**	2018/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/08/08	**< .000**	2018/08
TRICHLOROETHYLENE	**39180**	**072**	2012/08/08	**< .000**	2018/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/08/08	**< .000**	2018/08
VINYL CHLORIDE	**39175**	**072**	2012/08/08	**< .000**	2018/08
XYLENES (TOTAL)	**81551**	**072**	2012/08/08	**< .000**	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/08	**. 84.000**	2015/08
CALCIUM	**00916**	**036**	2013/09/25	**. 31.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2012/08/08	**< .000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/08	**. 20.000**	2015/08
COLOR	**00081**	**036**	2013/09/25	**< .000**	2016/09
COPPER	**01042**	**036**	2012/08/08	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-002***
Source Name: ***WELL 03-A***
Source Number: ***002***
Source Status: ***ACTIVE RAW***
Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2012/08/08	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/08	. 93.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/08	< .000	2015/08
IRON	01045	036	2012/08/08	< .000	2015/08
MAGNESIUM	00927	036	2012/08/08	. 5.000	2015/08
MANGANESE	01055	036	2012/08/08	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2013/09/25	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/25	. 7.200	2016/09
SILVER	01077	036	2012/08/08	< .000	2015/08
SODIUM	00929	036	2012/08/08	15.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2013/09/25	. 280.000	2016/09
SULFATE	00945	036	2012/08/08	16.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/08	. 160.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/25	. .200	2016/09
ZINC	01092	036	2012/08/08	< .000	2015/08

PS Code: ***3610024-005***
Source Name: ***WELL 05A***
Source Number: ***005***
Source Status: ***ACTIVE RAW***
Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2012/08/07	< .000	2015/08
ANTIMONY	01097	036	2012/08/07	< .000	2015/08
ARSENIC	01002	036	2013/09/09	< .000	2016/09
BARIUM	01007	036	2012/08/07	< .000	2015/08
BERYLLIUM	01012	036	2012/08/07	< .000	2015/08
CADMIUM	01027	036	2012/08/07	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2013/09/09	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-005
Source Name: WELL 05A
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2012/08/07	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	. .370	2016/09
MERCURY	71900	036	2012/08/07	< .000	2015/08
NICKEL	01067	036	2012/08/07	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/07	< .000	2015/08
SELENIUM	01147	036	2012/08/07	< .000	2015/08
THALLIUM	01059	036	2012/08/07	< .000	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/09	. 9.400	2014/09
NITRITE (AS N)	00620	036	2012/08/07	< .000	2015/08
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/08/07	. 3.600	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/07	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/07	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/08/07	< .000	2018/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/07	< .000	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/07	< .000	2018/08
1,1,2-TRICHLOROETHANE	34511	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHANE	34496	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/07	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/07	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/07	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/07	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/07	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/07	< .000	2018/08
1,4-DICHLOROBENZENE	34571	072	2012/08/07	< .000	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-005***

Source Name: ***WELL 05A***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2012/08/07	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/07	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/07	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/07	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/07	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/07	**< .000**	2018/08
MONOCHLOROBENZENE	**34301**	**072**	2012/08/07	**< .000**	2018/08
STYRENE	**77128**	**072**	2012/08/07	**< .000**	2018/08
TETRACHLOROETHYLENE	**34475**	**072**	2012/08/07	**< .000**	2018/08
TOLUENE	**34010**	**072**	2012/08/07	**< .000**	2018/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/08/07	**< .000**	2018/08
TRICHLOROETHYLENE	**39180**	**072**	2012/08/07	**< .000**	2018/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/08/07	**< .000**	2018/08
VINYL CHLORIDE	**39175**	**072**	2012/08/07	**< .000**	2018/08
XYLENES (TOTAL)	**81551**	**072**	2012/08/07	**< .000**	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/07	**. 120.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/07	**. 39.000**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2012/08/07	**< .000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/07	**. 28.000**	2015/08
COLOR	**00081**	**036**	2013/09/09	**< .000**	2016/09
COPPER	**01042**	**036**	2012/08/07	**< .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/08/07	**< .000**	2015/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/07	**. 130.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/07	**< .000**	2015/08
IRON	**01045**	**036**	2012/08/07	**< .000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/07	**. 8.000**	2015/08
MANGANESE	**01055**	**036**	2012/08/07	**< .000**	2015/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/09	**1.000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-005
Source Name: WELL 05A
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
PH, LABORATORY	00403	036	2013/09/09	. 7.500	2016/09
SILVER	01077	036	2012/08/07	< .000	2015/08
SODIUM	00929	036	2012/08/07	21.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/07	. 360.000	2015/08
SULFATE	00945	036	2012/08/07	23.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	. 220.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/09	< .000	2016/09
ZINC	01092	036	2012/08/07	< .000	2015/08

PS Code: 3610024-009
Source Name: WELL 14A
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/08/31	< .000	2015/08
ANTIMONY	01097	036	2012/08/31	< .000	2015/08
ARSENIC	01002	036	2013/09/09	< .000	2016/09
BARIUM	01007	036	2012/08/31	< .000	2015/08
BERYLLIUM	01012	036	2012/08/31	< .000	2015/08
CADMIUM	01027	036	2012/08/31	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2013/09/09	< .000	2016/09
CYANIDE	01291	036	2012/08/31	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	. .130	2016/09
MERCURY	71900	036	2012/08/31	< .000	2015/08
NICKEL	01067	036	2012/08/31	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/31	< .000	2015/08
SELENIUM	01147	036	2012/08/31	< .000	2015/08
THALLIUM	01059	036	2012/08/31	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-009***

Source Name: ***WELL 14A***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/09	**. 5.600**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/08/31	**< .000**	2015/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/08/31	**< .000**	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/31	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/31	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/08/31	**< .000**	2018/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/08/31	**< .000**	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/08/31	**< .000**	2018/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/08/31	**< .000**	2018/08
1,1-DICHLOROETHANE	**34496**	**072**	2012/08/31	**< .000**	2018/08
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/08/31	**< .000**	2018/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/08/31	**< .000**	2018/08
1,2-DICHLOROBENZENE	**34536**	**072**	2012/08/31	**< .000**	2018/08
1,2-DICHLOROETHANE	**34531**	**072**	2012/08/31	**< .000**	2018/08
1,2-DICHLOROPROPANE	**34541**	**072**	2012/08/31	**< .000**	2018/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/08/31	**< .000**	2018/08
1,4-DICHLOROBENZENE	**34571**	**072**	2012/08/31	**< .000**	2018/08
BENZENE	**34030**	**072**	2012/08/31	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/31	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/31	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/31	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/31	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/31	**< .000**	2018/08
MONOCHLOROBENZENE	**34301**	**072**	2012/08/31	**< .000**	2018/08
STYRENE	**77128**	**072**	2012/08/31	**< .000**	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-009***
Source Name: ***WELL 14A***
Source Number: ***009***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2012/08/31	**< .000**	2018/08
TOLUENE	**34010**	**072**	2012/08/31	**< .000**	2018/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/08/31	**< .000**	2018/08
TRICHLOROETHYLENE	**39180**	**072**	2012/08/31	**< .000**	2018/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/08/31	**< .000**	2018/08
VINYL CHLORIDE	**39175**	**072**	2012/08/31	**< .000**	2018/08
XYLENES (TOTAL)	**81551**	**072**	2012/08/31	**< .000**	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/31	**. 98.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/31	**. 19.000**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2012/08/31	**< .000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/31	**. 12.000**	2015/08
COLOR	**00081**	**036**	2013/09/09	**< .000**	2016/09
COPPER	**01042**	**036**	2012/08/31	**< .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/08/31	**< .000**	2015/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/31	**. 60.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/31	**< .000**	2015/08
IRON	**01045**	**036**	2012/08/31	**< .000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/31	**. 3.200**	2015/08
MANGANESE	**01055**	**036**	2012/08/31	**< .000**	2015/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/09	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/09	**. 8.100**	2016/09
SILVER	**01077**	**036**	2012/08/31	**< .000**	2015/08
SODIUM	**00929**	**036**	2012/08/31	**19.000**	2015/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/08/31	**. 230.000**	2015/08
SULFATE	**00945**	**036**	2012/08/31	**9.000**	2015/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/08/31	**. 130.000**	2015/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/09	**< .000**	2016/09
ZINC	**01092**	**036**	2012/08/31	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-010***

Source Name: ***WELL 14B***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/08/14	< .000	2015/08	
ANTIMONY	01097	036	2012/08/14	< .000	2015/08	
ARSENIC	01002	036	2012/08/14	< .000	2015/08	
BARIUM	01007	036	2012/08/14	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/14	< .000	2015/08	
CADMIUM	01027	036	2012/08/14	< .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/14	< .000	2015/08	
CHROMIUM, HEXAVALENT	01032	036	**2006/07/18**	2.180	**2009/07**	**DUE**
CYANIDE	01291	036	2012/08/14	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/14	< .000	2015/08	
MERCURY	71900	036	2012/08/14	< .000	2015/08	
NICKEL	01067	036	2012/08/14	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/14	< .000	2015/08	
SELENIUM	01147	036	2012/08/14	< .000	2015/08	
THALLIUM	01059	036	2012/08/14	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2012/08/14**	. 7.300	**2013/08**	**DUE**
NITRITE (AS N)	00620	036	2012/08/14	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/14	< .000	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/14	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/14	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/08/14	< .000	2018/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/14	< .000	2018/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/14	< .000	2018/08	
1,1,2-TRICHLOROETHANE	34511	072	2012/08/14	< .000	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-010***

Source Name: ***WELL 14B***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2012/08/14	< .000	2018/08	
1,1-DICHLOROETHYLENE	34501	072	2012/08/14	< .000	2018/08	
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/14	< .000	2018/08	
1,2-DICHLOROBENZENE	34536	072	2012/08/14	< .000	2018/08	
1,2-DICHLOROETHANE	34531	072	2012/08/14	< .000	2018/08	
1,2-DICHLOROPROPANE	34541	072	2012/08/14	< .000	2018/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/14	< .000	2018/08	
1,4-DICHLOROBENZENE	34571	072	2012/08/14	< .000	2018/08	
BENZENE	34030	072	2012/08/14	< .000	2018/08	
CARBON TETRACHLORIDE	32102	072	2012/08/14	< .000	2018/08	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/14	< .000	2018/08	
DICHLOROMETHANE	34423	072	2012/08/14	< .000	2018/08	
ETHYLBENZENE	34371	072	2012/08/14	< .000	2018/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/14	< .000	2018/08	
MONOCHLOROBENZENE	34301	072	2012/08/14	< .000	2018/08	
STYRENE	77128	072	2012/08/14	< .000	2018/08	
TETRACHLOROETHYLENE	34475	072	2012/08/14	< .000	2018/08	
TOLUENE	34010	072	2012/08/14	< .000	2018/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/14	< .000	2018/08	
TRICHLOROETHYLENE	39180	072	2012/08/14	< .000	2018/08	
TRICHLOROFLUOROMETHANE	34488	072	2012/08/14	< .000	2018/08	
VINYL CHLORIDE	39175	072	2012/08/14	< .000	2018/08	
XYLENES (TOTAL)	81551	072	2012/08/14	< .000	2018/08	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/08/14	. 100.000	2015/08	
CALCIUM	00916	036	2012/08/14	. 20.000	2015/08	
CARBONATE ALKALINITY	00445	036	2012/08/14	< .000	2015/08	
CHLORIDE	00940	036	2012/08/14	. 16.000	2015/08	
COLOR	00081	036	**2010/07/28**	< .000	**2013/07**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-010***
Source Name: ***WELL 14B***
Source Number: ***010***
Source Status: ***ACTIVE RAW***
Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2012/08/14	< .000	2015/08	
FOAMING AGENTS (MBAS)	38260	036	2012/08/14	< .000	2015/08	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/14	. 70.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/14	< .000	2015/08	
IRON	01045	036	2012/08/14	< .000	2015/08	
MAGNESIUM	00927	036	2012/08/14	. 4.600	2015/08	
MANGANESE	01055	036	2012/08/14	< .000	2015/08	
ODOR THRESHOLD @ 60 C	00086	036	**2010/07/28**	1.000	**2013/07**	**DUE**
PH, LABORATORY	00403	036	2012/08/14	. 8.200	2015/08	
SILVER	01077	036	2012/08/14	< .000	2015/08	
SODIUM	00929	036	2012/08/14	21.000	2015/08	
SPECIFIC CONDUCTANCE	00095	036	2012/08/14	. 240.000	2015/08	
SULFATE	00945	036	2012/08/14	13.000	2015/08	
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/14	. 150.000	2015/08	
TURBIDITY, LABORATORY	82079	036	**2010/07/28**	< .000	**2013/07**	**DUE**
ZINC	01092	036	2012/08/14	< .000	2015/08	

PS Code: ***3610024-012***
Source Name: ***WELL 15-A***
Source Number: ***012***
Source Status: ***ACTIVE RAW***
Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/08/07	< .000	2015/08	
ANTIMONY	01097	036	2012/08/07	< .000	2015/08	
ARSENIC	01002	036	2013/09/17	. 3.100	2016/09	
BARIUM	01007	036	2012/08/07	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/07	< .000	2015/08	
CADMIUM	01027	036	2012/08/07	< .000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-012***

Source Name: ***WELL 15-A***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/08/07	< .000	2015/08
CYANIDE	01291	036	2012/08/07	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	. .270	2016/09
MERCURY	71900	036	2012/08/07	< .000	2015/08
NICKEL	01067	036	2012/08/07	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/07	< .000	2015/08
SELENIUM	01147	036	2012/08/07	< .000	2015/08
THALLIUM	01059	036	2012/08/07	< .000	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/17	. 6.100	2014/09
NITRITE (AS N)	00620	036	2012/08/07	< .000	2015/08
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/08/07	< .000	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/07	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/07	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/08/07	< .000	2018/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/07	< .000	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/07	< .000	2018/08
1,1,2-TRICHLOROETHANE	34511	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHANE	34496	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/07	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/07	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/07	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/07	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/07	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/07	< .000	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-012
Source Name: WELL 15-A
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2012/08/07	< .000	2018/08
BENZENE	34030	072	2012/08/07	< .000	2018/08
CARBON TETRACHLORIDE	32102	072	2012/08/07	< .000	2018/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/07	< .000	2018/08
DICHLOROMETHANE	34423	072	2012/08/07	< .000	2018/08
ETHYLBENZENE	34371	072	2012/08/07	< .000	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/07	< .000	2018/08
MONOCHLOROBENZENE	34301	072	2012/08/07	< .000	2018/08
STYRENE	77128	072	2012/08/07	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/07	< .000	2018/08
TOLUENE	34010	072	2012/08/07	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/07	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/07	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/07	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/07	< .000	2018/08
XYLENES (TOTAL)	81551	072	2012/08/07	< .000	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/07	. 110.000	2015/08
CALCIUM	00916	036	2013/09/17	. 16.000	2016/09
CARBONATE ALKALINITY	00445	036	2012/08/07	< .000	2015/08
CHLORIDE	00940	036	2012/08/07	. 8.200	2015/08
COLOR	00081	036	2013/09/17	< .000	2016/09
COPPER	01042	036	2012/08/07	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/07	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/07	. 61.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/07	< .000	2015/08
IRON	01045	036	2012/08/07	< .000	2015/08
MAGNESIUM	00927	036	2012/08/07	. 2.900	2015/08
MANGANESE	01055	036	2012/08/07	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-012
Source Name: WELL 15-A
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
ODOR THRESHOLD @ 60 C	00086	036	2013/09/17		1.000	2016/09
PH, LABORATORY	00403	036	2013/09/17	.	8.000	2016/09
SILVER	01077	036	2012/08/07	<	.000	2015/08
SODIUM	00929	036	2012/08/07		25.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2013/09/17	.	1900.000	2016/09
SULFATE	00945	036	2012/08/07		4.100	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	.	130.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/17	<	.000	2016/09
ZINC	01092	036	2012/08/07	<	.000	2015/08

PS Code: 3610024-013
Source Name: WELL 17
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2012/08/07	<	.000	2015/08
ANTIMONY	01097	036	2012/08/07	<	.000	2015/08
ARSENIC	01002	036	2013/10/29	.	2.000	2016/10
BARIUM	01007	036	2012/08/07	<	.000	2015/08
BERYLLIUM	01012	036	2012/08/07	<	.000	2015/08
CADMIUM	01027	036	2012/08/07	<	.000	2015/08
CHROMIUM (TOTAL)	01034	036	2013/10/29	<	.000	2016/10
CYANIDE	01291	036	2012/08/07	<	.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/29	.	.200	2016/10
MERCURY	71900	036	2012/08/07	<	.000	2015/08
NICKEL	01067	036	2012/08/07	<	.000	2015/08
PERCHLORATE	A-031	036	2012/08/07	<	.000	2015/08
SELENIUM	01147	036	2012/08/07	<	.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-013***
Source Name: ***WELL 17***
Source Number: ***013***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2012/08/07	**< .000**	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/10/29	**. 2.700**	2014/10
NITRITE (AS N)	**00620**	**036**	2012/08/07	**< .000**	2015/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/08/07	**< .000**	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/07	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/07	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/08/07	**< .000**	2018/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/08/07	**< .000**	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/08/07	**< .000**	2018/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/08/07	**< .000**	2018/08
1,1-DICHLOROETHANE	**34496**	**072**	2012/08/07	**< .000**	2018/08
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/08/07	**< .000**	2018/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROBENZENE	**34536**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROETHANE	**34531**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROPROPANE	**34541**	**072**	2012/08/07	**< .000**	2018/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/08/07	**< .000**	2018/08
1,4-DICHLOROBENZENE	**34571**	**072**	2012/08/07	**< .000**	2018/08
BENZENE	**34030**	**072**	2012/08/07	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/07	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/07	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/07	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/07	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/07	**< .000**	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-013***
Source Name: ***WELL 17***
Source Number: ***013***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
MONOCHLOROBENZENE	34301	072	2012/08/07	< .000	2018/08	
STYRENE	77128	072	2012/08/07	< .000	2018/08	
TETRACHLOROETHYLENE	34475	072	2012/08/07	< .000	2018/08	
TOLUENE	34010	072	2012/08/07	< .000	2018/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/07	< .000	2018/08	
TRICHLOROETHYLENE	39180	072	2012/08/07	< .000	2018/08	
TRICHLOROFLUOROMETHANE	34488	072	2012/08/07	< .000	2018/08	
VINYL CHLORIDE	39175	072	2012/08/07	< .000	2018/08	
XYLENES (TOTAL)	81551	072	2012/08/07	< .000	2018/08	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/08/07	. 95.000	2015/08	
CALCIUM	00916	036	2013/10/29	. 13.000	2016/10	
CARBONATE ALKALINITY	00445	036	2012/08/07	< .000	2015/08	
CHLORIDE	00940	036	2012/08/07	. 8.000	2015/08	
COLOR	00081	036	2010/07/13	< .000	2013/07	DUE
COPPER	01042	036	2012/08/07	< .000	2015/08	
FOAMING AGENTS (MBAS)	38260	036	2012/08/07	< .000	2015/08	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/07	. 28.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/07	< .000	2015/08	
IRON	01045	036	2012/08/07	< .000	2015/08	
MAGNESIUM	00927	036	2012/08/07	< .000	2015/08	
MANGANESE	01055	036	2012/08/07	< .000	2015/08	
ODOR THRESHOLD @ 60 C	00086	036	2010/07/13	1.000	2013/07	DUE
PH, LABORATORY	00403	036	2013/10/29	. 8.500	2016/10	
SILVER	01077	036	2012/08/07	< .000	2015/08	
SODIUM	00929	036	2012/08/07	28.000	2015/08	
SPECIFIC CONDUCTANCE	00095	036	2013/10/29	. 190.000	2016/10	
SULFATE	00945	036	2012/08/07	4.000	2015/08	
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	. 110.000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610024-013						
Source Name: WELL 17						
Source Number: 013						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2010/07/13	< .000	2013/07	DUE
ZINC	01092	036	2012/08/07	< .000	2015/08	
PS Code: 3610024-014						
Source Name: WELL 18						
Source Number: 014						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/08/07	< .000	2015/08	
ANTIMONY	01097	036	2012/08/07	< .000	2015/08	
ARSENIC	01002	036	2013/09/24	< .000	2016/09	
BARIUM	01007	036	2012/08/07	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/07	< .000	2015/08	
CADMIUM	01027	036	2012/08/07	< .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/07	< .000	2015/08	
CYANIDE	01291	036	2012/08/07	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/24	. .580	2016/09	
MERCURY	71900	036	2012/08/07	< .000	2015/08	
NICKEL	01067	036	2012/08/07	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/07	< .000	2015/08	
SELENIUM	01147	036	2012/08/07	< .000	2015/08	
THALLIUM	01059	036	2012/08/07	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/24	< .000	2014/09	
NITRITE (AS N)	00620	036	2012/08/07	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/07	< .000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-014***

Source Name: ***WELL 18***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/07	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/07	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/08/07	< .000	2018/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/07	< .000	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/07	< .000	2018/08
1,1,2-TRICHLOROETHANE	34511	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHANE	34496	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/07	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/07	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/07	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/07	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/07	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/07	< .000	2018/08
1,4-DICHLOROBENZENE	34571	072	2012/08/07	< .000	2018/08
BENZENE	34030	072	2012/08/07	< .000	2018/08
CARBON TETRACHLORIDE	32102	072	2012/08/07	< .000	2018/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/07	< .000	2018/08
DICHLOROMETHANE	34423	072	2012/08/07	< .000	2018/08
ETHYLBENZENE	34371	072	2012/08/07	< .000	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/07	< .000	2018/08
MONOCHLOROBENZENE	34301	072	2012/08/07	< .000	2018/08
STYRENE	77128	072	2012/08/07	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/07	< .000	2018/08
TOLUENE	34010	072	2012/08/07	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/07	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/07	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/07	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/07	< .000	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-014***

Source Name: ***WELL 18***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2012/08/07	**< .000**	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/07	**. 120.000**	2015/08
CALCIUM	**00916**	**036**	2013/09/24	**. 29.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2012/08/07	**< .000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/07	**. 16.000**	2015/08
COLOR	**00081**	**036**	2013/09/24	**< .000**	2016/09
COPPER	**01042**	**036**	2012/08/07	**< .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/08/07	**< .000**	2015/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/07	**. 97.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/07	**< .000**	2015/08
IRON	**01045**	**036**	2012/08/07	**< .000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/07	**. 4.800**	2015/08
MANGANESE	**01055**	**036**	2012/08/07	**< .000**	2015/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/24	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/24	**. 7.600**	2016/09
SILVER	**01077**	**036**	2012/08/07	**< .000**	2015/08
SODIUM	**00929**	**036**	2012/08/07	**25.000**	2015/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/24	**. 280.000**	2016/09
SULFATE	**00945**	**036**	2012/08/07	**22.000**	2015/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/08/07	**. 180.000**	2015/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/24	**< .000**	2016/09
ZINC	**01092**	**036**	2012/08/07	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-015
Source Name: WELL 20
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/08/20	< .000	2015/08	
ANTIMONY	01097	036	2012/08/20	< .000	2015/08	
ARSENIC	01002	036	2013/09/09	. 2.700	2016/09	
BARIUM	01007	036	2012/08/20	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/20	< .000	2015/08	
CADMIUM	01027	036	2012/08/20	< .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2013/09/09	< .000	2016/09	
CHROMIUM, HEXAVALENT	01032	036	**2006/02/16**	5.300	**2009/02**	**DUE**
CYANIDE	01291	036	2012/08/20	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	. .230	2016/09	
MERCURY	71900	036	2012/08/20	< .000	2015/08	
NICKEL	01067	036	2012/08/20	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/20	< .000	2015/08	
SELENIUM	01147	036	2012/08/20	< .000	2015/08	
THALLIUM	01059	036	2012/08/20	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/09	. 5.900	2014/09	
NITRITE (AS N)	00620	036	2012/08/20	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/20	< .000	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/20	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/20	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/08/20	< .000	2018/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/20	< .000	2018/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/20	< .000	2018/08	
1,1,2-TRICHLOROETHANE	34511	072	2012/08/20	< .000	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-015
Source Name: WELL 20
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/08/20	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/20	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/20	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/20	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/20	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/20	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/20	< .000	2018/08
1,4-DICHLOROBENZENE	34571	072	2012/08/20	< .000	2018/08
BENZENE	34030	072	2012/08/20	< .000	2018/08
CARBON TETRACHLORIDE	32102	072	2012/08/20	< .000	2018/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/20	< .000	2018/08
DICHLOROMETHANE	34423	072	2012/08/20	< .000	2018/08
ETHYLBENZENE	34371	072	2012/08/20	< .000	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/20	< .000	2018/08
MONOCHLOROBENZENE	34301	072	2012/08/20	< .000	2018/08
STYRENE	77128	072	2012/08/20	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/20	< .000	2018/08
TOLUENE	34010	072	2012/08/20	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/20	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/20	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/20	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/20	< .000	2018/08
XYLENES (TOTAL)	81551	072	2012/08/20	< .000	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/20	. 110.000	2015/08
CALCIUM	00916	036	2012/08/20	. 13.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/20	< .000	2015/08
CHLORIDE	00940	036	2012/08/20	. 8.000	2015/08
COLOR	00081	036	2013/09/09	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610024-015***					
Source Name: ***WELL 20***					
Source Number: ***015***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2012/08/20	**< .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/08/20	**< .000**	2015/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/20	**. 44.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/20	**< .000**	2015/08
IRON	**01045**	**036**	2012/08/20	**< .000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/20	**. 2.600**	2015/08
MANGANESE	**01055**	**036**	2012/08/20	**< .000**	2015/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/09	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/09	**. 8.300**	2016/09
SILVER	**01077**	**036**	2012/08/20	**< .000**	2015/08
SODIUM	**00929**	**036**	2012/08/20	**29.000**	2015/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/08/20	**. 220.000**	2015/08
SULFATE	**00945**	**036**	2012/08/20	**4.500**	2015/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/08/20	**. 120.000**	2015/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/09	**< .000**	2016/09
ZINC	**01092**	**036**	2012/08/20	**< .000**	2015/08
PS Code: ***3610024-016***					
Source Name: ***WELL 21***					
Source Number: ***016***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2012/08/23	**< .000**	2015/08
ANTIMONY	**01097**	**036**	2012/08/23	**< .000**	2015/08
ARSENIC	**01002**	**036**	2013/09/09	**. 3.400**	2016/09
BARIUM	**01007**	**036**	2012/08/23	**< .000**	2015/08
BERYLLIUM	**01012**	**036**	2012/08/23	**< .000**	2015/08
CADMIUM	**01027**	**036**	2012/08/23	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-016***
Source Name: ***WELL 21***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2013/09/09	. 15.000	2016/09
CYANIDE	01291	036	2012/08/23	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	. .450	2016/09
MERCURY	71900	036	2012/08/23	< .000	2015/08
NICKEL	01067	036	2012/08/23	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/23	< .000	2015/08
SELENIUM	01147	036	2012/08/23	< .000	2015/08
THALLIUM	01059	036	2012/08/23	< .000	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/09	. 9.700	2014/09
NITRITE (AS N)	00620	036	2012/08/23	< .000	2015/08
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/08/23	< .000	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/23	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/23	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/08/23	< .000	2018/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/23	< .000	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/23	< .000	2018/08
1,1,2-TRICHLOROETHANE	34511	072	2012/08/23	< .000	2018/08
1,1-DICHLOROETHANE	34496	072	2012/08/23	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/23	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/23	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/23	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/23	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/23	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/23	< .000	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-016***
Source Name: ***WELL 21***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**072**	2012/08/23	**< .000**	2018/08
BENZENE	**34030**	**072**	2012/08/23	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/23	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/23	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/23	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/23	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/23	**< .000**	2018/08
MONOCHLOROBENZENE	**34301**	**072**	2012/08/23	**< .000**	2018/08
STYRENE	**77128**	**072**	2012/08/23	**< .000**	2018/08
TETRACHLOROETHYLENE	**34475**	**072**	2012/08/23	**< .000**	2018/08
TOLUENE	**34010**	**072**	2012/08/23	**< .000**	2018/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/08/23	**< .000**	2018/08
TRICHLOROETHYLENE	**39180**	**072**	2012/08/23	**< .000**	2018/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/08/23	**< .000**	2018/08
VINYL CHLORIDE	**39175**	**072**	2012/08/23	**< .000**	2018/08
XYLENES (TOTAL)	**81551**	**072**	2012/08/23	**< .000**	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/23	**. 79.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/23	**. 5.400**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2012/08/23	**5.800**	2015/08
CHLORIDE	**00940**	**036**	2012/08/23	**. 10.000**	2015/08
COLOR	**00081**	**036**	2013/09/09	**< .000**	2016/09
COPPER	**01042**	**036**	2012/08/23	**< .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/08/23	**< .000**	2015/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/23	**. 13.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/23	**< .000**	2015/08
IRON	**01045**	**036**	2012/08/23	**< .000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/23	**< .000**	2015/08
MANGANESE	**01055**	**036**	2012/08/23	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-016
Source Name: WELL 21
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2013/09/09		1.000	2016/09
PH, LABORATORY	00403	036	2013/09/09	.	8.700	2016/09
SILVER	01077	036	2012/08/23	<	.000	2015/08
SODIUM	00929	036	2012/08/23		41.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/23	.	200.000	2015/08
SULFATE	00945	036	2012/08/23		5.400	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/23	.	120.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/09	<	.000	2016/09
ZINC	01092	036	2012/08/23	<	.000	2015/08

PS Code: 3610024-018
Source Name: WELL 25
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/07	<	.000	2015/08
ANTIMONY	01097	036	2012/08/07	<	.000	2015/08
ARSENIC	01002	036	2013/09/09	<	.000	2016/09
BARIUM	01007	036	2012/08/07	<	.000	2015/08
BERYLLIUM	01012	036	2012/08/07	<	.000	2015/08
CADMIUM	01027	036	2012/08/07	<	.000	2015/08
CHROMIUM (TOTAL)	01034	036	2013/09/09	<	.000	2016/09
CYANIDE	01291	036	2012/08/07	<	.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	.	.170	2016/09
MERCURY	71900	036	2012/08/07	<	.000	2015/08
NICKEL	01067	036	2012/08/07	<	.000	2015/08
PERCHLORATE	A-031	036	2012/08/07	<	.000	2015/08
SELENIUM	01147	036	2012/08/07	<	.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-018***
Source Name: ***WELL 25***
Source Number: ***018***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2012/08/07	**< .000**	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/09	**< .000**	2014/09
NITRITE (AS N)	**00620**	**036**	2012/08/07	**< .000**	2015/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/08/07	**< .000**	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/07	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/07	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/08/07	**< .000**	2018/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/08/07	**< .000**	2018/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/08/07	**< .000**	2018/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/08/07	**< .000**	2018/08
1,1-DICHLOROETHANE	**34496**	**072**	2012/08/07	**< .000**	2018/08
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/08/07	**< .000**	2018/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROBENZENE	**34536**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROETHANE	**34531**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROPROPANE	**34541**	**072**	2012/08/07	**< .000**	2018/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/08/07	**< .000**	2018/08
1,4-DICHLOROBENZENE	**34571**	**072**	2012/08/07	**< .000**	2018/08
BENZENE	**34030**	**072**	2012/08/07	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/07	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/07	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/07	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/07	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/07	**< .000**	2018/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-018
Source Name: WELL 25
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	072	2012/08/07	< .000	2018/08
STYRENE	77128	072	2012/08/07	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/07	< .000	2018/08
TOLUENE	34010	072	2012/08/07	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/07	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/07	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/07	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/07	< .000	2018/08
XYLENES (TOTAL)	81551	072	2012/08/07	< .000	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/07	. 100.000	2015/08
CALCIUM	00916	036	2012/08/07	. 11.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/07	< .000	2015/08
CHLORIDE	00940	036	2012/08/07	. 7.600	2015/08
COLOR	00081	036	2013/09/09	< .000	2016/09
COPPER	01042	036	2012/08/07	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/07	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/07	. 26.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/07	< .000	2015/08
IRON	01045	036	2012/08/07	< .000	2015/08
MAGNESIUM	00927	036	2012/08/07	< .000	2015/08
MANGANESE	01055	036	2012/08/07	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2013/09/09	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/09	. 8.300	2016/09
SILVER	01077	036	2012/08/07	< .000	2015/08
SODIUM	00929	036	2012/08/07	28.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/07	. 120.000	2015/08
SULFATE	00945	036	2012/08/07	3.100	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	. 100.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610024-018***						
Source Name: ***WELL 25***						
Source Number: ***018***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/09	**< .000**	2016/09	
ZINC	**01092**	**036**	2012/08/07	**< .000**	2015/08	
PS Code: ***3610024-019***						
Source Name: ***WELL 29 (ROYCE)***						
Source Number: ***019***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2013/02/15	**< .000**	2016/02	
ANTIMONY	**01097**	**036**	2013/02/15	**< .000**	2016/02	
ARSENIC	**01002**	**036**	2013/09/17	**< .000**	2016/09	
BARIUM	**01007**	**036**	2013/02/15	**< .000**	2016/02	
BERYLLIUM	**01012**	**036**	2013/02/15	**< .000**	2016/02	
CADMIUM	**01027**	**036**	2013/02/15	**< .000**	2016/02	
CHROMIUM (TOTAL)	**01034**	**036**	2013/02/15	**< .000**	2016/02	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2005/10/04**	**. .000**	**2008/10**	**DUE**
CYANIDE	**01291**	**036**	2013/02/15	**< .000**	2016/02	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/17	**. .550**	2016/09	
MERCURY	**71900**	**036**	2013/02/15	**< .000**	2016/02	
NICKEL	**01067**	**036**	2013/02/15	**< .000**	2016/02	
PERCHLORATE	**A-031**	**036**	2013/02/15	**< .000**	2016/02	
SELENIUM	**01147**	**036**	2013/02/15	**< .000**	2016/02	
THALLIUM	**01059**	**036**	2013/02/15	**< .000**	2016/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/09/17	**< .000**	2014/09	
NITRITE (AS N)	**00620**	**036**	2013/02/15	**< .000**	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-019***

Source Name: ***WELL 29 (ROYCE)***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/02/15	**. 4.200**	2016/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/02/15	**< .000**	2016/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/02/15	**< .000**	2016/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/02/15	**< .000**	2019/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/02/15	**< .000**	2019/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/02/15	**< .000**	2019/02
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/02/15	**< .000**	2019/02
1,1-DICHLOROETHANE	**34496**	**072**	2013/02/15	**< .000**	2019/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/02/15	**< .000**	2019/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/02/15	**< .000**	2019/02
1,2-DICHLOROBENZENE	**34536**	**072**	2013/02/15	**< .000**	2019/02
1,2-DICHLOROETHANE	**34531**	**072**	2013/02/15	**< .000**	2019/02
1,2-DICHLOROPROPANE	**34541**	**072**	2013/02/15	**< .000**	2019/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/02/15	**< .000**	2019/02
1,4-DICHLOROBENZENE	**34571**	**072**	2013/02/15	**< .000**	2019/02
BENZENE	**34030**	**072**	2013/02/15	**< .000**	2019/02
CARBON TETRACHLORIDE	**32102**	**072**	2013/02/15	**< .000**	2019/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/02/15	**< .000**	2019/02
DICHLOROMETHANE	**34423**	**072**	2013/02/15	**< .000**	2019/02
ETHYLBENZENE	**34371**	**072**	2013/02/15	**< .000**	2019/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/02/15	**< .000**	2019/02
MONOCHLOROBENZENE	**34301**	**072**	2013/02/15	**< .000**	2019/02
STYRENE	**77128**	**072**	2013/02/15	**< .000**	2019/02
TETRACHLOROETHYLENE	**34475**	**072**	2013/02/15	**< .000**	2019/02
TOLUENE	**34010**	**072**	2013/02/15	**< .000**	2019/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/02/15	**< .000**	2019/02
TRICHLOROETHYLENE	**39180**	**072**	2013/02/15	**< .000**	2019/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-019***

Source Name: ***WELL 29 (ROYCE)***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/02/15	**< .000**	2019/02
VINYL CHLORIDE	**39175**	**072**	2013/02/15	**< .000**	2019/02
XYLENES (TOTAL)	**81551**	**072**	2013/02/15	**< .000**	2019/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/02/15	**. 100.000**	2016/02
CALCIUM	**00916**	**036**	2013/09/17	**. 29.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/02/15	**< .000**	2016/02
CHLORIDE	**00940**	**036**	2013/02/15	**. 21.000**	2016/02
COLOR	**00081**	**036**	2013/09/17	**< .000**	2016/09
COPPER	**01042**	**036**	2013/02/15	**< .000**	2016/02
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/02/15	**< .000**	2016/02
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/02/15	**. 89.000**	2016/02
HYDROXIDE ALKALINITY	**71830**	**036**	2013/02/15	**< .000**	2016/02
IRON	**01045**	**036**	2013/02/15	**< .000**	2016/02
MAGNESIUM	**00927**	**036**	2013/02/15	**. 4.600**	2016/02
MANGANESE	**01055**	**036**	2013/02/15	**< .000**	2016/02
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/17	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/17	**. 7.400**	2016/09
SILVER	**01077**	**036**	2013/02/15	**< .000**	2016/02
SODIUM	**00929**	**036**	2013/02/15	**20.000**	2016/02
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/17	**. 980.000**	2016/09
SULFATE	**00945**	**036**	2013/02/15	**19.000**	2016/02
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/02/15	**. 170.000**	2016/02
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/17	**. .100**	2016/09
ZINC	**01092**	**036**	2013/02/15	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

PS Code: ***3610024-021***

Source Name: ***WELL 24***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/08/23	**< .000**	2015/08	
ANTIMONY	**01097**	**036**	2012/08/23	**< .000**	2015/08	
ARSENIC	**01002**	**036**	2013/09/09	**< .000**	2016/09	
BARIUM	**01007**	**036**	2012/08/23	**< .000**	2015/08	
BERYLLIUM	**01012**	**036**	2012/08/23	**< .000**	2015/08	
CADMIUM	**01027**	**036**	2012/08/23	**< .000**	2015/08	
CHROMIUM (TOTAL)	**01034**	**036**	2013/09/09	**< .000**	2016/09	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2006/07/11**	**2.860**	**2009/07**	**DUE**
CYANIDE	**01291**	**036**	2012/08/23	**< .000**	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/09	**. .130**	2016/09	
MERCURY	**71900**	**036**	2012/08/23	**< .000**	2015/08	
NICKEL	**01067**	**036**	2012/08/23	**< .000**	2015/08	
PERCHLORATE	**A-031**	**036**	2012/08/23	**< .000**	2015/08	
SELENIUM	**01147**	**036**	2012/08/23	**< .000**	2015/08	
THALLIUM	**01059**	**036**	2012/08/23	**< .000**	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/09/09	**< .000**	2014/09	
NITRITE (AS N)	**00620**	**036**	2012/08/23	**< .000**	2015/08	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2012/08/23	**< .000**	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/23	**< .000**	2015/08	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/23	**< .000**	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/08/23	**< .000**	2018/08	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/08/23	**< .000**	2018/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/08/23	**< .000**	2018/08	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/08/23	**< .000**	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-021
Source Name: WELL 24
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/08/23	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/23	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/23	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/23	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/23	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/23	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/23	< .000	2018/08
1,4-DICHLOROBENZENE	34571	072	2012/08/23	< .000	2018/08
BENZENE	34030	072	2012/08/23	< .000	2018/08
CARBON TETRACHLORIDE	32102	072	2012/08/23	< .000	2018/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/23	< .000	2018/08
DICHLOROMETHANE	34423	072	2012/08/23	< .000	2018/08
ETHYLBENZENE	34371	072	2012/08/23	< .000	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/23	< .000	2018/08
MONOCHLOROBENZENE	34301	072	2012/08/23	< .000	2018/08
STYRENE	77128	072	2012/08/23	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/23	< .000	2018/08
TOLUENE	34010	072	2012/08/23	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/23	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/23	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/23	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/23	< .000	2018/08
XYLENES (TOTAL)	81551	072	2012/08/23	< .000	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/23	. 94.000	2015/08
CALCIUM	00916	036	2012/08/23	. 15.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/23	< .000	2015/08
CHLORIDE	00940	036	2012/08/23	. 5.200	2015/08
COLOR	00081	036	2013/09/09	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-021
Source Name: WELL 24
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2012/08/23	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/23	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/23	. 42.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/23	< .000	2015/08
IRON	01045	036	2012/08/23	< .000	2015/08
MAGNESIUM	00927	036	2012/08/23	. 1.100	2015/08
MANGANESE	01055	036	2012/08/23	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2013/09/09	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/09	. 8.300	2016/09
SILVER	01077	036	2012/08/23	< .000	2015/08
SODIUM	00929	036	2012/08/23	19.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/23	. 160.000	2015/08
SULFATE	00945	036	2012/08/23	2.100	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/23	. 100.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/09	< .000	2016/09
ZINC	01092	036	2012/08/23	< .000	2015/08

PS Code: 3610024-022
Source Name: WELL 26
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/09/20	< .000	2015/09
ANTIMONY	01097	036	2012/09/20	< .000	2015/09
ARSENIC	01002	036	2013/09/17	. 4.100	2016/09
BARIUM	01007	036	2012/09/20	< .000	2015/09
BERYLLIUM	01012	036	2012/09/20	< .000	2015/09
CADMIUM	01027	036	2012/09/20	< .000	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-022***
Source Name: ***WELL 26***
Source Number: ***022***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/09/20	. 20.000	2015/09
CYANIDE	01291	036	2012/09/20	< .000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/17	. .360	2016/09
MERCURY	71900	036	2012/09/20	< .000	2015/09
NICKEL	01067	036	2012/09/20	< .000	2015/09
PERCHLORATE	A-031	036	2012/09/20	< .000	2015/09
SELENIUM	01147	036	2012/09/20	< .000	2015/09
THALLIUM	01059	036	2012/09/20	< .000	2015/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/17	. 3.600	2014/09
NITRITE (AS N)	00620	036	2012/09/20	< .000	2015/09
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/09/20	< .000	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/20	< .000	2015/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/20	< .000	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/09/20	< .000	2018/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/09/20	< .000	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/09/20	< .000	2018/09
1,1,2-TRICHLOROETHANE	34511	072	2012/09/20	< .000	2018/09
1,1-DICHLOROETHANE	34496	072	2012/09/20	< .000	2018/09
1,1-DICHLOROETHYLENE	34501	072	2012/09/20	< .000	2018/09
1,2,4-TRICHLOROBENZENE	34551	072	2012/09/20	< .000	2018/09
1,2-DICHLOROBENZENE	34536	072	2012/09/20	< .000	2018/09
1,2-DICHLOROETHANE	34531	072	2012/09/20	< .000	2018/09
1,2-DICHLOROPROPANE	34541	072	2012/09/20	< .000	2018/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/09/20	< .000	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-022***
Source Name: ***WELL 26***
Source Number: ***022***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**072**	2012/09/20	**< .000**	2018/09
BENZENE	**34030**	**072**	2012/09/20	**< .000**	2018/09
CARBON TETRACHLORIDE	**32102**	**072**	2012/09/20	**< .000**	2018/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/09/20	**< .000**	2018/09
DICHLOROMETHANE	**34423**	**072**	2012/09/20	**< .000**	2018/09
ETHYLBENZENE	**34371**	**072**	2012/09/20	**< .000**	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/09/20	**< .000**	2018/09
MONOCHLOROBENZENE	**34301**	**072**	2012/09/20	**< .000**	2018/09
STYRENE	**77128**	**072**	2012/09/20	**< .000**	2018/09
TETRACHLOROETHYLENE	**34475**	**072**	2012/09/20	**< .000**	2018/09
TOLUENE	**34010**	**072**	2012/09/20	**< .000**	2018/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/09/20	**< .000**	2018/09
TRICHLOROETHYLENE	**39180**	**072**	2012/09/20	**< .000**	2018/09
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/09/20	**< .000**	2018/09
VINYL CHLORIDE	**39175**	**072**	2012/09/20	**< .000**	2018/09
XYLENES (TOTAL)	**81551**	**072**	2012/09/20	**< .000**	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/09/20	**. 28.000**	2015/09
CALCIUM	**00916**	**036**	2013/09/17	**. 1.800**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2012/09/20	**35.000**	2015/09
CHLORIDE	**00940**	**036**	2012/09/20	**. 7.300**	2015/09
COLOR	**00081**	**036**	2013/09/17	**< .000**	2016/09
COPPER	**01042**	**036**	2012/09/20	**< .000**	2015/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/09/20	**< .000**	2015/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/09/20	**. 4.800**	2015/09
HYDROXIDE ALKALINITY	**71830**	**036**	2012/09/20	**< .000**	2015/09
IRON	**01045**	**036**	2012/09/20	**< .000**	2015/09
MAGNESIUM	**00927**	**036**	2012/09/20	**< .000**	2015/09
MANGANESE	**01055**	**036**	2012/09/20	**< .000**	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610024-022***						
Source Name: ***WELL 26***						
Source Number: ***022***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/17		**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/17	.	**9.200**	2016/09
SILVER	**01077**	**036**	2012/09/20	<	**.000**	2015/09
SODIUM	**00929**	**036**	2012/09/20		**41.000**	2015/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/17	.	**1900.000**	2016/09
SULFATE	**00945**	**036**	2012/09/20		**4.100**	2015/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/09/20	.	**110.000**	2015/09
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/17	.	**.200**	2016/09
ZINC	**01092**	**036**	2012/09/20	<	**.000**	2015/09
PS Code: ***3610024-023T***						
Source Name: ***CHOICEANNA & HERCULES - TREATED***						
Source Number: ***023***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610024-024T***						
Source Name: ***EUCALYPTUS & 7TH - TREATED***						
Source Number: ***024***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610024-025T **Source Name:** HERCULES & I - TREATED **Source Number:** 025 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-026T **Source Name:** JACARANDA & ORCHID - TREATED **Source Number:** 026 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-027T **Source Name:** JOSHUA & 7TH - TREATED **Source Number:** 027 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-028T **Source Name:** MAIN & 9TH - TREATED **Source Number:** 028 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610024-029T **Source Name:** RANCHERO & ARROWHEAD - TREATED **Source Number:** 029 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-030T **Source Name:** REDWOOD & KIMBALL - TREATED **Source Number:** 030 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-031T **Source Name:** REDWOOD & SEQUOIA - TREATED **Source Number:** 031 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-032T **Source Name:** TOPAZ & CHESTNUT - TREATED **Source Number:** 032 **Source Status:** DISTRIBUTION TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-033
Source Name: WELL 04A
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/08/07	< .000	2015/08	
ANTIMONY	01097	036	2012/08/07	< .000	2015/08	
ARSENIC	01002	036	2013/09/24	< .000	2016/09	
BARIUM	01007	036	2012/08/07	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/07	< .000	2015/08	
CADMIUM	01027	036	2012/08/07	< .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/07	< .000	2015/08	
CHROMIUM, HEXAVALENT	01032	036	2008/07/23	.000	2011/07	DUE
CYANIDE	01291	036	2012/08/07	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/24	. .280	2016/09	
MERCURY	71900	036	2012/08/07	< .000	2015/08	
NICKEL	01067	036	2012/08/07	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/07	< .000	2015/08	
SELENIUM	01147	036	2012/08/07	< .000	2015/08	
THALLIUM	01059	036	2012/08/07	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/24	. 2.900	2014/09	
NITRITE (AS N)	00620	036	2012/08/07	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/07	< .000	2015/08	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/07	< .000	2015/08	
DIQUAT	78885	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/07	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/08/07	< .000	2018/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/07	< .000	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-033***
Source Name: ***WELL 04A***
Source Number: ***033***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/08/07	**< .000**	2018/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/08/07	**< .000**	2018/08
1,1-DICHLOROETHANE	**34496**	**072**	2012/08/07	**< .000**	2018/08
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/08/07	**< .000**	2018/08
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROBENZENE	**34536**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROETHANE	**34531**	**072**	2012/08/07	**< .000**	2018/08
1,2-DICHLOROPROPANE	**34541**	**072**	2012/08/07	**< .000**	2018/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/08/07	**< .000**	2018/08
1,4-DICHLOROBENZENE	**34571**	**072**	2012/08/07	**< .000**	2018/08
BENZENE	**34030**	**072**	2012/08/07	**< .000**	2018/08
CARBON TETRACHLORIDE	**32102**	**072**	2012/08/07	**< .000**	2018/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/08/07	**< .000**	2018/08
DICHLOROMETHANE	**34423**	**072**	2012/08/07	**< .000**	2018/08
ETHYLBENZENE	**34371**	**072**	2012/08/07	**< .000**	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/08/07	**< .000**	2018/08
MONOCHLOROBENZENE	**34301**	**072**	2012/08/07	**< .000**	2018/08
STYRENE	**77128**	**072**	2012/08/07	**< .000**	2018/08
TETRACHLOROETHYLENE	**34475**	**072**	2012/08/07	**< .000**	2018/08
TOLUENE	**34010**	**072**	2012/08/07	**< .000**	2018/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/08/07	**< .000**	2018/08
TRICHLOROETHYLENE	**39180**	**072**	2012/08/07	**< .000**	2018/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/08/07	**< .000**	2018/08
VINYL CHLORIDE	**39175**	**072**	2012/08/07	**< .000**	2018/08
XYLENES (TOTAL)	**81551**	**072**	2012/08/07	**< .000**	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/07	**. 84.000**	2015/08
CALCIUM	**00916**	**036**	2013/09/24	**. 24.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2012/08/07	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-033
Source Name: WELL 04A
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
CHLORIDE	00940	036	2012/08/07	. 17.000	2015/08
COLOR	00081	036	2013/09/24	< .000	2016/09
COPPER	01042	036	2012/08/07	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/07	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/07	. 78.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/07	< .000	2015/08
IRON	01045	036	2012/08/07	< .000	2015/08
MAGNESIUM	00927	036	2012/08/07	. 4.000	2015/08
MANGANESE	01055	036	2012/08/07	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2013/09/24	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/24	. 7.300	2016/09
SILVER	01077	036	2012/08/07	< .000	2015/08
SODIUM	00929	036	2012/08/07	14.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2013/09/24	. 220.000	2016/09
SULFATE	00945	036	2012/08/07	13.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	. 140.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/24	< .000	2016/09
ZINC	01092	036	2012/08/07	< .000	2015/08

PS Code: 3610024-034
Source Name: WELL 31
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/04/04	. 110.000	2016/04
ANTIMONY	01097	036	2013/04/04	< .000	2016/04
ARSENIC	01002	036	2013/09/09	. 5.200	2016/09
BARIUM	01007	036	2013/04/04	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-034***
Source Name: ***WELL 31***
Source Number: ***034***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BERYLLIUM	**01012**	**036**	2013/04/04	**< .000**	2016/04	
CADMIUM	**01027**	**036**	2013/04/04	**< .000**	2016/04	
CHROMIUM (TOTAL)	**01034**	**036**	2013/09/09	**. 16.000**	2016/09	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2013/04/04	**< .000**	2016/04	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/09	**. .480**	2016/09	
MERCURY	**71900**	**036**	2013/04/04	**< .000**	2016/04	
NICKEL	**01067**	**036**	2013/04/04	**< .000**	2016/04	
PERCHLORATE	**A-031**	**036**	2013/04/04	**< .000**	2016/04	
SELENIUM	**01147**	**036**	2013/04/04	**< .000**	2016/04	
THALLIUM	**01059**	**036**	2013/04/04	**< .000**	2016/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/09/09	**. 10.000**	2014/09	
NITRITE (AS N)	**00620**	**036**	2013/04/04	**< .000**	2016/04	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2013/04/04	**< .000**	2016/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/04/04	**< .000**	2016/04	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/04/04	**< .000**	2016/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/04/04	**< .000**	2019/04	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/04/04	**< .000**	2019/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/04/04	**< .000**	2019/04	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/04/04	**< .000**	2019/04	
1,1-DICHLOROETHANE	**34496**	**072**	2013/04/04	**< .000**	2019/04	
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/04/04	**< .000**	2019/04	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/04/04	**< .000**	2019/04	
1,2-DICHLOROBENZENE	**34536**	**072**	2013/04/04	**< .000**	2019/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-034
Source Name: WELL 31
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	072	2013/04/04	< .000	2019/04
1,2-DICHLOROPROPANE	34541	072	2013/04/04	< .000	2019/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/04/04	< .000	2019/04
1,4-DICHLOROBENZENE	34571	072	2013/04/04	< .000	2019/04
BENZENE	34030	072	2013/04/04	< .000	2019/04
CARBON TETRACHLORIDE	32102	072	2013/04/04	< .000	2019/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/04/04	< .000	2019/04
DICHLOROMETHANE	34423	072	2013/04/04	< .000	2019/04
ETHYLBENZENE	34371	072	2013/04/04	< .000	2019/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/04/04	< .000	2019/04
MONOCHLOROBENZENE	34301	072	2013/04/04	< .000	2019/04
STYRENE	77128	072	2013/04/04	< .000	2019/04
TETRACHLOROETHYLENE	34475	072	2013/04/04	< .000	2019/04
TOLUENE	34010	072	2013/04/04	< .000	2019/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/04/04	< .000	2019/04
TRICHLOROETHYLENE	39180	072	2013/04/04	< .000	2019/04
TRICHLOROFLUOROMETHANE	34488	072	2013/04/04	< .000	2019/04
VINYL CHLORIDE	39175	072	2013/04/04	< .000	2019/04
XYLENES (TOTAL)	81551	072	2013/04/04	< .000	2019/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/04/04	. 79.000	2016/04
CALCIUM	00916	036	2013/04/04	. 7.900	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/04	< .000	2016/04
CHLORIDE	00940	036	2013/04/04	. 9.300	2016/04
COLOR	00081	036	2013/09/09	< .000	2016/09
COPPER	01042	036	2013/04/04	. 170.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/04	< .000	2016/04
HARDNESS (TOTAL) AS CACO3	00900	036	2013/04/04	. 20.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/04	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610024-034					
Source Name: WELL 31					
Source Number: 034					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
IRON	01045	036	2013/04/04	400.000	2016/04
MAGNESIUM	00927	036	2013/04/04	< .000	2016/04
MANGANESE	01055	036	2013/04/04	< .000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/09/09	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/09	. 8.500	2016/09
SILVER	01077	036	2013/04/04	< .000	2016/04
SODIUM	00929	036	2013/04/04	34.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/04	. 200.000	2016/04
SULFATE	00945	036	2013/04/04	4.200	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/04	. 120.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/09/09	< .000	2016/09
ZINC	01092	036	2013/04/04	< .000	2016/04
PS Code: 3610024-035T					
Source Name: WELL 31 - TREATED (CHLORINATED)					
Source Number: 035					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-036					
Source Name: WELL 19A					
Source Number: 036					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/08/07	< .000	2015/08
ANTIMONY	01097	036	2012/08/07	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-036***
Source Name: ***WELL 19A***
Source Number: ***036***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ARSENIC	01002	036	2012/08/07	. 2.400	2015/08	
BARIUM	01007	036	2012/08/07	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/07	< .000	2015/08	
CADMIUM	01027	036	2012/08/07	< .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/07	. 11.000	2015/08	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2012/08/07	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/07	. .230	2015/08	
MERCURY	71900	036	2012/08/07	< .000	2015/08	
NICKEL	01067	036	2012/08/07	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/07	< .000	2015/08	
SELENIUM	01147	036	2012/08/07	< .000	2015/08	
THALLIUM	01059	036	2012/08/07	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/08/07	. 11.000	2013/08	**DUE**
NITRITE (AS N)	00620	036	2012/08/07	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/07	< .000	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/07	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/07	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/08/07	< .000	2018/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/07	< .000	2018/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/07	< .000	2018/08	
1,1,2-TRICHLOROETHANE	34511	072	2012/08/07	< .000	2018/08	
1,1-DICHLOROETHANE	34496	072	2012/08/07	< .000	2018/08	
1,1-DICHLOROETHYLENE	34501	072	2012/08/07	< .000	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-036***
Source Name: ***WELL 19A***
Source Number: ***036***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/07	< .000	2018/08	
1,2-DICHLOROBENZENE	34536	072	2012/08/07	< .000	2018/08	
1,2-DICHLOROETHANE	34531	072	2012/08/07	< .000	2018/08	
1,2-DICHLOROPROPANE	34541	072	2012/08/07	< .000	2018/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/07	< .000	2018/08	
1,4-DICHLOROBENZENE	34571	072	2012/08/07	< .000	2018/08	
BENZENE	34030	072	2012/08/07	< .000	2018/08	
CARBON TETRACHLORIDE	32102	072	2012/08/07	< .000	2018/08	
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/07	< .000	2018/08	
DICHLOROMETHANE	34423	072	2012/08/07	< .000	2018/08	
ETHYLBENZENE	34371	072	2012/08/07	< .000	2018/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/07	< .000	2018/08	
MONOCHLOROBENZENE	34301	072	2012/08/07	< .000	2018/08	
STYRENE	77128	072	2012/08/07	< .000	2018/08	
TETRACHLOROETHYLENE	34475	072	2012/08/07	< .000	2018/08	
TOLUENE	34010	072	2012/08/07	< .000	2018/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/07	< .000	2018/08	
TRICHLOROETHYLENE	39180	072	2012/08/07	< .000	2018/08	
TRICHLOROFLUOROMETHANE	34488	072	2012/08/07	< .000	2018/08	
VINYL CHLORIDE	39175	072	2012/08/07	< .000	2018/08	
XYLENES (TOTAL)	81551	072	2012/08/07	< .000	2018/08	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/08/07	. 96.000	2015/08	
CALCIUM	00916	036	2012/08/07	. 13.000	2015/08	
CARBONATE ALKALINITY	00445	036	2012/08/07	< .000	2015/08	
CHLORIDE	00940	036	2012/08/07	. 9.400	2015/08	
COLOR	00081	036	**2010/07/28**	< .000	**2013/07**	**DUE**
COPPER	01042	036	2012/08/07	< .000	2015/08	
FOAMING AGENTS (MBAS)	38260	036	2012/08/07	< .000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-036***
Source Name: ***WELL 19A***
Source Number: ***036***
Source Status: ***ACTIVE RAW***
Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/07	. 38.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/07	< .000	2015/08	
IRON	01045	036	2012/08/07	< .000	2015/08	
MAGNESIUM	00927	036	2012/08/07	. 1.200	2015/08	
MANGANESE	01055	036	2012/08/07	< .000	2015/08	
ODOR THRESHOLD @ 60 C	00086	036	2010/07/28	1.000	2013/07	DUE
PH, LABORATORY	00403	036	2012/08/07	. 8.300	2015/08	
SILVER	01077	036	2012/08/07	< .000	2015/08	
SODIUM	00929	036	2012/08/07	29.000	2015/08	
SPECIFIC CONDUCTANCE	00095	036	2012/08/07	. 200.000	2015/08	
SULFATE	00945	036	2012/08/07	4.000	2015/08	
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	. 130.000	2015/08	
TURBIDITY, LABORATORY	82079	036	2010/07/28	< .000	2013/07	DUE
ZINC	01092	036	2012/08/07	< .000	2015/08	

PS Code: ***3610024-037T***
Source Name: ***WELL 19A - CHLORINATED***
Source Number: ***037***
Source Status: ***ACTIVE TREATED***
Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-038
Source Name: WELL 22A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/08/07	< .000	2015/08	
ANTIMONY	01097	036	2012/08/07	< .000	2015/08	
ARSENIC	01002	036	2013/09/09	< .000	2016/09	
BARIUM	01007	036	2012/08/07	< .000	2015/08	
BERYLLIUM	01012	036	2012/08/07	< .000	2015/08	
CADMIUM	01027	036	2012/08/07	< .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2013/09/09	< .000	2016/09	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/08/07	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	. .120	2016/09	
MERCURY	71900	036	2012/08/07	< .000	2015/08	
NICKEL	01067	036	2012/08/07	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/07	< .000	2015/08	
SELENIUM	01147	036	2012/08/07	< .000	2015/08	
THALLIUM	01059	036	2012/08/07	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/09	< .000	2014/09	
NITRITE (AS N)	00620	036	2012/08/07	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/07	< .000	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/07	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/07	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/08/07	< .000	2018/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/07	< .000	2018/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/07	< .000	2018/08	
1,1,2-TRICHLOROETHANE	34511	072	2012/08/07	< .000	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-038
Source Name: WELL 22A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/08/07	< .000	2018/08
1,1-DICHLOROETHYLENE	34501	072	2012/08/07	< .000	2018/08
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/07	< .000	2018/08
1,2-DICHLOROBENZENE	34536	072	2012/08/07	< .000	2018/08
1,2-DICHLOROETHANE	34531	072	2012/08/07	< .000	2018/08
1,2-DICHLOROPROPANE	34541	072	2012/08/07	< .000	2018/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/07	< .000	2018/08
1,4-DICHLOROBENZENE	34571	072	2012/08/07	< .000	2018/08
BENZENE	34030	072	2012/08/07	< .000	2018/08
CARBON TETRACHLORIDE	32102	072	2012/08/07	< .000	2018/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/07	< .000	2018/08
DICHLOROMETHANE	34423	072	2012/08/07	< .000	2018/08
ETHYLBENZENE	34371	072	2012/08/07	< .000	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/07	< .000	2018/08
MONOCHLOROBENZENE	34301	072	2012/08/07	< .000	2018/08
STYRENE	77128	072	2012/08/07	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/07	< .000	2018/08
TOLUENE	34010	072	2012/08/07	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/07	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/07	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/07	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/07	< .000	2018/08
XYLENES (TOTAL)	81551	072	2012/08/07	< .000	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/07	. 140.000	2015/08
CALCIUM	00916	036	2012/08/07	. 27.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/07	< .000	2015/08
CHLORIDE	00940	036	2012/08/07	. 8.000	2015/08
COLOR	00081	036	2013/09/09	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-038
Source Name: WELL 22A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2012/08/07	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/07	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/07	. 84.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/07	< .000	2015/08
IRON	01045	036	2012/08/07	< .000	2015/08
MAGNESIUM	00927	036	2012/08/07	. 4.300	2015/08
MANGANESE	01055	036	2012/08/07	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2013/09/09	1.000	2016/09
PH, LABORATORY	00403	036	2013/09/09	. 8.000	2016/09
SILVER	01077	036	2012/08/07	< .000	2015/08
SODIUM	00929	036	2012/08/07	20.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/07	. 240.000	2015/08
SULFATE	00945	036	2012/08/07	5.400	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/07	. 150.000	2015/08
TURBIDITY, LABORATORY	82079	036	2013/09/09	< .000	2016/09
ZINC	01092	036	2012/08/07	< .000	2015/08

PS Code: 3610024-039
Source Name: WELL 32
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/08/27	< .000	2015/08
ANTIMONY	01097	036	2012/08/27	< .000	2015/08
ARSENIC	01002	036	2013/09/09	< .000	2016/09
BARIUM	01007	036	2012/08/27	< .000	2015/08
BERYLLIUM	01012	036	2012/08/27	< .000	2015/08
CADMIUM	01027	036	2012/08/27	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

PS Code: ***3610024-039***
Source Name: ***WELL 32***
Source Number: ***039***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/09/09	< .000	2016/09	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/08/27	< .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/09	. .120	2016/09	
MERCURY	71900	036	2012/08/27	< .000	2015/08	
NICKEL	01067	036	2012/08/27	< .000	2015/08	
PERCHLORATE	A-031	036	2012/08/27	< .000	2015/08	
SELENIUM	01147	036	2012/08/27	< .000	2015/08	
THALLIUM	01059	036	2012/08/27	< .000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/09/09	. 2.900	2014/09	
NITRITE (AS N)	00620	036	2012/08/27	< .000	2015/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/27	< .000	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/27	< .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/27	< .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/08/27	< .000	2018/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/08/27	< .000	2018/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/08/27	< .000	2018/08	
1,1,2-TRICHLOROETHANE	34511	072	2012/08/27	< .000	2018/08	
1,1-DICHLOROETHANE	34496	072	2012/08/27	< .000	2018/08	
1,1-DICHLOROETHYLENE	34501	072	2012/08/27	< .000	2018/08	
1,2,4-TRICHLOROBENZENE	34551	072	2012/08/27	< .000	2018/08	
1,2-DICHLOROBENZENE	34536	072	2012/08/27	< .000	2018/08	
1,2-DICHLOROETHANE	34531	072	2012/08/27	< .000	2018/08	
1,2-DICHLOROPROPANE	34541	072	2012/08/27	< .000	2018/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

PS Code: 3610024-039
Source Name: WELL 32
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/08/27	< .000	2018/08
1,4-DICHLOROBENZENE	34571	072	2012/08/27	< .000	2018/08
BENZENE	34030	072	2012/08/27	< .000	2018/08
CARBON TETRACHLORIDE	32102	072	2012/08/27	< .000	2018/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/08/27	< .000	2018/08
DICHLOROMETHANE	34423	072	2012/08/27	< .000	2018/08
ETHYLBENZENE	34371	072	2012/08/27	< .000	2018/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/08/27	< .000	2018/08
MONOCHLOROBENZENE	34301	072	2012/08/27	< .000	2018/08
STYRENE	77128	072	2012/08/27	< .000	2018/08
TETRACHLOROETHYLENE	34475	072	2012/08/27	< .000	2018/08
TOLUENE	34010	072	2012/08/27	< .000	2018/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/08/27	< .000	2018/08
TRICHLOROETHYLENE	39180	072	2012/08/27	< .000	2018/08
TRICHLOROFLUOROMETHANE	34488	072	2012/08/27	< .000	2018/08
VINYL CHLORIDE	39175	072	2012/08/27	< .000	2018/08
XYLENES (TOTAL)	81551	072	2012/08/27	< .000	2018/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/27	. 100.000	2015/08
CALCIUM	00916	036	2012/08/27	. 24.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/27	< .000	2015/08
CHLORIDE	00940	036	2012/08/27	. 5.900	2015/08
COLOR	00081	036	2013/09/09	< .000	2016/09
COPPER	01042	036	2012/08/27	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/27	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/27	. 69.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/27	< .000	2015/08
IRON	01045	036	2012/08/27	< .000	2015/08
MAGNESIUM	00927	036	2012/08/27	. 1.900	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***

System Name: ***HESPERIA WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610024-039***					
Source Name: ***WELL 32***					
Source Number: ***039***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
MANGANESE	**01055**	**036**	2012/08/27	**< .000**	2015/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/09	**1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/09	**. 7.900**	2016/09
SILVER	**01077**	**036**	2012/08/27	**< .000**	2015/08
SODIUM	**00929**	**036**	2012/08/27	**14.000**	2015/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/08/27	**. 180.000**	2015/08
SULFATE	**00945**	**036**	2012/08/27	**2.600**	2015/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/08/27	**. 110.000**	2015/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/09	**< .000**	2016/09
ZINC	**01092**	**036**	2012/08/27	**< .000**	2015/08
PS Code: ***3610024-040***					
Source Name: ***MWA TURNOUT 4***					
Source Number: ***040***					
Source Status: ***PURCHASED TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610024-601***					
Source Name: ***DBP2-JACARANDA & CAROB***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**000**			**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**			**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**			**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**			**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610024-601						
Source Name: DBP2-JACARANDA & CAROB						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610024-602						
Source Name: DBP2-ARROWHEAD & RANCHERO						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610024-602						
Source Name: DBP2-ARROWHEAD & RANCHERO						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610024-603						
Source Name: DBP2-REDWOOD & KIMBALL						
Source Number: 603						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610024-604***						
Source Name: ***DBP2-EUCALYPTUS & 7TH***						
Source Number: ***604***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610024-800***						
Source Name: ***WELL 03-A - TREATED (CL2)***						
Source Number: ***800***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610024-802					
Source Name: WELL 05A - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-803					
Source Name: WELL 14A - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-804					
Source Name: WELL 14B - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-805					
Source Name: WELL 15-A - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610024-806					
Source Name: WELL 17 - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-807					
Source Name: WELL 18 - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-808					
Source Name: WELL 20 - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-809					
Source Name: WELL 21 - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610024
System Name: HESPERIA WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610024-810					
Source Name: WELL 22A - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-811					
Source Name: WELL 24 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-812					
Source Name: WELL 25 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610024-813					
Source Name: WELL 26 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610024***
System Name: ***HESPERIA WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610024-814***					
Source Name: ***WELL 29 (ROYCE) - TREATED (CL2)***					
Source Number: ***814***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610024-815***					
Source Name: ***WELL 32 - TREATED (CL2)***					
Source Number: ***815***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-005***

Source Name: ***WELL 10***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/03/17	**< .000**	2017/03
ANTIMONY	**01097**	**036**	2012/11/28	**< .000**	2015/11
ARSENIC	**01002**	**036**	2012/11/28	**< .000**	2015/11
BARIUM	**01007**	**036**	2012/11/28	**< .000**	2015/11
BERYLLIUM	**01012**	**036**	2012/11/28	**< .000**	2015/11
CADMIUM	**01027**	**036**	2012/11/28	**< .000**	2015/11
CHROMIUM (TOTAL)	**01034**	**036**	2012/11/28	**< .000**	2015/11
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/03/17	**. 11.000**	2017/03
CYANIDE	**01291**	**036**	2012/11/28	**< .000**	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/17	**. .520**	2017/03
MERCURY	**71900**	**036**	2012/11/28	**< .000**	2015/11
NICKEL	**01067**	**036**	2012/11/28	**< .000**	2015/11
PERCHLORATE	**A-031**	**036**	2012/11/28	**< .000**	2015/11
SELENIUM	**01147**	**036**	2012/11/28	**< .000**	2015/11
THALLIUM	**01059**	**036**	2012/11/28	**< .000**	2015/11
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/03/17	**. 23.000**	2015/03
NITRITE (AS N)	**00620**	**036**	2013/07/22	**< .000**	2016/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2008/08/18	**.000**	2017/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/03/17	**< .000**	2017/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/03/17	**< .000**	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/07/13	**< .000**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/07/13	**< .000**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/07/13	**< .000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/07/13	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

PS Code: 3610025-005
Source Name: WELL 10
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/07/13	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	072	2011/07/13	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	072	2011/07/13	< .000	2017/07
1,2-DICHLOROBENZENE	34536	072	2011/07/13	< .000	2017/07
1,2-DICHLOROETHANE	34531	072	2011/07/13	< .000	2017/07
1,2-DICHLOROPROPANE	34541	072	2011/07/13	< .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/07/13	< .000	2017/07
1,4-DICHLOROBENZENE	34571	072	2011/07/13	< .000	2017/07
BENZENE	34030	072	2011/07/13	< .000	2017/07
CARBON TETRACHLORIDE	32102	072	2011/07/13	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/07/13	< .000	2017/07
DICHLOROMETHANE	34423	072	2011/07/13	< .000	2017/07
ETHYLBENZENE	34371	072	2011/07/13	< .000	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/07/13	< .000	2017/07
MONOCHLOROBENZENE	34301	072	2011/07/13	< .000	2017/07
STYRENE	77128	072	2011/07/13	< .000	2017/07
TETRACHLOROETHYLENE	34475	072	2011/07/13	< .000	2017/07
TOLUENE	34010	072	2011/07/13	< .000	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/07/13	< .000	2017/07
TRICHLOROETHYLENE	39180	072	2011/07/13	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	072	2011/07/13	< .000	2017/07
VINYL CHLORIDE	39175	072	2011/07/13	< .000	2017/07
XYLENES (TOTAL)	81551	072	2011/07/13	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/17	. 120.000	2017/03
CALCIUM	00916	036	2014/03/17	. 18.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/17	< .000	2017/03
CHLORIDE	00940	036	2014/03/17	. 15.000	2017/03
COLOR	00081	036	2014/06/02	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-005***

Source Name: ***WELL 10***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/03/17	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/17	< .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/17	. 67.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/17	< .000	2017/03
IRON	01045	036	2014/03/17	< .000	2017/03
MAGNESIUM	00927	036	2014/03/17	. 5.100	2017/03
MANGANESE	01055	036	2014/03/17	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/06/02	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/03/17	. 7.700	2017/03
SILVER	01077	036	2014/03/17	< .000	2017/03
SODIUM	00929	036	2014/03/17	. 33.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/17	. 300.000	2017/03
SULFATE	00945	036	2014/03/17	. 14.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/17	. 130.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/06/02	< .000	2017/06
ZINC	01092	036	2014/03/17	< .000	2017/03

PS Code: ***3610025-008***

Source Name: ***WELL 14***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2014/03/17	< .000	2017/03
ANTIMONY	01097	036	2012/11/28	< .000	2015/11
ARSENIC	01002	036	2012/11/28	< .000	2015/11
BARIUM	01007	036	2012/11/28	< .000	2015/11
BERYLLIUM	01012	036	2012/11/28	< .000	2015/11
CADMIUM	01027	036	2012/11/28	< .000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-008***

Source Name: ***WELL 14***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/11/28	. 16.000	2015/11
CHROMIUM, HEXAVALENT	01032	036	2014/03/17	. 18.000	2017/03
CYANIDE	01291	036	2012/11/28	< .000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/17	. .600	2017/03
MERCURY	71900	036	2012/11/28	< .000	2015/11
NICKEL	01067	036	2012/11/28	< .000	2015/11
PERCHLORATE	A-031	036	2012/11/28	< .000	2015/11
SELENIUM	01147	036	2012/11/28	< .000	2015/11
THALLIUM	01059	036	2012/11/28	< .000	2015/11
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/17	. 11.000	2015/03
NITRITE (AS N)	00620	036	2013/07/22	< .000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2008/08/18	.000	2017/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/17	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/17	< .000	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/07/13	< .000	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/07/13	< .000	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/07/13	< .000	2017/07
1,1,2-TRICHLOROETHANE	34511	072	2011/07/13	< .000	2017/07
1,1-DICHLOROETHANE	34496	072	2011/07/13	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	072	2011/07/13	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	072	2011/07/13	< .000	2017/07
1,2-DICHLOROBENZENE	34536	072	2011/07/13	< .000	2017/07
1,2-DICHLOROETHANE	34531	072	2011/07/13	< .000	2017/07
1,2-DICHLOROPROPANE	34541	072	2011/07/13	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-008***

Source Name: ***WELL 14***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/07/13	**< .000**	2017/07
1,4-DICHLOROBENZENE	**34571**	**072**	2011/07/13	**< .000**	2017/07
BENZENE	**34030**	**072**	2011/07/13	**< .000**	2017/07
CARBON TETRACHLORIDE	**32102**	**072**	2011/07/13	**< .000**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/07/13	**< .000**	2017/07
DICHLOROMETHANE	**34423**	**072**	2011/07/13	**< .000**	2017/07
ETHYLBENZENE	**34371**	**072**	2011/07/13	**< .000**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/07/13	**< .000**	2017/07
MONOCHLOROBENZENE	**34301**	**072**	2011/07/13	**< .000**	2017/07
STYRENE	**77128**	**072**	2011/07/13	**< .000**	2017/07
TETRACHLOROETHYLENE	**34475**	**072**	2011/07/13	**< .000**	2017/07
TOLUENE	**34010**	**072**	2011/07/13	**< .000**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/07/13	**< .000**	2017/07
TRICHLOROETHYLENE	**39180**	**072**	2011/07/13	**< .000**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/07/13	**< .000**	2017/07
VINYL CHLORIDE	**39175**	**072**	2011/07/13	**< .000**	2017/07
XYLENES (TOTAL)	**81551**	**072**	2011/07/13	**< .000**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/03/17	**. 140.000**	2017/03
CALCIUM	**00916**	**036**	2014/03/17	**. 16.000**	2017/03
CARBONATE ALKALINITY	**00445**	**036**	2014/03/17	**< .000**	2017/03
CHLORIDE	**00940**	**036**	2014/03/17	**. 14.000**	2017/03
COLOR	**00081**	**036**	2014/06/02	**< .000**	2017/06
COPPER	**01042**	**036**	2014/03/17	**< .000**	2017/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/17	**< .000**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/17	**. 56.000**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/17	**< .000**	2017/03
IRON	**01045**	**036**	2014/03/17	**< .000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/17	**. 3.900**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

PS Code: 3610025-008
Source Name: WELL 14
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/03/17	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/06/02	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/03/17	. 7.900	2017/03
SILVER	01077	036	2014/03/17	< .000	2017/03
SODIUM	00929	036	2014/03/17	. 43.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/17	. 310.000	2017/03
SULFATE	00945	036	2014/03/17	. 23.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/17	. 170.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/06/02	. .100	2017/06
ZINC	01092	036	2014/03/17	< .000	2017/03

PS Code: 3610025-009
Source Name: WELL 15
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/03/17	< .000	2017/03
ANTIMONY	01097	036	2012/11/28	< .000	2015/11
ARSENIC	01002	036	2012/11/28	. 2.000	2015/11
BARIUM	01007	036	2012/11/28	< .000	2015/11
BERYLLIUM	01012	036	2012/11/28	< .000	2015/11
CADMIUM	01027	036	2012/11/28	< .000	2015/11
CHROMIUM (TOTAL)	01034	036	2012/11/28	. 16.000	2015/11
CHROMIUM, HEXAVALENT	01032	036	2014/03/17	. 18.000	2017/03
CYANIDE	01291	036	2012/11/28	< .000	2015/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/17	. .890	2017/03
MERCURY	71900	036	2012/11/28	< .000	2015/11
NICKEL	01067	036	2012/11/28	< .000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

PS Code: 3610025-009
Source Name: WELL 15
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2012/11/28	< .000	2015/11
SELENIUM	01147	036	2012/11/28	< .000	2015/11
THALLIUM	01059	036	2012/11/28	< .000	2015/11
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/17	. 11.000	2015/03
NITRITE (AS N)	00620	036	2013/07/22	< .000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2008/08/18	.000	2017/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/17	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/17	< .000	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/07/13	< .000	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/07/13	< .000	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/07/13	< .000	2017/07
1,1,2-TRICHLOROETHANE	34511	072	2011/07/13	< .000	2017/07
1,1-DICHLOROETHANE	34496	072	2011/07/13	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	072	2011/07/13	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	072	2011/07/13	< .000	2017/07
1,2-DICHLOROBENZENE	34536	072	2011/07/13	< .000	2017/07
1,2-DICHLOROETHANE	34531	072	2011/07/13	< .000	2017/07
1,2-DICHLOROPROPANE	34541	072	2011/07/13	< .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/07/13	< .000	2017/07
1,4-DICHLOROBENZENE	34571	072	2011/07/13	< .000	2017/07
BENZENE	34030	072	2011/07/13	< .000	2017/07
CARBON TETRACHLORIDE	32102	072	2011/07/13	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/07/13	< .000	2017/07
DICHLOROMETHANE	34423	072	2011/07/13	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

PS Code: 3610025-009
Source Name: WELL 15
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2011/07/13	< .000	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/07/13	< .000	2017/07
MONOCHLOROBENZENE	34301	072	2011/07/13	< .000	2017/07
STYRENE	77128	072	2011/07/13	< .000	2017/07
TETRACHLOROETHYLENE	34475	072	2011/07/13	< .000	2017/07
TOLUENE	34010	072	2011/07/13	< .000	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/07/13	< .000	2017/07
TRICHLOROETHYLENE	39180	072	2011/07/13	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	072	2011/07/13	< .000	2017/07
VINYL CHLORIDE	39175	072	2011/07/13	< .000	2017/07
XYLENES (TOTAL)	81551	072	2011/07/13	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/17	. 100.000	2017/03
CALCIUM	00916	036	2014/03/17	. 32.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/17	< .000	2017/03
CHLORIDE	00940	036	2014/03/17	. 15.000	2017/03
COLOR	00081	036	2014/06/02	< .000	2017/06
COPPER	01042	036	2014/03/17	< .000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/17	< .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/17	. 95.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/17	< .000	2017/03
IRON	01045	036	2014/03/17	< .000	2017/03
MAGNESIUM	00927	036	2014/03/17	. 3.700	2017/03
MANGANESE	01055	036	2014/03/17	< .000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/06/02	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/03/17	. 8.000	2017/03
SILVER	01077	036	2014/03/17	< .000	2017/03
SODIUM	00929	036	2014/03/17	. 55.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/17	. 470.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610025-009					
Source Name: WELL 15					
Source Number: 009					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2014/03/17	. 120.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/17	. 260.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/06/02	< .000	2017/06
ZINC	01092	036	2014/03/17	< .000	2017/03
PS Code: 3610025-010					
Source Name: WELL 17					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/03/20	< .000	2016/03
ANTIMONY	01097	036	2013/03/20	< .000	2016/03
ARSENIC	01002	036	2013/03/20	< .000	2016/03
BARIUM	01007	036	2013/03/20	< .000	2016/03
BERYLLIUM	01012	036	2013/03/20	< .000	2016/03
CADMIUM	01027	036	2013/03/20	< .000	2016/03
CHROMIUM (TOTAL)	01034	036	2013/03/20	. 23.000	2016/03
CHROMIUM, HEXAVALENT	01032	036	2014/03/17	. 25.000	2017/03
CYANIDE	01291	036	2013/03/20	< .000	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/03/20	. .930	2016/03
MERCURY	71900	036	2013/03/20	< .000	2016/03
NICKEL	01067	036	2013/03/20	< .000	2016/03
PERCHLORATE	A-031	036	2013/03/20	< .000	2016/03
SELENIUM	01147	036	2013/03/20	< .000	2016/03
THALLIUM	01059	036	2013/03/20	< .000	2016/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/17	. 13.000	2015/03
NITRITE (AS N)	00620	036	2013/03/20	< .000	2016/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-010***

Source Name: ***WELL 17***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**003**	2014/05/12	**< .000**	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/03/20	**< .000**	2016/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/03/20	**< .000**	2016/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/03/24	**< .000**	2016/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/03/24	**< .000**	2016/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/03/24	**< .000**	2016/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/03/24	**< .000**	2016/03
1,1-DICHLOROETHANE	**34496**	**072**	2010/03/24	**< .000**	2016/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/03/24	**< .000**	2016/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/03/24	**< .000**	2016/03
1,2-DICHLOROBENZENE	**34536**	**072**	2010/03/24	**< .000**	2016/03
1,2-DICHLOROETHANE	**34531**	**072**	2010/03/24	**< .000**	2016/03
1,2-DICHLOROPROPANE	**34541**	**072**	2010/03/24	**< .000**	2016/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/03/24	**< .000**	2016/03
1,4-DICHLOROBENZENE	**34571**	**072**	2010/03/24	**< .000**	2016/03
BENZENE	**34030**	**072**	2010/03/24	**< .000**	2016/03
CARBON TETRACHLORIDE	**32102**	**072**	2010/03/24	**< .000**	2016/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/03/24	**< .000**	2016/03
DICHLOROMETHANE	**34423**	**072**	2010/03/24	**< .000**	2016/03
ETHYLBENZENE	**34371**	**072**	2010/03/24	**< .000**	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/03/24	**< .000**	2016/03
MONOCHLOROBENZENE	**34301**	**072**	2010/03/24	**< .000**	2016/03
STYRENE	**77128**	**072**	2010/03/24	**< .000**	2016/03
TETRACHLOROETHYLENE	**34475**	**072**	2010/03/24	**< .000**	2016/03
TOLUENE	**34010**	**072**	2010/03/24	**< .000**	2016/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/03/24	**< .000**	2016/03
TRICHLOROETHYLENE	**39180**	**072**	2010/03/24	**< .000**	2016/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-010***

Source Name: ***WELL 17***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/03/24	**< .000**	2016/03
VINYL CHLORIDE	**39175**	**072**	2010/03/24	**< .000**	2016/03
XYLENES (TOTAL)	**81551**	**072**	2010/03/24	**< .000**	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/03/20	**. 120.000**	2016/03
CALCIUM	**00916**	**036**	2013/03/20	**. 11.000**	2016/03
CARBONATE ALKALINITY	**00445**	**036**	2013/03/20	**< .000**	2016/03
CHLORIDE	**00940**	**036**	2013/03/20	**. 12.000**	2016/03
COLOR	**00081**	**036**	2014/06/02	**< .000**	2017/06
COPPER	**01042**	**036**	2013/03/20	**< .000**	2016/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/03/20	**< .000**	2016/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/03/20	**. 40.000**	2016/03
HYDROXIDE ALKALINITY	**71830**	**036**	2013/03/20	**< .000**	2016/03
IRON	**01045**	**036**	2013/03/20	**< .000**	2016/03
MAGNESIUM	**00927**	**036**	2013/03/20	**. 2.800**	2016/03
MANGANESE	**01055**	**036**	2013/03/20	**< .000**	2016/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/02	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2013/03/20	**. 8.200**	2016/03
SILVER	**01077**	**036**	2013/03/20	**< .000**	2016/03
SODIUM	**00929**	**036**	2013/03/20	**41.000**	2016/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/03/20	**. 290.000**	2016/03
SULFATE	**00945**	**036**	2013/03/20	**15.000**	2016/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/03/20	**. 170.000**	2016/03
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/02	**< .000**	2017/06
ZINC	**01092**	**036**	2013/03/20	**< .000**	2016/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-011***

Source Name: ***WELL 16***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/03/20	**< .000**	2016/03
ANTIMONY	**01097**	**036**	2013/03/20	**< .000**	2016/03
ARSENIC	**01002**	**036**	2013/03/20	**. 5.300**	2016/03
BARIUM	**01007**	**036**	2013/03/20	**< .000**	2016/03
BERYLLIUM	**01012**	**036**	2013/03/20	**< .000**	2016/03
CADMIUM	**01027**	**036**	2013/03/20	**< .000**	2016/03
CHROMIUM (TOTAL)	**01034**	**036**	2013/03/20	**. 35.000**	2016/03
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/03/17	**. 37.000**	2017/03
CYANIDE	**01291**	**036**	2013/03/20	**< .000**	2016/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/03/20	**. .630**	2016/03
MERCURY	**71900**	**036**	2013/03/20	**< .000**	2016/03
NICKEL	**01067**	**036**	2013/03/20	**< .000**	2016/03
PERCHLORATE	**A-031**	**036**	2013/03/20	**< .000**	2016/03
SELENIUM	**01147**	**036**	2013/03/20	**< .000**	2016/03
THALLIUM	**01059**	**036**	2013/03/20	**< .000**	2016/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/03/17	**. 12.000**	2015/03
NITRITE (AS N)	**00620**	**036**	2013/03/20	**< .000**	2016/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/08/27	**< .000**	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/03/20	**< .000**	2016/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/03/20	**< .000**	2016/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/02/06	**< .000**	2018/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/02/06	**< .000**	2018/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/02/06	**< .000**	2018/02
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/02/06	**< .000**	2018/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

PS Code: 3610025-011
Source Name: WELL 16
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/02/06	< .000	2018/02
1,1-DICHLOROETHYLENE	34501	072	2012/02/06	< .000	2018/02
1,2,4-TRICHLOROBENZENE	34551	072	2012/02/06	< .000	2018/02
1,2-DICHLOROBENZENE	34536	072	2012/02/06	< .000	2018/02
1,2-DICHLOROETHANE	34531	072	2012/02/06	< .000	2018/02
1,2-DICHLOROPROPANE	34541	072	2012/02/06	< .000	2018/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/02/06	< .000	2018/02
1,4-DICHLOROBENZENE	34571	072	2012/02/06	< .000	2018/02
BENZENE	34030	072	2012/02/06	< .000	2018/02
CARBON TETRACHLORIDE	32102	072	2012/02/06	< .000	2018/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/02/06	< .000	2018/02
DICHLOROMETHANE	34423	072	2012/02/06	< .000	2018/02
ETHYLBENZENE	34371	072	2012/02/06	< .000	2018/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/02/06	< .000	2018/02
MONOCHLOROBENZENE	34301	072	2012/02/06	< .000	2018/02
STYRENE	77128	072	2012/02/06	< .000	2018/02
TETRACHLOROETHYLENE	34475	072	2012/02/06	< .000	2018/02
TOLUENE	34010	072	2012/02/06	< .000	2018/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/02/06	< .000	2018/02
TRICHLOROETHYLENE	39180	072	2012/02/06	< .000	2018/02
TRICHLOROFLUOROMETHANE	34488	072	2012/02/06	< .000	2018/02
VINYL CHLORIDE	39175	072	2012/02/06	< .000	2018/02
XYLENES (TOTAL)	81551	072	2012/02/06	< .000	2018/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/03/20	. 100.000	2016/03
CALCIUM	00916	036	2013/03/20	. 10.000	2016/03
CARBONATE ALKALINITY	00445	036	2013/03/20	5.300	2016/03
CHLORIDE	00940	036	2013/03/20	. 7.200	2016/03
COLOR	00081	036	2014/06/02	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610025***

System Name: ***JOSHUA BASIN WATER DISTRICT***

PS Code: ***3610025-011***

Source Name: ***WELL 16***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/03/20	< .000	2016/03
FOAMING AGENTS (MBAS)	38260	036	2013/03/20	< .000	2016/03
HARDNESS (TOTAL) AS CACO3	00900	036	2013/03/20	. 31.000	2016/03
HYDROXIDE ALKALINITY	71830	036	2013/03/20	< .000	2016/03
IRON	01045	036	2013/03/20	< .000	2016/03
MAGNESIUM	00927	036	2013/03/20	. 1.300	2016/03
MANGANESE	01055	036	2013/03/20	< .000	2016/03
ODOR THRESHOLD @ 60 C	00086	036	2014/06/02	. 1.000	2017/06
PH, LABORATORY	00403	036	2013/03/20	. 8.300	2016/03
SILVER	01077	036	2013/03/20	< .000	2016/03
SODIUM	00929	036	2013/03/20	37.000	2016/03
SPECIFIC CONDUCTANCE	00095	036	2013/03/20	. 230.000	2016/03
SULFATE	00945	036	2013/03/20	8.500	2016/03
TOTAL DISSOLVED SOLIDS	70300	036	2013/03/20	. 130.000	2016/03
TURBIDITY, LABORATORY	82079	036	2014/06/02	< .000	2017/06
ZINC	01092	036	2013/03/20	< .000	2016/03

PS Code: ***3610025-601***

Source Name: ***DBP2-7840 WESLEY RD.***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000	**DUE**
DICHLOROACETIC ACID (DCAA)	77288	000	**DUE**
HALOACETIC ACIDS (5) (HAA5)	A-049	000	**DUE**
MONOBROMOACETIC ACID (MBAA)	A-041	000	**DUE**
MONOCHLOROACETIC ACID (MCAA)	A-042	000	**DUE**
TRICHLOROACETIC ACID (TCAA)	82723	000	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610025-601						
Source Name: DBP2-7840 WESLEY RD.						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610025-602						
Source Name: DBP2-67064 MARS @ HOOVER						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610025
System Name: JOSHUA BASIN WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610025-800 **Source Name:** WELL 10 - TREATED (CL2) **Source Number:** 800 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610025-801 **Source Name:** WELL 14 - TREATED (CL2) **Source Number:** 801 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610025-802 **Source Name:** WELL 15 - TREATED (CL2) **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610025-803 **Source Name:** WELL 17 - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610026
System Name: SBDNO COUNTY SERVICE AREA 70 CEDAR GLEN

PS Code: 3610026-001
Source Name: HORIZ WELL G
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2010/03/03	< .000	2013/03	DUE
ANTIMONY	01097	036	2010/03/03	< .000	2013/03	DUE
ARSENIC	01002	036	2010/03/03	< .000	2013/03	DUE
BARIUM	01007	036	2010/03/03	< .000	2013/03	DUE
BERYLLIUM	01012	036	2010/03/03	< .000	2013/03	DUE
CADMIUM	01027	036	2010/03/03	< .000	2013/03	DUE
CHROMIUM (TOTAL)	01034	036	2010/03/03	< .000	2013/03	DUE
CYANIDE	01291	036	2010/03/03	< .000	2013/03	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/03/03	.140	2013/03	DUE
MERCURY	71900	036	2010/03/03	< .000	2013/03	DUE
NICKEL	01067	036	2010/03/03	< .000	2013/03	DUE
PERCHLORATE	A-031	036	2010/03/04	< .000	2013/03	DUE
SELENIUM	01147	036	2010/03/03	< .000	2013/03	DUE
THALLIUM	01059	036	2010/03/03	< .000	2013/03	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/18	. 3.300	2014/11	
NITRITE (AS N)	00620	036	2010/03/03	< .000	2013/03	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/17	< .000	2017/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/03/03	< .000	2013/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/03/03	< .000	2013/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/03/03	< .000	2016/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/03/03	< .000	2016/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/03/03	< .000	2016/03	
1,1,2-TRICHLOROETHANE	34511	072	2010/03/03	< .000	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610026
System Name: SBDNO COUNTY SERVICE AREA 70 CEDAR GLEN

PS Code: 3610026-001
Source Name: HORIZ WELL G
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2010/03/03	<	.000	2016/03	
1,1-DICHLOROETHYLENE	34501	072	2010/03/03	<	.000	2016/03	
1,2,4-TRICHLOROBENZENE	34551	072	2010/03/03	<	.000	2016/03	
1,2-DICHLOROBENZENE	34536	072	2010/03/03	<	.000	2016/03	
1,2-DICHLOROETHANE	34531	072	2010/03/03	<	.000	2016/03	
1,2-DICHLOROPROPANE	34541	072	2010/03/03	<	.000	2016/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/03/03	<	.000	2016/03	
1,4-DICHLOROBENZENE	34571	072	2010/03/03	<	.000	2016/03	
BENZENE	34030	072	2010/03/03	<	.000	2016/03	
CARBON TETRACHLORIDE	32102	072	2010/03/03	<	.000	2016/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/03/03	<	.000	2016/03	
DICHLOROMETHANE	34423	072	2010/03/03	<	.000	2016/03	
ETHYLBENZENE	34371	072	2010/03/03	<	.000	2016/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/05/13	<	.000	2016/05	
MONOCHLOROBENZENE	34301	072	2010/03/03	<	.000	2016/03	
STYRENE	77128	072	2010/03/03	<	.000	2016/03	
TETRACHLOROETHYLENE	34475	072	2010/03/03	<	.000	2016/03	
TOLUENE	34010	072	2010/03/03	<	.000	2016/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/03/03	<	.000	2016/03	
TRICHLOROETHYLENE	39180	072	2010/03/03	<	.000	2016/03	
TRICHLOROFLUOROMETHANE	34488	072	2010/03/03	<	.000	2016/03	
VINYL CHLORIDE	39175	072	2010/03/03	<	.000	2016/03	
XYLENES (TOTAL)	81551	072	2010/03/03	<	.000	2016/03	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2010/03/03		130.000	2013/03	DUE
CALCIUM	00916	036	2010/03/03		29.000	2013/03	DUE
CARBONATE ALKALINITY	00445	036	2010/03/03	<	.000	2013/03	DUE
CHLORIDE	00940	036	2010/03/03		5.900	2013/03	DUE
COLOR	00081	036	2003/10/22	.	.000	2006/10	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610026
System Name: SBDNO COUNTY SERVICE AREA 70 CEDAR GLEN

PS Code: 3610026-001
Source Name: HORIZ WELL G
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2010/03/03	< .000	2013/03	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/03/03	< .000	2013/03	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/03/03	100.000	2013/03	DUE
HYDROXIDE ALKALINITY	71830	036	2010/03/03	< .000	2013/03	DUE
IRON	01045	036	2010/03/03	< .000	2013/03	DUE
MAGNESIUM	00927	036	2010/03/03	7.500	2013/03	DUE
MANGANESE	01055	036	2010/03/03	< .000	2013/03	DUE
ODOR THRESHOLD @ 60 C	00086	036	2003/10/22	1.000	2006/10	DUE
PH, LABORATORY	00403	036	2010/03/03	7.500	2013/03	DUE
SILVER	01077	036	2010/03/03	< .000	2013/03	DUE
SODIUM	00929	036	2010/03/03	13.000	2013/03	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/03/03	220.000	2013/03	DUE
SULFATE	00945	036	2010/03/03	2.900	2013/03	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/03/03	140.000	2013/03	DUE
TURBIDITY, LABORATORY	82079	036	2003/10/22	. .200	2006/10	DUE
ZINC	01092	036	2010/03/03	< .000	2013/03	DUE

PS Code: 3610026-003
Source Name: TUNNEL
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/02/28	< .000	2016/02
ANTIMONY	01097	036	2013/02/28	< .000	2016/02
ARSENIC	01002	036	2013/02/28	< .000	2016/02
BARIUM	01007	036	2013/02/28	< .000	2016/02
BERYLLIUM	01012	036	2013/02/28	< .000	2016/02
CADMIUM	01027	036	2013/02/28	< .000	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610026
System Name: SBDNO COUNTY SERVICE AREA 70 CEDAR GLEN

PS Code: 3610026-003
Source Name: TUNNEL
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2013/02/28	< .000	2016/02
CYANIDE	01291	036	2013/02/28	< .000	2016/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/28	. .100	2016/02
MERCURY	71900	036	2013/02/28	< .000	2016/02
NICKEL	01067	036	2013/02/28	< .000	2016/02
PERCHLORATE	A-031	036	2013/02/28	< .000	2016/02
SELENIUM	01147	036	2013/02/28	< .000	2016/02
THALLIUM	01059	036	2013/02/28	< .000	2016/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/07	. 3.900	2015/04
NITRITE (AS N)	00620	036	2013/02/28	< .000	2016/02
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/17	. 3.300	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/11	< .000	2016/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/11	< .000	2016/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/02/11	< .000	2019/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/02/11	< .000	2019/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/02/11	< .000	2019/02
1,1,2-TRICHLOROETHANE	34511	072	2013/02/11	< .000	2019/02
1,1-DICHLOROETHANE	34496	072	2013/02/11	< .000	2019/02
1,1-DICHLOROETHYLENE	34501	072	2013/02/11	< .000	2019/02
1,2,4-TRICHLOROBENZENE	34551	072	2013/02/11	< .000	2019/02
1,2-DICHLOROBENZENE	34536	072	2013/02/11	< .000	2019/02
1,2-DICHLOROETHANE	34531	072	2013/02/11	< .000	2019/02
1,2-DICHLOROPROPANE	34541	072	2013/02/11	< .000	2019/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/02/11	< .000	2019/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610026
System Name: SBDNO COUNTY SERVICE AREA 70 CEDAR GLEN

PS Code: 3610026-003
Source Name: TUNNEL
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2013/02/11	< .000	2019/02
BENZENE	34030	072	2013/02/11	< .000	2019/02
CARBON TETRACHLORIDE	32102	072	2013/02/11	< .000	2019/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/02/11	< .000	2019/02
DICHLOROMETHANE	34423	072	2013/02/11	< .000	2019/02
ETHYLBENZENE	34371	072	2013/02/11	< .000	2019/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/05/07	< .000	2019/05
MONOCHLOROBENZENE	34301	072	2013/02/11	< .000	2019/02
STYRENE	77128	072	2013/02/11	< .000	2019/02
TETRACHLOROETHYLENE	34475	072	2013/02/11	< .000	2019/02
TOLUENE	34010	072	2013/02/11	< .000	2019/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/02/11	< .000	2019/02
TRICHLOROETHYLENE	39180	072	2013/02/11	< .000	2019/02
TRICHLOROFLUOROMETHANE	34488	072	2013/02/11	< .000	2019/02
VINYL CHLORIDE	39175	072	2013/02/11	< .000	2019/02
XYLENES (TOTAL)	81551	072	2013/02/11	< .000	2019/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/02/28	. 110.000	2016/02
CALCIUM	00916	036	2013/02/28	. 17.000	2016/02
CARBONATE ALKALINITY	00445	036	2013/02/28	< .000	2016/02
CHLORIDE	00940	036	2013/02/28	. 5.700	2016/02
COLOR	00081	036	2014/04/07	< .000	2017/04
COPPER	01042	036	2013/02/28	< .000	2016/02
FOAMING AGENTS (MBAS)	38260	036	2013/02/28	< .000	2016/02
HARDNESS (TOTAL) AS CACO3	00900	036	2013/02/28	. 67.000	2016/02
HYDROXIDE ALKALINITY	71830	036	2013/02/28	< .000	2016/02
IRON	01045	036	2013/02/28	< .000	2016/02
MAGNESIUM	00927	036	2013/02/28	. 5.900	2016/02
MANGANESE	01055	036	2013/02/28	< .000	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610026***

System Name: ***SBDNO COUNTY SERVICE AREA 70 CEDAR GLEN***

PS Code: ***3610026-003***

Source Name: ***TUNNEL***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/07	**. 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2013/02/28	**. 7.400**	2016/02
SILVER	**01077**	**036**	2013/02/28	**< .000**	2016/02
SODIUM	**00929**	**036**	2013/02/28	**11.000**	2016/02
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/02/28	**. 180.000**	2016/02
SULFATE	**00945**	**036**	2013/02/28	**1.600**	2016/02
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/02/28	**. 120.000**	2016/02
TURBIDITY, LABORATORY	**82079**	**036**	2014/04/07	**. .300**	2017/04
ZINC	**01092**	**036**	2013/02/28	**< .000**	2016/02

PS Code: ***3610026-004***

Source Name: ***PURCHASED-CLAWA***

Source Number: ***004***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** **999**

PS Code: ***3610026-800***

Source Name: ***TUNNEL AND HORIZONTAL TREATED (CL2)***

Source Number: ***800***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** **999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610028***
System Name: ***MARYGOLD MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610028-005***						
Source Name: ***EMERGENCY-WEST VALLEY WD***						
Source Number: ***005***						
Source Status: ***PURCHASED TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610028-006***						
Source Name: ***WELL NO. 7***						
Source Number: ***006***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2012/06/27	**< .000**	2015/06	
ANTIMONY	**01097**	**036**	2012/06/27	**< .000**	2015/06	
ARSENIC	**01002**	**036**	2012/06/27	**< .000**	2015/06	
BARIUM	**01007**	**036**	2012/06/27	**< .000**	2015/06	
BERYLLIUM	**01012**	**036**	2012/06/27	**< .000**	2015/06	
CADMIUM	**01027**	**036**	2012/06/27	**< .000**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/27	**< .000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2012/06/27	**< .000**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/27	**. .240**	2015/06	
MERCURY	**71900**	**036**	2012/06/27	**< .000**	2015/06	
NICKEL	**01067**	**036**	2012/06/27	**< .000**	2015/06	
PERCHLORATE	**A-031**	**036**	2012/06/27	**< .000**	2015/06	
SELENIUM	**01147**	**036**	2012/06/27	**< .000**	2015/06	
THALLIUM	**01059**	**036**	2012/06/27	**< .000**	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/01/23	**. 19.000**	2015/01	
NITRITE (AS N)	**00620**	**036**	2012/06/27	**< .000**	2015/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/02/12	**3.900**	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610028***
System Name: ***MARYGOLD MWC***

PS Code: ***3610028-006***
Source Name: ***WELL NO. 7***
Source Number: ***006***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/27	**< .000**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/27	**< .000**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/06/27	**< .000**	2015/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/06/27	**< .000**	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/06/27	**< .000**	2015/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/06/27	**< .000**	2015/06
1,1-DICHLOROETHANE	**34496**	**036**	2012/06/27	**< .000**	2015/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/06/27	**< .000**	2015/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/06/27	**< .000**	2015/06
1,2-DICHLOROBENZENE	**34536**	**036**	2012/06/27	**< .000**	2015/06
1,2-DICHLOROETHANE	**34531**	**036**	2012/06/27	**< .000**	2015/06
1,2-DICHLOROPROPANE	**34541**	**036**	2012/06/27	**< .000**	2015/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/06/27	**< .000**	2015/06
1,4-DICHLOROBENZENE	**34571**	**036**	2012/06/27	**< .000**	2015/06
BENZENE	**34030**	**036**	2012/06/27	**< .000**	2015/06
CARBON TETRACHLORIDE	**32102**	**036**	2012/06/27	**< .000**	2015/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/06/27	**< .000**	2015/06
DICHLOROMETHANE	**34423**	**036**	2012/06/27	**< .000**	2015/06
ETHYLBENZENE	**34371**	**036**	2012/06/27	**< .000**	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/06/27	**< .000**	2015/06
MONOCHLOROBENZENE	**34301**	**036**	2012/06/27	**< .000**	2015/06
STYRENE	**77128**	**036**	2012/06/27	**< .000**	2015/06
TETRACHLOROETHYLENE	**34475**	**036**	2012/06/27	**< .000**	2015/06
TOLUENE	**34010**	**036**	2012/06/27	**< .000**	2015/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/06/27	**< .000**	2015/06
TRICHLOROETHYLENE	**39180**	**036**	2012/06/27	**< .000**	2015/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/06/27	**< .000**	2015/06
VINYL CHLORIDE	**39175**	**036**	2012/06/27	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610028***

System Name: ***MARYGOLD MWC***

PS Code: ***3610028-006***

Source Name: ***WELL NO. 7***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2012/06/27	**< .000**	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/27	**. 180.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/27	**. 46.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/27	**< .000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/27	**. 8.100**	2015/06
COLOR	**00081**	**036**	2012/06/27	**< .000**	2015/06
COPPER	**01042**	**036**	2012/06/27	**< .000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/27	**< .000**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/27	**. 140.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/27	**< .000**	2015/06
IRON	**01045**	**036**	2012/06/27	**< .000**	2015/06
MAGNESIUM	**00927**	**036**	2012/06/27	**. 5.100**	2015/06
MANGANESE	**01055**	**036**	2012/06/27	**< .000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/27	**1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/06/27	**. 8.000**	2015/06
SILVER	**01077**	**036**	2012/06/27	**< .000**	2015/06
SODIUM	**00929**	**036**	2012/06/27	**19.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/27	**. 360.000**	2015/06
SULFATE	**00945**	**036**	2012/06/27	**18.000**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/27	**. 230.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/27	**. .200**	2015/06
ZINC	**01092**	**036**	2012/06/27	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610028***
System Name: ***MARYGOLD MWC***

PS Code: ***3610028-007***
Source Name: ***WELL NO. 6***
Source Number: ***007***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/06/20	**< .000**	2015/06	
ANTIMONY	**01097**	**036**	2012/06/20	**< .000**	2015/06	
ARSENIC	**01002**	**036**	2012/06/20	**< .000**	2015/06	
BARIUM	**01007**	**036**	2012/06/20	**< .000**	2015/06	
BERYLLIUM	**01012**	**036**	2012/06/20	**< .000**	2015/06	
CADMIUM	**01027**	**036**	2012/06/20	**< .000**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/20	**< .000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2012/06/20	**< .000**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/20	**. .200**	2015/06	
MERCURY	**71900**	**036**	2012/06/20	**< .000**	2015/06	
NICKEL	**01067**	**036**	2012/06/20	**< .000**	2015/06	
PERCHLORATE	**A-031**	**036**	2012/06/20	**< .000**	2015/06	
SELENIUM	**01147**	**036**	2012/06/20	**< .000**	2015/06	
THALLIUM	**01059**	**036**	2012/06/20	**< .000**	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/01/24	**. 16.000**	2015/01	
NITRITE (AS N)	**00620**	**036**	2012/06/20	**< .000**	2015/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/02/19	**3.800**	2017/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/20	**< .000**	2015/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/20	**< .000**	2015/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/06/20	**< .000**	2015/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/06/20	**< .000**	2015/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/06/20	**< .000**	2015/06	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/06/20	**< .000**	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610028
System Name: MARYGOLD MWC

PS Code: 3610028-007
Source Name: WELL NO. 6
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2012/06/20	< .000	2015/06
1,1-DICHLOROETHYLENE	34501	036	2012/06/20	< .000	2015/06
1,2,4-TRICHLOROBENZENE	34551	036	2012/06/20	< .000	2015/06
1,2-DICHLOROBENZENE	34536	036	2012/06/20	< .000	2015/06
1,2-DICHLOROETHANE	34531	036	2012/06/20	< .000	2015/06
1,2-DICHLOROPROPANE	34541	036	2012/06/20	< .000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/20	< .000	2015/06
1,4-DICHLOROBENZENE	34571	036	2012/06/20	< .000	2015/06
BENZENE	34030	036	2012/06/20	< .000	2015/06
CARBON TETRACHLORIDE	32102	036	2012/06/20	< .000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/06/20	< .000	2015/06
DICHLOROMETHANE	34423	036	2012/06/20	< .000	2015/06
ETHYLBENZENE	34371	036	2012/06/20	< .000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/06/20	< .000	2015/06
MONOCHLOROBENZENE	34301	036	2012/06/20	< .000	2015/06
STYRENE	77128	036	2012/06/20	< .000	2015/06
TETRACHLOROETHYLENE	34475	036	2012/06/20	< .000	2015/06
TOLUENE	34010	036	2012/06/20	< .000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/06/20	< .000	2015/06
TRICHLOROETHYLENE	39180	036	2012/06/20	< .000	2015/06
TRICHLOROFLUOROMETHANE	34488	036	2012/06/20	< .000	2015/06
VINYL CHLORIDE	39175	036	2012/06/20	< .000	2015/06
XYLENES (TOTAL)	81551	036	2012/06/20	< .000	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/20	. 170.000	2015/06
CALCIUM	00916	036	2012/06/20	. 48.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/20	< .000	2015/06
CHLORIDE	00940	036	2012/06/20	. 6.800	2015/06
COLOR	00081	036	2012/06/20	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610028***

System Name: ***MARYGOLD MWC***

PS Code: ***3610028-007***

Source Name: ***WELL NO. 6***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/06/20	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/20	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/20	. 140.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/20	< .000	2015/06
IRON	01045	036	2012/06/20	< .000	2015/06
MAGNESIUM	00927	036	2012/06/20	. 5.800	2015/06
MANGANESE	01055	036	2012/06/20	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/20	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/20	. 7.900	2015/06
SILVER	01077	036	2012/06/20	< .000	2015/06
SODIUM	00929	036	2012/06/20	20.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/20	. 340.000	2015/06
SULFATE	00945	036	2012/06/20	17.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/20	. 210.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/20	< .000	2015/06
ZINC	01092	036	2012/06/20	< .000	2015/06

PS Code: ***3610028-008***

Source Name: ***EMERGENCY-CITYOFRIALTO***

Source Number: ***008***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610028
System Name: MARYGOLD MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610028-009					
Source Name: EMERGENCY-FONTANA					
Source Number: 009					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610028-800					
Source Name: WELL NO. 6 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610028-801					
Source Name: WELL NO. 7 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-003***

Source Name: ***ASR WELL 04***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/07/25	**< 50.000**	2016/07	
ANTIMONY	**01097**	**036**	2013/07/25	**< 6.000**	2016/07	
ARSENIC	**01002**	**036**	2013/07/25	**< 2.000**	2016/07	
BARIUM	**01007**	**036**	2013/07/25	**< 100.000**	2016/07	
BERYLLIUM	**01012**	**036**	2013/07/25	**< 1.000**	2016/07	
CADMIUM	**01027**	**036**	2013/07/25	**< 1.000**	2016/07	
CHROMIUM (TOTAL)	**01034**	**036**	2013/07/25	**< 10.000**	2016/07	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/07/10**	**. 1.200**	**2006/07**	**DUE**
CYANIDE	**01291**	**036**	2011/07/27	**< .000**	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/07/25	**. .260**	2016/07	
MERCURY	**71900**	**036**	2013/07/25	**< 1.000**	2016/07	
NICKEL	**01067**	**036**	2013/07/25	**< 10.000**	2016/07	
PERCHLORATE	**A-031**	**036**	2013/07/25	**< 4.000**	2016/07	
SELENIUM	**01147**	**036**	2013/07/25	**< 5.000**	2016/07	
THALLIUM	**01059**	**036**	2013/07/25	**< 1.000**	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/23	**. 49.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2013/07/25	**< 400.000**	2016/07	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2012/07/12	**. 3.700**	2015/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/10	**. .017**	2017/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/03	**< .020**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/07/25	**< .500**	2016/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/07/25	**< .500**	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/07/25	**< 10.000**	2016/07	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/07/25	**< .500**	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-003
Source Name: ASR WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/07/25	< .500	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/25	< .500	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/25	< .500	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/25	< .500	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/25	< .500	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/25	< .500	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/25	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/25	< .500	2016/07
BENZENE	34030	036	2013/07/25	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/25	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/25	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/25	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/25	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/25	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/25	< .500	2016/07
STYRENE	77128	036	2013/07/25	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/25	< .500	2016/07
TOLUENE	34010	036	2013/07/25	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/25	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/25	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/25	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/25	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/25	< .500	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/25	. 250.000	2016/07
CALCIUM	00916	036	2013/07/25	. 92.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/25	< 2.000	2016/07
CHLORIDE	00940	036	2013/07/25	. 20.000	2016/07
COLOR	00081	036	2013/07/25	. 10.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-003					
Source Name: ASR WELL 04					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2013/07/25	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/25	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/25	. 300.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/25	< 2.000	2016/07
IRON	01045	036	2013/07/25	170.000	2016/07
MAGNESIUM	00927	036	2013/07/25	. 18.000	2016/07
MANGANESE	01055	036	2013/07/25	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/25	2.000	2016/07
PH, LABORATORY	00403	036	2013/07/25	. 7.900	2016/07
SILVER	01077	036	2013/07/25	< 10.000	2016/07
SODIUM	00929	036	2013/07/25	13.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/25	. 630.000	2016/07
SULFATE	00945	036	2013/07/25	46.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/25	. 380.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/25	. 4.800	2016/07
ZINC	01092	036	2013/07/25	< 50.000	2016/07
PS Code: 3610029-004					
Source Name: WELL 05					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/07/02	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/02	< 6.000	2016/07
ARSENIC	01002	036	2013/07/02	. 2.200	2016/07
BARIUM	01007	036	2013/07/02	< 100.000	2016/07
BERYLLIUM	01012	036	2013/07/02	< 1.000	2016/07
CADMIUM	01027	036	2013/07/02	< 1.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/07/02	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2003/07/10	. 5.100	2006/07	DUE
CYANIDE	01291	036	2010/07/14	< .000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/02	. .150	2016/07	
MERCURY	71900	036	2013/07/02	< 1.000	2016/07	
NICKEL	01067	036	2013/07/02	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/02	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/02	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/02	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/01	. 32.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/02	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/07/21	< .000	2013/07	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/02	. .014	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/02	< .020	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/02	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/02	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/02	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/02	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/02	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/02	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/02	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/02	< .500	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/02	< .500	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/02	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/02	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/02	< .500	2016/07
BENZENE	34030	036	2013/07/02	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/02	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/02	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/02	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/02	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/02	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/02	< .500	2016/07
STYRENE	77128	036	2013/07/02	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/02	< .500	2016/07
TOLUENE	34010	036	2013/07/02	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/02	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/02	. .580	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/02	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/02	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/02	< .500	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/02	. 150.000	2016/07
CALCIUM	00916	036	2013/07/02	. 64.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/02	< 2.000	2016/07
CHLORIDE	00940	036	2013/07/02	. 22.000	2016/07
COLOR	00081	036	2013/07/02	< 3.000	2016/07
COPPER	01042	036	2013/07/02	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/02	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/02	. 190.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/02	< 2.000	2016/07
IRON	01045	036	2013/07/02	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/02	. 8.300	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2013/07/02	<	20.000	2016/07	
ODOR THRESHOLD @ 60 C	00086	036	2013/07/02	<	1.000	2016/07	
PH, LABORATORY	00403	036	2013/07/02	.	7.900	2016/07	
SILVER	01077	036	2013/07/02	<	10.000	2016/07	
SODIUM	00929	036	2013/07/02		25.000	2016/07	
SPECIFIC CONDUCTANCE	00095	036	2013/07/02	.	490.000	2016/07	
SULFATE	00945	036	2013/07/02		55.000	2016/07	
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/02	.	290.000	2016/07	
TURBIDITY, LABORATORY	82079	036	2013/07/02	.	.410	2016/07	
ZINC	01092	036	2013/07/02	<	50.000	2016/07	

PS Code: 3610029-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2013/07/16	.	92.000	2016/07	
ANTIMONY	01097	036	2013/07/16	<	6.000	2016/07	
ARSENIC	01002	036	2013/07/16	<	2.000	2016/07	
BARIUM	01007	036	2013/07/16	<	100.000	2016/07	
BERYLLIUM	01012	036	2013/07/16	<	1.000	2016/07	
CADMIUM	01027	036	2013/07/16	<	1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/16	<	10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2003/07/09	.	4.400	2006/07	DUE
CYANIDE	01291	036	2010/07/12	<	.000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/16	.	.160	2016/07	
MERCURY	71900	036	2013/07/16	<	1.000	2016/07	
NICKEL	01067	036	2013/07/16	<	10.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2013/07/16	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/16	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/16	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/15	. 60.000	2015/05	
NITRITE (AS N)	00620	036	2013/07/16	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/07/12**	< .000	**2013/07**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/16	. .110	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/16	< .020	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/16	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/16	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/16	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/16	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/16	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/16	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/16	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/16	< .500	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/16	< .500	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/16	< .500	2016/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/16	< .500	2016/07	
1,4-DICHLOROBENZENE	34571	036	2013/07/16	< .500	2016/07	
BENZENE	34030	036	2013/07/16	< .500	2016/07	
CARBON TETRACHLORIDE	32102	036	2013/07/16	< .500	2016/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/16	< .500	2016/07	
DICHLOROMETHANE	34423	036	2013/07/16	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2013/07/16	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/16	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/16	< .500	2016/07
STYRENE	77128	036	2013/07/16	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/16	< .500	2016/07
TOLUENE	34010	036	2013/07/16	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/16	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/16	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/16	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/16	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/16	< .500	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/16	. 170.000	2016/07
CALCIUM	00916	036	2013/07/16	. 72.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	< 2.000	2016/07
CHLORIDE	00940	036	2013/07/16	. 18.000	2016/07
COLOR	00081	036	2013/07/16	3.000	2016/07
COPPER	01042	036	2013/07/16	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/16	. 230.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	< 2.000	2016/07
IRON	01045	036	2013/07/16	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/16	. 13.000	2016/07
MANGANESE	01055	036	2013/07/16	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	. 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/16	. 7.900	2016/07
SILVER	01077	036	2013/07/16	< 10.000	2016/07
SODIUM	00929	036	2013/07/16	16.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	. 570.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610029-009							
Source Name: WELL 10							
Source Number: 009							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
SULFATE	00945	036	2013/07/16		58.000	2016/07	
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/16	.	350.000	2016/07	
TURBIDITY, LABORATORY	82079	036	2013/07/16	.	1.500	2016/07	
ZINC	01092	036	2013/07/16	<	50.000	2016/07	
PS Code: 3610029-013							
Source Name: WELL 19							
Source Number: 013							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2013/07/09	<	50.000	2016/07	
ANTIMONY	01097	036	2013/07/09	<	6.000	2016/07	
ARSENIC	01002	036	2013/07/09	.	5.900	2016/07	
BARIUM	01007	036	2013/07/09	<	100.000	2016/07	
BERYLLIUM	01012	036	2013/07/09	<	1.000	2016/07	
CADMIUM	01027	036	2013/07/09	<	1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/09	<	10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2003/07/09	.	6.600	2006/07	DUE
CYANIDE	01291	036	2010/07/12	<	.000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/09	.	.180	2016/07	
MERCURY	71900	036	2013/07/09	<	1.000	2016/07	
NICKEL	01067	036	2013/07/09	<	10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/09	<	4.000	2016/07	
SELENIUM	01147	036	2013/07/09	<	5.000	2016/07	
THALLIUM	01059	036	2013/07/09	<	1.000	2016/07	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/06/03	.	19.000	2015/06	
NITRITE (AS N)	00620	036	2013/07/09	<	400.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-013***

Source Name: ***WELL 19***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	**2010/07/12**	**< .000**	**2013/07**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/09	**. .011**	2016/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/09	**< .020**	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/07/09	**< .500**	2016/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/07/09	**< .500**	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/07/09	**< 10.000**	2016/07	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/07/09	**< .500**	2016/07	
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/09	**< .500**	2016/07	
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/09	**< .500**	2016/07	
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/09	**< .500**	2016/07	
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/09	**< .500**	2016/07	
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/09	**< .500**	2016/07	
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/09	**< .500**	2016/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/09	**< .500**	2016/07	
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/09	**< .500**	2016/07	
BENZENE	**34030**	**036**	2013/07/09	**< .500**	2016/07	
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/09	**< .500**	2016/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/09	**< .500**	2016/07	
DICHLOROMETHANE	**34423**	**036**	2013/07/09	**< .500**	2016/07	
ETHYLBENZENE	**34371**	**036**	2013/07/09	**< .500**	2016/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/09	**< 3.000**	2016/07	
MONOCHLOROBENZENE	**34301**	**036**	2013/07/09	**< .500**	2016/07	
STYRENE	**77128**	**036**	2013/07/09	**< .500**	2016/07	
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/09	**< .500**	2016/07	
TOLUENE	**34010**	**036**	2013/07/09	**< .500**	2016/07	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/09	**< .500**	2016/07	
TRICHLOROETHYLENE	**39180**	**036**	2013/07/09	**< .500**	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-013
Source Name: WELL 19
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/07/09	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/09	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/09	< .500	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/09	. 120.000	2016/07
CALCIUM	00916	036	2013/07/09	. 36.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/09	< 2.000	2016/07
CHLORIDE	00940	036	2013/07/09	. 20.000	2016/07
COLOR	00081	036	2013/07/09	< 3.000	2016/07
COPPER	01042	036	2013/07/09	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/09	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/09	. 100.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/09	< 2.000	2016/07
IRON	01045	036	2013/07/09	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/09	. 3.000	2016/07
MANGANESE	01055	036	2013/07/09	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/09	. 2.000	2016/07
PH, LABORATORY	00403	036	2013/07/09	. 8.000	2016/07
SILVER	01077	036	2013/07/09	< 10.000	2016/07
SODIUM	00929	036	2013/07/09	38.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/09	. 370.000	2016/07
SULFATE	00945	036	2013/07/09	30.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/09	. 220.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/09	. .190	2016/07
ZINC	01092	036	2013/07/09	< 50.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-019V					
Source Name: WFA CONNECTION - TREATED					
Source Number: 019					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-020D					
Source Name: 5516 ARMSLEY - TTHM DIST SAMPLE SITE					
Source Number: 020					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-021D					
Source Name: 10209 PRADERA - TTHM DIST SAMPLE SITE					
Source Number: 021					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-022D					
Source Name: 11600 BENSON - TTHM DIST SAMPLE SITE					
Source Number: 022					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610029-023D***							
Source Name: ***3656 RIVERSIDE DR. - TTHM DIST SAMP SITE***							
Source Number: ***023***							
Source Status: ***DISTRIBUTION TREATED***							
Water type: ***S***							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: ***3610029-024***							
Source Name: ***WELL 26***							
Source Number: ***024***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
INORGANIC							
ALUMINUM	01105	036	2013/07/02	<	50.000	2016/07	
ANTIMONY	01097	036	2013/07/02	<	6.000	2016/07	
ARSENIC	01002	036	2013/07/02	.	3.300	2016/07	
BARIUM	01007	036	2013/07/02	<	100.000	2016/07	
BERYLLIUM	01012	036	2013/07/02	<	1.000	2016/07	
CADMIUM	01027	036	2013/07/02	<	1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/02	<	10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	**2003/07/10**	.	6.400	**2006/07**	**DUE**
CYANIDE	01291	036	**2010/07/14**	<	.000	**2013/07**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/02	.	.160	2016/07	
MERCURY	71900	036	2013/07/02	<	1.000	2016/07	
NICKEL	01067	036	2013/07/02	<	10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/02	<	4.000	2016/07	
SELENIUM	01147	036	2013/07/02	<	5.000	2016/07	
THALLIUM	01059	036	2013/07/02	<	1.000	2016/07	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/01	.	21.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/02	<	400.000	2016/07	
RADIOLOGICAL							
GROSS ALPHA	01501	036	**2010/07/14**	<	.000	**2013/07**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-024
Source Name: WELL 26
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/02	< .010	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/02	< .020	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/07/02	< .500	2016/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/02	< .500	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/02	< 10.000	2016/07
1,1,2-TRICHLOROETHANE	34511	036	2013/07/02	< .500	2016/07
1,1-DICHLOROETHANE	34496	036	2013/07/02	< .500	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/02	< .500	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/02	< .500	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/02	< .500	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/02	< .500	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/02	< .500	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/02	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/02	< .500	2016/07
BENZENE	34030	036	2013/07/02	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/02	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/02	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/02	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/02	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/02	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/02	< .500	2016/07
STYRENE	77128	036	2013/07/02	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/02	< .500	2016/07
TOLUENE	34010	036	2013/07/02	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/02	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/02	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/02	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/02	< .500	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-024***

Source Name: ***WELL 26***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2013/07/02	**< .500**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/02	**. 130.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/02	**. 48.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/02	**< 2.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/02	**. 24.000**	2016/07
COLOR	**00081**	**036**	2013/07/02	**< 3.000**	2016/07
COPPER	**01042**	**036**	2013/07/02	**< 50.000**	2016/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/07/02	**< .050**	2016/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/07/02	**. 140.000**	2016/07
HYDROXIDE ALKALINITY	**71830**	**036**	2013/07/02	**< 2.000**	2016/07
IRON	**01045**	**036**	2013/07/02	**< 100.000**	2016/07
MAGNESIUM	**00927**	**036**	2013/07/02	**. 5.300**	2016/07
MANGANESE	**01055**	**036**	2013/07/02	**< 20.000**	2016/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/07/02	**< 1.000**	2016/07
PH, LABORATORY	**00403**	**036**	2013/07/02	**. 7.900**	2016/07
SILVER	**01077**	**036**	2013/07/02	**< 10.000**	2016/07
SODIUM	**00929**	**036**	2013/07/02	**32.000**	2016/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/07/02	**. 420.000**	2016/07
SULFATE	**00945**	**036**	2013/07/02	**41.000**	2016/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/07/02	**. 260.000**	2016/07
TURBIDITY, LABORATORY	**82079**	**036**	2013/07/02	**. .098**	2016/07
ZINC	**01092**	**036**	2013/07/02	**< 50.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-025***

Source Name: ***WELL 27***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/07/31	< 50.000	2016/07	
ANTIMONY	01097	036	2013/07/31	< 6.000	2016/07	
ARSENIC	01002	036	2013/07/31	. 2.700	2016/07	
BARIUM	01007	036	2013/07/31	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/31	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/31	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/31	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	**2003/12/09**	. 3.200	**2006/12**	**DUE**
CYANIDE	01291	036	**2010/07/26**	< .000	**2013/07**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/31	. .270	2016/07	
MERCURY	71900	036	2013/07/31	< 1.000	2016/07	
NICKEL	01067	036	2013/07/31	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/31	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/31	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/31	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/15	. 55.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/31	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/07/26**	< .000	**2013/07**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/15	. .076	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/03	< .020	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/31	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/31	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/31	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/31	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-025***

Source Name: ***WELL 27***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/31	**< .500**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/31	**< .500**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/31	**< .500**	2016/07
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/31	**< .500**	2016/07
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/31	**< .500**	2016/07
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/31	**< .500**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/31	**< .500**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/31	**< .500**	2016/07
BENZENE	**34030**	**036**	2013/07/31	**< .500**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/31	**< .500**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/31	**< .500**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/31	**< .500**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/31	**< .500**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/31	**< 3.000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/31	**< .500**	2016/07
STYRENE	**77128**	**036**	2013/07/31	**< .500**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/31	**< .500**	2016/07
TOLUENE	**34010**	**036**	2013/07/31	**< .500**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/31	**< .500**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/31	**< .500**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/31	**< 5.000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/31	**< .500**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/31	**< .500**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/31	**. 170.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/31	**. 59.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/31	**< 2.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/31	**. 9.400**	2016/07
COLOR	**00081**	**036**	2013/07/31	**< 3.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-025***

Source Name: ***WELL 27***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/07/31	. 98.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/31	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/31	. 220.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/31	< 2.000	2016/07
IRON	01045	036	2013/07/31	290.000	2016/07
MAGNESIUM	00927	036	2013/07/31	. 18.000	2016/07
MANGANESE	01055	036	2013/07/31	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/31	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/31	. 7.800	2016/07
SILVER	01077	036	2013/07/31	< 10.000	2016/07
SODIUM	00929	036	2013/07/31	20.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/31	. 510.000	2016/07
SULFATE	00945	036	2013/07/31	37.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/31	. 320.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/31	. .610	2016/07
ZINC	01092	036	2013/07/31	< 50.000	2016/07

PS Code: ***3610029-026***

Source Name: ***PLAN NO. 4 BLENDED WATER - TREATED***

Source Number: ***026***

Source Status: ***COMBINATION OR BLEND TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-027					
Source Name: PLANT NO. 17 BLENDED WATER - TREATED					
Source Number: 027					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-028T					
Source Name: WELL 26 - TREATED					
Source Number: 028					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-029T					
Source Name: WELL 27 - TREATED					
Source Number: 029					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-030D					
Source Name: 4672 HIGHLAND-TTHM DIST SAMPLE SITE-TRTD					
Source Number: 030					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610029-031D***					
Source Name: ***5460 BROOKS-TTHM DIST SAMPLE SITE - TRTD***					
Source Number: ***031***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610029-032D***					
Source Name: ***11109 CHICO-TTHM DIST SAMP SITE - TRTD***					
Source Number: ***032***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610029-033D***					
Source Name: ***3880 LAKE-TTHM DIST SAMPLE SITE - TRTD***					
Source Number: ***033***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610029-034***					
Source Name: ***WELL 28***					
Source Number: ***034***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2013/07/01	**< 50.000**	2016/07
ANTIMONY	**01097**	**036**	2013/07/01	**< 6.000**	2016/07
ARSENIC	**01002**	**036**	2013/07/01	**. 5.400**	2016/07
BARIUM	**01007**	**036**	2013/07/01	**< 100.000**	2016/07
BERYLLIUM	**01012**	**036**	2013/07/01	**< 1.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-034
Source Name: WELL 28
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2013/07/01	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/01	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2003/07/11	. 5.700	2006/07	DUE
CYANIDE	01291	036	2011/07/07	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/01	. .170	2016/07	
MERCURY	71900	036	2013/07/01	< 1.000	2016/07	
NICKEL	01067	036	2013/07/01	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/01	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/01	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/01	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/10	. 14.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/01	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/07/07	< .000	2014/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/01	< .010	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/01	< .020	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/01	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/01	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/01	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/01	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/01	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/01	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/01	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/01	< .500	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/01	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-034***
Source Name: ***WELL 28***
Source Number: ***034***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/01	**< .500**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/01	**< .500**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/01	**< .500**	2016/07
BENZENE	**34030**	**036**	2013/07/01	**< .500**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/01	**< .500**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/01	**< .500**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/01	**< .500**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/01	**< .500**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/01	**< 3.000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/01	**< .500**	2016/07
STYRENE	**77128**	**036**	2013/07/01	**< .500**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/01	**< .500**	2016/07
TOLUENE	**34010**	**036**	2013/07/01	**< .500**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/01	**< .500**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/01	**< .500**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/01	**< 5.000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/01	**< .500**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/01	**< .500**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/01	**. 120.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/01	**. 38.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/01	**< 2.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/01	**. 27.000**	2016/07
COLOR	**00081**	**036**	2013/07/01	**< 3.000**	2016/07
COPPER	**01042**	**036**	2013/07/01	**< 50.000**	2016/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/07/01	**< .050**	2016/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/07/01	**. 110.000**	2016/07
HYDROXIDE ALKALINITY	**71830**	**036**	2013/07/01	**< 2.000**	2016/07
IRON	**01045**	**036**	2013/07/01	**< 100.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-034					
Source Name: WELL 28					
Source Number: 034					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MAGNESIUM	00927	036	2013/07/01	. 3.800	2016/07
MANGANESE	01055	036	2013/07/01	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/01	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/01	. 8.000	2016/07
SILVER	01077	036	2013/07/01	< 10.000	2016/07
SODIUM	00929	036	2013/07/01	34.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/01	. 390.000	2016/07
SULFATE	00945	036	2013/07/01	35.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/01	. 220.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/01	. .130	2016/07
ZINC	01092	036	2013/07/01	< 50.000	2016/07
PS Code: 3610029-035T					
Source Name: WELL 28 - TREATED					
Source Number: 035					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-036					
Source Name: ASR WELL 30					
Source Number: 036					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/07/18	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/18	< 6.000	2016/07
ARSENIC	01002	036	2013/07/18	< 2.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-036
Source Name: ASR WELL 30
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BARIUM	01007	036	2013/07/18	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/18	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/18	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/18	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2007/02/28	3.400	2010/02	DUE
CYANIDE	01291	036	2010/07/19	< .000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/18	. .120	2016/07	
MERCURY	71900	036	2013/07/18	< 1.000	2016/07	
NICKEL	01067	036	2013/07/18	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/18	. 5.800	2016/07	
SELENIUM	01147	036	2013/07/18	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/18	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/23	. 68.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/07/19	< .000	2013/07	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/01	. .270	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/07	< .020	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/18	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/18	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/18	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/18	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/18	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-036
Source Name: ASR WELL 30
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	34536	036	2013/07/18	< .500	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/18	< .500	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/18	< .500	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/18	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/18	< .500	2016/07
BENZENE	34030	036	2013/07/18	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/18	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/18	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/18	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/18	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/18	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/18	< .500	2016/07
STYRENE	77128	036	2013/07/18	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/18	< .500	2016/07
TOLUENE	34010	036	2013/07/18	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/18	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/18	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/18	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/18	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/18	< .500	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/07	. 160.000	2017/05
CALCIUM	00916	036	2014/07/01	. 68.000	2017/07
CARBONATE ALKALINITY	00445	036	2013/07/18	< 2.000	2016/07
CHLORIDE	00940	036	2013/07/18	. 14.000	2016/07
COLOR	00081	036	2013/07/18	< 3.000	2016/07
COPPER	01042	036	2013/07/18	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/18	. .110	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/18	. 250.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-036***

Source Name: ***ASR WELL 30***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HYDROXIDE ALKALINITY	71830	036	2013/07/18	< 2.000	2016/07
IRON	01045	036	2013/07/18	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/18	. 20.000	2016/07
MANGANESE	01055	036	2013/07/18	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/18	< 1.000	2016/07
PH, LABORATORY	00403	036	2014/07/01	. 7.600	2017/07
SILVER	01077	036	2013/07/18	< 10.000	2016/07
SODIUM	00929	036	2013/07/18	24.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/01	. 590.000	2017/07
SULFATE	00945	036	2013/07/18	52.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/18	. 370.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/18	. .300	2016/07
ZINC	01092	036	2013/07/18	< 50.000	2016/07

PS Code: ***3610029-037***

Source Name: ***WELL 31***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/12/16	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/16	< 6.000	2016/12
ARSENIC	01002	036	2013/12/16	. 2.400	2016/12
BARIUM	01007	036	2013/12/16	< 100.000	2016/12
BERYLLIUM	01012	036	2013/12/16	< 1.000	2016/12
CADMIUM	01027	036	2013/12/16	< 1.000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/16	< 10.000	2016/12
CHROMIUM, HEXAVALENT	01032	036	2013/12/04	. 7.000	2016/12
CYANIDE	01291	036	2011/07/06	< .000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-037***

Source Name: ***WELL 31***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/16	**. .180**	2016/12
MERCURY	**71900**	**036**	2013/12/16	**< 1.000**	2016/12
NICKEL	**01067**	**036**	2013/12/16	**< 10.000**	2016/12
PERCHLORATE	**A-031**	**036**	2013/12/16	**< 4.000**	2016/12
SELENIUM	**01147**	**036**	2013/12/16	**< 5.000**	2016/12
THALLIUM	**01059**	**036**	2013/12/16	**< 1.000**	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/04	**. 19.000**	2015/06
NITRITE (AS N)	**00620**	**036**	2013/12/16	**< 400.000**	2016/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/06	**< .000**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/12/16	**< .010**	2016/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/16	**< .020**	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/12/16	**< .500**	2016/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/12/16	**< .500**	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/12/16	**< 10.000**	2016/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/12/16	**< .500**	2016/12
1,1-DICHLOROETHANE	**34496**	**036**	2013/12/16	**< .500**	2016/12
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/12/16	**< .500**	2016/12
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/12/16	**< .500**	2016/12
1,2-DICHLOROBENZENE	**34536**	**036**	2013/12/16	**< .500**	2016/12
1,2-DICHLOROETHANE	**34531**	**036**	2013/12/16	**< .500**	2016/12
1,2-DICHLOROPROPANE	**34541**	**036**	2013/12/16	**< .500**	2016/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/12/16	**< .500**	2016/12
1,4-DICHLOROBENZENE	**34571**	**036**	2013/12/16	**< .500**	2016/12
BENZENE	**34030**	**036**	2013/12/16	**< .500**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-037***
Source Name: ***WELL 31***
Source Number: ***037***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**036**	2013/12/16	**< .500**	2016/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/12/16	**< .500**	2016/12
DICHLOROMETHANE	**34423**	**036**	2013/12/16	**< .500**	2016/12
ETHYLBENZENE	**34371**	**036**	2013/12/16	**< .500**	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/12/16	**< 3.000**	2016/12
MONOCHLOROBENZENE	**34301**	**036**	2013/12/16	**< .500**	2016/12
STYRENE	**77128**	**036**	2013/12/16	**< .500**	2016/12
TETRACHLOROETHYLENE	**34475**	**036**	2013/12/16	**< .500**	2016/12
TOLUENE	**34010**	**036**	2013/12/16	**< .500**	2016/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/12/16	**< .500**	2016/12
TRICHLOROETHYLENE	**39180**	**036**	2013/12/16	**< .500**	2016/12
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/12/16	**< 5.000**	2016/12
VINYL CHLORIDE	**39175**	**036**	2013/12/16	**< .500**	2016/12
XYLENES (TOTAL)	**81551**	**036**	2013/12/16	**< .500**	2016/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/12/16	**. 140.000**	2016/12
CALCIUM	**00916**	**036**	2013/12/16	**. 43.000**	2016/12
CARBONATE ALKALINITY	**00445**	**036**	2013/12/16	**< 2.000**	2016/12
CHLORIDE	**00940**	**036**	2013/12/16	**. 9.100**	2016/12
COLOR	**00081**	**036**	2013/12/16	**< 3.000**	2016/12
COPPER	**01042**	**036**	2013/12/16	**< 50.000**	2016/12
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/12/16	**< .050**	2016/12
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/12/16	**. 120.000**	2016/12
HYDROXIDE ALKALINITY	**71830**	**036**	2013/12/16	**< 2.000**	2016/12
IRON	**01045**	**036**	2013/12/16	**< 100.000**	2016/12
MAGNESIUM	**00927**	**036**	2013/12/16	**. 4.500**	2016/12
MANGANESE	**01055**	**036**	2013/12/16	**< 20.000**	2016/12
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/12/16	**. 1.000**	2016/12
PH, LABORATORY	**00403**	**036**	2013/12/16	**. 8.100**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610029-037							
Source Name: WELL 31							
Source Number: 037							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
SILVER	01077	036	2013/12/16	<	10.000	2016/12	
SODIUM	00929	036	2013/12/16	.	28.000	2016/12	
SPECIFIC CONDUCTANCE	00095	036	2013/12/16	.	360.000	2016/12	
SULFATE	00945	036	2013/12/16	.	23.000	2016/12	
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/16	.	220.000	2016/12	
TURBIDITY, LABORATORY	82079	036	2013/12/16	.	.430	2016/12	
ZINC	01092	036	2013/12/16	<	50.000	2016/12	
PS Code: 3610029-038							
Source Name: ASR WELL 32							
Source Number: 038							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2013/07/10	<	50.000	2016/07	
ANTIMONY	01097	036	2013/07/10	<	6.000	2016/07	
ARSENIC	01002	036	2013/07/10	.	2.000	2016/07	
BARIUM	01007	036	2013/07/10	<	100.000	2016/07	
BERYLLIUM	01012	036	2013/07/10	<	1.000	2016/07	
CADMIUM	01027	036	2013/07/10	<	1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/10	<	10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2009/07/29		.000	2012/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/10	.	.220	2016/07	
MERCURY	71900	036	2013/07/10	<	1.000	2016/07	
NICKEL	01067	036	2013/07/10	<	10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/10	.	5.800	2016/07	
SELENIUM	01147	036	2013/07/10	<	5.000	2016/07	
THALLIUM	01059	036	2013/07/10	<	1.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-038
Source Name: ASR WELL 32
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/10	. 72.000	2015/06
NITRITE (AS N)	00620	036	2013/11/12	< 400.000	2016/11
RADIOLOGICAL					
GROSS ALPHA	01501	036	2011/12/01	< 3.000	2014/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/02	. .180	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/02	< .020	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/07/10	< .500	2016/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/10	< .500	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/10	< 10.000	2016/07
1,1,2-TRICHLOROETHANE	34511	036	2013/07/10	< .500	2016/07
1,1-DICHLOROETHANE	34496	036	2013/07/10	< .500	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/10	< .500	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/10	< .500	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/10	< .500	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/10	< .500	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/10	< .500	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/10	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/10	< .500	2016/07
BENZENE	34030	036	2013/07/10	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/10	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/10	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/10	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/10	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/10	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/10	< .500	2016/07
STYRENE	77128	036	2013/07/10	< .500	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-038
Source Name: ASR WELL 32
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2013/07/10	< .500	2016/07
TOLUENE	34010	036	2013/07/10	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/10	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/10	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/10	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/10	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/10	< .500	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/02	. 160.000	2017/06
CALCIUM	00916	036	2014/06/02	. 64.000	2017/06
CARBONATE ALKALINITY	00445	036	2013/07/10	< 2.000	2016/07
CHLORIDE	00940	036	2013/07/10	. 9.700	2016/07
COLOR	00081	036	2013/07/10	< 3.000	2016/07
COPPER	01042	036	2013/07/10	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/10	. .071	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/10	. 190.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/10	< 2.000	2016/07
IRON	01045	036	2013/07/10	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/10	. 14.000	2016/07
MANGANESE	01055	036	2013/07/10	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/10	< 1.000	2016/07
PH, LABORATORY	00403	036	2014/06/02	. 8.100	2017/06
SILVER	01077	036	2013/07/10	< 10.000	2016/07
SODIUM	00929	036	2013/07/10	25.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/10	. 480.000	2016/07
SULFATE	00945	036	2013/07/10	32.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/10	. 300.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/10	. .080	2016/07
ZINC	01092	036	2013/07/10	< 50.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-039***

Source Name: ***ASR WELL 33***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/07/15	< 50.000	2016/07	
ANTIMONY	01097	036	2013/07/15	< 6.000	2016/07	
ARSENIC	01002	036	2013/07/15	< 2.000	2016/07	
BARIUM	01007	036	2013/07/15	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/15	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/15	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/15	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	**2009/07/06**	.000	**2012/07**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/15	. .230	2016/07	
MERCURY	71900	036	2013/07/15	< 1.000	2016/07	
NICKEL	01067	036	2013/07/15	< 10.000	2016/07	
PERCHLORATE	A-031	036	2014/07/02	. 6.300	2017/07	
SELENIUM	01147	036	2013/07/15	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/15	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/02	. 67.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/15	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/11/30	< 3.000	2014/11	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/02	. .150	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/07	< .020	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/15	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/15	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/15	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/15	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-039***

Source Name: ***ASR WELL 33***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/15	**< .500**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/15	**< .500**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/15	**< .500**	2016/07
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/15	**< .500**	2016/07
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/15	**< .500**	2016/07
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/15	**< .500**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/15	**< .500**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/15	**< .500**	2016/07
BENZENE	**34030**	**036**	2013/07/15	**< .500**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/15	**< .500**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/15	**< .500**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/15	**< .500**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/15	**< .500**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/15	**< 3.000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/15	**< .500**	2016/07
STYRENE	**77128**	**036**	2013/07/15	**< .500**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/15	**< .500**	2016/07
TOLUENE	**34010**	**036**	2013/07/15	**< .500**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/15	**< .500**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/15	**< .500**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/15	**< 5.000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/15	**< .500**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/15	**< .500**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/07	**. 150.000**	2017/05
CALCIUM	**00916**	**036**	2014/07/02	**. 54.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/15	**< 2.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/15	**. 9.000**	2016/07
COLOR	**00081**	**036**	2013/07/15	**< 3.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-039***

Source Name: ***ASR WELL 33***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/07/15	<		50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/15	.		.053	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/02	.		200.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2013/07/15	<		2.000	2016/07
IRON	01045	036	2013/07/15	<		100.000	2016/07
MAGNESIUM	00927	036	2014/07/02	.		17.000	2017/07
MANGANESE	01055	036	2013/07/15	<		20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/15	<		1.000	2016/07
PH, LABORATORY	00403	036	2014/07/02	.		7.600	2017/07
SILVER	01077	036	2013/07/15	<		10.000	2016/07
SODIUM	00929	036	2013/07/15			21.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/02	.		590.000	2017/07
SULFATE	00945	036	2013/07/15			38.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/15	.		340.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/15	.		.160	2016/07
ZINC	01092	036	2013/07/15	<		50.000	2016/07

PS Code: ***3610029-040***

Source Name: ***CITY OF UPLAND CONNECTION - TREATED***

Source Number: ***040***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-041					
Source Name: ASR WELL 33 IX - EFFLUENT					
Source Number: 041					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-042					
Source Name: ASR WELL 33 IX - BLENDED					
Source Number: 042					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-043					
Source Name: BENSON AVENUE BLEND - TREATED					
Source Number: 043					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610029-044					
Source Name: RAMONA AVENUE BLEND - TREATED					
Source Number: 044					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

PS Code: 3610029-045
Source Name: WELL 34
Source Number: 045
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/07/18	< 50.000	2016/07	
ANTIMONY	01097	036	2013/07/18	< 6.000	2016/07	
ARSENIC	01002	036	2013/07/18	< 2.000	2016/07	
BARIUM	01007	036	2013/07/18	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/18	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/18	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/18	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/05/19	< .000	2014/05	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/18	. .110	2016/07	
MERCURY	71900	036	2013/07/18	< 1.000	2016/07	
NICKEL	01067	036	2013/07/18	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/18	. 5.000	2016/07	
SELENIUM	01147	036	2013/07/18	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/18	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/05	. 60.000	2015/06	
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/07/09	4.400	2015/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/18	. .077	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/18	< .020	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/18	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/18	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/18	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/18	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-045***

Source Name: ***WELL 34***

Source Number: ***045***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/18	**< .500**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/18	**< .500**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/18	**< .500**	2016/07
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/18	**< .500**	2016/07
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/18	**< .500**	2016/07
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/18	**< .500**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/18	**< .500**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/18	**< .500**	2016/07
BENZENE	**34030**	**036**	2013/07/18	**< .500**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/18	**< .500**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/18	**< .500**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/18	**< .500**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/18	**< .500**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/18	**< 3.000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/18	**< .500**	2016/07
STYRENE	**77128**	**036**	2013/07/18	**< .500**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/18	**< .500**	2016/07
TOLUENE	**34010**	**036**	2013/07/18	**< .500**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/18	**< .500**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/18	**< .500**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/18	**< 5.000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/18	**< .500**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/18	**< .500**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/18	**. 140.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/18	**. 61.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/18	**< 2.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/18	**. 20.000**	2016/07
COLOR	**00081**	**036**	2013/07/18	**< 3.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

PS Code: ***3610029-045***

Source Name: ***WELL 34***

Source Number: ***045***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/07/18	<		50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/18	<		.050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/18	.		180.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/18	<		2.000	2016/07
IRON	01045	036	2013/07/18	<		100.000	2016/07
MAGNESIUM	00927	036	2013/07/18	.		5.900	2016/07
MANGANESE	01055	036	2013/07/18	<		20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/18	<		1.000	2016/07
PH, LABORATORY	00403	036	2013/07/18	.		7.800	2016/07
SILVER	01077	036	2013/07/18	<		10.000	2016/07
SODIUM	00929	036	2013/07/18			29.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/18	.		500.000	2016/07
SULFATE	00945	036	2013/07/18			38.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/18	.		310.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/18	.		.061	2016/07
ZINC	01092	036	2013/07/18	<		50.000	2016/07

PS Code: ***3610029-046***

Source Name: ***CITY OF CHINO HILLS - TREATED***

Source Number: ***046***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-601					
Source Name: DBP2-5501 ARROW HWY					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 5.700	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	. 1.100	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 8.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	. 1.200	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 7.900	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 16.600	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 3.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 14.600	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 42.600	2014/10
PS Code: 3610029-602					
Source Name: DBP2-5516 ARMSLEY					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/09	. 4.400	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/09	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/09	. 6.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/09	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/09	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/09	. 1.600	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/04/09	. 8.600	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610029-602***					
Source Name: ***DBP2-5516 ARMSLEY***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/04/09	. **27.000**	2014/07
CHLOROFORM (THM)	**32106**	**003**	2014/04/09	. **3.500**	2014/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/04/09	. **18.000**	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/09	. **57.000**	2014/07
PS Code: ***3610029-603***					
Source Name: ***DBP2-4672 HIGHLAND***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/04/09	< **1.000**	2014/07
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/04/09	< **1.000**	2014/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/04/09	< **2.000**	2014/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/04/09	< **1.000**	2014/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/04/09	< **2.000**	2014/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/04/09	. **1.600**	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/04/09	. **8.500**	2014/07
BROMOFORM (THM)	**32104**	**003**	2014/04/09	. **27.000**	2014/07
CHLOROFORM (THM)	**32106**	**003**	2014/04/09	. **4.600**	2014/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/04/09	. **18.000**	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/09	. **58.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610029
System Name: MONTE VISTA CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610029-604					
Source Name: DBP2-9687 BEL AIR					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/07	. 2.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/07	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/07	. 2.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/07	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/07	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/07	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/07	. 4.300	2014/10
BROMOFORM (THM)	32104	003	2014/07/07	. 12.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/07	. 1.900	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/07	. 7.900	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/07	. 26.100	2014/10
PS Code: 3610029-605					
Source Name: DBP2-5460 BROOKS					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/04/09	< 1.000	2014/07
DICHLOROACETIC ACID (DCAA)	77288	003	2014/04/09	< 1.000	2014/07
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/04/09	< 2.000	2014/07
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/04/09	< 1.000	2014/07
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/04/09	< 2.000	2014/07
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/04/09	< 1.000	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/04/09	. 1.600	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***

System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610029-605***					
Source Name: ***DBP2-5460 BROOKS***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/04/09	. **3.600**	2014/07
CHLOROFORM (THM)	**32106**	**003**	2014/04/09	. **1.100**	2014/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/04/09	. **3.100**	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/09	. **9.400**	2014/07
PS Code: ***3610029-606***					
Source Name: ***DBP2-3656 RIVERSIDE DR***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/04/09	< **1.000**	2014/07
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/04/09	< **1.000**	2014/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/04/09	< **2.000**	2014/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/04/09	< **1.000**	2014/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/04/09	< **2.000**	2014/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/04/09	< **1.000**	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/04/09	. **1.100**	2014/07
BROMOFORM (THM)	**32104**	**003**	2014/04/09	. **4.500**	2014/07
CHLOROFORM (THM)	**32106**	**003**	2014/04/09	< **1.000**	2014/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/04/09	. **2.600**	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/09	. **8.900**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610029-607***					
Source Name: ***DBP2-11600 BENSON***					
Source Number: ***607***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/04/09	**. 1.200**	2014/07
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/04/09	**< 1.000**	2014/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/04/09	**< 2.000**	2014/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/04/09	**< 1.000**	2014/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/04/09	**< 2.000**	2014/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/04/09	**< 1.000**	2014/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/04/09	**. 1.900**	2014/07
BROMOFORM (THM)	**32104**	**003**	2014/04/09	**. 6.700**	2014/07
CHLOROFORM (THM)	**32106**	**003**	2014/04/09	**. 1.100**	2014/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/04/09	**. 4.300**	2014/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/04/09	**. 14.000**	2014/07
PS Code: ***3610029-608***					
Source Name: ***DBP2-4586 BONNIE BRAE***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/07	**< .000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/07	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/07	**< .000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/07	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/07	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/07	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/07	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610029-608***					
Source Name: ***DBP2-4586 BONNIE BRAE***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/07	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/07	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/07	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/07	**< .000**	2014/10
PS Code: ***3610029-800***					
Source Name: ***ASR WELL 04 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610029-801***					
Source Name: ***WELL 05 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610029***
System Name: ***MONTE VISTA CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610029-802***					
Source Name: ***ASR WELL 30 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610029-803***					
Source Name: ***WELL 31 - TREATED (CL2)***					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610029-804***					
Source Name: ***ASR WELL 32 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610030***

System Name: ***MARIANA RANCHOS CWD***

PS Code: ***3610030-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/11/12	**< .000**	2015/11	
ANTIMONY	**01097**	**036**	2012/11/12	**< .000**	2015/11	
ARSENIC	**01002**	**036**	2012/11/12	**< .000**	2015/11	
BARIUM	**01007**	**036**	2012/11/12	**< .000**	2015/11	
BERYLLIUM	**01012**	**036**	2012/11/12	**< .000**	2015/11	
CADMIUM	**01027**	**036**	2012/11/12	**< .000**	2015/11	
CHROMIUM (TOTAL)	**01034**	**036**	2012/11/12	**< .000**	2015/11	
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/01/13	**< .000**	2017/01	
CYANIDE	**01291**	**036**	2012/11/12	**< .000**	2015/11	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/11/12	**. .430**	2015/11	
MERCURY	**71900**	**036**	2012/11/12	**< .000**	2015/11	
NICKEL	**01067**	**036**	2012/11/12	**< .000**	2015/11	
PERCHLORATE	**A-031**	**036**	2012/11/12	**< .000**	2015/11	
SELENIUM	**01147**	**036**	2012/11/12	**< .000**	2015/11	
THALLIUM	**01059**	**036**	2012/11/12	**< .000**	2015/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/02/10	**. 3.500**	2015/02	
NITRITE (AS N)	**00620**	**036**	2012/11/12	**< .000**	2015/11	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2012/06/11	**< .000**	2015/06	
RADIUM 228	**11501**	**003**	**2014/02/10**	**. .000**	**2014/05**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/25	**< .000**	2015/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/25	**< .000**	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/12	**< .000**	2018/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/12	**< .000**	2018/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/12	**< .000**	2018/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610030***

System Name: ***MARIANA RANCHOS CWD***

PS Code: ***3610030-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/12	**< .000**	2018/03
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/12	**< .000**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/12	**< .000**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/12	**< .000**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/12	**< .000**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/12	**< .000**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/12	**< .000**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/12	**< .000**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/12	**< .000**	2018/03
BENZENE	**34030**	**072**	2012/03/12	**< .000**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/12	**< .000**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/12	**< .000**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/12	**< .000**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/12	**< .000**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/03/12	**< .000**	2018/03
MONOCHLOROBENZENE	**34301**	**072**	2012/03/12	**< .000**	2018/03
STYRENE	**77128**	**072**	2012/03/12	**< .000**	2018/03
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/12	**< .000**	2018/03
TOLUENE	**34010**	**072**	2012/03/12	**< .000**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/12	**< .000**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/12	**< .000**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/12	**< .000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/12	**< .000**	2018/03
XYLENES (TOTAL)	**81551**	**072**	2012/03/12	**< .000**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/11	**. 87.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/11	**. 16.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/11	**< .000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/11	**. 5.900**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610030
System Name: MARIANA RANCHOS CWD

PS Code: 3610030-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2012/06/11	. 7.500	2015/06
COPPER	01042	036	2012/06/11	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/11	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/11	. 57.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/11	< .000	2015/06
IRON	01045	036	2012/06/11	250.000	2015/06
MAGNESIUM	00927	036	2012/06/11	. 4.100	2015/06
MANGANESE	01055	036	2012/06/11	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/11	1.000	2015/06
PH, LABORATORY	00403	036	2012/06/11	. 6.100	2015/06
SILVER	01077	036	2012/11/12	< .000	2015/11
SODIUM	00929	036	2012/06/11	12.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/11	. 180.000	2015/06
SULFATE	00945	036	2012/06/11	11.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/11	. 120.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/11	. 8.600	2015/06
ZINC	01092	036	2012/06/11	< .000	2015/06

PS Code: 3610030-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/11/12	< .000	2015/11
ANTIMONY	01097	036	2012/11/12	< .000	2015/11
ARSENIC	01002	036	2012/11/12	< .000	2015/11
BARIUM	01007	036	2012/11/12	< .000	2015/11
BERYLLIUM	01012	036	2012/11/12	< .000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610030***

System Name: ***MARIANA RANCHOS CWD***

PS Code: ***3610030-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2012/11/12	< .000	2015/11	
CHROMIUM (TOTAL)	01034	036	2012/11/12	< .000	2015/11	
CHROMIUM, HEXAVALENT	01032	036	2014/01/13	< .000	2017/01	
CYANIDE	01291	036	2012/11/12	< .000	2015/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/12	. .390	2015/11	
MERCURY	71900	036	2012/11/12	< .000	2015/11	
NICKEL	01067	036	2012/11/12	< .000	2015/11	
PERCHLORATE	A-031	036	2012/11/12	< .000	2015/11	
SELENIUM	01147	036	2012/11/12	< .000	2015/11	
THALLIUM	01059	036	2012/11/12	< .000	2015/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/10	. 3.000	2015/02	
NITRITE (AS N)	00620	036	2012/11/12	< .000	2015/11	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/06/11	< .000	2015/06	
RADIUM 228	11501	003	**2014/02/10**	.034	**2014/05**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/25	< .000	2015/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/25	< .000	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/03/19	< .000	2018/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/03/19	< .000	2018/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/03/19	< .000	2018/03	
1,1,2-TRICHLOROETHANE	34511	072	2012/03/19	< .000	2018/03	
1,1-DICHLOROETHANE	34496	072	2012/03/19	< .000	2018/03	
1,1-DICHLOROETHYLENE	34501	072	2012/03/19	< .000	2018/03	
1,2,4-TRICHLOROBENZENE	34551	072	2012/03/19	< .000	2018/03	
1,2-DICHLOROBENZENE	34536	072	2012/03/19	< .000	2018/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610030***

System Name: ***MARIANA RANCHOS CWD***

PS Code: ***3610030-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/19	**< .000**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/19	**< .000**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/19	**< .000**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/19	**< .000**	2018/03
BENZENE	**34030**	**072**	2012/03/19	**< .000**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/19	**< .000**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/19	**< .000**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/19	**< .000**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/19	**< .000**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/03/19	**< .000**	2018/03
MONOCHLOROBENZENE	**34301**	**072**	2012/03/19	**< .000**	2018/03
STYRENE	**77128**	**072**	2012/03/19	**< .000**	2018/03
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/19	**< .000**	2018/03
TOLUENE	**34010**	**072**	2012/03/19	**< .000**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/19	**< .000**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/19	**< .000**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/19	**< .000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/19	**< .000**	2018/03
XYLENES (TOTAL)	**81551**	**072**	2012/03/19	**< .000**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/11	**. 91.000**	2015/06
CALCIUM	**00916**	**036**	2012/06/11	**. 22.000**	2015/06
CARBONATE ALKALINITY	**00445**	**036**	2012/06/11	**< .000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/11	**. 9.800**	2015/06
COLOR	**00081**	**036**	2012/06/11	**. 7.500**	2015/06
COPPER	**01042**	**036**	2012/06/11	**< .000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/11	**< .000**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/11	**. 79.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/11	**< .000**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610030***

System Name: ***MARIANA RANCHOS CWD***

PS Code: ***3610030-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
IRON	**01045**	**003**	**2014/02/10**	**< .000**	**2014/05**	**DUE**
MAGNESIUM	**00927**	**036**	2012/06/11	**. 5.800**	2015/06	
MANGANESE	**01055**	**036**	2012/06/11	**. 45.000**	2015/06	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/11	**1.000**	2015/06	
PH, LABORATORY	**00403**	**036**	2012/06/11	**. 6.600**	2015/06	
SILVER	**01077**	**036**	2012/11/12	**< .000**	2015/11	
SODIUM	**00929**	**036**	2012/06/11	**13.000**	2015/06	
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/06/11	**. 200.000**	2015/06	
SULFATE	**00945**	**036**	2012/06/11	**14.000**	2015/06	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/11	**. 140.000**	2015/06	
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/11	**. 5.200**	2015/06	
ZINC	**01092**	**036**	2012/06/11	**< .000**	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/08/13	< .000	2015/08
ANTIMONY	01097	036	2012/08/13	< .000	2015/08
ARSENIC	01002	036	2012/08/13	< .000	2015/08
BARIUM	01007	036	2012/08/13	< .000	2015/08
BERYLLIUM	01012	036	2012/08/13	< .000	2015/08
CADMIUM	01027	036	2012/08/13	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/13	< .000	2015/08
CYANIDE	01291	036	2012/08/13	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/13	. .470	2015/08
MERCURY	71900	036	2012/08/13	< .000	2015/08
NICKEL	01067	036	2012/08/13	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/13	< .000	2015/08
SELENIUM	01147	036	2012/08/13	< .000	2015/08
THALLIUM	01059	036	2012/08/13	< .000	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/14	. 14.000	2014/08
NITRITE (AS N)	00620	036	2012/08/13	< .000	2015/08
RADIOLOGICAL					
GROSS ALPHA	01501	108	2008/12/01	3.200	2017/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/13	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/13	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/08/13	< .000	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/08/13	< .000	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/08/13	< .000	2015/08
1,1,2-TRICHLOROETHANE	34511	036	2012/08/13	< .000	2015/08
1,1-DICHLOROETHANE	34496	036	2012/08/13	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***
System Name: ***MUSCOY MWC NO. 1***

PS Code: ***3610031-001***
Source Name: ***WELL 01***
Source Number: ***001***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/08/13	**< .000**	2015/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROBENZENE	**34536**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROETHANE	**34531**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROPROPANE	**34541**	**036**	2012/08/13	**< .000**	2015/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/08/13	**< .000**	2015/08
1,4-DICHLOROBENZENE	**34571**	**036**	2012/08/13	**< .000**	2015/08
BENZENE	**34030**	**036**	2012/08/13	**< .000**	2015/08
CARBON TETRACHLORIDE	**32102**	**036**	2012/08/13	**< .000**	2015/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/08/13	**< .000**	2015/08
DICHLOROMETHANE	**34423**	**036**	2012/08/13	**< .000**	2015/08
ETHYLBENZENE	**34371**	**036**	2012/08/13	**< .000**	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/08/13	**< .000**	2015/08
MONOCHLOROBENZENE	**34301**	**036**	2012/08/13	**< .000**	2015/08
STYRENE	**77128**	**036**	2012/08/13	**< .000**	2015/08
TETRACHLOROETHYLENE	**34475**	**036**	2012/08/13	**< .000**	2015/08
TOLUENE	**34010**	**036**	2012/08/13	**< .000**	2015/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/08/13	**< .000**	2015/08
TRICHLOROETHYLENE	**39180**	**036**	2012/08/13	**< .000**	2015/08
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/08/13	**< .000**	2015/08
VINYL CHLORIDE	**39175**	**036**	2012/08/13	**< .000**	2015/08
XYLENES (TOTAL)	**81551**	**036**	2012/08/13	**< .000**	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/13	**. 230.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/13	**. 68.000**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2012/08/13	**< .000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/13	**. 13.000**	2015/08
COLOR	**00081**	**036**	2012/08/13	**< .000**	2015/08
COPPER	**01042**	**036**	2012/08/13	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2012/08/13	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/13	. 220.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/13	< .000	2015/08
IRON	01045	036	2012/08/13	< .000	2015/08
MAGNESIUM	00927	036	2012/08/13	. 13.000	2015/08
MANGANESE	01055	036	2012/08/13	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/13	1.000	2015/08
PH, LABORATORY	00403	036	2012/08/13	. 7.500	2015/08
SILVER	01077	036	2012/08/13	< .000	2015/08
SODIUM	00929	036	2012/08/13	18.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/13	. 480.000	2015/08
SULFATE	00945	036	2012/08/13	42.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/13	. 290.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/13	. .100	2015/08
ZINC	01092	036	2012/08/13	< .000	2015/08

PS Code: 3610031-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/08/13	< .000	2015/08
ANTIMONY	01097	036	2012/08/13	< .000	2015/08
ARSENIC	01002	036	2012/08/13	< .000	2015/08
BARIUM	01007	036	2012/08/13	< .000	2015/08
BERYLLIUM	01012	036	2012/08/13	< .000	2015/08
CADMIUM	01027	036	2012/08/13	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/13	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

PS Code: ***3610031-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM, HEXAVALENT	**01032**	**036**	2013/09/03	**. 1.200**	2016/09
CYANIDE	**01291**	**036**	2012/08/13	**< .000**	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/08/13	**. .390**	2015/08
MERCURY	**71900**	**036**	2012/08/13	**< .000**	2015/08
NICKEL	**01067**	**036**	2012/08/13	**< .000**	2015/08
PERCHLORATE	**A-031**	**036**	2012/08/13	**< .000**	2015/08
SELENIUM	**01147**	**036**	2012/08/13	**< .000**	2015/08
THALLIUM	**01059**	**036**	2012/08/13	**< .000**	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/14	**. 13.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2012/08/13	**< .000**	2015/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2008/11/05	**.000**	2017/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/13	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/13	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/08/13	**< .000**	2015/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/08/13	**< .000**	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/08/13	**< .000**	2015/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/08/13	**< .000**	2015/08
1,1-DICHLOROETHANE	**34496**	**036**	2012/08/13	**< .000**	2015/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/08/13	**< .000**	2015/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROBENZENE	**34536**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROETHANE	**34531**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROPROPANE	**34541**	**036**	2012/08/13	**< .000**	2015/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/08/13	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

PS Code: ***3610031-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**036**	2012/08/13	**< .000**	2015/08
BENZENE	**34030**	**036**	2012/08/13	**< .000**	2015/08
CARBON TETRACHLORIDE	**32102**	**036**	2012/08/13	**< .000**	2015/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/08/13	**< .000**	2015/08
DICHLOROMETHANE	**34423**	**036**	2012/08/13	**< .000**	2015/08
ETHYLBENZENE	**34371**	**036**	2012/08/13	**< .000**	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/08/13	**< .000**	2015/08
MONOCHLOROBENZENE	**34301**	**036**	2012/08/13	**< .000**	2015/08
STYRENE	**77128**	**036**	2012/08/13	**< .000**	2015/08
TETRACHLOROETHYLENE	**34475**	**036**	2012/08/13	**< .000**	2015/08
TOLUENE	**34010**	**036**	2012/08/13	**< .000**	2015/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/08/13	**< .000**	2015/08
TRICHLOROETHYLENE	**39180**	**036**	2012/08/13	**< .000**	2015/08
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/08/13	**< .000**	2015/08
VINYL CHLORIDE	**39175**	**036**	2012/08/13	**< .000**	2015/08
XYLENES (TOTAL)	**81551**	**036**	2012/08/13	**< .000**	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/13	**. 230.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/13	**. 71.000**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2012/08/13	**< .000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/13	**. 13.000**	2015/08
COLOR	**00081**	**036**	2012/08/13	**< .000**	2015/08
COPPER	**01042**	**036**	2012/08/13	**< .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/10/04	**< .000**	2015/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/13	**. 230.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/13	**< .000**	2015/08
IRON	**01045**	**036**	2012/08/13	**< .000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/13	**. 13.000**	2015/08
MANGANESE	**01055**	**036**	2012/08/13	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2012/08/13		1.000	2015/08
PH, LABORATORY	00403	036	2012/08/13	.	7.500	2015/08
SILVER	01077	036	2012/08/13	<	.000	2015/08
SODIUM	00929	036	2012/08/13		17.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/13	.	480.000	2015/08
SULFATE	00945	036	2012/08/13		42.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/13	.	290.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/13	.	.200	2015/08
ZINC	01092	036	2012/08/13	<	.000	2015/08

PS Code: 3610031-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/08/13	<	.000	2015/08
ANTIMONY	01097	036	2012/08/13	<	.000	2015/08
ARSENIC	01002	036	2012/08/13	<	.000	2015/08
BARIUM	01007	036	2012/08/13	<	.000	2015/08
BERYLLIUM	01012	036	2012/08/13	<	.000	2015/08
CADMIUM	01027	036	2012/08/13	<	.000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/13	<	.000	2015/08
CHROMIUM, HEXAVALENT	01032	036	2013/09/03	<	.000	2016/09
CYANIDE	01291	036	2012/08/13	<	.000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/13	.	.520	2015/08
MERCURY	71900	036	2012/08/13	<	.000	2015/08
NICKEL	01067	036	2012/08/13	<	.000	2015/08
PERCHLORATE	A-031	036	2012/08/13	<	.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

PS Code: ***3610031-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2012/08/13	**< .000**	2015/08
THALLIUM	**01059**	**036**	2012/08/13	**< .000**	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/14	**. 13.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2012/08/13	**< .000**	2015/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2008/11/05	**.000**	2017/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/13	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/13	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/08/13	**< .000**	2015/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/08/13	**< .000**	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/08/13	**< .000**	2015/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/08/13	**< .000**	2015/08
1,1-DICHLOROETHANE	**34496**	**036**	2012/08/13	**< .000**	2015/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/08/13	**< .000**	2015/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROBENZENE	**34536**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROETHANE	**34531**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROPROPANE	**34541**	**036**	2012/08/13	**< .000**	2015/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/08/13	**< .000**	2015/08
1,4-DICHLOROBENZENE	**34571**	**036**	2012/08/13	**< .000**	2015/08
BENZENE	**34030**	**036**	2012/08/13	**< .000**	2015/08
CARBON TETRACHLORIDE	**32102**	**036**	2012/08/13	**< .000**	2015/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/08/13	**< .000**	2015/08
DICHLOROMETHANE	**34423**	**036**	2012/08/13	**< .000**	2015/08
ETHYLBENZENE	**34371**	**036**	2012/08/13	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/08/13	< .000	2015/08
MONOCHLOROBENZENE	34301	036	2012/08/13	< .000	2015/08
STYRENE	77128	036	2012/08/13	< .000	2015/08
TETRACHLOROETHYLENE	34475	036	2012/08/13	< .000	2015/08
TOLUENE	34010	036	2012/08/13	< .000	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/08/13	< .000	2015/08
TRICHLOROETHYLENE	39180	036	2012/08/13	< .000	2015/08
TRICHLOROFLUOROMETHANE	34488	036	2012/08/13	< .000	2015/08
VINYL CHLORIDE	39175	036	2012/08/13	< .000	2015/08
XYLENES (TOTAL)	81551	036	2012/08/13	< .000	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/13	. 230.000	2015/08
CALCIUM	00916	036	2012/08/13	. 72.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/13	< .000	2015/08
CHLORIDE	00940	036	2012/08/13	. 14.000	2015/08
COLOR	00081	036	2012/08/13	< .000	2015/08
COPPER	01042	036	2012/08/13	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/13	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/13	. 240.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/13	< .000	2015/08
IRON	01045	036	2012/08/13	< .000	2015/08
MAGNESIUM	00927	036	2012/08/13	. 14.000	2015/08
MANGANESE	01055	036	2012/08/13	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/13	1.000	2015/08
PH, LABORATORY	00403	036	2012/08/13	. 7.500	2015/08
SILVER	01077	036	2012/08/13	< .000	2015/08
SODIUM	00929	036	2012/08/13	19.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/13	. 510.000	2015/08
SULFATE	00945	036	2012/08/13	54.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610031-003					
Source Name: WELL 03					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/13	. 310.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/13	. .100	2015/08
ZINC	01092	036	2012/08/13	< .000	2015/08
PS Code: 3610031-004					
Source Name: WELL 04					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/08/13	< .000	2015/08
ANTIMONY	01097	036	2012/08/13	< .000	2015/08
ARSENIC	01002	036	2012/08/13	< .000	2015/08
BARIUM	01007	036	2012/08/13	< .000	2015/08
BERYLLIUM	01012	036	2012/08/13	< .000	2015/08
CADMIUM	01027	036	2012/08/13	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/13	< .000	2015/08
CHROMIUM, HEXAVALENT	01032	036	2013/09/03	. 1.100	2016/09
CYANIDE	01291	036	2012/08/13	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/13	. .510	2015/08
MERCURY	71900	036	2012/08/13	< .000	2015/08
NICKEL	01067	036	2012/08/13	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/13	< .000	2015/08
SELENIUM	01147	036	2012/08/13	< .000	2015/08
THALLIUM	01059	036	2012/08/13	< .000	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/14	. 12.000	2014/08
NITRITE (AS N)	00620	036	2012/08/13	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

PS Code: ***3610031-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2008/11/05	**.000**	2017/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/13	**< .000**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/13	**< .000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/08/13	**< .000**	2015/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/08/13	**< .000**	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/08/13	**< .000**	2015/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/08/13	**< .000**	2015/08
1,1-DICHLOROETHANE	**34496**	**036**	2012/08/13	**< .000**	2015/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/08/13	**< .000**	2015/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROBENZENE	**34536**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROETHANE	**34531**	**036**	2012/08/13	**< .000**	2015/08
1,2-DICHLOROPROPANE	**34541**	**036**	2012/08/13	**< .000**	2015/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/08/13	**< .000**	2015/08
1,4-DICHLOROBENZENE	**34571**	**036**	2012/08/13	**< .000**	2015/08
BENZENE	**34030**	**036**	2012/08/13	**< .000**	2015/08
CARBON TETRACHLORIDE	**32102**	**036**	2012/08/13	**< .000**	2015/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/08/13	**< .000**	2015/08
DICHLOROMETHANE	**34423**	**036**	2012/08/13	**< .000**	2015/08
ETHYLBENZENE	**34371**	**036**	2012/08/13	**< .000**	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/08/13	**< .000**	2015/08
MONOCHLOROBENZENE	**34301**	**036**	2012/08/13	**< .000**	2015/08
STYRENE	**77128**	**036**	2012/08/13	**< .000**	2015/08
TETRACHLOROETHYLENE	**34475**	**036**	2012/08/13	**< .000**	2015/08
TOLUENE	**34010**	**036**	2012/08/13	**< .000**	2015/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/08/13	**< .000**	2015/08
TRICHLOROETHYLENE	**39180**	**036**	2012/08/13	**< .000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2012/08/13	< .000	2015/08
VINYL CHLORIDE	39175	036	2012/08/13	< .000	2015/08
XYLENES (TOTAL)	81551	036	2012/08/13	< .000	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/13	. 230.000	2015/08
CALCIUM	00916	036	2012/08/13	. 69.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/13	< .000	2015/08
CHLORIDE	00940	036	2012/08/13	. 14.000	2015/08
COLOR	00081	036	2012/08/13	< .000	2015/08
COPPER	01042	036	2012/08/13	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/13	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/13	. 230.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/13	< .000	2015/08
IRON	01045	036	2012/08/13	< .000	2015/08
MAGNESIUM	00927	036	2012/08/13	. 14.000	2015/08
MANGANESE	01055	036	2012/08/13	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/13	1.000	2015/08
PH, LABORATORY	00403	036	2012/08/13	. 7.500	2015/08
SILVER	01077	036	2012/08/13	< .000	2015/08
SODIUM	00929	036	2012/08/13	19.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/13	. 500.000	2015/08
SULFATE	00945	036	2012/08/13	52.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/13	. 310.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/13	. .200	2015/08
ZINC	01092	036	2012/08/13	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/08/13	< .000	2015/08
ANTIMONY	01097	036	2012/08/13	< .000	2015/08
ARSENIC	01002	036	2012/08/13	< .000	2015/08
BARIUM	01007	036	2012/08/13	< .000	2015/08
BERYLLIUM	01012	036	2012/08/13	< .000	2015/08
CADMIUM	01027	036	2012/08/13	< .000	2015/08
CHROMIUM (TOTAL)	01034	036	2012/08/13	< .000	2015/08
CHROMIUM, HEXAVALENT	01032	036	2013/09/03	< .000	2016/09
CYANIDE	01291	036	2012/08/13	< .000	2015/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/13	. .540	2015/08
MERCURY	71900	036	2012/08/13	< .000	2015/08
NICKEL	01067	036	2012/08/13	< .000	2015/08
PERCHLORATE	A-031	036	2012/08/13	< .000	2015/08
SELENIUM	01147	036	2012/08/13	< .000	2015/08
THALLIUM	01059	036	2012/08/13	< .000	2015/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/14	. 15.000	2014/08
NITRITE (AS N)	00620	036	2012/08/13	< .000	2015/08
RADIOLOGICAL					
GROSS ALPHA	01501	108	2008/11/05	.000	2017/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/13	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/13	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/08/13	< .000	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/08/13	< .000	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/08/13	< .000	2015/08
1,1,2-TRICHLOROETHANE	34511	036	2012/08/13	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

PS Code: 3610031-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2012/08/13	< .000	2015/08
1,1-DICHLOROETHYLENE	34501	036	2012/08/13	< .000	2015/08
1,2,4-TRICHLOROBENZENE	34551	036	2012/08/13	< .000	2015/08
1,2-DICHLOROBENZENE	34536	036	2012/08/13	< .000	2015/08
1,2-DICHLOROETHANE	34531	036	2012/08/13	< .000	2015/08
1,2-DICHLOROPROPANE	34541	036	2012/08/13	< .000	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/08/13	< .000	2015/08
1,4-DICHLOROBENZENE	34571	036	2012/08/13	< .000	2015/08
BENZENE	34030	036	2012/08/13	< .000	2015/08
CARBON TETRACHLORIDE	32102	036	2012/08/13	< .000	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/08/13	< .000	2015/08
DICHLOROMETHANE	34423	036	2012/08/13	< .000	2015/08
ETHYLBENZENE	34371	036	2012/08/13	< .000	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/08/13	< .000	2015/08
MONOCHLOROBENZENE	34301	036	2012/08/13	< .000	2015/08
STYRENE	77128	036	2012/08/13	< .000	2015/08
TETRACHLOROETHYLENE	34475	036	2012/08/13	< .000	2015/08
TOLUENE	34010	036	2012/08/13	< .000	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/08/13	< .000	2015/08
TRICHLOROETHYLENE	39180	036	2012/08/13	< .000	2015/08
TRICHLOROFLUOROMETHANE	34488	036	2012/08/13	< .000	2015/08
VINYL CHLORIDE	39175	036	2012/08/13	< .000	2015/08
XYLENES (TOTAL)	81551	036	2012/08/13	< .000	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/13	. 240.000	2015/08
CALCIUM	00916	036	2012/08/13	. 74.000	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/13	< .000	2015/08
CHLORIDE	00940	036	2012/08/13	. 13.000	2015/08
COLOR	00081	036	2012/08/13	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

PS Code: ***3610031-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/08/13	< .000	2015/08
FOAMING AGENTS (MBAS)	38260	036	2012/08/13	< .000	2015/08
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/13	. 240.000	2015/08
HYDROXIDE ALKALINITY	71830	036	2012/08/13	< .000	2015/08
IRON	01045	036	2012/08/13	< .000	2015/08
MAGNESIUM	00927	036	2012/08/13	. 14.000	2015/08
MANGANESE	01055	036	2012/08/13	< .000	2015/08
ODOR THRESHOLD @ 60 C	00086	036	2012/08/13	1.000	2015/08
PH, LABORATORY	00403	036	2012/08/13	. 7.400	2015/08
SILVER	01077	036	2012/08/13	< .000	2015/08
SODIUM	00929	036	2012/08/13	18.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2012/08/13	. 510.000	2015/08
SULFATE	00945	036	2012/08/13	47.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/13	. 310.000	2015/08
TURBIDITY, LABORATORY	82079	036	2012/08/13	. .100	2015/08
ZINC	01092	036	2012/10/04	< .000	2015/10

PS Code: ***3610031-601***

Source Name: ***DBP2-1981 WASHINGTON AVE***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	82721	000	**DUE**
DICHLOROACETIC ACID (DCAA)	77288	000	**DUE**
HALOACETIC ACIDS (5) (HAA5)	A-049	000	**DUE**
MONOBROMOACETIC ACID (MBAA)	A-041	000	**DUE**
MONOCHLOROACETIC ACID (MCAA)	A-042	000	**DUE**
TRICHLOROACETIC ACID (TCAA)	82723	000	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610031-601***						
Source Name: ***DBP2-1981 WASHINGTON AVE***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610031-602***						
Source Name: ***DBP2-2167 DARBY ST***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610031
System Name: MUSCOY MWC NO. 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610031-800 **Source Name:** WELL 01 - TREATED (CL2) **Source Number:** 800 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610031-801 **Source Name:** WELL 02 - TREATED (CL2) **Source Number:** 801 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610031-802 **Source Name:** WELL 03 - TREATED (CL2) **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610031-803 **Source Name:** WELL 04 - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610031***

System Name: ***MUSCOY MWC NO. 1***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610031-804***					
Source Name: ***WELL 05 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-005
Source Name: WELL 08
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2013/12/23	.	.000	2016/12	
ANTIMONY	01097	036	2013/12/23		.000	2016/12	
ARSENIC	01002	036	2013/12/23	.	.000	2016/12	
BARIUM	01007	036	2013/12/23		40.000	2016/12	
BERYLLIUM	01012	036	2013/12/23	.	.000	2016/12	
CADMIUM	01027	036	2013/12/23	.	.000	2016/12	
CHROMIUM (TOTAL)	01034	036	2013/12/23	.	.000	2016/12	
CYANIDE	01291	036	2013/12/23	.	.000	2016/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/23	.	.000	2016/12	
MERCURY	71900	036	2013/12/23	.	.000	2016/12	
NICKEL	01067	036	2013/12/23	.	.000	2016/12	
PERCHLORATE	A-031	036	2010/11/16	<	4.000	2013/11	DUE
SELENIUM	01147	036	2013/12/23	.	.000	2016/12	
THALLIUM	01059	036	2013/12/23		.000	2016/12	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/12/23	.	.000	2014/12	
NITRITE (AS N)	00620	036	2013/12/23	.	.000	2016/12	
RADIOLOGICAL							
GROSS ALPHA	01501	072	2010/06/23		5.080	2016/06	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/11/16	<	.010	2013/11	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/11/16	<	.020	2013/11	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2010/11/16	<	.500	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/16	<	.500	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/16	<	10.000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/16	<	.500	2016/11	
1,1-DICHLOROETHANE	34496	072	2010/11/16	<	.500	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-005
Source Name: WELL 08
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2010/11/16	< .500	2016/11
1,2,4-TRICHLOROBENZENE	34551	072	2010/11/16	< .500	2016/11
1,2-DICHLOROBENZENE	34536	072	2010/11/16	< .500	2016/11
1,2-DICHLOROETHANE	34531	072	2010/11/16	< .500	2016/11
1,2-DICHLOROPROPANE	34541	072	2010/11/16	< .500	2016/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/11/16	< .500	2016/11
1,4-DICHLOROBENZENE	34571	072	2010/11/16	< .500	2016/11
BENZENE	34030	072	2010/11/16	< .500	2016/11
CARBON TETRACHLORIDE	32102	072	2010/11/16	< .500	2016/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/11/16	< .500	2016/11
DICHLOROMETHANE	34423	072	2010/11/16	< .500	2016/11
ETHYLBENZENE	34371	072	2010/11/16	< .500	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/11/16	< 3.000	2016/11
MONOCHLOROBENZENE	34301	072	2010/11/16	< .500	2016/11
STYRENE	77128	072	2010/11/16	< .500	2016/11
TETRACHLOROETHYLENE	34475	072	2010/11/16	< .500	2016/11
TOLUENE	34010	072	2010/11/16	< .500	2016/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/11/16	< .500	2016/11
TRICHLOROETHYLENE	39180	072	2010/11/16	< .500	2016/11
TRICHLOROFLUOROMETHANE	34488	072	2010/11/16	< 5.000	2016/11
VINYL CHLORIDE	39175	072	2010/11/16	< .500	2016/11
XYLENES (TOTAL)	81551	072	2010/11/16	< .500	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/12/23	. 220.000	2016/12
CALCIUM	00916	036	2013/12/23	. 100.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/23	.000	2016/12
CHLORIDE	00940	036	2013/12/23	. 110.000	2016/12
COLOR	00081	036	2013/12/23	. 5.000	2016/12
COPPER	01042	036	2013/12/23	. .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-005
Source Name: WELL 08
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/12/23	. .000	2016/12
HARDNESS (TOTAL) AS CACO3	00900	036	2013/12/23	. 400.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/23	. .000	2016/12
IRON	01045	036	2013/12/23	200.000	2016/12
MAGNESIUM	00927	036	2013/12/23	. 35.000	2016/12
MANGANESE	01055	036	2013/12/23	. 29.000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/23	.000	2016/12
PH, LABORATORY	00403	036	2013/12/23	. 7.790	2016/12
SILVER	01077	036	2013/12/23	. .000	2016/12
SODIUM	00929	036	2013/12/23	110.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/23	. 1200.000	2016/12
SULFATE	00945	036	2013/12/23	260.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/23	. 810.000	2016/12
TURBIDITY, LABORATORY	82079	036	2013/12/23	. .960	2016/12
ZINC	01092	036	2013/12/23	. .000	2016/12

PS Code: 3610032-007
Source Name: WELL 11
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/12/23	. .000	2016/12
ANTIMONY	01097	036	2013/12/23	.000	2016/12
ARSENIC	01002	036	2013/12/23	. 6.200	2016/12
BARIUM	01007	036	2013/12/23	23.000	2016/12
BERYLLIUM	01012	036	2013/12/23	. .000	2016/12
CADMIUM	01027	036	2013/12/23	. .000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/23	. 6.100	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-007
Source Name: WELL 11
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2013/12/23	. .000	2016/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/23	. .000	2016/12	
MERCURY	71900	036	2013/12/23	. .000	2016/12	
NICKEL	01067	036	2013/12/23	. 10.000	2016/12	
PERCHLORATE	A-031	036	2010/11/16	< 4.000	2013/11	DUE
SELENIUM	01147	036	2013/12/23	. 9.100	2016/12	
THALLIUM	01059	036	2013/12/23	.000	2016/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/12/23	. 7.970	2014/12	
NITRITE (AS N)	00620	036	2013/12/23	. .000	2016/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/06/12	. 13.100	2016/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/11/16	< .010	2013/11	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/11/16	< .020	2013/11	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/11/16	< .500	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/16	< .500	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/16	< 10.000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/16	< .500	2016/11	
1,1-DICHLOROETHANE	34496	072	2010/11/16	< .500	2016/11	
1,1-DICHLOROETHYLENE	34501	072	2010/11/16	< .500	2016/11	
1,2,4-TRICHLOROBENZENE	34551	072	2010/11/16	< .500	2016/11	
1,2-DICHLOROBENZENE	34536	072	2010/11/16	< .500	2016/11	
1,2-DICHLOROETHANE	34531	072	2010/11/16	< .500	2016/11	
1,2-DICHLOROPROPANE	34541	072	2010/11/16	< .500	2016/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/11/16	< .500	2016/11	
1,4-DICHLOROBENZENE	34571	072	2010/11/16	< .500	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-007
Source Name: WELL 11
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2010/11/16	< .500	2016/11
CARBON TETRACHLORIDE	32102	072	2010/11/16	< .500	2016/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/11/16	< .500	2016/11
DICHLOROMETHANE	34423	072	2010/11/16	< .500	2016/11
ETHYLBENZENE	34371	072	2010/11/16	< .500	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/11/16	< 3.000	2016/11
MONOCHLOROBENZENE	34301	072	2010/11/16	< .500	2016/11
STYRENE	77128	072	2010/11/16	< .500	2016/11
TETRACHLOROETHYLENE	34475	072	2010/11/16	< .500	2016/11
TOLUENE	34010	072	2010/11/16	< .500	2016/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/11/16	< .500	2016/11
TRICHLOROETHYLENE	39180	072	2010/11/16	< .500	2016/11
TRICHLOROFLUOROMETHANE	34488	072	2010/11/16	< 5.000	2016/11
VINYL CHLORIDE	39175	072	2010/11/16	< .500	2016/11
XYLENES (TOTAL)	81551	072	2010/11/16	< .500	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/12/23	. 240.000	2016/12
CALCIUM	00916	036	2013/12/23	. 86.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/23	.000	2016/12
CHLORIDE	00940	036	2013/12/23	. 270.000	2016/12
COLOR	00081	036	2013/12/23	. 5.000	2016/12
COPPER	01042	036	2013/12/23	. .000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/23	. .000	2016/12
HARDNESS (TOTAL) AS CACO3	00900	036	2013/12/23	. 360.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/23	. .000	2016/12
IRON	01045	036	2013/12/23	29.000	2016/12
MAGNESIUM	00927	036	2013/12/23	. 36.000	2016/12
MANGANESE	01055	036	2013/12/23	. .000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/23	.000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610032***
System Name: ***NEEDLES, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610032-007***							
Source Name: ***WELL 11***							
Source Number: ***007***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
SECONDARY/GP							
PH, LABORATORY	**00403**	**036**	2013/12/23	.	**7.670**	2016/12	
SILVER	**01077**	**036**	2013/12/23	.	**.000**	2016/12	
SODIUM	**00929**	**036**	2013/12/23		**250.000**	2016/12	
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/12/23	.	**1900.000**	2016/12	
SULFATE	**00945**	**036**	2013/12/23		**320.000**	2016/12	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/12/23	.	**1300.000**	2016/12	
TURBIDITY, LABORATORY	**82079**	**036**	2013/12/23	.	**22.000**	2016/12	
ZINC	**01092**	**036**	2013/12/23	.	**.000**	2016/12	
PS Code: ***3610032-008***							
Source Name: ***WELL 12***							
Source Number: ***008***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
INORGANIC							
ALUMINUM	**01105**	**036**	2013/12/23	.	**.000**	2016/12	
ANTIMONY	**01097**	**036**	2013/12/23		**.000**	2016/12	
ARSENIC	**01002**	**036**	2013/12/23	.	**3.300**	2016/12	
BARIUM	**01007**	**036**	2013/12/23		**28.000**	2016/12	
BERYLLIUM	**01012**	**036**	2013/12/23	.	**.000**	2016/12	
CADMIUM	**01027**	**036**	2013/12/23	.	**.000**	2016/12	
CHROMIUM (TOTAL)	**01034**	**036**	2013/12/23	.	**.000**	2016/12	
CYANIDE	**01291**	**036**	2013/12/23	.	**.000**	2016/12	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/23	.	**.000**	2016/12	
MERCURY	**71900**	**036**	2013/12/23	.	**.000**	2016/12	
NICKEL	**01067**	**036**	2013/12/23	.	**.000**	2016/12	
PERCHLORATE	**A-031**	**036**	**2010/11/16**	**<**	**4.000**	**2013/11**	**DUE**
SELENIUM	**01147**	**036**	2013/12/23	.	**6.800**	2016/12	
THALLIUM	**01059**	**036**	2013/12/23		**.000**	2016/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-008
Source Name: WELL 12
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/12/23	. .000	2014/12	
NITRITE (AS N)	00620	036	2013/12/23	. .000	2016/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/06/12	9.170	2016/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2010/11/16**	< .010	**2013/11**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2010/11/16**	< .020	**2013/11**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/11/16	< .500	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/11/16	< .500	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/11/16	< 10.000	2016/11	
1,1,2-TRICHLOROETHANE	34511	072	2010/11/16	< .500	2016/11	
1,1-DICHLOROETHANE	34496	072	2010/11/16	< .500	2016/11	
1,1-DICHLOROETHYLENE	34501	072	2010/11/16	< .500	2016/11	
1,2,4-TRICHLOROBENZENE	34551	072	2010/11/16	< .500	2016/11	
1,2-DICHLOROBENZENE	34536	072	2010/11/16	< .500	2016/11	
1,2-DICHLOROETHANE	34531	072	2010/11/16	< .500	2016/11	
1,2-DICHLOROPROPANE	34541	072	2010/11/16	< .500	2016/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/11/16	< .500	2016/11	
1,4-DICHLOROBENZENE	34571	072	2010/11/16	< .500	2016/11	
BENZENE	34030	072	2010/11/16	< .500	2016/11	
CARBON TETRACHLORIDE	32102	072	2010/11/16	< .500	2016/11	
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/11/16	< .500	2016/11	
DICHLOROMETHANE	34423	072	2010/11/16	< .500	2016/11	
ETHYLBENZENE	34371	072	2010/11/16	< .500	2016/11	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/11/16	< 3.000	2016/11	
MONOCHLOROBENZENE	34301	072	2010/11/16	< .500	2016/11	
STYRENE	77128	072	2010/11/16	< .500	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610032***
System Name: ***NEEDLES, CITY OF***

PS Code: ***3610032-008***
Source Name: ***WELL 12***
Source Number: ***008***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2010/11/16	**< .500**	2016/11
TOLUENE	**34010**	**072**	2010/11/16	**< .500**	2016/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/11/16	**< .500**	2016/11
TRICHLOROETHYLENE	**39180**	**072**	2010/11/16	**< .500**	2016/11
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/11/16	**< 5.000**	2016/11
VINYL CHLORIDE	**39175**	**072**	2010/11/16	**< .500**	2016/11
XYLENES (TOTAL)	**81551**	**072**	2010/11/16	**< .500**	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/12/23	**. 310.000**	2016/12
CALCIUM	**00916**	**036**	2013/12/23	**. 140.000**	2016/12
CARBONATE ALKALINITY	**00445**	**036**	2013/12/23	**.000**	2016/12
CHLORIDE	**00940**	**036**	2013/12/23	**. 270.000**	2016/12
COLOR	**00081**	**036**	2013/12/23	**. 5.000**	2016/12
COPPER	**01042**	**036**	2013/12/23	**. .000**	2016/12
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/12/23	**. .000**	2016/12
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/12/23	**. 590.000**	2016/12
HYDROXIDE ALKALINITY	**71830**	**036**	2013/12/23	**. .000**	2016/12
IRON	**01045**	**036**	2013/12/23	**.000**	2016/12
MAGNESIUM	**00927**	**036**	2013/12/23	**. 57.000**	2016/12
MANGANESE	**01055**	**036**	2013/12/23	**. 450.000**	2016/12
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/12/23	**.000**	2016/12
PH, LABORATORY	**00403**	**036**	2013/12/23	**. 7.460**	2016/12
SILVER	**01077**	**036**	2013/12/23	**. .000**	2016/12
SODIUM	**00929**	**036**	2013/12/23	**290.000**	2016/12
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/12/23	**. 2700.000**	2016/12
SULFATE	**00945**	**036**	2013/12/23	**540.000**	2016/12
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/12/23	**. 1600.000**	2016/12
TURBIDITY, LABORATORY	**82079**	**036**	2013/12/23	**. .000**	2016/12
ZINC	**01092**	**036**	2013/12/23	**. 16.000**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-011
Source Name: WELL 15
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2012/09/18	.	.000	2015/09	
ANTIMONY	01097	036	2012/09/18		.000	2015/09	
ARSENIC	01002	036	2012/09/18	.	2.900	2015/09	
BARIUM	01007	036	2012/09/18		.000	2015/09	
BERYLLIUM	01012	036	2012/09/18	.	.000	2015/09	
CADMIUM	01027	036	2012/09/18		.000	2015/09	
CHROMIUM (TOTAL)	01034	036	2012/09/18	.	.000	2015/09	
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2012/09/18	.	.000	2015/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/18	.	.520	2015/09	
MERCURY	71900	036	2012/09/18	.	.000	2015/09	
NICKEL	01067	036	2012/09/18	.	.000	2015/09	
PERCHLORATE	A-031	036	2012/09/18	.	.000	2015/09	
SELENIUM	01147	036	2012/09/18	.	.000	2015/09	
THALLIUM	01059	036	2012/09/18		.000	2015/09	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/12/23	.	.000	2014/12	
NITRITE (AS N)	00620	036	2012/09/18	.	.000	2015/09	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2013/09/16	.	3.490	2016/09	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/18	.	.000	2015/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/18	.	.000	2015/09	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2013/12/23	.	.000	2019/12	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/12/23		.000	2019/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/06/12	<	10.000	2019/06	
1,1,2-TRICHLOROETHANE	34511	072	2013/12/23	.	.000	2019/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610032***
System Name: ***NEEDLES, CITY OF***

PS Code: ***3610032-011***
Source Name: ***WELL 15***
Source Number: ***011***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2013/12/23	**. .000**	2019/12
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/06/12	**< .500**	2019/06
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/12/23	**. .000**	2019/12
1,2-DICHLOROBENZENE	**34536**	**072**	2013/12/23	**.000**	2019/12
1,2-DICHLOROETHANE	**34531**	**072**	2013/12/23	**. .000**	2019/12
1,2-DICHLOROPROPANE	**34541**	**072**	2013/12/23	**. .000**	2019/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/06/12	**< .500**	2019/06
1,4-DICHLOROBENZENE	**34571**	**072**	2013/12/23	**. .000**	2019/12
BENZENE	**34030**	**072**	2013/12/23	**. .000**	2019/12
CARBON TETRACHLORIDE	**32102**	**072**	2013/12/23	**.000**	2019/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/06/12	**< .500**	2019/06
DICHLOROMETHANE	**34423**	**072**	2013/12/23	**. .000**	2019/12
ETHYLBENZENE	**34371**	**072**	2013/12/23	**. .000**	2019/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/12/23	**. .000**	2019/12
MONOCHLOROBENZENE	**34301**	**072**	2013/12/23	**. .000**	2019/12
STYRENE	**77128**	**072**	2013/12/23	**. .000**	2019/12
TETRACHLOROETHYLENE	**34475**	**072**	2013/06/12	**< .500**	2019/06
TOLUENE	**34010**	**072**	2013/12/23	**. .000**	2019/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/06/12	**< .500**	2019/06
TRICHLOROETHYLENE	**39180**	**072**	2013/12/23	**. .000**	2019/12
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/12/23	**. .000**	2019/12
VINYL CHLORIDE	**39175**	**072**	2013/12/23	**. .000**	2019/12
XYLENES (TOTAL)	**81551**	**072**	2013/12/23	**. .000**	2019/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/09/18	**. 180.000**	2015/09
CALCIUM	**00916**	**036**	2012/09/18	**. 79.000**	2015/09
CARBONATE ALKALINITY	**00445**	**036**	2012/09/18	**.000**	2015/09
CHLORIDE	**00940**	**036**	2012/09/18	**. 86.000**	2015/09
COLOR	**00081**	**036**	2012/09/18	**. .000**	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

PS Code: 3610032-011
Source Name: WELL 15
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
COPPER	01042	036	2012/09/18	.	.000	2015/09	
FOAMING AGENTS (MBAS)	38260	036	2012/09/18	.	.000	2015/09	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/09/18	.	300.000	2015/09	
HYDROXIDE ALKALINITY	71830	036	2012/09/18	.	.000	2015/09	
IRON	01045	036	2012/09/18		.000	2015/09	
MAGNESIUM	00927	036	2012/09/18	.	26.000	2015/09	
MANGANESE	01055	036	2012/09/18		.000	2015/09	
ODOR THRESHOLD @ 60 C	00086	036	2012/09/18		1.000	2015/09	
PH, LABORATORY	00403	000					**DUE**
SILVER	01077	036	2012/09/18	.	.000	2015/09	
SODIUM	00929	036	2012/09/18		120.000	2015/09	
SPECIFIC CONDUCTANCE	00095	036	2012/09/18	.	1100.000	2015/09	
SULFATE	00945	036	2012/09/18		260.000	2015/09	
TOTAL DISSOLVED SOLIDS	70300	036	2012/09/18	.	670.000	2015/09	
TURBIDITY, LABORATORY	82079	036	2012/09/18	.	.200	2015/09	
ZINC	01092	036	2012/09/18	.	.000	2015/09	

PS Code: 3610032-601
Source Name: DBP2-SCHULTZ/HWY 95
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: G

HALOACETIC ACIDS			
DIBROMOACETIC ACID (DBAA)	82721	000	**DUE**
DICHLOROACETIC ACID (DCAA)	77288	000	**DUE**
HALOACETIC ACIDS (5) (HAA5)	A-049	000	**DUE**
MONOBROMOACETIC ACID (MBAA)	A-041	000	**DUE**
MONOCHLOROACETIC ACID (MCAA)	A-042	000	**DUE**
TRICHLOROACETIC ACID (TCAA)	82723	000	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610032
System Name: NEEDLES, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610032-601						
Source Name: DBP2-SCHULTZ/HWY 95						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610032-602						
Source Name: DBP2-BIG D TIRE						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

PS Code: ***3610033-001***

Source Name: ***BEAR CANYON SPRING***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/07/08	< 50.000	2016/07	
ANTIMONY	01097	036	2013/07/08	< 6.000	2016/07	
ARSENIC	01002	036	2013/07/08	< 2.000	2016/07	
BARIUM	01007	036	2013/07/08	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/08	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/08	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/08	< 1.000	2016/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/07/08	< 100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .400	2016/07	
MERCURY	71900	036	2013/07/08	< 1.000	2016/07	
NICKEL	01067	036	2013/07/08	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/08	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/08	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/08	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/09	. 7.900	2015/06	
NITRITE (AS N)	00620	036	2013/07/08	< 100.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/14	. 2.720	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/10/14	< .010	2016/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/10/14	< .020	2016/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/07/08	< .500	2019/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/08	< .500	2019/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/08	< 10.000	2019/07	
1,1,2-TRICHLOROETHANE	34511	072	2013/07/08	< .500	2019/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610033
System Name: MT BALDY HOMEOWNERS ASSN.

PS Code: 3610033-001
Source Name: BEAR CANYON SPRING
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/07/08	< .500	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/08	< .500	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/08	< .500	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/08	< .500	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/08	< .500	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/08	< .500	2019/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/08	< .500	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/08	< .500	2019/07
BENZENE	34030	072	2013/07/08	< .500	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/08	< .500	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/08	< .500	2019/07
DICHLOROMETHANE	34423	072	2013/07/08	< .500	2019/07
ETHYLBENZENE	34371	072	2013/07/08	< .500	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/07/08	< 3.000	2019/07
MONOCHLOROBENZENE	34301	072	2013/07/08	< .500	2019/07
STYRENE	77128	072	2013/07/08	< .500	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/08	< .500	2019/07
TOLUENE	34010	072	2013/07/08	< .500	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/08	< .500	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/08	< .500	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< 5.000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .500	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .500	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/08	. 150.000	2016/07
CALCIUM	00916	036	2013/07/08	. 55.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/08	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/08	< 1.000	2016/07
COLOR	00081	036	2014/07/14	< 3.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610033
System Name: MT BALDY HOMEOWNERS ASSN.

PS Code: 3610033-001
Source Name: BEAR CANYON SPRING
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2013/07/08	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/08	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/08	. 160.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/08	< 3.000	2016/07
IRON	01045	036	2013/07/08	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/08	. 5.600	2016/07
MANGANESE	01055	036	2013/07/08	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/14	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/14	. 7.600	2017/07
SILVER	01077	036	2013/07/08	< 10.000	2016/07
SODIUM	00929	036	2013/07/08	3.100	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/08	. 290.000	2016/07
SULFATE	00945	036	2013/07/08	12.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/08	. 140.000	2016/07
TURBIDITY, LABORATORY	82079	036	2014/07/14	. .370	2017/07
ZINC	01092	036	2013/07/08	< 50.000	2016/07

PS Code: 3610033-002
Source Name: WELL 01
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/07/08	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/08	< 6.000	2016/07
ARSENIC	01002	036	2013/07/08	< 2.000	2016/07
BARIUM	01007	036	2013/07/08	< 100.000	2016/07
BERYLLIUM	01012	036	2013/07/08	< 1.000	2016/07
CADMIUM	01027	036	2013/07/08	< 1.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

PS Code: ***3610033-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/07/08	< 1.000	2016/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/07/08	< 100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .400	2016/07	
MERCURY	71900	036	2013/07/08	< 1.000	2016/07	
NICKEL	01067	036	2013/07/08	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/08	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/08	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/08	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/09	. 1.100	2015/06	
NITRITE (AS N)	00620	036	2013/07/08	< 100.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/10/14	. 3.070	2016/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/12/09	< .010	2016/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/12/09	< .020	2016/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/04/13	< .500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/04/13	< .500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/04/13	< 10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	072	2009/04/13	< .500	2015/04	
1,1-DICHLOROETHANE	34496	072	2009/04/13	< .500	2015/04	
1,1-DICHLOROETHYLENE	34501	072	2009/04/13	< .500	2015/04	
1,2,4-TRICHLOROBENZENE	34551	072	2009/04/13	< .500	2015/04	
1,2-DICHLOROBENZENE	34536	072	2009/04/13	< .500	2015/04	
1,2-DICHLOROETHANE	34531	072	2009/04/13	< .500	2015/04	
1,2-DICHLOROPROPANE	34541	072	2009/04/13	< .500	2015/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

PS Code: ***3610033-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/04/13	**< .500**	2015/04
1,4-DICHLOROBENZENE	**34571**	**072**	2009/04/13	**< .500**	2015/04
BENZENE	**34030**	**072**	2009/04/13	**< .500**	2015/04
CARBON TETRACHLORIDE	**32102**	**072**	2009/04/13	**< .500**	2015/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/04/13	**< .500**	2015/04
DICHLOROMETHANE	**34423**	**072**	2009/04/13	**< .500**	2015/04
ETHYLBENZENE	**34371**	**072**	2009/04/13	**< .500**	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/04/13	**< 3.000**	2015/04
MONOCHLOROBENZENE	**34301**	**072**	2009/04/13	**< .500**	2015/04
STYRENE	**77128**	**072**	2009/04/13	**< .500**	2015/04
TETRACHLOROETHYLENE	**34475**	**072**	2009/04/13	**< .500**	2015/04
TOLUENE	**34010**	**072**	2009/04/13	**< .500**	2015/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/04/13	**< .500**	2015/04
TRICHLOROETHYLENE	**39180**	**072**	2009/04/13	**< .500**	2015/04
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/04/13	**< 5.000**	2015/04
VINYL CHLORIDE	**39175**	**072**	2009/04/13	**< .500**	2015/04
XYLENES (TOTAL)	**81551**	**072**	2009/04/13	**< .500**	2015/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/08	**. 150.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/08	**. 55.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/08	**< 3.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/08	**< 1.000**	2016/07
COLOR	**00081**	**036**	2013/07/08	**< 3.000**	2016/07
COPPER	**01042**	**036**	2013/07/08	**< 50.000**	2016/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/07/08	**< .050**	2016/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/07/08	**. 160.000**	2016/07
HYDROXIDE ALKALINITY	**71830**	**036**	2013/07/08	**< 3.000**	2016/07
IRON	**01045**	**036**	2013/07/08	**< 100.000**	2016/07
MAGNESIUM	**00927**	**036**	2013/07/08	**. 5.700**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

PS Code: ***3610033-002***

Source Name: ***WELL 01***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2013/07/08	<	20.000	2016/07	
ODOR THRESHOLD @ 60 C	00086	036	2013/07/08	<	1.000	2016/07	
PH, LABORATORY	00403	036	2013/07/08	.	7.900	2016/07	
SILVER	01077	036	2013/07/08	<	10.000	2016/07	
SODIUM	00929	036	2013/07/08		3.200	2016/07	
SPECIFIC CONDUCTANCE	00095	036	2013/07/08	.	290.000	2016/07	
SULFATE	00945	036	2013/07/08		12.000	2016/07	
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/08	.	140.000	2016/07	
TURBIDITY, LABORATORY	82079	036	2013/07/08	.	.500	2016/07	
ZINC	01092	036	2013/07/08	<	50.000	2016/07	

PS Code: ***3610033-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2013/07/08	<	50.000	2016/07	
ANTIMONY	01097	036	2013/07/08	<	6.000	2016/07	
ARSENIC	01002	036	2013/07/08	<	2.000	2016/07	
BARIUM	01007	036	2013/07/08	<	100.000	2016/07	
BERYLLIUM	01012	036	2013/07/08	<	1.000	2016/07	
CADMIUM	01027	036	2013/07/08	<	1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/08	<	1.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	**2002/08/12**	<	1.000	**2005/08**	**DUE**
CYANIDE	01291	036	2013/07/08	<	100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	.	.400	2016/07	
MERCURY	71900	036	2013/07/08	<	1.000	2016/07	
NICKEL	01067	036	2013/07/08	<	10.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

PS Code: ***3610033-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2013/07/08	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/08	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/08	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/09	. 1.000	2015/06	
NITRITE (AS N)	00620	036	2013/07/08	< 100.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/10/14	. 2.890	2022/10	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				**DUE**
2,4,5-TP (SILVEX)	39045	000				**DUE**
2,4-D	39730	000				**DUE**
ALACHLOR	77825	000				**DUE**
ATRAZINE	39033	000				**DUE**
BENTAZON	38710	000				**DUE**
BENZO (A) PYRENE	34247	000				**DUE**
CARBOFURAN	81405	000				**DUE**
CHLORDANE	39350	000				**DUE**
DALAPON	38432	000				**DUE**
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				**DUE**
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				**DUE**
DIBROMOCHLOROPROPANE (DBCP)	38761	000				**DUE**
DINOSEB	81287	000				**DUE**
DIQUAT	78885	000				**DUE**
ENDOTHALL	38926	000				**DUE**
ENDRIN	39390	000				**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	000				**DUE**
GLYPHOSATE	79743	000				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610033
System Name: MT BALDY HOMEOWNERS ASSN.

PS Code: 3610033-003
Source Name: WELL 02
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/04/13	< .500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/04/13	< .500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/04/13	< 10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	072	2009/04/13	< .500	2015/04	
1,1-DICHLOROETHANE	34496	072	2009/04/13	< .500	2015/04	
1,1-DICHLOROETHYLENE	34501	072	2009/04/13	< .500	2015/04	
1,2,4-TRICHLOROBENZENE	34551	072	2009/04/13	< .500	2015/04	
1,2-DICHLOROBENZENE	34536	072	2009/04/13	< .500	2015/04	
1,2-DICHLOROETHANE	34531	072	2009/04/13	< .500	2015/04	
1,2-DICHLOROPROPANE	34541	072	2009/04/13	< .500	2015/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/04/13	< .500	2015/04	
1,4-DICHLOROBENZENE	34571	072	2009/04/13	< .500	2015/04	
BENZENE	34030	072	2009/04/13	< .500	2015/04	
CARBON TETRACHLORIDE	32102	072	2009/04/13	< .500	2015/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

PS Code: ***3610033-003***

Source Name: ***WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/04/13	**< .500**	2015/04
DICHLOROMETHANE	**34423**	**072**	2009/04/13	**< .500**	2015/04
ETHYLBENZENE	**34371**	**072**	2009/04/13	**< .500**	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/04/13	**< 3.000**	2015/04
MONOCHLOROBENZENE	**34301**	**072**	2009/04/13	**< .500**	2015/04
STYRENE	**77128**	**072**	2009/04/13	**< .500**	2015/04
TETRACHLOROETHYLENE	**34475**	**072**	2009/04/13	**< .500**	2015/04
TOLUENE	**34010**	**072**	2009/04/13	**< .500**	2015/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/04/13	**< .500**	2015/04
TRICHLOROETHYLENE	**39180**	**072**	2009/04/13	**< .500**	2015/04
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/04/13	**< 5.000**	2015/04
VINYL CHLORIDE	**39175**	**072**	2009/04/13	**< .500**	2015/04
XYLENES (TOTAL)	**81551**	**072**	2009/04/13	**< .500**	2015/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/08	**. 150.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/08	**. 54.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/08	**< 3.000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/08	**< 1.000**	2016/07
COLOR	**00081**	**036**	2013/07/08	**< 3.000**	2016/07
COPPER	**01042**	**036**	2013/07/08	**< 50.000**	2016/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/07/08	**< .050**	2016/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/07/08	**. 160.000**	2016/07
HYDROXIDE ALKALINITY	**71830**	**036**	2013/07/08	**< 3.000**	2016/07
IRON	**01045**	**036**	2013/07/08	**< 100.000**	2016/07
MAGNESIUM	**00927**	**036**	2013/07/08	**. 5.600**	2016/07
MANGANESE	**01055**	**036**	2013/07/08	**< 20.000**	2016/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/07/08	**< 1.000**	2016/07
PH, LABORATORY	**00403**	**036**	2013/07/08	**. 8.000**	2016/07
SILVER	**01077**	**036**	2013/07/08	**< 10.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610033***

System Name: ***MT BALDY HOMEOWNERS ASSN.***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610033-003***							
Source Name: ***WELL 02***							
Source Number: ***003***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
SECONDARY/GP							
SODIUM	**00929**	**036**	2013/07/08		**3.100**	2016/07	
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/07/08	.	**290.000**	2016/07	
SULFATE	**00945**	**036**	2013/07/08		**12.000**	2016/07	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/07/08	.	**140.000**	2016/07	
TURBIDITY, LABORATORY	**82079**	**036**	2013/07/08	<	**.200**	2016/07	
ZINC	**01092**	**036**	2013/07/08	<	**50.000**	2016/07	
PS Code: ***3610033-601***							
Source Name: ***DBP2-900 DELL AVENUE***							
Source Number: ***601***							
Source Status: ***DISTRIBUTION TREATED***							
Water type:							
HALOACETIC ACIDS							
DIBROMOACETIC ACID (DBAA)	**82721**	**000**					**DUE**
DICHLOROACETIC ACID (DCAA)	**77288**	**000**					**DUE**
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**000**					**DUE**
MONOBROMOACETIC ACID (MBAA)	**A-041**	**000**					**DUE**
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**000**					**DUE**
TRICHLOROACETIC ACID (TCAA)	**82723**	**000**					**DUE**
STATE UCMR							
BROMODICHLORMETHANE (THM)	**32101**	**000**					**DUE**
BROMOFORM (THM)	**32104**	**000**					**DUE**
CHLOROFORM (THM)	**32106**	**000**					**DUE**
DIBROMOCHLOROMETHANE (THM)	**32105**	**000**					**DUE**
TRIHALOMETHANES							
TOTAL TRIHALOMETHANES	**82080**	**000**					**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610033
System Name: MT BALDY HOMEOWNERS ASSN.

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610033-800					
Source Name: BEAR CANYON SPRING - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610033-801					
Source Name: WELL 01 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610033-802					
Source Name: WELL 02 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-014***

Source Name: ***WELL 17***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/12/13	< 50.000	2014/12	
ANTIMONY	01097	036	2011/12/13	< 6.000	2014/12	
ARSENIC	01002	036	2011/12/13	< 2.000	2014/12	
BARIUM	01007	036	2011/12/13	< 100.000	2014/12	
BERYLLIUM	01012	036	2011/12/13	< 1.000	2014/12	
CADMIUM	01027	036	2011/12/13	< 1.000	2014/12	
CHROMIUM (TOTAL)	01034	036	2011/12/13	. 3.100	2014/12	
CYANIDE	01291	036	2011/12/13	< 100.000	2014/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/13	. .400	2014/12	
MERCURY	71900	036	2011/12/13	< 1.000	2014/12	
NICKEL	01067	036	2011/12/13	< 10.000	2014/12	
PERCHLORATE	A-031	036	2012/11/28	. 4.600	2015/11	
SELENIUM	01147	036	2011/12/13	< 5.000	2014/12	
THALLIUM	01059	036	2011/12/13	< 1.000	2014/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2012/11/28**	. 34.000	**2013/11**	**DUE**
NITRITE (AS N)	00620	036	2011/12/13	< 100.000	2014/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/12/13	. .830	2014/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/13	< .010	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/13	< .020	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/12/13	< .500	2014/12	
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/13	< .500	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/13	< 10.000	2014/12	
1,1,2-TRICHLOROETHANE	34511	036	2011/12/13	< .500	2014/12	
1,1-DICHLOROETHANE	34496	036	2011/12/13	< .500	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-014

Source Name: WELL 17

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/12/13	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/13	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/13	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/13	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/13	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/13	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/13	< .500	2014/12
BENZENE	34030	036	2011/12/13	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/13	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/13	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/13	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/13	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/13	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/13	< .500	2014/12
STYRENE	77128	036	2011/12/13	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/13	< .500	2014/12
TOLUENE	34010	036	2011/12/13	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/13	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/13	. .580	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/13	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/13	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/13	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/11/16	. 180.000	2015/11
CALCIUM	00916	036	2012/11/16	. 49.000	2015/11
CARBONATE ALKALINITY	00445	036	2012/11/16	< 3.000	2015/11
CHLORIDE	00940	036	2012/11/16	. 12.000	2015/11
COLOR	00081	036	2012/11/16	< 3.000	2015/11
COPPER	01042	036	2012/11/16	< 50.000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-014

Source Name: WELL 17

Source Number: 014

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2012/11/16	< .050	2015/11
HARDNESS (TOTAL) AS CACO3	00900	036	2012/11/16	. 170.000	2015/11
HYDROXIDE ALKALINITY	71830	036	2012/11/16	< 3.000	2015/11
IRON	01045	036	2012/11/16	< 100.000	2015/11
MAGNESIUM	00927	036	2012/11/16	. 12.000	2015/11
MANGANESE	01055	036	2012/11/16	< 20.000	2015/11
ODOR THRESHOLD @ 60 C	00086	036	2012/11/16	< 1.000	2015/11
PH, LABORATORY	00403	036	2012/11/16	. 7.600	2015/11
SILVER	01077	036	2011/12/13	< 10.000	2014/12
SODIUM	00929	036	2012/11/16	17.000	2015/11
SPECIFIC CONDUCTANCE	00095	036	2012/11/16	. 450.000	2015/11
SULFATE	00945	036	2012/11/16	17.000	2015/11
TOTAL DISSOLVED SOLIDS	70300	036	2012/11/16	. 280.000	2015/11
TURBIDITY, LABORATORY	82079	036	2012/11/16	< .200	2015/11
ZINC	01092	036	2012/11/16	< 50.000	2015/11

PS Code: 3610034-017

Source Name: WELL 20

Source Number: 017

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/10/24	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/24	< 6.000	2016/10
ARSENIC	01002	036	2013/10/24	< 2.000	2016/10
BARIUM	01007	036	2013/10/24	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/24	< 1.000	2016/10
CADMIUM	01027	036	2013/10/24	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/24	2.500	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-017
Source Name: WELL 20
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM, HEXAVALENT	01032	036	2014/07/11	. 2.100	2017/07
CYANIDE	01291	036	2013/10/24	< 5.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/24	. .200	2016/10
MERCURY	71900	036	2013/10/24	< 1.000	2016/10
NICKEL	01067	036	2013/10/24	< 10.000	2016/10
PERCHLORATE	A-031	036	2014/07/11	. 2.400	2017/07
SELENIUM	01147	036	2013/10/24	< 5.000	2016/10
THALLIUM	01059	036	2013/10/24	< 1.000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/11	. 9.500	2015/07
NITRITE (AS N)	00620	036	2013/10/24	. 2400.000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/17	. 1.220	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/11	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/11	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/11	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/11	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/11	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/11	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/11	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/11	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/11	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/11	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/11	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/11	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/05	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-017

Source Name: WELL 20

Source Number: 017

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2014/07/11	< .500	2017/07
BENZENE	34030	036	2014/07/11	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/11	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/11	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/11	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/11	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/11	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/11	< .500	2017/07
STYRENE	77128	036	2014/07/11	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/11	< .500	2017/07
TOLUENE	34010	036	2014/07/11	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/11	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/11	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/11	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/11	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/11	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/11	. 200.000	2017/07
CALCIUM	00916	036	2014/07/11	. 55.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/11	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/11	. 6.500	2017/07
COLOR	00081	036	2014/07/11	< 3.000	2017/07
COPPER	01042	036	2014/07/11	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/11	< .080	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/11	. 160.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/11	< 3.000	2017/07
IRON	01045	036	2014/07/11	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/11	. 6.300	2017/07
MANGANESE	01055	036	2014/07/11	< 20.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-017
Source Name: WELL 20
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2014/07/11	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/11	. 7.800	2017/07
SILVER	01077	036	2011/12/05	< 10.000	2014/12
SODIUM	00929	036	2014/07/11	. 13.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/11	. 370.000	2017/07
SULFATE	00945	036	2014/07/11	. 5.600	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/11	. 250.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/11	< .200	2017/07
ZINC	01092	036	2014/07/11	< 50.000	2017/07

PS Code: 3610034-020
Source Name: WELL 24
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/22	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/22	< 6.000	2016/10
ARSENIC	01002	036	2013/10/22	< 2.000	2016/10
BARIUM	01007	036	2013/10/22	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/22	< 1.000	2016/10
CADMIUM	01027	036	2013/10/22	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/22	. 8.800	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/11	. 3.400	2017/07
CYANIDE	01291	036	2013/10/22	< 5.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/22	. .100	2016/10
MERCURY	71900	036	2013/10/22	< 1.000	2016/10
NICKEL	01067	036	2013/10/22	< 10.000	2016/10
PERCHLORATE	A-031	036	2014/07/11	. .400	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-020
Source Name: WELL 24
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2013/10/22	< 5.000	2016/10
THALLIUM	01059	036	2013/10/22	< 1.000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/11	. 5.200	2015/07
NITRITE (AS N)	00620	036	2013/10/22	. 1500.000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/24	. .021	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/11	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/11	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/11	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/11	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/11	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/11	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/11	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/11	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/11	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/11	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/11	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/11	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/07	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2014/07/11	< .500	2017/07
BENZENE	34030	036	2014/07/11	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/11	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/11	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/11	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/11	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-020***

Source Name: ***WELL 24***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/11	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/11	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/11	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/11	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/11	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/11	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/11	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/11	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/11	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/11	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/11	**. 170.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/11	**. 39.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/11	**< 3.000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/11	**. 4.100**	2017/07
COLOR	**00081**	**036**	2014/07/11	**< 3.000**	2017/07
COPPER	**01042**	**036**	2014/07/11	**< 50.000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/11	**< .080**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/11	**. 120.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/11	**< 3.000**	2017/07
IRON	**01045**	**036**	2014/07/11	**< 100.000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/11	**. 6.200**	2017/07
MANGANESE	**01055**	**036**	2014/07/11	**< 20.000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/11	**< 1.000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/11	**. 7.800**	2017/07
SILVER	**01077**	**036**	2011/12/07	**< 10.000**	2014/12
SODIUM	**00929**	**036**	2014/07/11	**. 16.000**	2017/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/11	**. 310.000**	2017/07
SULFATE	**00945**	**036**	2014/07/11	**. 6.700**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-020

Source Name: WELL 24

Source Number: 020

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/11	. 180.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/11	< .200	2017/07
ZINC	01092	036	2014/07/11	< 50.000	2017/07

PS Code: 3610034-021

Source Name: WELL 25

Source Number: 021

Source Status: ACTIVE RAW

Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/12/17	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/17	< 6.000	2016/12
ARSENIC	01002	036	2013/12/17	< 2.000	2016/12
BARIUM	01007	036	2013/12/17	< 100.000	2016/12
BERYLLIUM	01012	036	2013/12/17	< 1.000	2016/12
CADMIUM	01027	036	2013/12/17	< 1.000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/17	. 3.900	2016/12
CHROMIUM, HEXAVALENT	01032	036	2014/07/11	. 4.000	2017/07
CYANIDE	01291	036	2013/12/17	< 5.000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/17	. .200	2016/12
MERCURY	71900	036	2013/12/17	< 1.000	2016/12
NICKEL	01067	036	2013/12/17	< 10.000	2016/12
PERCHLORATE	A-031	036	2014/07/11	. 3.300	2017/07
SELENIUM	01147	036	2013/12/17	< 5.000	2016/12
THALLIUM	01059	036	2013/12/17	< 1.000	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/11	. 19.000	2015/07
NITRITE (AS N)	00620	036	2013/12/17	< 100.000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-021***

Source Name: ***WELL 25***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/22	**. .716**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/11	**< .010**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/11	**< .020**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/11	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/11	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/11	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/11	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/11	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/11	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/11	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/11	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/11	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/11	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/12/13	**< .500**	2014/12
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/11	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/11	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/11	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/11	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/11	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/11	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/11	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/11	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/11	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/11	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/11	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/11	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/11	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-021
Source Name: WELL 25
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/07/11	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/11	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/11	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/11	. 200.000	2017/07
CALCIUM	00916	036	2014/07/11	. 54.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/11	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/11	. 16.000	2017/07
COLOR	00081	036	2014/07/11	< 3.000	2017/07
COPPER	01042	036	2014/07/11	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/11	< .080	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/11	. 180.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/11	< 3.000	2017/07
IRON	01045	036	2014/07/11	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/11	. 11.000	2017/07
MANGANESE	01055	036	2014/07/11	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/11	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/11	. 7.600	2017/07
SILVER	01077	036	2011/12/13	< 10.000	2014/12
SODIUM	00929	036	2014/07/11	. 22.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/11	. 450.000	2017/07
SULFATE	00945	036	2014/07/11	. 15.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/11	. 260.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/11	< .200	2017/07
ZINC	01092	036	2014/07/11	< 50.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-022***

Source Name: ***WELL 26***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/11/20	**< 50.000**	2016/11
ANTIMONY	**01097**	**036**	2013/11/20	**< 6.000**	2016/11
ARSENIC	**01002**	**036**	2013/11/20	**< 2.000**	2016/11
BARIUM	**01007**	**036**	2013/11/20	**< 100.000**	2016/11
BERYLLIUM	**01012**	**036**	2013/11/20	**< 1.000**	2016/11
CADMIUM	**01027**	**036**	2013/11/20	**< 1.000**	2016/11
CHROMIUM (TOTAL)	**01034**	**036**	2013/11/20	**. 8.600**	2016/11
CYANIDE	**01291**	**036**	2013/11/20	**< 5.000**	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/11/20	**. .100**	2016/11
MERCURY	**71900**	**036**	2013/11/20	**< 1.000**	2016/11
NICKEL	**01067**	**036**	2013/11/20	**< 10.000**	2016/11
PERCHLORATE	**A-031**	**036**	2014/04/22	**. 1.400**	2017/04
SELENIUM	**01147**	**036**	2013/11/20	**< 5.000**	2016/11
THALLIUM	**01059**	**036**	2013/11/20	**< 1.000**	2016/11
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/22	**. 11.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/11/20	**< 100.000**	2016/11
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/22	**. 1.280**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/05	**< .010**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/05	**< .020**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/05	**< .500**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/05	**< .500**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/05	**< 10.000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/05	**< .500**	2014/12
1,1-DICHLOROETHANE	**34496**	**036**	2011/12/05	**< .500**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-022
Source Name: WELL 26
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/12/05	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/05	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/05	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/05	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/05	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/05	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/05	< .500	2014/12
BENZENE	34030	036	2011/12/05	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/05	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/05	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/05	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/05	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/05	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/05	< .500	2014/12
STYRENE	77128	036	2011/12/05	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/05	< .500	2014/12
TOLUENE	34010	036	2011/12/05	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/05	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/05	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/05	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/05	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/05	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/22	. 190.000	2017/04
CALCIUM	00916	036	2014/04/22	. 43.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/22	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/22	. 7.600	2017/04
COLOR	00081	036	2014/04/22	< 3.000	2017/04
COPPER	01042	036	2014/04/22	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-022
Source Name: WELL 26
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/04/22	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/22	. 140.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/22	< 3.000	2017/04
IRON	01045	036	2014/04/22	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/22	. 7.800	2017/04
MANGANESE	01055	036	2014/04/22	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/22	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/22	. 7.800	2017/04
SILVER	01077	036	2013/11/20	< 10.000	2016/11
SODIUM	00929	036	2014/04/22	. 20.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/22	. 370.000	2017/04
SULFATE	00945	036	2014/04/22	. 7.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/22	. 180.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/22	< .200	2017/04
ZINC	01092	036	2014/04/22	< 50.000	2017/04

PS Code: 3610034-023
Source Name: WELL 27
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/10/22	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/22	< 6.000	2016/10
ARSENIC	01002	036	2013/10/22	< 2.000	2016/10
BARIUM	01007	036	2013/10/22	. 140.000	2016/10
BERYLLIUM	01012	036	2013/10/22	< 1.000	2016/10
CADMIUM	01027	036	2013/10/22	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/22	. 7.800	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-023***

Source Name: ***WELL 27***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2013/10/22	**< 5.000**	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/10/22	**. .200**	2016/10
MERCURY	**71900**	**036**	2013/10/22	**< 1.000**	2016/10
NICKEL	**01067**	**036**	2013/10/22	**< 10.000**	2016/10
PERCHLORATE	**A-031**	**036**	2014/04/17	**. 2.300**	2017/04
SELENIUM	**01147**	**036**	2013/10/22	**< 5.000**	2016/10
THALLIUM	**01059**	**036**	2013/10/22	**< 1.000**	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/17	**. 18.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/10/22	**. 4000.000**	2016/10
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/17	**. 1.680**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/07	**< .010**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/07	**< .020**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/07	**< .500**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/07	**< .500**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/07	**< 10.000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/07	**< .500**	2014/12
1,1-DICHLOROETHANE	**34496**	**036**	2011/12/07	**< .500**	2014/12
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/12/07	**< .500**	2014/12
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/12/07	**< .500**	2014/12
1,2-DICHLOROBENZENE	**34536**	**036**	2011/12/07	**< .500**	2014/12
1,2-DICHLOROETHANE	**34531**	**036**	2011/12/07	**< .500**	2014/12
1,2-DICHLOROPROPANE	**34541**	**036**	2011/12/07	**< .500**	2014/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/12/07	**< .500**	2014/12
1,4-DICHLOROBENZENE	**34571**	**036**	2011/12/07	**< .500**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-023
Source Name: WELL 27
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2011/12/07	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/07	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/07	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/07	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/07	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/07	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/07	< .500	2014/12
STYRENE	77128	036	2011/12/07	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/07	< .500	2014/12
TOLUENE	34010	036	2011/12/07	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/07	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/07	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/07	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/07	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/07	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/17	. 170.000	2017/04
CALCIUM	00916	036	2014/04/17	. 70.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/17	. 43.000	2017/04
COLOR	00081	036	2014/04/17	< 3.000	2017/04
COPPER	01042	036	2014/04/17	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/17	. 230.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< 3.000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 14.000	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-023
Source Name: WELL 27
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/04/17	. 7.900	2017/04
SILVER	01077	036	2011/12/07	< 10.000	2014/12
SODIUM	00929	036	2014/04/17	. 23.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 570.000	2017/04
SULFATE	00945	036	2014/04/17	. 59.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 360.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	< .200	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

PS Code: 3610034-025
Source Name: WELL 29
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/11/19	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/19	< 6.000	2016/11
ARSENIC	01002	036	2013/11/19	< 2.000	2016/11
BARIUM	01007	036	2013/11/19	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/19	< 1.000	2016/11
CADMIUM	01027	036	2013/11/19	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/19	. 3.600	2016/11
CYANIDE	01291	036	2013/11/19	< 5.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/19	. .200	2016/11
MERCURY	71900	036	2013/11/19	< 1.000	2016/11
NICKEL	01067	036	2013/11/19	< 10.000	2016/11
PERCHLORATE	A-031	036	2014/04/17	. .780	2017/04
SELENIUM	01147	036	2013/11/19	< 5.000	2016/11
THALLIUM	01059	036	2013/11/19	< 1.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-025***

Source Name: ***WELL 29***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/17	**. 4.900**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/11/19	**< 100.000**	2016/11
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/17	**. 1.090**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/09/12	**< .010**	2015/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/09/12	**< .020**	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/09/12	**< .500**	2015/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/09/12	**< .500**	2015/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/09/12	**< 10.000**	2015/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/09/12	**< .500**	2015/09
1,1-DICHLOROETHANE	**34496**	**036**	2012/09/12	**< .500**	2015/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/09/12	**< .500**	2015/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/09/12	**< .500**	2015/09
1,2-DICHLOROBENZENE	**34536**	**036**	2012/09/12	**< .500**	2015/09
1,2-DICHLOROETHANE	**34531**	**036**	2012/09/12	**< .500**	2015/09
1,2-DICHLOROPROPANE	**34541**	**036**	2012/09/12	**< .500**	2015/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/09/12	**< .500**	2015/09
1,4-DICHLOROBENZENE	**34571**	**036**	2012/09/12	**< .500**	2015/09
BENZENE	**34030**	**036**	2012/09/12	**< .500**	2015/09
CARBON TETRACHLORIDE	**32102**	**036**	2012/09/12	**< .500**	2015/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/09/12	**< .500**	2015/09
DICHLOROMETHANE	**34423**	**036**	2012/09/12	**< .500**	2015/09
ETHYLBENZENE	**34371**	**036**	2012/09/12	**< .500**	2015/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/09/12	**< 3.000**	2015/09
MONOCHLOROBENZENE	**34301**	**036**	2012/09/12	**< .500**	2015/09
STYRENE	**77128**	**036**	2012/09/12	**< .500**	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-025
Source Name: WELL 29
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2012/09/12	< .500	2015/09
TOLUENE	34010	036	2012/09/12	< .500	2015/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/09/12	< .500	2015/09
TRICHLOROETHYLENE	39180	036	2012/09/12	< .500	2015/09
TRICHLOROFLUOROMETHANE	34488	036	2012/09/12	< 5.000	2015/09
VINYL CHLORIDE	39175	036	2012/09/12	< .500	2015/09
XYLENES (TOTAL)	81551	036	2012/09/12	< .500	2015/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/17	. 180.000	2017/04
CALCIUM	00916	036	2014/04/17	. 37.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/17	. 5.400	2017/04
COLOR	00081	036	2014/04/17	< 3.000	2017/04
COPPER	01042	036	2014/04/17	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/17	. 120.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< 3.000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 7.600	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/17	. 7.800	2017/04
SILVER	01077	036	2012/09/12	< 10.000	2015/09
SODIUM	00929	036	2014/04/17	. 21.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 360.000	2017/04
SULFATE	00945	036	2014/04/17	. 11.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 210.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	. .250	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-026***

Source Name: ***WELL 30***

Source Number: ***026***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/11/12	**< 50.000**	2016/11
ANTIMONY	**01097**	**036**	2013/11/12	**< 6.000**	2016/11
ARSENIC	**01002**	**036**	2013/11/12	**< 2.000**	2016/11
BARIUM	**01007**	**036**	2013/11/12	**< 100.000**	2016/11
BERYLLIUM	**01012**	**036**	2013/11/12	**< 1.000**	2016/11
CADMIUM	**01027**	**036**	2013/11/12	**< 1.000**	2016/11
CHROMIUM (TOTAL)	**01034**	**036**	2013/11/12	**6.000**	2016/11
CYANIDE	**01291**	**036**	2013/11/12	**< 5.000**	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/11/12	**. .200**	2016/11
MERCURY	**71900**	**036**	2013/11/12	**< 1.000**	2016/11
NICKEL	**01067**	**036**	2013/11/12	**< 10.000**	2016/11
PERCHLORATE	**A-031**	**036**	2013/11/12	**. 1.100**	2016/11
SELENIUM	**01147**	**036**	2013/11/12	**< 5.000**	2016/11
THALLIUM	**01059**	**036**	2013/11/12	**< 1.000**	2016/11
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/11/12	**. 14.000**	2014/11
NITRITE (AS N)	**00620**	**036**	2013/11/12	**. 3300.000**	2016/11
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/12/15	**. 1.850**	2014/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/15	**< .010**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/15	**< .020**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/15	**< .500**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/15	**< .500**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/15	**< 10.000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/15	**< .500**	2014/12
1,1-DICHLOROETHANE	**34496**	**036**	2011/12/15	**< .500**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-026
Source Name: WELL 30
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/12/15	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/15	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/15	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/15	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/15	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/15	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/15	< .500	2014/12
BENZENE	34030	036	2011/12/15	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/15	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/15	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/15	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/15	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/15	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/15	< .500	2014/12
STYRENE	77128	036	2011/12/15	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/15	< .500	2014/12
TOLUENE	34010	036	2011/12/15	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/15	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/15	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/15	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/15	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/15	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/11/12	. 200.000	2016/11
CALCIUM	00916	036	2013/11/12	. 57.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/12	< 3.000	2016/11
CHLORIDE	00940	036	2013/11/12	. 17.000	2016/11
COLOR	00081	036	2013/11/12	< 3.000	2016/11
COPPER	01042	036	2013/11/12	< 50.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-026***

Source Name: ***WELL 30***

Source Number: ***026***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/11/12	< .050	2016/11
HARDNESS (TOTAL) AS CACO3	00900	036	2013/11/12	. 190.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/12	< 3.000	2016/11
IRON	01045	036	2013/11/12	< 100.000	2016/11
MAGNESIUM	00927	036	2013/11/12	. 11.000	2016/11
MANGANESE	01055	036	2013/11/12	< 20.000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/12	< 1.000	2016/11
PH, LABORATORY	00403	036	2013/11/12	. 7.700	2016/11
SILVER	01077	036	2011/12/15	< 10.000	2014/12
SODIUM	00929	036	2013/11/12	22.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/12	. 470.000	2016/11
SULFATE	00945	036	2013/11/12	43.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/12	. 330.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/12	< .200	2016/11
ZINC	01092	036	2013/11/12	< 50.000	2016/11

PS Code: ***3610034-027***

Source Name: ***WELL 31***

Source Number: ***027***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/11/12	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/12	< 6.000	2016/11
ARSENIC	01002	036	2013/11/12	< 2.000	2016/11
BARIUM	01007	036	2013/11/12	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/12	< 1.000	2016/11
CADMIUM	01027	036	2013/11/12	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/12	2.700	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-027
Source Name: WELL 31
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2013/11/12	< 5.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/12	. .200	2016/11
MERCURY	71900	036	2013/11/12	< 1.000	2016/11
NICKEL	01067	036	2013/11/12	< 10.000	2016/11
PERCHLORATE	A-031	036	2014/07/18	. 4.400	2017/07
SELENIUM	01147	036	2013/11/12	< 5.000	2016/11
THALLIUM	01059	036	2013/11/12	< 1.000	2016/11
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/18	. 26.000	2015/07
NITRITE (AS N)	00620	036	2013/11/12	. 4900.000	2016/11
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/22	. 1.260	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/18	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/18	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/18	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/18	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/18	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/18	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/18	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/18	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/18	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/18	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/18	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/18	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/15	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2014/07/18	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-027
Source Name: WELL 31
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2014/07/18	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/18	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/18	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/18	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/18	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/18	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/18	< .500	2017/07
STYRENE	77128	036	2014/07/18	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/18	< .500	2017/07
TOLUENE	34010	036	2014/07/18	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/18	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/18	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/18	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/18	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/18	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/18	. 180.000	2017/07
CALCIUM	00916	036	2014/07/18	. 50.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/18	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/18	. 12.000	2017/07
COLOR	00081	036	2014/07/18	< 3.000	2017/07
COPPER	01042	036	2014/07/18	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/18	< .200	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/18	. 150.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/18	< 3.000	2017/07
IRON	01045	036	2014/07/18	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/18	. 6.800	2017/07
MANGANESE	01055	036	2014/07/18	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/18	< 1.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-027

Source Name: WELL 31

Source Number: 027

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/07/18	. 7.800	2017/07
SILVER	01077	036	2011/12/15	< 10.000	2014/12
SODIUM	00929	036	2014/07/18	. 20.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/18	. 380.000	2017/07
SULFATE	00945	036	2014/07/18	. 12.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/18	. 240.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/18	< .200	2017/07
ZINC	01092	036	2014/07/18	< 50.000	2017/07

PS Code: 3610034-029

Source Name: WELL 34

Source Number: 029

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/11/22	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/22	< 6.000	2016/11
ARSENIC	01002	036	2013/11/22	< 2.000	2016/11
BARIUM	01007	036	2013/11/22	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/22	< 1.000	2016/11
CADMIUM	01027	036	2013/11/22	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/22	. 3.300	2016/11
CYANIDE	01291	036	2013/11/22	< 5.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/22	. .500	2016/11
MERCURY	71900	036	2013/11/22	< 1.000	2016/11
NICKEL	01067	036	2013/11/22	< 10.000	2016/11
PERCHLORATE	A-031	036	2014/04/22	. .590	2017/04
SELENIUM	01147	036	2013/11/22	< 5.000	2016/11
THALLIUM	01059	036	2013/11/22	< 1.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-029
Source Name: WELL 34
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/22	. 8.300	2015/04
NITRITE (AS N)	00620	036	2013/11/22	< 100.000	2016/11
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/22	. .527	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/20	< .010	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/20	< .020	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/12/20	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/20	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/20	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	036	2011/12/20	< .500	2014/12
1,1-DICHLOROETHANE	34496	036	2011/12/20	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	036	2011/12/20	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/20	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/20	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/20	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/20	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/20	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/20	< .500	2014/12
BENZENE	34030	036	2011/12/20	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/20	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/20	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/20	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/20	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/20	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/20	< .500	2014/12
STYRENE	77128	036	2011/12/20	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-029
Source Name: WELL 34
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2011/12/20	< .500	2014/12
TOLUENE	34010	036	2011/12/20	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/20	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/20	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/20	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/20	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/20	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/22	. 180.000	2017/04
CALCIUM	00916	036	2014/04/22	. 36.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/22	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/22	. 4.900	2017/04
COLOR	00081	036	2014/04/22	< 3.000	2017/04
COPPER	01042	036	2014/04/22	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/22	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/22	. 120.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/22	< 3.000	2017/04
IRON	01045	036	2014/04/22	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/22	. 7.400	2017/04
MANGANESE	01055	036	2014/04/22	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/22	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/22	. 7.800	2017/04
SILVER	01077	036	2013/11/22	< 10.000	2016/11
SODIUM	00929	036	2014/04/22	. 23.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/22	. 350.000	2017/04
SULFATE	00945	036	2014/04/22	. 14.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/22	. 150.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/22	< .200	2017/04
ZINC	01092	036	2014/04/22	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-030***

Source Name: ***WELL 35***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/12/17	**< 50.000**	2016/12
ANTIMONY	**01097**	**036**	2013/12/17	**< 6.000**	2016/12
ARSENIC	**01002**	**036**	2013/12/17	**. 2.400**	2016/12
BARIUM	**01007**	**036**	2013/12/17	**< 100.000**	2016/12
BERYLLIUM	**01012**	**036**	2013/12/17	**< 1.000**	2016/12
CADMIUM	**01027**	**036**	2013/12/17	**< 1.000**	2016/12
CHROMIUM (TOTAL)	**01034**	**036**	2013/12/17	**. 2.200**	2016/12
CYANIDE	**01291**	**036**	2013/12/17	**< 5.000**	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/17	**. .300**	2016/12
MERCURY	**71900**	**036**	2013/12/17	**< 1.000**	2016/12
NICKEL	**01067**	**036**	2013/12/17	**< 10.000**	2016/12
PERCHLORATE	**A-031**	**036**	2014/04/17	**. 1.400**	2017/04
SELENIUM	**01147**	**036**	2013/12/17	**< 5.000**	2016/12
THALLIUM	**01059**	**036**	2013/12/17	**< 1.000**	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/17	**. 11.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/12/17	**< 100.000**	2016/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/17	**. 1.450**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/19	**< .010**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/19	**< .020**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/19	**< .500**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/19	**< .500**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/19	**< 10.000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/19	**< .500**	2014/12
1,1-DICHLOROETHANE	**34496**	**036**	2011/12/19	**< .500**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-030
Source Name: WELL 35
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/12/19	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/19	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/19	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/19	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/19	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/19	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/19	< .500	2014/12
BENZENE	34030	036	2011/12/19	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/19	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/19	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/19	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/19	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/19	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/19	< .500	2014/12
STYRENE	77128	036	2011/12/19	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/19	< .500	2014/12
TOLUENE	34010	036	2011/12/19	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/19	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/19	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/19	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/19	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/19	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/17	. 170.000	2017/04
CALCIUM	00916	036	2014/04/17	. 38.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/17	. 6.000	2017/04
COLOR	00081	036	2014/04/17	< 3.000	2017/04
COPPER	01042	036	2014/04/17	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-030
Source Name: WELL 35
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/17	. 130.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< 3.000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 7.500	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/17	. 8.100	2017/04
SILVER	01077	036	2013/12/17	< 10.000	2016/12
SODIUM	00929	036	2014/04/17	. 21.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 350.000	2017/04
SULFATE	00945	036	2014/04/17	. 19.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 210.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	< .200	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

PS Code: 3610034-031
Source Name: WELL 36
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/10/24	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/24	< 6.000	2016/10
ARSENIC	01002	036	2013/10/24	< 2.000	2016/10
BARIUM	01007	036	2013/10/24	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/24	< 1.000	2016/10
CADMIUM	01027	036	2013/10/24	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/24	3.500	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-031
Source Name: WELL 36
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2013/10/24	< 5.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/24	. .200	2016/10
MERCURY	71900	036	2013/10/24	< 1.000	2016/10
NICKEL	01067	036	2013/10/24	< 10.000	2016/10
PERCHLORATE	A-031	036	2014/04/09	. .770	2017/04
SELENIUM	01147	036	2013/10/24	< 5.000	2016/10
THALLIUM	01059	036	2013/10/24	< 1.000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/09	. 5.500	2015/04
NITRITE (AS N)	00620	036	2013/10/24	. 1200.000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/09	. .687	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/20	< .010	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/20	< .020	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/12/20	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/20	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/20	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	036	2011/12/20	< .500	2014/12
1,1-DICHLOROETHANE	34496	036	2011/12/20	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	036	2011/12/20	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/20	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/20	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/20	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/20	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/20	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/20	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-031
Source Name: WELL 36
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2011/12/20	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/20	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/20	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/20	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/20	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/20	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/20	< .500	2014/12
STYRENE	77128	036	2011/12/20	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/20	< .500	2014/12
TOLUENE	34010	036	2011/12/20	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/20	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/20	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/20	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/20	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/20	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/09	. 170.000	2017/04
CALCIUM	00916	036	2014/04/09	. 39.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/09	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/09	. 4.600	2017/04
COLOR	00081	036	2014/04/09	< 3.000	2017/04
COPPER	01042	036	2014/04/09	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/09	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/09	. 120.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/09	< 3.000	2017/04
IRON	01045	036	2014/04/09	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/09	. 6.300	2017/04
MANGANESE	01055	036	2014/04/09	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/09	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-031

Source Name: WELL 36

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/04/09	. 7.900	2017/04
SILVER	01077	036	2011/12/20	< 10.000	2014/12
SODIUM	00929	036	2014/04/09	. 19.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/09	. 310.000	2017/04
SULFATE	00945	036	2014/04/09	. 6.300	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/09	. 230.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/09	< .200	2017/04
ZINC	01092	036	2014/04/09	< 50.000	2017/04

PS Code: 3610034-032

Source Name: WELL 37

Source Number: 032

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/11/20	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/20	< 6.000	2016/11
ARSENIC	01002	036	2013/11/20	< 2.000	2016/11
BARIUM	01007	036	2013/11/20	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/20	< 1.000	2016/11
CADMIUM	01027	036	2013/11/20	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/20	. 3.400	2016/11
CYANIDE	01291	036	2013/11/20	< 5.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/20	. .200	2016/11
MERCURY	71900	036	2013/11/20	< 1.000	2016/11
NICKEL	01067	036	2013/11/20	< 10.000	2016/11
PERCHLORATE	A-031	036	2014/04/09	. 3.000	2017/04
SELENIUM	01147	036	2013/11/20	< 5.000	2016/11
THALLIUM	01059	036	2013/11/20	< 1.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-032

Source Name: WELL 37

Source Number: 032

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/09	. 12.000	2015/04	
NITRITE (AS N)	00620	036	2013/11/20	. 2500.000	2016/11	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/09	. .568	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/20	< .010	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/20	< .020	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	012	2011/12/20	< .500	2012/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2011/12/20	< .500	2012/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2011/12/20	< 10.000	2012/12	DUE
1,1,2-TRICHLOROETHANE	34511	012	2011/12/20	< .500	2012/12	DUE
1,1-DICHLOROETHANE	34496	012	2011/12/20	< .500	2012/12	DUE
1,1-DICHLOROETHYLENE	34501	012	2011/12/20	< .500	2012/12	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2011/12/20	< .500	2012/12	DUE
1,2-DICHLOROBENZENE	34536	012	2011/12/20	< .500	2012/12	DUE
1,2-DICHLOROETHANE	34531	012	2011/12/20	< .500	2012/12	DUE
1,2-DICHLOROPROPANE	34541	012	2011/12/20	< .500	2012/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2011/12/20	< .500	2012/12	DUE
1,4-DICHLOROBENZENE	34571	012	2011/12/20	< .500	2012/12	DUE
BENZENE	34030	012	2011/12/20	< .500	2012/12	DUE
CARBON TETRACHLORIDE	32102	012	2011/12/20	< .500	2012/12	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2011/12/20	< .500	2012/12	DUE
DICHLOROMETHANE	34423	012	2011/12/20	< .500	2012/12	DUE
ETHYLBENZENE	34371	012	2011/12/20	< .500	2012/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/20	< 3.000	2014/12	
MONOCHLOROBENZENE	34301	012	2011/12/20	< .500	2012/12	DUE
STYRENE	77128	012	2011/12/20	< .500	2012/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-032
Source Name: WELL 37
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TETRACHLOROETHYLENE	34475	012	2011/12/20	< .500	2012/12	DUE
TOLUENE	34010	012	2011/12/20	< .500	2012/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2011/12/20	< .500	2012/12	DUE
TRICHLOROETHYLENE	39180	012	2011/12/20	< .500	2012/12	DUE
TRICHLOROFLUOROMETHANE	34488	012	2011/12/20	< 5.000	2012/12	DUE
VINYL CHLORIDE	39175	012	2011/12/20	< .500	2012/12	DUE
XYLENES (TOTAL)	81551	012	2011/12/20	< .500	2012/12	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2014/04/09	. 170.000	2017/04	
CALCIUM	00916	036	2014/04/09	. 46.000	2017/04	
CARBONATE ALKALINITY	00445	036	2014/04/09	< 3.000	2017/04	
CHLORIDE	00940	036	2014/04/09	. 7.800	2017/04	
COLOR	00081	036	2014/04/09	< 3.000	2017/04	
COPPER	01042	036	2014/04/09	< 50.000	2017/04	
FOAMING AGENTS (MBAS)	38260	036	2014/04/09	< .050	2017/04	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/09	. 140.000	2017/04	
HYDROXIDE ALKALINITY	71830	036	2014/04/09	< 3.000	2017/04	
IRON	01045	036	2014/04/09	< 100.000	2017/04	
MAGNESIUM	00927	036	2014/04/09	. 6.200	2017/04	
MANGANESE	01055	036	2014/04/09	< 20.000	2017/04	
ODOR THRESHOLD @ 60 C	00086	036	2014/04/09	< 1.000	2017/04	
PH, LABORATORY	00403	036	2014/04/09	. 7.900	2017/04	
SILVER	01077	036	2013/11/20	< 10.000	2016/11	
SODIUM	00929	036	2014/04/09	. 14.000	2017/04	
SPECIFIC CONDUCTANCE	00095	036	2014/04/09	. 330.000	2017/04	
SULFATE	00945	036	2014/04/09	. 7.700	2017/04	
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/09	. 220.000	2017/04	
TURBIDITY, LABORATORY	82079	036	2014/04/09	< .200	2017/04	
ZINC	01092	036	2014/04/09	< 50.000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-034***

Source Name: ***WELL 38***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/12/17	**< 50.000**	2016/12
ANTIMONY	**01097**	**036**	2013/12/17	**< 6.000**	2016/12
ARSENIC	**01002**	**036**	2013/12/17	**< 2.000**	2016/12
BARIUM	**01007**	**036**	2013/12/17	**< 100.000**	2016/12
BERYLLIUM	**01012**	**036**	2013/12/17	**< 1.000**	2016/12
CADMIUM	**01027**	**036**	2013/12/17	**< 1.000**	2016/12
CHROMIUM (TOTAL)	**01034**	**036**	2013/12/17	**. 3.200**	2016/12
CYANIDE	**01291**	**036**	2013/12/17	**< 5.000**	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/17	**. .200**	2016/12
MERCURY	**71900**	**036**	2013/12/17	**< 1.000**	2016/12
NICKEL	**01067**	**036**	2013/12/17	**< 10.000**	2016/12
PERCHLORATE	**A-031**	**036**	2014/04/24	**. .590**	2017/04
SELENIUM	**01147**	**036**	2013/12/17	**< 5.000**	2016/12
THALLIUM	**01059**	**036**	2013/12/17	**< 1.000**	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/24	**. 7.500**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/12/17	**< 100.000**	2016/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/24	**. 1.360**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/20	**< .010**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/20	**< .020**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/20	**< .500**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/20	**< .500**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/20	**< 10.000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/20	**< .500**	2014/12
1,1-DICHLOROETHANE	**34496**	**036**	2011/12/20	**< .500**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-034

Source Name: WELL 38

Source Number: 034

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/12/20	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/20	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/20	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/20	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/20	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/20	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/20	< .500	2014/12
BENZENE	34030	036	2011/12/20	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/20	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/20	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/20	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/20	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/20	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/20	< .500	2014/12
STYRENE	77128	036	2011/12/20	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/20	< .500	2014/12
TOLUENE	34010	036	2011/12/20	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/20	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/20	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/20	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/20	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/20	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/24	. 170.000	2017/04
CALCIUM	00916	036	2014/04/24	. 37.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/24	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/24	. 5.900	2017/04
COLOR	00081	036	2014/04/24	< 3.000	2017/04
COPPER	01042	036	2014/04/24	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-034

Source Name: WELL 38

Source Number: 034

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/04/24	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/24	. 120.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/24	< 3.000	2017/04
IRON	01045	036	2014/04/24	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/24	. 6.800	2017/04
MANGANESE	01055	036	2014/04/24	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/24	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/24	. 8.200	2017/04
SILVER	01077	036	2013/12/17	< 10.000	2016/12
SODIUM	00929	036	2014/04/24	. 17.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/24	. 340.000	2017/04
SULFATE	00945	036	2014/04/24	. 8.200	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/24	. 210.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/24	< .200	2017/04
ZINC	01092	036	2014/04/24	< 50.000	2017/04

PS Code: 3610034-035V

Source Name: WFA CONNECTION - TREATED

Source Number: 035

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610034-036T***					
Source Name: ***WELL 38 - TREATED***					
Source Number: ***036***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610034-037***					
Source Name: ***JCSD CONNECTION - POC1***					
Source Number: ***037***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610034-038***					
Source Name: ***JCSD CONNECTION - POC2***					
Source Number: ***038***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610034-039***					
Source Name: ***JCSD CONNECTION - POC3***					
Source Number: ***039***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-040***

Source Name: ***WELL 39***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/12/17	**< 50.000**	2016/12
ANTIMONY	**01097**	**036**	2013/12/17	**< 6.000**	2016/12
ARSENIC	**01002**	**036**	2013/12/17	**< 2.000**	2016/12
BARIUM	**01007**	**036**	2013/12/17	**< 100.000**	2016/12
BERYLLIUM	**01012**	**036**	2013/12/17	**< 1.000**	2016/12
CADMIUM	**01027**	**036**	2013/12/17	**< 1.000**	2016/12
CHROMIUM (TOTAL)	**01034**	**036**	2013/12/17	**. 5.500**	2016/12
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/05/05	**. 4.300**	2017/05
CYANIDE	**01291**	**036**	2013/12/17	**< 5.000**	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/17	**. .100**	2016/12
MERCURY	**71900**	**036**	2013/12/17	**< 1.000**	2016/12
NICKEL	**01067**	**036**	2013/12/17	**< 10.000**	2016/12
PERCHLORATE	**A-031**	**036**	2014/04/09	**. 3.600**	2017/04
SELENIUM	**01147**	**036**	2013/12/17	**< 5.000**	2016/12
THALLIUM	**01059**	**036**	2013/12/17	**< 1.000**	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/09	**. 13.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/12/17	**< 100.000**	2016/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/09	**. 1.320**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/09/13	**< .010**	2015/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/09/13	**< .020**	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/09/13	**< .500**	2015/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/09/13	**< .500**	2015/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/09/13	**< 10.000**	2015/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/09/13	**< .500**	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-040

Source Name: WELL 39

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2012/09/13	< .500	2015/09
1,1-DICHLOROETHYLENE	34501	036	2012/09/13	< .500	2015/09
1,2,4-TRICHLOROBENZENE	34551	036	2012/09/13	< .500	2015/09
1,2-DICHLOROBENZENE	34536	036	2012/09/13	< .500	2015/09
1,2-DICHLOROETHANE	34531	036	2012/09/13	< .500	2015/09
1,2-DICHLOROPROPANE	34541	036	2012/09/13	< .500	2015/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/09/13	< .500	2015/09
1,4-DICHLOROBENZENE	34571	036	2012/09/13	< .500	2015/09
BENZENE	34030	036	2012/09/13	< .500	2015/09
CARBON TETRACHLORIDE	32102	036	2012/09/13	< .500	2015/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/09/13	< .500	2015/09
DICHLOROMETHANE	34423	036	2012/09/13	< .500	2015/09
ETHYLBENZENE	34371	036	2012/09/13	< .500	2015/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/09/13	< 3.000	2015/09
MONOCHLOROBENZENE	34301	036	2012/09/13	< .500	2015/09
STYRENE	77128	036	2012/09/13	< .500	2015/09
TETRACHLOROETHYLENE	34475	036	2012/09/13	< .500	2015/09
TOLUENE	34010	036	2012/09/13	< .500	2015/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/09/13	< .500	2015/09
TRICHLOROETHYLENE	39180	036	2012/09/13	< .500	2015/09
TRICHLOROFLUOROMETHANE	34488	036	2012/09/13	< 5.000	2015/09
VINYL CHLORIDE	39175	036	2012/09/13	< .500	2015/09
XYLENES (TOTAL)	81551	036	2012/09/13	< .500	2015/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/09	. 170.000	2017/04
CALCIUM	00916	036	2014/04/09	. 49.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/09	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/09	. 9.000	2017/04
COLOR	00081	036	2014/04/09	< 3.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-040
Source Name: WELL 39
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/04/09	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/09	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/09	. 150.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/09	< 3.000	2017/04
IRON	01045	036	2014/04/09	. 190.000	2017/04
MAGNESIUM	00927	036	2014/04/09	. 7.000	2017/04
MANGANESE	01055	036	2014/04/09	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/09	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/09	. 7.800	2017/04
SILVER	01077	036	2013/12/17	< 10.000	2016/12
SODIUM	00929	036	2014/04/09	. 15.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/09	. 350.000	2017/04
SULFATE	00945	036	2014/04/09	. 8.500	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/09	. 250.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/09	< .200	2017/04
ZINC	01092	036	2014/04/09	< 50.000	2017/04

PS Code: 3610034-041
Source Name: WELL 40
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/11/20	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/20	< 6.000	2016/11
ARSENIC	01002	036	2013/11/20	. 2.100	2016/11
BARIUM	01007	036	2013/11/20	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/20	< 1.000	2016/11
CADMIUM	01027	036	2013/11/20	< 1.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-041
Source Name: WELL 40
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/11/20	. 4.000	2016/11	
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	. 3.400	2017/07	
CYANIDE	01291	036	2013/11/20	< 5.000	2016/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/20	. .300	2016/11	
MERCURY	71900	036	2013/11/20	< 1.000	2016/11	
NICKEL	01067	036	2013/11/20	< 10.000	2016/11	
PERCHLORATE	A-031	036	2014/07/21	. .890	2017/07	
SELENIUM	01147	036	2013/11/20	< 5.000	2016/11	
THALLIUM	01059	036	2013/11/20	< 1.000	2016/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/21	. 4.900	2015/07	
NITRITE (AS N)	00620	036	2013/11/20	. 1300.000	2016/11	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/17	. 1.890	2017/04	
REGULATED SOC						
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000				DUE
DINOSEB	81287	000				DUE
ENDOTHALL	38926	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-041
Source Name: WELL 40
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/12/19	< .500	2014/12	
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/19	< .500	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/19	< 10.000	2014/12	
1,1,2-TRICHLOROETHANE	34511	036	2011/12/19	< .500	2014/12	
1,1-DICHLOROETHANE	34496	036	2011/12/19	< .500	2014/12	
1,1-DICHLOROETHYLENE	34501	036	2011/12/19	< .500	2014/12	
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/19	< .500	2014/12	
1,2-DICHLOROBENZENE	34536	036	2011/12/19	< .500	2014/12	
1,2-DICHLOROETHANE	34531	036	2011/12/19	< .500	2014/12	
1,2-DICHLOROPROPANE	34541	036	2011/12/19	< .500	2014/12	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/19	< .500	2014/12	
1,4-DICHLOROBENZENE	34571	036	2011/12/19	< .500	2014/12	
BENZENE	34030	036	2011/12/19	< .500	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-041***

Source Name: ***WELL 40***

Source Number: ***041***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**036**	2011/12/19	**< .500**	2014/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/12/19	**< .500**	2014/12
DICHLOROMETHANE	**34423**	**036**	2011/12/19	**< .500**	2014/12
ETHYLBENZENE	**34371**	**036**	2011/12/19	**< .500**	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/12/19	**< 3.000**	2014/12
MONOCHLOROBENZENE	**34301**	**036**	2011/12/19	**< .500**	2014/12
STYRENE	**77128**	**036**	2011/12/19	**< .500**	2014/12
TETRACHLOROETHYLENE	**34475**	**036**	2011/12/19	**< .500**	2014/12
TOLUENE	**34010**	**036**	2011/12/19	**< .500**	2014/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/12/19	**< .500**	2014/12
TRICHLOROETHYLENE	**39180**	**036**	2011/12/19	**< .500**	2014/12
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/12/19	**< 5.000**	2014/12
VINYL CHLORIDE	**39175**	**036**	2011/12/19	**< .500**	2014/12
XYLENES (TOTAL)	**81551**	**036**	2011/12/19	**< .500**	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/07	**. 150.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/07	**. 27.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/07	**< 3.000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/07	**. 3.600**	2017/07
COLOR	**00081**	**036**	2014/07/07	**< 3.000**	2017/07
COPPER	**01042**	**036**	2014/07/07	**< 50.000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/07	**< .080**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/07	**. 82.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/07	**< 3.000**	2017/07
IRON	**01045**	**036**	2014/07/07	**< 100.000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/07	**. 3.700**	2017/07
MANGANESE	**01055**	**036**	2014/07/07	**< 20.000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/07	**< 1.000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/07	**. 7.800**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-041
Source Name: WELL 40
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SILVER	01077	036	2013/11/20	< 10.000	2016/11
SODIUM	00929	036	2014/07/07	. 35.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/07	. 290.000	2017/07
SULFATE	00945	036	2014/07/07	. 15.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/07	. 160.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/07	< .200	2017/07
ZINC	01092	036	2014/07/07	< 50.000	2017/07

PS Code: 3610034-042
Source Name: WELL 41
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/11/19	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/19	< 6.000	2016/11
ARSENIC	01002	036	2013/11/19	< 2.000	2016/11
BARIUM	01007	036	2013/11/19	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/19	< 1.000	2016/11
CADMIUM	01027	036	2013/11/19	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/19	. 3.800	2016/11
CHROMIUM, HEXAVALENT	01032	036	2014/04/22	. 3.400	2017/04
CYANIDE	01291	036	2013/11/19	< 5.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/19	. .200	2016/11
MERCURY	71900	036	2013/11/19	< 1.000	2016/11
NICKEL	01067	036	2013/11/19	< 10.000	2016/11
PERCHLORATE	A-031	036	2014/07/18	. 2.400	2017/07
SELENIUM	01147	036	2013/11/19	< 5.000	2016/11
THALLIUM	01059	036	2013/11/19	< 1.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-042

Source Name: WELL 41

Source Number: 042

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/18	. 12.000	2015/07
NITRITE (AS N)	00620	036	2013/11/19	. 2100.000	2016/11
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/22	. .367	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/18	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/18	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/18	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/18	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/18	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/18	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/18	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/18	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/18	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/18	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/18	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/18	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/23	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2014/07/18	< .500	2017/07
BENZENE	34030	036	2014/07/18	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/18	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/18	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/18	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/18	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/18	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/18	< .500	2017/07
STYRENE	77128	036	2014/07/18	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-042
Source Name: WELL 41
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2014/07/18	< .500	2017/07
TOLUENE	34010	036	2014/07/18	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/18	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/18	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/18	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/18	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/18	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/18	. 180.000	2017/07
CALCIUM	00916	036	2014/07/18	. 36.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/18	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/18	. 5.000	2017/07
COLOR	00081	036	2014/07/18	< 3.000	2017/07
COPPER	01042	036	2014/07/18	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/18	< .200	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/18	. 110.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/18	< 3.000	2017/07
IRON	01045	036	2014/07/18	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/18	. 4.800	2017/07
MANGANESE	01055	036	2014/07/18	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/18	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/18	. 7.900	2017/07
SILVER	01077	036	2011/12/23	< 10.000	2014/12
SODIUM	00929	036	2014/07/18	. 30.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/18	. 340.000	2017/07
SULFATE	00945	036	2014/07/18	. 16.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/18	. 210.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/18	. .400	2017/07
ZINC	01092	036	2014/07/18	< 50.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-043***

Source Name: ***WELL 44***

Source Number: ***043***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/12/18	**< 50.000**	2016/12
ANTIMONY	**01097**	**036**	2013/12/18	**< 6.000**	2016/12
ARSENIC	**01002**	**036**	2013/12/18	**< 2.000**	2016/12
BARIUM	**01007**	**036**	2013/12/18	**< 100.000**	2016/12
BERYLLIUM	**01012**	**036**	2013/12/18	**< 1.000**	2016/12
CADMIUM	**01027**	**036**	2013/12/18	**< 1.000**	2016/12
CHROMIUM (TOTAL)	**01034**	**036**	2013/12/18	**. 1.400**	2016/12
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/06/05	**. 1.800**	2017/06
CYANIDE	**01291**	**036**	2013/12/18	**< 5.000**	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/18	**. .300**	2016/12
MERCURY	**71900**	**036**	2013/12/18	**< 1.000**	2016/12
NICKEL	**01067**	**036**	2013/12/18	**< 10.000**	2016/12
PERCHLORATE	**A-031**	**036**	2014/06/05	**. 4.900**	2017/06
SELENIUM	**01147**	**036**	2013/12/18	**< 5.000**	2016/12
THALLIUM	**01059**	**036**	2013/12/18	**< 1.000**	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/05	**. 48.000**	2015/06
NITRITE (AS N)	**00620**	**036**	2013/12/18	**< 100.000**	2016/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/12/07	**. 1.380**	2014/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/05/21	**. .077**	2017/05
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/18	**< .020**	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/22	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/22	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/22	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/22	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-043
Source Name: WELL 44
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2011/07/22	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	036	2011/07/22	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/22	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/22	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/22	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/22	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/22	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/22	< .500	2014/07
BENZENE	34030	036	2011/07/22	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/22	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/22	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/22	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/22	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/22	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/22	< .500	2014/07
STYRENE	77128	036	2011/07/22	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/22	< .500	2014/07
TOLUENE	34010	036	2011/07/22	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/22	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/22	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/22	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/22	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/22	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/05	. 170.000	2017/06
CALCIUM	00916	036	2014/06/05	. 49.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/05	< 3.000	2017/06
CHLORIDE	00940	036	2014/06/05	. 11.000	2017/06
COLOR	00081	036	2014/06/05	< 3.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-043
Source Name: WELL 44
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/06/05	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/05	< .050	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/05	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/05	< 3.000	2017/06
IRON	01045	036	2014/06/05	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/05	. 13.000	2017/06
MANGANESE	01055	036	2014/06/05	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/05	< 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/05	. 7.700	2017/06
SILVER	01077	036	2011/12/07	< 10.000	2014/12
SODIUM	00929	036	2014/06/05	. 19.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/05	. 440.000	2017/06
SULFATE	00945	036	2014/06/05	. 26.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/05	. 270.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/05	. .210	2017/06
ZINC	01092	036	2014/06/05	< 50.000	2017/06

PS Code: 3610034-044
Source Name: WELL 52
Source Number: 044
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/12/18	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/18	< 6.000	2016/12
ARSENIC	01002	036	2013/12/18	< 2.000	2016/12
BARIUM	01007	036	2013/12/18	< 100.000	2016/12
BERYLLIUM	01012	036	2013/12/18	< 1.000	2016/12
CADMIUM	01027	036	2013/12/18	< 1.000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-044***

Source Name: ***WELL 52***

Source Number: ***044***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2013/12/18	. **1.300**	2016/12
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/05/21	. **1.400**	2017/05
CYANIDE	**01291**	**036**	2013/12/18	< **5.000**	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/12/18	. **.400**	2016/12
MERCURY	**71900**	**036**	2013/12/18	< **1.000**	2016/12
NICKEL	**01067**	**036**	2013/12/18	< **10.000**	2016/12
PERCHLORATE	**A-031**	**036**	2014/05/21	. **5.800**	2017/05
SELENIUM	**01147**	**036**	2013/12/18	< **5.000**	2016/12
THALLIUM	**01059**	**036**	2013/12/18	< **1.000**	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/21	. **56.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2013/12/18	< **100.000**	2016/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/12/14	. **.830**	2014/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/05/21	. **.057**	2017/05
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/18	< **.020**	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/22	< **.500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/22	< **.500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/22	< **10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/22	< **.500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/22	< **.500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/22	< **.500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/22	< **.500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/22	< **.500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/22	< **.500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/22	< **.500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-044
Source Name: WELL 52
Source Number: 044
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/22	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/22	< .500	2014/07
BENZENE	34030	036	2011/07/22	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/22	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/22	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/22	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/22	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/22	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/22	< .500	2014/07
STYRENE	77128	036	2011/07/22	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/22	< .500	2014/07
TOLUENE	34010	036	2011/07/22	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/22	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/22	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/22	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/22	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/22	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/21	. 160.000	2017/05
CALCIUM	00916	036	2014/05/21	. 52.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/21	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/21	. 12.000	2017/05
COLOR	00081	036	2014/05/21	< 3.000	2017/05
COPPER	01042	036	2014/05/21	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/21	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/21	. 190.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/21	< 3.000	2017/05
IRON	01045	036	2014/05/21	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/21	. 14.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-044

Source Name: WELL 52

Source Number: 044

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/05/21	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/21	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/21	. 7.500	2017/05
SILVER	01077	036	2011/12/14	< 10.000	2014/12
SODIUM	00929	036	2014/05/21	. 18.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/21	. 510.000	2017/05
SULFATE	00945	036	2014/05/21	. 30.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/21	. 310.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/21	< .200	2017/05
ZINC	01092	036	2014/05/21	< 50.000	2017/05

PS Code: 3610034-045

Source Name: WELL NO. 45

Source Number: 045

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/10/24	< 50.000	2016/10
ANTIMONY	01097	036	2013/10/24	< 6.000	2016/10
ARSENIC	01002	036	2013/10/24	< 2.000	2016/10
BARIUM	01007	036	2013/10/24	< 100.000	2016/10
BERYLLIUM	01012	036	2013/10/24	< 1.000	2016/10
CADMIUM	01027	036	2013/10/24	< 1.000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/24	2.200	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/11	. 2.200	2017/07
CYANIDE	01291	036	2013/10/24	< 5.000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/24	. .300	2016/10
MERCURY	71900	036	2013/10/24	< 1.000	2016/10
NICKEL	01067	036	2013/10/24	< 10.000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-045***

Source Name: ***WELL NO. 45***

Source Number: ***045***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	**A-031**	**036**	2014/07/11	**. 2.300**	2017/07	
SELENIUM	**01147**	**036**	2013/10/24	**< 5.000**	2016/10	
THALLIUM	**01059**	**036**	2013/10/24	**< 1.000**	2016/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/11	**. 18.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2013/10/24	**. 4400.000**	2016/10	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/04/09	**. .146**	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/11	**< .010**	2017/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/11	**< .020**	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/11	**< .500**	2017/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/11	**< .500**	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/11	**< 10.000**	2017/07	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/11	**< .500**	2017/07	
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/11	**< .500**	2017/07	
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/11	**< .500**	2017/07	
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/11	**< .500**	2017/07	
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/11	**< .500**	2017/07	
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/11	**< .500**	2017/07	
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/11	**< .500**	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	**2011/05/13**	**< .500**	**2014/05**	**DUE**
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/11	**< .500**	2017/07	
BENZENE	**34030**	**036**	2014/07/11	**< .500**	2017/07	
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/11	**< .500**	2017/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/11	**< .500**	2017/07	
DICHLOROMETHANE	**34423**	**036**	2014/07/11	**< .500**	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-045

Source Name: WELL NO. 45

Source Number: 045

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/07/11	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/11	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/11	< .500	2017/07
STYRENE	77128	036	2014/07/11	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/11	< .500	2017/07
TOLUENE	34010	036	2014/07/11	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/11	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/11	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/11	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/11	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/11	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/11	. 180.000	2017/07
CALCIUM	00916	036	2014/07/11	. 46.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/11	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/11	. 6.700	2017/07
COLOR	00081	036	2014/07/11	< 3.000	2017/07
COPPER	01042	036	2014/07/11	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/11	< .200	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/11	. 160.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/11	< 3.000	2017/07
IRON	01045	036	2014/07/11	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/11	. 10.000	2017/07
MANGANESE	01055	036	2014/07/11	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/11	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/11	. 7.600	2017/07
SILVER	01077	036	2013/04/26	< 10.000	2016/04
SODIUM	00929	036	2014/07/11	. 17.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/11	. 370.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-045
Source Name: WELL NO. 45
Source Number: 045
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2014/07/11	. 18.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/11	. 180.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/11	< .200	2017/07
ZINC	01092	036	2014/07/11	< 50.000	2017/07

PS Code: 3610034-046
Source Name: WELL NO. 46
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/11/22	< 50.000	2016/11
ANTIMONY	01097	036	2013/11/22	< 6.000	2016/11
ARSENIC	01002	036	2013/11/22	< 2.000	2016/11
BARIUM	01007	036	2013/11/22	< 100.000	2016/11
BERYLLIUM	01012	036	2013/11/22	< 1.000	2016/11
CADMIUM	01027	036	2013/11/22	< 1.000	2016/11
CHROMIUM (TOTAL)	01034	036	2013/11/22	. 1.900	2016/11
CHROMIUM, HEXAVALENT	01032	036	2014/07/14	. 1.900	2017/07
CYANIDE	01291	036	2013/11/22	< 5.000	2016/11
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/22	. .400	2016/11
MERCURY	71900	036	2013/11/22	< 1.000	2016/11
NICKEL	01067	036	2013/11/22	< 10.000	2016/11
PERCHLORATE	A-031	036	2014/07/14	. .850	2017/07
SELENIUM	01147	036	2013/11/22	< 5.000	2016/11
THALLIUM	01059	036	2013/11/22	< 1.000	2016/11
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/14	. 7.000	2015/07
NITRITE (AS N)	00620	036	2013/11/22	< 100.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610034***

System Name: ***ONTARIO MUNICIPAL UTILITIES COMPANY***

PS Code: ***3610034-046***

Source Name: ***WELL NO. 46***

Source Number: ***046***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/09	. .753	2017/04	
REGULATED SOC						
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/14	< .010	2017/07	
DINOSEB	81287	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/14	< .020	2017/07	
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-046
Source Name: WELL NO. 46
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/14	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/14	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/14	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/14	< .500	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/14	< .500	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/14	< .500	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/14	< .500	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/13	< .500	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2014/07/14	< .500	2017/07	
BENZENE	34030	036	2014/07/14	< .500	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/14	< .500	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/14	< .500	2017/07	
DICHLOROMETHANE	34423	036	2014/07/14	< .500	2017/07	
ETHYLBENZENE	34371	036	2014/07/14	< .500	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/14	< 3.000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/14	< .500	2017/07	
STYRENE	77128	036	2014/07/14	< .500	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/14	< .500	2017/07	
TOLUENE	34010	036	2014/07/14	< .500	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/14	< .500	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/14	< .500	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/14	< 5.000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/14	< .500	2017/07	
XYLENES (TOTAL)	81551	036	2014/07/14	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-046

Source Name: WELL NO. 46

Source Number: 046

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/14	. 140.000	2017/07
CALCIUM	00916	036	2014/07/14	. 29.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/14	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/14	. 4.200	2017/07
COLOR	00081	036	2014/07/14	< 3.000	2017/07
COPPER	01042	036	2014/07/14	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/14	< .200	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/14	. 95.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/14	< 3.000	2017/07
IRON	01045	036	2014/07/14	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/14	. 5.400	2017/07
MANGANESE	01055	036	2014/07/14	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/14	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/14	. 7.800	2017/07
SILVER	01077	036	2013/11/22	< 10.000	2016/11
SODIUM	00929	036	2014/07/14	. 32.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/14	. 320.000	2017/07
SULFATE	00945	036	2014/07/14	. 26.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/14	. 200.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/14	< .200	2017/07
ZINC	01092	036	2014/07/14	< 50.000	2017/07

PS Code: 3610034-047

Source Name: IX PLANT FINAL EFFLUENT

Source Number: 047

Source Status: ACTIVE TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-048
Source Name: WELL NO. 47
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/10/24	< 50.000	2016/10	
ANTIMONY	01097	036	2013/10/24	< 6.000	2016/10	
ARSENIC	01002	036	2013/10/24	< 2.000	2016/10	
BARIUM	01007	036	2013/10/24	< 100.000	2016/10	
BERYLLIUM	01012	036	2013/10/24	< 1.000	2016/10	
CADMIUM	01027	036	2013/10/24	< 1.000	2016/10	
CHROMIUM (TOTAL)	01034	036	2013/10/24	3.000	2016/10	
CHROMIUM, HEXAVALENT	01032	036	2014/07/14	. 2.600	2017/07	
CYANIDE	01291	036	2013/10/24	< 5.000	2016/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/24	. .200	2016/10	
MERCURY	71900	036	2013/10/24	< 1.000	2016/10	
NICKEL	01067	036	2013/10/24	< 10.000	2016/10	
PERCHLORATE	A-031	036	2014/07/14	. 1.900	2017/07	
SELENIUM	01147	036	2013/10/24	< 5.000	2016/10	
THALLIUM	01059	036	2013/10/24	< 1.000	2016/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/14	. 8.000	2015/07	
NITRITE (AS N)	00620	036	2013/10/24	. 2000.000	2016/10	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/09	. 1.480	2017/04	
REGULATED SOC						
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENZO (A) PYRENE	34247	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/14	< .010	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/14	< .020	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-048
Source Name: WELL NO. 47
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
MOLINATE	82199	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/14	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/14	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/14	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/14	< .500	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/14	< .500	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/14	< .500	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/14	< .500	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/14	< .500	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/13	< .500	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2014/07/14	< .500	2017/07	
BENZENE	34030	036	2014/07/14	< .500	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/14	< .500	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/14	< .500	2017/07	
DICHLOROMETHANE	34423	036	2014/07/14	< .500	2017/07	
ETHYLBENZENE	34371	036	2014/07/14	< .500	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/14	< 3.000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/14	< .500	2017/07	
STYRENE	77128	036	2014/07/14	< .500	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/14	< .500	2017/07	
TOLUENE	34010	036	2014/07/14	< .500	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/14	< .500	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/14	< .500	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/14	< 5.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-048
Source Name: WELL NO. 47
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
VINYL CHLORIDE	39175	036	2014/07/14	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/14	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/14	. 170.000	2017/07
CALCIUM	00916	036	2014/07/14	. 43.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/14	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/14	. 5.100	2017/07
COLOR	00081	036	2014/07/14	< 3.000	2017/07
COPPER	01042	036	2014/07/14	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/14	< .040	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/14	. 130.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/14	< 3.000	2017/07
IRON	01045	036	2014/07/14	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/14	. 5.700	2017/07
MANGANESE	01055	036	2014/07/14	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/14	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/14	. 7.900	2017/07
SILVER	01077	036	2013/04/26	< 10.000	2016/04
SODIUM	00929	036	2014/07/14	. 15.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/14	. 310.000	2017/07
SULFATE	00945	036	2014/07/14	. 4.900	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/14	. 200.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/14	< .200	2017/07
ZINC	01092	036	2014/07/14	< 50.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-049
Source Name: WELL 49
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/12/17	< 50.000	2016/12
ANTIMONY	01097	036	2013/12/17	< 6.000	2016/12
ARSENIC	01002	036	2013/12/17	< 2.000	2016/12
BARIUM	01007	036	2013/12/17	< 100.000	2016/12
BERYLLIUM	01012	036	2013/12/17	< 1.000	2016/12
CADMIUM	01027	036	2013/12/17	< 1.000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/17	. 4.400	2016/12
CHROMIUM, HEXAVALENT	01032	036	2014/04/22	. 3.300	2017/04
CYANIDE	01291	036	2013/12/17	< 5.000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/17	. .200	2016/12
MERCURY	71900	036	2013/12/17	< 1.000	2016/12
NICKEL	01067	036	2013/12/17	< 10.000	2016/12
PERCHLORATE	A-031	036	2014/04/22	. 1.000	2017/04
SELENIUM	01147	036	2013/12/17	< 5.000	2016/12
THALLIUM	01059	036	2013/12/17	< 1.000	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/22	. 13.000	2015/04
NITRITE (AS N)	00620	036	2013/12/17	< 100.000	2016/12
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/22	. .021	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/05	< .010	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/05	< .020	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/12/05	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/05	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/05	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	036	2011/12/05	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-049
Source Name: WELL 49
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2011/12/05	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	036	2011/12/05	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/05	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/05	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/05	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/05	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/05	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/05	< .500	2014/12
BENZENE	34030	036	2011/12/05	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/05	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/05	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/05	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/05	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/05	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/05	< .500	2014/12
STYRENE	77128	036	2011/12/05	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/05	< .500	2014/12
TOLUENE	34010	036	2011/12/05	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/05	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/05	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/05	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/05	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/05	< .500	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/22	. 160.000	2017/04
CALCIUM	00916	036	2014/04/22	. 45.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/22	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/22	. 9.600	2017/04
COLOR	00081	036	2014/04/22	< 3.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-049
Source Name: WELL 49
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/04/22	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/22	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/22	. 140.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/22	< 3.000	2017/04
IRON	01045	036	2014/04/22	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/22	. 5.800	2017/04
MANGANESE	01055	036	2014/04/22	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/22	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/22	. 7.800	2017/04
SILVER	01077	036	2011/12/05	< 10.000	2014/12
SODIUM	00929	036	2014/04/22	. 14.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/22	. 350.000	2017/04
SULFATE	00945	036	2014/04/22	. 11.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/22	. 190.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/22	< .200	2017/04
ZINC	01092	036	2014/04/22	< 50.000	2017/04

PS Code: 3610034-050
Source Name: WELL 50
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2009/04/20	< 50.000	2012/04	DUE
ANTIMONY	01097	036	2009/04/20	< 6.000	2012/04	DUE
ARSENIC	01002	036	2009/04/20	< 2.000	2012/04	DUE
BARIUM	01007	036	2009/04/20	120.000	2012/04	DUE
BERYLLIUM	01012	036	2009/04/20	< 1.000	2012/04	DUE
CADMIUM	01027	036	2009/04/20	< 1.000	2012/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-050
Source Name: WELL 50
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	01034	036	2009/04/20		7.600	2012/04	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2009/04/20	<	100.000	2012/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/04/20		.200	2012/04	DUE
MERCURY	71900	036	2009/04/20	<	1.000	2012/04	DUE
NICKEL	01067	036	2009/04/20	<	10.000	2012/04	DUE
PERCHLORATE	A-031	036	2012/09/04	.	2.900	2015/09	
SELENIUM	01147	036	2009/04/20	<	5.000	2012/04	DUE
THALLIUM	01059	036	2009/04/20	<	1.000	2012/04	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2012/11/20	.	18.000	2013/11	DUE
NITRITE (AS N)	00620	036	2009/04/20	<	100.000	2012/04	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2012/12/21	.	1.990	2015/12	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/20	<	.010	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/20	<	.020	2012/04	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2012/12/21	<	.500	2015/12	
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/12/21	<	.500	2015/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/12/21	<	10.000	2015/12	
1,1,2-TRICHLOROETHANE	34511	036	2012/12/21	<	.500	2015/12	
1,1-DICHLOROETHANE	34496	036	2012/12/21	<	.500	2015/12	
1,1-DICHLOROETHYLENE	34501	036	2012/12/21	<	.500	2015/12	
1,2,4-TRICHLOROBENZENE	34551	036	2012/12/21	<	.500	2015/12	
1,2-DICHLOROBENZENE	34536	036	2012/12/21	<	.500	2015/12	
1,2-DICHLOROETHANE	34531	036	2012/12/21	<	.500	2015/12	
1,2-DICHLOROPROPANE	34541	036	2012/12/21	<	.500	2015/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-050
Source Name: WELL 50
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/12/21	< .500	2015/12
1,4-DICHLOROBENZENE	34571	036	2012/12/21	< .500	2015/12
BENZENE	34030	036	2012/12/21	< .500	2015/12
CARBON TETRACHLORIDE	32102	036	2012/12/21	< .500	2015/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/12/21	< .500	2015/12
DICHLOROMETHANE	34423	036	2012/12/21	< .500	2015/12
ETHYLBENZENE	34371	036	2012/12/21	< .500	2015/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/12/21	< 3.000	2015/12
MONOCHLOROBENZENE	34301	036	2012/12/21	< .500	2015/12
STYRENE	77128	036	2012/12/21	< .500	2015/12
TETRACHLOROETHYLENE	34475	036	2012/12/21	< .500	2015/12
TOLUENE	34010	036	2012/12/21	< .500	2015/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/12/21	< .500	2015/12
TRICHLOROETHYLENE	39180	036	2012/12/21	< .500	2015/12
TRICHLOROFLUOROMETHANE	34488	036	2012/12/21	< 5.000	2015/12
VINYL CHLORIDE	39175	036	2012/12/21	< .500	2015/12
XYLENES (TOTAL)	81551	036	2012/12/21	< .500	2015/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/11/20	. 170.000	2015/11
CALCIUM	00916	036	2012/11/20	. 71.000	2015/11
CARBONATE ALKALINITY	00445	036	2012/11/20	< 3.000	2015/11
CHLORIDE	00940	036	2012/11/20	. 54.000	2015/11
COLOR	00081	036	2012/11/20	< 3.000	2015/11
COPPER	01042	036	2012/11/20	< 50.000	2015/11
FOAMING AGENTS (MBAS)	38260	036	2012/11/20	< .050	2015/11
HARDNESS (TOTAL) AS CACO3	00900	036	2012/11/20	. 240.000	2015/11
HYDROXIDE ALKALINITY	71830	036	2012/11/20	< 3.000	2015/11
IRON	01045	036	2012/11/20	< 100.000	2015/11
MAGNESIUM	00927	036	2012/11/20	. 15.000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-050

Source Name: WELL 50

Source Number: 050

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2012/11/20	<	20.000	2015/11	
ODOR THRESHOLD @ 60 C	00086	036	2012/11/20	<	1.000	2015/11	
PH, LABORATORY	00403	036	2012/11/20	.	7.600	2015/11	
SILVER	01077	036	2009/04/20	<	10.000	2012/04	DUE
SODIUM	00929	036	2012/11/20		23.000	2015/11	
SPECIFIC CONDUCTANCE	00095	036	2012/11/20	.	620.000	2015/11	
SULFATE	00945	036	2012/11/20		61.000	2015/11	
TOTAL DISSOLVED SOLIDS	70300	036	2012/11/20	.	390.000	2015/11	
TURBIDITY, LABORATORY	82079	036	2012/11/20	<	.200	2015/11	
ZINC	01092	036	2012/11/20	<	50.000	2015/11	

PS Code: 3610034-601

Source Name: DBP2-1303 WEST E STREET

Source Number: 601

Source Status: DISTRIBUTION TREATED

Water type: S

HALOACETIC ACIDS							
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	.	4.600	2014/08	
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	<	1.000	2014/08	
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	.	8.100	2014/08	
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	.	2.200	2014/08	
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	<	2.000	2014/08	
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	.	1.200	2014/08	
STATE UCMR							
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	.	9.000	2014/08	
BROMOFORM (THM)	32104	003	2014/05/21	.	28.000	2014/08	
CHLOROFORM (THM)	32106	003	2014/05/21	.	2.700	2014/08	
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	.	18.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034

System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-601					
Source Name: DBP2-1303 WEST E STREET					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 58.000	2014/08
PS Code: 3610034-602					
Source Name: DBP2-2135 SOUTH MAGNOLIA AVENUE					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	< 2.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 1.200	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 3.200	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. .760	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 2.100	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 7.300	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-603					
Source Name: DBP2-656 WEST EL MORADO COURT					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 4.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 9.200	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	. 3.100	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 1.200	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 9.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 29.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 2.700	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 19.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 60.000	2014/08
PS Code: 3610034-604					
Source Name: DBP2-1210 EAST DEODAR STREET					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 4.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 9.300	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	. 3.300	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 1.200	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 8.900	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-604					
Source Name: DBP2-1210 EAST DEODAR STREET					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/05/21	. 25.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 2.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 17.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 54.000	2014/08
PS Code: 3610034-605					
Source Name: DBP2-1238 EAST RAYMOND STREET					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 13.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	. 3.800	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	. 3.300	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 1.400	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 8.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 24.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 2.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 16.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 51.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

PS Code: 3610034-606
Source Name: DBP2-1317 WEST RALSTON STREET
Source Number: 606
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 3.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 8.600	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	. 4.200	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 1.300	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 8.900	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 28.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 2.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 18.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 57.000	2014/08

PS Code: 3610034-607
Source Name: DBP2-1832 NORTH VIRGINIA AVENUE
Source Number: 607
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 5.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 8.300	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	. 1.600	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 1.200	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 8.500	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-607					
Source Name: DBP2-1832 NORTH VIRGINIA AVENUE					
Source Number: 607					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/05/21	. 25.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 2.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 17.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 53.000	2014/08
PS Code: 3610034-608					
Source Name: DBP2-1206 W 4TH STREET					
Source Number: 608					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 5.600	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 8.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	. 1.500	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	. 1.200	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 8.700	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 28.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 2.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 17.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/21	. 56.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-745					
Source Name: IX INFLUENT WELL 44 AND 52 RAW					
Source Number: 745					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-746					
Source Name: IX VESSELS EFFLUENT WELL 44 AND 52					
Source Number: 746					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-800					
Source Name: WELL 17 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-801					
Source Name: WELL 20 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-802 **Source Name:** WELL 24 - TREATED (CL2) **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-803 **Source Name:** WELL 25 - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-804 **Source Name:** WELL 26 - TREATED (CL2) **Source Number:** 804 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-805 **Source Name:** WELL 27 - TREATED (CL2) **Source Number:** 805 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-806 **Source Name:** WELL 29 - TREATED (CL2) **Source Number:** 806 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-807 **Source Name:** WELL 30 - TREATED (CL2) **Source Number:** 807 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-808 **Source Name:** WELL 31 - TREATED (CL2) **Source Number:** 808 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-809 **Source Name:** WELL 34 - TREATED (CL2) **Source Number:** 809 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-810					
Source Name: WELL 35 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-811					
Source Name: WELL 36 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-812					
Source Name: WELL 37 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-813					
Source Name: WELL 39 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610034
System Name: ONTARIO MUNICIPAL UTILITIES COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610034-814 **Source Name:** WELL 40 - TREATED (CL2) **Source Number:** 814 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-815 **Source Name:** WELL 41 - TREATED (CL2) **Source Number:** 815 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-816 **Source Name:** WELL 49 - TREATED (CL2) **Source Number:** 816 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610034-817 **Source Name:** WELL 50 - TREATED (CL2) **Source Number:** 817 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-001
Source Name: BROADFOOT WELL 01A
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/01/23	< 50.000	2017/01	
ANTIMONY	01097	036	2014/01/23	< 6.000	2017/01	
ARSENIC	01002	036	2014/07/09	< 2.000	2017/07	
BARIUM	01007	036	2014/01/23	< 100.000	2017/01	
BERYLLIUM	01012	036	2014/01/23	< 1.000	2017/01	
CADMIUM	01027	036	2014/01/23	< 1.000	2017/01	
CHROMIUM (TOTAL)	01034	036	2014/01/23	. 11.000	2017/01	
CHROMIUM, HEXAVALENT	01032	036	**2010/05/19**	9.100	**2013/05**	**DUE**
CYANIDE	01291	036	2014/01/23	< 5.000	2017/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/23	. .200	2017/01	
MERCURY	71900	036	2014/01/23	< 1.000	2017/01	
NICKEL	01067	036	2014/01/23	< 10.000	2017/01	
PERCHLORATE	A-031	036	2014/07/09	< 4.000	2017/07	
SELENIUM	01147	036	2014/01/23	< 5.000	2017/01	
THALLIUM	01059	036	2014/01/23	< 1.000	2017/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 37.000	2015/07	
NITRITE (AS N)	00620	036	2014/01/23	< 100.000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/01/23	. 1.720	2017/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/23	< .010	2017/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/23	< .020	2017/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/01/23	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/01/23	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/01/23	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	036	2014/01/23	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-001
Source Name: BROADFOOT WELL 01A
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/01/23	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	036	2014/01/23	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	036	2014/01/23	< .500	2017/01
1,2-DICHLOROBENZENE	34536	036	2014/01/23	< .500	2017/01
1,2-DICHLOROETHANE	34531	036	2014/01/23	< .500	2017/01
1,2-DICHLOROPROPANE	34541	036	2014/01/23	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/01/23	< .500	2017/01
1,4-DICHLOROBENZENE	34571	036	2014/01/23	< .500	2017/01
BENZENE	34030	036	2014/01/23	< .500	2017/01
CARBON TETRACHLORIDE	32102	036	2014/01/23	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/01/23	< .500	2017/01
DICHLOROMETHANE	34423	036	2014/01/23	< .500	2017/01
ETHYLBENZENE	34371	036	2014/01/23	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/01/23	< 3.000	2017/01
MONOCHLOROBENZENE	34301	036	2014/01/23	< .500	2017/01
STYRENE	77128	036	2014/01/23	< .500	2017/01
TETRACHLOROETHYLENE	34475	036	2014/01/23	< .500	2017/01
TOLUENE	34010	036	2014/01/23	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/01/23	< .500	2017/01
TRICHLOROETHYLENE	39180	036	2014/01/23	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	036	2014/01/23	< 5.000	2017/01
VINYL CHLORIDE	39175	036	2014/01/23	< .500	2017/01
XYLENES (TOTAL)	81551	036	2014/01/23	< .500	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/23	. 180.000	2017/01
CALCIUM	00916	036	2014/01/23	. 56.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/23	< 3.000	2017/01
CHLORIDE	00940	036	2014/01/23	. 17.000	2017/01
COLOR	00081	036	2014/01/23	< 3.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-001
Source Name: BROADFOOT WELL 01A
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2014/01/23	< 50.000	2017/01	
FOAMING AGENTS (MBAS)	38260	036	2014/01/23	< .050	2017/01	
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/23	. 190.000	2017/01	
HYDROXIDE ALKALINITY	71830	036	2014/01/23	< 3.000	2017/01	
IRON	01045	036	2014/01/23	< 100.000	2017/01	
MAGNESIUM	00927	036	2014/01/23	. 11.000	2017/01	
MANGANESE	01055	036	2014/01/23	< 20.000	2017/01	
ODOR THRESHOLD @ 60 C	00086	036	2014/01/23	< 1.000	2017/01	
PH, LABORATORY	00403	036	2014/01/23	. 7.900	2017/01	
SILVER	01077	036	2014/01/23	< 10.000	2017/01	
SODIUM	00929	036	2014/01/23	18.000	2017/01	
SPECIFIC CONDUCTANCE	00095	036	2014/01/23	. 470.000	2017/01	
SULFATE	00945	036	2014/01/23	35.000	2017/01	
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/23	. 350.000	2017/01	
TURBIDITY, LABORATORY	82079	036	2014/01/23	< .200	2017/01	
ZINC	01092	036	2014/01/23	< 50.000	2017/01	

PS Code: 3610036-009
Source Name: WELL 07A
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/05/10	< 50.000	2014/05	DUE
ANTIMONY	01097	036	2011/05/10	< 6.000	2014/05	DUE
ARSENIC	01002	036	2014/07/09	< 2.000	2017/07	
BARIUM	01007	036	2011/05/10	< 100.000	2014/05	DUE
BERYLLIUM	01012	036	2011/05/10	< 1.000	2014/05	DUE
CADMIUM	01027	036	2011/05/10	< 1.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-009
Source Name: WELL 07A
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	01034	036	2011/05/10	.	7.600	2014/05	DUE
CHROMIUM, HEXAVALENT	01032	036	2010/05/11		5.000	2013/05	DUE
CYANIDE	01291	036	2011/05/10	<	100.000	2014/05	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/05/10	.	.200	2014/05	DUE
MERCURY	71900	036	2011/05/10	<	1.000	2014/05	DUE
NICKEL	01067	036	2011/05/10	<	10.000	2014/05	DUE
PERCHLORATE	A-031	036	2014/07/09	<	4.000	2017/07	
SELENIUM	01147	036	2011/05/10	.	5.800	2014/05	DUE
THALLIUM	01059	036	2011/05/10	<	1.000	2014/05	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/09	.	40.000	2015/07	
NITRITE (AS N)	00620	036	2011/05/10	<	100.000	2014/05	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/04/15	.	2.280	2017/04	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/10	<	.010	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/10	<	.020	2014/05	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2011/05/10	<	.500	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/05/10	<	.500	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/05/10	<	10.000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/05/10	<	.500	2014/05	DUE
1,1-DICHLOROETHANE	34496	036	2011/05/10	<	.500	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/05/10	<	.500	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/05/10	<	.500	2014/05	DUE
1,2-DICHLOROBENZENE	34536	036	2011/05/10	<	.500	2014/05	DUE
1,2-DICHLOROETHANE	34531	036	2011/05/10	<	.500	2014/05	DUE
1,2-DICHLOROPROPANE	34541	036	2011/05/10	<	.500	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-009
Source Name: WELL 07A
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/05/10	< .500	2014/05	DUE
1,4-DICHLOROBENZENE	34571	036	2011/05/10	< .500	2014/05	DUE
BENZENE	34030	036	2011/05/10	< .500	2014/05	DUE
CARBON TETRACHLORIDE	32102	036	2011/05/10	< .500	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/05/10	< .500	2014/05	DUE
DICHLOROMETHANE	34423	036	2011/05/10	< .500	2014/05	DUE
ETHYLBENZENE	34371	036	2011/05/10	< .500	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/05/10	< 3.000	2014/05	DUE
MONOCHLOROBENZENE	34301	036	2011/05/10	< .500	2014/05	DUE
STYRENE	77128	036	2011/05/10	< .500	2014/05	DUE
TETRACHLOROETHYLENE	34475	036	2011/05/10	< .500	2014/05	DUE
TOLUENE	34010	036	2011/05/10	< .500	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/05/10	< .500	2014/05	DUE
TRICHLOROETHYLENE	39180	036	2011/05/10	< .500	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	036	2011/05/10	< 5.000	2014/05	DUE
VINYL CHLORIDE	39175	036	2011/05/10	< .500	2014/05	DUE
XYLENES (TOTAL)	81551	036	2011/05/10	< .500	2014/05	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/05/10	. 230.000	2014/05	DUE
CALCIUM	00916	036	2011/05/10	. 110.000	2014/05	DUE
CARBONATE ALKALINITY	00445	036	2011/05/10	< 3.000	2014/05	DUE
CHLORIDE	00940	036	2011/05/10	. 36.000	2014/05	DUE
COLOR	00081	036	2011/05/10	< 3.000	2014/05	DUE
COPPER	01042	036	2011/05/10	< 50.000	2014/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/05/10	< .050	2014/05	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/05/10	. 350.000	2014/05	DUE
HYDROXIDE ALKALINITY	71830	036	2011/05/10	< 3.000	2014/05	DUE
IRON	01045	036	2011/05/10	< 100.000	2014/05	DUE
MAGNESIUM	00927	036	2011/05/10	. 20.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-009
Source Name: WELL 07A
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2011/05/10	<	20.000	2014/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/05/10	<	1.000	2014/05	DUE
PH, LABORATORY	00403	036	2011/05/10	.	7.600	2014/05	DUE
SILVER	01077	036	2011/05/10	<	10.000	2014/05	DUE
SODIUM	00929	036	2011/05/10		22.000	2014/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/05/10	.	810.000	2014/05	DUE
SULFATE	00945	036	2011/05/10		120.000	2014/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/08	.	610.000	2015/08	
TURBIDITY, LABORATORY	82079	036	2011/05/10	.	.210	2014/05	DUE
ZINC	01092	036	2011/05/10	<	50.000	2014/05	DUE

PS Code: 3610036-010
Source Name: WELL 07B
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2010/08/26	<	50.000	2013/08	DUE
ANTIMONY	01097	036	2010/08/26	<	6.000	2013/08	DUE
ARSENIC	01002	036	2014/07/09	<	2.000	2017/07	
BARIUM	01007	036	2010/08/26		140.000	2013/08	DUE
BERYLLIUM	01012	036	2010/08/26	<	1.000	2013/08	DUE
CADMIUM	01027	036	2010/08/26	<	1.000	2013/08	DUE
CHROMIUM (TOTAL)	01034	036	2010/08/26		4.500	2013/08	DUE
CHROMIUM, HEXAVALENT	01032	036	2010/05/11		4.400	2013/05	DUE
CYANIDE	01291	036	2010/08/26	<	100.000	2013/08	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/08/26		.200	2013/08	DUE
MERCURY	71900	036	2010/08/26	<	1.000	2013/08	DUE
NICKEL	01067	036	2010/08/26	<	10.000	2013/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***

System Name: ***CHINO HILLS, CITY OF***

PS Code: ***3610036-010***

Source Name: ***WELL 07B***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/07/09	< 4.000	2017/07	
SELENIUM	01147	036	2010/08/26	15.000	2013/08	DUE
THALLIUM	01059	036	2010/08/26	< 1.000	2013/08	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 41.000	2015/07	
NITRITE (AS N)	00620	036	2010/08/26	< 100.000	2013/08	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/15	. 2.180	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/08/26	< .010	2013/08	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/08/26	< .020	2013/08	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2010/08/26	< .500	2013/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2010/08/26	< .500	2013/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2010/08/26	< 10.000	2013/08	DUE
1,1,2-TRICHLOROETHANE	34511	036	2010/08/26	< .500	2013/08	DUE
1,1-DICHLOROETHANE	34496	036	2010/08/26	< .500	2013/08	DUE
1,1-DICHLOROETHYLENE	34501	036	2010/08/26	< .500	2013/08	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2010/08/26	< .500	2013/08	DUE
1,2-DICHLOROBENZENE	34536	036	2010/08/26	< .500	2013/08	DUE
1,2-DICHLOROETHANE	34531	036	2010/08/26	< .500	2013/08	DUE
1,2-DICHLOROPROPANE	34541	036	2010/08/26	< .500	2013/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2010/08/26	< .500	2013/08	DUE
1,4-DICHLOROBENZENE	34571	036	2010/08/26	< .500	2013/08	DUE
BENZENE	34030	036	2010/08/26	< .500	2013/08	DUE
CARBON TETRACHLORIDE	32102	036	2010/08/26	< .500	2013/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2010/08/26	< .500	2013/08	DUE
DICHLOROMETHANE	34423	036	2010/08/26	< .500	2013/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-010
Source Name: WELL 07B
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
ETHYLBENZENE	34371	036	2010/08/26	< .500	2013/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2010/08/26	< 3.000	2013/08	DUE
MONOCHLOROBENZENE	34301	036	2010/08/26	< .500	2013/08	DUE
STYRENE	77128	036	2010/08/26	< .500	2013/08	DUE
TETRACHLOROETHYLENE	34475	036	2010/08/26	< .500	2013/08	DUE
TOLUENE	34010	036	2010/08/26	< .500	2013/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2010/08/26	< .500	2013/08	DUE
TRICHLOROETHYLENE	39180	036	2010/08/26	< .500	2013/08	DUE
TRICHLOROFLUOROMETHANE	34488	036	2010/08/26	< 5.000	2013/08	DUE
VINYL CHLORIDE	39175	036	2010/08/26	< .500	2013/08	DUE
XYLENES (TOTAL)	81551	036	2010/08/26	< .500	2013/08	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2010/08/26	290.000	2013/08	DUE
CALCIUM	00916	036	2010/08/26	160.000	2013/08	DUE
CARBONATE ALKALINITY	00445	036	2010/08/26	< 3.000	2013/08	DUE
CHLORIDE	00940	036	2010/08/26	65.000	2013/08	DUE
COLOR	00081	036	2010/08/26	< 3.000	2013/08	DUE
COPPER	01042	036	2010/08/26	< 50.000	2013/08	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/08/26	< .050	2013/08	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/08/26	520.000	2013/08	DUE
HYDROXIDE ALKALINITY	71830	036	2010/08/26	< 3.000	2013/08	DUE
IRON	01045	036	2010/08/26	< 100.000	2013/08	DUE
MAGNESIUM	00927	036	2010/08/26	29.000	2013/08	DUE
MANGANESE	01055	036	2010/08/26	< 20.000	2013/08	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/08/26	< 1.000	2013/08	DUE
PH, LABORATORY	00403	036	2010/08/26	7.600	2013/08	DUE
SILVER	01077	036	2010/08/26	< 10.000	2013/08	DUE
SODIUM	00929	036	2010/08/26	25.000	2013/08	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/08/26	1100.000	2013/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610036-010							
Source Name: WELL 07B							
Source Number: 010							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
SULFATE	00945	036	2010/08/26		220.000	2013/08	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/08	.	550.000	2015/08	
TURBIDITY, LABORATORY	82079	036	2010/08/26	<	.200	2013/08	DUE
ZINC	01092	036	2010/08/26	<	50.000	2013/08	DUE
PS Code: 3610036-014							
Source Name: WELL 15B							
Source Number: 014							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2013/09/18	.	130.000	2016/09	
ANTIMONY	01097	036	2013/09/18	<	6.000	2016/09	
ARSENIC	01002	036	2013/09/18	.	43.000	2016/09	
BARIUM	01007	036	2013/09/18	<	100.000	2016/09	
BERYLLIUM	01012	036	2013/09/18	<	1.000	2016/09	
CADMIUM	01027	036	2013/09/18	<	1.000	2016/09	
CHROMIUM (TOTAL)	01034	036	2013/09/18	.	2.500	2016/09	
CHROMIUM, HEXAVALENT	01032	036	2002/06/25	.	3.800	2005/06	DUE
CYANIDE	01291	036	2013/09/18	<	5.000	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/18	.	.800	2016/09	
MERCURY	71900	036	2013/09/18	<	1.000	2016/09	
NICKEL	01067	036	2013/09/18	<	10.000	2016/09	
PERCHLORATE	A-031	036	2013/09/18	<	4.000	2016/09	
SELENIUM	01147	036	2013/09/18	<	5.000	2016/09	
THALLIUM	01059	036	2013/09/18	<	1.000	2016/09	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/09/18	.	13.000	2014/09	
NITRITE (AS N)	00620	036	2013/09/18	<	100.000	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-014
Source Name: WELL 15B
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/07/18	. 1.840	2015/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/18	< .010	2015/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/18	< .020	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/07/18	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/07/18	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/07/18	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	036	2012/07/18	< .500	2015/07
1,1-DICHLOROETHANE	34496	036	2012/07/18	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	036	2012/07/18	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	036	2012/07/18	< .500	2015/07
1,2-DICHLOROBENZENE	34536	036	2012/07/18	< .500	2015/07
1,2-DICHLOROETHANE	34531	036	2012/07/18	< .500	2015/07
1,2-DICHLOROPROPANE	34541	036	2012/07/18	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/07/18	< .500	2015/07
1,4-DICHLOROBENZENE	34571	036	2012/07/18	< .500	2015/07
BENZENE	34030	036	2012/07/18	< .500	2015/07
CARBON TETRACHLORIDE	32102	036	2012/07/18	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/07/18	< .500	2015/07
DICHLOROMETHANE	34423	036	2012/07/18	< .500	2015/07
ETHYLBENZENE	34371	036	2012/07/18	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/07/18	< 3.000	2015/07
MONOCHLOROBENZENE	34301	036	2012/07/18	< .500	2015/07
STYRENE	77128	036	2012/07/18	< .500	2015/07
TETRACHLOROETHYLENE	34475	036	2012/07/18	< .500	2015/07
TOLUENE	34010	036	2012/07/18	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/07/18	< .500	2015/07
TRICHLOROETHYLENE	39180	036	2012/07/18	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***

System Name: ***CHINO HILLS, CITY OF***

PS Code: ***3610036-014***

Source Name: ***WELL 15B***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/07/18	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**036**	2012/07/18	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**036**	2012/07/18	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/09/18	**. 95.000**	2016/09
CALCIUM	**00916**	**036**	2013/09/18	**. 7.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/09/18	**< 3.000**	2016/09
CHLORIDE	**00940**	**036**	2013/09/18	**. 18.000**	2016/09
COLOR	**00081**	**036**	2013/09/18	**< 3.000**	2016/09
COPPER	**01042**	**036**	2013/09/18	**< 50.000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/18	**< .050**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/18	**. 19.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/18	**< 3.000**	2016/09
IRON	**01045**	**036**	2013/09/18	**. 230.000**	2016/09
MAGNESIUM	**00927**	**036**	2013/09/18	**< 1.000**	2016/09
MANGANESE	**01055**	**036**	2013/09/18	**< 20.000**	2016/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/09/18	**< 1.000**	2016/09
PH, LABORATORY	**00403**	**036**	2013/09/18	**. 8.600**	2016/09
SILVER	**01077**	**036**	2013/09/18	**< 10.000**	2016/09
SODIUM	**00929**	**036**	2013/09/18	**. 61.000**	2016/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/09/18	**. 320.000**	2016/09
SULFATE	**00945**	**036**	2013/09/18	**. 35.000**	2016/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/09/18	**. 210.000**	2016/09
TURBIDITY, LABORATORY	**82079**	**036**	2013/09/18	**< .200**	2016/09
ZINC	**01092**	**036**	2013/09/18	**< 50.000**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***
System Name: ***CHINO HILLS, CITY OF***

PS Code: ***3610036-017***
Source Name: ***WELL 17***
Source Number: ***017***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/01/23	< 50.000	2017/01	
ANTIMONY	01097	036	2014/01/23	< 6.000	2017/01	
ARSENIC	01002	036	2014/07/09	. 22.000	2017/07	
BARIUM	01007	036	2014/01/23	< 100.000	2017/01	
BERYLLIUM	01012	036	2014/01/23	< 1.000	2017/01	
CADMIUM	01027	036	2014/01/23	< 1.000	2017/01	
CHROMIUM (TOTAL)	01034	036	2014/01/23	. 7.600	2017/01	
CHROMIUM, HEXAVALENT	01032	036	**2010/05/11**	5.300	**2013/05**	**DUE**
CYANIDE	01291	036	2014/01/23	< 5.000	2017/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/23	. .300	2017/01	
MERCURY	71900	036	2014/01/23	< 1.000	2017/01	
NICKEL	01067	036	2014/01/23	< 10.000	2017/01	
PERCHLORATE	A-031	036	2014/07/09	< 4.000	2017/07	
SELENIUM	01147	036	2014/01/23	< 5.000	2017/01	
THALLIUM	01059	036	2014/01/23	< 1.000	2017/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 11.000	2015/07	
NITRITE (AS N)	00620	036	2014/01/23	< 100.000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/01/23	. 1.400	2017/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/23	< .010	2017/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/23	< .020	2017/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/01/23	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/01/23	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/01/23	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	036	2014/01/23	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***

System Name: ***CHINO HILLS, CITY OF***

PS Code: ***3610036-017***

Source Name: ***WELL 17***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2014/01/23	**< .500**	2017/01
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/01/23	**< .500**	2017/01
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/01/23	**< .500**	2017/01
1,2-DICHLOROBENZENE	**34536**	**036**	2014/01/23	**< .500**	2017/01
1,2-DICHLOROETHANE	**34531**	**036**	2014/01/23	**< .500**	2017/01
1,2-DICHLOROPROPANE	**34541**	**036**	2014/01/23	**< .500**	2017/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/01/23	**< .500**	2017/01
1,4-DICHLOROBENZENE	**34571**	**036**	2014/01/23	**< .500**	2017/01
BENZENE	**34030**	**036**	2014/01/23	**< .500**	2017/01
CARBON TETRACHLORIDE	**32102**	**036**	2014/01/23	**< .500**	2017/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/01/23	**< .500**	2017/01
DICHLOROMETHANE	**34423**	**036**	2014/01/23	**< .500**	2017/01
ETHYLBENZENE	**34371**	**036**	2014/01/23	**< .500**	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/01/23	**< 3.000**	2017/01
MONOCHLOROBENZENE	**34301**	**036**	2014/01/23	**< .500**	2017/01
STYRENE	**77128**	**036**	2014/01/23	**< .500**	2017/01
TETRACHLOROETHYLENE	**34475**	**036**	2014/01/23	**< .500**	2017/01
TOLUENE	**34010**	**036**	2014/01/23	**< .500**	2017/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/01/23	**< .500**	2017/01
TRICHLOROETHYLENE	**39180**	**036**	2014/01/23	**< .500**	2017/01
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/01/23	**< 5.000**	2017/01
VINYL CHLORIDE	**39175**	**036**	2014/01/23	**< .500**	2017/01
XYLENES (TOTAL)	**81551**	**036**	2014/01/23	**< .500**	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/01/23	**. 140.000**	2017/01
CALCIUM	**00916**	**036**	2014/01/23	**. 31.000**	2017/01
CARBONATE ALKALINITY	**00445**	**036**	2014/01/23	**< 3.000**	2017/01
CHLORIDE	**00940**	**036**	2014/01/23	**. 8.900**	2017/01
COLOR	**00081**	**036**	2014/01/23	**< 3.000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

PS Code: 3610036-017
Source Name: WELL 17
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/01/23	< 50.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/23	< .050	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/23	. 100.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/23	< 3.000	2017/01
IRON	01045	036	2014/01/23	< 100.000	2017/01
MAGNESIUM	00927	036	2014/01/23	. 5.800	2017/01
MANGANESE	01055	036	2014/01/23	< 20.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/23	< 1.000	2017/01
PH, LABORATORY	00403	036	2014/01/23	. 8.000	2017/01
SILVER	01077	036	2014/01/23	< 10.000	2017/01
SODIUM	00929	036	2014/01/23	27.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/23	. 330.000	2017/01
SULFATE	00945	036	2014/01/23	20.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/23	. 240.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/23	< .200	2017/01
ZINC	01092	036	2014/01/23	< 50.000	2017/01

PS Code: 3610036-018
Source Name: CDA CONNECTION
Source Number: 018
Source Status: PURCHASED TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610036-020					
Source Name: WFA - TREATED					
Source Number: 020					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610036-021					
Source Name: DIST. SYSTEM - SAWPA CONNECTION - TRTD					
Source Number: 021					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610036-022					
Source Name: BOOSTER 9 - BLENDING SAMPLING STATION					
Source Number: 022					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610036-027					
Source Name: WELL 15B - TREATED IX (AS)					
Source Number: 027					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***
System Name: ***CHINO HILLS, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610036-028***						
Source Name: ***MONTE VISTA WD - TREATED***						
Source Number: ***028***						
Source Status: ***PURCHASED TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610036-601***						
Source Name: ***DBP2-2083 MIRA MONTE HP-1***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/22	.	**2.200**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/22	<	**1.000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/22	.	**7.000**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/22	.	**2.300**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/22	.	**2.400**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/22	<	**1.000**	2014/08
STATE UCMR						
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	.	**4.600**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/22	.	**16.000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	.	**1.600**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	.	**9.000**	2014/08
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	.	**31.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610036-602					
Source Name: DBP2-WFA-1 STATE ST.					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/22	. 2.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/22	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/22	. 10.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/22	. 2.700	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/22	. 4.900	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/22	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 4.300	2014/08
BROMOFORM (THM)	32104	003	2014/05/22	. 13.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/22	. 1.500	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/22	. 8.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/22	. 27.000	2014/08
PS Code: 3610036-603					
Source Name: DBP2-MURRAY SAMPLER					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/22	. 2.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/22	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/22	. 8.500	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/22	. 2.400	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/22	. 3.600	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/22	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 4.300	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610036-603					
Source Name: DBP2-MURRAY SAMPLER					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/05/22	. 15.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/22	. 1.500	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/22	. 8.700	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/22	. 30.000	2014/08
PS Code: 3610036-604					
Source Name: DBP2-MORNING TERRANCE AT ASHBURY					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/22	. 1.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/22	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/22	. 7.100	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/22	. 2.600	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/22	. 2.600	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/22	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 4.800	2014/08
BROMOFORM (THM)	32104	003	2014/05/22	. 16.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/22	. 1.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/22	. 9.400	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/22	. 32.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610036-605					
Source Name: DBP2-26062 COTTONWOOD					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/22	. 1.800	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/22	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/22	. 3.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/22	. 1.600	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/22	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/22	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 5.700	2014/08
BROMOFORM (THM)	32104	003	2014/05/22	. 17.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/22	. 1.800	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/22	. 11.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/22	. 36.000	2014/08
PS Code: 3610036-606					
Source Name: DBP2-15223 TURQUOISE HP-2					
Source Number: 606					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/22	. 2.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/22	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/22	. 8.800	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/22	. 2.100	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/22	. 4.600	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/22	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 4.800	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***

System Name: ***CHINO HILLS, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610036-606***					
Source Name: ***DBP2-15223 TURQUOISE HP-2***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/22	. **17.000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	. **1.600**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	. **9.800**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	. **33.000**	2014/08
PS Code: ***3610036-607***					
Source Name: ***DBP2-PEYTON/GRAND SHERIF STATION***					
Source Number: ***607***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/22	. **3.000**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/22	< **1.000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/22	. **3.000**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/22	< **1.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/22	< **2.000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/22	< **1.000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	. **4.200**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/22	. **15.000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	. **1.500**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	. **8.400**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	. **29.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610036-608					
Source Name: DBP2-WINDMILL CREEK					
Source Number: 608					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/22	. 2.700	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/22	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/22	. 2.700	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/22	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/22	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/22	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 4.600	2014/08
BROMOFORM (THM)	32104	003	2014/05/22	. 14.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/22	. 1.500	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/22	. 9.400	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/22	. 29.000	2014/08
PS Code: 3610036-722					
Source Name: BOOSTER 9-ARSENIC BLENDING SAMP(DISTBTN)					
Source Number: 722					
Source Status: DISTRIBUTION TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610036
System Name: CHINO HILLS, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610036-800					
Source Name: BROADFOOT WELL 01A - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610036-801					
Source Name: WELL 07A - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610036-802					
Source Name: WELL 07B - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610036-805					
Source Name: WELL 17 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610036***
System Name: ***CHINO HILLS, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610036-806***					
Source Name: ***WELL 19 - TREATED (CL2)***					
Source Number: ***806***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-002
Source Name: AGATE WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/08/09	. 150.000	2014/08	
ANTIMONY	01097	036	2011/08/09	< 6.000	2014/08	
ARSENIC	01002	036	2011/08/09	< 2.000	2014/08	
BARIUM	01007	036	2011/08/09	< 100.000	2014/08	
BERYLLIUM	01012	036	2011/08/09	< 1.000	2014/08	
CADMIUM	01027	036	2011/08/09	< 1.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/09	< 10.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2005/11/17	< 1.000	2008/11	DUE
CYANIDE	01291	036	2011/08/09	< 100.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/09	. .730	2014/08	
MERCURY	71900	036	2011/08/09	< 1.000	2014/08	
NICKEL	01067	036	2011/08/09	< 10.000	2014/08	
PERCHLORATE	A-031	036	2014/07/31	< .000	2017/07	
SELENIUM	01147	036	2011/08/09	< 5.000	2014/08	
THALLIUM	01059	036	2011/08/09	< 1.000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/17	. 3.372	2015/07	
NITRITE (AS N)	00620	036	2013/12/05	< 400.000	2016/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/08/27	< 3.000	2016/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/09	< .010	2014/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/09	< .020	2014/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/08/09	< .500	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/08/09	< .500	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/08/09	< 10.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	036	2011/08/09	< .500	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-002
Source Name: AGATE WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2011/08/09	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	036	2011/08/09	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	036	2011/08/09	< .500	2014/08
1,2-DICHLOROBENZENE	34536	036	2011/08/09	< .500	2014/08
1,2-DICHLOROETHANE	34531	036	2011/08/09	< .500	2014/08
1,2-DICHLOROPROPANE	34541	036	2011/08/09	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/08/09	< .500	2014/08
1,4-DICHLOROBENZENE	34571	036	2011/08/09	< .500	2014/08
BENZENE	34030	036	2011/08/09	< .500	2014/08
CARBON TETRACHLORIDE	32102	036	2011/08/09	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/08/09	< .500	2014/08
DICHLOROMETHANE	34423	036	2011/08/09	< .500	2014/08
ETHYLBENZENE	34371	036	2011/08/09	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/08/09	< 3.000	2014/08
MONOCHLOROBENZENE	34301	036	2011/08/09	< .500	2014/08
STYRENE	77128	036	2011/08/09	< .500	2014/08
TETRACHLOROETHYLENE	34475	036	2011/08/09	< .500	2014/08
TOLUENE	34010	036	2011/08/09	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/08/09	< .500	2014/08
TRICHLOROETHYLENE	39180	036	2011/08/09	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	036	2011/08/09	< 5.000	2014/08
VINYL CHLORIDE	39175	036	2011/08/09	< .500	2014/08
XYLENES (TOTAL)	81551	036	2011/08/09	< 1.000	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/08/09	. 160.000	2014/08
CALCIUM	00916	036	2011/08/09	. 45.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/09	< 2.000	2014/08
CHLORIDE	00940	036	2011/08/09	. 2.900	2014/08
COLOR	00081	036	2013/08/27	< 3.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-002
Source Name: AGATE WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2011/08/09	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/09	< .050	2014/08
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/09	. 150.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/09	< 2.000	2014/08
IRON	01045	036	2011/08/09	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/09	. 9.000	2014/08
MANGANESE	01055	036	2011/08/09	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/27	1.000	2016/08
PH, LABORATORY	00403	036	2011/08/09	. 8.000	2014/08
SILVER	01077	036	2011/08/09	< 10.000	2014/08
SODIUM	00929	036	2011/08/09	9.100	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/09	. 320.000	2014/08
SULFATE	00945	036	2011/08/09	26.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/09	. 200.000	2014/08
TURBIDITY, LABORATORY	82079	036	2013/08/27	. .780	2016/08
ZINC	01092	036	2011/08/09	< 50.000	2014/08

PS Code: 3610037-003
Source Name: AIRPORT WELL NO. 1
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05
ARSENIC	01002	036	2014/05/22	< 2.000	2017/05
BARIUM	01007	036	2014/05/22	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-003
Source Name: AIRPORT WELL NO. 1
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	01034	036	2014/05/22	.	1.000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2005/11/11	.	1.000	2008/11	DUE
CYANIDE	01291	036	2014/05/22	<	100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	.	.600	2017/05	
MERCURY	71900	036	2014/05/22	<	1.000	2017/05	
NICKEL	01067	036	2014/05/22	<	10.000	2017/05	
PERCHLORATE	A-031	036	2014/07/03	<	.000	2017/07	
SELENIUM	01147	036	2014/05/22	<	5.000	2017/05	
THALLIUM	01059	036	2014/05/22	<	1.000	2017/05	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/03	.	3.863	2015/07	
NITRITE (AS N)	00620	036	2013/12/05	<	400.000	2016/12	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/05/22	.	4.570	2017/05	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	<	.010	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	<	.020	2017/05	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2014/05/22	<	.500	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/22	<	.500	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/22	<	10.000	2017/05	
1,1,2-TRICHLOROETHANE	34511	036	2014/05/22	<	.500	2017/05	
1,1-DICHLOROETHANE	34496	036	2014/05/22	<	.500	2017/05	
1,1-DICHLOROETHYLENE	34501	036	2014/05/22	<	.500	2017/05	
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/22	<	.500	2017/05	
1,2-DICHLOROBENZENE	34536	036	2014/05/22	<	.500	2017/05	
1,2-DICHLOROETHANE	34531	036	2014/05/22	<	.500	2017/05	
1,2-DICHLOROPROPANE	34541	036	2014/05/22	<	.500	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-003
Source Name: AIRPORT WELL NO. 1
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/22	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/22	< .500	2017/05
BENZENE	34030	036	2014/05/22	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/22	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/22	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/22	< .500	2017/05
ETHYLBENZENE	34371	036	2014/05/22	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/22	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/22	< .500	2017/05
STYRENE	77128	036	2014/05/22	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/22	< .500	2017/05
TOLUENE	34010	036	2014/05/22	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/22	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/22	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/22	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/22	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/22	< .500	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/22	. 150.000	2017/05
CALCIUM	00916	036	2014/05/22	. 48.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/22	. 9.300	2017/05
COLOR	00081	036	2014/05/22	< 3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/22	. 160.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 3.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	. 9.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-003
Source Name: AIRPORT WELL NO. 1
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05	
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	< 1.000	2017/05	
PH, LABORATORY	00403	036	2014/05/22	. 7.900	2017/05	
SILVER	01077	036	2014/05/22	< 10.000	2017/05	
SODIUM	00929	036	2014/05/22	. 10.000	2017/05	
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	. 360.000	2017/05	
SULFATE	00945	036	2014/05/22	. 23.000	2017/05	
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	. 200.000	2017/05	
TURBIDITY, LABORATORY	82079	036	2014/05/22	< .200	2017/05	
ZINC	01092	036	2014/05/22	. 79.000	2017/05	

PS Code: 3610037-008
Source Name: EAST LUGONIA WELL 03
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/10/19	< 50.000	2014/10	
ANTIMONY	01097	036	2011/10/19	< 6.000	2014/10	
ARSENIC	01002	036	2011/10/19	< 2.000	2014/10	
BARIUM	01007	036	2011/10/19	< 100.000	2014/10	
BERYLLIUM	01012	036	2011/10/19	< 1.000	2014/10	
CADMIUM	01027	036	2011/10/19	< 1.000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/19	< 10.000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2005/11/09	< 1.000	2008/11	DUE
CYANIDE	01291	036	2011/10/19	< 100.000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/19	. .780	2014/10	
MERCURY	71900	036	2011/10/19	< 1.000	2014/10	
NICKEL	01067	036	2011/10/19	< 10.000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-008
Source Name: EAST LUGONIA WELL 03
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/07/03	< .000	2017/07
SELENIUM	01147	036	2011/10/19	< 5.000	2014/10
THALLIUM	01059	036	2011/10/19	< 1.000	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 8.244	2015/07
NITRITE (AS N)	00620	036	2013/09/05	< 400.000	2016/09
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/27	. 4.000	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/19	< .010	2014/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/19	< .020	2014/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/10/19	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/10/19	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/10/19	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	036	2011/10/19	< .500	2014/10
1,1-DICHLOROETHANE	34496	036	2011/10/19	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	036	2011/10/19	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	036	2011/10/19	< .500	2014/10
1,2-DICHLOROBENZENE	34536	036	2011/10/19	< .500	2014/10
1,2-DICHLOROETHANE	34531	036	2011/10/19	< .500	2014/10
1,2-DICHLOROPROPANE	34541	036	2011/10/19	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/10/19	< .500	2014/10
1,4-DICHLOROBENZENE	34571	036	2011/10/19	< .500	2014/10
BENZENE	34030	036	2011/10/19	< .500	2014/10
CARBON TETRACHLORIDE	32102	036	2011/10/19	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/10/19	< .500	2014/10
DICHLOROMETHANE	34423	036	2011/10/19	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-008
Source Name: EAST LUGONIA WELL 03
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2011/10/19	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/10/19	< 3.000	2014/10
MONOCHLOROBENZENE	34301	036	2011/10/19	< .500	2014/10
STYRENE	77128	036	2011/10/19	< .500	2014/10
TETRACHLOROETHYLENE	34475	036	2011/10/19	< .500	2014/10
TOLUENE	34010	036	2011/10/19	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/10/19	< .500	2014/10
TRICHLOROETHYLENE	39180	036	2011/10/19	< .500	2014/10
TRICHLOROFLUOROMETHANE	34488	036	2011/10/19	< 5.000	2014/10
VINYL CHLORIDE	39175	036	2011/10/19	< .500	2014/10
XYLENES (TOTAL)	81551	036	2011/10/19	< 1.000	2014/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/19	. 170.000	2014/10
CALCIUM	00916	036	2011/10/19	. 45.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/19	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/19	. 3.100	2014/10
COLOR	00081	036	2013/08/27	. 5.000	2016/08
COPPER	01042	036	2011/10/19	< 50.000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/19	< .050	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/19	. 150.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/19	< 2.000	2014/10
IRON	01045	036	2011/10/19	< 100.000	2014/10
MAGNESIUM	00927	036	2011/10/19	. 9.100	2014/10
MANGANESE	01055	036	2011/10/19	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2013/08/27	2.000	2016/08
PH, LABORATORY	00403	036	2011/10/19	. 7.700	2014/10
SILVER	01077	036	2011/10/19	< 10.000	2014/10
SODIUM	00929	036	2011/10/19	11.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/19	. 340.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-008
Source Name: EAST LUGONIA WELL 03
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2011/10/19		26.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/19	.	200.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2013/08/27	.	2.100	2016/08	
ZINC	01092	036	2011/10/19	<	50.000	2014/10	

PS Code: 3610037-009
Source Name: EAST LUGONIA WELL 04
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2009/07/27	<	50.000	2012/07	DUE
ANTIMONY	01097	036	2009/03/24	<	6.000	2012/03	DUE
ARSENIC	01002	036	2009/03/24	<	2.000	2012/03	DUE
BARIUM	01007	036	2009/03/24	<	100.000	2012/03	DUE
BERYLLIUM	01012	036	2009/03/24	<	1.000	2012/03	DUE
CADMIUM	01027	036	2009/03/24	<	1.000	2012/03	DUE
CHROMIUM (TOTAL)	01034	036	2009/03/24	<	10.000	2012/03	DUE
CHROMIUM, HEXAVALENT	01032	036	2009/03/24	<	1.000	2012/03	DUE
CYANIDE	01291	036	2009/03/24	<	100.000	2012/03	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/03/24		.620	2012/03	DUE
MERCURY	71900	036	2009/03/24	<	1.000	2012/03	DUE
NICKEL	01067	036	2009/03/24	<	10.000	2012/03	DUE
PERCHLORATE	A-031	036	2010/02/02	<	4.000	2013/02	DUE
SELENIUM	01147	036	2009/03/24	<	5.000	2012/03	DUE
THALLIUM	01059	036	2009/03/24	<	1.000	2012/03	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2010/02/02		4.200	2011/02	DUE
NITRITE (AS N)	00620	036	2010/02/02	<	400.000	2013/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-009
Source Name: EAST LUGONIA WELL 04
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2009/03/24	7.100	2012/03	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/03/24	< .010	2012/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/03/24	< .020	2012/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2009/03/24	< .500	2012/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2009/03/24	< .500	2012/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2009/03/24	< 10.000	2012/03	DUE
1,1,2-TRICHLOROETHANE	34511	036	2009/03/24	< .500	2012/03	DUE
1,1-DICHLOROETHANE	34496	036	2009/03/24	< .500	2012/03	DUE
1,1-DICHLOROETHYLENE	34501	036	2009/03/24	< .500	2012/03	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2009/03/24	< .500	2012/03	DUE
1,2-DICHLOROBENZENE	34536	036	2009/03/24	< .500	2012/03	DUE
1,2-DICHLOROETHANE	34531	036	2009/03/24	< .500	2012/03	DUE
1,2-DICHLOROPROPANE	34541	036	2009/03/24	< .500	2012/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2009/03/24	< .500	2012/03	DUE
1,4-DICHLOROBENZENE	34571	036	2009/03/24	< .500	2012/03	DUE
BENZENE	34030	036	2009/03/24	< .500	2012/03	DUE
CARBON TETRACHLORIDE	32102	036	2009/03/24	< .500	2012/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2009/03/24	< .500	2012/03	DUE
DICHLOROMETHANE	34423	036	2009/03/24	< .500	2012/03	DUE
ETHYLBENZENE	34371	036	2009/03/24	< .500	2012/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2009/03/24	< 3.000	2012/03	DUE
MONOCHLOROBENZENE	34301	036	2009/03/24	< .500	2012/03	DUE
STYRENE	77128	036	2009/03/24	< .500	2012/03	DUE
TETRACHLOROETHYLENE	34475	036	2009/03/24	< .500	2012/03	DUE
TOLUENE	34010	036	2009/03/24	< .500	2012/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2009/03/24	< .500	2012/03	DUE
TRICHLOROETHYLENE	39180	036	2009/03/24	< .500	2012/03	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-009
Source Name: EAST LUGONIA WELL 04
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TRICHLOROFLUOROMETHANE	34488	036	2009/03/24	<	5.000	2012/03	DUE
VINYL CHLORIDE	39175	036	2009/03/24	<	.500	2012/03	DUE
XYLENES (TOTAL)	81551	036	2009/03/24	<	1.000	2012/03	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2009/03/24		172.000	2012/03	DUE
CALCIUM	00916	036	2009/03/24		48.000	2012/03	DUE
CARBONATE ALKALINITY	00445	036	2009/03/24	<	2.000	2012/03	DUE
CHLORIDE	00940	036	2009/03/24		3.100	2012/03	DUE
COLOR	00081	036	2009/03/24	<	3.000	2012/03	DUE
COPPER	01042	036	2009/03/24	<	50.000	2012/03	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/03/24	<	.050	2012/03	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/03/24		155.000	2012/03	DUE
HYDROXIDE ALKALINITY	71830	036	2009/03/24	<	2.000	2012/03	DUE
IRON	01045	036	2009/03/24		110.000	2012/03	DUE
MAGNESIUM	00927	036	2009/03/24		8.600	2012/03	DUE
MANGANESE	01055	036	2009/03/24	<	20.000	2012/03	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/03/24		1.000	2012/03	DUE
PH, LABORATORY	00403	036	2009/03/24		7.800	2012/03	DUE
SILVER	01077	036	2009/03/24	<	10.000	2012/03	DUE
SODIUM	00929	036	2009/03/24		8.500	2012/03	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/03/24		343.000	2012/03	DUE
SULFATE	00945	036	2009/03/24		29.000	2012/03	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/03/24		208.000	2012/03	DUE
TURBIDITY, LABORATORY	82079	036	2009/03/24		1.100	2012/03	DUE
ZINC	01092	036	2009/03/24	<	50.000	2012/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-010
Source Name: EAST LUGONIA WELL 06
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05	
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05	
ARSENIC	01002	036	2014/05/22	< 2.000	2017/05	
BARIUM	01007	036	2014/05/22	< 100.000	2017/05	
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05	
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/22	< 10.000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2005/11/15	< 1.000	2008/11	DUE
CYANIDE	01291	036	2014/05/22	< 100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .750	2017/05	
MERCURY	71900	036	2014/05/22	< 1.000	2017/05	
NICKEL	01067	036	2014/05/22	< 10.000	2017/05	
PERCHLORATE	A-031	036	2010/08/26	< .100	2013/08	DUE
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05	
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/08/26	4.900	2011/08	DUE
NITRITE (AS N)	00620	036	2010/08/26	< 100.000	2013/08	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/22	. 5.300	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	< .010	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	< .020	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/05/22	< .500	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/22	< .500	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/22	< 10.000	2017/05	
1,1,2-TRICHLOROETHANE	34511	036	2014/05/22	< .500	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-010
Source Name: EAST LUGONIA WELL 06
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/05/22	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/22	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/22	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/22	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/22	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/22	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/22	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/22	< .500	2017/05
BENZENE	34030	036	2014/05/22	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/22	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/22	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/22	< .500	2017/05
ETHYLBENZENE	34371	036	2014/05/22	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/22	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/22	< .500	2017/05
STYRENE	77128	036	2014/05/22	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/22	< .500	2017/05
TOLUENE	34010	036	2014/05/22	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/22	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/22	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/22	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/22	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/22	< .500	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/22	. 180.000	2017/05
CALCIUM	00916	036	2014/05/22	. 56.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 2.000	2017/05
CHLORIDE	00940	036	2014/05/22	. 4.600	2017/05
COLOR	00081	036	2014/05/22	. 5.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-010***

Source Name: ***EAST LUGONIA WELL 06***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
COPPER	**01042**	**036**	2014/05/22	**<**	**50.000**		2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/22	**<**	**.050**		2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/22	**.**	**180.000**		2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/22	**<**	**2.000**		2017/05
IRON	**01045**	**036**	2014/05/22	**.**	**100.000**		2017/05
MAGNESIUM	**00927**	**036**	2014/05/22	**.**	**11.000**		2017/05
MANGANESE	**01055**	**036**	2014/05/22	**<**	**20.000**		2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/22	**<**	**1.000**		2017/05
PH, LABORATORY	**00403**	**036**	2014/05/22	**.**	**8.100**		2017/05
SILVER	**01077**	**036**	2014/05/22	**<**	**10.000**		2017/05
SODIUM	**00929**	**036**	2014/05/22	**.**	**12.000**		2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/22	**.**	**400.000**		2017/05
SULFATE	**00945**	**036**	2014/05/22	**.**	**33.000**		2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/22	**.**	**240.000**		2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/22	**.**	**.400**		2017/05
ZINC	**01092**	**036**	2014/05/22	**<**	**50.000**		2017/05

PS Code: ***3610037-011***

Source Name: ***HINCKLEY WTP - RAW***

Source Number: ***011***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	**999**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-012
Source Name: HINCKLEY WTP - TREATED
Source Number: 012
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					

PS Code: 3610037-014
Source Name: HOG CANYON WELL 02
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2013/09/19	<	50.000	2016/09	
ANTIMONY	01097	036	2013/09/19	<	6.000	2016/09	
ARSENIC	01002	036	2013/09/19	<	2.000	2016/09	
BARIUM	01007	036	2013/09/19	<	100.000	2016/09	
BERYLLIUM	01012	036	2013/09/19	<	1.000	2016/09	
CADMIUM	01027	036	2013/09/19	<	1.000	2016/09	
CHROMIUM (TOTAL)	01034	036	2013/09/19	<	10.000	2016/09	
CHROMIUM, HEXAVALENT	01032	036	2008/06/25		3.400	2011/06	DUE
CYANIDE	01291	036	2013/09/19	<	100.000	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/09/19	.	.350	2016/09	
MERCURY	71900	036	2013/09/19	<	1.000	2016/09	
NICKEL	01067	036	2013/09/19	<	10.000	2016/09	
PERCHLORATE	A-031	036	2010/10/27	<	4.000	2013/10	DUE
SELENIUM	01147	036	2013/09/19	<	5.000	2016/09	
THALLIUM	01059	036	2013/09/19	<	1.000	2016/09	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/09/19	.	49.000	2014/09	
NITRITE (AS N)	00620	036	2013/09/19	<	400.000	2016/09	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2013/09/19	.	6.400	2016/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-014
Source Name: HOG CANYON WELL 02
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/19	< .010	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/19	< .020	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/09/19	< .500	2016/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/09/19	< .500	2016/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/09/19	< 10.000	2016/09
1,1,2-TRICHLOROETHANE	34511	036	2013/09/19	< .500	2016/09
1,1-DICHLOROETHANE	34496	036	2013/09/19	< .500	2016/09
1,1-DICHLOROETHYLENE	34501	036	2013/09/19	< .500	2016/09
1,2,4-TRICHLOROBENZENE	34551	036	2013/09/19	< .500	2016/09
1,2-DICHLOROBENZENE	34536	036	2013/09/19	< .500	2016/09
1,2-DICHLOROETHANE	34531	036	2013/09/19	< .500	2016/09
1,2-DICHLOROPROPANE	34541	036	2013/09/19	< .500	2016/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/09/19	< .500	2016/09
1,4-DICHLOROBENZENE	34571	036	2013/09/19	< .500	2016/09
BENZENE	34030	036	2013/09/19	< .500	2016/09
CARBON TETRACHLORIDE	32102	036	2013/09/19	< .500	2016/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/09/19	< .500	2016/09
DICHLOROMETHANE	34423	036	2013/09/19	< .500	2016/09
ETHYLBENZENE	34371	036	2013/09/19	< .500	2016/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/09/19	< 3.000	2016/09
MONOCHLOROBENZENE	34301	036	2013/09/19	< .500	2016/09
STYRENE	77128	036	2013/09/19	< .500	2016/09
TETRACHLOROETHYLENE	34475	036	2013/09/19	< .500	2016/09
TOLUENE	34010	036	2013/09/19	< .500	2016/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/09/19	< .500	2016/09
TRICHLOROETHYLENE	39180	036	2013/09/19	< .500	2016/09
TRICHLOROFLUOROMETHANE	34488	036	2013/09/19	< 5.000	2016/09
VINYL CHLORIDE	39175	036	2013/09/19	< .500	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-014
Source Name: HOG CANYON WELL 02
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2013/09/19	< .500	2016/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/09/19	. 210.000	2016/09
CALCIUM	00916	036	2013/09/19	. 76.000	2016/09
CARBONATE ALKALINITY	00445	036	2013/09/19	< 2.000	2016/09
CHLORIDE	00940	036	2013/09/19	. 50.000	2016/09
COLOR	00081	036	2013/09/19	< 3.000	2016/09
COPPER	01042	036	2013/09/19	< 50.000	2016/09
FOAMING AGENTS (MBAS)	38260	036	2013/09/19	< .050	2016/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/19	. 250.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2013/09/19	< 2.000	2016/09
IRON	01045	036	2013/09/19	< 100.000	2016/09
MAGNESIUM	00927	036	2013/09/19	. 15.000	2016/09
MANGANESE	01055	036	2013/09/19	< 20.000	2016/09
ODOR THRESHOLD @ 60 C	00086	036	2013/09/19	< 1.000	2016/09
PH, LABORATORY	00403	036	2013/09/19	. 8.000	2016/09
SILVER	01077	036	2013/09/19	< 10.000	2016/09
SODIUM	00929	036	2013/09/19	30.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2013/09/19	. 660.000	2016/09
SULFATE	00945	036	2013/09/19	36.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/19	. 380.000	2016/09
TURBIDITY, LABORATORY	82079	036	2013/09/19	. 1.200	2016/09
ZINC	01092	036	2013/09/19	< 50.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-017
Source Name: MADERIA WELL
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05	
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05	
ARSENIC	01002	036	2014/05/22	< 2.000	2017/05	
BARIUM	01007	036	2014/05/22	< 100.000	2017/05	
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05	
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/22	< 1.000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2005/11/08	< 1.000	2008/11	DUE
CYANIDE	01291	036	2014/05/22	< 100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .600	2017/05	
MERCURY	71900	036	2014/05/22	< 1.000	2017/05	
NICKEL	01067	036	2014/05/22	< 10.000	2017/05	
PERCHLORATE	A-031	036	2014/07/31	< .000	2017/07	
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05	
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/17	. 8.006	2015/07	
NITRITE (AS N)	00620	036	2013/12/05	< 400.000	2016/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/22	. 3.920	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	< .010	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	< .020	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/05/22	< .500	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/22	< .500	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/22	< 10.000	2017/05	
1,1,2-TRICHLOROETHANE	34511	036	2014/05/22	< .500	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-017
Source Name: MADERIA WELL
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/05/22	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/22	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/22	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/22	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/22	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/22	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/22	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/22	< .500	2017/05
BENZENE	34030	036	2014/05/22	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/22	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/22	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/22	. .600	2017/05
ETHYLBENZENE	34371	036	2014/05/22	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/22	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/22	< .500	2017/05
STYRENE	77128	036	2014/05/22	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/22	< .500	2017/05
TOLUENE	34010	036	2014/05/22	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/22	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/22	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/22	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/22	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/22	< .500	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/22	. 170.000	2017/05
CALCIUM	00916	036	2014/05/22	. 51.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/22	. 5.900	2017/05
COLOR	00081	036	2014/05/22	< 3.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-017
Source Name: MADERIA WELL
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/05/22	<	50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	<	.050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/22	.	170.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	<	3.000	2017/05
IRON	01045	036	2014/05/22	<	100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	.	10.000	2017/05
MANGANESE	01055	036	2014/05/22	<	20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	<	1.000	2017/05
PH, LABORATORY	00403	036	2014/05/22	.	7.900	2017/05
SILVER	01077	036	2014/05/22	<	10.000	2017/05
SODIUM	00929	036	2014/05/22	.	12.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	.	380.000	2017/05
SULFATE	00945	036	2014/05/22	.	27.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	.	270.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	<	.200	2017/05
ZINC	01092	036	2014/05/22	<	50.000	2017/05

PS Code: 3610037-019
Source Name: MAGUET WELL 02
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2004/01/08	.	.000	2007/01	DUE
ANTIMONY	01097	036	2004/01/08		.000	2007/01	DUE
ARSENIC	01002	036	2004/01/08	.	.000	2007/01	DUE
BARIUM	01007	036	2004/01/08		.000	2007/01	DUE
BERYLLIUM	01012	036	2004/01/08	.	.000	2007/01	DUE
CADMIUM	01027	036	2004/01/08		.000	2007/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-019
Source Name: MAGUET WELL 02
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2004/01/08	. .000	2007/01	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/10/08	. .000	2005/10	DUE
CYANIDE	01291	036	2004/01/08	. .000	2007/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/07	. .730	2008/04	DUE
MERCURY	71900	036	2004/01/08	. .000	2007/01	DUE
NICKEL	01067	036	2004/01/08	. .000	2007/01	DUE
PERCHLORATE	A-031	036	2004/07/15	. .000	2007/07	DUE
SELENIUM	01147	036	2004/01/08	. .000	2007/01	DUE
THALLIUM	01059	036	2004/01/08	.000	2007/01	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2005/04/07	. 22.000	2006/04	DUE
NITRITE (AS N)	00620	036	2005/03/01	. .000	2008/03	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2004/07/15	. 8.600	2007/07	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2004/07/15	. .000	2007/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2003/01/22	. .000	2006/01	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2004/07/15	.000	2007/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2004/07/15	.000	2007/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2004/07/15	. .000	2007/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	2004/07/15	. .000	2007/07	DUE
1,1-DICHLOROETHANE	34496	036	2004/07/15	. .000	2007/07	DUE
1,1-DICHLOROETHYLENE	34501	036	2004/07/15	. .000	2007/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2004/07/15	. .000	2007/07	DUE
1,2-DICHLOROBENZENE	34536	036	2004/07/15	.000	2007/07	DUE
1,2-DICHLOROETHANE	34531	036	2004/07/15	. .000	2007/07	DUE
1,2-DICHLOROPROPANE	34541	036	2004/07/15	. .000	2007/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-019***

Source Name: ***MAGUET WELL 02***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2004/07/15	.	.000	2007/07	DUE
1,4-DICHLOROBENZENE	34571	036	2004/07/15	.	.000	2007/07	DUE
BENZENE	34030	036	2004/07/15	.	.000	2007/07	DUE
CARBON TETRACHLORIDE	32102	036	2004/07/15		.000	2007/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2004/07/15	.	.000	2007/07	DUE
DICHLOROMETHANE	34423	036	2004/07/15	.	.000	2007/07	DUE
ETHYLBENZENE	34371	036	2004/07/15	.	.000	2007/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2004/07/15	.	.000	2007/07	DUE
MONOCHLOROBENZENE	34301	036	2004/07/15	.	.000	2007/07	DUE
STYRENE	77128	036	2004/07/15	.	.000	2007/07	DUE
TETRACHLOROETHYLENE	34475	036	2004/07/15	.	.000	2007/07	DUE
TOLUENE	34010	036	2004/07/15	.	.000	2007/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2004/07/15		.000	2007/07	DUE
TRICHLOROETHYLENE	39180	036	2004/07/15	.	.000	2007/07	DUE
TRICHLOROFLUOROMETHANE	34488	036	2004/07/15	.	.000	2007/07	DUE
VINYL CHLORIDE	39175	036	2004/07/15	.	.000	2007/07	DUE
XYLENES (TOTAL)	81551	036	2004/07/15	.	.000	2007/07	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2005/04/07	.	160.000	2008/04	DUE
CALCIUM	00916	036	2005/04/07	.	55.000	2008/04	DUE
CARBONATE ALKALINITY	00445	036	2005/04/07		.000	2008/04	DUE
CHLORIDE	00940	036	2005/04/07	.	8.000	2008/04	DUE
COLOR	00081	036	2004/01/08	.	.000	2007/01	DUE
COPPER	01042	036	2005/04/07	.	.000	2008/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2005/04/07	.	.000	2008/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2005/04/07	.	180.000	2008/04	DUE
HYDROXIDE ALKALINITY	71830	036	2005/04/07	.	.000	2008/04	DUE
IRON	01045	036	2005/04/07		.000	2008/04	DUE
MAGNESIUM	00927	036	2005/04/07	.	11.000	2008/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-019
Source Name: MAGUET WELL 02
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2005/04/07	.	.000	2008/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2004/01/08		1.000	2007/01	DUE
PH, LABORATORY	00403	036	2005/04/07	.	7.700	2008/04	DUE
SILVER	01077	036	2004/01/08	.	.000	2007/01	DUE
SODIUM	00929	036	2005/04/07		14.000	2008/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/04/07	.	400.000	2008/04	DUE
SULFATE	00945	036	2005/04/07		31.000	2008/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/07	.	260.000	2008/04	DUE
TURBIDITY, LABORATORY	82079	036	2004/01/08	.	.100	2007/01	DUE
ZINC	01092	036	2005/04/07	.	.000	2008/04	DUE

PS Code: 3610037-021
Source Name: MENTONE ACRES WELL NO. 2
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/05/22	<	50.000	2017/05	
ANTIMONY	01097	036	2014/05/22	<	6.000	2017/05	
ARSENIC	01002	036	2014/05/22	<	2.000	2017/05	
BARIUM	01007	036	2014/05/22	<	100.000	2017/05	
BERYLLIUM	01012	036	2014/05/22	<	1.000	2017/05	
CADMIUM	01027	036	2014/05/22	<	1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/22	<	1.000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2008/03/31	<	1.000	2011/03	DUE
CYANIDE	01291	036	2014/05/22	<	100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	.	.700	2017/05	
MERCURY	71900	036	2014/05/22	<	1.000	2017/05	
NICKEL	01067	036	2014/05/22	<	10.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-021
Source Name: MENTONE ACRES WELL NO. 2
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/07/03	. 1.247	2017/07
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 11.366	2015/07
NITRITE (AS N)	00620	036	2013/11/14	< 400.000	2016/11
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/22	. 5.580	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	< .010	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	< .020	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/05/22	< .500	2017/05
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/22	< .500	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/22	< 10.000	2017/05
1,1,2-TRICHLOROETHANE	34511	036	2014/05/22	< .500	2017/05
1,1-DICHLOROETHANE	34496	036	2014/05/22	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/22	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/22	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/22	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/22	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/22	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/22	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/22	< .500	2017/05
BENZENE	34030	036	2014/05/22	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/22	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/22	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/22	. .610	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-021
Source Name: MENTONE ACRES WELL NO. 2
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/05/22	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/22	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/22	< .500	2017/05
STYRENE	77128	036	2014/05/22	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/22	< .500	2017/05
TOLUENE	34010	036	2014/05/22	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/22	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/22	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/22	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/22	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/22	< .500	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/22	. 160.000	2017/05
CALCIUM	00916	036	2014/05/22	. 50.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/22	. 8.200	2017/05
COLOR	00081	036	2014/05/22	< 3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/22	. 160.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 3.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	. 8.800	2017/05
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/22	. 7.900	2017/05
SILVER	01077	036	2014/05/22	< 10.000	2017/05
SODIUM	00929	036	2014/05/22	. 13.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	. 380.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-021					
Source Name: MENTONE ACRES WELL NO. 2					
Source Number: 021					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2014/05/22	. 24.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	. 300.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	< .200	2017/05
ZINC	01092	036	2014/05/22	< 50.000	2017/05
PS Code: 3610037-022					
Source Name: MILL CREEK 02 A WELL					
Source Number: 022					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/12/22	< 50.000	2014/12
ANTIMONY	01097	036	2011/12/22	< 6.000	2014/12
ARSENIC	01002	036	2011/12/22	< 2.000	2014/12
BARIUM	01007	036	2011/12/22	< 100.000	2014/12
BERYLLIUM	01012	036	2011/12/22	< 1.000	2014/12
CADMIUM	01027	036	2011/12/22	< 1.000	2014/12
CHROMIUM (TOTAL)	01034	036	2011/12/22	< 10.000	2014/12
CHROMIUM, HEXAVALENT	01032	036	2011/12/22	< 1.000	2014/12
CYANIDE	01291	036	2011/12/22	< 100.000	2014/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/22	. 1.400	2014/12
MERCURY	71900	036	2011/12/22	< 1.000	2014/12
NICKEL	01067	036	2011/12/22	< 10.000	2014/12
PERCHLORATE	A-031	036	2011/12/22	< 4.000	2014/12
SELENIUM	01147	036	2011/12/22	< 5.000	2014/12
THALLIUM	01059	036	2011/12/22	< 1.000	2014/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/27	. 2.600	2014/08
NITRITE (AS N)	00620	036	2011/12/22	< 400.000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-022
Source Name: MILL CREEK 02 A WELL
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/21	. 4.900	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/22	< .010	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/22	< .020	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/12/22	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/22	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/22	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	036	2011/12/22	< .500	2014/12
1,1-DICHLOROETHANE	34496	036	2011/12/22	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	036	2011/12/22	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/22	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/22	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/22	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/22	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/22	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/22	< .500	2014/12
BENZENE	34030	036	2011/12/22	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/22	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/22	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/22	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/22	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/22	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/22	< .500	2014/12
STYRENE	77128	036	2011/12/22	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/22	< .500	2014/12
TOLUENE	34010	036	2011/12/22	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/22	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/22	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-022
Source Name: MILL CREEK 02 A WELL
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2011/12/22	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/22	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/22	< 1.000	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/12/22	. 190.000	2014/12
CALCIUM	00916	036	2011/12/22	. 66.000	2014/12
CARBONATE ALKALINITY	00445	036	2011/12/22	< 2.000	2014/12
CHLORIDE	00940	036	2011/12/22	. 2.500	2014/12
COLOR	00081	036	2012/06/21	< 3.000	2015/06
COPPER	01042	036	2011/12/22	< 50.000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/22	< .050	2014/12
HARDNESS (TOTAL) AS CACO3	00900	036	2011/12/22	. 210.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/22	< 2.000	2014/12
IRON	01045	036	2011/12/22	270.000	2014/12
MAGNESIUM	00927	036	2011/12/22	. 12.000	2014/12
MANGANESE	01055	036	2011/12/22	< 20.000	2014/12
ODOR THRESHOLD @ 60 C	00086	036	2012/06/21	1.000	2015/06
PH, LABORATORY	00403	036	2011/12/22	. 7.500	2014/12
SILVER	01077	036	2011/12/22	< 10.000	2014/12
SODIUM	00929	036	2011/12/22	7.300	2014/12
SPECIFIC CONDUCTANCE	00095	036	2011/12/22	. 420.000	2014/12
SULFATE	00945	036	2011/12/22	48.000	2014/12
TOTAL DISSOLVED SOLIDS	70300	036	2011/12/22	. 280.000	2014/12
TURBIDITY, LABORATORY	82079	036	2012/06/21	. .840	2015/06
ZINC	01092	036	2011/12/22	< 50.000	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-023
Source Name: MILL CREEK WELL 0-A
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2008/12/04	< 50.000	2009/12	DUE
ANTIMONY	01097	012	2008/12/04	< 6.000	2009/12	DUE
ARSENIC	01002	012	2009/04/06	< 2.000	2010/04	DUE
ASBESTOS	81855	108	2005/11/15	< .200	2014/11	
BARIUM	01007	012	2008/12/04	< 100.000	2009/12	DUE
BERYLLIUM	01012	012	2008/12/04	< 1.000	2009/12	DUE
CADMIUM	01027	012	2008/12/04	< 1.000	2009/12	DUE
CHROMIUM (TOTAL)	01034	012	2008/12/04	< 10.000	2009/12	DUE
CHROMIUM, HEXAVALENT	01032	012	2005/11/15	< 1.000	2006/11	DUE
CYANIDE	01291	012	2008/12/04	< 100.000	2009/12	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2008/12/04	.970	2009/12	DUE
MERCURY	71900	012	2008/12/04	< 1.000	2009/12	DUE
NICKEL	01067	012	2008/12/04	< 10.000	2009/12	DUE
PERCHLORATE	A-031	012	2009/04/06	< 4.000	2010/04	DUE
SELENIUM	01147	012	2008/12/04	< 5.000	2009/12	DUE
THALLIUM	01059	012	2008/12/04	< 1.000	2009/12	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/04/06	3.200	2010/04	DUE
NITRITE (AS N)	00620	036	2009/04/06	< 400.000	2012/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2008/12/04	4.900	2011/12	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/06	< .010	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/06	< .020	2012/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2008/12/04	< .500	2011/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2008/12/04	< .500	2011/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2008/12/04	< 10.000	2011/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-023
Source Name: MILL CREEK WELL 0-A
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2-TRICHLOROETHANE	34511	036	2008/12/04	< .500	2011/12	DUE
1,1-DICHLOROETHANE	34496	036	2008/12/04	< .500	2011/12	DUE
1,1-DICHLOROETHYLENE	34501	036	2008/12/04	< .500	2011/12	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2008/12/04	< .500	2011/12	DUE
1,2-DICHLOROBENZENE	34536	036	2008/12/04	< .500	2011/12	DUE
1,2-DICHLOROETHANE	34531	036	2008/12/04	< .500	2011/12	DUE
1,2-DICHLOROPROPANE	34541	036	2008/12/04	< .500	2011/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2008/12/04	< .500	2011/12	DUE
1,4-DICHLOROBENZENE	34571	036	2008/12/04	< .500	2011/12	DUE
BENZENE	34030	036	2008/12/04	< .500	2011/12	DUE
CARBON TETRACHLORIDE	32102	036	2008/12/04	< .500	2011/12	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2008/12/04	< .500	2011/12	DUE
DICHLOROMETHANE	34423	036	2008/12/04	< .500	2011/12	DUE
ETHYLBENZENE	34371	036	2008/12/04	< .500	2011/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2008/12/04	< 3.000	2011/12	DUE
MONOCHLOROBENZENE	34301	036	2008/12/04	< .500	2011/12	DUE
STYRENE	77128	036	2008/12/04	< .500	2011/12	DUE
TETRACHLOROETHYLENE	34475	036	2009/04/06	< .500	2012/04	DUE
TOLUENE	34010	036	2008/12/04	< .500	2011/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2008/12/04	< .500	2011/12	DUE
TRICHLOROETHYLENE	39180	036	2009/04/06	< .500	2012/04	DUE
TRICHLOROFLUOROMETHANE	34488	036	2008/12/04	< 5.000	2011/12	DUE
VINYL CHLORIDE	39175	036	2008/12/04	< .500	2011/12	DUE
XYLENES (TOTAL)	81551	036	2008/12/04	< 1.000	2011/12	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2008/12/04	224.000	2009/12	DUE
CALCIUM	00916	012	2008/12/04	55.000	2009/12	DUE
CARBONATE ALKALINITY	00445	012	2008/12/04	< 2.000	2009/12	DUE
CHLORIDE	00940	012	2008/12/04	4.200	2009/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-023
Source Name: MILL CREEK WELL 0-A
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COLOR	00081	012	2008/12/04	<	3.000	2009/12	DUE
COPPER	01042	012	2008/12/04	<	50.000	2009/12	DUE
FOAMING AGENTS (MBAS)	38260	012	2008/12/04	<	.050	2009/12	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2008/12/04		195.000	2009/12	DUE
HYDROXIDE ALKALINITY	71830	012	2008/12/04	<	2.000	2009/12	DUE
IRON	01045	012	2008/12/04		140.000	2009/12	DUE
MAGNESIUM	00927	012	2008/12/04		14.000	2009/12	DUE
MANGANESE	01055	012	2008/12/04	<	20.000	2009/12	DUE
ODOR THRESHOLD @ 60 C	00086	012	2008/12/04		1.000	2009/12	DUE
PH, LABORATORY	00403	012	2008/12/04		7.900	2009/12	DUE
SILVER	01077	012	2008/12/04	<	10.000	2009/12	DUE
SODIUM	00929	012	2008/12/04		16.000	2009/12	DUE
SPECIFIC CONDUCTANCE	00095	012	2008/12/04		457.000	2009/12	DUE
SULFATE	00945	012	2008/12/04		52.000	2009/12	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2008/12/04		293.000	2009/12	DUE
TURBIDITY, LABORATORY	82079	012	2008/12/04		.800	2009/12	DUE
ZINC	01092	012	2008/12/04	<	50.000	2009/12	DUE

PS Code: 3610037-024
Source Name: MILL CREEK WELL 01
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	012	2008/12/11		58.000	2009/12	DUE
ANTIMONY	01097	012	2008/12/11	<	6.000	2009/12	DUE
ARSENIC	01002	012	2009/04/06	<	2.000	2010/04	DUE
ASBESTOS	81855	108	2005/11/28	<	.200	2014/11	
BARIUM	01007	012	2008/12/11	<	100.000	2009/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-024
Source Name: MILL CREEK WELL 01
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BERYLLIUM	01012	012	2008/12/11	< 1.000	2009/12	DUE
CADMIUM	01027	012	2008/12/11	< 1.000	2009/12	DUE
CHROMIUM (TOTAL)	01034	012	2008/12/11	< 10.000	2009/12	DUE
CHROMIUM, HEXAVALENT	01032	012	2005/11/28	< 1.000	2006/11	DUE
CYANIDE	01291	012	2008/12/11	< 100.000	2009/12	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2008/12/11	1.000	2009/12	DUE
MERCURY	71900	012	2008/12/11	< 1.000	2009/12	DUE
NICKEL	01067	012	2008/12/11	< 10.000	2009/12	DUE
PERCHLORATE	A-031	012	2009/04/06	< 4.000	2010/04	DUE
SELENIUM	01147	012	2008/12/11	< 5.000	2009/12	DUE
THALLIUM	01059	012	2008/12/11	< 1.000	2009/12	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/04/06	3.300	2010/04	DUE
NITRITE (AS N)	00620	036	2009/04/06	< 400.000	2012/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2008/12/11	7.900	2011/12	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/06	< .010	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/06	< .020	2012/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2008/12/11	< .500	2011/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2008/12/11	< .500	2011/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2008/12/11	< 10.000	2011/12	DUE
1,1,2-TRICHLOROETHANE	34511	036	2008/12/11	< .500	2011/12	DUE
1,1-DICHLOROETHANE	34496	036	2008/12/11	< .500	2011/12	DUE
1,1-DICHLOROETHYLENE	34501	036	2008/12/11	< .500	2011/12	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2008/12/11	< .500	2011/12	DUE
1,2-DICHLOROBENZENE	34536	036	2008/12/11	< .500	2011/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-024
Source Name: MILL CREEK WELL 01
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROETHANE	34531	036	2008/12/11	< .500	2011/12	DUE
1,2-DICHLOROPROPANE	34541	036	2008/12/11	< .500	2011/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2008/12/11	< .500	2011/12	DUE
1,4-DICHLOROBENZENE	34571	036	2008/12/11	< .500	2011/12	DUE
BENZENE	34030	036	2008/12/11	< .500	2011/12	DUE
CARBON TETRACHLORIDE	32102	036	2008/12/11	< .500	2011/12	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2008/12/11	< .500	2011/12	DUE
DICHLOROMETHANE	34423	036	2008/12/11	< .500	2011/12	DUE
ETHYLBENZENE	34371	036	2008/12/11	< .500	2011/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2008/12/11	< 3.000	2011/12	DUE
MONOCHLOROBENZENE	34301	036	2008/12/11	< .500	2011/12	DUE
STYRENE	77128	036	2008/12/11	< .500	2011/12	DUE
TETRACHLOROETHYLENE	34475	036	2009/04/06	< .500	2012/04	DUE
TOLUENE	34010	036	2008/12/11	< .500	2011/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2008/12/11	< .500	2011/12	DUE
TRICHLOROETHYLENE	39180	036	2009/04/06	< .500	2012/04	DUE
TRICHLOROFLUOROMETHANE	34488	036	2008/12/11	< 5.000	2011/12	DUE
VINYL CHLORIDE	39175	036	2008/12/11	< .500	2011/12	DUE
XYLENES (TOTAL)	81551	036	2008/12/11	< 1.000	2011/12	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2008/12/11	197.000	2009/12	DUE
CALCIUM	00916	012	2008/12/11	58.000	2009/12	DUE
CARBONATE ALKALINITY	00445	012	2008/12/11	< 2.000	2009/12	DUE
CHLORIDE	00940	012	2008/12/11	2.900	2009/12	DUE
COLOR	00081	012	2008/12/11	5.000	2009/12	DUE
COPPER	01042	012	2008/12/11	< 50.000	2009/12	DUE
FOAMING AGENTS (MBAS)	38260	012	2008/12/11	< .050	2009/12	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2008/12/11	194.000	2009/12	DUE
HYDROXIDE ALKALINITY	71830	012	2008/12/11	< 2.000	2009/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-024
Source Name: MILL CREEK WELL 01
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
IRON	01045	012	2008/12/11		120.000	2009/12	DUE
MAGNESIUM	00927	012	2008/12/11		12.000	2009/12	DUE
MANGANESE	01055	012	2008/12/11	<	20.000	2009/12	DUE
ODOR THRESHOLD @ 60 C	00086	012	2008/12/11		2.000	2009/12	DUE
PH, LABORATORY	00403	012	2008/12/11		7.800	2009/12	DUE
SILVER	01077	012	2008/12/11	<	10.000	2009/12	DUE
SODIUM	00929	012	2008/12/11		11.000	2009/12	DUE
SPECIFIC CONDUCTANCE	00095	012	2008/12/11		431.000	2009/12	DUE
SULFATE	00945	012	2008/12/11		48.000	2009/12	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2008/12/11		246.000	2009/12	DUE
TURBIDITY, LABORATORY	82079	012	2008/12/11		6.500	2009/12	DUE
ZINC	01092	012	2008/12/11	<	50.000	2009/12	DUE

PS Code: 3610037-025
Source Name: MILL CREEK WELL 02
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/12/15	<	50.000	2014/12	
ANTIMONY	01097	036	2011/12/15	<	6.000	2014/12	
ARSENIC	01002	036	2011/12/15	<	2.000	2014/12	
BARIUM	01007	036	2011/12/15	<	100.000	2014/12	
BERYLLIUM	01012	036	2011/12/15	<	1.000	2014/12	
CADMIUM	01027	036	2011/12/15	<	1.000	2014/12	
CHROMIUM (TOTAL)	01034	036	2011/12/15	<	10.000	2014/12	
CHROMIUM, HEXAVALENT	01032	036	2011/12/15	<	1.000	2014/12	
CYANIDE	01291	036	2011/12/15	<	100.000	2014/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/12/15	.	.860	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-025
Source Name: MILL CREEK WELL 02
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
MERCURY	71900	036	2011/12/15	< 1.000	2014/12
NICKEL	01067	036	2011/12/15	< 10.000	2014/12
PERCHLORATE	A-031	036	2011/12/15	< 4.000	2014/12
SELENIUM	01147	036	2011/12/15	< 5.000	2014/12
THALLIUM	01059	036	2011/12/15	< 1.000	2014/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/27	. 2.400	2014/08
NITRITE (AS N)	00620	036	2011/12/15	< 400.000	2014/12
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/21	< 3.000	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/15	< .010	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/15	< .020	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/12/15	< .500	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/15	< .500	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/15	< 10.000	2014/12
1,1,2-TRICHLOROETHANE	34511	036	2011/12/15	< .500	2014/12
1,1-DICHLOROETHANE	34496	036	2011/12/15	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	036	2011/12/15	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/15	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/15	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/15	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/15	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/15	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/15	< .500	2014/12
BENZENE	34030	036	2011/12/15	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/15	< .500	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-025***

Source Name: ***MILL CREEK WELL 02***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/12/15	**< .500**	2014/12
DICHLOROMETHANE	**34423**	**036**	2011/12/15	**< .500**	2014/12
ETHYLBENZENE	**34371**	**036**	2011/12/15	**< .500**	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/12/15	**< 3.000**	2014/12
MONOCHLOROBENZENE	**34301**	**036**	2011/12/15	**< .500**	2014/12
STYRENE	**77128**	**036**	2011/12/15	**< .500**	2014/12
TETRACHLOROETHYLENE	**34475**	**036**	2011/12/15	**< .500**	2014/12
TOLUENE	**34010**	**036**	2011/12/15	**< .500**	2014/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/12/15	**< .500**	2014/12
TRICHLOROETHYLENE	**39180**	**036**	2011/12/15	**< .500**	2014/12
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/12/15	**< 5.000**	2014/12
VINYL CHLORIDE	**39175**	**036**	2011/12/15	**< .500**	2014/12
XYLENES (TOTAL)	**81551**	**036**	2011/12/15	**< 1.000**	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/12/15	**. 160.000**	2014/12
CALCIUM	**00916**	**036**	2011/12/15	**. 49.000**	2014/12
CARBONATE ALKALINITY	**00445**	**036**	2011/12/15	**< 2.000**	2014/12
CHLORIDE	**00940**	**036**	2011/12/15	**. 1.800**	2014/12
COLOR	**00081**	**036**	2012/06/21	**< 3.000**	2015/06
COPPER	**01042**	**036**	2011/12/15	**< 50.000**	2014/12
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/12/15	**< .050**	2014/12
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/12/15	**. 160.000**	2014/12
HYDROXIDE ALKALINITY	**71830**	**036**	2011/12/15	**< 2.000**	2014/12
IRON	**01045**	**036**	2011/12/15	**< 100.000**	2014/12
MAGNESIUM	**00927**	**036**	2011/12/15	**. 9.800**	2014/12
MANGANESE	**01055**	**036**	2011/12/15	**< 20.000**	2014/12
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/21	**1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2011/12/15	**. 7.700**	2014/12
SILVER	**01077**	**036**	2011/12/15	**< 10.000**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-025
Source Name: MILL CREEK WELL 02
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SODIUM	00929	036	2011/12/15		6.900	2014/12	
SPECIFIC CONDUCTANCE	00095	036	2011/12/15	.	320.000	2014/12	
SULFATE	00945	036	2011/12/15		25.000	2014/12	
TOTAL DISSOLVED SOLIDS	70300	036	2011/12/15	.	180.000	2014/12	
TURBIDITY, LABORATORY	82079	036	2012/06/21	.	.170	2015/06	
ZINC	01092	036	2011/12/15	<	50.000	2014/12	

PS Code: 3610037-026
Source Name: MILL CREEK WELL 04
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	012	2012/12/06	.	140.000	2013/12	DUE
ANTIMONY	01097	012	2012/12/06	<	6.000	2013/12	DUE
ARSENIC	01002	012	2012/12/06	<	2.000	2013/12	DUE
ASBESTOS	81855	108	2005/11/16	<	.200	2014/11	
BARIUM	01007	012	2012/12/06	<	100.000	2013/12	DUE
BERYLLIUM	01012	012	2012/12/06	<	1.000	2013/12	DUE
CADMIUM	01027	012	2012/12/06	<	1.000	2013/12	DUE
CHROMIUM (TOTAL)	01034	012	2012/12/06	<	10.000	2013/12	DUE
CHROMIUM, HEXAVALENT	01032	012	2012/12/06	<	1.000	2013/12	DUE
CYANIDE	01291	012	2012/12/06	<	100.000	2013/12	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2012/12/06	.	.620	2013/12	DUE
MERCURY	71900	012	2012/12/06	<	1.000	2013/12	DUE
NICKEL	01067	012	2012/12/06	<	10.000	2013/12	DUE
PERCHLORATE	A-031	012	2012/12/06	<	4.000	2013/12	DUE
SELENIUM	01147	012	2012/12/06	<	5.000	2013/12	DUE
THALLIUM	01059	012	2012/12/06	<	1.000	2013/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-026
Source Name: MILL CREEK WELL 04
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/02/11	< 2.000	2015/02
NITRITE (AS N)	00620	036	2012/12/06	< 400.000	2015/12
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/12/06	. 3.100	2015/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/12/06	< .010	2015/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/12/06	< .020	2015/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/12/06	< .500	2015/12
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/12/06	< .500	2015/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/12/06	< 10.000	2015/12
1,1,2-TRICHLOROETHANE	34511	036	2012/12/06	< .500	2015/12
1,1-DICHLOROETHANE	34496	036	2012/12/06	< .500	2015/12
1,1-DICHLOROETHYLENE	34501	036	2012/12/06	< .500	2015/12
1,2,4-TRICHLOROBENZENE	34551	036	2012/12/06	< .500	2015/12
1,2-DICHLOROBENZENE	34536	036	2012/12/06	< .500	2015/12
1,2-DICHLOROETHANE	34531	036	2012/12/06	< .500	2015/12
1,2-DICHLOROPROPANE	34541	036	2012/12/06	< .500	2015/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/12/06	< .500	2015/12
1,4-DICHLOROBENZENE	34571	036	2012/12/06	< .500	2015/12
BENZENE	34030	036	2012/12/06	< .500	2015/12
CARBON TETRACHLORIDE	32102	036	2012/12/06	< .500	2015/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/12/06	< .500	2015/12
DICHLOROMETHANE	34423	036	2012/12/06	< .500	2015/12
ETHYLBENZENE	34371	036	2012/12/06	< .500	2015/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/12/06	< 3.000	2015/12
MONOCHLOROBENZENE	34301	036	2012/12/06	< .500	2015/12
STYRENE	77128	036	2012/12/06	< .500	2015/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-026***

Source Name: ***MILL CREEK WELL 04***

Source Number: ***026***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TETRACHLOROETHYLENE	34475	036	2012/12/06	<	.500	2015/12	
TOLUENE	34010	036	2012/12/06	<	.500	2015/12	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/12/06	<	.500	2015/12	
TRICHLOROETHYLENE	39180	036	2012/12/06	<	.500	2015/12	
TRICHLOROFLUOROMETHANE	34488	036	2012/12/06	<	5.000	2015/12	
VINYL CHLORIDE	39175	036	2012/12/06	<	.500	2015/12	
XYLENES (TOTAL)	81551	036	2012/12/06	<	.500	2015/12	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	012	2012/12/06	.	150.000	2013/12	DUE
CALCIUM	00916	012	2012/12/06	.	40.000	2013/12	DUE
CARBONATE ALKALINITY	00445	012	2012/12/06	<	2.000	2013/12	DUE
CHLORIDE	00940	012	2012/12/06	.	1.700	2013/12	DUE
COLOR	00081	012	2012/12/06	<	3.000	2013/12	DUE
COPPER	01042	012	2012/12/06	<	50.000	2013/12	DUE
FOAMING AGENTS (MBAS)	38260	012	2012/12/06	<	.050	2013/12	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2012/12/06	.	140.000	2013/12	DUE
HYDROXIDE ALKALINITY	71830	012	2012/12/06	<	2.000	2013/12	DUE
IRON	01045	012	2012/12/06	<	100.000	2013/12	DUE
MAGNESIUM	00927	012	2012/12/06	.	9.400	2013/12	DUE
MANGANESE	01055	012	2012/12/06	<	20.000	2013/12	DUE
ODOR THRESHOLD @ 60 C	00086	012	2012/12/06		1.000	2013/12	DUE
PH, LABORATORY	00403	012	2012/12/06	.	7.800	2013/12	DUE
SILVER	01077	012	2012/12/06	<	10.000	2013/12	DUE
SODIUM	00929	012	2012/12/06		7.100	2013/12	DUE
SPECIFIC CONDUCTANCE	00095	012	2012/12/06	.	300.000	2013/12	DUE
SULFATE	00945	012	2012/12/06		16.000	2013/12	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2012/12/06	.	180.000	2013/12	DUE
TURBIDITY, LABORATORY	82079	012	2012/12/06	.	.110	2013/12	DUE
ZINC	01092	012	2012/12/06	<	50.000	2013/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-029
Source Name: ORANGE STREET WELL
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/07/03	< 50.000	2017/07	
ANTIMONY	01097	036	2014/07/03	< 6.000	2017/07	
ARSENIC	01002	036	2014/07/03	< 2.000	2017/07	
BARIUM	01007	036	2014/07/03	< 100.000	2017/07	
BERYLLIUM	01012	036	2014/07/03	< 1.000	2017/07	
CADMIUM	01027	036	2014/07/03	< 1.000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/03	< 10.000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2005/11/17	< 1.000	2008/11	DUE
CYANIDE	01291	036	2014/07/03	< 100.000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	. .390	2017/07	
MERCURY	71900	036	2014/07/03	< 1.000	2017/07	
NICKEL	01067	036	2014/07/03	< 10.000	2017/07	
PERCHLORATE	A-031	036	2014/07/29	< .000	2017/07	
SELENIUM	01147	036	2014/07/03	< 5.000	2017/07	
THALLIUM	01059	036	2014/07/03	< 1.000	2017/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/29	. 5.086	2015/07	
NITRITE (AS N)	00620	036	2014/07/03	< 400.000	2017/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/03	. 4.200	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/03	< .010	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/03	< .020	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/03	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/03	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/03	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/03	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-029
Source Name: ORANGE STREET WELL
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/07/03	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/03	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/03	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/03	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/03	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/03	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/03	< .500	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/03	< .500	2017/07
BENZENE	34030	036	2014/07/03	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/03	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/03	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/03	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/03	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/03	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/03	< .500	2017/07
STYRENE	77128	036	2014/07/03	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/03	< .500	2017/07
TOLUENE	34010	036	2014/07/03	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/03	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/03	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/03	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/03	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/03	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/03	. 110.000	2017/07
CALCIUM	00916	036	2014/07/03	. 34.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/03	< 2.000	2017/07
CHLORIDE	00940	036	2014/07/03	. 12.000	2017/07
COLOR	00081	036	2014/07/03	< 3.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-029
Source Name: ORANGE STREET WELL
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2014/07/03	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/03	< .050	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/03	. 110.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/03	< 2.000	2017/07
IRON	01045	036	2014/07/03	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/03	. 6.400	2017/07
MANGANESE	01055	036	2014/07/03	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/03	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/03	. 7.900	2017/07
SILVER	01077	036	2014/07/03	< 10.000	2017/07
SODIUM	00929	036	2014/07/03	. 12.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/03	. 290.000	2017/07
SULFATE	00945	036	2014/07/03	. 16.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 180.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/03	. .076	2017/07
ZINC	01092	036	2014/07/03	< 50.000	2017/07

PS Code: 3610037-031
Source Name: REES WELL
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/03/06	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/06	< 6.000	2017/03
ARSENIC	01002	036	2014/03/06	< 2.000	2017/03
BARIUM	01007	036	2014/03/06	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/06	< 1.000	2017/03
CADMIUM	01027	036	2014/03/06	< 1.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-031***

Source Name: ***REES WELL***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/03/06	< 10.000	2017/03	
CHROMIUM, HEXAVALENT	01032	036	2002/10/09	. .000	2005/10	DUE
CYANIDE	01291	036	2014/03/06	< 100.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/06	. .770	2017/03	
MERCURY	71900	036	2014/03/06	< 1.000	2017/03	
NICKEL	01067	036	2014/03/06	< 10.000	2017/03	
PERCHLORATE	A-031	036	2014/07/29	. 2.274	2017/07	
SELENIUM	01147	036	2014/03/06	< 5.000	2017/03	
THALLIUM	01059	036	2014/03/06	< 1.000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/29	. 21.321	2015/07	
NITRITE (AS N)	00620	036	2014/03/06	< 400.000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/03/06	< 3.000	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/06	< .010	2017/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/06	< .020	2017/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/03/06	< .500	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/06	< .500	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/06	< 10.000	2017/03	
1,1,2-TRICHLOROETHANE	34511	036	2014/03/06	< .500	2017/03	
1,1-DICHLOROETHANE	34496	036	2014/03/06	< .500	2017/03	
1,1-DICHLOROETHYLENE	34501	036	2014/03/06	< .500	2017/03	
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/06	< .500	2017/03	
1,2-DICHLOROBENZENE	34536	036	2014/03/06	< .500	2017/03	
1,2-DICHLOROETHANE	34531	036	2014/03/06	< .500	2017/03	
1,2-DICHLOROPROPANE	34541	036	2014/03/06	< .500	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-031***

Source Name: ***REES WELL***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/03/06	**< .500**	2017/03
1,4-DICHLOROBENZENE	**34571**	**036**	2014/03/06	**< .500**	2017/03
BENZENE	**34030**	**036**	2014/03/06	**< .500**	2017/03
CARBON TETRACHLORIDE	**32102**	**036**	2014/03/06	**< .500**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/03/06	**< .500**	2017/03
DICHLOROMETHANE	**34423**	**036**	2014/03/06	**< .500**	2017/03
ETHYLBENZENE	**34371**	**036**	2014/03/06	**< .500**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/03/06	**< 3.000**	2017/03
MONOCHLOROBENZENE	**34301**	**036**	2014/03/06	**< .500**	2017/03
STYRENE	**77128**	**036**	2014/03/06	**< .500**	2017/03
TETRACHLOROETHYLENE	**34475**	**036**	2014/03/06	**< .500**	2017/03
TOLUENE	**34010**	**036**	2014/03/06	**< .500**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/03/06	**< .500**	2017/03
TRICHLOROETHYLENE	**39180**	**036**	2014/03/06	**< .500**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/03/06	**< 5.000**	2017/03
VINYL CHLORIDE	**39175**	**036**	2014/03/06	**< .500**	2017/03
XYLENES (TOTAL)	**81551**	**036**	2014/03/06	**< .500**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/03/06	**. 170.000**	2017/03
CALCIUM	**00916**	**036**	2014/03/06	**. 57.000**	2017/03
CARBONATE ALKALINITY	**00445**	**036**	2014/03/06	**< 2.000**	2017/03
CHLORIDE	**00940**	**036**	2014/03/06	**. 16.000**	2017/03
COLOR	**00081**	**036**	2014/03/06	**< 3.000**	2017/03
COPPER	**01042**	**036**	2014/03/06	**< 50.000**	2017/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/06	**< .050**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/06	**. 190.000**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/06	**< 2.000**	2017/03
IRON	**01045**	**036**	2014/03/06	**< 100.000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/06	**. 11.000**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610037-031***					
Source Name: ***REES WELL***					
Source Number: ***031***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
MANGANESE	**01055**	**036**	2014/03/06	**< 20.000**	2017/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/03/06	**< 1.000**	2017/03
PH, LABORATORY	**00403**	**036**	2014/03/06	**. 8.100**	2017/03
SILVER	**01077**	**036**	2014/03/06	**< 10.000**	2017/03
SODIUM	**00929**	**036**	2014/03/06	**. 20.000**	2017/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/03/06	**. 450.000**	2017/03
SULFATE	**00945**	**036**	2014/03/06	**. 30.000**	2017/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/03/06	**. 280.000**	2017/03
TURBIDITY, LABORATORY	**82079**	**036**	2014/03/06	**. .240**	2017/03
ZINC	**01092**	**036**	2014/03/06	**< 50.000**	2017/03
PS Code: ***3610037-034***					
Source Name: ***TATE WTP - RAW***					
Source Number: ***034***					
Source Status: ***COMBINATION OR BLEND RAW***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610037-035***					
Source Name: ***TATE WTP - TREATED***					
Source Number: ***035***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-037
Source Name: WELL 10 - ACTIVE WITH BLENDING
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/03/03	< 50.000	2017/03	
ANTIMONY	01097	036	2014/03/03	< 6.000	2017/03	
ARSENIC	01002	036	2014/03/03	< 2.000	2017/03	
BARIUM	01007	036	2014/03/03	< 100.000	2017/03	
BERYLLIUM	01012	036	2014/03/03	< 1.000	2017/03	
CADMIUM	01027	036	2014/03/03	< 1.000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/03	< 10.000	2017/03	
CHROMIUM, HEXAVALENT	01032	036	2005/11/10	. 4.100	2008/11	DUE
CYANIDE	01291	036	2014/03/03	< 100.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/03	. .410	2017/03	
MERCURY	71900	036	2014/03/03	< 1.000	2017/03	
NICKEL	01067	036	2014/03/03	< 10.000	2017/03	
PERCHLORATE	A-031	036	2014/04/09	. 5.529	2017/04	
SELENIUM	01147	036	2014/03/03	< 5.000	2017/03	
THALLIUM	01059	036	2014/03/03	< 1.000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/09	. 44.000	2015/04	
NITRITE (AS N)	00620	036	2014/03/03	< 400.000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/03/03	< 3.000	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/09	. .012	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/08	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/03/03	< .500	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/03	< .500	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/03	< 10.000	2017/03	
1,1,2-TRICHLOROETHANE	34511	036	2014/03/03	< .500	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-037
Source Name: WELL 10 - ACTIVE WITH BLENDING
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/03/03	< .500	2017/03
1,1-DICHLOROETHYLENE	34501	036	2014/03/03	< .500	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/03	< .500	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/03	< .500	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/03	< .500	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/03	< .500	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/03	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/03	< .500	2017/03
BENZENE	34030	036	2014/03/03	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/03	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/03	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/03	< .500	2017/03
ETHYLBENZENE	34371	036	2014/03/03	< .500	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/03	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/03	< .500	2017/03
STYRENE	77128	036	2014/03/03	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/03	< .500	2017/03
TOLUENE	34010	036	2014/03/03	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/03	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/03	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/03	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/03	< .500	2017/03
XYLENES (TOTAL)	81551	036	2014/03/03	< .500	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/03	. 190.000	2017/03
CALCIUM	00916	036	2014/03/03	. 46.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/03	. 3.100	2017/03
CHLORIDE	00940	036	2014/03/03	. 16.000	2017/03
COLOR	00081	036	2014/03/03	< 3.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-037
Source Name: WELL 10 - ACTIVE WITH BLENDING
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/03/03	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/03	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/03	. 160.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/03	< 2.000	2017/03
IRON	01045	036	2014/03/03	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/03	. 11.000	2017/03
MANGANESE	01055	036	2014/03/03	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/03	< 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/03	. 8.400	2017/03
SILVER	01077	036	2014/03/03	< 10.000	2017/03
SODIUM	00929	036	2014/03/03	. 42.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/03	. 530.000	2017/03
SULFATE	00945	036	2014/03/03	. 43.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/03	. 360.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/03	. .130	2017/03
ZINC	01092	036	2014/03/03	< 50.000	2017/03

PS Code: 3610037-039
Source Name: WELL 13 - ACTIVE WITH BLENDING
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/03/31	< 50.000	2014/03	DUE
ANTIMONY	01097	036	2011/03/31	< 6.000	2014/03	DUE
ARSENIC	01002	036	2011/03/31	< 2.000	2014/03	DUE
BARIUM	01007	036	2011/03/31	< 100.000	2014/03	DUE
BERYLLIUM	01012	036	2011/03/31	< 1.000	2014/03	DUE
CADMIUM	01027	036	2011/03/31	< 1.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-039
Source Name: WELL 13 - ACTIVE WITH BLENDING
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/03/31	< 10.000	2014/03	DUE
CHROMIUM, HEXAVALENT	01032	036	2005/11/10	. 4.600	2008/11	DUE
CYANIDE	01291	036	2011/03/31	< 100.000	2014/03	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/31	. .410	2014/03	DUE
MERCURY	71900	036	2011/03/31	< 1.000	2014/03	DUE
NICKEL	01067	036	2011/03/31	< 10.000	2014/03	DUE
PERCHLORATE	A-031	036	2014/04/16	. 4.571	2017/04	
SELENIUM	01147	036	2011/03/31	< 5.000	2014/03	DUE
THALLIUM	01059	036	2011/03/31	< 1.000	2014/03	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/16	. 40.000	2015/04	
NITRITE (AS N)	00620	036	2011/03/31	< 400.000	2014/03	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/08/28	< 3.000	2016/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/16	< .010	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/14	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/03/31	< .500	2014/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/03/31	< .500	2014/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/03/31	< 10.000	2014/03	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/03/31	< .500	2014/03	DUE
1,1-DICHLOROETHANE	34496	036	2011/03/31	< .500	2014/03	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/03/31	< .500	2014/03	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/03/31	< .500	2014/03	DUE
1,2-DICHLOROBENZENE	34536	036	2011/03/31	< .500	2014/03	DUE
1,2-DICHLOROETHANE	34531	036	2011/03/31	< .500	2014/03	DUE
1,2-DICHLOROPROPANE	34541	036	2011/03/31	< .500	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-039
Source Name: WELL 13 - ACTIVE WITH BLENDING
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/03/31	< .500	2014/03	DUE
1,4-DICHLOROBENZENE	34571	036	2011/03/31	< .500	2014/03	DUE
BENZENE	34030	036	2011/03/31	< .500	2014/03	DUE
CARBON TETRACHLORIDE	32102	036	2011/03/31	< .500	2014/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/03/31	< .500	2014/03	DUE
DICHLOROMETHANE	34423	036	2011/03/31	< .500	2014/03	DUE
ETHYLBENZENE	34371	036	2011/03/31	< .500	2014/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/03/31	< 3.000	2014/03	DUE
MONOCHLOROBENZENE	34301	036	2011/03/31	< .500	2014/03	DUE
STYRENE	77128	036	2011/03/31	< .500	2014/03	DUE
TETRACHLOROETHYLENE	34475	036	2011/03/31	< .500	2014/03	DUE
TOLUENE	34010	036	2011/03/31	< .500	2014/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/03/31	< .500	2014/03	DUE
TRICHLOROETHYLENE	39180	036	2011/03/31	< .500	2014/03	DUE
TRICHLOROFLUOROMETHANE	34488	036	2011/03/31	< 5.000	2014/03	DUE
VINYL CHLORIDE	39175	036	2011/03/31	< .500	2014/03	DUE
XYLENES (TOTAL)	81551	036	2011/03/31	< 1.000	2014/03	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/03/31	. 200.000	2014/03	DUE
CALCIUM	00916	036	2011/03/31	. 46.000	2014/03	DUE
CARBONATE ALKALINITY	00445	036	2011/03/31	< 2.000	2014/03	DUE
CHLORIDE	00940	036	2011/03/31	. 14.000	2014/03	DUE
COLOR	00081	036	2013/08/28	< 3.000	2016/08	
COPPER	01042	036	2011/03/31	< 50.000	2014/03	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/03/31	< .050	2014/03	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/03/31	. 160.000	2014/03	DUE
HYDROXIDE ALKALINITY	71830	036	2011/03/31	< 2.000	2014/03	DUE
IRON	01045	036	2011/03/31	< 100.000	2014/03	DUE
MAGNESIUM	00927	036	2011/03/31	. 11.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-039
Source Name: WELL 13 - ACTIVE WITH BLENDING
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2011/03/31	<	20.000	2014/03	DUE
ODOR THRESHOLD @ 60 C	00086	036	2013/08/28		2.000	2016/08	
PH, LABORATORY	00403	036	2011/03/31	.	8.100	2014/03	DUE
SILVER	01077	036	2011/03/31	<	10.000	2014/03	DUE
SODIUM	00929	036	2011/03/31		43.000	2014/03	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/03/31	.	480.000	2014/03	DUE
SULFATE	00945	036	2011/03/31		40.000	2014/03	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/03/31	.	330.000	2014/03	DUE
TURBIDITY, LABORATORY	82079	036	2013/08/28	.	1.100	2016/08	
ZINC	01092	036	2011/03/31	<	50.000	2014/03	DUE

PS Code: 3610037-053
Source Name: WELL 38
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/07/03	<	50.000	2017/07	
ANTIMONY	01097	036	2014/07/03	<	6.000	2017/07	
ARSENIC	01002	036	2014/07/03	<	2.000	2017/07	
BARIUM	01007	036	2014/07/03	<	100.000	2017/07	
BERYLLIUM	01012	036	2014/07/03	<	1.000	2017/07	
CADMIUM	01027	036	2014/07/03	<	1.000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/03	<	10.000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2005/11/08	.	6.900	2008/11	DUE
CYANIDE	01291	036	2014/07/03	<	100.000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	.	.940	2017/07	
MERCURY	71900	036	2014/07/03	<	1.000	2017/07	
NICKEL	01067	036	2014/07/03	<	10.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-053
Source Name: WELL 38
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/07/29	. 2.842	2017/07
SELENIUM	01147	036	2014/07/03	< 5.000	2017/07
THALLIUM	01059	036	2014/07/03	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/29	. 15.570	2015/07
NITRITE (AS N)	00620	036	2014/07/03	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/03	< 3.000	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/03	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/03	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/03	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/03	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/03	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/03	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/03	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/03	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/03	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/03	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/03	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/03	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/03	< .500	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/03	< .500	2017/07
BENZENE	34030	036	2014/07/03	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/03	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/03	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/03	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-053***

Source Name: ***WELL 38***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2014/07/03	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/03	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/03	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/03	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/03	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/03	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/03	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/03	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/03	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/03	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/03	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/03	**. 190.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/03	**. 34.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/03	**< 2.000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/03	**. 35.000**	2017/07
COLOR	**00081**	**036**	2014/07/03	**< 3.000**	2017/07
COPPER	**01042**	**036**	2014/07/03	**< 50.000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/03	**< .050**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/03	**. 130.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/03	**< 2.000**	2017/07
IRON	**01045**	**036**	2014/07/03	**< 100.000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/03	**. 11.000**	2017/07
MANGANESE	**01055**	**036**	2014/07/03	**< 20.000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/03	**< 1.000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/03	**. 8.100**	2017/07
SILVER	**01077**	**036**	2014/07/03	**< 10.000**	2017/07
SODIUM	**00929**	**036**	2014/07/03	**. 74.000**	2017/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/03	**. 600.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610037-053						
Source Name: WELL 38						
Source Number: 053						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2014/07/03	. 56.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 360.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2014/07/03	. .059	2017/07	
ZINC	01092	036	2014/07/03	< 50.000	2017/07	
PS Code: 3610037-054						
Source Name: CHURCH STREET WELL						
Source Number: 054						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/08/04	. 140.000	2014/08	
ANTIMONY	01097	036	2011/08/04	< 6.000	2014/08	
ARSENIC	01002	036	2011/08/04	< 2.000	2014/08	
BARIUM	01007	036	2011/08/04	< 100.000	2014/08	
BERYLLIUM	01012	036	2011/08/04	< 1.000	2014/08	
CADMIUM	01027	036	2011/08/04	< 1.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/04	< 10.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2005/11/14	< 1.000	2008/11	DUE
CYANIDE	01291	036	2011/08/04	< 100.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/04	. .670	2014/08	
MERCURY	71900	036	2011/08/04	< 1.000	2014/08	
NICKEL	01067	036	2011/08/04	< 10.000	2014/08	
PERCHLORATE	A-031	036	2014/07/29	. 2.583	2017/07	
SELENIUM	01147	036	2011/08/04	< 5.000	2014/08	
THALLIUM	01059	036	2011/08/04	< 1.000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/29	. 18.246	2015/07	
NITRITE (AS N)	00620	036	2013/01/03	< 400.000	2016/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-054***

Source Name: ***CHURCH STREET WELL***

Source Number: ***054***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/07/03	**. 5.200**	2015/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/04	**. .063**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/04	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/08/04	**< .500**	2014/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/08/04	**< .500**	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/08/04	**< 10.000**	2014/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/08/04	**< .500**	2014/08
1,1-DICHLOROETHANE	**34496**	**036**	2011/08/04	**< .500**	2014/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/08/04	**< .500**	2014/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/08/04	**< .500**	2014/08
1,2-DICHLOROBENZENE	**34536**	**036**	2011/08/04	**< .500**	2014/08
1,2-DICHLOROETHANE	**34531**	**036**	2011/08/04	**< .500**	2014/08
1,2-DICHLOROPROPANE	**34541**	**036**	2011/08/04	**< .500**	2014/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/08/04	**< .500**	2014/08
1,4-DICHLOROBENZENE	**34571**	**036**	2011/08/04	**< .500**	2014/08
BENZENE	**34030**	**036**	2011/08/04	**< .500**	2014/08
CARBON TETRACHLORIDE	**32102**	**036**	2011/08/04	**< .500**	2014/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/08/04	**< .500**	2014/08
DICHLOROMETHANE	**34423**	**036**	2011/08/04	**< .500**	2014/08
ETHYLBENZENE	**34371**	**036**	2011/08/04	**< .500**	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/08/04	**< 3.000**	2014/08
MONOCHLOROBENZENE	**34301**	**036**	2011/08/04	**< .500**	2014/08
STYRENE	**77128**	**036**	2011/08/04	**< .500**	2014/08
TETRACHLOROETHYLENE	**34475**	**036**	2011/08/04	**< .500**	2014/08
TOLUENE	**34010**	**036**	2011/08/04	**< .500**	2014/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/08/04	**< .500**	2014/08
TRICHLOROETHYLENE	**39180**	**036**	2011/08/04	**< .500**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-054
Source Name: CHURCH STREET WELL
Source Number: 054
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2011/08/04	< 5.000	2014/08
VINYL CHLORIDE	39175	036	2011/08/04	< .500	2014/08
XYLENES (TOTAL)	81551	036	2011/08/04	< 1.000	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/08/04	. 180.000	2014/08
CALCIUM	00916	036	2011/08/04	. 58.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/04	< 2.000	2014/08
CHLORIDE	00940	036	2011/08/04	. 11.000	2014/08
COLOR	00081	036	2012/07/03	< 3.000	2015/07
COPPER	01042	036	2011/08/04	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/04	< .050	2014/08
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/04	. 200.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/04	< 2.000	2014/08
IRON	01045	036	2011/08/04	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/04	. 14.000	2014/08
MANGANESE	01055	036	2011/08/04	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2012/07/03	1.000	2015/07
PH, LABORATORY	00403	036	2011/08/04	. 7.800	2014/08
SILVER	01077	036	2011/08/04	< 10.000	2014/08
SODIUM	00929	036	2011/08/04	14.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/04	. 430.000	2014/08
SULFATE	00945	036	2011/08/04	33.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/04	. 270.000	2014/08
TURBIDITY, LABORATORY	82079	036	2012/07/03	. .190	2015/07
ZINC	01092	036	2011/08/04	< 50.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-055***

Source Name: ***AIRPORT NO. 2 WELL***

Source Number: ***055***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2011/12/19	**< 50.000**	2014/12	
ANTIMONY	**01097**	**036**	2011/12/19	**< 6.000**	2014/12	
ARSENIC	**01002**	**036**	2011/12/19	**< 2.000**	2014/12	
BARIUM	**01007**	**036**	2011/12/19	**< 100.000**	2014/12	
BERYLLIUM	**01012**	**036**	2011/12/19	**< 1.000**	2014/12	
CADMIUM	**01027**	**036**	2011/12/19	**< 1.000**	2014/12	
CHROMIUM (TOTAL)	**01034**	**036**	2011/12/19	**< 10.000**	2014/12	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2005/11/11**	**< 1.000**	**2008/11**	**DUE**
CYANIDE	**01291**	**036**	2011/12/19	**< 100.000**	2014/12	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/12/19	**. .630**	2014/12	
MERCURY	**71900**	**036**	2011/12/19	**< 1.000**	2014/12	
NICKEL	**01067**	**036**	2011/12/19	**< 10.000**	2014/12	
PERCHLORATE	**A-031**	**036**	2014/07/03	**< .000**	2017/07	
SELENIUM	**01147**	**036**	2011/12/19	**< 5.000**	2014/12	
THALLIUM	**01059**	**036**	2011/12/19	**< 1.000**	2014/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/03	**. 6.266**	2015/07	
NITRITE (AS N)	**00620**	**036**	2013/11/26	**< 400.000**	2016/11	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2012/06/21	**< 3.000**	2015/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/19	**< .010**	2014/12	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/19	**< .020**	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/19	**< .500**	2014/12	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/19	**< .500**	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/19	**< 10.000**	2014/12	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/19	**< .500**	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-055
Source Name: AIRPORT NO. 2 WELL
Source Number: 055
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2011/12/19	< .500	2014/12
1,1-DICHLOROETHYLENE	34501	036	2011/12/19	< .500	2014/12
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/19	< .500	2014/12
1,2-DICHLOROBENZENE	34536	036	2011/12/19	< .500	2014/12
1,2-DICHLOROETHANE	34531	036	2011/12/19	< .500	2014/12
1,2-DICHLOROPROPANE	34541	036	2011/12/19	< .500	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/19	< .500	2014/12
1,4-DICHLOROBENZENE	34571	036	2011/12/19	< .500	2014/12
BENZENE	34030	036	2011/12/19	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/19	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/19	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/19	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/19	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/19	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/19	< .500	2014/12
STYRENE	77128	036	2011/12/19	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/19	< .500	2014/12
TOLUENE	34010	036	2011/12/19	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/19	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/19	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/19	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/19	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/19	< 1.000	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/12/19	. 160.000	2014/12
CALCIUM	00916	036	2011/12/19	. 46.000	2014/12
CARBONATE ALKALINITY	00445	036	2011/12/19	< 2.000	2014/12
CHLORIDE	00940	036	2011/12/19	. 6.300	2014/12
COLOR	00081	036	2012/06/21	< 3.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-055
Source Name: AIRPORT NO. 2 WELL
Source Number: 055
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/12/19	< 50.000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/19	< .050	2014/12
HARDNESS (TOTAL) AS CACO3	00900	036	2011/12/19	. 150.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/19	< 2.000	2014/12
IRON	01045	036	2011/12/19	< 100.000	2014/12
MAGNESIUM	00927	036	2011/12/19	. 8.300	2014/12
MANGANESE	01055	036	2011/12/19	< 20.000	2014/12
ODOR THRESHOLD @ 60 C	00086	036	2012/06/21	1.000	2015/06
PH, LABORATORY	00403	036	2011/12/19	. 7.600	2014/12
SILVER	01077	036	2011/12/19	< 10.000	2014/12
SODIUM	00929	036	2011/12/19	11.000	2014/12
SPECIFIC CONDUCTANCE	00095	036	2011/12/19	. 340.000	2014/12
SULFATE	00945	036	2011/12/19	19.000	2014/12
TOTAL DISSOLVED SOLIDS	70300	036	2011/12/19	. 190.000	2014/12
TURBIDITY, LABORATORY	82079	036	2012/06/21	. .400	2015/06
ZINC	01092	036	2011/12/19	< 50.000	2014/12

PS Code: 3610037-057T
Source Name: WELL 31A - TREATED
Source Number: 057
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-058
Source Name: WELL 32 - TREATED
Source Number: 058
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610037-059T
Source Name: AIRPORT WELL 02 - TREATED
Source Number: 059
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610037-060
Source Name: WELL 39
Source Number: 060
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/13	<	50.000	2014/10	
ANTIMONY	01097	036	2011/10/13	<	6.000	2014/10	
ARSENIC	01002	036	2011/10/13	<	2.000	2014/10	
BARIUM	01007	036	2011/10/13	<	100.000	2014/10	
BERYLLIUM	01012	036	2011/10/13	<	1.000	2014/10	
CADMIUM	01027	036	2011/10/13	<	1.000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/13	<	10.000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2005/11/14	.	10.000	2008/11	DUE
CYANIDE	01291	036	2011/10/13	<	100.000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/13	.	1.800	2014/10	
MERCURY	71900	036	2011/10/13	<	1.000	2014/10	
NICKEL	01067	036	2011/10/13	<	10.000	2014/10	
PERCHLORATE	A-031	036	2014/07/29	.	5.718	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-060
Source Name: WELL 39
Source Number: 060
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2011/10/13	< 5.000	2014/10
THALLIUM	01059	036	2011/10/13	< 1.000	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/29	. 21.047	2015/07
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/14	< 3.000	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/01	< .010	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/01	< .020	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/10/13	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/10/13	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/10/13	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	036	2011/10/13	< .500	2014/10
1,1-DICHLOROETHANE	34496	036	2011/10/13	< .500	2014/10
1,1-DICHLOROETHYLENE	34501	036	2011/10/13	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	036	2011/10/13	< .500	2014/10
1,2-DICHLOROBENZENE	34536	036	2011/10/13	< .500	2014/10
1,2-DICHLOROETHANE	34531	036	2011/10/13	< .500	2014/10
1,2-DICHLOROPROPANE	34541	036	2011/10/13	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/10/13	< .500	2014/10
1,4-DICHLOROBENZENE	34571	036	2011/10/13	< .500	2014/10
BENZENE	34030	036	2011/10/13	< .500	2014/10
CARBON TETRACHLORIDE	32102	036	2011/10/13	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/10/13	< .500	2014/10
DICHLOROMETHANE	34423	036	2011/10/13	< .500	2014/10
ETHYLBENZENE	34371	036	2011/10/13	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-060
Source Name: WELL 39
Source Number: 060
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/10/13	< 3.000	2014/10
MONOCHLOROBENZENE	34301	036	2011/10/13	< .500	2014/10
STYRENE	77128	036	2011/10/13	< .500	2014/10
TETRACHLOROETHYLENE	34475	036	2011/10/13	< .500	2014/10
TOLUENE	34010	036	2011/10/13	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/10/13	< .500	2014/10
TRICHLOROETHYLENE	39180	036	2011/10/13	< .500	2014/10
TRICHLOROFLUOROMETHANE	34488	036	2011/10/13	< 5.000	2014/10
VINYL CHLORIDE	39175	036	2011/10/13	< .500	2014/10
XYLENES (TOTAL)	81551	036	2011/10/13	< 1.000	2014/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/13	. 160.000	2014/10
CALCIUM	00916	036	2011/10/13	. 29.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/13	< 2.000	2014/10
CHLORIDE	00940	036	2011/10/13	. 42.000	2014/10
COLOR	00081	036	2012/06/14	< 3.000	2015/06
COPPER	01042	036	2011/10/13	< 50.000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/13	< .050	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/13	. 110.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/13	< 2.000	2014/10
IRON	01045	036	2011/10/13	< 100.000	2014/10
MAGNESIUM	00927	036	2011/10/13	. 9.400	2014/10
MANGANESE	01055	036	2011/10/13	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2012/06/14	1.000	2015/06
PH, LABORATORY	00403	036	2011/10/13	. 7.900	2014/10
SILVER	01077	036	2011/10/13	< 10.000	2014/10
SODIUM	00929	036	2011/10/13	79.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/13	. 580.000	2014/10
SULFATE	00945	036	2011/10/13	68.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-060***

Source Name: ***WELL 39***

Source Number: ***060***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/10/13	**. 360.000**	2014/10	
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/14	**. .180**	2015/06	
ZINC	**01092**	**036**	2011/10/13	**< 50.000**	2014/10	

PS Code: ***3610037-061T***

Source Name: ***WELL 39 - TREATED***

Source Number: ***061***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

PS Code: ***3610037-062***

Source Name: ***SAN BERNARDINO AVENUE WELL***

Source Number: ***062***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC						
ALUMINUM	**01105**	**036**	2014/06/11	**< 50.000**	2017/06	
ANTIMONY	**01097**	**036**	2014/06/11	**< 6.000**	2017/06	
ARSENIC	**01002**	**036**	2014/06/11	**< 2.000**	2017/06	
BARIUM	**01007**	**036**	2014/06/11	**< 100.000**	2017/06	
BERYLLIUM	**01012**	**036**	2014/06/11	**< 1.000**	2017/06	
CADMIUM	**01027**	**036**	2014/06/11	**< 1.000**	2017/06	
CHROMIUM (TOTAL)	**01034**	**036**	2014/06/11	**< 10.000**	2017/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2014/06/11	**< 100.000**	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/11	**. .800**	2017/06	
MERCURY	**71900**	**036**	2014/06/11	**< 1.000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-062***

Source Name: ***SAN BERNARDINO AVENUE WELL***

Source Number: ***062***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	**01067**	**036**	2014/06/11	**< 10.000**	2017/06
PERCHLORATE	**A-031**	**036**	2014/07/03	**. 1.447**	2017/07
SELENIUM	**01147**	**036**	2014/06/11	**< 5.000**	2017/06
THALLIUM	**01059**	**036**	2014/06/11	**< 1.000**	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/03	**. 8.261**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/11/26	**< 400.000**	2016/11
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/06/11	**. 5.800**	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/11	**< .010**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/11	**< .020**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/12	**< .500**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/12	**< .500**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/12	**< 10.000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/12	**< .500**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/12	**< .500**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/12	**< .500**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/12	**< .500**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/12	**< .500**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/12	**< .500**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/12	**< .500**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/12	**< .500**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/12	**< .500**	2017/06
BENZENE	**34030**	**036**	2014/06/12	**< .500**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/12	**< .500**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/12	**< .500**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-062***

Source Name: ***SAN BERNARDINO AVENUE WELL***

Source Number: ***062***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	**34423**	**036**	2014/06/12	**< .500**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/12	**< .500**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/12	**< 3.000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/12	**< .500**	2017/06
STYRENE	**77128**	**036**	2014/06/12	**< .500**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/12	**< .500**	2017/06
TOLUENE	**34010**	**036**	2014/06/12	**< .500**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/12	**< .500**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/12	**< .500**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/12	**< 5.000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/12	**< .500**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/12	**< .500**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/11	**. 150.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/11	**. 48.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/11	**< 2.000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/11	**. 5.200**	2017/06
COLOR	**00081**	**036**	2014/06/11	**< 3.000**	2017/06
COPPER	**01042**	**036**	2014/06/11	**< 50.000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/11	**< .050**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/11	**. 160.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/11	**< 2.000**	2017/06
IRON	**01045**	**036**	2014/06/11	**< 100.000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/11	**. 9.600**	2017/06
MANGANESE	**01055**	**036**	2014/06/11	**< 20.000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/11	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/11	**. 8.100**	2017/06
SILVER	**01077**	**036**	2014/06/11	**< 10.000**	2017/06
SODIUM	**00929**	**036**	2014/06/11	**. 14.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-062					
Source Name: SAN BERNARDINO AVENUE WELL					
Source Number: 062					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SPECIFIC CONDUCTANCE	00095	036	2014/06/11	. 380.000	2017/06
SULFATE	00945	036	2014/06/11	. 27.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/11	. 220.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/11	. .140	2017/06
ZINC	01092	036	2014/06/11	< 50.000	2017/06
PS Code: 3610037-063T					
Source Name: SAN BERNARDINO AVENUE WELL - TREATED					
Source Number: 063					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-064					
Source Name: HIGHLAND RESERVOIR EFFLUENT, NO3 BLENDED					
Source Number: 064					
Source Status: COMBINATION OR BLEND TREATED					
Water type:					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-0651					
Source Name: DIST-PRESSR 1750 SUPPLY TO HIGHLAND RES					
Source Number: 065					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-066***

Source Name: ***MILL CREEK***

Source Number: ***066***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2014/05/22	. 210.000	2015/05	
ANTIMONY	01097	012	2014/05/22	< 6.000	2015/05	
ARSENIC	01002	012	2014/05/22	< 2.000	2015/05	
ASBESTOS	81855	108	2013/05/02	< .200	2022/05	
BARIUM	01007	012	2014/05/22	< 100.000	2015/05	
BERYLLIUM	01012	012	2014/05/22	< 1.000	2015/05	
CADMIUM	01027	012	2014/05/22	< 1.000	2015/05	
CHROMIUM (TOTAL)	01034	012	2014/05/22	< 1.000	2015/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2014/05/22	< 100.000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2014/05/22	. .800	2015/05	
MERCURY	71900	012	2014/05/22	< 1.000	2015/05	
NICKEL	01067	012	2014/05/22	< 10.000	2015/05	
PERCHLORATE	A-031	012	2013/05/02	. .000	2014/05	DUE
SELENIUM	01147	012	2014/05/22	< 5.000	2015/05	
THALLIUM	01059	012	2014/05/22	< 1.000	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/05/02	< 2.000	2014/05	DUE
NITRITE (AS N)	00620	036	2013/05/02	< 400.000	2016/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/22	. 4.460	2017/05	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/05/22	. .000	2017/05	
2,4,5-TP (SILVEX)	39045	036	2014/05/22	< 1.000	2017/05	
2,4-D	39730	036	2014/05/22	< 10.000	2017/05	
ALACHLOR	77825	036	2014/05/22	< 1.000	2017/05	
ATRAZINE	39033	036	2014/05/22	< .500	2017/05	
BENTAZON	38710	036	2014/05/22	< 2.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-066
Source Name: MILL CREEK
Source Number: 066
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	036	2014/05/22	< .100	2017/05
CARBOFURAN	81405	036	2014/05/22	< 5.000	2017/05
CHLORDANE	39350	036	2014/05/22	< .100	2017/05
DALAPON	38432	036	2014/05/22	< 10.000	2017/05
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/05/22	< 5.000	2017/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/05/22	< 3.000	2017/05
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	< .010	2017/05
DINOSEB	81287	036	2014/05/22	< 2.000	2017/05
DIQUAT	78885	036	2014/05/22	. .000	2017/05
ENDOTHALL	38926	036	2014/05/22	< 45.000	2017/05
ENDRIN	39390	036	2014/05/22	< .100	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	< .020	2017/05
GLYPHOSATE	79743	036	2014/05/22	. .000	2017/05
HEPTACHLOR	39410	036	2014/05/22	< .010	2017/05
HEPTACHLOR EPOXIDE	39420	036	2014/05/22	< .010	2017/05
HEXACHLOROBENZENE	39700	036	2014/05/22	< .500	2017/05
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/05/22	< 1.000	2017/05
LINDANE	39340	036	2014/05/22	< .200	2017/05
METHOXYCHLOR	39480	036	2014/05/22	< 10.000	2017/05
MOLINATE	82199	036	2014/05/22	< 2.000	2017/05
OXAMYL	38865	036	2014/05/22	< 20.000	2017/05
PENTACHLOROPHENOL	39032	036	2014/05/22	< .200	2017/05
PICLORAM	39720	036	2014/05/22	< 1.000	2017/05
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/05/22	< .500	2017/05
SIMAZINE	39055	036	2014/05/22	< 1.000	2017/05
THIOBENCARB	A-001	036	2014/05/22	< 1.000	2017/05
TOXAPHENE	39400	036	2014/05/22	< 1.000	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/05/22	< .500	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-066
Source Name: MILL CREEK
Source Number: 066
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/22	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/22	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/22	< .500	2015/05
1,1-DICHLOROETHANE	34496	012	2014/05/22	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/22	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/22	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/22	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/22	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/22	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/22	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/22	< .500	2015/05
BENZENE	34030	012	2014/05/22	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/22	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/22	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/22	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/22	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/22	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/22	< .500	2015/05
STYRENE	77128	012	2014/05/22	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/22	< .500	2015/05
TOLUENE	34010	012	2014/05/22	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/22	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/22	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/22	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/22	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/22	< .500	2015/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2014/05/22	. 210.000	2015/05
CALCIUM	00916	012	2014/05/22	. 60.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-066
Source Name: MILL CREEK
Source Number: 066
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
SECONDARY/GP							
CARBONATE ALKALINITY	00445	012	2014/05/22	<		3.000	2015/05
CHLORIDE	00940	012	2014/05/22	.		3.800	2015/05
COLOR	00081	012	2014/05/22	<		3.000	2015/05
COPPER	01042	012	2014/05/22	<		50.000	2015/05
FOAMING AGENTS (MBAS)	38260	012	2014/05/22	<		.050	2015/05
HARDNESS (TOTAL) AS CACO3	00900	012	2014/05/22	.		200.000	2015/05
HYDROXIDE ALKALINITY	71830	012	2014/05/22	<		3.000	2015/05
IRON	01045	012	2014/05/22	.		370.000	2015/05
MAGNESIUM	00927	012	2014/05/22	.		13.000	2015/05
MANGANESE	01055	012	2014/05/22	<		20.000	2015/05
ODOR THRESHOLD @ 60 C	00086	012	2014/05/22	<		1.000	2015/05
PH, LABORATORY	00403	012	2014/05/22	.		8.200	2015/05
SILVER	01077	012	2014/05/22	<		10.000	2015/05
SODIUM	00929	012	2014/05/22	.		13.000	2015/05
SPECIFIC CONDUCTANCE	00095	012	2014/05/22	.		460.000	2015/05
SULFATE	00945	012	2014/05/22	.		43.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	012	2014/05/22	.		230.000	2015/05
TURBIDITY, LABORATORY	82079	012	2014/05/22	.		.210	2015/05
ZINC	01092	012	2014/05/22	<		50.000	2015/05

PS Code: 3610037-067
Source Name: SANTA ANA RIVER
Source Number: 067
Source Status: ACTIVE RAW
Water type: S

INORGANIC							
ALUMINUM	01105	012	2014/05/22	.		410.000	2015/05
ANTIMONY	01097	012	2014/05/22	<		6.000	2015/05
ARSENIC	01002	012	2014/05/22	<		2.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-067***

Source Name: ***SANTA ANA RIVER***

Source Number: ***067***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ASBESTOS	**81855**	**108**	2013/05/02	**< .200**	2022/05	
BARIUM	**01007**	**012**	2014/05/22	**< 100.000**	2015/05	
BERYLLIUM	**01012**	**012**	2014/05/22	**< 1.000**	2015/05	
CADMIUM	**01027**	**012**	2014/05/22	**< 1.000**	2015/05	
CHROMIUM (TOTAL)	**01034**	**012**	2014/05/22	**< 1.000**	2015/05	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**012**	2014/05/22	**< 100.000**	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**012**	2014/05/22	**. .600**	2015/05	
MERCURY	**71900**	**012**	2014/05/22	**< 1.000**	2015/05	
NICKEL	**01067**	**012**	2014/05/22	**< 10.000**	2015/05	
PERCHLORATE	**A-031**	**012**	2014/05/22	**. .000**	2015/05	
SELENIUM	**01147**	**012**	2014/05/22	**< 5.000**	2015/05	
THALLIUM	**01059**	**012**	2014/05/22	**< 1.000**	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/05/22	**. .158**	2015/05	
NITRITE (AS N)	**00620**	**036**	2013/05/02	**< 400.000**	2016/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/05/22	**. 23.600**	2017/05	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	**34676**	**036**	2014/05/22	**. .000**	2017/05	
2,4,5-TP (SILVEX)	**39045**	**036**	2014/05/22	**< 1.000**	2017/05	
2,4-D	**39730**	**036**	2014/05/22	**< 10.000**	2017/05	
ALACHLOR	**77825**	**036**	2014/05/22	**< 1.000**	2017/05	
ATRAZINE	**39033**	**036**	2014/05/22	**< .500**	2017/05	
BENTAZON	**38710**	**036**	2014/05/22	**< 2.000**	2017/05	
BENZO (A) PYRENE	**34247**	**036**	2014/05/22	**< .100**	2017/05	
CARBOFURAN	**81405**	**036**	2014/05/22	**< 5.000**	2017/05	
CHLORDANE	**39350**	**036**	2014/05/22	**< .100**	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-067***

Source Name: ***SANTA ANA RIVER***

Source Number: ***067***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DALAPON	38432	036	2014/05/22	< 10.000	2017/05
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/05/22	< 5.000	2017/05
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/05/22	< 3.000	2017/05
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	< .010	2017/05
DINOSEB	81287	036	2014/05/22	< 2.000	2017/05
DIQUAT	78885	036	2014/05/22	. .000	2017/05
ENDOTHALL	38926	036	2014/05/22	< 45.000	2017/05
ENDRIN	39390	036	2014/05/22	< .100	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	< .020	2017/05
GLYPHOSATE	79743	036	2014/05/22	. .000	2017/05
HEPTACHLOR	39410	036	2014/05/22	< .010	2017/05
HEPTACHLOR EPOXIDE	39420	036	2014/05/22	< .010	2017/05
HEXACHLOROBENZENE	39700	036	2014/05/22	< .500	2017/05
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/05/22	< 1.000	2017/05
LINDANE	39340	036	2014/05/22	< .200	2017/05
METHOXYCHLOR	39480	036	2014/05/22	< 10.000	2017/05
MOLINATE	82199	036	2014/05/22	< 2.000	2017/05
OXAMYL	38865	036	2014/05/22	< 20.000	2017/05
PENTACHLOROPHENOL	39032	036	2014/05/22	< .200	2017/05
PICLORAM	39720	036	2014/05/22	< 1.000	2017/05
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/05/22	< .500	2017/05
SIMAZINE	39055	036	2014/05/22	< 1.000	2017/05
THIOBENCARB	A-001	036	2014/05/22	< 1.000	2017/05
TOXAPHENE	39400	036	2014/05/22	< 1.000	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/05/22	< .500	2015/05
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/05/22	< .500	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/05/22	< 10.000	2015/05
1,1,2-TRICHLOROETHANE	34511	012	2014/05/22	< .500	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-067
Source Name: SANTA ANA RIVER
Source Number: 067
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	012	2014/05/22	< .500	2015/05
1,1-DICHLOROETHYLENE	34501	012	2014/05/22	< .500	2015/05
1,2,4-TRICHLOROBENZENE	34551	012	2014/05/22	< .500	2015/05
1,2-DICHLOROBENZENE	34536	012	2014/05/22	< .500	2015/05
1,2-DICHLOROETHANE	34531	012	2014/05/22	< .500	2015/05
1,2-DICHLOROPROPANE	34541	012	2014/05/22	< .500	2015/05
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/05/22	< .500	2015/05
1,4-DICHLOROBENZENE	34571	012	2014/05/22	< .500	2015/05
BENZENE	34030	012	2014/05/22	< .500	2015/05
CARBON TETRACHLORIDE	32102	012	2014/05/22	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/05/22	< .500	2015/05
DICHLOROMETHANE	34423	012	2014/05/22	< .500	2015/05
ETHYLBENZENE	34371	012	2014/05/22	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/05/22	< 3.000	2015/05
MONOCHLOROBENZENE	34301	012	2014/05/22	< .500	2015/05
STYRENE	77128	012	2014/05/22	< .500	2015/05
TETRACHLOROETHYLENE	34475	012	2014/05/22	< .500	2015/05
TOLUENE	34010	012	2014/05/22	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/05/22	< .500	2015/05
TRICHLOROETHYLENE	39180	012	2014/05/22	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	012	2014/05/22	< 5.000	2015/05
VINYL CHLORIDE	39175	012	2014/05/22	< .500	2015/05
XYLENES (TOTAL)	81551	012	2014/05/22	< .500	2015/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2014/05/22	. 160.000	2015/05
CALCIUM	00916	012	2014/05/22	. 39.000	2015/05
CARBONATE ALKALINITY	00445	012	2014/05/22	< 3.000	2015/05
CHLORIDE	00940	012	2014/05/22	. 5.500	2015/05
COLOR	00081	012	2014/05/22	. 5.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-067
Source Name: SANTA ANA RIVER
Source Number: 067
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	012	2014/05/22	<	50.000	2015/05	
FOAMING AGENTS (MBAS)	38260	012	2014/05/22	<	.050	2015/05	
HARDNESS (TOTAL) AS CACO3	00900	012	2014/05/22	.	130.000	2015/05	
HYDROXIDE ALKALINITY	71830	012	2014/05/22	<	3.000	2015/05	
IRON	01045	012	2014/05/22	.	400.000	2015/05	
MAGNESIUM	00927	012	2014/05/22	.	7.000	2015/05	
MANGANESE	01055	012	2014/05/22	.	92.000	2015/05	
ODOR THRESHOLD @ 60 C	00086	012	2014/05/22	<	1.000	2015/05	
PH, LABORATORY	00403	012	2014/05/22	.	8.100	2015/05	
SILVER	01077	012	2014/05/22	<	10.000	2015/05	
SODIUM	00929	012	2014/05/22	.	28.000	2015/05	
SPECIFIC CONDUCTANCE	00095	012	2014/05/22	.	370.000	2015/05	
SULFATE	00945	012	2014/05/22	.	36.000	2015/05	
TOTAL DISSOLVED SOLIDS	70300	012	2014/05/22	.	210.000	2015/05	
TURBIDITY, LABORATORY	82079	012	2014/05/22	.	3.200	2015/05	
ZINC	01092	012	2014/05/22	<	50.000	2015/05	

PS Code: 3610037-068
Source Name: STATE WATER PROJECT - FROM SBVWD
Source Number: 068
Source Status: ACTIVE RAW
Water type: S

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	012	2013/05/02	<	50.000	2014/05	DUE
ANTIMONY	01097	012	2013/05/02	<	6.000	2014/05	DUE
ARSENIC	01002	012	2013/05/02	.	2.800	2014/05	DUE
ASBESTOS	81855	108	2013/05/02	<	.200	2022/05	
BARIUM	01007	012	2013/05/02	<	100.000	2014/05	DUE
BERYLLIUM	01012	012	2013/05/02	<	1.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-068
Source Name: STATE WATER PROJECT - FROM SBVWD
Source Number: 068
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	012	2013/05/02	< 1.000	2014/05	DUE
CHROMIUM (TOTAL)	01034	012	2013/05/02	< 10.000	2014/05	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	012	2013/05/02	< 100.000	2014/05	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/05/02	. .110	2014/05	DUE
MERCURY	71900	012	2013/05/02	< 1.000	2014/05	DUE
NICKEL	01067	012	2013/05/02	< 10.000	2014/05	DUE
PERCHLORATE	A-031	012	2010/12/02	< 4.000	2011/12	DUE
SELENIUM	01147	012	2013/05/02	< 5.000	2014/05	DUE
THALLIUM	01059	012	2013/05/02	< 1.000	2014/05	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/24	. 2.067	2015/07	
NITRITE (AS N)	00620	036	2013/05/02	< 400.000	2016/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/05/02	. 5.100	2016/05	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2010/12/02	.000	2013/12	DUE
2,4,5-TP (SILVEX)	39045	036	2013/05/02	< 1.000	2016/05	
2,4-D	39730	036	2013/05/02	< 10.000	2016/05	
ALACHLOR	77825	036	2013/05/02	< 1.000	2016/05	
ATRAZINE	39033	036	2013/05/02	< .500	2016/05	
BENTAZON	38710	036	2013/05/02	< 2.000	2016/05	
BENZO (A) PYRENE	34247	036	2013/05/02	< .100	2016/05	
CARBOFURAN	81405	036	2013/05/02	< 5.000	2016/05	
CHLORDANE	39350	036	2013/05/02	< .100	2016/05	
DALAPON	38432	036	2013/05/02	< 10.000	2016/05	
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/05/02	< 5.000	2016/05	
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/05/02	< 3.000	2016/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-068***

Source Name: ***STATE WATER PROJECT - FROM SBVWD***

Source Number: ***068***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/05/02	< .010	2016/05	
DINOSEB	81287	036	2013/05/02	< 2.000	2016/05	
DIQUAT	78885	036	2013/05/02	< 4.000	2016/05	
ENDOTHALL	38926	036	2013/05/02	< 45.000	2016/05	
ENDRIN	39390	036	2013/05/02	< .100	2016/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/05/02	< .020	2016/05	
GLYPHOSATE	79743	036	2013/05/02	< 25.000	2016/05	
HEPTACHLOR	39410	036	2013/05/02	< .010	2016/05	
HEPTACHLOR EPOXIDE	39420	036	2013/05/02	< .010	2016/05	
HEXACHLOROBENZENE	39700	036	2013/05/02	< .500	2016/05	
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/05/02	< 1.000	2016/05	
LINDANE	39340	036	2013/05/02	< .200	2016/05	
METHOXYCHLOR	39480	036	2013/05/02	< 10.000	2016/05	
MOLINATE	82199	036	2013/05/02	< 2.000	2016/05	
OXAMYL	38865	036	2013/05/02	< 20.000	2016/05	
PENTACHLOROPHENOL	39032	036	2013/05/02	< .200	2016/05	
PICLORAM	39720	036	2013/05/02	< 1.000	2016/05	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/05/02	< .500	2016/05	
SIMAZINE	39055	036	2013/05/02	< 1.000	2016/05	
THIOBENCARB	A-001	036	2013/05/02	< 1.000	2016/05	
TOXAPHENE	39400	036	2013/05/02	< 1.000	2016/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	012	2013/05/02	< .500	2014/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/05/02	< .500	2014/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/05/02	< 10.000	2014/05	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/05/02	< .500	2014/05	DUE
1,1-DICHLOROETHANE	34496	012	2013/05/02	< .500	2014/05	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/05/02	< .500	2014/05	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/05/02	< .500	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-068
Source Name: STATE WATER PROJECT - FROM SBVWD
Source Number: 068
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROBENZENE	34536	012	2013/05/02	< .500	2014/05	DUE
1,2-DICHLOROETHANE	34531	012	2013/05/02	< .500	2014/05	DUE
1,2-DICHLOROPROPANE	34541	012	2013/05/02	< .500	2014/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/05/02	< .500	2014/05	DUE
1,4-DICHLOROBENZENE	34571	012	2013/05/02	< .500	2014/05	DUE
BENZENE	34030	012	2013/05/02	< .500	2014/05	DUE
CARBON TETRACHLORIDE	32102	012	2013/05/02	< .500	2014/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/05/02	< .500	2014/05	DUE
DICHLOROMETHANE	34423	012	2013/05/02	< .500	2014/05	DUE
ETHYLBENZENE	34371	012	2013/05/02	< .500	2014/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/05/02	< 3.000	2014/05	DUE
MONOCHLOROBENZENE	34301	012	2013/05/02	< .500	2014/05	DUE
STYRENE	77128	012	2013/05/02	< .500	2014/05	DUE
TETRACHLOROETHYLENE	34475	012	2013/05/02	< .500	2014/05	DUE
TOLUENE	34010	012	2013/05/02	< .500	2014/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/05/02	< .500	2014/05	DUE
TRICHLOROETHYLENE	39180	012	2013/05/02	< .500	2014/05	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/05/02	< 5.000	2014/05	DUE
VINYL CHLORIDE	39175	012	2013/05/02	< .500	2014/05	DUE
XYLENES (TOTAL)	81551	012	2013/05/02	< .500	2014/05	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2013/05/02	. 110.000	2014/05	DUE
CALCIUM	00916	012	2013/05/02	. 28.000	2014/05	DUE
CARBONATE ALKALINITY	00445	012	2013/05/02	< 2.000	2014/05	DUE
CHLORIDE	00940	012	2013/05/02	. 70.000	2014/05	DUE
COLOR	00081	012	2013/05/02	. 15.000	2014/05	DUE
COPPER	01042	012	2013/05/02	< 50.000	2014/05	DUE
FOAMING AGENTS (MBAS)	38260	012	2013/05/02	< .050	2014/05	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2013/05/02	. 120.000	2014/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-068
Source Name: STATE WATER PROJECT - FROM SBVWD
Source Number: 068
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
HYDROXIDE ALKALINITY	71830	012	2013/05/02	<	2.000	2014/05	DUE
IRON	01045	012	2013/05/02	<	100.000	2014/05	DUE
MAGNESIUM	00927	012	2013/05/02	.	12.000	2014/05	DUE
MANGANESE	01055	012	2013/05/02	<	20.000	2014/05	DUE
ODOR THRESHOLD @ 60 C	00086	012	2013/05/02		2.000	2014/05	DUE
PH, LABORATORY	00403	012	2013/05/02	.	8.400	2014/05	DUE
SILVER	01077	012	2013/05/02	<	10.000	2014/05	DUE
SODIUM	00929	012	2013/05/02		55.000	2014/05	DUE
SPECIFIC CONDUCTANCE	00095	012	2013/05/02	.	520.000	2014/05	DUE
SULFATE	00945	012	2013/05/02		57.000	2014/05	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2013/05/02	.	310.000	2014/05	DUE
TURBIDITY, LABORATORY	82079	012	2013/05/02	.	.790	2014/05	DUE
ZINC	01092	012	2013/05/02	<	50.000	2014/05	DUE

PS Code: 3610037-069
Source Name: NORTH ORANGE WELL 2
Source Number: 069
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/05/22	<	50.000	2017/05	
ANTIMONY	01097	036	2014/05/22	<	6.000	2017/05	
ARSENIC	01002	036	2014/05/22	<	2.000	2017/05	
BARIUM	01007	036	2014/05/22	<	100.000	2017/05	
BERYLLIUM	01012	036	2014/05/22	<	1.000	2017/05	
CADMIUM	01027	036	2014/05/22	<	1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/22	<	1.000	2017/05	
CHROMIUM, HEXAVALENT	01032	036	2005/11/08	<	1.000	2008/11	DUE
CYANIDE	01291	036	2014/05/22	<	100.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-069
Source Name: NORTH ORANGE WELL 2
Source Number: 069
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/22	. .300	2017/05
MERCURY	71900	036	2014/05/22	< 1.000	2017/05
NICKEL	01067	036	2014/05/22	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/07/31	< .000	2017/07
SELENIUM	01147	036	2014/05/22	< 5.000	2017/05
THALLIUM	01059	036	2014/05/22	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/17	. 3.975	2015/07
NITRITE (AS N)	00620	036	2013/12/05	< 400.000	2016/12
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/22	. 3.970	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/22	< .010	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/22	< .020	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/05/22	< .500	2017/05
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/22	< .500	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/22	< 10.000	2017/05
1,1,2-TRICHLOROETHANE	34511	036	2014/05/22	< .500	2017/05
1,1-DICHLOROETHANE	34496	036	2014/05/22	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/22	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/22	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/22	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/22	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/22	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/22	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/22	< .500	2017/05
BENZENE	34030	036	2014/05/22	< .500	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-069***

Source Name: ***NORTH ORANGE WELL 2***

Source Number: ***069***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**036**	2014/05/22	**< .500**	2017/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/05/22	**< .500**	2017/05
DICHLOROMETHANE	**34423**	**036**	2014/05/22	**< .500**	2017/05
ETHYLBENZENE	**34371**	**036**	2014/05/22	**< .500**	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/05/22	**< 3.000**	2017/05
MONOCHLOROBENZENE	**34301**	**036**	2014/05/22	**< .500**	2017/05
STYRENE	**77128**	**036**	2014/05/22	**< .500**	2017/05
TETRACHLOROETHYLENE	**34475**	**036**	2014/05/22	**< .500**	2017/05
TOLUENE	**34010**	**036**	2014/05/22	**< .500**	2017/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/05/22	**< .500**	2017/05
TRICHLOROETHYLENE	**39180**	**036**	2014/05/22	**< .500**	2017/05
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/05/22	**< 5.000**	2017/05
VINYL CHLORIDE	**39175**	**036**	2014/05/22	**< .500**	2017/05
XYLENES (TOTAL)	**81551**	**036**	2014/05/22	**< .500**	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/22	**. 120.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/22	**. 28.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/22	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/22	**. 8.900**	2017/05
COLOR	**00081**	**036**	2014/05/22	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/22	**< 50.000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/22	**< .050**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/22	**. 96.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/22	**< 3.000**	2017/05
IRON	**01045**	**036**	2014/05/22	**< 100.000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/22	**. 6.100**	2017/05
MANGANESE	**01055**	**036**	2014/05/22	**< 20.000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/22	**< 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/22	**. 7.700**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-069
Source Name: NORTH ORANGE WELL 2
Source Number: 069
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SILVER	01077	036	2014/05/22	< 10.000	2017/05	
SODIUM	00929	036	2014/05/22	. 19.000	2017/05	
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	. 280.000	2017/05	
SULFATE	00945	036	2014/05/22	. 18.000	2017/05	
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	. 210.000	2017/05	
TURBIDITY, LABORATORY	82079	036	2014/05/22	< .200	2017/05	
ZINC	01092	036	2014/05/22	< 50.000	2017/05	

PS Code: 3610037-070
Source Name: NORTH ORANGE WELL 01
Source Number: 070
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/08/03	< 50.000	2014/08	
ANTIMONY	01097	036	2011/08/03	< 6.000	2014/08	
ARSENIC	01002	036	2011/08/03	< 2.000	2014/08	
BARIUM	01007	036	2011/08/03	< 100.000	2014/08	
BERYLLIUM	01012	036	2011/08/03	< 1.000	2014/08	
CADMIUM	01027	036	2011/08/03	< 1.000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/03	< 10.000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2005/11/21	< 1.000	2008/11	DUE
CYANIDE	01291	036	2011/08/03	< 100.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/03	. .300	2014/08	
MERCURY	71900	036	2011/08/03	< 1.000	2014/08	
NICKEL	01067	036	2011/08/03	< 10.000	2014/08	
PERCHLORATE	A-031	036	2014/07/17	< .000	2017/07	
SELENIUM	01147	036	2011/08/03	< 5.000	2014/08	
THALLIUM	01059	036	2011/08/03	< 1.000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-070***

Source Name: ***NORTH ORANGE WELL 01***

Source Number: ***070***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/17	**. 6.526**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/11/27	**< 400.000**	2016/11
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/06/14	**. 4.600**	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/03	**< .010**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/03	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/08/03	**< .500**	2014/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/08/03	**< .500**	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/08/03	**< 10.000**	2014/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/08/03	**< .500**	2014/08
1,1-DICHLOROETHANE	**34496**	**036**	2011/08/03	**< .500**	2014/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/08/03	**< .500**	2014/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/08/03	**< .500**	2014/08
1,2-DICHLOROBENZENE	**34536**	**036**	2011/08/03	**< .500**	2014/08
1,2-DICHLOROETHANE	**34531**	**036**	2011/08/03	**< .500**	2014/08
1,2-DICHLOROPROPANE	**34541**	**036**	2011/08/03	**< .500**	2014/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/08/03	**< .500**	2014/08
1,4-DICHLOROBENZENE	**34571**	**036**	2011/08/03	**< .500**	2014/08
BENZENE	**34030**	**036**	2011/08/03	**< .500**	2014/08
CARBON TETRACHLORIDE	**32102**	**036**	2011/08/03	**< .500**	2014/08
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/08/03	**< .500**	2014/08
DICHLOROMETHANE	**34423**	**036**	2011/08/03	**< .500**	2014/08
ETHYLBENZENE	**34371**	**036**	2011/08/03	**< .500**	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/08/03	**< 3.000**	2014/08
MONOCHLOROBENZENE	**34301**	**036**	2011/08/03	**< .500**	2014/08
STYRENE	**77128**	**036**	2011/08/03	**< .500**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

PS Code: ***3610037-070***

Source Name: ***NORTH ORANGE WELL 01***

Source Number: ***070***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2011/08/03	**< .500**	2014/08
TOLUENE	**34010**	**036**	2011/08/03	**< .500**	2014/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/08/03	**< .500**	2014/08
TRICHLOROETHYLENE	**39180**	**036**	2011/08/03	**< .500**	2014/08
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/08/03	**< 5.000**	2014/08
VINYL CHLORIDE	**39175**	**036**	2011/08/03	**< .500**	2014/08
XYLENES (TOTAL)	**81551**	**036**	2011/08/03	**< 1.000**	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/22	**. 100.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/22	**. 26.000**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2011/08/03	**< 2.000**	2014/08
CHLORIDE	**00940**	**036**	2011/08/03	**. 8.900**	2014/08
COLOR	**00081**	**036**	2012/06/14	**< 3.000**	2015/06
COPPER	**01042**	**036**	2011/08/03	**< 50.000**	2014/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/08/03	**< .050**	2014/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/08/03	**. 83.000**	2014/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/08/03	**< 2.000**	2014/08
IRON	**01045**	**036**	2011/08/03	**< 100.000**	2014/08
MAGNESIUM	**00927**	**036**	2012/08/22	**. 6.000**	2015/08
MANGANESE	**01055**	**036**	2011/08/03	**< 20.000**	2014/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/14	**1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2012/08/22	**. 7.600**	2015/08
SILVER	**01077**	**036**	2011/08/03	**< 10.000**	2014/08
SODIUM	**00929**	**036**	2012/08/22	**18.000**	2015/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/08/03	**. 250.000**	2014/08
SULFATE	**00945**	**036**	2011/08/03	**12.000**	2014/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/08/03	**. 170.000**	2014/08
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/14	**. .057**	2015/06
ZINC	**01092**	**036**	2011/08/03	**< 50.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-071					
Source Name: WELL 38 / WELL 39 PERCHLORATE BLEND SITE					
Source Number: 071					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-072					
Source Name: REES IX EFFLUENT - TREATED					
Source Number: 072					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-073					
Source Name: ORANGE ST/CHURCH ST PERCHLORATE BLENDED					
Source Number: 073					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-074					
Source Name: REES WELL FINISHED WATER					
Source Number: 074					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

PS Code: 3610037-075
Source Name: AGATE WELL 2 BLEND - 1750 ZONE (CLO4)
Source Number: 075
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610037-100G
Source Name: TEXAS STREET GAC TREATED
Source Number: 100
Source Status: COMBINATION OR BLEND TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610037-101G
Source Name: TEXAS STREET GAC RAW INFLUENT
Source Number: 101
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610037-601
Source Name: DBP2-SM-K 1462 KELVIN
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: S

HALOACETIC ACIDS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	.	1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	.	5.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	.	12.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	<	1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	<	2.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-601					
Source Name: DBP2-SM-K 1462 KELVIN					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	. 6.500	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	. 3.100	2014/08
BROMOFORM (THM)	32104	003	2014/05/08	. 3.600	2014/08
CHLOROFORM (THM)	32106	003	2014/05/08	. 7.600	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/08	. 3.800	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/08	. 18.000	2014/08
PS Code: 3610037-602					
Source Name: DBP2 SM-F 1005 CORONADO					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	. 39.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	. 91.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	. 8.800	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	. 43.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	. 9.600	2014/08
BROMOFORM (THM)	32104	003	2014/05/08	< 1.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/08	. 62.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/08	. 1.700	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610037-602***					
Source Name: ***DBP2 SM-F 1005 CORONADO***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/08	. **73.000**	2014/08
PS Code: ***3610037-603***					
Source Name: ***DBP2 SM-B 638 PALO ALTO***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/08	< **1.000**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/08	. **15.000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/08	. **39.000**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/08	< **1.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/08	. **5.200**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/08	. **19.000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/08	. **4.900**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/08	< **1.000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/08	. **22.000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/08	. **1.200**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/08	. **28.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-604					
Source Name: DBP2 SM-M PACIFIC/RIDGE					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	. 11.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	. 27.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	. 4.800	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	. 11.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	. 3.500	2014/08
BROMOFORM (THM)	32104	003	2014/05/08	< 1.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/08	. 14.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/08	< 1.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/08	. 18.000	2014/08
PS Code: 3610037-605					
Source Name: DBP2 SM-P 5TH AVENUE RSVR					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	. 19.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	. 48.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	. 6.500	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	. 23.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	. 5.700	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-605					
Source Name: DBP2 SM-P 5TH AVENUE RSVR					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/05/08	< 1.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/08	. 30.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/08	. 1.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/08	. 37.000	2014/08
PS Code: 3610037-606					
Source Name: DBP2 SM-C 1312 PENNSYLVANIA					
Source Number: 606					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	< 2.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	< 1.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/08	< 1.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/08	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/08	< 1.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/08	. .570	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-607					
Source Name: DBP2 S1S8 1418 COLTON AVE.					
Source Number: 607					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	< 2.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	< 1.000	2014/08
BROMOFORM (THM)	32104	003	2014/05/08	< 1.000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/08	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/08	< 1.000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/08	. .700	2014/08
PS Code: 3610037-608					
Source Name: DBP2 S1S1 1637 E. DAVIDSON ST.					
Source Number: 608					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/08	< 1.000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/08	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/08	< 2.000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/08	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/08	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/08	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/08	< 1.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610037***

System Name: ***REDLANDS CITY MUD-WATER DIV***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610037-608***					
Source Name: ***DBP2 S1S1 1637 E. DAVIDSON ST.***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/08	**. 1.100**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/08	**< 1.000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/08	**< 1.000**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/08	**. 1.800**	2014/08
PS Code: ***3610037-800***					
Source Name: ***AGATE WELL 02 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610037-801***					
Source Name: ***AIRPORT WELL NO. 1 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-802					
Source Name: EAST LUGONIA WELL 03 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-803					
Source Name: EAST LUGONIA WELL 04 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-804					
Source Name: EAST LUGONIA WELL 06 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-805					
Source Name: YUCAIPA BLVD 2330 BOOSTER - CL2					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-806					
Source Name: MADERIA WELL - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-807					
Source Name: MAGUET WELL 02 - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-808					
Source Name: MENTONE ACRES WELL NO. 2 - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-809					
Source Name: ORANGE STREET WELL - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610037
System Name: REDLANDS CITY MUD-WATER DIV

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610037-810					
Source Name: WELL 38 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-811					
Source Name: CHURCH STREET WELL - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-812					
Source Name: NORTH ORANGE WELL 2 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610037-813					
Source Name: NORTH ORANGE WELL 01 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***

System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-001***

Source Name: ***AIRPORT WELL (RIALTO 03)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/03/14	**< 50.000**	2017/03
ANTIMONY	**01097**	**036**	2014/03/14	**< 6.000**	2017/03
ARSENIC	**01002**	**036**	2014/06/26	**. 4.200**	2017/06
BARIUM	**01007**	**036**	2014/03/14	**< 100.000**	2017/03
BERYLLIUM	**01012**	**036**	2014/03/14	**< 1.000**	2017/03
CADMIUM	**01027**	**036**	2014/03/14	**< 1.000**	2017/03
CHROMIUM (TOTAL)	**01034**	**036**	2014/03/14	**< 1.000**	2017/03
CYANIDE	**01291**	**036**	2014/03/14	**< 5.000**	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/14	**. .300**	2017/03
MERCURY	**71900**	**036**	2014/03/14	**< 1.000**	2017/03
NICKEL	**01067**	**036**	2014/03/14	**< 10.000**	2017/03
PERCHLORATE	**A-031**	**036**	2014/07/15	**. 21.000**	2017/07
SELENIUM	**01147**	**036**	2014/03/14	**< 5.000**	2017/03
THALLIUM	**01059**	**036**	2014/03/14	**< 1.000**	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/26	**. 14.000**	2015/06
NITRITE (AS N)	**00620**	**036**	2014/03/14	**< 100.000**	2017/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/06/25	**. 2.010**	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/26	**< .010**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/26	**< .020**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/15	**< .000**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/15	**< .000**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/15	**< .000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/15	**< .000**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/15	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-001
Source Name: AIRPORT WELL (RIALTO 03)
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/07/15	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/15	< .000	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/15	< .000	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/15	< .000	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/15	. .640	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/15	< .000	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/15	< .000	2017/07
BENZENE	34030	036	2014/07/15	< .000	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/15	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/15	< .000	2017/07
DICHLOROMETHANE	34423	036	2014/07/15	< .000	2017/07
ETHYLBENZENE	34371	036	2014/07/15	< .000	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/15	< .000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/15	< .000	2017/07
STYRENE	77128	036	2014/07/15	< .000	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/15	< .000	2017/07
TOLUENE	34010	036	2014/07/15	< .000	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/15	< .000	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/15	. 3.800	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/15	< .000	2017/07
VINYL CHLORIDE	39175	036	2014/07/15	< .000	2017/07
XYLENES (TOTAL)	81551	036	2014/07/15	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/14	. 170.000	2017/03
CALCIUM	00916	036	2014/03/14	. 51.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/14	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/14	. 4.400	2017/03
COLOR	00081	036	2014/01/21	< 3.000	2017/01
COPPER	01042	036	2014/03/14	< 50.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-001
Source Name: AIRPORT WELL (RIALTO 03)
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/03/14	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/14	. 150.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/14	< 3.000	2017/03
IRON	01045	036	2014/03/14	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/14	. 6.500	2017/03
MANGANESE	01055	036	2014/03/14	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/01/21	< 1.000	2017/01
PH, LABORATORY	00403	036	2014/03/14	. 7.900	2017/03
SILVER	01077	036	2014/03/14	< 10.000	2017/03
SODIUM	00929	036	2014/03/14	. 11.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/14	. 340.000	2017/03
SULFATE	00945	036	2014/06/10	. 16.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/14	. 220.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/01/21	< .200	2017/01
ZINC	01092	036	2014/03/14	< 50.000	2017/03

PS Code: 3610038-002
Source Name: CEDAR WELL (RIALTO 01)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/03/14	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/14	< 6.000	2017/03
ARSENIC	01002	036	2014/03/14	. 2.500	2017/03
BARIUM	01007	036	2014/03/14	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/14	< 1.000	2017/03
CADMIUM	01027	036	2014/03/14	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/14	< 1.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-002
Source Name: CEDAR WELL (RIALTO 01)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2014/03/14	< 5.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/14	. .300	2017/03	
MERCURY	71900	036	2014/03/14	< 1.000	2017/03	
NICKEL	01067	036	2014/03/14	< 10.000	2017/03	
PERCHLORATE	A-031	036	2014/04/17	. 9.900	2017/04	
SELENIUM	01147	036	2014/03/14	< 5.000	2017/03	
THALLIUM	01059	036	2014/03/14	< 1.000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/03/14	. 36.000	2015/03	
NITRITE (AS N)	00620	036	2014/03/14	< 100.000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/02/19	. 1.390	2017/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2011/06/16**	< .000	**2014/06**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2011/06/16**	< .000	**2014/06**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/03/13	< .000	2016/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/03/13	< .000	2016/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/03/13	< .000	2016/03	
1,1,2-TRICHLOROETHANE	34511	036	2013/03/13	< .000	2016/03	
1,1-DICHLOROETHANE	34496	036	2013/03/13	< .000	2016/03	
1,1-DICHLOROETHYLENE	34501	036	2013/03/13	< .000	2016/03	
1,2,4-TRICHLOROBENZENE	34551	036	2013/03/13	< .000	2016/03	
1,2-DICHLOROBENZENE	34536	036	2013/03/13	< .000	2016/03	
1,2-DICHLOROETHANE	34531	036	2013/03/13	< .000	2016/03	
1,2-DICHLOROPROPANE	34541	036	2013/03/13	< .000	2016/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/03/13	< .000	2016/03	
1,4-DICHLOROBENZENE	34571	036	2013/03/13	< .000	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-002
Source Name: CEDAR WELL (RIALTO 01)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2013/03/13	< .000	2016/03
CARBON TETRACHLORIDE	32102	036	2013/03/13	< .000	2016/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/03/13	< .000	2016/03
DICHLOROMETHANE	34423	036	2013/03/13	< .000	2016/03
ETHYLBENZENE	34371	036	2013/03/13	< .000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/03/13	< .000	2016/03
MONOCHLOROBENZENE	34301	036	2013/03/13	< .000	2016/03
STYRENE	77128	036	2013/03/13	< .000	2016/03
TETRACHLOROETHYLENE	34475	036	2013/03/13	< .000	2016/03
TOLUENE	34010	036	2013/03/13	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/03/13	< .000	2016/03
TRICHLOROETHYLENE	39180	036	2013/03/13	. 2.800	2016/03
TRICHLOROFLUOROMETHANE	34488	036	2013/03/13	< .000	2016/03
VINYL CHLORIDE	39175	036	2013/03/13	< .000	2016/03
XYLENES (TOTAL)	81551	036	2013/03/13	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/14	. 160.000	2017/03
CALCIUM	00916	036	2014/03/14	. 58.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/14	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/14	. 6.600	2017/03
COLOR	00081	036	2014/01/21	< 3.000	2017/01
COPPER	01042	036	2014/03/14	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/14	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/14	. 170.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/14	< 3.000	2017/03
IRON	01045	036	2014/03/14	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/14	. 6.200	2017/03
MANGANESE	01055	036	2014/03/14	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/01/21	< 1.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-002
Source Name: CEDAR WELL (RIALTO 01)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
PH, LABORATORY	00403	036	2014/03/14	.	7.900	2017/03	
SILVER	01077	036	2014/03/14	<	10.000	2017/03	
SODIUM	00929	036	2014/03/14	.	12.000	2017/03	
SPECIFIC CONDUCTANCE	00095	036	2014/03/14	.	390.000	2017/03	
SULFATE	00945	036	2014/03/14	.	23.000	2017/03	
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/14	.	280.000	2017/03	
TURBIDITY, LABORATORY	82079	036	2014/01/21	.	.250	2017/01	
ZINC	01092	036	2014/03/14	<	50.000	2017/03	

PS Code: 3610038-003
Source Name: CITY WELL 01
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/04/04	<	.000	2014/04	DUE
ANTIMONY	01097	036	2011/04/04	<	.000	2014/04	DUE
ARSENIC	01002	036	2011/04/04	.	2.000	2014/04	DUE
BARIUM	01007	036	2011/04/04	<	.000	2014/04	DUE
BERYLLIUM	01012	036	2011/04/04	<	.000	2014/04	DUE
CADMIUM	01027	036	2011/04/04	<	.000	2014/04	DUE
CHROMIUM (TOTAL)	01034	036	2011/04/04	<	.000	2014/04	DUE
CHROMIUM, HEXAVALENT	01032	036	2009/02/18		.000	2012/02	DUE
CYANIDE	01291	036	2011/04/04	<	.000	2014/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/04/04	.	.290	2014/04	DUE
MERCURY	71900	036	2011/04/04	<	.000	2014/04	DUE
NICKEL	01067	036	2011/04/04	<	.000	2014/04	DUE
PERCHLORATE	A-031	036	2011/08/22	<	.000	2014/08	
SELENIUM	01147	036	2011/04/04	<	.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-003
Source Name: CITY WELL 01
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2011/04/04	< .000	2014/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/07/19	. 8.600	2012/07	DUE
NITRITE (AS N)	00620	036	2011/04/04	< .000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/04/04	< .000	2014/04	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/15	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/15	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/04/04	< .000	2014/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/04/04	< .000	2014/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/04/04	< .000	2014/04	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/04/04	< .000	2014/04	DUE
1,1-DICHLOROETHANE	34496	036	2011/04/04	< .000	2014/04	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/04/04	< .000	2014/04	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/04/04	< .000	2014/04	DUE
1,2-DICHLOROBENZENE	34536	036	2011/04/04	< .000	2014/04	DUE
1,2-DICHLOROETHANE	34531	036	2011/04/04	< .000	2014/04	DUE
1,2-DICHLOROPROPANE	34541	036	2011/04/04	< .000	2014/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/04/04	< .000	2014/04	DUE
1,4-DICHLOROBENZENE	34571	036	2011/04/04	< .000	2014/04	DUE
BENZENE	34030	036	2011/04/04	< .000	2014/04	DUE
CARBON TETRACHLORIDE	32102	036	2011/04/04	< .000	2014/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/04/04	< .000	2014/04	DUE
DICHLOROMETHANE	34423	036	2011/04/04	< .000	2014/04	DUE
ETHYLBENZENE	34371	036	2011/04/04	< .000	2014/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/04/19	< .000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-003
Source Name: CITY WELL 01
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
MONOCHLOROBENZENE	34301	036	2011/04/04	< .000	2014/04	DUE
STYRENE	77128	036	2011/04/04	< .000	2014/04	DUE
TETRACHLOROETHYLENE	34475	036	2011/04/04	< .000	2014/04	DUE
TOLUENE	34010	036	2011/04/04	< .000	2014/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/04/04	< .000	2014/04	DUE
TRICHLOROETHYLENE	39180	036	2011/04/04	< .000	2014/04	DUE
TRICHLOROFLUOROMETHANE	34488	036	2011/04/04	< .000	2014/04	DUE
VINYL CHLORIDE	39175	036	2011/04/04	< .000	2014/04	DUE
XYLENES (TOTAL)	81551	036	2011/04/04	< .000	2014/04	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/04/04	. 220.000	2014/04	DUE
CALCIUM	00916	036	2011/04/04	. 68.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/04	< .000	2014/04	DUE
CHLORIDE	00940	036	2011/04/04	. 7.700	2014/04	DUE
COLOR	00081	036	2011/04/04	< .000	2014/04	DUE
COPPER	01042	036	2011/04/04	< .000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/04	< .000	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/04	. 200.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/04	< .000	2014/04	DUE
IRON	01045	036	2011/04/04	100.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/04	. 9.200	2014/04	DUE
MANGANESE	01055	036	2011/04/04	< .000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/04	1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/04	. 8.000	2014/04	DUE
SILVER	01077	036	2011/04/04	< .000	2014/04	DUE
SODIUM	00929	036	2011/04/04	7.600	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/04	. 410.000	2014/04	DUE
SULFATE	00945	036	2011/04/04	23.000	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/04	. 250.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610038-003							
Source Name: CITY WELL 01							
Source Number: 003							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
TURBIDITY, LABORATORY	82079	036	2011/04/04	.	1.500	2014/04	DUE
ZINC	01092	036	2011/04/04	<	.000	2014/04	DUE
PS Code: 3610038-004							
Source Name: CITY WELL 02							
Source Number: 004							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2014/03/28	<	50.000	2017/03	
ANTIMONY	01097	036	2014/03/28	<	6.000	2017/03	
ARSENIC	01002	036	2014/06/26	.	4.200	2017/06	
BARIUM	01007	036	2014/03/28	<	100.000	2017/03	
BERYLLIUM	01012	036	2014/03/28	<	1.000	2017/03	
CADMIUM	01027	036	2014/03/28	<	1.000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/28	<	1.000	2017/03	
CYANIDE	01291	036	2014/03/28	<	100.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/28	.	.400	2017/03	
MERCURY	71900	036	2014/03/28	<	1.000	2017/03	
NICKEL	01067	036	2014/03/28	<	10.000	2017/03	
PERCHLORATE	A-031	036	2014/03/28	<	4.000	2017/03	
SELENIUM	01147	036	2014/03/28	<	5.000	2017/03	
THALLIUM	01059	036	2014/03/28	<	1.000	2017/03	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/03/28	.	5.700	2015/03	
NITRITE (AS N)	00620	036	2014/03/28	<	100.000	2017/03	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/06/26	.	2.660	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-004
Source Name: CITY WELL 02
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/26	< .010	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/26	< .020	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/03/13	< .000	2016/03
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/03/13	< .000	2016/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/03/13	< .000	2016/03
1,1,2-TRICHLOROETHANE	34511	036	2013/03/13	< .000	2016/03
1,1-DICHLOROETHANE	34496	036	2013/03/13	< .000	2016/03
1,1-DICHLOROETHYLENE	34501	036	2013/03/13	< .000	2016/03
1,2,4-TRICHLOROBENZENE	34551	036	2013/03/13	< .000	2016/03
1,2-DICHLOROBENZENE	34536	036	2013/03/13	< .000	2016/03
1,2-DICHLOROETHANE	34531	036	2013/03/13	< .000	2016/03
1,2-DICHLOROPROPANE	34541	036	2013/03/13	< .000	2016/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/03/13	< .000	2016/03
1,4-DICHLOROBENZENE	34571	036	2013/03/13	< .000	2016/03
BENZENE	34030	036	2013/03/13	< .000	2016/03
CARBON TETRACHLORIDE	32102	036	2013/03/13	< .000	2016/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/03/13	< .000	2016/03
DICHLOROMETHANE	34423	036	2013/03/13	< .000	2016/03
ETHYLBENZENE	34371	036	2013/03/13	< .000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/03/13	< .000	2016/03
MONOCHLOROBENZENE	34301	036	2013/03/13	< .000	2016/03
STYRENE	77128	036	2013/03/13	< .000	2016/03
TETRACHLOROETHYLENE	34475	036	2013/03/13	< .000	2016/03
TOLUENE	34010	036	2013/03/13	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/03/13	< .000	2016/03
TRICHLOROETHYLENE	39180	036	2013/03/13	< .000	2016/03
TRICHLOROFLUOROMETHANE	34488	036	2013/03/13	< .000	2016/03
VINYL CHLORIDE	39175	036	2013/03/13	< .000	2016/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-004
Source Name: CITY WELL 02
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2013/03/13	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/14	. 160.000	2017/03
CALCIUM	00916	036	2014/03/14	. 45.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/14	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/14	. 2.700	2017/03
COLOR	00081	036	2014/01/21	< 3.000	2017/01
COPPER	01042	036	2014/03/14	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/14	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/14	. 130.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/14	< 3.000	2017/03
IRON	01045	036	2014/03/14	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/14	. 4.700	2017/03
MANGANESE	01055	036	2014/03/14	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/01/21	< 1.000	2017/01
PH, LABORATORY	00403	036	2014/03/14	. 7.800	2017/03
SILVER	01077	036	2014/03/28	< 10.000	2017/03
SODIUM	00929	036	2014/03/14	. 12.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/14	. 300.000	2017/03
SULFATE	00945	036	2014/03/14	. 17.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/14	. 250.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/01/21	< .200	2017/01
ZINC	01092	036	2014/03/14	< 50.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-005
Source Name: CITY WELL 03
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/03/22	< .000	2015/03	
ANTIMONY	01097	036	2012/03/22	< .000	2015/03	
ARSENIC	01002	036	2012/03/22	. 5.600	2015/03	
BARIUM	01007	036	2012/03/22	< .000	2015/03	
BERYLLIUM	01012	036	2012/03/22	< .000	2015/03	
CADMIUM	01027	036	2012/03/22	< .000	2015/03	
CHROMIUM (TOTAL)	01034	036	2012/03/22	< .000	2015/03	
CYANIDE	01291	036	2012/03/22	< .000	2015/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/22	. .400	2015/03	
MERCURY	71900	036	2012/03/22	< .000	2015/03	
NICKEL	01067	036	2012/03/22	< .000	2015/03	
PERCHLORATE	A-031	036	2013/08/06	< 4.000	2016/08	
SELENIUM	01147	036	2012/03/22	< .000	2015/03	
THALLIUM	01059	036	2012/03/22	< .000	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/03/13	. 5.300	2014/03	DUE
NITRITE (AS N)	00620	036	2012/03/22	< .000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/11/16	< .000	2013/11	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/11/13	.000	2011/11	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/11/13	.000	2011/11	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/03/13	< .000	2016/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/03/13	< .000	2016/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/03/13	< .000	2016/03	
1,1,2-TRICHLOROETHANE	34511	036	2013/03/13	< .000	2016/03	
1,1-DICHLOROETHANE	34496	036	2013/03/13	< .000	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-005
Source Name: CITY WELL 03
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2013/03/13	< .000	2016/03
1,2,4-TRICHLOROBENZENE	34551	036	2013/03/13	< .000	2016/03
1,2-DICHLOROBENZENE	34536	036	2013/03/13	< .000	2016/03
1,2-DICHLOROETHANE	34531	036	2013/03/13	< .000	2016/03
1,2-DICHLOROPROPANE	34541	036	2013/03/13	< .000	2016/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/03/13	< .000	2016/03
1,4-DICHLOROBENZENE	34571	036	2013/03/13	< .000	2016/03
BENZENE	34030	036	2013/03/13	< .000	2016/03
CARBON TETRACHLORIDE	32102	036	2013/03/13	< .000	2016/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/03/13	< .000	2016/03
DICHLOROMETHANE	34423	036	2013/03/13	< .000	2016/03
ETHYLBENZENE	34371	036	2013/03/13	< .000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/03/13	< .000	2016/03
MONOCHLOROBENZENE	34301	036	2013/03/13	< .000	2016/03
STYRENE	77128	036	2013/03/13	< .000	2016/03
TETRACHLOROETHYLENE	34475	036	2013/03/13	< .000	2016/03
TOLUENE	34010	036	2013/03/13	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/03/13	< .000	2016/03
TRICHLOROETHYLENE	39180	036	2013/03/13	< .000	2016/03
TRICHLOROFLUOROMETHANE	34488	036	2013/03/13	< .000	2016/03
VINYL CHLORIDE	39175	036	2013/03/13	< .000	2016/03
XYLENES (TOTAL)	81551	036	2013/03/13	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/03/22	. 150.000	2015/03
CALCIUM	00916	036	2012/03/22	. 33.000	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/22	< .000	2015/03
CHLORIDE	00940	036	2012/03/22	. 5.000	2015/03
COLOR	00081	036	2012/03/22	< .000	2015/03
COPPER	01042	036	2012/03/22	< .000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-005
Source Name: CITY WELL 03
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
FOAMING AGENTS (MBAS)	38260	036	2012/03/22	<	.000	2015/03	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/03/22	.	88.000	2015/03	
HYDROXIDE ALKALINITY	71830	036	2012/03/22	<	.000	2015/03	
IRON	01045	036	2012/03/22	<	.000	2015/03	
MAGNESIUM	00927	036	2012/03/22	.	2.300	2015/03	
MANGANESE	01055	036	2012/03/22	<	.000	2015/03	
ODOR THRESHOLD @ 60 C	00086	036	2012/03/22		1.000	2015/03	
PH, LABORATORY	00403	036	2012/03/22	.	7.700	2015/03	
SILVER	01077	036	2012/03/22	<	.000	2015/03	
SODIUM	00929	036	2012/03/22		30.000	2015/03	
SPECIFIC CONDUCTANCE	00095	036	2012/03/22	.	300.000	2015/03	
SULFATE	00945	036	2012/03/22		23.000	2015/03	
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/22	.	200.000	2015/03	
TURBIDITY, LABORATORY	82079	036	2012/03/22	.	2.100	2015/03	
ZINC	01092	036	2012/03/22	<	.000	2015/03	

PS Code: 3610038-008
Source Name: CITY WELL 06
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2005/07/07	<	50.000	2008/07	DUE
ANTIMONY	01097	036	2005/07/07	<	6.000	2008/07	DUE
ARSENIC	01002	036	2005/07/07	<	2.000	2008/07	DUE
BARIUM	01007	036	2005/07/07	<	100.000	2008/07	DUE
BERYLLIUM	01012	036	2005/07/07	<	1.000	2008/07	DUE
CADMIUM	01027	036	2005/07/07	<	1.000	2008/07	DUE
CHROMIUM (TOTAL)	01034	036	2005/07/07	<	1.000	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-008
Source Name: CITY WELL 06
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2005/07/07	< 100.000	2008/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/07/07	. .300	2008/07	DUE
MERCURY	71900	036	2005/07/07	< 1.000	2008/07	DUE
NICKEL	01067	036	2005/07/07	< 10.000	2008/07	DUE
PERCHLORATE	A-031	036	2006/08/30	.000	2009/08	DUE
SELENIUM	01147	036	2005/07/07	< 5.000	2008/07	DUE
THALLIUM	01059	036	2005/07/07	< 1.000	2008/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2006/03/21	13.000	2007/03	DUE
NITRITE (AS N)	00620	036	2005/07/07	< 100.000	2008/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2006/11/16	.000	2009/11	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/06/22	< .010	2008/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/06/22	< .020	2008/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2006/07/20	< .500	2009/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2006/07/20	< .500	2009/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2006/07/20	< 10.000	2009/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	2006/07/20	< .500	2009/07	DUE
1,1-DICHLOROETHANE	34496	036	2006/07/20	< .500	2009/07	DUE
1,1-DICHLOROETHYLENE	34501	036	2006/07/20	< .500	2009/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2006/07/20	< .500	2009/07	DUE
1,2-DICHLOROBENZENE	34536	036	2006/07/20	< .500	2009/07	DUE
1,2-DICHLOROETHANE	34531	036	2006/07/20	< .500	2009/07	DUE
1,2-DICHLOROPROPANE	34541	036	2006/07/20	< .500	2009/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2006/07/20	< .500	2009/07	DUE
1,4-DICHLOROBENZENE	34571	036	2006/07/20	< .500	2009/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-008
Source Name: CITY WELL 06
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
BENZENE	34030	036	2006/07/20	< .500	2009/07	DUE
CARBON TETRACHLORIDE	32102	036	2006/07/20	< .500	2009/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2006/07/20	< .500	2009/07	DUE
DICHLOROMETHANE	34423	036	2006/07/20	< .500	2009/07	DUE
ETHYLBENZENE	34371	036	2006/07/20	< .500	2009/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2006/07/20	< 3.000	2009/07	DUE
MONOCHLOROBENZENE	34301	036	2006/07/20	< .500	2009/07	DUE
STYRENE	77128	036	2006/07/20	< .500	2009/07	DUE
TETRACHLOROETHYLENE	34475	036	2006/07/20	< .500	2009/07	DUE
TOLUENE	34010	036	2006/07/20	< .500	2009/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2006/07/20	< .500	2009/07	DUE
TRICHLOROETHYLENE	39180	036	2006/07/20	< .500	2009/07	DUE
TRICHLOROFLUOROMETHANE	34488	036	2006/07/20	< 5.000	2009/07	DUE
VINYL CHLORIDE	39175	036	2006/07/20	< .500	2009/07	DUE
XYLENES (TOTAL)	81551	036	2006/07/20	< .500	2009/07	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2005/07/07	. 150.000	2008/07	DUE
CALCIUM	00916	036	2005/07/07	. 39.000	2008/07	DUE
CARBONATE ALKALINITY	00445	036	2005/07/07	< 3.000	2008/07	DUE
CHLORIDE	00940	036	2005/07/07	. 2.200	2008/07	DUE
COLOR	00081	036	2005/01/25	< 3.000	2008/01	DUE
COPPER	01042	036	2005/07/07	< 50.000	2008/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2005/07/07	< .050	2008/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2005/07/07	. 120.000	2008/07	DUE
HYDROXIDE ALKALINITY	71830	036	2005/07/07	< 3.000	2008/07	DUE
IRON	01045	036	2005/07/07	< 100.000	2008/07	DUE
MAGNESIUM	00927	036	2005/07/07	. 5.400	2008/07	DUE
MANGANESE	01055	036	2005/07/07	< 20.000	2008/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/01/25	< 1.000	2008/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-008
Source Name: CITY WELL 06
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
PH, LABORATORY	00403	036	2005/07/07	.	7.800	2008/07	DUE
SILVER	01077	036	2005/07/07	<	10.000	2008/07	DUE
SODIUM	00929	036	2005/07/07		6.200	2008/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/07/07	.	270.000	2008/07	DUE
SULFATE	00945	036	2005/07/07		6.900	2008/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2005/07/07	.	170.000	2008/07	DUE
TURBIDITY, LABORATORY	82079	036	2005/01/25	.	.710	2008/01	DUE
ZINC	01092	036	2005/07/07	<	50.000	2008/07	DUE

PS Code: 3610038-009
Source Name: DUNCAN WELL (RIALTO 04)
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2010/08/18	<	.000	2013/08	DUE
ANTIMONY	01097	036	2010/08/18	<	.000	2013/08	DUE
ARSENIC	01002	036	2010/08/18	<	.000	2013/08	DUE
BARIUM	01007	036	2010/08/18	<	.000	2013/08	DUE
BERYLLIUM	01012	036	2010/08/18	<	.000	2013/08	DUE
CADMIUM	01027	036	2010/08/18	<	.000	2013/08	DUE
CHROMIUM (TOTAL)	01034	036	2010/08/18	<	.000	2013/08	DUE
CYANIDE	01291	036	2010/08/18	<	.000	2013/08	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/08/18		.360	2013/08	DUE
MERCURY	71900	036	2010/08/18	<	.000	2013/08	DUE
NICKEL	01067	036	2010/08/18	<	.000	2013/08	DUE
PERCHLORATE	A-031	036	2012/04/17	.	63.000	2015/04	
SELENIUM	01147	036	2010/08/18	<	.000	2013/08	DUE
THALLIUM	01059	036	2010/08/18	<	.000	2013/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-009
Source Name: DUNCAN WELL (RIALTO 04)
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/01/31	. 13.000	2013/01	DUE
NITRITE (AS N)	00620	036	2012/03/22	< .000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/11/16	< .000	2013/11	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/15	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/15	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2007/03/07	.000	2010/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2007/03/07	.000	2010/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2007/03/07	.000	2010/03	DUE
1,1,2-TRICHLOROETHANE	34511	036	2007/03/07	.000	2010/03	DUE
1,1-DICHLOROETHANE	34496	036	2007/03/07	.000	2010/03	DUE
1,1-DICHLOROETHYLENE	34501	036	2007/03/07	.000	2010/03	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2007/03/07	.000	2010/03	DUE
1,2-DICHLOROBENZENE	34536	036	2007/03/07	.000	2010/03	DUE
1,2-DICHLOROETHANE	34531	036	2007/03/07	.000	2010/03	DUE
1,2-DICHLOROPROPANE	34541	036	2007/03/07	.000	2010/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2007/03/07	.000	2010/03	DUE
1,4-DICHLOROBENZENE	34571	036	2007/03/07	.000	2010/03	DUE
BENZENE	34030	036	2007/03/07	.000	2010/03	DUE
CARBON TETRACHLORIDE	32102	036	2007/03/07	.000	2010/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2007/03/07	.000	2010/03	DUE
DICHLOROMETHANE	34423	036	2007/03/07	.000	2010/03	DUE
ETHYLBENZENE	34371	036	2007/03/07	.000	2010/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2007/03/07	.000	2010/03	DUE
MONOCHLOROBENZENE	34301	036	2007/03/07	.000	2010/03	DUE
STYRENE	77128	036	2007/03/07	.000	2010/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-009
Source Name: DUNCAN WELL (RIALTO 04)
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TETRACHLOROETHYLENE	34475	036	2007/03/07		.000	2010/03	DUE
TOLUENE	34010	036	2007/03/07		.000	2010/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2007/03/07		.000	2010/03	DUE
TRICHLOROETHYLENE	39180	036	2007/03/07		.000	2010/03	DUE
TRICHLOROFLUOROMETHANE	34488	036	2007/03/07		.000	2010/03	DUE
VINYL CHLORIDE	39175	036	2007/03/07		.000	2010/03	DUE
XYLENES (TOTAL)	81551	036	2007/03/07		.000	2010/03	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2010/08/18		160.000	2013/08	DUE
CALCIUM	00916	036	2010/08/18		49.000	2013/08	DUE
CARBONATE ALKALINITY	00445	036	2010/08/18	<	.000	2013/08	DUE
CHLORIDE	00940	036	2010/08/18		5.100	2013/08	DUE
COLOR	00081	036	2007/01/03		.000	2010/01	DUE
COPPER	01042	036	2010/08/18	<	.000	2013/08	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/08/18	<	.000	2013/08	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/08/18		140.000	2013/08	DUE
HYDROXIDE ALKALINITY	71830	036	2010/08/18	<	.000	2013/08	DUE
IRON	01045	036	2010/08/18	<	.000	2013/08	DUE
MAGNESIUM	00927	036	2010/08/18		6.000	2013/08	DUE
MANGANESE	01055	036	2010/08/18	<	.000	2013/08	DUE
ODOR THRESHOLD @ 60 C	00086	036	2007/01/03		1.000	2010/01	DUE
PH, LABORATORY	00403	036	2010/08/18		8.100	2013/08	DUE
SILVER	01077	036	2010/08/18	<	.000	2013/08	DUE
SODIUM	00929	036	2010/08/18		11.000	2013/08	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/08/18		320.000	2013/08	DUE
SULFATE	00945	036	2010/08/18		10.000	2013/08	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/08/18		190.000	2013/08	DUE
TURBIDITY, LABORATORY	82079	036	2007/01/03		.100	2010/01	DUE
ZINC	01092	036	2010/08/18	<	.000	2013/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-015***
Source Name: ***RIALTO TUDOR (CHINO 01)***
Source Number: ***015***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/03/14	< 50.000	2017/03	
ANTIMONY	01097	036	2014/03/14	< 6.000	2017/03	
ARSENIC	01002	036	2014/03/14	. 4.700	2017/03	
BARIUM	01007	036	2014/03/14	< 100.000	2017/03	
BERYLLIUM	01012	036	2014/03/14	< 1.000	2017/03	
CADMIUM	01027	036	2014/03/14	< 1.000	2017/03	
CHROMIUM (TOTAL)	01034	036	2014/03/14	. 2.400	2017/03	
CYANIDE	01291	036	2014/03/14	< 5.000	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/14	. .300	2017/03	
MERCURY	71900	036	2014/03/14	< 1.000	2017/03	
NICKEL	01067	036	2014/03/14	< 10.000	2017/03	
PERCHLORATE	A-031	036	2014/04/17	. 5.200	2017/04	
SELENIUM	01147	036	2014/03/14	< 5.000	2017/03	
THALLIUM	01059	036	2014/03/14	< 1.000	2017/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/17	. 19.000	2015/04	
NITRITE (AS N)	00620	036	2014/03/14	< 100.000	2017/03	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/02/19	. 1.560	2017/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2011/06/16**	< .000	**2014/06**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2011/06/16**	< .000	**2014/06**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/03/13	< .000	2016/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/03/13	< .000	2016/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/03/13	< .000	2016/03	
1,1,2-TRICHLOROETHANE	34511	036	2013/03/13	< .000	2016/03	
1,1-DICHLOROETHANE	34496	036	2013/03/13	< .000	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-015
Source Name: RIALTO TUDOR (CHINO 01)
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2013/03/13	< .000	2016/03
1,2,4-TRICHLOROBENZENE	34551	036	2013/03/13	< .000	2016/03
1,2-DICHLOROBENZENE	34536	036	2013/03/13	< .000	2016/03
1,2-DICHLOROETHANE	34531	036	2013/03/13	< .000	2016/03
1,2-DICHLOROPROPANE	34541	036	2013/03/13	< .000	2016/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/03/13	< .000	2016/03
1,4-DICHLOROBENZENE	34571	036	2013/03/13	< .000	2016/03
BENZENE	34030	036	2013/03/13	< .000	2016/03
CARBON TETRACHLORIDE	32102	036	2013/03/13	< .000	2016/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/03/13	< .000	2016/03
DICHLOROMETHANE	34423	036	2013/03/13	< .000	2016/03
ETHYLBENZENE	34371	036	2013/03/13	< .000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/03/13	< .000	2016/03
MONOCHLOROBENZENE	34301	036	2013/03/13	< .000	2016/03
STYRENE	77128	036	2013/03/13	< .000	2016/03
TETRACHLOROETHYLENE	34475	036	2013/03/13	< .000	2016/03
TOLUENE	34010	036	2013/03/13	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/03/13	< .000	2016/03
TRICHLOROETHYLENE	39180	036	2013/03/13	. .510	2016/03
TRICHLOROFLUOROMETHANE	34488	036	2013/03/13	< .000	2016/03
VINYL CHLORIDE	39175	036	2013/03/13	< .000	2016/03
XYLENES (TOTAL)	81551	036	2013/03/13	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/14	. 170.000	2017/03
CALCIUM	00916	036	2014/03/14	. 42.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/14	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/14	. 6.900	2017/03
COLOR	00081	036	2014/01/21	< 3.000	2017/01
COPPER	01042	036	2014/03/14	< 50.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610038-015***					
Source Name: ***RIALTO TUDOR (CHINO 01)***					
Source Number: ***015***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/14	**< .050**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/14	**. 130.000**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/14	**< 3.000**	2017/03
IRON	**01045**	**036**	2014/03/14	**. 170.000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/14	**. 5.000**	2017/03
MANGANESE	**01055**	**036**	2014/03/14	**< 20.000**	2017/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/01/21	**< 1.000**	2017/01
PH, LABORATORY	**00403**	**036**	2014/03/14	**. 8.000**	2017/03
SILVER	**01077**	**036**	2014/03/14	**< 10.000**	2017/03
SODIUM	**00929**	**036**	2014/03/14	**. 31.000**	2017/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/03/14	**. 370.000**	2017/03
SULFATE	**00945**	**036**	2014/03/14	**. 19.000**	2017/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/03/14	**. 290.000**	2017/03
TURBIDITY, LABORATORY	**82079**	**036**	2014/01/21	**. .460**	2017/01
ZINC	**01092**	**036**	2014/03/14	**< 50.000**	2017/03

PS Code: ***3610038-016***
Source Name: ***BASELINE FEEDER***
Source Number: ***016***
Source Status: ***PURCHASED TREATED***
Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-017
Source Name: CHINO WELL 02
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/06/02	< 50.000	2017/06	
ANTIMONY	01097	036	2014/06/02	< 6.000	2017/06	
ARSENIC	01002	036	2014/06/02	< 2.000	2017/06	
BARIUM	01007	036	2014/06/02	< 100.000	2017/06	
BERYLLIUM	01012	036	2014/06/02	< 1.000	2017/06	
CADMIUM	01027	036	2014/06/02	< 1.000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/02	. 2.800	2017/06	
CYANIDE	01291	036	2014/06/02	< 100.000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/02	. .300	2017/06	
MERCURY	71900	036	2014/06/02	< 1.000	2017/06	
NICKEL	01067	036	2014/06/02	< 10.000	2017/06	
PERCHLORATE	A-031	003	2014/07/15	< .000	2014/10	
SELENIUM	01147	036	2014/06/02	< 5.000	2017/06	
THALLIUM	01059	036	2014/06/02	< 1.000	2017/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/15	. 17.000	2015/07	
NITRITE (AS N)	00620	036	2014/06/02	< 100.000	2017/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/06/26	. 2.200	2017/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/14	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/14	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/03/11	< .000	2016/03	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/03/11	< .000	2016/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/03/11	< .000	2016/03	
1,1,2-TRICHLOROETHANE	34511	036	2013/03/11	< .000	2016/03	
1,1-DICHLOROETHANE	34496	036	2013/03/11	< .000	2016/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-017
Source Name: CHINO WELL 02
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2013/03/11	< .000	2016/03
1,2,4-TRICHLOROBENZENE	34551	036	2013/03/11	< .000	2016/03
1,2-DICHLOROBENZENE	34536	036	2013/03/11	< .000	2016/03
1,2-DICHLOROETHANE	34531	036	2013/03/11	< .000	2016/03
1,2-DICHLOROPROPANE	34541	036	2013/03/11	< .000	2016/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/03/11	< .000	2016/03
1,4-DICHLOROBENZENE	34571	036	2013/03/11	< .000	2016/03
BENZENE	34030	036	2013/03/11	< .000	2016/03
CARBON TETRACHLORIDE	32102	036	2013/03/11	< .000	2016/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/03/11	< .000	2016/03
DICHLOROMETHANE	34423	036	2013/03/11	< .000	2016/03
ETHYLBENZENE	34371	036	2013/03/11	< .000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/03/11	< .000	2016/03
MONOCHLOROBENZENE	34301	036	2013/03/11	< .000	2016/03
STYRENE	77128	036	2013/03/11	< .000	2016/03
TETRACHLOROETHYLENE	34475	036	2013/03/11	. 1.500	2016/03
TOLUENE	34010	036	2013/03/11	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/03/11	< .000	2016/03
TRICHLOROETHYLENE	39180	036	2013/03/11	. 3.400	2016/03
TRICHLOROFLUOROMETHANE	34488	036	2013/03/11	< .000	2016/03
VINYL CHLORIDE	39175	036	2013/03/11	< .000	2016/03
XYLENES (TOTAL)	81551	036	2013/03/11	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/02	. 170.000	2017/06
CALCIUM	00916	036	2014/06/02	. 43.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/02	< 3.000	2017/06
CHLORIDE	00940	036	2014/07/15	. 8.100	2017/07
COLOR	00081	036	2014/01/21	< 3.000	2017/01
COPPER	01042	036	2014/06/02	< 50.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-017
Source Name: CHINO WELL 02
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/06/02	< .050	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/02	. 130.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/02	< 3.000	2017/06
IRON	01045	036	2014/06/02	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/02	. 6.200	2017/06
MANGANESE	01055	036	2014/06/02	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/01/21	< 1.000	2017/01
PH, LABORATORY	00403	036	2014/06/02	. 7.900	2017/06
SILVER	01077	036	2014/06/02	< 10.000	2017/06
SODIUM	00929	036	2014/06/02	. 26.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/02	. 350.000	2017/06
SULFATE	00945	036	2014/07/15	. 18.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/02	. 230.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/01/21	< .200	2017/01
ZINC	01092	036	2014/06/02	< 50.000	2017/06

PS Code: 3610038-018
Source Name: RIALTO WELL 05
Source Number: 018
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/03/14	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/14	< 6.000	2017/03
ARSENIC	01002	036	2014/03/14	. 4.300	2017/03
BARIUM	01007	036	2014/03/14	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/14	< 1.000	2017/03
CADMIUM	01027	036	2014/03/14	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/14	. 1.400	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-018***
Source Name: ***RIALTO WELL 05***
Source Number: ***018***
Source Status: ***ACTIVE UNTREATED***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/03/14	**< 5.000**	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/14	**. .300**	2017/03
MERCURY	**71900**	**036**	2014/03/14	**< 1.000**	2017/03
NICKEL	**01067**	**036**	2014/03/14	**< 10.000**	2017/03
PERCHLORATE	**A-031**	**036**	2014/07/09	**< 4.000**	2017/07
SELENIUM	**01147**	**036**	2014/03/14	**< 5.000**	2017/03
THALLIUM	**01059**	**036**	2014/03/14	**< 1.000**	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/03/14	**. 18.000**	2015/03
NITRITE (AS N)	**00620**	**036**	2014/03/14	**< 100.000**	2017/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/06/26	**. 2.490**	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/26	**< .010**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/26	**< .020**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/03/13	**< .000**	2016/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/03/13	**< .000**	2016/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/03/13	**< .000**	2016/03
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/03/13	**< .000**	2016/03
1,1-DICHLOROETHANE	**34496**	**036**	2013/03/13	**< .000**	2016/03
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/03/13	**< .000**	2016/03
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/03/13	**< .000**	2016/03
1,2-DICHLOROBENZENE	**34536**	**036**	2013/03/13	**< .000**	2016/03
1,2-DICHLOROETHANE	**34531**	**036**	2013/03/13	**< .000**	2016/03
1,2-DICHLOROPROPANE	**34541**	**036**	2013/03/13	**< .000**	2016/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/03/13	**< .000**	2016/03
1,4-DICHLOROBENZENE	**34571**	**036**	2013/03/13	**< .000**	2016/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-018***
Source Name: ***RIALTO WELL 05***
Source Number: ***018***
Source Status: ***ACTIVE UNTREATED***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2013/03/13	**< .000**	2016/03
CARBON TETRACHLORIDE	**32102**	**036**	2013/03/13	**< .000**	2016/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/03/13	**< .000**	2016/03
DICHLOROMETHANE	**34423**	**036**	2013/03/13	**< .000**	2016/03
ETHYLBENZENE	**34371**	**036**	2013/03/13	**< .000**	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/03/13	**< .000**	2016/03
MONOCHLOROBENZENE	**34301**	**036**	2013/03/13	**< .000**	2016/03
STYRENE	**77128**	**036**	2013/03/13	**< .000**	2016/03
TETRACHLOROETHYLENE	**34475**	**036**	2013/03/13	**< .000**	2016/03
TOLUENE	**34010**	**036**	2013/03/13	**< .000**	2016/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/03/13	**< .000**	2016/03
TRICHLOROETHYLENE	**39180**	**036**	2013/03/13	**< .000**	2016/03
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/03/13	**< .000**	2016/03
VINYL CHLORIDE	**39175**	**036**	2013/03/13	**< .000**	2016/03
XYLENES (TOTAL)	**81551**	**036**	2013/03/13	**< .000**	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/03/14	**. 170.000**	2017/03
CALCIUM	**00916**	**036**	2014/03/14	**. 52.000**	2017/03
CARBONATE ALKALINITY	**00445**	**036**	2014/03/14	**< 3.000**	2017/03
CHLORIDE	**00940**	**036**	2014/03/14	**. 4.900**	2017/03
COLOR	**00081**	**036**	2014/01/21	**< 3.000**	2017/01
COPPER	**01042**	**036**	2014/03/14	**< 50.000**	2017/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/14	**< .050**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/14	**. 160.000**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/14	**< 3.000**	2017/03
IRON	**01045**	**036**	2014/03/14	**< 100.000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/14	**. 6.000**	2017/03
MANGANESE	**01055**	**036**	2014/03/14	**< 20.000**	2017/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/01/21	**< 1.000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-018
Source Name: RIALTO WELL 05
Source Number: 018
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/03/14	. 8.000	2017/03
SILVER	01077	036	2014/03/14	< 10.000	2017/03
SODIUM	00929	036	2014/03/14	. 11.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/14	. 360.000	2017/03
SULFATE	00945	036	2014/03/14	. 17.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/14	. 270.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/01/21	< .200	2017/01
ZINC	01092	036	2014/03/14	< 50.000	2017/03

PS Code: 3610038-019
Source Name: CITY WELL 04A
Source Number: 019
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/03/17	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/17	< 6.000	2017/03
ARSENIC	01002	036	2014/03/17	< 2.000	2017/03
BARIUM	01007	036	2014/03/17	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/17	< 1.000	2017/03
CADMIUM	01027	036	2014/03/17	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/17	< 1.000	2017/03
CYANIDE	01291	036	2014/03/17	< 5.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/17	. .300	2017/03
MERCURY	71900	036	2014/03/17	< 1.000	2017/03
NICKEL	01067	036	2014/03/17	< 10.000	2017/03
PERCHLORATE	A-031	036	2014/03/17	< 4.000	2017/03
SELENIUM	01147	036	2014/03/17	< 5.000	2017/03
THALLIUM	01059	036	2014/03/17	< 1.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-019***
Source Name: ***CITY WELL 04A***
Source Number: ***019***
Source Status: ***ACTIVE UNTREATED***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/03/17	**. 7.600**	2015/03
NITRITE (AS N)	**00620**	**036**	2014/03/17	**< 100.000**	2017/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/06/26	**. 3.030**	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/26	**< .010**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/26	**< .020**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/03/13	**< .000**	2016/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/03/13	**< .000**	2016/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/03/13	**< .000**	2016/03
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/03/13	**< .000**	2016/03
1,1-DICHLOROETHANE	**34496**	**036**	2013/03/13	**< .000**	2016/03
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/03/13	**< .000**	2016/03
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/03/13	**< .000**	2016/03
1,2-DICHLOROBENZENE	**34536**	**036**	2013/03/13	**< .000**	2016/03
1,2-DICHLOROETHANE	**34531**	**036**	2013/03/13	**< .000**	2016/03
1,2-DICHLOROPROPANE	**34541**	**036**	2013/03/13	**< .000**	2016/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/03/13	**< .000**	2016/03
1,4-DICHLOROBENZENE	**34571**	**036**	2013/03/13	**< .000**	2016/03
BENZENE	**34030**	**036**	2013/03/13	**< .000**	2016/03
CARBON TETRACHLORIDE	**32102**	**036**	2013/03/13	**< .000**	2016/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/03/13	**< .000**	2016/03
DICHLOROMETHANE	**34423**	**036**	2013/03/13	**< .000**	2016/03
ETHYLBENZENE	**34371**	**036**	2013/03/13	**< .000**	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/03/13	**< .000**	2016/03
MONOCHLOROBENZENE	**34301**	**036**	2013/03/13	**< .000**	2016/03
STYRENE	**77128**	**036**	2013/03/13	**< .000**	2016/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-019
Source Name: CITY WELL 04A
Source Number: 019
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2013/03/13	< .000	2016/03
TOLUENE	34010	036	2013/03/13	< .000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/03/13	< .000	2016/03
TRICHLOROETHYLENE	39180	036	2013/03/13	< .000	2016/03
TRICHLOROFLUOROMETHANE	34488	036	2013/03/13	< .000	2016/03
VINYL CHLORIDE	39175	036	2013/03/13	< .000	2016/03
XYLENES (TOTAL)	81551	036	2013/03/13	< .000	2016/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/17	. 220.000	2017/03
CALCIUM	00916	036	2014/03/17	. 72.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/17	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/17	. 5.200	2017/03
COLOR	00081	036	2014/01/21	< 3.000	2017/01
COPPER	01042	036	2014/03/17	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/17	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/17	. 220.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/17	< 3.000	2017/03
IRON	01045	036	2014/03/17	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/17	. 11.000	2017/03
MANGANESE	01055	036	2014/03/17	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/01/21	< 1.000	2017/01
PH, LABORATORY	00403	036	2014/03/17	. 7.500	2017/03
SILVER	01077	036	2014/03/17	< 10.000	2017/03
SODIUM	00929	036	2014/03/17	. 11.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/17	. 470.000	2017/03
SULFATE	00945	036	2014/03/17	. 40.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/17	. 350.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/01/21	< .200	2017/01
ZINC	01092	036	2014/03/17	< 50.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610038-020T **Source Name:** CHINO WELL 02 - TREATED **Source Number:** 020 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610038-021T **Source Name:** RIALTO WELL 05 - TREATED **Source Number:** 021 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610038-022 **Source Name:** PURCHASED WATER - WEST VALLEY WD **Source Number:** 022 **Source Status:** PURCHASED TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610038-023 **Source Name:** EMERGENCY INTERTIE - CITY OF SAN BERNARD **Source Number:** 023 **Source Status:** PURCHASED TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610038-024***					
Source Name: ***EMERGENCY INTERTIE - SGVWC FONTANA WC***					
Source Number: ***024***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610038-025***					
Source Name: ***EMERGENCY INTERTIE - RIV HIGHLAND MWC***					
Source Number: ***025***					
Source Status: ***PURCHASED TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610038-042T***					
Source Name: ***RIALTO WELL 03 IX TREATMENT - LEAD***					
Source Number: ***042***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610038-043T***					
Source Name: ***RIALTO WELL 03 IX TREATMENT - LAG***					
Source Number: ***043***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610038-044							
Source Name: RIALTO WELL 3 GWTS FINISHED WATER							
Source Number: 044							
Source Status: ACTIVE TREATED							
Water type: S							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610038-045							
Source Name: MIRO 2							
Source Number: 045							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	000					DUE
ANTIMONY	01097	000					DUE
ARSENIC	01002	000					DUE
BARIUM	01007	000					DUE
BERYLLIUM	01012	000					DUE
CADMIUM	01027	000					DUE
CHROMIUM (TOTAL)	01034	000					DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	000					DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000					DUE
MERCURY	71900	000					DUE
NICKEL	01067	000					DUE
PERCHLORATE	A-031	036	2014/07/10	<	4.000	2017/07	
SELENIUM	01147	000					DUE
THALLIUM	01059	000					DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2010/07/13		8.000	2011/07	DUE
NITRITE (AS N)	00620	000					DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/06/25	.	2.360	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-045***
Source Name: ***MIRO 2***
Source Number: ***045***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/25	< .010	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/25	< .020	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2012/08/14	< .500	2015/08	
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/08/14	< .500	2015/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/08/14	< .500	2015/08	
1,1,2-TRICHLOROETHANE	34511	036	2012/08/14	< .500	2015/08	
1,1-DICHLOROETHANE	34496	036	2012/08/14	< .500	2015/08	
1,1-DICHLOROETHYLENE	34501	036	2012/08/14	< .500	2015/08	
1,2,4-TRICHLOROBENZENE	34551	036	2012/08/14	< .500	2015/08	
1,2-DICHLOROBENZENE	34536	036	2012/08/14	< .500	2015/08	
1,2-DICHLOROETHANE	34531	036	2012/08/14	< .500	2015/08	
1,2-DICHLOROPROPANE	34541	036	2012/08/14	< .500	2015/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	**2010/07/13**	< .500	**2013/07**	**DUE**
1,4-DICHLOROBENZENE	34571	036	2012/08/14	< .500	2015/08	
BENZENE	34030	036	2012/08/14	< .500	2015/08	
CARBON TETRACHLORIDE	32102	036	2012/08/14	< .500	2015/08	
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/08/14	< .500	2015/08	
DICHLOROMETHANE	34423	036	2012/08/14	< .500	2015/08	
ETHYLBENZENE	34371	036	2012/08/14	. 1.300	2015/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/08/14	< .500	2015/08	
MONOCHLOROBENZENE	34301	036	2012/08/14	< .500	2015/08	
STYRENE	77128	036	2012/08/14	. 3.700	2015/08	
TETRACHLOROETHYLENE	34475	036	2012/08/14	< .500	2015/08	
TOLUENE	34010	036	2012/08/14	. 57.000	2015/08	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/08/14	< .500	2015/08	
TRICHLOROETHYLENE	39180	036	2012/08/14	< .500	2015/08	
TRICHLOROFLUOROMETHANE	34488	036	2012/08/14	< .500	2015/08	
VINYL CHLORIDE	39175	036	2012/08/14	< .500	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-045
Source Name: MIRO 2
Source Number: 045
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
XYLENES (TOTAL)	81551	036	2010/07/13	<	1.000	2013/07	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	000					DUE
CALCIUM	00916	000					DUE
CARBONATE ALKALINITY	00445	000					DUE
CHLORIDE	00940	036	2010/07/13		3.400	2013/07	DUE
COLOR	00081	000					DUE
COPPER	01042	000					DUE
FOAMING AGENTS (MBAS)	38260	000					DUE
HARDNESS (TOTAL) AS CACO3	00900	000					DUE
HYDROXIDE ALKALINITY	71830	000					DUE
IRON	01045	000					DUE
MAGNESIUM	00927	000					DUE
MANGANESE	01055	000					DUE
ODOR THRESHOLD @ 60 C	00086	000					DUE
PH, LABORATORY	00403	000					DUE
SILVER	01077	000					DUE
SODIUM	00929	000					DUE
SPECIFIC CONDUCTANCE	00095	000					DUE
SULFATE	00945	036	2010/07/13		14.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	000					DUE
TURBIDITY, LABORATORY	82079	000					DUE
ZINC	01092	000					DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-046***
Source Name: ***MIRO 3***
Source Number: ***046***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	036	2014/07/10	. 16.000	2017/07	
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/10/29	9.000	2011/10	DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/06/25	. 2.290	2017/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/25	< .010	2017/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/25	< .020	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2012/08/14	< .500	2015/08	
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/08/14	< .500	2015/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/08/14	< .500	2015/08	
1,1,2-TRICHLOROETHANE	34511	036	2012/08/14	< .500	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

PS Code: ***3610038-046***
Source Name: ***MIRO 3***
Source Number: ***046***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2012/08/14	< .500	2015/08	
1,1-DICHLOROETHYLENE	34501	036	2012/08/14	< .500	2015/08	
1,2,4-TRICHLOROBENZENE	34551	036	2012/08/14	< .500	2015/08	
1,2-DICHLOROBENZENE	34536	036	2012/08/14	< .500	2015/08	
1,2-DICHLOROETHANE	34531	036	2012/08/14	< .500	2015/08	
1,2-DICHLOROPROPANE	34541	036	2012/08/14	< .500	2015/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/06/05	< .500	2015/06	
1,4-DICHLOROBENZENE	34571	036	2012/08/14	< .500	2015/08	
BENZENE	34030	036	2012/08/14	< .500	2015/08	
CARBON TETRACHLORIDE	32102	036	2012/08/14	< .500	2015/08	
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/08/14	< .500	2015/08	
DICHLOROMETHANE	34423	036	2012/08/14	< .500	2015/08	
ETHYLBENZENE	34371	036	2012/08/14	. .630	2015/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/08/14	< .500	2015/08	
MONOCHLOROBENZENE	34301	036	2012/08/14	< .500	2015/08	
STYRENE	77128	036	2012/08/14	. 1.100	2015/08	
TETRACHLOROETHYLENE	34475	036	2012/08/14	< .500	2015/08	
TOLUENE	34010	036	2012/08/14	. 20.000	2015/08	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/08/14	< .500	2015/08	
TRICHLOROETHYLENE	39180	036	2012/08/14	< .500	2015/08	
TRICHLOROFLUOROMETHANE	34488	036	2012/08/14	< .500	2015/08	
VINYL CHLORIDE	39175	036	2012/08/14	< .500	2015/08	
XYLENES (TOTAL)	81551	036	2012/06/05	. 1.900	2015/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036	2010/10/29	3.500	2013/10	DUE
COLOR	00081	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

PS Code: 3610038-046
Source Name: MIRO 3
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	036	2010/10/29	14.000	2013/10	DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

PS Code: 3610038-047
Source Name: CHINO WELL 1 - IX EFFLUENT
Source Number: 047
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610038-048***					
Source Name: ***RIALTO 4 - IX EFFLUENT***					
Source Number: ***048***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610038-049***					
Source Name: ***RIALTO WELL 3 WBA IX EFFLUENT***					
Source Number: ***049***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610038-601***					
Source Name: ***DBP2-220 W VALLEY***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/26	**< 1.000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/26	**< 1.000**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/26	**. 3.600**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/26	**< 1.000**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/26	**. 3.600**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/26	**< 1.000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/26	**. .760**	2014/09
BROMOFORM (THM)	**32104**	**003**	2014/06/26	**. .560**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/26	**. .600**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/26	**. 1.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***

System Name: ***RIALTO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610038-601***					
Source Name: ***DBP2-220 W VALLEY***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/26	**. 2.900**	2014/09
PS Code: ***3610038-602***					
Source Name: ***DBP2-532 S IRIS***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/26	**< 1.000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/26	**< 1.000**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/26	**. 3.000**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/26	**< 1.000**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/26	**. 3.000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/26	**< 1.000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/26	**. .610**	2014/09
BROMOFORM (THM)	**32104**	**003**	2014/06/26	**< .500**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/26	**. .730**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/26	**. 1.000**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/26	**. 2.400**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610038-603***					
Source Name: ***DBP2-749 E HOLLY***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/26	**< 1.000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/26	**< 1.000**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/26	**. 16.000**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/26	**. 1.600**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/26	**. 14.000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/26	**< 1.000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/26	**. .670**	2014/09
BROMOFORM (THM)	**32104**	**003**	2014/06/26	**< .500**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/26	**. .800**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/26	**. .970**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/26	**. 2.400**	2014/09
PS Code: ***3610038-604***					
Source Name: ***DBP2-978 N DRIFTWOOD***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/06/26	**< 1.000**	2014/09
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/06/26	**< 1.000**	2014/09
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/06/26	**. 15.000**	2014/09
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/06/26	**. 1.700**	2014/09
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/06/26	**. 13.000**	2014/09
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/06/26	**< 1.000**	2014/09
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/06/26	**. .580**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610038***
System Name: ***RIALTO, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610038-604***					
Source Name: ***DBP2-978 N DRIFTWOOD***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/06/26	**< .500**	2014/09
CHLOROFORM (THM)	**32106**	**003**	2014/06/26	**. .670**	2014/09
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/06/26	**. .840**	2014/09
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/06/26	**. 2.100**	2014/09
PS Code: ***3610038-800***					
Source Name: ***CEDAR WELL (RIALTO 01) - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610038-801***					
Source Name: ***CITY WELL 01 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610038
System Name: RIALTO, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610038-802					
Source Name: CITY WELL 02 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610038-803					
Source Name: CITY WELL 03 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610038-804					
Source Name: CITY WELL 06 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-001***

Source Name: ***10 TH & J WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2014/07/08	**. 4.200**	2017/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**3.200**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. 1.200**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .420**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 8.100**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**2.900**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-001
Source Name: 10 TH & J WELL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 190.000	2014/07
CALCIUM	00916	036	2013/08/20	. 51.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 25.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-001
Source Name: 10 TH & J WELL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 160.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 7.700	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	34.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 470.000	2014/07
SULFATE	00945	036	2013/08/20	29.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 310.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-002
Source Name: 16 TH AND SIERRA WAY
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	1.100	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-002
Source Name: 16 TH AND SIERRA WAY
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .620	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 20.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/29	. 2.620	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-002***

Source Name: ***16 TH AND SIERRA WAY***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 1.400**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 230.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 83.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 40.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 270.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2012/04/24	**< 100.000**	2015/04
MAGNESIUM	**00927**	**036**	2013/08/20	**. 16.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-002***

Source Name: ***16 TH AND SIERRA WAY***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PH, LABORATORY	00403	036	2011/07/05	.	7.900	2014/07	
SILVER	01077	036	2011/07/05	<	10.000	2014/07	
SODIUM	00929	036	2013/08/20		24.000	2016/08	
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	.	630.000	2014/07	
SULFATE	00945	036	2013/08/20		55.000	2016/08	
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	.	410.000	2016/08	
TURBIDITY, LABORATORY	82079	036	2011/07/05	.	.630	2014/07	
ZINC	01092	036	2011/07/05	<	50.000	2014/07	

PS Code: ***3610039-003***

Source Name: ***17 TH AND SIERRA WAY***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07	
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07	
ARSENIC	01002	036	2011/07/05	<	2.000	2014/07	
BARIUM	01007	036	2011/07/05	<	100.000	2014/07	
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07	
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/05		2.900	2014/07	
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	.300	2014/07	
MERCURY	71900	036	2011/07/05	<	1.000	2014/07	
NICKEL	01067	036	2011/07/05	<	10.000	2014/07	
PERCHLORATE	A-031	036	**2011/01/25**	.	.870	**2014/01**	**DUE**
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07	
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-003
Source Name: 17 TH AND SIERRA WAY
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 22.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2007/01/30	4.300	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-003
Source Name: 17 TH AND SIERRA WAY
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2014/07/09	< .500	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 240.000	2014/07
CALCIUM	00916	036	2013/08/20	. 100.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 27.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 330.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 19.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	25.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 650.000	2014/07
SULFATE	00945	036	2013/08/20	90.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 430.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	. 1.200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-004
Source Name: 19 TH STREET WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2005/07/28	<	50.000	2008/07	DUE
ANTIMONY	01097	036	2005/07/28	<	6.000	2008/07	DUE
ARSENIC	01002	036	2005/07/28	<	2.000	2008/07	DUE
BARIUM	01007	036	2005/07/28	<	100.000	2008/07	DUE
BERYLLIUM	01012	036	2005/07/28	<	1.000	2008/07	DUE
CADMIUM	01027	036	2005/07/28	<	1.000	2008/07	DUE
CHROMIUM (TOTAL)	01034	036	2005/07/28	<	10.000	2008/07	DUE
CYANIDE	01291	036	2005/07/28	<	100.000	2008/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/07/28	.	.540	2008/07	DUE
MERCURY	71900	036	2005/07/28	<	1.000	2008/07	DUE
NICKEL	01067	036	2005/07/28	<	10.000	2008/07	DUE
PERCHLORATE	A-031	036	2005/07/28	<	4.000	2008/07	DUE
SELENIUM	01147	036	2005/07/28	<	5.000	2008/07	DUE
THALLIUM	01059	036	2005/07/28	<	1.000	2008/07	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2007/07/26		18.000	2008/07	DUE
NITRITE (AS N)	00620	036	2005/07/28	<	400.000	2008/07	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	108	2007/01/30		4.300	2016/01	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/07/28	<	.010	2008/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/07/28	<	.020	2008/07	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2008/01/16	<	.500	2011/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2008/01/16	<	.500	2011/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2008/01/16	<	10.000	2011/01	DUE
1,1,2-TRICHLOROETHANE	34511	036	2008/01/16	<	.500	2011/01	DUE
1,1-DICHLOROETHANE	34496	036	2008/01/16	<	.500	2011/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-004
Source Name: 19 TH STREET WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHYLENE	34501	036	2008/01/16	< .500	2011/01	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2008/01/16	< .500	2011/01	DUE
1,2-DICHLOROBENZENE	34536	036	2008/01/16	< .500	2011/01	DUE
1,2-DICHLOROETHANE	34531	036	2008/01/16	< .500	2011/01	DUE
1,2-DICHLOROPROPANE	34541	036	2008/01/16	< .500	2011/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2008/01/16	< .500	2011/01	DUE
1,4-DICHLOROBENZENE	34571	036	2008/01/16	< .500	2011/01	DUE
BENZENE	34030	036	2008/01/16	< .500	2011/01	DUE
CARBON TETRACHLORIDE	32102	036	2008/01/16	< .500	2011/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2008/01/16	< .500	2011/01	DUE
DICHLOROMETHANE	34423	036	2008/01/16	< .500	2011/01	DUE
ETHYLBENZENE	34371	036	2008/01/16	< .500	2011/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2008/01/16	< 3.000	2011/01	DUE
MONOCHLOROBENZENE	34301	036	2008/01/16	< .500	2011/01	DUE
STYRENE	77128	036	2008/01/16	< .500	2011/01	DUE
TETRACHLOROETHYLENE	34475	036	2008/01/16	3.400	2011/01	DUE
TOLUENE	34010	036	2008/01/16	< .500	2011/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2008/01/16	< .500	2011/01	DUE
TRICHLOROETHYLENE	39180	036	2008/01/16	< .500	2011/01	DUE
TRICHLOROFLUOROMETHANE	34488	036	2008/01/16	< 5.000	2011/01	DUE
VINYL CHLORIDE	39175	036	2008/01/16	< .500	2011/01	DUE
XYLENES (TOTAL)	81551	036	2008/01/16	< 1.500	2011/01	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2005/07/28	. 248.000	2008/07	DUE
CALCIUM	00916	036	2007/07/26	75.000	2010/07	DUE
CARBONATE ALKALINITY	00445	036	2005/07/28	2.030	2008/07	DUE
CHLORIDE	00940	036	2007/07/26	8.900	2010/07	DUE
COLOR	00081	036	2005/07/28	< 3.000	2008/07	DUE
COPPER	01042	036	2005/07/28	< 50.000	2008/07	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-004
Source Name: 19 TH STREET WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
FOAMING AGENTS (MBAS)	38260	036	2005/07/28	<	.050	2008/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2007/07/26		260.000	2010/07	DUE
HYDROXIDE ALKALINITY	71830	036	2005/07/28	.	.020	2008/07	DUE
IRON	01045	036	2005/07/28	<	100.000	2008/07	DUE
MAGNESIUM	00927	036	2007/07/26		18.000	2010/07	DUE
MANGANESE	01055	036	2005/07/28	<	20.000	2008/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/07/28		1.000	2008/07	DUE
PH, LABORATORY	00403	036	2005/07/28	.	8.100	2008/07	DUE
SILVER	01077	036	2005/07/28	<	10.000	2008/07	DUE
SODIUM	00929	036	2007/07/26		18.000	2010/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/07/28	.	540.000	2008/07	DUE
SULFATE	00945	036	2007/07/26		47.000	2010/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2007/07/26		350.000	2010/07	DUE
TURBIDITY, LABORATORY	82079	036	2005/07/28	.	.200	2008/07	DUE
ZINC	01092	036	2005/07/28	<	50.000	2008/07	DUE

PS Code: 3610039-005
Source Name: 19 TH STREET WELL 02
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07	
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07	
ARSENIC	01002	036	2011/07/05	<	2.000	2014/07	
BARIUM	01007	036	2011/07/05	<	100.000	2014/07	
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07	
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/05		1.300	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-005
Source Name: 19 TH STREET WELL 02
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .500	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .800	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 26.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/01/26	2.790	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-005***

Source Name: ***19 TH STREET WELL 02***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	. 3.000	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 280.000	2014/07
CALCIUM	00916	036	2013/08/20	. 79.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 11.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 270.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 17.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-005
Source Name: 19 TH STREET WELL 02
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	18.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 640.000	2014/07
SULFATE	00945	036	2013/08/20	42.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 350.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-007
Source Name: 27 TH AND ACACIA STREET
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/05	2.700	2014/07
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. 1.000	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-007
Source Name: 27 TH AND ACACIA STREET
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/16	. 31.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/29	. 3.390	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/22	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/22	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/22	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/22	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/22	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/22	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/22	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/22	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/22	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/22	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/08	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/22	< .500	2017/07
BENZENE	34030	036	2014/07/22	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/22	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/22	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/22	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/22	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/22	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/22	< .500	2017/07
STYRENE	77128	036	2014/07/22	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-007***

Source Name: ***27 TH AND ACACIA STREET***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 270.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 100.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 24.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 330.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 19.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 8.000**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**18.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 630.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**71.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 440.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-008
Source Name: 30 TH AND MT VIEW AVENUE
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/06	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/06	< 6.000	2014/07
ARSENIC	01002	036	2011/07/06	< 2.000	2014/07
BARIUM	01007	036	2011/07/06	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/06	< 1.000	2014/07
CADMIUM	01027	036	2011/07/06	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/06	1.900	2014/07
CYANIDE	01291	036	2011/07/06	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/06	. .400	2014/07
MERCURY	71900	036	2011/07/06	< 1.000	2014/07
NICKEL	01067	036	2011/07/06	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/06	. .510	2014/07
SELENIUM	01147	036	2011/07/06	< 5.000	2014/07
THALLIUM	01059	036	2011/07/06	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/08	. 22.000	2015/04
NITRITE (AS N)	00620	036	2011/07/06	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2007/01/31	< 3.000	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/06	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/06	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/22	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/22	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/22	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/22	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/22	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-008***

Source Name: ***30 TH AND MT VIEW AVENUE***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/22	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/22	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/08	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/22	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/22	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/22	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/22	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/22	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/22	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/22	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/22	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/22	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**. 1.700**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/06	**. 280.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 86.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/06	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 23.000**	2016/08
COLOR	**00081**	**036**	2011/07/06	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/06	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-008
Source Name: 30 TH AND MT VIEW AVENUE
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/07/06	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 290.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/06	< 3.000	2014/07
IRON	01045	036	2011/07/06	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 17.000	2016/08
MANGANESE	01055	036	2011/07/06	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/06	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/06	. 7.900	2014/07
SILVER	01077	036	2011/07/06	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	15.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/06	. 610.000	2014/07
SULFATE	00945	036	2013/08/20	38.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 360.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/06	. .380	2014/07
ZINC	01092	036	2011/07/06	< 50.000	2014/07

PS Code: 3610039-009
Source Name: 31 ST AND MT VIEW AVENUE
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	1.800	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-009***

Source Name: ***31 ST AND MT VIEW AVENUE***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .400**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .690**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**. 25.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/01/29	**. 3.950**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/04/08	**< .500**	2017/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/04/08	**< .500**	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/04/08	**< 10.000**	2017/04
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/04/08	**< .500**	2017/04
1,1-DICHLOROETHANE	**34496**	**036**	2014/04/08	**< .500**	2017/04
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/04/08	**< .500**	2017/04
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/04/08	**< .500**	2017/04
1,2-DICHLOROBENZENE	**34536**	**036**	2014/04/08	**< .500**	2017/04
1,2-DICHLOROETHANE	**34531**	**036**	2014/04/08	**< .500**	2017/04
1,2-DICHLOROPROPANE	**34541**	**036**	2014/04/08	**< .500**	2017/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/08	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/04/08	**< .500**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-009***

Source Name: ***31 ST AND MT VIEW AVENUE***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/04/08	**< .500**	2017/04
CARBON TETRACHLORIDE	**32102**	**036**	2014/04/08	**< .500**	2017/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/04/08	**< .500**	2017/04
DICHLOROMETHANE	**34423**	**036**	2014/04/08	**< .500**	2017/04
ETHYLBENZENE	**34371**	**036**	2014/04/08	**< .500**	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/04/08	**< 3.000**	2017/04
MONOCHLOROBENZENE	**34301**	**036**	2014/04/08	**< .500**	2017/04
STYRENE	**77128**	**036**	2014/04/08	**< .500**	2017/04
TETRACHLOROETHYLENE	**34475**	**036**	2014/04/08	**. 2.600**	2017/04
TOLUENE	**34010**	**036**	2014/04/08	**< .500**	2017/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/04/08	**< .500**	2017/04
TRICHLOROETHYLENE	**39180**	**036**	2014/04/08	**< .500**	2017/04
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/04/08	**< 5.000**	2017/04
VINYL CHLORIDE	**39175**	**036**	2014/04/08	**< .500**	2017/04
XYLENES (TOTAL)	**81551**	**036**	2014/04/08	**< .500**	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 280.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 81.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 16.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 270.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 16.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-009
Source Name: 31 ST AND MT VIEW AVENUE
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PH, LABORATORY	00403	036	2011/07/05	.	7.800	2014/07	
SILVER	01077	036	2011/07/05	<	10.000	2014/07	
SODIUM	00929	036	2013/08/20		14.000	2016/08	
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	.	610.000	2014/07	
SULFATE	00945	036	2013/08/20		33.000	2016/08	
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	.	360.000	2016/08	
TURBIDITY, LABORATORY	82079	036	2011/07/05	<	.200	2014/07	
ZINC	01092	036	2011/07/05	<	50.000	2014/07	

PS Code: 3610039-012
Source Name: ANTIL WELL 06
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2009/02/04	<	50.000	2012/02	DUE
ANTIMONY	01097	036	2009/02/04	<	6.000	2012/02	DUE
ARSENIC	01002	036	2009/02/04		2.000	2012/02	DUE
BARIUM	01007	036	2009/02/04	<	100.000	2012/02	DUE
BERYLLIUM	01012	036	2009/02/04	<	1.000	2012/02	DUE
CADMIUM	01027	036	2009/02/04	<	1.000	2012/02	DUE
CHROMIUM (TOTAL)	01034	036	2009/02/04	<	10.000	2012/02	DUE
CYANIDE	01291	036	2009/02/04	<	100.000	2012/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/02/04		.360	2012/02	DUE
MERCURY	71900	036	2009/02/04	<	1.000	2012/02	DUE
NICKEL	01067	036	2009/02/04	<	10.000	2012/02	DUE
PERCHLORATE	A-031	036	2011/01/31	.	8.200	2014/01	DUE
SELENIUM	01147	036	2009/02/04	<	5.000	2012/02	DUE
THALLIUM	01059	036	2009/02/04	<	1.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-012***

Source Name: ***ANTIL WELL 06***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2010/07/20		11.000	2011/07	DUE
NITRITE (AS N)	00620	036	2009/02/04	<	400.000	2012/02	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	108	2010/01/28		.750	2019/01	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/02/04	<	.010	2012/02	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/02/04	<	.020	2012/02	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2009/02/04	<	.500	2012/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2009/02/04	<	.500	2012/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2009/02/04	<	10.000	2012/02	DUE
1,1,2-TRICHLOROETHANE	34511	036	2009/02/04	<	.500	2012/02	DUE
1,1-DICHLOROETHANE	34496	036	2009/02/04	<	.500	2012/02	DUE
1,1-DICHLOROETHYLENE	34501	036	2009/02/04	<	.500	2012/02	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2009/02/04	<	.500	2012/02	DUE
1,2-DICHLOROBENZENE	34536	036	2009/02/04	<	.500	2012/02	DUE
1,2-DICHLOROETHANE	34531	036	2009/02/04	<	.500	2012/02	DUE
1,2-DICHLOROPROPANE	34541	036	2009/02/04	<	.500	2012/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2009/02/04	<	.500	2012/02	DUE
1,4-DICHLOROBENZENE	34571	036	2009/02/04	<	.500	2012/02	DUE
BENZENE	34030	036	2009/02/04	<	.500	2012/02	DUE
CARBON TETRACHLORIDE	32102	036	2009/02/04	<	.500	2012/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2009/02/04	<	.500	2012/02	DUE
DICHLOROMETHANE	34423	036	2009/02/04	<	.500	2012/02	DUE
ETHYLBENZENE	34371	036	2009/02/04	<	.500	2012/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2009/02/04	<	3.000	2012/02	DUE
MONOCHLOROBENZENE	34301	036	2009/02/04	<	.500	2012/02	DUE
STYRENE	77128	036	2009/02/04	<	.500	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-012
Source Name: ANTIL WELL 06
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TETRACHLOROETHYLENE	34475	036	2009/02/04	< .500	2012/02	DUE
TOLUENE	34010	036	2009/02/04	< .500	2012/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2009/02/04	< .500	2012/02	DUE
TRICHLOROETHYLENE	39180	036	2009/02/04	< .500	2012/02	DUE
TRICHLOROFLUOROMETHANE	34488	036	2009/02/04	< 5.000	2012/02	DUE
VINYL CHLORIDE	39175	036	2009/02/04	< .500	2012/02	DUE
XYLENES (TOTAL)	81551	036	2009/02/04	< 1.000	2012/02	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/02/04	109.000	2012/02	DUE
CALCIUM	00916	036	2010/07/20	96.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2009/02/04	< 2.000	2012/02	DUE
CHLORIDE	00940	036	2010/07/20	39.000	2013/07	DUE
COLOR	00081	036	2009/02/04	< 3.000	2012/02	DUE
COPPER	01042	036	2009/02/04	< 50.000	2012/02	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/02/04	< .050	2012/02	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/07/20	280.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2009/02/04	< 2.000	2012/02	DUE
IRON	01045	036	2009/02/04	110.000	2012/02	DUE
MAGNESIUM	00927	036	2010/07/20	8.500	2013/07	DUE
MANGANESE	01055	036	2009/02/04	< 20.000	2012/02	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/02/04	1.000	2012/02	DUE
PH, LABORATORY	00403	036	2009/02/04	8.000	2012/02	DUE
SILVER	01077	036	2009/02/04	< 10.000	2012/02	DUE
SODIUM	00929	036	2010/07/20	40.000	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/02/04	750.000	2012/02	DUE
SULFATE	00945	036	2010/07/20	230.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/20	540.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2009/02/04	.600	2012/02	DUE
ZINC	01092	036	2009/02/04	< 50.000	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-014***

Source Name: ***BASELINE AND CALIFORNIA***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2011/07/05	**1.100**	2014/07
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .400**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .740**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/23	**. 66.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/01/29	**. 3.150**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/22	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/22	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/22	**. 12.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/22	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-014
Source Name: BASELINE AND CALIFORNIA
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/07/22	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/22	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/22	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/22	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/22	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/10/15	< .500	2016/10
1,4-DICHLOROBENZENE	34571	036	2014/07/22	< .500	2017/07
BENZENE	34030	036	2014/07/22	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/22	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/22	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/22	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/22	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/22	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/22	< .500	2017/07
STYRENE	77128	036	2014/07/22	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/22	. 1.200	2017/07
TOLUENE	34010	036	2014/07/22	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/22	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/22	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/22	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/22	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/22	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 240.000	2014/07
CALCIUM	00916	036	2013/08/20	. 75.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 16.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-014
Source Name: BASELINE AND CALIFORNIA
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 250.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 15.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	18.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 600.000	2014/07
SULFATE	00945	036	2013/08/20	42.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 360.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-015
Source Name: CAJON CANYON - ACTIVE (6-27-08)
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-015***

Source Name: ***CAJON CANYON - ACTIVE (6-27-08)***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .700**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .260**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 5.800**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2014/01/28	**. 2.560**	2020/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/05	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/05	**< .500**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/07/05	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-015***

Source Name: ***CAJON CANYON - ACTIVE (6-27-08)***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07
MONOCHLOROBENZENE	**34301**	**036**	2011/07/05	**< .500**	2014/07
STYRENE	**77128**	**036**	2011/07/05	**< .500**	2014/07
TETRACHLOROETHYLENE	**34475**	**036**	2011/07/05	**< .500**	2014/07
TOLUENE	**34010**	**036**	2011/07/05	**< .500**	2014/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROETHYLENE	**39180**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/07/05	**< 5.000**	2014/07
VINYL CHLORIDE	**39175**	**036**	2011/07/05	**< .500**	2014/07
XYLENES (TOTAL)	**81551**	**036**	2011/07/05	**< .500**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 280.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 84.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 13.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 290.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 20.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-015***

Source Name: ***CAJON CANYON - ACTIVE (6-27-08)***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	.	7.900	2014/07
SILVER	01077	036	2011/07/05	<	10.000	2014/07
SODIUM	00929	036	2013/08/20		33.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	.	640.000	2014/07
SULFATE	00945	036	2013/08/20		100.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	.	540.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	<	.200	2014/07
ZINC	01092	036	2011/07/05	<	50.000	2014/07

PS Code: ***3610039-017***

Source Name: ***CAJON WELL 02***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07
ARSENIC	01002	036	2011/07/05	<	2.000	2014/07
BARIUM	01007	036	2011/07/05	<	100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	<	1.000	2015/02
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	.500	2014/07
MERCURY	71900	036	2011/07/05	<	1.000	2014/07
NICKEL	01067	036	2011/07/05	<	10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	.	.450	2014/07
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-017***

Source Name: ***CAJON WELL 02***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**. 27.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**2.290**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/05	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/05	**< .500**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/07/05	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**036**	2011/07/05	**< .500**	2014/07
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07
MONOCHLOROBENZENE	**34301**	**036**	2011/07/05	**< .500**	2014/07
STYRENE	**77128**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-017
Source Name: CAJON WELL 02
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 300.000	2014/07
CALCIUM	00916	036	2013/08/20	. 73.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 11.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 250.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 16.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	17.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 600.000	2014/07
SULFATE	00945	036	2013/08/20	37.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 400.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-018***

Source Name: ***CAJON WELL 03***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**< 1.000**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .700**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .360**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 11.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**1.440**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/05/20	**< .500**	2017/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/05/20	**< .500**	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/05/20	**< 10.000**	2017/05
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/05/20	**< .500**	2017/05
1,1-DICHLOROETHANE	**34496**	**036**	2014/05/20	**< .500**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-018
Source Name: CAJON WELL 03
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/05/20	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/20	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/20	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/20	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/20	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/20	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/20	< .500	2017/05
BENZENE	34030	036	2014/05/20	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/20	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/20	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/20	< .500	2017/05
ETHYLBENZENE	34371	036	2014/05/20	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/20	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/20	< .500	2017/05
STYRENE	77128	036	2014/05/20	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/20	< .500	2017/05
TOLUENE	34010	036	2014/05/20	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/20	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/20	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/20	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/20	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/20	< .500	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 280.000	2014/07
CALCIUM	00916	036	2013/08/20	. 79.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 11.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-018***

Source Name: ***CAJON WELL 03***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 270.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 17.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	26.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 570.000	2014/07
SULFATE	00945	036	2013/08/20	63.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 390.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: ***3610039-021***

Source Name: ***DEVIL CANYON WELL 01***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-021***

Source Name: ***DEVIL CANYON WELL 01***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .140**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**. 22.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**3.030**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/05/20	**< .500**	2017/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/05/20	**< .500**	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/05/20	**< 10.000**	2017/05
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/05/20	**< .500**	2017/05
1,1-DICHLOROETHANE	**34496**	**036**	2014/05/20	**< .500**	2017/05
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/05/20	**< .500**	2017/05
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/05/20	**< .500**	2017/05
1,2-DICHLOROBENZENE	**34536**	**036**	2014/05/20	**< .500**	2017/05
1,2-DICHLOROETHANE	**34531**	**036**	2014/05/20	**< .500**	2017/05
1,2-DICHLOROPROPANE	**34541**	**036**	2014/05/20	**< .500**	2017/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/05/20	**< .500**	2017/05
1,4-DICHLOROBENZENE	**34571**	**036**	2014/05/20	**< .500**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-021
Source Name: DEVIL CANYON WELL 01
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2014/05/20	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/20	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/20	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/20	< .500	2017/05
ETHYLBENZENE	34371	036	2014/05/20	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/20	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/20	< .500	2017/05
STYRENE	77128	036	2014/05/20	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/20	< .500	2017/05
TOLUENE	34010	036	2014/05/20	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/20	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/20	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/20	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/20	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/20	< .500	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 180.000	2014/07
CALCIUM	00916	036	2013/08/20	. 62.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 46.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 210.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 12.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-021
Source Name: DEVIL CANYON WELL 01
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.600	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	27.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 490.000	2014/07
SULFATE	00945	036	2013/08/20	33.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-022
Source Name: DEVIL CANYON WELL 02
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	1.700	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .400	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .300	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-022
Source Name: DEVIL CANYON WELL 02
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/08	. 24.000	2015/04
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/29	. 5.040	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-022***

Source Name: ***DEVIL CANYON WELL 02***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2011/07/05	**< .500**	2014/07
TOLUENE	**34010**	**036**	2011/07/05	**< .500**	2014/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROETHYLENE	**39180**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/07/05	**< 5.000**	2014/07
VINYL CHLORIDE	**39175**	**036**	2011/07/05	**< .500**	2014/07
XYLENES (TOTAL)	**81551**	**036**	2011/07/05	**< .500**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 210.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 85.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 15.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 290.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 19.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.700**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**16.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 430.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**46.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 430.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-023
Source Name: DEVIL CANYON WELL 03
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .700	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .560	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/22	. 8.400	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/01/26	1.270	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-023
Source Name: DEVIL CANYON WELL 03
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 300.000	2014/07
CALCIUM	00916	036	2013/09/26	. 60.000	2016/09
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/09/26	. 66.000	2016/09
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-023					
Source Name: DEVIL CANYON WELL 03					
Source Number: 023					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/26	. 210.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/09/26	. 15.000	2016/09
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.600	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/09/26	. 32.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 700.000	2014/07
SULFATE	00945	036	2013/09/26	. 38.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/26	. 380.000	2016/09
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07
PS Code: 3610039-024					
Source Name: DEVIL CANYON WELL 04					
Source Number: 024					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-024***

Source Name: ***DEVIL CANYON WELL 04***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .500**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .230**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/02	**. 11.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/01/30	**< 3.000**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/05	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/05	**< .500**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/07/05	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-024***

Source Name: ***DEVIL CANYON WELL 04***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07
MONOCHLOROBENZENE	**34301**	**036**	2011/07/05	**< .500**	2014/07
STYRENE	**77128**	**036**	2011/07/05	**< .500**	2014/07
TETRACHLOROETHYLENE	**34475**	**036**	2011/07/05	**< .500**	2014/07
TOLUENE	**34010**	**036**	2011/07/05	**< .500**	2014/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROETHYLENE	**39180**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/07/05	**< 5.000**	2014/07
VINYL CHLORIDE	**39175**	**036**	2011/07/05	**< .500**	2014/07
XYLENES (TOTAL)	**81551**	**036**	2011/07/05	**< .500**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 200.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 61.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 36.000**	2016/08
COLOR	**00081**	**036**	2014/06/05	**< 3.000**	2017/06
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 220.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**15.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/05	**< 1.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-024
Source Name: DEVIL CANYON WELL 04
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.600	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	. 30.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 500.000	2014/07
SULFATE	00945	036	2013/08/20	38.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 360.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/06/05	. .820	2017/06
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-025
Source Name: DEVIL CANYON WELL 05
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .120	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-025
Source Name: DEVIL CANYON WELL 05
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/20	. 5.500	2014/08
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/01/26	1.100	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-025
Source Name: DEVIL CANYON WELL 05
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 160.000	2014/07
CALCIUM	00916	036	2013/08/20	. 54.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 37.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 190.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 12.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	23.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 460.000	2014/07
SULFATE	00945	036	2013/08/20	31.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 310.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-030***

Source Name: ***GILBERT***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/03/10	**< 50.000**	2017/03
ANTIMONY	**01097**	**036**	2014/03/10	**< 6.000**	2017/03
ARSENIC	**01002**	**036**	2014/03/10	**< 2.000**	2017/03
BARIUM	**01007**	**036**	2014/03/10	**< 100.000**	2017/03
BERYLLIUM	**01012**	**036**	2014/03/10	**< 1.000**	2017/03
CADMIUM	**01027**	**036**	2014/03/10	**< 1.000**	2017/03
CHROMIUM (TOTAL)	**01034**	**036**	2014/03/10	**< 1.000**	2017/03
CYANIDE	**01291**	**036**	2014/03/10	**< 5.000**	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/10	**. .400**	2017/03
MERCURY	**71900**	**036**	2014/03/10	**< 1.000**	2017/03
NICKEL	**01067**	**036**	2014/03/10	**< 10.000**	2017/03
PERCHLORATE	**A-031**	**036**	2014/07/16	**. 1.100**	2017/07
SELENIUM	**01147**	**036**	2014/03/10	**< 5.000**	2017/03
THALLIUM	**01059**	**036**	2014/03/10	**< 1.000**	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/29	**. 13.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/03/10	**< 100.000**	2017/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/28	**1.960**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/03/10	**< .010**	2017/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/03/10	**< .020**	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/03/10	**< .500**	2017/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/03/10	**< .500**	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/03/10	**< 10.000**	2017/03
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/03/10	**< .500**	2017/03
1,1-DICHLOROETHANE	**34496**	**036**	2014/03/10	**< .500**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-030
Source Name: GILBERT
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/03/10	< .500	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/10	< .500	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/10	< .500	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/10	< .500	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/10	< .500	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/10	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/10	< .500	2017/03
BENZENE	34030	036	2014/03/10	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/10	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/10	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/10	< .500	2017/03
ETHYLBENZENE	34371	036	2014/03/10	< .500	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/10	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/10	< .500	2017/03
STYRENE	77128	036	2014/03/10	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/10	< .500	2017/03
TOLUENE	34010	036	2014/03/10	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/10	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/10	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/10	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/10	< .500	2017/03
XYLENES (TOTAL)	81551	036	2014/03/10	< .500	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/29	. 200.000	2017/05
CALCIUM	00916	036	2014/05/29	. 65.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/29	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/29	. 34.000	2017/05
COLOR	00081	036	2014/03/10	< 3.000	2017/03
COPPER	01042	036	2014/05/29	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-030
Source Name: GILBERT
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/05/29	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/29	. 210.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/29	< 3.000	2017/05
IRON	01045	036	2014/05/29	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/29	. 12.000	2017/05
MANGANESE	01055	036	2014/05/29	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/03/10	< 1.000	2017/03
PH, LABORATORY	00403	036	2014/05/29	. 7.700	2017/05
SILVER	01077	036	2014/03/10	< 10.000	2017/03
SODIUM	00929	036	2014/05/29	. 38.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/29	. 610.000	2017/05
SULFATE	00945	036	2014/05/29	. 72.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/29	. 350.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/03/10	< .200	2017/03
ZINC	01092	036	2014/05/29	< 50.000	2017/05

PS Code: 3610039-031
Source Name: LEROY
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-031***

Source Name: ***LEROY***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .380**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 11.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/01/29	**. 2.750**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/22	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/22	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/22	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/22	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/22	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/08	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/22	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-031***

Source Name: ***LEROY***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/07/22	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/22	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/22	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/22	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/22	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/22	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/22	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/22	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**. .820**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 240.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 79.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 40.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**. 82.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 260.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 15.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-031
Source Name: LEROY
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	20.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 630.000	2014/07
SULFATE	00945	036	2013/08/20	33.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 350.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .390	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-032
Source Name: LYNWOOD
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/09/24	< 50.000	2015/09
ANTIMONY	01097	036	2012/09/24	< 6.000	2015/09
ARSENIC	01002	036	2012/09/24	< 2.000	2015/09
BARIUM	01007	036	2012/09/24	< 100.000	2015/09
BERYLLIUM	01012	036	2012/09/24	< 1.000	2015/09
CADMIUM	01027	036	2012/09/24	< 1.000	2015/09
CHROMIUM (TOTAL)	01034	036	2012/09/24	< 1.000	2015/09
CYANIDE	01291	036	2012/09/24	< 100.000	2015/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/09/24	. 1.200	2015/09
MERCURY	71900	036	2012/09/24	< 1.000	2015/09
NICKEL	01067	036	2012/09/24	< 10.000	2015/09
PERCHLORATE	A-031	036	2012/09/24	. .220	2015/09
SELENIUM	01147	036	2012/09/24	< 5.000	2015/09
THALLIUM	01059	036	2012/09/24	< 1.000	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-032
Source Name: LYNWOOD
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/20	. 5.100	2014/08
NITRITE (AS N)	00620	036	2012/09/24	< 100.000	2015/09
RADIOLOGICAL					
GROSS ALPHA	01501	108	2007/01/30	3.500	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/09/24	< .010	2015/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/09/24	< .020	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/09/25	< .500	2015/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/09/25	< .500	2015/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/09/25	< 10.000	2015/09
1,1,2-TRICHLOROETHANE	34511	036	2012/09/25	< .500	2015/09
1,1-DICHLOROETHANE	34496	036	2012/09/25	< .500	2015/09
1,1-DICHLOROETHYLENE	34501	036	2012/09/25	< .500	2015/09
1,2,4-TRICHLOROBENZENE	34551	036	2012/09/25	< .500	2015/09
1,2-DICHLOROBENZENE	34536	036	2012/09/25	< .500	2015/09
1,2-DICHLOROETHANE	34531	036	2012/09/25	< .500	2015/09
1,2-DICHLOROPROPANE	34541	036	2012/09/25	< .500	2015/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/09/25	< .500	2015/09
1,4-DICHLOROBENZENE	34571	036	2012/09/25	< .500	2015/09
BENZENE	34030	036	2012/09/25	< .500	2015/09
CARBON TETRACHLORIDE	32102	036	2012/09/25	< .500	2015/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/09/25	< .500	2015/09
DICHLOROMETHANE	34423	036	2012/09/25	< .500	2015/09
ETHYLBENZENE	34371	036	2012/09/25	< .500	2015/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/09/25	< 3.000	2015/09
MONOCHLOROBENZENE	34301	036	2012/09/25	< .500	2015/09
STYRENE	77128	036	2012/09/25	< .500	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-032
Source Name: LYNWOOD
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2012/09/25	< .500	2015/09
TOLUENE	34010	036	2012/09/25	< .500	2015/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/09/25	< .500	2015/09
TRICHLOROETHYLENE	39180	036	2012/09/25	< .500	2015/09
TRICHLOROFLUOROMETHANE	34488	036	2012/09/25	< 5.000	2015/09
VINYL CHLORIDE	39175	036	2012/09/25	< .500	2015/09
XYLENES (TOTAL)	81551	036	2012/09/25	< .500	2015/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/09/24	. 150.000	2015/09
CALCIUM	00916	036	2013/08/20	. 35.000	2016/08
CARBONATE ALKALINITY	00445	036	2012/09/24	< 3.000	2015/09
CHLORIDE	00940	036	2013/08/20	. 35.000	2016/08
COLOR	00081	036	2012/09/24	< 3.000	2015/09
COPPER	01042	036	2012/09/24	< 50.000	2015/09
FOAMING AGENTS (MBAS)	38260	036	2012/09/24	< .050	2015/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 120.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2012/09/24	< 3.000	2015/09
IRON	01045	036	2012/09/24	< 100.000	2015/09
MAGNESIUM	00927	036	2013/08/20	. 8.900	2016/08
MANGANESE	01055	036	2012/09/24	< 20.000	2015/09
ODOR THRESHOLD @ 60 C	00086	036	2012/09/24	< 1.000	2015/09
PH, LABORATORY	00403	036	2012/09/24	. 7.300	2015/09
SILVER	01077	036	2012/09/24	< 10.000	2015/09
SODIUM	00929	036	2013/08/20	45.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2012/09/24	. 550.000	2015/09
SULFATE	00945	036	2013/08/20	56.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 300.000	2016/08
TURBIDITY, LABORATORY	82079	036	2012/09/24	< .200	2015/09
ZINC	01092	036	2012/09/24	< 50.000	2015/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-034***

Source Name: ***LYTLE CREEK WELL 02***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2014/04/08	**. 4.000**	2017/04
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**1.100**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .140**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 5.200**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**1.850**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-034
Source Name: LYTLE CREEK WELL 02
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 160.000	2014/07
CALCIUM	00916	036	2013/08/20	. 42.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 4.200	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610039-034***					
Source Name: ***LYTLE CREEK WELL 02***					
Source Number: ***034***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 120.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 3.500**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 8.000**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**21.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 320.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**20.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 170.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07
PS Code: ***3610039-035***					
Source Name: ***MALLORY WELL***					
Source Number: ***035***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**< 1.000**	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-035***

Source Name: ***MALLORY WELL***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .500**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .420**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/08	**. 24.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**2.620**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/05/20	**< .500**	2017/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/05/20	**< .500**	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/05/20	**< 10.000**	2017/05
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/05/20	**< .500**	2017/05
1,1-DICHLOROETHANE	**34496**	**036**	2014/05/20	**< .500**	2017/05
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/05/20	**< .500**	2017/05
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/05/20	**< .500**	2017/05
1,2-DICHLOROBENZENE	**34536**	**036**	2014/05/20	**< .500**	2017/05
1,2-DICHLOROETHANE	**34531**	**036**	2014/05/20	**< .500**	2017/05
1,2-DICHLOROPROPANE	**34541**	**036**	2014/05/20	**< .500**	2017/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/05/20	**< .500**	2017/05
1,4-DICHLOROBENZENE	**34571**	**036**	2014/05/20	**< .500**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-035***

Source Name: ***MALLORY WELL***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/05/20	**< .500**	2017/05
CARBON TETRACHLORIDE	**32102**	**036**	2014/05/20	**< .500**	2017/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/05/20	**< .500**	2017/05
DICHLOROMETHANE	**34423**	**036**	2014/05/20	**< .500**	2017/05
ETHYLBENZENE	**34371**	**036**	2014/05/20	**< .500**	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/05/20	**< 3.000**	2017/05
MONOCHLOROBENZENE	**34301**	**036**	2014/05/20	**< .500**	2017/05
STYRENE	**77128**	**036**	2014/05/20	**< .500**	2017/05
TETRACHLOROETHYLENE	**34475**	**036**	2014/05/20	**< .500**	2017/05
TOLUENE	**34010**	**036**	2014/05/20	**< .500**	2017/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/05/20	**< .500**	2017/05
TRICHLOROETHYLENE	**39180**	**036**	2014/05/20	**< .500**	2017/05
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/05/20	**< 5.000**	2017/05
VINYL CHLORIDE	**39175**	**036**	2014/05/20	**< .500**	2017/05
XYLENES (TOTAL)	**81551**	**036**	2014/05/20	**< .500**	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 230.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 68.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 11.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/08	**< .080**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 230.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 14.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-035
Source Name: MALLORY WELL
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.900	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	17.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 500.000	2014/07
SULFATE	00945	036	2013/08/20	38.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-036
Source Name: MILL AND D STREET WELL 182
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/05	1.100	2014/07
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .500	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .600	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-036***

Source Name: ***MILL AND D STREET WELL 182***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 8.200**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/01/30	**6.300**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/22	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/22	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/22	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/22	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/22	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/08	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/22	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/22	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/22	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/22	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/22	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/22	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/22	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/22	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/22	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-036***

Source Name: ***MILL AND D STREET WELL 182***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**. .650**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 250.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 87.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 14.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 290.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 17.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.700**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**20.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 630.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**81.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 410.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-037***

Source Name: ***MT VERNON***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/01/17	**< 50.000**	2015/01
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**< 1.000**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .600**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .540**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 35.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/01/30	**4.100**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/09	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/09	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/09	**. 21.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/09	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/09	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-037***

Source Name: ***MT VERNON***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/09	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/09	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/09	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 1.200**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 260.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 81.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 11.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-037
Source Name: MT VERNON
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 270.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 17.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	18.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 590.000	2014/07
SULFATE	00945	036	2013/08/20	43.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 360.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-038
Source Name: NEWMARK WELL 01
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-038***

Source Name: ***NEWMARK WELL 01***

Source Number: ***038***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07	
MERCURY	71900	036	2011/07/05	< 1.000	2014/07	
NICKEL	01067	036	2011/07/05	< 10.000	2014/07	
PERCHLORATE	A-031	036	2011/07/05	. .240	2014/07	
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07	
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	. 5.900	2014/08	
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	**2001/10/23**	. 2.070	**2010/10**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/22	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/22	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/22	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/22	< .500	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/22	< .500	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/22	< .500	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/22	< .500	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/22	< .500	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/22	< .500	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/22	< .500	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/19	< .500	2017/06	
1,4-DICHLOROBENZENE	34571	036	2014/07/22	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-038***

Source Name: ***NEWMARK WELL 01***

Source Number: ***038***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/07/22	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/22	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/22	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/22	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/22	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/22	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/22	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/22	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 180.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 55.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 38.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 180.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 11.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-038***

Source Name: ***NEWMARK WELL 01***

Source Number: ***038***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	24.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 540.000	2014/07
SULFATE	00945	036	2013/08/20	27.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: ***3610039-039***

Source Name: ***NEWMARK WELL 02***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .360	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-039
Source Name: NEWMARK WELL 02
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	. 6.600	2014/08	
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2001/10/23	. 2.030	2010/10	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/22	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/22	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/22	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/22	< .500	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/22	< .500	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/22	< .500	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/22	< .500	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/22	< .500	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/22	< .500	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/22	< .500	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/19	< .500	2017/06	
1,4-DICHLOROBENZENE	34571	036	2014/07/22	< .500	2017/07	
BENZENE	34030	036	2014/07/22	< .500	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/22	< .500	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/22	< .500	2017/07	
DICHLOROMETHANE	34423	036	2014/07/22	< .500	2017/07	
ETHYLBENZENE	34371	036	2014/07/22	< .500	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/22	< 3.000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/22	< .500	2017/07	
STYRENE	77128	036	2014/07/22	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-039***

Source Name: ***NEWMARK WELL 02***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 180.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 59.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 33.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 200.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 12.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.700**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**23.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 570.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**29.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 310.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-040***

Source Name: ***NEWMARK WELL 03***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**< 1.000**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .320**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 18.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/01/30	**< 3.000**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/09	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/09	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/09	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/09	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/09	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-040***

Source Name: ***NEWMARK WELL 03***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/09	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/09	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/10/16	**< .500**	2016/10
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 1.800**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 280.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 83.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 15.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-040
Source Name: NEWMARK WELL 03
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 270.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 15.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.600	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	14.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 600.000	2014/07
SULFATE	00945	036	2013/08/20	31.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 370.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-041
Source Name: NEWMARK WELL 04
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2014/04/08	< 2.000	2017/04
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-041***

Source Name: ***NEWMARK WELL 04***

Source Number: ***041***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .400**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .160**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 4.600**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/28	**1.350**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/22	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/22	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/22	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/22	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/22	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/19	**< .500**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/22	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-041***

Source Name: ***NEWMARK WELL 04***

Source Number: ***041***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/07/22	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/22	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/22	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/22	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/22	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/22	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/22	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/22	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/22	**. .600**	2017/07
TOLUENE	**34010**	**036**	2014/07/22	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/22	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/22	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/22	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/22	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 200.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 54.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 38.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 180.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 11.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-041
Source Name: NEWMARK WELL 04
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
PH, LABORATORY	00403	036	2011/07/05	.	7.600	2014/07
SILVER	01077	036	2011/07/05	<	10.000	2014/07
SODIUM	00929	036	2013/08/20		23.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	.	540.000	2014/07
SULFATE	00945	036	2013/08/20		28.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	.	320.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	<	.200	2014/07
ZINC	01092	036	2011/07/05	<	50.000	2014/07

PS Code: 3610039-043
Source Name: OLIVE AND GARDNER WELL
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07
ARSENIC	01002	036	2014/07/08	.	6.100	2017/07
BARIUM	01007	036	2011/07/05	<	100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28		2.500	2015/02
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	1.400	2014/07
MERCURY	71900	036	2011/07/05	<	1.000	2014/07
NICKEL	01067	036	2011/07/05	<	10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	.	.190	2014/07
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-043***

Source Name: ***OLIVE AND GARDNER WELL***

Source Number: ***043***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 3.300**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**3.470**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/22	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/22	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/22	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/22	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/22	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/22	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/22	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/10/15	**< .500**	2016/10
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/22	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/22	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/22	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/22	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/22	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/22	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/22	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/22	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/22	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-043
Source Name: OLIVE AND GARDNER WELL
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2014/07/22	. .820	2017/07
TOLUENE	34010	036	2014/07/22	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/22	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/22	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/22	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/22	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/22	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 200.000	2014/07
CALCIUM	00916	036	2013/08/20	. 50.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 24.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 160.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 8.800	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.900	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	38.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 500.000	2014/07
SULFATE	00945	036	2013/08/20	35.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 300.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-047
Source Name: PERRIS HILL WELL 04
Source Number: 047
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2005/07/28	< 50.000	2008/07	DUE
ANTIMONY	01097	036	2005/07/28	< 6.000	2008/07	DUE
ARSENIC	01002	036	2005/07/28	< 2.000	2008/07	DUE
BARIUM	01007	036	2005/07/28	< 100.000	2008/07	DUE
BERYLLIUM	01012	036	2005/07/28	< 1.000	2008/07	DUE
CADMIUM	01027	036	2005/07/28	< 1.000	2008/07	DUE
CHROMIUM (TOTAL)	01034	036	2005/07/28	< 10.000	2008/07	DUE
CYANIDE	01291	036	2005/07/28	< 100.000	2008/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/07/28	. .990	2008/07	DUE
MERCURY	71900	036	2005/07/28	< 1.000	2008/07	DUE
NICKEL	01067	036	2005/07/28	< 10.000	2008/07	DUE
PERCHLORATE	A-031	036	2006/07/18	< 4.000	2009/07	DUE
SELENIUM	01147	036	2005/07/28	< 5.000	2008/07	DUE
THALLIUM	01059	036	2005/07/28	< 1.000	2008/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2006/07/18	41.000	2007/07	DUE
NITRITE (AS N)	00620	036	2005/07/28	< 400.000	2008/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2002/04/16	. 1.700	2011/04	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/07/28	< .010	2008/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/07/28	< .020	2008/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2005/07/28	< .500	2008/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2005/07/28	< .500	2008/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2005/07/28	< 10.000	2008/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	2005/07/28	< .500	2008/07	DUE
1,1-DICHLOROETHANE	34496	036	2005/07/28	< .500	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-047
Source Name: PERRIS HILL WELL 04
Source Number: 047
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHYLENE	34501	036	2005/07/28	< .500	2008/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2005/07/28	< .500	2008/07	DUE
1,2-DICHLOROBENZENE	34536	036	2005/07/28	< .500	2008/07	DUE
1,2-DICHLOROETHANE	34531	036	2005/07/28	< .500	2008/07	DUE
1,2-DICHLOROPROPANE	34541	036	2005/07/28	< .500	2008/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2005/07/28	< .500	2008/07	DUE
1,4-DICHLOROBENZENE	34571	036	2005/07/28	< .500	2008/07	DUE
BENZENE	34030	036	2005/07/28	< .500	2008/07	DUE
CARBON TETRACHLORIDE	32102	036	2005/07/28	< .500	2008/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2005/07/28	< .500	2008/07	DUE
DICHLOROMETHANE	34423	036	2005/07/28	< .500	2008/07	DUE
ETHYLBENZENE	34371	036	2005/07/28	< .500	2008/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2005/07/28	< 3.000	2008/07	DUE
MONOCHLOROBENZENE	34301	036	2005/07/28	< .500	2008/07	DUE
STYRENE	77128	036	2005/07/28	< .500	2008/07	DUE
TETRACHLOROETHYLENE	34475	036	2005/07/28	< .500	2008/07	DUE
TOLUENE	34010	036	2005/07/28	< .500	2008/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2005/07/28	< .500	2008/07	DUE
TRICHLOROETHYLENE	39180	036	2005/07/28	< .500	2008/07	DUE
TRICHLOROFLUOROMETHANE	34488	036	2005/07/28	< 5.000	2008/07	DUE
VINYL CHLORIDE	39175	036	2005/07/28	< .500	2008/07	DUE
XYLENES (TOTAL)	81551	036	2005/07/28	< .500	2008/07	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2005/07/28	. 191.000	2008/07	DUE
CALCIUM	00916	036	2005/07/28	. 64.000	2008/07	DUE
CARBONATE ALKALINITY	00445	036	2005/07/28	.986	2008/07	DUE
CHLORIDE	00940	036	2005/07/28	. 36.000	2008/07	DUE
COLOR	00081	036	2005/07/28	< 3.000	2008/07	DUE
COPPER	01042	036	2005/07/28	< 50.000	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610039-047							
Source Name: PERRIS HILL WELL 04							
Source Number: 047							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
FOAMING AGENTS (MBAS)	38260	036	2005/07/28	<	.050	2008/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2005/07/28	.	230.000	2008/07	DUE
HYDROXIDE ALKALINITY	71830	036	2005/07/28	.	.010	2008/07	DUE
IRON	01045	036	2005/07/28	<	100.000	2008/07	DUE
MAGNESIUM	00927	036	2005/07/28	.	17.000	2008/07	DUE
MANGANESE	01055	036	2005/07/28	<	20.000	2008/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/07/28		1.000	2008/07	DUE
PH, LABORATORY	00403	036	2005/07/28	.	7.900	2008/07	DUE
SILVER	01077	036	2005/07/28	<	10.000	2008/07	DUE
SODIUM	00929	036	2005/07/28		73.000	2008/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/07/28	.	748.000	2008/07	DUE
SULFATE	00945	036	2005/07/28		130.000	2008/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2005/07/28	.	490.000	2008/07	DUE
TURBIDITY, LABORATORY	82079	036	2005/07/28	.	.250	2008/07	DUE
ZINC	01092	036	2005/07/28	<	50.000	2008/07	DUE
PS Code: 3610039-048							
Source Name: PERRIS HILL WELL 05							
Source Number: 048							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2005/07/28	<	50.000	2008/07	DUE
ANTIMONY	01097	036	2005/07/28	<	6.000	2008/07	DUE
ARSENIC	01002	036	2005/07/28	<	2.000	2008/07	DUE
BARIUM	01007	036	2005/07/28	<	100.000	2008/07	DUE
BERYLLIUM	01012	036	2005/07/28	<	1.000	2008/07	DUE
CADMIUM	01027	036	2005/07/28	<	1.000	2008/07	DUE
CHROMIUM (TOTAL)	01034	036	2005/07/28	<	10.000	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***
System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-048***
Source Name: ***PERRIS HILL WELL 05***
Source Number: ***048***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CYANIDE	01291	036	2005/07/28	< 100.000	2008/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/07/28	. .940	2008/07	DUE
MERCURY	71900	036	2005/07/28	< 1.000	2008/07	DUE
NICKEL	01067	036	2005/07/28	< 10.000	2008/07	DUE
PERCHLORATE	A-031	036	2011/01/31	. 4.600	2014/01	DUE
SELENIUM	01147	036	2005/07/28	< 5.000	2008/07	DUE
THALLIUM	01059	036	2005/07/28	< 1.000	2008/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/07/20	37.000	2011/07	DUE
NITRITE (AS N)	00620	036	2005/07/28	< 400.000	2008/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/01/30	< 3.000	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2005/07/28	< .010	2008/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2005/07/28	< .020	2008/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2005/07/28	< .500	2008/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2005/07/28	< .500	2008/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2005/07/28	< 10.000	2008/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	2005/07/28	< .500	2008/07	DUE
1,1-DICHLOROETHANE	34496	036	2005/07/28	< .500	2008/07	DUE
1,1-DICHLOROETHYLENE	34501	036	2005/07/28	< .500	2008/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2005/07/28	< .500	2008/07	DUE
1,2-DICHLOROBENZENE	34536	036	2005/07/28	< .500	2008/07	DUE
1,2-DICHLOROETHANE	34531	036	2005/07/28	< .500	2008/07	DUE
1,2-DICHLOROPROPANE	34541	036	2005/07/28	< .500	2008/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2005/07/28	< .500	2008/07	DUE
1,4-DICHLOROBENZENE	34571	036	2005/07/28	< .500	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-048
Source Name: PERRIS HILL WELL 05
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
BENZENE	34030	036	2005/07/28	< .500	2008/07	DUE
CARBON TETRACHLORIDE	32102	036	2005/07/28	< .500	2008/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2005/07/28	< .500	2008/07	DUE
DICHLOROMETHANE	34423	036	2005/07/28	< .500	2008/07	DUE
ETHYLBENZENE	34371	036	2005/07/28	< .500	2008/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2005/07/28	< 3.000	2008/07	DUE
MONOCHLOROBENZENE	34301	036	2005/07/28	< .500	2008/07	DUE
STYRENE	77128	036	2005/07/28	< .500	2008/07	DUE
TETRACHLOROETHYLENE	34475	036	2005/07/28	< .500	2008/07	DUE
TOLUENE	34010	036	2005/07/28	< .500	2008/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2005/07/28	< .500	2008/07	DUE
TRICHLOROETHYLENE	39180	036	2005/07/28	< .500	2008/07	DUE
TRICHLOROFLUOROMETHANE	34488	036	2005/07/28	< 5.000	2008/07	DUE
VINYL CHLORIDE	39175	036	2005/07/28	< .500	2008/07	DUE
XYLENES (TOTAL)	81551	036	2005/07/28	< .500	2008/07	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2008/10/30	175.000	2011/10	DUE
CALCIUM	00916	036	2010/07/20	54.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2005/07/28	.841	2008/07	DUE
CHLORIDE	00940	036	2010/07/20	29.000	2013/07	DUE
COLOR	00081	036	2005/07/28	< 3.000	2008/07	DUE
COPPER	01042	036	2005/07/28	< 50.000	2008/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2005/07/28	< .050	2008/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/07/20	200.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2005/07/28	. .010	2008/07	DUE
IRON	01045	036	2005/07/28	< 100.000	2008/07	DUE
MAGNESIUM	00927	036	2010/07/20	15.000	2013/07	DUE
MANGANESE	01055	036	2005/07/28	< 20.000	2008/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/07/28	1.000	2008/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-048
Source Name: PERRIS HILL WELL 05
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PH, LABORATORY	00403	036	2008/10/30		7.700	2011/10	DUE
SILVER	01077	036	2005/07/28	<	10.000	2008/07	DUE
SODIUM	00929	036	2010/07/20		60.000	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2005/07/28	.	649.000	2008/07	DUE
SULFATE	00945	036	2010/07/20		120.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/20		460.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2005/07/28	.	.100	2008/07	DUE
ZINC	01092	036	2005/07/28	<	50.000	2008/07	DUE

PS Code: 3610039-049
Source Name: SEVENTH STREET
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07
ARSENIC	01002	036	2011/07/05	<	2.000	2014/07
BARIUM	01007	036	2011/07/05	<	100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28		2.300	2015/02
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	.300	2014/07
MERCURY	71900	036	2011/07/05	<	1.000	2014/07
NICKEL	01067	036	2011/07/05	<	10.000	2014/07
PERCHLORATE	A-031	036	2014/07/08	.	4.000	2017/07
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-049
Source Name: SEVENTH STREET
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/08	. 23.000	2015/04
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/29	. 3.670	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-049
Source Name: SEVENTH STREET
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 210.000	2014/07
CALCIUM	00916	036	2013/08/20	. 95.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 28.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 310.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 18.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	26.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 720.000	2014/07
SULFATE	00945	036	2013/08/20	110.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 520.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .790	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-051***

Source Name: ***VINCENT***

Source Number: ***051***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**< 1.000**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .700**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .260**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 7.100**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/01/29	**. 3.470**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-051
Source Name: VINCENT
Source Number: 051
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 280.000	2014/07
CALCIUM	00916	036	2013/08/20	. 83.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 11.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-051***

Source Name: ***VINCENT***

Source Number: ***051***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 290.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 20.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	30.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 640.000	2014/07
SULFATE	00945	036	2013/08/20	83.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 600.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: ***3610039-052***

Source Name: ***WATERMAN AVENUE***

Source Number: ***052***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-052
Source Name: WATERMAN AVENUE
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .630	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/08	. 29.000	2015/04
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2009/10/27	5.020	2015/10
URANIUM (PCI/L)	28012	072	2009/10/27	4.110	2015/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/22	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/22	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/22	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/22	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/22	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/22	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/22	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/22	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/22	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/22	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/08	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-052
Source Name: WATERMAN AVENUE
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2014/07/22	< .500	2017/07
BENZENE	34030	036	2014/07/22	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/22	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/22	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/22	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/22	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/22	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/22	< .500	2017/07
STYRENE	77128	036	2014/07/22	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/22	< .500	2017/07
TOLUENE	34010	036	2014/07/22	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/22	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/22	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/22	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/22	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/22	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 230.000	2014/07
CALCIUM	00916	036	2013/08/20	. 87.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 42.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 290.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 16.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-052
Source Name: WATERMAN AVENUE
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	22.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 640.000	2014/07
SULFATE	00945	036	2013/08/20	43.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 430.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-053
Source Name: 40TH STREET WELL
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. 1.000	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .310	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-053***

Source Name: ***40TH STREET WELL***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/09/26	**. 12.000**	2014/09
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/26	**.320**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/05	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/05	**< .500**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/07/05	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**036**	2011/07/05	**< .500**	2014/07
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-053
Source Name: 40TH STREET WELL
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 160.000	2014/07
CALCIUM	00916	036	2013/09/26	. 62.000	2016/09
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/09/26	. 36.000	2016/09
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/09/26	. 210.000	2016/09
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/09/26	. 13.000	2016/09
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.500	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/09/26	. 29.000	2016/09
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 510.000	2014/07
SULFATE	00945	036	2013/09/26	. 51.000	2016/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/26	. 350.000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-053
Source Name: 40TH STREET WELL
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .280	2014/07	
ZINC	01092	036	2011/07/05	< 50.000	2014/07	

PS Code: 3610039-054
Source Name: KENWOOD WELL
Source Number: 054
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07	
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07	
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07	
BARIUM	01007	036	2011/07/05	< 100.000	2014/07	
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07	
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02	
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .700	2014/07	
MERCURY	71900	036	2011/07/05	< 1.000	2014/07	
NICKEL	01067	036	2011/07/05	< 10.000	2014/07	
PERCHLORATE	A-031	036	2005/07/29	< 4.000	2008/07	DUE
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07	
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/26	. 5.700	2014/11	
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2013/03/05	. 3.710	2019/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-054***

Source Name: ***KENWOOD WELL***

Source Number: ***054***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/05	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/05	**< .500**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/07/05	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**036**	2011/07/05	**< .500**	2014/07
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07
MONOCHLOROBENZENE	**34301**	**036**	2011/07/05	**< .500**	2014/07
STYRENE	**77128**	**036**	2011/07/05	**< .500**	2014/07
TETRACHLOROETHYLENE	**34475**	**036**	2011/07/05	**< .500**	2014/07
TOLUENE	**34010**	**036**	2011/07/05	**< .500**	2014/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROETHYLENE	**39180**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/07/05	**< 5.000**	2014/07
VINYL CHLORIDE	**39175**	**036**	2011/07/05	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-054***

Source Name: ***KENWOOD WELL***

Source Number: ***054***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2011/07/05	**< .500**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 300.000**	2014/07
CALCIUM	**00916**	**036**	2013/11/26	**. 84.000**	2016/11
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/11/26	**. 8.200**	2016/11
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/11/26	**. 300.000**	2016/11
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/11/26	**. 22.000**	2016/11
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.800**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/11/26	**30.000**	2016/11
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 640.000**	2014/07
SULFATE	**00945**	**036**	2013/11/26	**62.000**	2016/11
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/11/26	**. 430.000**	2016/11
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-055
Source Name: DEVIL CANYON WELL 06
Source Number: 055
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .150	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/20	< 2.000	2014/08
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/01/26	1.610	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-055
Source Name: DEVIL CANYON WELL 06
Source Number: 055
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 200.000	2014/07
CALCIUM	00916	036	2013/08/20	. 64.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 39.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-055
Source Name: DEVIL CANYON WELL 06
Source Number: 055
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 220.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	15.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.600	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	. 23.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 420.000	2014/07
SULFATE	00945	036	2013/08/20	34.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 340.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-056
Source Name: DEVIL CANYON WELL 07
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/04/24	< 50.000	2015/04
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-056
Source Name: DEVIL CANYON WELL 07
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .150	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/20	< 2.000	2014/08
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2010/01/26	.360	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-056***

Source Name: ***DEVIL CANYON WELL 07***

Source Number: ***056***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07
MONOCHLOROBENZENE	**34301**	**036**	2011/07/05	**< .500**	2014/07
STYRENE	**77128**	**036**	2011/07/05	**< .500**	2014/07
TETRACHLOROETHYLENE	**34475**	**036**	2011/07/05	**< .500**	2014/07
TOLUENE	**34010**	**036**	2011/07/05	**< .500**	2014/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROETHYLENE	**39180**	**036**	2011/07/05	**< .500**	2014/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/07/05	**< 5.000**	2014/07
VINYL CHLORIDE	**39175**	**036**	2011/07/05	**< .500**	2014/07
XYLENES (TOTAL)	**81551**	**036**	2011/07/05	**< .500**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 200.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 64.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 40.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 220.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2012/04/24	**< 100.000**	2015/04
MAGNESIUM	**00927**	**036**	2013/08/20	**15.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-056
Source Name: DEVIL CANYON WELL 07
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.700	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	. 24.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 430.000	2014/07
SULFATE	00945	036	2013/08/20	34.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 350.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .280	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-062
Source Name: KENWOOD WELL 02
Source Number: 062
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	. .260	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .800	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .220	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-062***

Source Name: ***KENWOOD WELL 02***

Source Number: ***062***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/20	**. 6.100**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/01/29	**. 2.590**	2022/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/07/05	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/07/05	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/07/05	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**036**	2011/07/05	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/07/05	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROBENZENE	**34536**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROETHANE	**34531**	**036**	2011/07/05	**< .500**	2014/07
1,2-DICHLOROPROPANE	**34541**	**036**	2011/07/05	**< .500**	2014/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/07/05	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**036**	2011/07/05	**< .500**	2014/07
BENZENE	**34030**	**036**	2011/07/05	**< .500**	2014/07
CARBON TETRACHLORIDE	**32102**	**036**	2011/07/05	**< .500**	2014/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/07/05	**< .500**	2014/07
DICHLOROMETHANE	**34423**	**036**	2011/07/05	**< .500**	2014/07
ETHYLBENZENE	**34371**	**036**	2011/07/05	**< .500**	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/07/05	**< 3.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-062
Source Name: KENWOOD WELL 02
Source Number: 062
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	036	2011/07/05	< 5.000	2014/07
VINYL CHLORIDE	39175	036	2011/07/05	< .500	2014/07
XYLENES (TOTAL)	81551	036	2011/07/05	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 290.000	2014/07
CALCIUM	00916	036	2013/08/20	. 85.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 14.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 290.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 20.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	31.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 630.000	2014/07
SULFATE	00945	036	2013/08/20	75.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 600.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-062					
Source Name: KENWOOD WELL 02					
Source Number: 062					
Source Status: ACTIVE UNTREATED					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07
PS Code: 3610039-063					
Source Name: CAJON WELL 04					
Source Number: 063					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	. .560	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .500	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .380	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/08	. 13.000	2015/04
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-063
Source Name: CAJON WELL 04
Source Number: 063
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/01/29	. 2.280	2022/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/07/05	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/07/05	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/07/05	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHANE	34496	036	2011/07/05	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	036	2011/07/05	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	036	2011/07/05	< .500	2014/07
1,2-DICHLOROBENZENE	34536	036	2011/07/05	< .500	2014/07
1,2-DICHLOROETHANE	34531	036	2011/07/05	< .500	2014/07
1,2-DICHLOROPROPANE	34541	036	2011/07/05	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/07/05	< .500	2014/07
1,4-DICHLOROBENZENE	34571	036	2011/07/05	< .500	2014/07
BENZENE	34030	036	2011/07/05	< .500	2014/07
CARBON TETRACHLORIDE	32102	036	2011/07/05	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/07/05	< .500	2014/07
DICHLOROMETHANE	34423	036	2011/07/05	< .500	2014/07
ETHYLBENZENE	34371	036	2011/07/05	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/07/05	< 3.000	2014/07
MONOCHLOROBENZENE	34301	036	2011/07/05	< .500	2014/07
STYRENE	77128	036	2011/07/05	< .500	2014/07
TETRACHLOROETHYLENE	34475	036	2011/07/05	< .500	2014/07
TOLUENE	34010	036	2011/07/05	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/07/05	< .500	2014/07
TRICHLOROETHYLENE	39180	036	2011/07/05	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-063***

Source Name: ***CAJON WELL 04***

Source Number: ***063***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/07/05	**< 5.000**	2014/07
VINYL CHLORIDE	**39175**	**036**	2011/07/05	**< .500**	2014/07
XYLENES (TOTAL)	**81551**	**036**	2011/07/05	**< .500**	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 250.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 70.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 8.600**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 240.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 15.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.700**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**16.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 530.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**37.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 320.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-064***

Source Name: ***EPA WELL 108***

Source Number: ***064***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**3.500**	2015/02
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/02/28	**. 3.300**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .660**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 22.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2014/01/28	**. 2.580**	2023/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/09	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/09	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/09	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/09	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-064
Source Name: EPA WELL 108
Source Number: 064
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	. 2.700	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	. .640	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 230.000	2014/07
CALCIUM	00916	036	2013/08/20	. 76.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 10.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-064
Source Name: EPA WELL 108
Source Number: 064
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 250.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 14.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.900	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	15.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 530.000	2014/07
SULFATE	00945	036	2013/08/20	47.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 340.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-065
Source Name: EPA WELL 109
Source Number: 065
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-065
Source Name: EPA WELL 109
Source Number: 065
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/02/28	3.700	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	. 3.500	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .400	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .690	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 27.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/01/28	. 4.060	2023/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-065***

Source Name: ***EPA WELL 109***

Source Number: ***065***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/09	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 2.900**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**. .670**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 240.000**	2014/07
CALCIUM	**00916**	**036**	2013/12/10	**. 79.000**	2016/12
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/12/10	**. 14.000**	2016/12
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/12/10	**. 260.000**	2016/12
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/12/10	**. 15.000**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-065
Source Name: EPA WELL 109
Source Number: 065
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 8.000	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/12/10	16.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 540.000	2014/07
SULFATE	00945	036	2013/12/10	53.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/10	. 490.000	2016/12
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-066
Source Name: EPA WELL 110
Source Number: 066
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	2.900	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	. 2.700	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .500	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-066
Source Name: EPA WELL 110
Source Number: 066
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2011/07/05	. .520	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 8.100	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/01/28	. 1.750	2023/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	. .730	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-066***

Source Name: ***EPA WELL 110***

Source Number: ***066***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 5.200**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**. 1.300**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 230.000**	2014/07
CALCIUM	**00916**	**036**	2013/10/31	**. 79.000**	2016/10
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/10/31	**. 12.000**	2016/10
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/10/31	**. 270.000**	2016/10
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/10/31	**. 18.000**	2016/10
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.800**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/10/31	**17.000**	2016/10
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 510.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-066
Source Name: EPA WELL 110
Source Number: 066
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2013/10/31		68.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/31	.	370.000	2016/10
TURBIDITY, LABORATORY	82079	036	2011/07/05	<	.200	2014/07
ZINC	01092	036	2011/07/05	<	50.000	2014/07

PS Code: 3610039-067
Source Name: EPA WELL 111
Source Number: 067
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC						
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07
ARSENIC	01002	036	2014/04/08	<	2.000	2017/04
BARIUM	01007	036	2011/07/05	<	100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28		1.400	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	.	1.200	2015/02
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	.500	2014/07
MERCURY	71900	036	2011/07/05	<	1.000	2014/07
NICKEL	01067	036	2011/07/05	<	10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	.	.320	2014/07
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	.	16.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	<	100.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-067
Source Name: EPA WELL 111
Source Number: 067
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/01/28	. 4.130	2023/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	. .830	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	. 7.000	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	. 1.300	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-067
Source Name: EPA WELL 111
Source Number: 067
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 180.000	2014/07
CALCIUM	00916	036	2013/08/20	. 74.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 7.500	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 250.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 16.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.900	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	17.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 400.000	2014/07
SULFATE	00945	036	2013/08/20	47.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 340.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-068
Source Name: EPA WELL 112
Source Number: 068
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	2.100	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	. 1.700	2015/02
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .500	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	. .610	2014/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 14.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/01/28	. 1.620	2023/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-068
Source Name: EPA WELL 112
Source Number: 068
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	. 2.700	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 260.000	2014/07
CALCIUM	00916	036	2013/08/20	. 67.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 6.300	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-068
Source Name: EPA WELL 112
Source Number: 068
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 230.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 14.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	18.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 570.000	2014/07
SULFATE	00945	036	2013/08/20	42.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 310.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .210	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-069
Source Name: EPA WELL 108S
Source Number: 069
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-069
Source Name: EPA WELL 108S
Source Number: 069
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/02/28		2.000	2015/02
CHROMIUM, HEXAVALENT	01032	036	2012/02/28	.	1.900	2015/02
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	.400	2014/07
MERCURY	71900	036	2011/07/05	<	1.000	2014/07
NICKEL	01067	036	2011/07/05	<	10.000	2014/07
PERCHLORATE	A-031	036	2011/07/05	.	.480	2014/07
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	.	17.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	<	100.000	2014/07
RADIOLOGICAL						
GROSS ALPHA	01501	108	2014/01/28	.	4.410	2023/01
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	<	.010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	<	.020	2014/07
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	<	.500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	<	.500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	<	10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	<	.500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	<	.500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	<	.500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	<	.500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	<	.500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	<	.500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	<	.500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-069***

Source Name: ***EPA WELL 108S***

Source Number: ***069***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/09	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**. .820**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 4.200**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**. 1.200**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 240.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 79.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 9.400**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 260.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 15.000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-069					
Source Name: EPA WELL 108S					
Source Number: 069					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.900	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	16.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 550.000	2014/07
SULFATE	00945	036	2013/08/20	55.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 350.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07
PS Code: 3610039-102A					
Source Name: WATERMAN TOWER'S COMBINED INFLUENT					
Source Number: 102					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-103A					
Source Name: NEWMARK EAST TOWER COMBINED INFLUENT					
Source Number: 103					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-105A***

Source Name: ***NEWMARK WEST TOWER COMBINED INFLUENT***

Source Number: ***105***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** **999**

PS Code: ***3610039-113***

Source Name: ***EPA WELL 01***

Source Number: ***113***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC						
ALUMINUM	**01105**	**036**	2011/07/05	**<**	**50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**<**	**6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**<**	**2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**<**	**100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**<**	**1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**<**	**1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28		**2.500**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**<**	**100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**.**	**.400**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**<**	**1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**<**	**10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2012/05/01	**.**	**.440**	2015/05
SELENIUM	**01147**	**036**	2011/07/05	**<**	**5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**<**	**1.000**	2014/07
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**.**	**19.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/07/05	**<**	**100.000**	2014/07
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2014/01/28	**.**	**2.190**	2023/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-113
Source Name: EPA WELL 01
Source Number: 113
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	. 3.500	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	. .700	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-113
Source Name: EPA WELL 01
Source Number: 113
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 240.000	2014/07
CALCIUM	00916	036	2013/08/20	. 76.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 18.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 250.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 15.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.900	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	14.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 530.000	2014/07
SULFATE	00945	036	2013/08/20	36.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 340.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-114***

Source Name: ***EPA WELL 02***

Source Number: ***114***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/07/05	**< 50.000**	2014/07
ANTIMONY	**01097**	**036**	2011/07/05	**< 6.000**	2014/07
ARSENIC	**01002**	**036**	2011/07/05	**< 2.000**	2014/07
BARIUM	**01007**	**036**	2011/07/05	**< 100.000**	2014/07
BERYLLIUM	**01012**	**036**	2011/07/05	**< 1.000**	2014/07
CADMIUM	**01027**	**036**	2011/07/05	**< 1.000**	2014/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/02/28	**2.200**	2015/02
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2014/07/16	**. .440**	2017/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 21.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/01/29	**. 3.390**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/09	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/09	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/09	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/09	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/09	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-114***

Source Name: ***EPA WELL 02***

Source Number: ***114***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/09	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/09	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/09	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. 4.600**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**. .990**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 240.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 80.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 21.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-114
Source Name: EPA WELL 02
Source Number: 114
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 260.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 15.000	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	14.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 560.000	2014/07
SULFATE	00945	036	2013/08/20	43.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 420.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-115
Source Name: EPA WELL 03
Source Number: 115
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	1.900	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-115
Source Name: EPA WELL 03
Source Number: 115
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .300	2014/07
MERCURY	71900	036	2011/07/05	< 1.000	2014/07
NICKEL	01067	036	2011/07/05	< 10.000	2014/07
PERCHLORATE	A-031	036	2014/07/16	. .640	2017/07
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 19.000	2015/07
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/29	. 4.080	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-115***

Source Name: ***EPA WELL 03***

Source Number: ***115***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. .910**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 230.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 84.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 29.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 270.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 16.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-115
Source Name: EPA WELL 03
Source Number: 115
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
PH, LABORATORY	00403	036	2011/07/05	.	7.800	2014/07
SILVER	01077	036	2011/07/05	<	10.000	2014/07
SODIUM	00929	036	2013/08/20		17.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	.	620.000	2014/07
SULFATE	00945	036	2013/08/20		61.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	.	410.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	<	.200	2014/07
ZINC	01092	036	2011/07/05	<	50.000	2014/07

PS Code: 3610039-116
Source Name: EPA WELL 04
Source Number: 116
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2011/07/05	<	50.000	2014/07
ANTIMONY	01097	036	2011/07/05	<	6.000	2014/07
ARSENIC	01002	036	2011/07/05	<	2.000	2014/07
BARIUM	01007	036	2011/07/05	<	100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	<	1.000	2014/07
CADMIUM	01027	036	2011/07/05	<	1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28		1.600	2015/02
CYANIDE	01291	036	2011/07/05	<	100.000	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	.	.400	2014/07
MERCURY	71900	036	2011/07/05	<	1.000	2014/07
NICKEL	01067	036	2011/07/05	<	10.000	2014/07
PERCHLORATE	A-031	036	2014/07/16	.	1.100	2017/07
SELENIUM	01147	036	2011/07/05	<	5.000	2014/07
THALLIUM	01059	036	2011/07/05	<	1.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-116
Source Name: EPA WELL 04
Source Number: 116
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/20	. 16.000	2014/08
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/29	. 2.830	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-116***

Source Name: ***EPA WELL 04***

Source Number: ***116***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 210.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 76.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 21.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**. 91.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 250.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 15.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07
PH, LABORATORY	**00403**	**036**	2011/07/05	**. 7.900**	2014/07
SILVER	**01077**	**036**	2011/07/05	**< 10.000**	2014/07
SODIUM	**00929**	**036**	2013/08/20	**22.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/05	**. 590.000**	2014/07
SULFATE	**00945**	**036**	2013/08/20	**79.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/20	**. 380.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/05	**< .200**	2014/07
ZINC	**01092**	**036**	2011/07/05	**< 50.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-117***

Source Name: ***EPA WELL 05***

Source Number: ***117***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2011/09/13	**< 50.000**	2014/09
ANTIMONY	**01097**	**036**	2011/09/13	**< 6.000**	2014/09
ARSENIC	**01002**	**036**	2011/09/13	**< 2.000**	2014/09
BARIUM	**01007**	**036**	2011/09/13	**< 100.000**	2014/09
BERYLLIUM	**01012**	**036**	2011/09/13	**< 1.000**	2014/09
CADMIUM	**01027**	**036**	2011/09/13	**< 1.000**	2014/09
CHROMIUM (TOTAL)	**01034**	**036**	2011/09/13	**2.700**	2014/09
CYANIDE	**01291**	**036**	2011/09/13	**< 100.000**	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/13	**. .400**	2014/09
MERCURY	**71900**	**036**	2011/09/13	**< 1.000**	2014/09
NICKEL	**01067**	**036**	2011/09/13	**< 10.000**	2014/09
PERCHLORATE	**A-031**	**036**	2014/07/16	**. 4.600**	2017/07
SELENIUM	**01147**	**036**	2011/09/13	**< 5.000**	2014/09
THALLIUM	**01059**	**036**	2011/09/13	**< 1.000**	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 24.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/09/13	**< 100.000**	2014/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/05/30	**. 2.610**	2019/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/09/13	**< .010**	2014/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/09/13	**< .020**	2014/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/09	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/09	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/09	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/09	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/09	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-117***

Source Name: ***EPA WELL 05***

Source Number: ***117***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/09	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/09	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/09	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/13	**. 220.000**	2014/09
CALCIUM	**00916**	**036**	2013/08/20	**. 77.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/09/13	**< 3.000**	2014/09
CHLORIDE	**00940**	**036**	2013/08/20	**. 21.000**	2016/08
COLOR	**00081**	**036**	2011/09/13	**< 3.000**	2014/09
COPPER	**01042**	**036**	2011/09/13	**< 50.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-117
Source Name: EPA WELL 05
Source Number: 117
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/09/13	< .050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 250.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/09/13	< 3.000	2014/09
IRON	01045	036	2011/09/13	< 100.000	2014/09
MAGNESIUM	00927	036	2013/08/20	. 15.000	2016/08
MANGANESE	01055	036	2011/09/13	< 20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/13	< 1.000	2014/09
PH, LABORATORY	00403	036	2011/09/13	. 7.800	2014/09
SILVER	01077	036	2011/09/13	< 10.000	2014/09
SODIUM	00929	036	2013/08/20	25.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/09/13	. 630.000	2014/09
SULFATE	00945	036	2013/08/20	84.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 390.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/13	< .200	2014/09
ZINC	01092	036	2011/09/13	< 50.000	2014/09

PS Code: 3610039-118
Source Name: EPA WELL 06
Source Number: 118
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07
BARIUM	01007	036	2011/07/05	< 100.000	2014/07
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2012/02/28	3.500	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-118***

Source Name: ***EPA WELL 06***

Source Number: ***118***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/07/05	**< 100.000**	2014/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/05	**. .300**	2014/07
MERCURY	**71900**	**036**	2011/07/05	**< 1.000**	2014/07
NICKEL	**01067**	**036**	2011/07/05	**< 10.000**	2014/07
PERCHLORATE	**A-031**	**036**	2011/07/05	**. .930**	2014/07
SELENIUM	**01147**	**036**	2011/07/05	**< 5.000**	2014/07
THALLIUM	**01059**	**036**	2011/07/05	**< 1.000**	2014/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 33.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/07/05	**< 100.000**	2014/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2013/01/29	**. 3.470**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/05	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/05	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/07/09	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/07/09	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/07/09	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/07/09	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**036**	2014/07/09	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/09	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/09	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/09	**< .500**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-118***

Source Name: ***EPA WELL 06***

Source Number: ***118***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**. .790**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/07/05	**. 280.000**	2014/07
CALCIUM	**00916**	**036**	2013/08/20	**. 100.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2011/07/05	**< 3.000**	2014/07
CHLORIDE	**00940**	**036**	2013/08/20	**. 17.000**	2016/08
COLOR	**00081**	**036**	2011/07/05	**< 3.000**	2014/07
COPPER	**01042**	**036**	2011/07/05	**< 50.000**	2014/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/07/05	**< .050**	2014/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/20	**. 320.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/07/05	**< 3.000**	2014/07
IRON	**01045**	**036**	2011/07/05	**< 100.000**	2014/07
MAGNESIUM	**00927**	**036**	2013/08/20	**. 17.000**	2016/08
MANGANESE	**01055**	**036**	2011/07/05	**< 20.000**	2014/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/05	**< 1.000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-118***

Source Name: ***EPA WELL 06***

Source Number: ***118***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	15.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 650.000	2014/07
SULFATE	00945	036	2013/08/20	56.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 390.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	< .200	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: ***3610039-119***

Source Name: ***EPA WELL 07***

Source Number: ***119***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2011/09/13	< 50.000	2014/09
ANTIMONY	01097	036	2011/09/13	< 6.000	2014/09
ARSENIC	01002	036	2011/09/13	< 2.000	2014/09
BARIUM	01007	036	2011/09/13	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/13	< 1.000	2014/09
CADMIUM	01027	036	2011/09/13	< 1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2012/02/28	1.000	2015/02
CYANIDE	01291	036	2011/09/13	< 100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/13	. .400	2014/09
MERCURY	71900	036	2011/09/13	< 1.000	2014/09
NICKEL	01067	036	2011/09/13	< 10.000	2014/09
PERCHLORATE	A-031	036	2011/09/13	. .510	2014/09
SELENIUM	01147	036	2011/09/13	< 5.000	2014/09
THALLIUM	01059	036	2011/09/13	< 1.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

PS Code: ***3610039-119***

Source Name: ***EPA WELL 07***

Source Number: ***119***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 25.000	2015/07	
NITRITE (AS N)	00620	036	2005/07/27	< 400.000	2008/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/01/30	< 3.000	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/09/13	< .010	2014/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/09/13	< .020	2014/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/09	< .500	2017/04	
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07	
BENZENE	34030	036	2014/07/09	< .500	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07	
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07	
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07	
STYRENE	77128	036	2014/07/09	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-119
Source Name: EPA WELL 07
Source Number: 119
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2014/07/09	. 1.700	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/13	. 290.000	2014/09
CALCIUM	00916	036	2013/08/20	. 89.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/09/13	< 3.000	2014/09
CHLORIDE	00940	036	2013/08/20	. 10.000	2016/08
COLOR	00081	036	2011/09/13	< 3.000	2014/09
COPPER	01042	036	2011/09/13	< 50.000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/13	< .050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 290.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/09/13	< 3.000	2014/09
IRON	01045	036	2011/09/13	< 100.000	2014/09
MAGNESIUM	00927	036	2013/08/20	. 17.000	2016/08
MANGANESE	01055	036	2011/09/13	< 20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/13	< 1.000	2014/09
PH, LABORATORY	00403	036	2011/09/13	. 7.500	2014/09
SILVER	01077	036	2011/09/13	< 10.000	2014/09
SODIUM	00929	036	2013/08/20	14.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/09/13	. 610.000	2014/09
SULFATE	00945	036	2013/08/20	35.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 360.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/13	< .200	2014/09
ZINC	01092	036	2011/09/13	< 50.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-122					
Source Name: BASELINE/CALIF WELL NO3 BLEND SAMPLE PT.					
Source Number: 122					
Source Status: DISTRIBUTION TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-123					
Source Name: 27TH & ACACIA WELL NO3 BLEND SAMPLE PT.					
Source Number: 123					
Source Status: DISTRIBUTION TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-124G					
Source Name: 19TH ST NORTH GAC - COMBINED INF					
Source Number: 124					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-125G					
Source Name: 19TH ST NORTH GAC - COMBINED EFF					
Source Number: 125					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-126
Source Name: IVDA WELL 11
Source Number: 126
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/05	< 50.000	2014/07	
ANTIMONY	01097	036	2011/07/05	< 6.000	2014/07	
ARSENIC	01002	036	2011/07/05	< 2.000	2014/07	
BARIUM	01007	036	2011/07/05	< 100.000	2014/07	
BERYLLIUM	01012	036	2011/07/05	< 1.000	2014/07	
CADMIUM	01027	036	2011/07/05	< 1.000	2014/07	
CHROMIUM (TOTAL)	01034	036	2012/02/28	< 1.000	2015/02	
CYANIDE	01291	036	2011/07/05	< 100.000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/05	. .500	2014/07	
MERCURY	71900	036	2011/07/05	< 1.000	2014/07	
NICKEL	01067	036	2011/07/05	< 10.000	2014/07	
PERCHLORATE	A-031	036	2005/07/27	< 4.000	2008/07	DUE
SELENIUM	01147	036	2011/07/05	< 5.000	2014/07	
THALLIUM	01059	036	2011/07/05	< 1.000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/20	. 11.000	2014/08	
NITRITE (AS N)	00620	036	2011/07/05	< 100.000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/10	. 13.600	2017/04	
URANIUM (PCI/L)	28012	036	2014/04/10	. 8.480	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/05	< .010	2014/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/05	< .020	2014/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/22	< .500	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/22	< .500	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/22	< 10.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/22	< .500	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-126
Source Name: IVDA WELL 11
Source Number: 126
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/07/22	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/22	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/22	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/22	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/22	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/22	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/08	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/07/22	< .500	2017/07
BENZENE	34030	036	2014/07/22	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/22	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/22	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/22	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/22	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/22	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/22	< .500	2017/07
STYRENE	77128	036	2014/07/22	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/22	< .500	2017/07
TOLUENE	34010	036	2014/07/22	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/22	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/22	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/22	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/22	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/22	< .500	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/05	. 130.000	2014/07
CALCIUM	00916	036	2013/08/20	. 43.000	2016/08
CARBONATE ALKALINITY	00445	036	2011/07/05	< 3.000	2014/07
CHLORIDE	00940	036	2013/08/20	. 11.000	2016/08
COLOR	00081	036	2011/07/05	< 3.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-126
Source Name: IVDA WELL 11
Source Number: 126
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/07/05	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/05	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/20	. 140.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2011/07/05	< 3.000	2014/07
IRON	01045	036	2011/07/05	< 100.000	2014/07
MAGNESIUM	00927	036	2013/08/20	. 7.300	2016/08
MANGANESE	01055	036	2011/07/05	< 20.000	2014/07
ODOR THRESHOLD @ 60 C	00086	036	2011/07/05	< 1.000	2014/07
PH, LABORATORY	00403	036	2011/07/05	. 7.800	2014/07
SILVER	01077	036	2011/07/05	< 10.000	2014/07
SODIUM	00929	036	2013/08/20	18.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2011/07/05	. 300.000	2014/07
SULFATE	00945	036	2013/08/20	22.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/20	. 200.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/07/05	. .430	2014/07
ZINC	01092	036	2011/07/05	< 50.000	2014/07

PS Code: 3610039-127
Source Name: 19TH ST GAC-COMBINED NORTH & SOUTH EFF
Source Number: 127
Source Status: COMBINATION OR BLEND TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610039-601						
Source Name: DBP2-04-06, BASELINE & WINDSOR						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	< .500	2014/10	
BROMOFORM (THM)	32104	003	2014/07/10	< .500	2014/10	
CHLOROFORM (THM)	32106	003	2014/07/10	< .500	2014/10	
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. .540	2014/10	
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. .540	2014/10	
PS Code: 3610039-602						
Source Name: DBP2-05-02,MAGNOLIA & WESTERN						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10	
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10	
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	. 3.400	2014/10	
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10	
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	. 3.400	2014/10	
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10	
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610039-602							
Source Name: DBP2-05-02,MAGNOLIA & WESTERN							
Source Number: 602							
Source Status: DISTRIBUTION TREATED							
Water type: G							
STATE UCMR							
BROMOFORM (THM)	32104	000					DUE
CHLOROFORM (THM)	32106	000					DUE
DIBROMOCHLOROMETHANE (THM)	32105	000					DUE
TRIHALOMETHANES							
TOTAL TRIHALOMETHANES	82080	000					DUE
PS Code: 3610039-603							
Source Name: DBP2-12-13, 2ND ST & JUNE ST.							
Source Number: 603							
Source Status: DISTRIBUTION TREATED							
Water type: G							
HALOACETIC ACIDS							
DIBROMOACETIC ACID (DBAA)	82721	000					DUE
DICHLOROACETIC ACID (DCAA)	77288	000					DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000					DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000					DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000					DUE
TRICHLOROACETIC ACID (TCAA)	82723	000					DUE
STATE UCMR							
BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	.	2.700	2014/10	
BROMOFORM (THM)	32104	003	2014/07/10	.	1.200	2014/10	
CHLOROFORM (THM)	32106	003	2014/07/10	.	1.600	2014/10	
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	.	2.900	2014/10	
TRIHALOMETHANES							
TOTAL TRIHALOMETHANES	82080	003	2014/07/10	.	8.400	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610039-604						
Source Name: DBP2-04-01, HARRISON & 24TH ST.						
Source Number: 604						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10	
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10	
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	< 2.000	2014/10	
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	. 1.600	2014/10	
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10	
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10	
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610039-605						
Source Name: DBP2-B12-1, BOND ST. & RIDGECREST						
Source Number: 605						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. 1.500	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

PS Code: 3610039-605
Source Name: DBP2-B12-1, BOND ST. & RIDGECREST
Source Number: 605
Source Status: DISTRIBUTION TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
STATE UCMR						
BROMOFORM (THM)	32104	003	2014/07/10	. 1.200	2014/10	
CHLOROFORM (THM)	32106	003	2014/07/10	. .820	2014/10	
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. 2.100	2014/10	
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 5.600	2014/10	

PS Code: 3610039-606
Source Name: DBP2-05-22, 28TH ST. & MALLORY
Source Number: 606
Source Status: DISTRIBUTION TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/10	< 1.000	2014/10	
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/10	< 1.000	2014/10	
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/10	< 2.000	2014/10	
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/10	< 1.000	2014/10	
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/10	< 2.000	2014/10	
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/10	< 1.000	2014/10	
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				**DUE**
BROMOFORM (THM)	32104	000				**DUE**
CHLOROFORM (THM)	32106	000				**DUE**
DIBROMOCHLOROMETHANE (THM)	32105	000				**DUE**
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610039-607						
Source Name: DBP2-18-04, BONITA VISTA & SHAHEN DR.						
Source Number: 607						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	< .500	2014/10	
BROMOFORM (THM)	32104	003	2014/07/10	. .620	2014/10	
CHLOROFORM (THM)	32106	003	2014/07/10	< .500	2014/10	
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/10	. .660	2014/10	
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2014/07/10	. 1.300	2014/10	
PS Code: 3610039-608						
Source Name: DBP2-13-08, PALM AVE. & INDUSTRIAL PKWY						
Source Number: 608						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/07/10	. .690	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***

System Name: ***SAN BERNARDINO CITY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610039-608***					
Source Name: ***DBP2-13-08, PALM AVE. & INDUSTRIAL PKWY***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/10	**< .500**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/10	**< .500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/10	**. .810**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/10	**. 1.500**	2014/10
PS Code: ***3610039-800***					
Source Name: ***10 TH & J WELL - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-801***					
Source Name: ***27 TH AND ACACIA STREET - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-802					
Source Name: ANTIL WELL 06 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-803					
Source Name: BASELINE AND CALIFORNIA - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-804					
Source Name: CAJON CANYON - ACTIVE (6-27-08) - TREATE					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-805					
Source Name: CAJON WELL 02 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***
System Name: ***SAN BERNARDINO CITY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610039-806***					
Source Name: ***CAJON WELL 03 - TREATED (CL2)***					
Source Number: ***806***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-807***					
Source Name: ***DEVIL CANYON WELL 01 - TREATED (CL2)***					
Source Number: ***807***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-808***					
Source Name: ***DEVIL CANYON WELL 02 - TREATED (CL2)***					
Source Number: ***808***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-809***					
Source Name: ***DEVIL CANYON WELL 03 - TREATED (CL2)***					
Source Number: ***809***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-810					
Source Name: DEVIL CANYON WELL 04 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-811					
Source Name: DEVIL CANYON WELL 05 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-812					
Source Name: GILBERT - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-813					
Source Name: LYNWOOD - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***
System Name: ***SAN BERNARDINO CITY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610039-814***					
Source Name: ***LYTLE CREEK WELL 02 - TREATED (CL2)***					
Source Number: ***814***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-815***					
Source Name: ***MALLORY WELL - TREATED (CL2)***					
Source Number: ***815***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-816***					
Source Name: ***MILL AND D STREET WELL 182 - TREATED (CL***					
Source Number: ***816***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-817***					
Source Name: ***OLIVE AND GARDNER WELL - TREATED (CL2)***					
Source Number: ***817***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-818					
Source Name: PERRIS HILL WELL 04 - TREATED (CL2)					
Source Number: 818					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-819					
Source Name: PERRIS HILL WELL 05 - TREATED (CL2)					
Source Number: 819					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-820					
Source Name: SEVENTH STREET - TREATED (CL2)					
Source Number: 820					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-821					
Source Name: VINCENT - TREATED (CL2)					
Source Number: 821					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610039
System Name: SAN BERNARDINO CITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610039-822					
Source Name: 40TH STREET WELL - TREATED (CL2)					
Source Number: 822					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-823					
Source Name: KENWOOD WELL - TREATED (CL2)					
Source Number: 823					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-824					
Source Name: DEVIL CANYON WELL 06 - TREATED (CL2)					
Source Number: 824					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610039-825					
Source Name: DEVIL CANYON WELL 07 - TREATED (CL2)					
Source Number: 825					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610039***
System Name: ***SAN BERNARDINO CITY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610039-826***					
Source Name: ***CAJON WELL 04 - TREATED (CL2)***					
Source Number: ***826***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610039-827***					
Source Name: ***IVDA WELL 11 - TREATED (CL2)***					
Source Number: ***827***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-001					
Source Name: GRAPELAND TUNNEL					
Source Number: 001					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-003					
Source Name: SANDHILL DE - TREATED					
Source Number: 003					
Source Status: ACTIVE TREATED					
Water type: S					
INORGANIC					
ASBESTOS	81855	108	2009/03/04	< .200	2018/03
PS Code: 3610041-004					
Source Name: SANDHILL DE SURFACE - RAW					
Source Number: 004					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-006					
Source Name: WELL F-28A (03)					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/03/19	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/19	< 6.000	2017/03
ARSENIC	01002	036	2014/03/19	. 4.100	2017/03
BARIUM	01007	036	2014/03/19	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/19	< 1.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-006***

Source Name: ***WELL F-28A (03)***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**036**	2014/03/19	**< 1.000**	2017/03
CHROMIUM (TOTAL)	**01034**	**036**	2014/03/19	**< 10.000**	2017/03
CYANIDE	**01291**	**036**	2014/03/19	**< 100.000**	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/19	**. .420**	2017/03
MERCURY	**71900**	**036**	2014/03/19	**< 1.000**	2017/03
NICKEL	**01067**	**036**	2014/03/19	**< 10.000**	2017/03
PERCHLORATE	**A-031**	**036**	2014/03/19	**< 4.000**	2017/03
SELENIUM	**01147**	**036**	2014/03/19	**< 5.000**	2017/03
THALLIUM	**01059**	**036**	2014/03/19	**< 1.000**	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/03/19	**. 5.100**	2015/03
NITRITE (AS N)	**00620**	**036**	2014/03/19	**< 400.000**	2017/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/02/22	**. 3.900**	2015/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/03/19	**< .010**	2017/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/03/19	**< .020**	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/03/19	**< .500**	2017/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/03/19	**< .500**	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/03/19	**< 10.000**	2017/03
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/03/19	**< .500**	2017/03
1,1-DICHLOROETHANE	**34496**	**036**	2014/03/19	**< .500**	2017/03
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/03/19	**< .500**	2017/03
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/03/19	**< .500**	2017/03
1,2-DICHLOROBENZENE	**34536**	**036**	2014/03/19	**< .500**	2017/03
1,2-DICHLOROETHANE	**34531**	**036**	2014/03/19	**< .500**	2017/03
1,2-DICHLOROPROPANE	**34541**	**036**	2014/03/19	**< .500**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-006
Source Name: WELL F-28A (03)
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/19	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/19	< .500	2017/03
BENZENE	34030	036	2014/03/19	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/19	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/19	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/19	< .500	2017/03
ETHYLBENZENE	34371	036	2014/03/19	< .500	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/19	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/19	< .500	2017/03
STYRENE	77128	036	2014/03/19	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/19	< .500	2017/03
TOLUENE	34010	036	2014/03/19	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/19	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/19	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/19	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/19	< .500	2017/03
XYLENES (TOTAL)	81551	036	2014/03/19	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/19	. 190.000	2017/03
CALCIUM	00916	036	2014/03/19	. 47.800	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/19	< .000	2017/03
CHLORIDE	00940	036	2014/03/19	. 4.600	2017/03
COLOR	00081	036	2014/03/19	< .000	2017/03
COPPER	01042	036	2014/03/19	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/19	< .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/19	. 150.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/19	< .000	2017/03
IRON	01045	036	2014/03/19	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/19	. 6.930	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041

System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-006

Source Name: WELL F-28A (03)

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/03/19	<		20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/19	.		1.000	2017/03
PH, LABORATORY	00403	036	2014/03/19	.		7.850	2017/03
SILVER	01077	036	2014/03/19	<		10.000	2017/03
SODIUM	00929	036	2014/03/19	.		11.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/19	.		380.000	2017/03
SULFATE	00945	036	2014/03/19	.		21.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/19	.		210.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/19	<		.000	2017/03
ZINC	01092	036	2014/03/19	<		50.000	2017/03

PS Code: 3610041-007

Source Name: WELL F-29A (04)

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/03/19	<		50.000	2017/03
ANTIMONY	01097	036	2014/03/19	<		6.000	2017/03
ARSENIC	01002	036	2014/03/19	.		3.900	2017/03
BARIUM	01007	036	2014/03/19	<		100.000	2017/03
BERYLLIUM	01012	036	2014/03/19	<		1.000	2017/03
CADMIUM	01027	036	2014/03/19	<		1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/19	<		10.000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2014/03/19	.		1.200	2017/03
CYANIDE	01291	036	2014/03/19	<		100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/19	.		.480	2017/03
MERCURY	71900	036	2014/03/19	<		1.000	2017/03
NICKEL	01067	036	2014/03/19	<		10.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-007
Source Name: WELL F-29A (04)
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/03/19	< 4.000	2017/03
SELENIUM	01147	036	2014/03/19	< 5.000	2017/03
THALLIUM	01059	036	2014/03/19	< 1.000	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/19	. 6.300	2015/03
NITRITE (AS N)	00620	036	2014/03/19	< 400.000	2017/03
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/02/22	< .000	2015/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/03/20	< .010	2016/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/03/20	< .020	2016/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/03/19	< .500	2017/03
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/19	< .500	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/19	< 10.000	2017/03
1,1,2-TRICHLOROETHANE	34511	036	2014/03/19	< .500	2017/03
1,1-DICHLOROETHANE	34496	036	2014/03/19	< .500	2017/03
1,1-DICHLOROETHYLENE	34501	036	2014/03/19	< .500	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/19	< .500	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/19	< .500	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/19	< .500	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/19	< .500	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/19	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/19	< .500	2017/03
BENZENE	34030	036	2014/03/19	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/19	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/19	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/19	< .500	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-007***

Source Name: ***WELL F-29A (04)***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/03/19	< .500	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/19	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/19	< .500	2017/03
STYRENE	77128	036	2014/03/19	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/19	< .500	2017/03
TOLUENE	34010	036	2014/03/19	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/19	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/19	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/19	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/19	< .500	2017/03
XYLENES (TOTAL)	81551	036	2014/03/19	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/19	. 170.000	2017/03
CALCIUM	00916	036	2014/03/19	. 43.900	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/19	< .000	2017/03
CHLORIDE	00940	036	2014/03/19	. 3.600	2017/03
COLOR	00081	036	2014/03/19	< .000	2017/03
COPPER	01042	036	2014/03/19	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/19	< .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/19	. 140.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/19	< .000	2017/03
IRON	01045	036	2014/03/19	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/19	. 6.530	2017/03
MANGANESE	01055	036	2014/03/19	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/19	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/19	. 7.840	2017/03
SILVER	01077	036	2014/03/19	< 10.000	2017/03
SODIUM	00929	036	2014/03/19	. 11.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/19	. 350.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-007						
Source Name: WELL F-29A (04)						
Source Number: 007						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2014/03/19	. 19.000	2017/03	
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/19	. 200.000	2017/03	
TURBIDITY, LABORATORY	82079	036	2014/03/19	. .400	2017/03	
ZINC	01092	036	2014/03/19	< 50.000	2017/03	
PS Code: 3610041-009						
Source Name: WELL F-34A (08)						
Source Number: 009						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/02/27	< 50.000	2016/02	
ANTIMONY	01097	036	2013/02/27	< 6.000	2016/02	
ARSENIC	01002	036	2013/02/27	. 2.200	2016/02	
BARIUM	01007	036	2013/02/27	< 100.000	2016/02	
BERYLLIUM	01012	036	2013/02/27	< 1.000	2016/02	
CADMIUM	01027	036	2013/02/27	< 1.000	2016/02	
CHROMIUM (TOTAL)	01034	036	2013/02/27	< 10.000	2016/02	
CHROMIUM, HEXAVALENT	01032	036	2001/11/28	. .000	2004/11	DUE
CYANIDE	01291	036	2013/02/27	< 100.000	2016/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/02/27	. .420	2016/02	
MERCURY	71900	036	2013/02/27	< 1.000	2016/02	
NICKEL	01067	036	2013/02/27	< 10.000	2016/02	
PERCHLORATE	A-031	036	2013/02/27	< 4.000	2016/02	
SELENIUM	01147	036	2013/02/27	< 5.000	2016/02	
THALLIUM	01059	036	2013/02/27	< 1.000	2016/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/27	. 8.900	2014/02	DUE
NITRITE (AS N)	00620	036	2013/02/27	< 400.000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041

System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-009

Source Name: WELL F-34A (08)

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/04/25	< .000	2015/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/27	< .010	2016/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/27	< .020	2016/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/02/27	< .500	2016/02
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/27	< .500	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/27	< 10.000	2016/02
1,1,2-TRICHLOROETHANE	34511	036	2013/02/27	< .500	2016/02
1,1-DICHLOROETHANE	34496	036	2013/02/27	< .500	2016/02
1,1-DICHLOROETHYLENE	34501	036	2013/02/27	< .500	2016/02
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/27	< .500	2016/02
1,2-DICHLOROBENZENE	34536	036	2013/02/27	< .500	2016/02
1,2-DICHLOROETHANE	34531	036	2013/02/27	< .500	2016/02
1,2-DICHLOROPROPANE	34541	036	2013/02/27	< .500	2016/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/27	< .500	2016/02
1,4-DICHLOROBENZENE	34571	036	2013/02/27	< .500	2016/02
BENZENE	34030	036	2013/02/27	< .500	2016/02
CARBON TETRACHLORIDE	32102	036	2013/02/27	< .500	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/27	< .500	2016/02
DICHLOROMETHANE	34423	036	2013/02/27	< .500	2016/02
ETHYLBENZENE	34371	036	2013/02/27	< .500	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/27	< 3.000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/27	< .500	2016/02
STYRENE	77128	036	2013/02/27	< .500	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/27	< .500	2016/02
TOLUENE	34010	036	2013/02/27	< .500	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/27	< .500	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/27	< .500	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-009
Source Name: WELL F-34A (08)
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/02/27	< 5.000	2016/02
VINYL CHLORIDE	39175	036	2013/02/27	< .500	2016/02
XYLENES (TOTAL)	81551	036	2013/02/27	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/02/27	. 160.000	2016/02
CALCIUM	00916	036	2013/02/27	. 37.500	2016/02
CARBONATE ALKALINITY	00445	036	2013/02/27	< .000	2016/02
CHLORIDE	00940	036	2013/02/27	. 3.200	2016/02
COLOR	00081	036	2013/02/27	< .000	2016/02
COPPER	01042	036	2013/02/27	< 50.000	2016/02
FOAMING AGENTS (MBAS)	38260	036	2013/02/27	< .000	2016/02
HARDNESS (TOTAL) AS CACO3	00900	036	2013/02/27	. 120.000	2016/02
HYDROXIDE ALKALINITY	71830	036	2013/02/27	< .000	2016/02
IRON	01045	036	2013/02/27	< 100.000	2016/02
MAGNESIUM	00927	036	2013/02/27	. 7.010	2016/02
MANGANESE	01055	036	2013/02/27	< 20.000	2016/02
ODOR THRESHOLD @ 60 C	00086	036	2013/02/27	1.000	2016/02
PH, LABORATORY	00403	036	2013/02/27	. 7.760	2016/02
SILVER	01077	036	2013/02/27	< 10.000	2016/02
SODIUM	00929	036	2013/02/27	11.000	2016/02
SPECIFIC CONDUCTANCE	00095	036	2013/02/27	. 290.000	2016/02
SULFATE	00945	036	2013/02/27	16.000	2016/02
TOTAL DISSOLVED SOLIDS	70300	036	2013/02/27	. 180.000	2016/02
TURBIDITY, LABORATORY	82079	036	2013/02/27	< .000	2016/02
ZINC	01092	036	2013/02/27	< 50.000	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-011
Source Name: WELL F-36A (13)
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/03/26	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/26	< 6.000	2017/03
ARSENIC	01002	036	2014/03/26	< 2.000	2017/03
BARIUM	01007	036	2014/03/26	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/26	< 1.000	2017/03
CADMIUM	01027	036	2014/03/26	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/26	< 10.000	2017/03
CHROMIUM, HEXAVALENT	01032	036	2014/03/26	< 1.000	2017/03
CYANIDE	01291	036	2014/03/26	< 100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/26	. .330	2017/03
MERCURY	71900	036	2014/03/26	< 1.000	2017/03
NICKEL	01067	036	2014/03/26	< 10.000	2017/03
PERCHLORATE	A-031	036	2014/03/26	< 4.000	2017/03
SELENIUM	01147	036	2014/03/26	< 5.000	2017/03
THALLIUM	01059	036	2014/03/26	< 1.000	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/26	. 16.000	2015/03
NITRITE (AS N)	00620	036	2014/03/26	< 400.000	2017/03
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/02/01	< .000	2015/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/26	< .010	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/26	< .020	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/03/26	< .500	2017/03
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/26	< .500	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/26	< 10.000	2017/03
1,1,2-TRICHLOROETHANE	34511	036	2014/03/26	< .500	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-011
Source Name: WELL F-36A (13)
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/03/26	< .500	2017/03
1,1-DICHLOROETHYLENE	34501	036	2014/03/26	< .500	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/26	< .500	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/26	< .500	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/26	< .500	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/26	< .500	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/26	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/26	< .500	2017/03
BENZENE	34030	036	2014/03/26	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/26	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/26	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/26	< .500	2017/03
ETHYLBENZENE	34371	036	2014/03/26	< .500	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/26	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/26	< .500	2017/03
STYRENE	77128	036	2014/03/26	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/26	< .500	2017/03
TOLUENE	34010	036	2014/03/26	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/26	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/26	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/26	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/26	< .500	2017/03
XYLENES (TOTAL)	81551	036	2014/03/26	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/26	. 150.000	2017/03
CALCIUM	00916	036	2014/03/26	. 39.800	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/26	< .000	2017/03
CHLORIDE	00940	036	2014/03/26	. 6.800	2017/03
COLOR	00081	036	2014/03/26	< .000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-011
Source Name: WELL F-36A (13)
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/03/26	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/26	< .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/26	. 130.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/26	< .000	2017/03
IRON	01045	036	2014/03/26	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/26	. 7.550	2017/03
MANGANESE	01055	036	2014/03/26	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/26	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/26	. 7.740	2017/03
SILVER	01077	036	2014/03/26	< 10.000	2017/03
SODIUM	00929	036	2014/03/26	. 12.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/26	. 320.000	2017/03
SULFATE	00945	036	2014/03/26	. 22.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/26	. 190.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/26	< .000	2017/03
ZINC	01092	036	2014/03/26	< 50.000	2017/03

PS Code: 3610041-014
Source Name: WELL F-37A (17)
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/17	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/17	< 6.000	2017/04
ARSENIC	01002	036	2014/04/17	< 2.000	2017/04
BARIUM	01007	036	2014/04/17	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/17	< 1.000	2017/04
CADMIUM	01027	036	2014/04/17	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-014
Source Name: WELL F-37A (17)
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/04/17	< 10.000	2017/04
CYANIDE	01291	036	2014/04/17	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/17	. .150	2017/04
MERCURY	71900	036	2014/04/17	< 1.000	2017/04
NICKEL	01067	036	2014/04/17	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/07/16	. 4.200	2017/07
SELENIUM	01147	036	2014/04/17	< 5.000	2017/04
THALLIUM	01059	036	2014/04/17	< 1.000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/16	. 51.000	2015/07
NITRITE (AS N)	00620	036	2014/04/17	< 400.000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/02/02	< .000	2015/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/17	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/17	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/04/17	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/04/17	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/04/17	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	036	2014/04/17	< .500	2017/04
1,1-DICHLOROETHANE	34496	036	2014/04/17	< .500	2017/04
1,1-DICHLOROETHYLENE	34501	036	2014/04/17	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	036	2014/04/17	< .500	2017/04
1,2-DICHLOROBENZENE	34536	036	2014/04/17	< .500	2017/04
1,2-DICHLOROETHANE	34531	036	2014/04/17	< .500	2017/04
1,2-DICHLOROPROPANE	34541	036	2014/04/17	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/17	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-014
Source Name: WELL F-37A (17)
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2014/04/17	< .500	2017/04
BENZENE	34030	036	2014/04/17	< .500	2017/04
CARBON TETRACHLORIDE	32102	036	2014/04/17	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/04/17	< .500	2017/04
DICHLOROMETHANE	34423	036	2014/04/17	< .500	2017/04
ETHYLBENZENE	34371	036	2014/04/17	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/17	< 3.000	2017/04
MONOCHLOROBENZENE	34301	036	2014/04/17	< .500	2017/04
STYRENE	77128	036	2014/04/17	< .500	2017/04
TETRACHLOROETHYLENE	34475	036	2014/04/17	< .500	2017/04
TOLUENE	34010	036	2014/04/17	< .500	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/17	< .500	2017/04
TRICHLOROETHYLENE	39180	036	2014/04/17	< .500	2017/04
TRICHLOROFLUOROMETHANE	34488	036	2014/04/17	< 5.000	2017/04
VINYL CHLORIDE	39175	036	2014/04/17	< .500	2017/04
XYLENES (TOTAL)	81551	036	2014/04/17	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/17	. 200.000	2017/04
CALCIUM	00916	036	2014/04/17	. 71.100	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< .000	2017/04
CHLORIDE	00940	036	2014/04/17	. 24.000	2017/04
COLOR	00081	036	2014/04/17	< .000	2017/04
COPPER	01042	036	2014/04/17	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/17	. 220.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< .000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 9.000	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-014
Source Name: WELL F-37A (17)
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/17	. 7.360	2017/04
SILVER	01077	036	2014/04/17	< 10.000	2017/04
SODIUM	00929	036	2014/04/17	. 18.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 520.000	2017/04
SULFATE	00945	036	2014/04/17	. 27.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 330.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	. .330	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

PS Code: 3610041-015
Source Name: F10 GAC PLANT - TREATED
Source Number: 015
Source Status: COMBINATION OR BLEND TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610041-016
Source Name: WELL F-21A (18)
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/05/27	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/27	< 6.000	2017/05
ARSENIC	01002	036	2014/05/27	< 2.000	2017/05
BARIUM	01007	036	2014/05/27	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/27	< 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-016
Source Name: WELL F-21A (18)
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	01027	036	2014/05/27	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/27	< 10.000	2017/05
CYANIDE	01291	036	2014/05/27	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/27	. .130	2017/05
MERCURY	71900	036	2014/05/27	< 1.000	2017/05
NICKEL	01067	036	2014/05/27	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/27	< 4.000	2017/05
SELENIUM	01147	036	2014/05/27	< 5.000	2017/05
THALLIUM	01059	036	2014/05/27	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/27	. 26.000	2015/05
NITRITE (AS N)	00620	036	2014/05/27	< 400.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/05/23	. 5.500	2015/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/27	< .010	2017/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/27	< .020	2017/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/05/27	< .500	2017/05
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/27	< .500	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/27	< 10.000	2017/05
1,1,2-TRICHLOROETHANE	34511	036	2014/05/27	< .500	2017/05
1,1-DICHLOROETHANE	34496	036	2014/05/27	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/27	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/27	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/27	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/27	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/27	< .500	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-016
Source Name: WELL F-21A (18)
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/27	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/27	< .500	2017/05
BENZENE	34030	036	2014/05/27	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/27	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/27	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/27	< .500	2017/05
ETHYLBENZENE	34371	036	2014/05/27	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/27	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/27	< .500	2017/05
STYRENE	77128	036	2014/05/27	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/27	< .500	2017/05
TOLUENE	34010	036	2014/05/27	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/27	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/27	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/27	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/27	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/27	< .000	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/27	. 170.000	2017/05
CALCIUM	00916	036	2014/05/27	. 50.100	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/27	< .000	2017/05
CHLORIDE	00940	036	2014/05/27	. 15.000	2017/05
COLOR	00081	036	2014/05/27	< .000	2017/05
COPPER	01042	036	2014/05/27	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/27	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/27	. 150.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/27	< .000	2017/05
IRON	01045	036	2014/05/27	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/27	. 6.150	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041

System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-016

Source Name: WELL F-21A (18)

Source Number: 016

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/05/27	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/27	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/27	. 7.860	2017/05
SILVER	01077	036	2014/05/27	< 10.000	2017/05
SODIUM	00929	036	2014/05/27	. 18.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/27	. 390.000	2017/05
SULFATE	00945	036	2014/05/27	. 13.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/27	. 230.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/27	. .140	2017/05
ZINC	01092	036	2014/05/27	< 50.000	2017/05

PS Code: 3610041-020

Source Name: WELL F-40A (24)

Source Number: 020

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/03/05	< 50.000	2017/03
ANTIMONY	01097	036	2014/03/05	< 6.000	2017/03
ARSENIC	01002	036	2014/03/05	< 2.000	2017/03
BARIUM	01007	036	2014/03/05	< 100.000	2017/03
BERYLLIUM	01012	036	2014/03/05	< 1.000	2017/03
CADMIUM	01027	036	2014/03/05	< 1.000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/05	< 10.000	2017/03
CYANIDE	01291	036	2014/03/05	< 100.000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/05	. .260	2017/03
MERCURY	71900	036	2014/03/05	< 1.000	2017/03
NICKEL	01067	036	2014/03/05	< 10.000	2017/03
PERCHLORATE	A-031	036	2014/01/21	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-020
Source Name: WELL F-40A (24)
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2014/03/05	< 5.000	2017/03
THALLIUM	01059	036	2014/03/05	< 1.000	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/05	. 6.900	2015/03
NITRITE (AS N)	00620	036	2014/03/05	< 400.000	2017/03
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/03/05	< 3.000	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/05	< .010	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/05	< .020	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/03/05	< .500	2017/03
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/05	< .500	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/05	< 10.000	2017/03
1,1,2-TRICHLOROETHANE	34511	036	2014/03/05	< .500	2017/03
1,1-DICHLOROETHANE	34496	036	2014/03/05	< .500	2017/03
1,1-DICHLOROETHYLENE	34501	036	2014/03/05	< .500	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/05	< .500	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/05	< .500	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/05	< .500	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/05	< .500	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/05	< .500	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/05	< .500	2017/03
BENZENE	34030	036	2014/03/05	< .500	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/05	< .500	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/05	< .500	2017/03
DICHLOROMETHANE	34423	036	2014/03/05	< .500	2017/03
ETHYLBENZENE	34371	036	2014/03/05	< .500	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-020
Source Name: WELL F-40A (24)
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/05	< 3.000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/05	< .500	2017/03
STYRENE	77128	036	2014/03/05	< .500	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/05	< .500	2017/03
TOLUENE	34010	036	2014/03/05	< .500	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/05	< .500	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/05	< .500	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/05	< 5.000	2017/03
VINYL CHLORIDE	39175	036	2014/03/05	< .500	2017/03
XYLENES (TOTAL)	81551	036	2014/03/05	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/05	. 190.000	2017/03
CALCIUM	00916	036	2014/03/05	. 53.400	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/05	< .000	2017/03
CHLORIDE	00940	036	2014/03/05	. 5.000	2017/03
COLOR	00081	036	2014/03/05	< .000	2017/03
COPPER	01042	036	2014/03/05	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/05	< .000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/05	. 160.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/05	< .000	2017/03
IRON	01045	036	2014/03/05	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/05	. 7.760	2017/03
MANGANESE	01055	036	2014/03/05	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/05	. 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/05	. 7.840	2017/03
SILVER	01077	036	2014/03/05	< 10.000	2017/03
SODIUM	00929	036	2014/03/05	. 8.900	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/05	. 380.000	2017/03
SULFATE	00945	036	2014/03/05	. 21.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-020					
Source Name: WELL F-40A (24)					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/05	. 210.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/05	< .000	2017/03
ZINC	01092	036	2014/03/05	< 50.000	2017/03
PS Code: 3610041-022					
Source Name: WELL F-42A (26)					
Source Number: 022					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/01/22	< 50.000	2017/01
ANTIMONY	01097	036	2014/01/22	< 6.000	2017/01
ARSENIC	01002	036	2014/01/22	< 2.000	2017/01
BARIUM	01007	036	2014/01/22	< 100.000	2017/01
BERYLLIUM	01012	036	2014/01/22	< 1.000	2017/01
CADMIUM	01027	036	2014/01/22	< 1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/22	< 10.000	2017/01
CYANIDE	01291	036	2014/01/22	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/22	. .450	2017/01
MERCURY	71900	036	2014/01/22	< 1.000	2017/01
NICKEL	01067	036	2014/01/22	< 10.000	2017/01
PERCHLORATE	A-031	036	2014/01/22	< 4.000	2017/01
SELENIUM	01147	036	2014/01/22	< 5.000	2017/01
THALLIUM	01059	036	2014/01/22	< 1.000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/22	. 4.100	2015/01
NITRITE (AS N)	00620	036	2014/01/22	< 400.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-022
Source Name: WELL F-42A (26)
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/01/22	< 3.000	2017/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/22	< .010	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/22	< .020	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/01/22	< .500	2017/01
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/01/22	< .500	2017/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/01/22	< 10.000	2017/01
1,1,2-TRICHLOROETHANE	34511	036	2014/01/22	< .500	2017/01
1,1-DICHLOROETHANE	34496	036	2014/01/22	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	036	2014/01/22	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	036	2014/01/22	< .500	2017/01
1,2-DICHLOROBENZENE	34536	036	2014/01/22	< .500	2017/01
1,2-DICHLOROETHANE	34531	036	2014/01/22	< .500	2017/01
1,2-DICHLOROPROPANE	34541	036	2014/01/22	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/01/22	< .500	2017/01
1,4-DICHLOROBENZENE	34571	036	2014/01/22	< .500	2017/01
BENZENE	34030	036	2014/01/22	< .500	2017/01
CARBON TETRACHLORIDE	32102	036	2014/01/22	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/01/22	< .500	2017/01
DICHLOROMETHANE	34423	036	2014/01/22	< .500	2017/01
ETHYLBENZENE	34371	036	2014/01/22	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/01/22	< 3.000	2017/01
MONOCHLOROBENZENE	34301	036	2014/01/22	< .500	2017/01
STYRENE	77128	036	2014/01/22	< .500	2017/01
TETRACHLOROETHYLENE	34475	036	2014/01/22	< .500	2017/01
TOLUENE	34010	036	2014/01/22	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/01/22	< .500	2017/01
TRICHLOROETHYLENE	39180	036	2014/01/22	< .500	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-022
Source Name: WELL F-42A (26)
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/01/22	< 5.000	2017/01
VINYL CHLORIDE	39175	036	2014/01/22	< .500	2017/01
XYLENES (TOTAL)	81551	036	2014/01/22	< .000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/22	. 180.000	2017/01
CALCIUM	00916	036	2014/01/22	. 48.800	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/22	< .000	2017/01
CHLORIDE	00940	036	2014/01/22	. 3.600	2017/01
COLOR	00081	036	2014/01/22	< .000	2017/01
COPPER	01042	036	2014/01/22	< 50.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/22	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/22	. 160.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/22	< .000	2017/01
IRON	01045	036	2014/01/22	< 100.000	2017/01
MAGNESIUM	00927	036	2014/01/22	. 8.200	2017/01
MANGANESE	01055	036	2014/01/22	< 20.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/22	1.000	2017/01
PH, LABORATORY	00403	036	2014/01/22	. 7.340	2017/01
SILVER	01077	036	2014/01/22	< 10.000	2017/01
SODIUM	00929	036	2014/01/22	10.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/22	. 340.000	2017/01
SULFATE	00945	036	2014/01/22	23.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/22	. 200.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/22	< .000	2017/01
ZINC	01092	036	2014/01/22	< 50.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-023
Source Name: WELL F-27A (27)
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/01/22	< 50.000	2017/01
ANTIMONY	01097	036	2014/01/22	< 6.000	2017/01
ARSENIC	01002	036	2014/01/22	< 2.000	2017/01
BARIUM	01007	036	2014/01/22	< 100.000	2017/01
BERYLLIUM	01012	036	2014/01/22	< 1.000	2017/01
CADMIUM	01027	036	2014/01/22	< 1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/22	< 10.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/01/22	< 1.000	2017/01
CYANIDE	01291	036	2014/01/22	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/22	. .510	2017/01
MERCURY	71900	036	2014/01/22	< 1.000	2017/01
NICKEL	01067	036	2014/01/22	< 10.000	2017/01
PERCHLORATE	A-031	036	2014/01/22	< 4.000	2017/01
SELENIUM	01147	036	2014/01/22	< 5.000	2017/01
THALLIUM	01059	036	2014/01/22	< 1.000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/22	. 3.300	2015/01
NITRITE (AS N)	00620	036	2014/01/22	< 400.000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/01/25	< .000	2015/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/22	< .010	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/22	< .020	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/01/22	< .500	2017/01
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/01/22	< .500	2017/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/01/22	< 10.000	2017/01
1,1,2-TRICHLOROETHANE	34511	036	2014/01/22	< .500	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-023
Source Name: WELL F-27A (27)
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/01/22	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	036	2014/01/22	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	036	2014/01/22	< .500	2017/01
1,2-DICHLOROBENZENE	34536	036	2014/01/22	< .500	2017/01
1,2-DICHLOROETHANE	34531	036	2014/01/22	< .500	2017/01
1,2-DICHLOROPROPANE	34541	036	2014/01/22	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/01/22	< .500	2017/01
1,4-DICHLOROBENZENE	34571	036	2014/01/22	< .500	2017/01
BENZENE	34030	036	2014/01/22	< .500	2017/01
CARBON TETRACHLORIDE	32102	036	2014/01/22	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/01/22	< .500	2017/01
DICHLOROMETHANE	34423	036	2014/01/22	< .500	2017/01
ETHYLBENZENE	34371	036	2014/01/22	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/01/22	< 3.000	2017/01
MONOCHLOROBENZENE	34301	036	2014/01/22	< .500	2017/01
STYRENE	77128	036	2014/01/22	< .500	2017/01
TETRACHLOROETHYLENE	34475	036	2014/01/22	< .500	2017/01
TOLUENE	34010	036	2014/01/22	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/01/22	< .500	2017/01
TRICHLOROETHYLENE	39180	036	2014/01/22	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	036	2014/01/22	< 5.000	2017/01
VINYL CHLORIDE	39175	036	2014/01/22	< .500	2017/01
XYLENES (TOTAL)	81551	036	2014/01/22	< .000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/22	. 190.000	2017/01
CALCIUM	00916	036	2014/01/22	. 51.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/22	< .000	2017/01
CHLORIDE	00940	036	2014/01/22	. 3.300	2017/01
COLOR	00081	036	2014/01/22	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-023
Source Name: WELL F-27A (27)
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/01/22	< 50.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/22	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/22	. 160.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/22	< .000	2017/01
IRON	01045	036	2014/01/22	< 100.000	2017/01
MAGNESIUM	00927	036	2014/01/22	. 8.160	2017/01
MANGANESE	01055	036	2014/01/22	< 20.000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/22	. 1.000	2017/01
PH, LABORATORY	00403	036	2014/01/22	. 7.540	2017/01
SILVER	01077	036	2014/01/22	< 10.000	2017/01
SODIUM	00929	036	2014/01/22	. 9.900	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/22	. 350.000	2017/01
SULFATE	00945	036	2014/01/22	. 23.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/22	. 220.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/22	< .000	2017/01
ZINC	01092	036	2014/01/22	< 50.000	2017/01

PS Code: 3610041-024
Source Name: WELL F-30A (30)
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/07/17	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/17	< 6.000	2016/07
ARSENIC	01002	036	2013/07/17	< 2.000	2016/07
BARIUM	01007	036	2013/07/17	< 100.000	2016/07
BERYLLIUM	01012	036	2013/07/17	< 1.000	2016/07
CADMIUM	01027	036	2013/07/17	< 1.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-024
Source Name: WELL F-30A (30)
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/07/17	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2002/12/02	. 2.700	2005/12	DUE
CYANIDE	01291	036	2013/07/17	< 100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/17	. .250	2016/07	
MERCURY	71900	036	2013/07/17	< 1.000	2016/07	
NICKEL	01067	036	2013/07/17	< 10.000	2016/07	
PERCHLORATE	A-031	036	2014/03/18	< .000	2017/03	
SELENIUM	01147	036	2013/07/17	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/17	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/07	. 30.000	2015/04	
NITRITE (AS N)	00620	036	2013/07/17	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/09/12	. 3.600	2015/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/15	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/15	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/17	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/17	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/17	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/17	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/17	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/17	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/17	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/17	< .500	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/17	< .500	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/17	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-024
Source Name: WELL F-30A (30)
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/17	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/17	< .500	2016/07
BENZENE	34030	036	2013/07/17	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/17	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/17	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/17	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/17	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/17	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/17	< .500	2016/07
STYRENE	77128	036	2013/07/17	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/17	< .500	2016/07
TOLUENE	34010	036	2013/07/17	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/17	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/17	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/17	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/17	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/17	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/17	. 200.000	2016/07
CALCIUM	00916	036	2013/07/17	. 53.300	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/17	< .000	2016/07
CHLORIDE	00940	036	2013/07/17	. 11.000	2016/07
COLOR	00081	036	2013/07/17	< .000	2016/07
COPPER	01042	036	2013/07/17	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/17	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/17	. 160.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/17	< .000	2016/07
IRON	01045	036	2013/07/17	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/17	. 6.980	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041

System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-024

Source Name: WELL F-30A (30)

Source Number: 024

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2013/07/17	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/17	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/17	. 7.890	2016/07
SILVER	01077	036	2013/07/17	< 10.000	2016/07
SODIUM	00929	036	2013/07/17	19.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/17	. 400.000	2016/07
SULFATE	00945	036	2013/07/17	13.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/17	. 240.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/17	< .000	2016/07
ZINC	01092	036	2013/07/17	< 50.000	2016/07

PS Code: 3610041-025

Source Name: F10 RESERVOIR EFFLUENT

Source Number: 025

Source Status: COMBINATION OR BLEND TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610041-026

Source Name: WELL F-31A (31)

Source Number: 026

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2013/07/18	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/18	< 6.000	2016/07
ARSENIC	01002	036	2013/07/18	< 2.000	2016/07
BARIUM	01007	036	2013/07/18	< 100.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-026
Source Name: WELL F-31A (31)
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BERYLLIUM	01012	036	2013/07/18	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/18	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/18	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2003/06/20	. 1.700	2006/06	DUE
CYANIDE	01291	036	2013/07/18	< 100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/18	. .260	2016/07	
MERCURY	71900	036	2013/07/18	< 1.000	2016/07	
NICKEL	01067	036	2013/07/18	< 10.000	2016/07	
PERCHLORATE	A-031	036	2014/07/07	< .000	2017/07	
SELENIUM	01147	036	2013/07/18	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/18	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/07	. 27.000	2015/07	
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/05/04	< .000	2014/05	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/05/04	< .000	2014/05	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/05/04	< .000	2014/05	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/18	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/18	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/18	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/18	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/18	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-026
Source Name: WELL F-31A (31)
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	036	2013/07/18	< .500	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/18	< .500	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/18	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/18	< .500	2016/07
BENZENE	34030	036	2013/07/18	< .500	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/18	< .500	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/18	< .500	2016/07
DICHLOROMETHANE	34423	036	2013/07/18	< .500	2016/07
ETHYLBENZENE	34371	036	2013/07/18	< .500	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/18	< 3.000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/18	< .500	2016/07
STYRENE	77128	036	2013/07/18	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/18	< .500	2016/07
TOLUENE	34010	036	2013/07/18	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/18	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/18	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/18	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/18	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/18	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/18	. 210.000	2016/07
CALCIUM	00916	036	2013/07/18	. 51.700	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/18	< .000	2016/07
CHLORIDE	00940	036	2013/07/18	. 12.000	2016/07
COLOR	00081	036	2013/07/18	< .000	2016/07
COPPER	01042	036	2013/07/18	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/18	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/18	. 160.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/18	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-026
Source Name: WELL F-31A (31)
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
IRON	01045	036	2013/07/18	<	100.000	2016/07	
MAGNESIUM	00927	036	2013/07/18	.	7.310	2016/07	
MANGANESE	01055	036	2013/07/18	<	20.000	2016/07	
ODOR THRESHOLD @ 60 C	00086	036	2013/07/18		1.000	2016/07	
PH, LABORATORY	00403	036	2013/07/18	.	7.860	2016/07	
SILVER	01077	036	2013/07/18	<	10.000	2016/07	
SODIUM	00929	036	2013/07/18		25.000	2016/07	
SPECIFIC CONDUCTANCE	00095	036	2013/07/18	.	420.000	2016/07	
SULFATE	00945	036	2013/07/18		13.000	2016/07	
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/18	.	250.000	2016/07	
TURBIDITY, LABORATORY	82079	036	2013/07/18	.	.110	2016/07	
ZINC	01092	036	2013/07/18	<	50.000	2016/07	

PS Code: 3610041-027
Source Name: WELL F-32A (32)
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/02/01	<	.000	2015/02	
ANTIMONY	01097	036	2012/02/01	<	.000	2015/02	
ARSENIC	01002	036	2012/02/01	.	5.000	2015/02	
BARIUM	01007	036	2012/02/01	<	.000	2015/02	
BERYLLIUM	01012	036	2012/02/01	<	.000	2015/02	
CADMIUM	01027	036	2012/02/01	<	.000	2015/02	
CHROMIUM (TOTAL)	01034	036	2012/02/01	<	.000	2015/02	
CHROMIUM, HEXAVALENT	01032	036	**2002/12/05**	.	.000	**2005/12**	**DUE**
CYANIDE	01291	036	2012/02/01	<	.000	2015/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/01	.	.580	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-027
Source Name: WELL F-32A (32)
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
MERCURY	71900	036	2012/02/01	< .000	2015/02	
NICKEL	01067	036	2012/02/01	< .000	2015/02	
PERCHLORATE	A-031	036	2012/01/10	< .000	2015/01	
SELENIUM	01147	036	2012/02/01	< .000	2015/02	
THALLIUM	01059	036	2012/02/01	< .000	2015/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/25	. 4.400	2015/07	
NITRITE (AS N)	00620	036	2012/02/01	< .000	2015/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/02/01	< .000	2015/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2011/06/15**	< .000	**2014/06**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2011/06/15**	< .000	**2014/06**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2012/02/01	< .000	2015/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/02/01	< .000	2015/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/02/01	< .000	2015/02	
1,1,2-TRICHLOROETHANE	34511	036	2012/02/01	< .000	2015/02	
1,1-DICHLOROETHANE	34496	036	2012/02/01	< .000	2015/02	
1,1-DICHLOROETHYLENE	34501	036	2012/02/01	< .000	2015/02	
1,2,4-TRICHLOROBENZENE	34551	036	2012/02/01	< .000	2015/02	
1,2-DICHLOROBENZENE	34536	036	2012/02/01	< .000	2015/02	
1,2-DICHLOROETHANE	34531	036	2012/02/01	< .000	2015/02	
1,2-DICHLOROPROPANE	34541	036	2012/02/01	< .000	2015/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/02/01	< .000	2015/02	
1,4-DICHLOROBENZENE	34571	036	2012/02/01	< .000	2015/02	
BENZENE	34030	036	2012/02/01	< .000	2015/02	
CARBON TETRACHLORIDE	32102	036	2012/02/01	< .000	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-027***

Source Name: ***WELL F-32A (32)***

Source Number: ***027***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/02/01	**< .000**	2015/02
DICHLOROMETHANE	**34423**	**036**	2012/02/01	**< .000**	2015/02
ETHYLBENZENE	**34371**	**036**	2012/02/01	**< .000**	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/02/01	**< .000**	2015/02
MONOCHLOROBENZENE	**34301**	**036**	2012/02/01	**< .000**	2015/02
STYRENE	**77128**	**036**	2012/02/01	**< .000**	2015/02
TETRACHLOROETHYLENE	**34475**	**036**	2012/02/01	**< .000**	2015/02
TOLUENE	**34010**	**036**	2012/02/01	**< .000**	2015/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/02/01	**< .000**	2015/02
TRICHLOROETHYLENE	**39180**	**036**	2012/02/01	**< .000**	2015/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/02/01	**< .000**	2015/02
VINYL CHLORIDE	**39175**	**036**	2012/02/01	**< .000**	2015/02
XYLENES (TOTAL)	**81551**	**036**	2012/02/01	**< .000**	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/02/01	**. 160.000**	2015/02
CALCIUM	**00916**	**036**	2012/02/01	**. 39.000**	2015/02
CARBONATE ALKALINITY	**00445**	**036**	2012/02/01	**< .000**	2015/02
CHLORIDE	**00940**	**036**	2012/02/01	**. 2.900**	2015/02
COLOR	**00081**	**036**	2012/02/01	**< .000**	2015/02
COPPER	**01042**	**036**	2012/02/01	**< .000**	2015/02
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/02/01	**< .000**	2015/02
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/02/01	**. 120.000**	2015/02
HYDROXIDE ALKALINITY	**71830**	**036**	2012/02/01	**< .000**	2015/02
IRON	**01045**	**036**	2012/02/01	**< .000**	2015/02
MAGNESIUM	**00927**	**036**	2012/02/01	**. 6.300**	2015/02
MANGANESE	**01055**	**036**	2012/02/01	**< .000**	2015/02
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/02/01	**1.000**	2015/02
PH, LABORATORY	**00403**	**036**	2012/02/01	**. 7.710**	2015/02
SILVER	**01077**	**036**	2012/02/01	**< .000**	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-027
Source Name: WELL F-32A (32)
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SODIUM	00929	036	2012/02/01	13.000	2015/02
SPECIFIC CONDUCTANCE	00095	036	2012/02/01	. 290.000	2015/02
SULFATE	00945	036	2012/02/01	20.000	2015/02
TOTAL DISSOLVED SOLIDS	70300	036	2012/02/01	. 160.000	2015/02
TURBIDITY, LABORATORY	82079	036	2012/02/01	< .000	2015/02
ZINC	01092	036	2012/02/01	< .000	2015/02

PS Code: 3610041-028
Source Name: WELL F-33A (33)
Source Number: 028
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/01/22	< 50.000	2017/01
ANTIMONY	01097	036	2014/01/22	< 6.000	2017/01
ARSENIC	01002	036	2014/01/22	< 2.000	2017/01
BARIUM	01007	036	2014/01/22	< 100.000	2017/01
BERYLLIUM	01012	036	2014/01/22	< 1.000	2017/01
CADMIUM	01027	036	2014/01/22	< 1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/22	< 10.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/01/22	< 1.000	2017/01
CYANIDE	01291	036	2014/01/22	< 100.000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/22	. .510	2017/01
MERCURY	71900	036	2014/01/22	< 1.000	2017/01
NICKEL	01067	036	2014/01/22	< 10.000	2017/01
PERCHLORATE	A-031	036	2014/01/22	< 4.000	2017/01
SELENIUM	01147	036	2014/01/22	< 5.000	2017/01
THALLIUM	01059	036	2014/01/22	< 1.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-028
Source Name: WELL F-33A (33)
Source Number: 028
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/22	. 3.500	2015/01
NITRITE (AS N)	00620	036	2014/01/22	< 400.000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/01/25	< .000	2015/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/22	< .010	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/22	< .020	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/01/22	< .500	2017/01
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/01/22	< .500	2017/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/01/22	< 10.000	2017/01
1,1,2-TRICHLOROETHANE	34511	036	2014/01/22	< .500	2017/01
1,1-DICHLOROETHANE	34496	036	2014/01/22	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	036	2014/01/22	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	036	2014/01/22	< .500	2017/01
1,2-DICHLOROBENZENE	34536	036	2014/01/22	< .500	2017/01
1,2-DICHLOROETHANE	34531	036	2014/01/22	< .500	2017/01
1,2-DICHLOROPROPANE	34541	036	2014/01/22	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/01/22	< .500	2017/01
1,4-DICHLOROBENZENE	34571	036	2014/01/22	< .500	2017/01
BENZENE	34030	036	2014/01/22	< .500	2017/01
CARBON TETRACHLORIDE	32102	036	2014/01/22	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/01/22	< .500	2017/01
DICHLOROMETHANE	34423	036	2014/01/22	< .500	2017/01
ETHYLBENZENE	34371	036	2014/01/22	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/01/22	< 3.000	2017/01
MONOCHLOROBENZENE	34301	036	2014/01/22	< .500	2017/01
STYRENE	77128	036	2014/01/22	< .500	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-028***

Source Name: ***WELL F-33A (33)***

Source Number: ***028***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2014/01/22	**< .500**	2017/01
TOLUENE	**34010**	**036**	2014/01/22	**< .500**	2017/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/01/22	**< .500**	2017/01
TRICHLOROETHYLENE	**39180**	**036**	2014/01/22	**< .500**	2017/01
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/01/22	**< 5.000**	2017/01
VINYL CHLORIDE	**39175**	**036**	2014/01/22	**< .500**	2017/01
XYLENES (TOTAL)	**81551**	**036**	2014/01/22	**< .000**	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/01/22	**. 200.000**	2017/01
CALCIUM	**00916**	**036**	2014/01/22	**. 51.400**	2017/01
CARBONATE ALKALINITY	**00445**	**036**	2014/01/22	**< .000**	2017/01
CHLORIDE	**00940**	**036**	2014/01/22	**. 3.600**	2017/01
COLOR	**00081**	**036**	2014/01/22	**< .000**	2017/01
COPPER	**01042**	**036**	2014/01/22	**< 50.000**	2017/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/01/22	**< .000**	2017/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/01/22	**. 160.000**	2017/01
HYDROXIDE ALKALINITY	**71830**	**036**	2014/01/22	**< .000**	2017/01
IRON	**01045**	**036**	2014/01/22	**< 100.000**	2017/01
MAGNESIUM	**00927**	**036**	2014/01/22	**. 8.950**	2017/01
MANGANESE	**01055**	**036**	2014/01/22	**< 20.000**	2017/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/01/22	**. 1.000**	2017/01
PH, LABORATORY	**00403**	**036**	2014/01/22	**. 7.580**	2017/01
SILVER	**01077**	**036**	2014/01/22	**< 10.000**	2017/01
SODIUM	**00929**	**036**	2014/01/22	**. 9.900**	2017/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/01/22	**. 360.000**	2017/01
SULFATE	**00945**	**036**	2014/01/22	**. 26.000**	2017/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/01/22	**. 210.000**	2017/01
TURBIDITY, LABORATORY	**82079**	**036**	2014/01/22	**< .000**	2017/01
ZINC	**01092**	**036**	2014/01/22	**< 50.000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-031
Source Name: WELL F-13A (37)
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/04/17	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/17	< 6.000	2017/04
ARSENIC	01002	036	2014/04/17	< 2.000	2017/04
BARIUM	01007	036	2014/04/17	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/17	< 1.000	2017/04
CADMIUM	01027	036	2014/04/17	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/17	< 10.000	2017/04
CYANIDE	01291	036	2014/04/17	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/17	. .240	2017/04
MERCURY	71900	036	2014/04/17	< 1.000	2017/04
NICKEL	01067	036	2014/04/17	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/17	< 4.000	2017/04
SELENIUM	01147	036	2014/04/17	< 5.000	2017/04
THALLIUM	01059	036	2014/04/17	< 1.000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/17	. 9.600	2015/04
NITRITE (AS N)	00620	036	2014/04/17	< 400.000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/03/21	< .000	2015/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/17	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/17	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/04/17	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/04/17	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/04/17	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	036	2014/04/17	< .500	2017/04
1,1-DICHLOROETHANE	34496	036	2014/04/17	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-031
Source Name: WELL F-13A (37)
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/04/17	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	036	2014/04/17	< .500	2017/04
1,2-DICHLOROBENZENE	34536	036	2014/04/17	< .500	2017/04
1,2-DICHLOROETHANE	34531	036	2014/04/17	< .500	2017/04
1,2-DICHLOROPROPANE	34541	036	2014/04/17	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/17	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/04/17	< .500	2017/04
BENZENE	34030	036	2014/04/17	< .500	2017/04
CARBON TETRACHLORIDE	32102	036	2014/04/17	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/04/17	< .500	2017/04
DICHLOROMETHANE	34423	036	2014/04/17	< .500	2017/04
ETHYLBENZENE	34371	036	2014/04/17	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/17	< 3.000	2017/04
MONOCHLOROBENZENE	34301	036	2014/04/17	< .500	2017/04
STYRENE	77128	036	2014/04/17	< .500	2017/04
TETRACHLOROETHYLENE	34475	036	2014/04/17	< .500	2017/04
TOLUENE	34010	036	2014/04/17	< .500	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/17	< .500	2017/04
TRICHLOROETHYLENE	39180	036	2014/04/17	< .500	2017/04
TRICHLOROFLUOROMETHANE	34488	036	2014/04/17	< 5.000	2017/04
VINYL CHLORIDE	39175	036	2014/04/17	< .500	2017/04
XYLENES (TOTAL)	81551	036	2014/04/17	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/17	. 180.000	2017/04
CALCIUM	00916	036	2014/04/17	. 49.600	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/17	< .000	2017/04
CHLORIDE	00940	036	2014/04/17	. 4.900	2017/04
COLOR	00081	036	2014/04/17	< .000	2017/04
COPPER	01042	036	2014/04/17	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-031
Source Name: WELL F-13A (37)
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/04/17	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/17	. 150.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/17	< .000	2017/04
IRON	01045	036	2014/04/17	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/17	. 6.390	2017/04
MANGANESE	01055	036	2014/04/17	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/17	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/17	. 7.470	2017/04
SILVER	01077	036	2014/04/17	< 10.000	2017/04
SODIUM	00929	036	2014/04/17	. 13.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/17	. 360.000	2017/04
SULFATE	00945	036	2014/04/17	. 21.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 210.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	< .000	2017/04
ZINC	01092	036	2014/04/17	< 50.000	2017/04

PS Code: 3610041-033
Source Name: WELL F-17B (39)
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/06/24	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/24	< 6.000	2017/06
ARSENIC	01002	036	2014/06/24	< 2.000	2017/06
BARIUM	01007	036	2014/06/24	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/24	< 1.000	2017/06
CADMIUM	01027	036	2014/06/24	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/24	< 10.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-033***

Source Name: ***WELL F-17B (39)***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/06/24	**< 100.000**	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/06/24	**. .180**	2017/06
MERCURY	**71900**	**036**	2014/06/24	**< 1.000**	2017/06
NICKEL	**01067**	**036**	2014/06/24	**< 10.000**	2017/06
PERCHLORATE	**A-031**	**036**	2014/07/07	**. 8.400**	2017/07
SELENIUM	**01147**	**036**	2014/06/24	**< 5.000**	2017/06
THALLIUM	**01059**	**036**	2014/06/24	**< 1.000**	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/07	**. 29.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/06/24	**< 400.000**	2017/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/06/13	**< 3.000**	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/13	**< .010**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/13	**< .020**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/24	**< .500**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/24	**< .500**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/24	**< 10.000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/24	**< .500**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/24	**< .500**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/24	**< .500**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/24	**< .500**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/24	**< .500**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/24	**< .500**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/24	**< .500**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/17	**< .500**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/24	**< .500**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-033***

Source Name: ***WELL F-17B (39)***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2014/06/24	**< .500**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/24	**< .500**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/24	**< .500**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/24	**< .500**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/24	**< .500**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/24	**< 3.000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/24	**< .500**	2017/06
STYRENE	**77128**	**036**	2014/06/24	**< .500**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/24	**< .500**	2017/06
TOLUENE	**34010**	**036**	2014/06/24	**< .500**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/24	**< .500**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/24	**< .500**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/24	**< 5.000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/24	**< .500**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/24	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/24	**. 200.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/24	**. 44.100**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/24	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/24	**. 10.000**	2017/06
COLOR	**00081**	**036**	2014/06/24	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/24	**< 50.000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/24	**. .067**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/24	**. 140.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/24	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/24	**< 100.000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/24	**. 8.290**	2017/06
MANGANESE	**01055**	**036**	2014/06/24	**< 20.000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/24	**. 1.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-033						
Source Name: WELL F-17B (39)						
Source Number: 033						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
PH, LABORATORY	00403	036	2014/06/24	. 7.690	2017/06	
SILVER	01077	036	2014/06/24	< 10.000	2017/06	
SODIUM	00929	036	2014/06/24	. 24.000	2017/06	
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 400.000	2017/06	
SULFATE	00945	036	2014/06/24	. 17.000	2017/06	
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 250.000	2017/06	
TURBIDITY, LABORATORY	82079	036	2014/06/24	< .000	2017/06	
ZINC	01092	036	2014/06/24	< 50.000	2017/06	
PS Code: 3610041-034						
Source Name: WELL F-07A						
Source Number: 034						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/07/18	< 50.000	2016/07	
ANTIMONY	01097	036	2013/07/18	< 6.000	2016/07	
ARSENIC	01002	036	2013/07/18	< 2.000	2016/07	
BARIUM	01007	036	2013/07/18	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/18	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/18	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/18	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2005/12/15	. 2.500	2008/12	DUE
CYANIDE	01291	036	2013/07/18	< 100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/18	. .230	2016/07	
MERCURY	71900	036	2013/07/18	< 1.000	2016/07	
NICKEL	01067	036	2013/07/18	< 10.000	2016/07	
PERCHLORATE	A-031	036	2014/01/21	< .000	2017/01	
SELENIUM	01147	036	2013/07/18	< 5.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-034
Source Name: WELL F-07A
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2013/07/18	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	. 17.000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/05/14	. 3.200	2015/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/29	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/29	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/18	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/18	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/18	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/18	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/18	< .500	2016/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/18	< .500	2016/07	
1,4-DICHLOROBENZENE	34571	036	2013/07/18	< .500	2016/07	
BENZENE	34030	036	2013/07/18	< .500	2016/07	
CARBON TETRACHLORIDE	32102	036	2013/07/18	< .500	2016/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/18	< .500	2016/07	
DICHLOROMETHANE	34423	036	2013/07/18	< .500	2016/07	
ETHYLBENZENE	34371	036	2013/07/18	< .500	2016/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/18	< 3.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-034
Source Name: WELL F-07A
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2013/07/18	< .500	2016/07
STYRENE	77128	036	2013/07/18	< .500	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/18	< .500	2016/07
TOLUENE	34010	036	2013/07/18	< .500	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/18	< .500	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/18	< .500	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/18	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/18	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/18	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/18	. 200.000	2016/07
CALCIUM	00916	036	2013/07/18	. 48.800	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/18	< .000	2016/07
CHLORIDE	00940	036	2013/07/18	. 9.400	2016/07
COLOR	00081	036	2013/07/18	< .000	2016/07
COPPER	01042	036	2013/07/18	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/18	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/18	. 150.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/18	< .000	2016/07
IRON	01045	036	2013/07/18	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/18	. 7.930	2016/07
MANGANESE	01055	036	2013/07/18	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/18	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/18	. 7.860	2016/07
SILVER	01077	036	2013/07/18	< 10.000	2016/07
SODIUM	00929	036	2013/07/18	16.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/18	. 360.000	2016/07
SULFATE	00945	036	2013/07/18	11.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/18	. 220.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-034						
Source Name: WELL F-07A						
Source Number: 034						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2013/07/18	< .000	2016/07	
ZINC	01092	036	2013/07/18	< 50.000	2016/07	
PS Code: 3610041-035						
Source Name: WELL F-22A						
Source Number: 035						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2009/07/13	< .000	2012/07	DUE
ANTIMONY	01097	036	2009/07/13	< .000	2012/07	DUE
ARSENIC	01002	036	2009/07/13	< .000	2012/07	DUE
BARIUM	01007	036	2009/07/13	< .000	2012/07	DUE
BERYLLIUM	01012	036	2009/07/13	< .000	2012/07	DUE
CADMIUM	01027	036	2009/07/13	< .000	2012/07	DUE
CHROMIUM (TOTAL)	01034	036	2009/07/13	< .000	2012/07	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/12/02	. 2.600	2005/12	DUE
CYANIDE	01291	036	2009/07/13	< .000	2012/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/07/13	.240	2012/07	DUE
MERCURY	71900	036	2009/07/13	< .000	2012/07	DUE
NICKEL	01067	036	2009/07/13	< .000	2012/07	DUE
PERCHLORATE	A-031	036	2010/04/14	5.600	2013/04	DUE
SELENIUM	01147	036	2009/07/13	< .000	2012/07	DUE
THALLIUM	01059	036	2009/07/13	< .000	2012/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/07/13	20.000	2010/07	DUE
NITRITE (AS N)	00620	036	2009/07/13	< .000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-035
Source Name: WELL F-22A
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2009/07/13	< .000	2012/07	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/10/22	.000	2011/10	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/10/22	.000	2011/10	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2009/07/13	< .000	2012/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2009/07/13	< .000	2012/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2009/07/13	< .000	2012/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	2009/07/13	< .000	2012/07	DUE
1,1-DICHLOROETHANE	34496	036	2009/07/13	< .000	2012/07	DUE
1,1-DICHLOROETHYLENE	34501	036	2009/07/13	< .000	2012/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2009/07/13	< .000	2012/07	DUE
1,2-DICHLOROBENZENE	34536	036	2009/07/13	< .000	2012/07	DUE
1,2-DICHLOROETHANE	34531	036	2009/07/13	< .000	2012/07	DUE
1,2-DICHLOROPROPANE	34541	036	2009/07/13	< .000	2012/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2009/07/13	< .000	2012/07	DUE
1,4-DICHLOROBENZENE	34571	036	2009/07/13	< .000	2012/07	DUE
BENZENE	34030	036	2009/07/13	< .000	2012/07	DUE
CARBON TETRACHLORIDE	32102	036	2009/07/13	< .000	2012/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2009/07/13	< .000	2012/07	DUE
DICHLOROMETHANE	34423	036	2009/07/13	< .000	2012/07	DUE
ETHYLBENZENE	34371	036	2009/07/13	< .000	2012/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2009/07/13	< .000	2012/07	DUE
MONOCHLOROBENZENE	34301	036	2009/07/13	< .000	2012/07	DUE
STYRENE	77128	036	2009/07/13	< .000	2012/07	DUE
TETRACHLOROETHYLENE	34475	036	2009/07/13	< .000	2012/07	DUE
TOLUENE	34010	036	2009/07/13	< .000	2012/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2009/07/13	< .000	2012/07	DUE
TRICHLOROETHYLENE	39180	036	2009/07/13	< .000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-035
Source Name: WELL F-22A
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
TRICHLOROFLUOROMETHANE	34488	036	2009/07/13	< .000	2012/07	DUE
VINYL CHLORIDE	39175	036	2009/07/13	< .000	2012/07	DUE
XYLENES (TOTAL)	81551	036	2009/07/13	< .000	2012/07	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/07/13	190.000	2012/07	DUE
CALCIUM	00916	036	2009/07/13	51.000	2012/07	DUE
CARBONATE ALKALINITY	00445	036	2009/07/13	< .000	2012/07	DUE
CHLORIDE	00940	036	2009/07/13	9.800	2012/07	DUE
COLOR	00081	036	2009/07/13	< .000	2012/07	DUE
COPPER	01042	036	2009/07/13	< .000	2012/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/07/13	< .000	2012/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2008/07/08	.000	2011/07	DUE
HYDROXIDE ALKALINITY	71830	036	2009/07/13	< .000	2012/07	DUE
IRON	01045	036	2009/07/13	< .000	2012/07	DUE
MAGNESIUM	00927	036	2009/07/13	7.500	2012/07	DUE
MANGANESE	01055	036	2009/07/13	< .000	2012/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/07/13	1.000	2012/07	DUE
PH, LABORATORY	00403	036	2009/07/13	7.350	2012/07	DUE
SILVER	01077	036	2009/07/13	< .000	2012/07	DUE
SODIUM	00929	036	2009/07/13	21.000	2012/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/07/13	360.000	2012/07	DUE
SULFATE	00945	036	2009/07/13	10.000	2012/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/07/13	250.000	2012/07	DUE
TURBIDITY, LABORATORY	82079	036	2009/07/13	< .000	2012/07	DUE
ZINC	01092	036	2009/07/13	< .000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-037
Source Name: WELL F-23A
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2014/06/10	. 6.300	2017/06
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .140	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	036	2014/07/31	< 4.000	2017/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/31	. 24.000	2015/07
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/09/10	< 3.000	2016/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/09/10	< .010	2016/09
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/09/10	< .020	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/10	< .500	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/10	< .500	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/10	< 10.000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/10	< .500	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-037
Source Name: WELL F-23A
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/06/10	< .500	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/10	< .500	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/10	< .500	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/10	< .500	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/10	< .500	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/10	< .500	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/10	< .500	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/10	< .500	2017/06
BENZENE	34030	036	2014/06/10	< .500	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/10	< .500	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/10	< .500	2017/06
DICHLOROMETHANE	34423	036	2014/06/10	< .500	2017/06
ETHYLBENZENE	34371	036	2014/06/10	< .500	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/10	< 3.000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/10	< .500	2017/06
STYRENE	77128	036	2014/06/10	< .500	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/10	< .500	2017/06
TOLUENE	34010	036	2014/06/10	< .500	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/10	< .500	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/10	< .500	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/10	< 5.000	2017/06
VINYL CHLORIDE	39175	036	2014/06/10	< .500	2017/06
XYLENES (TOTAL)	81551	036	2014/06/10	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/10	. 180.000	2017/06
CALCIUM	00916	036	2014/06/10	. 62.500	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/07/31	. 18.000	2017/07
COLOR	00081	036	2014/06/10	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-037
Source Name: WELL F-23A
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	. .073	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/10	. 170.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 4.370	2017/06
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.780	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 18.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 460.000	2017/06
SULFATE	00945	036	2014/07/31	. 19.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 310.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 3610041-038
Source Name: WELL F-24A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/06/10	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/10	< 6.000	2017/06
ARSENIC	01002	036	2014/06/10	< 2.000	2017/06
BARIUM	01007	036	2014/06/10	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/10	< 1.000	2017/06
CADMIUM	01027	036	2014/06/10	< 1.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-038
Source Name: WELL F-24A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/06/10	< 10.000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2014/06/10	. 2.300	2017/06
CYANIDE	01291	036	2014/06/10	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/10	. .180	2017/06
MERCURY	71900	036	2014/06/10	< 1.000	2017/06
NICKEL	01067	036	2014/06/10	< 10.000	2017/06
PERCHLORATE	A-031	036	2014/07/01	< .000	2017/07
SELENIUM	01147	036	2014/06/10	< 5.000	2017/06
THALLIUM	01059	036	2014/06/10	< 1.000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	. 16.000	2015/07
NITRITE (AS N)	00620	036	2014/06/10	< 400.000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/06/10	< 3.000	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/10	< .010	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/10	< .020	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/10	< .500	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/10	< .500	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/10	< 10.000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/10	< .500	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/10	< .500	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/10	< .500	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/10	< .500	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/10	< .500	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/10	< .500	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/10	< .500	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-038
Source Name: WELL F-24A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/10	< .500	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/10	< .500	2017/06
BENZENE	34030	036	2014/06/10	< .500	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/10	< .500	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/10	< .500	2017/06
DICHLOROMETHANE	34423	036	2014/06/10	< .500	2017/06
ETHYLBENZENE	34371	036	2014/06/10	< .500	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/10	< 3.000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/10	< .500	2017/06
STYRENE	77128	036	2014/06/10	< .500	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/10	< .500	2017/06
TOLUENE	34010	036	2014/06/10	< .500	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/10	< .500	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/10	< .500	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/10	< 5.000	2017/06
VINYL CHLORIDE	39175	036	2014/06/10	< .500	2017/06
XYLENES (TOTAL)	81551	036	2014/06/10	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/10	. 180.000	2017/06
CALCIUM	00916	036	2014/06/10	. 43.700	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/10	< .000	2017/06
CHLORIDE	00940	036	2014/06/10	. 27.000	2017/06
COLOR	00081	036	2014/06/10	< .000	2017/06
COPPER	01042	036	2014/06/10	< 50.000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/10	. .062	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/10	. 140.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/10	< .000	2017/06
IRON	01045	036	2014/06/10	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/10	. 6.970	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-038
Source Name: WELL F-24A
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/06/10	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/10	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/10	. 7.910	2017/06
SILVER	01077	036	2014/06/10	< 10.000	2017/06
SODIUM	00929	036	2014/06/10	. 31.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/10	. 430.000	2017/06
SULFATE	00945	036	2014/06/10	. 24.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/10	. 260.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/10	< .000	2017/06
ZINC	01092	036	2014/06/10	< 50.000	2017/06

PS Code: 3610041-040
Source Name: WELL F-26A
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/05/27	. 190.000	2017/05
ANTIMONY	01097	036	2014/05/27	< 6.000	2017/05
ARSENIC	01002	036	2014/05/27	< 2.000	2017/05
BARIUM	01007	036	2014/05/27	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/27	< 1.000	2017/05
CADMIUM	01027	036	2014/05/27	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/27	< 10.000	2017/05
CHROMIUM, HEXAVALENT	01032	036	2014/05/27	. 2.400	2017/05
CYANIDE	01291	036	2014/05/27	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/27	. .160	2017/05
MERCURY	71900	036	2014/05/27	< 1.000	2017/05
NICKEL	01067	036	2014/05/27	< 10.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-040
Source Name: WELL F-26A
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/07/01	< .000	2017/07
SELENIUM	01147	036	2014/05/27	< 5.000	2017/05
THALLIUM	01059	036	2014/05/27	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	. 35.000	2015/07
NITRITE (AS N)	00620	036	2014/05/27	< 400.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/02/22	. 3.200	2015/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/02/22	< .000	2015/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/02/22	< .000	2015/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/05/27	< .500	2017/05
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/27	< .500	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/27	< 10.000	2017/05
1,1,2-TRICHLOROETHANE	34511	036	2014/05/27	< .500	2017/05
1,1-DICHLOROETHANE	34496	036	2014/05/27	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/27	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/27	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/27	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/27	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/27	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/27	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/27	< .500	2017/05
BENZENE	34030	036	2014/05/27	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/27	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/05/27	< .500	2017/05
DICHLOROMETHANE	34423	036	2014/05/27	< .500	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-040
Source Name: WELL F-26A
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/05/27	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/27	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/27	< .500	2017/05
STYRENE	77128	036	2014/05/27	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/05/27	< .500	2017/05
TOLUENE	34010	036	2014/05/27	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/27	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/05/27	< .500	2017/05
TRICHLOROFLUOROMETHANE	34488	036	2014/05/27	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/27	< .500	2017/05
XYLENES (TOTAL)	81551	036	2014/05/27	< .000	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/27	. 180.000	2017/05
CALCIUM	00916	036	2014/05/27	. 60.200	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/27	< .000	2017/05
CHLORIDE	00940	036	2014/05/27	. 10.000	2017/05
COLOR	00081	036	2014/05/27	< .000	2017/05
COPPER	01042	036	2014/05/27	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/27	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/27	. 170.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/27	< .000	2017/05
IRON	01045	036	2014/05/27	. 130.000	2017/05
MAGNESIUM	00927	036	2014/05/27	. 4.680	2017/05
MANGANESE	01055	036	2014/05/27	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/27	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/27	. 7.870	2017/05
SILVER	01077	036	2014/05/27	< 10.000	2017/05
SODIUM	00929	036	2014/05/27	. 18.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/27	. 420.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-040
Source Name: WELL F-26A
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2014/05/27	. 23.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/27	. 260.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/27	. .870	2017/05
ZINC	01092	036	2014/05/27	< 50.000	2017/05

PS Code: 3610041-041
Source Name: WELL F-02A
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/07/18	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/18	< 6.000	2016/07
ARSENIC	01002	036	2013/07/18	< 2.000	2016/07
BARIUM	01007	036	2013/07/18	< 100.000	2016/07
BERYLLIUM	01012	036	2013/07/18	< 1.000	2016/07
CADMIUM	01027	036	2013/07/18	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/18	< 10.000	2016/07
CYANIDE	01291	036	2013/07/18	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/18	. .250	2016/07
MERCURY	71900	036	2013/07/18	< 1.000	2016/07
NICKEL	01067	036	2013/07/18	< 10.000	2016/07
PERCHLORATE	A-031	036	2014/01/21	< .000	2017/01
SELENIUM	01147	036	2013/07/18	< 5.000	2016/07
THALLIUM	01059	036	2013/07/18	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 28.000	2015/07
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-041
Source Name: WELL F-02A
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/05/14	. 5.200	2015/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/15	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/15	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/18	< .500	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/18	< .500	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/18	< 10.000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/18	< .500	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/18	< .500	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/18	< .500	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/18	< .500	2016/07	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/18	< .500	2016/07	
1,4-DICHLOROBENZENE	34571	036	2013/07/18	< .500	2016/07	
BENZENE	34030	036	2013/07/18	< .500	2016/07	
CARBON TETRACHLORIDE	32102	036	2013/07/18	< .500	2016/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/18	< .500	2016/07	
DICHLOROMETHANE	34423	036	2013/07/18	< .500	2016/07	
ETHYLBENZENE	34371	036	2013/07/18	< .500	2016/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/18	< 3.000	2016/07	
MONOCHLOROBENZENE	34301	036	2013/07/18	< .500	2016/07	
STYRENE	77128	036	2013/07/18	< .500	2016/07	
TETRACHLOROETHYLENE	34475	036	2013/07/18	< .500	2016/07	
TOLUENE	34010	036	2013/07/18	< .500	2016/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/18	< .500	2016/07	
TRICHLOROETHYLENE	39180	036	2013/07/18	< .500	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-041
Source Name: WELL F-02A
Source Number: 041
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/07/18	< 5.000	2016/07
VINYL CHLORIDE	39175	036	2013/07/18	< .500	2016/07
XYLENES (TOTAL)	81551	036	2013/07/18	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/18	. 220.000	2016/07
CALCIUM	00916	036	2013/07/18	. 56.800	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/18	< .000	2016/07
CHLORIDE	00940	036	2013/07/18	. 11.000	2016/07
COLOR	00081	036	2013/07/18	< .000	2016/07
COPPER	01042	036	2013/07/18	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/18	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/18	. 170.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/18	< .000	2016/07
IRON	01045	036	2013/07/18	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/18	. 7.210	2016/07
MANGANESE	01055	036	2013/07/18	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/18	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/18	. 7.880	2016/07
SILVER	01077	036	2013/07/18	< 10.000	2016/07
SODIUM	00929	036	2013/07/18	20.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/18	. 420.000	2016/07
SULFATE	00945	036	2013/07/18	13.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/18	. 260.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/18	< .000	2016/07
ZINC	01092	036	2013/07/18	< 50.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-042
Source Name: WELL F-17C
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/06/24	< 50.000	2017/06
ANTIMONY	01097	036	2014/06/24	< 6.000	2017/06
ARSENIC	01002	036	2014/06/24	< 2.000	2017/06
BARIUM	01007	036	2014/06/24	< 100.000	2017/06
BERYLLIUM	01012	036	2014/06/24	< 1.000	2017/06
CADMIUM	01027	036	2014/06/24	< 1.000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/24	< 10.000	2017/06
CYANIDE	01291	036	2014/06/24	< 100.000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/24	. .150	2017/06
MERCURY	71900	036	2014/06/24	< 1.000	2017/06
NICKEL	01067	036	2014/06/24	< 10.000	2017/06
PERCHLORATE	A-031	036	2014/07/07	. 6.500	2017/07
SELENIUM	01147	036	2014/06/24	< 5.000	2017/06
THALLIUM	01059	036	2014/06/24	< 1.000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 30.000	2015/07
NITRITE (AS N)	00620	036	2014/06/24	< 400.000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/13	< 3.000	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/13	< .010	2015/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/13	< .020	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/24	< .500	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/24	< .500	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/24	< 10.000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/24	< .500	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/24	< .500	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-042
Source Name: WELL F-17C
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/06/24	< .500	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/24	< .500	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/24	< .500	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/24	< .500	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/24	< .500	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/18	< .500	2016/07
1,4-DICHLOROBENZENE	34571	036	2014/06/24	< .500	2017/06
BENZENE	34030	036	2014/06/24	< .500	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/24	< .500	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/24	< .500	2017/06
DICHLOROMETHANE	34423	036	2014/06/24	. .550	2017/06
ETHYLBENZENE	34371	036	2014/06/24	< .500	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/24	< 3.000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/24	< .500	2017/06
STYRENE	77128	036	2014/06/24	< .500	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/24	< .500	2017/06
TOLUENE	34010	036	2014/06/24	< .500	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/24	< .500	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/24	< .500	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/24	< 5.000	2017/06
VINYL CHLORIDE	39175	036	2014/06/24	< .500	2017/06
XYLENES (TOTAL)	81551	036	2014/06/24	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/24	. 200.000	2017/06
CALCIUM	00916	036	2014/06/24	. 45.300	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/24	< .000	2017/06
CHLORIDE	00940	036	2014/06/24	. 12.000	2017/06
COLOR	00081	036	2014/06/24	< .000	2017/06
COPPER	01042	036	2014/06/24	< 50.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-042
Source Name: WELL F-17C
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/06/24	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/24	. 150.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/24	< .000	2017/06
IRON	01045	036	2014/06/24	< 100.000	2017/06
MAGNESIUM	00927	036	2014/06/24	. 9.090	2017/06
MANGANESE	01055	036	2014/06/24	< 20.000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/24	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/24	. 7.910	2017/06
SILVER	01077	036	2014/06/24	< 10.000	2017/06
SODIUM	00929	036	2014/06/24	. 23.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/24	. 410.000	2017/06
SULFATE	00945	036	2014/06/24	. 15.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/24	. 240.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/24	< .000	2017/06
ZINC	01092	036	2014/06/24	< 50.000	2017/06

PS Code: 3610041-043
Source Name: WELL F-10B
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/04/16	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/16	< 6.000	2017/04
ARSENIC	01002	036	2014/04/16	< 2.000	2017/04
BARIUM	01007	036	2014/04/16	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/16	< 1.000	2017/04
CADMIUM	01027	036	2014/04/16	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/16	< 10.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-043***

Source Name: ***WELL F-10B***

Source Number: ***043***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/04/16	**. 1.700**	2017/04
CYANIDE	**01291**	**036**	2014/04/16	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/16	**. .150**	2017/04
MERCURY	**71900**	**036**	2014/04/16	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/16	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/07/02	**< 4.000**	2017/07
SELENIUM	**01147**	**036**	2014/04/16	**< 5.000**	2017/04
THALLIUM	**01059**	**036**	2014/04/16	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/30	**. 21.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/04/16	**< 400.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/16	**< 3.000**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/04/16	**< .010**	2017/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/04/16	**< .020**	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/04/16	**< .500**	2017/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/04/16	**< .500**	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/04/16	**< 10.000**	2017/04
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/04/16	**< .500**	2017/04
1,1-DICHLOROETHANE	**34496**	**036**	2014/04/16	**< .500**	2017/04
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/04/16	**< .500**	2017/04
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/04/16	**< .500**	2017/04
1,2-DICHLOROBENZENE	**34536**	**036**	2014/04/16	**< .500**	2017/04
1,2-DICHLOROETHANE	**34531**	**036**	2014/04/16	**< .500**	2017/04
1,2-DICHLOROPROPANE	**34541**	**036**	2014/04/16	**< .500**	2017/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/16	**< .500**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-043
Source Name: WELL F-10B
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2014/04/16	< .500	2017/04
BENZENE	34030	036	2014/04/16	< .500	2017/04
CARBON TETRACHLORIDE	32102	036	2014/04/16	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/02	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/04/16	< .500	2017/04
ETHYLBENZENE	34371	036	2014/04/16	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/16	< 3.000	2017/04
MONOCHLOROBENZENE	34301	036	2014/04/16	< .500	2017/04
STYRENE	77128	036	2014/04/16	< .500	2017/04
TETRACHLOROETHYLENE	34475	036	2014/07/30	. 2.000	2017/07
TOLUENE	34010	036	2014/04/16	< .500	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/16	< .500	2017/04
TRICHLOROETHYLENE	39180	036	2014/07/02	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/04/16	< 5.000	2017/04
VINYL CHLORIDE	39175	036	2014/04/16	< .500	2017/04
XYLENES (TOTAL)	81551	036	2014/04/16	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/16	. 200.000	2017/04
CALCIUM	00916	036	2014/04/16	. 58.100	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/16	< .000	2017/04
CHLORIDE	00940	036	2014/04/16	. 5.800	2017/04
COLOR	00081	036	2014/04/16	< .000	2017/04
COPPER	01042	036	2014/04/16	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/16	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/16	. 180.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/16	< .000	2017/04
IRON	01045	036	2014/04/16	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/16	. 7.490	2017/04
MANGANESE	01055	036	2014/04/16	< 20.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-043
Source Name: WELL F-10B
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2014/04/16	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/16	. 7.880	2017/04
SILVER	01077	036	2014/04/16	< 10.000	2017/04
SODIUM	00929	036	2014/04/16	. 14.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/16	. 410.000	2017/04
SULFATE	00945	036	2014/04/16	. 24.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/16	. 240.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/16	< .000	2017/04
ZINC	01092	036	2014/04/16	< 50.000	2017/04

PS Code: 3610041-044
Source Name: WELL F-15A
Source Number: 044
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/16	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/16	< 6.000	2017/04
ARSENIC	01002	036	2014/04/16	< 2.000	2017/04
BARIUM	01007	036	2014/04/16	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/16	< 1.000	2017/04
CADMIUM	01027	036	2014/04/16	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/16	< 10.000	2017/04
CYANIDE	01291	036	2014/04/16	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/16	. .210	2017/04
MERCURY	71900	036	2014/04/16	< 1.000	2017/04
NICKEL	01067	036	2014/04/16	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/16	< 4.000	2017/04
SELENIUM	01147	036	2014/04/16	< 5.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-044
Source Name: WELL F-15A
Source Number: 044
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	01059	036	2014/04/16	< 1.000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/16	. 14.000	2015/04
NITRITE (AS N)	00620	036	2014/04/16	< 400.000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/03/21	< .000	2015/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/16	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/16	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/04/16	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/04/16	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/04/16	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	036	2014/04/16	< .500	2017/04
1,1-DICHLOROETHANE	34496	036	2014/04/16	< .500	2017/04
1,1-DICHLOROETHYLENE	34501	036	2014/04/16	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	036	2014/04/16	< .500	2017/04
1,2-DICHLOROBENZENE	34536	036	2014/04/16	< .500	2017/04
1,2-DICHLOROETHANE	34531	036	2014/04/16	< .500	2017/04
1,2-DICHLOROPROPANE	34541	036	2014/04/16	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/16	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/04/16	< .500	2017/04
BENZENE	34030	036	2014/04/16	< .500	2017/04
CARBON TETRACHLORIDE	32102	036	2014/04/16	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/04/16	< .500	2017/04
DICHLOROMETHANE	34423	036	2014/04/16	< .500	2017/04
ETHYLBENZENE	34371	036	2014/04/16	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/16	< 3.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-044
Source Name: WELL F-15A
Source Number: 044
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2014/04/16	< .500	2017/04
STYRENE	77128	036	2014/04/16	< .500	2017/04
TETRACHLOROETHYLENE	34475	036	2014/04/16	< .500	2017/04
TOLUENE	34010	036	2014/04/16	< .500	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/16	< .500	2017/04
TRICHLOROETHYLENE	39180	036	2014/04/16	< .500	2017/04
TRICHLOROFLUOROMETHANE	34488	036	2014/04/16	< 5.000	2017/04
VINYL CHLORIDE	39175	036	2014/04/16	< .500	2017/04
XYLENES (TOTAL)	81551	036	2014/04/16	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/16	. 200.000	2017/04
CALCIUM	00916	036	2014/04/16	. 55.500	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/16	< .000	2017/04
CHLORIDE	00940	036	2014/04/16	. 7.000	2017/04
COLOR	00081	036	2014/04/16	< .000	2017/04
COPPER	01042	036	2014/04/16	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/16	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/16	. 170.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/16	< .000	2017/04
IRON	01045	036	2014/04/16	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/16	. 8.130	2017/04
MANGANESE	01055	036	2014/04/16	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/16	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/16	. 7.710	2017/04
SILVER	01077	036	2014/04/16	< 10.000	2017/04
SODIUM	00929	036	2014/04/16	. 17.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/16	. 410.000	2017/04
SULFATE	00945	036	2014/04/16	. 28.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/16	. 260.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-044					
Source Name: WELL F-15A					
Source Number: 044					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2014/04/16	< .000	2017/04
ZINC	01092	036	2014/04/16	< 50.000	2017/04
PS Code: 3610041-045					
Source Name: WELL F-13B					
Source Number: 045					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/04/16	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/16	< 6.000	2017/04
ARSENIC	01002	036	2014/04/16	< 2.000	2017/04
BARIUM	01007	036	2014/04/16	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/16	< 1.000	2017/04
CADMIUM	01027	036	2014/04/16	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/16	< 10.000	2017/04
CYANIDE	01291	036	2014/04/16	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/16	. .230	2017/04
MERCURY	71900	036	2014/04/16	< 1.000	2017/04
NICKEL	01067	036	2014/04/16	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/16	< 4.000	2017/04
SELENIUM	01147	036	2014/04/16	< 5.000	2017/04
THALLIUM	01059	036	2014/04/16	< 1.000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/16	. 7.100	2015/04
NITRITE (AS N)	00620	036	2014/04/16	< 400.000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/05/16	< 3.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-045
Source Name: WELL F-13B
Source Number: 045
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/03/27	< .010	2016/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/03/27	< .020	2016/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/04/16	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/04/16	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/04/16	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	036	2014/04/16	< .500	2017/04
1,1-DICHLOROETHANE	34496	036	2014/04/16	< .500	2017/04
1,1-DICHLOROETHYLENE	34501	036	2014/04/16	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	036	2014/04/16	< .500	2017/04
1,2-DICHLOROBENZENE	34536	036	2014/04/16	< .500	2017/04
1,2-DICHLOROETHANE	34531	036	2014/04/16	< .500	2017/04
1,2-DICHLOROPROPANE	34541	036	2014/04/16	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/16	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/04/16	< .500	2017/04
BENZENE	34030	036	2014/04/16	< .500	2017/04
CARBON TETRACHLORIDE	32102	036	2014/04/16	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/04/16	< .500	2017/04
DICHLOROMETHANE	34423	036	2014/04/16	< .500	2017/04
ETHYLBENZENE	34371	036	2014/04/16	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/16	< 3.000	2017/04
MONOCHLOROBENZENE	34301	036	2014/04/16	< .500	2017/04
STYRENE	77128	036	2014/04/16	< .500	2017/04
TETRACHLOROETHYLENE	34475	036	2014/04/16	< .500	2017/04
TOLUENE	34010	036	2014/04/16	< .500	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/16	< .500	2017/04
TRICHLOROETHYLENE	39180	036	2014/04/16	< .500	2017/04
TRICHLOROFLUOROMETHANE	34488	036	2014/04/16	< 5.000	2017/04
VINYL CHLORIDE	39175	036	2014/04/16	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-045***

Source Name: ***WELL F-13B***

Source Number: ***045***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2014/04/16	**< .000**	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/16	**. 180.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/16	**. 49.800**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/16	**< .000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/16	**. 4.200**	2017/04
COLOR	**00081**	**036**	2014/04/16	**< .000**	2017/04
COPPER	**01042**	**036**	2014/04/16	**< 50.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/16	**< .000**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/16	**. 150.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/16	**< .000**	2017/04
IRON	**01045**	**036**	2014/04/16	**< 100.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/16	**. 6.280**	2017/04
MANGANESE	**01055**	**036**	2014/04/16	**< 20.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/16	**. 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/16	**. 7.620**	2017/04
SILVER	**01077**	**036**	2014/04/16	**< 10.000**	2017/04
SODIUM	**00929**	**036**	2014/04/16	**. 12.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/16	**. 340.000**	2017/04
SULFATE	**00945**	**036**	2014/04/16	**. 23.000**	2017/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/16	**. 210.000**	2017/04
TURBIDITY, LABORATORY	**82079**	**036**	2014/04/16	**< .000**	2017/04
ZINC	**01092**	**036**	2014/04/16	**< 50.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-046T **Source Name:** WELL F-13B - TREATED **Source Number:** 046 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-047T **Source Name:** WELL F-15A - TREATED **Source Number:** 047 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-048T **Source Name:** WELL F-17C - TREATED **Source Number:** 048 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-049T **Source Name:** RESERVOIR F-2 - TREATED **Source Number:** 049 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-050T					
Source Name: WELL F-35A - TREATED					
Source Number: 050					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610041-051T					
Source Name: WELL F37A - TREATED					
Source Number: 051					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610041-052T					
Source Name: WELL F-21A - TREATED					
Source Number: 052					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610041-053T					
Source Name: RESERVOIR F-15 - TREATED					
Source Number: 053					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-054T **Source Name:** WELL F-31A - TREATED **Source Number:** 054 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-055T **Source Name:** WELL F-18A - TREATED **Source Number:** 055 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-056T **Source Name:** WELL F-13A - TREATED **Source Number:** 056 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-057T **Source Name:** WELL F-17B - TREATED **Source Number:** 057 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-058T **Source Name:** WELL F-07A - TREATED **Source Number:** 058 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-059T **Source Name:** WELL F-22A - TREATED **Source Number:** 059 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-060T **Source Name:** WELL F-23A - TREATED **Source Number:** 060 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-061T **Source Name:** WELL F-24A - TREATED **Source Number:** 061 **Source Status:** ACTIVE TREATED **Water type:** S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-062T
Source Name: WELL F-26A - TREATED
Source Number: 062
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610041-063
Source Name: WELL F-49A
Source Number: 063
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/05/21	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/21	< 6.000	2017/05
ARSENIC	01002	036	2014/05/21	< 2.000	2017/05
BARIUM	01007	036	2014/05/21	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/21	< 1.000	2017/05
CADMIUM	01027	036	2014/05/21	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/21	< 10.000	2017/05
CYANIDE	01291	036	2014/05/21	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/21	. .260	2017/05
MERCURY	71900	036	2014/05/21	< 1.000	2017/05
NICKEL	01067	036	2014/05/21	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/07/02	< 4.000	2017/07
SELENIUM	01147	036	2014/05/21	< 5.000	2017/05
THALLIUM	01059	036	2014/05/21	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/02	. 12.000	2015/07
NITRITE (AS N)	00620	036	2014/05/21	< 400.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/03/21	< .000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-063
Source Name: WELL F-49A
Source Number: 063
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/21	< .000	2015/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/21	< .000	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/05/21	< .500	2017/05
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/05/21	< .500	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/05/21	< 10.000	2017/05
1,1,2-TRICHLOROETHANE	34511	036	2014/05/21	< .500	2017/05
1,1-DICHLOROETHANE	34496	036	2014/05/21	< .500	2017/05
1,1-DICHLOROETHYLENE	34501	036	2014/05/21	< .500	2017/05
1,2,4-TRICHLOROBENZENE	34551	036	2014/05/21	< .500	2017/05
1,2-DICHLOROBENZENE	34536	036	2014/05/21	< .500	2017/05
1,2-DICHLOROETHANE	34531	036	2014/05/21	< .500	2017/05
1,2-DICHLOROPROPANE	34541	036	2014/05/21	< .500	2017/05
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/05/21	< .500	2017/05
1,4-DICHLOROBENZENE	34571	036	2014/05/21	< .500	2017/05
BENZENE	34030	036	2014/05/21	< .500	2017/05
CARBON TETRACHLORIDE	32102	036	2014/05/21	< .500	2017/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/02	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/05/21	< .500	2017/05
ETHYLBENZENE	34371	036	2014/05/21	< .500	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/05/21	< 3.000	2017/05
MONOCHLOROBENZENE	34301	036	2014/05/21	< .500	2017/05
STYRENE	77128	036	2014/05/21	< .500	2017/05
TETRACHLOROETHYLENE	34475	036	2014/07/02	. 2.200	2017/07
TOLUENE	34010	036	2014/05/21	< .500	2017/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/05/21	< .500	2017/05
TRICHLOROETHYLENE	39180	036	2014/07/02	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/05/21	< 5.000	2017/05
VINYL CHLORIDE	39175	036	2014/05/21	< .500	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-063***

Source Name: ***WELL F-49A***

Source Number: ***063***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2014/05/21	**< .000**	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/21	**. 200.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/21	**. 56.200**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/21	**< .000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/21	**. 8.700**	2017/05
COLOR	**00081**	**036**	2014/05/21	**< .000**	2017/05
COPPER	**01042**	**036**	2014/05/21	**< 50.000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/21	**< .000**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/21	**. 170.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/21	**< .000**	2017/05
IRON	**01045**	**036**	2014/05/21	**< 100.000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/21	**. 6.910**	2017/05
MANGANESE	**01055**	**036**	2014/05/21	**< 20.000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/21	**. 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/21	**. 7.680**	2017/05
SILVER	**01077**	**036**	2014/05/21	**< 10.000**	2017/05
SODIUM	**00929**	**036**	2014/05/21	**. 15.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/21	**. 400.000**	2017/05
SULFATE	**00945**	**036**	2014/05/21	**. 22.000**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/21	**. 250.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/21	**< .000**	2017/05
ZINC	**01092**	**036**	2014/05/21	**< 50.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-064
Source Name: WELL F-10C
Source Number: 064
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/04/16	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/16	< 6.000	2017/04
ARSENIC	01002	036	2014/04/16	< 2.000	2017/04
BARIUM	01007	036	2014/04/16	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/16	< 1.000	2017/04
CADMIUM	01027	036	2014/04/16	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/16	< 10.000	2017/04
CYANIDE	01291	036	2014/04/16	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/16	. .150	2017/04
MERCURY	71900	036	2014/04/16	< 1.000	2017/04
NICKEL	01067	036	2014/04/16	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/07/02	< 4.000	2017/07
SELENIUM	01147	036	2014/04/16	< 5.000	2017/04
THALLIUM	01059	036	2014/04/16	< 1.000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/02	. 19.000	2015/07
NITRITE (AS N)	00620	036	2014/04/16	< 400.000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/16	< 3.000	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/16	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/16	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/04/16	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/04/16	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/04/16	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	036	2014/04/16	< .500	2017/04
1,1-DICHLOROETHANE	34496	036	2014/04/16	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-064
Source Name: WELL F-10C
Source Number: 064
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/04/16	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	036	2014/04/16	< .500	2017/04
1,2-DICHLOROBENZENE	34536	036	2014/04/16	< .500	2017/04
1,2-DICHLOROETHANE	34531	036	2014/04/16	< .500	2017/04
1,2-DICHLOROPROPANE	34541	036	2014/04/16	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/04/16	< .500	2017/04
1,4-DICHLOROBENZENE	34571	036	2014/04/16	< .500	2017/04
BENZENE	34030	036	2014/04/16	< .500	2017/04
CARBON TETRACHLORIDE	32102	036	2014/04/16	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/02	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/04/16	< .500	2017/04
ETHYLBENZENE	34371	036	2014/04/16	< .500	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/04/16	< 3.000	2017/04
MONOCHLOROBENZENE	34301	036	2014/04/16	< .500	2017/04
STYRENE	77128	036	2014/04/16	< .500	2017/04
TETRACHLOROETHYLENE	34475	036	2014/07/02	. 2.100	2017/07
TOLUENE	34010	036	2014/04/16	< .500	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/16	< .500	2017/04
TRICHLOROETHYLENE	39180	036	2014/07/02	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/04/16	< 5.000	2017/04
VINYL CHLORIDE	39175	036	2014/04/16	< .500	2017/04
XYLENES (TOTAL)	81551	036	2014/04/16	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/16	. 210.000	2017/04
CALCIUM	00916	036	2014/04/16	. 60.200	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/16	< .000	2017/04
CHLORIDE	00940	036	2014/04/16	. 6.800	2017/04
COLOR	00081	036	2014/04/16	< .000	2017/04
COPPER	01042	036	2014/04/16	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-064
Source Name: WELL F-10C
Source Number: 064
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/04/16	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/16	. 180.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/16	< .000	2017/04
IRON	01045	036	2014/04/16	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/16	. 7.050	2017/04
MANGANESE	01055	036	2014/04/16	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/16	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/16	. 7.910	2017/04
SILVER	01077	036	2014/04/16	< 10.000	2017/04
SODIUM	00929	036	2014/04/16	. 16.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/16	. 420.000	2017/04
SULFATE	00945	036	2014/04/16	. 20.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/16	. 250.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/16	< .000	2017/04
ZINC	01092	036	2014/04/16	< 50.000	2017/04

PS Code: 3610041-065
Source Name: WELL F-44A
Source Number: 065
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/07/09	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/09	< 6.000	2017/07
ARSENIC	01002	036	2014/07/09	< 2.000	2017/07
BARIUM	01007	036	2014/07/09	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/09	< 1.000	2017/07
CADMIUM	01027	036	2014/07/09	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/09	< 10.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-065
Source Name: WELL F-44A
Source Number: 065
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM, HEXAVALENT	01032	036	2014/07/09	. 3.200	2017/07
CYANIDE	01291	036	2014/07/09	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. .160	2017/07
MERCURY	71900	036	2014/07/09	< 1.000	2017/07
NICKEL	01067	036	2014/07/09	< 10.000	2017/07
PERCHLORATE	A-031	036	2014/07/09	< 4.000	2017/07
SELENIUM	01147	036	2014/07/09	< 5.000	2017/07
THALLIUM	01059	036	2014/07/09	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 23.000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/05/23	< 3.000	2015/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/06/12	< .010	2016/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/06/12	< .020	2016/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-065
Source Name: WELL F-44A
Source Number: 065
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	< .500	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/09	. 190.000	2017/07
CALCIUM	00916	036	2014/07/09	. 54.500	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/09	< .000	2017/07
CHLORIDE	00940	036	2014/07/09	. 12.000	2017/07
COLOR	00081	036	2014/07/09	< .000	2017/07
COPPER	01042	036	2014/07/09	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/09	< .000	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/09	. 160.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/09	< .000	2017/07
IRON	01045	036	2014/07/09	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/09	. 6.960	2017/07
MANGANESE	01055	036	2014/07/09	< 20.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-065
Source Name: WELL F-44A
Source Number: 065
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	.	1.000	2017/07	
PH, LABORATORY	00403	036	2014/07/09	.	7.530	2017/07	
SILVER	01077	036	2014/07/09	<	10.000	2017/07	
SODIUM	00929	036	2014/07/09	.	17.000	2017/07	
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	.	410.000	2017/07	
SULFATE	00945	036	2014/07/09	.	17.000	2017/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	.	260.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2014/07/09	<	.000	2017/07	
ZINC	01092	036	2014/07/09	<	50.000	2017/07	

PS Code: 3610041-066
Source Name: SBVMWD SWP WATER - RAW
Source Number: 066
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	012	2013/02/06	<	50.000	2014/02	DUE
ANTIMONY	01097	012	2013/02/06	<	6.000	2014/02	DUE
ARSENIC	01002	012	2013/02/06	<	2.000	2014/02	DUE
ASBESTOS	81855	108	2009/04/22	<	.200	2018/04	
BARIUM	01007	012	2013/02/06	<	100.000	2014/02	DUE
BERYLLIUM	01012	012	2013/02/06	<	1.000	2014/02	DUE
CADMIUM	01027	012	2013/02/06	<	1.000	2014/02	DUE
CHROMIUM (TOTAL)	01034	012	2013/02/06	<	10.000	2014/02	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	012	2013/02/06	<	100.000	2014/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/02/06	<	.100	2014/02	DUE
MERCURY	71900	012	2013/02/06	<	1.000	2014/02	DUE
NICKEL	01067	012	2013/02/06	<	10.000	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-066
Source Name: SBVMWD SWP WATER - RAW
Source Number: 066
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	012	2013/02/06	< 4.000	2014/02	DUE
SELENIUM	01147	012	2013/02/06	< 5.000	2014/02	DUE
THALLIUM	01059	012	2013/02/06	< 1.000	2014/02	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/02/06	. 4.000	2014/02	DUE
NITRITE (AS N)	00620	036	2013/02/06	< 400.000	2016/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/07/27	< .000	2014/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2013/02/06	< 5.000	2016/02	
2,4,5-TP (SILVEX)	39045	036	2013/02/06	< 1.000	2016/02	
2,4-D	39730	036	2013/02/06	< 10.000	2016/02	
ALACHLOR	77825	036	2013/02/06	< 1.000	2016/02	
ATRAZINE	39033	036	2013/02/06	< .500	2016/02	
BENTAZON	38710	036	2013/02/06	< 2.000	2016/02	
BENZO (A) PYRENE	34247	036	2013/02/06	< .100	2016/02	
CARBOFURAN	81405	036	2013/02/06	< 5.000	2016/02	
CHLORDANE	39350	036	2013/02/06	< .100	2016/02	
DALAPON	38432	036	2013/02/06	< 10.000	2016/02	
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/02/06	< 5.000	2016/02	
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/02/06	< 3.000	2016/02	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/02/06	< .010	2016/02	
DINOSEB	81287	036	2013/02/06	< 2.000	2016/02	
DIQUAT	78885	036	2013/02/06	< 4.000	2016/02	
ENDOTHALL	38926	036	2013/02/06	< 45.000	2016/02	
ENDRIN	39390	036	2013/02/06	< .100	2016/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/02/06	< .020	2016/02	
GLYPHOSATE	79743	036	2013/02/06	< 25.000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-066
Source Name: SBVMWD SWP WATER - RAW
Source Number: 066
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
HEPTACHLOR	39410	036	2013/02/06	< .010	2016/02	
HEPTACHLOR EPOXIDE	39420	036	2013/02/06	< .010	2016/02	
HEXACHLOROBENZENE	39700	036	2013/02/06	< .500	2016/02	
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/02/06	< 1.000	2016/02	
LINDANE	39340	036	2013/02/06	< .200	2016/02	
METHOXYCHLOR	39480	036	2013/02/06	< 10.000	2016/02	
MOLINATE	82199	036	2013/02/06	< 2.000	2016/02	
OXAMYL	38865	036	2013/02/06	< 20.000	2016/02	
PENTACHLOROPHENOL	39032	036	2013/02/06	< .200	2016/02	
PICLORAM	39720	036	2013/02/06	< 1.000	2016/02	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/02/06	< .500	2016/02	
SIMAZINE	39055	036	2013/02/06	< 1.000	2016/02	
THIOBENCARB	A-001	036	2013/02/06	< 1.000	2016/02	
TOXAPHENE	39400	036	2013/02/06	< 1.000	2016/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	012	2013/02/06	< .500	2014/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/02/06	< .500	2014/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/02/06	< 10.000	2014/02	DUE
1,1,2-TRICHLOROETHANE	34511	012	2013/02/06	< .500	2014/02	DUE
1,1-DICHLOROETHANE	34496	012	2013/02/06	< .500	2014/02	DUE
1,1-DICHLOROETHYLENE	34501	012	2013/02/06	< .500	2014/02	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2013/02/06	< .500	2014/02	DUE
1,2-DICHLOROBENZENE	34536	012	2013/02/06	< .500	2014/02	DUE
1,2-DICHLOROETHANE	34531	012	2013/02/06	< .500	2014/02	DUE
1,2-DICHLOROPROPANE	34541	012	2013/02/06	< .500	2014/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/02/06	< .500	2014/02	DUE
1,4-DICHLOROBENZENE	34571	012	2013/02/06	< .500	2014/02	DUE
BENZENE	34030	012	2013/02/06	< .500	2014/02	DUE
CARBON TETRACHLORIDE	32102	012	2013/02/06	< .500	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-066
Source Name: SBVMWD SWP WATER - RAW
Source Number: 066
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/02/06	< .500	2014/02	DUE
DICHLOROMETHANE	34423	012	2013/02/06	< .500	2014/02	DUE
ETHYLBENZENE	34371	012	2013/02/06	< .500	2014/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/02/06	< 3.000	2014/02	DUE
MONOCHLOROBENZENE	34301	012	2013/02/06	< .500	2014/02	DUE
STYRENE	77128	012	2013/02/06	< .500	2014/02	DUE
TETRACHLOROETHYLENE	34475	012	2013/02/06	< .500	2014/02	DUE
TOLUENE	34010	012	2013/02/06	< .500	2014/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/02/06	< .500	2014/02	DUE
TRICHLOROETHYLENE	39180	012	2013/02/06	< .500	2014/02	DUE
TRICHLOROFLUOROMETHANE	34488	012	2013/02/06	< 5.000	2014/02	DUE
VINYL CHLORIDE	39175	012	2013/02/06	< .500	2014/02	DUE
XYLENES (TOTAL)	81551	012	2013/02/06	< .000	2014/02	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2013/02/06	. 100.000	2014/02	DUE
CALCIUM	00916	012	2013/02/06	. 22.600	2014/02	DUE
CARBONATE ALKALINITY	00445	012	2013/02/06	< .000	2014/02	DUE
CHLORIDE	00940	012	2013/02/06	. 81.000	2014/02	DUE
COLOR	00081	012	2013/02/06	3.000	2014/02	DUE
COPPER	01042	012	2013/02/06	< 50.000	2014/02	DUE
FOAMING AGENTS (MBAS)	38260	012	2013/02/06	< .000	2014/02	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2013/02/06	. 100.000	2014/02	DUE
HYDROXIDE ALKALINITY	71830	012	2013/02/06	< .000	2014/02	DUE
IRON	01045	012	2013/02/06	< 100.000	2014/02	DUE
MAGNESIUM	00927	012	2013/02/06	. 11.200	2014/02	DUE
MANGANESE	01055	012	2013/02/06	< 20.000	2014/02	DUE
ODOR THRESHOLD @ 60 C	00086	012	2013/02/06	. 2.000	2014/02	DUE
PH, LABORATORY	00403	012	2013/02/06	. 7.840	2014/02	DUE
SILVER	01077	012	2013/02/06	< 10.000	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-066
Source Name: SBVMWD SWP WATER - RAW
Source Number: 066
Source Status: PURCHASED RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SODIUM	00929	012	2013/02/06		55.000	2014/02	DUE
SPECIFIC CONDUCTANCE	00095	012	2013/02/06	.	530.000	2014/02	DUE
SULFATE	00945	012	2013/02/06		39.000	2014/02	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2013/02/06	.	280.000	2014/02	DUE
TURBIDITY, LABORATORY	82079	012	2013/02/06	.	.320	2014/02	DUE
ZINC	01092	012	2013/02/06	<	50.000	2014/02	DUE

PS Code: 3610041-067
Source Name: WELL F-44B
Source Number: 067
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/09	<	50.000	2017/07
ANTIMONY	01097	036	2014/07/09	<	6.000	2017/07
ARSENIC	01002	036	2014/07/09	<	2.000	2017/07
BARIUM	01007	036	2014/07/09	<	100.000	2017/07
BERYLLIUM	01012	036	2014/07/09	<	1.000	2017/07
CADMIUM	01027	036	2014/07/09	<	1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/09	<	10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/09	.	3.300	2017/07
CYANIDE	01291	036	2014/07/09	<	100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	.	.190	2017/07
MERCURY	71900	036	2014/07/09	<	1.000	2017/07
NICKEL	01067	036	2014/07/09	<	10.000	2017/07
PERCHLORATE	A-031	036	2014/07/09	<	4.000	2017/07
SELENIUM	01147	036	2014/07/09	<	5.000	2017/07
THALLIUM	01059	036	2014/07/09	<	1.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-067
Source Name: WELL F-44B
Source Number: 067
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 26.000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/05/23	. 3.690	2016/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/09	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/09	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/09	< .500	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-067
Source Name: WELL F-44B
Source Number: 067
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	036	2014/07/09	< .500	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/09	. 210.000	2017/07
CALCIUM	00916	036	2014/07/09	. 53.200	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/09	< .000	2017/07
CHLORIDE	00940	036	2014/07/09	. 10.000	2017/07
COLOR	00081	036	2014/07/09	< .000	2017/07
COPPER	01042	036	2014/07/09	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/09	< .000	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/09	. 160.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/09	< .000	2017/07
IRON	01045	036	2014/07/09	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/09	. 7.000	2017/07
MANGANESE	01055	036	2014/07/09	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/09	. 7.560	2017/07
SILVER	01077	036	2014/07/09	< 10.000	2017/07
SODIUM	00929	036	2014/07/09	. 21.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 420.000	2017/07
SULFATE	00945	036	2014/07/09	. 13.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 270.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	< .000	2017/07
ZINC	01092	036	2014/07/09	< 50.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-068
Source Name: WELL F-44C
Source Number: 068
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/07/09	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/09	< 6.000	2017/07
ARSENIC	01002	036	2014/07/09	< 2.000	2017/07
BARIUM	01007	036	2014/07/09	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/09	< 1.000	2017/07
CADMIUM	01027	036	2014/07/09	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/09	< 10.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/09	. 3.000	2017/07
CYANIDE	01291	036	2014/07/09	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. .190	2017/07
MERCURY	71900	036	2014/07/09	< 1.000	2017/07
NICKEL	01067	036	2014/07/09	< 10.000	2017/07
PERCHLORATE	A-031	036	2014/07/09	< 4.000	2017/07
SELENIUM	01147	036	2014/07/09	< 5.000	2017/07
THALLIUM	01059	036	2014/07/09	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 23.000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/05/23	. 3.700	2015/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/09	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/09	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-068
Source Name: WELL F-44C
Source Number: 068
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	< .500	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	< .500	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	< .500	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	< .500	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	< .500	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/09	< .500	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/09	< .500	2017/07
BENZENE	34030	036	2014/07/09	< .500	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	< .500	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	< .500	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	< .500	2017/07
ETHYLBENZENE	34371	036	2014/07/09	< .500	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	< 3.000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	< .500	2017/07
STYRENE	77128	036	2014/07/09	< .500	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	< .500	2017/07
TOLUENE	34010	036	2014/07/09	< .500	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	< .500	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	< .500	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	< 5.000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	< .500	2017/07
XYLENES (TOTAL)	81551	036	2014/07/09	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/09	. 190.000	2017/07
CALCIUM	00916	036	2014/07/09	. 55.300	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/09	< .000	2017/07
CHLORIDE	00940	036	2014/07/09	. 15.000	2017/07
COLOR	00081	036	2014/07/09	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-068
Source Name: WELL F-44C
Source Number: 068
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/07/09	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/09	< .000	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/09	. 170.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/09	< .000	2017/07
IRON	01045	036	2014/07/09	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/09	. 6.940	2017/07
MANGANESE	01055	036	2014/07/09	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	. 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/09	. 7.790	2017/07
SILVER	01077	036	2014/07/09	< 10.000	2017/07
SODIUM	00929	036	2014/07/09	. 16.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 420.000	2017/07
SULFATE	00945	036	2014/07/09	. 18.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/09	. 260.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/09	< .000	2017/07
ZINC	01092	036	2014/07/09	< 50.000	2017/07

PS Code: 3610041-069
Source Name: F17 TREATMENT PLANT INFLUENT
Source Number: 069
Source Status: COMBINATION OR BLEND RAW
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-070						
Source Name: F17 TREATMENT PLANT EFFLUENT - TREATED						
Source Number: 070						
Source Status: ACTIVE TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610041-071						
Source Name: POWERHOUSE F11 AFTERBAY						
Source Number: 071						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-071
Source Name: POWERHOUSE F11 AFTERBAY
Source Number: 071
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000				DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	000				DUE
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-071
Source Name: POWERHOUSE F11 AFTERBAY
Source Number: 071
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-071***

Source Name: ***POWERHOUSE F11 AFTERBAY***

Source Number: ***071***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	000			DUE
COLOR	00081	000			DUE
COPPER	01042	000			DUE
FOAMING AGENTS (MBAS)	38260	000			DUE
HARDNESS (TOTAL) AS CACO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	000			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	000			DUE
ODOR THRESHOLD @ 60 C	00086	000			DUE
PH, LABORATORY	00403	000			DUE
SILVER	01077	000			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	000			DUE
SULFATE	00945	000			DUE
TOTAL DISSOLVED SOLIDS	70300	000			DUE
TURBIDITY, LABORATORY	82079	000			DUE
ZINC	01092	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

PS Code: ***3610041-072***

Source Name: ***WELL F-07B***

Source Number: ***072***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/07/18	< 50.000	2016/07	
ANTIMONY	01097	036	2013/07/18	< 6.000	2016/07	
ARSENIC	01002	036	2013/07/18	< 2.000	2016/07	
BARIUM	01007	036	2013/07/18	< 100.000	2016/07	
BERYLLIUM	01012	036	2013/07/18	< 1.000	2016/07	
CADMIUM	01027	036	2013/07/18	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/18	< 10.000	2016/07	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2013/07/18	< 100.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/18	. .220	2016/07	
MERCURY	71900	036	2013/07/18	< 1.000	2016/07	
NICKEL	01067	036	2013/07/18	< 10.000	2016/07	
PERCHLORATE	A-031	036	2014/01/21	< .000	2017/01	
SELENIUM	01147	036	2013/07/18	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/18	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/18	. 16.000	2014/07	
NITRITE (AS N)	00620	036	2013/07/18	< 400.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/05/14	< .000	2015/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/29	< .000	2014/06	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/29	< .000	2014/06	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/07/18	< .500	2019/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/18	< .500	2019/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/18	< 10.000	2019/07	
1,1,2-TRICHLOROETHANE	34511	072	2013/07/18	< .500	2019/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-072
Source Name: WELL F-07B
Source Number: 072
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/07/18	< .500	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/18	< .500	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/18	< .500	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/18	< .500	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/18	< .500	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/18	< .500	2019/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/18	< .500	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/18	< .500	2019/07
BENZENE	34030	072	2013/07/18	< .500	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/18	< .500	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/18	< .500	2019/07
DICHLOROMETHANE	34423	072	2013/07/18	< .500	2019/07
ETHYLBENZENE	34371	072	2013/07/18	< .500	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/07/18	< 3.000	2019/07
MONOCHLOROBENZENE	34301	072	2013/07/18	< .500	2019/07
STYRENE	77128	072	2013/07/18	< .500	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/18	< .500	2019/07
TOLUENE	34010	072	2013/07/18	< .500	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/18	< .500	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/18	< .500	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/18	< 5.000	2019/07
VINYL CHLORIDE	39175	072	2013/07/18	< .500	2019/07
XYLENES (TOTAL)	81551	072	2013/07/18	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/18	. 200.000	2016/07
CALCIUM	00916	036	2013/07/18	. 47.900	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/18	< .000	2016/07
CHLORIDE	00940	036	2013/07/18	. 9.100	2016/07
COLOR	00081	036	2013/07/18	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

PS Code: 3610041-072
Source Name: WELL F-07B
Source Number: 072
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/07/18	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/18	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/18	. 150.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/18	< .000	2016/07
IRON	01045	036	2013/07/18	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/18	. 7.670	2016/07
MANGANESE	01055	036	2013/07/18	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/18	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/18	. 7.870	2016/07
SILVER	01077	036	2013/07/18	< 10.000	2016/07
SODIUM	00929	036	2013/07/18	17.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/18	. 360.000	2016/07
SULFATE	00945	036	2013/07/18	12.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/18	. 230.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/18	< .000	2016/07
ZINC	01092	036	2013/07/18	< 50.000	2016/07

PS Code: 3610041-073
Source Name: LYTLE CREEK RAW
Source Number: 073
Source Status: ACTIVE RAW
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-074					
Source Name: MWD SWP - RAW - PENDING					
Source Number: 074					
Source Status: PENDING					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-075					
Source Name: SANDHILL CONV EQ TANK - RAW					
Source Number: 075					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-076					
Source Name: SANDHILL CONVENTIONAL TREATED					
Source Number: 076					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-077					
Source Name: F-23 IX TP					
Source Number: 077					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-078					
Source Name: WELL F21B - PENDING					
Source Number: 078					
Source Status: PENDING					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-079					
Source Name: WELL F54A - PENDING					
Source Number: 079					
Source Status: PENDING					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-080					
Source Name: WELL F10D - PENDING					
Source Number: 080					
Source Status: PENDING					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-081					
Source Name: CUCAMONGA VALLEY WD					
Source Number: 081					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-601						
Source Name: DBP2-8566 PECAN						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610041-602						
Source Name: DBP2-11815 OVERLAND						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610041***

System Name: ***SAN GABRIEL VALLEY WC - FONTANA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610041-602***						
Source Name: ***DBP2-11815 OVERLAND***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610041-603***						
Source Name: ***DBP2-15072 SNAPDRAGON***						
Source Number: ***603***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-604						
Source Name: DBP2-16779 SPRING						
Source Number: 604						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610041-605						
Source Name: DBP2-17876 TAYLOR						
Source Number: 605						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-605						
Source Name: DBP2-17876 TAYLOR						
Source Number: 605						
Source Status: DISTRIBUTION TREATED						
Water type: S						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610041-606						
Source Name: DBP2-18215 GROVE						
Source Number: 606						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-607						
Source Name: DBP2-5445 BUCKSKIN						
Source Number: 607						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610041-608						
Source Name: DBP2-10795 BENNETT						
Source Number: 608						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610041-608						
Source Name: DBP2-10795 BENNETT						
Source Number: 608						
Source Status: DISTRIBUTION TREATED						
Water type: S						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610041-800						
Source Name: WELL F-02A - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610041-801						
Source Name: RESERVOIR F7 - TREATED (CL2)						
Source Number: 801						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610041
System Name: SAN GABRIEL VALLEY WC - FONTANA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610041-802					
Source Name: RESERVOIR F13 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-803					
Source Name: RESERVOIR F19 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-804					
Source Name: WELL F-30A (30) - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610041-805					
Source Name: RESERVOIR F44 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-001
Source Name: AGATE WELL 04
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/18	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/18	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/18	. 5.200	2017/02	
BARIUM	01007	036	2014/02/18	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/07	. 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. .480	2017/02	
MERCURY	71900	036	2014/02/18	< 1.000	2017/02	
NICKEL	01067	036	2014/02/18	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 14.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/07	. 2.460	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/18	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/18	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/18	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/18	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-001
Source Name: AGATE WELL 04
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/02/18	< .500	2017/02
1,1-DICHLOROETHYLENE	34501	036	2014/02/18	< .500	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/18	< .500	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/18	< .500	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/18	< .500	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/18	< .500	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/18	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/18	< .500	2017/02
BENZENE	34030	036	2014/02/18	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/18	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/18	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/18	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/18	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/18	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/18	< .500	2017/02
STYRENE	77128	036	2014/02/18	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/18	< .500	2017/02
TOLUENE	34010	036	2014/02/18	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/18	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/18	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/18	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/18	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/18	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 180.000	2017/02
CALCIUM	00916	036	2014/02/18	. 55.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 100.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-001
Source Name: AGATE WELL 04
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 180.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 9.900	2017/02
MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.610	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	130.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 930.000	2017/02
SULFATE	00945	036	2014/02/18	190.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	. 620.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	. .380	2017/02
ZINC	01092	036	2014/02/18	< 50.000	2017/02

PS Code: 3610043-002
Source Name: AGATE WELL 05
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/02/18	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/18	< 6.000	2017/02
ARSENIC	01002	036	2014/02/18	. 3.000	2017/02
BARIUM	01007	036	2014/02/18	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-002
Source Name: AGATE WELL 05
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/07	. 1.400	2014/01	DUE
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. .450	2017/02	
MERCURY	71900	036	2014/02/18	< 1.000	2017/02	
NICKEL	01067	036	2014/02/18	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 7.600	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/20	. 2.520	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/18	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/18	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/18	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/18	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/18	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-002
Source Name: AGATE WELL 05
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/18	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/18	< .500	2017/02
BENZENE	34030	036	2014/02/18	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/18	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/18	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/18	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/18	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/18	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/18	< .500	2017/02
STYRENE	77128	036	2014/02/18	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/18	< .500	2017/02
TOLUENE	34010	036	2014/02/18	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/18	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/18	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/18	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/18	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/18	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 170.000	2017/02
CALCIUM	00916	036	2014/02/18	. 69.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 97.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 220.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 12.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-002
Source Name: AGATE WELL 05
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/02/18	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/18	.	7.700	2017/02	
SILVER	01077	036	2014/02/18	<	10.000	2017/02	
SODIUM	00929	036	2014/02/18		87.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	.	780.000	2017/02	
SULFATE	00945	036	2014/02/18		150.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	.	530.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/18	.	.630	2017/02	
ZINC	01092	036	2014/02/18	<	50.000	2017/02	

PS Code: 3610043-003
Source Name: AGATE WELL 06
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/02/18	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/18	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/18	.	2.300	2017/02	
BARIUM	01007	036	2014/02/18	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/18	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/18	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/18	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/07	.	1.800	2014/01	DUE
CYANIDE	01291	036	2014/02/18	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	.	.420	2017/02	
MERCURY	71900	036	2014/02/18	<	1.000	2017/02	
NICKEL	01067	036	2014/02/18	<	10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-003
Source Name: AGATE WELL 06
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 11.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/07	. 6.920	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/18	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/18	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/18	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/18	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/18	< .500	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/18	< .500	2017/02	
1,4-DICHLOROBENZENE	34571	036	2014/02/18	< .500	2017/02	
BENZENE	34030	036	2014/02/18	< .500	2017/02	
CARBON TETRACHLORIDE	32102	036	2014/02/18	< .500	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/18	< .500	2017/02	
DICHLOROMETHANE	34423	036	2014/02/18	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-003
Source Name: AGATE WELL 06
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/02/18	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/18	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/18	< .500	2017/02
STYRENE	77128	036	2014/02/18	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/18	< .500	2017/02
TOLUENE	34010	036	2014/02/18	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/18	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/18	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/18	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/18	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/18	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 170.000	2017/02
CALCIUM	00916	036	2014/02/18	. 80.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 100.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 260.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	200.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 14.000	2017/02
MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.680	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	98.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 890.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-003
Source Name: AGATE WELL 06
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2014/02/18		190.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	.	610.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/18	.	.660	2017/02	
ZINC	01092	036	2014/02/18	<	50.000	2017/02	

PS Code: 3610043-005
Source Name: ARROWHEAD WELL 02
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2013/12/11	<	50.000	2016/12	
ANTIMONY	01097	036	2013/12/11	<	6.000	2016/12	
ARSENIC	01002	036	2013/12/11	<	2.000	2016/12	
BARIUM	01007	036	2013/12/11	<	100.000	2016/12	
BERYLLIUM	01012	036	2013/12/11	<	1.000	2016/12	
CADMIUM	01027	036	2013/12/11	<	1.000	2016/12	
CHROMIUM (TOTAL)	01034	036	2013/12/11	<	10.000	2016/12	
CHROMIUM, HEXAVALENT	01032	036	2008/02/06	<	1.000	2011/02	DUE
CYANIDE	01291	036	2013/12/11	<	100.000	2016/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/11	.	.370	2016/12	
MERCURY	71900	036	2013/12/11	<	1.000	2016/12	
NICKEL	01067	036	2013/12/11	<	10.000	2016/12	
PERCHLORATE	A-031	036	2014/05/20	<	4.000	2017/05	
SELENIUM	01147	036	2013/12/11	<	5.000	2016/12	
THALLIUM	01059	036	2013/12/11	<	1.000	2016/12	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/05/20	.	33.000	2015/05	
NITRITE (AS N)	00620	036	2013/12/11	<	400.000	2016/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-005***

Source Name: ***ARROWHEAD WELL 02***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	**2009/11/08**	**4.900**	**2012/11**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/12/11	**< .010**	2016/12	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/11	**< .020**	2016/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/12/11	**< .500**	2016/12	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/12/11	**< .500**	2016/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/12/11	**< 10.000**	2016/12	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/12/11	**< .500**	2016/12	
1,1-DICHLOROETHANE	**34496**	**036**	2013/12/11	**< .500**	2016/12	
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/12/11	**< .500**	2016/12	
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/12/11	**< .500**	2016/12	
1,2-DICHLOROBENZENE	**34536**	**036**	2013/12/11	**< .500**	2016/12	
1,2-DICHLOROETHANE	**34531**	**036**	2013/12/11	**< .500**	2016/12	
1,2-DICHLOROPROPANE	**34541**	**036**	2013/12/11	**< .500**	2016/12	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/12/11	**< .500**	2016/12	
1,4-DICHLOROBENZENE	**34571**	**036**	2013/12/11	**< .500**	2016/12	
BENZENE	**34030**	**036**	2013/12/11	**< .500**	2016/12	
CARBON TETRACHLORIDE	**32102**	**036**	2013/12/11	**< .500**	2016/12	
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/12/11	**< .500**	2016/12	
DICHLOROMETHANE	**34423**	**036**	2013/12/11	**< .500**	2016/12	
ETHYLBENZENE	**34371**	**036**	2013/12/11	**< .500**	2016/12	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/12/11	**< 3.000**	2016/12	
MONOCHLOROBENZENE	**34301**	**036**	2013/12/11	**< .500**	2016/12	
STYRENE	**77128**	**036**	2013/12/11	**< .500**	2016/12	
TETRACHLOROETHYLENE	**34475**	**036**	2013/12/11	**< .500**	2016/12	
TOLUENE	**34010**	**036**	2013/12/11	**< .500**	2016/12	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/12/11	**< .500**	2016/12	
TRICHLOROETHYLENE	**39180**	**036**	2013/12/11	**< .500**	2016/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-005
Source Name: ARROWHEAD WELL 02
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/12/11	< 5.000	2016/12
VINYL CHLORIDE	39175	036	2013/12/11	< .500	2016/12
XYLENES (TOTAL)	81551	036	2013/12/11	< 1.000	2016/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/12/11	. 240.000	2016/12
CALCIUM	00916	036	2013/12/11	. 82.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/11	.000	2016/12
CHLORIDE	00940	036	2013/12/11	. 58.000	2016/12
COLOR	00081	036	2013/12/11	< 1.000	2016/12
COPPER	01042	036	2013/12/11	< 50.000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/11	< .100	2016/12
HARDNESS (TOTAL) AS CACO3	00900	036	2013/12/11	. 270.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/11	. .000	2016/12
IRON	01045	036	2013/12/11	< 100.000	2016/12
MAGNESIUM	00927	036	2013/12/11	. 15.000	2016/12
MANGANESE	01055	036	2013/12/11	< 20.000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/11	< 1.000	2016/12
PH, LABORATORY	00403	036	2013/12/11	. 7.760	2016/12
SILVER	01077	036	2013/12/11	< 10.000	2016/12
SODIUM	00929	036	2013/12/11	76.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/11	. 860.000	2016/12
SULFATE	00945	036	2013/12/11	160.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/11	. 570.000	2016/12
TURBIDITY, LABORATORY	82079	036	2013/12/11	< .100	2016/12
ZINC	01092	036	2013/12/11	< 50.000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-008
Source Name: BRADSHAW WELL 01
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/12	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/12	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/12	. 5.400	2017/02	
BARIUM	01007	036	2014/02/12	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/12	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/12	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/12	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/05	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/12	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/12	. .410	2017/02	
MERCURY	71900	036	2014/02/12	< 1.000	2017/02	
NICKEL	01067	036	2014/02/12	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/12	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/12	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 15.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/12	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/05	. 4.150	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/12	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/12	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/12	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/12	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/12	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/12	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-008
Source Name: BRADSHAW WELL 01
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/02/12	< .500	2017/02
1,1-DICHLOROETHYLENE	34501	036	2014/02/12	< .500	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/12	< .500	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/12	< .500	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/12	< .500	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/12	< .500	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/12	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/12	< .500	2017/02
BENZENE	34030	036	2014/02/12	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/12	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/12	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/12	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/12	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/12	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/12	< .500	2017/02
STYRENE	77128	036	2014/02/12	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/12	< .500	2017/02
TOLUENE	34010	036	2014/02/12	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/12	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/12	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/12	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/12	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/12	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/12	. 180.000	2017/02
CALCIUM	00916	036	2014/02/12	. 57.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/12	.000	2017/02
CHLORIDE	00940	036	2014/02/12	. 83.000	2017/02
COLOR	00081	036	2014/02/12	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-008
Source Name: BRADSHAW WELL 01
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2014/02/12	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/12	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/12	. 190.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/12	. .000	2017/02
IRON	01045	036	2014/02/12	200.000	2017/02
MAGNESIUM	00927	036	2014/02/12	. 12.000	2017/02
MANGANESE	01055	036	2014/02/12	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/12	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/12	. 7.240	2017/02
SILVER	01077	036	2014/02/12	< 10.000	2017/02
SODIUM	00929	036	2014/02/12	98.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/12	. 710.000	2017/02
SULFATE	00945	036	2014/02/12	120.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/12	. 480.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/12	. .590	2017/02
ZINC	01092	036	2014/02/12	< 50.000	2017/02

PS Code: 3610043-009
Source Name: BRADSHAW WELL 02
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/02/12	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/12	< 6.000	2017/02
ARSENIC	01002	036	2014/02/12	. 4.600	2017/02
BARIUM	01007	036	2014/02/12	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/12	< 1.000	2017/02
CADMIUM	01027	036	2014/02/12	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-009***

Source Name: ***BRADSHAW WELL 02***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/12	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2008/02/04	< 1.000	2011/02	DUE
CYANIDE	01291	036	2014/02/12	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/12	. .440	2017/02	
MERCURY	71900	036	2014/02/12	< 1.000	2017/02	
NICKEL	01067	036	2014/02/12	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/12	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/12	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 17.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/12	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/05	. 2.890	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/12	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/12	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/12	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/12	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/12	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/12	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/12	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/12	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/12	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-009
Source Name: BRADSHAW WELL 02
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/12	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/12	< .500	2017/02
BENZENE	34030	036	2014/02/12	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/12	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/12	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/12	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/12	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/12	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/12	< .500	2017/02
STYRENE	77128	036	2014/02/12	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/12	< .500	2017/02
TOLUENE	34010	036	2014/02/12	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/12	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/12	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/12	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/12	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/12	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/12	. 160.000	2017/02
CALCIUM	00916	036	2014/02/12	. 47.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/12	.000	2017/02
CHLORIDE	00940	036	2014/02/12	. 61.000	2017/02
COLOR	00081	036	2014/02/12	< 1.000	2017/02
COPPER	01042	036	2014/02/12	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/12	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/12	. 150.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/12	. .000	2017/02
IRON	01045	036	2014/02/12	130.000	2017/02
MAGNESIUM	00927	036	2014/02/12	. 9.200	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043

System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-009

Source Name: BRADSHAW WELL 02

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2014/02/12	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/12	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/12	.	7.450	2017/02	
SILVER	01077	036	2014/02/12	<	10.000	2017/02	
SODIUM	00929	036	2014/02/12		83.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/12	.	600.000	2017/02	
SULFATE	00945	036	2014/02/12		84.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/12	.	380.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/12	.	.340	2017/02	
ZINC	01092	036	2014/02/12	<	50.000	2017/02	

PS Code: 3610043-011

Source Name: BRADSHAW WELL 04

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/02/12	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/12	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/12	.	3.100	2017/02	
BARIUM	01007	036	2014/02/12	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/12	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/12	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/12	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/05	<	1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/12	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/12	.	.260	2017/02	
MERCURY	71900	036	2014/02/12	<	1.000	2017/02	
NICKEL	01067	036	2014/02/12	<	10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-011
Source Name: BRADSHAW WELL 04
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/12	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/12	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 18.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/12	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2011/01/05**	. 2.730	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/12	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/12	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/12	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/12	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/12	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/12	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/12	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/12	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/12	< .500	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/12	< .500	2017/02	
1,4-DICHLOROBENZENE	34571	036	2014/02/12	< .500	2017/02	
BENZENE	34030	036	2014/02/12	< .500	2017/02	
CARBON TETRACHLORIDE	32102	036	2014/02/12	< .500	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/12	< .500	2017/02	
DICHLOROMETHANE	34423	036	2014/02/12	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043

System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-011

Source Name: BRADSHAW WELL 04

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/02/12	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/12	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/12	< .500	2017/02
STYRENE	77128	036	2014/02/12	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/12	< .500	2017/02
TOLUENE	34010	036	2014/02/12	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/12	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/12	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/12	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/12	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/12	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/12	. 150.000	2017/02
CALCIUM	00916	036	2014/02/12	. 48.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/12	.000	2017/02
CHLORIDE	00940	036	2014/02/12	. 56.000	2017/02
COLOR	00081	036	2014/02/12	< 1.000	2017/02
COPPER	01042	036	2014/02/12	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/12	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/12	. 160.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/12	. .000	2017/02
IRON	01045	036	2014/02/12	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/12	. 8.800	2017/02
MANGANESE	01055	036	2014/02/12	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/12	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/12	. 7.390	2017/02
SILVER	01077	036	2014/02/12	< 10.000	2017/02
SODIUM	00929	036	2014/02/12	61.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/12	. 550.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-011
Source Name: BRADSHAW WELL 04
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2014/02/12		69.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/12	.	340.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/12	.	.160	2017/02	
ZINC	01092	036	2014/02/12	<	50.000	2017/02	

PS Code: 3610043-012
Source Name: BRADSHAW WELL 05
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/02/12	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/12	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/12	.	2.800	2017/02	
BARIUM	01007	036	2014/02/12	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/12	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/12	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/12	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/05	<	1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/12	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/12	.	.240	2017/02	
MERCURY	71900	036	2014/02/12	<	1.000	2017/02	
NICKEL	01067	036	2014/02/12	<	10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	<	4.000	2017/08	
SELENIUM	01147	036	2014/02/12	<	5.000	2017/02	
THALLIUM	01059	036	2014/02/12	<	1.000	2017/02	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/02/12	.	10.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/12	<	400.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-012
Source Name: BRADSHAW WELL 05
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/05	. 1.330	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/12	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/12	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/12	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/12	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/12	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/12	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/12	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/12	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/12	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/12	< .500	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/12	< .500	2017/02	
1,4-DICHLOROBENZENE	34571	036	2014/02/12	< .500	2017/02	
BENZENE	34030	036	2014/02/12	< .500	2017/02	
CARBON TETRACHLORIDE	32102	036	2014/02/12	< .500	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/12	< .500	2017/02	
DICHLOROMETHANE	34423	036	2014/02/12	< .500	2017/02	
ETHYLBENZENE	34371	036	2014/02/12	< .500	2017/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/12	< 3.000	2017/02	
MONOCHLOROBENZENE	34301	036	2014/02/12	< .500	2017/02	
STYRENE	77128	036	2014/02/12	< .500	2017/02	
TETRACHLOROETHYLENE	34475	036	2014/02/12	< .500	2017/02	
TOLUENE	34010	036	2014/02/12	< .500	2017/02	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/12	< .500	2017/02	
TRICHLOROETHYLENE	39180	036	2014/02/12	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-012
Source Name: BRADSHAW WELL 05
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/02/12	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/12	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/12	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/12	. 140.000	2017/02
CALCIUM	00916	036	2014/02/12	. 39.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/12	.000	2017/02
CHLORIDE	00940	036	2014/02/12	. 38.000	2017/02
COLOR	00081	036	2014/02/12	< 1.000	2017/02
COPPER	01042	036	2014/02/12	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/12	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/12	. 130.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/12	. .000	2017/02
IRON	01045	036	2014/02/12	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/12	. 7.300	2017/02
MANGANESE	01055	036	2014/02/12	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/12	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/12	. 7.370	2017/02
SILVER	01077	036	2014/02/12	< 10.000	2017/02
SODIUM	00929	036	2014/02/12	43.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/12	. 400.000	2017/02
SULFATE	00945	036	2014/02/12	48.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/12	. 250.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/12	. .440	2017/02
ZINC	01092	036	2014/02/12	< 50.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-013
Source Name: BRADSHAW WELL 06
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/12	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/12	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/12	. 4.000	2017/02	
BARIUM	01007	036	2014/02/12	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/12	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/12	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/12	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/05	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/12	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/12	. .260	2017/02	
MERCURY	71900	036	2014/02/12	< 1.000	2017/02	
NICKEL	01067	036	2014/02/12	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/12	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/12	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 10.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/12	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/05	. .909	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/12	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/12	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/12	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/12	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/12	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/12	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-013
Source Name: BRADSHAW WELL 06
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/02/12	< .500	2017/02
1,1-DICHLOROETHYLENE	34501	036	2014/02/12	< .500	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/12	< .500	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/12	< .500	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/12	< .500	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/12	< .500	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/12	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/12	< .500	2017/02
BENZENE	34030	036	2014/02/12	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/12	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/12	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/12	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/12	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/12	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/12	< .500	2017/02
STYRENE	77128	036	2014/02/12	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/12	< .500	2017/02
TOLUENE	34010	036	2014/02/12	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/12	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/12	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/12	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/12	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/12	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/12	. 140.000	2017/02
CALCIUM	00916	036	2014/02/12	. 59.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/12	.000	2017/02
CHLORIDE	00940	036	2014/02/12	. 66.000	2017/02
COLOR	00081	036	2014/02/12	. 7.500	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-013
Source Name: BRADSHAW WELL 06
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/12	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/12	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/12	. 190.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/12	. .000	2017/02
IRON	01045	036	2014/08/05	. 830.000	2017/08
MAGNESIUM	00927	036	2014/02/12	. 11.000	2017/02
MANGANESE	01055	036	2014/02/12	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/12	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/12	. 7.580	2017/02
SILVER	01077	036	2014/02/12	< 10.000	2017/02
SODIUM	00929	036	2014/02/12	63.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/12	. 590.000	2017/02
SULFATE	00945	036	2014/02/12	94.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/12	. 380.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/12	. 5.000	2017/02
ZINC	01092	036	2014/02/12	< 50.000	2017/02

PS Code: 3610043-014
Source Name: BRADSHAW WELL 07
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02
ARSENIC	01002	036	2014/02/11	. 2.400	2017/02
BARIUM	01007	036	2014/02/11	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-014***

Source Name: ***BRADSHAW WELL 07***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/06	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .340	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 11.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/06	. 1.660	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/11	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/11	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/11	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/11	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/11	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/11	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/11	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-014
Source Name: BRADSHAW WELL 07
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/11	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/11	< .500	2017/02
BENZENE	34030	036	2014/02/11	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/11	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/11	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/11	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/11	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/11	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/11	< .500	2017/02
STYRENE	77128	036	2014/02/11	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/11	< .500	2017/02
TOLUENE	34010	036	2014/02/11	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/11	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/11	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/11	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/11	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/11	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 150.000	2017/02
CALCIUM	00916	036	2014/02/11	. 51.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< .000	2017/02
CHLORIDE	00940	036	2014/02/11	. 54.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 160.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< .000	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 8.800	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-014
Source Name: BRADSHAW WELL 07
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2014/02/11	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/11	.	7.390	2017/02	
SILVER	01077	036	2014/02/11	<	10.000	2017/02	
SODIUM	00929	036	2014/02/11	.	53.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	.	550.000	2017/02	
SULFATE	00945	036	2014/02/11	.	79.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	.	350.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/11	<	.100	2017/02	
ZINC	01092	036	2014/02/11	<	50.000	2017/02	

PS Code: 3610043-017
Source Name: BRADSHAW WELL 10
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/02/11	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/11	.	3.300	2017/02	
BARIUM	01007	036	2014/02/11	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/11	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/06	<	1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	.	.360	2017/02	
MERCURY	71900	036	2014/02/11	<	1.000	2017/02	
NICKEL	01067	036	2014/02/11	<	10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-017
Source Name: BRADSHAW WELL 10
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 16.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2011/01/06**	. 4.710	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/11	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/11	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/11	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/11	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/11	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/11	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/11	< .500	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/11	< .500	2017/02	
1,4-DICHLOROBENZENE	34571	036	2014/02/11	< .500	2017/02	
BENZENE	34030	036	2014/02/11	< .500	2017/02	
CARBON TETRACHLORIDE	32102	036	2014/02/11	< .500	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/11	< .500	2017/02	
DICHLOROMETHANE	34423	036	2014/02/11	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-017***

Source Name: ***BRADSHAW WELL 10***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2014/02/11	**< .500**	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/02/11	**< 3.000**	2017/02
MONOCHLOROBENZENE	**34301**	**036**	2014/02/11	**< .500**	2017/02
STYRENE	**77128**	**036**	2014/02/11	**< .500**	2017/02
TETRACHLOROETHYLENE	**34475**	**036**	2014/02/11	**< .500**	2017/02
TOLUENE	**34010**	**036**	2014/02/11	**< .500**	2017/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/02/11	**< .500**	2017/02
TRICHLOROETHYLENE	**39180**	**036**	2014/02/11	**< .500**	2017/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/02/11	**< 5.000**	2017/02
VINYL CHLORIDE	**39175**	**036**	2014/02/11	**< .500**	2017/02
XYLENES (TOTAL)	**81551**	**036**	2014/02/11	**< 1.000**	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/02/11	**. 150.000**	2017/02
CALCIUM	**00916**	**036**	2014/02/11	**. 49.000**	2017/02
CARBONATE ALKALINITY	**00445**	**036**	2014/02/11	**< .000**	2017/02
CHLORIDE	**00940**	**036**	2014/02/11	**. 52.000**	2017/02
COLOR	**00081**	**036**	2014/02/11	**< 1.000**	2017/02
COPPER	**01042**	**036**	2014/02/11	**< 50.000**	2017/02
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/02/11	**< .100**	2017/02
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/02/11	**. 160.000**	2017/02
HYDROXIDE ALKALINITY	**71830**	**036**	2014/02/11	**< .000**	2017/02
IRON	**01045**	**036**	2014/02/11	**< 100.000**	2017/02
MAGNESIUM	**00927**	**036**	2014/02/11	**. 8.900**	2017/02
MANGANESE	**01055**	**036**	2014/02/11	**< 20.000**	2017/02
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/02/11	**< 1.000**	2017/02
PH, LABORATORY	**00403**	**036**	2014/02/11	**. 7.330**	2017/02
SILVER	**01077**	**036**	2014/02/11	**< 10.000**	2017/02
SODIUM	**00929**	**036**	2014/02/11	**. 57.000**	2017/02
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/02/11	**. 560.000**	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610043-017						
Source Name: BRADSHAW WELL 10						
Source Number: 017						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2014/02/11	. 70.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 350.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/11	< .100	2017/02	
ZINC	01092	036	2014/02/11	< 50.000	2017/02	
PS Code: 3610043-018						
Source Name: BRADSHAW WELL 11						
Source Number: 018						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/01/06	< 50.000	2014/01	DUE
ANTIMONY	01097	036	2011/01/06	< 6.000	2014/01	DUE
ARSENIC	01002	036	2011/01/06	. 2.800	2014/01	DUE
BARIUM	01007	036	2011/01/06	< 100.000	2014/01	DUE
BERYLLIUM	01012	036	2011/01/06	< 1.000	2014/01	DUE
CADMIUM	01027	036	2011/01/06	< 1.000	2014/01	DUE
CHROMIUM (TOTAL)	01034	036	2011/01/06	< 10.000	2014/01	DUE
CHROMIUM, HEXAVALENT	01032	036	2011/01/06	< 1.000	2014/01	DUE
CYANIDE	01291	036	2011/01/06	< 100.000	2014/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/01/06	. .380	2014/01	DUE
MERCURY	71900	036	2011/01/06	< 1.000	2014/01	DUE
NICKEL	01067	036	2011/01/06	< 10.000	2014/01	DUE
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2011/01/06	< 5.000	2014/01	DUE
THALLIUM	01059	036	2011/01/06	< 1.000	2014/01	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/01/06	. 10.000	2012/01	DUE
NITRITE (AS N)	00620	036	2011/01/06	< 400.000	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-018
Source Name: BRADSHAW WELL 11
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/06	. 4.050	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/06	< .010	2014/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/01/06	< .020	2014/01	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/01/06	< .500	2014/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/01/06	< .500	2014/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/01/06	< 10.000	2014/01	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/01/06	< .500	2014/01	DUE
1,1-DICHLOROETHANE	34496	036	2011/01/06	< .500	2014/01	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/01/06	< .500	2014/01	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/01/06	< .500	2014/01	DUE
1,2-DICHLOROBENZENE	34536	036	2011/01/06	< .500	2014/01	DUE
1,2-DICHLOROETHANE	34531	036	2011/01/06	< .500	2014/01	DUE
1,2-DICHLOROPROPANE	34541	036	2011/01/06	< .500	2014/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/01/06	< .500	2014/01	DUE
1,4-DICHLOROBENZENE	34571	036	2011/01/06	< .500	2014/01	DUE
BENZENE	34030	036	2011/01/06	< .500	2014/01	DUE
CARBON TETRACHLORIDE	32102	036	2011/01/06	< .500	2014/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/01/06	< .500	2014/01	DUE
DICHLOROMETHANE	34423	036	2011/01/06	< .500	2014/01	DUE
ETHYLBENZENE	34371	036	2011/01/06	< .500	2014/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/01/06	< 3.000	2014/01	DUE
MONOCHLOROBENZENE	34301	036	2011/01/06	< .500	2014/01	DUE
STYRENE	77128	036	2011/01/06	< .500	2014/01	DUE
TETRACHLOROETHYLENE	34475	036	2011/01/06	< .500	2014/01	DUE
TOLUENE	34010	036	2011/01/06	< .500	2014/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/01/06	< .500	2014/01	DUE
TRICHLOROETHYLENE	39180	036	2011/01/06	< .500	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-018
Source Name: BRADSHAW WELL 11
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TRICHLOROFLUOROMETHANE	34488	036	2011/01/06	<	5.000	2014/01	DUE
VINYL CHLORIDE	39175	036	2011/01/06	<	.500	2014/01	DUE
XYLENES (TOTAL)	81551	036	2011/01/06	<	1.000	2014/01	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/01/06	.	120.000	2014/01	DUE
CALCIUM	00916	036	2011/01/06	.	39.000	2014/01	DUE
CARBONATE ALKALINITY	00445	036	2011/01/06	<	2.000	2014/01	DUE
CHLORIDE	00940	036	2011/01/06	.	50.000	2014/01	DUE
COLOR	00081	036	2011/01/06	<	1.000	2014/01	DUE
COPPER	01042	036	2011/01/06	<	50.000	2014/01	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/01/06	<	.100	2014/01	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/01/06	.	130.000	2014/01	DUE
HYDROXIDE ALKALINITY	71830	036	2011/01/06	<	2.000	2014/01	DUE
IRON	01045	036	2011/01/06	<	100.000	2014/01	DUE
MAGNESIUM	00927	036	2011/01/06	.	7.400	2014/01	DUE
MANGANESE	01055	036	2011/01/06	<	20.000	2014/01	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/01/06	<	1.000	2014/01	DUE
PH, LABORATORY	00403	036	2011/01/06	.	7.680	2014/01	DUE
SILVER	01077	036	2011/01/06	<	10.000	2014/01	DUE
SODIUM	00929	036	2011/01/06		43.000	2014/01	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/01/06	.	460.000	2014/01	DUE
SULFATE	00945	036	2011/01/06		54.000	2014/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/01/06	.	260.000	2014/01	DUE
TURBIDITY, LABORATORY	82079	036	2011/01/06	.	1.200	2014/01	DUE
ZINC	01092	036	2011/01/06	<	50.000	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-019
Source Name: BRADSHAW WELL 12
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/11	. 2.800	2017/02	
BARIUM	01007	036	2014/02/11	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/06	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .320	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 19.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/06	. 2.830	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/11	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/11	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/11	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/11	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-019
Source Name: BRADSHAW WELL 12
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/02/11	< .500	2017/02
1,1-DICHLOROETHYLENE	34501	036	2014/02/11	< .500	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/11	< .500	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/11	< .500	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/11	< .500	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/11	< .500	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/11	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/11	< .500	2017/02
BENZENE	34030	036	2014/02/11	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/11	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/11	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/11	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/11	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/11	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/11	< .500	2017/02
STYRENE	77128	036	2014/02/11	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/11	< .500	2017/02
TOLUENE	34010	036	2014/02/11	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/11	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/11	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/11	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/11	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/11	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 150.000	2017/02
CALCIUM	00916	036	2014/02/11	. 53.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< .000	2017/02
CHLORIDE	00940	036	2014/02/11	. 54.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-019
Source Name: BRADSHAW WELL 12
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 170.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< .000	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 9.400	2017/02
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.200	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 57.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 550.000	2017/02
SULFATE	00945	036	2014/02/11	. 79.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 370.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	< .100	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

PS Code: 3610043-020
Source Name: GLEN ROAD WELL 01
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/02/18	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/18	< 6.000	2017/02
ARSENIC	01002	036	2014/02/18	< 2.000	2017/02
BARIUM	01007	036	2014/02/18	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-020***

Source Name: ***GLEN ROAD WELL 01***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/07	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. .450	2017/02	
MERCURY	71900	036	2014/02/18	< 1.000	2017/02	
NICKEL	01067	036	2014/02/18	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 10.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/07	. 4.540	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/18	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/18	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/18	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/18	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/18	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-020
Source Name: GLEN ROAD WELL 01
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/18	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/18	< .500	2017/02
BENZENE	34030	036	2014/02/18	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/18	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/18	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/18	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/18	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/18	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/18	< .500	2017/02
STYRENE	77128	036	2014/02/18	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/18	< .500	2017/02
TOLUENE	34010	036	2014/02/18	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/18	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/18	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/18	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/18	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/18	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 150.000	2017/02
CALCIUM	00916	036	2014/02/18	. 46.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 58.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 150.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 8.200	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043

System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-020

Source Name: GLEN ROAD WELL 01

Source Number: 020

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/02/18	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/18	.	7.620	2017/02	
SILVER	01077	036	2014/02/18	<	10.000	2017/02	
SODIUM	00929	036	2014/02/18		67.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	.	610.000	2017/02	
SULFATE	00945	036	2014/02/18		91.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	.	380.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/18	<	.100	2017/02	
ZINC	01092	036	2014/02/18	<	50.000	2017/02	

PS Code: 3610043-021

Source Name: GLEN ROAD WELL 02

Source Number: 021

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/02/18	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/18	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/18	.	2.000	2017/02	
BARIUM	01007	036	2014/02/18	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/18	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/18	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/18	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/07	<	1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/18	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	.	.540	2017/02	
MERCURY	71900	036	2014/02/18	<	1.000	2017/02	
NICKEL	01067	036	2014/02/18	<	10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-021
Source Name: GLEN ROAD WELL 02
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 7.900	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2011/01/07**	. 4.230	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/18	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/18	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/18	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/18	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/18	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/18	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/18	< .500	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/18	< .500	2017/02	
1,4-DICHLOROBENZENE	34571	036	2014/02/18	< .500	2017/02	
BENZENE	34030	036	2014/02/18	< .500	2017/02	
CARBON TETRACHLORIDE	32102	036	2014/02/18	< .500	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/18	< .500	2017/02	
DICHLOROMETHANE	34423	036	2014/02/18	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043

System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-021

Source Name: GLEN ROAD WELL 02

Source Number: 021

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2014/02/18	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/18	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/18	< .500	2017/02
STYRENE	77128	036	2014/02/18	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/18	< .500	2017/02
TOLUENE	34010	036	2014/02/18	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/18	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/18	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/18	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/18	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/18	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 150.000	2017/02
CALCIUM	00916	036	2014/02/18	. 39.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 47.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 130.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 7.400	2017/02
MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.700	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	55.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 500.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-021
Source Name: GLEN ROAD WELL 02
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2014/02/18		69.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	.	330.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	<	.100	2017/02
ZINC	01092	036	2014/02/18	<	50.000	2017/02

PS Code: 3610043-025
Source Name: CROOKS WELL - STANDBY
Source Number: 025
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC						
ALUMINUM	01105	108	2014/02/19	<	50.000	2023/02
ANTIMONY	01097	108	2014/02/19	<	6.000	2023/02
ARSENIC	01002	108	2014/02/19	.	3.400	2023/02
BARIUM	01007	108	2014/02/19	<	100.000	2023/02
BERYLLIUM	01012	108	2014/02/19	<	1.000	2023/02
CADMIUM	01027	108	2014/02/19	<	1.000	2023/02
CHROMIUM (TOTAL)	01034	108	2014/02/19	<	10.000	2023/02
CHROMIUM, HEXAVALENT	01032	108	2008/02/06	<	1.000	2017/02
CYANIDE	01291	108	2014/02/19	<	100.000	2023/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2014/02/19	.	.610	2023/02
MERCURY	71900	108	2014/02/19	<	1.000	2023/02
NICKEL	01067	108	2014/02/19	<	10.000	2023/02
PERCHLORATE	A-031	108	2014/02/19	<	4.000	2023/02
SELENIUM	01147	108	2014/02/19	<	5.000	2023/02
THALLIUM	01059	108	2014/02/19	<	1.000	2023/02
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	108	2014/02/19	.	40.000	2023/02
NITRITE (AS N)	00620	108	2014/02/19	<	400.000	2023/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-025
Source Name: CROOKS WELL - STANDBY
Source Number: 025
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/02/19	. 8.570	2023/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2014/02/19	< .500	2023/02
1,1,2,2-TETRACHLOROETHANE	34516	108	2014/02/19	< .500	2023/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2014/02/19	< 10.000	2023/02
1,1,2-TRICHLOROETHANE	34511	108	2014/02/19	< .500	2023/02
1,1-DICHLOROETHANE	34496	108	2014/02/19	< .500	2023/02
1,1-DICHLOROETHYLENE	34501	108	2014/02/19	< .500	2023/02
1,2,4-TRICHLOROBENZENE	34551	108	2014/02/19	< .500	2023/02
1,2-DICHLOROBENZENE	34536	108	2014/02/19	< .500	2023/02
1,2-DICHLOROETHANE	34531	108	2014/02/19	< .500	2023/02
1,2-DICHLOROPROPANE	34541	108	2014/02/19	< .500	2023/02
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2014/02/19	< .500	2023/02
1,4-DICHLOROBENZENE	34571	108	2014/02/19	< .500	2023/02
BENZENE	34030	108	2014/02/19	< .500	2023/02
CARBON TETRACHLORIDE	32102	108	2014/02/19	< .500	2023/02
CIS-1,2-DICHLOROETHYLENE	77093	108	2014/02/19	< .500	2023/02
DICHLOROMETHANE	34423	108	2014/02/19	< .500	2023/02
ETHYLBENZENE	34371	108	2014/02/19	< .500	2023/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/02/19	< 3.000	2023/02
MONOCHLOROBENZENE	34301	108	2014/02/19	< .500	2023/02
STYRENE	77128	108	2014/02/19	< .500	2023/02
TETRACHLOROETHYLENE	34475	108	2014/02/19	< .500	2023/02
TOLUENE	34010	108	2014/02/19	< .500	2023/02
TRANS-1,2-DICHLOROETHYLENE	34546	108	2014/02/19	< .500	2023/02
TRICHLOROETHYLENE	39180	108	2014/02/19	< .500	2023/02
TRICHLOROFLUOROMETHANE	34488	108	2014/02/19	< 5.000	2023/02
VINYL CHLORIDE	39175	108	2014/02/19	< .500	2023/02
XYLENES (TOTAL)	81551	108	2014/02/19	< 1.000	2023/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043

System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-025

Source Name: CROOKS WELL - STANDBY

Source Number: 025

Source Status: STANDBY RAW

Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BICARBONATE ALKALINITY	00440	108	2014/02/19	.	440.000	2023/02
CALCIUM	00916	108	2014/02/19	.	120.000	2023/02
CARBONATE ALKALINITY	00445	108	2014/02/19		.000	2023/02
CHLORIDE	00940	108	2014/02/19	.	260.000	2023/02
COLOR	00081	108	2014/02/19	<	1.000	2023/02
COPPER	01042	108	2014/02/19	<	50.000	2023/02
FOAMING AGENTS (MBAS)	38260	108	2014/02/19	<	.100	2023/02
HARDNESS (TOTAL) AS CACO3	00900	108	2014/02/19	.	410.000	2023/02
HYDROXIDE ALKALINITY	71830	108	2014/02/19	.	.000	2023/02
IRON	01045	108	2014/02/19		200.000	2023/02
MAGNESIUM	00927	108	2014/02/19	.	27.000	2023/02
MANGANESE	01055	108	2014/02/19		40.000	2023/02
ODOR THRESHOLD @ 60 C	00086	108	2014/02/19	<	1.000	2023/02
PH, LABORATORY	00403	108	2014/02/19	.	7.250	2023/02
SILVER	01077	108	2014/02/19	<	10.000	2023/02
SODIUM	00929	108	2014/02/19		270.000	2023/02
SPECIFIC CONDUCTANCE	00095	108	2014/02/19	.	2000.000	2023/02
SULFATE	00945	108	2014/02/19		400.000	2023/02
TOTAL DISSOLVED SOLIDS	70300	108	2014/02/19	.	1400.000	2023/02
TURBIDITY, LABORATORY	82079	108	2014/02/19	.	.550	2023/02
ZINC	01092	108	2014/02/19	<	50.000	2023/02

PS Code: 3610043-028T

Source Name: BRADSHAW DR. & MAIN ST.

Source Number: 028

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610043-029T **Source Name:** BARSTOW RD. & STANDFORD **Source Number:** 029 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-030T **Source Name:** IRWIN RD. & ARROWHEAD **Source Number:** 030 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-031T **Source Name:** SOAPMINE RD. & SPRUCE **Source Number:** 031 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-032T **Source Name:** CROOKS WELL TREATED **Source Number:** 032 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-033
Source Name: BRADSHAW WELL 13
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/11	. 3.000	2017/02	
BARIUM	01007	036	2014/02/11	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/06	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .340	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 14.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/06	. 3.450	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/11	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/11	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/11	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/11	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-033***

Source Name: ***BRADSHAW WELL 13***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2014/02/11	**< .500**	2017/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/02/11	**< .500**	2017/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/02/11	**< .500**	2017/02
1,2-DICHLOROBENZENE	**34536**	**036**	2014/02/11	**< .500**	2017/02
1,2-DICHLOROETHANE	**34531**	**036**	2014/02/11	**< .500**	2017/02
1,2-DICHLOROPROPANE	**34541**	**036**	2014/02/11	**< .500**	2017/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/02/11	**< .500**	2017/02
1,4-DICHLOROBENZENE	**34571**	**036**	2014/02/11	**< .500**	2017/02
BENZENE	**34030**	**036**	2014/02/11	**< .500**	2017/02
CARBON TETRACHLORIDE	**32102**	**036**	2014/02/11	**< .500**	2017/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/02/11	**< .500**	2017/02
DICHLOROMETHANE	**34423**	**036**	2014/02/11	**< .500**	2017/02
ETHYLBENZENE	**34371**	**036**	2014/02/11	**< .500**	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/02/11	**< 3.000**	2017/02
MONOCHLOROBENZENE	**34301**	**036**	2014/02/11	**< .500**	2017/02
STYRENE	**77128**	**036**	2014/02/11	**< .500**	2017/02
TETRACHLOROETHYLENE	**34475**	**036**	2014/02/11	**< .500**	2017/02
TOLUENE	**34010**	**036**	2014/02/11	**< .500**	2017/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/02/11	**< .500**	2017/02
TRICHLOROETHYLENE	**39180**	**036**	2014/02/11	**< .500**	2017/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/02/11	**< 5.000**	2017/02
VINYL CHLORIDE	**39175**	**036**	2014/02/11	**< .500**	2017/02
XYLENES (TOTAL)	**81551**	**036**	2014/02/11	**< 1.000**	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/02/11	**. 150.000**	2017/02
CALCIUM	**00916**	**036**	2014/02/11	**. 61.000**	2017/02
CARBONATE ALKALINITY	**00445**	**036**	2014/02/11	**< .000**	2017/02
CHLORIDE	**00940**	**036**	2014/02/11	**. 64.000**	2017/02
COLOR	**00081**	**036**	2014/02/11	**< 1.000**	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-033
Source Name: BRADSHAW WELL 13
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 200.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< .000	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 11.000	2017/02
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.320	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 56.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 620.000	2017/02
SULFATE	00945	036	2014/02/11	. 100.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 410.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	< .100	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

PS Code: 3610043-034
Source Name: BRADSHAW WELL 14
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02
ARSENIC	01002	036	2014/02/11	. 3.700	2017/02
BARIUM	01007	036	2014/02/11	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

PS Code: ***3610043-034***

Source Name: ***BRADSHAW WELL 14***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/06	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .390	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/08/12	< 4.000	2017/08	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/13	. 32.000	2015/05	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/06	. 4.070	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/02/11	< .500	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/11	< .500	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/11	< 10.000	2017/02	
1,1,2-TRICHLOROETHANE	34511	036	2014/02/11	< .500	2017/02	
1,1-DICHLOROETHANE	34496	036	2014/02/11	< .500	2017/02	
1,1-DICHLOROETHYLENE	34501	036	2014/02/11	< .500	2017/02	
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROBENZENE	34536	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROETHANE	34531	036	2014/02/11	< .500	2017/02	
1,2-DICHLOROPROPANE	34541	036	2014/02/11	< .500	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-034
Source Name: BRADSHAW WELL 14
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/11	< .500	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/11	< .500	2017/02
BENZENE	34030	036	2014/02/11	< .500	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/11	< .500	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/11	< .500	2017/02
DICHLOROMETHANE	34423	036	2014/02/11	< .500	2017/02
ETHYLBENZENE	34371	036	2014/02/11	< .500	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/11	< 3.000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/11	< .500	2017/02
STYRENE	77128	036	2014/02/11	< .500	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/11	< .500	2017/02
TOLUENE	34010	036	2014/02/11	< .500	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/11	< .500	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/11	< .500	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/11	< 5.000	2017/02
VINYL CHLORIDE	39175	036	2014/02/11	< .500	2017/02
XYLENES (TOTAL)	81551	036	2014/02/11	< 1.000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 200.000	2017/02
CALCIUM	00916	036	2014/02/11	. 69.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< .000	2017/02
CHLORIDE	00940	036	2014/02/11	. 83.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 230.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< .000	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 13.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-034
Source Name: BRADSHAW WELL 14
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.360	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 85.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 810.000	2017/02
SULFATE	00945	036	2014/02/11	. 120.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 530.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	< .100	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

PS Code: 3610043-035
Source Name: BOOSTER INFLUENT-WEST BEAR VALLEY ZONE
Source Number: 035
Source Status: DISTRIBUTION RAW
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610043-036
Source Name: FINAL BLEND-CROOKS PLANT & DISTRIBUTION
Source Number: 036
Source Status: DISTRIBUTION TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610043-601					
Source Name: DBP2-1324 CARSON ST.					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/08/05	. 1.700	2014/11
DICHLOROACETIC ACID (DCAA)	77288	003	2014/08/05	< 1.000	2014/11
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/08/05	. 8.900	2014/11
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/08/05	. 1.400	2014/11
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/08/05	. 5.900	2014/11
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/08/05	< 1.000	2014/11
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/08/05	. 2.000	2014/11
BROMOFORM (THM)	32104	003	2014/08/05	. 2.500	2014/11
CHLOROFORM (THM)	32106	003	2014/08/05	< 1.000	2014/11
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/08/05	. 3.600	2014/11
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/08/05	. 8.100	2014/11
PS Code: 3610043-602					
Source Name: DBP2-H ST.					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/08/05	< 1.000	2014/11
DICHLOROACETIC ACID (DCAA)	77288	003	2014/08/05	< 1.000	2014/11
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/08/05	. 6.300	2014/11
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/08/05	. 1.100	2014/11
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/08/05	. 5.100	2014/11
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/08/05	< 1.000	2014/11
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/08/05	< 1.000	2014/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610043-602					
Source Name: DBP2-H ST.					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/08/05	< 1.000	2014/11
CHLOROFORM (THM)	32106	003	2014/08/05	< 1.000	2014/11
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/08/05	. 1.100	2014/11
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/08/05	. 1.100	2014/11
PS Code: 3610043-603					
Source Name: DBP2-37191 TRIPOLI AVE.					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/08/05	. 1.400	2014/11
DICHLOROACETIC ACID (DCAA)	77288	003	2014/08/05	< 1.000	2014/11
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/08/05	. 5.700	2014/11
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/08/05	< 1.000	2014/11
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/08/05	. 4.300	2014/11
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/08/05	< 1.000	2014/11
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/08/05	< 1.000	2014/11
BROMOFORM (THM)	32104	003	2014/08/05	. 3.700	2014/11
CHLOROFORM (THM)	32106	003	2014/08/05	< 1.000	2014/11
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/08/05	. 1.500	2014/11
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/08/05	. 5.200	2014/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

PS Code: 3610043-604
Source Name: DBP2-2587 FISHER BLVD.
Source Number: 604
Source Status: DISTRIBUTION TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/20	. 1.900	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/20	< 1.000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/20	. 1.900	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/20	< 1.000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/20	< 2.000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/20	< 1.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/20	. 2.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/20	. 1.100	2014/08
CHLOROFORM (THM)	32106	003	2014/05/20	< 1.000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/20	. 2.800	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/20	. 6.300	2014/08

PS Code: 3610043-800
Source Name: AGATE WELL 04 - TREATED (CL2)
Source Number: 800
Source Status: ACTIVE TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: ***3610043***
System Name: ***GOLDEN STATE WATER CO - BARSTOW***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610043-801***					
Source Name: ***AGATE WELL 05 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610043-802***					
Source Name: ***AGATE WELL 06 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610043-803***					
Source Name: ***ARROWHEAD WELL 02 - TREATED (CL2)***					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610043-804***					
Source Name: ***BRADSHAW WELL 01 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610043-805					
Source Name: BRADSHAW WELL 02 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-806					
Source Name: BRADSHAW WELL 04 - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-807					
Source Name: BRADSHAW WELL 05 - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-808					
Source Name: BRADSHAW WELL 06 - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610043-809					
Source Name: BRADSHAW WELL 07 - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-810					
Source Name: BRADSHAW WELL 10 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-811					
Source Name: BRADSHAW WELL 11 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-812					
Source Name: BRADSHAW WELL 12 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610043
System Name: GOLDEN STATE WATER CO - BARSTOW

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610043-813					
Source Name: GLEN ROAD WELL 01 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-814					
Source Name: GLEN ROAD WELL 02 - TREATED (CL2)					
Source Number: 814					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-815					
Source Name: SOAPMINE WELL 02 - TREATED (CL2)					
Source Number: 815					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610043-816					
Source Name: BRADSHAW WELL 13 - TREATED (CL2)					
Source Number: 816					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610043***

System Name: ***GOLDEN STATE WATER CO - BARSTOW***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610043-817***					
Source Name: ***BRADSHAW WELL 14 - TREATED (CL2)***					
Source Number: ***817***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-001
Source Name: BOW CANYON
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	. 7.500	2014/10	
BARIUM	01007	036	2011/10/12	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/11	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .310	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/06/28	< .000	2021/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-001
Source Name: BOW CANYON
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/03/01	< .000	2017/03
1,1-DICHLOROETHYLENE	34501	072	2011/03/01	< .000	2017/03
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/01	< .000	2017/03
1,2-DICHLOROBENZENE	34536	072	2011/03/01	< .000	2017/03
1,2-DICHLOROETHANE	34531	072	2011/03/01	< .000	2017/03
1,2-DICHLOROPROPANE	34541	072	2011/03/01	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/01	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/01	< .000	2017/03
BENZENE	34030	072	2011/03/01	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/01	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/01	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/01	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/01	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/01	< .000	2017/03
STYRENE	77128	072	2011/03/01	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/01	< .000	2017/03
TOLUENE	34010	072	2011/03/01	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/01	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/01	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/01	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/01	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/01	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 210.000	2014/10
CALCIUM	00916	036	2011/10/12	. 38.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 3.900	2014/10
COLOR	00081	036	2011/10/12	. 20.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-001
Source Name: BOW CANYON
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 170.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2012/12/20	. 140.000	2015/12
MAGNESIUM	00927	036	2011/10/12	. 15.000	2014/10
MANGANESE	01055	036	2012/12/20	. 40.000	2015/12
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.900	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	22.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 390.000	2014/10
SULFATE	00945	036	2011/10/12	23.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 250.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. 16.000	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

PS Code: 3610044-003
Source Name: DIVISION PLANT WELL 02 - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/20	. 79.000	2014/10
ANTIMONY	01097	036	2011/10/20	< .000	2014/10
ARSENIC	01002	036	2011/10/20	< .000	2014/10
BARIUM	01007	036	2011/10/20	< .000	2014/10
BERYLLIUM	01012	036	2011/10/20	< .000	2014/10
CADMIUM	01027	036	2011/10/20	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-003
Source Name: DIVISION PLANT WELL 02 - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/20	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/05	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/20	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/20	. .150	2014/10	
MERCURY	71900	036	2011/10/20	< .000	2014/10	
NICKEL	01067	036	2011/10/20	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/20	< .000	2014/10	
SELENIUM	01147	036	2011/10/20	< .000	2014/10	
THALLIUM	01059	036	2011/10/20	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 7.900	2014/10	
NITRITE (AS N)	00620	036	2011/10/20	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/10	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/10	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/10	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/10	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/10	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/10	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/10	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/10	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/10	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/10	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/10	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-003
Source Name: DIVISION PLANT WELL 02 - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/10	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/10	< .000	2017/03
BENZENE	34030	072	2011/03/10	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/10	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/10	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/10	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/10	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/10	< .000	2017/03
STYRENE	77128	072	2011/03/10	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/10	< .000	2017/03
TOLUENE	34010	072	2011/03/10	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/10	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/10	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/10	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/10	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/10	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/20	. 250.000	2014/10
CALCIUM	00916	036	2011/10/20	. 70.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/20	< .000	2014/10
CHLORIDE	00940	036	2011/10/20	. 18.000	2014/10
COLOR	00081	036	2011/10/20	< .000	2014/10
COPPER	01042	036	2011/10/20	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/20	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/20	. 240.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/20	< .000	2014/10
IRON	01045	036	2014/07/05	< .000	2017/07
MAGNESIUM	00927	036	2011/10/20	. 21.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044

System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-003

Source Name: DIVISION PLANT WELL 02 - RAW

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MANGANESE	01055	001	2014/07/05	. 28.000	2014/08	
ODOR THRESHOLD @ 60 C	00086	036	2011/10/20	1.000	2014/10	
PH, LABORATORY	00403	036	2011/10/20	. 7.400	2014/10	
SILVER	01077	036	2011/10/20	< .000	2014/10	
SODIUM	00929	036	2011/10/20	17.000	2014/10	
SPECIFIC CONDUCTANCE	00095	036	2011/10/20	. 520.000	2014/10	
SULFATE	00945	036	2011/10/20	29.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/20	. 300.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/20	. 1.600	2014/10	
ZINC	01092	036	2011/10/20	< .000	2014/10	

PS Code: 3610044-005

Source Name: DIVISION PLANT WELL 04 - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	108	2011/10/20	< .000	2020/10	
ANTIMONY	01097	108	2011/10/20	< .000	2020/10	
ARSENIC	01002	108	2011/10/20	< .000	2020/10	
BARIUM	01007	108	2011/10/20	< .000	2020/10	
BERYLLIUM	01012	108	2011/10/20	< .000	2020/10	
CADMIUM	01027	108	2011/10/20	< .000	2020/10	
CHROMIUM (TOTAL)	01034	108	2011/10/20	< .000	2020/10	
CHROMIUM, HEXAVALENT	01032	108	2003/02/19	. .000	2012/02	DUE
CYANIDE	01291	108	2011/10/20	< .000	2020/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2011/10/20	. .170	2020/10	
MERCURY	71900	108	2011/10/20	< .000	2020/10	
NICKEL	01067	108	2011/10/20	< .000	2020/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044

System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-005

Source Name: DIVISION PLANT WELL 04 - STANDBY

Source Number: 005

Source Status: STANDBY RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	108	2011/10/20	< .000	2020/10
SELENIUM	01147	108	2011/10/20	< .000	2020/10
THALLIUM	01059	108	2011/10/20	< .000	2020/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	108	2013/10/22	. 6.100	2022/10
NITRITE (AS N)	00620	108	2011/10/20	< .000	2020/10
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/03/10	3.300	2020/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2011/03/10	< .000	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/03/10	< .000	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/03/10	< .000	2020/03
1,1,2-TRICHLOROETHANE	34511	108	2011/03/10	< .000	2020/03
1,1-DICHLOROETHANE	34496	108	2011/03/10	< .000	2020/03
1,1-DICHLOROETHYLENE	34501	108	2011/03/10	< .000	2020/03
1,2,4-TRICHLOROBENZENE	34551	108	2011/03/10	< .000	2020/03
1,2-DICHLOROBENZENE	34536	108	2011/03/10	< .000	2020/03
1,2-DICHLOROETHANE	34531	108	2011/03/10	< .000	2020/03
1,2-DICHLOROPROPANE	34541	108	2011/03/10	< .000	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/03/10	< .000	2020/03
1,4-DICHLOROBENZENE	34571	108	2011/03/10	< .000	2020/03
BENZENE	34030	108	2011/03/10	< .000	2020/03
CARBON TETRACHLORIDE	32102	108	2011/03/10	< .000	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/03/10	< .000	2020/03
DICHLOROMETHANE	34423	108	2011/03/10	< .000	2020/03
ETHYLBENZENE	34371	108	2011/03/10	< .000	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2014/02/24	< .000	2023/02
MONOCHLOROBENZENE	34301	108	2011/03/10	< .000	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-005
Source Name: DIVISION PLANT WELL 04 - STANDBY
Source Number: 005
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	108	2011/03/10	< .000	2020/03
TETRACHLOROETHYLENE	34475	108	2011/03/10	< .000	2020/03
TOLUENE	34010	108	2011/03/10	< .000	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/03/10	< .000	2020/03
TRICHLOROETHYLENE	39180	108	2011/03/10	< .000	2020/03
TRICHLOROFLUOROMETHANE	34488	108	2011/03/10	< .000	2020/03
VINYL CHLORIDE	39175	108	2011/03/10	< .000	2020/03
XYLENES (TOTAL)	81551	108	2011/03/10	< .000	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2011/10/20	. 250.000	2020/10
CALCIUM	00916	108	2011/10/20	. 70.000	2020/10
CARBONATE ALKALINITY	00445	108	2011/10/20	< .000	2020/10
CHLORIDE	00940	108	2011/10/20	. 25.000	2020/10
COLOR	00081	108	2011/10/20	. 20.000	2020/10
COPPER	01042	108	2011/10/20	< .000	2020/10
FOAMING AGENTS (MBAS)	38260	108	2011/10/20	< .000	2020/10
HARDNESS (TOTAL) AS CACO3	00900	108	2011/10/20	. 240.000	2020/10
HYDROXIDE ALKALINITY	71830	108	2011/10/20	< .000	2020/10
IRON	01045	108	2011/10/20	1900.000	2020/10
MAGNESIUM	00927	108	2011/10/20	. 22.000	2020/10
MANGANESE	01055	108	2011/10/20	1100.000	2020/10
ODOR THRESHOLD @ 60 C	00086	108	2011/10/20	2.000	2020/10
PH, LABORATORY	00403	108	2011/10/20	. 7.200	2020/10
SILVER	01077	108	2011/10/20	< .000	2020/10
SODIUM	00929	108	2011/10/20	22.000	2020/10
SPECIFIC CONDUCTANCE	00095	108	2011/10/20	. 550.000	2020/10
SULFATE	00945	108	2011/10/20	34.000	2020/10
TOTAL DISSOLVED SOLIDS	70300	108	2011/10/20	. 320.000	2020/10
TURBIDITY, LABORATORY	82079	108	2011/10/20	. 13.000	2020/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610044-005						
Source Name: DIVISION PLANT WELL 04 - STANDBY						
Source Number: 005						
Source Status: STANDBY RAW						
Water type: G						
SECONDARY/GP						
ZINC	01092	108	2011/10/20	< .000	2020/10	
PS Code: 3610044-006						
Source Name: DIVISION PLANT WELL 05						
Source Number: 006						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	< .000	2014/10	
BARIUM	01007	036	2011/10/12	130.000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/19	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .170	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/10/24	. 9.100	2013/10	DUE
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/02	< .000	2020/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-006
Source Name: DIVISION PLANT WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/03/10	< .000	2014/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/03/10	< .000	2014/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/02	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/02	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/02	< .000	2017/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/02	< .000	2017/03	
1,4-DICHLOROBENZENE	34571	072	2011/03/02	< .000	2017/03	
BENZENE	34030	072	2011/03/02	< .000	2017/03	
CARBON TETRACHLORIDE	32102	072	2011/03/02	< .000	2017/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/02	< .000	2017/03	
DICHLOROMETHANE	34423	072	2011/03/02	< .000	2017/03	
ETHYLBENZENE	34371	072	2011/03/02	< .000	2017/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/03/02	< .000	2017/03	
MONOCHLOROBENZENE	34301	072	2011/03/02	< .000	2017/03	
STYRENE	77128	072	2011/03/02	< .000	2017/03	
TETRACHLOROETHYLENE	34475	072	2011/03/02	< .000	2017/03	
TOLUENE	34010	072	2011/03/02	< .000	2017/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/02	< .000	2017/03	
TRICHLOROETHYLENE	39180	072	2011/03/02	< .000	2017/03	
TRICHLOROFLUOROMETHANE	34488	072	2011/03/02	< .000	2017/03	
VINYL CHLORIDE	39175	072	2011/03/02	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-006
Source Name: DIVISION PLANT WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	072	2011/03/02	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 270.000	2014/10
CALCIUM	00916	036	2011/10/12	. 54.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 24.000	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 290.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 37.000	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	. 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.400	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	21.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 580.000	2014/10
SULFATE	00945	036	2011/10/12	38.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 360.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .500	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-007***

Source Name: ***DIVISION PLANT WELL 06***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2011/10/12	**< .000**	2014/10	
ANTIMONY	**01097**	**036**	2011/10/12	**< .000**	2014/10	
ARSENIC	**01002**	**036**	2011/10/12	**< .000**	2014/10	
BARIUM	**01007**	**036**	2011/10/12	**< .000**	2014/10	
BERYLLIUM	**01012**	**036**	2011/10/12	**< .000**	2014/10	
CADMIUM	**01027**	**036**	2011/10/12	**< .000**	2014/10	
CHROMIUM (TOTAL)	**01034**	**036**	2011/10/12	**< .000**	2014/10	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/02/12**	**. .000**	**2006/02**	**DUE**
CYANIDE	**01291**	**036**	2011/10/12	**< .000**	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/10/12	**. 1.200**	2014/10	
MERCURY	**71900**	**036**	2011/10/12	**< .000**	2014/10	
NICKEL	**01067**	**036**	2011/10/12	**< .000**	2014/10	
PERCHLORATE	**A-031**	**036**	2011/10/12	**< .000**	2014/10	
SELENIUM	**01147**	**036**	2011/10/12	**< .000**	2014/10	
THALLIUM	**01059**	**036**	2011/10/12	**< .000**	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/10/20	**. 3.500**	2014/10	
NITRITE (AS N)	**00620**	**036**	2011/10/12	**< .000**	2014/10	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2011/03/02	**< .000**	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/22	**< .000**	2017/02	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/22	**< .000**	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/03/02	**< .000**	2017/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/03/02	**< .000**	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/03/02	**< .000**	2017/03	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/03/02	**< .000**	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-007
Source Name: DIVISION PLANT WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/03/02	< .000	2017/03
1,1-DICHLOROETHYLENE	34501	072	2011/03/02	< .000	2017/03
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/02	< .000	2017/03
1,2-DICHLOROBENZENE	34536	072	2011/03/02	< .000	2017/03
1,2-DICHLOROETHANE	34531	072	2011/03/02	< .000	2017/03
1,2-DICHLOROPROPANE	34541	072	2011/03/02	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/02	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/02	< .000	2017/03
BENZENE	34030	072	2011/03/02	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/02	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/02	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/02	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/02	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/02	< .000	2017/03
STYRENE	77128	072	2011/03/02	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/02	< .000	2017/03
TOLUENE	34010	072	2011/03/02	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/02	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/02	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/02	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/02	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/02	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 310.000	2014/10
CALCIUM	00916	036	2011/10/12	. 47.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 5.800	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-007
Source Name: DIVISION PLANT WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 270.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 34.000	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 8.000	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	22.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 560.000	2014/10
SULFATE	00945	036	2011/10/12	34.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 340.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	< .000	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

PS Code: 3610044-008
Source Name: DIVISION PLANT WELL 07
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/10/12	< .000	2014/10
ANTIMONY	01097	036	2011/10/12	< .000	2014/10
ARSENIC	01002	036	2011/10/12	< .000	2014/10
BARIUM	01007	036	2011/10/12	< .000	2014/10
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10
CADMIUM	01027	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-008
Source Name: DIVISION PLANT WELL 07
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/05	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .820	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 4.800	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/02	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/02	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/02	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/02	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-008
Source Name: DIVISION PLANT WELL 07
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/02	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/02	< .000	2017/03
BENZENE	34030	072	2011/03/02	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/02	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/02	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/02	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/02	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/02	< .000	2017/03
STYRENE	77128	072	2011/03/02	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/02	< .000	2017/03
TOLUENE	34010	072	2011/03/02	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/02	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/02	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/02	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/02	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/02	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 310.000	2014/10
CALCIUM	00916	036	2011/10/12	. 57.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 14.000	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 300.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 37.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044

System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-008					
Source Name: DIVISION PLANT WELL 07					
Source Number: 008					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.800	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	20.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 600.000	2014/10
SULFATE	00945	036	2011/10/12	44.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 370.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .100	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10
PS Code: 3610044-009					
Source Name: LAKE PLANT 1-4 COMPOSITE - INACTIVE					
Source Number: 009					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-016					
Source Name: SAND CANYON					
Source Number: 016					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/10/20	< .000	2014/10
ANTIMONY	01097	036	2011/10/20	< .000	2014/10
ARSENIC	01002	036	2011/10/20	< .000	2014/10
BARIUM	01007	036	2011/10/20	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-016***

Source Name: ***SAND CANYON***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BERYLLIUM	01012	036	2011/10/20	< .000	2014/10	
CADMIUM	01027	036	2011/10/20	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/20	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/12	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/20	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/20	. .230	2014/10	
MERCURY	71900	036	2011/10/20	< .000	2014/10	
NICKEL	01067	036	2011/10/20	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/20	< .000	2014/10	
SELENIUM	01147	036	2011/10/20	< .000	2014/10	
THALLIUM	01059	036	2011/10/20	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 7.000	2014/10	
NITRITE (AS N)	00620	036	2011/10/20	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/01	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/01	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/01	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/01	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-016
Source Name: SAND CANYON
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	072	2011/03/01	< .000	2017/03
1,2-DICHLOROPROPANE	34541	072	2011/03/01	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/01	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/01	< .000	2017/03
BENZENE	34030	072	2011/03/01	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/01	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/01	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/01	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/01	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/01	< .000	2017/03
STYRENE	77128	072	2011/03/01	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/01	< .000	2017/03
TOLUENE	34010	072	2011/03/01	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/01	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/01	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/01	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/01	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/01	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/20	. 360.000	2014/10
CALCIUM	00916	036	2011/10/20	. 78.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/20	< .000	2014/10
CHLORIDE	00940	036	2011/10/20	. 9.200	2014/10
COLOR	00081	036	2011/10/20	< .000	2014/10
COPPER	01042	036	2011/10/20	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/20	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/20	. 350.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/20	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-016					
Source Name: SAND CANYON					
Source Number: 016					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
IRON	01045	036	2011/10/20	< .000	2014/10
MAGNESIUM	00927	036	2011/10/20	. 36.000	2014/10
MANGANESE	01055	036	2011/10/20	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/20	. 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/20	. 7.600	2014/10
SILVER	01077	036	2011/10/20	< .000	2014/10
SODIUM	00929	036	2011/10/20	9.100	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/20	. 640.000	2014/10
SULFATE	00945	036	2011/10/20	28.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/20	. 380.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/20	. .100	2014/10
ZINC	01092	036	2011/10/20	< .000	2014/10
PS Code: 3610044-018					
Source Name: SLANT WELL 02					
Source Number: 018					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-019					
Source Name: SLANT WELL 03					
Source Number: 019					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-020					
Source Name: SLANT WELL 04					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-021					
Source Name: SLANT WELL 05					
Source Number: 021					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-022					
Source Name: SLANT WELL 06					
Source Number: 022					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-023					
Source Name: SLANT WELL 07					
Source Number: 023					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-024					
Source Name: SLANT WELL 08					
Source Number: 024					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-025					
Source Name: SLANT WELL 09					
Source Number: 025					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-026					
Source Name: SLANT WELL 10					
Source Number: 026					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-027					
Source Name: SLANT WELL 11					
Source Number: 027					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***
System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610044-028***					
Source Name: ***SLANT WELL 12***					
Source Number: ***028***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610044-029***					
Source Name: ***SLANT WELL 13***					
Source Number: ***029***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610044-030***					
Source Name: ***SLANT WELL 14***					
Source Number: ***030***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610044-031***					
Source Name: ***DOGWOOD SLANTS 2,3,4,8,15-20 & SPR 1-3***					
Source Number: ***031***					
Source Status: ***COMBINATION OR BLEND RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2011/10/19	**< .000**	2014/10
ANTIMONY	**01097**	**036**	2011/10/19	**< .000**	2014/10
ARSENIC	**01002**	**036**	2011/10/19	**< .000**	2014/10
BARIUM	**01007**	**036**	2011/10/19	**< .000**	2014/10
BERYLLIUM	**01012**	**036**	2011/10/19	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-031***

Source Name: ***DOGWOOD SLANTS 2,3,4,8,15-20 & SPR 1-3***

Source Number: ***031***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2011/10/19	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/19	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/04	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/19	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/19	. .280	2014/10	
MERCURY	71900	036	2011/10/19	< .000	2014/10	
NICKEL	01067	036	2011/10/19	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/19	< .000	2014/10	
SELENIUM	01147	036	2011/10/19	< .000	2014/10	
THALLIUM	01059	036	2011/10/19	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 3.300	2014/10	
NITRITE (AS N)	00620	036	2011/10/19	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/02	3.500	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/02	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/02	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/02	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-031
Source Name: DOGWOOD SLANTS 2,3,4,8,15-20 & SPR 1-3
Source Number: 031
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2011/03/02	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/02	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/02	< .000	2017/03
BENZENE	34030	072	2011/03/02	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/02	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/02	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/02	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/02	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/02	< .000	2017/03
STYRENE	77128	072	2011/03/02	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/02	< .000	2017/03
TOLUENE	34010	072	2011/03/02	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/02	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/02	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/02	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/02	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/02	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/19	. 310.000	2014/10
CALCIUM	00916	036	2011/10/19	. 68.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/19	< .000	2014/10
CHLORIDE	00940	036	2011/10/19	. 4.000	2014/10
COLOR	00081	036	2011/10/19	< .000	2014/10
COPPER	01042	036	2011/10/19	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/19	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/19	. 280.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/19	< .000	2014/10
IRON	01045	036	2011/10/19	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-031
Source Name: DOGWOOD SLANTS 2,3,4,8,15-20 & SPR 1-3
Source Number: 031
Source Status: COMBINATION OR BLEND RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MAGNESIUM	00927	036	2011/10/19	. 29.000	2014/10	
MANGANESE	01055	036	2011/10/19	< .000	2014/10	
ODOR THRESHOLD @ 60 C	00086	036	2011/10/19	1.000	2014/10	
PH, LABORATORY	00403	036	2011/10/19	. 7.800	2014/10	
SILVER	01077	036	2011/10/19	< .000	2014/10	
SODIUM	00929	036	2011/10/19	4.400	2014/10	
SPECIFIC CONDUCTANCE	00095	036	2011/10/19	. 520.000	2014/10	
SULFATE	00945	036	2011/10/19	14.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/19	. 310.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/19	< .000	2014/10	
ZINC	01092	036	2011/10/19	< .000	2014/10	

PS Code: 3610044-032
Source Name: GOLDMINE SLANT WELLS 5, 12, 13, 14
Source Number: 032
Source Status: COMBINATION OR BLEND RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/10/19	< .000	2014/10	
ANTIMONY	01097	036	2011/10/19	< .000	2014/10	
ARSENIC	01002	036	2011/10/19	< .000	2014/10	
BARIUM	01007	036	2011/10/19	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/19	< .000	2014/10	
CADMIUM	01027	036	2011/10/19	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/19	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/04	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/19	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/19	. .470	2014/10	
MERCURY	71900	036	2011/10/19	< .000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-032***

Source Name: ***GOLDMINE SLANT WELLS 5, 12, 13, 14***

Source Number: ***032***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
NICKEL	01067	036	2011/10/19	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/19	< .000	2014/10	
SELENIUM	01147	036	2011/10/19	< .000	2014/10	
THALLIUM	01059	036	2011/10/19	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 5.200	2014/10	
NITRITE (AS N)	00620	036	2011/10/19	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/02	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2011/04/20**	< .000	**2014/04**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2011/04/20**	< .000	**2014/04**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/02	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/02	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/02	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/02	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/02	< .000	2017/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/02	< .000	2017/03	
1,4-DICHLOROBENZENE	34571	072	2011/03/02	< .000	2017/03	
BENZENE	34030	072	2011/03/02	< .000	2017/03	
CARBON TETRACHLORIDE	32102	072	2011/03/02	< .000	2017/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/02	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-032***

Source Name: ***GOLDMINE SLANT WELLS 5, 12, 13, 14***

Source Number: ***032***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	**34423**	**072**	2011/03/02	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/02	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/03/02	**< .000**	2017/03
MONOCHLOROBENZENE	**34301**	**072**	2011/03/02	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/02	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/02	**< .000**	2017/03
TOLUENE	**34010**	**072**	2011/03/02	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/03/02	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**072**	2011/03/02	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/03/02	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**072**	2011/03/02	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**072**	2011/03/02	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/19	**. 340.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/19	**. 73.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/19	**< .000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/19	**. 8.800**	2014/10
COLOR	**00081**	**036**	2011/10/19	**< .000**	2014/10
COPPER	**01042**	**036**	2011/10/19	**< .000**	2014/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/10/19	**< .000**	2014/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/10/19	**. 320.000**	2014/10
HYDROXIDE ALKALINITY	**71830**	**036**	2011/10/19	**< .000**	2014/10
IRON	**01045**	**036**	2011/10/19	**< .000**	2014/10
MAGNESIUM	**00927**	**036**	2011/10/19	**. 32.000**	2014/10
MANGANESE	**01055**	**036**	2011/10/19	**< .000**	2014/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/10/19	**1.000**	2014/10
PH, LABORATORY	**00403**	**036**	2011/10/19	**. 7.500**	2014/10
SILVER	**01077**	**036**	2011/10/19	**< .000**	2014/10
SODIUM	**00929**	**036**	2011/10/19	**8.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-032
Source Name: GOLDMINE SLANT WELLS 5, 12, 13, 14
Source Number: 032
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	036	2011/10/19	. 610.000	2014/10	
SULFATE	00945	036	2011/10/19	37.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/19	. 350.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/19	< .000	2014/10	
ZINC	01092	036	2011/10/19	< .000	2014/10	

PS Code: 3610044-033
Source Name: LASSEN SLANT WELLS 6,7,9,10,11
Source Number: 033
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/19	< .000	2014/10	
ANTIMONY	01097	036	2011/10/19	< .000	2014/10	
ARSENIC	01002	036	2011/10/19	< .000	2014/10	
BARIUM	01007	036	2011/10/19	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/19	< .000	2014/10	
CADMIUM	01027	036	2011/10/19	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/19	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/05	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/19	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/19	. .220	2014/10	
MERCURY	71900	036	2011/10/19	< .000	2014/10	
NICKEL	01067	036	2011/10/19	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/19	< .000	2014/10	
SELENIUM	01147	036	2011/10/19	< .000	2014/10	
THALLIUM	01059	036	2011/10/19	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 5.600	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-033***

Source Name: ***LASSEN SLANT WELLS 6,7,9,10,11***

Source Number: ***033***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	**00620**	**036**	2011/10/19	**< .000**	2014/10
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/03/02	**< .000**	2020/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/22	**< .000**	2017/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/22	**< .000**	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/03/02	**< .000**	2017/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/03/02	**< .000**	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/03/02	**< .000**	2017/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/03/02	**< .000**	2017/03
1,1-DICHLOROETHANE	**34496**	**072**	2011/03/02	**< .000**	2017/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/03/02	**< .000**	2017/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROBENZENE	**34536**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROETHANE	**34531**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROPROPANE	**34541**	**072**	2011/03/02	**< .000**	2017/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/03/02	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**072**	2011/03/02	**< .000**	2017/03
BENZENE	**34030**	**072**	2011/03/02	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**072**	2011/03/02	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/03/02	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**072**	2011/03/02	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/02	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/20	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2011/03/02	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/02	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/02	**< .000**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-033
Source Name: LASSEN SLANT WELLS 6,7,9,10,11
Source Number: 033
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TOLUENE	34010	072	2011/03/02	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/02	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/02	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/02	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/02	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/02	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/19	. 340.000	2014/10
CALCIUM	00916	036	2011/10/19	. 64.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/19	< .000	2014/10
CHLORIDE	00940	036	2011/10/19	. 5.000	2014/10
COLOR	00081	036	2011/10/19	< .000	2014/10
COPPER	01042	036	2011/10/19	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/19	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/19	. 290.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/19	< .000	2014/10
IRON	01045	036	2011/10/19	< .000	2014/10
MAGNESIUM	00927	036	2011/10/19	. 34.000	2014/10
MANGANESE	01055	036	2011/10/19	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/19	. 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/19	. 7.700	2014/10
SILVER	01077	036	2011/10/19	< .000	2014/10
SODIUM	00929	036	2011/10/19	6.100	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/19	. 540.000	2014/10
SULFATE	00945	036	2011/10/19	9.900	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/19	. 320.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/19	< .000	2014/10
ZINC	01092	036	2011/10/19	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-034
Source Name: LA CRESCENTA WELL
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	< .000	2014/10	
BARIUM	01007	036	2011/10/12	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/05	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	< .000	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/01	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-034
Source Name: LA CRESCENTA WELL
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/03/01	< .000	2017/03
1,1-DICHLOROETHYLENE	34501	072	2011/03/01	< .000	2017/03
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/01	< .000	2017/03
1,2-DICHLOROBENZENE	34536	072	2011/03/01	< .000	2017/03
1,2-DICHLOROETHANE	34531	072	2011/03/01	< .000	2017/03
1,2-DICHLOROPROPANE	34541	072	2011/03/01	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/01	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/01	< .000	2017/03
BENZENE	34030	072	2011/03/01	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/01	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/01	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/01	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/01	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/01	< .000	2017/03
STYRENE	77128	072	2011/03/01	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/01	< .000	2017/03
TOLUENE	34010	072	2011/03/01	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/01	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/01	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/01	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/01	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/01	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 290.000	2014/10
CALCIUM	00916	036	2011/10/12	. 66.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 2.500	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-034
Source Name: LA CRESCENTA WELL
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 240.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 16.000	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.900	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	7.400	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 460.000	2014/10
SULFATE	00945	036	2011/10/12	1.400	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 270.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .300	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

PS Code: 3610044-035
Source Name: MIDDLE SCHOOL WELL
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/10/20	< .000	2014/10
ANTIMONY	01097	036	2011/10/20	< .000	2014/10
ARSENIC	01002	036	2011/10/20	< .000	2014/10
BARIUM	01007	036	2011/10/20	< .000	2014/10
BERYLLIUM	01012	036	2011/10/20	< .000	2014/10
CADMIUM	01027	036	2011/10/20	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-035***

Source Name: ***MIDDLE SCHOOL WELL***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/20	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/25	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/20	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/20	. .170	2014/10	
MERCURY	71900	036	2011/10/20	< .000	2014/10	
NICKEL	01067	036	2011/10/20	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/20	< .000	2014/10	
SELENIUM	01147	036	2011/10/20	< .000	2014/10	
THALLIUM	01059	036	2011/10/20	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/20	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/01	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/01	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/01	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/01	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-035
Source Name: MIDDLE SCHOOL WELL
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/01	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/01	< .000	2017/03
BENZENE	34030	072	2011/03/01	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/01	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/01	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/01	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/01	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/01	< .000	2017/03
STYRENE	77128	072	2011/03/01	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/01	< .000	2017/03
TOLUENE	34010	072	2011/03/01	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/01	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/01	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/01	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/01	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/01	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/20	. 200.000	2014/10
CALCIUM	00916	036	2011/10/20	. 44.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/20	< .000	2014/10
CHLORIDE	00940	036	2011/10/20	. 7.200	2014/10
COLOR	00081	036	2011/10/20	< .000	2014/10
COPPER	01042	036	2011/10/20	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/20	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/20	. 160.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/20	< .000	2014/10
IRON	01045	036	2011/10/20	< .000	2014/10
MAGNESIUM	00927	036	2011/10/20	. 12.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-035
Source Name: MIDDLE SCHOOL WELL
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2011/10/20	< .000	2014/10	
ODOR THRESHOLD @ 60 C	00086	036	2011/10/20	1.000	2014/10	
PH, LABORATORY	00403	036	2011/10/20	. 7.700	2014/10	
SILVER	01077	036	2011/10/20	< .000	2014/10	
SODIUM	00929	036	2011/10/20	17.000	2014/10	
SPECIFIC CONDUCTANCE	00095	036	2011/10/20	. 350.000	2014/10	
SULFATE	00945	036	2011/10/20	10.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/20	. 220.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/20	. .100	2014/10	
ZINC	01092	036	2011/10/20	< .000	2014/10	

PS Code: 3610044-037
Source Name: PENNSYLVANIA WELL 01
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/10/21	< .000	2014/10	
ANTIMONY	01097	036	2011/10/21	< .000	2014/10	
ARSENIC	01002	036	2011/10/21	< .000	2014/10	
BARIUM	01007	036	2011/10/21	260.000	2014/10	
BERYLLIUM	01012	036	2011/10/21	< .000	2014/10	
CADMIUM	01027	036	2011/10/21	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/21	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/03/12	. .000	2006/03	DUE
CYANIDE	01291	036	2011/10/21	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	< .000	2014/10	
MERCURY	71900	036	2011/10/21	< .000	2014/10	
NICKEL	01067	036	2011/10/21	< .000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-037***

Source Name: ***PENNSYLVANIA WELL 01***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/10/21	< .000	2014/10	
SELENIUM	01147	036	2011/10/21	< .000	2014/10	
THALLIUM	01059	036	2011/10/21	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/10/21	< .000	2012/10	DUE
NITRITE (AS N)	00620	036	2011/10/21	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/17	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/03/17	< .000	2014/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/03/17	< .000	2014/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/17	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/17	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/17	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/17	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/17	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/17	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/17	< .000	2017/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/17	< .000	2017/03	
1,4-DICHLOROBENZENE	34571	072	2011/03/17	< .000	2017/03	
BENZENE	34030	072	2011/03/17	< .000	2017/03	
CARBON TETRACHLORIDE	32102	072	2011/03/17	< .000	2017/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/17	< .000	2017/03	
DICHLOROMETHANE	34423	072	2011/03/17	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-037
Source Name: PENNSYLVANIA WELL 01
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2011/03/17	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/03/17	< .000	2017/03
MONOCHLOROBENZENE	34301	072	2011/03/17	< .000	2017/03
STYRENE	77128	072	2011/03/17	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/17	< .000	2017/03
TOLUENE	34010	072	2011/03/17	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/17	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/17	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/17	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/17	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/17	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/21	. 350.000	2014/10
CALCIUM	00916	036	2011/10/21	. 94.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/21	< .000	2014/10
CHLORIDE	00940	036	2011/10/21	. 17.000	2014/10
COLOR	00081	036	2011/10/21	< .000	2014/10
COPPER	01042	036	2011/10/21	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/21	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/21	. 310.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/21	< .000	2014/10
IRON	01045	036	2012/07/11	< .000	2015/07
MAGNESIUM	00927	036	2011/10/21	. 18.000	2014/10
MANGANESE	01055	036	2012/07/11	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/21	. 7.300	2014/10
SILVER	01077	036	2011/10/21	< .000	2014/10
SODIUM	00929	036	2011/10/21	19.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 630.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610044-037						
Source Name: PENNSYLVANIA WELL 01						
Source Number: 037						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2011/10/21	34.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 360.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/21	< .000	2014/10	
ZINC	01092	036	2011/10/21	. 120.000	2014/10	
PS Code: 3610044-038						
Source Name: OAK WELL						
Source Number: 038						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/10/20	< .000	2014/10	
ANTIMONY	01097	036	2011/10/20	< .000	2014/10	
ARSENIC	01002	036	2011/10/20	< .000	2014/10	
BARIUM	01007	036	2011/10/20	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/20	< .000	2014/10	
CADMIUM	01027	036	2011/10/20	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/20	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/26	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/20	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/20	. .160	2014/10	
MERCURY	71900	036	2011/10/20	< .000	2014/10	
NICKEL	01067	036	2011/10/20	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/20	< .000	2014/10	
SELENIUM	01147	036	2011/10/20	< .000	2014/10	
THALLIUM	01059	036	2011/10/20	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/20	< .000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-038
Source Name: OAK WELL
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/03/01	< .000	2020/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03
1,1-DICHLOROETHANE	34496	072	2011/03/01	< .000	2017/03
1,1-DICHLOROETHYLENE	34501	072	2011/03/01	< .000	2017/03
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/01	< .000	2017/03
1,2-DICHLOROBENZENE	34536	072	2011/03/01	< .000	2017/03
1,2-DICHLOROETHANE	34531	072	2011/03/01	< .000	2017/03
1,2-DICHLOROPROPANE	34541	072	2011/03/01	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/01	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/01	< .000	2017/03
BENZENE	34030	072	2011/03/01	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/01	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/01	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/01	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/01	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/01	< .000	2017/03
STYRENE	77128	072	2011/03/01	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/01	< .000	2017/03
TOLUENE	34010	072	2011/03/01	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/01	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/01	< .000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-038
Source Name: OAK WELL
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2011/03/01	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/01	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/01	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/20	. 170.000	2014/10
CALCIUM	00916	036	2011/10/20	. 33.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/20	< .000	2014/10
CHLORIDE	00940	036	2011/10/20	. 5.300	2014/10
COLOR	00081	036	2011/10/20	< .000	2014/10
COPPER	01042	036	2011/10/20	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/20	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/20	. 140.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/20	< .000	2014/10
IRON	01045	036	2011/10/20	< .000	2014/10
MAGNESIUM	00927	036	2011/10/20	. 11.000	2014/10
MANGANESE	01055	036	2011/10/20	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/20	. 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/20	. 7.600	2014/10
SILVER	01077	036	2011/10/20	< .000	2014/10
SODIUM	00929	036	2011/10/20	14.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/20	. 290.000	2014/10
SULFATE	00945	036	2011/10/20	8.200	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/20	. 180.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/20	. .100	2014/10
ZINC	01092	036	2011/10/20	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-039***

Source Name: ***LASSEN WELL 04***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/21	< .000	2014/10	
ANTIMONY	01097	036	2011/10/21	< .000	2014/10	
ARSENIC	01002	036	2011/10/21	< .000	2014/10	
BARIUM	01007	036	2011/10/21	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/21	< .000	2014/10	
CADMIUM	01027	036	2011/10/21	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/21	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/05	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/21	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	. .250	2014/10	
MERCURY	71900	036	2011/10/21	< .000	2014/10	
NICKEL	01067	036	2011/10/21	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/21	< .000	2014/10	
SELENIUM	01147	036	2011/10/21	< .000	2014/10	
THALLIUM	01059	036	2011/10/21	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 5.900	2014/10	
NITRITE (AS N)	00620	036	2011/10/21	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/02	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/02	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/02	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/02	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-039***

Source Name: ***LASSEN WELL 04***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2011/03/02	**< .000**	2017/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/03/02	**< .000**	2017/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROBENZENE	**34536**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROETHANE	**34531**	**072**	2011/03/02	**< .000**	2017/03
1,2-DICHLOROPROPANE	**34541**	**072**	2011/03/02	**< .000**	2017/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/03/02	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**072**	2011/03/02	**< .000**	2017/03
BENZENE	**34030**	**072**	2011/03/02	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**072**	2011/03/02	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/03/02	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**072**	2011/03/02	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/02	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/20	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2011/03/02	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/02	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/02	**< .000**	2017/03
TOLUENE	**34010**	**072**	2011/03/02	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/03/02	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**072**	2011/03/02	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/03/02	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**072**	2011/03/02	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**072**	2011/03/02	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/21	**. 400.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/21	**. 76.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/21	**< .000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/21	**. 9.000**	2014/10
COLOR	**00081**	**036**	2011/10/21	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-039
Source Name: LASSEN WELL 04
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/10/21	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/21	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/21	. 370.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/21	< .000	2014/10
IRON	01045	036	2011/10/21	< .000	2014/10
MAGNESIUM	00927	036	2011/10/21	. 42.000	2014/10
MANGANESE	01055	036	2011/10/21	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/21	. 7.500	2014/10
SILVER	01077	036	2011/10/21	< .000	2014/10
SODIUM	00929	036	2011/10/21	10.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 690.000	2014/10
SULFATE	00945	036	2011/10/21	26.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 400.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/21	. .100	2014/10
ZINC	01092	036	2011/10/21	< .000	2014/10

PS Code: 3610044-040
Source Name: LAKE PLANT WELL NO. 5
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/10/12	< .000	2014/10
ANTIMONY	01097	036	2011/10/12	< .000	2014/10
ARSENIC	01002	036	2011/10/12	< .000	2014/10
BARIUM	01007	036	2011/10/12	< .000	2014/10
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10
CADMIUM	01027	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-040
Source Name: LAKE PLANT WELL NO. 5
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/04	. 1.000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .540	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 5.500	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/01	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/01	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/01	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/01	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/01	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-040
Source Name: LAKE PLANT WELL NO. 5
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/01	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/01	< .000	2017/03
BENZENE	34030	072	2011/03/01	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/01	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/01	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/01	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/01	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/20	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/01	< .000	2017/03
STYRENE	77128	072	2011/03/01	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/01	< .000	2017/03
TOLUENE	34010	072	2011/03/01	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/01	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/01	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/01	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/01	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/01	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 300.000	2014/10
CALCIUM	00916	036	2011/10/12	. 68.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 17.000	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 290.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 23.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-040					
Source Name: LAKE PLANT WELL NO. 5					
Source Number: 040					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2011/10/12	28.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.800	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	19.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 520.000	2014/10
SULFATE	00945	036	2011/10/12	44.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 350.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .200	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10
PS Code: 3610044-041					
Source Name: SLANT WELL 15 (HORIZONTAL)					
Source Number: 041					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-042					
Source Name: SLANT WELL 16 (HORIZONTAL)					
Source Number: 042					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-043					
Source Name: SLANT WELL 17 (HORIZONTAL)					
Source Number: 043					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-044					
Source Name: SLANT WELL 18 (HORIZONTAL)					
Source Number: 044					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-045					
Source Name: SLANT WELL 19 (HORIZONTAL)					
Source Number: 045					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-046					
Source Name: SLANT WELL 20 (HORIZONTAL)					
Source Number: 046					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-047T					
Source Name: SLANT WELL 15 (HORIZONTAL) - TREATED					
Source Number: 047					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-048T					
Source Name: SLANT WELL 16 (HORIZONTAL) - TREATED					
Source Number: 048					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-049T					
Source Name: SLANT WELL 17 (HORIZONTAL) - TREATED					
Source Number: 049					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-050T					
Source Name: SLANT WELL 18 (HORIZONTAL) - TREATED					
Source Number: 050					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-051T
Source Name: SLANT WELL 19 (HORIZONTAL) - TREATED
Source Number: 051
Source Status: ACTIVE TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610044-052T
Source Name: SLANT WELL 20 (HORIZONTAL0 - TREATED
Source Number: 052
Source Status: ACTIVE TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610044-053
Source Name: SHEEPHORN WELL
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	< .000	2014/10	
BARIUM	01007	036	2011/10/12	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/05	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	< .000	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-053***

Source Name: ***SHEEPHORN WELL***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2011/10/12	**< .000**	2014/10
THALLIUM	**01059**	**036**	2011/10/12	**< .000**	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/10/20	**. 3.500**	2014/10
NITRITE (AS N)	**00620**	**036**	2011/10/12	**< .000**	2014/10
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/03/01	**< .000**	2020/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/22	**< .000**	2017/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/22	**< .000**	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/03/01	**< .000**	2017/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/03/01	**< .000**	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/03/01	**< .000**	2017/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/03/01	**< .000**	2017/03
1,1-DICHLOROETHANE	**34496**	**072**	2011/03/01	**< .000**	2017/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/03/01	**< .000**	2017/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/03/01	**< .000**	2017/03
1,2-DICHLOROBENZENE	**34536**	**072**	2011/03/01	**< .000**	2017/03
1,2-DICHLOROETHANE	**34531**	**072**	2011/03/01	**< .000**	2017/03
1,2-DICHLOROPROPANE	**34541**	**072**	2011/03/01	**< .000**	2017/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/03/01	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**072**	2011/03/01	**< .000**	2017/03
BENZENE	**34030**	**072**	2011/03/01	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**072**	2011/03/01	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/03/01	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**072**	2011/03/01	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/01	**< .000**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-053***

Source Name: ***SHEEPHORN WELL***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/20	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2011/03/01	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/01	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/01	**< .000**	2017/03
TOLUENE	**34010**	**072**	2011/03/01	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/03/01	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**072**	2011/03/01	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/03/01	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**072**	2011/03/01	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**072**	2011/03/01	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/12	**. 330.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/12	**. 78.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/12	**< .000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/12	**. 6.100**	2014/10
COLOR	**00081**	**036**	2011/10/12	**< .000**	2014/10
COPPER	**01042**	**036**	2011/10/12	**< .000**	2014/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/10/12	**< .000**	2014/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/10/12	**. 310.000**	2014/10
HYDROXIDE ALKALINITY	**71830**	**036**	2011/10/12	**< .000**	2014/10
IRON	**01045**	**036**	2011/10/12	**< .000**	2014/10
MAGNESIUM	**00927**	**036**	2011/10/12	**. 26.000**	2014/10
MANGANESE	**01055**	**036**	2011/10/12	**< .000**	2014/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/10/12	**1.000**	2014/10
PH, LABORATORY	**00403**	**036**	2011/10/12	**. 7.800**	2014/10
SILVER	**01077**	**036**	2011/10/12	**< .000**	2014/10
SODIUM	**00929**	**036**	2011/10/12	**9.300**	2014/10
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/10/12	**. 570.000**	2014/10
SULFATE	**00945**	**036**	2011/10/12	**19.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610044-053						
Source Name: SHEEPHORN WELL						
Source Number: 053						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 330.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .300	2014/10	
ZINC	01092	036	2011/10/12	< .000	2014/10	
PS Code: 3610044-054						
Source Name: IRON & MANGANESE PLANT EFFLUENT						
Source Number: 054						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610044-056						
Source Name: LAKE PLANT WELL 06						
Source Number: 056						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/05/09	< .000	2015/05	
ANTIMONY	01097	036	2012/05/09	< .000	2015/05	
ARSENIC	01002	036	2012/05/09	< .000	2015/05	
BARIUM	01007	036	2012/05/09	130.000	2015/05	
BERYLLIUM	01012	036	2012/05/09	< .000	2015/05	
CADMIUM	01027	036	2012/05/09	< .000	2015/05	
CHROMIUM (TOTAL)	01034	036	2012/05/09	< .000	2015/05	
CHROMIUM, HEXAVALENT	01032	036	2008/01/22	.000	2011/01	DUE
CYANIDE	01291	036	2012/05/09	< .000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/09	. .550	2015/05	
MERCURY	71900	036	2012/05/09	< .000	2015/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-056
Source Name: LAKE PLANT WELL 06
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
NICKEL	01067	036	2012/05/09	< .000	2015/05	
PERCHLORATE	A-031	036	2014/05/28	< .000	2017/05	
SELENIUM	01147	036	2012/05/09	< .000	2015/05	
THALLIUM	01059	036	2012/05/09	< .000	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/05/09	. 8.200	2013/05	DUE
NITRITE (AS N)	00620	036	2012/05/09	< .000	2015/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/03/05	. 7.100	2016/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/09	< .000	2015/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/09	< .000	2015/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/05/28	< .000	2020/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/05/28	< .000	2020/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/05/28	< .000	2020/05	
1,1,2-TRICHLOROETHANE	34511	072	2014/05/28	< .000	2020/05	
1,1-DICHLOROETHANE	34496	072	2014/05/28	< .000	2020/05	
1,1-DICHLOROETHYLENE	34501	072	2014/05/28	< .000	2020/05	
1,2,4-TRICHLOROBENZENE	34551	072	2014/05/28	< .000	2020/05	
1,2-DICHLOROBENZENE	34536	072	2014/05/28	< .000	2020/05	
1,2-DICHLOROETHANE	34531	072	2014/05/28	< .000	2020/05	
1,2-DICHLOROPROPANE	34541	072	2014/05/28	< .000	2020/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/05/28	< .000	2020/05	
1,4-DICHLOROBENZENE	34571	072	2014/05/28	< .000	2020/05	
BENZENE	34030	072	2014/05/28	< .000	2020/05	
CARBON TETRACHLORIDE	32102	072	2014/05/28	< .000	2020/05	
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/05/28	< .000	2020/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-056
Source Name: LAKE PLANT WELL 06
Source Number: 056
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	34423	072	2014/05/28	< .000	2020/05
ETHYLBENZENE	34371	072	2014/05/28	< .000	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2014/05/28	< .000	2020/05
STYRENE	77128	072	2014/05/28	< .000	2020/05
TETRACHLOROETHYLENE	34475	072	2014/05/28	< .000	2020/05
TOLUENE	34010	072	2014/05/28	< .000	2020/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/05/28	< .000	2020/05
TRICHLOROETHYLENE	39180	072	2014/05/28	< .000	2020/05
TRICHLOROFLUOROMETHANE	34488	072	2014/05/28	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/28	< .000	2020/05
XYLENES (TOTAL)	81551	072	2014/05/28	< .000	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/09	. 370.000	2015/05
CALCIUM	00916	036	2012/05/09	. 59.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/09	< .000	2015/05
CHLORIDE	00940	036	2012/05/09	. 17.000	2015/05
COLOR	00081	036	2012/05/09	< .000	2015/05
COPPER	01042	036	2012/05/09	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/09	< .000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/09	. 350.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/09	< .000	2015/05
IRON	01045	036	2012/05/09	< .000	2015/05
MAGNESIUM	00927	036	2012/05/09	. 43.000	2015/05
MANGANESE	01055	036	2012/05/09	32.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/09	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/09	. 7.700	2015/05
SILVER	01077	036	2012/05/09	< .000	2015/05
SODIUM	00929	036	2012/05/09	16.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610044-056						
Source Name: LAKE PLANT WELL 06						
Source Number: 056						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	036	2012/05/09	. 660.000	2015/05	
SULFATE	00945	036	2012/05/09	32.000	2015/05	
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/09	. 380.000	2015/05	
TURBIDITY, LABORATORY	82079	036	2012/05/09	. .400	2015/05	
ZINC	01092	036	2012/05/09	< .000	2015/05	
PS Code: 3610044-057						
Source Name: DIVISION WELL 08						
Source Number: 057						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/06/18	< .000	2016/06	
ANTIMONY	01097	036	2013/06/18	< .000	2016/06	
ARSENIC	01002	036	2013/06/18	< .000	2016/06	
BARIUM	01007	036	2013/06/18	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06	
CADMIUM	01027	036	2013/06/18	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/06/18	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	. .350	2016/06	
MERCURY	71900	036	2013/06/18	< .000	2016/06	
NICKEL	01067	036	2013/06/18	< .000	2016/06	
PERCHLORATE	A-031	036	2014/05/28	< .000	2017/05	
SELENIUM	01147	036	2013/06/18	< .000	2016/06	
THALLIUM	01059	036	2013/06/18	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	. 5.900	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-057
Source Name: DIVISION WELL 08
Source Number: 057
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/28	. 7.200	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/05/28	< .000	2020/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/05/28	< .000	2020/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/05/28	< .000	2020/05
1,1,2-TRICHLOROETHANE	34511	072	2014/05/28	< .000	2020/05
1,1-DICHLOROETHANE	34496	072	2014/05/28	< .000	2020/05
1,1-DICHLOROETHYLENE	34501	072	2014/05/28	< .000	2020/05
1,2,4-TRICHLOROBENZENE	34551	072	2014/05/28	< .000	2020/05
1,2-DICHLOROBENZENE	34536	072	2014/05/28	< .000	2020/05
1,2-DICHLOROETHANE	34531	072	2014/05/28	< .000	2020/05
1,2-DICHLOROPROPANE	34541	072	2014/05/28	< .000	2020/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/05/28	< .000	2020/05
1,4-DICHLOROBENZENE	34571	072	2014/05/28	< .000	2020/05
BENZENE	34030	072	2014/05/28	< .000	2020/05
CARBON TETRACHLORIDE	32102	072	2014/05/28	< .000	2020/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/05/28	< .000	2020/05
DICHLOROMETHANE	34423	072	2014/05/28	< .000	2020/05
ETHYLBENZENE	34371	072	2014/05/28	< .000	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2014/05/28	< .000	2020/05
STYRENE	77128	072	2014/05/28	< .000	2020/05
TETRACHLOROETHYLENE	34475	072	2014/05/28	< .000	2020/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-057
Source Name: DIVISION WELL 08
Source Number: 057
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TOLUENE	34010	072	2014/05/28	< .000	2020/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/05/28	< .000	2020/05
TRICHLOROETHYLENE	39180	072	2014/05/28	< .000	2020/05
TRICHLOROFLUOROMETHANE	34488	072	2014/05/28	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/28	< .000	2020/05
XYLENES (TOTAL)	81551	072	2014/05/28	< .000	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/18	. 300.000	2016/06
CALCIUM	00916	036	2013/06/18	. 48.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/18	< .000	2016/06
CHLORIDE	00940	036	2013/06/18	. 19.000	2016/06
COLOR	00081	036	2013/07/11	< .000	2016/07
COPPER	01042	036	2013/06/18	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/18	. 240.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	< .000	2016/06
IRON	01045	036	2013/07/11	< .000	2016/07
MAGNESIUM	00927	036	2013/06/18	. 30.000	2016/06
MANGANESE	01055	036	2013/07/11	< .000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/11	1.000	2016/07
PH, LABORATORY	00403	036	2013/06/18	. 7.500	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	32.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 560.000	2016/06
SULFATE	00945	036	2013/06/18	25.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 290.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/07/11	. .400	2016/07
ZINC	01092	036	2013/06/18	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-058***

Source Name: ***MCALISTER WELL***

Source Number: ***058***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	< .000	2014/10	
BARIUM	01007	036	2011/10/12	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .400	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/20	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/01	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/22	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/22	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/01	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/01	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/01	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610044***

System Name: ***DWP - BIG BEAR LAKE/MOONRIDGE***

PS Code: ***3610044-058***

Source Name: ***MCALISTER WELL***

Source Number: ***058***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2011/03/01	**< .000**	2017/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/03/01	**< .000**	2017/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/03/01	**< .000**	2017/03
1,2-DICHLOROBENZENE	**34536**	**072**	2011/03/01	**< .000**	2017/03
1,2-DICHLOROETHANE	**34531**	**072**	2011/03/01	**< .000**	2017/03
1,2-DICHLOROPROPANE	**34541**	**072**	2011/03/01	**< .000**	2017/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/03/01	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**072**	2011/03/01	**< .000**	2017/03
BENZENE	**34030**	**072**	2011/03/01	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**072**	2011/03/01	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/03/01	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**072**	2011/03/01	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/01	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/20	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2011/03/01	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/01	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/01	**< .000**	2017/03
TOLUENE	**34010**	**072**	2011/03/01	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/03/01	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**072**	2011/03/01	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/03/01	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**072**	2011/03/01	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**072**	2011/03/01	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/12	**. 150.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/12	**. 18.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/12	**< .000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/12	**. 4.800**	2014/10
COLOR	**00081**	**036**	2011/10/12	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

PS Code: 3610044-058
Source Name: MCALISTER WELL
Source Number: 058
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 86.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 9.100	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	. 1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 8.200	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	23.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 250.000	2014/10
SULFATE	00945	036	2011/10/12	6.400	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 160.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	< .000	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

PS Code: 3610044-059
Source Name: DIVISION WELL 2 MN TP - EFFLUENT
Source Number: 059
Source Status: ACTIVE TREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
IRON	01045	001	2014/07/12	< .000	2014/08
MANGANESE	01055	001	2014/07/12	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610044-060						
Source Name: INTERTIE - SUGARLOAF						
Source Number: 060						
Source Status: PURCHASED TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610044-601						
Source Name: DBP2-42707 COUGAR SS						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044

System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610044-602						
Source Name: DBP2-WILLOW LANDING SS						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610044-800						
Source Name: BOW CANYON - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-801					
Source Name: DIVISION PLANT WELL 01 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-802					
Source Name: DIVISION PLANT WELL 02 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-803					
Source Name: DIVISION PLANT WELL 04 - STANDBY - TREAT					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-804					
Source Name: DIVISION PLANT WELL 05 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-805					
Source Name: DIVISION PLANT WELL 06 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-806					
Source Name: DIVISION PLANT WELL 07 - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-807					
Source Name: LAKE PLANT COMPOSITE - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-808					
Source Name: SAND CANYON - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-809					
Source Name: LASSEN SLANT WELLS - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-810					
Source Name: LA CRESCENTA WELL - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-811					
Source Name: MIDDLE SCHOOL WELL - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-813					
Source Name: OAK WELL - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610044
System Name: DWP - BIG BEAR LAKE/MOONRIDGE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610044-814					
Source Name: LASSEN WELL 04 - TREATED (CL2)					
Source Number: 814					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-815					
Source Name: LAKE PLANT WELL NO. 5 - TREATED (CL2)					
Source Number: 815					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610044-816					
Source Name: SHEEPHORN WELL - TREATED (CL2)					
Source Number: 816					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610045
System Name: DWP - RIMFOREST

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610045-004						
Source Name: PURCHASED-CLAWA						
Source Number: 004						
Source Status: PURCHASED TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610045-601						
Source Name: DBP2-BEAR SPRINGS SAMPLE STATION						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610045***

System Name: ***DWP - RIMFOREST***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610045-602***						
Source Name: ***DBP2-APACHE SAMPLE STATION***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-005
Source Name: OAK TREE 04 - STANDBY
Source Number: 005
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	108	2011/09/06	. 48.000	2020/09	
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-005
Source Name: OAK TREE 04 - STANDBY
Source Number: 005
Source Status: STANDBY UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610046-005						
Source Name: OAK TREE 04 - STANDBY						
Source Number: 005						
Source Status: STANDBY UNTREATED						
Water type: G						
SECONDARY/GP						
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE
PS Code: 3610046-009						
Source Name: NORTH CANYON 04						
Source Number: 009						
Source Status: ACTIVE UNTREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610046-010						
Source Name: NORTH CANYON 05						
Source Number: 010						
Source Status: ACTIVE UNTREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610046***
System Name: ***VALLEY VIEW PARK MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610046-011***							
Source Name: ***NORTH CANYON 06***							
Source Number: ***011***							
Source Status: ***ACTIVE UNTREATED***							
Water type: ***G***							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**					
PS Code: ***3610046-012***							
Source Name: ***DOS MOS***							
Source Number: ***012***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
INORGANIC							
ALUMINUM	**01105**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
ANTIMONY	**01097**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
ARSENIC	**01002**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
BARIUM	**01007**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
BERYLLIUM	**01012**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
CADMIUM	**01027**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
CHROMIUM (TOTAL)	**01034**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
CHROMIUM, HEXAVALENT	**01032**	**000**					**DUE**
CYANIDE	**01291**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	**2010/07/13**		**.150**	**2013/07**	**DUE**
MERCURY	**71900**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
NICKEL	**01067**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
PERCHLORATE	**A-031**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
SELENIUM	**01147**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
THALLIUM	**01059**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**012**	2014/06/30	**.**	**34.000**	2015/06	
NITRITE (AS N)	**00620**	**036**	**2010/07/13**	**<**	**.000**	**2013/07**	**DUE**
RADIOLOGICAL							
GROSS ALPHA	**01501**	**072**	2011/09/13		**8.700**	2017/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610046***

System Name: ***VALLEY VIEW PARK MWC***

PS Code: ***3610046-012***

Source Name: ***DOS MOS***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/13	< .010	2017/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/13	< .020	2017/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/01/25	< .500	2013/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/01/25	< .500	2013/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/01/25	< 10.000	2013/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/01/25	< .500	2013/01	DUE
1,1-DICHLOROETHANE	34496	072	2007/01/25	< .500	2013/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/01/25	< .500	2013/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/01/25	< .500	2013/01	DUE
1,2-DICHLOROBENZENE	34536	072	2007/01/25	< .500	2013/01	DUE
1,2-DICHLOROETHANE	34531	072	2007/01/25	< .500	2013/01	DUE
1,2-DICHLOROPROPANE	34541	072	2007/01/25	< .500	2013/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/01/25	< .500	2013/01	DUE
1,4-DICHLOROBENZENE	34571	072	2007/01/25	< .500	2013/01	DUE
BENZENE	34030	072	2007/01/25	< .500	2013/01	DUE
CARBON TETRACHLORIDE	32102	072	2007/01/25	< .500	2013/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/01/25	< .500	2013/01	DUE
DICHLOROMETHANE	34423	072	2007/01/25	< .500	2013/01	DUE
ETHYLBENZENE	34371	072	2007/01/25	< .500	2013/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/07/13	< .000	2016/07	
MONOCHLOROBENZENE	34301	072	2007/01/25	< .500	2013/01	DUE
STYRENE	77128	072	2007/01/25	< .500	2013/01	DUE
TETRACHLOROETHYLENE	34475	072	2007/01/25	< .500	2013/01	DUE
TOLUENE	34010	072	2007/01/25	< .500	2013/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/01/25	< .500	2013/01	DUE
TRICHLOROETHYLENE	39180	072	2007/01/25	< .500	2013/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/01/25	< 5.000	2013/01	DUE
VINYL CHLORIDE	39175	072	2007/01/25	< .500	2013/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610046***

System Name: ***VALLEY VIEW PARK MWC***

PS Code: ***3610046-012***

Source Name: ***DOS MOS***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
XYLENES (TOTAL)	81551	072	2007/01/25	<	.500	2013/01	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2010/07/13		200.000	2013/07	DUE
CALCIUM	00916	036	2010/07/13		67.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2010/07/13	<	.000	2013/07	DUE
CHLORIDE	00940	036	2010/07/13		20.000	2013/07	DUE
COLOR	00081	036	2010/07/13	<	.000	2013/07	DUE
COPPER	01042	036	2010/07/13	<	.000	2013/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/07/13	<	.000	2013/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/07/13		210.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2010/07/13	<	.000	2013/07	DUE
IRON	01045	036	2010/07/13	<	.000	2013/07	DUE
MAGNESIUM	00927	036	2010/07/13		17.000	2013/07	DUE
MANGANESE	01055	036	2010/07/13	<	.000	2013/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/07/13		1.000	2013/07	DUE
PH, LABORATORY	00403	036	2010/07/13		7.800	2013/07	DUE
SILVER	01077	036	2010/07/13	<	.000	2013/07	DUE
SODIUM	00929	036	2010/07/13		10.000	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/07/13		470.000	2013/07	DUE
SULFATE	00945	036	2010/07/13		19.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/13		310.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2010/07/13	<	.000	2013/07	DUE
ZINC	01092	036	2010/07/13	<	.000	2013/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-013
Source Name: VERTICAL WELL 01
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2010/07/13	< .000	2013/07	DUE
ANTIMONY	01097	036	2010/07/13	< .000	2013/07	DUE
ARSENIC	01002	036	2010/07/13	7.700	2013/07	DUE
BARIUM	01007	036	2010/07/13	< .000	2013/07	DUE
BERYLLIUM	01012	036	2010/07/13	< .000	2013/07	DUE
CADMIUM	01027	036	2010/07/13	< .000	2013/07	DUE
CHROMIUM (TOTAL)	01034	036	2010/07/13	< .000	2013/07	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2010/07/13	< .000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/07/13	< .000	2013/07	DUE
MERCURY	71900	036	2010/07/13	< .000	2013/07	DUE
NICKEL	01067	036	2010/07/13	< .000	2013/07	DUE
PERCHLORATE	A-031	036	2010/07/13	< .000	2013/07	DUE
SELENIUM	01147	036	2010/07/13	< .000	2013/07	DUE
THALLIUM	01059	036	2010/07/13	< .000	2013/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/08	< 1.000	2014/01	DUE
NITRITE (AS N)	00620	036	2010/07/13	< .000	2013/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/07/13	< .000	2019/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/13	< .010	2017/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/13	< .020	2017/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/01/23	< .500	2013/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/01/23	< .500	2013/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/01/23	< 10.000	2013/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/01/23	< .500	2013/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-013
Source Name: VERTICAL WELL 01
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2007/01/23	< .500	2013/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/01/23	< .500	2013/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/01/23	< .500	2013/01	DUE
1,2-DICHLOROBENZENE	34536	072	2007/01/23	< .500	2013/01	DUE
1,2-DICHLOROETHANE	34531	072	2007/01/23	< .500	2013/01	DUE
1,2-DICHLOROPROPANE	34541	072	2007/01/23	< .500	2013/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/01/23	< .500	2013/01	DUE
1,4-DICHLOROBENZENE	34571	072	2007/01/23	< .500	2013/01	DUE
BENZENE	34030	072	2007/01/23	< .500	2013/01	DUE
CARBON TETRACHLORIDE	32102	072	2007/01/23	< .500	2013/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/01/23	< .500	2013/01	DUE
DICHLOROMETHANE	34423	072	2007/01/23	< .500	2013/01	DUE
ETHYLBENZENE	34371	072	2007/01/23	< .500	2013/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/07/13	< .000	2016/07	
MONOCHLOROBENZENE	34301	072	2007/01/23	< .500	2013/01	DUE
STYRENE	77128	072	2007/01/23	< .500	2013/01	DUE
TETRACHLOROETHYLENE	34475	072	2007/01/23	< .500	2013/01	DUE
TOLUENE	34010	072	2007/01/23	< .500	2013/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/01/23	< .500	2013/01	DUE
TRICHLOROETHYLENE	39180	072	2007/01/23	< .500	2013/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/01/23	< 5.000	2013/01	DUE
VINYL CHLORIDE	39175	072	2007/01/23	< .500	2013/01	DUE
XYLENES (TOTAL)	81551	072	2007/01/23	< .500	2013/01	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2010/07/13	160.000	2013/07	DUE
CALCIUM	00916	036	2010/07/13	56.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2010/07/13	< .000	2013/07	DUE
CHLORIDE	00940	036	2010/07/13	14.000	2013/07	DUE
COLOR	00081	036	2010/07/13	< .000	2013/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610046-013						
Source Name: VERTICAL WELL 01						
Source Number: 013						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
COPPER	01042	036	2010/07/13	< .000	2013/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/07/13	< .000	2013/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/07/13	180.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2010/07/13	< .000	2013/07	DUE
IRON	01045	036	2010/07/13	750.000	2013/07	DUE
MAGNESIUM	00927	036	2010/07/13	12.000	2013/07	DUE
MANGANESE	01055	036	2010/07/13	< .000	2013/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/07/13	1.000	2013/07	DUE
PH, LABORATORY	00403	036	2010/07/13	8.000	2013/07	DUE
SILVER	01077	036	2010/07/13	< .000	2013/07	DUE
SODIUM	00929	036	2010/07/13	8.300	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/07/13	390.000	2013/07	DUE
SULFATE	00945	036	2010/07/13	44.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/13	250.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2010/07/13	.300	2013/07	DUE
ZINC	01092	036	2010/07/13	330.000	2013/07	DUE
PS Code: 3610046-014						
Source Name: LOWER OAK WELL						
Source Number: 014						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2010/07/13	< .000	2013/07	DUE
ANTIMONY	01097	036	2010/07/13	< .000	2013/07	DUE
ARSENIC	01002	036	2010/07/13	< .000	2013/07	DUE
BARIUM	01007	036	2010/07/13	< .000	2013/07	DUE
BERYLLIUM	01012	036	2010/07/13	< .000	2013/07	DUE
CADMIUM	01027	036	2010/07/13	< .000	2013/07	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-014
Source Name: LOWER OAK WELL
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2010/07/13	< .000	2013/07	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2010/07/13	< .000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/07/13	.120	2013/07	DUE
MERCURY	71900	036	2010/07/13	< .000	2013/07	DUE
NICKEL	01067	036	2010/07/13	< .000	2013/07	DUE
PERCHLORATE	A-031	036	2010/07/13	< .000	2013/07	DUE
SELENIUM	01147	036	2010/07/13	< .000	2013/07	DUE
THALLIUM	01059	036	2010/07/13	< .000	2013/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/30	. 14.000	2015/06	
NITRITE (AS N)	00620	036	2010/07/13	< .000	2013/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/09/13	1.940	2020/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/13	< .010	2017/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/13	< .020	2017/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/01/23	< .500	2013/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/01/23	< .500	2013/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/01/23	< 10.000	2013/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/01/23	< .500	2013/01	DUE
1,1-DICHLOROETHANE	34496	072	2007/01/23	< .500	2013/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/01/23	< .500	2013/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/01/23	< .500	2013/01	DUE
1,2-DICHLOROBENZENE	34536	072	2007/01/23	< .500	2013/01	DUE
1,2-DICHLOROETHANE	34531	072	2007/01/23	< .500	2013/01	DUE
1,2-DICHLOROPROPANE	34541	072	2007/01/23	< .500	2013/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-014
Source Name: LOWER OAK WELL
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/01/23	< .500	2013/01	DUE
1,4-DICHLOROBENZENE	34571	072	2007/01/23	< .500	2013/01	DUE
BENZENE	34030	072	2007/01/23	< .500	2013/01	DUE
CARBON TETRACHLORIDE	32102	072	2007/01/23	< .500	2013/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/01/23	< .500	2013/01	DUE
DICHLOROMETHANE	34423	072	2007/01/23	< .500	2013/01	DUE
ETHYLBENZENE	34371	072	2007/01/23	< .500	2013/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/07/13	< .000	2016/07	
MONOCHLOROBENZENE	34301	072	2007/01/23	< .500	2013/01	DUE
STYRENE	77128	072	2007/01/23	< .500	2013/01	DUE
TETRACHLOROETHYLENE	34475	072	2007/01/23	< .500	2013/01	DUE
TOLUENE	34010	072	2007/01/23	< .500	2013/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/01/23	< .500	2013/01	DUE
TRICHLOROETHYLENE	39180	072	2007/01/23	< .500	2013/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/01/23	< 5.000	2013/01	DUE
VINYL CHLORIDE	39175	072	2007/01/23	< .500	2013/01	DUE
XYLENES (TOTAL)	81551	072	2007/01/23	< .500	2013/01	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2010/07/13	110.000	2013/07	DUE
CALCIUM	00916	036	2010/07/13	43.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2010/07/13	< .000	2013/07	DUE
CHLORIDE	00940	036	2010/07/13	15.000	2013/07	DUE
COLOR	00081	036	2010/07/13	< .000	2013/07	DUE
COPPER	01042	036	2010/07/13	< .000	2013/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/07/13	< .000	2013/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/07/13	160.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2010/07/13	< .000	2013/07	DUE
IRON	01045	036	2010/07/13	< .000	2013/07	DUE
MAGNESIUM	00927	036	2010/07/13	11.000	2013/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610046-014							
Source Name: LOWER OAK WELL							
Source Number: 014							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
MANGANESE	01055	036	2010/07/13	<	.000	2013/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/07/13		1.000	2013/07	DUE
PH, LABORATORY	00403	036	2010/07/13		8.000	2013/07	DUE
SILVER	01077	036	2010/07/13	<	.000	2013/07	DUE
SODIUM	00929	036	2010/07/13		8.300	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/07/13		340.000	2013/07	DUE
SULFATE	00945	036	2010/07/13		37.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/13		220.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2010/07/13	<	.000	2013/07	DUE
ZINC	01092	036	2010/07/13	<	.000	2013/07	DUE
PS Code: 3610046-015							
Source Name: UPPER OAK COMPOSITE							
Source Number: 015							
Source Status: COMBINATION OR BLEND MIXED							
Water type: S							
INORGANIC							
ALUMINUM	01105	036	2007/01/25	<	50.000	2010/01	DUE
ANTIMONY	01097	036	2007/01/25	<	6.000	2010/01	DUE
ARSENIC	01002	036	2007/01/25	<	2.000	2010/01	DUE
BARIUM	01007	036	2007/01/25	<	100.000	2010/01	DUE
BERYLLIUM	01012	036	2007/01/25	<	1.000	2010/01	DUE
CADMIUM	01027	036	2007/01/25	<	1.000	2010/01	DUE
CHROMIUM (TOTAL)	01034	036	2007/01/25	<	1.000	2010/01	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2007/01/25	<	100.000	2010/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2007/01/25		.100	2010/01	DUE
MERCURY	71900	036	2007/01/25	<	1.000	2010/01	DUE
NICKEL	01067	036	2007/01/25	<	10.000	2010/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-015
Source Name: UPPER OAK COMPOSITE
Source Number: 015
Source Status: COMBINATION OR BLEND MIXED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
PERCHLORATE	A-031	000					DUE
SELENIUM	01147	036	2007/01/25	<	5.000	2010/01	DUE
THALLIUM	01059	036	2007/01/25	<	1.000	2010/01	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2007/01/25		28.000	2008/01	DUE
NITRITE (AS N)	00620	036	2007/01/25	<	100.000	2010/01	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	108	2008/02/25		2.890	2017/02	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/01/25	<	.010	2010/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/01/25	<	.020	2010/01	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2007/01/25	<	.500	2013/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/01/25	<	.500	2013/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/01/25	<	10.000	2013/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/01/25	<	.500	2013/01	DUE
1,1-DICHLOROETHANE	34496	072	2007/01/25	<	.500	2013/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/01/25	<	.500	2013/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/01/25	<	.500	2013/01	DUE
1,2-DICHLOROBENZENE	34536	072	2007/01/25	<	.500	2013/01	DUE
1,2-DICHLOROETHANE	34531	072	2007/01/25	<	.500	2013/01	DUE
1,2-DICHLOROPROPANE	34541	072	2007/01/25	<	.500	2013/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/01/25	<	.500	2013/01	DUE
1,4-DICHLOROBENZENE	34571	072	2007/01/25	<	.500	2013/01	DUE
BENZENE	34030	072	2007/01/25	<	.500	2013/01	DUE
CARBON TETRACHLORIDE	32102	072	2007/01/25	<	.500	2013/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/01/25	<	.500	2013/01	DUE
DICHLOROMETHANE	34423	072	2007/01/25	<	.500	2013/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-015
Source Name: UPPER OAK COMPOSITE
Source Number: 015
Source Status: COMBINATION OR BLEND MIXED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
ETHYLBENZENE	34371	072	2007/01/25	< .500	2013/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/01/25	< 3.000	2013/01	DUE
MONOCHLOROBENZENE	34301	072	2007/01/25	< .500	2013/01	DUE
STYRENE	77128	072	2007/01/25	< .500	2013/01	DUE
TETRACHLOROETHYLENE	34475	072	2007/01/25	< .500	2013/01	DUE
TOLUENE	34010	072	2007/01/25	< .500	2013/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/01/25	< .500	2013/01	DUE
TRICHLOROETHYLENE	39180	072	2007/01/25	< .500	2013/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/01/25	< 5.000	2013/01	DUE
VINYL CHLORIDE	39175	072	2007/01/25	< .500	2013/01	DUE
XYLENES (TOTAL)	81551	072	2007/01/25	< .500	2013/01	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2007/01/25	150.000	2010/01	DUE
CALCIUM	00916	036	2007/01/25	53.000	2010/01	DUE
CARBONATE ALKALINITY	00445	036	2007/01/25	< 3.000	2010/01	DUE
CHLORIDE	00940	036	2007/01/25	20.000	2010/01	DUE
COLOR	00081	036	2007/01/25	< 3.000	2010/01	DUE
COPPER	01042	036	2007/01/25	< 50.000	2010/01	DUE
FOAMING AGENTS (MBAS)	38260	036	2007/01/25	< .050	2010/01	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2007/01/25	190.000	2010/01	DUE
HYDROXIDE ALKALINITY	71830	036	2007/01/25	< 3.000	2010/01	DUE
IRON	01045	036	2007/01/25	< 100.000	2010/01	DUE
MAGNESIUM	00927	036	2007/01/25	14.000	2010/01	DUE
MANGANESE	01055	036	2007/01/25	< 20.000	2010/01	DUE
ODOR THRESHOLD @ 60 C	00086	036	2007/01/25	< 1.000	2010/01	DUE
PH, LABORATORY	00403	036	2007/01/25	7.700	2010/01	DUE
SILVER	01077	036	2007/01/25	< 10.000	2010/01	DUE
SODIUM	00929	036	2007/01/25	10.000	2010/01	DUE
SPECIFIC CONDUCTANCE	00095	036	2007/01/25	420.000	2010/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610046-015							
Source Name: UPPER OAK COMPOSITE							
Source Number: 015							
Source Status: COMBINATION OR BLEND MIXED							
Water type: S							
SECONDARY/GP							
SULFATE	00945	036	2007/01/25		27.000	2010/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2007/01/25		270.000	2010/01	DUE
TURBIDITY, LABORATORY	82079	036	2007/01/25	<	.200	2010/01	DUE
ZINC	01092	036	2007/01/25	<	50.000	2010/01	DUE
PS Code: 3610046-016							
Source Name: CLAWA WHOLESALE							
Source Number: 016							
Source Status: PURCHASED TREATED							
Water type: S							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610046-017							
Source Name: NORTH CANYON COMPOSITE 1-6							
Source Number: 017							
Source Status: COMBINATION OR BLEND RAW							
Water type: S							
INORGANIC							
ALUMINUM	01105	036	2010/07/13	<	.000	2013/07	DUE
ANTIMONY	01097	036	2010/07/13	<	.000	2013/07	DUE
ARSENIC	01002	036	2010/07/13	<	.000	2013/07	DUE
BARIUM	01007	036	2010/07/13	<	.000	2013/07	DUE
BERYLLIUM	01012	036	2010/07/13	<	.000	2013/07	DUE
CADMIUM	01027	036	2010/07/13	<	.000	2013/07	DUE
CHROMIUM (TOTAL)	01034	036	2010/07/13	<	.000	2013/07	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2010/07/13	<	.000	2013/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2010/07/13		.150	2013/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

PS Code: 3610046-017
Source Name: NORTH CANYON COMPOSITE 1-6
Source Number: 017
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
MERCURY	71900	036	2010/07/13	< .000	2013/07	DUE
NICKEL	01067	036	2010/07/13	< .000	2013/07	DUE
PERCHLORATE	A-031	036	2010/07/13	< .000	2013/07	DUE
SELENIUM	01147	036	2010/07/13	< .000	2013/07	DUE
THALLIUM	01059	036	2010/07/13	< .000	2013/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/30	. 54.000	2015/06	
NITRITE (AS N)	00620	036	2010/07/13	< .000	2013/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/06/25	. 1.900	2015/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/06/25	< .010	2015/06	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/06/25	< .020	2015/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/06/25	< .500	2018/06	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/06/25	< .500	2018/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/06/25	< 10.000	2018/06	
1,1,2-TRICHLOROETHANE	34511	072	2012/06/25	< .500	2018/06	
1,1-DICHLOROETHANE	34496	072	2012/06/25	< .500	2018/06	
1,1-DICHLOROETHYLENE	34501	072	2012/06/25	< .500	2018/06	
1,2,4-TRICHLOROBENZENE	34551	072	2012/06/25	< .500	2018/06	
1,2-DICHLOROBENZENE	34536	072	2012/06/25	< .500	2018/06	
1,2-DICHLOROETHANE	34531	072	2012/06/25	< .500	2018/06	
1,2-DICHLOROPROPANE	34541	072	2012/06/25	< .500	2018/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/06/25	< .500	2018/06	
1,4-DICHLOROBENZENE	34571	072	2012/06/25	< .500	2018/06	
BENZENE	34030	072	2012/06/25	< .500	2018/06	
CARBON TETRACHLORIDE	32102	072	2012/06/25	< .500	2018/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610046***

System Name: ***VALLEY VIEW PARK MWC***

PS Code: ***3610046-017***

Source Name: ***NORTH CANYON COMPOSITE 1-6***

Source Number: ***017***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/06/25	< .500	2018/06	
DICHLOROMETHANE	34423	072	2012/06/25	< .500	2018/06	
ETHYLBENZENE	34371	072	2012/06/25	< .500	2018/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/06/25	< 3.000	2018/06	
MONOCHLOROBENZENE	34301	072	2012/06/25	< .500	2018/06	
STYRENE	77128	072	2012/06/25	< .500	2018/06	
TETRACHLOROETHYLENE	34475	072	2012/06/25	< .500	2018/06	
TOLUENE	34010	072	2012/06/25	< .500	2018/06	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/06/25	< .500	2018/06	
TRICHLOROETHYLENE	39180	072	2012/06/25	< .500	2018/06	
TRICHLOROFLUOROMETHANE	34488	072	2012/06/25	< 5.000	2018/06	
VINYL CHLORIDE	39175	072	2012/06/25	< .500	2018/06	
XYLENES (TOTAL)	81551	072	2012/06/25	< .500	2018/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2010/07/13	120.000	2013/07	DUE
CALCIUM	00916	036	2010/07/13	50.000	2013/07	DUE
CARBONATE ALKALINITY	00445	036	2010/07/13	< .000	2013/07	DUE
CHLORIDE	00940	036	2010/07/13	28.000	2013/07	DUE
COLOR	00081	036	2010/07/13	< .000	2013/07	DUE
COPPER	01042	036	2010/07/13	< .000	2013/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2010/07/13	< .000	2013/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2010/07/13	180.000	2013/07	DUE
HYDROXIDE ALKALINITY	71830	036	2010/07/13	< .000	2013/07	DUE
IRON	01045	036	2010/07/13	< .000	2013/07	DUE
MAGNESIUM	00927	036	2010/07/13	17.000	2013/07	DUE
MANGANESE	01055	036	2010/07/13	< .000	2013/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2010/07/13	1.000	2013/07	DUE
PH, LABORATORY	00403	036	2010/07/13	7.900	2013/07	DUE
SILVER	01077	036	2010/07/13	< .000	2013/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610046
System Name: VALLEY VIEW PARK MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610046-017						
Source Name: NORTH CANYON COMPOSITE 1-6						
Source Number: 017						
Source Status: COMBINATION OR BLEND RAW						
Water type: S						
SECONDARY/GP						
SODIUM	00929	036	2010/07/13	14.000	2013/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2010/07/13	430.000	2013/07	DUE
SULFATE	00945	036	2010/07/13	21.000	2013/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2010/07/13	290.000	2013/07	DUE
TURBIDITY, LABORATORY	82079	036	2010/07/13	< .000	2013/07	DUE
ZINC	01092	036	2010/07/13	< .000	2013/07	DUE
PS Code: 3610046-018						
Source Name: UPPER OAK TREATED - BLENDED						
Source Number: 018						
Source Status: COMBINATION OR BLEND TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610046-800						
Source Name: OAK FLAT TANK - CL2						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-001

Source Name: BOBLINK WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/11	< 2.000	2017/02	
BARIUM	01007	036	2014/02/11	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/12	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .230	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 3.800	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/12	. 4.750	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/12	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/12	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/12	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/12	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-001

Source Name: BOBLINK WELL

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/01/12	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	072	2011/01/12	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/12	< .500	2017/01
1,2-DICHLOROBENZENE	34536	072	2011/01/12	< .500	2017/01
1,2-DICHLOROETHANE	34531	072	2011/01/12	< .500	2017/01
1,2-DICHLOROPROPANE	34541	072	2011/01/12	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/12	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/12	< .500	2017/01
BENZENE	34030	072	2011/01/12	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/12	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/12	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/12	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/12	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/12	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/12	< .500	2017/01
STYRENE	77128	072	2011/01/12	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/12	< .500	2017/01
TOLUENE	34010	072	2011/01/12	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/12	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/12	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/12	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/12	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/12	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 330.000	2017/02
CALCIUM	00916	036	2014/02/11	. 89.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 14.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-001
Source Name: BOBLINK WELL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
SECONDARY/GP							
COPPER	01042	036	2014/02/11	<	50.000		2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	<	.100		2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	.	310.000		2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	<	1.400		2017/02
IRON	01045	036	2014/02/11	<	100.000		2017/02
MAGNESIUM	00927	036	2014/02/11	.	22.000		2017/02
MANGANESE	01055	036	2014/02/11	<	20.000		2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	<	1.000		2017/02
PH, LABORATORY	00403	036	2014/02/11	.	7.380		2017/02
SILVER	01077	036	2014/02/11	<	10.000		2017/02
SODIUM	00929	036	2014/02/11	.	6.500		2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	.	580.000		2017/02
SULFATE	00945	036	2014/02/11	.	59.000		2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	.	360.000		2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	<	.100		2017/02
ZINC	01092	036	2014/02/11	<	50.000		2017/02

PS Code: 3610047-002
Source Name: CEDAR WELL
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
INORGANIC							
ALUMINUM	01105	036	2014/02/11	<	50.000		2017/02
ANTIMONY	01097	036	2014/02/11	<	6.000		2017/02
ARSENIC	01002	036	2014/02/11	<	2.000		2017/02
BARIUM	01007	036	2014/02/11	<	100.000		2017/02
BERYLLIUM	01012	036	2014/02/11	<	1.000		2017/02
CADMIUM	01027	036	2014/02/11	<	1.000		2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-002
Source Name: CEDAR WELL
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/18	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .230	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 2.100	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/18	. .341	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/18	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/18	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/18	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/18	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/18	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/18	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/18	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/18	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/18	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/18	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-002
Source Name: CEDAR WELL
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/18	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/18	< .500	2017/01
BENZENE	34030	072	2011/01/18	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/18	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/18	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/18	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/18	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/18	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/18	< .500	2017/01
STYRENE	77128	072	2011/01/18	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/18	< .500	2017/01
TOLUENE	34010	072	2011/01/18	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/18	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/18	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/18	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/18	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/18	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 350.000	2017/02
CALCIUM	00916	036	2014/02/11	. 110.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 7.300	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 350.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 18.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-002
Source Name: CEDAR WELL
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/02/11	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/11	.	7.260	2017/02	
SILVER	01077	036	2014/02/11	<	10.000	2017/02	
SODIUM	00929	036	2014/02/11	.	6.400	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	.	650.000	2017/02	
SULFATE	00945	036	2014/02/11	.	84.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	.	430.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/11	<	.100	2017/02	
ZINC	01092	036	2014/02/11	<	50.000	2017/02	

PS Code: 3610047-003
Source Name: ORCHARD WELL
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/02/11	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/11	<	2.000	2017/02	
BARIUM	01007	036	2014/02/11	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/11	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/18	<	1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	.	.390	2017/02	
MERCURY	71900	036	2014/02/11	<	1.000	2017/02	
NICKEL	01067	036	2014/02/11	<	10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-003

Source Name: ORCHARD WELL

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 6.400	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2011/01/18**	. 3.470	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/18	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/18	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/18	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/18	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/18	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/18	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/18	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/18	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/18	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/18	< .500	2017/01	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/18	< .500	2017/01	
1,4-DICHLOROBENZENE	34571	072	2011/01/18	< .500	2017/01	
BENZENE	34030	072	2011/01/18	< .500	2017/01	
CARBON TETRACHLORIDE	32102	072	2011/01/18	< .500	2017/01	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/18	< .500	2017/01	
DICHLOROMETHANE	34423	072	2011/01/18	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-003

Source Name: ORCHARD WELL

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2011/01/18	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/18	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/18	< .500	2017/01
STYRENE	77128	072	2011/01/18	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/18	< .500	2017/01
TOLUENE	34010	072	2011/01/18	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/18	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/18	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/18	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/18	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/18	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 320.000	2017/02
CALCIUM	00916	036	2014/02/11	. 180.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 28.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 590.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 33.000	2017/02
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.210	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 15.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 1100.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610047-003						
Source Name: ORCHARD WELL						
Source Number: 003						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2014/02/11	. 480.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 840.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/11	< .100	2017/02	
ZINC	01092	036	2014/02/11	< 50.000	2017/02	
PS Code: 3610047-006						
Source Name: GOVT. CANYON WELL 03						
Source Number: 006						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/11	< 2.000	2017/02	
BARIUM	01007	036	2014/02/11	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/11	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .210	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	< 2.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-006
Source Name: GOVT. CANYON WELL 03
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	**2011/01/11**	**. 1.160**	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/11	**< .010**	2017/02	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/11	**< .020**	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/01/11	**< .500**	2017/01	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/01/11	**< .500**	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/01/11	**< 10.000**	2017/01	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/01/11	**< .500**	2017/01	
1,1-DICHLOROETHANE	**34496**	**072**	2011/01/11	**< .500**	2017/01	
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/01/11	**< .500**	2017/01	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/01/11	**< .500**	2017/01	
1,2-DICHLOROBENZENE	**34536**	**072**	2011/01/11	**< .500**	2017/01	
1,2-DICHLOROETHANE	**34531**	**072**	2011/01/11	**< .500**	2017/01	
1,2-DICHLOROPROPANE	**34541**	**072**	2011/01/11	**< .500**	2017/01	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/01/11	**< .500**	2017/01	
1,4-DICHLOROBENZENE	**34571**	**072**	2011/01/11	**< .500**	2017/01	
BENZENE	**34030**	**072**	2011/01/11	**< .500**	2017/01	
CARBON TETRACHLORIDE	**32102**	**072**	2011/01/11	**< .500**	2017/01	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/01/11	**< .500**	2017/01	
DICHLOROMETHANE	**34423**	**072**	2011/01/11	**< .500**	2017/01	
ETHYLBENZENE	**34371**	**072**	2011/01/11	**< .500**	2017/01	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/01/11	**< 3.000**	2017/01	
MONOCHLOROBENZENE	**34301**	**072**	2011/01/11	**< .500**	2017/01	
STYRENE	**77128**	**072**	2011/01/11	**< .500**	2017/01	
TETRACHLOROETHYLENE	**34475**	**072**	2011/01/11	**< .500**	2017/01	
TOLUENE	**34010**	**072**	2011/01/11	**< .500**	2017/01	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/01/11	**< .500**	2017/01	
TRICHLOROETHYLENE	**39180**	**072**	2011/01/11	**< .500**	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-006
Source Name: GOVT. CANYON WELL 03
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2011/01/11	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/11	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/11	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 390.000	2017/02
CALCIUM	00916	036	2014/02/11	. 93.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 14.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 340.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 27.000	2017/02
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.320	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 8.700	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 650.000	2017/02
SULFATE	00945	036	2014/02/11	. 47.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 380.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	< .100	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-007
Source Name: HEATHCREEK WELL 04 - RAW
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/11	< 2.000	2017/02	
BARIUM	01007	036	2014/02/11	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/11	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .340	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	< 2.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/11	. 2.580	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/11	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/11	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/11	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/11	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-007

Source Name: HEATHCREEK WELL 04 - RAW

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/01/11	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	072	2011/01/11	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/11	< .500	2017/01
1,2-DICHLOROBENZENE	34536	072	2011/01/11	< .500	2017/01
1,2-DICHLOROETHANE	34531	072	2011/01/11	< .500	2017/01
1,2-DICHLOROPROPANE	34541	072	2011/01/11	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/11	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/11	< .500	2017/01
BENZENE	34030	072	2011/01/11	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/11	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/11	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/11	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/11	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/11	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/11	< .500	2017/01
STYRENE	77128	072	2011/01/11	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/11	< .500	2017/01
TOLUENE	34010	072	2011/01/11	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/11	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/11	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/11	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/11	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/11	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 380.000	2017/02
CALCIUM	00916	036	2014/02/11	. 150.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 2.800	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-007
Source Name: HEATHCREEK WELL 04 - RAW
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 480.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 25.000	2017/02
MANGANESE	01055	036	2014/07/01	. 110.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.180	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 9.900	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 900.000	2017/02
SULFATE	00945	036	2014/02/11	. 240.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 660.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	< .100	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

PS Code: 3610047-008
Source Name: BUFORD WELL 05
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02
ARSENIC	01002	036	2014/02/11	< 2.000	2017/02
BARIUM	01007	036	2014/02/11	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-008

Source Name: BUFORD WELL 05

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/12	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .210	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 2.100	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/12	. .000	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/12	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/12	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/12	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/12	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/12	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/12	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/12	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/12	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/12	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/12	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-008
Source Name: BUFORD WELL 05
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/12	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/12	< .500	2017/01
BENZENE	34030	072	2011/01/12	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/12	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/12	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/12	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/12	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/12	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/12	< .500	2017/01
STYRENE	77128	072	2011/01/12	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/12	< .500	2017/01
TOLUENE	34010	072	2011/01/12	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/12	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/12	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/12	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/12	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/12	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 410.000	2017/02
CALCIUM	00916	036	2014/02/11	. 110.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 9.700	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 390.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 29.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-008
Source Name: BUFORD WELL 05
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2014/02/11	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/11	.	7.400	2017/02	
SILVER	01077	036	2014/02/11	<	10.000	2017/02	
SODIUM	00929	036	2014/02/11	.	8.700	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	.	720.000	2017/02	
SULFATE	00945	036	2014/02/11	.	110.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	.	480.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/11	<	.100	2017/02	
ZINC	01092	036	2014/02/11	<	50.000	2017/02	

PS Code: 3610047-010
Source Name: HEATHCREEK WELL 07
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/01/11	<	50.000	2014/01	DUE
ANTIMONY	01097	036	2011/01/11	<	6.000	2014/01	DUE
ARSENIC	01002	036	2011/01/11	<	2.000	2014/01	DUE
BARIUM	01007	036	2011/01/11	<	100.000	2014/01	DUE
BERYLLIUM	01012	036	2011/01/11	<	1.000	2014/01	DUE
CADMIUM	01027	036	2011/01/11	<	1.000	2014/01	DUE
CHROMIUM (TOTAL)	01034	036	2011/01/11	<	10.000	2014/01	DUE
CHROMIUM, HEXAVALENT	01032	036	2011/01/11	<	1.000	2014/01	DUE
CYANIDE	01291	036	2011/01/11	<	100.000	2014/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/01/11	.	.420	2014/01	DUE
MERCURY	71900	036	2011/01/11	<	1.000	2014/01	DUE
NICKEL	01067	036	2011/01/11	<	10.000	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-010
Source Name: HEATHCREEK WELL 07
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/01/11	< 4.000	2014/01	DUE
SELENIUM	01147	036	2011/01/11	< 5.000	2014/01	DUE
THALLIUM	01059	036	2011/01/11	< 1.000	2014/01	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/02	. 2.100	2014/01	DUE
NITRITE (AS N)	00620	036	2011/01/11	< 400.000	2014/01	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/11	. 1.560	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/11	< .010	2014/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/01/11	< .020	2014/01	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/11	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/11	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/11	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/11	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/11	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/11	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/11	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/11	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/11	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/11	< .500	2017/01	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/11	< .500	2017/01	
1,4-DICHLOROBENZENE	34571	072	2011/01/11	< .500	2017/01	
BENZENE	34030	072	2011/01/11	< .500	2017/01	
CARBON TETRACHLORIDE	32102	072	2011/01/11	< .500	2017/01	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/11	< .500	2017/01	
DICHLOROMETHANE	34423	072	2011/01/11	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-010

Source Name: HEATHCREEK WELL 07

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)	
REGULATED VOC								
ETHYLBENZENE	34371	072	2011/01/11	<	.500		2017/01	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/11	<	3.000		2017/01	
MONOCHLOROBENZENE	34301	072	2011/01/11	<	.500		2017/01	
STYRENE	77128	072	2011/01/11	<	.500		2017/01	
TETRACHLOROETHYLENE	34475	072	2011/01/11	<	.500		2017/01	
TOLUENE	34010	072	2011/01/11	<	.500		2017/01	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/11	<	.500		2017/01	
TRICHLOROETHYLENE	39180	072	2011/01/11	<	.500		2017/01	
TRICHLOROFLUOROMETHANE	34488	072	2011/01/11	<	5.000		2017/01	
VINYL CHLORIDE	39175	072	2011/01/11	<	.500		2017/01	
XYLENES (TOTAL)	81551	072	2011/01/11	<	1.000		2017/01	
SECONDARY/GP								
BICARBONATE ALKALINITY	00440	036	2011/01/11	.	290.000		2014/01	DUE
CALCIUM	00916	036	2011/01/11	.	170.000		2014/01	DUE
CARBONATE ALKALINITY	00445	036	2011/01/11	<	2.000		2014/01	DUE
CHLORIDE	00940	036	2011/01/11	.	3.000		2014/01	DUE
COLOR	00081	036	2011/01/11	<	1.000		2014/01	DUE
COPPER	01042	036	2011/01/11	<	50.000		2014/01	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/01/11	<	.100		2014/01	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/01/11	.	540.000		2014/01	DUE
HYDROXIDE ALKALINITY	71830	036	2011/01/11	<	2.000		2014/01	DUE
IRON	01045	036	2011/01/11	<	100.000		2014/01	DUE
MAGNESIUM	00927	036	2011/01/11	.	27.000		2014/01	DUE
MANGANESE	01055	036	2013/02/05	<	20.000		2016/02	
ODOR THRESHOLD @ 60 C	00086	036	2011/01/11	<	1.000		2014/01	DUE
PH, LABORATORY	00403	036	2011/01/11	.	7.210		2014/01	DUE
SILVER	01077	036	2011/01/11	<	10.000		2014/01	DUE
SODIUM	00929	036	2011/01/11		7.700		2014/01	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/01/11	.	930.000		2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610047-010							
Source Name: HEATHCREEK WELL 07							
Source Number: 010							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
SULFATE	00945	036	2011/01/11		270.000	2014/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/01/11	.	670.000	2014/01	DUE
TURBIDITY, LABORATORY	82079	036	2011/01/11	.	.330	2014/01	DUE
ZINC	01092	036	2011/01/11	.	110.000	2014/01	DUE
PS Code: 3610047-011T							
Source Name: HEATHCREEK WELL 04 - TREATED							
Source Number: 011							
Source Status: ACTIVE TREATED							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610047-012T							
Source Name: HEATHCREEK 07 - TREATED							
Source Number: 012							
Source Status: ACTIVE TREATED							
Water type: G							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					
PS Code: 3610047-013							
Source Name: EVERGREEN WELL 01							
Source Number: 013							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2014/02/18	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/18	<	6.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610047***

System Name: ***GOLDEN STATE WATER CO - WRIGHTWOOD***

PS Code: ***3610047-013***

Source Name: ***EVERGREEN WELL 01***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ARSENIC	01002	036	2014/02/18	< 2.000	2017/02	
BARIUM	01007	036	2014/02/18	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/12	< 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. .480	2017/02	
MERCURY	71900	036	2014/02/18	< 1.000	2017/02	
NICKEL	01067	036	2014/02/18	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/18	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 13.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/12	. 3.240	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/12	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/12	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/12	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/12	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/12	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/12	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-013

Source Name: EVERGREEN WELL 01

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/12	< .500	2017/01
1,2-DICHLOROBENZENE	34536	072	2011/01/12	< .500	2017/01
1,2-DICHLOROETHANE	34531	072	2011/01/12	< .500	2017/01
1,2-DICHLOROPROPANE	34541	072	2011/01/12	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/12	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/12	< .500	2017/01
BENZENE	34030	072	2011/01/12	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/12	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/12	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/12	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/12	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/12	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/12	< .500	2017/01
STYRENE	77128	072	2011/01/12	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/12	< .500	2017/01
TOLUENE	34010	072	2011/01/12	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/12	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/12	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/12	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/12	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/12	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 390.000	2017/02
CALCIUM	00916	036	2014/02/18	. 110.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/18	. 32.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

PS Code: 3610047-013
Source Name: EVERGREEN WELL 01
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 440.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	< 1.400	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 39.000	2017/02
MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.600	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	20.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 860.000	2017/02
SULFATE	00945	036	2014/02/18	130.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	. 590.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	< .100	2017/02
ZINC	01092	036	2014/02/18	< 50.000	2017/02

PS Code: 3610047-601
Source Name: DBP2-23204 CARDINAL DRIVE
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: G

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/05/06	< 1.000	2015/05
DICHLOROACETIC ACID (DCAA)	77288	012	2014/05/06	< 1.000	2015/05
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/05/06	< 1.000	2015/05
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/05/06	< 1.000	2015/05
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/05/06	< 2.000	2015/05
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/05/06	< 1.000	2015/05
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/05/06	. 1.800	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610047***

System Name: ***GOLDEN STATE WATER CO - WRIGHTWOOD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610047-601***					
Source Name: ***DBP2-23204 CARDINAL DRIVE***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**012**	2014/05/06	**< 1.000**	2015/05
CHLOROFORM (THM)	**32106**	**012**	2014/05/06	**< 1.000**	2015/05
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/05/06	**. 2.200**	2015/05
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/05/06	**. 4.000**	2015/05
PS Code: ***3610047-602***					
Source Name: ***DBP2-5783 HEATHCREEK DRIVE***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/05/06	**< 1.000**	2015/05
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/05/06	**< 1.000**	2015/05
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/05/06	**. 1.200**	2015/05
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/05/06	**. 1.200**	2015/05
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/05/06	**< 2.000**	2015/05
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/05/06	**< 1.000**	2015/05
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/05/06	**< 1.000**	2015/05
BROMOFORM (THM)	**32104**	**012**	2014/05/06	**< 1.000**	2015/05
CHLOROFORM (THM)	**32106**	**012**	2014/05/06	**< 1.000**	2015/05
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/05/06	**< 1.000**	2015/05
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/05/06	**< 1.000**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047
System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610047-800					
Source Name: BOBLINK WELL - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610047-801					
Source Name: CEDAR WELL - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610047-802					
Source Name: ORCHARD WELL - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610047-803					
Source Name: BUFORD WELL 02 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610047

System Name: GOLDEN STATE WATER CO - WRIGHTWOOD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610047-804					
Source Name: GOVT. CANYON WELL 03 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610047-805					
Source Name: BUFORD WELL 05 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610047-806					
Source Name: EVERGREEN WELL 01 - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610048***

System Name: ***TERRACE WATER COMPANY***

PS Code: ***3610048-001***

Source Name: ***WELL 01 (OLD 04)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/11/01	< .000	2016/11	
ANTIMONY	01097	036	2010/01/06	< .000	2013/01	DUE
ARSENIC	01002	036	2010/01/06	< .000	2013/01	DUE
BARIUM	01007	036	2010/01/06	< .000	2013/01	DUE
BERYLLIUM	01012	036	2010/01/06	< .000	2013/01	DUE
CADMIUM	01027	036	2010/01/06	< .000	2013/01	DUE
CHROMIUM (TOTAL)	01034	036	2010/01/06	< .000	2013/01	DUE
CHROMIUM, HEXAVALENT	01032	036	2013/11/01	< .000	2016/11	
CYANIDE	01291	036	2010/01/06	< .000	2013/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/01	. .280	2016/11	
MERCURY	71900	036	2010/01/06	< .000	2013/01	DUE
NICKEL	01067	036	2010/01/06	< .000	2013/01	DUE
PERCHLORATE	A-031	036	2012/02/08	< .000	2015/02	
SELENIUM	01147	036	2010/01/06	< .000	2013/01	DUE
THALLIUM	01059	036	2010/01/06	< .000	2013/01	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/01	. 7.600	2014/11	
NITRITE (AS N)	00620	036	2013/11/01	< .000	2016/11	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2008/01/15	.000	2014/01	DUE
URANIUM (PCI/L)	28012	072	2013/11/01	. 4.600	2019/11	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/01	< .000	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/01	< .000	2016/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/11/01	< .000	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/11/01	< .000	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/11/01	< .000	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610048
System Name: TERRACE WATER COMPANY

PS Code: 3610048-001
Source Name: WELL 01 (OLD 04)
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2013/11/01	< .000	2016/11
1,1-DICHLOROETHANE	34496	036	2013/11/01	< .000	2016/11
1,1-DICHLOROETHYLENE	34501	036	2013/11/01	< .000	2016/11
1,2,4-TRICHLOROBENZENE	34551	036	2013/11/01	< .000	2016/11
1,2-DICHLOROBENZENE	34536	036	2013/11/01	< .000	2016/11
1,2-DICHLOROETHANE	34531	036	2013/11/01	< .000	2016/11
1,2-DICHLOROPROPANE	34541	036	2013/11/01	< .000	2016/11
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/11/01	< .000	2016/11
1,4-DICHLOROBENZENE	34571	036	2013/11/01	< .000	2016/11
BENZENE	34030	036	2013/11/01	< .000	2016/11
CARBON TETRACHLORIDE	32102	036	2013/11/01	< .000	2016/11
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/11/01	< .000	2016/11
DICHLOROMETHANE	34423	036	2013/11/01	< .000	2016/11
ETHYLBENZENE	34371	036	2013/11/01	< .000	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/11/01	< .000	2016/11
MONOCHLOROBENZENE	34301	036	2013/11/01	< .000	2016/11
STYRENE	77128	036	2013/11/01	< .000	2016/11
TETRACHLOROETHYLENE	34475	036	2013/11/01	< .000	2016/11
TOLUENE	34010	036	2013/11/01	< .000	2016/11
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/11/01	< .000	2016/11
TRICHLOROETHYLENE	39180	036	2013/11/01	< .000	2016/11
TRICHLOROFLUOROMETHANE	34488	036	2013/11/01	< .000	2016/11
VINYL CHLORIDE	39175	036	2013/11/01	< .000	2016/11
XYLENES (TOTAL)	81551	036	2013/11/01	< .000	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/11/01	. 250.000	2016/11
CALCIUM	00916	036	2013/11/01	. 89.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/01	< .000	2016/11
CHLORIDE	00940	036	2013/11/01	. 12.000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610048
System Name: TERRACE WATER COMPANY

PS Code: 3610048-001
Source Name: WELL 01 (OLD 04)
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2013/11/01	< .000	2016/11
COPPER	01042	036	2013/11/01	< .000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/01	< .000	2016/11
HARDNESS (TOTAL) AS CACO3	00900	036	2013/11/01	. 280.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/01	< .000	2016/11
IRON	01045	036	2013/11/01	< .000	2016/11
MAGNESIUM	00927	036	2013/11/01	. 13.000	2016/11
MANGANESE	01055	036	2013/11/01	< .000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/01	1.000	2016/11
PH, LABORATORY	00403	036	2013/11/01	. 7.600	2016/11
SILVER	01077	036	2013/11/01	< .000	2016/11
SODIUM	00929	036	2013/11/01	14.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/01	. 590.000	2016/11
SULFATE	00945	036	2013/11/01	88.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/01	. 390.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/01	. .200	2016/11
ZINC	01092	036	2013/11/01	< .000	2016/11

PS Code: 3610048-002
Source Name: WELL 02 (OLD 03)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/11/06	< .000	2016/11
ANTIMONY	01097	036	2013/11/06	< .000	2016/11
ARSENIC	01002	036	2013/11/06	< .000	2016/11
BARIUM	01007	036	2013/11/06	< .000	2016/11
BERYLLIUM	01012	036	2013/11/06	< .000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610048***

System Name: ***TERRACE WATER COMPANY***

PS Code: ***3610048-002***

Source Name: ***WELL 02 (OLD 03)***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2013/11/06	< .000	2016/11	
CHROMIUM (TOTAL)	01034	036	2013/11/06	< .000	2016/11	
CHROMIUM, HEXAVALENT	01032	036	2013/11/06	< .000	2016/11	
CYANIDE	01291	036	2013/11/06	< .000	2016/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/06	< .000	2016/11	
MERCURY	71900	036	2013/11/06	< .000	2016/11	
NICKEL	01067	036	2013/11/06	< .000	2016/11	
PERCHLORATE	A-031	036	2013/11/06	< .000	2016/11	
SELENIUM	01147	036	2013/11/06	< .000	2016/11	
THALLIUM	01059	036	2013/11/06	< .000	2016/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/11/06	. 5.100	2014/11	
NITRITE (AS N)	00620	036	2013/11/06	< .000	2016/11	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2008/05/15	3.600	2014/05	DUE
URANIUM (PCI/L)	28012	072	2008/01/15	5.200	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/06	< .000	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/06	< .000	2016/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/11/06	< .000	2016/11	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/11/06	< .000	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/11/06	< .000	2016/11	
1,1,2-TRICHLOROETHANE	34511	036	2013/11/06	< .000	2016/11	
1,1-DICHLOROETHANE	34496	036	2013/11/06	< .000	2016/11	
1,1-DICHLOROETHYLENE	34501	036	2013/11/06	< .000	2016/11	
1,2,4-TRICHLOROBENZENE	34551	036	2013/11/06	< .000	2016/11	
1,2-DICHLOROBENZENE	34536	036	2013/11/06	< .000	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610048
System Name: TERRACE WATER COMPANY

PS Code: 3610048-002
Source Name: WELL 02 (OLD 03)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	036	2013/11/06	< .000	2016/11
1,2-DICHLOROPROPANE	34541	036	2013/11/06	< .000	2016/11
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/11/06	< .000	2016/11
1,4-DICHLOROBENZENE	34571	036	2013/11/06	< .000	2016/11
BENZENE	34030	036	2013/11/06	< .000	2016/11
CARBON TETRACHLORIDE	32102	036	2013/11/06	< .000	2016/11
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/11/06	< .000	2016/11
DICHLOROMETHANE	34423	036	2013/11/06	< .000	2016/11
ETHYLBENZENE	34371	036	2013/11/06	< .000	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/11/06	< .000	2016/11
MONOCHLOROBENZENE	34301	036	2013/11/06	< .000	2016/11
STYRENE	77128	036	2013/11/06	< .000	2016/11
TETRACHLOROETHYLENE	34475	036	2013/11/06	< .000	2016/11
TOLUENE	34010	036	2013/11/06	< .000	2016/11
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/11/06	< .000	2016/11
TRICHLOROETHYLENE	39180	036	2013/11/06	< .000	2016/11
TRICHLOROFLUOROMETHANE	34488	036	2013/11/06	< .000	2016/11
VINYL CHLORIDE	39175	036	2013/11/06	< .000	2016/11
XYLENES (TOTAL)	81551	036	2013/11/06	< .000	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/11/06	. 240.000	2016/11
CALCIUM	00916	036	2013/11/06	. 89.000	2016/11
CARBONATE ALKALINITY	00445	036	2013/11/06	< .000	2016/11
CHLORIDE	00940	036	2013/11/06	. 12.000	2016/11
COLOR	00081	036	2013/11/06	< .000	2016/11
COPPER	01042	036	2013/11/06	< .000	2016/11
FOAMING AGENTS (MBAS)	38260	036	2013/11/06	< .000	2016/11
HARDNESS (TOTAL) AS CACO3	00900	036	2013/11/06	. 280.000	2016/11
HYDROXIDE ALKALINITY	71830	036	2013/11/06	< .000	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610048
System Name: TERRACE WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610048-002					
Source Name: WELL 02 (OLD 03)					
Source Number: 002					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
IRON	01045	036	2013/11/06	< .000	2016/11
MAGNESIUM	00927	036	2013/11/06	. 14.000	2016/11
MANGANESE	01055	036	2013/11/06	< .000	2016/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/06	1.000	2016/11
PH, LABORATORY	00403	036	2013/11/06	. 7.400	2016/11
SILVER	01077	036	2013/11/06	< .000	2016/11
SODIUM	00929	036	2013/11/06	12.000	2016/11
SPECIFIC CONDUCTANCE	00095	036	2013/11/06	. 560.000	2016/11
SULFATE	00945	036	2013/11/06	85.000	2016/11
TOTAL DISSOLVED SOLIDS	70300	036	2013/11/06	. 410.000	2016/11
TURBIDITY, LABORATORY	82079	036	2013/11/06	. .300	2016/11
ZINC	01092	036	2013/11/06	< .000	2016/11
PS Code: 3610048-601					
Source Name: DBP2-459 JACKSON ST					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610048
System Name: TERRACE WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610048-601						
Source Name: DBP2-459 JACKSON ST						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610048-602						
Source Name: DBP2-1095 STEVENSON ST						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610048
System Name: TERRACE WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610048-800					
Source Name: WELL 01 (OLD 04) - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610048-801					
Source Name: WELL 02 (OLD 03) - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	036	2012/01/09	. 4.900	2015/01
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/09	. 13.000	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/02/19	. 11.000	2017/02
CYANIDE	01291	036	2012/01/09	< .000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/02	. 1.600	2017/06
MERCURY	71900	036	2012/01/09	< .000	2015/01
NICKEL	01067	036	2012/01/09	< .000	2015/01
PERCHLORATE	A-031	036	2014/06/02	< .000	2017/06
SELENIUM	01147	036	2012/01/09	< .000	2015/01
THALLIUM	01059	036	2012/01/09	< .000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/07	. 33.000	2015/04
NITRITE (AS N)	00620	036	2012/01/09	< .000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2011/07/29	. 12.000	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/29	< .000	2014/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/29	< .000	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/07/08	< .000	2019/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/08	< .000	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/08	< .000	2019/07
1,1,2-TRICHLOROETHANE	34511	072	2013/07/08	< .000	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/07/08	< .000	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/08	< .000	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/08	< .000	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/08	< .000	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/08	< .000	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/08	< .000	2019/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/08	< .000	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/08	< .000	2019/07
BENZENE	34030	072	2013/07/08	< .000	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/08	< .000	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/08	< .000	2019/07
DICHLOROMETHANE	34423	072	2013/07/08	< .000	2019/07
ETHYLBENZENE	34371	072	2013/07/08	< .000	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2013/07/08	< .000	2019/07
STYRENE	77128	072	2013/07/08	< .000	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/08	< .000	2019/07
TOLUENE	34010	072	2013/07/08	< .000	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/08	< .000	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/08	< .000	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/30	. 130.000	2015/01
CALCIUM	00916	036	2012/01/30	. 26.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/30	< .000	2015/01
CHLORIDE	00940	036	2012/01/30	. 20.000	2015/01
COLOR	00081	036	2012/01/30	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/01/30	< .000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/30	< .000	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/30	. 75.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/30	< .000	2015/01
IRON	01045	036	2012/01/30	< .000	2015/01
MAGNESIUM	00927	036	2012/01/30	. 3.400	2015/01
MANGANESE	01055	036	2012/01/30	< .000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/30	1.000	2015/01
PH, LABORATORY	00403	036	2012/01/30	. 7.900	2015/01
SILVER	01077	036	2012/01/09	< .000	2015/01
SODIUM	00929	036	2012/01/30	44.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/30	. 370.000	2015/01
SULFATE	00945	036	2012/01/30	17.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 240.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	< .000	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

PS Code: 3610049-009
Source Name: WELL 09
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	036	2012/01/09	. 9.200	2015/01
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-009***

Source Name: ***WELL 09***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/09	**< .000**	2015/01
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/02/19	**. 12.000**	2017/02
CYANIDE	**01291**	**036**	2012/01/09	**< .000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/14	**. 2.600**	2017/07
MERCURY	**71900**	**036**	2012/01/09	**< .000**	2015/01
NICKEL	**01067**	**036**	2012/01/09	**< .000**	2015/01
PERCHLORATE	**A-031**	**036**	2014/06/02	**< .000**	2017/06
SELENIUM	**01147**	**036**	2012/01/09	**< .000**	2015/01
THALLIUM	**01059**	**036**	2012/01/09	**< .000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/06	**. 11.000**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/01/09	**< .000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/29	**. 6.300**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/29	**< .000**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/29	**< .000**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	**< .000**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/08	**< .000**	2019/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/08	**< .000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-009
Source Name: WELL 09
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/08	< .000	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/08	< .000	2019/07
BENZENE	34030	072	2013/07/08	< .000	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/08	< .000	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/08	< .000	2019/07
DICHLOROMETHANE	34423	072	2013/07/08	< .000	2019/07
ETHYLBENZENE	34371	072	2013/07/08	< .000	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2013/07/08	< .000	2019/07
STYRENE	77128	072	2013/07/08	< .000	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/08	< .000	2019/07
TOLUENE	34010	072	2013/07/08	< .000	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/08	< .000	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/08	< .000	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/30	. 120.000	2015/01
CALCIUM	00916	036	2012/01/30	. 16.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/30	< .000	2015/01
CHLORIDE	00940	036	2012/01/30	. 8.800	2015/01
COLOR	00081	036	2012/01/30	< .000	2015/01
COPPER	01042	036	2012/01/30	< .000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/30	< .000	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/30	. 42.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/30	< .000	2015/01
IRON	01045	036	2012/01/30	< .000	2015/01
MAGNESIUM	00927	036	2012/01/30	. 1.200	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-009
Source Name: WELL 09
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2012/01/30	< .000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/30	1.000	2015/01
PH, LABORATORY	00403	036	2012/01/30	. 8.100	2015/01
SILVER	01077	036	2012/01/09	< .000	2015/01
SODIUM	00929	036	2012/01/30	38.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/30	. 260.000	2015/01
SULFATE	00945	036	2012/01/30	11.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 180.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	< .000	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

PS Code: 3610049-011
Source Name: WELL 11 - TREATMENT
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	001	2014/07/14	. 16.000	2014/08
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/09	. 26.000	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/02/19	. 22.000	2017/02
CYANIDE	01291	036	2012/01/09	< .000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. 2.500	2017/07
MERCURY	71900	036	2012/01/09	< .000	2015/01
NICKEL	01067	036	2012/01/09	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-011
Source Name: WELL 11 - TREATMENT
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/06/02	< .000	2017/06
SELENIUM	01147	036	2012/01/09	< .000	2015/01
THALLIUM	01059	036	2012/01/09	< .000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/06	. 12.000	2015/01
NITRITE (AS N)	00620	036	2012/01/09	< .000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2011/07/29	. 9.400	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/29	< .000	2014/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/29	< .000	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/07/08	< .000	2019/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/08	< .000	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/08	< .000	2019/07
1,1,2-TRICHLOROETHANE	34511	072	2013/07/08	< .000	2019/07
1,1-DICHLOROETHANE	34496	072	2013/07/08	< .000	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/08	< .000	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/08	< .000	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/08	< .000	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/08	< .000	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/08	< .000	2019/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/08	< .000	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/08	< .000	2019/07
BENZENE	34030	072	2013/07/08	< .000	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/08	< .000	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/08	< .000	2019/07
DICHLOROMETHANE	34423	072	2013/07/08	< .000	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-011***

Source Name: ***WELL 11 - TREATMENT***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2013/07/08	**< .000**	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/28	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2013/07/08	**< .000**	2019/07
STYRENE	**77128**	**072**	2013/07/08	**< .000**	2019/07
TETRACHLOROETHYLENE	**34475**	**072**	2013/07/08	**< .000**	2019/07
TOLUENE	**34010**	**072**	2013/07/08	**< .000**	2019/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROETHYLENE	**39180**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/07/08	**< .000**	2019/07
VINYL CHLORIDE	**39175**	**072**	2013/07/08	**< .000**	2019/07
XYLENES (TOTAL)	**81551**	**072**	2013/07/08	**< .000**	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/30	**. 130.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/30	**. 14.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/30	**< .000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/30	**. 10.000**	2015/01
COLOR	**00081**	**036**	2012/01/30	**< .000**	2015/01
COPPER	**01042**	**036**	2012/01/30	**< .000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/30	**< .000**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/30	**. 37.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/30	**< .000**	2015/01
IRON	**01045**	**036**	2012/01/30	**< .000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/30	**. 1.600**	2015/01
MANGANESE	**01055**	**036**	2012/01/30	**< .000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/30	**1.000**	2015/01
PH, LABORATORY	**00403**	**036**	2012/01/30	**. 8.100**	2015/01
SILVER	**01077**	**036**	2012/01/09	**< .000**	2015/01
SODIUM	**00929**	**036**	2012/01/30	**46.000**	2015/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/30	**. 290.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-011
Source Name: WELL 11 - TREATMENT
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2012/01/30	13.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 190.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	. .200	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

PS Code: 3610049-012
Source Name: WELL 12
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	036	2012/01/09	. 5.900	2015/01
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/09	< .000	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/02/19	. 7.900	2017/02
CYANIDE	01291	036	2012/01/09	< .000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. 1.600	2017/07
MERCURY	71900	036	2012/01/09	< .000	2015/01
NICKEL	01067	036	2012/01/09	< .000	2015/01
PERCHLORATE	A-031	036	2014/06/02	< .000	2017/06
SELENIUM	01147	036	2012/01/09	< .000	2015/01
THALLIUM	01059	036	2012/01/09	< .000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/06	. 8.700	2015/01
NITRITE (AS N)	00620	036	2012/01/09	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-012***

Source Name: ***WELL 12***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/29	**. 4.700**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/29	**< .000**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/29	**< .000**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	**< .000**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/08	**< .000**	2019/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/08	**< .000**	2019/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/07/08	**< .000**	2019/07
1,4-DICHLOROBENZENE	**34571**	**072**	2013/07/08	**< .000**	2019/07
BENZENE	**34030**	**072**	2013/07/08	**< .000**	2019/07
CARBON TETRACHLORIDE	**32102**	**072**	2013/07/08	**< .000**	2019/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/07/08	**< .000**	2019/07
DICHLOROMETHANE	**34423**	**072**	2013/07/08	**< .000**	2019/07
ETHYLBENZENE	**34371**	**072**	2013/07/08	**< .000**	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/28	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2013/07/08	**< .000**	2019/07
STYRENE	**77128**	**072**	2013/07/08	**< .000**	2019/07
TETRACHLOROETHYLENE	**34475**	**072**	2013/07/08	**< .000**	2019/07
TOLUENE	**34010**	**072**	2013/07/08	**< .000**	2019/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROETHYLENE	**39180**	**072**	2013/07/08	**< .000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-012
Source Name: WELL 12
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/30	. 100.000	2015/01
CALCIUM	00916	036	2012/01/30	. 20.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/30	< .000	2015/01
CHLORIDE	00940	036	2012/01/30	. 8.800	2015/01
COLOR	00081	036	2012/01/30	< .000	2015/01
COPPER	01042	036	2012/01/30	< .000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/30	< .000	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/30	. 52.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/30	< .000	2015/01
IRON	01045	036	2012/01/30	< .000	2015/01
MAGNESIUM	00927	036	2012/01/30	. 1.500	2015/01
MANGANESE	01055	036	2012/01/30	< .000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/30	1.000	2015/01
PH, LABORATORY	00403	036	2012/01/30	. 8.000	2015/01
SILVER	01077	036	2012/01/09	< .000	2015/01
SODIUM	00929	036	2012/01/30	29.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/30	. 240.000	2015/01
SULFATE	00945	036	2012/01/30	11.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 160.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	< .000	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-014***

Source Name: ***WELL 15***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/01/09	**< .000**	2015/01
ANTIMONY	**01097**	**036**	2012/01/09	**< .000**	2015/01
ARSENIC	**01002**	**036**	2012/01/09	**< .000**	2015/01
BARIUM	**01007**	**036**	2012/01/09	**< .000**	2015/01
BERYLLIUM	**01012**	**036**	2012/01/09	**< .000**	2015/01
CADMIUM	**01027**	**036**	2012/01/09	**< .000**	2015/01
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/09	**< .000**	2015/01
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/02/19	**. .430**	2017/02
CYANIDE	**01291**	**036**	2012/01/09	**< .000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/14	**. .440**	2017/07
MERCURY	**71900**	**036**	2012/01/09	**< .000**	2015/01
NICKEL	**01067**	**036**	2012/01/09	**< .000**	2015/01
PERCHLORATE	**A-031**	**036**	2014/06/02	**< .000**	2017/06
SELENIUM	**01147**	**036**	2012/01/09	**< .000**	2015/01
THALLIUM	**01059**	**036**	2012/01/09	**< .000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/06	**. 13.000**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/01/09	**< .000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/29	**. 4.000**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/29	**< .000**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/29	**< .000**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	**< .000**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	**< .000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-014
Source Name: WELL 15
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/07/08	< .000	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/08	< .000	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/08	< .000	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/08	< .000	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/08	< .000	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/08	< .000	2019/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/08	< .000	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/08	< .000	2019/07
BENZENE	34030	072	2013/07/08	< .000	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/08	< .000	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/08	< .000	2019/07
DICHLOROMETHANE	34423	072	2013/07/08	< .000	2019/07
ETHYLBENZENE	34371	072	2013/07/08	< .000	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2013/07/08	< .000	2019/07
STYRENE	77128	072	2013/07/08	< .000	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/08	< .000	2019/07
TOLUENE	34010	072	2013/07/08	< .000	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/08	< .000	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/08	< .000	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/30	. 89.000	2015/01
CALCIUM	00916	036	2012/01/30	. 22.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/30	< .000	2015/01
CHLORIDE	00940	036	2012/01/30	. 7.800	2015/01
COLOR	00081	036	2012/01/30	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-014
Source Name: WELL 15
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/01/30	< .000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/30	< .000	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/30	. 70.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/30	< .000	2015/01
IRON	01045	036	2012/01/30	< .000	2015/01
MAGNESIUM	00927	036	2012/01/30	. 3.800	2015/01
MANGANESE	01055	036	2012/01/30	< .000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/30	1.000	2015/01
PH, LABORATORY	00403	036	2012/01/30	. 7.600	2015/01
SILVER	01077	036	2012/01/09	< .000	2015/01
SODIUM	00929	036	2012/01/30	13.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/30	. 210.000	2015/01
SULFATE	00945	036	2012/01/30	10.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 120.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	. .400	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

PS Code: 3610049-015
Source Name: WELL 16
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	036	2012/01/09	< .000	2015/01
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-015***

Source Name: ***WELL 16***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/01/09	< .000	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/02/19	. 4.100	2017/02
CYANIDE	01291	036	2012/01/09	< .000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. 1.900	2017/07
MERCURY	71900	036	2012/01/09	< .000	2015/01
NICKEL	01067	036	2012/01/09	< .000	2015/01
PERCHLORATE	A-031	036	2014/06/02	< .000	2017/06
SELENIUM	01147	036	2012/01/09	< .000	2015/01
THALLIUM	01059	036	2012/01/09	< .000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/06	. 6.800	2015/01
NITRITE (AS N)	00620	036	2012/01/09	< .000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2011/07/29	. 18.000	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/29	< .000	2014/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/29	< .000	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/07/08	< .000	2019/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/08	< .000	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/08	< .000	2019/07
1,1,2-TRICHLOROETHANE	34511	072	2013/07/08	< .000	2019/07
1,1-DICHLOROETHANE	34496	072	2013/07/08	< .000	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/08	< .000	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/08	< .000	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/08	< .000	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/08	< .000	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/08	< .000	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-015
Source Name: WELL 16
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/08	< .000	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/08	< .000	2019/07
BENZENE	34030	072	2013/07/08	< .000	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/08	< .000	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/08	< .000	2019/07
DICHLOROMETHANE	34423	072	2013/07/08	< .000	2019/07
ETHYLBENZENE	34371	072	2013/07/08	< .000	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2013/07/08	< .000	2019/07
STYRENE	77128	072	2013/07/08	< .000	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/08	< .000	2019/07
TOLUENE	34010	072	2013/07/08	< .000	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/08	< .000	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/08	< .000	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/30	. 130.000	2015/01
CALCIUM	00916	036	2012/01/30	. 26.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/30	< .000	2015/01
CHLORIDE	00940	036	2012/01/30	. 11.000	2015/01
COLOR	00081	036	2012/01/30	< .000	2015/01
COPPER	01042	036	2012/01/30	< .000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/30	< .000	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/30	. 82.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/30	< .000	2015/01
IRON	01045	036	2012/01/30	< .000	2015/01
MAGNESIUM	00927	036	2012/01/30	. 4.400	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-015
Source Name: WELL 16
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2012/01/30	< .000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/30	1.000	2015/01
PH, LABORATORY	00403	036	2012/01/30	. 7.600	2015/01
SILVER	01077	036	2012/01/09	< .000	2015/01
SODIUM	00929	036	2012/01/30	27.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/30	. 290.000	2015/01
SULFATE	00945	036	2012/01/30	16.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 190.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	. .300	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

PS Code: 3610049-016
Source Name: WELL 14
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	036	2012/01/09	< .000	2015/01
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/09	< .000	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/02/19	. 3.700	2017/02
CYANIDE	01291	036	2012/01/09	< .000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. .860	2017/07
MERCURY	71900	036	2012/01/09	< .000	2015/01
NICKEL	01067	036	2012/01/09	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-016***

Source Name: ***WELL 14***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2014/06/02	**< .000**	2017/06
SELENIUM	**01147**	**036**	2012/01/09	**< .000**	2015/01
THALLIUM	**01059**	**036**	2012/01/09	**< .000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/06	**. 13.000**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/01/09	**< .000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/29	**. 6.700**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/09/12	**< .000**	2014/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/09/12	**< .000**	2014/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	**< .000**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/08	**< .000**	2019/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/08	**< .000**	2019/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/07/08	**< .000**	2019/07
1,4-DICHLOROBENZENE	**34571**	**072**	2013/07/08	**< .000**	2019/07
BENZENE	**34030**	**072**	2013/07/08	**< .000**	2019/07
CARBON TETRACHLORIDE	**32102**	**072**	2013/07/08	**< .000**	2019/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/07/08	**< .000**	2019/07
DICHLOROMETHANE	**34423**	**072**	2013/07/08	**< .000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-016***

Source Name: ***WELL 14***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2013/07/08	**< .000**	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/28	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2013/07/08	**< .000**	2019/07
STYRENE	**77128**	**072**	2013/07/08	**< .000**	2019/07
TETRACHLOROETHYLENE	**34475**	**072**	2013/07/08	**< .000**	2019/07
TOLUENE	**34010**	**072**	2013/07/08	**< .000**	2019/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROETHYLENE	**39180**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/07/08	**< .000**	2019/07
VINYL CHLORIDE	**39175**	**072**	2013/07/08	**< .000**	2019/07
XYLENES (TOTAL)	**81551**	**072**	2013/07/08	**< .000**	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/30	**. 120.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/30	**. 27.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/30	**< .000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/30	**. 13.000**	2015/01
COLOR	**00081**	**036**	2012/01/30	**< .000**	2015/01
COPPER	**01042**	**036**	2012/01/30	**< .000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/30	**< .000**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/30	**. 84.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/30	**< .000**	2015/01
IRON	**01045**	**036**	2012/01/30	**< .000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/30	**. 4.300**	2015/01
MANGANESE	**01055**	**036**	2012/01/30	**< .000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/30	**1.000**	2015/01
PH, LABORATORY	**00403**	**036**	2012/01/30	**. 7.800**	2015/01
SILVER	**01077**	**036**	2012/01/09	**< .000**	2015/01
SODIUM	**00929**	**036**	2012/01/30	**23.000**	2015/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/30	**. 280.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610049-016						
Source Name: WELL 14						
Source Number: 016						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2012/01/30	15.000	2015/01	
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 190.000	2015/01	
TURBIDITY, LABORATORY	82079	036	2012/01/30	< .000	2015/01	
ZINC	01092	036	2012/01/30	< .000	2015/01	
PS Code: 3610049-018						
Source Name: WELL WTP-1						
Source Number: 018						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/01/11	< .000	2015/01	
ANTIMONY	01097	036	2012/01/11	< .000	2015/01	
ARSENIC	01002	036	2012/01/11	. 4.800	2015/01	
BARIUM	01007	036	2012/01/11	< .000	2015/01	
BERYLLIUM	01012	036	2012/01/11	< .000	2015/01	
CADMIUM	01027	036	2012/01/11	< .000	2015/01	
CHROMIUM (TOTAL)	01034	036	2012/01/11	< .000	2015/01	
CHROMIUM, HEXAVALENT	01032	036	2014/04/21	. 9.000	2017/04	
CYANIDE	01291	036	2012/01/11	< .000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. 6.200	2017/07	
MERCURY	71900	036	2012/01/11	< .000	2015/01	
NICKEL	01067	036	2012/01/11	< .000	2015/01	
PERCHLORATE	A-031	036	2014/06/02	< .000	2017/06	
SELENIUM	01147	036	2012/01/11	< .000	2015/01	
THALLIUM	01059	036	2012/01/11	< .000	2015/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/07	. 5.000	2014/01	DUE
NITRITE (AS N)	00620	036	2012/01/11	< .000	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-018***

Source Name: ***WELL WTP-1***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/29	**. 21.000**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/09/12	**< .000**	2014/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/09/12	**< .000**	2014/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	**< .000**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/08	**< .000**	2019/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/08	**< .000**	2019/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/07/08	**< .000**	2019/07
1,4-DICHLOROBENZENE	**34571**	**072**	2013/07/08	**< .000**	2019/07
BENZENE	**34030**	**072**	2013/07/08	**< .000**	2019/07
CARBON TETRACHLORIDE	**32102**	**072**	2013/07/08	**< .000**	2019/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/07/08	**< .000**	2019/07
DICHLOROMETHANE	**34423**	**072**	2013/07/08	**< .000**	2019/07
ETHYLBENZENE	**34371**	**072**	2013/07/08	**< .000**	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/28	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2013/07/08	**< .000**	2019/07
STYRENE	**77128**	**072**	2013/07/08	**< .000**	2019/07
TETRACHLOROETHYLENE	**34475**	**072**	2013/07/08	**< .000**	2019/07
TOLUENE	**34010**	**072**	2013/07/08	**< .000**	2019/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROETHYLENE	**39180**	**072**	2013/07/08	**< .000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

PS Code: 3610049-018
Source Name: WELL WTP-1
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2013/07/08	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/08	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/08	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/30	. 200.000	2015/01
CALCIUM	00916	036	2012/01/30	. 18.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/30	< .000	2015/01
CHLORIDE	00940	036	2012/01/30	. 26.000	2015/01
COLOR	00081	036	2012/01/30	< .000	2015/01
COPPER	01042	036	2012/01/30	< .000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/30	< .000	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/30	. 56.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/30	< .000	2015/01
IRON	01045	036	2012/01/30	< .000	2015/01
MAGNESIUM	00927	036	2012/01/30	. 3.600	2015/01
MANGANESE	01055	036	2012/01/30	< .000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/30	1.000	2015/01
PH, LABORATORY	00403	036	2014/07/14	. 8.100	2017/07
SILVER	01077	036	2012/01/11	< .000	2015/01
SODIUM	00929	036	2012/01/30	110.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/30	. 610.000	2015/01
SULFATE	00945	036	2012/01/30	78.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 380.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/30	< .000	2015/01
ZINC	01092	036	2012/01/30	< .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610049-019					
Source Name: WELL WTP-1 TREATMENT (FLUORIDE REMOVAL)					
Source Number: 019					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610049-020					
Source Name: WELL 11 - WTP EFFLUENT					
Source Number: 020					
Source Status: ACTIVE TREATED					
Water type: G					
INORGANIC					
ARSENIC	01002	001	2014/07/21	. 9.000	2014/08
PS Code: 3610049-021					
Source Name: WELL 17					
Source Number: 021					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/01/09	< .000	2015/01
ANTIMONY	01097	036	2012/01/09	< .000	2015/01
ARSENIC	01002	036	2012/01/09	. 2.400	2015/01
BARIUM	01007	036	2012/01/09	< .000	2015/01
BERYLLIUM	01012	036	2012/01/09	< .000	2015/01
CADMIUM	01027	036	2012/01/09	< .000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/09	< .000	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/02/19	. 4.500	2017/02
CYANIDE	01291	036	2012/01/09	< .000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/14	. .820	2017/07
MERCURY	71900	036	2012/01/09	< .000	2015/01
NICKEL	01067	036	2012/01/09	< .000	2015/01
PERCHLORATE	A-031	036	2014/06/02	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-021***

Source Name: ***WELL 17***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2012/01/09	**< .000**	2015/01
THALLIUM	**01059**	**036**	2012/01/09	**< .000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/06	**. 8.200**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/01/09	**< .000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/07/29	**. 7.500**	2014/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/09/12	**< .000**	2014/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/09/12	**< .000**	2014/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	**< .000**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	**< .000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/08	**< .000**	2019/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/08	**< .000**	2019/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/08	**< .000**	2019/07
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/08	**< .000**	2019/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/07/08	**< .000**	2019/07
1,4-DICHLOROBENZENE	**34571**	**072**	2013/07/08	**< .000**	2019/07
BENZENE	**34030**	**072**	2013/07/08	**< .000**	2019/07
CARBON TETRACHLORIDE	**32102**	**072**	2013/07/08	**< .000**	2019/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/07/08	**< .000**	2019/07
DICHLOROMETHANE	**34423**	**072**	2013/07/08	**< .000**	2019/07
ETHYLBENZENE	**34371**	**072**	2013/07/08	**< .000**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

PS Code: ***3610049-021***

Source Name: ***WELL 17***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/28	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2013/07/08	**< .000**	2019/07
STYRENE	**77128**	**072**	2013/07/08	**< .000**	2019/07
TETRACHLOROETHYLENE	**34475**	**072**	2013/07/08	**< .000**	2019/07
TOLUENE	**34010**	**072**	2013/07/08	**< .000**	2019/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROETHYLENE	**39180**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/07/08	**< .000**	2019/07
VINYL CHLORIDE	**39175**	**072**	2013/07/08	**< .000**	2019/07
XYLENES (TOTAL)	**81551**	**072**	2013/07/08	**< .000**	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/30	**. 100.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/30	**. 20.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/30	**< .000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/30	**. 9.300**	2015/01
COLOR	**00081**	**036**	2012/01/30	**< .000**	2015/01
COPPER	**01042**	**036**	2012/01/30	**< .000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/30	**< .000**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/30	**. 60.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/30	**< .000**	2015/01
IRON	**01045**	**036**	2012/01/30	**< .000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/30	**. 3.300**	2015/01
MANGANESE	**01055**	**036**	2012/01/30	**< .000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/30	**1.000**	2015/01
PH, LABORATORY	**00403**	**036**	2012/01/30	**. 7.800**	2015/01
SILVER	**01077**	**036**	2012/01/09	**< .000**	2015/01
SODIUM	**00929**	**036**	2012/01/30	**20.000**	2015/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/30	**. 220.000**	2015/01
SULFATE	**00945**	**036**	2012/01/30	**9.900**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610049-021***						
Source Name: ***WELL 17***						
Source Number: ***021***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/30	. 140.000	2015/01	
TURBIDITY, LABORATORY	82079	036	2012/01/30	< .000	2015/01	
ZINC	01092	036	2012/01/30	< .000	2015/01	
PS Code: ***3610049-601***						
Source Name: ***DBP2-GOODIE LN AND ENCELIA AVE***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				**DUE**
DICHLOROACETIC ACID (DCAA)	77288	000				**DUE**
HALOACETIC ACIDS (5) (HAA5)	A-049	000				**DUE**
MONOBROMOACETIC ACID (MBAA)	A-041	000				**DUE**
MONOCHLOROACETIC ACID (MCAA)	A-042	000				**DUE**
TRICHLOROACETIC ACID (TCAA)	82723	000				**DUE**
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				**DUE**
BROMOFORM (THM)	32104	000				**DUE**
CHLOROFORM (THM)	32106	000				**DUE**
DIBROMOCHLOROMETHANE (THM)	32105	000				**DUE**
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610049-602						
Source Name: DBP2-ADOBE RD AND HOWARD LN						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610049-603						
Source Name: DBP2-ADOBE RD AND INDIAN TR						
Source Number: 603						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610049
System Name: TWENTYNINE PALMS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610049-603						
Source Name: DBP2-ADOBE RD AND INDIAN TR						
Source Number: 603						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610049-604						
Source Name: DBP2-BASELINE RD AND ROBIN RD						
Source Number: 604						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610049-800***					
Source Name: ***WELL 04 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610049-801***					
Source Name: ***PLANT 6 - (WELLS 6,7,9,12 TREATED CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610049-803***					
Source Name: ***WELL 13 - TREATED (CL2)***					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610049-804***					
Source Name: ***WELL 15 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610049***

System Name: ***TWENTYNINE PALMS WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610049-805***					
Source Name: ***WELL 16 - TREATED (CL2)***					
Source Number: ***805***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610049-806***					
Source Name: ***WELL 14 - TREATED (CL2)***					
Source Number: ***806***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-001***

Source Name: ***WELL 20***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/09/15	< 50.000	2014/09
ANTIMONY	01097	036	2011/09/15	< 6.000	2014/09
ARSENIC	01002	036	2011/09/15	< 2.000	2014/09
BARIUM	01007	036	2011/09/15	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< 1.000	2014/09
CADMIUM	01027	036	2011/09/15	< 1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	< 10.000	2014/09
CYANIDE	01291	036	2011/09/15	< 100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	. .390	2014/09
MERCURY	71900	036	2011/09/15	< 1.000	2014/09
NICKEL	01067	036	2011/09/15	< 10.000	2014/09
PERCHLORATE	A-031	036	2014/01/14	< 4.000	2017/01
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/14	. 28.000	2015/01
NITRITE (AS N)	00620	036	2014/01/14	< 400.000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/21	< 3.000	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/14	< .010	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/14	< .020	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/09/15	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/09/15	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/09/15	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	036	2011/09/15	< .500	2014/09
1,1-DICHLOROETHANE	34496	036	2011/09/15	< .500	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-001
Source Name: WELL 20
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/09/15	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	036	2011/09/15	< .500	2014/09
1,2-DICHLOROBENZENE	34536	036	2011/09/15	< .500	2014/09
1,2-DICHLOROETHANE	34531	036	2011/09/15	< .500	2014/09
1,2-DICHLOROPROPANE	34541	036	2011/09/15	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/09/15	< .500	2014/09
1,4-DICHLOROBENZENE	34571	036	2011/09/15	< .500	2014/09
BENZENE	34030	036	2011/09/15	< .500	2014/09
CARBON TETRACHLORIDE	32102	036	2011/09/15	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/09/15	< .500	2014/09
DICHLOROMETHANE	34423	036	2011/09/15	< .500	2014/09
ETHYLBENZENE	34371	036	2011/09/15	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/09/15	< 3.000	2014/09
MONOCHLOROBENZENE	34301	036	2011/09/15	< .500	2014/09
STYRENE	77128	036	2011/09/15	< .500	2014/09
TETRACHLOROETHYLENE	34475	036	2011/09/15	< .500	2014/09
TOLUENE	34010	036	2011/09/15	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/09/15	< .500	2014/09
TRICHLOROETHYLENE	39180	036	2011/09/15	< .500	2014/09
TRICHLOROFLUOROMETHANE	34488	036	2011/09/15	< 5.000	2014/09
VINYL CHLORIDE	39175	036	2011/09/15	< .500	2014/09
XYLENES (TOTAL)	81551	036	2011/09/15	< 1.000	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/15	. 260.000	2014/09
CALCIUM	00916	036	2011/09/15	. 81.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/15	< 2.000	2014/09
CHLORIDE	00940	036	2011/09/15	. 11.000	2014/09
COLOR	00081	036	2011/09/15	< 3.000	2014/09
COPPER	01042	036	2011/09/15	< 50.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-001
Source Name: WELL 20
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	<	.050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	.	280.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	<	2.000	2014/09
IRON	01045	036	2011/09/15	<	100.000	2014/09
MAGNESIUM	00927	036	2011/09/15	.	19.000	2014/09
MANGANESE	01055	036	2011/09/15	<	20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15	<	1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	.	7.700	2014/09
SILVER	01077	036	2011/09/15	<	10.000	2014/09
SODIUM	00929	036	2011/09/15		18.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	.	560.000	2014/09
SULFATE	00945	036	2011/09/15		41.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	.	340.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	.	.084	2014/09
ZINC	01092	036	2011/09/15	<	50.000	2014/09

PS Code: 3610050-002T
Source Name: WELL 20 - TREATED
Source Number: 002
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-003***

Source Name: ***SAN ANTONIO CANYON WTP - RAW***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2012/04/17	< 50.000	2013/04	DUE
ANTIMONY	01097	012	2012/04/17	< 6.000	2013/04	DUE
ARSENIC	01002	012	2012/04/17	< 2.000	2013/04	DUE
ASBESTOS	81855	108	2012/04/17	< .200	2021/04	
BARIUM	01007	012	2012/04/17	< 100.000	2013/04	DUE
BERYLLIUM	01012	012	2012/04/17	< 1.000	2013/04	DUE
CADMIUM	01027	012	2012/04/17	< 1.000	2013/04	DUE
CHROMIUM (TOTAL)	01034	012	2012/04/17	< 10.000	2013/04	DUE
CYANIDE	01291	012	2011/09/15	< 100.000	2012/09	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2012/04/17	. .410	2013/04	DUE
MERCURY	71900	012	2012/04/17	< 1.000	2013/04	DUE
NICKEL	01067	012	2012/04/17	< 10.000	2013/04	DUE
PERCHLORATE	A-031	012	2011/09/15	< 4.000	2012/09	DUE
SELENIUM	01147	012	2012/04/17	< 5.000	2013/04	DUE
THALLIUM	01059	012	2012/04/17	< 1.000	2013/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/04/17	< 2.000	2013/04	DUE
NITRITE (AS N)	00620	036	2012/04/17	< 400.000	2015/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/09/28	< 3.000	2013/09	DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2010/01/13	.000	2013/01	DUE
2,4,5-TP (SILVEX)	39045	036	2010/01/13	< 1.000	2013/01	DUE
2,4-D	39730	036	2010/01/13	< 10.000	2013/01	DUE
ALACHLOR	77825	036	2010/01/27	< 1.000	2013/01	DUE
ATRAZINE	39033	036	2010/01/13	< .500	2013/01	DUE
BENTAZON	38710	036	2010/01/13	< 2.000	2013/01	DUE
BENZO (A) PYRENE	34247	036	2010/01/13	< .100	2013/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-003
Source Name: SAN ANTONIO CANYON WTP - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
CARBOFURAN	81405	036	2010/01/13	< 5.000	2013/01	DUE
CHLORDANE	39350	036	2010/01/27	< .100	2013/01	DUE
DALAPON	38432	036	2010/01/13	< 10.000	2013/01	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2010/01/13	< 5.000	2013/01	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2010/01/13	< 3.000	2013/01	DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/13	< .010	2013/01	DUE
DINOSEB	81287	036	2010/01/13	< 2.000	2013/01	DUE
DIQUAT	78885	036	2010/01/13	< 4.000	2013/01	DUE
ENDOTHALL	38926	036	2010/01/13	< 45.000	2013/01	DUE
ENDRIN	39390	036	2010/01/27	< .100	2013/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/13	< .020	2013/01	DUE
GLYPHOSATE	79743	036	2010/01/13	< 25.000	2013/01	DUE
HEPTACHLOR	39410	036	2010/01/27	< .010	2013/01	DUE
HEPTACHLOR EPOXIDE	39420	036	2010/01/27	< .010	2013/01	DUE
HEXACHLOROBENZENE	39700	036	2010/01/13	< .500	2013/01	DUE
HEXACHLOROCYCLOPENTADIENE	34386	036	2010/01/13	< 1.000	2013/01	DUE
LINDANE	39340	036	2010/01/27	< .200	2013/01	DUE
METHOXYCHLOR	39480	036	2010/01/27	< 10.000	2013/01	DUE
MOLINATE	82199	036	2010/01/13	< 2.000	2013/01	DUE
OXAMYL	38865	036	2010/01/13	< 20.000	2013/01	DUE
PENTACHLOROPHENOL	39032	036	2010/01/13	< .200	2013/01	DUE
PICLORAM	39720	036	2010/01/13	< 1.000	2013/01	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2010/01/27	< .500	2013/01	DUE
SIMAZINE	39055	036	2010/01/13	< 1.000	2013/01	DUE
THIOBENCARB	A-001	036	2010/01/13	< 1.000	2013/01	DUE
TOXAPHENE	39400	036	2010/01/27	< 1.000	2013/01	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	012	2012/04/17	< .500	2013/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2012/04/17	< .500	2013/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-003
Source Name: SAN ANTONIO CANYON WTP - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2012/04/17	< 10.000	2013/04	DUE
1,1,2-TRICHLOROETHANE	34511	012	2012/04/17	< .500	2013/04	DUE
1,1-DICHLOROETHANE	34496	012	2012/04/17	< .500	2013/04	DUE
1,1-DICHLOROETHYLENE	34501	012	2012/04/17	< .500	2013/04	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2012/04/17	< .500	2013/04	DUE
1,2-DICHLOROBENZENE	34536	012	2012/04/17	< .500	2013/04	DUE
1,2-DICHLOROETHANE	34531	012	2012/04/17	< .500	2013/04	DUE
1,2-DICHLOROPROPANE	34541	012	2012/04/17	< .500	2013/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2012/04/17	< .500	2013/04	DUE
1,4-DICHLOROBENZENE	34571	012	2012/04/17	< .500	2013/04	DUE
BENZENE	34030	012	2012/04/17	< .500	2013/04	DUE
CARBON TETRACHLORIDE	32102	012	2012/04/17	< .500	2013/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2012/04/17	< .500	2013/04	DUE
DICHLOROMETHANE	34423	012	2012/04/17	< .500	2013/04	DUE
ETHYLBENZENE	34371	012	2012/04/17	< .500	2013/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2012/04/17	< 3.000	2013/04	DUE
MONOCHLOROBENZENE	34301	012	2012/04/17	< .500	2013/04	DUE
STYRENE	77128	012	2012/04/17	< .500	2013/04	DUE
TETRACHLOROETHYLENE	34475	012	2012/04/17	< .500	2013/04	DUE
TOLUENE	34010	012	2012/04/17	< .500	2013/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2012/04/17	< .500	2013/04	DUE
TRICHLOROETHYLENE	39180	012	2012/04/17	< .500	2013/04	DUE
TRICHLOROFLUOROMETHANE	34488	012	2012/04/17	< 5.000	2013/04	DUE
VINYL CHLORIDE	39175	012	2012/04/17	< .500	2013/04	DUE
XYLENES (TOTAL)	81551	012	2012/04/17	< .500	2013/04	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	012	2012/04/17	. 180.000	2013/04	DUE
CALCIUM	00916	012	2012/04/17	. 48.000	2013/04	DUE
CARBONATE ALKALINITY	00445	012	2012/04/17	2.700	2013/04	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-003
Source Name: SAN ANTONIO CANYON WTP - RAW
Source Number: 003
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED		NEXT TEST DATE (yyyy/mm)	
CHLORIDE	00940	012	2012/04/17	.	1.600	2013/04	DUE
COLOR	00081	012	2012/04/17	.	3.000	2013/04	DUE
COPPER	01042	012	2012/04/17	<	50.000	2013/04	DUE
FOAMING AGENTS (MBAS)	38260	012	2012/04/17	<	.050	2013/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	012	2012/04/17	.	170.000	2013/04	DUE
HYDROXIDE ALKALINITY	71830	012	2012/04/17	<	2.000	2013/04	DUE
IRON	01045	012	2012/04/17	<	100.000	2013/04	DUE
MAGNESIUM	00927	012	2012/04/17	.	13.000	2013/04	DUE
MANGANESE	01055	012	2012/04/17	<	20.000	2013/04	DUE
ODOR THRESHOLD @ 60 C	00086	012	2012/04/17		2.000	2013/04	DUE
PH, LABORATORY	00403	012	2012/04/17	.	8.400	2013/04	DUE
SILVER	01077	012	2012/04/17	<	10.000	2013/04	DUE
SODIUM	00929	012	2012/04/17		6.800	2013/04	DUE
SPECIFIC CONDUCTANCE	00095	012	2012/04/17	.	340.000	2013/04	DUE
SULFATE	00945	012	2012/04/17		30.000	2013/04	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2012/04/17	.	220.000	2013/04	DUE
TURBIDITY, LABORATORY	82079	012	2012/04/17	.	1.100	2013/04	DUE
ZINC	01092	012	2012/04/17	<	50.000	2013/04	DUE

PS Code: 3610050-004
Source Name: SAN ANTONIO CANYON WTR TRMNT - TREATED
Source Number: 004
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610050-005T***					
Source Name: ***WELL 07A - TREATED***					
Source Number: ***005***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610050-021***					
Source Name: ***WELL 01A***					
Source Number: ***021***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2012/07/03	**< 50.000**	2015/07
ANTIMONY	**01097**	**036**	2012/07/03	**< 6.000**	2015/07
ARSENIC	**01002**	**036**	2012/07/03	**< 2.000**	2015/07
BARIUM	**01007**	**036**	2012/10/30	**< 100.000**	2015/10
BERYLLIUM	**01012**	**036**	2012/07/03	**< 1.000**	2015/07
CADMIUM	**01027**	**036**	2012/07/03	**< 1.000**	2015/07
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/03	**< 10.000**	2015/07
CYANIDE	**01291**	**036**	2012/07/03	**< 100.000**	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/03	**. .400**	2015/07
MERCURY	**71900**	**036**	2012/07/03	**< 1.000**	2015/07
NICKEL	**01067**	**036**	2012/07/03	**< 10.000**	2015/07
PERCHLORATE	**A-031**	**036**	2012/07/03	**< 4.000**	2015/07
SELENIUM	**01147**	**036**	2012/07/03	**< 5.000**	2015/07
THALLIUM	**01059**	**036**	2012/07/03	**< 1.000**	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/21	**. 5.400**	2014/08
NITRITE (AS N)	**00620**	**036**	2012/07/03	**< 400.000**	2015/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/08/21	**< 3.000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-021
Source Name: WELL 01A
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/03	< .010	2015/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/03	< .020	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/07/03	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/07/03	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/07/03	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	036	2012/07/03	< .500	2015/07
1,1-DICHLOROETHANE	34496	036	2012/07/03	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	036	2012/07/03	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	036	2012/07/03	< .500	2015/07
1,2-DICHLOROBENZENE	34536	036	2012/07/03	< .500	2015/07
1,2-DICHLOROETHANE	34531	036	2012/07/03	< .500	2015/07
1,2-DICHLOROPROPANE	34541	036	2012/07/03	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/07/03	< .500	2015/07
1,4-DICHLOROBENZENE	34571	036	2012/07/03	< .500	2015/07
BENZENE	34030	036	2012/07/03	< .500	2015/07
CARBON TETRACHLORIDE	32102	036	2012/07/03	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/07/03	< .500	2015/07
DICHLOROMETHANE	34423	036	2012/07/03	< .500	2015/07
ETHYLBENZENE	34371	036	2012/07/03	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/07/03	< 3.000	2015/07
MONOCHLOROBENZENE	34301	036	2012/07/03	< .500	2015/07
STYRENE	77128	036	2012/07/03	< .500	2015/07
TETRACHLOROETHYLENE	34475	036	2012/07/03	< .500	2015/07
TOLUENE	34010	036	2012/07/03	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/07/03	< .500	2015/07
TRICHLOROETHYLENE	39180	036	2012/07/03	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	036	2012/07/03	< 5.000	2015/07
VINYL CHLORIDE	39175	036	2012/07/03	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-021***

Source Name: ***WELL 01A***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2012/07/03	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/03	**. 190.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/03	**. 51.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/03	**< 2.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/03	**. 3.200**	2015/07
COLOR	**00081**	**036**	2012/07/03	**< 3.000**	2015/07
COPPER	**01042**	**036**	2012/10/30	**< 50.000**	2015/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/03	**< .050**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/03	**. 170.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/03	**< 2.000**	2015/07
IRON	**01045**	**036**	2012/07/03	**< 100.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/03	**. 12.000**	2015/07
MANGANESE	**01055**	**036**	2013/10/29	**< 20.000**	2016/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/03	**< 1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/03	**. 7.800**	2015/07
SILVER	**01077**	**036**	2012/07/03	**< 10.000**	2015/07
SODIUM	**00929**	**036**	2012/07/03	**9.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/03	**. 370.000**	2015/07
SULFATE	**00945**	**036**	2012/07/03	**23.000**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/21	**. 250.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/03	**. .089**	2015/07
ZINC	**01092**	**036**	2012/10/30	**< 50.000**	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-023
Source Name: WELL 03
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/09/15	< 50.000	2014/09
ANTIMONY	01097	036	2011/09/15	< 6.000	2014/09
ARSENIC	01002	036	2011/09/15	< 2.000	2014/09
BARIUM	01007	036	2011/09/15	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< 1.000	2014/09
CADMIUM	01027	036	2011/09/15	< 1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	< 10.000	2014/09
CYANIDE	01291	036	2011/09/15	< 100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	. .270	2014/09
MERCURY	71900	036	2011/09/15	< 1.000	2014/09
NICKEL	01067	036	2011/09/15	< 10.000	2014/09
PERCHLORATE	A-031	036	2014/07/16	< 4.000	2017/07
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/16	. 63.000	2015/07
NITRITE (AS N)	00620	036	2014/07/16	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/21	. 5.300	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/16	. .099	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/16	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/09/15	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/09/15	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/09/15	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	036	2011/09/15	< .500	2014/09
1,1-DICHLOROETHANE	34496	036	2011/09/15	< .500	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-023
Source Name: WELL 03
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/09/15	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	036	2011/09/15	< .500	2014/09
1,2-DICHLOROBENZENE	34536	036	2011/09/15	< .500	2014/09
1,2-DICHLOROETHANE	34531	036	2011/09/15	< .500	2014/09
1,2-DICHLOROPROPANE	34541	036	2011/09/15	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/09/15	< .500	2014/09
1,4-DICHLOROBENZENE	34571	036	2011/09/15	< .500	2014/09
BENZENE	34030	036	2011/09/15	< .500	2014/09
CARBON TETRACHLORIDE	32102	036	2011/09/15	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/09/15	< .500	2014/09
DICHLOROMETHANE	34423	036	2011/09/15	< .500	2014/09
ETHYLBENZENE	34371	036	2011/09/15	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/09/15	< 3.000	2014/09
MONOCHLOROBENZENE	34301	036	2011/09/15	< .500	2014/09
STYRENE	77128	036	2011/09/15	< .500	2014/09
TETRACHLOROETHYLENE	34475	036	2011/09/15	< .500	2014/09
TOLUENE	34010	036	2011/09/15	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/09/15	< .500	2014/09
TRICHLOROETHYLENE	39180	036	2011/09/15	< .500	2014/09
TRICHLOROFLUOROMETHANE	34488	036	2011/09/15	< 5.000	2014/09
VINYL CHLORIDE	39175	036	2011/09/15	< .500	2014/09
XYLENES (TOTAL)	81551	036	2011/09/15	< 1.000	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/15	. 250.000	2014/09
CALCIUM	00916	036	2011/09/15	. 95.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/15	< 2.000	2014/09
CHLORIDE	00940	036	2011/09/15	. 20.000	2014/09
COLOR	00081	036	2011/09/15	< 3.000	2014/09
COPPER	01042	036	2011/09/15	< 50.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-023
Source Name: WELL 03
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	<	.050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	.	320.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	<	2.000	2014/09
IRON	01045	036	2011/09/15	<	100.000	2014/09
MAGNESIUM	00927	036	2011/09/15	.	20.000	2014/09
MANGANESE	01055	036	2011/09/15	<	20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15		1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	.	7.800	2014/09
SILVER	01077	036	2011/09/15	<	10.000	2014/09
SODIUM	00929	036	2011/09/15		13.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	.	630.000	2014/09
SULFATE	00945	036	2011/09/15		51.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	.	370.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	.	.079	2014/09
ZINC	01092	036	2011/09/15	<	50.000	2014/09

PS Code: 3610050-024
Source Name: WELL 05
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/15	<	50.000	2014/09
ANTIMONY	01097	036	2011/09/15	<	6.000	2014/09
ARSENIC	01002	036	2011/09/15	<	2.000	2014/09
BARIUM	01007	036	2011/09/15	<	100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	<	1.000	2014/09
CADMIUM	01027	036	2011/09/15	<	1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	<	10.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-024***
Source Name: ***WELL 05***
Source Number: ***024***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/09/15	**< 100.000**	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/15	**. .340**	2014/09
MERCURY	**71900**	**036**	2011/09/15	**< 1.000**	2014/09
NICKEL	**01067**	**036**	2011/09/15	**< 10.000**	2014/09
PERCHLORATE	**A-031**	**036**	2011/09/15	**< 4.000**	2014/09
SELENIUM	**01147**	**036**	2011/09/15	**< 5.000**	2014/09
THALLIUM	**01059**	**036**	2011/09/15	**< 1.000**	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/21	**. 8.800**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/09/15	**< 400.000**	2014/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/08/21	**< 3.000**	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/21	**< .010**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/21	**< .020**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/09/15	**< .500**	2014/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/09/15	**< .500**	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/09/15	**< 10.000**	2014/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHANE	**34496**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/09/15	**< .500**	2014/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROBENZENE	**34536**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROETHANE	**34531**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROPROPANE	**34541**	**036**	2011/09/15	**< .500**	2014/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/09/15	**< .500**	2014/09
1,4-DICHLOROBENZENE	**34571**	**036**	2011/09/15	**< .500**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-024***
Source Name: ***WELL 05***
Source Number: ***024***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2011/09/15	**< .500**	2014/09
CARBON TETRACHLORIDE	**32102**	**036**	2011/09/15	**< .500**	2014/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/09/15	**< .500**	2014/09
DICHLOROMETHANE	**34423**	**036**	2011/09/15	**< .500**	2014/09
ETHYLBENZENE	**34371**	**036**	2011/09/15	**< .500**	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/09/15	**< 3.000**	2014/09
MONOCHLOROBENZENE	**34301**	**036**	2011/09/15	**< .500**	2014/09
STYRENE	**77128**	**036**	2011/09/15	**< .500**	2014/09
TETRACHLOROETHYLENE	**34475**	**036**	2011/09/15	**< .500**	2014/09
TOLUENE	**34010**	**036**	2011/09/15	**< .500**	2014/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROETHYLENE	**39180**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/09/15	**< 5.000**	2014/09
VINYL CHLORIDE	**39175**	**036**	2011/09/15	**< .500**	2014/09
XYLENES (TOTAL)	**81551**	**036**	2011/09/15	**< 1.000**	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/15	**. 270.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/15	**. 76.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/15	**< 2.000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/15	**. 6.200**	2014/09
COLOR	**00081**	**036**	2011/09/15	**< 3.000**	2014/09
COPPER	**01042**	**036**	2011/09/15	**< 50.000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/15	**< .050**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/15	**. 260.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/15	**< 2.000**	2014/09
IRON	**01045**	**036**	2011/09/15	**< 100.000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/15	**. 18.000**	2014/09
MANGANESE	**01055**	**036**	2011/09/15	**< 20.000**	2014/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/15	**< 1.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-024
Source Name: WELL 05
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/09/15	. 7.700	2014/09
SILVER	01077	036	2011/09/15	< 10.000	2014/09
SODIUM	00929	036	2011/09/15	11.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	. 500.000	2014/09
SULFATE	00945	036	2011/09/15	28.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 260.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	< .050	2014/09
ZINC	01092	036	2011/09/15	< 50.000	2014/09

PS Code: 3610050-026
Source Name: WELL 08
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/15	< 50.000	2014/09
ANTIMONY	01097	036	2011/09/15	< 6.000	2014/09
ARSENIC	01002	036	2011/09/15	< 2.000	2014/09
BARIUM	01007	036	2011/09/15	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< 1.000	2014/09
CADMIUM	01027	036	2011/09/15	< 1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	< 10.000	2014/09
CYANIDE	01291	036	2011/09/15	< 100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	. .270	2014/09
MERCURY	71900	036	2011/09/15	< 1.000	2014/09
NICKEL	01067	036	2011/09/15	< 10.000	2014/09
PERCHLORATE	A-031	036	2014/07/16	< 4.000	2017/07
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-026***

Source Name: ***WELL 08***

Source Number: ***026***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/16	**. 60.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/16	**< 400.000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/08/21	**. 3.700**	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/16	**. .110**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/16	**< .020**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/09/15	**< .500**	2014/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/09/15	**< .500**	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/09/15	**< 10.000**	2014/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHANE	**34496**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/09/15	**< .500**	2014/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROBENZENE	**34536**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROETHANE	**34531**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROPROPANE	**34541**	**036**	2011/09/15	**< .500**	2014/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/09/15	**< .500**	2014/09
1,4-DICHLOROBENZENE	**34571**	**036**	2011/09/15	**< .500**	2014/09
BENZENE	**34030**	**036**	2011/09/15	**< .500**	2014/09
CARBON TETRACHLORIDE	**32102**	**036**	2011/09/15	**< .500**	2014/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/09/15	**< .500**	2014/09
DICHLOROMETHANE	**34423**	**036**	2011/09/15	**< .500**	2014/09
ETHYLBENZENE	**34371**	**036**	2011/09/15	**< .500**	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/09/15	**< 3.000**	2014/09
MONOCHLOROBENZENE	**34301**	**036**	2011/09/15	**< .500**	2014/09
STYRENE	**77128**	**036**	2011/09/15	**< .500**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-026***
Source Name: ***WELL 08***
Source Number: ***026***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2011/09/15	**< .500**	2014/09
TOLUENE	**34010**	**036**	2011/09/15	**< .500**	2014/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROETHYLENE	**39180**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/09/15	**< 5.000**	2014/09
VINYL CHLORIDE	**39175**	**036**	2011/09/15	**< .500**	2014/09
XYLENES (TOTAL)	**81551**	**036**	2011/09/15	**< 1.000**	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/15	**. 250.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/15	**. 100.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/15	**< 2.000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/15	**. 22.000**	2014/09
COLOR	**00081**	**036**	2011/09/15	**< 3.000**	2014/09
COPPER	**01042**	**036**	2011/09/15	**< 50.000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/15	**< .050**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/15	**. 340.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/15	**< 2.000**	2014/09
IRON	**01045**	**036**	2011/09/15	**< 100.000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/15	**. 21.000**	2014/09
MANGANESE	**01055**	**036**	2011/09/15	**< 20.000**	2014/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/15	**1.000**	2014/09
PH, LABORATORY	**00403**	**036**	2011/09/15	**. 7.800**	2014/09
SILVER	**01077**	**036**	2011/09/15	**< 10.000**	2014/09
SODIUM	**00929**	**036**	2011/09/15	**14.000**	2014/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/09/15	**. 640.000**	2014/09
SULFATE	**00945**	**036**	2011/09/15	**53.000**	2014/09
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/21	**. 380.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2011/09/15	**. .180**	2014/09
ZINC	**01092**	**036**	2011/09/15	**< 50.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-036
Source Name: WELL 15
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/09/15	. 220.000	2014/09
ANTIMONY	01097	036	2011/09/15	< 6.000	2014/09
ARSENIC	01002	036	2011/09/15	< 2.000	2014/09
BARIUM	01007	036	2011/09/15	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< 1.000	2014/09
CADMIUM	01027	036	2011/09/15	< 1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	< 10.000	2014/09
CYANIDE	01291	036	2011/09/15	< 100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	. .430	2014/09
MERCURY	71900	036	2011/09/15	< 1.000	2014/09
NICKEL	01067	036	2011/09/15	< 10.000	2014/09
PERCHLORATE	A-031	036	2011/09/15	< 4.000	2014/09
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/21	. 12.000	2014/08
NITRITE (AS N)	00620	036	2011/09/15	< 400.000	2014/09
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/21	< 3.000	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/21	< .010	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/21	< .020	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/09/15	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/09/15	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/09/15	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	036	2011/09/15	< .500	2014/09
1,1-DICHLOROETHANE	34496	036	2011/09/15	< .500	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-036***

Source Name: ***WELL 15***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/09/15	**< .500**	2014/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROBENZENE	**34536**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROETHANE	**34531**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROPROPANE	**34541**	**036**	2011/09/15	**< .500**	2014/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/09/15	**< .500**	2014/09
1,4-DICHLOROBENZENE	**34571**	**036**	2011/09/15	**< .500**	2014/09
BENZENE	**34030**	**036**	2011/09/15	**< .500**	2014/09
CARBON TETRACHLORIDE	**32102**	**036**	2011/09/15	**< .500**	2014/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/09/15	**< .500**	2014/09
DICHLOROMETHANE	**34423**	**036**	2011/09/15	**< .500**	2014/09
ETHYLBENZENE	**34371**	**036**	2011/09/15	**< .500**	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/09/15	**< 3.000**	2014/09
MONOCHLOROBENZENE	**34301**	**036**	2011/09/15	**< .500**	2014/09
STYRENE	**77128**	**036**	2011/09/15	**< .500**	2014/09
TETRACHLOROETHYLENE	**34475**	**036**	2011/09/15	**< .500**	2014/09
TOLUENE	**34010**	**036**	2011/09/15	**< .500**	2014/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROETHYLENE	**39180**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/09/15	**< 5.000**	2014/09
VINYL CHLORIDE	**39175**	**036**	2011/09/15	**< .500**	2014/09
XYLENES (TOTAL)	**81551**	**036**	2011/09/15	**< 1.000**	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/15	**. 190.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/15	**. 56.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/15	**< 2.000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/15	**. 3.700**	2014/09
COLOR	**00081**	**036**	2011/09/15	**< 3.000**	2014/09
COPPER	**01042**	**036**	2011/09/15	**< 50.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-036
Source Name: WELL 15
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	<	.050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	.	170.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	<	2.000	2014/09
IRON	01045	036	2011/09/15		180.000	2014/09
MAGNESIUM	00927	036	2011/09/15	.	8.200	2014/09
MANGANESE	01055	036	2011/09/15	<	20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15		1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	.	7.800	2014/09
SILVER	01077	036	2011/09/15	<	10.000	2014/09
SODIUM	00929	036	2011/09/15		11.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	.	370.000	2014/09
SULFATE	00945	036	2011/09/15		22.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	.	240.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	.	1.400	2014/09
ZINC	01092	036	2011/09/15	<	50.000	2014/09

PS Code: 3610050-038
Source Name: WELL 17
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2011/09/15	<	50.000	2014/09
ANTIMONY	01097	036	2011/09/15	<	6.000	2014/09
ARSENIC	01002	036	2014/07/16	.	2.700	2017/07
BARIUM	01007	036	2011/09/15	<	100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	<	1.000	2014/09
CADMIUM	01027	036	2011/09/15	<	1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/15	<	10.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-038***
Source Name: ***WELL 17***
Source Number: ***038***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2011/09/15	**< 100.000**	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/15	**. .220**	2014/09
MERCURY	**71900**	**036**	2011/09/15	**< 1.000**	2014/09
NICKEL	**01067**	**036**	2011/09/15	**< 10.000**	2014/09
PERCHLORATE	**A-031**	**036**	2014/07/16	**< 4.000**	2017/07
SELENIUM	**01147**	**036**	2011/09/15	**< 5.000**	2014/09
THALLIUM	**01059**	**036**	2011/09/15	**< 1.000**	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/16	**. 15.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/16	**< 400.000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/08/21	**. 4.300**	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/16	**< .010**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/16	**< .020**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/09/15	**< .500**	2014/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/09/15	**< .500**	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/09/15	**< 10.000**	2014/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHANE	**34496**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/09/15	**< .500**	2014/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROBENZENE	**34536**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROETHANE	**34531**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROPROPANE	**34541**	**036**	2011/09/15	**< .500**	2014/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/09/15	**< .500**	2014/09
1,4-DICHLOROBENZENE	**34571**	**036**	2011/09/15	**< .500**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-038
Source Name: WELL 17
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2011/09/15	< .500	2014/09
CARBON TETRACHLORIDE	32102	036	2011/09/15	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/09/15	< .500	2014/09
DICHLOROMETHANE	34423	036	2011/09/15	< .500	2014/09
ETHYLBENZENE	34371	036	2011/09/15	< .500	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/09/15	< 3.000	2014/09
MONOCHLOROBENZENE	34301	036	2011/09/15	< .500	2014/09
STYRENE	77128	036	2011/09/15	< .500	2014/09
TETRACHLOROETHYLENE	34475	036	2011/09/15	< .500	2014/09
TOLUENE	34010	036	2011/09/15	< .500	2014/09
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/09/15	< .500	2014/09
TRICHLOROETHYLENE	39180	036	2011/09/15	< .500	2014/09
TRICHLOROFLUOROMETHANE	34488	036	2011/09/15	< 5.000	2014/09
VINYL CHLORIDE	39175	036	2011/09/15	< .500	2014/09
XYLENES (TOTAL)	81551	036	2011/09/15	< 1.000	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/15	. 220.000	2014/09
CALCIUM	00916	036	2011/09/15	. 69.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/15	< 2.000	2014/09
CHLORIDE	00940	036	2011/09/15	. 11.000	2014/09
COLOR	00081	036	2011/09/15	< 3.000	2014/09
COPPER	01042	036	2011/09/15	< 50.000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	< .050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	. 220.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	< 2.000	2014/09
IRON	01045	036	2011/09/15	< 100.000	2014/09
MAGNESIUM	00927	036	2011/09/15	. 11.000	2014/09
MANGANESE	01055	036	2011/09/15	< 20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15	< 1.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-038
Source Name: WELL 17
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2011/09/15	. 7.700	2014/09
SILVER	01077	036	2011/09/15	< 10.000	2014/09
SODIUM	00929	036	2011/09/15	24.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	. 460.000	2014/09
SULFATE	00945	036	2011/09/15	30.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 240.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	. .093	2014/09
ZINC	01092	036	2011/09/15	< 50.000	2014/09

PS Code: 3610050-039V
Source Name: WFA CONNECTION - TREATED
Source Number: 039
Source Status: PURCHASED TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610050-040
Source Name: WELL 07A
Source Number: 040
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/09/15	< 50.000	2014/09
ANTIMONY	01097	036	2011/09/15	< 6.000	2014/09
ARSENIC	01002	036	2011/09/15	< 2.000	2014/09
BARIUM	01007	036	2011/09/15	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/15	< 1.000	2014/09
CADMIUM	01027	036	2011/09/15	< 1.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-040***

Source Name: ***WELL 07A***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2011/09/15	**< 10.000**	2014/09
CYANIDE	**01291**	**036**	2011/09/15	**< 100.000**	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/15	**. .320**	2014/09
MERCURY	**71900**	**036**	2011/09/15	**< 1.000**	2014/09
NICKEL	**01067**	**036**	2011/09/15	**< 10.000**	2014/09
PERCHLORATE	**A-031**	**036**	2014/07/16	**< 4.000**	2017/07
SELENIUM	**01147**	**036**	2011/09/15	**< 5.000**	2014/09
THALLIUM	**01059**	**036**	2011/09/15	**< 1.000**	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/21	**. 25.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2011/09/15	**< 400.000**	2014/09
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/08/21	**. 5.200**	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/21	**< .010**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/21	**< .020**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/09/15	**< .500**	2014/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/09/15	**< .500**	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/09/15	**< 10.000**	2014/09
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHANE	**34496**	**036**	2011/09/15	**< .500**	2014/09
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/09/15	**< .500**	2014/09
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROBENZENE	**34536**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROETHANE	**34531**	**036**	2011/09/15	**< .500**	2014/09
1,2-DICHLOROPROPANE	**34541**	**036**	2011/09/15	**< .500**	2014/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/09/15	**< .500**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-040***

Source Name: ***WELL 07A***

Source Number: ***040***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**036**	2011/09/15	**< .500**	2014/09
BENZENE	**34030**	**036**	2011/09/15	**< .500**	2014/09
CARBON TETRACHLORIDE	**32102**	**036**	2011/09/15	**< .500**	2014/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/09/15	**< .500**	2014/09
DICHLOROMETHANE	**34423**	**036**	2011/09/15	**< .500**	2014/09
ETHYLBENZENE	**34371**	**036**	2011/09/15	**< .500**	2014/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/09/15	**< 3.000**	2014/09
MONOCHLOROBENZENE	**34301**	**036**	2011/09/15	**< .500**	2014/09
STYRENE	**77128**	**036**	2011/09/15	**< .500**	2014/09
TETRACHLOROETHYLENE	**34475**	**036**	2011/09/15	**. 1.800**	2014/09
TOLUENE	**34010**	**036**	2011/09/15	**< .500**	2014/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROETHYLENE	**39180**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/09/15	**< 5.000**	2014/09
VINYL CHLORIDE	**39175**	**036**	2011/09/15	**< .500**	2014/09
XYLENES (TOTAL)	**81551**	**036**	2011/09/15	**< 1.000**	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/15	**. 200.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/15	**. 65.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/15	**< 2.000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/15	**. 9.200**	2014/09
COLOR	**00081**	**036**	2011/09/15	**< 3.000**	2014/09
COPPER	**01042**	**036**	2011/09/15	**< 50.000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/15	**< .050**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/15	**. 210.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/15	**< 2.000**	2014/09
IRON	**01045**	**036**	2011/09/15	**< 100.000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/15	**. 11.000**	2014/09
MANGANESE	**01055**	**036**	2011/09/15	**< 20.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610050-040					
Source Name: WELL 07A					
Source Number: 040					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15	< 1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	. 7.600	2014/09
SILVER	01077	036	2011/09/15	< 10.000	2014/09
SODIUM	00929	036	2011/09/15	14.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	. 450.000	2014/09
SULFATE	00945	036	2011/09/15	24.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 250.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	. .110	2014/09
ZINC	01092	036	2011/09/15	< 50.000	2014/09
PS Code: 3610050-041					
Source Name: IX VESSEL COMMON INFLUENT LINE					
Source Number: 041					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610050-042					
Source Name: IX BLENDED EFFLUENT					
Source Number: 042					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610050-043***							
Source Name: ***PACKED TOWER AERATION FACILITY EFFLUENT***							
Source Number: ***043***							
Source Status: ***COMBINATION OR BLEND MIXED***							
Water type: ***S***							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**					
PS Code: ***3610050-044***							
Source Name: ***PLANT EFFLUENT - IX AND PTA***							
Source Number: ***044***							
Source Status: ***ACTIVE TREATED***							
Water type: ***G***							
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**					
PS Code: ***3610050-045***							
Source Name: ***WELL 21 A***							
Source Number: ***045***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
INORGANIC							
ALUMINUM	**01105**	**036**	2011/09/15	**<**	**50.000**	2014/09	
ANTIMONY	**01097**	**036**	2011/09/15	**<**	**6.000**	2014/09	
ARSENIC	**01002**	**036**	2011/09/15	**<**	**2.000**	2014/09	
BARIUM	**01007**	**036**	2011/09/15	**<**	**100.000**	2014/09	
BERYLLIUM	**01012**	**036**	2011/09/15	**<**	**1.000**	2014/09	
CADMIUM	**01027**	**036**	2011/09/15	**<**	**1.000**	2014/09	
CHROMIUM (TOTAL)	**01034**	**036**	2011/09/15	**<**	**10.000**	2014/09	
CHROMIUM, HEXAVALENT	**01032**	**000**					**DUE**
CYANIDE	**01291**	**036**	2011/09/15	**<**	**100.000**	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/09/15	**.**	**.250**	2014/09	
MERCURY	**71900**	**036**	2011/09/15	**<**	**1.000**	2014/09	
NICKEL	**01067**	**036**	2011/09/15	**<**	**10.000**	2014/09	
PERCHLORATE	**A-031**	**036**	2014/07/16	**.**	**5.600**	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

PS Code: 3610050-045
Source Name: WELL 21 A
Source Number: 045
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/16	. 95.000	2015/07
NITRITE (AS N)	00620	036	2014/07/16	< 400.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/21	. 10.000	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/16	. .250	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/16	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/09/15	< .500	2014/09
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/09/15	< .500	2014/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/09/15	< 10.000	2014/09
1,1,2-TRICHLOROETHANE	34511	036	2011/09/15	< .500	2014/09
1,1-DICHLOROETHANE	34496	036	2011/09/15	< .500	2014/09
1,1-DICHLOROETHYLENE	34501	036	2011/09/15	< .500	2014/09
1,2,4-TRICHLOROBENZENE	34551	036	2011/09/15	< .500	2014/09
1,2-DICHLOROBENZENE	34536	036	2011/09/15	< .500	2014/09
1,2-DICHLOROETHANE	34531	036	2011/09/15	< .500	2014/09
1,2-DICHLOROPROPANE	34541	036	2011/09/15	< .500	2014/09
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/09/15	< .500	2014/09
1,4-DICHLOROBENZENE	34571	036	2011/09/15	< .500	2014/09
BENZENE	34030	036	2011/09/15	< .500	2014/09
CARBON TETRACHLORIDE	32102	036	2011/09/15	< .500	2014/09
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/09/15	< .500	2014/09
DICHLOROMETHANE	34423	036	2011/09/15	< .500	2014/09
ETHYLBENZENE	34371	036	2011/09/15	< .500	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***
System Name: ***UPLAND, CITY OF***

PS Code: ***3610050-045***
Source Name: ***WELL 21 A***
Source Number: ***045***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/09/15	**< 3.000**	2014/09
MONOCHLOROBENZENE	**34301**	**036**	2011/09/15	**< .500**	2014/09
STYRENE	**77128**	**036**	2011/09/15	**< .500**	2014/09
TETRACHLOROETHYLENE	**34475**	**036**	2011/09/15	**< .500**	2014/09
TOLUENE	**34010**	**036**	2011/09/15	**< .500**	2014/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROETHYLENE	**39180**	**036**	2011/09/15	**< .500**	2014/09
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/09/15	**< 5.000**	2014/09
VINYL CHLORIDE	**39175**	**036**	2011/09/15	**< .500**	2014/09
XYLENES (TOTAL)	**81551**	**036**	2011/09/15	**< 1.000**	2014/09
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/09/15	**. 200.000**	2014/09
CALCIUM	**00916**	**036**	2011/09/15	**. 93.000**	2014/09
CARBONATE ALKALINITY	**00445**	**036**	2011/09/15	**< 2.000**	2014/09
CHLORIDE	**00940**	**036**	2011/09/15	**. 15.000**	2014/09
COLOR	**00081**	**036**	2011/09/15	**< 3.000**	2014/09
COPPER	**01042**	**036**	2011/09/15	**< 50.000**	2014/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/15	**< .050**	2014/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/09/15	**. 330.000**	2014/09
HYDROXIDE ALKALINITY	**71830**	**036**	2011/09/15	**< 2.000**	2014/09
IRON	**01045**	**036**	2011/09/15	**< 100.000**	2014/09
MAGNESIUM	**00927**	**036**	2011/09/15	**. 24.000**	2014/09
MANGANESE	**01055**	**036**	2011/09/15	**< 20.000**	2014/09
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/15	**1.000**	2014/09
PH, LABORATORY	**00403**	**036**	2011/09/15	**. 7.800**	2014/09
SILVER	**01077**	**036**	2011/09/15	**< 10.000**	2014/09
SODIUM	**00929**	**036**	2011/09/15	**17.000**	2014/09
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/09/15	**. 680.000**	2014/09
SULFATE	**00945**	**036**	2011/09/15	**72.000**	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610050-045					
Source Name: WELL 21 A					
Source Number: 045					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/21	. 390.000	2016/08
TURBIDITY, LABORATORY	82079	036	2011/09/15	. .260	2014/09
ZINC	01092	036	2011/09/15	< 50.000	2014/09
PS Code: 3610050-046					
Source Name: WEST END CONSOLIDATED - PURCHASED					
Source Number: 046					
Source Status: PURCHASED TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610050-047					
Source Name: SAWCO 17TH AND BENSON - PURCHASED					
Source Number: 047					
Source Status: PURCHASED RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610050-048					
Source Name: SAWCO 15TH AND CAMPUS - PURCHASED					
Source Number: 048					
Source Status: PURCHASED RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610050-601***					
Source Name: ***DBP2-1115 SHANNON (POINT I)***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **4.200**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	. **5.300**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	. **1.100**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **8.100**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **23.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **2.900**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **18.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **52.000**	2014/10
PS Code: ***3610050-602***					
Source Name: ***DBP2-1681 PARTRIDGE(POINT J)***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	< **1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	< **2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **1.100**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610050-602***					
Source Name: ***DBP2-1681 PARTRIDGE(POINT J)***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **2.600**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	< **1.000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **2.200**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **6.500**	2014/10
PS Code: ***3610050-603***					
Source Name: ***DBP2-4 ZONE 5***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	. **5.500**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	. **1.300**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	. **7.900**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	< **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	. **1.100**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	. **11.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	. **27.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	. **3.500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	. **27.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	. **68.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610050-604					
Source Name: DBP2-1370 BENSON AVE. (POINT K)					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 4.100	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 5.300	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 1.200	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 9.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/17	. 25.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 3.200	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 21.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 58.000	2014/10
PS Code: 3610050-605					
Source Name: DBP2-2275 POPPY (POINT C)					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 5.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	. 1.200	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 7.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 1.100	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 11.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610050-605					
Source Name: DBP2-2275 POPPY (POINT C)					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/07/17	. 27.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 3.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 26.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 68.000	2014/10
PS Code: 3610050-606					
Source Name: DBP2-WFA / PONDEROSA (POINT G)					
Source Number: 606					
Source Status: DISTRIBUTION TREATED					
Water type: S					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/17	. 2.200	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/17	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/17	. 3.400	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/17	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/17	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/17	. 1.200	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/17	. 6.000	2014/10
BROMOFORM (THM)	32104	003	2014/07/17	. 16.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	. 2.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 12.000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 36.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610050-607***					
Source Name: ***DBP2-1 ZONE 5***					
Source Number: ***607***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	**< 1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	**< 2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	**< 1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	**< 1.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/17	**. 1.900**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/17	**< 1.000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/17	**. 1.600**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/17	**. 5.000**	2014/10
PS Code: ***3610050-608***					
Source Name: ***DBP2-1435 ANITA AVE. (POINT L)***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/17	**< 1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/17	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/17	**< 2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/17	**< 1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/17	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/17	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/17	**< 1.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610050
System Name: UPLAND, CITY OF

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610050-608					
Source Name: DBP2-1435 ANITA AVE. (POINT L)					
Source Number: 608					
Source Status: DISTRIBUTION TREATED					
Water type: S					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/07/17	. 1.800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/17	< 1.000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/17	. 1.400	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/17	. 4.400	2014/10
PS Code: 3610050-800					
Source Name: WELL 01A - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610050-801					
Source Name: WELL 05 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610050***

System Name: ***UPLAND, CITY OF***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610050-802***					
Source Name: ***WELL 17 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-002
Source Name: ALDER WELL 01
Source Number: 002
Source Status: ACTIVE UNTREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610051-003
Source Name: ALDER WELL 02
Source Number: 003
Source Status: ACTIVE UNTREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610051-004
Source Name: ALDER WELL COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
INORGANIC							
ALUMINUM	01105	036	2012/01/17	<	50.000		2015/01
ANTIMONY	01097	036	2012/01/17	<	6.000		2015/01
ARSENIC	01002	036	2012/01/17	<	2.000		2015/01
BARIUM	01007	036	2012/01/17	<	100.000		2015/01
BERYLLIUM	01012	036	2012/01/17	<	1.000		2015/01
CADMIUM	01027	036	2012/01/17	<	1.000		2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	<	1.000		2015/01
CYANIDE	01291	036	2012/01/17	<	100.000		2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	.	.100		2015/01
MERCURY	71900	036	2012/01/17	<	1.000		2015/01
NICKEL	01067	036	2012/01/17	<	10.000		2015/01
PERCHLORATE	A-031	036	2012/01/17	<	4.000		2015/01
SELENIUM	01147	036	2012/01/17	<	5.000		2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-004***

Source Name: ***ALDER WELL COMPOSITE***

Source Number: ***004***

Source Status: ***COMBINATION OR BLEND UNTREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2012/01/17	**< 1.000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/07	**. 9.300**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/01/17	**< 100.000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2006/12/14	**4.490**	2015/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/22	**< .010**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/22	**< .020**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/01/22	**< .500**	2019/01
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/01/22	**< .500**	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/01/22	**< 10.000**	2019/01
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/01/22	**< .500**	2019/01
1,1-DICHLOROETHANE	**34496**	**072**	2013/01/22	**< .500**	2019/01
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/01/22	**< .500**	2019/01
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROBENZENE	**34536**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROETHANE	**34531**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROPROPANE	**34541**	**072**	2013/01/22	**< .500**	2019/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/01/22	**< .500**	2019/01
1,4-DICHLOROBENZENE	**34571**	**072**	2013/01/22	**< .500**	2019/01
BENZENE	**34030**	**072**	2013/01/22	**< .500**	2019/01
CARBON TETRACHLORIDE	**32102**	**072**	2013/01/22	**< .500**	2019/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/01/22	**< .500**	2019/01
DICHLOROMETHANE	**34423**	**072**	2013/01/22	**< .500**	2019/01
ETHYLBENZENE	**34371**	**072**	2013/01/22	**< .500**	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/22	**< 3.000**	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-004
Source Name: ALDER WELL COMPOSITE
Source Number: 004
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	072	2013/01/22	< .500	2019/01
STYRENE	77128	072	2013/01/22	< .500	2019/01
TETRACHLOROETHYLENE	34475	072	2013/01/22	< .500	2019/01
TOLUENE	34010	072	2013/01/22	< .500	2019/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/01/22	< .500	2019/01
TRICHLOROETHYLENE	39180	072	2013/01/22	< .500	2019/01
TRICHLOROFLUOROMETHANE	34488	072	2013/01/22	< 5.000	2019/01
VINYL CHLORIDE	39175	072	2013/01/22	< .500	2019/01
XYLENES (TOTAL)	81551	072	2013/01/22	< .500	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/08	. 84.000	2016/01
CALCIUM	00916	036	2013/01/08	. 19.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/08	< 3.000	2016/01
CHLORIDE	00940	036	2013/01/08	. 6.500	2016/01
COLOR	00081	036	2013/01/08	< 3.000	2016/01
COPPER	01042	036	2013/01/08	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/08	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/08	. 67.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/08	< 3.000	2016/01
IRON	01045	036	2013/01/08	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/08	. 4.900	2016/01
MANGANESE	01055	036	2013/01/08	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/08	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/08	. 6.400	2016/01
SILVER	01077	036	2013/01/08	< 10.000	2016/01
SODIUM	00929	036	2013/01/08	12.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/08	. 190.000	2016/01
SULFATE	00945	036	2013/01/08	6.500	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/08	. 130.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610051-004					
Source Name: ALDER WELL COMPOSITE					
Source Number: 004					
Source Status: COMBINATION OR BLEND UNTREATED					
Water type: S					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2013/01/08	< .200	2016/01
ZINC	01092	036	2013/01/08	< 50.000	2016/01
PS Code: 3610051-005					
Source Name: CROSS WELL					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610051-006					
Source Name: FREAD					
Source Number: 006					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610051-007					
Source Name: LAVIN WELL					
Source Number: 007					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-012
Source Name: MURPHY VERT
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01
BARIUM	01007	036	2012/01/17	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	. .100	2015/01
MERCURY	71900	036	2012/01/17	< 1.000	2015/01
NICKEL	01067	036	2012/01/17	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/07	. 11.000	2015/01
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	108	2006/08/28	1.890	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-012
Source Name: MURPHY VERT
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01
BENZENE	34030	072	2013/01/22	< .500	2019/01
CARBON TETRACHLORIDE	32102	072	2013/01/22	< .500	2019/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/22	< .500	2019/01
DICHLOROMETHANE	34423	072	2013/01/22	< .500	2019/01
ETHYLBENZENE	34371	072	2013/01/22	< .500	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/22	< 3.000	2019/01
MONOCHLOROBENZENE	34301	072	2013/01/22	< .500	2019/01
STYRENE	77128	072	2013/01/22	< .500	2019/01
TETRACHLOROETHYLENE	34475	072	2013/01/22	< .500	2019/01
TOLUENE	34010	072	2013/01/22	< .500	2019/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/01/22	< .500	2019/01
TRICHLOROETHYLENE	39180	072	2013/01/22	< .500	2019/01
TRICHLOROFLUOROMETHANE	34488	072	2013/01/22	< 5.000	2019/01
VINYL CHLORIDE	39175	072	2013/01/22	< .500	2019/01
XYLENES (TOTAL)	81551	072	2013/01/22	< .500	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/08	. 87.000	2016/01
CALCIUM	00916	036	2013/01/08	. 25.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/08	< 3.000	2016/01
CHLORIDE	00940	036	2013/01/08	. 14.000	2016/01
COLOR	00081	036	2013/01/08	< 3.000	2016/01
COPPER	01042	036	2013/01/08	< 50.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-012
Source Name: MURPHY VERT
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/01/08	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/08	. 93.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/08	< 3.000	2016/01
IRON	01045	036	2013/01/08	210.000	2016/01
MAGNESIUM	00927	036	2013/01/08	. 7.600	2016/01
MANGANESE	01055	036	2013/01/08	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/08	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/08	. 6.600	2016/01
SILVER	01077	036	2013/01/08	< 10.000	2016/01
SODIUM	00929	036	2013/01/08	12.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/08	. 240.000	2016/01
SULFATE	00945	036	2013/01/08	8.100	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/08	. 160.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/08	< .200	2016/01
ZINC	01092	036	2013/01/08	< 50.000	2016/01

PS Code: 3610051-017
Source Name: PIERSON WELL
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01
BARIUM	01007	036	2012/01/17	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-017
Source Name: PIERSON WELL
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	01032	036	2004/02/24	. .000	2007/02	DUE
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	. .100	2015/01	
MERCURY	71900	036	2012/01/17	< 1.000	2015/01	
NICKEL	01067	036	2012/01/17	< 10.000	2015/01	
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01	
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01	
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/07	. 5.600	2015/01	
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2006/05/15	2.490	2015/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01	
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01	
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01	
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01	
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01	
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01	
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01	
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-017
Source Name: PIERSON WELL
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01
BENZENE	34030	072	2013/01/22	< .500	2019/01
CARBON TETRACHLORIDE	32102	072	2013/01/22	< .500	2019/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/22	< .500	2019/01
DICHLOROMETHANE	34423	072	2013/01/22	< .500	2019/01
ETHYLBENZENE	34371	072	2013/01/22	< .500	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/22	< 3.000	2019/01
MONOCHLOROBENZENE	34301	072	2013/01/22	< .500	2019/01
STYRENE	77128	072	2013/01/22	< .500	2019/01
TETRACHLOROETHYLENE	34475	072	2013/01/22	< .500	2019/01
TOLUENE	34010	072	2013/01/22	< .500	2019/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/01/22	< .500	2019/01
TRICHLOROETHYLENE	39180	072	2013/01/22	< .500	2019/01
TRICHLOROFLUOROMETHANE	34488	072	2013/01/22	< 5.000	2019/01
VINYL CHLORIDE	39175	072	2013/01/22	< .500	2019/01
XYLENES (TOTAL)	81551	072	2013/01/22	< .500	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/08	. 180.000	2016/01
CALCIUM	00916	036	2013/01/08	. 43.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/08	< 3.000	2016/01
CHLORIDE	00940	036	2013/01/08	. 5.400	2016/01
COLOR	00081	036	2013/01/08	< 3.000	2016/01
COPPER	01042	036	2013/01/08	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/08	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/08	. 150.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/08	< 3.000	2016/01
IRON	01045	036	2013/01/08	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/08	. 9.500	2016/01
MANGANESE	01055	036	2013/01/08	< 20.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610051-017					
Source Name: PIERSON WELL					
Source Number: 017					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
ODOR THRESHOLD @ 60 C	00086	036	2013/01/08	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/08	. 7.400	2016/01
SILVER	01077	036	2013/01/08	< 10.000	2016/01
SODIUM	00929	036	2013/01/08	12.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/08	. 330.000	2016/01
SULFATE	00945	036	2013/01/08	6.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/08	. 180.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/08	< .200	2016/01
ZINC	01092	036	2013/01/08	< 50.000	2016/01
PS Code: 3610051-018					
Source Name: RIALTO VERT WELL					
Source Number: 018					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01
BARIUM	01007	036	2012/01/17	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	. .100	2015/01
MERCURY	71900	036	2012/01/17	< 1.000	2015/01
NICKEL	01067	036	2012/01/17	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-018***

Source Name: ***RIALTO VERT WELL***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/07	< 1.000	2015/01	
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01	
RADIOLOGICAL						
GROSS ALPHA	01501	003	**2014/01/07**	. 19.000	**2014/04**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01	
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01	
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01	
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01	
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01	
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01	
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01	
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01	
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01	
BENZENE	34030	072	2013/01/22	< .500	2019/01	
CARBON TETRACHLORIDE	32102	072	2013/01/22	< .500	2019/01	
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/22	< .500	2019/01	
DICHLOROMETHANE	34423	072	2013/01/22	< .500	2019/01	
ETHYLBENZENE	34371	072	2013/01/22	< .500	2019/01	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/22	< 3.000	2019/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-018***

Source Name: ***RIALTO VERT WELL***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	**34301**	**072**	2013/01/22	**< .500**	2019/01
STYRENE	**77128**	**072**	2013/01/22	**< .500**	2019/01
TETRACHLOROETHYLENE	**34475**	**072**	2013/01/22	**< .500**	2019/01
TOLUENE	**34010**	**072**	2013/01/22	**< .500**	2019/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROETHYLENE	**39180**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/01/22	**< 5.000**	2019/01
VINYL CHLORIDE	**39175**	**072**	2013/01/22	**< .500**	2019/01
XYLENES (TOTAL)	**81551**	**072**	2013/01/22	**< .500**	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/08	**. 130.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/08	**. 31.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/08	**< 3.000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/08	**. 6.700**	2016/01
COLOR	**00081**	**036**	2013/01/08	**< 3.000**	2016/01
COPPER	**01042**	**036**	2013/01/08	**< 50.000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/08	**< .050**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/08	**. 95.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/08	**< 3.000**	2016/01
IRON	**01045**	**036**	2013/01/08	**< 100.000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/08	**. 4.000**	2016/01
MANGANESE	**01055**	**036**	2013/01/08	**< 20.000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/08	**< 1.000**	2016/01
PH, LABORATORY	**00403**	**036**	2013/01/08	**. 7.900**	2016/01
SILVER	**01077**	**036**	2013/01/08	**< 10.000**	2016/01
SODIUM	**00929**	**036**	2013/01/08	**16.000**	2016/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/01/08	**. 260.000**	2016/01
SULFATE	**00945**	**036**	2013/01/08	**13.000**	2016/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/01/08	**. 130.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610051-018					
Source Name: RIALTO VERT WELL					
Source Number: 018					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**036**	2013/01/08	**< .200**	2016/01
ZINC	**01092**	**036**	2013/01/08	**. 90.000**	2016/01
PS Code: 3610051-019					
Source Name: RIALTO WELL 01					
Source Number: 019					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610051-020					
Source Name: RIALTO WELL 02					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610051-021					
Source Name: RIALTO WELL 03					
Source Number: 021					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-022***

Source Name: ***RIALTO WELL 04***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

PS Code: ***3610051-023***

Source Name: ***RIALTO WELL 05***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC						
ALUMINUM	**01105**	**036**	2012/01/17	**<**	**50.000**	2015/01
ANTIMONY	**01097**	**036**	2012/01/17	**<**	**6.000**	2015/01
ARSENIC	**01002**	**036**	2012/01/17	**<**	**2.000**	2015/01
BARIUM	**01007**	**036**	2012/01/17	**<**	**100.000**	2015/01
BERYLLIUM	**01012**	**036**	2012/01/17	**<**	**1.000**	2015/01
CADMIUM	**01027**	**036**	2012/01/17	**<**	**1.000**	2015/01
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/17	**<**	**1.000**	2015/01
CYANIDE	**01291**	**036**	2012/01/17	**<**	**100.000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/01/17	**<**	**.100**	2015/01
MERCURY	**71900**	**036**	2012/01/17	**<**	**1.000**	2015/01
NICKEL	**01067**	**036**	2012/01/17	**<**	**10.000**	2015/01
PERCHLORATE	**A-031**	**036**	2012/01/17	**<**	**4.000**	2015/01
SELENIUM	**01147**	**036**	2012/01/17	**<**	**5.000**	2015/01
THALLIUM	**01059**	**036**	2012/01/17	**<**	**1.000**	2015/01
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/01/07	**.**	**9.800**	2015/01
NITRITE (AS N)	**00620**	**036**	2012/01/17	**<**	**100.000**	2015/01
RADIOLOGICAL						
GROSS ALPHA	**01501**	**003**	2014/04/08	**.**	**1.190**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-023***

Source Name: ***RIALTO WELL 05***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/22	**< .010**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/22	**< .020**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/01/22	**< .500**	2019/01
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/01/22	**< .500**	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/01/22	**< 10.000**	2019/01
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/01/22	**< .500**	2019/01
1,1-DICHLOROETHANE	**34496**	**072**	2013/01/22	**< .500**	2019/01
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/01/22	**< .500**	2019/01
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROBENZENE	**34536**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROETHANE	**34531**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROPROPANE	**34541**	**072**	2013/01/22	**< .500**	2019/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/01/22	**< .500**	2019/01
1,4-DICHLOROBENZENE	**34571**	**072**	2013/01/22	**< .500**	2019/01
BENZENE	**34030**	**072**	2013/01/22	**< .500**	2019/01
CARBON TETRACHLORIDE	**32102**	**072**	2013/01/22	**< .500**	2019/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/01/22	**< .500**	2019/01
DICHLOROMETHANE	**34423**	**072**	2013/01/22	**< .500**	2019/01
ETHYLBENZENE	**34371**	**072**	2013/01/22	**< .500**	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/22	**< 3.000**	2019/01
MONOCHLOROBENZENE	**34301**	**072**	2013/01/22	**< .500**	2019/01
STYRENE	**77128**	**072**	2013/01/22	**< .500**	2019/01
TETRACHLOROETHYLENE	**34475**	**072**	2013/01/22	**< .500**	2019/01
TOLUENE	**34010**	**072**	2013/01/22	**< .500**	2019/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROETHYLENE	**39180**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/01/22	**< 5.000**	2019/01
VINYL CHLORIDE	**39175**	**072**	2013/01/22	**< .500**	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-023***

Source Name: ***RIALTO WELL 05***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2013/01/22	**< .500**	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/08	**. 100.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/08	**. 29.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/08	**< 3.000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/08	**. 6.200**	2016/01
COLOR	**00081**	**036**	2013/01/08	**< 3.000**	2016/01
COPPER	**01042**	**036**	2013/01/08	**< 50.000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/08	**< .050**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/08	**. 94.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/08	**< 3.000**	2016/01
IRON	**01045**	**036**	2013/01/08	**< 100.000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/08	**. 5.000**	2016/01
MANGANESE	**01055**	**036**	2013/01/08	**< 20.000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/08	**< 1.000**	2016/01
PH, LABORATORY	**00403**	**036**	2013/01/08	**. 6.700**	2016/01
SILVER	**01077**	**036**	2013/01/08	**< 10.000**	2016/01
SODIUM	**00929**	**036**	2013/01/08	**9.100**	2016/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/01/08	**. 240.000**	2016/01
SULFATE	**00945**	**036**	2013/01/08	**6.200**	2016/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/01/08	**. 140.000**	2016/01
TURBIDITY, LABORATORY	**82079**	**036**	2013/01/08	**< .200**	2016/01
ZINC	**01092**	**036**	2013/01/08	**< 50.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-024
Source Name: RIALTO WELL 06
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01	
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01	
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01	
BARIUM	01007	036	2012/01/17	< 100.000	2015/01	
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01	
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01	
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	< .100	2015/01	
MERCURY	71900	036	2012/01/17	< 1.000	2015/01	
NICKEL	01067	036	2012/01/17	< 10.000	2015/01	
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01	
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01	
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/07	. 20.000	2015/01	
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2014/04/08	. 18.700	2014/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01	
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-024
Source Name: RIALTO WELL 06
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01
BENZENE	34030	072	2013/01/22	< .500	2019/01
CARBON TETRACHLORIDE	32102	072	2013/01/22	< .500	2019/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/22	< .500	2019/01
DICHLOROMETHANE	34423	072	2013/01/22	< .500	2019/01
ETHYLBENZENE	34371	072	2013/01/22	< .500	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/22	< 3.000	2019/01
MONOCHLOROBENZENE	34301	072	2013/01/22	< .500	2019/01
STYRENE	77128	072	2013/01/22	< .500	2019/01
TETRACHLOROETHYLENE	34475	072	2013/01/22	< .500	2019/01
TOLUENE	34010	072	2013/01/22	< .500	2019/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/01/22	< .500	2019/01
TRICHLOROETHYLENE	39180	072	2013/01/22	< .500	2019/01
TRICHLOROFLUOROMETHANE	34488	072	2013/01/22	< 5.000	2019/01
VINYL CHLORIDE	39175	072	2013/01/22	< .500	2019/01
XYLENES (TOTAL)	81551	072	2013/01/22	< .500	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/08	. 57.000	2016/01
CALCIUM	00916	036	2013/01/08	. 20.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/08	< 3.000	2016/01
CHLORIDE	00940	036	2013/01/08	. 18.000	2016/01
COLOR	00081	036	2013/01/08	< 3.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-024***

Source Name: ***RIALTO WELL 06***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/01/08	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/08	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/08	. 73.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/08	< 3.000	2016/01
IRON	01045	036	2013/01/08	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/08	. 5.500	2016/01
MANGANESE	01055	036	2013/01/08	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/08	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/08	. 6.100	2016/01
SILVER	01077	036	2013/01/08	< 10.000	2016/01
SODIUM	00929	036	2013/01/08	13.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/08	. 220.000	2016/01
SULFATE	00945	036	2013/01/08	5.200	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/08	. 130.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/08	< .200	2016/01
ZINC	01092	036	2013/01/08	< 50.000	2016/01

PS Code: ***3610051-025***

Source Name: ***RIALTO WELL 07***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-026***

Source Name: ***RIALTO WELL 08***

Source Number: ***026***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

PS Code: ***3610051-029***

Source Name: ***RIALTO WELLS 1-4,7,8 & CROSS WELL***

Source Number: ***029***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/01/17	**< 50.000**	2015/01
ANTIMONY	**01097**	**036**	2012/01/17	**< 6.000**	2015/01
ARSENIC	**01002**	**036**	2012/01/17	**< 2.000**	2015/01
BARIUM	**01007**	**036**	2012/01/17	**< 100.000**	2015/01
BERYLLIUM	**01012**	**036**	2012/01/17	**< 1.000**	2015/01
CADMIUM	**01027**	**036**	2012/01/17	**< 1.000**	2015/01
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/17	**< 1.000**	2015/01
CYANIDE	**01291**	**036**	2012/01/17	**< 100.000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/01/17	**< .100**	2015/01
MERCURY	**71900**	**036**	2012/01/17	**< 1.000**	2015/01
NICKEL	**01067**	**036**	2012/01/17	**< 10.000**	2015/01
PERCHLORATE	**A-031**	**036**	2012/01/17	**< 4.000**	2015/01
SELENIUM	**01147**	**036**	2012/01/17	**< 5.000**	2015/01
THALLIUM	**01059**	**036**	2012/01/17	**< 1.000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/07	**. 20.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2012/01/17	**< 100.000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**003**	2014/04/08	**. 1.650**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-029***

Source Name: ***RIALTO WELLS 1-4,7,8 & CROSS WELL***

Source Number: ***029***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/22	**< .010**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/22	**< .020**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/01/22	**< .500**	2019/01
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/01/22	**< .500**	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/01/22	**< 10.000**	2019/01
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/01/22	**< .500**	2019/01
1,1-DICHLOROETHANE	**34496**	**072**	2013/01/22	**< .500**	2019/01
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/01/22	**< .500**	2019/01
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROBENZENE	**34536**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROETHANE	**34531**	**072**	2013/01/22	**< .500**	2019/01
1,2-DICHLOROPROPANE	**34541**	**072**	2013/01/22	**< .500**	2019/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/01/22	**< .500**	2019/01
1,4-DICHLOROBENZENE	**34571**	**072**	2013/01/22	**< .500**	2019/01
BENZENE	**34030**	**072**	2013/01/22	**< .500**	2019/01
CARBON TETRACHLORIDE	**32102**	**072**	2013/01/22	**< .500**	2019/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/01/22	**< .500**	2019/01
DICHLOROMETHANE	**34423**	**072**	2013/01/22	**< .500**	2019/01
ETHYLBENZENE	**34371**	**072**	2013/01/22	**< .500**	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/22	**< 3.000**	2019/01
MONOCHLOROBENZENE	**34301**	**072**	2013/01/22	**< .500**	2019/01
STYRENE	**77128**	**072**	2013/01/22	**< .500**	2019/01
TETRACHLOROETHYLENE	**34475**	**072**	2013/01/22	**< .500**	2019/01
TOLUENE	**34010**	**072**	2013/01/22	**< .500**	2019/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROETHYLENE	**39180**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/01/22	**< 5.000**	2019/01
VINYL CHLORIDE	**39175**	**072**	2013/01/22	**< .500**	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-029***

Source Name: ***RIALTO WELLS 1-4,7,8 & CROSS WELL***

Source Number: ***029***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2013/01/22	**< .500**	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/08	**. 92.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/08	**. 27.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/08	**< 3.000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/08	**. 6.700**	2016/01
COLOR	**00081**	**036**	2013/01/08	**< 3.000**	2016/01
COPPER	**01042**	**036**	2013/01/08	**< 50.000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/08	**< .050**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/08	**. 95.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/08	**< 3.000**	2016/01
IRON	**01045**	**036**	2013/01/08	**< 100.000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/08	**. 6.300**	2016/01
MANGANESE	**01055**	**036**	2013/01/08	**< 20.000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/08	**< 1.000**	2016/01
PH, LABORATORY	**00403**	**036**	2013/01/08	**. 6.600**	2016/01
SILVER	**01077**	**036**	2013/01/08	**< 10.000**	2016/01
SODIUM	**00929**	**036**	2013/01/08	**10.000**	2016/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/01/08	**. 230.000**	2016/01
SULFATE	**00945**	**036**	2013/01/08	**6.300**	2016/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/01/08	**. 150.000**	2016/01
TURBIDITY, LABORATORY	**82079**	**036**	2013/01/08	**< .200**	2016/01
ZINC	**01092**	**036**	2013/01/08	**< 50.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-030
Source Name: SHARP WELL
Source Number: 030
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01
BARIUM	01007	036	2012/01/17	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	< .100	2015/01
MERCURY	71900	036	2012/01/17	< 1.000	2015/01
NICKEL	01067	036	2012/01/17	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 8.200	2015/07
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	108	2006/12/14	4.010	2015/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-030
Source Name: SHARP WELL
Source Number: 030
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01
BENZENE	34030	072	2013/01/22	< .500	2019/01
CARBON TETRACHLORIDE	32102	072	2013/01/22	< .500	2019/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/22	< .500	2019/01
DICHLOROMETHANE	34423	072	2013/01/22	< .500	2019/01
ETHYLBENZENE	34371	072	2013/01/22	< .500	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/22	< 3.000	2019/01
MONOCHLOROBENZENE	34301	072	2013/01/22	< .500	2019/01
STYRENE	77128	072	2013/01/22	< .500	2019/01
TETRACHLOROETHYLENE	34475	072	2013/01/22	< .500	2019/01
TOLUENE	34010	072	2013/01/22	< .500	2019/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/01/22	< .500	2019/01
TRICHLOROETHYLENE	39180	072	2013/01/22	< .500	2019/01
TRICHLOROFLUOROMETHANE	34488	072	2013/01/22	< 5.000	2019/01
VINYL CHLORIDE	39175	072	2013/01/22	< .500	2019/01
XYLENES (TOTAL)	81551	072	2013/01/22	< .500	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/08	. 93.000	2016/01
CALCIUM	00916	036	2013/01/08	. 21.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/08	< 3.000	2016/01
CHLORIDE	00940	036	2013/01/08	. 5.600	2016/01
COLOR	00081	036	2013/01/08	< 3.000	2016/01
COPPER	01042	036	2013/01/08	< 50.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-030
Source Name: SHARP WELL
Source Number: 030
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/01/08	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/08	. 78.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/08	< 3.000	2016/01
IRON	01045	036	2013/01/08	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/08	. 6.200	2016/01
MANGANESE	01055	036	2013/01/08	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/08	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/08	. 6.600	2016/01
SILVER	01077	036	2013/01/08	< 10.000	2016/01
SODIUM	00929	036	2013/01/08	12.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/08	. 210.000	2016/01
SULFATE	00945	036	2013/01/08	6.500	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/08	. 130.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/08	< .200	2016/01
ZINC	01092	036	2013/01/08	< 50.000	2016/01

PS Code: 3610051-031
Source Name: STEGAR FREAD WILDER LAVIN COMPOSITE
Source Number: 031
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01
BARIUM	01007	036	2012/01/17	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-031***

Source Name: ***STEGAR FREAD WILDER LAVIN COMPOSITE***

Source Number: ***031***

Source Status: ***COMBINATION OR BLEND UNTREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	. .100	2015/01
MERCURY	71900	036	2012/01/17	< 1.000	2015/01
NICKEL	01067	036	2012/01/17	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/07	. 3.800	2015/01
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	108	2006/08/28	1.190	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-031***

Source Name: ***STEGAR FREAD WILDER LAVIN COMPOSITE***

Source Number: ***031***

Source Status: ***COMBINATION OR BLEND UNTREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2013/01/22	**< .500**	2019/01
CARBON TETRACHLORIDE	**32102**	**072**	2013/01/22	**< .500**	2019/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/01/22	**< .500**	2019/01
DICHLOROMETHANE	**34423**	**072**	2013/01/22	**< .500**	2019/01
ETHYLBENZENE	**34371**	**072**	2013/01/22	**< .500**	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/22	**< 3.000**	2019/01
MONOCHLOROBENZENE	**34301**	**072**	2013/01/22	**< .500**	2019/01
STYRENE	**77128**	**072**	2013/01/22	**< .500**	2019/01
TETRACHLOROETHYLENE	**34475**	**072**	2013/01/22	**< .500**	2019/01
TOLUENE	**34010**	**072**	2013/01/22	**< .500**	2019/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROETHYLENE	**39180**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/01/22	**< 5.000**	2019/01
VINYL CHLORIDE	**39175**	**072**	2013/01/22	**< .500**	2019/01
XYLENES (TOTAL)	**81551**	**072**	2013/01/22	**< .500**	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/08	**. 130.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/08	**. 31.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/08	**< 3.000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/08	**. 6.300**	2016/01
COLOR	**00081**	**036**	2013/01/08	**< 3.000**	2016/01
COPPER	**01042**	**036**	2013/01/08	**< 50.000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/08	**< .050**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/08	**. 120.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/08	**< 3.000**	2016/01
IRON	**01045**	**036**	2013/01/08	**< 100.000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/08	**. 9.600**	2016/01
MANGANESE	**01055**	**036**	2013/01/08	**< 20.000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/08	**< 1.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-031
Source Name: STEGAR FREAD WILDER LAVIN COMPOSITE
Source Number: 031
Source Status: COMBINATION OR BLEND UNTREATED
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2013/01/08	. 7.100	2016/01
SILVER	01077	036	2013/01/08	< 10.000	2016/01
SODIUM	00929	036	2013/01/08	10.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/08	. 270.000	2016/01
SULFATE	00945	036	2013/01/08	9.300	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/08	. 160.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/08	< .200	2016/01
ZINC	01092	036	2013/01/08	< 50.000	2016/01

PS Code: 3610051-035
Source Name: BALBOA WELL
Source Number: 035
Source Status: ACTIVE UNTREATED
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/01/17	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/17	< 6.000	2015/01
ARSENIC	01002	036	2012/01/17	< 2.000	2015/01
BARIUM	01007	036	2012/01/17	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/17	< 1.000	2015/01
CADMIUM	01027	036	2012/01/17	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/17	< 1.000	2015/01
CYANIDE	01291	036	2012/01/17	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/17	< .100	2015/01
MERCURY	71900	036	2012/01/17	< 1.000	2015/01
NICKEL	01067	036	2012/01/17	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/17	< 4.000	2015/01
SELENIUM	01147	036	2012/01/17	< 5.000	2015/01
THALLIUM	01059	036	2012/01/17	< 1.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

PS Code: 3610051-035
Source Name: BALBOA WELL
Source Number: 035
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/07	. 15.000	2015/01
NITRITE (AS N)	00620	036	2012/01/17	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	108	2006/08/28	- .140	2015/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/22	< .010	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/22	< .020	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/01/22	< .500	2019/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/22	< .500	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/22	< 10.000	2019/01
1,1,2-TRICHLOROETHANE	34511	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHANE	34496	072	2013/01/22	< .500	2019/01
1,1-DICHLOROETHYLENE	34501	072	2013/01/22	< .500	2019/01
1,2,4-TRICHLOROBENZENE	34551	072	2013/01/22	< .500	2019/01
1,2-DICHLOROBENZENE	34536	072	2013/01/22	< .500	2019/01
1,2-DICHLOROETHANE	34531	072	2013/01/22	< .500	2019/01
1,2-DICHLOROPROPANE	34541	072	2013/01/22	< .500	2019/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/01/22	< .500	2019/01
1,4-DICHLOROBENZENE	34571	072	2013/01/22	< .500	2019/01
BENZENE	34030	072	2013/01/22	< .500	2019/01
CARBON TETRACHLORIDE	32102	072	2013/01/22	< .500	2019/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/01/22	< .500	2019/01
DICHLOROMETHANE	34423	072	2013/01/22	< .500	2019/01
ETHYLBENZENE	34371	072	2013/01/22	< .500	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/01/22	< 3.000	2019/01
MONOCHLOROBENZENE	34301	072	2013/01/22	< .500	2019/01
STYRENE	77128	072	2013/01/22	< .500	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

PS Code: ***3610051-035***

Source Name: ***BALBOA WELL***

Source Number: ***035***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2013/01/22	**< .500**	2019/01
TOLUENE	**34010**	**072**	2013/01/22	**< .500**	2019/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROETHYLENE	**39180**	**072**	2013/01/22	**< .500**	2019/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/01/22	**< 5.000**	2019/01
VINYL CHLORIDE	**39175**	**072**	2013/01/22	**< .500**	2019/01
XYLENES (TOTAL)	**81551**	**072**	2013/01/22	**< .500**	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/08	**. 62.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/08	**. 17.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/08	**< 3.000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/08	**. 12.000**	2016/01
COLOR	**00081**	**036**	2013/01/08	**< 3.000**	2016/01
COPPER	**01042**	**036**	2013/01/08	**< 50.000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/08	**< .050**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/08	**. 66.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/08	**< 3.000**	2016/01
IRON	**01045**	**036**	2013/01/08	**< 100.000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/08	**. 5.600**	2016/01
MANGANESE	**01055**	**036**	2013/01/08	**< 20.000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/08	**< 1.000**	2016/01
PH, LABORATORY	**00403**	**036**	2013/01/08	**. 6.300**	2016/01
SILVER	**01077**	**036**	2013/01/08	**< 10.000**	2016/01
SODIUM	**00929**	**036**	2013/01/08	**11.000**	2016/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/01/08	**. 180.000**	2016/01
SULFATE	**00945**	**036**	2013/01/08	**1.300**	2016/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/01/08	**. 120.000**	2016/01
TURBIDITY, LABORATORY	**82079**	**036**	2013/01/08	**< .200**	2016/01
ZINC	**01092**	**036**	2013/01/08	**< 50.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610051
System Name: VALLEY OF ENCHANTMENT MWC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610051-037					
Source Name: CLAWA WHOLESALE					
Source Number: 037					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610051-038					
Source Name: STEGER WELL					
Source Number: 038					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610051-039					
Source Name: WILDER WELL					
Source Number: 039					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610051-040					
Source Name: RIALTO RESERVOIR URANIUM BLEND					
Source Number: 040					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610051-601***					
Source Name: ***DBP2-23091 OAK LANE***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/14	. **2.500**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/14	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/14	. **3.700**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/14	. **1.200**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/14	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/14	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/14	. **6.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/14	. **5.100**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/14	. **2.000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/14	. **7.500**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/14	. **20.000**	2014/10
PS Code: ***3610051-602***					
Source Name: ***DBP2-22999 WATERS DRIVE***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/14	. **4.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/14	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/14	. **8.200**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/14	. **2.200**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/14	. **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/14	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/14	. **7.600**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610051***

System Name: ***VALLEY OF ENCHANTMENT MWC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610051-602***					
Source Name: ***DBP2-22999 WATERS DRIVE***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/14	**. 7.400**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/14	**. 2.700**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/14	**. 8.600**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/14	**. 26.000**	2014/10
PS Code: ***3610051-800***					
Source Name: ***MURPHY VERT - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610051-801***					
Source Name: ***PIERSON WELL - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-003
Source Name: WELL 105
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2009/04/14	<	50.000	2012/04	DUE
ANTIMONY	01097	036	2009/04/14	<	6.000	2012/04	DUE
ARSENIC	01002	036	2009/04/14		3.200	2012/04	DUE
BARIUM	01007	036	2009/04/14	<	100.000	2012/04	DUE
BERYLLIUM	01012	036	2009/04/14	<	1.000	2012/04	DUE
CADMIUM	01027	036	2009/04/14	<	1.000	2012/04	DUE
CHROMIUM (TOTAL)	01034	036	2009/04/14	<	10.000	2012/04	DUE
CYANIDE	01291	036	2007/07/23	<	100.000	2010/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/04/14		.160	2012/04	DUE
MERCURY	71900	036	2009/04/14	<	1.000	2012/04	DUE
NICKEL	01067	036	2009/04/14	<	10.000	2012/04	DUE
PERCHLORATE	A-031	036	2002/12/10	.	.000	2005/12	DUE
SELENIUM	01147	036	2009/04/14	<	5.000	2012/04	DUE
THALLIUM	01059	036	2009/04/14	<	1.000	2012/04	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2009/04/14		3.100	2010/04	DUE
NITRITE (AS N)	00620	036	2009/04/14	<	400.000	2012/04	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	108	2003/07/14	.	.000	2012/07	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2006/07/20	<	.010	2009/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2006/07/20	<	.020	2009/07	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2003/07/14		.000	2009/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/07/14		.000	2009/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2003/07/14	.	.000	2009/07	DUE
1,1,2-TRICHLOROETHANE	34511	072	2003/07/14	.	.000	2009/07	DUE
1,1-DICHLOROETHANE	34496	072	2003/07/14	.	.000	2009/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-003
Source Name: WELL 105
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHYLENE	34501	072	2003/07/14	. .000	2009/07	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2003/07/14	. .000	2009/07	DUE
1,2-DICHLOROBENZENE	34536	072	2003/07/14	.000	2009/07	DUE
1,2-DICHLOROETHANE	34531	072	2003/07/14	. .000	2009/07	DUE
1,2-DICHLOROPROPANE	34541	072	2003/07/14	. .000	2009/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/07/14	. .000	2009/07	DUE
1,4-DICHLOROBENZENE	34571	072	2003/07/14	. .000	2009/07	DUE
BENZENE	34030	072	2003/07/14	. .000	2009/07	DUE
CARBON TETRACHLORIDE	32102	072	2003/07/14	.000	2009/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/07/14	. .000	2009/07	DUE
DICHLOROMETHANE	34423	072	2003/07/14	. .000	2009/07	DUE
ETHYLBENZENE	34371	072	2003/07/14	. .000	2009/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/04/14	< 3.000	2015/04	
MONOCHLOROBENZENE	34301	072	2003/07/14	. .000	2009/07	DUE
STYRENE	77128	072	2003/07/14	. .000	2009/07	DUE
TETRACHLOROETHYLENE	34475	072	2003/07/14	. .000	2009/07	DUE
TOLUENE	34010	072	2003/07/14	. .000	2009/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/07/14	.000	2009/07	DUE
TRICHLOROETHYLENE	39180	072	2003/07/14	. .000	2009/07	DUE
TRICHLOROFLUOROMETHANE	34488	072	2003/07/14	. .000	2009/07	DUE
VINYL CHLORIDE	39175	072	2003/07/14	. .000	2009/07	DUE
XYLENES (TOTAL)	81551	072	2003/07/14	. .000	2009/07	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/04/14	100.000	2012/04	DUE
CALCIUM	00916	036	2009/04/14	8.500	2012/04	DUE
CARBONATE ALKALINITY	00445	036	2009/04/14	2.100	2012/04	DUE
CHLORIDE	00940	036	2009/04/14	7.400	2012/04	DUE
COLOR	00081	036	2009/04/14	< 3.000	2012/04	DUE
COPPER	01042	036	2009/04/14	< 50.000	2012/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-003
Source Name: WELL 105
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
FOAMING AGENTS (MBAS)	38260	036	2009/04/14	<	.050	2012/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/04/14		24.800	2012/04	DUE
HYDROXIDE ALKALINITY	71830	036	2009/04/14	<	2.000	2012/04	DUE
IRON	01045	036	2009/04/14	<	100.000	2012/04	DUE
MAGNESIUM	00927	036	2009/04/14		.880	2012/04	DUE
MANGANESE	01055	036	2009/04/14	<	20.000	2012/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/04/14		2.000	2012/04	DUE
PH, LABORATORY	00403	036	2009/04/14		8.500	2012/04	DUE
SILVER	01077	036	2009/04/14	<	10.000	2012/04	DUE
SODIUM	00929	036	2009/04/14		38.000	2012/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/04/14		211.000	2012/04	DUE
SULFATE	00945	036	2009/04/14		7.400	2012/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/04/14		130.000	2012/04	DUE
TURBIDITY, LABORATORY	82079	036	2009/04/14		.100	2012/04	DUE
ZINC	01092	036	2009/04/14	<	50.000	2012/04	DUE

PS Code: 3610052-007
Source Name: WELL 109
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/13	<	50.000	2017/05	
ANTIMONY	01097	036	2014/05/13	<	6.000	2017/05	
ARSENIC	01002	036	2014/07/15	.	5.200	2017/07	
BARIUM	01007	036	2014/05/13	<	100.000	2017/05	
BERYLLIUM	01012	036	2014/05/13	<	1.000	2017/05	
CADMIUM	01027	036	2014/05/13	<	1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/13	.	3.900	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-007***

Source Name: ***WELL 109***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/15	**. 4.300**	2017/07
CYANIDE	**01291**	**036**	2014/05/13	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/13	**. .300**	2017/05
MERCURY	**71900**	**036**	2014/05/13	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/13	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/13	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/13	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/13	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/13	**. 2.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/13	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/11/27	**. 1.280**	2021/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/11/20	**< .010**	2015/11
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/11/20	**< .020**	2015/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/10/13	**< .500**	2015/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/10/13	**< .500**	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/10/13	**< 10.000**	2015/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/10/13	**< .500**	2015/10
1,1-DICHLOROETHANE	**34496**	**072**	2009/10/13	**< .500**	2015/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/10/13	**< .500**	2015/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/10/13	**< .500**	2015/10
1,2-DICHLOROBENZENE	**34536**	**072**	2009/10/13	**< .500**	2015/10
1,2-DICHLOROETHANE	**34531**	**072**	2009/10/13	**< .500**	2015/10
1,2-DICHLOROPROPANE	**34541**	**072**	2009/10/13	**< .500**	2015/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/10/13	**< .500**	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-007
Source Name: WELL 109
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2009/10/13	< .500	2015/10
BENZENE	34030	072	2009/10/13	< .500	2015/10
CARBON TETRACHLORIDE	32102	072	2009/10/13	< .500	2015/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/10/13	< .500	2015/10
DICHLOROMETHANE	34423	072	2009/10/13	< .500	2015/10
ETHYLBENZENE	34371	072	2009/10/13	< .500	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/01	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2009/10/13	< .500	2015/10
STYRENE	77128	072	2009/10/13	< .500	2015/10
TETRACHLOROETHYLENE	34475	072	2009/10/13	< .500	2015/10
TOLUENE	34010	072	2009/10/13	< .500	2015/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/10/13	< .500	2015/10
TRICHLOROETHYLENE	39180	072	2009/10/13	< .500	2015/10
TRICHLOROFLUOROMETHANE	34488	072	2009/10/13	< 5.000	2015/10
VINYL CHLORIDE	39175	072	2009/10/13	< .500	2015/10
XYLENES (TOTAL)	81551	072	2009/10/13	< .500	2015/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/13	. 96.000	2017/05
CALCIUM	00916	036	2014/05/13	. 3.400	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/13	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/13	. 4.700	2017/05
COLOR	00081	036	2014/05/13	< 3.000	2017/05
COPPER	01042	036	2014/05/13	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/13	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/13	. 9.100	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/13	< 3.000	2017/05
IRON	01045	036	2014/05/13	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/13	< 1.000	2017/05
MANGANESE	01055	036	2014/05/13	< 20.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-007
Source Name: WELL 109
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2014/05/13	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/13	. 9.000	2017/05
SILVER	01077	036	2014/05/13	< 10.000	2017/05
SODIUM	00929	036	2014/05/13	. 42.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/13	. 200.000	2017/05
SULFATE	00945	036	2014/05/13	. 6.800	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/13	. 260.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/13	< .200	2017/05
ZINC	01092	036	2014/05/13	< 50.000	2017/05

PS Code: 3610052-012
Source Name: WELL 139
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/21	. 67.000	2017/05
ANTIMONY	01097	036	2014/05/21	< 6.000	2017/05
ARSENIC	01002	036	2014/07/16	. 17.000	2017/07
BARIUM	01007	036	2014/05/21	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/21	< 1.000	2017/05
CADMIUM	01027	036	2014/05/21	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/21	. 7.200	2017/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	. 6.700	2017/07
CYANIDE	01291	036	2014/05/21	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/21	. .400	2017/05
MERCURY	71900	036	2014/05/21	< 1.000	2017/05
NICKEL	01067	036	2014/05/21	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/21	< 4.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-012***

Source Name: ***WELL 139***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2014/05/21	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/21	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/21	**. 1.600**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/21	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/10/25	**1.020**	2019/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/27	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/27	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/10/28	**< .500**	2019/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/10/28	**< .500**	2019/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/10/28	**< 10.000**	2019/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/10/28	**< .500**	2019/10
1,1-DICHLOROETHANE	**34496**	**072**	2013/10/28	**< .500**	2019/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/10/28	**< .500**	2019/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/10/28	**< .500**	2019/10
1,2-DICHLOROBENZENE	**34536**	**072**	2013/10/28	**< .500**	2019/10
1,2-DICHLOROETHANE	**34531**	**072**	2013/10/28	**< .500**	2019/10
1,2-DICHLOROPROPANE	**34541**	**072**	2013/10/28	**< .500**	2019/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/10/28	**< .500**	2019/10
1,4-DICHLOROBENZENE	**34571**	**072**	2013/10/28	**< .500**	2019/10
BENZENE	**34030**	**072**	2013/10/28	**< .500**	2019/10
CARBON TETRACHLORIDE	**32102**	**072**	2013/10/28	**< .500**	2019/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/10/28	**< .500**	2019/10
DICHLOROMETHANE	**34423**	**072**	2013/10/28	**< .500**	2019/10
ETHYLBENZENE	**34371**	**072**	2013/10/28	**< .500**	2019/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-012***

Source Name: ***WELL 139***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/10/28	**< 3.000**	2019/10
MONOCHLOROBENZENE	**34301**	**072**	2013/10/28	**< .500**	2019/10
STYRENE	**77128**	**072**	2013/10/28	**< .500**	2019/10
TETRACHLOROETHYLENE	**34475**	**072**	2013/10/28	**< .500**	2019/10
TOLUENE	**34010**	**072**	2013/10/28	**< .500**	2019/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/10/28	**< .500**	2019/10
TRICHLOROETHYLENE	**39180**	**072**	2013/10/28	**< .500**	2019/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/10/28	**< 5.000**	2019/10
VINYL CHLORIDE	**39175**	**072**	2013/10/28	**< .500**	2019/10
XYLENES (TOTAL)	**81551**	**072**	2013/10/28	**< .500**	2019/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/21	**. 83.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/21	**< 1.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/21	**. 16.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/21	**. 4.000**	2017/05
COLOR	**00081**	**036**	2014/05/21	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/21	**< 50.000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/21	**< .050**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/21	**< 3.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/21	**< 3.000**	2017/05
IRON	**01045**	**036**	2014/05/21	**< 100.000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/21	**< 1.000**	2017/05
MANGANESE	**01055**	**036**	2014/05/21	**< 20.000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/21	**< 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/21	**. 9.500**	2017/05
SILVER	**01077**	**036**	2014/05/21	**< 10.000**	2017/05
SODIUM	**00929**	**036**	2014/05/21	**. 49.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/21	**. 220.000**	2017/05
SULFATE	**00945**	**036**	2014/05/21	**. 2.700**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-012					
Source Name: WELL 139					
Source Number: 012					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/21	. 150.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/21	. .760	2017/05
ZINC	01092	036	2014/05/21	< 50.000	2017/05
PS Code: 3610052-014					
Source Name: WELL 116					
Source Number: 014					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/05/13	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/13	< 6.000	2017/05
ARSENIC	01002	003	2014/07/15	. 5.700	2014/10
BARIUM	01007	036	2014/05/13	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/13	< 1.000	2017/05
CADMIUM	01027	036	2014/05/13	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/13	. 3.800	2017/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/15	. 4.100	2017/07
CYANIDE	01291	036	2014/05/13	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/13	. .400	2017/05
MERCURY	71900	036	2014/05/13	< 1.000	2017/05
NICKEL	01067	036	2014/05/13	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/13	< 4.000	2017/05
SELENIUM	01147	036	2014/05/13	< 5.000	2017/05
THALLIUM	01059	036	2014/05/13	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/13	. 1.800	2015/05
NITRITE (AS N)	00620	036	2014/05/13	< 100.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-014***

Source Name: ***WELL 116***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/07/24	**. .870**	2021/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/24	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/24	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/07	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/07	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/07	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/07	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/07	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/07	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/07	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/07	**< .500**	2015/07
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/07	**< .500**	2015/07
BENZENE	**34030**	**072**	2009/07/07	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/07	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/07	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**072**	2009/07/07	**< .500**	2015/07
ETHYLBENZENE	**34371**	**072**	2009/07/07	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/15	**< 3.000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2009/07/07	**< .500**	2015/07
STYRENE	**77128**	**072**	2009/07/07	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/07	**< .500**	2015/07
TOLUENE	**34010**	**072**	2009/07/07	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/07	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**072**	2009/07/07	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-014
Source Name: WELL 116
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2009/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	072	2009/07/07	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/13	. 94.000	2017/05
CALCIUM	00916	036	2014/05/13	. 6.300	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/13	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/13	. 4.800	2017/05
COLOR	00081	036	2014/05/13	< 3.000	2017/05
COPPER	01042	036	2014/05/13	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/13	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/13	. 17.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/13	< 3.000	2017/05
IRON	01045	036	2014/05/13	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/13	< 1.000	2017/05
MANGANESE	01055	036	2014/05/13	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/13	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/13	. 9.000	2017/05
SILVER	01077	036	2014/05/13	< 10.000	2017/05
SODIUM	00929	036	2014/05/13	. 39.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/13	. 200.000	2017/05
SULFATE	00945	036	2014/05/13	. 8.100	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/13	. 200.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/13	< .200	2017/05
ZINC	01092	036	2014/05/13	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-015***

Source Name: ***WELL 118***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/05/20	< 50.000	2017/05	
ANTIMONY	01097	036	2014/05/20	< 6.000	2017/05	
ARSENIC	01002	036	2014/07/22	. 2.200	2017/07	
BARIUM	01007	036	2014/05/20	< 100.000	2017/05	
BERYLLIUM	01012	036	2014/05/20	< 1.000	2017/05	
CADMIUM	01027	036	2014/05/20	< 1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/20	. 1.300	2017/05	
CYANIDE	01291	036	2014/05/20	< 100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/20	. .300	2017/05	
MERCURY	71900	036	2014/05/20	< 1.000	2017/05	
NICKEL	01067	036	2014/05/20	< 10.000	2017/05	
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05	
SELENIUM	01147	036	2014/05/20	< 5.000	2017/05	
THALLIUM	01059	036	2014/05/20	< 1.000	2017/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/20	. 1.500	2015/05	
NITRITE (AS N)	00620	036	2014/05/20	< 100.000	2017/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	**2003/07/15**	. .000	**2012/07**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/08	< .010	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/08	< .020	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/22	< .500	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/22	< .500	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/22	< 10.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/22	< .500	2015/07	
1,1-DICHLOROETHANE	34496	072	2009/07/22	< .500	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-015
Source Name: WELL 118
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2009/07/22	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/22	< .500	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/22	< .500	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/22	< .500	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/22	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/22	< .500	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/22	< .500	2015/07
BENZENE	34030	072	2009/07/22	< .500	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/22	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/22	< .500	2015/07
DICHLOROMETHANE	34423	072	2009/07/22	< .500	2015/07
ETHYLBENZENE	34371	072	2009/07/22	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/31	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2009/07/22	< .500	2015/07
STYRENE	77128	072	2009/07/22	< .500	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/22	< .500	2015/07
TOLUENE	34010	072	2009/07/22	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/22	< .500	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/22	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/22	< 5.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/22	< .500	2015/07
XYLENES (TOTAL)	81551	072	2009/07/22	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/20	. 110.000	2017/05
CALCIUM	00916	036	2014/05/20	. 23.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/20	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/20	. 28.000	2017/05
COLOR	00081	036	2014/05/20	< 3.000	2017/05
COPPER	01042	036	2014/05/20	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-015					
Source Name: WELL 118					
Source Number: 015					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/05/20	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/20	. 75.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/20	< 3.000	2017/05
IRON	01045	036	2014/05/20	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/20	. 4.100	2017/05
MANGANESE	01055	036	2014/05/20	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/20	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/20	. 7.900	2017/05
SILVER	01077	036	2014/05/20	< 10.000	2017/05
SODIUM	00929	036	2014/05/20	. 41.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/20	. 350.000	2017/05
SULFATE	00945	036	2014/05/20	. 35.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	. 230.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/20	< .200	2017/05
ZINC	01092	036	2014/05/20	< 50.000	2017/05
PS Code: 3610052-016					
Source Name: WELL 119					
Source Number: 016					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/05/20	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/20	< 6.000	2017/05
ARSENIC	01002	036	2014/07/22	< .000	2017/07
BARIUM	01007	036	2014/05/20	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/20	< 1.000	2017/05
CADMIUM	01027	036	2014/05/20	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/20	< 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-016***

Source Name: ***WELL 119***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/05/20	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/20	**. .200**	2017/05
MERCURY	**71900**	**036**	2014/05/20	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/20	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/20	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/20	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/20	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/20	**< 1.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/20	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/10/16	**. 8.730**	2022/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/11/19	**< .010**	2015/11
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/11/19	**< .020**	2015/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/08	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/08	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/08	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/08	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/08	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/08	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/08	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/08	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/08	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/08	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/08	**< .500**	2015/07
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/08	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-016***

Source Name: ***WELL 119***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2009/07/08	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/08	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/08	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**072**	2009/07/08	**< .500**	2015/07
ETHYLBENZENE	**34371**	**072**	2009/07/08	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/10/17	**< 3.000**	2018/10
MONOCHLOROBENZENE	**34301**	**072**	2009/07/08	**< .500**	2015/07
STYRENE	**77128**	**072**	2009/07/08	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/08	**< .500**	2015/07
TOLUENE	**34010**	**072**	2009/07/08	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/08	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**072**	2009/07/08	**< .500**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/07/08	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**072**	2009/07/08	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**072**	2009/07/08	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/20	**. 170.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/20	**. 50.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/20	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/20	**. 49.000**	2017/05
COLOR	**00081**	**036**	2014/05/20	**. 5.000**	2017/05
COPPER	**01042**	**036**	2014/05/20	**< 50.000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/20	**< .050**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/20	**. 160.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/20	**< 3.000**	2017/05
IRON	**01045**	**036**	2014/05/20	**. 360.000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/20	**. 8.600**	2017/05
MANGANESE	**01055**	**036**	2014/05/20	**. 50.000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/20	**< 1.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-016					
Source Name: WELL 119					
Source Number: 016					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
PH, LABORATORY	00403	036	2014/05/20	. 7.800	2017/05
SILVER	01077	036	2014/05/20	< 10.000	2017/05
SODIUM	00929	036	2014/05/20	. 47.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/20	. 550.000	2017/05
SULFATE	00945	036	2014/05/20	. 66.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	. 350.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/20	. 1.900	2017/05
ZINC	01092	036	2014/05/20	< 50.000	2017/05
PS Code: 3610052-017					
Source Name: WELL 120					
Source Number: 017					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/05/13	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/13	< 6.000	2017/05
ARSENIC	01002	036	2014/07/15	< .000	2017/07
BARIUM	01007	036	2014/05/13	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/13	< 1.000	2017/05
CADMIUM	01027	036	2014/05/13	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/13	. 2.400	2017/05
CHROMIUM, HEXAVALENT	01032	036	2014/07/15	. 2.800	2017/07
CYANIDE	01291	036	2014/05/13	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/13	. .800	2017/05
MERCURY	71900	036	2014/05/13	< 1.000	2017/05
NICKEL	01067	036	2014/05/13	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/13	< 4.000	2017/05
SELENIUM	01147	036	2014/05/13	< 5.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-017***

Source Name: ***WELL 120***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2014/05/13	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/13	**. 4.300**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/13	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/07/18	**. .460**	2021/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/18	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/18	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/08	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/08	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/08	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/08	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/08	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/08	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/08	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/08	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/08	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/08	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/08	**< .500**	2015/07
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/08	**< .500**	2015/07
BENZENE	**34030**	**072**	2009/07/08	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/08	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/08	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**072**	2009/07/08	**< .500**	2015/07
ETHYLBENZENE	**34371**	**072**	2009/07/08	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/01	**< 3.000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-017***

Source Name: ***WELL 120***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	**34301**	**072**	2009/07/08	**< .500**	2015/07
STYRENE	**77128**	**072**	2009/07/08	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/08	**< .500**	2015/07
TOLUENE	**34010**	**072**	2009/07/08	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/08	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**072**	2009/07/08	**< .500**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/07/08	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**072**	2009/07/08	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**072**	2009/07/08	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/13	**. 85.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/13	**. 18.000**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/13	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/13	**. 8.400**	2017/05
COLOR	**00081**	**036**	2014/05/13	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/13	**< 50.000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/13	**< .050**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/13	**. 56.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/13	**< 3.000**	2017/05
IRON	**01045**	**036**	2014/05/13	**< 100.000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/13	**. 2.800**	2017/05
MANGANESE	**01055**	**036**	2014/05/13	**< 20.000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/13	**< 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/13	**. 8.200**	2017/05
SILVER	**01077**	**036**	2014/05/13	**< 10.000**	2017/05
SODIUM	**00929**	**036**	2014/05/13	**. 20.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/13	**. 200.000**	2017/05
SULFATE	**00945**	**036**	2014/05/13	**. 9.100**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/13	**. 170.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610052-017***					
Source Name: ***WELL 120***					
Source Number: ***017***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/13	**< .200**	2017/05
ZINC	**01092**	**036**	2014/05/13	**< 50.000**	2017/05
PS Code: ***3610052-018***					
Source Name: ***WELL 121***					
Source Number: ***018***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/13	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/13	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/07/15	**. 6.200**	2017/07
BARIUM	**01007**	**036**	2014/05/13	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/13	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/13	**< 1.000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/13	**. 8.300**	2017/05
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/15	**. 8.900**	2017/07
CYANIDE	**01291**	**036**	2014/05/13	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/13	**. .400**	2017/05
MERCURY	**71900**	**036**	2014/05/13	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/13	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/13	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/13	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/13	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/13	**. 6.800**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/06/24	**< 100.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-018***

Source Name: ***WELL 121***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/08/07	**. 1.410**	2021/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/10/01	**< .010**	2016/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/10/01	**< .020**	2016/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/04/22	**< .500**	2019/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/04/22	**< .500**	2019/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/04/22	**< 10.000**	2019/04
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/04/22	**< .500**	2019/04
1,1-DICHLOROETHANE	**34496**	**072**	2013/04/22	**< .500**	2019/04
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/04/22	**< .500**	2019/04
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/04/22	**< .500**	2019/04
1,2-DICHLOROBENZENE	**34536**	**072**	2013/04/22	**< .500**	2019/04
1,2-DICHLOROETHANE	**34531**	**072**	2013/04/22	**< .500**	2019/04
1,2-DICHLOROPROPANE	**34541**	**072**	2013/04/22	**< .500**	2019/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/04/22	**< .500**	2019/04
1,4-DICHLOROBENZENE	**34571**	**072**	2013/04/22	**< .500**	2019/04
BENZENE	**34030**	**072**	2013/04/22	**< .500**	2019/04
CARBON TETRACHLORIDE	**32102**	**072**	2013/04/22	**< .500**	2019/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/04/22	**< .500**	2019/04
DICHLOROMETHANE	**34423**	**072**	2013/04/22	**< .500**	2019/04
ETHYLBENZENE	**34371**	**072**	2013/04/22	**< .500**	2019/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/04/22	**< 3.000**	2019/04
MONOCHLOROBENZENE	**34301**	**072**	2013/04/22	**< .500**	2019/04
STYRENE	**77128**	**072**	2013/04/22	**< .500**	2019/04
TETRACHLOROETHYLENE	**34475**	**072**	2013/04/22	**< .500**	2019/04
TOLUENE	**34010**	**072**	2013/04/22	**< .500**	2019/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/04/22	**< .500**	2019/04
TRICHLOROETHYLENE	**39180**	**072**	2013/04/22	**< .500**	2019/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-018
Source Name: WELL 121
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2013/04/22	< 5.000	2019/04
VINYL CHLORIDE	39175	072	2013/04/22	< .500	2019/04
XYLENES (TOTAL)	81551	072	2013/04/22	< .500	2019/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/13	. 87.000	2017/05
CALCIUM	00916	036	2014/05/13	. 5.100	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/13	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/13	. 24.000	2017/05
COLOR	00081	036	2014/05/13	< 3.000	2017/05
COPPER	01042	036	2014/05/13	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/13	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/13	. 14.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/13	< 3.000	2017/05
IRON	01045	036	2014/05/13	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/13	< 1.000	2017/05
MANGANESE	01055	036	2014/05/13	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/13	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/13	. 8.900	2017/05
SILVER	01077	036	2014/05/13	< 10.000	2017/05
SODIUM	00929	036	2014/05/13	. 69.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/13	. 350.000	2017/05
SULFATE	00945	036	2014/05/13	. 44.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/13	. 240.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/13	< .200	2017/05
ZINC	01092	036	2014/05/13	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-019***

Source Name: ***WELL 122***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/20	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/20	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/07/17	**< .000**	2017/07
BARIUM	**01007**	**036**	2014/05/20	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/20	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/20	**< 1.000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/20	**. 2.400**	2017/05
CYANIDE	**01291**	**036**	2014/05/20	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/20	**. .300**	2017/05
MERCURY	**71900**	**036**	2014/05/20	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/20	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/20	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/20	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/20	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/20	**. 4.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/20	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/08/07	**. 1.350**	2021/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/02	**< .010**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/02	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/08/02	**< .500**	2017/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/08/02	**< .500**	2017/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/08/02	**< 10.000**	2017/08
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/08/02	**< .500**	2017/08
1,1-DICHLOROETHANE	**34496**	**072**	2011/08/02	**< .500**	2017/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-019
Source Name: WELL 122
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2011/08/02	< .500	2017/08
1,2,4-TRICHLOROBENZENE	34551	072	2011/08/02	< .500	2017/08
1,2-DICHLOROBENZENE	34536	072	2011/08/02	< .500	2017/08
1,2-DICHLOROETHANE	34531	072	2011/08/02	< .500	2017/08
1,2-DICHLOROPROPANE	34541	072	2011/08/02	< .500	2017/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/08/02	< .500	2017/08
1,4-DICHLOROBENZENE	34571	072	2011/08/02	< .500	2017/08
BENZENE	34030	072	2011/08/02	< .500	2017/08
CARBON TETRACHLORIDE	32102	072	2011/08/02	< .500	2017/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/08/02	< .500	2017/08
DICHLOROMETHANE	34423	072	2011/08/02	< .500	2017/08
ETHYLBENZENE	34371	072	2011/08/02	< .500	2017/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/04/18	< 3.000	2018/04
MONOCHLOROBENZENE	34301	072	2011/08/02	< .500	2017/08
STYRENE	77128	072	2011/08/02	< .500	2017/08
TETRACHLOROETHYLENE	34475	072	2011/08/02	< .500	2017/08
TOLUENE	34010	072	2011/08/02	< .500	2017/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/08/02	< .500	2017/08
TRICHLOROETHYLENE	39180	072	2011/08/02	< .500	2017/08
TRICHLOROFLUOROMETHANE	34488	072	2011/08/02	< 5.000	2017/08
VINYL CHLORIDE	39175	072	2011/08/02	< .500	2017/08
XYLENES (TOTAL)	81551	072	2011/08/02	< .500	2017/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/20	. 92.000	2017/05
CALCIUM	00916	036	2014/05/20	. 17.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/20	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/20	. 7.500	2017/05
COLOR	00081	036	2014/05/20	< 3.000	2017/05
COPPER	01042	036	2014/05/20	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-019					
Source Name: WELL 122					
Source Number: 019					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/05/20	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/20	. 55.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/20	< 3.000	2017/05
IRON	01045	036	2014/05/20	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/20	. 2.700	2017/05
MANGANESE	01055	036	2014/05/20	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/20	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/20	. 8.200	2017/05
SILVER	01077	036	2014/05/20	< 10.000	2017/05
SODIUM	00929	036	2014/05/20	. 19.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/20	. 200.000	2017/05
SULFATE	00945	036	2014/05/20	. 10.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	. 140.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/20	. .290	2017/05
ZINC	01092	036	2014/05/20	< 50.000	2017/05
PS Code: 3610052-020					
Source Name: WELL 123					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04
ARSENIC	01002	036	2014/04/29	. 3.600	2017/04
BARIUM	01007	036	2014/04/29	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/29	. 7.200	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-020***

Source Name: ***WELL 123***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/04/29	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/29	**. .300**	2017/04
MERCURY	**71900**	**036**	2014/04/29	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/29	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/29	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2014/04/29	**< 5.000**	2017/04
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 9.300**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/07/24	**. 1.030**	2021/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/24	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/24	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/07	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/07	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/07	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/07	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/07	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/07	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/07	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/07	**< .500**	2015/07
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/07	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-020***

Source Name: ***WELL 123***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**072**	2009/07/07	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/07	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/07	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**072**	2009/07/07	**< .500**	2015/07
ETHYLBENZENE	**34371**	**072**	2009/07/07	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/01	**< 3.000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2009/07/07	**< .500**	2015/07
STYRENE	**77128**	**072**	2009/07/07	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/07	**< .500**	2015/07
TOLUENE	**34010**	**072**	2009/07/07	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/07	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**072**	2009/07/07	**< .500**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/07/07	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**072**	2009/07/07	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**072**	2009/07/07	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/29	**. 100.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/29	**. 13.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/29	**< 3.000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/29	**. 9.100**	2017/04
COLOR	**00081**	**036**	2014/04/29	**< 3.000**	2017/04
COPPER	**01042**	**036**	2014/04/29	**< 50.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/29	**< .050**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/29	**. 38.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/29	**< 3.000**	2017/04
IRON	**01045**	**036**	2014/04/29	**< 100.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/29	**. 1.400**	2017/04
MANGANESE	**01055**	**036**	2014/04/29	**< 20.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/29	**< 1.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-020
Source Name: WELL 123
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/04/29	. 8.300	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 36.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 240.000	2017/04
SULFATE	00945	036	2014/04/29	. 7.400	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 170.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	< .200	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04

PS Code: 3610052-023
Source Name: WELL 126
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04
ARSENIC	01002	036	2014/04/29	. 2.400	2017/04
BARIUM	01007	036	2014/04/29	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/29	. 3.600	2017/04
CYANIDE	01291	036	2014/04/29	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	. .200	2017/04
MERCURY	71900	036	2014/04/29	< 1.000	2017/04
NICKEL	01067	036	2014/04/29	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/29	< 4.000	2017/04
SELENIUM	01147	036	2014/04/29	< 5.000	2017/04
THALLIUM	01059	036	2014/04/29	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-023
Source Name: WELL 126
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/29	. 5.400	2015/04
NITRITE (AS N)	00620	036	2014/04/29	< 100.000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/07/18	. 2.300	2021/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/18	< .010	2015/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/18	< .020	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/07/07	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/07	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/07	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	072	2009/07/07	< .500	2015/07
1,1-DICHLOROETHANE	34496	072	2009/07/07	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	072	2009/07/07	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/07	< .500	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/07	< .500	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/07	< .500	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/07	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/07	< .500	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/07	< .500	2015/07
BENZENE	34030	072	2009/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/07	< .500	2015/07
DICHLOROMETHANE	34423	072	2009/07/07	< .500	2015/07
ETHYLBENZENE	34371	072	2009/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/01	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2009/07/07	< .500	2015/07
STYRENE	77128	072	2009/07/07	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-023***

Source Name: ***WELL 126***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/07	**< .500**	2015/07
TOLUENE	**34010**	**072**	2009/07/07	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/07	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**072**	2009/07/07	**< .500**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/07/07	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**072**	2009/07/07	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**072**	2009/07/07	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/29	**. 110.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/29	**. 16.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/29	**< 3.000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/29	**. 7.100**	2017/04
COLOR	**00081**	**036**	2014/04/29	**< 3.000**	2017/04
COPPER	**01042**	**036**	2014/04/29	**< 50.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/29	**< .050**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/29	**. 49.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/29	**< 3.000**	2017/04
IRON	**01045**	**036**	2014/04/29	**< 100.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/29	**. 2.100**	2017/04
MANGANESE	**01055**	**036**	2014/04/29	**< 20.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/29	**< 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/29	**. 8.300**	2017/04
SILVER	**01077**	**036**	2014/04/29	**< 10.000**	2017/04
SODIUM	**00929**	**036**	2014/04/29	**. 27.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/29	**. 220.000**	2017/04
SULFATE	**00945**	**036**	2014/04/29	**. 5.000**	2017/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/29	**. 120.000**	2017/04
TURBIDITY, LABORATORY	**82079**	**036**	2014/04/29	**< .200**	2017/04
ZINC	**01092**	**036**	2014/04/29	**< 50.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-024***

Source Name: ***WELL 127***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/13	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/13	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/05/13	**. 7.100**	2017/05
BARIUM	**01007**	**036**	2014/05/13	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/13	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/13	**< 1.000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/13	**. 8.500**	2017/05
CYANIDE	**01291**	**036**	2014/05/13	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/13	**. .500**	2017/05
MERCURY	**71900**	**036**	2014/05/13	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/13	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/13	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/13	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/13	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/13	**. 5.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/06/24	**< 100.000**	2017/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/04/24	**. .810**	2022/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/04/24	**< .010**	2016/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/04/24	**< .020**	2016/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/10/12	**< .500**	2015/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/10/12	**< .500**	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/10/12	**< 10.000**	2015/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/10/12	**< .500**	2015/10
1,1-DICHLOROETHANE	**34496**	**072**	2009/10/12	**< .500**	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-024***

Source Name: ***WELL 127***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/10/12	**< .500**	2015/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/10/12	**< .500**	2015/10
1,2-DICHLOROBENZENE	**34536**	**072**	2009/10/12	**< .500**	2015/10
1,2-DICHLOROETHANE	**34531**	**072**	2009/10/12	**< .500**	2015/10
1,2-DICHLOROPROPANE	**34541**	**072**	2009/10/12	**< .500**	2015/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/10/12	**< .500**	2015/10
1,4-DICHLOROBENZENE	**34571**	**072**	2009/10/12	**< .500**	2015/10
BENZENE	**34030**	**072**	2009/10/12	**< .500**	2015/10
CARBON TETRACHLORIDE	**32102**	**072**	2009/10/12	**< .500**	2015/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/10/12	**< .500**	2015/10
DICHLOROMETHANE	**34423**	**072**	2009/10/12	**< .500**	2015/10
ETHYLBENZENE	**34371**	**072**	2009/10/12	**< .500**	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/04/18	**< 3.000**	2018/04
MONOCHLOROBENZENE	**34301**	**072**	2009/10/12	**< .500**	2015/10
STYRENE	**77128**	**072**	2009/10/12	**< .500**	2015/10
TETRACHLOROETHYLENE	**34475**	**072**	2009/10/12	**< .500**	2015/10
TOLUENE	**34010**	**072**	2009/10/12	**< .500**	2015/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/10/12	**< .500**	2015/10
TRICHLOROETHYLENE	**39180**	**072**	2009/10/12	**< .500**	2015/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/10/12	**< 5.000**	2015/10
VINYL CHLORIDE	**39175**	**072**	2009/10/12	**< .500**	2015/10
XYLENES (TOTAL)	**81551**	**072**	2009/10/12	**< .500**	2015/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/13	**. 99.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/13	**. 5.800**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/13	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/13	**. 7.200**	2017/05
COLOR	**00081**	**036**	2014/05/13	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/13	**< 50.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-024					
Source Name: WELL 127					
Source Number: 024					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/05/13	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/13	. 17.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/13	< 3.000	2017/05
IRON	01045	036	2014/05/13	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/13	< 1.000	2017/05
MANGANESE	01055	036	2014/05/13	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/13	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/13	. 8.900	2017/05
SILVER	01077	036	2014/05/13	< 10.000	2017/05
SODIUM	00929	036	2014/05/13	. 39.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/13	. 210.000	2017/05
SULFATE	00945	036	2014/05/13	. 5.600	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/13	. 140.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/13	< .200	2017/05
ZINC	01092	036	2014/05/13	< 50.000	2017/05
PS Code: 3610052-025					
Source Name: WELL 128					
Source Number: 025					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/04/30	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/30	< 6.000	2017/04
ARSENIC	01002	036	2014/04/30	. 12.000	2017/04
BARIUM	01007	036	2014/04/30	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/30	< 1.000	2017/04
CADMIUM	01027	036	2014/04/30	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/30	. 9.400	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-025***

Source Name: ***WELL 128***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/04/30	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/30	**. .400**	2017/04
MERCURY	**71900**	**036**	2014/04/30	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/30	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/30	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2014/04/30	**< 5.000**	2017/04
THALLIUM	**01059**	**036**	2014/04/30	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/30	**. 12.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/30	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/09/18	**. .700**	2021/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/09/18	**< .010**	2015/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/09/18	**< .020**	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/07	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/07	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/07	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/07	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/07	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/07	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/07	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/07	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/07	**< .500**	2015/07
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/07	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-025
Source Name: WELL 128
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2009/07/07	< .500	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/07	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/07	< .500	2015/07
DICHLOROMETHANE	34423	072	2009/07/07	< .500	2015/07
ETHYLBENZENE	34371	072	2009/07/07	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/09/18	< 3.000	2018/09
MONOCHLOROBENZENE	34301	072	2009/07/07	< .500	2015/07
STYRENE	77128	072	2009/07/07	< .500	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/07	< .500	2015/07
TOLUENE	34010	072	2009/07/07	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/07	< .500	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/07	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/07	< 5.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/07	< .500	2015/07
XYLENES (TOTAL)	81551	072	2009/07/07	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/30	. 96.000	2017/04
CALCIUM	00916	036	2014/04/30	. 6.600	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/30	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/30	. 9.700	2017/04
COLOR	00081	036	2014/04/30	< 3.000	2017/04
COPPER	01042	036	2014/04/30	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/30	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/30	. 18.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/30	< 3.000	2017/04
IRON	01045	036	2014/04/30	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/30	< 1.000	2017/04
MANGANESE	01055	036	2014/04/30	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/30	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610052-025***							
Source Name: ***WELL 128***							
Source Number: ***025***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
SECONDARY/GP							
PH, LABORATORY	**00403**	**036**	2014/04/30	.	**8.500**	2017/04	
SILVER	**01077**	**036**	2014/04/30	<	**10.000**	2017/04	
SODIUM	**00929**	**036**	2014/04/30	.	**44.000**	2017/04	
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/30	.	**240.000**	2017/04	
SULFATE	**00945**	**036**	2014/04/30	.	**11.000**	2017/04	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/30	.	**130.000**	2017/04	
TURBIDITY, LABORATORY	**82079**	**036**	2014/04/30	.	**.410**	2017/04	
ZINC	**01092**	**036**	2014/04/30	<	**50.000**	2017/04	
PS Code: ***3610052-026***							
Source Name: ***WELL 129***							
Source Number: ***026***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
INORGANIC							
ALUMINUM	**01105**	**036**	**2011/04/27**	<	**50.000**	**2014/04**	**DUE**
ANTIMONY	**01097**	**036**	**2011/04/27**	<	**6.000**	**2014/04**	**DUE**
ARSENIC	**01002**	**036**	2011/08/02	.	**7.300**	2014/08	
BARIUM	**01007**	**036**	**2011/04/27**	<	**100.000**	**2014/04**	**DUE**
BERYLLIUM	**01012**	**036**	**2011/04/27**	<	**1.000**	**2014/04**	**DUE**
CADMIUM	**01027**	**036**	**2011/04/27**	<	**1.000**	**2014/04**	**DUE**
CHROMIUM (TOTAL)	**01034**	**036**	**2011/04/27**	.	**2.200**	**2014/04**	**DUE**
CYANIDE	**01291**	**036**	**2011/04/27**	<	**100.000**	**2014/04**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	**2011/04/27**	.	**.300**	**2014/04**	**DUE**
MERCURY	**71900**	**036**	**2011/04/27**	<	**1.000**	**2014/04**	**DUE**
NICKEL	**01067**	**036**	**2011/04/27**	<	**10.000**	**2014/04**	**DUE**
PERCHLORATE	**A-031**	**036**	**2011/04/27**	<	**4.000**	**2014/04**	**DUE**
SELENIUM	**01147**	**036**	**2011/04/27**	<	**5.000**	**2014/04**	**DUE**
THALLIUM	**01059**	**036**	**2011/04/27**	<	**1.000**	**2014/04**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-026
Source Name: WELL 129
Source Number: 026
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/04/27	. 9.100	2012/04	DUE
NITRITE (AS N)	00620	036	2011/04/27	< 100.000	2014/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2005/08/01	< 3.000	2014/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/01/19	< .010	2014/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/01/19	< .020	2014/01	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/08/03	< .500	2017/08	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/08/03	< .500	2017/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/08/03	< 10.000	2017/08	
1,1,2-TRICHLOROETHANE	34511	072	2011/08/03	< .500	2017/08	
1,1-DICHLOROETHANE	34496	072	2011/08/03	< .500	2017/08	
1,1-DICHLOROETHYLENE	34501	072	2011/08/03	< .500	2017/08	
1,2,4-TRICHLOROBENZENE	34551	072	2011/08/03	< .500	2017/08	
1,2-DICHLOROBENZENE	34536	072	2011/08/03	< .500	2017/08	
1,2-DICHLOROETHANE	34531	072	2011/08/03	< .500	2017/08	
1,2-DICHLOROPROPANE	34541	072	2011/08/03	< .500	2017/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/08/03	< .500	2017/08	
1,4-DICHLOROBENZENE	34571	072	2011/08/03	< .500	2017/08	
BENZENE	34030	072	2011/08/03	< .500	2017/08	
CARBON TETRACHLORIDE	32102	072	2011/08/03	< .500	2017/08	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/08/03	< .500	2017/08	
DICHLOROMETHANE	34423	072	2011/08/03	< .500	2017/08	
ETHYLBENZENE	34371	072	2011/08/03	< .500	2017/08	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/08/03	< 3.000	2017/08	
MONOCHLOROBENZENE	34301	072	2011/08/03	< .500	2017/08	
STYRENE	77128	072	2011/08/03	< .500	2017/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-026***

Source Name: ***WELL 129***

Source Number: ***026***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TETRACHLOROETHYLENE	34475	072	2011/08/03	<	.500	2017/08	
TOLUENE	34010	072	2011/08/03	<	.500	2017/08	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/08/03	<	.500	2017/08	
TRICHLOROETHYLENE	39180	072	2011/08/03	<	.500	2017/08	
TRICHLOROFLUOROMETHANE	34488	072	2011/08/03	<	5.000	2017/08	
VINYL CHLORIDE	39175	072	2011/08/03	<	.500	2017/08	
XYLENES (TOTAL)	81551	072	2011/08/03	<	.500	2017/08	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/04/27	.	90.000	2014/04	DUE
CALCIUM	00916	036	2011/04/27	.	19.000	2014/04	DUE
CARBONATE ALKALINITY	00445	036	2011/04/27	<	3.000	2014/04	DUE
CHLORIDE	00940	036	2011/04/27	.	8.500	2014/04	DUE
COLOR	00081	036	2011/04/27	<	3.000	2014/04	DUE
COPPER	01042	036	2011/04/27	<	50.000	2014/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/04/27	<	.050	2014/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/04/27	.	67.000	2014/04	DUE
HYDROXIDE ALKALINITY	71830	036	2011/04/27	<	3.000	2014/04	DUE
IRON	01045	036	2011/04/27	<	100.000	2014/04	DUE
MAGNESIUM	00927	036	2011/04/27	.	4.600	2014/04	DUE
MANGANESE	01055	036	2011/04/27	<	20.000	2014/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/04/27	<	1.000	2014/04	DUE
PH, LABORATORY	00403	036	2011/04/27	.	8.500	2014/04	DUE
SILVER	01077	036	2011/04/27	<	10.000	2014/04	DUE
SODIUM	00929	036	2011/04/27		41.000	2014/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/04/27	.	350.000	2014/04	DUE
SULFATE	00945	036	2011/04/27		66.000	2014/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/04/27	.	260.000	2014/04	DUE
TURBIDITY, LABORATORY	82079	036	2011/04/27	.	.380	2014/04	DUE
ZINC	01092	036	2011/04/27	<	50.000	2014/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-027***

Source Name: ***WELL 131***

Source Number: ***027***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/05/30	**< 50.000**	2015/05
ANTIMONY	**01097**	**036**	2012/05/30	**< 6.000**	2015/05
ARSENIC	**01002**	**036**	2014/07/15	**. 13.000**	2017/07
BARIUM	**01007**	**036**	2012/05/30	**< 100.000**	2015/05
BERYLLIUM	**01012**	**036**	2012/05/30	**< 1.000**	2015/05
CADMIUM	**01027**	**036**	2012/05/30	**< 1.000**	2015/05
CHROMIUM (TOTAL)	**01034**	**036**	2012/05/30	**. 20.000**	2015/05
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/15	**. 11.000**	2017/07
CYANIDE	**01291**	**036**	2012/05/30	**< 100.000**	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/05/30	**. .700**	2015/05
MERCURY	**71900**	**036**	2012/05/30	**< 1.000**	2015/05
NICKEL	**01067**	**036**	2012/05/30	**< 10.000**	2015/05
PERCHLORATE	**A-031**	**036**	2012/05/30	**< 4.000**	2015/05
SELENIUM	**01147**	**036**	2012/05/30	**< 5.000**	2015/05
THALLIUM	**01059**	**036**	2012/05/30	**< 1.000**	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/19	**. 2.900**	2015/06
NITRITE (AS N)	**00620**	**036**	2012/05/30	**< 100.000**	2015/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2014/06/19	**< .000**	2023/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/21	**< .010**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/21	**< .020**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/08	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/08	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/08	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/08	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-027
Source Name: WELL 131
Source Number: 027
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2009/07/08	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	072	2009/07/08	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/08	< .500	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/08	< .500	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/08	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/08	< .500	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/08	< .500	2015/07
BENZENE	34030	072	2009/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/08	< .500	2015/07
DICHLOROMETHANE	34423	072	2009/07/08	< .500	2015/07
ETHYLBENZENE	34371	072	2009/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/30	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2009/07/08	< .500	2015/07
STYRENE	77128	072	2009/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/08	< .500	2015/07
TOLUENE	34010	072	2009/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/08	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	072	2009/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/30	. 71.000	2015/05
CALCIUM	00916	036	2012/05/30	< 1.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/30	24.000	2015/05
CHLORIDE	00940	036	2012/05/30	. 3.600	2015/05
COLOR	00081	036	2012/05/30	< 3.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610052-027***					
Source Name: ***WELL 131***					
Source Number: ***027***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2012/05/30	**< 50.000**	2015/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/05/30	**< .050**	2015/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/05/30	**< 3.000**	2015/05
HYDROXIDE ALKALINITY	**71830**	**036**	2012/05/30	**< 3.000**	2015/05
IRON	**01045**	**036**	2012/05/30	**< 100.000**	2015/05
MAGNESIUM	**00927**	**036**	2012/05/30	**< 1.000**	2015/05
MANGANESE	**01055**	**036**	2012/05/30	**< 20.000**	2015/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/05/30	**< 1.000**	2015/05
PH, LABORATORY	**00403**	**036**	2012/05/30	**. 9.400**	2015/05
SILVER	**01077**	**036**	2012/05/30	**< 10.000**	2015/05
SODIUM	**00929**	**036**	2012/05/30	**51.000**	2015/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/05/30	**. 240.000**	2015/05
SULFATE	**00945**	**036**	2012/05/30	**4.000**	2015/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/05/30	**. 150.000**	2015/05
TURBIDITY, LABORATORY	**82079**	**036**	2012/05/30	**< .200**	2015/05
ZINC	**01092**	**036**	2012/05/30	**< 50.000**	2015/05
PS Code: ***3610052-028***					
Source Name: ***WELL 130***					
Source Number: ***028***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/29	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/29	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/07/22	**. 3.900**	2017/07
BARIUM	**01007**	**036**	2014/05/29	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/29	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/29	**< 1.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-028***

Source Name: ***WELL 130***

Source Number: ***028***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/29	**. 4.900**	2017/05
CYANIDE	**01291**	**036**	2014/05/29	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/02	**. .330**	2017/07
MERCURY	**71900**	**036**	2014/05/29	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/29	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/29	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/29	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/29	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/29	**. 4.500**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/29	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/08/23	**. 1.830**	2021/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/08/23	**< .010**	2015/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/08/23	**< .020**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/22	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/22	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/22	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/22	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/22	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/07/22	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/07/22	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**072**	2009/07/22	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**072**	2009/07/22	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**072**	2009/07/22	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/07/22	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-028***

Source Name: ***WELL 130***

Source Number: ***028***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**072**	2009/07/22	**< .500**	2015/07
BENZENE	**34030**	**072**	2009/07/22	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**072**	2009/07/22	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/07/22	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**072**	2009/07/22	**< .500**	2015/07
ETHYLBENZENE	**34371**	**072**	2009/07/22	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/30	**< 3.000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2009/07/22	**< .500**	2015/07
STYRENE	**77128**	**072**	2009/07/22	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**072**	2009/07/22	**< .500**	2015/07
TOLUENE	**34010**	**072**	2009/07/22	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/07/22	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**072**	2009/07/22	**< .500**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/07/22	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**072**	2009/07/22	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**072**	2009/07/22	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/29	**. 95.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/29	**. 6.200**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/29	**< 3.000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/29	**. 9.800**	2017/05
COLOR	**00081**	**036**	2014/05/29	**< 3.000**	2017/05
COPPER	**01042**	**036**	2014/05/29	**< 50.000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/29	**< .050**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/29	**. 18.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/29	**< 3.000**	2017/05
IRON	**01045**	**036**	2014/05/29	**< 100.000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/29	**< 1.000**	2017/05
MANGANESE	**01055**	**036**	2014/05/29	**< 20.000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610052-028***					
Source Name: ***WELL 130***					
Source Number: ***028***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/29	**< 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/29	**. 8.600**	2017/05
SILVER	**01077**	**036**	2014/05/29	**< 10.000**	2017/05
SODIUM	**00929**	**036**	2014/05/29	**. 40.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/29	**. 220.000**	2017/05
SULFATE	**00945**	**036**	2014/05/29	**. 9.500**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/29	**. 140.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/29	**< .200**	2017/05
ZINC	**01092**	**036**	2014/05/29	**< 50.000**	2017/05
PS Code: ***3610052-029***					
Source Name: ***WELL 132***					
Source Number: ***029***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2014/04/29	**< 50.000**	2017/04
ANTIMONY	**01097**	**036**	2014/04/29	**< 6.000**	2017/04
ARSENIC	**01002**	**036**	2014/04/29	**. 3.200**	2017/04
BARIUM	**01007**	**036**	2014/04/29	**< 100.000**	2017/04
BERYLLIUM	**01012**	**036**	2014/04/29	**< 1.000**	2017/04
CADMIUM	**01027**	**036**	2014/04/29	**< 1.000**	2017/04
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/29	**< 1.000**	2017/04
CYANIDE	**01291**	**036**	2014/04/29	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/29	**. .300**	2017/04
MERCURY	**71900**	**036**	2014/04/29	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/29	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/29	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2014/04/17	**< 5.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-029***

Source Name: ***WELL 132***

Source Number: ***029***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 2.500**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/11/14	**- .220**	2021/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/11/14	**< .010**	2015/11
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/11/14	**< .020**	2015/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/10/12	**< .500**	2015/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/10/12	**< .500**	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/10/12	**< 10.000**	2015/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/10/12	**< .500**	2015/10
1,1-DICHLOROETHANE	**34496**	**072**	2009/10/12	**< .500**	2015/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/10/12	**< .500**	2015/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/10/12	**< .500**	2015/10
1,2-DICHLOROBENZENE	**34536**	**072**	2009/10/12	**< .500**	2015/10
1,2-DICHLOROETHANE	**34531**	**072**	2009/10/12	**< .500**	2015/10
1,2-DICHLOROPROPANE	**34541**	**072**	2009/10/12	**< .500**	2015/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/10/12	**< .500**	2015/10
1,4-DICHLOROBENZENE	**34571**	**072**	2009/10/12	**< .500**	2015/10
BENZENE	**34030**	**072**	2009/10/12	**< .500**	2015/10
CARBON TETRACHLORIDE	**32102**	**072**	2009/10/12	**< .500**	2015/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/10/12	**< .500**	2015/10
DICHLOROMETHANE	**34423**	**072**	2009/10/12	**< .500**	2015/10
ETHYLBENZENE	**34371**	**072**	2009/10/12	**< .500**	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/07	**< 3.000**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-029***

Source Name: ***WELL 132***

Source Number: ***029***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	**34301**	**072**	2009/10/12	**< .500**	2015/10
STYRENE	**77128**	**072**	2009/10/12	**< .500**	2015/10
TETRACHLOROETHYLENE	**34475**	**072**	2009/10/12	**< .500**	2015/10
TOLUENE	**34010**	**072**	2009/10/12	**< .500**	2015/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/10/12	**< .500**	2015/10
TRICHLOROETHYLENE	**39180**	**072**	2009/10/12	**< .500**	2015/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/10/12	**< 5.000**	2015/10
VINYL CHLORIDE	**39175**	**072**	2009/10/12	**< .500**	2015/10
XYLENES (TOTAL)	**81551**	**072**	2009/10/12	**< .500**	2015/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/29	**. 62.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/29	**. 24.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/29	**< 3.000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/29	**. 2.700**	2017/04
COLOR	**00081**	**036**	2014/04/29	**< 3.000**	2017/04
COPPER	**01042**	**036**	2014/04/29	**< 50.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/29	**< .050**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/29	**. 70.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/29	**< 3.000**	2017/04
IRON	**01045**	**036**	2014/04/29	**< 100.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/29	**. 2.600**	2017/04
MANGANESE	**01055**	**036**	2014/04/29	**< 20.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/29	**< 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/29	**. 8.200**	2017/04
SILVER	**01077**	**036**	2014/04/29	**< 10.000**	2017/04
SODIUM	**00929**	**036**	2014/04/29	**. 62.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/29	**. 450.000**	2017/04
SULFATE	**00945**	**036**	2014/04/29	**. 150.000**	2017/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/29	**. 310.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610052-029						
Source Name: WELL 132						
Source Number: 029						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .260	2017/04	
ZINC	01092	036	2014/04/29	< 50.000	2017/04	
PS Code: 3610052-030						
Source Name: WELL 133						
Source Number: 030						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04	
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04	
ARSENIC	01002	036	2014/04/29	. 3.700	2017/04	
BARIUM	01007	036	2014/04/29	< 100.000	2017/04	
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04	
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/29	. 2.600	2017/04	
CYANIDE	01291	036	2014/04/29	< 100.000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	. .200	2017/04	
MERCURY	71900	036	2014/04/29	< 1.000	2017/04	
NICKEL	01067	036	2014/04/29	< 10.000	2017/04	
PERCHLORATE	A-031	036	2014/04/29	< 4.000	2017/04	
SELENIUM	01147	036	2013/05/21	< 5.000	2016/05	
THALLIUM	01059	036	2014/04/29	< 1.000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/29	. 2.700	2015/04	
NITRITE (AS N)	00620	036	2014/04/29	< 100.000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2003/07/14	. .000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-030***

Source Name: ***WELL 133***

Source Number: ***030***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/08	< .010	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/08	< .020	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/02/15	< .500	2018/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/02/15	< .500	2018/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/02/15	< 10.000	2018/02
1,1,2-TRICHLOROETHANE	34511	072	2012/02/15	< .500	2018/02
1,1-DICHLOROETHANE	34496	072	2012/02/15	< .500	2018/02
1,1-DICHLOROETHYLENE	34501	072	2012/02/15	< .500	2018/02
1,2,4-TRICHLOROBENZENE	34551	072	2012/02/15	< .500	2018/02
1,2-DICHLOROBENZENE	34536	072	2012/02/15	< .500	2018/02
1,2-DICHLOROETHANE	34531	072	2012/02/15	< .500	2018/02
1,2-DICHLOROPROPANE	34541	072	2012/02/15	< .500	2018/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/02/15	< .500	2018/02
1,4-DICHLOROBENZENE	34571	072	2012/02/15	< .500	2018/02
BENZENE	34030	072	2012/02/15	< .500	2018/02
CARBON TETRACHLORIDE	32102	072	2012/02/15	< .500	2018/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/02/15	< .500	2018/02
DICHLOROMETHANE	34423	072	2012/02/15	< .500	2018/02
ETHYLBENZENE	34371	072	2012/02/15	< .500	2018/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/30	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2012/02/15	< .500	2018/02
STYRENE	77128	072	2012/02/15	< .500	2018/02
TETRACHLOROETHYLENE	34475	072	2012/02/15	< .500	2018/02
TOLUENE	34010	072	2012/02/15	< .500	2018/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/02/15	< .500	2018/02
TRICHLOROETHYLENE	39180	072	2012/02/15	< .500	2018/02
TRICHLOROFLUOROMETHANE	34488	072	2012/02/15	< 5.000	2018/02
VINYL CHLORIDE	39175	072	2012/02/15	< .500	2018/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-030
Source Name: WELL 133
Source Number: 030
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	072	2012/02/15	< .500	2018/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 94.000	2017/04
CALCIUM	00916	036	2014/04/29	. 7.100	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	< 3.000	2017/04
CHLORIDE	00940	036	2014/04/29	. 7.200	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04
COPPER	01042	036	2014/04/29	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 21.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 8.500	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 39.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 220.000	2017/04
SULFATE	00945	036	2014/04/29	. 14.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 140.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .880	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-031***

Source Name: ***WELL 134***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/05/13	**< 50.000**	2017/05
ANTIMONY	**01097**	**036**	2014/05/13	**< 6.000**	2017/05
ARSENIC	**01002**	**036**	2014/05/13	**. 8.500**	2017/05
BARIUM	**01007**	**036**	2014/05/13	**< 100.000**	2017/05
BERYLLIUM	**01012**	**036**	2014/05/13	**< 1.000**	2017/05
CADMIUM	**01027**	**036**	2014/05/13	**< 1.000**	2017/05
CHROMIUM (TOTAL)	**01034**	**036**	2014/05/13	**. 1.200**	2017/05
CYANIDE	**01291**	**036**	2014/05/13	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/13	**. .600**	2017/05
MERCURY	**71900**	**036**	2014/05/13	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/13	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/13	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/13	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/13	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/13	**. 4.300**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/06/24	**< 100.000**	2017/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/11/15	**. .890**	2021/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/25	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/25	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/10/06	**< .500**	2015/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/10/06	**< .500**	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/10/06	**< 10.000**	2015/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/10/06	**< .500**	2015/10
1,1-DICHLOROETHANE	**34496**	**072**	2009/10/06	**< .500**	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-031
Source Name: WELL 134
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2009/10/06	< .500	2015/10
1,2,4-TRICHLOROBENZENE	34551	072	2009/10/06	< .500	2015/10
1,2-DICHLOROBENZENE	34536	072	2009/10/06	< .500	2015/10
1,2-DICHLOROETHANE	34531	072	2009/10/06	< .500	2015/10
1,2-DICHLOROPROPANE	34541	072	2009/10/06	< .500	2015/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/10/06	< .500	2015/10
1,4-DICHLOROBENZENE	34571	072	2009/10/06	< .500	2015/10
BENZENE	34030	072	2009/10/06	< .500	2015/10
CARBON TETRACHLORIDE	32102	072	2009/10/06	< .500	2015/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/10/06	< .500	2015/10
DICHLOROMETHANE	34423	072	2009/10/06	< .500	2015/10
ETHYLBENZENE	34371	072	2009/10/06	< .500	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/30	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2009/10/06	< .500	2015/10
STYRENE	77128	072	2009/10/06	< .500	2015/10
TETRACHLOROETHYLENE	34475	072	2009/10/06	< .500	2015/10
TOLUENE	34010	072	2009/10/06	< .500	2015/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/10/06	< .500	2015/10
TRICHLOROETHYLENE	39180	072	2009/10/06	< .500	2015/10
TRICHLOROFLUOROMETHANE	34488	072	2009/10/06	< 5.000	2015/10
VINYL CHLORIDE	39175	072	2009/10/06	< .500	2015/10
XYLENES (TOTAL)	81551	072	2009/10/06	< .500	2015/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/13	. 73.000	2017/05
CALCIUM	00916	036	2014/05/13	. 11.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/13	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/13	. 4.700	2017/05
COLOR	00081	036	2014/05/13	< 3.000	2017/05
COPPER	01042	036	2014/05/13	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-031
Source Name: WELL 134
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/05/13	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/13	. 31.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/13	< 3.000	2017/05
IRON	01045	036	2014/05/13	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/13	< 1.000	2017/05
MANGANESE	01055	036	2014/05/13	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/13	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/13	. 8.700	2017/05
SILVER	01077	036	2014/05/13	< 10.000	2017/05
SODIUM	00929	036	2014/05/13	. 52.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/13	. 310.000	2017/05
SULFATE	00945	036	2014/05/13	. 70.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/13	. 260.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/13	. .230	2017/05
ZINC	01092	036	2014/05/13	< 50.000	2017/05

PS Code: 3610052-032
Source Name: WELL 135
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/05/22	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/22	< 6.000	2017/05
ARSENIC	01002	036	2014/07/09	. 7.100	2017/07
BARIUM	01007	036	2014/05/22	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/22	< 1.000	2017/05
CADMIUM	01027	036	2014/05/22	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/22	. 3.500	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-032***

Source Name: ***WELL 135***

Source Number: ***032***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2014/05/22	**< 100.000**	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/22	**. .300**	2017/05
MERCURY	**71900**	**036**	2014/05/22	**< 1.000**	2017/05
NICKEL	**01067**	**036**	2014/05/22	**< 10.000**	2017/05
PERCHLORATE	**A-031**	**036**	2014/05/22	**< 4.000**	2017/05
SELENIUM	**01147**	**036**	2014/05/22	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/22	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/22	**. 2.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/22	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/09/26	**. 1.600**	2021/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/09/26	**< .010**	2015/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/09/26	**< .020**	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/02/15	**< .500**	2018/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/02/15	**< .500**	2018/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/02/15	**< 10.000**	2018/02
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/02/15	**< .500**	2018/02
1,1-DICHLOROETHANE	**34496**	**072**	2012/02/15	**< .500**	2018/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/02/15	**< .500**	2018/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/02/15	**< .500**	2018/02
1,2-DICHLOROBENZENE	**34536**	**072**	2012/02/15	**< .500**	2018/02
1,2-DICHLOROETHANE	**34531**	**072**	2012/02/15	**< .500**	2018/02
1,2-DICHLOROPROPANE	**34541**	**072**	2012/02/15	**< .500**	2018/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/02/15	**< .500**	2018/02
1,4-DICHLOROBENZENE	**34571**	**072**	2012/02/15	**< .500**	2018/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-032
Source Name: WELL 135
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2012/02/15	< .500	2018/02
CARBON TETRACHLORIDE	32102	072	2012/02/15	< .500	2018/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/02/15	< .500	2018/02
DICHLOROMETHANE	34423	072	2012/02/15	< .500	2018/02
ETHYLBENZENE	34371	072	2012/02/15	< .500	2018/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/30	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2012/02/15	< .500	2018/02
STYRENE	77128	072	2012/02/15	< .500	2018/02
TETRACHLOROETHYLENE	34475	072	2012/02/15	< .500	2018/02
TOLUENE	34010	072	2012/02/15	< .500	2018/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/02/15	< .500	2018/02
TRICHLOROETHYLENE	39180	072	2012/02/15	< .500	2018/02
TRICHLOROFLUOROMETHANE	34488	072	2012/02/15	< 5.000	2018/02
VINYL CHLORIDE	39175	072	2012/02/15	< .500	2018/02
XYLENES (TOTAL)	81551	072	2012/02/15	< .500	2018/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/22	. 100.000	2017/05
CALCIUM	00916	036	2014/05/22	. 7.300	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/22	< 3.000	2017/05
CHLORIDE	00940	036	2014/05/22	. 5.400	2017/05
COLOR	00081	036	2014/05/22	< 3.000	2017/05
COPPER	01042	036	2014/05/22	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/22	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/22	. 22.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/22	< 3.000	2017/05
IRON	01045	036	2014/05/22	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/22	< 1.000	2017/05
MANGANESE	01055	036	2014/05/22	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/22	< 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-032
Source Name: WELL 135
Source Number: 032
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2014/05/22	. 8.900	2017/05
SILVER	01077	036	2014/05/22	< 10.000	2017/05
SODIUM	00929	036	2014/05/22	. 41.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/22	. 220.000	2017/05
SULFATE	00945	036	2014/05/22	. 10.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/22	. 140.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/22	< .200	2017/05
ZINC	01092	036	2014/05/22	< 50.000	2017/05

PS Code: 3610052-033
Source Name: WELL 138
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/30	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/30	< 6.000	2017/04
ARSENIC	01002	036	2014/07/17	. 12.000	2017/07
BARIUM	01007	036	2014/04/30	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/30	< 1.000	2017/04
CADMIUM	01027	036	2014/04/30	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/30	. 3.300	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/07/17	. 3.800	2015/07
CYANIDE	01291	036	2014/04/30	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/30	. .400	2017/04
MERCURY	71900	036	2014/04/30	< 1.000	2017/04
NICKEL	01067	036	2014/04/30	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/30	< 4.000	2017/04
SELENIUM	01147	036	2014/04/30	< 5.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-033***

Source Name: ***WELL 138***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2014/04/30	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/30	**. 8.300**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/30	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/10/20	**.420**	2019/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/03	**< .010**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/03	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/12/09	**< .500**	2019/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/12/09	**< .500**	2019/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/12/09	**< 10.000**	2019/12
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/12/09	**< .500**	2019/12
1,1-DICHLOROETHANE	**34496**	**072**	2013/12/09	**< .500**	2019/12
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/12/09	**< .500**	2019/12
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/12/09	**< .500**	2019/12
1,2-DICHLOROBENZENE	**34536**	**072**	2013/12/09	**< .500**	2019/12
1,2-DICHLOROETHANE	**34531**	**072**	2013/12/09	**< .500**	2019/12
1,2-DICHLOROPROPANE	**34541**	**072**	2013/12/09	**< .500**	2019/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/12/09	**< .500**	2019/12
1,4-DICHLOROBENZENE	**34571**	**072**	2013/12/09	**< .500**	2019/12
BENZENE	**34030**	**072**	2013/12/09	**< .500**	2019/12
CARBON TETRACHLORIDE	**32102**	**072**	2013/12/09	**< .500**	2019/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/12/09	**< .500**	2019/12
DICHLOROMETHANE	**34423**	**072**	2013/12/09	**< .500**	2019/12
ETHYLBENZENE	**34371**	**072**	2013/12/09	**< .500**	2019/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/12/09	**< 3.000**	2019/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-033***

Source Name: ***WELL 138***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	**34301**	**072**	2013/12/09	**< .500**	2019/12
STYRENE	**77128**	**072**	2013/12/09	**< .500**	2019/12
TETRACHLOROETHYLENE	**34475**	**072**	2013/12/09	**< .500**	2019/12
TOLUENE	**34010**	**072**	2013/12/09	**< .500**	2019/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/12/09	**< .500**	2019/12
TRICHLOROETHYLENE	**39180**	**072**	2013/12/09	**< .500**	2019/12
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/12/09	**< 5.000**	2019/12
VINYL CHLORIDE	**39175**	**072**	2013/12/09	**< .500**	2019/12
XYLENES (TOTAL)	**81551**	**072**	2013/12/09	**< .500**	2019/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/30	**. 77.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/30	**. 11.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/30	**< 3.000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/30	**. 6.900**	2017/04
COLOR	**00081**	**036**	2014/04/30	**< 3.000**	2017/04
COPPER	**01042**	**036**	2014/04/30	**< 50.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/30	**< .050**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/30	**. 30.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/30	**< 3.000**	2017/04
IRON	**01045**	**036**	2014/04/30	**< 100.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/30	**< 1.000**	2017/04
MANGANESE	**01055**	**036**	2014/04/30	**< 20.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/30	**< 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/30	**. 8.400**	2017/04
SILVER	**01077**	**036**	2014/04/30	**< 10.000**	2017/04
SODIUM	**00929**	**036**	2014/04/30	**. 53.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/30	**. 320.000**	2017/04
SULFATE	**00945**	**036**	2014/04/30	**. 65.000**	2017/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/30	**. 190.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-033					
Source Name: WELL 138					
Source Number: 033					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2014/04/30	< .200	2017/04
ZINC	01092	036	2014/04/30	< 50.000	2017/04
PS Code: 3610052-034					
Source Name: WELL 137					
Source Number: 034					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/05/20	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/20	< 6.000	2017/05
ARSENIC	01002	036	2014/07/09	. 11.000	2017/07
BARIUM	01007	036	2014/05/20	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/20	< 1.000	2017/05
CADMIUM	01027	036	2014/05/20	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/20	. 9.600	2017/05
CYANIDE	01291	036	2014/05/20	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/20	. .400	2017/05
MERCURY	71900	036	2014/05/20	< 1.000	2017/05
NICKEL	01067	036	2014/05/20	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/20	< 4.000	2017/05
SELENIUM	01147	036	2014/05/20	< 5.000	2017/05
THALLIUM	01059	036	2014/05/20	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/20	. 9.400	2015/05
NITRITE (AS N)	00620	036	2014/05/20	< 100.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/11/27	. 1.820	2021/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-034***

Source Name: ***WELL 137***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/11/27	**< .010**	2015/11
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/11/27	**< .020**	2015/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/10/06	**< .500**	2015/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/10/06	**< .500**	2015/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/10/06	**< 10.000**	2015/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/10/06	**< .500**	2015/10
1,1-DICHLOROETHANE	**34496**	**072**	2009/10/06	**< .500**	2015/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/10/06	**< .500**	2015/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/10/06	**< .500**	2015/10
1,2-DICHLOROBENZENE	**34536**	**072**	2009/10/06	**< .500**	2015/10
1,2-DICHLOROETHANE	**34531**	**072**	2009/10/06	**< .500**	2015/10
1,2-DICHLOROPROPANE	**34541**	**072**	2009/10/06	**< .500**	2015/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/10/06	**< .500**	2015/10
1,4-DICHLOROBENZENE	**34571**	**072**	2009/10/06	**< .500**	2015/10
BENZENE	**34030**	**072**	2009/10/06	**< .500**	2015/10
CARBON TETRACHLORIDE	**32102**	**072**	2009/10/06	**< .500**	2015/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/10/06	**< .500**	2015/10
DICHLOROMETHANE	**34423**	**072**	2009/10/06	**< .500**	2015/10
ETHYLBENZENE	**34371**	**072**	2009/10/06	**< .500**	2015/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/30	**< 3.000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2009/10/06	**< .500**	2015/10
STYRENE	**77128**	**072**	2009/10/06	**< .500**	2015/10
TETRACHLOROETHYLENE	**34475**	**072**	2009/10/06	**< .500**	2015/10
TOLUENE	**34010**	**072**	2009/10/06	**< .500**	2015/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/10/06	**< .500**	2015/10
TRICHLOROETHYLENE	**39180**	**072**	2009/10/06	**< .500**	2015/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/10/06	**< 5.000**	2015/10
VINYL CHLORIDE	**39175**	**072**	2009/10/06	**< .500**	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-034
Source Name: WELL 137
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	072	2009/10/06	< .500	2015/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/20	. 83.000	2017/05
CALCIUM	00916	036	2014/05/20	. 6.100	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/20	. 4.800	2017/05
CHLORIDE	00940	036	2014/05/20	. 14.000	2017/05
COLOR	00081	036	2014/05/20	< 3.000	2017/05
COPPER	01042	036	2014/05/20	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/20	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/20	. 17.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/20	< 3.000	2017/05
IRON	01045	036	2014/05/20	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/20	< 1.000	2017/05
MANGANESE	01055	036	2014/05/20	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/20	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/20	. 8.900	2017/05
SILVER	01077	036	2014/05/20	< 10.000	2017/05
SODIUM	00929	036	2014/05/20	. 42.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/20	. 230.000	2017/05
SULFATE	00945	036	2014/05/20	. 19.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	. 150.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/20	< .200	2017/05
ZINC	01092	036	2014/05/20	< 50.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-035***

Source Name: ***WELL 136***

Source Number: ***035***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/04/29	**< 50.000**	2017/04
ANTIMONY	**01097**	**036**	2014/04/29	**< 6.000**	2017/04
ARSENIC	**01002**	**036**	2014/04/29	**. 8.600**	2017/04
BARIUM	**01007**	**036**	2014/04/29	**< 100.000**	2017/04
BERYLLIUM	**01012**	**036**	2014/04/29	**< 1.000**	2017/04
CADMIUM	**01027**	**036**	2014/04/29	**< 1.000**	2017/04
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/29	**. 3.800**	2017/04
CYANIDE	**01291**	**036**	2014/04/29	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/29	**. .300**	2017/04
MERCURY	**71900**	**036**	2014/04/29	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/29	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/29	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2013/05/15	**< 5.000**	2016/05
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 1.800**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/07/25	**. 1.030**	2021/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/25	**< .010**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/25	**< .020**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/07/08	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/07/08	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/07/08	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/07/08	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**072**	2009/07/08	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-035
Source Name: WELL 136
Source Number: 035
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2009/07/08	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/08	< .500	2015/07
1,2-DICHLOROBENZENE	34536	072	2009/07/08	< .500	2015/07
1,2-DICHLOROETHANE	34531	072	2009/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	072	2009/07/08	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/08	< .500	2015/07
1,4-DICHLOROBENZENE	34571	072	2009/07/08	< .500	2015/07
BENZENE	34030	072	2009/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	072	2009/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/08	< .500	2015/07
DICHLOROMETHANE	34423	072	2009/07/08	< .500	2015/07
ETHYLBENZENE	34371	072	2009/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/05/15	< 3.000	2018/05
MONOCHLOROBENZENE	34301	072	2009/07/08	< .500	2015/07
STYRENE	77128	072	2009/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	072	2009/07/08	< .500	2015/07
TOLUENE	34010	072	2009/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	072	2009/07/08	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	072	2009/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	072	2009/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	072	2009/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 92.000	2017/04
CALCIUM	00916	036	2014/04/29	. 5.900	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	. 6.000	2017/04
CHLORIDE	00940	036	2014/04/29	. 4.700	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04
COPPER	01042	036	2014/04/29	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-035					
Source Name: WELL 136					
Source Number: 035					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 18.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 8.900	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 40.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 210.000	2017/04
SULFATE	00945	036	2014/04/29	. 8.300	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 140.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .340	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04
PS Code: 3610052-037					
Source Name: WELL 140					
Source Number: 037					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/04/30	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/30	< 6.000	2017/04
ARSENIC	01002	036	2014/07/03	< .000	2017/07
BARIUM	01007	036	2014/04/30	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/30	< 1.000	2017/04
CADMIUM	01027	036	2014/04/30	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/30	. 3.300	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-037***

Source Name: ***WELL 140***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/15	**. 3.800**	2017/07
CYANIDE	**01291**	**036**	2014/04/30	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/30	**. .200**	2017/04
MERCURY	**71900**	**036**	2014/04/30	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/30	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/30	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2014/04/30	**< 5.000**	2017/04
THALLIUM	**01059**	**036**	2014/04/30	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/30	**. 1.100**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/30	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/10/22	**< 3.000**	2016/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/02	**< .010**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/02	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/12/09	**< .500**	2019/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/12/09	**< .500**	2019/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/12/09	**< 10.000**	2019/12
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/12/09	**< .500**	2019/12
1,1-DICHLOROETHANE	**34496**	**072**	2013/12/09	**< .500**	2019/12
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/12/09	**< .500**	2019/12
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/12/09	**< .500**	2019/12
1,2-DICHLOROBENZENE	**34536**	**072**	2013/12/09	**< .500**	2019/12
1,2-DICHLOROETHANE	**34531**	**072**	2013/12/09	**< .500**	2019/12
1,2-DICHLOROPROPANE	**34541**	**072**	2013/12/09	**< .500**	2019/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/12/09	**< .500**	2019/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-037
Source Name: WELL 140
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2013/12/09	< .500	2019/12
BENZENE	34030	072	2013/12/09	< .500	2019/12
CARBON TETRACHLORIDE	32102	072	2013/12/09	< .500	2019/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/12/09	< .500	2019/12
DICHLOROMETHANE	34423	072	2013/12/09	< .500	2019/12
ETHYLBENZENE	34371	072	2013/12/09	< .500	2019/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/12/09	< 3.000	2019/12
MONOCHLOROBENZENE	34301	072	2013/12/09	< .500	2019/12
STYRENE	77128	072	2013/12/09	< .500	2019/12
TETRACHLOROETHYLENE	34475	072	2013/12/09	< .500	2019/12
TOLUENE	34010	072	2013/12/09	< .500	2019/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/12/09	< .500	2019/12
TRICHLOROETHYLENE	39180	072	2013/12/09	< .500	2019/12
TRICHLOROFLUOROMETHANE	34488	072	2013/12/09	< 5.000	2019/12
VINYL CHLORIDE	39175	072	2013/12/09	< .500	2019/12
XYLENES (TOTAL)	81551	072	2013/12/09	< .500	2019/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/30	. 87.000	2017/04
CALCIUM	00916	036	2014/04/30	. 3.100	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/30	. 6.000	2017/04
CHLORIDE	00940	036	2014/04/30	. 3.500	2017/04
COLOR	00081	036	2014/04/30	< 3.000	2017/04
COPPER	01042	036	2014/04/30	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/30	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/30	. 8.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/30	< 3.000	2017/04
IRON	01045	036	2014/04/30	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/30	< 1.000	2017/04
MANGANESE	01055	036	2014/04/30	< 20.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-037
Source Name: WELL 140
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
ODOR THRESHOLD @ 60 C	00086	036	2014/04/30	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/30	. 8.000	2017/04
SILVER	01077	036	2014/04/30	< 10.000	2017/04
SODIUM	00929	036	2014/04/30	. 37.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/30	. 180.000	2017/04
SULFATE	00945	036	2014/04/30	. 3.100	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/30	. 94.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/30	< .200	2017/04
ZINC	01092	036	2014/04/30	< 50.000	2017/04

PS Code: 3610052-038
Source Name: WELL 141
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/05/21	< 50.000	2017/05
ANTIMONY	01097	036	2014/05/21	< 6.000	2017/05
ARSENIC	01002	036	2014/07/22	. 23.000	2017/07
BARIUM	01007	036	2014/05/21	< 100.000	2017/05
BERYLLIUM	01012	036	2014/05/21	< 1.000	2017/05
CADMIUM	01027	036	2014/05/21	< 1.000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/21	. 3.200	2017/05
CHROMIUM, HEXAVALENT	01032	036	2012/02/07	. 2.700	2015/02
CYANIDE	01291	036	2014/05/21	< 100.000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/21	. 1.000	2017/05
MERCURY	71900	036	2014/05/21	< 1.000	2017/05
NICKEL	01067	036	2014/05/21	< 10.000	2017/05
PERCHLORATE	A-031	036	2014/05/21	< 4.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-038***

Source Name: ***WELL 141***

Source Number: ***038***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2014/05/21	**< 5.000**	2017/05
THALLIUM	**01059**	**036**	2014/05/21	**< 1.000**	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/21	**< 1.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/05/21	**< 100.000**	2017/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/10/25	**1.190**	2019/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/27	**< .010**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/27	**< .020**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/12/11	**< .500**	2019/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/12/11	**< .500**	2019/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/12/11	**< 10.000**	2019/12
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/12/11	**< .500**	2019/12
1,1-DICHLOROETHANE	**34496**	**072**	2013/12/11	**< .500**	2019/12
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/12/11	**< .500**	2019/12
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/12/11	**< .500**	2019/12
1,2-DICHLOROBENZENE	**34536**	**072**	2013/12/11	**< .500**	2019/12
1,2-DICHLOROETHANE	**34531**	**072**	2013/12/11	**< .500**	2019/12
1,2-DICHLOROPROPANE	**34541**	**072**	2013/12/11	**< .500**	2019/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/12/11	**< .500**	2019/12
1,4-DICHLOROBENZENE	**34571**	**072**	2013/12/11	**< .500**	2019/12
BENZENE	**34030**	**072**	2013/12/11	**< .500**	2019/12
CARBON TETRACHLORIDE	**32102**	**072**	2013/12/11	**< .500**	2019/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/12/11	**< .500**	2019/12
DICHLOROMETHANE	**34423**	**072**	2013/12/11	**< .500**	2019/12
ETHYLBENZENE	**34371**	**072**	2013/12/11	**< .500**	2019/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-038
Source Name: WELL 141
Source Number: 038
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/12/11	< 3.000	2019/12
MONOCHLOROBENZENE	34301	072	2013/12/11	< .500	2019/12
STYRENE	77128	072	2013/12/11	< .500	2019/12
TETRACHLOROETHYLENE	34475	072	2013/12/11	< .500	2019/12
TOLUENE	34010	072	2013/12/11	< .500	2019/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/12/11	< .500	2019/12
TRICHLOROETHYLENE	39180	072	2013/12/11	< .500	2019/12
TRICHLOROFLUOROMETHANE	34488	072	2013/12/11	< 5.000	2019/12
VINYL CHLORIDE	39175	072	2013/12/11	< .500	2019/12
XYLENES (TOTAL)	81551	072	2013/12/11	< .500	2019/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/21	. 110.000	2017/05
CALCIUM	00916	036	2014/05/21	. 1.100	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/21	. 17.000	2017/05
CHLORIDE	00940	036	2014/05/21	. 2.500	2017/05
COLOR	00081	036	2014/05/21	< 3.000	2017/05
COPPER	01042	036	2014/05/21	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/21	< .050	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/21	. 3.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/21	< 3.000	2017/05
IRON	01045	036	2014/05/21	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/21	< 1.000	2017/05
MANGANESE	01055	036	2014/05/21	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/21	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/21	. 9.400	2017/05
SILVER	01077	036	2014/05/21	< 10.000	2017/05
SODIUM	00929	036	2014/05/21	. 63.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/21	. 280.000	2017/05
SULFATE	00945	036	2014/05/21	. 10.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-038						
Source Name: WELL 141						
Source Number: 038						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/21	.	200.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/21	.	.780	2017/05
ZINC	01092	036	2014/05/21	<	50.000	2017/05
PS Code: 3610052-039						
Source Name: WELL 143						
Source Number: 039						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/04/30	.	150.000	2017/04
ANTIMONY	01097	036	2014/04/30	<	6.000	2017/04
ARSENIC	01002	036	2014/07/22	.	18.000	2017/07
BARIUM	01007	036	2014/04/30	<	100.000	2017/04
BERYLLIUM	01012	036	2014/04/30	<	1.000	2017/04
CADMIUM	01027	036	2014/04/30	<	1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/30	.	7.400	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/02/07	.	8.700	2015/02
CYANIDE	01291	036	2014/04/30	<	100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/30	.	.400	2017/04
MERCURY	71900	036	2014/04/30	<	1.000	2017/04
NICKEL	01067	036	2014/04/30	<	10.000	2017/04
PERCHLORATE	A-031	036	2014/04/30	<	4.000	2017/04
SELENIUM	01147	036	2014/04/30	<	5.000	2017/04
THALLIUM	01059	036	2014/04/30	<	1.000	2017/04
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/30	.	1.800	2015/04
NITRITE (AS N)	00620	036	2014/04/30	<	100.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-039***

Source Name: ***WELL 143***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/02/23	**. .440**	2020/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/02	**< .010**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/02	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/04/30	**< .500**	2020/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/04/30	**< .500**	2020/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/04/30	**< 10.000**	2020/04
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/04/30	**< .500**	2020/04
1,1-DICHLOROETHANE	**34496**	**072**	2014/04/30	**< .500**	2020/04
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/04/30	**< .500**	2020/04
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/04/30	**< .500**	2020/04
1,2-DICHLOROBENZENE	**34536**	**072**	2014/04/30	**< .500**	2020/04
1,2-DICHLOROETHANE	**34531**	**072**	2014/04/30	**< .500**	2020/04
1,2-DICHLOROPROPANE	**34541**	**072**	2014/04/30	**< .500**	2020/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/04/30	**< .500**	2020/04
1,4-DICHLOROBENZENE	**34571**	**072**	2014/04/30	**< .500**	2020/04
BENZENE	**34030**	**072**	2014/04/30	**< .500**	2020/04
CARBON TETRACHLORIDE	**32102**	**072**	2014/04/30	**< .500**	2020/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/04/30	**< .500**	2020/04
DICHLOROMETHANE	**34423**	**072**	2014/04/30	**< .500**	2020/04
ETHYLBENZENE	**34371**	**072**	2014/04/30	**< .500**	2020/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/04/30	**< 3.000**	2020/04
MONOCHLOROBENZENE	**34301**	**072**	2014/04/30	**< .500**	2020/04
STYRENE	**77128**	**072**	2014/04/30	**< .500**	2020/04
TETRACHLOROETHYLENE	**34475**	**072**	2014/04/30	**< .500**	2020/04
TOLUENE	**34010**	**072**	2014/04/30	**< .500**	2020/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/04/30	**< .500**	2020/04
TRICHLOROETHYLENE	**39180**	**072**	2014/04/30	**< .500**	2020/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-039
Source Name: WELL 143
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2014/04/30	< 5.000	2020/04
VINYL CHLORIDE	39175	072	2014/04/30	< .500	2020/04
XYLENES (TOTAL)	81551	072	2014/04/30	< .500	2020/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/30	. 82.000	2017/04
CALCIUM	00916	036	2014/04/30	. 1.100	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/30	. 16.000	2017/04
CHLORIDE	00940	036	2014/04/30	. 4.200	2017/04
COLOR	00081	036	2014/04/30	< 3.000	2017/04
COPPER	01042	036	2014/04/30	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/30	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/30	. 3.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/30	< 3.000	2017/04
IRON	01045	036	2014/04/30	. 130.000	2017/04
MAGNESIUM	00927	036	2014/04/30	< 1.000	2017/04
MANGANESE	01055	036	2014/04/30	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/30	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/30	. 9.400	2017/04
SILVER	01077	036	2014/04/30	< 10.000	2017/04
SODIUM	00929	036	2014/04/30	. 48.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/30	. 220.000	2017/04
SULFATE	00945	036	2014/04/30	. 3.500	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/30	. 110.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/30	. 4.700	2017/04
ZINC	01092	036	2014/04/30	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-040					
Source Name: BALSAM COMBINED FILTER EFFLUENT					
Source Number: 040					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-041					
Source Name: BALSAM FINISHED WATER					
Source Number: 041					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-042					
Source Name: EL EVADO COMBINED FILTER EFFLUENT					
Source Number: 042					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-043					
Source Name: EL EVADO FINISHED WATER					
Source Number: 043					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-044***

Source Name: ***WELL 201***

Source Number: ***044***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/04/29	**< 50.000**	2017/04
ANTIMONY	**01097**	**036**	2014/04/29	**< 6.000**	2017/04
ARSENIC	**01002**	**036**	2014/04/29	**. 7.700**	2017/04
BARIUM	**01007**	**036**	2014/04/29	**< 100.000**	2017/04
BERYLLIUM	**01012**	**036**	2014/04/29	**< 1.000**	2017/04
CADMIUM	**01027**	**036**	2014/04/29	**< 1.000**	2017/04
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/29	**. 8.400**	2017/04
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/01/19	**. 8.000**	2015/01
CYANIDE	**01291**	**036**	2014/04/29	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/29	**. .500**	2017/04
MERCURY	**71900**	**036**	2014/04/29	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/29	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/29	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2013/04/17	**< 5.000**	2016/04
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 8.600**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/12	**1.440**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/09/26	**< .010**	2015/09
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/09/26	**< .020**	2015/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/17	**< .500**	2018/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/17	**< .500**	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/17	**< 10.000**	2018/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/17	**< .500**	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-044
Source Name: WELL 201
Source Number: 044
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/07/17	< .500	2018/07
1,1-DICHLOROETHYLENE	34501	072	2012/07/17	< .500	2018/07
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/17	< .500	2018/07
1,2-DICHLOROBENZENE	34536	072	2012/07/17	< .500	2018/07
1,2-DICHLOROETHANE	34531	072	2012/07/17	< .500	2018/07
1,2-DICHLOROPROPANE	34541	072	2012/07/17	< .500	2018/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/17	< .500	2018/07
1,4-DICHLOROBENZENE	34571	072	2012/07/17	< .500	2018/07
BENZENE	34030	072	2012/07/17	< .500	2018/07
CARBON TETRACHLORIDE	32102	072	2012/07/17	< .500	2018/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/07/17	< .500	2018/07
DICHLOROMETHANE	34423	072	2012/07/17	< .500	2018/07
ETHYLBENZENE	34371	072	2012/07/17	< .500	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/17	< 3.000	2018/07
MONOCHLOROBENZENE	34301	072	2012/07/17	< .500	2018/07
STYRENE	77128	072	2012/07/17	< .500	2018/07
TETRACHLOROETHYLENE	34475	072	2012/07/17	< .500	2018/07
TOLUENE	34010	072	2012/07/17	< .500	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/17	< .500	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/17	< .500	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/17	< 5.000	2018/07
VINYL CHLORIDE	39175	072	2012/07/17	< .500	2018/07
XYLENES (TOTAL)	81551	072	2012/07/17	< .500	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 92.000	2017/04
CALCIUM	00916	036	2014/04/29	. 6.900	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	. 3.600	2017/04
CHLORIDE	00940	036	2014/04/29	. 7.100	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-044					
Source Name: WELL 201					
Source Number: 044					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2014/04/29	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 21.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 8.900	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 46.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 260.000	2017/04
SULFATE	00945	036	2014/04/29	. 19.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/28	. 120.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/04/29	< .200	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04
PS Code: 3610052-046					
Source Name: WELL 203					
Source Number: 046					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/05/22	< 50.000	2016/05
ANTIMONY	01097	036	2013/05/22	< 6.000	2016/05
ARSENIC	01002	036	2013/11/04	. 21.000	2016/11
BARIUM	01007	036	2013/05/22	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/22	< 1.000	2016/05
CADMIUM	01027	036	2013/05/22	< 1.000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-046***

Source Name: ***WELL 203***

Source Number: ***046***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/05/22	. 5.900	2016/05	
CHROMIUM, HEXAVALENT	01032	036	2012/01/19	. 5.300	2015/01	
CYANIDE	01291	036	2013/05/22	< 100.000	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/22	. 1.900	2016/05	
MERCURY	71900	036	2013/05/22	< 1.000	2016/05	
NICKEL	01067	036	2013/05/22	< 10.000	2016/05	
PERCHLORATE	A-031	036	2013/05/22	< 4.000	2016/05	
SELENIUM	01147	036	2013/05/22	< 5.000	2016/05	
THALLIUM	01059	036	2013/05/22	< 1.000	2016/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	**2013/05/22**	. 1.000	**2014/05**	**DUE**
NITRITE (AS N)	00620	036	2013/05/22	< 100.000	2016/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2009/10/15	2.280	2018/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/04	< .010	2014/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/04	< .020	2014/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/07/17	< .500	2018/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/07/17	< .500	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/07/17	< 10.000	2018/07	
1,1,2-TRICHLOROETHANE	34511	072	2012/07/17	< .500	2018/07	
1,1-DICHLOROETHANE	34496	072	2012/07/17	< .500	2018/07	
1,1-DICHLOROETHYLENE	34501	072	2012/07/17	< .500	2018/07	
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/17	< .500	2018/07	
1,2-DICHLOROBENZENE	34536	072	2012/07/17	< .500	2018/07	
1,2-DICHLOROETHANE	34531	072	2012/07/17	< .500	2018/07	
1,2-DICHLOROPROPANE	34541	072	2012/07/17	< .500	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-046***

Source Name: ***WELL 203***

Source Number: ***046***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/17	**< .500**	2018/07
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/17	**< .500**	2018/07
BENZENE	**34030**	**072**	2012/07/17	**< .500**	2018/07
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/17	**< .500**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/17	**< .500**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/17	**< .500**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/17	**< .500**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/17	**< 3.000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/17	**< .500**	2018/07
STYRENE	**77128**	**072**	2012/07/17	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/17	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/17	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/17	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/17	**< .500**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/17	**< 5.000**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/17	**< .500**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/17	**< .500**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/05/22	**. 120.000**	2016/05
CALCIUM	**00916**	**036**	2013/05/22	**. 2.300**	2016/05
CARBONATE ALKALINITY	**00445**	**036**	2013/05/22	**9.600**	2016/05
CHLORIDE	**00940**	**036**	2013/05/22	**. 2.100**	2016/05
COLOR	**00081**	**036**	2013/05/22	**< 3.000**	2016/05
COPPER	**01042**	**036**	2013/05/22	**< 50.000**	2016/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/05/22	**< .050**	2016/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/05/22	**. 6.500**	2016/05
HYDROXIDE ALKALINITY	**71830**	**036**	2013/05/22	**< 3.000**	2016/05
IRON	**01045**	**036**	2013/05/22	**< 100.000**	2016/05
MAGNESIUM	**00927**	**036**	2013/05/22	**< 1.000**	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-046
Source Name: WELL 203
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2013/05/22	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/22	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/22	. 9.200	2016/05
SILVER	01077	036	2013/05/22	< 10.000	2016/05
SODIUM	00929	036	2013/05/22	69.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/22	. 340.000	2016/05
SULFATE	00945	036	2013/05/22	26.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/22	. 190.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/22	. .370	2016/05
ZINC	01092	036	2013/05/22	< 50.000	2016/05

PS Code: 3610052-047
Source Name: WELL 205
Source Number: 047
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/05/22	. 53.000	2016/05
ANTIMONY	01097	036	2013/05/22	< 6.000	2016/05
ARSENIC	01002	036	2013/11/04	. 21.000	2016/11
BARIUM	01007	036	2013/05/22	< 100.000	2016/05
BERYLLIUM	01012	036	2013/05/22	< 1.000	2016/05
CADMIUM	01027	036	2013/05/22	< 1.000	2016/05
CHROMIUM (TOTAL)	01034	036	2013/05/22	. 9.200	2016/05
CHROMIUM, HEXAVALENT	01032	036	2012/01/19	. 6.900	2015/01
CYANIDE	01291	036	2013/05/22	< 100.000	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/22	. 1.700	2016/05
MERCURY	71900	036	2013/05/22	< 1.000	2016/05
NICKEL	01067	036	2013/05/22	< 10.000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-047***

Source Name: ***WELL 205***

Source Number: ***047***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	**A-031**	**036**	2013/05/22	**< 4.000**	2016/05	
SELENIUM	**01147**	**036**	2013/05/22	**< 5.000**	2016/05	
THALLIUM	**01059**	**036**	2013/05/22	**< 1.000**	2016/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	**2013/05/22**	**. 1.200**	**2014/05**	**DUE**
NITRITE (AS N)	**00620**	**036**	2013/05/22	**< 100.000**	2016/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2007/01/03	**1.360**	2016/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/11/28	**< .010**	2015/11	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/11/28	**< .020**	2015/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/17	**< .500**	2018/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/17	**< .500**	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/17	**< 10.000**	2018/07	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/17	**< .500**	2018/07	
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/17	**< .500**	2018/07	
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/07/17	**< .500**	2018/07	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/07/17	**< .500**	2018/07	
1,2-DICHLOROBENZENE	**34536**	**072**	2012/07/17	**< .500**	2018/07	
1,2-DICHLOROETHANE	**34531**	**072**	2012/07/17	**< .500**	2018/07	
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/17	**< .500**	2018/07	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/17	**< .500**	2018/07	
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/17	**< .500**	2018/07	
BENZENE	**34030**	**072**	2012/07/17	**< .500**	2018/07	
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/17	**< .500**	2018/07	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/17	**< .500**	2018/07	
DICHLOROMETHANE	**34423**	**072**	2012/07/17	**< .500**	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-047***

Source Name: ***WELL 205***

Source Number: ***047***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2012/07/17	**< .500**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/17	**< 3.000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/17	**< .500**	2018/07
STYRENE	**77128**	**072**	2012/07/17	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/17	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/17	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/17	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/17	**< .500**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/17	**< 5.000**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/17	**< .500**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/17	**< .500**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/05/22	**. 120.000**	2016/05
CALCIUM	**00916**	**036**	2013/05/22	**. 3.500**	2016/05
CARBONATE ALKALINITY	**00445**	**036**	2013/05/22	**9.600**	2016/05
CHLORIDE	**00940**	**036**	2013/05/22	**. 1.800**	2016/05
COLOR	**00081**	**036**	2013/05/22	**< 3.000**	2016/05
COPPER	**01042**	**036**	2013/05/22	**< 50.000**	2016/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/05/22	**< .050**	2016/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/05/22	**. 11.000**	2016/05
HYDROXIDE ALKALINITY	**71830**	**036**	2013/05/22	**< 3.000**	2016/05
IRON	**01045**	**036**	2013/05/22	**< 100.000**	2016/05
MAGNESIUM	**00927**	**036**	2013/05/22	**< 1.000**	2016/05
MANGANESE	**01055**	**036**	2013/05/22	**< 20.000**	2016/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/05/22	**< 1.000**	2016/05
PH, LABORATORY	**00403**	**036**	2013/05/22	**. 9.200**	2016/05
SILVER	**01077**	**036**	2013/05/22	**< 10.000**	2016/05
SODIUM	**00929**	**036**	2013/05/22	**71.000**	2016/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/05/22	**. 340.000**	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-047
Source Name: WELL 205
Source Number: 047
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2013/05/22		26.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/22	.	190.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/22	.	.330	2016/05
ZINC	01092	036	2013/05/22	<	50.000	2016/05

PS Code: 3610052-048
Source Name: WELL 206
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2014/04/29	<	50.000	2017/04
ANTIMONY	01097	036	2014/04/29	<	6.000	2017/04
ARSENIC	01002	036	2014/04/30	.	8.500	2017/04
BARIUM	01007	036	2014/04/29	<	100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	<	1.000	2017/04
CADMIUM	01027	036	2014/04/29	<	1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/29	.	7.300	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/19	.	2.200	2015/01
CYANIDE	01291	036	2014/04/29	<	100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	.	.500	2017/04
MERCURY	71900	036	2014/04/29	<	1.000	2017/04
NICKEL	01067	036	2014/04/29	<	10.000	2017/04
PERCHLORATE	A-031	036	2014/04/29	<	4.000	2017/04
SELENIUM	01147	036	2013/04/17	<	5.000	2016/04
THALLIUM	01059	036	2014/04/29	<	1.000	2017/04
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/29	.	10.000	2015/04
NITRITE (AS N)	00620	036	2014/04/29	<	100.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-048***

Source Name: ***WELL 206***

Source Number: ***048***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2010/01/12	**.830**	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/19	**< .010**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/19	**< .020**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/10/24	**< .500**	2018/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/10/24	**< .500**	2018/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/10/24	**< 10.000**	2018/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/10/24	**< .500**	2018/10
1,1-DICHLOROETHANE	**34496**	**072**	2012/10/24	**< .500**	2018/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/10/24	**< .500**	2018/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/10/24	**< .500**	2018/10
1,2-DICHLOROBENZENE	**34536**	**072**	2012/10/24	**< .500**	2018/10
1,2-DICHLOROETHANE	**34531**	**072**	2012/10/24	**< .500**	2018/10
1,2-DICHLOROPROPANE	**34541**	**072**	2012/10/24	**< .500**	2018/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/10/24	**< .500**	2018/10
1,4-DICHLOROBENZENE	**34571**	**072**	2012/10/24	**< .500**	2018/10
BENZENE	**34030**	**072**	2012/10/24	**< .500**	2018/10
CARBON TETRACHLORIDE	**32102**	**072**	2012/10/24	**< .500**	2018/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/10/24	**< .500**	2018/10
DICHLOROMETHANE	**34423**	**072**	2012/10/24	**< .500**	2018/10
ETHYLBENZENE	**34371**	**072**	2012/10/24	**< .500**	2018/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/10/24	**< 3.000**	2018/10
MONOCHLOROBENZENE	**34301**	**072**	2012/10/24	**< .500**	2018/10
STYRENE	**77128**	**072**	2012/10/24	**< .500**	2018/10
TETRACHLOROETHYLENE	**34475**	**072**	2012/10/24	**< .500**	2018/10
TOLUENE	**34010**	**072**	2012/10/24	**< .500**	2018/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/10/24	**< .500**	2018/10
TRICHLOROETHYLENE	**39180**	**072**	2012/10/24	**< .500**	2018/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-048
Source Name: WELL 206
Source Number: 048
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2012/10/24	< 5.000	2018/10
VINYL CHLORIDE	39175	072	2012/10/24	< .500	2018/10
XYLENES (TOTAL)	81551	072	2012/10/24	< .500	2018/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 82.000	2017/04
CALCIUM	00916	036	2014/04/29	. 5.300	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	. 3.600	2017/04
CHLORIDE	00940	036	2014/04/29	. 8.900	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04
COPPER	01042	036	2014/04/29	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 14.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 8.900	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 46.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 250.000	2017/04
SULFATE	00945	036	2014/04/29	. 18.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 180.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .230	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-049***

Source Name: ***WELL 207***

Source Number: ***049***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/05/22	**. 50.000**	2016/05	
ANTIMONY	**01097**	**036**	2013/05/22	**< 6.000**	2016/05	
ARSENIC	**01002**	**036**	2013/11/04	**. 20.000**	2016/11	
BARIUM	**01007**	**036**	2013/05/22	**< 100.000**	2016/05	
BERYLLIUM	**01012**	**036**	2013/05/22	**< 1.000**	2016/05	
CADMIUM	**01027**	**036**	2013/05/22	**< 1.000**	2016/05	
CHROMIUM (TOTAL)	**01034**	**036**	2013/05/22	**. 1.800**	2016/05	
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/01/19	**. .220**	2015/01	
CYANIDE	**01291**	**036**	2013/05/22	**< 100.000**	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/05/22	**. 1.300**	2016/05	
MERCURY	**71900**	**036**	2013/05/22	**< 1.000**	2016/05	
NICKEL	**01067**	**036**	2013/05/22	**< 10.000**	2016/05	
PERCHLORATE	**A-031**	**036**	2013/05/22	**< 4.000**	2016/05	
SELENIUM	**01147**	**036**	2013/05/22	**< 5.000**	2016/05	
THALLIUM	**01059**	**036**	2013/05/22	**< 1.000**	2016/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	**2013/05/22**	**< 1.000**	**2014/05**	**DUE**
NITRITE (AS N)	**00620**	**036**	2013/05/22	**< 100.000**	2016/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2010/08/31	**.930**	2019/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/02	**< .010**	2014/08	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/02	**< .020**	2014/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/17	**< .500**	2018/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/17	**< .500**	2018/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/17	**< 10.000**	2018/07	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/17	**< .500**	2018/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-049***

Source Name: ***WELL 207***

Source Number: ***049***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/17	**< .500**	2018/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/07/17	**< .500**	2018/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/07/17	**< .500**	2018/07
1,2-DICHLOROBENZENE	**34536**	**072**	2012/07/17	**< .500**	2018/07
1,2-DICHLOROETHANE	**34531**	**072**	2012/07/17	**< .500**	2018/07
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/17	**< .500**	2018/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/17	**< .500**	2018/07
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/17	**< .500**	2018/07
BENZENE	**34030**	**072**	2012/07/17	**< .500**	2018/07
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/17	**< .500**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/17	**< .500**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/17	**< .500**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/17	**< .500**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/17	**< 3.000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/17	**< .500**	2018/07
STYRENE	**77128**	**072**	2012/07/17	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/17	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/17	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/17	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/17	**< .500**	2018/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/07/17	**< 5.000**	2018/07
VINYL CHLORIDE	**39175**	**072**	2012/07/17	**< .500**	2018/07
XYLENES (TOTAL)	**81551**	**072**	2012/07/17	**< .500**	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/05/22	**. 94.000**	2016/05
CALCIUM	**00916**	**036**	2013/05/22	**. 3.600**	2016/05
CARBONATE ALKALINITY	**00445**	**036**	2013/05/22	**9.600**	2016/05
CHLORIDE	**00940**	**036**	2013/05/22	**. 14.000**	2016/05
COLOR	**00081**	**036**	2013/05/22	**5.000**	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-049
Source Name: WELL 207
Source Number: 049
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/05/22	. 57.000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/22	< .050	2016/05
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/22	. 10.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/22	< 3.000	2016/05
IRON	01045	036	2013/05/22	190.000	2016/05
MAGNESIUM	00927	036	2013/05/22	< 1.000	2016/05
MANGANESE	01055	036	2013/05/22	< 20.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/22	< 1.000	2016/05
PH, LABORATORY	00403	036	2013/05/22	. 9.300	2016/05
SILVER	01077	036	2013/05/22	< 10.000	2016/05
SODIUM	00929	036	2013/05/22	61.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/22	. 310.000	2016/05
SULFATE	00945	036	2013/05/22	12.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/22	. 150.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/22	. 1.200	2016/05
ZINC	01092	036	2013/05/22	< 50.000	2016/05

PS Code: 3610052-050
Source Name: WELL 204
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04
ARSENIC	01002	036	2014/04/30	. 9.100	2017/04
BARIUM	01007	036	2014/04/29	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-050***

Source Name: ***WELL 204***

Source Number: ***050***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/29	**. 11.000**	2017/04
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/01/19	**. 8.200**	2015/01
CYANIDE	**01291**	**036**	2014/04/29	**< 100.000**	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/29	**. .500**	2017/04
MERCURY	**71900**	**036**	2014/04/29	**< 1.000**	2017/04
NICKEL	**01067**	**036**	2014/04/29	**< 10.000**	2017/04
PERCHLORATE	**A-031**	**036**	2014/04/29	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2013/04/22	**< 5.000**	2016/04
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 8.500**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/01/03	**1.200**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/10/01	**< .010**	2016/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/10/01	**< .020**	2016/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/10/01	**< .500**	2019/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/10/01	**< .500**	2019/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/10/01	**< 10.000**	2019/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/10/01	**< .500**	2019/10
1,1-DICHLOROETHANE	**34496**	**072**	2013/10/01	**< .500**	2019/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/10/01	**< .500**	2019/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/10/01	**< .500**	2019/10
1,2-DICHLOROBENZENE	**34536**	**072**	2013/10/01	**< .500**	2019/10
1,2-DICHLOROETHANE	**34531**	**072**	2013/10/01	**< .500**	2019/10
1,2-DICHLOROPROPANE	**34541**	**072**	2013/10/01	**< .500**	2019/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-050
Source Name: WELL 204
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/10/01	< .500	2019/10
1,4-DICHLOROBENZENE	34571	072	2013/10/01	< .500	2019/10
BENZENE	34030	072	2013/10/01	< .500	2019/10
CARBON TETRACHLORIDE	32102	072	2013/10/01	< .500	2019/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/10/01	< .500	2019/10
DICHLOROMETHANE	34423	072	2013/10/01	< .500	2019/10
ETHYLBENZENE	34371	072	2013/10/01	< .500	2019/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/10/01	< 3.000	2019/10
MONOCHLOROBENZENE	34301	072	2013/10/01	< .500	2019/10
STYRENE	77128	072	2013/10/01	< .500	2019/10
TETRACHLOROETHYLENE	34475	072	2013/10/01	< .500	2019/10
TOLUENE	34010	072	2013/10/01	< .500	2019/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/10/01	< .500	2019/10
TRICHLOROETHYLENE	39180	072	2013/10/01	< .500	2019/10
TRICHLOROFLUOROMETHANE	34488	072	2013/10/01	< 5.000	2019/10
VINYL CHLORIDE	39175	072	2013/10/01	< .500	2019/10
XYLENES (TOTAL)	81551	072	2013/10/01	< .500	2019/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 93.000	2017/04
CALCIUM	00916	036	2014/04/29	. 3.900	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	. 4.800	2017/04
CHLORIDE	00940	036	2014/04/29	. 7.000	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04
COPPER	01042	036	2014/04/29	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 11.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-050
Source Name: WELL 204
Source Number: 050
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 9.000	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 47.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 240.000	2017/04
SULFATE	00945	036	2014/04/29	. 7.900	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/28	. 94.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/04/29	< .200	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04

PS Code: 3610052-051
Source Name: WELL 208
Source Number: 051
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04
ARSENIC	01002	036	2014/04/30	. 17.000	2017/04
BARIUM	01007	036	2014/04/29	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/29	. 12.000	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/19	. 7.700	2015/01
CYANIDE	01291	036	2014/04/29	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	. .700	2017/04
MERCURY	71900	036	2014/04/29	< 1.000	2017/04
NICKEL	01067	036	2014/04/29	< 10.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-051***

Source Name: ***WELL 208***

Source Number: ***051***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2014/04/29	**< 4.000**	2017/04
SELENIUM	**01147**	**036**	2013/04/22	**< 5.000**	2016/04
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 3.500**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2007/01/03	**1.040**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/26	**< .010**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/26	**< .020**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/25	**< .500**	2018/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/25	**< .500**	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/25	**< 10.000**	2018/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/25	**< .500**	2018/07
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/25	**< .500**	2018/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/07/25	**< .500**	2018/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/07/25	**< .500**	2018/07
1,2-DICHLOROBENZENE	**34536**	**072**	2012/07/25	**< .500**	2018/07
1,2-DICHLOROETHANE	**34531**	**072**	2012/07/25	**< .500**	2018/07
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/25	**< .500**	2018/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/25	**< .500**	2018/07
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/25	**< .500**	2018/07
BENZENE	**34030**	**072**	2012/07/25	**< .500**	2018/07
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/25	**< .500**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/25	**< .500**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/25	**< .500**	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-051
Source Name: WELL 208
Source Number: 051
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2012/07/25	< .500	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/25	< 3.000	2018/07
MONOCHLOROBENZENE	34301	072	2012/07/25	< .500	2018/07
STYRENE	77128	072	2012/07/25	< .500	2018/07
TETRACHLOROETHYLENE	34475	072	2012/07/25	< .500	2018/07
TOLUENE	34010	072	2012/07/25	< .500	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/25	< .500	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/25	< .500	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/25	< 5.000	2018/07
VINYL CHLORIDE	39175	072	2012/07/25	< .500	2018/07
XYLENES (TOTAL)	81551	072	2012/07/25	< .500	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 82.000	2017/04
CALCIUM	00916	036	2014/04/29	. 1.300	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	. 18.000	2017/04
CHLORIDE	00940	036	2014/04/29	. 3.300	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04
COPPER	01042	036	2014/04/29	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 3.600	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 9.300	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 50.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 230.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-051
Source Name: WELL 208
Source Number: 051
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2014/04/29	. 5.700	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 130.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .270	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04

PS Code: 3610052-052
Source Name: WELL 209
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04
ARSENIC	01002	036	2014/04/30	. 19.000	2017/04
BARIUM	01007	036	2014/04/29	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/29	. 8.800	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/19	. 8.400	2015/01
CYANIDE	01291	036	2014/04/29	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	. .600	2017/04
MERCURY	71900	036	2014/04/29	< 1.000	2017/04
NICKEL	01067	036	2014/04/29	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/29	< 4.000	2017/04
SELENIUM	01147	036	2013/04/22	< 5.000	2016/04
THALLIUM	01059	036	2014/04/29	< 1.000	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/29	. 5.400	2015/04
NITRITE (AS N)	00620	036	2014/04/29	< 100.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-052***

Source Name: ***WELL 209***

Source Number: ***052***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/10/16	**1.940**	2022/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/11/20	**< .010**	2015/11
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/11/20	**< .020**	2015/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/25	**< .500**	2018/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/25	**< .500**	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/25	**< 10.000**	2018/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/07/25	**< .500**	2018/07
1,1-DICHLOROETHANE	**34496**	**072**	2012/07/25	**< .500**	2018/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/07/25	**< .500**	2018/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/07/25	**< .500**	2018/07
1,2-DICHLOROBENZENE	**34536**	**072**	2012/07/25	**< .500**	2018/07
1,2-DICHLOROETHANE	**34531**	**072**	2012/07/25	**< .500**	2018/07
1,2-DICHLOROPROPANE	**34541**	**072**	2012/07/25	**< .500**	2018/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/07/25	**< .500**	2018/07
1,4-DICHLOROBENZENE	**34571**	**072**	2012/07/25	**< .500**	2018/07
BENZENE	**34030**	**072**	2012/07/25	**< .500**	2018/07
CARBON TETRACHLORIDE	**32102**	**072**	2012/07/25	**< .500**	2018/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/07/25	**< .500**	2018/07
DICHLOROMETHANE	**34423**	**072**	2012/07/25	**< .500**	2018/07
ETHYLBENZENE	**34371**	**072**	2012/07/25	**< .500**	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/07/25	**< 3.000**	2018/07
MONOCHLOROBENZENE	**34301**	**072**	2012/07/25	**< .500**	2018/07
STYRENE	**77128**	**072**	2012/07/25	**< .500**	2018/07
TETRACHLOROETHYLENE	**34475**	**072**	2012/07/25	**< .500**	2018/07
TOLUENE	**34010**	**072**	2012/07/25	**< .500**	2018/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/07/25	**< .500**	2018/07
TRICHLOROETHYLENE	**39180**	**072**	2012/07/25	**< .500**	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-052
Source Name: WELL 209
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2012/07/25	< 5.000	2018/07
VINYL CHLORIDE	39175	072	2012/07/25	< .500	2018/07
XYLENES (TOTAL)	81551	072	2012/07/25	< .500	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/29	. 90.000	2017/04
CALCIUM	00916	036	2014/04/29	. 4.500	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/29	. 16.000	2017/04
CHLORIDE	00940	036	2014/04/29	. 4.700	2017/04
COLOR	00081	036	2014/04/29	< 3.000	2017/04
COPPER	01042	036	2014/04/29	< 50.000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/29	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/29	. 15.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/29	< 3.000	2017/04
IRON	01045	036	2014/04/29	< 100.000	2017/04
MAGNESIUM	00927	036	2014/04/29	< 1.000	2017/04
MANGANESE	01055	036	2014/04/29	< 20.000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/29	< 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/29	. 9.100	2017/04
SILVER	01077	036	2014/04/29	< 10.000	2017/04
SODIUM	00929	036	2014/04/29	. 50.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/29	. 250.000	2017/04
SULFATE	00945	036	2014/04/29	. 7.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 170.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .250	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-053
Source Name: AVENAL INFLUENT - INACTIVE
Source Number: 053
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610052-054
Source Name: AVENAL FINISHED WATER
Source Number: 054
Source Status: ACTIVE TREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610052-057
Source Name: WELL 212
Source Number: 057
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/04/29	< 50.000	2017/04
ANTIMONY	01097	036	2014/04/29	< 6.000	2017/04
ARSENIC	01002	036	2014/04/30	. 19.000	2017/04
BARIUM	01007	036	2014/04/29	< 100.000	2017/04
BERYLLIUM	01012	036	2014/04/29	< 1.000	2017/04
CADMIUM	01027	036	2014/04/29	< 1.000	2017/04
CHROMIUM (TOTAL)	01034	036	2014/04/29	. 2.500	2017/04
CHROMIUM, HEXAVALENT	01032	036	2012/01/19	. 6.100	2015/01
CYANIDE	01291	036	2014/04/29	< 100.000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/29	. .800	2017/04
MERCURY	71900	036	2014/04/29	< 1.000	2017/04
NICKEL	01067	036	2014/04/29	< 10.000	2017/04
PERCHLORATE	A-031	036	2014/04/29	< 4.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-057***

Source Name: ***WELL 212***

Source Number: ***057***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2013/04/22	**< 5.000**	2016/04
THALLIUM	**01059**	**036**	2014/04/29	**< 1.000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/29	**. 1.100**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/29	**< 100.000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/10/16	**. 1.580**	2022/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/10/17	**< .010**	2015/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/10/17	**< .020**	2015/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/06/23	**< .500**	2015/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/06/23	**< .500**	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/06/23	**< 10.000**	2015/06
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/06/23	**< .500**	2015/06
1,1-DICHLOROETHANE	**34496**	**072**	2009/06/23	**< .500**	2015/06
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/06/23	**< .500**	2015/06
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/06/23	**< .500**	2015/06
1,2-DICHLOROBENZENE	**34536**	**072**	2009/06/23	**< .500**	2015/06
1,2-DICHLOROETHANE	**34531**	**072**	2009/06/23	**< .500**	2015/06
1,2-DICHLOROPROPANE	**34541**	**072**	2009/06/23	**< .500**	2015/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/06/23	**< .500**	2015/06
1,4-DICHLOROBENZENE	**34571**	**072**	2009/06/23	**< .500**	2015/06
BENZENE	**34030**	**072**	2009/06/23	**< .500**	2015/06
CARBON TETRACHLORIDE	**32102**	**072**	2009/06/23	**< .500**	2015/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/06/23	**< .500**	2015/06
DICHLOROMETHANE	**34423**	**072**	2009/06/23	**< .500**	2015/06
ETHYLBENZENE	**34371**	**072**	2009/06/23	**< .500**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-057***

Source Name: ***WELL 212***

Source Number: ***057***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/01	**< 3.000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2009/06/23	**< .500**	2015/06
STYRENE	**77128**	**072**	2009/06/23	**< .500**	2015/06
TETRACHLOROETHYLENE	**34475**	**072**	2009/06/23	**< .500**	2015/06
TOLUENE	**34010**	**072**	2009/06/23	**< .500**	2015/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/06/23	**< .500**	2015/06
TRICHLOROETHYLENE	**39180**	**072**	2009/06/23	**< .500**	2015/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/06/23	**< 5.000**	2015/06
VINYL CHLORIDE	**39175**	**072**	2009/06/23	**< .500**	2015/06
XYLENES (TOTAL)	**81551**	**072**	2009/06/23	**< .500**	2015/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/29	**. 100.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/29	**. 1.400**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/29	**. 14.000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/29	**. 1.800**	2017/04
COLOR	**00081**	**036**	2014/04/29	**< 3.000**	2017/04
COPPER	**01042**	**036**	2014/04/29	**< 50.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/29	**< .050**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/29	**. 4.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/29	**< 3.000**	2017/04
IRON	**01045**	**036**	2014/04/29	**< 100.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/29	**< 1.000**	2017/04
MANGANESE	**01055**	**036**	2014/04/29	**< 20.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/29	**< 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/29	**. 9.200**	2017/04
SILVER	**01077**	**036**	2014/04/29	**< 10.000**	2017/04
SODIUM	**00929**	**036**	2014/04/29	**. 59.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/29	**. 270.000**	2017/04
SULFATE	**00945**	**036**	2014/04/29	**. 14.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-057					
Source Name: WELL 212					
Source Number: 057					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/29	. 150.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/29	. .290	2017/04
ZINC	01092	036	2014/04/29	< 50.000	2017/04
PS Code: 3610052-058					
Source Name: LA MESA TREATMENT PLANT INFLUENT					
Source Number: 058					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-059					
Source Name: LA MESA TREATMENT PLANT EFFLUENT					
Source Number: 059					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-060					
Source Name: LA MESA FINISHED WATER - BLENDING					
Source Number: 060					
Source Status: COMBINATION OR BLEND MIXED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-061***

Source Name: ***WELL 144***

Source Number: ***061***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/04/17	< 50.000	2016/04	
ANTIMONY	01097	036	2013/04/17	< 6.000	2016/04	
ARSENIC	01002	036	2014/04/01	. 8.900	2017/04	
BARIUM	01007	036	2013/04/17	< 100.000	2016/04	
BERYLLIUM	01012	036	2013/04/17	< 1.000	2016/04	
CADMIUM	01027	036	2013/04/17	< 1.000	2016/04	
CHROMIUM (TOTAL)	01034	036	2013/04/17	. 9.200	2016/04	
CHROMIUM, HEXAVALENT	01032	036	2012/01/26	. 8.500	2015/01	
CYANIDE	01291	036	2013/04/17	< 100.000	2016/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/17	. .600	2016/04	
MERCURY	71900	036	2013/04/17	< 1.000	2016/04	
NICKEL	01067	036	2013/04/17	< 10.000	2016/04	
PERCHLORATE	A-031	036	2013/04/17	< 4.000	2016/04	
SELENIUM	01147	036	2013/04/17	< 5.000	2016/04	
THALLIUM	01059	036	2013/04/17	< 1.000	2016/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/04/17	. 4.900	2014/04	DUE
NITRITE (AS N)	00620	036	2013/04/17	< 100.000	2016/04	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/10/16	. 3.190	2022/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/20	< .010	2014/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/20	< .020	2014/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/05/11	< .500	2017/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/05/11	< .500	2017/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/05/11	< 10.000	2017/05	
1,1,2-TRICHLOROETHANE	34511	072	2011/05/11	< .500	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

PS Code: ***3610052-061***

Source Name: ***WELL 144***

Source Number: ***061***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2011/05/11	**< .500**	2017/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/05/11	**< .500**	2017/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/05/11	**< .500**	2017/05
1,2-DICHLOROBENZENE	**34536**	**072**	2011/05/11	**< .500**	2017/05
1,2-DICHLOROETHANE	**34531**	**072**	2011/05/11	**< .500**	2017/05
1,2-DICHLOROPROPANE	**34541**	**072**	2011/05/11	**< .500**	2017/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/05/11	**< .500**	2017/05
1,4-DICHLOROBENZENE	**34571**	**072**	2011/05/11	**< .500**	2017/05
BENZENE	**34030**	**072**	2011/05/11	**< .500**	2017/05
CARBON TETRACHLORIDE	**32102**	**072**	2011/05/11	**< .500**	2017/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/05/11	**< .500**	2017/05
DICHLOROMETHANE	**34423**	**072**	2011/05/11	**< .500**	2017/05
ETHYLBENZENE	**34371**	**072**	2011/05/11	**< .500**	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/05/03	**< 3.000**	2018/05
MONOCHLOROBENZENE	**34301**	**072**	2011/05/11	**< .500**	2017/05
STYRENE	**77128**	**072**	2011/05/11	**< .500**	2017/05
TETRACHLOROETHYLENE	**34475**	**072**	2011/05/11	**< .500**	2017/05
TOLUENE	**34010**	**072**	2011/05/11	**< .500**	2017/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/05/11	**< .500**	2017/05
TRICHLOROETHYLENE	**39180**	**072**	2011/05/11	**< .500**	2017/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/05/11	**< 5.000**	2017/05
VINYL CHLORIDE	**39175**	**072**	2011/05/11	**< .500**	2017/05
XYLENES (TOTAL)	**81551**	**072**	2011/05/11	**< .500**	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/04/17	**. 96.000**	2016/04
CALCIUM	**00916**	**036**	2013/04/17	**. 4.000**	2016/04
CARBONATE ALKALINITY	**00445**	**036**	2013/04/17	**3.600**	2016/04
CHLORIDE	**00940**	**036**	2013/04/17	**. 5.600**	2016/04
COLOR	**00081**	**036**	2013/04/17	**< 3.000**	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

PS Code: 3610052-061
Source Name: WELL 144
Source Number: 061
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2013/04/17	< 50.000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/17	< .050	2016/04
HARDNESS (TOTAL) AS CACO3	00900	036	2013/04/17	. 11.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/17	< 3.000	2016/04
IRON	01045	036	2013/04/17	< 100.000	2016/04
MAGNESIUM	00927	036	2013/04/17	< 1.000	2016/04
MANGANESE	01055	036	2013/04/17	< 20.000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/17	< 1.000	2016/04
PH, LABORATORY	00403	036	2013/04/17	. 9.000	2016/04
SILVER	01077	036	2013/04/17	< 10.000	2016/04
SODIUM	00929	036	2013/04/17	44.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/17	. 210.000	2016/04
SULFATE	00945	036	2013/04/17	4.100	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/17	. 120.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/17	< .200	2016/04
ZINC	01092	036	2013/04/17	< 50.000	2016/04

PS Code: 3610052-062
Source Name: MWA TURNOUT 3
Source Number: 062
Source Status: PURCHASED TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-063					
Source Name: MWA TURNOUT 6					
Source Number: 063					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-601					
Source Name: DBP2-17201 DANTE					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 4.200	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.200	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	. 3.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< .500	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	< .500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	< .500	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-602					
Source Name: DBP2-12593 SONORA WAY					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 5.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.700	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	. 3.300	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< .500	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. .800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	< .500	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. .800	2014/10
PS Code: 3610052-603					
Source Name: DBP2-CAUGHLIN/GOSS					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 4.100	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	. 4.100	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. .680	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-603					
Source Name: DBP2-CAUGHLIN/GOSS					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: G					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/07/15	. 1.800	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 1.500	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 4.100	2014/10
PS Code: 3610052-604					
Source Name: DBR2-BRACEO/CANTEL					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 6.100	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.100	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	. 5.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. .650	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	. 2.500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	. 1.600	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	. 4.800	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-605					
Source Name: DBP2-13063 BEGONIA					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 4.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	. 4.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	< .500	2014/10
BROMOFORM (THM)	32104	003	2014/07/15	< .500	2014/10
CHLOROFORM (THM)	32106	003	2014/07/15	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/15	< .500	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/15	< .500	2014/10
PS Code: 3610052-606					
Source Name: DBP2-9375 LE PANTO					
Source Number: 606					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/15	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/15	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/15	. 7.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/15	. 1.600	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/15	. 5.500	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/15	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/15	. .760	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610052***

System Name: ***VICTORVILLE WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610052-606***					
Source Name: ***DBP2-9375 LE PANTO***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/15	**. 2.900**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/15	**< .500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/15	**. 2.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/15	**. 5.700**	2014/10
PS Code: ***3610052-800***					
Source Name: ***WELL 105 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610052-801***					
Source Name: ***WELL 109 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-802 **Source Name:** WELL 116 - TREATED (CL2) **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-803 **Source Name:** WELL 118 - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-804 **Source Name:** WELL 119 - TREATED (CL2) **Source Number:** 804 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-805 **Source Name:** WELL 120 - TREATED (CL2) **Source Number:** 805 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-806 **Source Name:** WELL 121 - TREATED (CL2) **Source Number:** 806 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-807 **Source Name:** WELL 122 - TREATED (CL2) **Source Number:** 807 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-808 **Source Name:** WELL 123 - TREATED (CL2) **Source Number:** 808 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-809 **Source Name:** WELL 126 - TREATED (CL2) **Source Number:** 809 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-810					
Source Name: WELL 127 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-811					
Source Name: WELL 130 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-812					
Source Name: WELL 132 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-813					
Source Name: WELL 133 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610052
System Name: VICTORVILLE WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610052-814					
Source Name: WELL 135 - TREATED (CL2)					
Source Number: 814					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-815					
Source Name: WELL 136 - TREATED (CL2)					
Source Number: 815					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610052-816					
Source Name: WELL 140 - TREATED (CL2)					
Source Number: 816					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-002***

Source Name: ***WELL 02-A***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/05/13	**< .000**	2016/05	
ANTIMONY	**01097**	**036**	2013/05/13	**< .000**	2016/05	
ARSENIC	**01002**	**036**	2013/05/13	**< .000**	2016/05	
BARIUM	**01007**	**036**	2013/05/13	**< .000**	2016/05	
BERYLLIUM	**01012**	**036**	2013/05/13	**< .000**	2016/05	
CADMIUM	**01027**	**036**	2013/05/13	**< .000**	2016/05	
CHROMIUM (TOTAL)	**01034**	**036**	2013/05/13	**< .000**	2016/05	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2008/08/11**	**4.400**	**2011/08**	**DUE**
CYANIDE	**01291**	**036**	2013/05/13	**< .000**	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/05/13	**. .580**	2016/05	
MERCURY	**71900**	**036**	2013/05/13	**< .000**	2016/05	
NICKEL	**01067**	**036**	2013/05/13	**< .000**	2016/05	
PERCHLORATE	**A-031**	**036**	2013/05/13	**< .000**	2016/05	
SELENIUM	**01147**	**036**	2013/05/13	**< .000**	2016/05	
THALLIUM	**01059**	**036**	2013/05/13	**< .000**	2016/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/05/05	**. 20.000**	2015/05	
NITRITE (AS N)	**00620**	**036**	2013/05/13	**< .000**	2016/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2009/02/24	**.000**	2018/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/16	**. .013**	2017/06	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/16	**< .000**	2017/06	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/16	**< .000**	2017/06	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/16	**< .000**	2017/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/16	**< .000**	2017/06	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/16	**< .000**	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-002***

Source Name: ***WELL 02-A***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/16	**< .000**	2017/06	
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/16	**< .000**	2017/06	
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/16	**< .000**	2017/06	
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/16	**< .000**	2017/06	
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/16	**< .000**	2017/06	
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/16	**< .000**	2017/06	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/16	**< .000**	2017/06	
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/16	**< .000**	2017/06	
BENZENE	**34030**	**036**	2014/06/16	**< .000**	2017/06	
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/16	**< .000**	2017/06	
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/16	**< .000**	2017/06	
DICHLOROMETHANE	**34423**	**036**	2014/06/16	**< .000**	2017/06	
ETHYLBENZENE	**34371**	**036**	2014/06/16	**< .000**	2017/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/16	**< .000**	2017/06	
MONOCHLOROBENZENE	**34301**	**036**	2014/06/16	**< .000**	2017/06	
STYRENE	**77128**	**036**	2014/06/16	**< .000**	2017/06	
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/16	**< .000**	2017/06	
TOLUENE	**34010**	**036**	2014/06/16	**< .000**	2017/06	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/16	**< .000**	2017/06	
TRICHLOROETHYLENE	**39180**	**036**	2014/06/16	**< .000**	2017/06	
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/16	**< .000**	2017/06	
VINYL CHLORIDE	**39175**	**036**	2014/06/16	**< .000**	2017/06	
XYLENES (TOTAL)	**81551**	**036**	2014/06/16	**< .000**	2017/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2013/05/13	**. 230.000**	2016/05	
CALCIUM	**00916**	**036**	2013/05/13	**. 71.000**	2016/05	
CARBONATE ALKALINITY	**00445**	**036**	2013/05/13	**< .000**	2016/05	
CHLORIDE	**00940**	**036**	2013/05/13	**. 17.000**	2016/05	
COLOR	**00081**	**036**	**2010/05/25**	**< .000**	**2013/05**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

PS Code: 3610053-002
Source Name: WELL 02-A
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
COPPER	01042	036	2013/05/13	< .000	2016/05	
FOAMING AGENTS (MBAS)	38260	036	2013/05/13	< .000	2016/05	
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/13	. 240.000	2016/05	
HYDROXIDE ALKALINITY	71830	036	2013/05/13	< .000	2016/05	
IRON	01045	036	2013/05/13	< .000	2016/05	
MAGNESIUM	00927	036	2013/05/13	. 15.000	2016/05	
MANGANESE	01055	036	2013/05/13	< .000	2016/05	
ODOR THRESHOLD @ 60 C	00086	036	2010/05/25	1.000	2013/05	DUE
PH, LABORATORY	00403	036	2013/05/13	. 7.900	2016/05	
SILVER	01077	036	2013/05/13	< .000	2016/05	
SODIUM	00929	036	2013/05/13	28.000	2016/05	
SPECIFIC CONDUCTANCE	00095	036	2013/05/13	. 530.000	2016/05	
SULFATE	00945	036	2013/05/13	43.000	2016/05	
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/13	. 320.000	2016/05	
TURBIDITY, LABORATORY	82079	036	2010/05/25	< .000	2013/05	DUE
ZINC	01092	036	2013/05/13	< .000	2016/05	

PS Code: 3610053-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2012/05/07	< .000	2015/05	
ANTIMONY	01097	036	2012/05/07	< .000	2015/05	
ARSENIC	01002	036	2012/05/07	< .000	2015/05	
BARIUM	01007	036	2012/05/07	< .000	2015/05	
BERYLLIUM	01012	036	2012/05/07	< .000	2015/05	
CADMIUM	01027	036	2012/05/07	< .000	2015/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-009***

Source Name: ***WELL 10***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/05/07	< .000	2015/05	
CHROMIUM, HEXAVALENT	01032	036	2009/05/05	.000	2012/05	DUE
CYANIDE	01291	036	2012/05/07	< .000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/07	. .490	2015/05	
MERCURY	71900	036	2012/05/07	< .000	2015/05	
NICKEL	01067	036	2012/05/07	< .000	2015/05	
PERCHLORATE	A-031	036	2012/05/07	< .000	2015/05	
SELENIUM	01147	036	2012/05/07	< .000	2015/05	
THALLIUM	01059	036	2012/05/07	< .000	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/05	. 27.000	2015/05	
NITRITE (AS N)	00620	036	2012/05/07	< .000	2015/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2009/05/05	.000	2018/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/07	< .000	2015/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/07	< .000	2015/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/05/06	< .000	2016/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/05/06	< .000	2016/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/05/06	< .000	2016/05	
1,1,2-TRICHLOROETHANE	34511	036	2013/05/06	< .000	2016/05	
1,1-DICHLOROETHANE	34496	036	2013/05/06	< .000	2016/05	
1,1-DICHLOROETHYLENE	34501	036	2013/05/06	< .000	2016/05	
1,2,4-TRICHLOROBENZENE	34551	036	2013/05/06	< .000	2016/05	
1,2-DICHLOROBENZENE	34536	036	2013/05/06	< .000	2016/05	
1,2-DICHLOROETHANE	34531	036	2013/05/06	< .000	2016/05	
1,2-DICHLOROPROPANE	34541	036	2013/05/06	< .000	2016/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

PS Code: 3610053-009
Source Name: WELL 10
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/05/06	< .000	2016/05
1,4-DICHLOROBENZENE	34571	036	2013/05/06	< .000	2016/05
BENZENE	34030	036	2013/05/06	< .000	2016/05
CARBON TETRACHLORIDE	32102	036	2013/05/06	< .000	2016/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/05/06	< .000	2016/05
DICHLOROMETHANE	34423	036	2013/05/06	< .000	2016/05
ETHYLBENZENE	34371	036	2013/05/06	< .000	2016/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/05/06	< .000	2016/05
MONOCHLOROBENZENE	34301	036	2013/05/06	< .000	2016/05
STYRENE	77128	036	2013/05/06	< .000	2016/05
TETRACHLOROETHYLENE	34475	036	2013/05/06	< .000	2016/05
TOLUENE	34010	036	2013/05/06	< .000	2016/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/05/06	< .000	2016/05
TRICHLOROETHYLENE	39180	036	2013/05/06	< .000	2016/05
TRICHLOROFLUOROMETHANE	34488	036	2013/05/06	< .000	2016/05
VINYL CHLORIDE	39175	036	2013/05/06	< .000	2016/05
XYLENES (TOTAL)	81551	036	2013/05/06	< .000	2016/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/07	. 190.000	2015/05
CALCIUM	00916	036	2012/05/07	. 49.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/07	< .000	2015/05
CHLORIDE	00940	036	2012/05/07	. 20.000	2015/05
COLOR	00081	036	2012/05/07	< .000	2015/05
COPPER	01042	036	2012/05/07	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	036	2012/05/07	< .000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/07	. 150.000	2015/05
HYDROXIDE ALKALINITY	71830	036	2012/05/07	< .000	2015/05
IRON	01045	036	2012/05/07	< .000	2015/05
MAGNESIUM	00927	036	2012/05/07	. 8.300	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053

System Name: WESTERN HEIGHTS WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610053-009					
Source Name: WELL 10					
Source Number: 009					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2012/05/07	< .000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2012/05/07	1.000	2015/05
PH, LABORATORY	00403	036	2012/05/07	. 7.600	2015/05
SILVER	01077	036	2012/05/07	< .000	2015/05
SODIUM	00929	036	2012/05/07	53.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2012/05/07	. 510.000	2015/05
SULFATE	00945	036	2012/05/07	41.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/07	. 330.000	2015/05
TURBIDITY, LABORATORY	82079	036	2012/05/07	< .000	2015/05
ZINC	01092	036	2012/05/07	< .000	2015/05
PS Code: 3610053-010					
Source Name: WELL 11					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/05/07	< .000	2015/05
ANTIMONY	01097	036	2012/05/07	< .000	2015/05
ARSENIC	01002	036	2012/05/07	< .000	2015/05
BARIUM	01007	036	2012/05/07	< .000	2015/05
BERYLLIUM	01012	036	2012/05/07	< .000	2015/05
CADMIUM	01027	036	2012/05/07	< .000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/07	< .000	2015/05
CHROMIUM, HEXAVALENT	01032	036	2012/05/07	. 7.400	2015/05
CYANIDE	01291	036	2012/05/07	< .000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/07	. .550	2015/05
MERCURY	71900	036	2012/05/07	< .000	2015/05
NICKEL	01067	036	2012/05/07	< .000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-010***

Source Name: ***WELL 11***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2012/05/07	**< .000**	2015/05
SELENIUM	**01147**	**036**	2012/05/07	**< .000**	2015/05
THALLIUM	**01059**	**036**	2012/05/07	**< .000**	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/12	**. 6.200**	2015/05
NITRITE (AS N)	**00620**	**036**	2012/05/07	**< .000**	2015/05
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2009/02/24	**.000**	2018/02
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/06/16	**< .000**	2017/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/06/16	**< .000**	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/16	**< .000**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/16	**< .000**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/16	**< .000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/16	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/16	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/16	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/16	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/16	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/16	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/16	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/16	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/16	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/16	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/16	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/16	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/16	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-010***

Source Name: ***WELL 11***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2014/06/16	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/16	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/16	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/16	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/16	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/16	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/16	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/16	**< .000**	2017/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/06/16	**< .000**	2017/06
VINYL CHLORIDE	**39175**	**036**	2014/06/16	**< .000**	2017/06
XYLENES (TOTAL)	**81551**	**036**	2014/06/16	**< .000**	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/05/07	**. 210.000**	2015/05
CALCIUM	**00916**	**036**	2012/05/07	**. 51.000**	2015/05
CARBONATE ALKALINITY	**00445**	**036**	2012/05/07	**< .000**	2015/05
CHLORIDE	**00940**	**036**	2012/05/07	**. 10.000**	2015/05
COLOR	**00081**	**036**	2012/05/07	**< .000**	2015/05
COPPER	**01042**	**036**	2012/05/07	**< .000**	2015/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/05/07	**< .000**	2015/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/05/07	**. 160.000**	2015/05
HYDROXIDE ALKALINITY	**71830**	**036**	2012/05/07	**< .000**	2015/05
IRON	**01045**	**036**	2012/05/07	**< .000**	2015/05
MAGNESIUM	**00927**	**036**	2012/05/07	**. 9.600**	2015/05
MANGANESE	**01055**	**036**	2012/05/07	**< .000**	2015/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/05/07	**1.000**	2015/05
PH, LABORATORY	**00403**	**036**	2012/05/07	**. 7.700**	2015/05
SILVER	**01077**	**036**	2012/05/07	**< .000**	2015/05
SODIUM	**00929**	**036**	2012/05/07	**32.000**	2015/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/05/07	**. 430.000**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610053-010						
Source Name: WELL 11						
Source Number: 010						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SULFATE	00945	036	2012/05/07	31.000	2015/05	
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/07	. 260.000	2015/05	
TURBIDITY, LABORATORY	82079	036	2012/05/07	< .000	2015/05	
ZINC	01092	036	2012/05/07	< .000	2015/05	
PS Code: 3610053-011						
Source Name: WELL 12						
Source Number: 011						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/06/04	< .000	2015/06	
ANTIMONY	01097	036	2012/06/04	< .000	2015/06	
ARSENIC	01002	036	2012/06/04	< .000	2015/06	
BARIUM	01007	036	2012/06/04	< .000	2015/06	
BERYLLIUM	01012	036	2012/06/04	< .000	2015/06	
CADMIUM	01027	036	2012/06/04	< .000	2015/06	
CHROMIUM (TOTAL)	01034	036	2012/06/04	< .000	2015/06	
CHROMIUM, HEXAVALENT	01032	036	2008/05/19	4.900	2011/05	DUE
CYANIDE	01291	036	2012/06/04	< .000	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/06/04	. .590	2015/06	
MERCURY	71900	036	2012/06/04	< .000	2015/06	
NICKEL	01067	036	2012/06/04	< .000	2015/06	
PERCHLORATE	A-031	036	2012/06/04	< .000	2015/06	
SELENIUM	01147	036	2012/06/04	< .000	2015/06	
THALLIUM	01059	036	2012/06/04	< .000	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/16	. 23.000	2015/06	
NITRITE (AS N)	00620	036	2012/06/04	< .000	2015/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-011***

Source Name: ***WELL 12***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2009/06/15	**.000**	2018/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/04	**< .000**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/04	**< .000**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/06/16	**< .000**	2017/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/06/16	**< .000**	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/06/16	**< .000**	2017/06
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/06/16	**< .000**	2017/06
1,1-DICHLOROETHANE	**34496**	**036**	2014/06/16	**< .000**	2017/06
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/06/16	**< .000**	2017/06
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/06/16	**< .000**	2017/06
1,2-DICHLOROBENZENE	**34536**	**036**	2014/06/16	**< .000**	2017/06
1,2-DICHLOROETHANE	**34531**	**036**	2014/06/16	**< .000**	2017/06
1,2-DICHLOROPROPANE	**34541**	**036**	2014/06/16	**< .000**	2017/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/06/16	**< .000**	2017/06
1,4-DICHLOROBENZENE	**34571**	**036**	2014/06/16	**< .000**	2017/06
BENZENE	**34030**	**036**	2014/06/16	**< .000**	2017/06
CARBON TETRACHLORIDE	**32102**	**036**	2014/06/16	**< .000**	2017/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/06/16	**< .000**	2017/06
DICHLOROMETHANE	**34423**	**036**	2014/06/16	**< .000**	2017/06
ETHYLBENZENE	**34371**	**036**	2014/06/16	**< .000**	2017/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/06/16	**< .000**	2017/06
MONOCHLOROBENZENE	**34301**	**036**	2014/06/16	**< .000**	2017/06
STYRENE	**77128**	**036**	2014/06/16	**< .000**	2017/06
TETRACHLOROETHYLENE	**34475**	**036**	2014/06/16	**< .000**	2017/06
TOLUENE	**34010**	**036**	2014/06/16	**< .000**	2017/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/06/16	**< .000**	2017/06
TRICHLOROETHYLENE	**39180**	**036**	2014/06/16	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

PS Code: 3610053-011
Source Name: WELL 12
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2014/06/16	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/16	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/16	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/06/04	. 250.000	2015/06
CALCIUM	00916	036	2012/06/04	. 64.000	2015/06
CARBONATE ALKALINITY	00445	036	2012/06/04	< .000	2015/06
CHLORIDE	00940	036	2012/06/04	. 10.000	2015/06
COLOR	00081	036	2012/06/04	< .000	2015/06
COPPER	01042	036	2012/06/04	< .000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2012/06/04	< .000	2015/06
HARDNESS (TOTAL) AS CACO3	00900	036	2012/06/04	. 210.000	2015/06
HYDROXIDE ALKALINITY	71830	036	2012/06/04	< .000	2015/06
IRON	01045	036	2012/06/04	< .000	2015/06
MAGNESIUM	00927	036	2012/06/04	. 13.000	2015/06
MANGANESE	01055	036	2012/06/04	< .000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2012/06/04	. 1.000	2015/06
PH, LABORATORY	00403	036	2012/06/04	. 7.800	2015/06
SILVER	01077	036	2012/06/04	< .000	2015/06
SODIUM	00929	036	2012/06/04	21.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2012/06/04	. 480.000	2015/06
SULFATE	00945	036	2012/06/04	32.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	036	2012/06/04	. 300.000	2015/06
TURBIDITY, LABORATORY	82079	036	2012/06/04	. .100	2015/06
ZINC	01092	036	2012/06/04	< .000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

PS Code: 3610053-012
Source Name: WELL 14
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/05/13	< .000	2016/05	
ANTIMONY	01097	036	2013/05/13	< .000	2016/05	
ARSENIC	01002	036	2013/05/13	< .000	2016/05	
BARIUM	01007	036	2013/05/13	< .000	2016/05	
BERYLLIUM	01012	036	2013/05/13	< .000	2016/05	
CADMIUM	01027	036	2013/05/13	< .000	2016/05	
CHROMIUM (TOTAL)	01034	036	2013/05/13	< .000	2016/05	
CHROMIUM, HEXAVALENT	01032	036	2010/07/19	7.800	2013/07	DUE
CYANIDE	01291	036	2013/05/13	< .000	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/05/13	. .520	2016/05	
MERCURY	71900	036	2013/05/13	< .000	2016/05	
NICKEL	01067	036	2013/05/13	< .000	2016/05	
PERCHLORATE	A-031	036	2013/05/13	< .000	2016/05	
SELENIUM	01147	036	2013/05/13	< .000	2016/05	
THALLIUM	01059	036	2013/05/13	< .000	2016/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/12	. 11.000	2015/05	
NITRITE (AS N)	00620	036	2013/05/13	< .000	2016/05	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2010/10/26	< .000	2011/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/05/13	< .000	2016/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/05/13	< .000	2016/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/05/13	< .000	2016/05	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/05/13	< .000	2016/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/05/13	< .000	2016/05	
1,1,2-TRICHLOROETHANE	34511	036	2013/05/13	< .000	2016/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

PS Code: 3610053-012
Source Name: WELL 14
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2013/05/13	< .000	2016/05	
1,1-DICHLOROETHYLENE	34501	036	2013/05/13	< .000	2016/05	
1,2,4-TRICHLOROBENZENE	34551	036	2013/05/13	< .000	2016/05	
1,2-DICHLOROBENZENE	34536	036	2013/05/13	< .000	2016/05	
1,2-DICHLOROETHANE	34531	036	2013/05/13	< .000	2016/05	
1,2-DICHLOROPROPANE	34541	036	2013/05/13	< .000	2016/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/05/13	< .000	2016/05	
1,4-DICHLOROBENZENE	34571	036	2013/05/13	< .000	2016/05	
BENZENE	34030	036	2013/05/13	< .000	2016/05	
CARBON TETRACHLORIDE	32102	036	2013/05/13	< .000	2016/05	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/05/13	< .000	2016/05	
DICHLOROMETHANE	34423	036	2013/05/13	< .000	2016/05	
ETHYLBENZENE	34371	036	2013/05/13	< .000	2016/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/05/13	< .000	2016/05	
MONOCHLOROBENZENE	34301	036	2013/05/13	< .000	2016/05	
STYRENE	77128	036	2013/05/13	< .000	2016/05	
TETRACHLOROETHYLENE	34475	036	2013/05/13	< .000	2016/05	
TOLUENE	34010	036	2013/05/13	< .000	2016/05	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/05/13	< .000	2016/05	
TRICHLOROETHYLENE	39180	036	2013/05/13	< .000	2016/05	
TRICHLOROFLUOROMETHANE	34488	036	2013/05/13	< .000	2016/05	
VINYL CHLORIDE	39175	036	2013/05/13	< .000	2016/05	
XYLENES (TOTAL)	81551	036	2013/05/13	< .000	2016/05	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2013/05/13	. 210.000	2016/05	
CALCIUM	00916	036	2013/05/13	. 52.000	2016/05	
CARBONATE ALKALINITY	00445	036	2013/05/13	< .000	2016/05	
CHLORIDE	00940	036	2013/05/13	. 14.000	2016/05	
COLOR	00081	036	**2010/05/03**	< .000	**2013/05**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

PS Code: ***3610053-012***

Source Name: ***WELL 14***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2013/05/13	< .000	2016/05	
FOAMING AGENTS (MBAS)	38260	036	2013/05/13	< .000	2016/05	
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/13	. 170.000	2016/05	
HYDROXIDE ALKALINITY	71830	036	2013/05/13	< .000	2016/05	
IRON	01045	036	2013/05/13	< .000	2016/05	
MAGNESIUM	00927	036	2013/05/13	. 9.500	2016/05	
MANGANESE	01055	036	2013/05/13	< .000	2016/05	
ODOR THRESHOLD @ 60 C	00086	036	**2010/05/03**	1.000	**2013/05**	**DUE**
PH, LABORATORY	00403	036	2013/05/13	. 8.000	2016/05	
SILVER	01077	036	2013/05/13	< .000	2016/05	
SODIUM	00929	036	2013/05/13	33.000	2016/05	
SPECIFIC CONDUCTANCE	00095	036	2013/05/13	. 470.000	2016/05	
SULFATE	00945	036	2013/05/13	37.000	2016/05	
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/13	. 280.000	2016/05	
TURBIDITY, LABORATORY	82079	036	**2010/05/03**	< .000	**2013/05**	**DUE**
ZINC	01092	036	2013/05/13	< .000	2016/05	

PS Code: ***3610053-013***

Source Name: ***YVWD CONNECTION - PURCHASED***

Source Number: ***013***

Source Status: ***PURCHASED TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610053-014***						
Source Name: ***WELL 12 BLENDED***						
Source Number: ***014***						
Source Status: ***COMBINATION OR BLEND TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: ***3610053-601***						
Source Name: ***DBP2-12223 16TH ST***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610053-602***						
Source Name: ***DBP2-31403 SIERRA LINDA ST***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610053-800***						
Source Name: ***WELL 02-A - TREATED (CL2)***						
Source Number: ***800***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610053
System Name: WESTERN HEIGHTS WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610053-801					
Source Name: WELL 03 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610053-803					
Source Name: WELL 10 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610053-804					
Source Name: WELL 11 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610053-805					
Source Name: WELL 12 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610053***

System Name: ***WESTERN HEIGHTS WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610053-806***					
Source Name: ***WELL 14 - TREATED (CL2)***					
Source Number: ***806***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-001***

Source Name: ***OAK, BIRCH, ADAMS TUNNEL COMPOSITE - RAW***

Source Number: ***001***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	012	2013/10/21	< .000	2014/10
ANTIMONY	01097	012	2013/10/21	< .000	2014/10
ARSENIC	01002	012	2013/10/21	< .000	2014/10
ASBESTOS	81855	108	2013/10/21	. .000	2022/10
BARIUM	01007	012	2013/10/21	< .000	2014/10
BERYLLIUM	01012	012	2013/10/21	< .000	2014/10
CADMIUM	01027	012	2013/10/21	< .000	2014/10
CHROMIUM (TOTAL)	01034	012	2013/10/21	< .000	2014/10
CYANIDE	01291	012	2013/10/21	< .000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/10/21	. .670	2014/10
MERCURY	71900	012	2013/10/21	< .000	2014/10
NICKEL	01067	012	2013/10/21	< .000	2014/10
PERCHLORATE	A-031	012	2013/10/21	< .000	2014/10
SELENIUM	01147	012	2013/10/21	< .000	2014/10
THALLIUM	01059	012	2013/10/21	< .000	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/10/21	. 5.300	2014/10
NITRITE (AS N)	00620	036	2013/10/21	< .000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/07/24	. 1.460	2015/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/10/21	< .000	2016/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/10/21	< .000	2016/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/10/21	< .000	2016/10
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/10/21	< .000	2016/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/10/21	< .000	2016/10
1,1,2-TRICHLOROETHANE	34511	036	2013/10/21	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-001***

Source Name: ***OAK, BIRCH, ADAMS TUNNEL COMPOSITE - RAW***

Source Number: ***001***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/10/21	**< .000**	2016/10
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/10/21	**< .000**	2016/10
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/10/21	**< .000**	2016/10
1,2-DICHLOROBENZENE	**34536**	**036**	2013/10/21	**< .000**	2016/10
1,2-DICHLOROETHANE	**34531**	**036**	2013/10/21	**< .000**	2016/10
1,2-DICHLOROPROPANE	**34541**	**036**	2013/10/21	**< .000**	2016/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/10/21	**< .000**	2016/10
1,4-DICHLOROBENZENE	**34571**	**036**	2013/10/21	**< .000**	2016/10
BENZENE	**34030**	**036**	2013/10/21	**< .000**	2016/10
CARBON TETRACHLORIDE	**32102**	**036**	2013/10/21	**< .000**	2016/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/10/21	**< .000**	2016/10
DICHLOROMETHANE	**34423**	**036**	2013/10/21	**< .000**	2016/10
ETHYLBENZENE	**34371**	**036**	2013/10/21	**< .000**	2016/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/10/21	**< .000**	2016/10
MONOCHLOROBENZENE	**34301**	**036**	2013/10/21	**< .000**	2016/10
STYRENE	**77128**	**036**	2013/10/21	**< .000**	2016/10
TETRACHLOROETHYLENE	**34475**	**036**	2013/10/21	**< .000**	2016/10
TOLUENE	**34010**	**036**	2013/10/21	**< .000**	2016/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/10/21	**< .000**	2016/10
TRICHLOROETHYLENE	**39180**	**036**	2013/10/21	**< .000**	2016/10
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/10/21	**< .000**	2016/10
VINYL CHLORIDE	**39175**	**036**	2013/10/21	**< .000**	2016/10
XYLENES (TOTAL)	**81551**	**036**	2013/10/21	**< .000**	2016/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2013/10/21	**. 260.000**	2014/10
CALCIUM	**00916**	**012**	2013/10/21	**. 64.000**	2014/10
CARBONATE ALKALINITY	**00445**	**012**	2013/10/21	**< .000**	2014/10
CHLORIDE	**00940**	**012**	2013/10/21	**. 9.900**	2014/10
COLOR	**00081**	**012**	2013/10/21	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-001***

Source Name: ***OAK, BIRCH, ADAMS TUNNEL COMPOSITE - RAW***

Source Number: ***001***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	012	2013/10/21	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	012	2013/10/21	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	012	2013/10/21	. 240.000	2014/10
HYDROXIDE ALKALINITY	71830	012	2013/10/21	< .000	2014/10
IRON	01045	012	2013/10/21	< .000	2014/10
MAGNESIUM	00927	012	2013/10/21	. 20.000	2014/10
MANGANESE	01055	012	2013/10/21	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	012	2013/10/21	1.000	2014/10
PH, LABORATORY	00403	012	2013/10/21	. 7.100	2014/10
SILVER	01077	012	2013/10/21	< .000	2014/10
SODIUM	00929	012	2013/10/21	15.000	2014/10
SPECIFIC CONDUCTANCE	00095	012	2013/10/21	. 520.000	2014/10
SULFATE	00945	012	2013/10/21	62.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	012	2013/10/21	. 340.000	2014/10
TURBIDITY, LABORATORY	82079	012	2013/10/21	< .000	2014/10
ZINC	01092	012	2013/10/21	. 64.000	2014/10

PS Code: ***3610055-003***

Source Name: ***OAK GLEN TREATMENT PLANT COMPOSITE-TRTD***

Source Number: ***003***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-006***

Source Name: ***WELL 02***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/08/14	**< .000**	2016/08
ANTIMONY	**01097**	**036**	2013/08/14	**< .000**	2016/08
ARSENIC	**01002**	**036**	2013/08/14	**< .000**	2016/08
BARIUM	**01007**	**036**	2013/08/14	**< .000**	2016/08
BERYLLIUM	**01012**	**036**	2013/08/14	**< .000**	2016/08
CADMIUM	**01027**	**036**	2013/08/14	**< .000**	2016/08
CHROMIUM (TOTAL)	**01034**	**036**	2013/08/14	**< .000**	2016/08
CYANIDE	**01291**	**036**	2013/08/14	**< .000**	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/14	**. .790**	2016/08
MERCURY	**71900**	**036**	2013/08/14	**< .000**	2016/08
NICKEL	**01067**	**036**	2013/08/14	**< .000**	2016/08
PERCHLORATE	**A-031**	**036**	2013/08/14	**< .000**	2016/08
SELENIUM	**01147**	**036**	2013/08/14	**< .000**	2016/08
THALLIUM	**01059**	**036**	2013/08/14	**< .000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/20	**. 32.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2013/08/14	**< .000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/04/27	**. 2.430**	2021/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/14	**< .000**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/14	**< .000**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/08/14	**< .000**	2016/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/08/14	**< .000**	2016/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/08/14	**< .000**	2016/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/08/14	**< .000**	2016/08
1,1-DICHLOROETHANE	**34496**	**036**	2013/08/14	**< .000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-006
Source Name: WELL 02
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2013/08/14	< .000	2016/08
1,2,4-TRICHLOROBENZENE	34551	036	2013/08/14	< .000	2016/08
1,2-DICHLOROBENZENE	34536	036	2013/08/14	< .000	2016/08
1,2-DICHLOROETHANE	34531	036	2013/08/14	< .000	2016/08
1,2-DICHLOROPROPANE	34541	036	2013/08/14	< .000	2016/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/08/14	< .000	2016/08
1,4-DICHLOROBENZENE	34571	036	2013/08/14	< .000	2016/08
BENZENE	34030	036	2013/08/14	< .000	2016/08
CARBON TETRACHLORIDE	32102	036	2013/08/14	< .000	2016/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/08/14	< .000	2016/08
DICHLOROMETHANE	34423	036	2013/08/14	< .000	2016/08
ETHYLBENZENE	34371	036	2013/08/14	< .000	2016/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/08/14	< .000	2016/08
MONOCHLOROBENZENE	34301	036	2013/08/14	< .000	2016/08
STYRENE	77128	036	2013/08/14	< .000	2016/08
TETRACHLOROETHYLENE	34475	036	2013/08/14	< .000	2016/08
TOLUENE	34010	036	2013/08/14	< .000	2016/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/08/14	< .000	2016/08
TRICHLOROETHYLENE	39180	036	2013/08/14	< .000	2016/08
TRICHLOROFLUOROMETHANE	34488	036	2013/08/14	< .000	2016/08
VINYL CHLORIDE	39175	036	2013/08/14	< .000	2016/08
XYLENES (TOTAL)	81551	036	2013/08/14	< .000	2016/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/14	. 220.000	2016/08
CALCIUM	00916	036	2013/08/14	. 52.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/14	< .000	2016/08
CHLORIDE	00940	036	2013/08/14	. 23.000	2016/08
COLOR	00081	036	2013/08/14	< .000	2016/08
COPPER	01042	036	2013/08/14	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-006
Source Name: WELL 02
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/08/14	< .000	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/14	. 170.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/14	< .000	2016/08
IRON	01045	036	2013/08/14	< .000	2016/08
MAGNESIUM	00927	036	2013/08/14	. 9.900	2016/08
MANGANESE	01055	036	2013/08/14	< .000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/14	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/14	. 7.600	2016/08
SILVER	01077	036	2013/08/14	< .000	2016/08
SODIUM	00929	036	2013/08/14	41.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/14	. 560.000	2016/08
SULFATE	00945	036	2013/08/14	38.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	. 360.000	2017/05
TURBIDITY, LABORATORY	82079	036	2013/08/14	. .200	2016/08
ZINC	01092	036	2013/08/14	< .000	2016/08

PS Code: 3610055-013
Source Name: WELL 12
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/30	< .000	2016/04
ANTIMONY	01097	036	2013/04/30	< .000	2016/04
ARSENIC	01002	036	2013/04/30	< .000	2016/04
BARIUM	01007	036	2013/04/30	< .000	2016/04
BERYLLIUM	01012	036	2013/04/30	< .000	2016/04
CADMIUM	01027	036	2013/04/30	< .000	2016/04
CHROMIUM (TOTAL)	01034	036	2013/04/30	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-013***

Source Name: ***WELL 12***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2013/04/30	**< .000**	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/04/30	**. .470**	2016/04
MERCURY	**71900**	**036**	2013/04/30	**< .000**	2016/04
NICKEL	**01067**	**036**	2013/04/30	**< .000**	2016/04
PERCHLORATE	**A-031**	**036**	2013/04/30	**< .000**	2016/04
SELENIUM	**01147**	**036**	2013/04/30	**< .000**	2016/04
THALLIUM	**01059**	**036**	2013/04/30	**< .000**	2016/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/20	**. 29.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2013/04/30	**< .000**	2016/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/04/30	**. 4.700**	2022/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/04/30	**< .000**	2016/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/04/30	**< .000**	2016/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/04/30	**< .000**	2016/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/04/30	**< .000**	2016/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/04/30	**< .000**	2016/04
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/04/30	**< .000**	2016/04
1,1-DICHLOROETHANE	**34496**	**036**	2013/04/30	**< .000**	2016/04
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/04/30	**< .000**	2016/04
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/04/30	**< .000**	2016/04
1,2-DICHLOROBENZENE	**34536**	**036**	2013/04/30	**< .000**	2016/04
1,2-DICHLOROETHANE	**34531**	**036**	2013/04/30	**< .000**	2016/04
1,2-DICHLOROPROPANE	**34541**	**036**	2013/04/30	**< .000**	2016/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/04/30	**< .000**	2016/04
1,4-DICHLOROBENZENE	**34571**	**036**	2013/04/30	**< .000**	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-013
Source Name: WELL 12
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2013/04/30	< .000	2016/04
CARBON TETRACHLORIDE	32102	036	2013/04/30	< .000	2016/04
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/04/30	< .000	2016/04
DICHLOROMETHANE	34423	036	2013/04/30	< .000	2016/04
ETHYLBENZENE	34371	036	2013/04/30	< .000	2016/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/04/30	< .000	2016/04
MONOCHLOROBENZENE	34301	036	2013/04/30	< .000	2016/04
STYRENE	77128	036	2013/04/30	< .000	2016/04
TETRACHLOROETHYLENE	34475	036	2013/04/30	< .000	2016/04
TOLUENE	34010	036	2013/04/30	< .000	2016/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/04/30	< .000	2016/04
TRICHLOROETHYLENE	39180	036	2013/04/30	< .000	2016/04
TRICHLOROFLUOROMETHANE	34488	036	2013/04/30	< .000	2016/04
VINYL CHLORIDE	39175	036	2013/04/30	< .000	2016/04
XYLENES (TOTAL)	81551	036	2013/04/30	< .000	2016/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/04/30	. 230.000	2016/04
CALCIUM	00916	036	2013/04/30	. 57.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/30	< .000	2016/04
CHLORIDE	00940	036	2013/04/30	. 18.000	2016/04
COLOR	00081	036	2013/04/30	< .000	2016/04
COPPER	01042	036	2013/04/30	< .000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/30	. .150	2016/04
HARDNESS (TOTAL) AS CACO3	00900	036	2013/04/30	. 190.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/30	< .000	2016/04
IRON	01045	036	2013/04/30	< .000	2016/04
MAGNESIUM	00927	036	2013/04/30	. 11.000	2016/04
MANGANESE	01055	036	2013/04/30	< .000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/30	1.000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-013

Source Name: WELL 12

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PH, LABORATORY	00403	036	2013/04/30	.	7.900	2016/04	
SILVER	01077	036	2013/04/30	<	.000	2016/04	
SODIUM	00929	036	2013/04/30		35.000	2016/04	
SPECIFIC CONDUCTANCE	00095	036	2013/04/30	.	530.000	2016/04	
SULFATE	00945	036	2013/04/30		37.000	2016/04	
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	.	350.000	2017/05	
TURBIDITY, LABORATORY	82079	036	2013/04/30	.	.100	2016/04	
ZINC	01092	036	2013/04/30	<	.000	2016/04	

PS Code: 3610055-015

Source Name: WELL 14

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/04/04	<	.000	2017/04	
ANTIMONY	01097	036	2014/04/04	<	.000	2017/04	
ARSENIC	01002	036	2014/04/04	<	.000	2017/04	
BARIUM	01007	036	2014/04/04	<	.000	2017/04	
BERYLLIUM	01012	036	2014/04/04	<	.000	2017/04	
CADMIUM	01027	036	2014/04/04	<	.000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/04	<	.000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	**2002/12/03**	.	.000	**2005/12**	**DUE**
CYANIDE	01291	036	2014/04/04	<	.000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/04	.	.280	2017/04	
MERCURY	71900	036	2014/04/04	<	.000	2017/04	
NICKEL	01067	036	2014/04/04	<	.000	2017/04	
PERCHLORATE	A-031	036	2014/04/04	<	.000	2017/04	
SELENIUM	01147	036	2014/04/04	<	.000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-015***

Source Name: ***WELL 14***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2014/04/04	**< .000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/04	**. 14.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/04	**< .000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2014/04/04	**. 3.100**	2023/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/04/04	**< .000**	2017/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/04/04	**< .000**	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/04/04	**< .000**	2017/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/04/04	**< .000**	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/04/04	**< .000**	2017/04
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/04/04	**< .000**	2017/04
1,1-DICHLOROETHANE	**34496**	**036**	2014/04/04	**< .000**	2017/04
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/04/04	**< .000**	2017/04
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/04/04	**< .000**	2017/04
1,2-DICHLOROBENZENE	**34536**	**036**	2014/04/04	**< .000**	2017/04
1,2-DICHLOROETHANE	**34531**	**036**	2014/04/04	**< .000**	2017/04
1,2-DICHLOROPROPANE	**34541**	**036**	2014/04/04	**< .000**	2017/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/04/04	**< .000**	2017/04
1,4-DICHLOROBENZENE	**34571**	**036**	2014/04/04	**< .000**	2017/04
BENZENE	**34030**	**036**	2014/04/04	**< .000**	2017/04
CARBON TETRACHLORIDE	**32102**	**036**	2014/04/04	**< .000**	2017/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/04/04	**< .000**	2017/04
DICHLOROMETHANE	**34423**	**036**	2014/04/04	**< .000**	2017/04
ETHYLBENZENE	**34371**	**036**	2014/04/04	**< .000**	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/04/04	**< .000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-015
Source Name: WELL 14
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2014/04/04	< .000	2017/04
STYRENE	77128	036	2014/04/04	< .000	2017/04
TETRACHLOROETHYLENE	34475	036	2014/04/04	< .000	2017/04
TOLUENE	34010	036	2014/04/04	< .000	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/04/04	< .000	2017/04
TRICHLOROETHYLENE	39180	036	2014/04/04	< .000	2017/04
TRICHLOROFLUOROMETHANE	34488	036	2014/04/04	< .000	2017/04
VINYL CHLORIDE	39175	036	2014/04/04	< .000	2017/04
XYLENES (TOTAL)	81551	036	2014/04/04	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/04	. 250.000	2017/04
CALCIUM	00916	036	2014/04/04	. 59.000	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/04	< .000	2017/04
CHLORIDE	00940	036	2014/04/04	. 12.000	2017/04
COLOR	00081	036	2014/04/21	< .000	2017/04
COPPER	01042	036	2014/04/04	< .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/04	< .000	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/04	. 220.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/04	< .000	2017/04
IRON	01045	036	2014/04/04	< .000	2017/04
MAGNESIUM	00927	036	2014/04/04	. 17.000	2017/04
MANGANESE	01055	036	2014/04/04	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/21	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/04	. 7.400	2017/04
SILVER	01077	036	2014/04/04	< .000	2017/04
SODIUM	00929	036	2014/04/04	. 22.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/04	. 490.000	2017/04
SULFATE	00945	036	2014/04/04	. 25.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/04	. 290.000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-015					
Source Name: WELL 14					
Source Number: 015					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2014/04/21	< .000	2017/04
ZINC	01092	036	2014/04/04	< .000	2017/04
PS Code: 3610055-016					
Source Name: WELL 16					
Source Number: 016					
Source Status: ACTIVE UNTREATED					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/03/07	< .000	2017/03
ANTIMONY	01097	036	2014/03/07	< .000	2017/03
ARSENIC	01002	036	2014/03/07	< .000	2017/03
BARIUM	01007	036	2014/03/07	. 110.000	2017/03
BERYLLIUM	01012	036	2014/03/07	< .000	2017/03
CADMIUM	01027	036	2014/03/07	< .000	2017/03
CHROMIUM (TOTAL)	01034	036	2014/03/07	< .000	2017/03
CYANIDE	01291	036	2014/03/07	< .000	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/03/07	. .240	2017/03
MERCURY	71900	036	2014/03/07	< .000	2017/03
NICKEL	01067	036	2014/03/07	< .000	2017/03
PERCHLORATE	A-031	036	2014/03/07	< .000	2017/03
SELENIUM	01147	036	2014/03/07	< .000	2017/03
THALLIUM	01059	036	2014/03/07	< .000	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/07	< .000	2015/03
NITRITE (AS N)	00620	036	2014/03/07	< .000	2017/03
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/08/13	< .000	2021/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-016
Source Name: WELL 16
Source Number: 016
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/07	< .000	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/07	< .000	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/03/07	< .000	2017/03
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/03/07	< .000	2017/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/03/07	< .000	2017/03
1,1,2-TRICHLOROETHANE	34511	036	2014/03/07	< .000	2017/03
1,1-DICHLOROETHANE	34496	036	2014/03/07	< .000	2017/03
1,1-DICHLOROETHYLENE	34501	036	2014/03/07	< .000	2017/03
1,2,4-TRICHLOROBENZENE	34551	036	2014/03/07	< .000	2017/03
1,2-DICHLOROBENZENE	34536	036	2014/03/07	< .000	2017/03
1,2-DICHLOROETHANE	34531	036	2014/03/07	< .000	2017/03
1,2-DICHLOROPROPANE	34541	036	2014/03/07	< .000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/03/07	< .000	2017/03
1,4-DICHLOROBENZENE	34571	036	2014/03/07	< .000	2017/03
BENZENE	34030	036	2014/03/07	< .000	2017/03
CARBON TETRACHLORIDE	32102	036	2014/03/07	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/03/07	< .000	2017/03
DICHLOROMETHANE	34423	036	2014/03/07	< .000	2017/03
ETHYLBENZENE	34371	036	2014/03/07	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/03/07	< .000	2017/03
MONOCHLOROBENZENE	34301	036	2014/03/07	< .000	2017/03
STYRENE	77128	036	2014/03/07	< .000	2017/03
TETRACHLOROETHYLENE	34475	036	2014/03/07	< .000	2017/03
TOLUENE	34010	036	2014/03/07	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/03/07	< .000	2017/03
TRICHLOROETHYLENE	39180	036	2014/03/07	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	036	2014/03/07	< .000	2017/03
VINYL CHLORIDE	39175	036	2014/03/07	< .000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-016***

Source Name: ***WELL 16***

Source Number: ***016***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2014/03/07	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/03/07	**. 270.000**	2017/03
CALCIUM	**00916**	**036**	2014/03/07	**. 57.000**	2017/03
CARBONATE ALKALINITY	**00445**	**036**	2014/03/07	**< .000**	2017/03
CHLORIDE	**00940**	**036**	2014/03/07	**. 15.000**	2017/03
COLOR	**00081**	**036**	2014/03/07	**< .000**	2017/03
COPPER	**01042**	**036**	2014/03/07	**< .000**	2017/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/03/07	**< .000**	2017/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/03/07	**. 210.000**	2017/03
HYDROXIDE ALKALINITY	**71830**	**036**	2014/03/07	**< .000**	2017/03
IRON	**01045**	**036**	2014/03/07	**< .000**	2017/03
MAGNESIUM	**00927**	**036**	2014/03/07	**. 17.000**	2017/03
MANGANESE	**01055**	**036**	2014/03/07	**< .000**	2017/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/03/07	**. 1.000**	2017/03
PH, LABORATORY	**00403**	**036**	2014/03/07	**. 7.700**	2017/03
SILVER	**01077**	**036**	2014/03/07	**< .000**	2017/03
SODIUM	**00929**	**036**	2014/03/07	**. 30.000**	2017/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/03/07	**. 550.000**	2017/03
SULFATE	**00945**	**036**	2014/03/07	**. 49.000**	2017/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/03/07	**. 300.000**	2017/03
TURBIDITY, LABORATORY	**82079**	**036**	2014/03/07	**. .700**	2017/03
ZINC	**01092**	**036**	2014/03/07	**< .000**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-017***

Source Name: ***WELL 18***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/08/28	**< .000**	2016/08
ANTIMONY	**01097**	**036**	2013/08/28	**< .000**	2016/08
ARSENIC	**01002**	**036**	2013/08/28	**< .000**	2016/08
BARIUM	**01007**	**036**	2013/08/28	**< .000**	2016/08
BERYLLIUM	**01012**	**036**	2013/08/28	**< .000**	2016/08
CADMIUM	**01027**	**036**	2013/08/28	**< .000**	2016/08
CHROMIUM (TOTAL)	**01034**	**036**	2013/08/28	**< .000**	2016/08
CYANIDE	**01291**	**036**	2013/08/28	**< .000**	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/28	**. .580**	2016/08
MERCURY	**71900**	**036**	2013/08/28	**< .000**	2016/08
NICKEL	**01067**	**036**	2013/08/28	**< .000**	2016/08
PERCHLORATE	**A-031**	**036**	2013/08/28	**< .000**	2016/08
SELENIUM	**01147**	**036**	2013/08/28	**< .000**	2016/08
THALLIUM	**01059**	**036**	2013/08/28	**< .000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/04	**. 12.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/08/28	**< .000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/08/16	**< .000**	2021/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/28	**< .000**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/28	**< .000**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/08/28	**< .000**	2016/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/08/28	**< .000**	2016/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/08/28	**< .000**	2016/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/08/28	**< .000**	2016/08
1,1-DICHLOROETHANE	**34496**	**036**	2013/08/28	**< .000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-017
Source Name: WELL 18
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2013/08/28	< .000	2016/08
1,2,4-TRICHLOROBENZENE	34551	036	2013/08/28	< .000	2016/08
1,2-DICHLOROBENZENE	34536	036	2013/08/28	< .000	2016/08
1,2-DICHLOROETHANE	34531	036	2013/08/28	< .000	2016/08
1,2-DICHLOROPROPANE	34541	036	2013/08/28	< .000	2016/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/08/28	< .000	2016/08
1,4-DICHLOROBENZENE	34571	036	2013/08/28	< .000	2016/08
BENZENE	34030	036	2013/08/28	< .000	2016/08
CARBON TETRACHLORIDE	32102	036	2013/08/28	< .000	2016/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/08/28	< .000	2016/08
DICHLOROMETHANE	34423	036	2013/08/28	< .000	2016/08
ETHYLBENZENE	34371	036	2013/08/28	< .000	2016/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/08/28	< .000	2016/08
MONOCHLOROBENZENE	34301	036	2013/08/28	< .000	2016/08
STYRENE	77128	036	2013/08/28	< .000	2016/08
TETRACHLOROETHYLENE	34475	036	2013/08/28	< .000	2016/08
TOLUENE	34010	036	2013/08/28	< .000	2016/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/08/28	< .000	2016/08
TRICHLOROETHYLENE	39180	036	2013/08/28	< .000	2016/08
TRICHLOROFLUOROMETHANE	34488	036	2013/08/28	< .000	2016/08
VINYL CHLORIDE	39175	036	2013/08/28	< .000	2016/08
XYLENES (TOTAL)	81551	036	2013/08/28	< .000	2016/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/28	. 160.000	2016/08
CALCIUM	00916	036	2013/08/28	. 55.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/28	< .000	2016/08
CHLORIDE	00940	036	2013/08/28	. 39.000	2016/08
COLOR	00081	036	2013/08/28	< .000	2016/08
COPPER	01042	036	2013/08/28	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-017
Source Name: WELL 18
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/11/21	< .000	2016/11
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/28	. 190.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/28	< .000	2016/08
IRON	01045	036	2013/08/28	< .000	2016/08
MAGNESIUM	00927	036	2013/08/28	. 13.000	2016/08
MANGANESE	01055	036	2013/08/28	< .000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/28	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/28	. 8.000	2016/08
SILVER	01077	036	2013/08/28	< .000	2016/08
SODIUM	00929	036	2013/08/28	13.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/28	. 430.000	2016/08
SULFATE	00945	036	2013/08/28	17.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/04	. 320.000	2017/04
TURBIDITY, LABORATORY	82079	036	2013/08/28	< .000	2016/08
ZINC	01092	036	2013/08/28	. 81.000	2016/08

PS Code: 3610055-022
Source Name: WELL 24
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/08/27	< .000	2016/08
ANTIMONY	01097	036	2013/08/27	< .000	2016/08
ARSENIC	01002	036	2013/08/27	< .000	2016/08
BARIUM	01007	036	2013/08/27	< .000	2016/08
BERYLLIUM	01012	036	2013/08/27	< .000	2016/08
CADMIUM	01027	036	2013/08/27	< .000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/27	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-022***

Source Name: ***WELL 24***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2013/08/27	**< .000**	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/27	**. 1.100**	2016/08
MERCURY	**71900**	**036**	2013/08/27	**< .000**	2016/08
NICKEL	**01067**	**036**	2013/08/27	**< .000**	2016/08
PERCHLORATE	**A-031**	**036**	2013/08/27	**< .000**	2016/08
SELENIUM	**01147**	**036**	2013/08/27	**< .000**	2016/08
THALLIUM	**01059**	**036**	2013/08/27	**< .000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/20	**. 33.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2013/08/27	**< .000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2013/11/21	**. 8.200**	2022/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/27	**< .000**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/27	**< .000**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/08/27	**< .000**	2016/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/08/27	**< .000**	2016/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/08/27	**< .000**	2016/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/08/27	**< .000**	2016/08
1,1-DICHLOROETHANE	**34496**	**036**	2013/08/27	**< .000**	2016/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/08/27	**< .000**	2016/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/08/27	**< .000**	2016/08
1,2-DICHLOROBENZENE	**34536**	**036**	2013/08/27	**< .000**	2016/08
1,2-DICHLOROETHANE	**34531**	**036**	2013/08/27	**< .000**	2016/08
1,2-DICHLOROPROPANE	**34541**	**036**	2013/08/27	**< .000**	2016/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/08/27	**< .000**	2016/08
1,4-DICHLOROBENZENE	**34571**	**036**	2013/08/27	**< .000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-022
Source Name: WELL 24
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2013/08/27	< .000	2016/08
CARBON TETRACHLORIDE	32102	036	2013/08/27	< .000	2016/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/08/27	< .000	2016/08
DICHLOROMETHANE	34423	036	2013/08/27	< .000	2016/08
ETHYLBENZENE	34371	036	2013/08/27	< .000	2016/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/08/27	< .000	2016/08
MONOCHLOROBENZENE	34301	036	2013/08/27	< .000	2016/08
STYRENE	77128	036	2013/08/27	< .000	2016/08
TETRACHLOROETHYLENE	34475	036	2013/08/27	. .550	2016/08
TOLUENE	34010	036	2013/08/27	< .000	2016/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/08/27	< .000	2016/08
TRICHLOROETHYLENE	39180	036	2013/08/27	< .000	2016/08
TRICHLOROFLUOROMETHANE	34488	036	2013/08/27	< .000	2016/08
VINYL CHLORIDE	39175	036	2013/08/27	< .000	2016/08
XYLENES (TOTAL)	81551	036	2013/08/27	< .000	2016/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/27	. 200.000	2016/08
CALCIUM	00916	036	2013/08/27	. 50.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/27	< .000	2016/08
CHLORIDE	00940	036	2013/08/27	. 20.000	2016/08
COLOR	00081	036	2013/08/27	< .000	2016/08
COPPER	01042	036	2013/08/27	< .000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/27	< .000	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/27	. 160.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/27	< .000	2016/08
IRON	01045	036	2013/08/27	< .000	2016/08
MAGNESIUM	00927	036	2013/08/27	. 9.200	2016/08
MANGANESE	01055	036	2013/08/27	< .000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/27	1.000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-022					
Source Name: WELL 24					
Source Number: 022					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
PH, LABORATORY	00403	036	2013/08/27	. 7.700	2016/08
SILVER	01077	036	2013/08/27	< .000	2016/08
SODIUM	00929	036	2013/08/27	49.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/27	. 530.000	2016/08
SULFATE	00945	036	2013/08/27	49.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/20	. 350.000	2017/05
TURBIDITY, LABORATORY	82079	036	2013/08/27	< .000	2016/08
ZINC	01092	036	2013/08/27	< .000	2016/08
PS Code: 3610055-023					
Source Name: WELL 25 - ADAMS TUNNEL					
Source Number: 023					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-024					
Source Name: WELL 26 - MESA					
Source Number: 024					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/08/16	< 50.000	2014/08
ANTIMONY	01097	036	2011/08/16	< 6.000	2014/08
ARSENIC	01002	036	2011/08/16	< 2.000	2014/08
BARIUM	01007	036	2011/08/16	< 100.000	2014/08
BERYLLIUM	01012	036	2011/08/16	< 1.000	2014/08
CADMIUM	01027	036	2011/08/16	< 1.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-024***

Source Name: ***WELL 26 - MESA***

Source Number: ***024***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/08/16	< 1.000	2014/08	
CYANIDE	01291	036	2011/08/16	< 100.000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/16	. .500	2014/08	
MERCURY	71900	036	2011/08/16	< 1.000	2014/08	
NICKEL	01067	036	2011/08/16	< 10.000	2014/08	
PERCHLORATE	A-031	036	2011/08/16	< 4.000	2014/08	
SELENIUM	01147	036	2011/08/16	< 5.000	2014/08	
THALLIUM	01059	036	2011/08/16	< 1.000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/05/21	. 34.000	2014/05	DUE
NITRITE (AS N)	00620	036	2011/08/16	< 100.000	2014/08	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/05/21	. 2.400	2021/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/16	< .010	2014/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/16	< .020	2014/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/08/16	< .500	2014/08	
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/08/16	< .500	2014/08	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/08/16	< 10.000	2014/08	
1,1,2-TRICHLOROETHANE	34511	036	2011/08/16	< .500	2014/08	
1,1-DICHLOROETHANE	34496	036	2011/08/16	< .500	2014/08	
1,1-DICHLOROETHYLENE	34501	036	2011/08/16	< .500	2014/08	
1,2,4-TRICHLOROBENZENE	34551	036	2011/08/16	< .500	2014/08	
1,2-DICHLOROBENZENE	34536	036	2011/08/16	< .500	2014/08	
1,2-DICHLOROETHANE	34531	036	2011/08/16	< .500	2014/08	
1,2-DICHLOROPROPANE	34541	036	2011/08/16	< .500	2014/08	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/08/16	< .500	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-024
Source Name: WELL 26 - MESA
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2011/08/16	< .500	2014/08
BENZENE	34030	036	2011/08/16	< .500	2014/08
CARBON TETRACHLORIDE	32102	036	2011/08/16	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/08/16	< .500	2014/08
DICHLOROMETHANE	34423	036	2011/08/16	< .500	2014/08
ETHYLBENZENE	34371	036	2011/08/16	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/08/16	< 3.000	2014/08
MONOCHLOROBENZENE	34301	036	2011/08/16	< .500	2014/08
STYRENE	77128	036	2011/08/16	< .500	2014/08
TETRACHLOROETHYLENE	34475	036	2011/08/16	< .500	2014/08
TOLUENE	34010	036	2011/08/16	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/08/16	< .500	2014/08
TRICHLOROETHYLENE	39180	036	2011/08/16	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	036	2011/08/16	< 5.000	2014/08
VINYL CHLORIDE	39175	036	2011/08/16	< .500	2014/08
XYLENES (TOTAL)	81551	036	2011/08/16	< .500	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/08/16	. 370.000	2014/08
CALCIUM	00916	036	2011/08/16	. 110.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/16	< 3.000	2014/08
CHLORIDE	00940	036	2011/08/16	. 75.000	2014/08
COLOR	00081	036	2011/08/16	< 3.000	2014/08
COPPER	01042	036	2011/08/16	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/16	< .050	2014/08
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/16	. 430.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/16	< 3.000	2014/08
IRON	01045	036	2011/08/16	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/16	. 38.000	2014/08
MANGANESE	01055	036	2011/08/16	< 20.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-024
Source Name: WELL 26 - MESA
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/16	. 7.100	2014/08
SILVER	01077	036	2011/08/16	< 10.000	2014/08
SODIUM	00929	036	2011/08/16	39.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/16	. 990.000	2014/08
SULFATE	00945	036	2011/08/16	51.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/21	. 570.000	2016/05
TURBIDITY, LABORATORY	82079	036	2011/08/16	< .200	2014/08
ZINC	01092	036	2011/08/16	< 50.000	2014/08

PS Code: 3610055-025
Source Name: WELL 27
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/12/04	< .000	2015/12
ANTIMONY	01097	036	2012/12/04	< .000	2015/12
ARSENIC	01002	036	2012/12/04	< .000	2015/12
BARIUM	01007	036	2012/12/04	< .000	2015/12
BERYLLIUM	01012	036	2012/12/04	< .000	2015/12
CADMIUM	01027	036	2012/12/04	< .000	2015/12
CHROMIUM (TOTAL)	01034	036	2012/12/04	< .000	2015/12
CYANIDE	01291	036	2012/12/04	< .000	2015/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/12/04	. .590	2015/12
MERCURY	71900	036	2012/12/04	< .000	2015/12
NICKEL	01067	036	2012/12/04	< .000	2015/12
PERCHLORATE	A-031	036	2012/12/04	< .000	2015/12
SELENIUM	01147	036	2012/12/04	< .000	2015/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-025***

Source Name: ***WELL 27***

Source Number: ***025***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2012/12/04	**< .000**	2015/12
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/09	**. 23.000**	2015/06
NITRITE (AS N)	**00620**	**036**	2012/12/04	**< .000**	2015/12
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/05/21	**. .559**	2021/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/12/04	**< .000**	2015/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/12/04	**< .000**	2015/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/11/21	**< .000**	2016/11
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/11/21	**< .000**	2016/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/11/21	**< .000**	2016/11
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/11/21	**< .000**	2016/11
1,1-DICHLOROETHANE	**34496**	**036**	2013/11/21	**< .000**	2016/11
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/11/21	**. 1.000**	2016/11
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/11/21	**< .000**	2016/11
1,2-DICHLOROBENZENE	**34536**	**036**	2013/11/21	**< .000**	2016/11
1,2-DICHLOROETHANE	**34531**	**036**	2013/11/21	**< .000**	2016/11
1,2-DICHLOROPROPANE	**34541**	**036**	2013/11/21	**< .000**	2016/11
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/11/21	**< .000**	2016/11
1,4-DICHLOROBENZENE	**34571**	**036**	2013/11/21	**< .000**	2016/11
BENZENE	**34030**	**036**	2013/11/21	**< .000**	2016/11
CARBON TETRACHLORIDE	**32102**	**036**	2013/11/21	**< .000**	2016/11
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/11/21	**< .000**	2016/11
DICHLOROMETHANE	**34423**	**036**	2013/11/21	**< .000**	2016/11
ETHYLBENZENE	**34371**	**036**	2013/11/21	**< .000**	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/11/21	**< .000**	2016/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-025
Source Name: WELL 27
Source Number: 025
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2013/11/21	< .000	2016/11
STYRENE	77128	036	2013/11/21	< .000	2016/11
TETRACHLOROETHYLENE	34475	036	2013/11/21	< .000	2016/11
TOLUENE	34010	036	2013/11/21	< .000	2016/11
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/11/21	< .000	2016/11
TRICHLOROETHYLENE	39180	036	2013/11/21	< .000	2016/11
TRICHLOROFLUOROMETHANE	34488	036	2013/11/21	< .000	2016/11
VINYL CHLORIDE	39175	036	2013/11/21	< .000	2016/11
XYLENES (TOTAL)	81551	036	2013/11/21	< .000	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/12/04	. 260.000	2015/12
CALCIUM	00916	036	2012/12/04	. 63.000	2015/12
CARBONATE ALKALINITY	00445	036	2012/12/04	< .000	2015/12
CHLORIDE	00940	036	2012/12/04	. 33.000	2015/12
COLOR	00081	036	2012/12/04	< .000	2015/12
COPPER	01042	036	2012/12/04	< .000	2015/12
FOAMING AGENTS (MBAS)	38260	036	2012/12/04	< .000	2015/12
HARDNESS (TOTAL) AS CACO3	00900	036	2012/12/04	. 240.000	2015/12
HYDROXIDE ALKALINITY	71830	036	2012/12/04	< .000	2015/12
IRON	01045	036	2012/12/04	< .000	2015/12
MAGNESIUM	00927	036	2012/12/04	. 20.000	2015/12
MANGANESE	01055	036	2012/12/04	< .000	2015/12
ODOR THRESHOLD @ 60 C	00086	036	2012/12/04	1.000	2015/12
PH, LABORATORY	00403	036	2012/12/04	7.200	2015/12
SILVER	01077	036	2012/12/04	< .000	2015/12
SODIUM	00929	036	2012/12/04	33.000	2015/12
SPECIFIC CONDUCTANCE	00095	036	2012/12/04	. 620.000	2015/12
SULFATE	00945	036	2012/12/04	35.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/09	. 370.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-025					
Source Name: WELL 27					
Source Number: 025					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2012/12/04	. .100	2015/12
ZINC	01092	036	2012/12/04	< .000	2015/12
PS Code: 3610055-033					
Source Name: WELL 37					
Source Number: 033					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/08/19	< .000	2016/08
ANTIMONY	01097	036	2013/08/19	< .000	2016/08
ARSENIC	01002	036	2013/08/19	< .000	2016/08
BARIUM	01007	036	2013/08/19	< .000	2016/08
BERYLLIUM	01012	036	2013/08/19	< .000	2016/08
CADMIUM	01027	036	2013/08/19	< .000	2016/08
CHROMIUM (TOTAL)	01034	036	2013/08/19	< .000	2016/08
CYANIDE	01291	036	2013/08/19	< .000	2016/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/19	. .780	2016/08
MERCURY	71900	036	2013/08/19	< .000	2016/08
NICKEL	01067	036	2013/08/19	< .000	2016/08
PERCHLORATE	A-031	036	2013/08/19	< .000	2016/08
SELENIUM	01147	036	2013/08/19	< .000	2016/08
THALLIUM	01059	036	2013/08/19	< .000	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/25	. 27.000	2015/03
NITRITE (AS N)	00620	036	2013/08/19	< .000	2016/08
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/03/30	. .826	2021/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-033
Source Name: WELL 37
Source Number: 033
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/19	< .000	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/19	< .000	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/08/19	< .000	2016/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/08/19	< .000	2016/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/08/19	< .000	2016/08
1,1,2-TRICHLOROETHANE	34511	036	2013/08/19	< .000	2016/08
1,1-DICHLOROETHANE	34496	036	2013/08/19	< .000	2016/08
1,1-DICHLOROETHYLENE	34501	036	2013/08/19	< .000	2016/08
1,2,4-TRICHLOROBENZENE	34551	036	2013/08/19	< .000	2016/08
1,2-DICHLOROBENZENE	34536	036	2013/08/19	< .000	2016/08
1,2-DICHLOROETHANE	34531	036	2013/08/19	< .000	2016/08
1,2-DICHLOROPROPANE	34541	036	2013/08/19	< .000	2016/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/08/19	< .000	2016/08
1,4-DICHLOROBENZENE	34571	036	2013/08/19	< .000	2016/08
BENZENE	34030	036	2013/08/19	< .000	2016/08
CARBON TETRACHLORIDE	32102	036	2013/08/19	< .000	2016/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/08/19	< .000	2016/08
DICHLOROMETHANE	34423	036	2013/08/19	< .000	2016/08
ETHYLBENZENE	34371	036	2013/08/19	< .000	2016/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/08/19	< .000	2016/08
MONOCHLOROBENZENE	34301	036	2013/08/19	< .000	2016/08
STYRENE	77128	036	2013/08/19	< .000	2016/08
TETRACHLOROETHYLENE	34475	036	2013/08/19	< .000	2016/08
TOLUENE	34010	036	2013/08/19	< .000	2016/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/08/19	< .000	2016/08
TRICHLOROETHYLENE	39180	036	2013/08/19	< .000	2016/08
TRICHLOROFLUOROMETHANE	34488	036	2013/08/19	< .000	2016/08
VINYL CHLORIDE	39175	036	2013/08/19	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-033***

Source Name: ***WELL 37***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**036**	2013/08/19	**< .000**	2016/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/08/19	**. 210.000**	2016/08
CALCIUM	**00916**	**036**	2013/08/19	**. 50.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2013/08/19	**< .000**	2016/08
CHLORIDE	**00940**	**036**	2013/08/19	**. 23.000**	2016/08
COLOR	**00081**	**036**	2013/08/19	**< .000**	2016/08
COPPER	**01042**	**036**	2013/08/19	**< .000**	2016/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/08/19	**< .000**	2016/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/19	**. 170.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2013/08/19	**< .000**	2016/08
IRON	**01045**	**036**	2013/08/19	**< .000**	2016/08
MAGNESIUM	**00927**	**036**	2013/08/19	**. 9.800**	2016/08
MANGANESE	**01055**	**036**	2013/08/19	**< .000**	2016/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/08/19	**1.000**	2016/08
PH, LABORATORY	**00403**	**036**	2013/08/19	**. 7.700**	2016/08
SILVER	**01077**	**036**	2013/08/19	**< .000**	2016/08
SODIUM	**00929**	**036**	2013/08/19	**40.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/08/19	**. 510.000**	2016/08
SULFATE	**00945**	**036**	2013/08/19	**29.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/03/25	**. 290.000**	2017/03
TURBIDITY, LABORATORY	**82079**	**036**	2013/08/19	**< .000**	2016/08
ZINC	**01092**	**036**	2013/08/19	**< .000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-036***

Source Name: ***WELL 44 - BRYANT***

Source Number: ***036***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/02/03	**< .000**	2017/02
ANTIMONY	**01097**	**036**	2014/02/03	**< .000**	2017/02
ARSENIC	**01002**	**036**	2014/02/03	**< .000**	2017/02
BARIUM	**01007**	**036**	2014/02/03	**< .000**	2017/02
BERYLLIUM	**01012**	**036**	2014/02/03	**< .000**	2017/02
CADMIUM	**01027**	**036**	2014/02/03	**< .000**	2017/02
CHROMIUM (TOTAL)	**01034**	**036**	2014/02/03	**< .000**	2017/02
CYANIDE	**01291**	**036**	2014/02/03	**< .000**	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/02/03	**. .530**	2017/02
MERCURY	**71900**	**036**	2014/02/03	**< .000**	2017/02
NICKEL	**01067**	**036**	2014/02/03	**< .000**	2017/02
PERCHLORATE	**A-031**	**036**	2014/02/03	**< .000**	2017/02
SELENIUM	**01147**	**036**	2014/02/03	**< .000**	2017/02
THALLIUM	**01059**	**036**	2014/02/03	**< .000**	2017/02
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/03	**. 2.100**	2015/02
NITRITE (AS N)	**00620**	**036**	2014/02/03	**< .000**	2017/02
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2012/05/01	**. .893**	2021/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/03	**< .000**	2017/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/03	**< .000**	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/02/03	**< .000**	2017/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/02/03	**< .000**	2017/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/02/03	**< .000**	2017/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/02/03	**< .000**	2017/02
1,1-DICHLOROETHANE	**34496**	**036**	2014/02/03	**< .000**	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-036
Source Name: WELL 44 - BRYANT
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/02/03	< .000	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/03	< .000	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/03	< .000	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/03	< .000	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/03	< .000	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/03	< .000	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/03	< .000	2017/02
BENZENE	34030	036	2014/02/03	< .000	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/03	< .000	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/03	< .000	2017/02
DICHLOROMETHANE	34423	036	2014/02/03	< .000	2017/02
ETHYLBENZENE	34371	036	2014/02/03	< .000	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/03	< .000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/03	< .000	2017/02
STYRENE	77128	036	2014/02/03	< .000	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/03	< .000	2017/02
TOLUENE	34010	036	2014/02/03	< .000	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/03	< .000	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/03	< .000	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/03	< .000	2017/02
VINYL CHLORIDE	39175	036	2014/02/03	< .000	2017/02
XYLENES (TOTAL)	81551	036	2014/02/03	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/03	. 120.000	2017/02
CALCIUM	00916	036	2014/02/03	. 53.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/03	< .000	2017/02
CHLORIDE	00940	036	2014/02/03	. 53.000	2017/02
COLOR	00081	036	2014/02/03	< .000	2017/02
COPPER	01042	036	2014/02/03	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-036
Source Name: WELL 44 - BRYANT
Source Number: 036
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/02/03	< .000	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/03	. 190.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/03	< .000	2017/02
IRON	01045	036	2014/02/03	< .000	2017/02
MAGNESIUM	00927	036	2014/02/03	. 14.000	2017/02
MANGANESE	01055	036	2014/02/03	< .000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/03	1.000	2017/02
PH, LABORATORY	00403	036	2014/02/03	. 7.400	2017/02
SILVER	01077	036	2014/02/03	< .000	2017/02
SODIUM	00929	036	2014/02/03	13.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/03	. 430.000	2017/02
SULFATE	00945	036	2014/02/03	25.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/03	. 300.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/03	. .600	2017/02
ZINC	01092	036	2014/02/03	< .000	2017/02

PS Code: 3610055-037
Source Name: WELL 46
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/04/20	< 50.000	2015/04
ANTIMONY	01097	036	2012/04/20	< 6.000	2015/04
ARSENIC	01002	036	2012/04/20	< 2.000	2015/04
BARIUM	01007	036	2012/04/20	14.000	2015/04
BERYLLIUM	01012	036	2012/04/20	< 1.000	2015/04
CADMIUM	01027	036	2012/04/20	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	036	2012/04/20	2.400	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-037***

Source Name: ***WELL 46***

Source Number: ***037***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2012/04/20	**< 100.000**	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/04/20	**. .340**	2015/04
MERCURY	**71900**	**036**	2012/04/20	**< 1.000**	2015/04
NICKEL	**01067**	**036**	2012/04/20	**< 10.000**	2015/04
PERCHLORATE	**A-031**	**036**	2014/01/16	**< .000**	2017/01
SELENIUM	**01147**	**036**	2012/04/20	**< 5.000**	2015/04
THALLIUM	**01059**	**036**	2012/04/20	**< 1.000**	2015/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/14	**. 14.000**	2014/08
NITRITE (AS N)	**00620**	**036**	2012/04/20	**< 400.000**	2015/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2012/05/01	**. .682**	2018/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/04/20	**< .010**	2015/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/04/20	**< .020**	2015/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/05/22	**< .500**	2015/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/05/22	**< .500**	2015/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/05/22	**< 10.000**	2015/05
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/05/22	**< .500**	2015/05
1,1-DICHLOROETHANE	**34496**	**036**	2012/05/22	**< .500**	2015/05
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/05/22	**< .500**	2015/05
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/05/22	**< .500**	2015/05
1,2-DICHLOROBENZENE	**34536**	**036**	2012/05/22	**< .500**	2015/05
1,2-DICHLOROETHANE	**34531**	**036**	2012/05/22	**< .500**	2015/05
1,2-DICHLOROPROPANE	**34541**	**036**	2012/05/22	**< .500**	2015/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/05/22	**< .500**	2015/05
1,4-DICHLOROBENZENE	**34571**	**036**	2012/05/22	**< .500**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-037
Source Name: WELL 46
Source Number: 037
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2012/05/22	< .500	2015/05
CARBON TETRACHLORIDE	32102	036	2012/05/22	< .500	2015/05
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/05/22	< .500	2015/05
DICHLOROMETHANE	34423	036	2012/05/22	< .500	2015/05
ETHYLBENZENE	34371	036	2012/05/22	< .500	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/05/22	< 3.000	2015/05
MONOCHLOROBENZENE	34301	036	2012/05/22	< .500	2015/05
STYRENE	77128	036	2012/05/22	< .500	2015/05
TETRACHLOROETHYLENE	34475	036	2012/05/22	< .500	2015/05
TOLUENE	34010	036	2012/05/22	< .500	2015/05
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/05/22	< .500	2015/05
TRICHLOROETHYLENE	39180	036	2012/05/22	< .500	2015/05
TRICHLOROFLUOROMETHANE	34488	036	2012/05/22	< 5.000	2015/05
VINYL CHLORIDE	39175	036	2012/05/22	< .500	2015/05
XYLENES (TOTAL)	81551	036	2012/05/22	< 1.000	2015/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/04/20	. 210.000	2015/04
CALCIUM	00916	036	2012/04/20	. 54.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/20	< 2.400	2015/04
CHLORIDE	00940	036	2012/04/20	. 11.000	2015/04
COLOR	00081	036	2014/01/16	< .000	2017/01
COPPER	01042	036	2012/04/20	. 3.200	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/05/22	< .100	2015/05
HARDNESS (TOTAL) AS CACO3	00900	036	2012/04/20	. 190.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/20	< 1.400	2015/04
IRON	01045	036	2012/04/20	< 100.000	2015/04
MAGNESIUM	00927	036	2012/04/20	. 12.000	2015/04
MANGANESE	01055	036	2012/04/20	< 20.000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2014/01/16	. 1.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-037

Source Name: WELL 46

Source Number: 037

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2012/04/20	. 7.710	2015/04
SILVER	01077	036	2012/04/20	< 10.000	2015/04
SODIUM	00929	036	2012/04/20	21.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2014/01/16	. 460.000	2017/01
SULFATE	00945	036	2012/04/20	33.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/14	. 290.000	2016/08
TURBIDITY, LABORATORY	82079	036	2014/01/16	< .000	2017/01
ZINC	01092	036	2012/04/20	< 50.000	2015/04

PS Code: 3610055-039

Source Name: WELL 67 HORIZONTAL

Source Number: 039

Source Status: ACTIVE RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610055-040

Source Name: WELL 66 HORIZONTAL

Source Number: 040

Source Status: ACTIVE RAW

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-041					
Source Name: WELL 69 HORIZONTAL					
Source Number: 041					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-044					
Source Name: WELL 73					
Source Number: 044					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-045					
Source Name: WELL 68 HORIZONTAL					
Source Number: 045					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-046					
Source Name: WELL 71 HORIZONTAL					
Source Number: 046					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-047					
Source Name: WELL 70 HORIZONTAL					
Source Number: 047					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-051					
Source Name: WELL 72					
Source Number: 051					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-052					
Source Name: WELL 51					
Source Number: 052					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/06/09	< .000	2017/06
ANTIMONY	01097	036	2014/06/09	< .000	2017/06
ARSENIC	01002	036	2014/06/09	< .000	2017/06
BARIUM	01007	036	2014/06/09	< .000	2017/06
BERYLLIUM	01012	036	2014/06/09	< .000	2017/06
CADMIUM	01027	036	2014/06/09	< .000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/09	< .000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2014/06/09	< .000	2017/06
CYANIDE	01291	036	2014/06/09	< .000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/09	. .890	2017/06
MERCURY	71900	036	2014/06/09	< .000	2017/06
NICKEL	01067	036	2014/06/09	< .000	2017/06
PERCHLORATE	A-031	036	2014/06/09	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-052
Source Name: WELL 51
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2014/06/09	< .000	2017/06
THALLIUM	01059	036	2014/06/09	< .000	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/06/09	. 25.000	2015/06
NITRITE (AS N)	00620	036	2014/06/09	< .000	2017/06
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/05/22	.544	2021/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/06/09	< .000	2017/06
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/06/09	< .000	2017/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/06/09	< .000	2017/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/06/09	< .000	2017/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/06/09	< .000	2017/06
1,1,2-TRICHLOROETHANE	34511	036	2014/06/09	< .000	2017/06
1,1-DICHLOROETHANE	34496	036	2014/06/09	< .000	2017/06
1,1-DICHLOROETHYLENE	34501	036	2014/06/09	< .000	2017/06
1,2,4-TRICHLOROBENZENE	34551	036	2014/06/09	< .000	2017/06
1,2-DICHLOROBENZENE	34536	036	2014/06/09	< .000	2017/06
1,2-DICHLOROETHANE	34531	036	2014/06/09	< .000	2017/06
1,2-DICHLOROPROPANE	34541	036	2014/06/09	< .000	2017/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/06/09	< .000	2017/06
1,4-DICHLOROBENZENE	34571	036	2014/06/09	< .000	2017/06
BENZENE	34030	036	2014/06/09	< .000	2017/06
CARBON TETRACHLORIDE	32102	036	2014/06/09	< .000	2017/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/06/09	< .000	2017/06
DICHLOROMETHANE	34423	036	2014/06/09	< .000	2017/06
ETHYLBENZENE	34371	036	2014/06/09	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-052
Source Name: WELL 51
Source Number: 052
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/06/09	< .000	2017/06
MONOCHLOROBENZENE	34301	036	2014/06/09	< .000	2017/06
STYRENE	77128	036	2014/06/09	< .000	2017/06
TETRACHLOROETHYLENE	34475	036	2014/06/09	< .000	2017/06
TOLUENE	34010	036	2014/06/09	< .000	2017/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/06/09	< .000	2017/06
TRICHLOROETHYLENE	39180	036	2014/06/09	< .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2014/06/09	< .000	2017/06
VINYL CHLORIDE	39175	036	2014/06/09	< .000	2017/06
XYLENES (TOTAL)	81551	036	2014/06/09	< .000	2017/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/06/09	. 270.000	2017/06
CALCIUM	00916	036	2014/06/09	. 69.000	2017/06
CARBONATE ALKALINITY	00445	036	2014/06/09	< .000	2017/06
CHLORIDE	00940	036	2014/06/09	. 21.000	2017/06
COLOR	00081	036	2014/06/09	< .000	2017/06
COPPER	01042	036	2014/06/09	< .000	2017/06
FOAMING AGENTS (MBAS)	38260	036	2014/06/09	< .000	2017/06
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/09	. 240.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/06/09	< .000	2017/06
IRON	01045	036	2014/06/09	< .000	2017/06
MAGNESIUM	00927	036	2014/06/09	. 15.000	2017/06
MANGANESE	01055	036	2014/06/09	< .000	2017/06
ODOR THRESHOLD @ 60 C	00086	036	2014/06/09	. 1.000	2017/06
PH, LABORATORY	00403	036	2014/06/09	. 7.500	2017/06
SILVER	01077	036	2014/06/09	< .000	2017/06
SODIUM	00929	036	2014/06/09	. 40.000	2017/06
SPECIFIC CONDUCTANCE	00095	036	2014/06/09	. 630.000	2017/06
SULFATE	00945	036	2014/06/09	. 52.000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-052					
Source Name: WELL 51					
Source Number: 052					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/09	. 380.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/09	< .000	2017/06
ZINC	01092	036	2014/06/09	< .000	2017/06
PS Code: 3610055-054					
Source Name: WELL 61					
Source Number: 054					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/08/16	< 50.000	2014/08
ANTIMONY	01097	036	2011/08/16	< 6.000	2014/08
ARSENIC	01002	036	2011/08/16	< 2.000	2014/08
BARIUM	01007	036	2011/08/16	< 100.000	2014/08
BERYLLIUM	01012	036	2011/08/16	< 1.000	2014/08
CADMIUM	01027	036	2011/08/16	< 1.000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/16	< 1.000	2014/08
CYANIDE	01291	036	2011/08/16	< 100.000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/16	. .400	2014/08
MERCURY	71900	036	2011/08/16	< 1.000	2014/08
NICKEL	01067	036	2011/08/16	< 10.000	2014/08
PERCHLORATE	A-031	036	2011/08/16	< 4.000	2014/08
SELENIUM	01147	036	2011/08/16	< 5.000	2014/08
THALLIUM	01059	036	2011/08/16	< 1.000	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/04	< .000	2015/04
NITRITE (AS N)	00620	036	2011/08/16	< 100.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-054
Source Name: WELL 61
Source Number: 054
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/05/21	. 2.530	2021/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/16	< .010	2014/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/16	< .020	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/08/16	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/08/16	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/08/16	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	036	2011/08/16	< .500	2014/08
1,1-DICHLOROETHANE	34496	036	2011/08/16	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	036	2011/08/16	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	036	2011/08/16	< .500	2014/08
1,2-DICHLOROBENZENE	34536	036	2011/08/16	< .500	2014/08
1,2-DICHLOROETHANE	34531	036	2011/08/16	< .500	2014/08
1,2-DICHLOROPROPANE	34541	036	2011/08/16	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/08/16	< .500	2014/08
1,4-DICHLOROBENZENE	34571	036	2011/08/16	< .500	2014/08
BENZENE	34030	036	2011/08/16	< .500	2014/08
CARBON TETRACHLORIDE	32102	036	2011/08/16	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/08/16	< .500	2014/08
DICHLOROMETHANE	34423	036	2011/08/16	< .500	2014/08
ETHYLBENZENE	34371	036	2011/08/16	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/08/16	< 3.000	2014/08
MONOCHLOROBENZENE	34301	036	2011/08/16	< .500	2014/08
STYRENE	77128	036	2011/08/16	< .500	2014/08
TETRACHLOROETHYLENE	34475	036	2011/08/16	< .500	2014/08
TOLUENE	34010	036	2011/08/16	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/08/16	< .500	2014/08
TRICHLOROETHYLENE	39180	036	2011/08/16	< .500	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-054
Source Name: WELL 61
Source Number: 054
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2011/08/16	< 5.000	2014/08
VINYL CHLORIDE	39175	036	2011/08/16	< .500	2014/08
XYLENES (TOTAL)	81551	036	2011/08/16	< .500	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/08/16	. 230.000	2014/08
CALCIUM	00916	036	2011/08/16	. 40.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/16	< 3.000	2014/08
CHLORIDE	00940	036	2011/08/16	. 22.000	2014/08
COLOR	00081	036	2011/08/16	3.000	2014/08
COPPER	01042	036	2011/08/16	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/16	< .050	2014/08
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/16	. 200.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/16	< 3.000	2014/08
IRON	01045	036	2011/08/16	110.000	2014/08
MAGNESIUM	00927	036	2011/08/16	. 23.000	2014/08
MANGANESE	01055	036	2011/08/16	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/16	. 7.900	2014/08
SILVER	01077	036	2011/08/16	< 10.000	2014/08
SODIUM	00929	036	2011/08/16	26.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/16	. 490.000	2014/08
SULFATE	00945	036	2011/08/16	21.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/04	. 250.000	2017/04
TURBIDITY, LABORATORY	82079	036	2011/08/16	. 1.100	2014/08
ZINC	01092	036	2011/08/16	< 50.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-058C***

Source Name: ***WELLS 66 - 71 COMPOSITE***

Source Number: ***058***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/01/15	< .000	2016/01
ANTIMONY	01097	036	2013/01/15	< .000	2016/01
ARSENIC	01002	036	2013/01/15	. 7.400	2016/01
BARIUM	01007	036	2013/01/15	< .000	2016/01
BERYLLIUM	01012	036	2013/01/15	< .000	2016/01
CADMIUM	01027	036	2013/01/15	< .000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/15	< .000	2016/01
CYANIDE	01291	036	2013/01/15	< .000	2016/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/15	. .210	2016/01
MERCURY	71900	036	2013/01/15	< .000	2016/01
NICKEL	01067	036	2013/01/15	< .000	2016/01
PERCHLORATE	A-031	036	2013/01/15	< .000	2016/01
SELENIUM	01147	036	2013/01/15	< .000	2016/01
THALLIUM	01059	036	2013/01/15	< .000	2016/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/26	. 6.300	2014/08
NITRITE (AS N)	00620	036	2013/01/15	< .000	2016/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/26	< .000	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/15	< .000	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/15	< .000	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/01/15	< .000	2019/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/01/15	< .000	2019/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/01/15	< .000	2019/01
1,1,2-TRICHLOROETHANE	34511	072	2013/01/15	< .000	2019/01
1,1-DICHLOROETHANE	34496	072	2013/01/15	< .000	2019/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-058C***

Source Name: ***WELLS 66 - 71 COMPOSITE***

Source Number: ***058***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/01/15	**< .000**	2019/01
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/01/15	**< .000**	2019/01
1,2-DICHLOROBENZENE	**34536**	**072**	2013/01/15	**< .000**	2019/01
1,2-DICHLOROETHANE	**34531**	**072**	2013/01/15	**< .000**	2019/01
1,2-DICHLOROPROPANE	**34541**	**072**	2013/01/15	**< .000**	2019/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/01/15	**< .000**	2019/01
1,4-DICHLOROBENZENE	**34571**	**072**	2013/01/15	**< .000**	2019/01
BENZENE	**34030**	**072**	2013/01/15	**< .000**	2019/01
CARBON TETRACHLORIDE	**32102**	**072**	2013/01/15	**< .000**	2019/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/01/15	**< .000**	2019/01
DICHLOROMETHANE	**34423**	**072**	2013/01/15	**< .000**	2019/01
ETHYLBENZENE	**34371**	**072**	2013/01/15	**< .000**	2019/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/01/15	**< .000**	2019/01
MONOCHLOROBENZENE	**34301**	**072**	2013/01/15	**< .000**	2019/01
STYRENE	**77128**	**072**	2013/01/15	**< .000**	2019/01
TETRACHLOROETHYLENE	**34475**	**072**	2013/01/15	**< .000**	2019/01
TOLUENE	**34010**	**072**	2013/01/15	**< .000**	2019/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/01/15	**< .000**	2019/01
TRICHLOROETHYLENE	**39180**	**072**	2013/01/15	**< .000**	2019/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/01/15	**< .000**	2019/01
VINYL CHLORIDE	**39175**	**072**	2013/01/15	**< .000**	2019/01
XYLENES (TOTAL)	**81551**	**072**	2013/01/15	**< .000**	2019/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/15	**. 210.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/15	**. 45.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/15	**< .000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/15	**. 9.200**	2016/01
COLOR	**00081**	**036**	2013/01/15	**< .000**	2016/01
COPPER	**01042**	**036**	2013/01/15	**< .000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-058C

Source Name: WELLS 66 - 71 COMPOSITE

Source Number: 058

Source Status: COMBINATION OR BLEND RAW

Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2013/01/15	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/15	. 180.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/15	< .000	2016/01
IRON	01045	036	2013/01/15	< .000	2016/01
MAGNESIUM	00927	036	2013/01/15	. 16.000	2016/01
MANGANESE	01055	036	2013/01/15	< .000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/15	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/15	. 7.900	2016/01
SILVER	01077	036	2013/01/15	< .000	2016/01
SODIUM	00929	036	2013/01/15	20.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/15	. 400.000	2016/01
SULFATE	00945	036	2013/01/15	19.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/26	. 220.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/01/15	. .100	2016/01
ZINC	01092	036	2013/01/15	< .000	2016/01

PS Code: 3610055-059C

Source Name: WELLS 72 - 75 COMPOSITE

Source Number: 059

Source Status: COMBINATION OR BLEND RAW

Water type: S

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/01/27	< .000	2017/01
ANTIMONY	01097	036	2014/01/27	< .000	2017/01
ARSENIC	01002	036	2014/01/27	. 8.900	2017/01
BARIUM	01007	036	2014/01/27	< .000	2017/01
BERYLLIUM	01012	036	2014/01/27	< .000	2017/01
CADMIUM	01027	036	2014/01/27	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/27	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-059C
Source Name: WELLS 72 - 75 COMPOSITE
Source Number: 059
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2014/01/27	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/27	. .300	2017/01
MERCURY	71900	036	2014/01/27	< .000	2017/01
NICKEL	01067	036	2014/01/27	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/27	< .000	2017/01
SELENIUM	01147	036	2014/01/27	< .000	2017/01
THALLIUM	01059	036	2014/01/27	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/27	< .000	2015/01
NITRITE (AS N)	00620	036	2014/01/27	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/08/26	. 5.800	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/27	< .000	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/27	< .000	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/01/27	< .000	2020/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/27	< .000	2020/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/27	< .000	2020/01
1,1,2-TRICHLOROETHANE	34511	072	2014/01/27	< .000	2020/01
1,1-DICHLOROETHANE	34496	072	2014/01/27	< .000	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/27	< .000	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/27	< .000	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/27	< .000	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/27	< .000	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/27	< .000	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/27	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/27	< .000	2020/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-059C

Source Name: WELLS 72 - 75 COMPOSITE

Source Number: 059

Source Status: COMBINATION OR BLEND RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	072	2014/01/27	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/27	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/27	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/27	< .000	2020/01
ETHYLBENZENE	34371	072	2014/01/27	< .000	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/01/27	< .000	2020/01
MONOCHLOROBENZENE	34301	072	2014/01/27	< .000	2020/01
STYRENE	77128	072	2014/01/27	< .000	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/27	< .000	2020/01
TOLUENE	34010	072	2014/01/27	< .000	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/27	< .000	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/27	< .000	2020/01
TRICHLOROFLUOROMETHANE	34488	072	2014/01/27	< .000	2020/01
VINYL CHLORIDE	39175	072	2014/01/27	< .000	2020/01
XYLENES (TOTAL)	81551	072	2014/01/27	< .000	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/27	. 140.000	2017/01
CALCIUM	00916	036	2014/01/27	. 42.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/27	< .000	2017/01
CHLORIDE	00940	036	2014/01/27	. 7.700	2017/01
COLOR	00081	036	2014/01/27	< .000	2017/01
COPPER	01042	036	2014/01/27	< .000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/27	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/27	. 140.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/27	< .000	2017/01
IRON	01045	036	2014/01/27	< .000	2017/01
MAGNESIUM	00927	036	2014/01/27	. 8.200	2017/01
MANGANESE	01055	036	2014/01/27	< .000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/27	1.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-059C					
Source Name: WELLS 72 - 75 COMPOSITE					
Source Number: 059					
Source Status: COMBINATION OR BLEND RAW					
Water type: S					
SECONDARY/GP					
PH, LABORATORY	00403	036	2014/01/27	. 7.600	2017/01
SILVER	01077	036	2014/01/27	< .000	2017/01
SODIUM	00929	036	2014/01/27	18.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/27	. 350.000	2017/01
SULFATE	00945	036	2014/01/27	58.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/27	. 220.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/27	. .100	2017/01
ZINC	01092	036	2014/01/27	< .000	2017/01
PS Code: 3610055-060T					
Source Name: DISTRIBUTION SYSTEM THM - R7					
Source Number: 060					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-061T					
Source Name: WELL 48 - TREATED					
Source Number: 061					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-062					
Source Name: WELL 75					
Source Number: 062					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-063D					
Source Name: LIANA STREET - SYSTEM SAMPLE SITE					
Source Number: 063					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-064D					
Source Name: 13445 OAK MESA DR. - SYSTEM SAMPLE SITE					
Source Number: 064					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-065D					
Source Name: 12770 2ND STREET - SYSTEM SAMPLE SITE					
Source Number: 065					
Source Status: DISTRIBUTION TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-066
Source Name: WELL 53
Source Number: 066
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/02/03	< .000	2017/02
ANTIMONY	01097	036	2014/02/03	< .000	2017/02
ARSENIC	01002	036	2014/02/03	< .000	2017/02
BARIUM	01007	036	2014/02/03	< .000	2017/02
BERYLLIUM	01012	036	2014/02/03	< .000	2017/02
CADMIUM	01027	036	2014/02/03	< .000	2017/02
CHROMIUM (TOTAL)	01034	036	2014/06/09	< .000	2017/06
CYANIDE	01291	036	2014/02/03	< .000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/03	. .490	2017/02
MERCURY	71900	036	2014/02/03	< .000	2017/02
NICKEL	01067	036	2014/02/03	< .000	2017/02
PERCHLORATE	A-031	036	2014/02/03	< .000	2017/02
SELENIUM	01147	036	2014/02/03	< .000	2017/02
THALLIUM	01059	036	2014/02/03	< .000	2017/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/02/03	. 5.500	2015/02
NITRITE (AS N)	00620	036	2014/02/03	< .000	2017/02
RADIOLOGICAL					
GROSS ALPHA	01501	072	2009/06/11	3.440	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/03	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/03	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/02/03	< .000	2017/02
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/02/03	< .000	2017/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/02/03	< .000	2017/02
1,1,2-TRICHLOROETHANE	34511	036	2014/02/03	< .000	2017/02
1,1-DICHLOROETHANE	34496	036	2014/02/03	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-066
Source Name: WELL 53
Source Number: 066
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2014/02/03	< .000	2017/02
1,2,4-TRICHLOROBENZENE	34551	036	2014/02/03	< .000	2017/02
1,2-DICHLOROBENZENE	34536	036	2014/02/03	< .000	2017/02
1,2-DICHLOROETHANE	34531	036	2014/02/03	< .000	2017/02
1,2-DICHLOROPROPANE	34541	036	2014/02/03	< .000	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/02/03	< .000	2017/02
1,4-DICHLOROBENZENE	34571	036	2014/02/03	< .000	2017/02
BENZENE	34030	036	2014/02/03	< .000	2017/02
CARBON TETRACHLORIDE	32102	036	2014/02/03	< .000	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/02/03	< .000	2017/02
DICHLOROMETHANE	34423	036	2014/02/03	< .000	2017/02
ETHYLBENZENE	34371	036	2014/02/03	< .000	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/02/03	< .000	2017/02
MONOCHLOROBENZENE	34301	036	2014/02/03	< .000	2017/02
STYRENE	77128	036	2014/02/03	< .000	2017/02
TETRACHLOROETHYLENE	34475	036	2014/02/03	< .000	2017/02
TOLUENE	34010	036	2014/02/03	< .000	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/02/03	< .000	2017/02
TRICHLOROETHYLENE	39180	036	2014/02/03	< .000	2017/02
TRICHLOROFLUOROMETHANE	34488	036	2014/02/03	< .000	2017/02
VINYL CHLORIDE	39175	036	2014/02/03	< .000	2017/02
XYLENES (TOTAL)	81551	036	2014/02/03	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/03	. 150.000	2017/02
CALCIUM	00916	036	2014/02/03	. 59.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/03	< .000	2017/02
CHLORIDE	00940	036	2014/02/03	. 51.000	2017/02
COLOR	00081	036	2014/02/03	< .000	2017/02
COPPER	01042	036	2014/02/03	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-066
Source Name: WELL 53
Source Number: 066
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/02/03	< .000	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/03	. 200.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/03	< .000	2017/02
IRON	01045	036	2014/02/03	< .000	2017/02
MAGNESIUM	00927	036	2014/02/03	. 14.000	2017/02
MANGANESE	01055	036	2014/02/03	< .000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/03	1.000	2017/02
PH, LABORATORY	00403	036	2014/02/03	. 7.600	2017/02
SILVER	01077	036	2014/02/03	< .000	2017/02
SODIUM	00929	036	2014/02/03	18.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/03	. 470.000	2017/02
SULFATE	00945	036	2014/02/03	28.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/03	. 310.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/03	. .300	2017/02
ZINC	01092	036	2014/02/03	< .000	2017/02

PS Code: 3610055-067
Source Name: WELL 48
Source Number: 067
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/05/20	< .000	2017/05
ANTIMONY	01097	036	2014/05/20	< .000	2017/05
ARSENIC	01002	036	2014/05/20	< .000	2017/05
BARIUM	01007	036	2014/05/20	< .000	2017/05
BERYLLIUM	01012	036	2014/05/20	< .000	2017/05
CADMIUM	01027	036	2014/05/20	< .000	2017/05
CHROMIUM (TOTAL)	01034	036	2014/05/20	< .000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-067
Source Name: WELL 48
Source Number: 067
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2014/05/20	< .000	2017/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/20	. .430	2017/05
MERCURY	71900	036	2014/05/20	< .000	2017/05
NICKEL	01067	036	2014/05/20	< .000	2017/05
PERCHLORATE	A-031	036	2014/05/20	< .000	2017/05
SELENIUM	01147	036	2014/05/20	< .000	2017/05
THALLIUM	01059	036	2014/05/20	< .000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/20	. 9.900	2015/05
NITRITE (AS N)	00620	036	2014/05/20	< .000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/08/15	< .000	2021/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/15	< .000	2015/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/15	< .000	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/08/15	< .000	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/08/15	< .000	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/08/15	< .000	2015/08
1,1,2-TRICHLOROETHANE	34511	036	2012/08/15	< .000	2015/08
1,1-DICHLOROETHANE	34496	036	2012/08/15	< .000	2015/08
1,1-DICHLOROETHYLENE	34501	036	2012/08/15	< .000	2015/08
1,2,4-TRICHLOROBENZENE	34551	036	2012/08/15	< .000	2015/08
1,2-DICHLOROBENZENE	34536	036	2012/08/15	< .000	2015/08
1,2-DICHLOROETHANE	34531	036	2012/08/15	< .000	2015/08
1,2-DICHLOROPROPANE	34541	036	2012/08/15	< .000	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/08/15	< .000	2015/08
1,4-DICHLOROBENZENE	34571	036	2012/08/15	< .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-067
Source Name: WELL 48
Source Number: 067
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2012/08/15	< .000	2015/08
CARBON TETRACHLORIDE	32102	036	2012/08/15	< .000	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/08/15	< .000	2015/08
DICHLOROMETHANE	34423	036	2012/08/15	< .000	2015/08
ETHYLBENZENE	34371	036	2012/08/15	< .000	2015/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/08/15	< .000	2015/08
MONOCHLOROBENZENE	34301	036	2012/08/15	< .000	2015/08
STYRENE	77128	036	2012/08/15	< .000	2015/08
TETRACHLOROETHYLENE	34475	036	2012/08/15	< .000	2015/08
TOLUENE	34010	036	2012/08/15	< .000	2015/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/08/15	< .000	2015/08
TRICHLOROETHYLENE	39180	036	2012/08/15	< .000	2015/08
TRICHLOROFLUOROMETHANE	34488	036	2012/08/15	< .000	2015/08
VINYL CHLORIDE	39175	036	2012/08/15	< .000	2015/08
XYLENES (TOTAL)	81551	036	2012/08/15	< .000	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/20	. 170.000	2017/05
CALCIUM	00916	036	2014/05/20	. 31.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/20	< .000	2017/05
CHLORIDE	00940	036	2014/05/20	. 12.000	2017/05
COLOR	00081	036	2014/05/20	< .000	2017/05
COPPER	01042	036	2014/05/20	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/20	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/20	. 96.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/20	< .000	2017/05
IRON	01045	036	2014/05/20	< .000	2017/05
MAGNESIUM	00927	036	2014/05/20	. 4.500	2017/05
MANGANESE	01055	036	2014/05/20	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/20	. 1.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610055-067***					
Source Name: ***WELL 48***					
Source Number: ***067***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
PH, LABORATORY	**00403**	**036**	2014/05/20	. **7.600**	2017/05
SILVER	**01077**	**036**	2014/05/20	< **.000**	2017/05
SODIUM	**00929**	**036**	2014/05/20	. **36.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/20	. **340.000**	2017/05
SULFATE	**00945**	**036**	2014/05/20	. **16.000**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/20	. **220.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/20	< **.000**	2017/05
ZINC	**01092**	**036**	2014/05/20	< **.000**	2017/05
PS Code: ***3610055-073T***					
Source Name: ***WELLS 72 - 75 COMPOSITE - TREATED***					
Source Number: ***073***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610055-074T***					
Source Name: ***WELLS 66 - 71 COMPOSITE - TREATED***					
Source Number: ***074***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-075T
Source Name: WELL 61 - TREATED
Source Number: 075
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610055-076
Source Name: WELL 55
Source Number: 076
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/01/16	< .000	2017/01
ANTIMONY	01097	036	2014/01/16	< .000	2017/01
ARSENIC	01002	036	2014/01/16	< .000	2017/01
BARIUM	01007	036	2014/01/16	< .000	2017/01
BERYLLIUM	01012	036	2014/01/16	< .000	2017/01
CADMIUM	01027	036	2014/01/16	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/16	< .000	2017/01
CYANIDE	01291	036	2014/01/16	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/16	. .460	2017/01
MERCURY	71900	036	2014/01/16	< .000	2017/01
NICKEL	01067	036	2014/01/16	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/16	< .000	2017/01
SELENIUM	01147	036	2014/01/16	< .000	2017/01
THALLIUM	01059	036	2014/01/16	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/16	. 19.000	2015/01
NITRITE (AS N)	00620	036	2014/01/16	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	072	2009/04/30	1.600	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-076***

Source Name: ***WELL 55***

Source Number: ***076***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/01/16	**< .000**	2017/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/01/16	**< .000**	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2014/01/16	**< .000**	2017/01
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2014/01/16	**< .000**	2017/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2014/01/16	**< .000**	2017/01
1,1,2-TRICHLOROETHANE	**34511**	**036**	2014/01/16	**< .000**	2017/01
1,1-DICHLOROETHANE	**34496**	**036**	2014/01/16	**< .000**	2017/01
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/01/16	**< .000**	2017/01
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/01/16	**< .000**	2017/01
1,2-DICHLOROBENZENE	**34536**	**036**	2014/01/16	**< .000**	2017/01
1,2-DICHLOROETHANE	**34531**	**036**	2014/01/16	**< .000**	2017/01
1,2-DICHLOROPROPANE	**34541**	**036**	2014/01/16	**< .000**	2017/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2014/01/16	**< .000**	2017/01
1,4-DICHLOROBENZENE	**34571**	**036**	2014/01/16	**< .000**	2017/01
BENZENE	**34030**	**036**	2014/01/16	**< .000**	2017/01
CARBON TETRACHLORIDE	**32102**	**036**	2014/01/16	**< .000**	2017/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/01/16	**< .000**	2017/01
DICHLOROMETHANE	**34423**	**036**	2014/01/16	**< .000**	2017/01
ETHYLBENZENE	**34371**	**036**	2014/01/16	**< .000**	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/01/16	**< .000**	2017/01
MONOCHLOROBENZENE	**34301**	**036**	2014/01/16	**< .000**	2017/01
STYRENE	**77128**	**036**	2014/01/16	**< .000**	2017/01
TETRACHLOROETHYLENE	**34475**	**036**	2014/01/16	**< .000**	2017/01
TOLUENE	**34010**	**036**	2014/01/16	**< .000**	2017/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/01/16	**< .000**	2017/01
TRICHLOROETHYLENE	**39180**	**036**	2014/01/16	**< .000**	2017/01
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/01/16	**< .000**	2017/01
VINYL CHLORIDE	**39175**	**036**	2014/01/16	**< .000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-076

Source Name: WELL 55

Source Number: 076

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2014/01/16	< .000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/16	. 220.000	2017/01
CALCIUM	00916	036	2014/01/16	. 53.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/16	< .000	2017/01
CHLORIDE	00940	036	2014/01/16	. 9.400	2017/01
COLOR	00081	036	2014/01/16	< .000	2017/01
COPPER	01042	036	2014/01/16	. 300.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/16	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/16	. 170.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/16	< .000	2017/01
IRON	01045	036	2014/01/16	< .000	2017/01
MAGNESIUM	00927	036	2014/01/16	. 10.000	2017/01
MANGANESE	01055	036	2014/01/16	< .000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/16	. 1.000	2017/01
PH, LABORATORY	00403	036	2014/01/16	. 8.000	2017/01
SILVER	01077	036	2014/01/16	< .000	2017/01
SODIUM	00929	036	2014/01/16	. 38.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/16	. 460.000	2017/01
SULFATE	00945	036	2014/01/16	. 32.000	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/16	. 290.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/16	. .600	2017/01
ZINC	01092	036	2014/01/16	. 110.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-077
Source Name: WELL 55 - TREATED
Source Number: 077
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610055-078
Source Name: WELL NO. 56
Source Number: 078
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/08/16	< 50.000	2014/08
ANTIMONY	01097	036	2011/08/16	< 6.000	2014/08
ARSENIC	01002	036	2011/08/16	< 2.000	2014/08
BARIUM	01007	036	2011/08/16	< 100.000	2014/08
BERYLLIUM	01012	036	2011/08/16	< 1.000	2014/08
CADMIUM	01027	036	2011/08/16	< 1.000	2014/08
CHROMIUM (TOTAL)	01034	036	2011/08/16	. 2.300	2014/08
CYANIDE	01291	036	2011/08/16	< 100.000	2014/08
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/16	. .500	2014/08
MERCURY	71900	036	2011/08/16	< 1.000	2014/08
NICKEL	01067	036	2011/08/16	< 10.000	2014/08
PERCHLORATE	A-031	036	2011/08/16	< 4.000	2014/08
SELENIUM	01147	036	2011/08/16	< 5.000	2014/08
THALLIUM	01059	036	2011/08/16	< 1.000	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/04	. 31.000	2015/04
NITRITE (AS N)	00620	036	2011/08/16	< 100.000	2014/08
RADIOLOGICAL					
GROSS ALPHA	01501	108	2013/08/14	< .000	2022/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-078

Source Name: WELL NO. 56

Source Number: 078

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/08/16	< .010	2014/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/08/16	< .020	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/08/16	< .500	2014/08
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/08/16	< .500	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/08/16	< 10.000	2014/08
1,1,2-TRICHLOROETHANE	34511	036	2011/08/16	< .500	2014/08
1,1-DICHLOROETHANE	34496	036	2011/08/16	< .500	2014/08
1,1-DICHLOROETHYLENE	34501	036	2011/08/16	< .500	2014/08
1,2,4-TRICHLOROBENZENE	34551	036	2011/08/16	< .500	2014/08
1,2-DICHLOROBENZENE	34536	036	2011/08/16	< .500	2014/08
1,2-DICHLOROETHANE	34531	036	2011/08/16	< .500	2014/08
1,2-DICHLOROPROPANE	34541	036	2011/08/16	< .500	2014/08
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/08/16	< .500	2014/08
1,4-DICHLOROBENZENE	34571	036	2011/08/16	< .500	2014/08
BENZENE	34030	036	2011/08/16	< .500	2014/08
CARBON TETRACHLORIDE	32102	036	2011/08/16	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/08/16	< .500	2014/08
DICHLOROMETHANE	34423	036	2011/08/16	< .500	2014/08
ETHYLBENZENE	34371	036	2011/08/16	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/08/16	< 3.000	2014/08
MONOCHLOROBENZENE	34301	036	2011/08/16	< .500	2014/08
STYRENE	77128	036	2011/08/16	< .500	2014/08
TETRACHLOROETHYLENE	34475	036	2011/08/16	< .500	2014/08
TOLUENE	34010	036	2011/08/16	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/08/16	< .500	2014/08
TRICHLOROETHYLENE	39180	036	2011/08/16	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	036	2011/08/16	< 5.000	2014/08
VINYL CHLORIDE	39175	036	2011/08/16	< .500	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-078

Source Name: WELL NO. 56

Source Number: 078

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2011/08/16	< .500	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/08/16	. 180.000	2014/08
CALCIUM	00916	036	2011/08/16	. 51.000	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/16	< 3.000	2014/08
CHLORIDE	00940	036	2011/08/16	. 9.400	2014/08
COLOR	00081	036	2011/08/16	< 3.000	2014/08
COPPER	01042	036	2011/08/16	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/16	< .050	2014/08
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/16	. 160.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/16	< 3.000	2014/08
IRON	01045	036	2011/08/16	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/16	. 8.300	2014/08
MANGANESE	01055	036	2011/08/16	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/16	< 1.000	2014/08
PH, LABORATORY	00403	036	2011/08/16	. 7.800	2014/08
SILVER	01077	036	2011/08/16	< 10.000	2014/08
SODIUM	00929	036	2011/08/16	21.000	2014/08
SPECIFIC CONDUCTANCE	00095	036	2011/08/16	. 410.000	2014/08
SULFATE	00945	036	2011/08/16	18.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/04	. 300.000	2017/04
TURBIDITY, LABORATORY	82079	036	2011/08/16	. .260	2014/08
ZINC	01092	036	2011/08/16	< 50.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-100***

Source Name: ***STATE WATER PROJECT WATER (SWP)***

Source Number: ***100***

Source Status: ***PURCHASED RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/10/01	< .000	2014/10	
ANTIMONY	01097	012	2013/10/01	< .000	2014/10	
ARSENIC	01002	012	2013/10/01	. 3.300	2014/10	
ASBESTOS	81855	108	2013/10/01	. .000	2022/10	
BARIUM	01007	012	2013/10/01	< .000	2014/10	
BERYLLIUM	01012	012	2013/10/01	< .000	2014/10	
CADMIUM	01027	012	2013/10/01	< .000	2014/10	
CHROMIUM (TOTAL)	01034	012	2013/10/01	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	012	2013/10/01	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/10/01	< .000	2014/10	
MERCURY	71900	012	2013/10/01	< .000	2014/10	
NICKEL	01067	012	2013/10/01	< .000	2014/10	
PERCHLORATE	A-031	012	2013/10/01	< .000	2014/10	
SELENIUM	01147	012	2013/10/01	< .000	2014/10	
THALLIUM	01059	012	2013/10/01	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/01	< .000	2014/10	
NITRITE (AS N)	00620	036	2013/10/01	< .000	2016/10	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/04/27	. .990	2014/04	**DUE**
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2013/10/01	< 5.000	2016/10	
2,4,5-TP (SILVEX)	39045	036	2013/10/01	< .000	2016/10	
2,4-D	39730	036	2013/10/01	< .000	2016/10	
ALACHLOR	77825	036	2013/10/01	< .000	2016/10	
ATRAZINE	39033	036	2013/10/01	< .000	2016/10	
BENTAZON	38710	036	2013/10/01	< .000	2016/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-100
Source Name: STATE WATER PROJECT WATER (SWP)
Source Number: 100
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
BENZO (A) PYRENE	34247	036	2013/10/01	< .000	2016/10
CARBOFURAN	81405	036	2013/10/01	< .000	2016/10
CHLORDANE	39350	036	2013/10/01	< .000	2016/10
DALAPON	38432	036	2013/10/01	< .000	2016/10
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/10/01	< .000	2016/10
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/10/01	< .000	2016/10
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/10/01	< .000	2016/10
DINOSEB	81287	036	2013/10/01	< .000	2016/10
DIQUAT	78885	036	2013/10/01	< 4.000	2016/10
ENDOTHALL	38926	036	2013/10/01	< .000	2016/10
ENDRIN	39390	036	2013/10/01	< .000	2016/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/10/01	< .000	2016/10
GLYPHOSATE	79743	036	2013/10/01	< .000	2016/10
HEPTACHLOR	39410	036	2013/10/01	< .000	2016/10
HEPTACHLOR EPOXIDE	39420	036	2013/10/01	< .000	2016/10
HEXACHLOROBENZENE	39700	036	2013/10/01	< .000	2016/10
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/10/01	< .000	2016/10
LINDANE	39340	036	2013/10/01	< .000	2016/10
METHOXYCHLOR	39480	036	2013/10/01	< .000	2016/10
MOLINATE	82199	036	2013/10/01	< .000	2016/10
OXAMYL	38865	036	2013/10/01	< .000	2016/10
PENTACHLOROPHENOL	39032	036	2013/10/01	< .000	2016/10
PICLORAM	39720	036	2013/10/01	< .000	2016/10
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/10/01	< .000	2016/10
SIMAZINE	39055	036	2013/10/01	< .000	2016/10
THIOBENCARB	A-001	036	2013/10/01	< .000	2016/10
TOXAPHENE	39400	036	2013/10/01	< .000	2016/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/10/01	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-100

Source Name: STATE WATER PROJECT WATER (SWP)

Source Number: 100

Source Status: PURCHASED RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/10/01	< .000	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/10/01	< .000	2014/10
1,1,2-TRICHLOROETHANE	34511	012	2013/10/01	< .000	2014/10
1,1-DICHLOROETHANE	34496	012	2013/10/01	< .000	2014/10
1,1-DICHLOROETHYLENE	34501	012	2013/10/01	< .000	2014/10
1,2,4-TRICHLOROBENZENE	34551	012	2013/10/01	< .000	2014/10
1,2-DICHLOROBENZENE	34536	012	2013/10/01	< .000	2014/10
1,2-DICHLOROETHANE	34531	012	2013/10/01	< .000	2014/10
1,2-DICHLOROPROPANE	34541	012	2013/10/01	< .000	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/10/01	< .000	2014/10
1,4-DICHLOROBENZENE	34571	012	2013/10/01	< .000	2014/10
BENZENE	34030	012	2013/10/01	< .000	2014/10
CARBON TETRACHLORIDE	32102	012	2013/10/01	< .000	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/10/01	< .000	2014/10
DICHLOROMETHANE	34423	012	2013/10/01	< .000	2014/10
ETHYLBENZENE	34371	012	2013/10/01	< .000	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2013/10/01	< .000	2014/10
MONOCHLOROBENZENE	34301	012	2013/10/01	< .000	2014/10
STYRENE	77128	012	2013/10/01	< .000	2014/10
TETRACHLOROETHYLENE	34475	012	2013/10/01	< .000	2014/10
TOLUENE	34010	012	2013/10/01	< .000	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/10/01	< .000	2014/10
TRICHLOROETHYLENE	39180	012	2013/10/01	< .000	2014/10
TRICHLOROFLUOROMETHANE	34488	012	2013/10/01	< .000	2014/10
VINYL CHLORIDE	39175	012	2013/10/01	< .000	2014/10
XYLENES (TOTAL)	81551	012	2013/10/01	< .000	2014/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2013/10/01	. 100.000	2014/10
CALCIUM	00916	012	2013/10/01	. 20.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-100***

Source Name: ***STATE WATER PROJECT WATER (SWP)***

Source Number: ***100***

Source Status: ***PURCHASED RAW***

Water type: ***S***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CARBONATE ALKALINITY	00445	012	2013/10/01	< .000	2014/10
CHLORIDE	00940	012	2013/10/01	. 88.000	2014/10
COLOR	00081	012	2013/10/01	< .000	2014/10
COPPER	01042	012	2013/10/01	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	012	2013/10/01	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	012	2013/10/01	. 96.000	2014/10
HYDROXIDE ALKALINITY	71830	012	2013/10/01	< .000	2014/10
IRON	01045	012	2013/10/01	< .000	2014/10
MAGNESIUM	00927	012	2013/10/01	. 12.000	2014/10
MANGANESE	01055	012	2013/10/01	25.000	2014/10
ODOR THRESHOLD @ 60 C	00086	012	2013/10/01	1.000	2014/10
PH, LABORATORY	00403	012	2013/10/01	8.200	2014/10
SILVER	01077	012	2013/10/01	< .000	2014/10
SODIUM	00929	012	2013/10/01	56.000	2014/10
SPECIFIC CONDUCTANCE	00095	012	2013/10/01	. 490.000	2014/10
SULFATE	00945	012	2013/10/01	28.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	012	2013/10/01	. 260.000	2014/10
TURBIDITY, LABORATORY	82079	012	2013/10/01	. 1.200	2014/10
ZINC	01092	012	2013/10/01	< .000	2014/10

PS Code: ***3610055-101***

Source Name: ***MILL CREEK - BACKUP***

Source Number: ***101***

Source Status: ***ACTIVE RAW***

Water type: ***S***

INORGANIC

ALUMINUM	01105	000	**DUE**
ANTIMONY	01097	000	**DUE**
ARSENIC	01002	000	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-101
Source Name: MILL CREEK - BACKUP
Source Number: 101
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ASBESTOS	81855	000					DUE
BARIUM	01007	000					DUE
BERYLLIUM	01012	000					DUE
CADMIUM	01027	000					DUE
CHROMIUM (TOTAL)	01034	000					DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	000					DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000					DUE
MERCURY	71900	000					DUE
NICKEL	01067	000					DUE
PERCHLORATE	A-031	000					DUE
SELENIUM	01147	000					DUE
THALLIUM	01059	000					DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	000					DUE
NITRITE (AS N)	00620	036	2006/09/13	<	500.000	2009/09	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	000					DUE
REGULATED SOC							
2,3,7,8-TCDD (DIOXIN)	34676	000					DUE
2,4,5-TP (SILVEX)	39045	000					DUE
2,4-D	39730	000					DUE
ALACHLOR	77825	000					DUE
ATRAZINE	39033	000					DUE
BENTAZON	38710	000					DUE
BENZO (A) PYRENE	34247	000					DUE
CARBOFURAN	81405	000					DUE
CHLORDANE	39350	000					DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-101

Source Name: MILL CREEK - BACKUP

Source Number: 101

Source Status: ACTIVE RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2006/09/08	< 1.000	2009/09	DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	000				DUE
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	012	2006/09/08	< .500	2007/09	DUE
1,1,2,2-TETRACHLOROETHANE	34516	012	2006/09/08	< .500	2007/09	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2006/09/08	< .500	2007/09	DUE
1,1,2-TRICHLOROETHANE	34511	012	2006/09/08	< .500	2007/09	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-101

Source Name: MILL CREEK - BACKUP

Source Number: 101

Source Status: ACTIVE RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	012	2006/09/08	< .500	2007/09	DUE
1,1-DICHLOROETHYLENE	34501	012	2006/09/08	< .500	2007/09	DUE
1,2,4-TRICHLOROBENZENE	34551	012	2006/09/08	< .500	2007/09	DUE
1,2-DICHLOROBENZENE	34536	012	2006/09/08	< .500	2007/09	DUE
1,2-DICHLOROETHANE	34531	012	2006/09/08	< .500	2007/09	DUE
1,2-DICHLOROPROPANE	34541	012	2006/09/08	< .500	2007/09	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2006/09/08	< .500	2007/09	DUE
1,4-DICHLOROBENZENE	34571	012	2006/09/08	< .500	2007/09	DUE
BENZENE	34030	012	2006/09/08	< .500	2007/09	DUE
CARBON TETRACHLORIDE	32102	012	2006/09/08	< .500	2007/09	DUE
CIS-1,2-DICHLOROETHYLENE	77093	012	2006/09/08	< .500	2007/09	DUE
DICHLOROMETHANE	34423	012	2006/09/08	< .500	2007/09	DUE
ETHYLBENZENE	34371	012	2006/09/08	< .500	2007/09	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2006/09/08	< .500	2007/09	DUE
MONOCHLOROBENZENE	34301	012	2006/09/08	< .500	2007/09	DUE
STYRENE	77128	012	2006/09/08	< .500	2007/09	DUE
TETRACHLOROETHYLENE	34475	012	2006/09/08	< .500	2007/09	DUE
TOLUENE	34010	012	2006/09/08	< .500	2007/09	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	012	2006/09/08	< .500	2007/09	DUE
TRICHLOROETHYLENE	39180	012	2006/09/08	< .500	2007/09	DUE
TRICHLOROFLUOROMETHANE	34488	012	2006/09/08	< .500	2007/09	DUE
VINYL CHLORIDE	39175	012	2006/09/08	< .500	2007/09	DUE
XYLENES (TOTAL)	81551	012	2006/09/08	< 1.000	2007/09	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-101
Source Name: MILL CREEK - BACKUP
Source Number: 101
Source Status: ACTIVE RAW
Water type: S

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	012	2006/09/06	42.000	2007/09	DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

PS Code: 3610055-102T
Source Name: SANTA ANA RIVER WATER-BACKUP
Source Number: 102
Source Status: ACTIVE RAW
Water type: S

INORGANIC

ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610055***

System Name: ***YUCAIPA VALLEY WATER DISTRICT***

PS Code: ***3610055-102T***

Source Name: ***SANTA ANA RIVER WATER-BACKUP***

Source Number: ***102***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-102T
Source Name: SANTA ANA RIVER WATER-BACKUP
Source Number: 102
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	000			DUE
DINOSEB	81287	000			DUE
DIQUAT	78885	000			DUE
ENDOTHALL	38926	000			DUE
ENDRIN	39390	000			DUE
ETHYLENE DIBROMIDE (EDB)	77651	000			DUE
GLYPHOSATE	79743	000			DUE
HEPTACHLOR	39410	000			DUE
HEPTACHLOR EPOXIDE	39420	000			DUE
HEXACHLOROBENZENE	39700	000			DUE
HEXACHLOROCYCLOPENTADIENE	34386	000			DUE
LINDANE	39340	000			DUE
METHOXYCHLOR	39480	000			DUE
MOLINATE	82199	000			DUE
OXAMYL	38865	000			DUE
PENTACHLOROPHENOL	39032	000			DUE
PICLORAM	39720	000			DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000			DUE
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	000			DUE
TOXAPHENE	39400	000			DUE
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-102T

Source Name: SANTA ANA RIVER WATER-BACKUP

Source Number: 102

Source Status: ACTIVE RAW

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE
VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610055-102T						
Source Name: SANTA ANA RIVER WATER-BACKUP						
Source Number: 102						
Source Status: ACTIVE RAW						
Water type: S						
SECONDARY/GP						
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE
PS Code: 3610055-103						
Source Name: TREATED EFFLUENT (RWFF)						
Source Number: 103						
Source Status: COMBINATION OR BLEND TREATED						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610055-104						
Source Name: OAK BIRCH COMPOSITE - RAW						
Source Number: 104						
Source Status: ACTIVE RAW						
Water type: S						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610055-601						
Source Name: DBP2-TENNESSEE/18TH						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/03/11	< .000	2014/06	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2014/03/11	< .000	2014/06	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/03/11	< .000	2014/06	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/03/11	< .000	2014/06	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/03/11	< .000	2014/06	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/03/11	< .000	2014/06	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/03/11	. 1.800	2014/06	DUE
BROMOFORM (THM)	32104	003	2014/03/11	. 1.100	2014/06	DUE
CHLOROFORM (THM)	32106	003	2014/03/11	. 1.000	2014/06	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/03/11	. 2.000	2014/06	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2014/03/11	. 5.900	2014/06	DUE
PS Code: 3610055-602						
Source Name: DBP2-NEAR ENTRY PT						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2013/12/10	. 7.100	2014/03	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2013/12/10	< .000	2014/03	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2013/12/10	7.100	2014/03	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2013/12/10	< .000	2014/03	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2013/12/10	< .000	2014/03	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2013/12/10	< .000	2014/03	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2013/12/10	. 4.300	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610055-602						
Source Name: DBP2-NEAR ENTRY PT						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: S						
STATE UCMR						
BROMOFORM (THM)	32104	003	2013/12/10	19.800	2014/03	DUE
CHLOROFORM (THM)	32106	003	2013/12/10	< .000	2014/03	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2013/12/10	16.900	2014/03	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2013/12/10	. 41.000	2014/03	DUE
PS Code: 3610055-603						
Source Name: DBP2-13822 MUSTARD SEED DR						
Source Number: 603						
Source Status: DISTRIBUTION TREATED						
Water type: S						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/03/11	< .000	2014/06	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2014/03/11	< .000	2014/06	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/03/11	< .000	2014/06	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/03/11	< .000	2014/06	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/03/11	< .000	2014/06	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/03/11	< .000	2014/06	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/03/11	. 2.000	2014/06	DUE
BROMOFORM (THM)	32104	003	2014/03/11	. 2.000	2014/06	DUE
CHLOROFORM (THM)	32106	003	2014/03/11	< .000	2014/06	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/03/11	. 2.800	2014/06	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2014/03/11	. 6.800	2014/06	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055

System Name: YUCAIPA VALLEY WATER DISTRICT

PS Code: 3610055-604

Source Name: DBP2-COLORADO/11TH

Source Number: 604

Source Status: DISTRIBUTION TREATED

Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/03/11	< .000	2014/06	DUE
DICHLOROACETIC ACID (DCAA)	77288	003	2014/03/11	< .000	2014/06	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/03/11	< .000	2014/06	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/03/11	< .000	2014/06	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/03/11	< .000	2014/06	DUE
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/03/11	< .000	2014/06	DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/03/11	. 2.100	2014/06	DUE
BROMOFORM (THM)	32104	003	2014/03/11	. 2.200	2014/06	DUE
CHLOROFORM (THM)	32106	003	2014/03/11	. 1.100	2014/06	DUE
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/03/11	. 2.900	2014/06	DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	003	2014/03/11	. 8.300	2014/06	DUE

PS Code: 3610055-800

Source Name: WELL 02 - TREATED (CL2)

Source Number: 800

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-801					
Source Name: WELL 10 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-802					
Source Name: WELL 12 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-803					
Source Name: WELL 14 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-804					
Source Name: WELL 18 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-805					
Source Name: WELL 24 - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-806					
Source Name: WELL 26 - MESA - TREATED (CL2)					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-807					
Source Name: WELL 27 - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-808					
Source Name: WELL 28 - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-809					
Source Name: WELL 37 - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-810					
Source Name: WELL 44 - BRYANT - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-811					
Source Name: WELL 46 - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-812					
Source Name: WELL 66, 67, 69 HORIZ - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610055
System Name: YUCAIPA VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610055-816					
Source Name: WELL 51 - TREATED (CL2)					
Source Number: 816					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-817					
Source Name: WELL 53 - TREATED (CL2)					
Source Number: 817					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-818					
Source Name: WELL 35 - TREATED (CL2)					
Source Number: 818					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610055-819					
Source Name: WELL NO. 56 - TREATED (CL2)					
Source Number: 819					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-003

Source Name: LINDA VISTA 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2012/10/01	<	50.000	2015/10	
ANTIMONY	01097	036	2012/10/01	<	6.000	2015/10	
ARSENIC	01002	036	2012/10/01	.	2.500	2015/10	
BARIUM	01007	036	2012/10/01	<	100.000	2015/10	
BERYLLIUM	01012	036	2012/10/01	<	1.000	2015/10	
CADMIUM	01027	036	2012/10/01	<	1.000	2015/10	
CHROMIUM (TOTAL)	01034	036	2012/10/01	<	1.000	2015/10	
CHROMIUM, HEXAVALENT	01032	036	2001/11/02	.	.000	2004/11	DUE
CYANIDE	01291	036	2012/10/01	<	100.000	2015/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/10/01	.	.800	2015/10	
MERCURY	71900	036	2012/10/01	<	1.000	2015/10	
NICKEL	01067	036	2012/10/01	<	10.000	2015/10	
PERCHLORATE	A-031	036	2012/10/01	<	4.000	2015/10	
SELENIUM	01147	036	2012/10/01	<	5.000	2015/10	
THALLIUM	01059	036	2012/10/01	<	1.000	2015/10	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/10/01	.	20.000	2014/10	
NITRITE (AS N)	00620	036	2012/10/01	<	100.000	2015/10	
RADIOLOGICAL							
GROSS ALPHA	01501	108	2005/04/04	.	.000	2014/04	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/04/06	<	.010	2014/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/04/06	<	.020	2014/04	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2011/01/05	<	.500	2014/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/01/05	<	.500	2014/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/01/05	<	10.000	2014/01	DUE
1,1,2-TRICHLOROETHANE	34511	036	2011/01/05	<	.500	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-003

Source Name: LINDA VISTA 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2011/01/05	< .500	2014/01	DUE
1,1-DICHLOROETHYLENE	34501	036	2011/01/05	< .500	2014/01	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2011/01/05	< .500	2014/01	DUE
1,2-DICHLOROBENZENE	34536	036	2011/01/05	< .500	2014/01	DUE
1,2-DICHLOROETHANE	34531	036	2011/01/05	< .500	2014/01	DUE
1,2-DICHLOROPROPANE	34541	036	2011/01/05	< .500	2014/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/01/05	< .500	2014/01	DUE
1,4-DICHLOROBENZENE	34571	036	2011/01/05	< .500	2014/01	DUE
BENZENE	34030	036	2011/01/05	< .500	2014/01	DUE
CARBON TETRACHLORIDE	32102	036	2011/01/05	< .500	2014/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/01/05	< .500	2014/01	DUE
DICHLOROMETHANE	34423	036	2011/01/05	< .500	2014/01	DUE
ETHYLBENZENE	34371	036	2011/01/05	< .500	2014/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/01/06	< 3.000	2017/01	
MONOCHLOROBENZENE	34301	036	2011/01/05	< .500	2014/01	DUE
STYRENE	77128	036	2011/01/05	< .500	2014/01	DUE
TETRACHLOROETHYLENE	34475	036	2011/01/05	< .500	2014/01	DUE
TOLUENE	34010	036	2011/01/05	< .500	2014/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/01/05	< .500	2014/01	DUE
TRICHLOROETHYLENE	39180	036	2011/01/05	< .500	2014/01	DUE
TRICHLOROFLUOROMETHANE	34488	036	2011/01/05	< 5.000	2014/01	DUE
VINYL CHLORIDE	39175	036	2011/01/05	< .500	2014/01	DUE
XYLENES (TOTAL)	81551	036	2011/01/05	< .500	2014/01	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/10/01	. 180.000	2015/10	
CALCIUM	00916	036	2012/10/01	. 49.000	2015/10	
CARBONATE ALKALINITY	00445	036	2012/10/01	< 3.000	2015/10	
CHLORIDE	00940	036	2012/10/01	. 22.000	2015/10	
COLOR	00081	036	2012/10/01	< 3.000	2015/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-003

Source Name: LINDA VISTA 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/10/01	< 50.000	2015/10
FOAMING AGENTS (MBAS)	38260	036	2012/10/01	< .050	2015/10
HARDNESS (TOTAL) AS CACO3	00900	036	2012/10/01	. 160.000	2015/10
HYDROXIDE ALKALINITY	71830	036	2012/10/01	< 3.000	2015/10
IRON	01045	036	2012/10/01	< 100.000	2015/10
MAGNESIUM	00927	036	2012/10/01	. 8.800	2015/10
MANGANESE	01055	036	2012/10/01	< 20.000	2015/10
ODOR THRESHOLD @ 60 C	00086	036	2012/10/01	< 1.000	2015/10
PH, LABORATORY	00403	036	2012/10/01	. 7.400	2015/10
SILVER	01077	036	2012/10/01	< 10.000	2015/10
SODIUM	00929	036	2012/10/01	36.000	2015/10
SPECIFIC CONDUCTANCE	00095	036	2012/10/01	. 500.000	2015/10
SULFATE	00945	036	2012/10/01	44.000	2015/10
TOTAL DISSOLVED SOLIDS	70300	036	2012/10/01	. 300.000	2015/10
TURBIDITY, LABORATORY	82079	036	2012/10/01	. .200	2015/10
ZINC	01092	036	2012/10/01	< 50.000	2015/10

PS Code: 3610057-008

Source Name: WELL RN 17

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/04/04	< 50.000	2015/04
ANTIMONY	01097	036	2012/04/04	< 6.000	2015/04
ARSENIC	01002	036	2012/04/04	< 2.000	2015/04
BARIUM	01007	036	2012/04/04	< 100.000	2015/04
BERYLLIUM	01012	036	2012/04/04	< 1.000	2015/04
CADMIUM	01027	036	2012/04/04	< 1.000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-008

Source Name: WELL RN 17

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2012/04/04	< 1.000	2015/04
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	. .960	2017/07
CYANIDE	01291	036	2012/04/04	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/04	. .600	2015/04
MERCURY	71900	036	2012/04/04	< 1.000	2015/04
NICKEL	01067	036	2012/04/04	< 10.000	2015/04
PERCHLORATE	A-031	036	2012/04/04	< 4.000	2015/04
SELENIUM	01147	036	2012/04/04	< 5.000	2015/04
THALLIUM	01059	036	2012/04/04	< 1.000	2015/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/03	. 27.000	2015/04
NITRITE (AS N)	00620	036	2012/04/04	< 100.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/10/03	. 10.900	2016/10
URANIUM (PCI/L)	28012	072	2013/10/03	. 10.900	2019/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/07	< .010	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/07	< .020	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/07/07	< .500	2020/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/07/07	< .500	2020/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/07/07	< 10.000	2020/07
1,1,2-TRICHLOROETHANE	34511	072	2014/07/07	< .500	2020/07
1,1-DICHLOROETHANE	34496	072	2014/07/07	< .500	2020/07
1,1-DICHLOROETHYLENE	34501	072	2014/07/07	< .500	2020/07
1,2,4-TRICHLOROBENZENE	34551	072	2014/07/07	< .500	2020/07
1,2-DICHLOROBENZENE	34536	072	2014/07/07	< .500	2020/07
1,2-DICHLOROETHANE	34531	072	2014/07/07	< .500	2020/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057
System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-008
Source Name: WELL RN 17
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2014/07/07	< .500	2020/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/07/07	< .500	2017/07
1,4-DICHLOROBENZENE	34571	072	2014/07/07	< .500	2020/07
BENZENE	34030	072	2014/07/07	< .500	2020/07
CARBON TETRACHLORIDE	32102	072	2014/07/07	< .500	2020/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/07/07	< .500	2020/07
DICHLOROMETHANE	34423	072	2014/07/07	< .500	2020/07
ETHYLBENZENE	34371	072	2014/07/07	< .500	2020/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/07	< 3.000	2017/07
MONOCHLOROBENZENE	34301	072	2014/07/07	< .500	2020/07
STYRENE	77128	072	2014/07/07	< .500	2020/07
TETRACHLOROETHYLENE	34475	072	2014/07/07	< .500	2020/07
TOLUENE	34010	072	2014/07/07	< .500	2020/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/07/07	< .500	2020/07
TRICHLOROETHYLENE	39180	072	2014/07/07	< .500	2020/07
TRICHLOROFLUOROMETHANE	34488	072	2014/07/07	< 5.000	2020/07
VINYL CHLORIDE	39175	072	2014/07/07	< .500	2020/07
XYLENES (TOTAL)	81551	072	2014/07/07	< .500	2020/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/04/04	. 340.000	2015/04
CALCIUM	00916	036	2012/04/04	. 90.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/04	< 3.000	2015/04
CHLORIDE	00940	036	2012/04/04	. 59.000	2015/04
COLOR	00081	036	2012/04/04	< 3.000	2015/04
COPPER	01042	036	2012/04/04	< 50.000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/04	< .050	2015/04
HARDNESS (TOTAL) AS CACO3	00900	036	2012/04/04	. 300.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/04	< 3.000	2015/04
IRON	01045	036	2012/04/04	< 100.000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-008

Source Name: WELL RN 17

Source Number: 008

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	036	2012/04/04	. 19.000	2015/04
MANGANESE	01055	036	2012/04/04	< 20.000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/04	< 1.000	2015/04
PH, LABORATORY	00403	036	2012/04/04	. 7.100	2015/04
SILVER	01077	036	2012/04/04	< 10.000	2015/04
SODIUM	00929	036	2012/04/04	69.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/04	. 970.000	2015/04
SULFATE	00945	036	2012/04/04	110.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/04	. 670.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/04	. .270	2015/04
ZINC	01092	036	2012/04/04	< 50.000	2015/04

PS Code: 3610057-009

Source Name: WELL RN 20

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/04/02	< 50.000	2015/04
ANTIMONY	01097	036	2012/04/02	< 6.000	2015/04
ARSENIC	01002	036	2012/04/02	< 2.000	2015/04
BARIUM	01007	036	2012/04/02	< 100.000	2015/04
BERYLLIUM	01012	036	2012/04/02	< 1.000	2015/04
CADMIUM	01027	036	2012/04/02	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	036	2012/04/02	. 1.600	2015/04
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	. .970	2017/07
CYANIDE	01291	036	2012/04/02	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/02	. 1.200	2015/04
MERCURY	71900	036	2012/04/02	< 1.000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-009

Source Name: WELL RN 20

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	01067	036	2012/04/02	< 10.000	2015/04
PERCHLORATE	A-031	036	2012/04/02	< 4.000	2015/04
SELENIUM	01147	036	2012/04/02	. 5.000	2015/04
THALLIUM	01059	036	2012/04/02	< 1.000	2015/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 26.000	2015/07
NITRITE (AS N)	00620	036	2012/04/02	< 100.000	2015/04
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/01/07	. 11.400	2016/01
URANIUM (PCI/L)	28012	036	2013/01/07	. 11.100	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/03	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/03	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/07/01	< .500	2019/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/01	< .500	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/01	< 10.000	2019/07
1,1,2-TRICHLOROETHANE	34511	072	2013/07/01	< .500	2019/07
1,1-DICHLOROETHANE	34496	072	2013/07/01	< .500	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/01	< .500	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/01	< .500	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/01	< .500	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/01	< .500	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/01	< .500	2019/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/01	< .500	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/01	< .500	2019/07
BENZENE	34030	072	2013/07/01	< .500	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/01	< .500	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-009

Source Name: WELL RN 20

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/01	< .500	2019/07
DICHLOROMETHANE	34423	072	2013/07/01	< .500	2019/07
ETHYLBENZENE	34371	072	2013/07/01	< .500	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/01	< 3.000	2016/07
MONOCHLOROBENZENE	34301	072	2013/07/01	< .500	2019/07
STYRENE	77128	072	2013/07/01	< .500	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/01	< .500	2019/07
TOLUENE	34010	072	2013/07/01	< .500	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/01	< .500	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/01	< .500	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/01	< 5.000	2019/07
VINYL CHLORIDE	39175	072	2013/07/01	< .500	2019/07
XYLENES (TOTAL)	81551	072	2013/07/01	< .500	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/04/02	. 440.000	2015/04
CALCIUM	00916	036	2012/04/02	. 87.000	2015/04
CARBONATE ALKALINITY	00445	036	2012/04/02	< 3.000	2015/04
CHLORIDE	00940	036	2012/04/02	. 88.000	2015/04
COLOR	00081	036	2012/04/02	< 3.000	2015/04
COPPER	01042	036	2012/04/02	< 50.000	2015/04
FOAMING AGENTS (MBAS)	38260	036	2012/04/02	< .050	2015/04
HARDNESS (TOTAL) AS CACO3	00900	036	2012/04/02	. 320.000	2015/04
HYDROXIDE ALKALINITY	71830	036	2012/04/02	< 3.000	2015/04
IRON	01045	036	2012/04/02	130.000	2015/04
MAGNESIUM	00927	036	2012/04/02	. 24.000	2015/04
MANGANESE	01055	036	2012/04/02	< 20.000	2015/04
ODOR THRESHOLD @ 60 C	00086	036	2012/04/02	< 1.000	2015/04
PH, LABORATORY	00403	036	2012/04/02	. 7.400	2015/04
SILVER	01077	036	2012/04/02	< 10.000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-009

Source Name: WELL RN 20

Source Number: 009

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SODIUM	00929	036	2012/04/02		130.000	2015/04
SPECIFIC CONDUCTANCE	00095	036	2012/04/02	.	1200.000	2015/04
SULFATE	00945	036	2012/04/02		130.000	2015/04
TOTAL DISSOLVED SOLIDS	70300	036	2012/04/02	.	760.000	2015/04
TURBIDITY, LABORATORY	82079	036	2012/04/02	.	1.100	2015/04
ZINC	01092	036	2012/04/02	<	50.000	2015/04

PS Code: 3610057-010

Source Name: WELL RN 07

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/01/05	<	50.000	2015/01
ANTIMONY	01097	036	2012/01/05	<	6.000	2015/01
ARSENIC	01002	036	2012/01/05	<	2.000	2015/01
BARIUM	01007	036	2012/01/05	<	100.000	2015/01
BERYLLIUM	01012	036	2012/01/05	<	1.000	2015/01
CADMIUM	01027	036	2014/01/08	<	1.000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/08	<	1.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	.	.820	2017/07
CYANIDE	01291	036	2012/01/05	<	100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/05	.	.800	2015/01
MERCURY	71900	036	2012/01/05	<	1.000	2015/01
NICKEL	01067	036	2014/01/08	<	10.000	2017/01
PERCHLORATE	A-031	036	2012/01/05	<	4.000	2015/01
SELENIUM	01147	036	2012/01/05	<	5.000	2015/01
THALLIUM	01059	036	2012/01/05	<	1.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-010

Source Name: WELL RN 07

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/10/03	. 27.000	2014/10
NITRITE (AS N)	00620	036	2012/01/05	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/01/07	. 12.300	2016/01
URANIUM (PCI/L)	28012	072	2013/01/07	. 13.400	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/03	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/03	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/10/06	< .500	2017/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/10/06	< .500	2017/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/10/06	< 10.000	2017/10
1,1,2-TRICHLOROETHANE	34511	072	2011/10/06	< .500	2017/10
1,1-DICHLOROETHANE	34496	072	2011/10/06	< .500	2017/10
1,1-DICHLOROETHYLENE	34501	072	2011/10/06	< .500	2017/10
1,2,4-TRICHLOROBENZENE	34551	072	2011/10/06	< .500	2017/10
1,2-DICHLOROBENZENE	34536	072	2011/10/06	< .500	2017/10
1,2-DICHLOROETHANE	34531	072	2011/10/06	< .500	2017/10
1,2-DICHLOROPROPANE	34541	072	2011/10/06	< .500	2017/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/10/06	< .500	2017/10
1,4-DICHLOROBENZENE	34571	072	2011/10/06	< .500	2017/10
BENZENE	34030	072	2011/10/06	< .500	2017/10
CARBON TETRACHLORIDE	32102	072	2011/10/06	< .500	2017/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/10/06	< .500	2017/10
DICHLOROMETHANE	34423	072	2011/10/06	< .500	2017/10
ETHYLBENZENE	34371	072	2011/10/06	< .500	2017/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/10/06	< 3.000	2014/10
MONOCHLOROBENZENE	34301	072	2011/10/06	< .500	2017/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-010

Source Name: WELL RN 07

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	072	2011/10/06	< .500	2017/10
TETRACHLOROETHYLENE	34475	072	2011/10/06	< .500	2017/10
TOLUENE	34010	072	2011/10/06	< .500	2017/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/10/06	< .500	2017/10
TRICHLOROETHYLENE	39180	072	2011/10/06	< .500	2017/10
TRICHLOROFLUOROMETHANE	34488	072	2011/10/06	< 5.000	2017/10
VINYL CHLORIDE	39175	072	2011/10/06	< .500	2017/10
XYLENES (TOTAL)	81551	072	2011/10/06	< .500	2017/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/05	. 200.000	2015/01
CALCIUM	00916	036	2012/01/05	. 55.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/05	< 3.000	2015/01
CHLORIDE	00940	036	2012/01/05	. 28.000	2015/01
COLOR	00081	036	2012/01/05	< 3.000	2015/01
COPPER	01042	036	2012/01/05	< 50.000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/05	< .050	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/05	. 180.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/05	< 3.000	2015/01
IRON	01045	036	2012/01/05	< 100.000	2015/01
MAGNESIUM	00927	036	2012/01/05	. 9.600	2015/01
MANGANESE	01055	036	2012/01/05	< 20.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/05	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/05	. 7.500	2015/01
SILVER	01077	036	2012/01/05	< 10.000	2015/01
SODIUM	00929	036	2012/01/05	44.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/05	. 580.000	2015/01
SULFATE	00945	036	2012/01/05	53.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/05	. 330.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/05	< .200	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-010

Source Name: WELL RN 07

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
ZINC	01092	036	2012/01/05	< 50.000	2015/01

PS Code: 3610057-011

Source Name: LYTLE CREEK WELL 10

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/01/02	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/02	< 6.000	2016/01
ARSENIC	01002	036	2013/01/02	< 2.000	2016/01
BARIUM	01007	036	2013/01/02	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/02	< 1.000	2016/01
CADMIUM	01027	036	2013/01/02	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/02	. 1.200	2016/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 1.300	2017/07
CYANIDE	01291	036	2013/01/02	< 100.000	2016/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/02	. .300	2016/01
MERCURY	71900	036	2013/01/02	< 1.000	2016/01
NICKEL	01067	036	2013/01/02	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/02	< 4.000	2016/01
SELENIUM	01147	036	2013/01/02	< 5.000	2016/01
THALLIUM	01059	036	2013/01/02	< 1.000	2016/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/06	. 8.900	2015/01
NITRITE (AS N)	00620	036	2013/01/02	< 100.000	2016/01
RADIOLOGICAL					
GROSS ALPHA	01501	072	2011/10/03	. 3.970	2017/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-011

Source Name: LYTLE CREEK WELL 10

Source Number: 011

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/01	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/01	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/01/06	< .500	2020/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/06	< .500	2020/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/06	< 10.000	2020/01
1,1,2-TRICHLOROETHANE	34511	072	2014/01/06	< .500	2020/01
1,1-DICHLOROETHANE	34496	072	2014/01/06	< .500	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/06	< .500	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/06	< .500	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/06	< .500	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/06	< .500	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/06	< .500	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/06	< .500	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/06	< .500	2020/01
BENZENE	34030	072	2014/01/06	< .500	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/06	< .500	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/06	< .500	2020/01
DICHLOROMETHANE	34423	072	2014/01/06	< .500	2020/01
ETHYLBENZENE	34371	072	2014/01/06	< .500	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/01/06	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2014/01/06	< .500	2020/01
STYRENE	77128	072	2014/01/06	< .500	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/06	< .500	2020/01
TOLUENE	34010	072	2014/01/06	< .500	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/06	< .500	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/06	< .500	2020/01
TRICHLOROFLUOROMETHANE	34488	072	2014/01/06	< 5.000	2020/01
VINYL CHLORIDE	39175	072	2014/01/06	< .500	2020/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610057***

System Name: ***RIVERSIDE HIGHLAND WATER COMPANY***

PS Code: ***3610057-011***

Source Name: ***LYTLE CREEK WELL 10***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2014/01/06	**< .500**	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/01/02	**. 170.000**	2016/01
CALCIUM	**00916**	**036**	2013/01/02	**. 51.000**	2016/01
CARBONATE ALKALINITY	**00445**	**036**	2013/01/02	**< 3.000**	2016/01
CHLORIDE	**00940**	**036**	2013/01/02	**. 3.200**	2016/01
COLOR	**00081**	**036**	2013/01/02	**< 3.000**	2016/01
COPPER	**01042**	**036**	2013/01/02	**< 50.000**	2016/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/01/02	**< .050**	2016/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/01/02	**. 160.000**	2016/01
HYDROXIDE ALKALINITY	**71830**	**036**	2013/01/02	**< 3.000**	2016/01
IRON	**01045**	**036**	2013/01/02	**< 100.000**	2016/01
MAGNESIUM	**00927**	**036**	2013/01/02	**. 8.100**	2016/01
MANGANESE	**01055**	**036**	2013/01/02	**< 20.000**	2016/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/01/02	**< 1.000**	2016/01
PH, LABORATORY	**00403**	**036**	2013/01/02	**. 7.700**	2016/01
SILVER	**01077**	**036**	2013/01/02	**< 10.000**	2016/01
SODIUM	**00929**	**036**	2013/01/02	**9.800**	2016/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/01/02	**. 360.000**	2016/01
SULFATE	**00945**	**036**	2013/01/02	**16.000**	2016/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/01/02	**. 200.000**	2016/01
TURBIDITY, LABORATORY	**82079**	**036**	2013/01/02	**< .200**	2016/01
ZINC	**01092**	**036**	2013/01/02	**< 50.000**	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057
System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-012
Source Name: WELL RN 06
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/01/02	< 50.000	2016/01
ANTIMONY	01097	036	2013/01/02	< 6.000	2016/01
ARSENIC	01002	036	2013/01/02	< 2.000	2016/01
BARIUM	01007	036	2013/01/02	< 100.000	2016/01
BERYLLIUM	01012	036	2013/01/02	< 1.000	2016/01
CADMIUM	01027	036	2013/01/02	< 1.000	2016/01
CHROMIUM (TOTAL)	01034	036	2013/01/02	< 1.000	2016/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. .550	2017/07
CYANIDE	01291	036	2013/01/02	< 100.000	2016/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/02	. .900	2016/01
MERCURY	71900	036	2013/01/02	< 1.000	2016/01
NICKEL	01067	036	2013/01/02	< 10.000	2016/01
PERCHLORATE	A-031	036	2013/01/02	< 4.000	2016/01
SELENIUM	01147	036	2013/01/02	< 5.000	2016/01
THALLIUM	01059	036	2013/01/02	< 1.000	2016/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/06	. 26.000	2015/01
NITRITE (AS N)	00620	036	2013/01/02	< 100.000	2016/01
RADIOLOGICAL					
GROSS ALPHA	01501	072	2013/01/02	. 7.230	2019/01
URANIUM (PCI/L)	28012	072	2013/01/02	. 6.810	2019/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/01	. .012	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/01	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/10/01	< .500	2019/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/10/01	< .500	2019/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/10/01	< 10.000	2019/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057
System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-012
Source Name: WELL RN 06
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2013/10/01	< .500	2019/10
1,1-DICHLOROETHANE	34496	072	2013/10/01	< .500	2019/10
1,1-DICHLOROETHYLENE	34501	072	2013/10/01	< .500	2019/10
1,2,4-TRICHLOROBENZENE	34551	072	2013/10/01	< .500	2019/10
1,2-DICHLOROBENZENE	34536	072	2013/10/01	< .500	2019/10
1,2-DICHLOROETHANE	34531	072	2013/10/01	< .500	2019/10
1,2-DICHLOROPROPANE	34541	072	2013/10/01	< .500	2019/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/10/01	< .500	2019/10
1,4-DICHLOROBENZENE	34571	072	2013/10/01	< .500	2019/10
BENZENE	34030	072	2013/10/01	< .500	2019/10
CARBON TETRACHLORIDE	32102	072	2013/10/01	< .500	2019/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/10/01	< .500	2019/10
DICHLOROMETHANE	34423	072	2013/10/01	< .500	2019/10
ETHYLBENZENE	34371	072	2013/10/01	< .500	2019/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/10/01	< 3.000	2016/10
MONOCHLOROBENZENE	34301	072	2013/10/01	< .500	2019/10
STYRENE	77128	072	2013/10/01	< .500	2019/10
TETRACHLOROETHYLENE	34475	072	2013/10/01	< .500	2019/10
TOLUENE	34010	072	2013/10/01	< .500	2019/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/10/01	< .500	2019/10
TRICHLOROETHYLENE	39180	072	2013/10/01	< .500	2019/10
TRICHLOROFLUOROMETHANE	34488	072	2013/10/01	< 5.000	2019/10
VINYL CHLORIDE	39175	072	2013/10/01	< .500	2019/10
XYLENES (TOTAL)	81551	072	2013/10/01	< .500	2019/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/02	. 270.000	2016/01
CALCIUM	00916	036	2013/01/02	. 76.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/02	< 3.000	2016/01
CHLORIDE	00940	036	2013/01/02	. 43.000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-012

Source Name: WELL RN 06

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2013/01/02	< 3.000	2016/01
COPPER	01042	036	2013/01/02	< 50.000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/02	< .050	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/02	. 260.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/02	< 3.000	2016/01
IRON	01045	036	2013/01/02	< 100.000	2016/01
MAGNESIUM	00927	036	2013/01/02	. 16.000	2016/01
MANGANESE	01055	036	2013/01/02	< 20.000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/02	< 1.000	2016/01
PH, LABORATORY	00403	036	2013/01/02	. 7.400	2016/01
SILVER	01077	036	2013/01/02	< 10.000	2016/01
SODIUM	00929	036	2013/01/02	59.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/02	. 750.000	2016/01
SULFATE	00945	036	2013/01/02	56.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/02	. 450.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/02	< .200	2016/01
ZINC	01092	036	2013/01/02	< 50.000	2016/01

PS Code: 3610057-013

Source Name: WELLS RN 20 AND 17 BLEND

Source Number: 013

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

PS Code: 3610057-601

Source Name: DBP2-23015 FINCH ST

Source Number: 601

Source Status: DISTRIBUTION TREATED

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 1.600	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 2.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	. 1.100	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. .580	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 4.100	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 1.700	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 6.400	2014/10

PS Code: 3610057-602

Source Name: DBP2-12488 MT VERNON AVE

Source Number: 602

Source Status: DISTRIBUTION TREATED

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 4.600	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	. 1.200	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	. 3.500	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057
System Name: RIVERSIDE HIGHLAND WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610057-602					
Source Name: DBP2-12488 MT VERNON AVE					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
STATE UCMR					
BROMOFORM (THM)	32104	003	2014/07/02	. 1.000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. .700	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. .770	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 2.500	2014/10
PS Code: 3610057-603					
Source Name: DBP2-22471 BARTON RD					
Source Number: 603					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 1.500	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 2.800	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	. 1.400	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	< .500	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 2.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 1.300	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 3.700	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610057-604					
Source Name: DBP2-22810 MAIN ST					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 1.400	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 2.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	. 1.300	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. 1.100	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 3.400	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. .830	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 2.800	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 8.100	2014/10
PS Code: 3610057-800					
Source Name: LINDA VISTA 03 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610057

System Name: RIVERSIDE HIGHLAND WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610057-801					
Source Name: WELL RN 07 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610057-802					
Source Name: LYTLE CREEK WELL 10 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610057-803					
Source Name: WELL RN 06 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610060
System Name: SBDNO COUNTY SERVICE AREA W-1

PS Code: 3610060-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/02/16	< .000	2014/02	DUE
ANTIMONY	01097	036	2011/02/16	< .000	2014/02	DUE
ARSENIC	01002	036	2011/02/16	. 4.400	2014/02	DUE
BARIUM	01007	036	2011/02/16	< .000	2014/02	DUE
BERYLLIUM	01012	036	2011/02/16	< .000	2014/02	DUE
CADMIUM	01027	036	2011/02/16	< .000	2014/02	DUE
CHROMIUM (TOTAL)	01034	036	2011/02/16	< .000	2014/02	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/07/30	. 3.200	2006/07	DUE
CYANIDE	01291	036	2011/02/16	< .000	2014/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/02/16	. .420	2014/02	DUE
MERCURY	71900	036	2011/02/16	< .000	2014/02	DUE
NICKEL	01067	036	2011/02/16	< .000	2014/02	DUE
PERCHLORATE	A-031	036	2013/10/29	< .000	2016/10	
SELENIUM	01147	036	2011/02/16	< .000	2014/02	DUE
THALLIUM	01059	036	2011/02/16	< .000	2014/02	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/29	. 5.800	2014/10	
NITRITE (AS N)	00620	036	2011/02/16	< .000	2014/02	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/11	< .000	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/02/28	< .000	2014/02	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/02/28	< .000	2014/02	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/11/06	.000	2014/11	
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/11/06	.000	2014/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/11/06	.000	2014/11	
1,1,2-TRICHLOROETHANE	34511	072	2008/11/06	.000	2014/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610060***

System Name: ***SBDNO COUNTY SERVICE AREA W-1***

PS Code: ***3610060-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/11/06		.000	2014/11	
1,1-DICHLOROETHYLENE	34501	072	2008/11/06		.000	2014/11	
1,2,4-TRICHLOROBENZENE	34551	072	2008/11/06		.000	2014/11	
1,2-DICHLOROBENZENE	34536	072	2008/11/06		.000	2014/11	
1,2-DICHLOROETHANE	34531	072	2008/11/06		.000	2014/11	
1,2-DICHLOROPROPANE	34541	072	2008/11/06		.000	2014/11	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/11/06		.000	2014/11	
1,4-DICHLOROBENZENE	34571	072	2008/11/06		.000	2014/11	
BENZENE	34030	072	2008/11/06		.000	2014/11	
CARBON TETRACHLORIDE	32102	072	2008/11/06		.000	2014/11	
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/11/06		.000	2014/11	
DICHLOROMETHANE	34423	072	2008/11/06		.000	2014/11	
ETHYLBENZENE	34371	072	2008/11/06		.000	2014/11	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/02/14	<	.000	2019/02	
MONOCHLOROBENZENE	34301	072	2008/11/06		.000	2014/11	
STYRENE	77128	072	2008/11/06		.000	2014/11	
TETRACHLOROETHYLENE	34475	072	2008/11/06		.000	2014/11	
TOLUENE	34010	072	2008/11/06		.000	2014/11	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/11/06		.000	2014/11	
TRICHLOROETHYLENE	39180	072	2008/11/06		.000	2014/11	
TRICHLOROFLUOROMETHANE	34488	072	2008/11/06		.000	2014/11	
VINYL CHLORIDE	39175	072	2008/11/06		.000	2014/11	
XYLENES (TOTAL)	81551	072	2008/11/06		.000	2014/11	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/02/16	.	150.000	2014/02	DUE
CALCIUM	00916	036	2011/02/16	.	29.000	2014/02	DUE
CARBONATE ALKALINITY	00445	036	2011/02/16	<	.000	2014/02	DUE
CHLORIDE	00940	036	2011/02/16	.	18.000	2014/02	DUE
COLOR	00081	036	2011/02/16	<	.000	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610060
System Name: SBDNO COUNTY SERVICE AREA W-1

PS Code: 3610060-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/02/16	< .000	2014/02	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/02/16	< .000	2014/02	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/02/16	. 83.000	2014/02	DUE
HYDROXIDE ALKALINITY	71830	036	2011/02/16	< .000	2014/02	DUE
IRON	01045	036	2011/02/16	< .000	2014/02	DUE
MAGNESIUM	00927	036	2011/02/16	. 3.900	2014/02	DUE
MANGANESE	01055	036	2011/02/16	< .000	2014/02	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/02/16	1.000	2014/02	DUE
PH, LABORATORY	00403	036	2011/02/16	. 7.800	2014/02	DUE
SILVER	01077	036	2011/02/16	< .000	2014/02	DUE
SODIUM	00929	036	2011/02/16	40.000	2014/02	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/02/16	. 360.000	2014/02	DUE
SULFATE	00945	036	2011/02/16	27.000	2014/02	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/02/16	. 230.000	2014/02	DUE
TURBIDITY, LABORATORY	82079	036	2011/02/16	. .100	2014/02	DUE
ZINC	01092	036	2011/02/16	< .000	2014/02	DUE

PS Code: 3610060-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/02/16	< .000	2014/02	DUE
ANTIMONY	01097	036	2011/02/16	< .000	2014/02	DUE
ARSENIC	01002	036	2011/02/16	. 4.100	2014/02	DUE
BARIUM	01007	036	2011/02/16	< .000	2014/02	DUE
BERYLLIUM	01012	036	2011/02/16	< .000	2014/02	DUE
CADMIUM	01027	036	2011/02/16	< .000	2014/02	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610060
System Name: SBDNO COUNTY SERVICE AREA W-1

PS Code: 3610060-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/02/16	< .000	2014/02	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/07/30	. 3.500	2006/07	DUE
CYANIDE	01291	036	2011/02/16	< .000	2014/02	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/02/16	. .370	2014/02	DUE
MERCURY	71900	036	2011/02/16	< .000	2014/02	DUE
NICKEL	01067	036	2011/02/16	< .000	2014/02	DUE
PERCHLORATE	A-031	036	2013/10/29	< .000	2016/10	
SELENIUM	01147	036	2011/02/16	< .000	2014/02	DUE
THALLIUM	01059	036	2011/02/16	< .000	2014/02	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/29	. 5.200	2014/10	
NITRITE (AS N)	00620	036	2011/02/16	< .000	2014/02	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/11	< .000	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/12/12	< .000	2015/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/12/12	< .000	2015/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/10/27	< .000	2016/10	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/10/27	< .000	2016/10	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/10/27	< .000	2016/10	
1,1,2-TRICHLOROETHANE	34511	072	2010/10/27	< .000	2016/10	
1,1-DICHLOROETHANE	34496	072	2010/10/27	< .000	2016/10	
1,1-DICHLOROETHYLENE	34501	072	2010/10/27	< .000	2016/10	
1,2,4-TRICHLOROBENZENE	34551	072	2010/10/27	< .000	2016/10	
1,2-DICHLOROBENZENE	34536	072	2010/10/27	< .000	2016/10	
1,2-DICHLOROETHANE	34531	072	2010/10/27	< .000	2016/10	
1,2-DICHLOROPROPANE	34541	072	2010/10/27	< .000	2016/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610060
System Name: SBDNO COUNTY SERVICE AREA W-1

PS Code: 3610060-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/10/27	< .000	2016/10	
1,4-DICHLOROBENZENE	34571	072	2010/10/27	< .000	2016/10	
BENZENE	34030	072	2010/10/27	< .000	2016/10	
CARBON TETRACHLORIDE	32102	072	2010/10/27	< .000	2016/10	
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/10/27	< .000	2016/10	
DICHLOROMETHANE	34423	072	2010/10/27	< .000	2016/10	
ETHYLBENZENE	34371	072	2010/10/27	< .000	2016/10	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/02/14	< .000	2019/02	
MONOCHLOROBENZENE	34301	072	2010/10/27	< .000	2016/10	
STYRENE	77128	072	2010/10/27	< .000	2016/10	
TETRACHLOROETHYLENE	34475	072	2010/10/27	< .000	2016/10	
TOLUENE	34010	072	2010/10/27	< .000	2016/10	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/10/27	< .000	2016/10	
TRICHLOROETHYLENE	39180	072	2010/10/27	< .000	2016/10	
TRICHLOROFLUOROMETHANE	34488	072	2010/10/27	< .000	2016/10	
VINYL CHLORIDE	39175	072	2010/10/27	< .000	2016/10	
XYLENES (TOTAL)	81551	072	2010/10/27	< .000	2016/10	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/02/16	. 170.000	2014/02	DUE
CALCIUM	00916	036	2012/08/02	. 31.000	2015/08	
CARBONATE ALKALINITY	00445	036	2011/02/16	< .000	2014/02	DUE
CHLORIDE	00940	036	2011/02/16	. 19.000	2014/02	DUE
COLOR	00081	036	2011/02/16	< .000	2014/02	DUE
COPPER	01042	036	2011/02/16	< .000	2014/02	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/02/16	< .000	2014/02	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/02/16	. 98.000	2014/02	DUE
HYDROXIDE ALKALINITY	71830	036	2011/02/16	< .000	2014/02	DUE
IRON	01045	036	2011/02/16	< .000	2014/02	DUE
MAGNESIUM	00927	036	2011/02/16	. 4.500	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610060
System Name: SBDNO COUNTY SERVICE AREA W-1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610060-002							
Source Name: WELL 02							
Source Number: 002							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
MANGANESE	01055	036	2011/02/16	<	.000	2014/02	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/02/16		1.000	2014/02	DUE
PH, LABORATORY	00403	036	2012/08/02	.	8.200	2015/08	
SILVER	01077	036	2011/02/16	<	.000	2014/02	DUE
SODIUM	00929	036	2011/02/16		43.000	2014/02	DUE
SPECIFIC CONDUCTANCE	00095	036	2012/08/02	.	400.000	2015/08	
SULFATE	00945	036	2011/02/16		29.000	2014/02	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/02/16	.	260.000	2014/02	DUE
TURBIDITY, LABORATORY	82079	036	2011/02/16	<	.000	2014/02	DUE
ZINC	01092	036	2011/02/16	<	.000	2014/02	DUE
PS Code: 3610060-003							
Source Name: WELL 03							
Source Number: 003							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2014/01/30	<	.000	2017/01	
ANTIMONY	01097	036	2014/01/30	<	.000	2017/01	
ARSENIC	01002	036	2014/01/30	.	4.700	2017/01	
BARIUM	01007	036	2014/01/30	<	.000	2017/01	
BERYLLIUM	01012	036	2014/01/30	<	.000	2017/01	
CADMIUM	01027	036	2014/01/30	<	.000	2017/01	
CHROMIUM (TOTAL)	01034	036	2014/01/30	<	.000	2017/01	
CHROMIUM, HEXAVALENT	01032	036	2003/07/30	.	3.500	2006/07	DUE
CYANIDE	01291	036	2014/01/30	<	.000	2017/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/30	.	.410	2017/04	
MERCURY	71900	036	2014/01/30	<	.000	2017/01	
NICKEL	01067	036	2014/01/30	<	.000	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610060
System Name: SBDNO COUNTY SERVICE AREA W-1

PS Code: 3610060-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/01/30	< .000	2017/01
SELENIUM	01147	036	2014/01/30	< .000	2017/01
THALLIUM	01059	036	2014/01/30	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/30	. 5.500	2015/04
NITRITE (AS N)	00620	036	2014/01/30	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/04/11	. 4.700	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/10	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/10	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/02/10	< .000	2020/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/02/10	< .000	2020/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/02/10	< .000	2020/02
1,1,2-TRICHLOROETHANE	34511	072	2014/02/10	< .000	2020/02
1,1-DICHLOROETHANE	34496	072	2014/02/10	< .000	2020/02
1,1-DICHLOROETHYLENE	34501	072	2014/02/10	< .000	2020/02
1,2,4-TRICHLOROBENZENE	34551	072	2014/02/10	< .000	2020/02
1,2-DICHLOROBENZENE	34536	072	2014/02/10	< .000	2020/02
1,2-DICHLOROETHANE	34531	072	2014/02/10	< .000	2020/02
1,2-DICHLOROPROPANE	34541	072	2014/02/10	< .000	2020/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/02/10	< .000	2020/02
1,4-DICHLOROBENZENE	34571	072	2014/02/10	< .000	2020/02
BENZENE	34030	072	2014/02/10	< .000	2020/02
CARBON TETRACHLORIDE	32102	072	2014/02/10	< .000	2020/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/02/10	< .000	2020/02
DICHLOROMETHANE	34423	072	2014/02/10	< .000	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610060***

System Name: ***SBDNO COUNTY SERVICE AREA W-1***

PS Code: ***3610060-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2014/02/10	**< .000**	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/10	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2014/02/10	**< .000**	2020/02
STYRENE	**77128**	**072**	2014/02/10	**< .000**	2020/02
TETRACHLOROETHYLENE	**34475**	**072**	2014/02/10	**< .000**	2020/02
TOLUENE	**34010**	**072**	2014/02/10	**< .000**	2020/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/02/10	**< .000**	2020/02
TRICHLOROETHYLENE	**39180**	**072**	2014/02/10	**< .000**	2020/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/02/10	**< .000**	2020/02
VINYL CHLORIDE	**39175**	**072**	2014/02/10	**< .000**	2020/02
XYLENES (TOTAL)	**81551**	**072**	2014/02/10	**< .000**	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/30	**. 170.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/30	**. 34.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/30	**< .000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/30	**. 17.000**	2017/04
COLOR	**00081**	**036**	2014/04/30	**< .000**	2017/04
COPPER	**01042**	**036**	2014/04/30	**< .000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/30	**< .000**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/30	**. 110.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/30	**< .000**	2017/04
IRON	**01045**	**036**	2014/04/30	**< .000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/30	**. 5.400**	2017/04
MANGANESE	**01055**	**036**	2014/04/30	**< .000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/30	**. 1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/30	**. 7.600**	2017/04
SILVER	**01077**	**036**	2014/01/30	**< .000**	2017/01
SODIUM	**00929**	**036**	2014/04/30	**. 43.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/30	**. 390.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610060***

System Name: ***SBDNO COUNTY SERVICE AREA W-1***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610060-003***					
Source Name: ***WELL 03***					
Source Number: ***003***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
SULFATE	**00945**	**036**	2014/04/30	**. 28.000**	2017/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/30	**. 220.000**	2017/04
TURBIDITY, LABORATORY	**82079**	**036**	2014/04/30	**< .000**	2017/04
ZINC	**01092**	**036**	2014/04/30	**< .000**	2017/04
PS Code: ***3610060-004T***					
Source Name: ***WELL 03 - TREATED***					
Source Number: ***004***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610060-800***					
Source Name: ***WELL 01 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610060-801***					
Source Name: ***WELL 02 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-001
Source Name: LAKEWOOD WELL 3
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	< .000	2014/10	
BARIUM	01007	036	2011/10/12	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/19	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .160	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/08	. 4.400	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/02/22	< .000	2020/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/03/03	< .000	2014/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/03/03	< .000	2014/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/02/22	< .000	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLOROETHANE	34511	072	2011/02/22	< .000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-001
Source Name: LAKEWOOD WELL 3
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/02/22	< .000	2017/02
1,1-DICHLOROETHYLENE	34501	072	2011/02/22	< .000	2017/02
1,2,4-TRICHLOROBENZENE	34551	072	2011/02/22	< .000	2017/02
1,2-DICHLOROBENZENE	34536	072	2011/02/22	< .000	2017/02
1,2-DICHLOROETHANE	34531	072	2011/02/22	< .000	2017/02
1,2-DICHLOROPROPANE	34541	072	2011/02/22	< .000	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/02/22	< .000	2017/02
1,4-DICHLOROBENZENE	34571	072	2011/02/22	< .000	2017/02
BENZENE	34030	072	2011/02/22	< .000	2017/02
CARBON TETRACHLORIDE	32102	072	2011/02/22	< .000	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/02/22	< .000	2017/02
DICHLOROMETHANE	34423	072	2011/02/22	< .000	2017/02
ETHYLBENZENE	34371	072	2011/02/22	< .000	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/02/22	< .000	2017/02
MONOCHLOROBENZENE	34301	072	2011/02/22	< .000	2017/02
STYRENE	77128	072	2011/02/22	< .000	2017/02
TETRACHLOROETHYLENE	34475	072	2011/02/22	< .000	2017/02
TOLUENE	34010	072	2011/02/22	< .000	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/02/22	< .000	2017/02
TRICHLOROETHYLENE	39180	072	2011/02/22	< .000	2017/02
TRICHLOROFLUOROMETHANE	34488	072	2011/02/22	< .000	2017/02
VINYL CHLORIDE	39175	072	2011/02/22	< .000	2017/02
XYLENES (TOTAL)	81551	072	2011/02/22	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 230.000	2014/10
CALCIUM	00916	036	2011/10/12	. 49.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 6.400	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-001
Source Name: LAKEWOOD WELL 3
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 220.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 23.000	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.700	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	8.600	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 420.000	2014/10
SULFATE	00945	036	2011/10/12	17.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 260.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .100	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

PS Code: 3610061-003
Source Name: LAKEWOOD WELL 27
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/10/20	< .000	2014/10
ANTIMONY	01097	036	2011/10/20	< .000	2014/10
ARSENIC	01002	036	2011/10/20	< .000	2014/10
BARIUM	01007	036	2011/10/20	< .000	2014/10
BERYLLIUM	01012	036	2011/10/20	< .000	2014/10
CADMIUM	01027	036	2011/10/20	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610061***

System Name: ***DWP - SUGARLOAF/ERWIN LAKE***

PS Code: ***3610061-003***

Source Name: ***LAKEWOOD WELL 27***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/20	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/19	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/20	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/20	. .180	2014/10	
MERCURY	71900	036	2011/10/20	< .000	2014/10	
NICKEL	01067	036	2011/10/20	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/20	< .000	2014/10	
SELENIUM	01147	036	2011/10/20	< .000	2014/10	
THALLIUM	01059	036	2011/10/20	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/22	. 5.000	2014/10	
NITRITE (AS N)	00620	036	2011/10/20	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/03/17	< .000	2020/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/25	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/25	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/17	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/17	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/17	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/17	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/17	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/17	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/17	< .000	2017/03	
1,2-DICHLOROPROPANE	34541	072	2011/03/17	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-003
Source Name: LAKEWOOD WELL 27
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/03/17	< .000	2017/03
1,4-DICHLOROBENZENE	34571	072	2011/03/17	< .000	2017/03
BENZENE	34030	072	2011/03/17	< .000	2017/03
CARBON TETRACHLORIDE	32102	072	2011/03/17	< .000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/03/17	< .000	2017/03
DICHLOROMETHANE	34423	072	2011/03/17	< .000	2017/03
ETHYLBENZENE	34371	072	2011/03/17	< .000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/25	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/03/17	< .000	2017/03
STYRENE	77128	072	2011/03/17	< .000	2017/03
TETRACHLOROETHYLENE	34475	072	2011/03/17	< .000	2017/03
TOLUENE	34010	072	2011/03/17	< .000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/03/17	< .000	2017/03
TRICHLOROETHYLENE	39180	072	2011/03/17	< .000	2017/03
TRICHLOROFLUOROMETHANE	34488	072	2011/03/17	< .000	2017/03
VINYL CHLORIDE	39175	072	2011/03/17	< .000	2017/03
XYLENES (TOTAL)	81551	072	2011/03/17	< .000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/20	. 220.000	2014/10
CALCIUM	00916	036	2011/10/20	. 43.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/20	< .000	2014/10
CHLORIDE	00940	036	2011/10/20	. 4.800	2014/10
COLOR	00081	036	2011/10/20	< .000	2014/10
COPPER	01042	036	2011/10/20	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/20	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/20	. 200.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/20	< .000	2014/10
IRON	01045	036	2011/10/20	< .000	2014/10
MAGNESIUM	00927	036	2011/10/20	. 21.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610061-003						
Source Name: LAKEWOOD WELL 27						
Source Number: 003						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
MANGANESE	01055	036	2011/10/20	< .000	2014/10	
ODOR THRESHOLD @ 60 C	00086	036	2011/10/20	1.000	2014/10	
PH, LABORATORY	00403	036	2011/10/20	. 7.500	2014/10	
SILVER	01077	036	2011/10/20	< .000	2014/10	
SODIUM	00929	036	2011/10/20	8.800	2014/10	
SPECIFIC CONDUCTANCE	00095	036	2011/10/20	. 390.000	2014/10	
SULFATE	00945	036	2011/10/20	16.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/20	. 230.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/20	. .200	2014/10	
ZINC	01092	036	2011/10/20	< .000	2014/10	
PS Code: 3610061-006						
Source Name: LAKEWOOD WELL 05						
Source Number: 006						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/10/12	< .000	2014/10	
ANTIMONY	01097	036	2011/10/12	< .000	2014/10	
ARSENIC	01002	036	2011/10/12	< .000	2014/10	
BARIUM	01007	036	2011/10/12	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/12	< .000	2014/10	
CADMIUM	01027	036	2011/10/12	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/19	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	. .180	2014/10	
MERCURY	71900	036	2011/10/12	< .000	2014/10	
NICKEL	01067	036	2011/10/12	< .000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-006
Source Name: LAKEWOOD WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/10/12	< .000	2014/10	
SELENIUM	01147	036	2011/10/12	< .000	2014/10	
THALLIUM	01059	036	2011/10/12	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/08	. 4.000	2014/10	
NITRITE (AS N)	00620	036	2011/10/12	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/02/22	< .000	2020/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	**2011/03/03**	< .000	**2014/03**	**DUE**
ETHYLENE DIBROMIDE (EDB)	77651	036	**2011/03/03**	< .000	**2014/03**	**DUE**
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/02/22	< .000	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLOROETHANE	34511	072	2011/02/22	< .000	2017/02	
1,1-DICHLOROETHANE	34496	072	2011/02/22	< .000	2017/02	
1,1-DICHLOROETHYLENE	34501	072	2011/02/22	< .000	2017/02	
1,2,4-TRICHLOROBENZENE	34551	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROBENZENE	34536	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROETHANE	34531	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROPROPANE	34541	072	2011/02/22	< .000	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/02/22	< .000	2017/02	
1,4-DICHLOROBENZENE	34571	072	2011/02/22	< .000	2017/02	
BENZENE	34030	072	2011/02/22	< .000	2017/02	
CARBON TETRACHLORIDE	32102	072	2011/02/22	< .000	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/02/22	< .000	2017/02	
DICHLOROMETHANE	34423	072	2011/02/22	< .000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-006
Source Name: LAKEWOOD WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2011/02/22	< .000	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/02/22	< .000	2017/02
MONOCHLOROBENZENE	34301	072	2011/02/22	< .000	2017/02
STYRENE	77128	072	2011/02/22	< .000	2017/02
TETRACHLOROETHYLENE	34475	072	2011/02/22	< .000	2017/02
TOLUENE	34010	072	2011/02/22	< .000	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/02/22	< .000	2017/02
TRICHLOROETHYLENE	39180	072	2011/02/22	< .000	2017/02
TRICHLOROFLUOROMETHANE	34488	072	2011/02/22	< .000	2017/02
VINYL CHLORIDE	39175	072	2011/02/22	< .000	2017/02
XYLENES (TOTAL)	81551	072	2011/02/22	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 200.000	2014/10
CALCIUM	00916	036	2011/10/12	. 36.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 6.300	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 180.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 19.000	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.500	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	9.600	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 360.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-006
Source Name: LAKEWOOD WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2011/10/12		13.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	.	230.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/12	<	.000	2014/10	
ZINC	01092	036	2011/10/12	<	.000	2014/10	

PS Code: 3610061-007
Source Name: LAKEWOOD WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/10/12	<	.000	2014/10	
ANTIMONY	01097	036	2011/10/12	<	.000	2014/10	
ARSENIC	01002	036	2011/10/12	<	.000	2014/10	
BARIUM	01007	036	2011/10/12	<	.000	2014/10	
BERYLLIUM	01012	036	2011/10/12	<	.000	2014/10	
CADMIUM	01027	036	2011/10/12	<	.000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/12	<	.000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/19	.	.000	2006/02	DUE
CYANIDE	01291	036	2011/10/12	<	.000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/12	.	.170	2014/10	
MERCURY	71900	036	2011/10/12	<	.000	2014/10	
NICKEL	01067	036	2011/10/12	<	.000	2014/10	
PERCHLORATE	A-031	036	2011/10/12	<	.000	2014/10	
SELENIUM	01147	036	2011/10/12	<	.000	2014/10	
THALLIUM	01059	036	2011/10/12	<	.000	2014/10	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2012/10/17	.	2.700	2013/10	DUE
NITRITE (AS N)	00620	036	2011/10/12	<	.000	2014/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-007
Source Name: LAKEWOOD WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/02/22	< .000	2020/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/03/03	< .000	2014/03	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/03/03	< .000	2014/03	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/02/22	< .000	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLOROETHANE	34511	072	2011/02/22	< .000	2017/02	
1,1-DICHLOROETHANE	34496	072	2011/02/22	< .000	2017/02	
1,1-DICHLOROETHYLENE	34501	072	2011/02/22	< .000	2017/02	
1,2,4-TRICHLOROBENZENE	34551	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROBENZENE	34536	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROETHANE	34531	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROPROPANE	34541	072	2011/02/22	< .000	2017/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/02/22	< .000	2017/02	
1,4-DICHLOROBENZENE	34571	072	2011/02/22	< .000	2017/02	
BENZENE	34030	072	2011/02/22	< .000	2017/02	
CARBON TETRACHLORIDE	32102	072	2011/02/22	< .000	2017/02	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/02/22	< .000	2017/02	
DICHLOROMETHANE	34423	072	2011/02/22	< .000	2017/02	
ETHYLBENZENE	34371	072	2011/02/22	< .000	2017/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/02/22	< .000	2017/02	
MONOCHLOROBENZENE	34301	072	2011/02/22	< .000	2017/02	
STYRENE	77128	072	2011/02/22	< .000	2017/02	
TETRACHLOROETHYLENE	34475	072	2011/02/22	< .000	2017/02	
TOLUENE	34010	072	2011/02/22	< .000	2017/02	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/02/22	< .000	2017/02	
TRICHLOROETHYLENE	39180	072	2011/02/22	< .000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-007
Source Name: LAKEWOOD WELL 06
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2011/02/22	< .000	2017/02
VINYL CHLORIDE	39175	072	2011/02/22	< .000	2017/02
XYLENES (TOTAL)	81551	072	2011/02/22	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/12	. 190.000	2014/10
CALCIUM	00916	036	2011/10/12	. 36.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/12	< .000	2014/10
CHLORIDE	00940	036	2011/10/12	. 5.800	2014/10
COLOR	00081	036	2011/10/12	< .000	2014/10
COPPER	01042	036	2011/10/12	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/12	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/12	. 160.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/12	< .000	2014/10
IRON	01045	036	2011/10/12	< .000	2014/10
MAGNESIUM	00927	036	2011/10/12	. 18.000	2014/10
MANGANESE	01055	036	2011/10/12	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/12	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/12	. 7.500	2014/10
SILVER	01077	036	2011/10/12	< .000	2014/10
SODIUM	00929	036	2011/10/12	12.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/12	. 330.000	2014/10
SULFATE	00945	036	2011/10/12	10.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/12	. 210.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/12	. .100	2014/10
ZINC	01092	036	2011/10/12	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-008
Source Name: MAPLE WELL
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/10/27	< .000	2014/10	
ANTIMONY	01097	036	2011/10/27	< .000	2014/10	
ARSENIC	01002	036	2011/10/27	< .000	2014/10	
BARIUM	01007	036	2011/10/27	< .000	2014/10	
BERYLLIUM	01012	036	2011/10/27	< .000	2014/10	
CADMIUM	01027	036	2011/10/27	< .000	2014/10	
CHROMIUM (TOTAL)	01034	036	2011/10/27	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/18	. .000	2006/02	DUE
CYANIDE	01291	036	2011/10/27	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/27	< .000	2014/10	
MERCURY	71900	036	2011/10/27	< .000	2014/10	
NICKEL	01067	036	2011/10/27	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/27	< .000	2014/10	
SELENIUM	01147	036	2011/10/27	< .000	2014/10	
THALLIUM	01059	036	2011/10/27	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/08	< .000	2014/10	
NITRITE (AS N)	00620	036	2011/10/27	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/02/22	< .000	2020/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/02/22	< .000	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLOROETHANE	34511	072	2011/02/22	< .000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-008
Source Name: MAPLE WELL
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/02/22	< .000	2017/02
1,1-DICHLOROETHYLENE	34501	072	2011/02/22	< .000	2017/02
1,2,4-TRICHLOROBENZENE	34551	072	2011/02/22	< .000	2017/02
1,2-DICHLOROBENZENE	34536	072	2011/02/22	< .000	2017/02
1,2-DICHLOROETHANE	34531	072	2011/02/22	< .000	2017/02
1,2-DICHLOROPROPANE	34541	072	2011/02/22	< .000	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/02/22	< .000	2017/02
1,4-DICHLOROBENZENE	34571	072	2011/02/22	< .000	2017/02
BENZENE	34030	072	2011/02/22	< .000	2017/02
CARBON TETRACHLORIDE	32102	072	2011/02/22	< .000	2017/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/02/22	< .000	2017/02
DICHLOROMETHANE	34423	072	2011/02/22	< .000	2017/02
ETHYLBENZENE	34371	072	2011/02/22	< .000	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/19	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2011/02/22	< .000	2017/02
STYRENE	77128	072	2011/02/22	< .000	2017/02
TETRACHLOROETHYLENE	34475	072	2011/02/22	< .000	2017/02
TOLUENE	34010	072	2011/02/22	< .000	2017/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/02/22	< .000	2017/02
TRICHLOROETHYLENE	39180	072	2011/02/22	< .000	2017/02
TRICHLOROFLUOROMETHANE	34488	072	2011/02/22	< .000	2017/02
VINYL CHLORIDE	39175	072	2011/02/22	< .000	2017/02
XYLENES (TOTAL)	81551	072	2011/02/22	< .000	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/10/27	. 250.000	2014/10
CALCIUM	00916	036	2011/10/27	. 49.000	2014/10
CARBONATE ALKALINITY	00445	036	2011/10/27	< .000	2014/10
CHLORIDE	00940	036	2011/10/27	. 3.300	2014/10
COLOR	00081	036	2011/10/27	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-008
Source Name: MAPLE WELL
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2011/10/27	< .000	2014/10
FOAMING AGENTS (MBAS)	38260	036	2011/10/27	< .000	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2011/10/27	. 190.000	2014/10
HYDROXIDE ALKALINITY	71830	036	2011/10/27	< .000	2014/10
IRON	01045	036	2011/10/27	< .000	2014/10
MAGNESIUM	00927	036	2011/10/27	. 19.000	2014/10
MANGANESE	01055	036	2011/10/27	< .000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/27	1.000	2014/10
PH, LABORATORY	00403	036	2011/10/27	. 7.900	2014/10
SILVER	01077	036	2011/10/27	< .000	2014/10
SODIUM	00929	036	2011/10/27	11.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/27	. 390.000	2014/10
SULFATE	00945	036	2011/10/27	8.700	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/27	. 230.000	2014/10
TURBIDITY, LABORATORY	82079	036	2011/10/27	. .100	2014/10
ZINC	01092	036	2011/10/27	< .000	2014/10

PS Code: 3610061-010
Source Name: LAKEWOOD WELL 07
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2011/10/21	< .000	2014/10
ANTIMONY	01097	036	2011/10/21	< .000	2014/10
ARSENIC	01002	036	2011/10/21	< .000	2014/10
BARIUM	01007	036	2011/10/21	< .000	2014/10
BERYLLIUM	01012	036	2011/10/21	< .000	2014/10
CADMIUM	01027	036	2011/10/21	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610061***

System Name: ***DWP - SUGARLOAF/ERWIN LAKE***

PS Code: ***3610061-010***

Source Name: ***LAKEWOOD WELL 07***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/10/21	< .000	2014/10	
CHROMIUM, HEXAVALENT	01032	036	2003/02/26	. 1.000	2006/02	DUE
CYANIDE	01291	036	2011/10/21	< .000	2014/10	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/10/21	. .200	2014/10	
MERCURY	71900	036	2011/10/21	< .000	2014/10	
NICKEL	01067	036	2011/10/21	< .000	2014/10	
PERCHLORATE	A-031	036	2011/10/21	< .000	2014/10	
SELENIUM	01147	036	2011/10/21	< .000	2014/10	
THALLIUM	01059	036	2011/10/21	< .000	2014/10	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/08	. 2.400	2014/10	
NITRITE (AS N)	00620	036	2011/10/21	< .000	2014/10	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2011/02/22	< .000	2020/02	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/02/22	< .000	2017/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/02/22	< .000	2017/02	
1,1,2-TRICHLOROETHANE	34511	072	2011/02/22	< .000	2017/02	
1,1-DICHLOROETHANE	34496	072	2011/02/22	< .000	2017/02	
1,1-DICHLOROETHYLENE	34501	072	2011/02/22	< .000	2017/02	
1,2,4-TRICHLOROBENZENE	34551	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROBENZENE	34536	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROETHANE	34531	072	2011/02/22	< .000	2017/02	
1,2-DICHLOROPROPANE	34541	072	2011/02/22	< .000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610061***

System Name: ***DWP - SUGARLOAF/ERWIN LAKE***

PS Code: ***3610061-010***

Source Name: ***LAKEWOOD WELL 07***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/02/22	**< .000**	2017/02
1,4-DICHLOROBENZENE	**34571**	**072**	2011/02/22	**< .000**	2017/02
BENZENE	**34030**	**072**	2011/02/22	**< .000**	2017/02
CARBON TETRACHLORIDE	**32102**	**072**	2011/02/22	**< .000**	2017/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/02/22	**< .000**	2017/02
DICHLOROMETHANE	**34423**	**072**	2011/02/22	**< .000**	2017/02
ETHYLBENZENE	**34371**	**072**	2011/02/22	**< .000**	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/19	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2011/02/22	**< .000**	2017/02
STYRENE	**77128**	**072**	2011/02/22	**< .000**	2017/02
TETRACHLOROETHYLENE	**34475**	**072**	2011/02/22	**< .000**	2017/02
TOLUENE	**34010**	**072**	2011/02/22	**< .000**	2017/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/02/22	**< .000**	2017/02
TRICHLOROETHYLENE	**39180**	**072**	2011/02/22	**< .000**	2017/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/02/22	**< .000**	2017/02
VINYL CHLORIDE	**39175**	**072**	2011/02/22	**< .000**	2017/02
XYLENES (TOTAL)	**81551**	**072**	2011/02/22	**< .000**	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/21	**. 200.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/21	**. 38.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/21	**< .000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/21	**. 4.400**	2014/10
COLOR	**00081**	**036**	2011/10/21	**< .000**	2014/10
COPPER	**01042**	**036**	2011/10/21	**< .000**	2014/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/10/21	**< .000**	2014/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/10/21	**. 170.000**	2014/10
HYDROXIDE ALKALINITY	**71830**	**036**	2011/10/21	**< .000**	2014/10
IRON	**01045**	**036**	2011/10/21	**< .000**	2014/10
MAGNESIUM	**00927**	**036**	2011/10/21	**. 18.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-010
Source Name: LAKEWOOD WELL 07
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MANGANESE	01055	036	2011/10/21	< .000	2014/10	
ODOR THRESHOLD @ 60 C	00086	036	2011/10/21	1.000	2014/10	
PH, LABORATORY	00403	036	2011/10/21	. 7.400	2014/10	
SILVER	01077	036	2011/10/21	< .000	2014/10	
SODIUM	00929	036	2011/10/21	9.200	2014/10	
SPECIFIC CONDUCTANCE	00095	036	2011/10/21	. 350.000	2014/10	
SULFATE	00945	036	2011/10/21	15.000	2014/10	
TOTAL DISSOLVED SOLIDS	70300	036	2011/10/21	. 210.000	2014/10	
TURBIDITY, LABORATORY	82079	036	2011/10/21	. .100	2014/10	
ZINC	01092	036	2011/10/21	< .000	2014/10	

PS Code: 3610061-011
Source Name: MAGNOLIA WELL
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/18	. 160.000	2016/06	
ANTIMONY	01097	036	2013/06/18	< .000	2016/06	
ARSENIC	01002	036	2013/06/18	< .000	2016/06	
BARIUM	01007	036	2013/06/18	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06	
CADMIUM	01027	036	2013/06/18	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2013/06/18	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	< .000	2016/06	
MERCURY	71900	036	2013/06/18	< .000	2016/06	
NICKEL	01067	036	2013/06/18	< .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-011
Source Name: MAGNOLIA WELL
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2013/11/26	< .000	2016/11	
SELENIUM	01147	036	2013/06/18	< .000	2016/06	
THALLIUM	01059	036	2013/06/18	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/10/08	< .000	2014/10	
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/02/14	< .000	2017/02	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENZO (A) PYRENE	34247	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/23	< .000	2017/02	
DIQUAT	78885	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/23	< .000	2017/02	
MOLINATE	82199	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/02/14	< .000	2020/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/02/14	< .000	2020/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/02/14	< .000	2020/02	
1,1,2-TRICHLOROETHANE	34511	072	2014/02/14	< .000	2020/02	
1,1-DICHLOROETHANE	34496	072	2014/02/14	< .000	2020/02	
1,1-DICHLOROETHYLENE	34501	072	2014/02/14	< .000	2020/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-011
Source Name: MAGNOLIA WELL
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2,4-TRICHLOROBENZENE	34551	072	2014/02/14	< .000	2020/02
1,2-DICHLOROBENZENE	34536	072	2014/02/14	< .000	2020/02
1,2-DICHLOROETHANE	34531	072	2014/02/14	< .000	2020/02
1,2-DICHLOROPROPANE	34541	072	2014/02/14	< .000	2020/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/02/14	< .000	2020/02
1,4-DICHLOROBENZENE	34571	072	2014/02/14	< .000	2020/02
BENZENE	34030	072	2014/02/14	< .000	2020/02
CARBON TETRACHLORIDE	32102	072	2014/02/14	< .000	2020/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/02/14	< .000	2020/02
DICHLOROMETHANE	34423	072	2014/02/14	< .000	2020/02
ETHYLBENZENE	34371	072	2014/02/14	< .000	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/19	< .000	2020/02
MONOCHLOROBENZENE	34301	072	2014/02/14	< .000	2020/02
STYRENE	77128	072	2014/02/14	< .000	2020/02
TETRACHLOROETHYLENE	34475	072	2014/02/14	< .000	2020/02
TOLUENE	34010	072	2014/02/14	< .000	2020/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/02/14	< .000	2020/02
TRICHLOROETHYLENE	39180	072	2014/02/14	< .000	2020/02
TRICHLOROFLUOROMETHANE	34488	072	2014/02/14	< .000	2020/02
VINYL CHLORIDE	39175	072	2014/02/14	< .000	2020/02
XYLENES (TOTAL)	81551	072	2014/02/14	< .000	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/18	. 240.000	2016/06
CALCIUM	00916	036	2013/06/18	. 62.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/18	< .000	2016/06
CHLORIDE	00940	036	2013/06/18	. 4.900	2016/06
COLOR	00081	036	2013/07/11	< .000	2016/07
COPPER	01042	036	2013/06/18	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

PS Code: 3610061-011
Source Name: MAGNOLIA WELL
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/18	. 200.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	< .000	2016/06
IRON	01045	036	2013/07/11	. 230.000	2016/07
MAGNESIUM	00927	036	2013/06/18	. 10.000	2016/06
MANGANESE	01055	036	2013/07/11	< .000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/11	1.000	2016/07
PH, LABORATORY	00403	036	2013/06/18	. 7.600	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	8.200	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 380.000	2016/06
SULFATE	00945	036	2013/06/18	.860	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 210.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/07/11	. .800	2016/07
ZINC	01092	036	2013/06/18	< .000	2016/06

PS Code: 3610061-012
Source Name: INTERTIE - MOONRIDGE
Source Number: 012
Source Status: PURCHASED TREATED
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610061-601						
Source Name: DBP2-HOLMES / MANZANITA						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610061-602						
Source Name: DBP2-OAK / WILLOW						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610061
System Name: DWP - SUGARLOAF/ERWIN LAKE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610061-602						
Source Name: DBP2-OAK / WILLOW						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610061-800						
Source Name: LAKEWOOD WELL 3 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610061-801						
Source Name: LAKEWOOD WELL 27 - TREATED (CL2)						
Source Number: 801						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610061***
System Name: ***DWP - SUGARLOAF/ERWIN LAKE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610061-802***					
Source Name: ***LAKEWOOD WELL 05 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610061-803***					
Source Name: ***LAKEWOOD WELL 07 - TREATED (CL2)***					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610061-804***					
Source Name: ***LAKEWOOD WELL 5-7 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610061-805***					
Source Name: ***MAPLE WELL - TREATED (CL2)***					
Source Number: ***805***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610062-003 **Source Name:** HORIZ WELL 04C **Source Number:** 003 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-004 **Source Name:** HORIZ WELL 04E **Source Number:** 004 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-008 **Source Name:** HORIZ WELL 04I **Source Number:** 008 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-009 **Source Name:** HORIZ WELL 04J **Source Number:** 009 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-011***

Source Name: ***LURING CANYON VERT WELL***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/11/23	< .000	2014/11	
ANTIMONY	01097	036	2011/11/23	< .000	2014/11	
ARSENIC	01002	036	2011/11/23	. 8.500	2014/11	
BARIUM	01007	036	2011/11/23	< .000	2014/11	
BERYLLIUM	01012	036	2011/11/23	< .000	2014/11	
CADMIUM	01027	036	2011/11/23	< .000	2014/11	
CHROMIUM (TOTAL)	01034	036	2011/11/23	< .000	2014/11	
CHROMIUM, HEXAVALENT	01032	036	**2001/12/12**	. .000	**2004/12**	**DUE**
CYANIDE	01291	036	2011/11/23	< .000	2014/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/11/23	. .130	2014/11	
MERCURY	71900	036	2011/11/23	< .000	2014/11	
NICKEL	01067	036	2011/11/23	< .000	2014/11	
PERCHLORATE	A-031	036	2011/11/23	< .000	2014/11	
SELENIUM	01147	036	2011/11/23	< .000	2014/11	
THALLIUM	01059	036	2011/11/23	< .000	2014/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/12/18	< .000	2014/12	
NITRITE (AS N)	00620	036	2011/11/23	< .000	2014/11	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/23	. 25.000	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/21	< .000	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/21	< .000	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/04/18	< .000	2018/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/04/18	< .000	2018/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/04/18	< .000	2018/04	
1,1,2-TRICHLOROETHANE	34511	072	2012/04/18	< .000	2018/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-011
Source Name: LURING CANYON VERT WELL
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/04/18	< .000	2018/04
1,1-DICHLOROETHYLENE	34501	072	2012/04/18	< .000	2018/04
1,2,4-TRICHLOROBENZENE	34551	072	2012/04/18	< .000	2018/04
1,2-DICHLOROBENZENE	34536	072	2012/04/18	< .000	2018/04
1,2-DICHLOROETHANE	34531	072	2012/04/18	< .000	2018/04
1,2-DICHLOROPROPANE	34541	072	2012/04/18	< .000	2018/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/04/18	< .000	2018/04
1,4-DICHLOROBENZENE	34571	072	2012/04/18	< .000	2018/04
BENZENE	34030	072	2012/04/18	< .000	2018/04
CARBON TETRACHLORIDE	32102	072	2012/04/18	< .000	2018/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/04/18	< .000	2018/04
DICHLOROMETHANE	34423	072	2012/04/18	< .000	2018/04
ETHYLBENZENE	34371	072	2012/04/18	< .000	2018/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/10/17	< .000	2018/10
MONOCHLOROBENZENE	34301	072	2012/04/18	< .000	2018/04
STYRENE	77128	072	2012/04/18	< .000	2018/04
TETRACHLOROETHYLENE	34475	072	2012/04/18	< .000	2018/04
TOLUENE	34010	072	2012/04/18	< .000	2018/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/04/18	< .000	2018/04
TRICHLOROETHYLENE	39180	072	2012/04/18	< .000	2018/04
TRICHLOROFLUOROMETHANE	34488	072	2012/04/18	< .000	2018/04
VINYL CHLORIDE	39175	072	2012/04/18	< .000	2018/04
XYLENES (TOTAL)	81551	072	2012/04/18	< .000	2018/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/11/23	. 200.000	2014/11
CALCIUM	00916	036	2012/07/05	. 36.000	2015/07
CARBONATE ALKALINITY	00445	036	2011/11/23	< .000	2014/11
CHLORIDE	00940	036	2011/11/23	. 17.000	2014/11
COLOR	00081	036	2013/07/10	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-011***

Source Name: ***LURING CANYON VERT WELL***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/11/23	< .000	2014/11
FOAMING AGENTS (MBAS)	38260	036	2011/11/23	< .000	2014/11
HARDNESS (TOTAL) AS CACO3	00900	036	2011/11/23	. 160.000	2014/11
HYDROXIDE ALKALINITY	71830	036	2011/11/23	< .000	2014/11
IRON	01045	036	2011/11/23	< .000	2014/11
MAGNESIUM	00927	036	2011/11/23	. 14.000	2014/11
MANGANESE	01055	036	2011/11/23	< .000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2013/07/10	. 1.000	2016/07
PH, LABORATORY	00403	036	2012/07/05	. 7.600	2015/07
SILVER	01077	036	2011/11/23	< .000	2014/11
SODIUM	00929	036	2011/11/23	15.000	2014/11
SPECIFIC CONDUCTANCE	00095	036	2012/07/05	. 370.000	2015/07
SULFATE	00945	036	2011/11/23	3.500	2014/11
TOTAL DISSOLVED SOLIDS	70300	036	2011/11/23	. 210.000	2014/11
TURBIDITY, LABORATORY	82079	036	2013/07/10	< .000	2016/07
ZINC	01092	036	2011/11/23	< .000	2014/11

PS Code: ***3610062-016***

Source Name: ***SIDEWINDER CYN VERTICAL 05***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-017
Source Name: SIDEWINDER VERTICAL WELL 01A
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610062-018
Source Name: SIDEWINDER VERTICAL WELL 03
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610062-019
Source Name: WEISS CANYON VERTICAL
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2011/11/02	< .000	2014/11	
ANTIMONY	01097	036	2011/11/02	< .000	2014/11	
ARSENIC	01002	036	2011/11/02	< .000	2014/11	
BARIUM	01007	036	2011/11/02	< .000	2014/11	
BERYLLIUM	01012	036	2011/11/02	< .000	2014/11	
CADMIUM	01027	036	2011/11/02	< .000	2014/11	
CHROMIUM (TOTAL)	01034	036	2011/11/02	< .000	2014/11	
CHROMIUM, HEXAVALENT	01032	036	2001/12/12	. .000	2004/12	DUE
CYANIDE	01291	036	2011/11/02	< .000	2014/11	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/11/02	. .190	2014/11	
MERCURY	71900	036	2011/11/02	< .000	2014/11	
NICKEL	01067	036	2011/11/02	< .000	2014/11	
PERCHLORATE	A-031	036	2011/11/02	< .000	2014/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-019***

Source Name: ***WEISS CANYON VERTICAL***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	**01147**	**036**	2011/11/02	**< .000**	2014/11	
THALLIUM	**01059**	**036**	2011/11/02	**< .000**	2014/11	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/11/20	**< .000**	2014/11	
NITRITE (AS N)	**00620**	**036**	2011/11/02	**< .000**	2014/11	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	**2011/02/23**	**< .000**	**2014/02**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/21	**< .000**	2014/12	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/21	**< .000**	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/11/25	**.000**	2015/11	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/11/25	**.000**	2015/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/11/25	**.000**	2015/11	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/11/25	**.000**	2015/11	
1,1-DICHLOROETHANE	**34496**	**072**	2009/11/25	**.000**	2015/11	
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/11/25	**.000**	2015/11	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/11/25	**.000**	2015/11	
1,2-DICHLOROBENZENE	**34536**	**072**	2009/11/25	**.000**	2015/11	
1,2-DICHLOROETHANE	**34531**	**072**	2009/11/25	**.000**	2015/11	
1,2-DICHLOROPROPANE	**34541**	**072**	2009/11/25	**.000**	2015/11	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/11/25	**.000**	2015/11	
1,4-DICHLOROBENZENE	**34571**	**072**	2009/11/25	**.000**	2015/11	
BENZENE	**34030**	**072**	2009/11/25	**.000**	2015/11	
CARBON TETRACHLORIDE	**32102**	**072**	2009/11/25	**.000**	2015/11	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/11/25	**.000**	2015/11	
DICHLOROMETHANE	**34423**	**072**	2009/11/25	**.000**	2015/11	
ETHYLBENZENE	**34371**	**072**	2009/11/25	**.000**	2015/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062

System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-019

Source Name: WEISS CANYON VERTICAL

Source Number: 019

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/10/17	< .000	2018/10
MONOCHLOROBENZENE	34301	072	2009/11/25	.000	2015/11
STYRENE	77128	072	2009/11/25	.000	2015/11
TETRACHLOROETHYLENE	34475	072	2009/11/25	.000	2015/11
TOLUENE	34010	072	2009/11/25	.000	2015/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/11/25	.000	2015/11
TRICHLOROETHYLENE	39180	072	2009/11/25	.000	2015/11
TRICHLOROFLUOROMETHANE	34488	072	2009/11/25	.000	2015/11
VINYL CHLORIDE	39175	072	2009/11/25	.000	2015/11
XYLENES (TOTAL)	81551	072	2009/11/25	.000	2015/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/11/02	. 69.000	2014/11
CALCIUM	00916	036	2014/07/02	. 15.000	2017/07
CARBONATE ALKALINITY	00445	036	2011/11/02	< .000	2014/11
CHLORIDE	00940	036	2011/11/02	. 14.000	2014/11
COLOR	00081	036	2013/11/06	< .000	2016/11
COPPER	01042	036	2011/11/02	< .000	2014/11
FOAMING AGENTS (MBAS)	38260	036	2011/11/02	< .000	2014/11
HARDNESS (TOTAL) AS CACO3	00900	036	2011/11/02	. 48.000	2014/11
HYDROXIDE ALKALINITY	71830	036	2011/11/02	< .000	2014/11
IRON	01045	036	2011/11/02	< .000	2014/11
MAGNESIUM	00927	036	2011/11/02	. 3.600	2014/11
MANGANESE	01055	036	2011/11/02	< .000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2013/11/06	1.000	2016/11
PH, LABORATORY	00403	036	2014/07/02	. 6.800	2017/07
SILVER	01077	036	2011/11/02	< .000	2014/11
SODIUM	00929	036	2011/11/02	14.000	2014/11
SPECIFIC CONDUCTANCE	00095	036	2014/07/02	. 170.000	2017/07
SULFATE	00945	036	2011/11/02	3.200	2014/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610062-019***						
Source Name: ***WEISS CANYON VERTICAL***						
Source Number: ***019***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/11/02	**. 92.000**	2014/11	
TURBIDITY, LABORATORY	**82079**	**036**	2013/11/06	**< .000**	2016/11	
ZINC	**01092**	**036**	2011/11/02	**< .000**	2014/11	
PS Code: ***3610062-022***						
Source Name: ***RIMWOOD VERTICAL #2 WELL***						
Source Number: ***022***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2013/05/29	**< .000**	2016/05	
ANTIMONY	**01097**	**036**	2013/05/29	**< .000**	2016/05	
ARSENIC	**01002**	**036**	2013/05/29	**< .000**	2016/05	
BARIUM	**01007**	**036**	2013/05/29	**< .000**	2016/05	
BERYLLIUM	**01012**	**036**	2013/05/29	**< .000**	2016/05	
CADMIUM	**01027**	**036**	2013/05/29	**< .000**	2016/05	
CHROMIUM (TOTAL)	**01034**	**036**	2013/05/29	**< .000**	2016/05	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2001/12/12**	**. .000**	**2004/12**	**DUE**
CYANIDE	**01291**	**036**	2013/05/29	**< .000**	2016/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/05/29	**< .000**	2016/05	
MERCURY	**71900**	**036**	2013/05/29	**< .000**	2016/05	
NICKEL	**01067**	**036**	2013/05/29	**< .000**	2016/05	
PERCHLORATE	**A-031**	**036**	2013/05/29	**< .000**	2016/05	
SELENIUM	**01147**	**036**	2013/05/29	**< .000**	2016/05	
THALLIUM	**01059**	**036**	2013/05/29	**< .000**	2016/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/03/12	**. 2.900**	2015/03	
NITRITE (AS N)	**00620**	**036**	2013/05/29	**< .000**	2016/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-022***

Source Name: ***RIMWOOD VERTICAL #2 WELL***

Source Number: ***022***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/28	**. 48.000**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/21	**< .000**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/21	**< .000**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/05/14	**< .000**	2020/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/05/14	**< .000**	2020/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/05/14	**< .000**	2020/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/05/14	**< .000**	2020/05
1,1-DICHLOROETHANE	**34496**	**072**	2014/05/14	**< .000**	2020/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/05/14	**< .000**	2020/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/05/14	**< .000**	2020/05
1,2-DICHLOROBENZENE	**34536**	**072**	2014/05/14	**< .000**	2020/05
1,2-DICHLOROETHANE	**34531**	**072**	2014/05/14	**< .000**	2020/05
1,2-DICHLOROPROPANE	**34541**	**072**	2014/05/14	**< .000**	2020/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/05/14	**< .000**	2020/05
1,4-DICHLOROBENZENE	**34571**	**072**	2014/05/14	**< .000**	2020/05
BENZENE	**34030**	**072**	2014/05/14	**< .000**	2020/05
CARBON TETRACHLORIDE	**32102**	**072**	2014/05/14	**< .000**	2020/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/05/14	**< .000**	2020/05
DICHLOROMETHANE	**34423**	**072**	2014/05/14	**< .000**	2020/05
ETHYLBENZENE	**34371**	**072**	2014/05/14	**< .000**	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/14	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2014/05/14	**< .000**	2020/05
STYRENE	**77128**	**072**	2014/05/14	**< .000**	2020/05
TETRACHLOROETHYLENE	**34475**	**072**	2014/05/14	**< .000**	2020/05
TOLUENE	**34010**	**072**	2014/05/14	**< .000**	2020/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/05/14	**< .000**	2020/05
TRICHLOROETHYLENE	**39180**	**072**	2014/05/14	**< .000**	2020/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-022
Source Name: RIMWOOD VERTICAL #2 WELL
Source Number: 022
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2014/05/14	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/14	< .000	2020/05
XYLENES (TOTAL)	81551	072	2014/05/14	< .000	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/05/29	. 69.000	2016/05
CALCIUM	00916	036	2014/05/14	. 25.000	2017/05
CARBONATE ALKALINITY	00445	036	2013/05/29	< .000	2016/05
CHLORIDE	00940	036	2013/05/29	. 8.600	2016/05
COLOR	00081	036	2013/05/29	< .000	2016/05
COPPER	01042	036	2013/05/29	< .000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/29	. .160	2016/05
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/29	. 52.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/29	< .000	2016/05
IRON	01045	036	2013/05/29	< .000	2016/05
MAGNESIUM	00927	036	2013/05/29	. 3.400	2016/05
MANGANESE	01055	036	2013/05/29	< .000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/29	1.000	2016/05
PH, LABORATORY	00403	036	2014/05/14	. 7.100	2017/05
SILVER	01077	036	2013/05/29	< .000	2016/05
SODIUM	00929	036	2013/05/29	11.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/14	. 320.000	2017/05
SULFATE	00945	036	2013/05/29	10.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/29	. 120.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/29	< .000	2016/05
ZINC	01092	036	2013/05/29	< .000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610062-024 **Source Name:** HORIZ WELL 86-7-12H **Source Number:** 024 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-025 **Source Name:** HORIZ WELL 86-7-14H **Source Number:** 025 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-026 **Source Name:** HORIZ WELL 86-7-10H **Source Number:** 026 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-027 **Source Name:** HORIZ WELL 86-7-11H **Source Number:** 027 **Source Status:** ACTIVE RAW **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610062-028						
Source Name: HORIZ WELL 86-7-13H						
Source Number: 028						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610062-029						
Source Name: HORIZ WELL 04D						
Source Number: 029						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610062-031						
Source Name: OWL ROCK VERTICAL WELL						
Source Number: 031						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/08/10	< .000	2014/08	
ANTIMONY	01097	036	2011/08/10	< .000	2014/08	
ARSENIC	01002	036	2011/08/10	< .000	2014/08	
BARIUM	01007	036	2011/08/10	< .000	2014/08	
BERYLLIUM	01012	036	2011/08/10	< .000	2014/08	
CADMIUM	01027	036	2011/08/10	< .000	2014/08	
CHROMIUM (TOTAL)	01034	036	2011/08/10	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	036	2001/12/12	. .000	2004/12	DUE
CYANIDE	01291	036	2011/08/10	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/08/10	< .000	2014/08	
MERCURY	71900	036	2011/08/10	< .000	2014/08	
NICKEL	01067	036	2011/08/10	< .000	2014/08	
PERCHLORATE	A-031	036	2011/08/10	< .000	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-031
Source Name: OWL ROCK VERTICAL WELL
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2011/08/10	< .000	2014/08
THALLIUM	01059	036	2011/08/10	< .000	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/08/14	. 4.700	2014/08
NITRITE (AS N)	00620	036	2011/08/10	< .000	2014/08
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/06/20	< .000	2015/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/21	< .000	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/21	< .000	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/08/12	.000	2015/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/08/12	.000	2015/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/08/12	.000	2015/08
1,1,2-TRICHLOROETHANE	34511	072	2009/08/12	.000	2015/08
1,1-DICHLOROETHANE	34496	072	2009/08/12	.000	2015/08
1,1-DICHLOROETHYLENE	34501	072	2009/08/12	.000	2015/08
1,2,4-TRICHLOROBENZENE	34551	072	2009/08/12	.000	2015/08
1,2-DICHLOROBENZENE	34536	072	2009/08/12	.000	2015/08
1,2-DICHLOROETHANE	34531	072	2009/08/12	.000	2015/08
1,2-DICHLOROPROPANE	34541	072	2009/08/12	.000	2015/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/08/12	.000	2015/08
1,4-DICHLOROBENZENE	34571	072	2009/08/12	.000	2015/08
BENZENE	34030	072	2009/08/12	.000	2015/08
CARBON TETRACHLORIDE	32102	072	2009/08/12	.000	2015/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/08/12	.000	2015/08
DICHLOROMETHANE	34423	072	2009/08/12	.000	2015/08
ETHYLBENZENE	34371	072	2009/08/12	.000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-031***

Source Name: ***OWL ROCK VERTICAL WELL***

Source Number: ***031***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/10/17	**< .000**	2018/10
MONOCHLOROBENZENE	**34301**	**072**	2009/08/12	**.000**	2015/08
STYRENE	**77128**	**072**	2009/08/12	**.000**	2015/08
TETRACHLOROETHYLENE	**34475**	**072**	2009/08/12	**.000**	2015/08
TOLUENE	**34010**	**072**	2009/08/12	**.000**	2015/08
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/08/12	**.000**	2015/08
TRICHLOROETHYLENE	**39180**	**072**	2009/08/12	**.000**	2015/08
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/08/12	**.000**	2015/08
VINYL CHLORIDE	**39175**	**072**	2009/08/12	**.000**	2015/08
XYLENES (TOTAL)	**81551**	**072**	2009/08/12	**.000**	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/08/10	**. 74.000**	2014/08
CALCIUM	**00916**	**036**	2011/08/10	**. 24.000**	2014/08
CARBONATE ALKALINITY	**00445**	**036**	2011/08/10	**< .000**	2014/08
CHLORIDE	**00940**	**036**	2011/08/10	**. 14.000**	2014/08
COLOR	**00081**	**036**	2011/08/10	**< .000**	2014/08
COPPER	**01042**	**036**	2011/08/10	**< .000**	2014/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/08/10	**. .220**	2014/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/08/10	**. 72.000**	2014/08
HYDROXIDE ALKALINITY	**71830**	**036**	2011/08/10	**< .000**	2014/08
IRON	**01045**	**036**	2011/08/10	**< .000**	2014/08
MAGNESIUM	**00927**	**036**	2011/08/10	**. 5.800**	2014/08
MANGANESE	**01055**	**036**	2011/08/10	**< .000**	2014/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/08/10	**1.000**	2014/08
PH, LABORATORY	**00403**	**036**	2011/08/10	**. 7.700**	2014/08
SILVER	**01077**	**036**	2011/08/10	**< .000**	2014/08
SODIUM	**00929**	**036**	2011/08/10	**7.800**	2014/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/08/10	**. 190.000**	2014/08
SULFATE	**00945**	**036**	2011/08/10	**3.600**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610062-031					
Source Name: OWL ROCK VERTICAL WELL					
Source Number: 031					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/10	. 110.000	2014/08
TURBIDITY, LABORATORY	82079	036	2011/08/10	. .400	2014/08
ZINC	01092	036	2011/08/10	< .000	2014/08
PS Code: 3610062-032					
Source Name: HORIZ WELL 96-5-15H					
Source Number: 032					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-033					
Source Name: HORIZ WELL 96-6-16H					
Source Number: 033					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-034					
Source Name: LURING PINES WELL					
Source Number: 034					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/02/08	< .000	2015/02
ANTIMONY	01097	036	2012/02/08	< .000	2015/02
ARSENIC	01002	036	2012/02/08	< .000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-034***

Source Name: ***LURING PINES WELL***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
BARIUM	01007	036	2012/02/08	< .000	2015/02	
BERYLLIUM	01012	036	2012/02/08	< .000	2015/02	
CADMIUM	01027	036	2012/02/08	< .000	2015/02	
CHROMIUM (TOTAL)	01034	036	2012/02/08	< .000	2015/02	
CHROMIUM, HEXAVALENT	01032	036	2001/12/12	. .000	2004/12	DUE
CYANIDE	01291	036	2012/02/08	< .000	2015/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/08	< .000	2015/02	
MERCURY	71900	036	2012/02/08	< .000	2015/02	
NICKEL	01067	036	2012/02/08	< .000	2015/02	
PERCHLORATE	A-031	036	2012/02/08	< .000	2015/02	
SELENIUM	01147	036	2012/02/08	< .000	2015/02	
THALLIUM	01059	036	2012/02/08	< .000	2015/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 6.700	2015/02	
NITRITE (AS N)	00620	036	2012/02/08	< .000	2015/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/07	. 32.000	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/21	< .000	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/21	< .000	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/12/16	.000	2015/12	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/12/16	.000	2015/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/12/16	.000	2015/12	
1,1,2-TRICHLOROETHANE	34511	072	2009/12/16	.000	2015/12	
1,1-DICHLOROETHANE	34496	072	2009/12/16	.000	2015/12	
1,1-DICHLOROETHYLENE	34501	072	2009/12/16	.000	2015/12	
1,2,4-TRICHLOROBENZENE	34551	072	2009/12/16	.000	2015/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-034***

Source Name: ***LURING PINES WELL***

Source Number: ***034***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	**34536**	**072**	2009/12/16	**.000**	2015/12
1,2-DICHLOROETHANE	**34531**	**072**	2009/12/16	**.000**	2015/12
1,2-DICHLOROPROPANE	**34541**	**072**	2009/12/16	**.000**	2015/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/12/16	**.000**	2015/12
1,4-DICHLOROBENZENE	**34571**	**072**	2009/12/16	**.000**	2015/12
BENZENE	**34030**	**072**	2009/12/16	**.000**	2015/12
CARBON TETRACHLORIDE	**32102**	**072**	2009/12/16	**.000**	2015/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/12/16	**.000**	2015/12
DICHLOROMETHANE	**34423**	**072**	2009/12/16	**.000**	2015/12
ETHYLBENZENE	**34371**	**072**	2009/12/16	**.000**	2015/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/10/17	**< .000**	2018/10
MONOCHLOROBENZENE	**34301**	**072**	2009/12/16	**.000**	2015/12
STYRENE	**77128**	**072**	2009/12/16	**.000**	2015/12
TETRACHLOROETHYLENE	**34475**	**072**	2009/12/16	**.000**	2015/12
TOLUENE	**34010**	**072**	2009/12/16	**.000**	2015/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/12/16	**.000**	2015/12
TRICHLOROETHYLENE	**39180**	**072**	2009/12/16	**.000**	2015/12
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/12/16	**.000**	2015/12
VINYL CHLORIDE	**39175**	**072**	2009/12/16	**.000**	2015/12
XYLENES (TOTAL)	**81551**	**072**	2009/12/16	**.000**	2015/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/02/08	**. 200.000**	2015/02
CALCIUM	**00916**	**036**	2012/02/08	**. 44.000**	2015/02
CARBONATE ALKALINITY	**00445**	**036**	2012/02/08	**< .000**	2015/02
CHLORIDE	**00940**	**036**	2012/02/08	**. 15.000**	2015/02
COLOR	**00081**	**036**	2012/02/08	**< .000**	2015/02
COPPER	**01042**	**036**	2012/02/08	**< .000**	2015/02
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/02/08	**< .000**	2015/02
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/02/08	**. 160.000**	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-034
Source Name: LURING PINES WELL
Source Number: 034
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HYDROXIDE ALKALINITY	71830	036	2012/02/08	< .000	2015/02
IRON	01045	036	2012/02/08	< .000	2015/02
MAGNESIUM	00927	036	2012/02/08	. 13.000	2015/02
MANGANESE	01055	036	2012/02/08	< .000	2015/02
ODOR THRESHOLD @ 60 C	00086	036	2012/02/08	1.000	2015/02
PH, LABORATORY	00403	036	2012/02/08	. 7.800	2015/02
SILVER	01077	036	2012/02/08	< .000	2015/02
SODIUM	00929	036	2012/02/08	13.000	2015/02
SPECIFIC CONDUCTANCE	00095	036	2012/02/08	. 370.000	2015/02
SULFATE	00945	036	2012/02/08	.620	2015/02
TOTAL DISSOLVED SOLIDS	70300	036	2012/02/08	. 220.000	2015/02
TURBIDITY, LABORATORY	82079	036	2012/02/08	< .000	2015/02
ZINC	01092	036	2012/02/08	< .000	2015/02

PS Code: 3610062-038T
Source Name: HARRIS VERTICAL WELL - TREATED
Source Number: 038
Source Status: ACTIVE TREATED
Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

PS Code: 3610062-042
Source Name: HORIZ WELL 99-6-20H
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	999	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-043
Source Name: HORIZ WELL 99-7-21H
Source Number: 043
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610062-044
Source Name: SIDEWINDER CYN ENTRY POINT
Source Number: 044
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/12	< .000	2016/06	
ANTIMONY	01097	036	2013/06/12	< .000	2016/06	
ARSENIC	01002	036	2013/06/12	< .000	2016/06	
BARIUM	01007	036	2013/06/12	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/12	< .000	2016/06	
CADMIUM	01027	036	2013/06/12	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/12	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2013/06/12	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/12	. .120	2016/06	
MERCURY	71900	036	2013/06/12	< .000	2016/06	
NICKEL	01067	036	2013/06/12	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/12	< .000	2016/06	
SELENIUM	01147	036	2013/06/12	< .000	2016/06	
THALLIUM	01059	036	2013/06/12	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/11	< .000	2015/06	
NITRITE (AS N)	00620	036	2013/06/12	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/14	. 9.400	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-044***

Source Name: ***SIDEWINDER CYN ENTRY POINT***

Source Number: ***044***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/21	< .000	2014/12
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/21	< .000	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/04/08	.000	2015/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/04/08	.000	2015/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/04/08	.000	2015/04
1,1,2-TRICHLOROETHANE	34511	072	2009/04/08	.000	2015/04
1,1-DICHLOROETHANE	34496	072	2009/04/08	.000	2015/04
1,1-DICHLOROETHYLENE	34501	072	2009/04/08	.000	2015/04
1,2,4-TRICHLOROBENZENE	34551	072	2009/04/08	.000	2015/04
1,2-DICHLOROBENZENE	34536	072	2009/04/08	.000	2015/04
1,2-DICHLOROETHANE	34531	072	2009/04/08	.000	2015/04
1,2-DICHLOROPROPANE	34541	072	2009/04/08	.000	2015/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/04/08	.000	2015/04
1,4-DICHLOROBENZENE	34571	072	2009/04/08	.000	2015/04
BENZENE	34030	072	2009/04/08	.000	2015/04
CARBON TETRACHLORIDE	32102	072	2009/04/08	.000	2015/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/04/08	.000	2015/04
DICHLOROMETHANE	34423	072	2009/04/08	.000	2015/04
ETHYLBENZENE	34371	072	2009/04/08	.000	2015/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/10/17	< .000	2018/10
MONOCHLOROBENZENE	34301	072	2009/04/08	.000	2015/04
STYRENE	77128	072	2009/04/08	.000	2015/04
TETRACHLOROETHYLENE	34475	072	2009/04/08	.000	2015/04
TOLUENE	34010	072	2009/04/08	.000	2015/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/04/08	.000	2015/04
TRICHLOROETHYLENE	39180	072	2009/04/08	.000	2015/04
TRICHLOROFLUOROMETHANE	34488	072	2009/04/08	.000	2015/04
VINYL CHLORIDE	39175	072	2009/04/08	.000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-044***

Source Name: ***SIDEWINDER CYN ENTRY POINT***

Source Number: ***044***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2009/04/08	**.000**	2015/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/12	**. 130.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/12	**. 26.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/12	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/12	**. 11.000**	2016/06
COLOR	**00081**	**036**	2013/06/12	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/12	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/12	**. .140**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/12	**. 91.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/12	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/12	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/12	**. 6.200**	2016/06
MANGANESE	**01055**	**036**	2013/06/12	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/12	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/12	**. 7.700**	2016/06
SILVER	**01077**	**036**	2013/06/12	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/12	**16.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/12	**. 240.000**	2016/06
SULFATE	**00945**	**036**	2013/06/12	**4.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/12	**. 140.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/12	**< .000**	2016/06
ZINC	**01092**	**036**	2013/06/12	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610062-045					
Source Name: PURCHASED - ARROWBEAR CWD					
Source Number: 045					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-046					
Source Name: PURCHASED - CLAWA					
Source Number: 046					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-047T					
Source Name: WEISS CANYON TREATED (SODA INJECTION)					
Source Number: 047					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-048T					
Source Name: RIMWOOD VERTICAL 2 WELL TREATED SODA/IX					
Source Number: 048					
Source Status: ACTIVE TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-049T
Source Name: LURING PINES WELL URANIUM IX EFF
Source Number: 049
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999					

PS Code: 3610062-101
Source Name: DISTRICT COMPLEX VERTICAL WELL
Source Number: 101
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2009/12/09		.000	2012/12	DUE
ANTIMONY	01097	036	2009/12/09		.000	2012/12	DUE
ARSENIC	01002	036	2009/12/09		.000	2012/12	DUE
BARIUM	01007	036	2009/12/09		.000	2012/12	DUE
BERYLLIUM	01012	036	2009/12/09		.000	2012/12	DUE
CADMIUM	01027	036	2009/12/09		.000	2012/12	DUE
CHROMIUM (TOTAL)	01034	036	2009/12/09		.000	2012/12	DUE
CHROMIUM, HEXAVALENT	01032	036	2001/12/12	.	.000	2004/12	DUE
CYANIDE	01291	036	2009/12/09		.000	2012/12	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/12/09		.120	2012/12	DUE
MERCURY	71900	036	2009/12/09		.000	2012/12	DUE
NICKEL	01067	036	2009/12/09		.000	2012/12	DUE
PERCHLORATE	A-031	036	2009/12/09		.000	2012/12	DUE
SELENIUM	01147	036	2009/12/09		.000	2012/12	DUE
THALLIUM	01059	036	2009/12/09		.000	2012/12	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/02/12	<	.000	2015/02	
NITRITE (AS N)	00620	036	2009/12/09		.000	2012/12	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/07/16	.	8.100	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-101***

Source Name: ***DISTRICT COMPLEX VERTICAL WELL***

Source Number: ***101***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/12/21	**< .000**	2014/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/12/21	**< .000**	2014/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/01/19	**< .000**	2017/01
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/01/19	**< .000**	2017/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/01/19	**< .000**	2017/01
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/01/19	**< .000**	2017/01
1,1-DICHLOROETHANE	**34496**	**072**	2011/01/19	**< .000**	2017/01
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/01/19	**< .000**	2017/01
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/01/19	**< .000**	2017/01
1,2-DICHLOROBENZENE	**34536**	**072**	2011/01/19	**< .000**	2017/01
1,2-DICHLOROETHANE	**34531**	**072**	2011/01/19	**< .000**	2017/01
1,2-DICHLOROPROPANE	**34541**	**072**	2011/01/19	**< .000**	2017/01
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/01/19	**< .000**	2017/01
1,4-DICHLOROBENZENE	**34571**	**072**	2011/01/19	**< .000**	2017/01
BENZENE	**34030**	**072**	2011/01/19	**< .000**	2017/01
CARBON TETRACHLORIDE	**32102**	**072**	2011/01/19	**< .000**	2017/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/01/19	**< .000**	2017/01
DICHLOROMETHANE	**34423**	**072**	2011/01/19	**< .000**	2017/01
ETHYLBENZENE	**34371**	**072**	2011/01/19	**< .000**	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/10/17	**< .000**	2018/10
MONOCHLOROBENZENE	**34301**	**072**	2011/01/19	**< .000**	2017/01
STYRENE	**77128**	**072**	2011/01/19	**< .000**	2017/01
TETRACHLOROETHYLENE	**34475**	**072**	2011/01/19	**< .000**	2017/01
TOLUENE	**34010**	**072**	2011/01/19	**< .000**	2017/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/01/19	**< .000**	2017/01
TRICHLOROETHYLENE	**39180**	**072**	2011/01/19	**< .000**	2017/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/01/19	**< .000**	2017/01
VINYL CHLORIDE	**39175**	**072**	2011/01/19	**< .000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

PS Code: ***3610062-101***

Source Name: ***DISTRICT COMPLEX VERTICAL WELL***

Source Number: ***101***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
XYLENES (TOTAL)	81551	072	2011/01/19	<	.000	2017/01	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2009/12/09		190.000	2012/12	DUE
CALCIUM	00916	036	2013/06/05	.	50.000	2016/06	
CARBONATE ALKALINITY	00445	036	2009/12/09		.000	2012/12	DUE
CHLORIDE	00940	036	2009/12/09		35.000	2012/12	DUE
COLOR	00081	036	2006/12/20		.000	2009/12	DUE
COPPER	01042	036	2009/12/09		.000	2012/12	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/12/09		.000	2012/12	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/12/09		170.000	2012/12	DUE
HYDROXIDE ALKALINITY	71830	036	2009/12/09		.000	2012/12	DUE
IRON	01045	036	2009/12/09		.000	2012/12	DUE
MAGNESIUM	00927	036	2009/12/09		15.000	2012/12	DUE
MANGANESE	01055	036	2009/12/09		.000	2012/12	DUE
ODOR THRESHOLD @ 60 C	00086	036	2006/12/20		1.000	2009/12	DUE
PH, LABORATORY	00403	036	2013/06/05	.	7.900	2016/06	
SILVER	01077	036	2009/12/09		.000	2012/12	DUE
SODIUM	00929	036	2009/12/09		22.000	2012/12	DUE
SPECIFIC CONDUCTANCE	00095	036	2013/06/05	.	470.000	2016/06	
SULFATE	00945	036	2009/12/09		7.300	2012/12	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/12/09		260.000	2012/12	DUE
TURBIDITY, LABORATORY	82079	036	2006/12/20		.200	2009/12	DUE
ZINC	01092	036	2009/12/09		94.000	2012/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-102T
Source Name: LURING CANYON VERT WELL - TREATED EFF
Source Number: 102
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610062-103
Source Name: HORIZ WELL 98-9-17H
Source Number: 103
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610062-104
Source Name: HORIZ WELL 98-9-18H
Source Number: 104
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610062-105
Source Name: HARRIS VERTICAL WELL
Source Number: 105
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/01/08	< .000	2017/01
ANTIMONY	01097	036	2014/01/08	< .000	2017/01
ARSENIC	01002	036	2014/01/08	< .000	2017/01
BARIUM	01007	036	2014/01/08	< .000	2017/01
BERYLLIUM	01012	036	2014/01/08	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-105
Source Name: HARRIS VERTICAL WELL
Source Number: 105
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/01/08	< .000	2017/01	
CHROMIUM (TOTAL)	01034	036	2014/01/08	< .000	2017/01	
CHROMIUM, HEXAVALENT	01032	036	2001/12/12	. .000	2004/12	DUE
CYANIDE	01291	036	2014/01/08	< .000	2017/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/08	< .000	2017/01	
MERCURY	71900	036	2014/01/08	< .000	2017/01	
NICKEL	01067	036	2014/01/08	< .000	2017/01	
PERCHLORATE	A-031	036	2014/01/08	< .000	2017/01	
SELENIUM	01147	036	2014/01/08	< .000	2017/01	
THALLIUM	01059	036	2014/01/08	< .000	2017/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/08	. 6.700	2015/01	
NITRITE (AS N)	00620	036	2014/01/08	< .000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/09	. 12.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/12/21	< .000	2014/12	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/12/21	< .000	2014/12	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/12	< .000	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/12	< .000	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/12	< .000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/12	< .000	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/12	< .000	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/12	< .000	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/12	< .000	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/12	< .000	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/12	< .000	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-105
Source Name: HARRIS VERTICAL WELL
Source Number: 105
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2011/01/12	< .000	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/12	< .000	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/12	< .000	2017/01
BENZENE	34030	072	2011/01/12	< .000	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/12	< .000	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/12	< .000	2017/01
DICHLOROMETHANE	34423	072	2011/01/12	< .000	2017/01
ETHYLBENZENE	34371	072	2011/01/12	< .000	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/10/17	< .000	2018/10
MONOCHLOROBENZENE	34301	072	2011/01/12	< .000	2017/01
STYRENE	77128	072	2011/01/12	< .000	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/12	< .000	2017/01
TOLUENE	34010	072	2011/01/12	< .000	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/12	< .000	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/12	< .000	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/12	< .000	2017/01
VINYL CHLORIDE	39175	072	2011/01/12	< .000	2017/01
XYLENES (TOTAL)	81551	072	2011/01/12	< .000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/01/08	. 160.000	2017/01
CALCIUM	00916	036	2014/01/08	. 39.000	2017/01
CARBONATE ALKALINITY	00445	036	2014/01/08	< .000	2017/01
CHLORIDE	00940	036	2014/01/08	. 32.000	2017/01
COLOR	00081	036	2014/01/08	< .000	2017/01
COPPER	01042	036	2014/01/08	< .000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2014/01/08	< .000	2017/01
HARDNESS (TOTAL) AS CACO3	00900	036	2014/01/08	. 160.000	2017/01
HYDROXIDE ALKALINITY	71830	036	2014/01/08	< .000	2017/01
IRON	01045	036	2014/01/08	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

PS Code: 3610062-105
Source Name: HARRIS VERTICAL WELL
Source Number: 105
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	036	2014/01/08	. 16.000	2017/01
MANGANESE	01055	036	2014/01/08	< .000	2017/01
ODOR THRESHOLD @ 60 C	00086	036	2014/01/08	. 1.000	2017/01
PH, LABORATORY	00403	036	2014/01/08	. 7.500	2017/01
SILVER	01077	036	2014/01/08	< .000	2017/01
SODIUM	00929	036	2014/01/08	. 10.000	2017/01
SPECIFIC CONDUCTANCE	00095	036	2014/01/08	. 380.000	2017/01
SULFATE	00945	036	2014/01/08	. 3.300	2017/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/01/08	. 240.000	2017/01
TURBIDITY, LABORATORY	82079	036	2014/01/08	. .500	2017/01
ZINC	01092	036	2014/01/08	< .000	2017/01

PS Code: 3610062-601
Source Name: DBP2-30137 PIXIE DR
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: S

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/21	. 4.400	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/21	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/21	. 4.400	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/21	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/21	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/21	< .000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/21	. 3.200	2014/08
BROMOFORM (THM)	32104	003	2014/05/21	. 16.700	2014/08
CHLOROFORM (THM)	32106	003	2014/05/21	. 1.300	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/21	. 8.100	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610062***

System Name: ***RUNNING SPRINGS WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610062-601***					
Source Name: ***DBP2-30137 PIXIE DR***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/21	. **29.300**	2014/08
PS Code: ***3610062-602***					
Source Name: ***DBP2-30029 ENCHANTED WAY***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/21	. **4.400**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/21	< **.000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/21	. **4.400**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/21	< **.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/21	< **.000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/21	< **.000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/21	. **3.500**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/21	. **19.500**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/21	. **1.300**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/21	. **8.700**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/21	. **33.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610062
System Name: RUNNING SPRINGS WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610062-800					
Source Name: OWL ROCK VERTICAL WELL - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610062-801					
Source Name: DISTRICT COMPLEX VERTICAL WELL - TREATED					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610063***

System Name: ***GOLDEN STATE WATER CO - MORONGO DEL SUR***

PS Code: ***3610063-004***

Source Name: ***YEAGER NO 3***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/12/26	< 50.000	2016/12	
ANTIMONY	01097	036	2013/12/26	< 6.000	2016/12	
ARSENIC	01002	036	2013/12/26	< 2.000	2016/12	
BARIUM	01007	036	2013/12/26	< 100.000	2016/12	
BERYLLIUM	01012	036	2013/12/26	< 1.000	2016/12	
CADMIUM	01027	036	2013/12/26	< 1.000	2016/12	
CHROMIUM (TOTAL)	01034	036	2013/12/26	< 10.000	2016/12	
CHROMIUM, HEXAVALENT	01032	036	2008/02/05	4.100	2011/02	DUE
CYANIDE	01291	036	2013/12/26	< 100.000	2016/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/26	. .640	2016/12	
MERCURY	71900	036	2013/12/26	< 1.000	2016/12	
NICKEL	01067	036	2013/12/26	< 10.000	2016/12	
PERCHLORATE	A-031	036	2008/02/05	< 4.000	2011/02	DUE
SELENIUM	01147	036	2013/12/26	< 5.000	2016/12	
THALLIUM	01059	036	2013/12/26	< 1.000	2016/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 2.600	2015/02	
NITRITE (AS N)	00620	036	2013/12/26	< 400.000	2016/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/05/07	21.600	2016/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/02/05	< .010	2011/02	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/02/05	< .020	2011/02	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/02/05	< .500	2014/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/02/05	< .500	2014/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/02/05	< 10.000	2014/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/02/05	< .500	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-004
Source Name: YEAGER NO 3
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2008/02/05	< .500	2014/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/02/05	< .500	2014/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/02/05	< .500	2014/02	DUE
1,2-DICHLOROBENZENE	34536	072	2008/02/05	< .500	2014/02	DUE
1,2-DICHLOROETHANE	34531	072	2008/02/05	< .500	2014/02	DUE
1,2-DICHLOROPROPANE	34541	072	2008/02/05	< .500	2014/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/02/05	< .500	2014/02	DUE
1,4-DICHLOROBENZENE	34571	072	2008/02/05	< .500	2014/02	DUE
BENZENE	34030	072	2008/02/05	< .500	2014/02	DUE
CARBON TETRACHLORIDE	32102	072	2008/02/05	< .500	2014/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/02/05	< .500	2014/02	DUE
DICHLOROMETHANE	34423	072	2008/02/05	< .500	2014/02	DUE
ETHYLBENZENE	34371	072	2008/02/05	< .500	2014/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/02/05	< 3.000	2014/02	DUE
MONOCHLOROBENZENE	34301	072	2008/02/05	< .500	2014/02	DUE
STYRENE	77128	072	2008/02/05	< .500	2014/02	DUE
TETRACHLOROETHYLENE	34475	072	2008/02/05	< .500	2014/02	DUE
TOLUENE	34010	072	2008/02/05	< .500	2014/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/10/06	.000	2009/10	DUE
TRICHLOROETHYLENE	39180	072	2008/02/05	< .500	2014/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/02/05	< 5.000	2014/02	DUE
VINYL CHLORIDE	39175	072	2008/02/05	< .500	2014/02	DUE
XYLENES (TOTAL)	81551	072	2008/02/05	< 1.000	2014/02	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2013/12/26	. 320.000	2016/12	
CALCIUM	00916	036	2013/12/26	. 74.000	2016/12	
CARBONATE ALKALINITY	00445	036	2013/12/26	< 2.400	2016/12	
CHLORIDE	00940	036	2013/12/26	. 13.000	2016/12	
COLOR	00081	036	2013/12/26	< 1.000	2016/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-004
Source Name: YEAGER NO 3
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/12/26	<	50.000		2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/26	<	.100		2016/12
HARDNESS (TOTAL) AS CACO3	00900	036	2013/12/26	.	250.000		2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/26	<	1.400		2016/12
IRON	01045	036	2013/12/26	<	100.000		2016/12
MAGNESIUM	00927	036	2013/12/26	.	17.000		2016/12
MANGANESE	01055	036	2013/12/26	<	20.000		2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/26	<	1.000		2016/12
PH, LABORATORY	00403	036	2013/12/26	.	7.760		2016/12
SILVER	01077	036	2013/12/26	<	10.000		2016/12
SODIUM	00929	036	2013/12/26		54.000		2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/26	.	700.000		2016/12
SULFATE	00945	036	2013/12/26		130.000		2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/26	.	470.000		2016/12
TURBIDITY, LABORATORY	82079	036	2013/12/26	.	.250		2016/12
ZINC	01092	036	2013/12/26	<	50.000		2016/12

PS Code: 3610063-006
Source Name: YEAGER NO 2
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/12/26	<	50.000		2016/12
ANTIMONY	01097	036	2013/12/26	<	6.000		2016/12
ARSENIC	01002	036	2013/12/26	<	2.000		2016/12
BARIUM	01007	036	2013/12/26	<	100.000		2016/12
BERYLLIUM	01012	036	2013/12/26	<	1.000		2016/12
CADMIUM	01027	036	2013/12/26	<	1.000		2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-006
Source Name: YEAGER NO 2
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/12/26	< 10.000	2016/12	
CHROMIUM, HEXAVALENT	01032	036	2008/02/26	4.900	2011/02	DUE
CYANIDE	01291	036	2013/12/26	< 100.000	2016/12	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/26	. .640	2016/12	
MERCURY	71900	036	2013/12/26	< 1.000	2016/12	
NICKEL	01067	036	2013/12/26	< 10.000	2016/12	
PERCHLORATE	A-031	036	2008/02/26	< 4.000	2011/02	DUE
SELENIUM	01147	036	2013/12/26	< 5.000	2016/12	
THALLIUM	01059	036	2013/12/26	< 1.000	2016/12	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	< 2.000	2015/02	
NITRITE (AS N)	00620	036	2013/12/26	< 400.000	2016/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/05/07	25.700	2016/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/02/26	< .010	2011/02	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/02/26	< .020	2011/02	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/02/26	< .500	2014/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/02/26	< .500	2014/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/02/26	< 10.000	2014/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/02/26	< .500	2014/02	DUE
1,1-DICHLOROETHANE	34496	072	2008/02/26	< .500	2014/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/02/26	< .500	2014/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/02/26	< .500	2014/02	DUE
1,2-DICHLOROBENZENE	34536	072	2008/02/26	< .500	2014/02	DUE
1,2-DICHLOROETHANE	34531	072	2008/02/26	< .500	2014/02	DUE
1,2-DICHLOROPROPANE	34541	072	2008/02/26	< .500	2014/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-006
Source Name: YEAGER NO 2
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/02/26	< .500	2014/02	DUE
1,4-DICHLOROBENZENE	34571	072	2008/02/26	< .500	2014/02	DUE
BENZENE	34030	072	2008/02/26	< .500	2014/02	DUE
CARBON TETRACHLORIDE	32102	072	2008/02/26	< .500	2014/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/02/26	< .500	2014/02	DUE
DICHLOROMETHANE	34423	072	2008/02/26	< .500	2014/02	DUE
ETHYLBENZENE	34371	072	2008/02/26	< .500	2014/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/02/26	< 3.000	2014/02	DUE
MONOCHLOROBENZENE	34301	072	2008/02/26	< .500	2014/02	DUE
STYRENE	77128	072	2008/02/26	< .500	2014/02	DUE
TETRACHLOROETHYLENE	34475	072	2008/02/26	< .500	2014/02	DUE
TOLUENE	34010	072	2008/02/26	< .500	2014/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/02/26	< .500	2014/02	DUE
TRICHLOROETHYLENE	39180	072	2008/02/26	< .500	2014/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/02/26	< 5.000	2014/02	DUE
VINYL CHLORIDE	39175	072	2008/02/26	< .500	2014/02	DUE
XYLENES (TOTAL)	81551	072	2008/02/26	< 1.000	2014/02	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2013/12/26	. 310.000	2016/12	
CALCIUM	00916	036	2013/12/26	. 72.000	2016/12	
CARBONATE ALKALINITY	00445	036	2013/12/26	< 2.400	2016/12	
CHLORIDE	00940	036	2013/12/26	. 17.000	2016/12	
COLOR	00081	036	2013/12/26	< 1.000	2016/12	
COPPER	01042	036	2013/12/26	< 50.000	2016/12	
FOAMING AGENTS (MBAS)	38260	036	2013/12/26	< .100	2016/12	
HARDNESS (TOTAL) AS CACO3	00900	036	2013/12/26	. 250.000	2016/12	
HYDROXIDE ALKALINITY	71830	036	2013/12/26	< 1.400	2016/12	
IRON	01045	036	2013/12/26	< 100.000	2016/12	
MAGNESIUM	00927	036	2013/12/26	. 16.000	2016/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063

System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-006

Source Name: YEAGER NO 2

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2013/12/26	< 20.000	2016/12	
ODOR THRESHOLD @ 60 C	00086	036	2013/12/26	< 1.000	2016/12	
PH, LABORATORY	00403	036	2013/12/26	. 7.820	2016/12	
SILVER	01077	036	2013/12/26	< 10.000	2016/12	
SODIUM	00929	036	2013/12/26	58.000	2016/12	
SPECIFIC CONDUCTANCE	00095	036	2013/12/26	. 690.000	2016/12	
SULFATE	00945	036	2013/12/26	160.000	2016/12	
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/26	. 470.000	2016/12	
TURBIDITY, LABORATORY	82079	036	2013/12/26	< .100	2016/12	
ZINC	01092	036	2013/12/26	< 50.000	2016/12	

PS Code: 3610063-007

Source Name: VALE NO 2

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/05/27	< 50.000	2017/05	
ANTIMONY	01097	036	2014/05/27	< 6.000	2017/05	
ARSENIC	01002	036	2014/05/27	< 2.000	2017/05	
BARIUM	01007	036	2014/05/27	< 100.000	2017/05	
BERYLLIUM	01012	036	2014/05/27	< 1.000	2017/05	
CADMIUM	01027	036	2014/05/27	< 1.000	2017/05	
CHROMIUM (TOTAL)	01034	036	2014/05/27	< 10.000	2017/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2014/05/27	< 100.000	2017/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/27	. .590	2017/05	
MERCURY	71900	036	2014/05/27	< 1.000	2017/05	
NICKEL	01067	036	2014/05/27	< 10.000	2017/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-007
Source Name: VALE NO 2
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/05/27	< 4.000	2017/05
SELENIUM	01147	036	2014/05/27	< 5.000	2017/05
THALLIUM	01059	036	2014/05/27	< 1.000	2017/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/27	< 2.000	2015/05
NITRITE (AS N)	00620	036	2014/05/27	< 400.000	2017/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/27	. 13.700	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/19	< .010	2016/11
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/19	< .020	2016/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/11/19	< .500	2019/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/11/19	< .500	2019/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/11/19	< 10.000	2019/11
1,1,2-TRICHLOROETHANE	34511	072	2013/11/19	< .500	2019/11
1,1-DICHLOROETHANE	34496	072	2013/11/19	< .500	2019/11
1,1-DICHLOROETHYLENE	34501	072	2013/11/19	< .500	2019/11
1,2,4-TRICHLOROBENZENE	34551	072	2013/11/19	< .500	2019/11
1,2-DICHLOROBENZENE	34536	072	2013/11/19	< .500	2019/11
1,2-DICHLOROETHANE	34531	072	2013/11/19	< .500	2019/11
1,2-DICHLOROPROPANE	34541	072	2013/11/19	< .500	2019/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/11/19	< .500	2019/11
1,4-DICHLOROBENZENE	34571	072	2013/11/19	< .500	2019/11
BENZENE	34030	072	2013/11/19	< .500	2019/11
CARBON TETRACHLORIDE	32102	072	2013/11/19	< .500	2019/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/11/19	< .500	2019/11
DICHLOROMETHANE	34423	072	2013/11/19	< .500	2019/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

PS Code: 3610063-007
Source Name: VALE NO 2
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2013/11/19	< .500	2019/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/11/19	< 3.000	2019/11
MONOCHLOROBENZENE	34301	072	2013/11/19	< .500	2019/11
STYRENE	77128	072	2013/11/19	< .500	2019/11
TETRACHLOROETHYLENE	34475	072	2013/11/19	< .500	2019/11
TOLUENE	34010	072	2013/11/19	< .500	2019/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/11/19	< .500	2019/11
TRICHLOROETHYLENE	39180	072	2013/11/19	< .500	2019/11
TRICHLOROFLUOROMETHANE	34488	072	2013/11/19	< 5.000	2019/11
VINYL CHLORIDE	39175	072	2013/11/19	< .500	2019/11
XYLENES (TOTAL)	81551	072	2013/11/19	< 1.000	2019/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/27	. 290.000	2017/05
CALCIUM	00916	036	2014/05/27	. 82.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/27	< 2.400	2017/05
CHLORIDE	00940	036	2014/05/27	. 17.000	2017/05
COLOR	00081	036	2014/05/27	< 1.000	2017/05
COPPER	01042	036	2014/05/27	< 50.000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/27	. .160	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/27	. 270.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/27	< 1.400	2017/05
IRON	01045	036	2014/05/27	< 100.000	2017/05
MAGNESIUM	00927	036	2014/05/27	. 17.000	2017/05
MANGANESE	01055	036	2014/05/27	< 20.000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/27	< 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/27	. 7.800	2017/05
SILVER	01077	036	2014/05/27	< 10.000	2017/05
SODIUM	00929	036	2014/05/27	. 64.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/27	. 780.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610063***

System Name: ***GOLDEN STATE WATER CO - MORONGO DEL SUR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610063-007***					
Source Name: ***VALE NO 2***					
Source Number: ***007***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
SULFATE	**00945**	**036**	2014/05/27	**. 160.000**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/27	**. 500.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/27	**. .860**	2017/05
ZINC	**01092**	**036**	2014/05/27	**< 50.000**	2017/05
PS Code: ***3610063-008***					
Source Name: ***TREATMENT PLANT - INFLUENT***					
Source Number: ***008***					
Source Status: ***PENDING***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610063-009***					
Source Name: ***TRAIN 1 LEAD OR LAG***					
Source Number: ***009***					
Source Status: ***PENDING***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610063-010***					
Source Name: ***TRAIN 2 LEAD OR LAG***					
Source Number: ***010***					
Source Status: ***PENDING***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610063
System Name: GOLDEN STATE WATER CO - MORONGO DEL SUR

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610063-011					
Source Name: TRAIN 3 LEAD OR LAG					
Source Number: 011					
Source Status: PENDING					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610063-012					
Source Name: TREATMENT PLANT - EFFLUENT (U)					
Source Number: 012					
Source Status: PENDING					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610063-601					
Source Name: DBP2-10197 PINON DRIVE					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/05/20	< 1.000	2015/05
DICHLOROACETIC ACID (DCAA)	77288	012	2014/05/20	< 1.000	2015/05
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/05/20	. 2.100	2015/05
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/05/20	< 1.000	2015/05
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/05/20	. 2.100	2015/05
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/05/20	< 1.000	2015/05
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/05/20	< 1.000	2015/05
BROMOFORM (THM)	32104	012	2014/05/20	< 1.000	2015/05
CHLOROFORM (THM)	32106	012	2014/05/20	< 1.000	2015/05
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/05/20	< 1.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610063***

System Name: ***GOLDEN STATE WATER CO - MORONGO DEL SUR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610063-601***					
Source Name: ***DBP2-10197 PINON DRIVE***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/05/20	**< 1.000**	2015/05
PS Code: ***3610063-602***					
Source Name: ***DBP2-MOJAVE AND HILL (NE CORNER)***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/05/20	**< 1.000**	2015/05
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/05/20	**< 1.000**	2015/05
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/05/20	**< 1.000**	2015/05
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/05/20	**< 1.000**	2015/05
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/05/20	**< 2.000**	2015/05
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/05/20	**< 1.000**	2015/05
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/05/20	**< 1.000**	2015/05
BROMOFORM (THM)	**32104**	**012**	2014/05/20	**< 1.000**	2015/05
CHLOROFORM (THM)	**32106**	**012**	2014/05/20	**< 1.000**	2015/05
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/05/20	**< 1.000**	2015/05
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/05/20	**< 1.000**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610063***

System Name: ***GOLDEN STATE WATER CO - MORONGO DEL SUR***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610063-804***					
Source Name: ***YEAGER NO 3 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610063-805***					
Source Name: ***YEAGER NO 2 - TREATED (CL2)***					
Source Number: ***805***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-002
Source Name: PHILIP A. DISCH TREATMENT PLANT - TREATD
Source Number: 002
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610064-013
Source Name: SANTA ANA RIVER - RAW
Source Number: 013
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	012	2013/08/27	. 69.000	2014/08	
ANTIMONY	01097	012	2013/08/27	< .000	2014/08	
ARSENIC	01002	012	2013/08/27	< .000	2014/08	
ASBESTOS	81855	108	2013/08/27	. .000	2022/08	
BARIUM	01007	012	2013/08/27	< .000	2014/08	
BERYLLIUM	01012	012	2013/08/27	< .000	2014/08	
CADMIUM	01027	012	2013/08/27	< .000	2014/08	
CHROMIUM (TOTAL)	01034	012	2013/08/27	< .000	2014/08	
CHROMIUM, HEXAVALENT	01032	012	2011/07/19	< .000	2012/07	DUE
CYANIDE	01291	012	2013/08/27	< .000	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2013/08/27	. .840	2014/08	
MERCURY	71900	012	2013/08/27	< .000	2014/08	
NICKEL	01067	012	2013/08/27	< .000	2014/08	
PERCHLORATE	A-031	012	2013/08/27	< .000	2014/08	
SELENIUM	01147	012	2013/08/27	< .000	2014/08	
THALLIUM	01059	012	2013/08/27	< .000	2014/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/27	< .000	2014/08	
NITRITE (AS N)	00620	036	2013/08/27	< .000	2016/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-013***

Source Name: ***SANTA ANA RIVER - RAW***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/20	**. 19.000**	2017/05
URANIUM (PCI/L)	**28012**	**036**	2014/05/20	**. 23.000**	2017/05
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	**34676**	**036**	2014/07/17	**< 5.000**	2017/07
2,4,5-TP (SILVEX)	**39045**	**036**	2011/07/19	**< .000**	2014/07
2,4-D	**39730**	**036**	2011/07/19	**< .000**	2014/07
ALACHLOR	**77825**	**036**	2011/07/19	**< .000**	2014/07
ATRAZINE	**39033**	**036**	2011/07/19	**< .000**	2014/07
BENTAZON	**38710**	**036**	2011/07/19	**< .000**	2014/07
BENZO (A) PYRENE	**34247**	**036**	2011/07/19	**< .000**	2014/07
CARBOFURAN	**81405**	**036**	2011/07/19	**< .000**	2014/07
CHLORDANE	**39350**	**036**	2011/07/19	**< .000**	2014/07
DALAPON	**38432**	**036**	2011/07/19	**< .000**	2014/07
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**036**	2011/07/19	**< .000**	2014/07
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**036**	2011/07/19	**< .000**	2014/07
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/19	**< .000**	2014/07
DINOSEB	**81287**	**036**	2011/07/19	**< .000**	2014/07
DIQUAT	**78885**	**036**	2014/07/17	**< 2.000**	2017/07
ENDOTHALL	**38926**	**036**	2011/07/19	**< .000**	2014/07
ENDRIN	**39390**	**036**	2011/07/19	**< .000**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/19	**< .000**	2014/07
GLYPHOSATE	**79743**	**036**	2011/07/19	**< .000**	2014/07
HEPTACHLOR	**39410**	**036**	2011/07/19	**< .000**	2014/07
HEPTACHLOR EPOXIDE	**39420**	**036**	2011/07/19	**< .000**	2014/07
HEXACHLOROBENZENE	**39700**	**036**	2011/07/19	**< .000**	2014/07
HEXACHLOROCYCLOPENTADIENE	**34386**	**036**	2011/07/19	**< .000**	2014/07
LINDANE	**39340**	**036**	2011/07/19	**< .000**	2014/07
METHOXYCHLOR	**39480**	**036**	2011/07/19	**< .000**	2014/07
MOLINATE	**82199**	**036**	2011/07/19	**< .000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-013
Source Name: SANTA ANA RIVER - RAW
Source Number: 013
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
OXAMYL	38865	036	2011/07/19	< .000	2014/07
PENTACHLOROPHENOL	39032	036	2011/07/19	< .000	2014/07
PICLORAM	39720	036	2011/07/19	< .000	2014/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2011/07/19	< .000	2014/07
SIMAZINE	39055	036	2011/07/19	< .000	2014/07
THIOBENCARB	A-001	036	2011/07/19	< .000	2014/07
TOXAPHENE	39400	036	2011/07/19	< .000	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/02/21	< .000	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/21	< .000	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/21	< .000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/21	< .000	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/21	< .000	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/21	< .000	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/21	< .000	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/21	< .000	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/21	< .000	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/21	< .000	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/21	< .000	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/21	< .000	2015/02
BENZENE	34030	012	2014/02/21	< .000	2015/02
CARBON TETRACHLORIDE	32102	012	2014/02/21	< .000	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/02/21	< .000	2015/02
DICHLOROMETHANE	34423	012	2014/02/21	< .000	2015/02
ETHYLBENZENE	34371	012	2014/02/21	< .000	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	012	2014/02/21	< .000	2015/02
MONOCHLOROBENZENE	34301	012	2014/02/21	< .000	2015/02
STYRENE	77128	012	2014/02/21	< .000	2015/02
TETRACHLOROETHYLENE	34475	012	2014/02/21	< .000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-013
Source Name: SANTA ANA RIVER - RAW
Source Number: 013
Source Status: ACTIVE RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TOLUENE	34010	012	2014/02/21	< .000	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/02/21	< .000	2015/02
TRICHLOROETHYLENE	39180	012	2014/02/21	< .000	2015/02
TRICHLOROFLUOROMETHANE	34488	012	2014/02/21	< .000	2015/02
VINYL CHLORIDE	39175	012	2014/02/21	< .000	2015/02
XYLENES (TOTAL)	81551	012	2014/02/21	< .000	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	012	2013/08/27	. 150.000	2014/08
CALCIUM	00916	012	2013/08/27	. 42.000	2014/08
CARBONATE ALKALINITY	00445	012	2013/08/27	24.000	2014/08
CHLORIDE	00940	012	2013/08/27	. 8.000	2014/08
COLOR	00081	012	2013/08/27	< .000	2014/08
COPPER	01042	012	2013/08/27	< .000	2014/08
FOAMING AGENTS (MBAS)	38260	012	2013/08/27	< .000	2014/08
HARDNESS (TOTAL) AS CACO3	00900	012	2013/08/27	. 140.000	2014/08
HYDROXIDE ALKALINITY	71830	012	2013/08/27	< .000	2014/08
IRON	01045	012	2013/08/27	< .000	2014/08
MAGNESIUM	00927	012	2013/08/27	. 7.800	2014/08
MANGANESE	01055	012	2013/08/27	29.000	2014/08
ODOR THRESHOLD @ 60 C	00086	012	2013/08/27	1.000	2014/08
PH, LABORATORY	00403	012	2013/08/27	. 8.300	2014/08
SILVER	01077	012	2013/08/27	< .000	2014/08
SODIUM	00929	012	2013/08/27	29.000	2014/08
SPECIFIC CONDUCTANCE	00095	012	2013/08/27	. 380.000	2014/08
SULFATE	00945	012	2013/08/27	32.000	2014/08
TOTAL DISSOLVED SOLIDS	70300	012	2013/08/27	. 230.000	2014/08
TURBIDITY, LABORATORY	82079	012	2013/08/27	. 1.400	2014/08
ZINC	01092	012	2013/08/27	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-015
Source Name: PLANT 125 - CL & OP
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/18	< .000	2016/06	
ANTIMONY	01097	036	2013/06/18	< .000	2016/06	
ARSENIC	01002	036	2013/06/18	< .000	2016/06	
BARIUM	01007	036	2013/06/18	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06	
CADMIUM	01027	036	2013/06/18	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2013/06/18	< .000	2016/06	
CYANIDE	01291	036	2013/06/18	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	. .380	2016/06	
MERCURY	71900	036	2013/06/18	< .000	2016/06	
NICKEL	01067	036	2013/06/18	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/18	< .000	2016/06	
SELENIUM	01147	036	2013/06/18	< .000	2016/06	
THALLIUM	01059	036	2013/06/18	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/18	. 2.800	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/15	. 15.000	2017/07	
URANIUM (PCI/L)	28012	036	2014/07/15	. 13.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/26	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/26	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/26	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-015***

Source Name: ***PLANT 125 - CL & OP***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/26	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/26	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/26	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/26	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/26	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/26	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/26	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/26	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/26	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/26	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/26	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/26	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/26	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/26	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/26	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/18	**. 130.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/18	**. 31.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/18	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/18	**. 11.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-015
Source Name: PLANT 125 - CL & OP
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2013/06/18	< .000	2016/06
COPPER	01042	036	2013/06/18	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/18	. 100.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	< .000	2016/06
IRON	01045	036	2013/06/18	< .000	2016/06
MAGNESIUM	00927	036	2013/06/18	. 6.200	2016/06
MANGANESE	01055	036	2013/06/18	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/18	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/18	7.600	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	23.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 300.000	2016/06
SULFATE	00945	036	2013/06/18	21.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 190.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/18	< .000	2016/06
ZINC	01092	036	2013/06/18	< .000	2016/06

PS Code: 3610064-016
Source Name: WELL 009A - CL
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/06/25	< .000	2016/06
ANTIMONY	01097	036	2013/06/25	< .000	2016/06
ARSENIC	01002	036	2013/06/25	< .000	2016/06
BARIUM	01007	036	2013/06/25	< .000	2016/06
BERYLLIUM	01012	036	2013/06/25	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-016***

Source Name: ***WELL 009A - CL***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**036**	2013/06/25	**< .000**	2016/06
CHROMIUM (TOTAL)	**01034**	**036**	2013/06/25	**< .000**	2016/06
CHROMIUM, HEXAVALENT	**01032**	**036**	2013/06/25	**< .000**	2016/06
CYANIDE	**01291**	**036**	2013/06/25	**< .000**	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/06/25	**. .220**	2016/06
MERCURY	**71900**	**036**	2013/06/25	**< .000**	2016/06
NICKEL	**01067**	**036**	2013/06/25	**< .000**	2016/06
PERCHLORATE	**A-031**	**036**	2013/06/25	**< .000**	2016/06
SELENIUM	**01147**	**036**	2013/06/25	**< .000**	2016/06
THALLIUM	**01059**	**036**	2013/06/25	**< .000**	2016/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/22	**. 25.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/06/25	**< .000**	2016/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/15	**. 13.000**	2017/07
URANIUM (PCI/L)	**28012**	**036**	2014/07/15	**. 18.000**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/17	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/17	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/26	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/26	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/26	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-016***

Source Name: ***WELL 009A - CL***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/26	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/26	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/26	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/26	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/26	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/26	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/26	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/26	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/26	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/26	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/26	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/26	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/26	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/26	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/25	**. 160.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/25	**. 51.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/25	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/25	**. 18.000**	2016/06
COLOR	**00081**	**036**	2013/06/25	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/25	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/25	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/25	**. 160.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/25	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-016
Source Name: WELL 009A - CL
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
IRON	01045	036	2013/06/25	< .000	2016/06
MAGNESIUM	00927	036	2013/06/25	. 8.800	2016/06
MANGANESE	01055	036	2013/06/25	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/25	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/25	7.300	2016/06
SILVER	01077	036	2013/06/25	< .000	2016/06
SODIUM	00929	036	2013/06/25	18.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/25	. 410.000	2016/06
SULFATE	00945	036	2013/06/25	28.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/25	. 260.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/25	. .100	2016/06
ZINC	01092	036	2013/06/25	< .000	2016/06

PS Code: 3610064-017
Source Name: WELL 011A
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/06/04	< .000	2016/06
ANTIMONY	01097	036	2013/06/04	< .000	2016/06
ARSENIC	01002	036	2013/06/04	< .000	2016/06
BARIUM	01007	036	2013/06/04	< .000	2016/06
BERYLLIUM	01012	036	2013/06/04	< .000	2016/06
CADMIUM	01027	036	2013/06/04	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/04	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2013/06/04	. 1.200	2016/06
CYANIDE	01291	036	2013/06/04	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/04	. .390	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-017***

Source Name: ***WELL 011A***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
MERCURY	71900	036	2013/06/04	< .000	2016/06	
NICKEL	01067	036	2013/06/04	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/04	< .000	2016/06	
SELENIUM	01147	036	2013/06/04	< .000	2016/06	
THALLIUM	01059	036	2013/06/04	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/04	. 18.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/04	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/22	< .000	2017/03	
URANIUM (PCI/L)	28012	072	2011/03/22	< .000	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/04	< .000	2014/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/04	< .000	2014/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/12	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/12	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/12	< .000	2016/02	
1,1,2-TRICHLOROETHANE	34511	036	2013/02/12	< .000	2016/02	
1,1-DICHLOROETHANE	34496	036	2013/02/12	< .000	2016/02	
1,1-DICHLOROETHYLENE	34501	036	2013/02/12	< .000	2016/02	
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROBENZENE	34536	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROETHANE	34531	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROPROPANE	34541	036	2013/02/12	< .000	2016/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/12	< .000	2016/02	
1,4-DICHLOROBENZENE	34571	036	2013/02/12	< .000	2016/02	
BENZENE	34030	036	2013/02/12	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-017
Source Name: WELL 011A
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	32102	036	2013/02/12	< .000	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/12	< .000	2016/02
DICHLOROMETHANE	34423	036	2013/02/12	< .000	2016/02
ETHYLBENZENE	34371	036	2013/02/12	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/12	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/12	< .000	2016/02
STYRENE	77128	036	2013/02/12	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/12	< .000	2016/02
TOLUENE	34010	036	2013/02/12	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/12	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/12	< .000	2016/02
TRICHLOROFLUOROMETHANE	34488	036	2013/02/12	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/12	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/12	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/04	. 93.000	2016/06
CALCIUM	00916	036	2013/06/04	. 110.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/04	< .000	2016/06
CHLORIDE	00940	036	2013/06/04	. 47.000	2016/06
COLOR	00081	036	2013/06/04	< .000	2016/06
COPPER	01042	036	2013/06/04	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/04	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/04	. 310.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/04	< .000	2016/06
IRON	01045	036	2013/06/04	< .000	2016/06
MAGNESIUM	00927	036	2013/06/04	. 9.400	2016/06
MANGANESE	01055	036	2013/06/04	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/04	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/04	7.700	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-017
Source Name: WELL 011A
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SILVER	01077	036	2013/06/04	< .000	2016/06
SODIUM	00929	036	2013/06/04	53.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/04	. 840.000	2016/06
SULFATE	00945	036	2013/06/04	260.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/04	. 600.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/04	. .200	2016/06
ZINC	01092	036	2013/06/04	< .000	2016/06

PS Code: 3610064-018
Source Name: WELL 012A - CL
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/12/11	< .000	2016/12
ANTIMONY	01097	036	2013/12/11	< .000	2016/12
ARSENIC	01002	036	2013/12/11	< .000	2016/12
BARIUM	01007	036	2013/12/11	< .000	2016/12
BERYLLIUM	01012	036	2013/12/11	< .000	2016/12
CADMIUM	01027	036	2013/12/11	< .000	2016/12
CHROMIUM (TOTAL)	01034	036	2013/12/11	< .000	2016/12
CHROMIUM, HEXAVALENT	01032	036	2013/12/11	. 5.800	2016/12
CYANIDE	01291	036	2013/12/11	< .000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/11	. .490	2016/12
MERCURY	71900	036	2013/12/11	< .000	2016/12
NICKEL	01067	036	2013/12/11	< .000	2016/12
PERCHLORATE	A-031	036	2014/01/22	. 11.000	2017/01
SELENIUM	01147	036	2013/12/11	< .000	2016/12
THALLIUM	01059	036	2013/12/11	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-018
Source Name: WELL 012A - CL
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/12/11	. 29.000	2014/12
NITRITE (AS N)	00620	036	2013/12/11	< .000	2016/12
RADIOLOGICAL					
GROSS ALPHA	01501	072	2011/03/22	< .000	2017/03
URANIUM (PCI/L)	28012	072	2011/03/22	< .000	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/11/17	< .000	2014/11
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/11/17	< .000	2014/11
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/02/26	< .000	2016/02
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/26	< .000	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/26	< .000	2016/02
1,1,2-TRICHLOROETHANE	34511	036	2013/02/26	< .000	2016/02
1,1-DICHLOROETHANE	34496	036	2013/02/26	< .000	2016/02
1,1-DICHLOROETHYLENE	34501	036	2013/02/26	< .000	2016/02
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/26	< .000	2016/02
1,2-DICHLOROBENZENE	34536	036	2013/02/26	< .000	2016/02
1,2-DICHLOROETHANE	34531	036	2013/02/26	< .000	2016/02
1,2-DICHLOROPROPANE	34541	036	2013/02/26	< .000	2016/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/26	< .000	2016/02
1,4-DICHLOROBENZENE	34571	036	2013/02/26	< .000	2016/02
BENZENE	34030	036	2013/02/26	< .000	2016/02
CARBON TETRACHLORIDE	32102	036	2013/02/26	< .000	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/26	< .000	2016/02
DICHLOROMETHANE	34423	036	2013/02/26	< .000	2016/02
ETHYLBENZENE	34371	036	2013/02/26	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/26	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/26	< .000	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-018***

Source Name: ***WELL 012A - CL***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/12/11	**. .690**	2016/12
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/26	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/26	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/26	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/12/11	**. 160.000**	2016/12
CALCIUM	**00916**	**036**	2013/12/11	**. 55.000**	2016/12
CARBONATE ALKALINITY	**00445**	**036**	2013/12/11	**< .000**	2016/12
CHLORIDE	**00940**	**036**	2013/12/11	**. 16.000**	2016/12
COLOR	**00081**	**036**	2013/12/11	**< .000**	2016/12
COPPER	**01042**	**036**	2013/12/11	**< .000**	2016/12
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/12/11	**< .000**	2016/12
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/12/11	**. 180.000**	2016/12
HYDROXIDE ALKALINITY	**71830**	**036**	2013/12/11	**< .000**	2016/12
IRON	**01045**	**036**	2013/12/11	**< .000**	2016/12
MAGNESIUM	**00927**	**036**	2013/12/11	**. 9.800**	2016/12
MANGANESE	**01055**	**036**	2013/12/11	**< .000**	2016/12
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/12/11	**1.000**	2016/12
PH, LABORATORY	**00403**	**036**	2013/12/11	**7.600**	2016/12
SILVER	**01077**	**036**	2013/12/11	**< .000**	2016/12
SODIUM	**00929**	**036**	2013/12/11	**22.000**	2016/12
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/12/11	**. 460.000**	2016/12
SULFATE	**00945**	**036**	2013/12/11	**49.000**	2016/12
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/12/11	**. 300.000**	2016/12
TURBIDITY, LABORATORY	**82079**	**036**	2013/12/11	**< .000**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610064-018						
Source Name: WELL 012A - CL						
Source Number: 018						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
ZINC	01092	036	2013/12/11	< .000	2016/12	
PS Code: 3610064-019						
Source Name: WELL 024A - CL						
Source Number: 019						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/06/18	< .000	2016/06	
ANTIMONY	01097	036	2013/06/18	< .000	2016/06	
ARSENIC	01002	036	2013/06/18	< .000	2016/06	
BARIUM	01007	036	2013/06/18	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06	
CADMIUM	01027	036	2013/06/18	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2013/06/18	< .000	2016/06	
CYANIDE	01291	036	2013/06/18	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	. .640	2016/06	
MERCURY	71900	036	2013/06/18	< .000	2016/06	
NICKEL	01067	036	2013/06/18	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/18	< .000	2016/06	
SELENIUM	01147	036	2013/06/18	< .000	2016/06	
THALLIUM	01059	036	2013/06/18	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/18	. 7.600	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/22	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-019***

Source Name: ***WELL 024A - CL***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	**28012**	**072**	2011/03/22	**. 2.600**	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/17	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/17	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/26	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/26	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/26	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/26	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/26	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/26	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/26	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/26	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/26	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/26	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/26	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/26	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/26	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-019
Source Name: WELL 024A - CL
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/02/26	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/26	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/26	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/18	. 160.000	2016/06
CALCIUM	00916	036	2013/06/18	. 54.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/18	< .000	2016/06
CHLORIDE	00940	036	2013/06/18	. 46.000	2016/06
COLOR	00081	036	2013/06/18	< .000	2016/06
COPPER	01042	036	2013/06/18	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/18	. 190.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	< .000	2016/06
IRON	01045	036	2013/06/18	< .000	2016/06
MAGNESIUM	00927	036	2013/06/18	. 13.000	2016/06
MANGANESE	01055	036	2013/06/18	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/18	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/18	7.600	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	38.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 550.000	2016/06
SULFATE	00945	036	2013/06/18	60.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 340.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/18	. .100	2016/06
ZINC	01092	036	2013/06/18	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-020***

Source Name: ***WELL 024B - CL***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/06/04	**< .000**	2016/06	
ANTIMONY	**01097**	**036**	2013/06/04	**< .000**	2016/06	
ARSENIC	**01002**	**036**	2013/06/04	**< .000**	2016/06	
BARIUM	**01007**	**036**	2013/06/04	**< .000**	2016/06	
BERYLLIUM	**01012**	**036**	2013/06/04	**< .000**	2016/06	
CADMIUM	**01027**	**036**	2013/06/04	**< .000**	2016/06	
CHROMIUM (TOTAL)	**01034**	**036**	2013/06/04	**< .000**	2016/06	
CHROMIUM, HEXAVALENT	**01032**	**036**	2013/06/04	**. 1.000**	2016/06	
CYANIDE	**01291**	**036**	2013/06/04	**< .000**	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/06/04	**. .730**	2016/06	
MERCURY	**71900**	**036**	2013/06/04	**< .000**	2016/06	
NICKEL	**01067**	**036**	2013/06/04	**< .000**	2016/06	
PERCHLORATE	**A-031**	**036**	2013/06/04	**< .000**	2016/06	
SELENIUM	**01147**	**036**	2013/06/04	**< .000**	2016/06	
THALLIUM	**01059**	**036**	2013/06/04	**< .000**	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	**2013/06/04**	**. 12.000**	**2014/06**	**DUE**
NITRITE (AS N)	**00620**	**036**	2013/06/04	**< .000**	2016/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**072**	2010/12/15	**4.100**	2016/12	
URANIUM (PCI/L)	**28012**	**072**	2010/12/15	**5.700**	2016/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/10/25	**< .000**	2014/10	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/10/25	**< .000**	2014/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/12	**< .000**	2016/02	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/12	**< .000**	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/12	**< .000**	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-020
Source Name: WELL 024B - CL
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2013/02/12	< .000	2016/02
1,1-DICHLOROETHANE	34496	036	2013/02/12	< .000	2016/02
1,1-DICHLOROETHYLENE	34501	036	2013/02/12	< .000	2016/02
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/12	< .000	2016/02
1,2-DICHLOROBENZENE	34536	036	2013/02/12	< .000	2016/02
1,2-DICHLOROETHANE	34531	036	2013/02/12	< .000	2016/02
1,2-DICHLOROPROPANE	34541	036	2013/02/12	< .000	2016/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/12	< .000	2016/02
1,4-DICHLOROBENZENE	34571	036	2013/02/12	< .000	2016/02
BENZENE	34030	036	2013/02/12	< .000	2016/02
CARBON TETRACHLORIDE	32102	036	2013/02/12	< .000	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/12	< .000	2016/02
DICHLOROMETHANE	34423	036	2013/02/12	< .000	2016/02
ETHYLBENZENE	34371	036	2013/02/12	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/12	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/12	< .000	2016/02
STYRENE	77128	036	2013/02/12	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/12	< .000	2016/02
TOLUENE	34010	036	2013/02/12	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/12	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/12	< .000	2016/02
TRICHLOROFLUOROMETHANE	34488	036	2013/02/12	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/12	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/12	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/04	. 190.000	2016/06
CALCIUM	00916	036	2013/06/04	. 62.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/04	< .000	2016/06
CHLORIDE	00940	036	2013/06/04	. 36.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-020
Source Name: WELL 024B - CL
Source Number: 020
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2013/06/04	< .000	2016/06
COPPER	01042	036	2013/06/04	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/04	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/04	. 220.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/04	< .000	2016/06
IRON	01045	036	2013/06/04	< .000	2016/06
MAGNESIUM	00927	036	2013/06/04	. 16.000	2016/06
MANGANESE	01055	036	2013/06/04	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/04	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/04	7.800	2016/06
SILVER	01077	036	2013/06/04	< .000	2016/06
SODIUM	00929	036	2013/06/04	43.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/04	. 600.000	2016/06
SULFATE	00945	036	2013/06/04	87.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/04	. 390.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/04	. .100	2016/06
ZINC	01092	036	2013/06/04	< .000	2016/06

PS Code: 3610064-021
Source Name: WELL 025A - CL
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/06/11	< .000	2016/06
ANTIMONY	01097	036	2013/06/11	< .000	2016/06
ARSENIC	01002	036	2013/06/11	< .000	2016/06
BARIUM	01007	036	2013/06/11	< .000	2016/06
BERYLLIUM	01012	036	2013/06/11	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-021
Source Name: WELL 025A - CL
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	01027	036	2013/06/11	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/11	< .000	2016/06
CYANIDE	01291	036	2013/06/11	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/11	. 1.600	2017/07
MERCURY	71900	036	2013/06/11	< .000	2016/06
NICKEL	01067	036	2013/06/11	< .000	2016/06
PERCHLORATE	A-031	036	2013/06/11	< .000	2016/06
SELENIUM	01147	036	2013/06/11	< .000	2016/06
THALLIUM	01059	036	2013/06/11	< .000	2016/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/11	. 22.000	2015/07
NITRITE (AS N)	00620	036	2013/06/11	< .000	2016/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2011/03/22	< .000	2017/03
URANIUM (PCI/L)	28012	072	2011/03/22	. 3.000	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/02/12	< .000	2016/02
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/12	< .000	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/12	< .000	2016/02
1,1,2-TRICHLOROETHANE	34511	036	2013/02/12	< .000	2016/02
1,1-DICHLOROETHANE	34496	036	2013/02/12	< .000	2016/02
1,1-DICHLOROETHYLENE	34501	036	2013/02/12	< .000	2016/02
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/12	< .000	2016/02
1,2-DICHLOROBENZENE	34536	036	2013/02/12	< .000	2016/02
1,2-DICHLOROETHANE	34531	036	2013/02/12	< .000	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-021***

Source Name: ***WELL 025A - CL***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/12	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/12	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/12	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/12	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/12	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/12	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/12	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/12	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/12	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/12	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/12	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/12	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/12	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/12	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/12	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/12	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/11	**. 180.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/11	**. 51.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/11	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/11	**. 27.000**	2016/06
COLOR	**00081**	**036**	2013/06/11	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/11	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/11	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/11	**. 180.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/11	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/11	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-021
Source Name: WELL 025A - CL
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	036	2013/06/11	. 13.000	2016/06
MANGANESE	01055	036	2013/06/11	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/11	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/11	. 7.600	2016/06
SILVER	01077	036	2013/06/11	< .000	2016/06
SODIUM	00929	036	2013/06/11	69.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/11	. 640.000	2016/06
SULFATE	00945	036	2013/06/11	110.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/11	. 420.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/11	. .200	2016/06
ZINC	01092	036	2013/06/11	< .000	2016/06

PS Code: 3610064-023
Source Name: WELL 028A
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/06/11	< .000	2016/06
ANTIMONY	01097	036	2013/06/11	< .000	2016/06
ARSENIC	01002	036	2013/06/11	< .000	2016/06
BARIUM	01007	036	2013/06/11	< .000	2016/06
BERYLLIUM	01012	036	2013/06/11	< .000	2016/06
CADMIUM	01027	036	2013/06/11	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/11	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/07/12	< .000	2014/07
CYANIDE	01291	036	2013/06/11	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/11	. .380	2016/06
MERCURY	71900	036	2013/06/11	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-023***

Source Name: ***WELL 028A***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	**01067**	**036**	2013/06/11	**< .000**	2016/06
PERCHLORATE	**A-031**	**036**	2013/06/11	**< .000**	2016/06
SELENIUM	**01147**	**036**	2013/06/11	**< .000**	2016/06
THALLIUM	**01059**	**036**	2013/06/11	**< .000**	2016/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/29	**. 29.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/06/11	**< .000**	2016/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2011/03/22	**. 3.700**	2017/03
URANIUM (PCI/L)	**28012**	**072**	2011/03/22	**. 2.300**	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/17	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/17	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/12	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/12	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/12	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/12	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/12	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/12	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/12	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/12	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/12	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/12	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/12	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/12	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/12	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/12	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-023***

Source Name: ***WELL 028A***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/12	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/12	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/12	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/12	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/12	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/12	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/02	**. 2.100**	2017/07
TOLUENE	**34010**	**036**	2013/02/12	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/12	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/12	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/12	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/11	**. 180.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/11	**. 59.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/11	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/11	**. 16.000**	2016/06
COLOR	**00081**	**036**	2013/06/11	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/11	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/11	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/11	**. 170.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/11	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/11	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/11	**. 6.600**	2016/06
MANGANESE	**01055**	**036**	2013/06/11	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/11	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/11	**. 7.800**	2016/06
SILVER	**01077**	**036**	2013/06/11	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-023
Source Name: WELL 028A
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SODIUM	00929	036	2013/06/11	24.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/11	. 450.000	2016/06
SULFATE	00945	036	2013/06/11	36.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/11	. 290.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/11	. .200	2016/06
ZINC	01092	036	2013/06/11	< .000	2016/06

PS Code: 3610064-024
Source Name: WELL 039 - CL
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/11	< .000	2016/06
ANTIMONY	01097	036	2013/06/11	< .000	2016/06
ARSENIC	01002	036	2013/06/11	< .000	2016/06
BARIUM	01007	036	2013/06/11	< .000	2016/06
BERYLLIUM	01012	036	2013/06/11	< .000	2016/06
CADMIUM	01027	036	2013/06/11	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/11	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2011/07/12	. 1.500	2014/07
CYANIDE	01291	036	2013/06/11	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/29	. 2.400	2017/07
MERCURY	71900	036	2013/06/11	< .000	2016/06
NICKEL	01067	036	2013/06/11	< .000	2016/06
PERCHLORATE	A-031	036	2013/06/11	< .000	2016/06
SELENIUM	01147	036	2013/06/11	< .000	2016/06
THALLIUM	01059	036	2013/06/11	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-024
Source Name: WELL 039 - CL
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/11	. 8.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/11	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/22	< .000	2017/03	
URANIUM (PCI/L)	28012	072	2011/03/22	. 3.600	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/12	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/12	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/12	< .000	2016/02	
1,1,2-TRICHLOROETHANE	34511	036	2013/02/12	< .000	2016/02	
1,1-DICHLOROETHANE	34496	036	2013/02/12	< .000	2016/02	
1,1-DICHLOROETHYLENE	34501	036	2013/02/12	< .000	2016/02	
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROBENZENE	34536	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROETHANE	34531	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROPROPANE	34541	036	2013/02/12	< .000	2016/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/12	< .000	2016/02	
1,4-DICHLOROBENZENE	34571	036	2013/02/12	< .000	2016/02	
BENZENE	34030	036	2013/02/12	< .000	2016/02	
CARBON TETRACHLORIDE	32102	036	2013/02/12	< .000	2016/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/12	< .000	2016/02	
DICHLOROMETHANE	34423	036	2013/02/12	< .000	2016/02	
ETHYLBENZENE	34371	036	2013/02/12	< .000	2016/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/12	< .000	2016/02	
MONOCHLOROBENZENE	34301	036	2013/02/12	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-024
Source Name: WELL 039 - CL
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	036	2013/02/12	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/12	< .000	2016/02
TOLUENE	34010	036	2013/02/12	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/12	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/12	< .000	2016/02
TRICHLOROFLUOROMETHANE	34488	036	2013/02/12	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/12	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/12	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/11	. 160.000	2016/06
CALCIUM	00916	036	2013/06/11	. 33.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/11	< .000	2016/06
CHLORIDE	00940	036	2013/06/11	. 27.000	2016/06
COLOR	00081	036	2013/06/11	< .000	2016/06
COPPER	01042	036	2013/06/11	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/11	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/11	. 130.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/11	< .000	2016/06
IRON	01045	036	2013/06/11	< .000	2016/06
MAGNESIUM	00927	036	2013/06/11	. 10.000	2016/06
MANGANESE	01055	036	2013/06/11	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/11	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/11	. 7.800	2016/06
SILVER	01077	036	2013/06/11	< .000	2016/06
SODIUM	00929	036	2013/06/11	84.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/11	. 630.000	2016/06
SULFATE	00945	036	2013/06/11	130.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/11	. 400.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/11	. .200	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-024
Source Name: WELL 039 - CL
Source Number: 024
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
ZINC	01092	036	2013/06/11	< .000	2016/06

PS Code: 3610064-028
Source Name: WELL 107 - RAW
Source Number: 028
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/06/25	< .000	2016/06
ANTIMONY	01097	036	2013/06/25	< .000	2016/06
ARSENIC	01002	036	2013/06/25	< .000	2016/06
BARIUM	01007	036	2013/06/25	< .000	2016/06
BERYLLIUM	01012	036	2013/06/25	< .000	2016/06
CADMIUM	01027	036	2013/06/25	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/25	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2013/06/25	. 2.800	2016/06
CYANIDE	01291	036	2013/06/25	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/25	. .570	2016/06
MERCURY	71900	036	2013/06/25	< .000	2016/06
NICKEL	01067	036	2013/06/25	< .000	2016/06
PERCHLORATE	A-031	036	2014/04/09	. 6.700	2017/04
SELENIUM	01147	036	2013/06/25	< .000	2016/06
THALLIUM	01059	036	2013/06/25	< .000	2016/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/22	. 61.000	2015/04
NITRITE (AS N)	00620	036	2013/06/25	< .000	2016/06
RADIOLOGICAL					
GROSS ALPHA	01501	072	2011/03/22	< .000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-028***

Source Name: ***WELL 107 - RAW***

Source Number: ***028***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	**28012**	**072**	2011/03/22	**. 2.500**	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/26	**< .000**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/26	**< .000**	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/26	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/26	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/26	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/26	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/26	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/26	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/26	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/26	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/26	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/26	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/26	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/26	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/26	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-028***

Source Name: ***WELL 107 - RAW***

Source Number: ***028***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/26	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/26	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/26	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/25	**. 170.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/25	**. 70.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/25	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/25	**. 23.000**	2016/06
COLOR	**00081**	**036**	2013/06/25	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/25	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/25	**. .120**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/25	**. 250.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/25	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/25	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/25	**. 17.000**	2016/06
MANGANESE	**01055**	**036**	2013/06/25	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/25	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/25	**7.600**	2016/06
SILVER	**01077**	**036**	2013/06/25	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/25	**25.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/25	**. 600.000**	2016/06
SULFATE	**00945**	**036**	2013/06/25	**89.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/25	**. 400.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/25	**. .200**	2016/06
ZINC	**01092**	**036**	2013/06/25	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-029
Source Name: WELL 120 (CRAM) - CL & OP
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2008/06/24	< 50.000	2011/06	DUE
ANTIMONY	01097	036	2008/06/24	< 6.000	2011/06	DUE
ARSENIC	01002	036	2008/06/24	< 2.000	2011/06	DUE
BARIUM	01007	036	2008/06/24	< 100.000	2011/06	DUE
BERYLLIUM	01012	036	2008/06/24	< 1.000	2011/06	DUE
CADMIUM	01027	036	2008/06/24	< 1.000	2011/06	DUE
CHROMIUM (TOTAL)	01034	036	2008/06/24	14.000	2011/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2002/11/27	. .000	2005/11	DUE
CYANIDE	01291	036	2008/06/24	< 100.000	2011/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2008/06/24	.200	2011/06	DUE
MERCURY	71900	036	2008/06/24	< 1.000	2011/06	DUE
NICKEL	01067	036	2008/06/24	< 10.000	2011/06	DUE
PERCHLORATE	A-031	036	2008/06/24	< 4.000	2011/06	DUE
SELENIUM	01147	036	2008/06/24	< 5.000	2011/06	DUE
THALLIUM	01059	036	2008/06/24	< 1.000	2011/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2009/02/24	15.000	2010/02	DUE
NITRITE (AS N)	00620	036	2008/06/24	< 100.000	2011/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2007/03/16	14.800	2010/03	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/07/22	.000	2011/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/07/22	.000	2011/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2008/03/25	< .500	2011/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2008/03/25	< .500	2011/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2008/03/25	< 10.000	2011/03	DUE
1,1,2-TRICHLOROETHANE	34511	036	2008/03/25	< .500	2011/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-029
Source Name: WELL 120 (CRAM) - CL & OP
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2008/03/25	< .500	2011/03	DUE
1,1-DICHLOROETHYLENE	34501	036	2008/03/25	< .500	2011/03	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2008/03/25	< .500	2011/03	DUE
1,2-DICHLOROBENZENE	34536	036	2008/03/25	< .500	2011/03	DUE
1,2-DICHLOROETHANE	34531	036	2008/03/25	< .500	2011/03	DUE
1,2-DICHLOROPROPANE	34541	036	2008/03/25	< .500	2011/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2008/03/25	< .500	2011/03	DUE
1,4-DICHLOROBENZENE	34571	036	2008/03/25	< .500	2011/03	DUE
BENZENE	34030	036	2008/03/25	< .500	2011/03	DUE
CARBON TETRACHLORIDE	32102	036	2008/03/25	< .500	2011/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2008/03/25	< .500	2011/03	DUE
DICHLOROMETHANE	34423	036	2008/03/25	< .500	2011/03	DUE
ETHYLBENZENE	34371	036	2008/03/25	< .500	2011/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2008/03/25	< 3.000	2011/03	DUE
MONOCHLOROBENZENE	34301	036	2008/03/25	< .500	2011/03	DUE
STYRENE	77128	036	2008/03/25	< .500	2011/03	DUE
TETRACHLOROETHYLENE	34475	036	2008/03/25	< .500	2011/03	DUE
TOLUENE	34010	036	2008/03/25	< .500	2011/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2008/03/25	< .500	2011/03	DUE
TRICHLOROETHYLENE	39180	036	2008/03/25	< .500	2011/03	DUE
TRICHLOROFLUOROMETHANE	34488	036	2008/03/25	< 5.000	2011/03	DUE
VINYL CHLORIDE	39175	036	2008/03/25	< .500	2011/03	DUE
XYLENES (TOTAL)	81551	036	2008/03/25	< .500	2011/03	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2008/06/24	140.000	2011/06	DUE
CALCIUM	00916	036	2008/06/24	40.000	2011/06	DUE
CARBONATE ALKALINITY	00445	036	2008/06/24	< 3.000	2011/06	DUE
CHLORIDE	00940	036	2008/06/24	19.000	2011/06	DUE
COLOR	00081	036	2008/03/25	< 3.000	2011/03	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-029
Source Name: WELL 120 (CRAM) - CL & OP
Source Number: 029
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2008/06/24	< 50.000	2011/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2008/06/24	< .050	2011/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2008/06/24	130.000	2011/06	DUE
HYDROXIDE ALKALINITY	71830	036	2008/06/24	< 3.000	2011/06	DUE
IRON	01045	036	2008/06/24	< 100.000	2011/06	DUE
MAGNESIUM	00927	036	2008/06/24	7.400	2011/06	DUE
MANGANESE	01055	036	2008/06/24	< 20.000	2011/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2008/03/25	< 1.000	2011/03	DUE
PH, LABORATORY	00403	036	2008/06/24	7.100	2011/06	DUE
SILVER	01077	036	2008/06/24	< 10.000	2011/06	DUE
SODIUM	00929	036	2008/06/24	20.000	2011/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2008/06/24	370.000	2011/06	DUE
SULFATE	00945	036	2008/06/24	25.000	2011/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2008/06/24	240.000	2011/06	DUE
TURBIDITY, LABORATORY	82079	036	2008/03/25	< .200	2011/03	DUE
ZINC	01092	036	2008/06/24	< 50.000	2011/06	DUE

PS Code: 3610064-031
Source Name: WELL 141 (MCDANIEL) - CL
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/06/18	< .000	2016/06	
ANTIMONY	01097	036	2013/06/18	< .000	2016/06	
ARSENIC	01002	036	2013/06/18	. 2.400	2016/06	
BARIUM	01007	036	2013/06/18	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06	
CADMIUM	01027	036	2013/06/18	< .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-031
Source Name: WELL 141 (MCDANIEL) - CL
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2013/06/18	. 1.100	2016/06	
CYANIDE	01291	036	2013/06/18	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	. .360	2016/06	
MERCURY	71900	036	2013/06/18	< .000	2016/06	
NICKEL	01067	036	2013/06/18	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/18	< .000	2016/06	
SELENIUM	01147	036	2013/06/18	< .000	2016/06	
THALLIUM	01059	036	2013/06/18	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/18	. 8.600	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/03	< .000	2017/03	
URANIUM (PCI/L)	28012	072	2011/03/03	. 4.800	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/26	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/26	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/26	< .000	2016/02	
1,1,2-TRICHLOROETHANE	34511	036	2013/02/26	< .000	2016/02	
1,1-DICHLOROETHANE	34496	036	2013/02/26	< .000	2016/02	
1,1-DICHLOROETHYLENE	34501	036	2013/02/26	< .000	2016/02	
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/26	< .000	2016/02	
1,2-DICHLOROBENZENE	34536	036	2013/02/26	< .000	2016/02	
1,2-DICHLOROETHANE	34531	036	2013/02/26	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-031
Source Name: WELL 141 (MCDANIEL) - CL
Source Number: 031
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	036	2013/02/26	< .000	2016/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/26	< .000	2016/02
1,4-DICHLOROBENZENE	34571	036	2013/02/26	< .000	2016/02
BENZENE	34030	036	2013/02/26	< .000	2016/02
CARBON TETRACHLORIDE	32102	036	2013/02/26	< .000	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/26	< .000	2016/02
DICHLOROMETHANE	34423	036	2013/02/26	< .000	2016/02
ETHYLBENZENE	34371	036	2013/02/26	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/26	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/26	< .000	2016/02
STYRENE	77128	036	2013/02/26	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/26	< .000	2016/02
TOLUENE	34010	036	2013/02/26	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/26	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/26	< .000	2016/02
TRICHLOROFLUOROMETHANE	34488	036	2013/02/26	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/26	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/26	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/18	. 130.000	2016/06
CALCIUM	00916	036	2013/06/18	. 35.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/18	< .000	2016/06
CHLORIDE	00940	036	2013/06/18	. 9.600	2016/06
COLOR	00081	036	2013/06/18	< .000	2016/06
COPPER	01042	036	2013/06/18	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/18	. 110.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	< .000	2016/06
IRON	01045	036	2013/06/18	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064

System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-031

Source Name: WELL 141 (MCDANIEL) - CL

Source Number: 031

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MAGNESIUM	00927	036	2013/06/18	. 5.100	2016/06
MANGANESE	01055	036	2013/06/18	< .000	2016/06
ODOR THRESHOLD @ 60 C	00086	036	2013/06/18	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/18	7.700	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	17.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 290.000	2016/06
SULFATE	00945	036	2013/06/18	18.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 180.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/18	< .000	2016/06
ZINC	01092	036	2013/06/18	< .000	2016/06

PS Code: 3610064-032

Source Name: WELL 146 (RANCH WELL) - CL & OP

Source Number: 032

Source Status: ACTIVE RAW

Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/06/04	< .000	2016/06
ANTIMONY	01097	036	2013/06/04	< .000	2016/06
ARSENIC	01002	036	2013/06/04	< .000	2016/06
BARIUM	01007	036	2013/06/04	< .000	2016/06
BERYLLIUM	01012	036	2013/06/04	< .000	2016/06
CADMIUM	01027	036	2013/06/04	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/04	< .000	2016/06
CYANIDE	01291	036	2013/06/04	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/04	. .260	2016/06
MERCURY	71900	036	2013/06/04	< .000	2016/06
NICKEL	01067	036	2013/06/04	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-032***

Source Name: ***WELL 146 (RANCH WELL) - CL & OP***

Source Number: ***032***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2013/06/04	< .000	2016/06	
SELENIUM	01147	036	2013/06/04	< .000	2016/06	
THALLIUM	01059	036	2013/06/04	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/04	. 23.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/04	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/15	. 9.300	2017/07	
URANIUM (PCI/L)	28012	036	2014/07/15	. 8.900	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/12	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/12	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/12	< .000	2016/02	
1,1,2-TRICHLOROETHANE	34511	036	2013/02/12	< .000	2016/02	
1,1-DICHLOROETHANE	34496	036	2013/02/12	< .000	2016/02	
1,1-DICHLOROETHYLENE	34501	036	2013/02/12	< .000	2016/02	
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROBENZENE	34536	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROETHANE	34531	036	2013/02/12	< .000	2016/02	
1,2-DICHLOROPROPANE	34541	036	2013/02/12	< .000	2016/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/12	< .000	2016/02	
1,4-DICHLOROBENZENE	34571	036	2013/02/12	< .000	2016/02	
BENZENE	34030	036	2013/02/12	< .000	2016/02	
CARBON TETRACHLORIDE	32102	036	2013/02/12	< .000	2016/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/12	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-032***

Source Name: ***WELL 146 (RANCH WELL) - CL & OP***

Source Number: ***032***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	**34423**	**036**	2013/02/12	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/12	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/12	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/12	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/12	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/12	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/12	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/12	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/12	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/12	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/04	**. 120.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/04	**. 36.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/04	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/04	**. 17.000**	2016/06
COLOR	**00081**	**036**	2013/06/04	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/04	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/04	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/04	**. 120.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/04	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/04	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/04	**. 6.700**	2016/06
MANGANESE	**01055**	**036**	2014/07/15	**< .000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/04	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/04	**7.600**	2016/06
SILVER	**01077**	**036**	2013/06/04	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/04	**20.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610064-032						
Source Name: WELL 146 (RANCH WELL) - CL & OP						
Source Number: 032						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SPECIFIC CONDUCTANCE	00095	036	2013/06/04	. 320.000	2016/06	
SULFATE	00945	036	2013/06/04	18.000	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/04	. 220.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/04	< .000	2016/06	
ZINC	01092	036	2013/06/04	< .000	2016/06	
PS Code: 3610064-033						
Source Name: WELL 143 (ABBEY WAY) - CL & OP						
Source Number: 033						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/06/04	< .000	2016/06	
ANTIMONY	01097	036	2013/06/04	< .000	2016/06	
ARSENIC	01002	036	2013/06/04	< .000	2016/06	
BARIUM	01007	036	2013/06/04	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/04	< .000	2016/06	
CADMIUM	01027	036	2013/06/04	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/04	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2013/06/04	< .000	2016/06	
CYANIDE	01291	036	2013/06/04	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/04	. .350	2016/06	
MERCURY	71900	036	2013/06/04	< .000	2016/06	
NICKEL	01067	036	2013/06/04	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/04	< .000	2016/06	
SELENIUM	01147	036	2013/06/04	< .000	2016/06	
THALLIUM	01059	036	2013/06/04	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/04	. 21.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-033***

Source Name: ***WELL 143 (ABBEY WAY) - CL & OP***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	**00620**	**036**	2013/06/04	**< .000**	2016/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2011/03/22	**. 9.400**	2017/03
URANIUM (PCI/L)	**28012**	**072**	2011/03/22	**. 8.600**	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/17	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/17	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/12	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/12	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/12	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/12	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/12	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/12	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/12	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/12	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/12	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/12	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/12	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/12	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/12	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/12	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/12	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/12	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/12	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/12	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/12	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/12	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-033***

Source Name: ***WELL 143 (ABBEY WAY) - CL & OP***

Source Number: ***033***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/12	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/12	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/12	**< .000**	2016/02
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/12	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/12	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/12	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/04	**. 140.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/04	**. 40.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/04	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/04	**. 13.000**	2016/06
COLOR	**00081**	**036**	2013/06/04	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/04	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/04	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/04	**. 110.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/04	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/04	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/04	**. 8.700**	2016/06
MANGANESE	**01055**	**036**	2014/05/06	**< .000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/04	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/04	**7.800**	2016/06
SILVER	**01077**	**036**	2013/06/04	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/04	**23.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/04	**. 350.000**	2016/06
SULFATE	**00945**	**036**	2013/06/04	**26.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/04	**. 230.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/04	**< .000**	2016/06
ZINC	**01092**	**036**	2013/06/04	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-034***

Source Name: ***WELL 28-GAC EFFLNT VESSEL NO. 1***

Source Number: ***034***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

PS Code: ***3610064-035***

Source Name: ***WELL 28-GAC EFFLNT VESSEL NO. 2***

Source Number: ***035***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

PS Code: ***3610064-036***

Source Name: ***STATE PROJECT WATER - RAW***

Source Number: ***036***

Source Status: ***PURCHASED RAW***

Water type: ***S***

INORGANIC

ALUMINUM	**01105**	**012**	2013/08/27	**< .000**	2014/08	
ANTIMONY	**01097**	**012**	2013/08/27	**< .000**	2014/08	
ARSENIC	**01002**	**012**	2013/08/27	**. 3.000**	2014/08	
ASBESTOS	**81855**	**108**	2013/08/27	**. .000**	2022/08	
BARIUM	**01007**	**012**	2013/08/27	**< .000**	2014/08	
BERYLLIUM	**01012**	**012**	2013/08/27	**< .000**	2014/08	
CADMIUM	**01027**	**012**	2013/08/27	**< .000**	2014/08	
CHROMIUM (TOTAL)	**01034**	**012**	2013/08/27	**< .000**	2014/08	
CHROMIUM, HEXAVALENT	**01032**	**012**	**2011/07/21**	**< .000**	**2012/07**	**DUE**
CYANIDE	**01291**	**012**	2013/08/27	**< .000**	2014/08	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**012**	2013/08/27	**. .110**	2014/08	
MERCURY	**71900**	**012**	2013/08/27	**< .000**	2014/08	
NICKEL	**01067**	**012**	2013/08/27	**< .000**	2014/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-036***

Source Name: ***STATE PROJECT WATER - RAW***

Source Number: ***036***

Source Status: ***PURCHASED RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**012**	2013/08/27	**< .000**	2014/08
SELENIUM	**01147**	**012**	2013/08/27	**< .000**	2014/08
THALLIUM	**01059**	**012**	2013/08/27	**< .000**	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/27	**< .000**	2014/08
NITRITE (AS N)	**00620**	**036**	2013/08/27	**< .000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2011/03/22	**< .000**	2017/03
URANIUM (PCI/L)	**28012**	**072**	2011/03/22	**< .000**	2017/03
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	**34676**	**036**	2014/07/17	**< 5.000**	2017/07
2,4,5-TP (SILVEX)	**39045**	**036**	2011/07/21	**< .000**	2014/07
2,4-D	**39730**	**036**	2011/07/21	**< .000**	2014/07
ALACHLOR	**77825**	**036**	2011/07/21	**< .000**	2014/07
ATRAZINE	**39033**	**036**	2011/07/21	**< .000**	2014/07
BENTAZON	**38710**	**036**	2011/07/21	**< .000**	2014/07
BENZO (A) PYRENE	**34247**	**036**	2011/07/21	**< .000**	2014/07
CARBOFURAN	**81405**	**036**	2011/07/21	**< .000**	2014/07
CHLORDANE	**39350**	**036**	2011/07/21	**< .000**	2014/07
DALAPON	**38432**	**036**	2011/07/21	**< .000**	2014/07
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**036**	2011/07/21	**< .000**	2014/07
DI(2-ETHYLHEXYL)PHTHALATE	**39100**	**036**	2011/07/21	**< .000**	2014/07
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/21	**< .000**	2014/07
DINOSEB	**81287**	**036**	2011/07/21	**< .000**	2014/07
DIQUAT	**78885**	**036**	2014/07/17	**< 2.000**	2017/07
ENDOTHALL	**38926**	**036**	2011/07/21	**< .000**	2014/07
ENDRIN	**39390**	**036**	2011/07/21	**< .000**	2014/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/21	**< .000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-036
Source Name: STATE PROJECT WATER - RAW
Source Number: 036
Source Status: PURCHASED RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
GLYPHOSATE	79743	036	2011/07/21	< .000	2014/07
HEPTACHLOR	39410	036	2011/07/21	< .000	2014/07
HEPTACHLOR EPOXIDE	39420	036	2011/07/21	< .000	2014/07
HEXACHLOROBENZENE	39700	036	2011/07/21	< .000	2014/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2011/07/21	< .000	2014/07
LINDANE	39340	036	2011/07/21	< .000	2014/07
METHOXYCHLOR	39480	036	2011/07/21	< .000	2014/07
MOLINATE	82199	036	2011/07/21	< .000	2014/07
OXAMYL	38865	036	2011/07/21	< .000	2014/07
PENTACHLOROPHENOL	39032	036	2011/07/21	< .000	2014/07
PICLORAM	39720	036	2011/07/21	< .000	2014/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2011/07/21	< .000	2014/07
SIMAZINE	39055	036	2011/07/21	< .000	2014/07
THIOBENCARB	A-001	036	2011/07/21	< .000	2014/07
TOXAPHENE	39400	036	2011/07/21	< .000	2014/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/02/21	< .000	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/02/21	< .000	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/02/21	< .000	2015/02
1,1,2-TRICHLOROETHANE	34511	012	2014/02/21	< .000	2015/02
1,1-DICHLOROETHANE	34496	012	2014/02/21	< .000	2015/02
1,1-DICHLOROETHYLENE	34501	012	2014/02/21	< .000	2015/02
1,2,4-TRICHLOROBENZENE	34551	012	2014/02/21	< .000	2015/02
1,2-DICHLOROBENZENE	34536	012	2014/02/21	< .000	2015/02
1,2-DICHLOROETHANE	34531	012	2014/02/21	< .000	2015/02
1,2-DICHLOROPROPANE	34541	012	2014/02/21	< .000	2015/02
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/02/21	< .000	2015/02
1,4-DICHLOROBENZENE	34571	012	2014/02/21	< .000	2015/02
BENZENE	34030	012	2014/02/21	< .000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-036***

Source Name: ***STATE PROJECT WATER - RAW***

Source Number: ***036***

Source Status: ***PURCHASED RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**012**	2014/02/21	**< .000**	2015/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2014/02/21	**< .000**	2015/02
DICHLOROMETHANE	**34423**	**012**	2014/02/21	**< .000**	2015/02
ETHYLBENZENE	**34371**	**012**	2014/02/21	**< .000**	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**012**	2014/02/21	**< .000**	2015/02
MONOCHLOROBENZENE	**34301**	**012**	2014/02/21	**< .000**	2015/02
STYRENE	**77128**	**012**	2014/02/21	**< .000**	2015/02
TETRACHLOROETHYLENE	**34475**	**012**	2014/02/21	**< .000**	2015/02
TOLUENE	**34010**	**012**	2014/02/21	**< .000**	2015/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2014/02/21	**< .000**	2015/02
TRICHLOROETHYLENE	**39180**	**012**	2014/02/21	**< .000**	2015/02
TRICHLOROFLUOROMETHANE	**34488**	**012**	2014/02/21	**< .000**	2015/02
VINYL CHLORIDE	**39175**	**012**	2014/02/21	**< .000**	2015/02
XYLENES (TOTAL)	**81551**	**012**	2014/02/21	**< .000**	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2013/08/27	**. 79.000**	2014/08
CALCIUM	**00916**	**012**	2013/08/27	**. 22.000**	2014/08
CARBONATE ALKALINITY	**00445**	**012**	2013/08/27	**11.000**	2014/08
CHLORIDE	**00940**	**012**	2013/08/27	**. 68.000**	2014/08
COLOR	**00081**	**012**	2013/08/27	**< .000**	2014/08
COPPER	**01042**	**012**	2013/08/27	**< .000**	2014/08
FOAMING AGENTS (MBAS)	**38260**	**012**	2013/08/27	**< .000**	2014/08
HARDNESS (TOTAL) AS CACO3	**00900**	**012**	2013/08/27	**. 100.000**	2014/08
HYDROXIDE ALKALINITY	**71830**	**012**	2013/08/27	**< .000**	2014/08
IRON	**01045**	**012**	2013/08/27	**< .000**	2014/08
MAGNESIUM	**00927**	**012**	2013/08/27	**. 11.000**	2014/08
MANGANESE	**01055**	**012**	2013/08/27	**< .000**	2014/08
ODOR THRESHOLD @ 60 C	**00086**	**012**	2013/08/27	**1.000**	2014/08
PH, LABORATORY	**00403**	**012**	2013/08/27	**. 8.600**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-036***

Source Name: ***STATE PROJECT WATER - RAW***

Source Number: ***036***

Source Status: ***PURCHASED RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SILVER	**01077**	**012**	2013/08/27	**<**	**.000**	2014/08
SODIUM	**00929**	**012**	2013/08/27		**49.000**	2014/08
SPECIFIC CONDUCTANCE	**00095**	**012**	2013/08/27	**.**	**450.000**	2014/08
SULFATE	**00945**	**012**	2013/08/27		**34.000**	2014/08
TOTAL DISSOLVED SOLIDS	**70300**	**012**	2013/08/27	**.**	**260.000**	2014/08
TURBIDITY, LABORATORY	**82079**	**012**	2013/08/27	**.**	**1.100**	2014/08
ZINC	**01092**	**012**	2013/08/27	**<**	**.000**	2014/08

PS Code: ***3610064-037***

Source Name: ***WELL 28-GAC EFFLUENT VESSEL NO. 3***

Source Number: ***037***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**

PS Code: ***3610064-038***

Source Name: ***WELL 28-GAC EFFLUENT VESSEL NO. 4***

Source Number: ***038***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-039***

Source Name: ***WELL 147 - CL & OP***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/25	< .000	2016/06	
ANTIMONY	01097	036	2013/06/25	< .000	2016/06	
ARSENIC	01002	036	2013/06/25	< .000	2016/06	
BARIUM	01007	036	2013/06/25	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/25	< .000	2016/06	
CADMIUM	01027	036	2013/06/25	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/25	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2013/06/25	< .000	2016/06	
CYANIDE	01291	036	2013/06/25	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/25	. .340	2016/06	
MERCURY	71900	036	2013/06/25	< .000	2016/06	
NICKEL	01067	036	2013/06/25	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/25	< .000	2016/06	
SELENIUM	01147	036	2013/06/25	< .000	2016/06	
THALLIUM	01059	036	2013/06/25	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/25	. 13.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/25	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/22	. 4.700	2017/03	
URANIUM (PCI/L)	28012	072	2011/03/22	. 7.000	2017/03	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/26	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/26	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/26	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-039
Source Name: WELL 147 - CL & OP
Source Number: 039
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2013/02/26	< .000	2016/02
1,1-DICHLOROETHANE	34496	036	2013/02/26	< .000	2016/02
1,1-DICHLOROETHYLENE	34501	036	2013/02/26	< .000	2016/02
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/26	< .000	2016/02
1,2-DICHLOROBENZENE	34536	036	2013/02/26	< .000	2016/02
1,2-DICHLOROETHANE	34531	036	2013/02/26	< .000	2016/02
1,2-DICHLOROPROPANE	34541	036	2013/02/26	< .000	2016/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/26	< .000	2016/02
1,4-DICHLOROBENZENE	34571	036	2013/02/26	< .000	2016/02
BENZENE	34030	036	2013/02/26	< .000	2016/02
CARBON TETRACHLORIDE	32102	036	2013/02/26	< .000	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/26	< .000	2016/02
DICHLOROMETHANE	34423	036	2013/02/26	< .000	2016/02
ETHYLBENZENE	34371	036	2013/02/26	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/26	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/26	< .000	2016/02
STYRENE	77128	036	2013/02/26	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/26	< .000	2016/02
TOLUENE	34010	036	2013/02/26	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/26	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/26	< .000	2016/02
TRICHLOROFLUOROMETHANE	34488	036	2013/02/26	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/26	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/26	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/25	. 140.000	2016/06
CALCIUM	00916	036	2013/06/25	. 37.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/25	< .000	2016/06
CHLORIDE	00940	036	2013/06/25	. 17.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-039***

Source Name: ***WELL 147 - CL & OP***

Source Number: ***039***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2013/06/25	< .000	2016/06
COPPER	01042	036	2013/06/25	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/25	< .000	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/25	. 120.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/25	< .000	2016/06
IRON	01045	036	2013/06/25	< .000	2016/06
MAGNESIUM	00927	036	2013/06/25	. 7.600	2016/06
MANGANESE	01055	036	2014/02/04	< .000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2013/06/25	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/25	7.300	2016/06
SILVER	01077	036	2013/06/25	< .000	2016/06
SODIUM	00929	036	2013/06/25	18.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/25	. 340.000	2016/06
SULFATE	00945	036	2013/06/25	23.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/25	. 210.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/25	. .100	2016/06
ZINC	01092	036	2013/06/25	< .000	2016/06

PS Code: ***3610064-040***

Source Name: ***WELL 146 (RANCH WELL) - TREATED***

Source Number: ***040***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-041
Source Name: WELL 147 - TREATED (CL2 PO4)
Source Number: 041
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610064-042
Source Name: WELL 142 - CL & OP
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/11	< .000	2016/06	
ANTIMONY	01097	036	2013/06/11	< .000	2016/06	
ARSENIC	01002	036	2013/06/11	< .000	2016/06	
BARIUM	01007	036	2013/06/11	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/11	< .000	2016/06	
CADMIUM	01027	036	2013/06/11	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/11	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2011/07/12	< .000	2014/07	
CYANIDE	01291	036	2013/06/11	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/11	. .540	2016/06	
MERCURY	71900	036	2013/06/11	< .000	2016/06	
NICKEL	01067	036	2013/06/11	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/11	< .000	2016/06	
SELENIUM	01147	036	2013/06/11	< .000	2016/06	
THALLIUM	01059	036	2013/06/11	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/11	. 10.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/11	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/15	. 10.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-042
Source Name: WELL 142 - CL & OP
Source Number: 042
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	036	2014/07/15	. 5.700	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/02/12	< .000	2016/02
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/12	< .000	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/12	< .000	2016/02
1,1,2-TRICHLOROETHANE	34511	036	2013/02/12	< .000	2016/02
1,1-DICHLOROETHANE	34496	036	2013/02/12	< .000	2016/02
1,1-DICHLOROETHYLENE	34501	036	2013/02/12	< .000	2016/02
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/12	< .000	2016/02
1,2-DICHLOROBENZENE	34536	036	2013/02/12	< .000	2016/02
1,2-DICHLOROETHANE	34531	036	2013/02/12	< .000	2016/02
1,2-DICHLOROPROPANE	34541	036	2013/02/12	< .000	2016/02
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/12	< .000	2016/02
1,4-DICHLOROBENZENE	34571	036	2013/02/12	< .000	2016/02
BENZENE	34030	036	2013/02/12	< .000	2016/02
CARBON TETRACHLORIDE	32102	036	2013/02/12	< .000	2016/02
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/12	< .000	2016/02
DICHLOROMETHANE	34423	036	2013/02/12	< .000	2016/02
ETHYLBENZENE	34371	036	2013/02/12	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/12	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/12	< .000	2016/02
STYRENE	77128	036	2013/02/12	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/12	< .000	2016/02
TOLUENE	34010	036	2013/02/12	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/12	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/12	< .000	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-042***

Source Name: ***WELL 142 - CL & OP***

Source Number: ***042***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/12	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/12	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/12	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/11	**. 180.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/11	**. 49.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/11	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/11	**. 22.000**	2016/06
COLOR	**00081**	**036**	2013/06/11	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/11	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/11	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/11	**. 180.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/11	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/11	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/11	**. 14.000**	2016/06
MANGANESE	**01055**	**036**	2013/06/11	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/11	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/11	**. 7.800**	2016/06
SILVER	**01077**	**036**	2013/06/11	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/11	**27.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/11	**. 440.000**	2016/06
SULFATE	**00945**	**036**	2013/06/11	**31.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/11	**. 270.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/11	**. .100**	2016/06
ZINC	**01092**	**036**	2013/06/11	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-044
Source Name: DIST SYS-PLANT 39 FLUORIDE BLENDING FAC
Source Number: 044
Source Status: COMBINATION OR BLEND TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610064-045
Source Name: DIST SYS-INTERMEDTE PRESSR ZONE SUPPLY
Source Number: 045
Source Status: DISTRIBUTION RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610064-046
Source Name: WELL 146A - CL & OP
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/06/18	< .000	2016/06
ANTIMONY	01097	036	2013/06/18	< .000	2016/06
ARSENIC	01002	036	2013/06/18	< .000	2016/06
BARIUM	01007	036	2013/06/18	< .000	2016/06
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06
CADMIUM	01027	036	2013/06/18	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2013/06/18	< .000	2016/06
CYANIDE	01291	036	2013/06/18	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	. .300	2016/06
MERCURY	71900	036	2013/06/18	< .000	2016/06
NICKEL	01067	036	2013/06/18	< .000	2016/06
PERCHLORATE	A-031	036	2013/06/18	< .000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-046
Source Name: WELL 146A - CL & OP
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
SELENIUM	01147	036	2013/06/18	< .000	2016/06	
THALLIUM	01059	036	2013/06/18	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/18	. 19.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/15	. 9.800	2017/07	
URANIUM (PCI/L)	28012	036	2014/07/15	. 15.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/17	< .000	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/17	< .000	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/02/26	< .000	2016/02	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/02/26	< .000	2016/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/02/26	< .000	2016/02	
1,1,2-TRICHLOROETHANE	34511	036	2013/02/26	< .000	2016/02	
1,1-DICHLOROETHANE	34496	036	2013/02/26	< .000	2016/02	
1,1-DICHLOROETHYLENE	34501	036	2013/02/26	< .000	2016/02	
1,2,4-TRICHLOROBENZENE	34551	036	2013/02/26	< .000	2016/02	
1,2-DICHLOROBENZENE	34536	036	2013/02/26	< .000	2016/02	
1,2-DICHLOROETHANE	34531	036	2013/02/26	< .000	2016/02	
1,2-DICHLOROPROPANE	34541	036	2013/02/26	< .000	2016/02	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/02/26	< .000	2016/02	
1,4-DICHLOROBENZENE	34571	036	2013/02/26	< .000	2016/02	
BENZENE	34030	036	2013/02/26	< .000	2016/02	
CARBON TETRACHLORIDE	32102	036	2013/02/26	< .000	2016/02	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/02/26	< .000	2016/02	
DICHLOROMETHANE	34423	036	2013/02/26	< .000	2016/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-046
Source Name: WELL 146A - CL & OP
Source Number: 046
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	036	2013/02/26	< .000	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/02/26	< .000	2016/02
MONOCHLOROBENZENE	34301	036	2013/02/26	< .000	2016/02
STYRENE	77128	036	2013/02/26	< .000	2016/02
TETRACHLOROETHYLENE	34475	036	2013/02/26	< .000	2016/02
TOLUENE	34010	036	2013/02/26	< .000	2016/02
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/02/26	< .000	2016/02
TRICHLOROETHYLENE	39180	036	2013/02/26	< .000	2016/02
TRICHLOROFLUOROMETHANE	34488	036	2013/02/26	< .000	2016/02
VINYL CHLORIDE	39175	036	2013/02/26	< .000	2016/02
XYLENES (TOTAL)	81551	036	2013/02/26	< .000	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/06/18	. 130.000	2016/06
CALCIUM	00916	036	2013/06/18	. 37.000	2016/06
CARBONATE ALKALINITY	00445	036	2013/06/18	< .000	2016/06
CHLORIDE	00940	036	2013/06/18	. 15.000	2016/06
COLOR	00081	036	2013/06/18	< .000	2016/06
COPPER	01042	036	2013/06/18	< .000	2016/06
FOAMING AGENTS (MBAS)	38260	036	2013/06/18	. .120	2016/06
HARDNESS (TOTAL) AS CACO3	00900	036	2013/06/18	. 120.000	2016/06
HYDROXIDE ALKALINITY	71830	036	2013/06/18	< .000	2016/06
IRON	01045	036	2013/06/18	< .000	2016/06
MAGNESIUM	00927	036	2013/06/18	. 6.700	2016/06
MANGANESE	01055	036	2014/07/15	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2013/06/18	1.000	2016/06
PH, LABORATORY	00403	036	2013/06/18	7.700	2016/06
SILVER	01077	036	2013/06/18	< .000	2016/06
SODIUM	00929	036	2013/06/18	20.000	2016/06
SPECIFIC CONDUCTANCE	00095	036	2013/06/18	. 330.000	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610064-046					
Source Name: WELL 146A - CL & OP					
Source Number: 046					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2013/06/18	18.000	2016/06
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/18	. 220.000	2016/06
TURBIDITY, LABORATORY	82079	036	2013/06/18	< .000	2016/06
ZINC	01092	036	2013/06/18	< .000	2016/06
PS Code: 3610064-047					
Source Name: DIST SYS-WELL 28-GAC COMBINED EFFLUENT					
Source Number: 047					
Source Status: COMBINATION OR BLEND TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-049					
Source Name: MILL CREEK (RAW)					
Source Number: 049					
Source Status: ACTIVE RAW					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-050					
Source Name: PURCHASED - CITY OF SAN BERNARDINO					
Source Number: 050					
Source Status: PURCHASED TREATED					
Water type: S					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-051
Source Name: PHILIP A DISCH TREATMENT PLANT -INFLUENT
Source Number: 051
Source Status: COMBINATION OR BLEND RAW
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

PS Code: 3610064-053
Source Name: WELL 132-5
Source Number: 053
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/06/18	< .000	2016/06
ANTIMONY	01097	036	2013/06/18	< .000	2016/06
ARSENIC	01002	036	2013/06/18	< .000	2016/06
BARIUM	01007	036	2013/06/18	< .000	2016/06
BERYLLIUM	01012	036	2013/06/18	< .000	2016/06
CADMIUM	01027	036	2013/06/18	< .000	2016/06
CHROMIUM (TOTAL)	01034	036	2013/06/18	< .000	2016/06
CHROMIUM, HEXAVALENT	01032	036	2013/06/18	< .000	2016/06
CYANIDE	01291	036	2013/06/18	< .000	2016/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/18	. .600	2016/06
MERCURY	71900	036	2013/06/18	< .000	2016/06
NICKEL	01067	036	2013/06/18	< .000	2016/06
PERCHLORATE	A-031	036	2013/06/18	< .000	2016/06
SELENIUM	01147	036	2013/06/18	< .000	2016/06
THALLIUM	01059	036	2013/06/18	< .000	2016/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/15	. 30.000	2015/07
NITRITE (AS N)	00620	036	2013/06/18	< .000	2016/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/15	. 14.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-053***

Source Name: ***WELL 132-5***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	**28012**	**036**	2014/07/15	**. 15.000**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/17	**. .012**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/17	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/26	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/26	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/26	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/26	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/26	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/26	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/26	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/26	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/26	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/26	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/26	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/26	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/26	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-053***

Source Name: ***WELL 132-5***

Source Number: ***053***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/26	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/26	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/26	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/18	**. 160.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/18	**. 48.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/18	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/18	**. 18.000**	2016/06
COLOR	**00081**	**036**	2013/06/18	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/18	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/18	**. .130**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/18	**. 150.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/18	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/18	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/18	**. 6.400**	2016/06
MANGANESE	**01055**	**036**	2013/06/18	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/18	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/18	**7.600**	2016/06
SILVER	**01077**	**036**	2013/06/18	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/18	**33.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/18	**. 440.000**	2016/06
SULFATE	**00945**	**036**	2013/06/18	**31.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/18	**. 290.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/18	**< .000**	2016/06
ZINC	**01092**	**036**	2013/06/18	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-054
Source Name: WELL 107 - IX EFFLUENT
Source Number: 054
Source Status: ACTIVE TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610064-055
Source Name: WELL 151
Source Number: 055
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/06/25	< .000	2016/06	
ANTIMONY	01097	036	2013/06/25	< .000	2016/06	
ARSENIC	01002	036	2013/06/25	< .000	2016/06	
BARIUM	01007	036	2013/06/25	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/25	< .000	2016/06	
CADMIUM	01027	036	2013/06/25	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/25	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	2013/06/25	< .000	2016/06	
CYANIDE	01291	036	2013/06/25	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/25	. .340	2016/06	
MERCURY	71900	036	2013/06/25	< .000	2016/06	
NICKEL	01067	036	2013/06/25	< .000	2016/06	
PERCHLORATE	A-031	036	2013/06/25	< .000	2016/06	
SELENIUM	01147	036	2013/06/25	< .000	2016/06	
THALLIUM	01059	036	2013/06/25	< .000	2016/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/06/25	. 9.800	2014/06	DUE
NITRITE (AS N)	00620	036	2013/06/25	< .000	2016/06	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2011/03/22	. 6.400	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-055***

Source Name: ***WELL 151***

Source Number: ***055***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	**28012**	**072**	2011/03/22	**. 8.500**	2017/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/17	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/17	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/02/26	**< .000**	2016/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/02/26	**< .000**	2016/02
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHANE	**34496**	**036**	2013/02/26	**< .000**	2016/02
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/02/26	**< .000**	2016/02
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROBENZENE	**34536**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROETHANE	**34531**	**036**	2013/02/26	**< .000**	2016/02
1,2-DICHLOROPROPANE	**34541**	**036**	2013/02/26	**< .000**	2016/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/02/26	**< .000**	2016/02
1,4-DICHLOROBENZENE	**34571**	**036**	2013/02/26	**< .000**	2016/02
BENZENE	**34030**	**036**	2013/02/26	**< .000**	2016/02
CARBON TETRACHLORIDE	**32102**	**036**	2013/02/26	**< .000**	2016/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/02/26	**< .000**	2016/02
DICHLOROMETHANE	**34423**	**036**	2013/02/26	**< .000**	2016/02
ETHYLBENZENE	**34371**	**036**	2013/02/26	**< .000**	2016/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/02/26	**< .000**	2016/02
MONOCHLOROBENZENE	**34301**	**036**	2013/02/26	**< .000**	2016/02
STYRENE	**77128**	**036**	2013/02/26	**< .000**	2016/02
TETRACHLOROETHYLENE	**34475**	**036**	2013/02/26	**< .000**	2016/02
TOLUENE	**34010**	**036**	2013/02/26	**< .000**	2016/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/02/26	**< .000**	2016/02
TRICHLOROETHYLENE	**39180**	**036**	2013/02/26	**< .000**	2016/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

PS Code: ***3610064-055***

Source Name: ***WELL 151***

Source Number: ***055***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/02/26	**< .000**	2016/02
VINYL CHLORIDE	**39175**	**036**	2013/02/26	**< .000**	2016/02
XYLENES (TOTAL)	**81551**	**036**	2013/02/26	**< .000**	2016/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/25	**. 150.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/25	**. 37.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/25	**< .000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/25	**. 10.000**	2016/06
COLOR	**00081**	**036**	2013/06/25	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/25	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/25	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/25	**. 120.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/25	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/25	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/25	**. 6.400**	2016/06
MANGANESE	**01055**	**036**	2013/06/25	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/25	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/25	**7.900**	2016/06
SILVER	**01077**	**036**	2013/06/25	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/25	**15.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/25	**. 310.000**	2016/06
SULFATE	**00945**	**036**	2013/06/25	**18.000**	2016/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/06/25	**. 200.000**	2016/06
TURBIDITY, LABORATORY	**82079**	**036**	2013/06/25	**< .000**	2016/06
ZINC	**01092**	**036**	2013/06/25	**< .000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

PS Code: 3610064-601
Source Name: DBP2-6600 SUMMIT DR.
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/23	. 1.500	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/23	. 9.700	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/23	. 21.200	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/23	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/23	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/23	. 10.000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 12.400	2014/08
BROMOFORM (THM)	32104	003	2014/05/22	< .000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/22	. 37.300	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/22	. 3.800	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/22	. 53.500	2014/08

PS Code: 3610064-602
Source Name: DBP2-29412 BASELINE ST.
Source Number: 602
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/23	. 1.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/23	. 3.800	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/23	. 8.700	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/23	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/23	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/23	. 3.800	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/22	. 2.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610064-602***					
Source Name: ***DBP2-29412 BASELINE ST.***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/22	< **.000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	. **3.000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	. **1.500**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	. **6.500**	2014/08
PS Code: ***3610064-603***					
Source Name: ***DBP2-28819 EDWARD VIEW DR***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/23	< **.000**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/23	. **12.700**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/23	. **28.400**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/23	< **.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/23	< **.000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/23	. **15.700**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	. **5.500**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/22	. **1.100**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	. **10.900**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	. **3.800**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	. **21.300**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610064-604***					
Source Name: ***DBP2-7800 LA MONICA***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/23	**. 1.100**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/23	**< .000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/23	**. 1.100**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/23	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/23	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/23	**< .000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	**. 2.200**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/22	**< .000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	**. 1.700**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	**. 1.900**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	**. 5.800**	2014/08
PS Code: ***3610064-605***					
Source Name: ***DBP2-28530 OAK RIDGE RD***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/23	**< .000**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/23	**. 13.900**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/23	**. 32.600**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/23	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/23	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/23	**. 18.700**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	**. 8.100**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610064-605***					
Source Name: ***DBP2-28530 OAK RIDGE RD***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/22	**< .000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	**. 28.100**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	**. 1.500**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	**. 37.700**	2014/08
PS Code: ***3610064-606***					
Source Name: ***DBP2-PLANT 134 ENTRY PT***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/23	**< .000**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/23	**. 13.800**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/23	**. 31.800**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/23	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/23	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/23	**. 18.000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	**. 7.900**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/22	**< .000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	**. 26.500**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	**. 1.400**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	**. 35.800**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610064-607***					
Source Name: ***DBP2-3713 LYNWOOD DR.***					
Source Number: ***607***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/23	. **1.300**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/23	. **5.700**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/23	. **12.500**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/23	< **.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/23	< **.000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/23	. **5.500**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	. **6.100**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/22	. **2.100**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	. **10.900**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	. **5.600**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	. **24.700**	2014/08
PS Code: ***3610064-608***					
Source Name: ***DBP2-6534 CHURCH ST. HYDRANT***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/23	. **1.500**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/23	. **9.500**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/23	. **21.000**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/23	< **.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/23	< **.000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/23	. **10.000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/22	. **9.800**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610064-608***					
Source Name: ***DBP2-6534 CHURCH ST. HYDRANT***					
Source Number: ***608***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/22	. **1.800**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/22	. **17.200**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/22	. **7.100**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/22	. **35.900**	2014/08
PS Code: ***3610064-800***					
Source Name: ***PLANT 125 - CL & OP - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610064-801***					
Source Name: ***WELL 009A - CL - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610064-802 **Source Name:** WELL 011A - TREATED (CL2) **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-803 **Source Name:** WELL 012A - CL - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-804 **Source Name:** WELL 024A - CL - TREATED (CL2) **Source Number:** 804 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-805 **Source Name:** WELL 024B - CL - TREATED (CL2) **Source Number:** 805 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610064***

System Name: ***EAST VALLEY WATER DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610064-806***					
Source Name: ***WELL 025A - CL - TREATED (CL2)***					
Source Number: ***806***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610064-807***					
Source Name: ***WELL 120 (CRAM) - CL & OP - TREATED (CL2***					
Source Number: ***807***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610064-808***					
Source Name: ***WELL 141 (MCDANIEL) - CL - TREATED (CL2)***					
Source Number: ***808***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610064-809***					
Source Name: ***WELL 143 (ABBEY WAY) - CL & OP - TREATED***					
Source Number: ***809***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610064
System Name: EAST VALLEY WATER DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610064-810					
Source Name: WELL 142 - CL & OP - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-811					
Source Name: WELL 146A - CL & OP - TREATED (CL2)					
Source Number: 811					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-812					
Source Name: WELL 132-5 - TREATED (CL2)					
Source Number: 812					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610064-813					
Source Name: WELL 151 - TREATED (CL2)					
Source Number: 813					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-005***

Source Name: ***WELL 09E***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/01/18	**< 50.000**	2015/01
ANTIMONY	**01097**	**036**	2012/01/18	**< 6.000**	2015/01
ARSENIC	**01002**	**036**	2012/01/18	**< 2.000**	2015/01
BARIUM	**01007**	**036**	2012/01/18	**< 100.000**	2015/01
BERYLLIUM	**01012**	**036**	2012/01/18	**< 1.000**	2015/01
CADMIUM	**01027**	**036**	2012/01/18	**< 1.000**	2015/01
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/18	**< 1.000**	2015/01
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/10	**. 1.400**	2017/07
CYANIDE	**01291**	**036**	2012/01/18	**< 100.000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/01/18	**. .300**	2015/01
MERCURY	**71900**	**036**	2012/01/18	**< 1.000**	2015/01
NICKEL	**01067**	**036**	2012/01/18	**< 10.000**	2015/01
PERCHLORATE	**A-031**	**036**	2012/01/18	**< 4.000**	2015/01
SELENIUM	**01147**	**036**	2012/01/18	**< 5.000**	2015/01
THALLIUM	**01059**	**036**	2012/01/18	**< 1.000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/17	**. 13.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2012/01/18	**< 100.000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/01/07	**. 5.370**	2016/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/04/04	**< .010**	2015/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/04/04	**< .020**	2015/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/10/07	**< .500**	2016/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/10/07	**< .500**	2016/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/10/07	**< 10.000**	2016/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/10/07	**< .500**	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-005
Source Name: WELL 09E
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2010/10/07	< .500	2016/10
1,1-DICHLOROETHYLENE	34501	072	2010/10/07	< .500	2016/10
1,2,4-TRICHLOROBENZENE	34551	072	2010/10/07	< .500	2016/10
1,2-DICHLOROBENZENE	34536	072	2010/10/07	< .500	2016/10
1,2-DICHLOROETHANE	34531	072	2010/10/07	< .500	2016/10
1,2-DICHLOROPROPANE	34541	072	2010/10/07	< .500	2016/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2010/10/07	< .500	2016/10
1,4-DICHLOROBENZENE	34571	072	2010/10/07	< .500	2016/10
BENZENE	34030	072	2010/10/07	< .500	2016/10
CARBON TETRACHLORIDE	32102	072	2010/10/07	< .500	2016/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2010/10/07	< .500	2016/10
DICHLOROMETHANE	34423	072	2010/10/07	< .500	2016/10
ETHYLBENZENE	34371	072	2010/10/07	< .500	2016/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/10/07	< 3.000	2016/10
MONOCHLOROBENZENE	34301	072	2010/10/07	< .500	2016/10
STYRENE	77128	072	2010/10/07	< .500	2016/10
TETRACHLOROETHYLENE	34475	072	2010/10/07	< .500	2016/10
TOLUENE	34010	072	2010/10/07	< .500	2016/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2010/10/07	< .500	2016/10
TRICHLOROETHYLENE	39180	072	2010/10/07	< .500	2016/10
TRICHLOROFLUOROMETHANE	34488	072	2010/10/07	< 5.000	2016/10
VINYL CHLORIDE	39175	072	2010/10/07	< .500	2016/10
XYLENES (TOTAL)	81551	072	2010/10/07	< .500	2016/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/18	. 98.000	2015/01
CALCIUM	00916	036	2012/01/18	. 39.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/18	< 3.000	2015/01
CHLORIDE	00940	036	2012/01/18	. 60.000	2015/01
COLOR	00081	036	2012/01/18	< 3.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-005
Source Name: WELL 09E
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/01/18	< 50.000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/18	< .050	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/18	. 130.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/18	< 3.000	2015/01
IRON	01045	036	2012/01/18	< 100.000	2015/01
MAGNESIUM	00927	036	2012/01/18	. 7.300	2015/01
MANGANESE	01055	036	2012/01/18	< 20.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/18	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/18	. 7.800	2015/01
SILVER	01077	036	2012/01/18	< 10.000	2015/01
SODIUM	00929	036	2012/01/18	36.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/18	. 450.000	2015/01
SULFATE	00945	036	2012/01/18	34.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 260.000	2017/07
TURBIDITY, LABORATORY	82079	036	2012/01/18	. .260	2015/01
ZINC	01092	036	2012/01/18	< 50.000	2015/01

PS Code: 3610073-008
Source Name: WELL 12E
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/01/04	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/04	< 6.000	2015/01
ARSENIC	01002	036	2013/01/03	< 2.000	2016/01
BARIUM	01007	036	2012/01/04	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/04	< 1.000	2015/01
CADMIUM	01027	036	2012/01/04	< 1.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

PS Code: ***3610073-008***
Source Name: ***WELL 12E***
Source Number: ***008***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	01034	036	2012/01/04	.	1.800	2015/01	
CHROMIUM, HEXAVALENT	01032	036	2002/07/17	.	3.600	2005/07	DUE
CYANIDE	01291	036	2012/01/04	<	100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/04	.	.300	2015/01	
MERCURY	71900	036	2012/01/04	<	1.000	2015/01	
NICKEL	01067	036	2012/01/04	<	10.000	2015/01	
PERCHLORATE	A-031	036	2012/01/04	<	4.000	2015/01	
SELENIUM	01147	036	2012/01/04	<	5.000	2015/01	
THALLIUM	01059	036	2012/01/04	<	1.000	2015/01	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/04/17	.	15.000	2015/04	
NITRITE (AS N)	00620	036	2012/01/04	<	100.000	2015/01	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2014/04/10	.	1.880	2017/04	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/04/02	<	.010	2016/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/04/02	<	.020	2016/04	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2012/04/04	<	.500	2018/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/04/04	<	.500	2018/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/04/04	<	10.000	2018/04	
1,1,2-TRICHLOROETHANE	34511	072	2012/04/04	<	.500	2018/04	
1,1-DICHLOROETHANE	34496	072	2012/04/04	<	.500	2018/04	
1,1-DICHLOROETHYLENE	34501	072	2012/04/04	<	.500	2018/04	
1,2,4-TRICHLOROBENZENE	34551	072	2012/04/04	<	.500	2018/04	
1,2-DICHLOROBENZENE	34536	072	2012/04/04	<	.500	2018/04	
1,2-DICHLOROETHANE	34531	072	2012/04/04	<	.500	2018/04	
1,2-DICHLOROPROPANE	34541	072	2012/04/04	<	.500	2018/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-008
Source Name: WELL 12E
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/04/04	< .500	2018/04
1,4-DICHLOROBENZENE	34571	072	2012/04/04	< .500	2018/04
BENZENE	34030	072	2012/04/04	< .500	2018/04
CARBON TETRACHLORIDE	32102	072	2012/04/04	< .500	2018/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/04/04	< .500	2018/04
DICHLOROMETHANE	34423	072	2012/04/04	< .500	2018/04
ETHYLBENZENE	34371	072	2012/04/04	< .500	2018/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/04/04	< 3.000	2018/04
MONOCHLOROBENZENE	34301	072	2012/04/04	< .500	2018/04
STYRENE	77128	072	2012/04/04	< .500	2018/04
TETRACHLOROETHYLENE	34475	072	2012/04/04	< .500	2018/04
TOLUENE	34010	072	2012/04/04	< .500	2018/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/04/04	< .500	2018/04
TRICHLOROETHYLENE	39180	072	2012/04/04	< .500	2018/04
TRICHLOROFLUOROMETHANE	34488	072	2012/04/04	< 5.000	2018/04
VINYL CHLORIDE	39175	072	2012/04/04	< .500	2018/04
XYLENES (TOTAL)	81551	072	2012/04/04	< .500	2018/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/01/04	. 100.000	2015/01
CALCIUM	00916	036	2012/01/04	. 45.000	2015/01
CARBONATE ALKALINITY	00445	036	2012/01/04	< 3.000	2015/01
CHLORIDE	00940	036	2012/01/04	. 63.000	2015/01
COLOR	00081	036	2012/01/04	< 3.000	2015/01
COPPER	01042	036	2012/01/04	< 50.000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/04	< .050	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/04	. 150.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/04	< 3.000	2015/01
IRON	01045	036	2012/01/04	< 100.000	2015/01
MAGNESIUM	00927	036	2012/01/04	. 9.200	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-008
Source Name: WELL 12E
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2012/01/04	<	20.000	2015/01	
ODOR THRESHOLD @ 60 C	00086	036	2012/01/04	<	1.000	2015/01	
PH, LABORATORY	00403	036	2012/01/04	.	7.600	2015/01	
SILVER	01077	036	2012/01/04	<	10.000	2015/01	
SODIUM	00929	036	2012/01/04		35.000	2015/01	
SPECIFIC CONDUCTANCE	00095	036	2012/01/04	.	500.000	2015/01	
SULFATE	00945	036	2012/01/04		35.000	2015/01	
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/03	.	290.000	2016/07	
TURBIDITY, LABORATORY	82079	036	2012/01/04	<	.200	2015/01	
ZINC	01092	036	2012/01/04	<	50.000	2015/01	

PS Code: 3610073-010
Source Name: WELL 02W
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/01/04	<	50.000	2015/01	
ANTIMONY	01097	036	2012/01/04	<	6.000	2015/01	
ARSENIC	01002	036	2012/01/04	<	2.000	2015/01	
BARIUM	01007	036	2012/01/04	<	100.000	2015/01	
BERYLLIUM	01012	036	2012/01/04	<	1.000	2015/01	
CADMIUM	01027	036	2012/01/04	<	1.000	2015/01	
CHROMIUM (TOTAL)	01034	036	2012/01/04	<	1.000	2015/01	
CHROMIUM, HEXAVALENT	01032	036	2001/11/29	.	.000	2004/11	DUE
CYANIDE	01291	036	2012/01/04	<	100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/04	.	.300	2015/01	
MERCURY	71900	036	2012/01/04	<	1.000	2015/01	
NICKEL	01067	036	2012/01/04	<	10.000	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-010
Source Name: WELL 02W
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2012/01/04	< 4.000	2015/01
SELENIUM	01147	036	2012/01/04	< 5.000	2015/01
THALLIUM	01059	036	2012/01/04	< 1.000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 18.000	2015/07
NITRITE (AS N)	00620	036	2012/01/04	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/04/01	3.950	2016/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/10	< .010	2017/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/10	< .020	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/04/05	< .500	2017/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/04/05	< .500	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/04/05	< 10.000	2017/04
1,1,2-TRICHLOROETHANE	34511	072	2011/04/05	< .500	2017/04
1,1-DICHLOROETHANE	34496	072	2011/04/05	< .500	2017/04
1,1-DICHLOROETHYLENE	34501	072	2011/04/05	< .500	2017/04
1,2,4-TRICHLOROBENZENE	34551	072	2011/04/05	< .500	2017/04
1,2-DICHLOROBENZENE	34536	072	2011/04/05	< .500	2017/04
1,2-DICHLOROETHANE	34531	072	2011/04/05	< .500	2017/04
1,2-DICHLOROPROPANE	34541	072	2011/04/05	< .500	2017/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/04/05	< .500	2017/04
1,4-DICHLOROBENZENE	34571	072	2011/04/05	< .500	2017/04
BENZENE	34030	072	2011/04/05	< .500	2017/04
CARBON TETRACHLORIDE	32102	072	2011/04/05	< .500	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/04/05	< .500	2017/04
DICHLOROMETHANE	34423	072	2011/04/05	< .500	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-010***

Source Name: ***WELL 02W***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2011/04/05	**< .500**	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/04/05	**< 3.000**	2017/04
MONOCHLOROBENZENE	**34301**	**072**	2011/04/05	**< .500**	2017/04
STYRENE	**77128**	**072**	2011/04/05	**< .500**	2017/04
TETRACHLOROETHYLENE	**34475**	**072**	2011/04/05	**< .500**	2017/04
TOLUENE	**34010**	**072**	2011/04/05	**< .500**	2017/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/04/05	**< .500**	2017/04
TRICHLOROETHYLENE	**39180**	**072**	2011/04/05	**< .500**	2017/04
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/04/05	**< 5.000**	2017/04
VINYL CHLORIDE	**39175**	**072**	2011/04/05	**< .500**	2017/04
XYLENES (TOTAL)	**81551**	**072**	2011/04/05	**< .500**	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/04	**. 89.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/04	**. 34.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/04	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/04	**. 32.000**	2015/01
COLOR	**00081**	**036**	2012/01/04	**< 3.000**	2015/01
COPPER	**01042**	**036**	2012/01/04	**< 50.000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/04	**< .050**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/04	**. 110.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/04	**< 3.000**	2015/01
IRON	**01045**	**036**	2012/01/04	**< 100.000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/04	**. 4.700**	2015/01
MANGANESE	**01055**	**036**	2012/01/04	**< 20.000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/04	**< 1.000**	2015/01
PH, LABORATORY	**00403**	**036**	2012/01/04	**. 7.500**	2015/01
SILVER	**01077**	**036**	2012/01/04	**< 10.000**	2015/01
SODIUM	**00929**	**036**	2012/01/04	**26.000**	2015/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/04	**. 360.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-010
Source Name: WELL 02W
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2012/01/04		23.000	2015/01	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	.	200.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2012/01/04	<	.200	2015/01	
ZINC	01092	036	2012/01/04	<	50.000	2015/01	

PS Code: 3610073-014
Source Name: WELL 06W
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/03/24	<	50.000	2014/03	DUE
ANTIMONY	01097	036	2011/03/24	<	6.000	2014/03	DUE
ARSENIC	01002	036	2011/03/24	<	2.000	2014/03	DUE
BARIUM	01007	036	2011/03/24	<	100.000	2014/03	DUE
BERYLLIUM	01012	036	2011/03/24	<	1.000	2014/03	DUE
CADMIUM	01027	036	2011/03/24	<	1.000	2014/03	DUE
CHROMIUM (TOTAL)	01034	036	2011/03/24	<	1.000	2014/03	DUE
CHROMIUM, HEXAVALENT	01032	036	2001/11/29	.	.000	2004/11	DUE
CYANIDE	01291	036	2011/03/24	<	100.000	2014/03	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/03/24	.	.200	2014/03	DUE
MERCURY	71900	036	2011/03/24	<	1.000	2014/03	DUE
NICKEL	01067	036	2011/03/24	<	10.000	2014/03	DUE
PERCHLORATE	A-031	036	2011/03/24	<	4.000	2014/03	DUE
SELENIUM	01147	036	2011/03/24	<	5.000	2014/03	DUE
THALLIUM	01059	036	2011/03/24	<	1.000	2014/03	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/03	.	12.000	2015/07	
NITRITE (AS N)	00620	036	2011/03/24	<	100.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-014***

Source Name: ***WELL 06W***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/04/03	**4.120**	2015/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/04/10	**< .010**	2017/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/04/10	**< .020**	2017/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/07/06	**< .500**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/07/06	**< .500**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/07/06	**< 10.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/07/06	**< .500**	2017/07
1,1-DICHLOROETHANE	**34496**	**072**	2011/07/06	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/07/06	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/07/06	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**072**	2011/07/06	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**072**	2011/07/06	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**072**	2011/07/06	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/07/06	**< .500**	2017/07
1,4-DICHLOROBENZENE	**34571**	**072**	2011/07/06	**< .500**	2017/07
BENZENE	**34030**	**072**	2011/07/06	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**072**	2011/07/06	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/07/06	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**072**	2011/07/06	**< .500**	2017/07
ETHYLBENZENE	**34371**	**072**	2011/07/06	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/07/06	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**072**	2011/07/06	**< .500**	2017/07
STYRENE	**77128**	**072**	2011/07/06	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**072**	2011/07/06	**< .500**	2017/07
TOLUENE	**34010**	**072**	2011/07/06	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/07/06	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**072**	2011/07/06	**< .500**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-014***

Source Name: ***WELL 06W***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TRICHLOROFLUOROMETHANE	34488	072	2011/07/06	<	5.000	2017/07	
VINYL CHLORIDE	39175	072	2011/07/06	<	.500	2017/07	
XYLENES (TOTAL)	81551	072	2011/07/06	<	.500	2017/07	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/03/24	.	83.000	2014/03	DUE
CALCIUM	00916	036	2011/03/24	.	47.000	2014/03	DUE
CARBONATE ALKALINITY	00445	036	2011/03/24	<	3.000	2014/03	DUE
CHLORIDE	00940	036	2011/03/24	.	64.000	2014/03	DUE
COLOR	00081	036	2011/03/24	<	3.000	2014/03	DUE
COPPER	01042	036	2011/03/24	<	50.000	2014/03	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/03/24	<	.050	2014/03	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/03/24	.	150.000	2014/03	DUE
HYDROXIDE ALKALINITY	71830	036	2011/03/24	<	3.000	2014/03	DUE
IRON	01045	036	2011/03/24		210.000	2014/03	DUE
MAGNESIUM	00927	036	2011/03/24	.	6.700	2014/03	DUE
MANGANESE	01055	036	2011/03/24	<	20.000	2014/03	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/03/24	<	1.000	2014/03	DUE
PH, LABORATORY	00403	036	2011/03/24	.	7.400	2014/03	DUE
SILVER	01077	036	2011/03/24	<	10.000	2014/03	DUE
SODIUM	00929	036	2011/03/24		25.000	2014/03	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/03/24	.	450.000	2014/03	DUE
SULFATE	00945	036	2011/03/24		31.000	2014/03	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	.	210.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/03/24	.	1.200	2014/03	DUE
ZINC	01092	036	2011/03/24	<	50.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-015***

Source Name: ***WELL 08W***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/01/04	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/04	< 6.000	2015/01
ARSENIC	01002	036	2012/01/04	< 2.000	2015/01
BARIUM	01007	036	2012/01/04	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/04	< 1.000	2015/01
CADMIUM	01027	036	2012/01/04	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/04	. 1.500	2015/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/10	. 1.200	2017/07
CYANIDE	01291	036	2012/01/04	< 100.000	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/04	. .400	2015/01
MERCURY	71900	036	2012/01/04	< 1.000	2015/01
NICKEL	01067	036	2012/01/04	< 10.000	2015/01
PERCHLORATE	A-031	036	2012/01/04	< 4.000	2015/01
SELENIUM	01147	036	2012/01/04	< 5.000	2015/01
THALLIUM	01059	036	2012/01/04	< 1.000	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 11.000	2015/07
NITRITE (AS N)	00620	036	2012/01/04	< 100.000	2015/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/04/03	. 2.060	2015/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/04/02	< .010	2016/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/04/02	< .020	2016/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/07/06	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/07/06	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/07/06	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	072	2011/07/06	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-015***

Source Name: ***WELL 08W***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2011/07/06	**< .500**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/07/06	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/07/06	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**072**	2011/07/06	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**072**	2011/07/06	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**072**	2011/07/06	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/07/06	**< .500**	2017/07
1,4-DICHLOROBENZENE	**34571**	**072**	2011/07/06	**< .500**	2017/07
BENZENE	**34030**	**072**	2011/07/06	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**072**	2011/07/06	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/07/06	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**072**	2011/07/06	**< .500**	2017/07
ETHYLBENZENE	**34371**	**072**	2011/07/06	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/07/06	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**072**	2011/07/06	**< .500**	2017/07
STYRENE	**77128**	**072**	2011/07/06	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**072**	2011/07/06	**< .500**	2017/07
TOLUENE	**34010**	**072**	2011/07/06	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/07/06	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**072**	2011/07/06	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/07/06	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**072**	2011/07/06	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**072**	2011/07/06	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/04	**. 110.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/04	**. 18.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/04	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/04	**. 8.400**	2015/01
COLOR	**00081**	**036**	2012/01/04	**< 3.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610073-015***					
Source Name: ***WELL 08W***					
Source Number: ***015***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2012/01/04	**< 50.000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/04	**< .050**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/04	**. 55.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/04	**< 3.000**	2015/01
IRON	**01045**	**036**	2012/01/04	**< 100.000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/04	**. 2.600**	2015/01
MANGANESE	**01055**	**036**	2012/01/04	**< 20.000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/04	**< 1.000**	2015/01
PH, LABORATORY	**00403**	**036**	2012/01/04	**. 7.900**	2015/01
SILVER	**01077**	**036**	2012/01/04	**< 10.000**	2015/01
SODIUM	**00929**	**036**	2012/01/04	**37.000**	2015/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/04	**. 280.000**	2015/01
SULFATE	**00945**	**036**	2012/01/04	**13.000**	2015/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/03	**. 180.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/01/04	**< .200**	2015/01
ZINC	**01092**	**036**	2012/01/04	**< 50.000**	2015/01
PS Code: ***3610073-017***					
Source Name: ***WELL 09W***					
Source Number: ***017***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2012/04/03	**< 50.000**	2015/04
ANTIMONY	**01097**	**036**	2012/04/03	**< 6.000**	2015/04
ARSENIC	**01002**	**036**	2012/04/03	**< 2.000**	2015/04
BARIUM	**01007**	**036**	2012/04/03	**< 100.000**	2015/04
BERYLLIUM	**01012**	**036**	2012/04/03	**< 1.000**	2015/04
CADMIUM	**01027**	**036**	2012/04/03	**< 1.000**	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-017***

Source Name: ***WELL 09W***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/04/03	< 1.000	2015/04	
CHROMIUM, HEXAVALENT	01032	036	2001/11/29	. 1.300	2004/11	DUE
CYANIDE	01291	036	2012/04/03	< 100.000	2015/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/03	. .300	2015/04	
MERCURY	71900	036	2012/04/03	< 1.000	2015/04	
NICKEL	01067	036	2012/04/03	< 10.000	2015/04	
PERCHLORATE	A-031	036	2012/04/03	< 4.000	2015/04	
SELENIUM	01147	036	2012/04/03	< 5.000	2015/04	
THALLIUM	01059	036	2012/04/03	< 1.000	2015/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/03	. 9.800	2015/07	
NITRITE (AS N)	00620	036	2012/04/03	< 100.000	2015/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/10	. 2.550	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/03	< .010	2014/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/03	< .020	2014/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/03/26	.000	2014/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/03/26	.000	2014/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/03/26	.000	2014/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/03/26	.000	2014/03	DUE
1,1-DICHLOROETHANE	34496	072	2008/03/26	.000	2014/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/03/26	.000	2014/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/03/26	.000	2014/03	DUE
1,2-DICHLOROBENZENE	34536	072	2008/03/26	.000	2014/03	DUE
1,2-DICHLOROETHANE	34531	072	2008/03/26	.000	2014/03	DUE
1,2-DICHLOROPROPANE	34541	072	2008/03/26	.000	2014/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

PS Code: ***3610073-017***
Source Name: ***WELL 09W***
Source Number: ***017***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/03/26		.000	2014/03	DUE
1,4-DICHLOROBENZENE	34571	072	2008/03/26		.000	2014/03	DUE
BENZENE	34030	072	2008/03/26		.000	2014/03	DUE
CARBON TETRACHLORIDE	32102	072	2008/03/26		.000	2014/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/03/26		.000	2014/03	DUE
DICHLOROMETHANE	34423	072	2008/03/26		.000	2014/03	DUE
ETHYLBENZENE	34371	072	2008/03/26		.000	2014/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2008/03/26		.000	2014/03	DUE
MONOCHLOROBENZENE	34301	072	2008/03/26		.000	2014/03	DUE
STYRENE	77128	072	2008/03/26		.000	2014/03	DUE
TETRACHLOROETHYLENE	34475	072	2008/03/26		.000	2014/03	DUE
TOLUENE	34010	072	2008/03/26		.000	2014/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/03/26		.000	2014/03	DUE
TRICHLOROETHYLENE	39180	072	2008/03/26		.000	2014/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/03/26		.000	2014/03	DUE
VINYL CHLORIDE	39175	072	2008/03/26		.000	2014/03	DUE
XYLENES (TOTAL)	81551	072	2008/03/26		.000	2014/03	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2012/04/03	.	95.000	2015/04	
CALCIUM	00916	036	2012/04/03	.	31.000	2015/04	
CARBONATE ALKALINITY	00445	036	2012/04/03	<	3.000	2015/04	
CHLORIDE	00940	036	2012/04/03	.	3.200	2015/04	
COLOR	00081	036	2012/04/03	<	3.000	2015/04	
COPPER	01042	036	2012/04/03	<	50.000	2015/04	
FOAMING AGENTS (MBAS)	38260	036	2012/04/03	<	.050	2015/04	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/04/03	.	97.000	2015/04	
HYDROXIDE ALKALINITY	71830	036	2012/04/03	<	3.000	2015/04	
IRON	01045	036	2012/04/03		160.000	2015/04	
MAGNESIUM	00927	036	2012/04/03	.	4.700	2015/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-017
Source Name: WELL 09W
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED		NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2012/04/03	<	20.000	2015/04	
ODOR THRESHOLD @ 60 C	00086	036	2012/04/03	<	1.000	2015/04	
PH, LABORATORY	00403	036	2012/04/03	.	7.700	2015/04	
SILVER	01077	036	2012/04/03	<	10.000	2015/04	
SODIUM	00929	036	2012/04/03		27.000	2015/04	
SPECIFIC CONDUCTANCE	00095	036	2012/04/03	.	360.000	2015/04	
SULFATE	00945	036	2012/04/03		2.200	2015/04	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	.	180.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2012/04/03	.	1.000	2015/04	
ZINC	01092	036	2012/04/03	<	50.000	2015/04	

PS Code: 3610073-018
Source Name: WELL 11W
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED		NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/01/25	<	50.000	2014/01	DUE
ANTIMONY	01097	036	2011/01/25	<	6.000	2014/01	DUE
ARSENIC	01002	036	2011/01/25	<	2.000	2014/01	DUE
BARIUM	01007	036	2011/01/25	<	100.000	2014/01	DUE
BERYLLIUM	01012	036	2011/01/25	<	1.000	2014/01	DUE
CADMIUM	01027	036	2011/01/25	<	1.000	2014/01	DUE
CHROMIUM (TOTAL)	01034	036	2011/01/25	.	1.900	2014/01	DUE
CHROMIUM, HEXAVALENT	01032	036	2001/11/28	.	3.000	2004/11	DUE
CYANIDE	01291	036	2011/01/25	<	100.000	2014/01	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/01/25	.	.300	2014/01	DUE
MERCURY	71900	036	2011/01/25	<	1.000	2014/01	DUE
NICKEL	01067	036	2011/01/25	<	10.000	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-018
Source Name: WELL 11W
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/01/25	< 4.000	2014/01	DUE
SELENIUM	01147	036	2011/01/25	< 5.000	2014/01	DUE
THALLIUM	01059	036	2011/01/25	< 1.000	2014/01	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/03	. 22.000	2015/07	
NITRITE (AS N)	00620	036	2011/01/25	< 100.000	2014/01	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/10/03	. 5.940	2014/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/10	< .010	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/10	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/04/06	< .500	2017/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/04/06	< .500	2017/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/04/06	< 10.000	2017/04	
1,1,2-TRICHLOROETHANE	34511	072	2011/04/06	< .500	2017/04	
1,1-DICHLOROETHANE	34496	072	2011/04/06	< .500	2017/04	
1,1-DICHLOROETHYLENE	34501	072	2011/04/06	< .500	2017/04	
1,2,4-TRICHLOROBENZENE	34551	072	2011/04/06	< .500	2017/04	
1,2-DICHLOROBENZENE	34536	072	2011/04/06	< .500	2017/04	
1,2-DICHLOROETHANE	34531	072	2011/04/06	< .500	2017/04	
1,2-DICHLOROPROPANE	34541	072	2011/04/06	< .500	2017/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/04/06	< .500	2017/04	
1,4-DICHLOROBENZENE	34571	072	2011/04/06	< .500	2017/04	
BENZENE	34030	072	2011/04/06	< .500	2017/04	
CARBON TETRACHLORIDE	32102	072	2011/04/06	< .500	2017/04	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/04/06	< .500	2017/04	
DICHLOROMETHANE	34423	072	2011/04/06	< .500	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-018***

Source Name: ***WELL 11W***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
ETHYLBENZENE	34371	072	2011/04/06	<	.500	2017/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/06	<	3.000	2017/04	
MONOCHLOROBENZENE	34301	072	2011/04/06	<	.500	2017/04	
STYRENE	77128	072	2011/04/06	<	.500	2017/04	
TETRACHLOROETHYLENE	34475	072	2011/04/06	<	.500	2017/04	
TOLUENE	34010	072	2011/04/06	<	.500	2017/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/04/06	<	.500	2017/04	
TRICHLOROETHYLENE	39180	072	2011/04/06	<	.500	2017/04	
TRICHLOROFLUOROMETHANE	34488	072	2011/04/06	<	5.000	2017/04	
VINYL CHLORIDE	39175	072	2011/04/06	<	.500	2017/04	
XYLENES (TOTAL)	81551	072	2011/04/06	<	.500	2017/04	
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/01/03	.	99.000	2014/01	DUE
CALCIUM	00916	036	2011/01/03	.	39.000	2014/01	DUE
CARBONATE ALKALINITY	00445	036	2011/01/03	<	3.000	2014/01	DUE
CHLORIDE	00940	036	2011/01/03	.	47.000	2014/01	DUE
COLOR	00081	036	2011/01/03	<	3.000	2014/01	DUE
COPPER	01042	036	2011/01/03	<	50.000	2014/01	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/01/03	<	.050	2014/01	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/01/03	.	120.000	2014/01	DUE
HYDROXIDE ALKALINITY	71830	036	2011/01/03	<	3.000	2014/01	DUE
IRON	01045	036	2011/01/03	<	100.000	2014/01	DUE
MAGNESIUM	00927	036	2011/01/03	.	5.900	2014/01	DUE
MANGANESE	01055	036	2011/01/03	<	20.000	2014/01	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/01/03	<	1.000	2014/01	DUE
PH, LABORATORY	00403	036	2011/01/03	.	7.600	2014/01	DUE
SILVER	01077	036	2011/01/25	<	10.000	2014/01	DUE
SODIUM	00929	036	2011/01/03		33.000	2014/01	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/01/03	.	440.000	2014/01	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-018
Source Name: WELL 11W
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2011/01/03		27.000	2014/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	.	240.000	2017/07	
TURBIDITY, LABORATORY	82079	036	2011/01/03	<	.200	2014/01	DUE
ZINC	01092	036	2011/01/03	<	50.000	2014/01	DUE

PS Code: 3610073-019
Source Name: WELL 14E
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2012/01/18	<	50.000	2015/01	
ANTIMONY	01097	036	2012/01/18	<	6.000	2015/01	
ARSENIC	01002	036	2012/01/18	.	2.100	2015/01	
BARIUM	01007	036	2012/01/18	<	100.000	2015/01	
BERYLLIUM	01012	036	2012/01/18	<	1.000	2015/01	
CADMIUM	01027	036	2012/01/18	<	1.000	2015/01	
CHROMIUM (TOTAL)	01034	036	2012/01/18	.	1.500	2015/01	
CHROMIUM, HEXAVALENT	01032	036	2014/07/10	.	1.900	2017/07	
CYANIDE	01291	036	2012/01/18	<	100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/18	.	.300	2015/01	
MERCURY	71900	036	2012/01/18	<	1.000	2015/01	
NICKEL	01067	036	2012/01/18	<	10.000	2015/01	
PERCHLORATE	A-031	036	2012/01/18	<	4.000	2015/01	
SELENIUM	01147	036	2012/01/18	<	5.000	2015/01	
THALLIUM	01059	036	2012/01/18	<	1.000	2015/01	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/17	.	8.400	2015/07	
NITRITE (AS N)	00620	036	2012/01/18	<	100.000	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-019***

Source Name: ***WELL 14E***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/08/15	**5.520**	2016/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/04/04	**< .010**	2015/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/04/04	**< .020**	2015/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/10/03	**< .500**	2017/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/10/03	**< .500**	2017/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/10/03	**< 10.000**	2017/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/10/03	**< .500**	2017/10
1,1-DICHLOROETHANE	**34496**	**072**	2011/10/03	**< .500**	2017/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/10/03	**< .500**	2017/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/10/03	**< .500**	2017/10
1,2-DICHLOROBENZENE	**34536**	**072**	2011/10/03	**< .500**	2017/10
1,2-DICHLOROETHANE	**34531**	**072**	2011/10/03	**< .500**	2017/10
1,2-DICHLOROPROPANE	**34541**	**072**	2011/10/03	**< .500**	2017/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/10/03	**< .500**	2017/10
1,4-DICHLOROBENZENE	**34571**	**072**	2011/10/03	**< .500**	2017/10
BENZENE	**34030**	**072**	2011/10/03	**< .500**	2017/10
CARBON TETRACHLORIDE	**32102**	**072**	2011/10/03	**< .500**	2017/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/10/03	**< .500**	2017/10
DICHLOROMETHANE	**34423**	**072**	2011/10/03	**< .500**	2017/10
ETHYLBENZENE	**34371**	**072**	2011/10/03	**< .500**	2017/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/10/03	**< 3.000**	2017/10
MONOCHLOROBENZENE	**34301**	**072**	2011/10/03	**< .500**	2017/10
STYRENE	**77128**	**072**	2011/10/03	**< .500**	2017/10
TETRACHLOROETHYLENE	**34475**	**072**	2011/10/03	**< .500**	2017/10
TOLUENE	**34010**	**072**	2011/10/03	**< .500**	2017/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/10/03	**< .500**	2017/10
TRICHLOROETHYLENE	**39180**	**072**	2011/10/03	**< .500**	2017/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-019***

Source Name: ***WELL 14E***

Source Number: ***019***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/10/03	**< 5.000**	2017/10
VINYL CHLORIDE	**39175**	**072**	2011/10/03	**< .500**	2017/10
XYLENES (TOTAL)	**81551**	**072**	2011/10/03	**< .500**	2017/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/18	**. 95.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/18	**. 38.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/18	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/18	**. 51.000**	2015/01
COLOR	**00081**	**036**	2012/01/18	**< 3.000**	2015/01
COPPER	**01042**	**036**	2012/01/18	**< 50.000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/18	**< .050**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/18	**. 120.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/18	**< 3.000**	2015/01
IRON	**01045**	**036**	2012/01/18	**< 100.000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/18	**. 5.600**	2015/01
MANGANESE	**01055**	**036**	2012/01/18	**< 20.000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/18	**< 1.000**	2015/01
PH, LABORATORY	**00403**	**036**	2012/01/18	**. 7.700**	2015/01
SILVER	**01077**	**036**	2012/01/18	**< 10.000**	2015/01
SODIUM	**00929**	**036**	2012/01/18	**32.000**	2015/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/18	**. 410.000**	2015/01
SULFATE	**00945**	**036**	2012/01/18	**30.000**	2015/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/03	**. 230.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/01/18	**. .390**	2015/01
ZINC	**01092**	**036**	2012/01/18	**< 50.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-020***

Source Name: ***WELL 16E***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2012/01/04	**< 50.000**	2015/01
ANTIMONY	**01097**	**036**	2012/01/04	**< 6.000**	2015/01
ARSENIC	**01002**	**036**	2014/04/10	**. 11.000**	2017/04
BARIUM	**01007**	**036**	2012/01/04	**< 100.000**	2015/01
BERYLLIUM	**01012**	**036**	2012/01/04	**< 1.000**	2015/01
CADMIUM	**01027**	**036**	2012/01/04	**< 1.000**	2015/01
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/04	**. 6.300**	2015/01
CHROMIUM, HEXAVALENT	**01032**	**036**	2012/02/29	**. 3.200**	2015/02
CYANIDE	**01291**	**036**	2012/01/04	**< 100.000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/01/04	**. .400**	2015/01
MERCURY	**71900**	**036**	2012/01/04	**< 1.000**	2015/01
NICKEL	**01067**	**036**	2012/01/04	**< 10.000**	2015/01
PERCHLORATE	**A-031**	**036**	2012/01/04	**< 4.000**	2015/01
SELENIUM	**01147**	**036**	2012/01/04	**< 5.000**	2015/01
THALLIUM	**01059**	**036**	2012/01/04	**< 1.000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/17	**. 20.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2012/01/04	**< 100.000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/10	**. 2.020**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/17	**< .010**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/17	**< .020**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/10/03	**< .500**	2017/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/10/03	**< .500**	2017/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/10/03	**< 10.000**	2017/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/10/03	**< .500**	2017/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-020***

Source Name: ***WELL 16E***

Source Number: ***020***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2011/10/03	**< .500**	2017/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/10/03	**< .500**	2017/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/10/03	**< .500**	2017/10
1,2-DICHLOROBENZENE	**34536**	**072**	2011/10/03	**< .500**	2017/10
1,2-DICHLOROETHANE	**34531**	**072**	2011/10/03	**< .500**	2017/10
1,2-DICHLOROPROPANE	**34541**	**072**	2011/10/03	**< .500**	2017/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/10/03	**< .500**	2017/10
1,4-DICHLOROBENZENE	**34571**	**072**	2011/10/03	**< .500**	2017/10
BENZENE	**34030**	**072**	2011/10/03	**< .500**	2017/10
CARBON TETRACHLORIDE	**32102**	**072**	2011/10/03	**< .500**	2017/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/10/03	**< .500**	2017/10
DICHLOROMETHANE	**34423**	**072**	2011/10/03	**< .500**	2017/10
ETHYLBENZENE	**34371**	**072**	2011/10/03	**< .500**	2017/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/10/03	**< 3.000**	2017/10
MONOCHLOROBENZENE	**34301**	**072**	2011/10/03	**< .500**	2017/10
STYRENE	**77128**	**072**	2011/10/03	**< .500**	2017/10
TETRACHLOROETHYLENE	**34475**	**072**	2011/10/03	**< .500**	2017/10
TOLUENE	**34010**	**072**	2011/10/03	**< .500**	2017/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/10/03	**< .500**	2017/10
TRICHLOROETHYLENE	**39180**	**072**	2011/10/03	**< .500**	2017/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/10/03	**< 5.000**	2017/10
VINYL CHLORIDE	**39175**	**072**	2011/10/03	**< .500**	2017/10
XYLENES (TOTAL)	**81551**	**072**	2011/10/03	**< .500**	2017/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/04	**. 100.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/04	**. 23.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/04	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/04	**. 24.000**	2015/01
COLOR	**00081**	**036**	2012/01/04	**< 3.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610073-020					
Source Name: WELL 16E					
Source Number: 020					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
COPPER	01042	036	2012/01/04	< 50.000	2015/01
FOAMING AGENTS (MBAS)	38260	036	2012/01/04	< .050	2015/01
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/04	. 64.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/04	< 3.000	2015/01
IRON	01045	036	2012/01/04	< 100.000	2015/01
MAGNESIUM	00927	036	2012/01/04	. 1.400	2015/01
MANGANESE	01055	036	2012/01/04	< 20.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/04	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/04	. 8.200	2015/01
SILVER	01077	036	2012/01/04	< 10.000	2015/01
SODIUM	00929	036	2012/01/04	54.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/04	. 400.000	2015/01
SULFATE	00945	036	2012/01/04	42.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/03	. 240.000	2016/07
TURBIDITY, LABORATORY	82079	036	2012/01/04	< .200	2015/01
ZINC	01092	036	2012/01/04	< 50.000	2015/01
PS Code: 3610073-021					
Source Name: WELL 17E					
Source Number: 021					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/01/04	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/04	< 6.000	2015/01
ARSENIC	01002	036	2012/01/04	< 2.000	2015/01
BARIUM	01007	036	2012/01/04	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/04	< 1.000	2015/01
CADMIUM	01027	036	2012/01/04	< 1.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-021***

Source Name: ***WELL 17E***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	01034	036	2012/01/04	.	2.300	2015/01	
CHROMIUM, HEXAVALENT	01032	036	2002/01/11	.	1.700	2005/01	DUE
CYANIDE	01291	036	2012/01/04	<	100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/01/04	.	.300	2015/01	
MERCURY	71900	036	2012/01/04	<	1.000	2015/01	
NICKEL	01067	036	2012/01/04	<	10.000	2015/01	
PERCHLORATE	A-031	036	2012/01/04	<	4.000	2015/01	
SELENIUM	01147	036	2012/01/04	<	5.000	2015/01	
THALLIUM	01059	036	2012/01/04	<	1.000	2015/01	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2012/12/13	.	13.000	2013/12	DUE
NITRITE (AS N)	00620	036	2012/01/04	<	100.000	2015/01	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2011/04/06		3.700	2014/04	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2010/01/14	<	.010	2013/01	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2010/01/14	<	.020	2013/01	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2011/10/03	<	.500	2017/10	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/10/03	<	.500	2017/10	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/10/03	<	10.000	2017/10	
1,1,2-TRICHLOROETHANE	34511	072	2011/10/03	<	.500	2017/10	
1,1-DICHLOROETHANE	34496	072	2011/10/03	<	.500	2017/10	
1,1-DICHLOROETHYLENE	34501	072	2011/10/03	<	.500	2017/10	
1,2,4-TRICHLOROBENZENE	34551	072	2011/10/03	<	.500	2017/10	
1,2-DICHLOROBENZENE	34536	072	2011/10/03	<	.500	2017/10	
1,2-DICHLOROETHANE	34531	072	2011/10/03	<	.500	2017/10	
1,2-DICHLOROPROPANE	34541	072	2011/10/03	<	.500	2017/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

PS Code: ***3610073-021***
Source Name: ***WELL 17E***
Source Number: ***021***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/10/03	**< .500**	2017/10
1,4-DICHLOROBENZENE	**34571**	**072**	2011/10/03	**< .500**	2017/10
BENZENE	**34030**	**072**	2011/10/03	**< .500**	2017/10
CARBON TETRACHLORIDE	**32102**	**072**	2011/10/03	**< .500**	2017/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/10/03	**< .500**	2017/10
DICHLOROMETHANE	**34423**	**072**	2011/10/03	**< .500**	2017/10
ETHYLBENZENE	**34371**	**072**	2011/10/03	**< .500**	2017/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/10/03	**< 3.000**	2017/10
MONOCHLOROBENZENE	**34301**	**072**	2011/10/03	**< .500**	2017/10
STYRENE	**77128**	**072**	2011/10/03	**< .500**	2017/10
TETRACHLOROETHYLENE	**34475**	**072**	2011/10/03	**< .500**	2017/10
TOLUENE	**34010**	**072**	2011/10/03	**< .500**	2017/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/10/03	**< .500**	2017/10
TRICHLOROETHYLENE	**39180**	**072**	2011/10/03	**< .500**	2017/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/10/03	**< 5.000**	2017/10
VINYL CHLORIDE	**39175**	**072**	2011/10/03	**< .500**	2017/10
XYLENES (TOTAL)	**81551**	**072**	2011/10/03	**< .500**	2017/10
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/04	**. 98.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/04	**. 42.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/04	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/04	**. 56.000**	2015/01
COLOR	**00081**	**036**	2012/01/04	**< 3.000**	2015/01
COPPER	**01042**	**036**	2012/01/04	**< 50.000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/04	**< .050**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/04	**. 140.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/04	**< 3.000**	2015/01
IRON	**01045**	**036**	2012/01/04	**< 100.000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/04	**. 7.600**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

PS Code: 3610073-021
Source Name: WELL 17E
Source Number: 021
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2012/01/04	< 20.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2012/01/04	< 1.000	2015/01
PH, LABORATORY	00403	036	2012/01/04	. 7.700	2015/01
SILVER	01077	036	2012/01/04	< 10.000	2015/01
SODIUM	00929	036	2012/01/04	33.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/04	. 470.000	2015/01
SULFATE	00945	036	2012/01/04	33.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/05	. 280.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/01/04	< .200	2015/01
ZINC	01092	036	2012/01/04	< 50.000	2015/01

PS Code: 3610073-023
Source Name: WELL 24E
Source Number: 023
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/04/03	< 50.000	2015/04
ANTIMONY	01097	036	2012/04/03	< 6.000	2015/04
ARSENIC	01002	036	2012/04/03	. 2.500	2015/04
BARIUM	01007	036	2012/04/03	< 100.000	2015/04
BERYLLIUM	01012	036	2012/04/03	< 1.000	2015/04
CADMIUM	01027	036	2012/04/03	< 1.000	2015/04
CHROMIUM (TOTAL)	01034	036	2013/08/19	1.700	2016/08
CHROMIUM, HEXAVALENT	01032	036	2013/08/19	. 1.900	2016/08
CYANIDE	01291	036	2012/04/03	< 100.000	2015/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/11/07	. .800	2015/11
MERCURY	71900	036	2012/04/03	< 1.000	2015/04
NICKEL	01067	036	2012/04/03	< 10.000	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

PS Code: ***3610073-023***

Source Name: ***WELL 24E***

Source Number: ***023***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2012/04/03	**< 4.000**	2015/04
SELENIUM	**01147**	**036**	2012/04/03	**< 5.000**	2015/04
THALLIUM	**01059**	**036**	2012/04/03	**< 1.000**	2015/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/10	**. 5.900**	2015/04
NITRITE (AS N)	**00620**	**036**	2012/04/03	**< 100.000**	2015/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/11/13	**. 12.300**	2016/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/04/04	**< .010**	2015/04
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/04/04	**< .020**	2015/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/11/12	**< .500**	2015/11
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/11/12	**< .500**	2015/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/11/12	**< 10.000**	2015/11
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/11/12	**< .500**	2015/11
1,1-DICHLOROETHANE	**34496**	**072**	2009/11/12	**< .500**	2015/11
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/11/12	**< .500**	2015/11
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/11/12	**< .500**	2015/11
1,2-DICHLOROBENZENE	**34536**	**072**	2009/11/12	**< .500**	2015/11
1,2-DICHLOROETHANE	**34531**	**072**	2009/11/12	**< .500**	2015/11
1,2-DICHLOROPROPANE	**34541**	**072**	2009/11/12	**< .500**	2015/11
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/11/12	**< .500**	2015/11
1,4-DICHLOROBENZENE	**34571**	**072**	2009/11/12	**< .500**	2015/11
BENZENE	**34030**	**072**	2009/11/12	**< .500**	2015/11
CARBON TETRACHLORIDE	**32102**	**072**	2009/11/12	**< .500**	2015/11
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/11/12	**< .500**	2015/11
DICHLOROMETHANE	**34423**	**072**	2009/11/12	**< .500**	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

PS Code: ***3610073-023***
Source Name: ***WELL 24E***
Source Number: ***023***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2009/11/12	**< .500**	2015/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/11/12	**< 3.000**	2015/11
MONOCHLOROBENZENE	**34301**	**072**	2009/11/12	**< .500**	2015/11
STYRENE	**77128**	**072**	2009/11/12	**< .500**	2015/11
TETRACHLOROETHYLENE	**34475**	**072**	2009/11/12	**< .500**	2015/11
TOLUENE	**34010**	**072**	2009/11/12	**< .500**	2015/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/11/12	**< .500**	2015/11
TRICHLOROETHYLENE	**39180**	**072**	2009/11/12	**< .500**	2015/11
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/11/12	**< 5.000**	2015/11
VINYL CHLORIDE	**39175**	**072**	2009/11/12	**< .500**	2015/11
XYLENES (TOTAL)	**81551**	**072**	2009/11/12	**< .500**	2015/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/11/07	**. 210.000**	2015/11
CALCIUM	**00916**	**036**	2012/11/07	**. 43.000**	2015/11
CARBONATE ALKALINITY	**00445**	**036**	2012/11/07	**< 3.000**	2015/11
CHLORIDE	**00940**	**036**	2013/04/02	**. 12.000**	2016/04
COLOR	**00081**	**036**	2012/04/03	**< 3.000**	2015/04
COPPER	**01042**	**036**	2012/11/07	**< 50.000**	2015/11
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/11/07	**< .050**	2015/11
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/11/07	**. 140.000**	2015/11
HYDROXIDE ALKALINITY	**71830**	**036**	2012/11/07	**< 3.000**	2015/11
IRON	**01045**	**036**	2012/11/07	**< 100.000**	2015/11
MAGNESIUM	**00927**	**036**	2012/11/07	**. 8.100**	2015/11
MANGANESE	**01055**	**036**	2012/11/07	**< 20.000**	2015/11
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/04/03	**< 1.000**	2015/04
PH, LABORATORY	**00403**	**036**	2012/11/07	**. 7.900**	2015/11
SILVER	**01077**	**036**	2012/04/03	**< 10.000**	2015/04
SODIUM	**00929**	**036**	2012/11/07	**36.000**	2015/11
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/11/07	**. 440.000**	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610073-023***					
Source Name: ***WELL 24E***					
Source Number: ***023***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
SULFATE	**00945**	**036**	2012/11/07	**21.000**	2015/11
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/04/10	**. 220.000**	2017/04
TURBIDITY, LABORATORY	**82079**	**036**	2012/04/03	**< .200**	2015/04
ZINC	**01092**	**036**	2012/11/07	**< 50.000**	2015/11
PS Code: ***3610073-029T***					
Source Name: ***WELL 06W - TREATED***					
Source Number: ***029***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610073-030T***					
Source Name: ***WELL 08W - TREATED***					
Source Number: ***030***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610073-032T***					
Source Name: ***WELL 09W - TREATED***					
Source Number: ***032***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610073-033T **Source Name:** WELL 11W - TREATED **Source Number:** 033 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610073-034T **Source Name:** ENCELIA (9E, 14E BLEND) - TREATED **Source Number:** 034 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610073-038T **Source Name:** WELL 24E - TREATED **Source Number:** 038 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610073-039 **Source Name:** IX EFF COMB - TREATED INACTIVE **Source Number:** 039 **Source Status:** COMBINATION OR BLEND TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610073
System Name: HI DESERT WD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610073-040						
Source Name: SUNNY SLOPE 12E,16E,17E BLEND - TREATED						
Source Number: 040						
Source Status: COMBINATION OR BLEND TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610073-041						
Source Name: WELL 20W						
Source Number: 041						
Source Status: PENDING						
Water type:						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610073-601						
Source Name: DBP2-56599 KISMET						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/16	.	2.500	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/16	<	1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/16	.	3.700	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/16	.	1.200	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/16	<	2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/16	<	1.000	2014/10
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	003	2014/07/16	.	2.200	2014/10
BROMOFORM (THM)	32104	003	2014/07/16	.	9.700	2014/10
CHLOROFORM (THM)	32106	003	2014/07/16	.	.640	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/16	.	6.700	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610073-601***					
Source Name: ***DBP2-56599 KISMET***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/16	**. 19.000**	2014/10
PS Code: ***3610073-602***					
Source Name: ***DBP2-58690 SAN MARINO***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/16	**. 1.500**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/16	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/16	**. 4.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/16	**. 2.500**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/16	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/16	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/16	**. 1.300**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/16	**. 3.500**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/16	**< .500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/16	**. 3.200**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/16	**. 8.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***

System Name: ***HI DESERT WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610073-603***					
Source Name: ***DBP2-58162 ABERDEEN***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/16	. **1.700**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/16	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/16	. **3.900**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/16	. **2.200**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/16	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/16	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/16	. **1.000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/16	. **3.600**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/16	< **.500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/16	. **3.000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/16	. **7.600**	2014/10
PS Code: ***3610073-604***					
Source Name: ***DBP2-57985 DESERT GOLD***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/16	. **1.900**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/16	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/16	. **4.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/16	. **2.100**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/16	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/16	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/16	. **1.100**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610073***
System Name: ***HI DESERT WD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610073-604***					
Source Name: ***DBP2-57985 DESERT GOLD***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/16	**. 4.100**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/16	**< .500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/16	**. 3.300**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/16	**. 8.500**	2014/10
PS Code: ***3610073-800***					
Source Name: ***WELL 02W - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/07/02	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/02	< 6.000	2017/07
ARSENIC	01002	036	2014/07/02	. 8.400	2017/07
BARIUM	01007	036	2014/07/02	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/02	< 1.000	2017/07
CADMIUM	01027	036	2014/07/02	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/02	. 4.700	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 4.400	2017/07
CYANIDE	01291	036	2014/07/02	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/02	. .800	2017/07
MERCURY	71900	036	2014/07/02	< 1.000	2017/07
NICKEL	01067	036	2014/07/02	< 10.000	2017/07
PERCHLORATE	A-031	036	2014/07/02	< 4.000	2017/07
SELENIUM	01147	036	2014/07/02	< 5.000	2017/07
THALLIUM	01059	036	2014/07/02	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 25.100	2014/08
NITRITE (AS N)	00620	036	2014/07/02	< 100.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/02	. .852	2017/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/02	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2014/07/02	< 1.000	2017/07
2,4-D	39730	036	2014/07/02	< 10.000	2017/07
ALACHLOR	77825	036	2014/07/02	< 1.000	2017/07
ATRAZINE	39033	036	2014/07/02	< .500	2017/07
BENTAZON	38710	036	2014/07/02	< 2.000	2017/07
BENZO (A) PYRENE	34247	036	2014/07/02	< .100	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
CARBOFURAN	81405	036	2014/07/02	< 5.000	2017/07
CHLORDANE	39350	036	2014/07/02	< .100	2017/07
DALAPON	38432	036	2014/07/02	< 10.000	2017/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/07/02	< 5.000	2017/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/07/02	< 3.000	2017/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/02	< .010	2017/07
DINOSEB	81287	036	2014/07/02	< 2.000	2017/07
DIQUAT	78885	036	2014/07/02	< .000	2017/07
ENDOTHALL	38926	036	2014/07/02	< 45.000	2017/07
ENDRIN	39390	036	2014/07/02	< .100	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/02	< .020	2017/07
GLYPHOSATE	79743	036	2014/07/02	< .000	2017/07
HEPTACHLOR	39410	036	2014/07/02	< .010	2017/07
HEPTACHLOR EPOXIDE	39420	036	2014/07/02	< .010	2017/07
HEXACHLOROBENZENE	39700	036	2014/07/02	< .500	2017/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/07/02	< 1.000	2017/07
LINDANE	39340	036	2014/07/02	< .200	2017/07
METHOXYCHLOR	39480	036	2014/07/02	< 10.000	2017/07
MOLINATE	82199	036	2014/07/02	< 2.000	2017/07
OXAMYL	38865	036	2014/07/02	< 20.000	2017/07
PENTACHLOROPHENOL	39032	036	2014/07/02	< .200	2017/07
PICLORAM	39720	036	2014/07/02	< 1.000	2017/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/07/02	< .500	2017/07
SIMAZINE	39055	036	2014/07/02	< 1.000	2017/07
THIOBENCARB	A-001	036	2014/07/02	< 1.000	2017/07
TOXAPHENE	39400	036	2014/07/02	< 1.000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**012**	2014/07/02	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**012**	2014/07/02	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**012**	2014/07/02	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**012**	2014/07/02	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**012**	2014/07/02	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**012**	2014/07/02	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**012**	2014/07/02	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**012**	2014/07/02	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**012**	2013/07/02	**< .500**	2014/07
1,4-DICHLOROBENZENE	**34571**	**012**	2014/07/02	**< .500**	2015/07
BENZENE	**34030**	**012**	2014/07/02	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**012**	2014/07/02	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2014/07/02	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**012**	2014/07/02	**< .500**	2015/07
ETHYLBENZENE	**34371**	**012**	2014/07/02	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/02	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**012**	2014/07/02	**< .500**	2015/07
STYRENE	**77128**	**012**	2014/07/02	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**012**	2014/07/02	**< .500**	2015/07
TOLUENE	**34010**	**012**	2014/07/02	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2014/07/02	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**012**	2014/07/02	**< .500**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**012**	2014/07/02	**< 5.000**	2015/07
VINYL CHLORIDE	**39175**	**012**	2014/07/02	**< .500**	2015/07
XYLENES (TOTAL)	**81551**	**012**	2014/07/02	**< .500**	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/02	**. 130.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/02	**. 25.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/02	**< 3.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
CHLORIDE	00940	036	2014/07/02	. 24.000	2017/07
COLOR	00081	036	2014/07/02	< 3.000	2017/07
COPPER	01042	036	2014/07/02	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/02	< .080	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/02	. 67.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 3.000	2017/07
IRON	01045	036	2014/07/02	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/02	. 1.100	2017/07
MANGANESE	01055	036	2014/07/02	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/02	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/02	. 8.000	2017/07
SILVER	01077	036	2014/07/02	< 10.000	2017/07
SODIUM	00929	036	2014/07/02	. 66.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/02	. 430.000	2017/07
SULFATE	00945	036	2014/07/02	. 36.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 276.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/02	< .200	2017/07
ZINC	01092	036	2014/07/02	< 50.000	2017/07

PS Code: 3610075-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/07/02	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/02	< 6.000	2017/07
ARSENIC	01002	036	2014/07/02	. 7.700	2017/07
BARIUM	01007	036	2014/07/02	< 100.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
BERYLLIUM	**01012**	**036**	2014/07/02	**< 1.000**	2017/07
CADMIUM	**01027**	**036**	2014/07/02	**< 1.000**	2017/07
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/02	**. 4.300**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/02	**. 4.500**	2017/07
CYANIDE	**01291**	**036**	2014/07/02	**< 100.000**	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/02	**. .900**	2017/07
MERCURY	**71900**	**036**	2014/07/02	**< 1.000**	2017/07
NICKEL	**01067**	**036**	2014/07/02	**< 10.000**	2017/07
PERCHLORATE	**A-031**	**036**	2014/07/02	**< 4.000**	2017/07
SELENIUM	**01147**	**036**	2014/07/02	**< 5.000**	2017/07
THALLIUM	**01059**	**036**	2014/07/02	**< 1.000**	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**001**	2014/07/08	**. 33.700**	2014/08
NITRITE (AS N)	**00620**	**036**	2014/07/02	**< 100.000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/02	**. .293**	2017/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	**34676**	**036**	2014/07/02	**< .000**	2017/07
2,4,5-TP (SILVEX)	**39045**	**036**	2014/07/02	**< 1.000**	2017/07
2,4-D	**39730**	**036**	2014/07/02	**< 10.000**	2017/07
ALACHLOR	**77825**	**036**	2014/07/02	**< 1.000**	2017/07
ATRAZINE	**39033**	**036**	2014/07/02	**< .500**	2017/07
BENTAZON	**38710**	**036**	2014/07/02	**< 2.000**	2017/07
BENZO (A) PYRENE	**34247**	**036**	2014/07/02	**< .100**	2017/07
CARBOFURAN	**81405**	**036**	2014/07/02	**< 5.000**	2017/07
CHLORDANE	**39350**	**036**	2014/07/02	**< .100**	2017/07
DALAPON	**38432**	**036**	2014/07/02	**< 10.000**	2017/07
DI(2-ETHYLHEXYL)ADIPATE	**A-026**	**036**	2014/07/02	**< 5.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/07/02	< 3.000	2017/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/02	< .010	2017/07
DINOSEB	81287	036	2014/07/02	< 2.000	2017/07
DIQUAT	78885	036	2014/07/02	< .000	2017/07
ENDOTHALL	38926	036	2014/07/02	< 45.000	2017/07
ENDRIN	39390	036	2014/07/02	< .100	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/02	< .020	2017/07
GLYPHOSATE	79743	036	2014/07/02	< .000	2017/07
HEPTACHLOR	39410	036	2014/07/02	< .010	2017/07
HEPTACHLOR EPOXIDE	39420	036	2014/07/02	< .010	2017/07
HEXACHLOROBENZENE	39700	036	2014/07/02	< .500	2017/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/07/02	< 1.000	2017/07
LINDANE	39340	036	2014/07/02	< .200	2017/07
METHOXYCHLOR	39480	036	2014/07/02	< 10.000	2017/07
MOLINATE	82199	036	2014/07/02	< 2.000	2017/07
OXAMYL	38865	036	2014/07/02	< 20.000	2017/07
PENTACHLOROPHENOL	39032	036	2014/07/02	< .200	2017/07
PICLORAM	39720	036	2014/07/02	< 1.000	2017/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/07/02	< .500	2017/07
SIMAZINE	39055	036	2014/07/02	< 1.000	2017/07
THIOBENCARB	A-001	036	2014/07/02	< 1.000	2017/07
TOXAPHENE	39400	036	2014/07/02	< 1.000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .500	2015/07
BENZENE	34030	012	2014/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/08	< 3.000	2017/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .500	2015/07
STYRENE	77128	012	2014/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	< .500	2015/07
TOLUENE	34010	012	2014/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 2.700	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/02	. 120.000	2017/07
CALCIUM	00916	036	2014/07/02	. 23.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/02	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/02	. 25.000	2017/07
COLOR	00081	036	2014/07/02	< 3.000	2017/07
COPPER	01042	036	2014/07/02	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/02	< .080	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/02	. 62.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 3.000	2017/07
IRON	01045	036	2014/07/02	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/02	< 1.000	2017/07
MANGANESE	01055	036	2014/07/02	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/02	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/02	. 8.200	2017/07
SILVER	01077	036	2014/07/02	< 10.000	2017/07
SODIUM	00929	036	2014/07/02	. 73.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/02	. 450.000	2017/07
SULFATE	00945	036	2014/07/02	. 43.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 284.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/02	< .200	2017/07
ZINC	01092	036	2014/07/02	< 50.000	2017/07

PS Code: 3610075-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/07/02	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/02	< 6.000	2017/07
ARSENIC	01002	036	2014/07/02	. 3.900	2017/07
BARIUM	01007	036	2014/07/02	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/02	< 1.000	2017/07
CADMIUM	01027	036	2014/07/02	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/02	. 2.200	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 2.400	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	01291	036	2014/07/02	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/02	. .800	2017/07
MERCURY	71900	036	2014/07/02	< 1.000	2017/07
NICKEL	01067	036	2014/07/02	< 10.000	2017/07
PERCHLORATE	A-031	036	2014/07/02	< 4.000	2017/07
SELENIUM	01147	036	2014/07/02	< 5.000	2017/07
THALLIUM	01059	036	2014/07/02	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 63.600	2014/08
NITRITE (AS N)	00620	036	2014/07/02	< 100.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/02	. 1.480	2017/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/02	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2014/07/02	< 1.000	2017/07
2,4-D	39730	036	2014/07/02	< 10.000	2017/07
ALACHLOR	77825	036	2014/07/02	< 1.000	2017/07
ATRAZINE	39033	036	2014/07/02	< .500	2017/07
BENTAZON	38710	036	2014/07/02	< 2.000	2017/07
BENZO (A) PYRENE	34247	036	2014/07/02	< .100	2017/07
CARBOFURAN	81405	036	2014/07/02	< 5.000	2017/07
CHLORDANE	39350	036	2014/07/02	< .100	2017/07
DALAPON	38432	036	2014/07/02	< 10.000	2017/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/07/02	< 5.000	2017/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/07/02	< 3.000	2017/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/02	< .010	2017/07
DINOSEB	81287	036	2014/07/02	< 2.000	2017/07
DIQUAT	78885	036	2014/07/02	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDOTHALL	**38926**	**036**	2014/07/02	**< 45.000**	2017/07
ENDRIN	**39390**	**036**	2014/07/02	**< .100**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/02	**< .020**	2017/07
GLYPHOSATE	**79743**	**036**	2014/07/02	**< .000**	2017/07
HEPTACHLOR	**39410**	**036**	2014/07/02	**< .010**	2017/07
HEPTACHLOR EPOXIDE	**39420**	**036**	2014/07/02	**< .010**	2017/07
HEXACHLOROBENZENE	**39700**	**036**	2014/07/02	**< .500**	2017/07
HEXACHLOROCYCLOPENTADIENE	**34386**	**036**	2014/07/02	**< 1.000**	2017/07
LINDANE	**39340**	**036**	2014/07/02	**< .200**	2017/07
METHOXYCHLOR	**39480**	**036**	2014/07/02	**< 10.000**	2017/07
MOLINATE	**82199**	**036**	2014/07/02	**< 2.000**	2017/07
OXAMYL	**38865**	**036**	2014/07/02	**< 20.000**	2017/07
PENTACHLOROPHENOL	**39032**	**036**	2014/07/02	**< .200**	2017/07
PICLORAM	**39720**	**036**	2014/07/02	**< 1.000**	2017/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	**39516**	**036**	2014/07/02	**< .500**	2017/07
SIMAZINE	**39055**	**036**	2014/07/02	**< 1.000**	2017/07
THIOBENCARB	**A-001**	**036**	2014/07/02	**< 1.000**	2017/07
TOXAPHENE	**39400**	**036**	2014/07/02	**< 1.000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**012**	2014/07/08	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**012**	2014/07/08	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**012**	2014/07/08	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**012**	2014/07/08	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**012**	2014/07/08	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**012**	2014/07/08	**. .640**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**012**	2014/07/08	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**012**	2014/07/08	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**012**	2014/07/08	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**012**	2014/07/08	**< .500**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .500	2015/07
BENZENE	34030	012	2014/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	. 1.200	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/08	< 3.000	2017/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .500	2015/07
STYRENE	77128	012	2014/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	< .500	2015/07
TOLUENE	34010	012	2014/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 27.000	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/02	. 100.000	2017/07
CALCIUM	00916	036	2014/07/02	. 42.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/02	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/02	. 61.000	2017/07
COLOR	00081	036	2014/07/02	< 3.000	2017/07
COPPER	01042	036	2014/07/02	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/02	< .080	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/02	. 110.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 3.000	2017/07
IRON	01045	036	2014/07/02	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/02	. 1.400	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075

System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-003

Source Name: WELL 03

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/07/02	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/02	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/02	. 8.100	2017/07
SILVER	01077	036	2014/07/02	< 10.000	2017/07
SODIUM	00929	036	2014/07/02	. 93.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/02	. 670.000	2017/07
SULFATE	00945	036	2014/07/02	. 84.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 412.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/02	< .200	2017/07
ZINC	01092	036	2014/07/02	< 50.000	2017/07

PS Code: 3610075-004

Source Name: WELL 04

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/02	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/02	< 6.000	2017/07
ARSENIC	01002	036	2014/07/02	< 2.000	2017/07
BARIUM	01007	036	2014/07/02	. 130.000	2017/07
BERYLLIUM	01012	036	2014/07/02	< 1.000	2017/07
CADMIUM	01027	036	2014/07/02	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/02	. 4.300	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	. 4.300	2017/07
CYANIDE	01291	036	2014/07/02	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/02	. .200	2017/07
MERCURY	71900	036	2014/07/02	< 1.000	2017/07
NICKEL	01067	036	2014/07/02	< 10.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/07/02	< 4.000	2017/07
SELENIUM	01147	036	2014/07/02	. 6.500	2017/07
THALLIUM	01059	036	2014/07/02	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 371.000	2014/08
NITRITE (AS N)	00620	036	2014/07/02	< 100.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/02	. 2.440	2017/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/02	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2014/07/02	< 1.000	2017/07
2,4-D	39730	036	2014/07/02	< 10.000	2017/07
ALACHLOR	77825	036	2014/07/02	< 1.000	2017/07
ATRAZINE	39033	036	2014/07/02	< .500	2017/07
BENTAZON	38710	036	2014/07/02	< 2.000	2017/07
BENZO (A) PYRENE	34247	036	2014/07/02	< .100	2017/07
CARBOFURAN	81405	036	2014/07/02	< 5.000	2017/07
CHLORDANE	39350	036	2014/07/02	< .100	2017/07
DALAPON	38432	036	2014/07/02	< 10.000	2017/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2014/07/02	< 5.000	2017/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2014/07/02	< 3.000	2017/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/02	< .010	2017/07
DINOSEB	81287	036	2014/07/02	< 2.000	2017/07
DIQUAT	78885	036	2014/07/02	< .000	2017/07
ENDOTHALL	38926	036	2014/07/02	< 45.000	2017/07
ENDRIN	39390	036	2014/07/02	< .100	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/02	< .020	2017/07
GLYPHOSATE	79743	036	2014/07/02	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075

System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-004

Source Name: WELL 04

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
HEPTACHLOR	39410	036	2014/07/02	< .010	2017/07
HEPTACHLOR EPOXIDE	39420	036	2014/07/02	< .010	2017/07
HEXACHLOROBENZENE	39700	036	2014/07/02	< .500	2017/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2014/07/02	< 1.000	2017/07
LINDANE	39340	036	2014/07/02	< .200	2017/07
METHOXYCHLOR	39480	036	2014/07/02	< 10.000	2017/07
MOLINATE	82199	036	2014/07/02	< 2.000	2017/07
OXAMYL	38865	036	2014/07/02	< 20.000	2017/07
PENTACHLOROPHENOL	39032	036	2014/07/02	< .200	2017/07
PICLORAM	39720	036	2014/07/02	< 1.000	2017/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2014/07/02	< .500	2017/07
SIMAZINE	39055	036	2014/07/02	< 1.000	2017/07
THIOBENCARB	A-001	036	2014/07/02	< 1.000	2017/07
TOXAPHENE	39400	036	2014/07/02	< 1.000	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/02	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/02	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/02	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/02	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/02	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/02	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/02	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/02	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/02	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/02	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2014/07/02	< .500	2015/07
BENZENE	34030	012	2014/07/02	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/02	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/02	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/02	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/02	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/02	< 3.000	2017/07
MONOCHLOROBENZENE	34301	012	2014/07/02	< .500	2015/07
STYRENE	77128	012	2014/07/02	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/02	< .500	2015/07
TOLUENE	34010	012	2014/07/02	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/02	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/02	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/02	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/02	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/02	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/02	. 180.000	2017/07
CALCIUM	00916	036	2014/07/02	. 120.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/02	< 3.000	2017/07
CHLORIDE	00940	036	2014/07/02	. 94.000	2017/07
COLOR	00081	036	2014/07/02	< 3.000	2017/07
COPPER	01042	036	2014/07/02	< 50.000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/02	< .200	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/02	. 400.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/02	< 3.000	2017/07
IRON	01045	036	2014/07/02	< 100.000	2017/07
MAGNESIUM	00927	036	2014/07/02	. 22.000	2017/07
MANGANESE	01055	036	2014/07/02	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/02	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/02	. 7.600	2017/07
SILVER	01077	036	2014/07/02	< 10.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610075-004					
Source Name: WELL 04					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SODIUM	00929	036	2014/07/02	. 58.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/02	. 1100.000	2017/07
SULFATE	00945	036	2014/07/02	. 87.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 732.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/02	< .200	2017/07
ZINC	01092	036	2014/07/02	< 50.000	2017/07
PS Code: 3610075-005					
Source Name: WELL 05					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/07/15	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/15	< 6.000	2016/07
ARSENIC	01002	036	2013/07/15	< 2.000	2016/07
BARIUM	01007	036	2013/07/15	170.000	2016/07
BERYLLIUM	01012	036	2013/07/15	< 1.000	2016/07
CADMIUM	01027	036	2013/07/15	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/15	. 2.500	2016/07
CYANIDE	01291	036	2013/07/15	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/15	. .200	2016/07
MERCURY	71900	036	2013/07/15	< 1.000	2016/07
NICKEL	01067	036	2013/07/15	< 10.000	2016/07
PERCHLORATE	A-031	036	2013/07/15	< 4.000	2016/07
SELENIUM	01147	036	2013/07/15	< 5.000	2016/07
THALLIUM	01059	036	2013/07/15	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/24	. 250.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRITE (AS N)	00620	036	2013/07/15	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/15	. 12.500	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/09	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/15	< 1.000	2016/07
2,4-D	39730	036	2013/07/15	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/15	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/15	< .500	2016/07
BENTAZON	38710	036	2013/07/15	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/15	< .100	2016/07
CARBOFURAN	81405	036	2013/07/15	. .000	2016/07
CHLORDANE	39350	036	2013/07/15	< .100	2016/07
DALAPON	38432	036	2013/07/15	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/15	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/15	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/15	< .010	2016/07
DINOSEB	81287	036	2013/07/15	< 2.000	2016/07
DIQUAT	78885	036	2014/07/09	< .000	2017/07
ENDOTHALL	38926	036	2013/07/15	< 45.000	2016/07
ENDRIN	39390	036	2013/07/15	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/15	< .020	2016/07
GLYPHOSATE	79743	036	2014/07/09	< .000	2017/07
HEPTACHLOR	39410	036	2013/07/15	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/15	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/15	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/15	< 1.000	2016/07
LINDANE	39340	036	2013/07/15	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/15	< 10.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
MOLINATE	82199	036	2013/07/15	< 2.000	2016/07
OXAMYL	38865	036	2013/07/15	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/15	< .200	2016/07
PICLORAM	39720	036	2013/07/15	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/15	< .500	2016/07
SIMAZINE	39055	036	2013/07/15	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/15	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/15	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/07/15	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/15	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/15	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/15	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/15	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/15	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/15	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/15	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/15	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/15	< .500	2014/07
BENZENE	34030	012	2013/07/15	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/15	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/15	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/15	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/15	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/15	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/15	< .500	2014/07
STYRENE	77128	012	2013/07/15	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	34475	012	2013/07/15	< .500	2014/07
TOLUENE	34010	012	2013/07/15	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/15	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/15	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/15	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/15	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/15	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/15	. 440.000	2016/07
CALCIUM	00916	036	2013/07/15	. 240.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/15	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/15	. 170.000	2016/07
COLOR	00081	036	2013/07/15	< 3.000	2016/07
COPPER	01042	036	2013/07/15	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/15	. .060	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/15	. 820.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/15	< 3.000	2016/07
IRON	01045	036	2013/07/15	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/15	. 52.000	2016/07
MANGANESE	01055	036	2013/07/15	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/15	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/15	. 7.100	2016/07
SILVER	01077	036	2013/07/15	< 10.000	2016/07
SODIUM	00929	036	2013/07/15	69.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/15	. 1800.000	2016/07
SULFATE	00945	036	2013/07/15	110.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 1250.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/15	< .200	2016/07
ZINC	01092	036	2013/07/15	< 50.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-006
Source Name: WELL 06
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/07/08	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/08	< 6.000	2016/07
ARSENIC	01002	036	2013/07/08	< 2.000	2016/07
BARIUM	01007	036	2013/07/08	200.000	2016/07
BERYLLIUM	01012	036	2013/07/08	< 1.000	2016/07
CADMIUM	01027	036	2013/07/08	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/08	. 2.500	2016/07
CYANIDE	01291	036	2013/07/08	< 5.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .200	2016/07
MERCURY	71900	036	2013/07/08	< 1.000	2016/07
NICKEL	01067	036	2013/07/08	< 10.000	2016/07
PERCHLORATE	A-031	036	2013/07/08	< 4.000	2016/07
SELENIUM	01147	036	2013/07/08	< 5.000	2016/07
THALLIUM	01059	036	2013/07/08	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/24	. 320.000	2014/08
NITRITE (AS N)	00620	036	2013/07/08	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/08	. 11.500	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/09	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/08	< 1.000	2016/07
2,4-D	39730	036	2013/07/08	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/08	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/08	< .500	2016/07
BENTAZON	38710	036	2013/07/08	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/08	< .100	2016/07
CARBOFURAN	81405	036	2013/07/08	. .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-006
Source Name: WELL 06
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
CHLORDANE	39350	036	2013/07/08	< .100	2016/07
DALAPON	38432	036	2013/07/08	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/08	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/08	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/08	< .010	2016/07
DINOSEB	81287	036	2013/07/08	< 2.000	2016/07
DIQUAT	78885	036	2014/07/09	< .000	2017/07
ENDOTHALL	38926	036	2013/07/08	< 45.000	2016/07
ENDRIN	39390	036	2013/07/08	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/08	< .020	2016/07
GLYPHOSATE	79743	036	2014/07/09	< .000	2017/07
HEPTACHLOR	39410	036	2013/07/08	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/08	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/08	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/08	< 1.000	2016/07
LINDANE	39340	036	2013/07/08	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/08	< 10.000	2016/07
MOLINATE	82199	036	2013/07/08	< 2.000	2016/07
OXAMYL	38865	036	2013/07/08	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/08	< .200	2016/07
PICLORAM	39720	036	2013/07/08	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/08	< .500	2016/07
SIMAZINE	39055	036	2013/07/08	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/08	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/08	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/07/08	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/08	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/08	< 10.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-006
Source Name: WELL 06
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	012	2013/07/08	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/08	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/08	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/08	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/08	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/08	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/08	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/08	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/08	< .500	2014/07
BENZENE	34030	012	2013/07/08	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/08	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/08	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/08	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/08	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/08	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/08	< .500	2014/07
STYRENE	77128	012	2013/07/08	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/08	< .500	2014/07
TOLUENE	34010	012	2013/07/08	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/08	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/08	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/08	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/08	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/08	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/08	. 420.000	2016/07
CALCIUM	00916	036	2013/07/08	. 210.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/08	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/08	. 140.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-006
Source Name: WELL 06
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2013/07/08	< 3.000	2016/07
COPPER	01042	036	2013/07/08	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/08	. .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/08	. 720.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/08	< 3.000	2016/07
IRON	01045	036	2013/07/08	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/08	. 44.000	2016/07
MANGANESE	01055	036	2013/07/08	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/08	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/08	. 7.300	2016/07
SILVER	01077	036	2013/07/08	< 10.000	2016/07
SODIUM	00929	036	2013/07/08	65.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/08	. 1700.000	2016/07
SULFATE	00945	036	2013/07/08	78.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 1220.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/08	< .200	2016/07
ZINC	01092	036	2013/07/08	< 50.000	2016/07

PS Code: 3610075-007
Source Name: WELL 07
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/07/08	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/08	< 6.000	2016/07
ARSENIC	01002	036	2013/07/08	< 2.000	2016/07
BARIUM	01007	036	2013/07/08	130.000	2016/07
BERYLLIUM	01012	036	2013/07/08	< 1.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-007
Source Name: WELL 07
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	01027	036	2013/07/08	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/08	. 5.600	2016/07
CYANIDE	01291	036	2013/07/08	< 5.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .200	2016/07
MERCURY	71900	036	2013/07/08	< 1.000	2016/07
NICKEL	01067	036	2013/07/08	< 10.000	2016/07
PERCHLORATE	A-031	036	2013/07/08	< 4.000	2016/07
SELENIUM	01147	036	2013/07/08	< 5.000	2016/07
THALLIUM	01059	036	2013/07/08	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/24	. 320.000	2014/08
NITRITE (AS N)	00620	036	2013/07/08	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/08	. 11.400	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/09	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/08	< 1.000	2016/07
2,4-D	39730	036	2013/07/08	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/08	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/08	< .500	2016/07
BENTAZON	38710	036	2013/07/08	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/08	< .100	2016/07
CARBOFURAN	81405	036	2013/07/08	. .000	2016/07
CHLORDANE	39350	036	2013/07/08	< .100	2016/07
DALAPON	38432	036	2013/07/08	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/08	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/08	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/08	< .010	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-007
Source Name: WELL 07
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DINOSEB	81287	036	2013/07/08	< 2.000	2016/07
DIQUAT	78885	036	2014/07/09	< .000	2017/07
ENDOTHALL	38926	036	2013/07/08	< 45.000	2016/07
ENDRIN	39390	036	2013/07/08	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/08	< .020	2016/07
GLYPHOSATE	79743	036	2014/07/09	< .000	2017/07
HEPTACHLOR	39410	036	2013/07/08	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/08	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/08	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/08	< 1.000	2016/07
LINDANE	39340	036	2013/07/08	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/08	< 10.000	2016/07
MOLINATE	82199	036	2013/07/08	< 2.000	2016/07
OXAMYL	38865	036	2013/07/08	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/08	< .200	2016/07
PICLORAM	39720	036	2013/07/08	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/08	< .500	2016/07
SIMAZINE	39055	036	2013/07/08	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/08	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/08	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/07/08	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/08	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/08	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/08	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/08	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/08	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/08	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/08	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-007
Source Name: WELL 07
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	012	2013/07/08	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/08	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/08	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/08	< .500	2014/07
BENZENE	34030	012	2013/07/08	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/08	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/08	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/08	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/08	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/08	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/08	< .500	2014/07
STYRENE	77128	012	2013/07/08	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/08	< .500	2014/07
TOLUENE	34010	012	2013/07/08	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/08	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/08	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/08	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/08	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/08	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/08	. 390.000	2016/07
CALCIUM	00916	036	2013/07/08	. 200.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/08	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/08	. 130.000	2016/07
COLOR	00081	036	2013/07/08	< 3.000	2016/07
COPPER	01042	036	2013/07/08	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/08	. .060	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/08	. 700.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/08	< 3.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-007***

Source Name: ***WELL 07***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
IRON	**01045**	**036**	2013/07/08	**< 100.000**	2016/07
MAGNESIUM	**00927**	**036**	2013/07/08	**. 46.000**	2016/07
MANGANESE	**01055**	**036**	2013/07/08	**< 20.000**	2016/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/07/08	**< 1.000**	2016/07
PH, LABORATORY	**00403**	**036**	2013/07/08	**. 7.200**	2016/07
SILVER	**01077**	**036**	2013/07/08	**< 10.000**	2016/07
SODIUM	**00929**	**036**	2013/07/08	**73.000**	2016/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/07/08	**. 1700.000**	2016/07
SULFATE	**00945**	**036**	2013/07/08	**88.000**	2016/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/08	**. 1170.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2013/07/08	**< .200**	2016/07
ZINC	**01092**	**036**	2013/07/08	**< 50.000**	2016/07

PS Code: ***3610075-008***

Source Name: ***WELL 08***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC					
ALUMINUM	**01105**	**036**	2013/07/15	**< 50.000**	2016/07
ANTIMONY	**01097**	**036**	2013/07/15	**< 6.000**	2016/07
ARSENIC	**01002**	**036**	2013/07/15	**< 2.000**	2016/07
BARIUM	**01007**	**036**	2013/07/15	**150.000**	2016/07
BERYLLIUM	**01012**	**036**	2013/07/15	**< 1.000**	2016/07
CADMIUM	**01027**	**036**	2013/07/15	**< 1.000**	2016/07
CHROMIUM (TOTAL)	**01034**	**036**	2013/07/15	**. 2.100**	2016/07
CYANIDE	**01291**	**036**	2013/07/15	**< 100.000**	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/07/15	**. .300**	2016/07
MERCURY	**71900**	**036**	2013/07/15	**< 1.000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-008
Source Name: WELL 08
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	01067	036	2013/07/15	< 10.000	2016/07
PERCHLORATE	A-031	036	2013/07/15	< 4.000	2016/07
SELENIUM	01147	036	2013/07/15	< 5.000	2016/07
THALLIUM	01059	036	2013/07/15	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/24	. 250.000	2014/08
NITRITE (AS N)	00620	036	2013/07/15	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/15	. 12.200	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/09	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/15	< 1.000	2016/07
2,4-D	39730	036	2013/07/15	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/15	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/15	< .500	2016/07
BENTAZON	38710	036	2013/07/15	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/15	< .100	2016/07
CARBOFURAN	81405	036	2013/07/15	. .000	2016/07
CHLORDANE	39350	036	2013/07/15	< .100	2016/07
DALAPON	38432	036	2013/07/15	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/15	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/15	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/15	< .010	2016/07
DINOSEB	81287	036	2013/07/15	< 2.000	2016/07
DIQUAT	78885	036	2014/07/09	< .000	2017/07
ENDOTHALL	38926	036	2013/07/15	< 45.000	2016/07
ENDRIN	39390	036	2013/07/15	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/15	< .020	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-008
Source Name: WELL 08
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
GLYPHOSATE	79743	036	2014/07/09	< .000	2017/07
HEPTACHLOR	39410	036	2013/07/15	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/15	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/15	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/15	< 1.000	2016/07
LINDANE	39340	036	2013/07/15	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/15	< 10.000	2016/07
MOLINATE	82199	036	2013/07/15	< 2.000	2016/07
OXAMYL	38865	036	2013/07/15	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/15	< .200	2016/07
PICLORAM	39720	036	2013/07/15	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/15	< .500	2016/07
SIMAZINE	39055	036	2013/07/15	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/15	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/15	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/07/15	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/15	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/15	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/15	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/15	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/15	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/15	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/15	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/15	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/15	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/15	< .500	2014/07
BENZENE	34030	012	2013/07/15	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-008
Source Name: WELL 08
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	32102	012	2013/07/15	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/15	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/15	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/15	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/15	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/15	< .500	2014/07
STYRENE	77128	012	2013/07/15	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/15	< .500	2014/07
TOLUENE	34010	012	2013/07/15	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/15	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/15	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/15	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/15	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/15	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/15	. 460.000	2016/07
CALCIUM	00916	036	2013/07/15	. 220.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/15	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/15	. 160.000	2016/07
COLOR	00081	036	2013/07/15	< 3.000	2016/07
COPPER	01042	036	2013/07/15	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/15	. .060	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/15	. 760.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/15	< 3.000	2016/07
IRON	01045	036	2013/07/15	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/15	. 52.000	2016/07
MANGANESE	01055	036	2013/07/15	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/15	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/15	. 7.200	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610075-008						
Source Name: WELL 08						
Source Number: 008						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
SILVER	01077	036	2013/07/15	<	10.000	2016/07
SODIUM	00929	036	2013/07/15		80.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/15	.	1800.000	2016/07
SULFATE	00945	036	2013/07/15		85.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	.	1140.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/15	<	.200	2016/07
ZINC	01092	036	2013/07/15	<	50.000	2016/07
PS Code: 3610075-009						
Source Name: WELL 09						
Source Number: 009						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2013/07/16	<	50.000	2016/07
ANTIMONY	01097	036	2013/07/16	<	6.000	2016/07
ARSENIC	01002	036	2013/07/16	<	2.000	2016/07
BARIUM	01007	036	2013/07/16		180.000	2016/07
BERYLLIUM	01012	036	2013/07/16	<	1.000	2016/07
CADMIUM	01027	036	2013/07/16	<	1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/16	.	1.300	2016/07
CYANIDE	01291	036	2013/07/16	<	100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/16	.	.200	2016/07
MERCURY	71900	036	2013/07/16	<	1.000	2016/07
NICKEL	01067	036	2013/07/16	<	10.000	2016/07
PERCHLORATE	A-031	036	2013/07/16	<	4.000	2016/07
SELENIUM	01147	036	2013/07/16	<	5.000	2016/07
THALLIUM	01059	036	2013/07/16	<	1.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-009
Source Name: WELL 09
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 292.000	2014/08
NITRITE (AS N)	00620	036	2013/07/16	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/16	. 19.100	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/16	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/16	< 1.000	2016/07
2,4-D	39730	036	2013/07/16	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/16	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/16	< .500	2016/07
BENTAZON	38710	036	2013/07/16	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/16	< .100	2016/07
CARBOFURAN	81405	036	2013/07/16	. .000	2016/07
CHLORDANE	39350	036	2013/07/16	< .100	2016/07
DALAPON	38432	036	2013/07/16	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/16	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/16	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/16	< .010	2016/07
DINOSEB	81287	036	2013/07/16	< 2.000	2016/07
DIQUAT	78885	036	2014/07/16	< .000	2017/07
ENDOTHALL	38926	036	2013/07/16	< 45.000	2016/07
ENDRIN	39390	036	2013/07/16	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/16	< .020	2016/07
GLYPHOSATE	79743	036	2014/07/16	< .000	2017/07
HEPTACHLOR	39410	036	2013/07/16	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/16	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/16	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/16	< 1.000	2016/07
LINDANE	39340	036	2013/07/16	< .200	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-009***

Source Name: ***WELL 09***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
METHOXYCHLOR	39480	036	2013/07/16	< 10.000	2016/07
MOLINATE	82199	036	2013/07/16	< 2.000	2016/07
OXAMYL	38865	036	2013/07/16	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/16	< .200	2016/07
PICLORAM	39720	036	2013/07/16	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/16	< .500	2016/07
SIMAZINE	39055	036	2013/07/16	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/16	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/16	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< 10.000	2015/07
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .500	2015/07
BENZENE	34030	012	2014/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/08	< 3.000	2017/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .500	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-009
Source Name: WELL 09
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	012	2014/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	< .500	2015/07
TOLUENE	34010	012	2014/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	< .500	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/16	. 450.000	2016/07
CALCIUM	00916	036	2013/07/16	. 230.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/16	. 170.000	2016/07
COLOR	00081	036	2013/07/16	< 3.000	2016/07
COPPER	01042	036	2013/07/16	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	. .070	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/16	. 800.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	< 3.000	2016/07
IRON	01045	036	2013/07/16	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/16	. 56.000	2016/07
MANGANESE	01055	036	2013/07/16	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/16	. 7.000	2016/07
SILVER	01077	036	2013/07/16	< 10.000	2016/07
SODIUM	00929	036	2013/07/16	68.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	. 1900.000	2016/07
SULFATE	00945	036	2013/07/16	88.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 1280.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/16	< .200	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610075-009					
Source Name: WELL 09					
Source Number: 009					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
ZINC	01092	036	2013/07/16	< 50.000	2016/07
PS Code: 3610075-010					
Source Name: WELL 10					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/07/16	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/16	< 6.000	2016/07
ARSENIC	01002	036	2013/07/16	< 2.000	2016/07
BARIUM	01007	036	2013/07/16	280.000	2016/07
BERYLLIUM	01012	036	2013/07/16	< 1.000	2016/07
CADMIUM	01027	036	2013/07/16	< 1.000	2016/07
CHROMIUM (TOTAL)	01034	036	2013/07/16	. 1.200	2016/07
CYANIDE	01291	036	2013/07/16	< 100.000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/16	. .200	2016/07
MERCURY	71900	036	2013/07/16	< 1.000	2016/07
NICKEL	01067	036	2013/07/16	. 11.000	2016/07
PERCHLORATE	A-031	036	2013/07/16	< 4.000	2016/07
SELENIUM	01147	036	2013/07/16	< 5.000	2016/07
THALLIUM	01059	036	2013/07/16	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 245.000	2014/08
NITRITE (AS N)	00620	036	2013/07/16	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/16	. 16.200	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-010
Source Name: WELL 10
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/16	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/16	< 1.000	2016/07
2,4-D	39730	036	2013/07/16	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/16	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/16	< .500	2016/07
BENTAZON	38710	036	2013/07/16	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/16	< .100	2016/07
CARBOFURAN	81405	036	2013/07/16	. .000	2016/07
CHLORDANE	39350	036	2013/07/16	< .100	2016/07
DALAPON	38432	036	2013/07/16	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/16	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/16	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/16	< .010	2016/07
DINOSEB	81287	036	2013/07/16	< 2.000	2016/07
DIQUAT	78885	036	2014/07/16	< .000	2017/07
ENDOTHALL	38926	036	2013/07/16	< 45.000	2016/07
ENDRIN	39390	036	2013/07/16	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/16	< .020	2016/07
GLYPHOSATE	79743	036	2014/07/16	< .000	2017/07
HEPTACHLOR	39410	036	2013/07/16	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/16	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/16	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/16	< 1.000	2016/07
LINDANE	39340	036	2013/07/16	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/16	< 10.000	2016/07
MOLINATE	82199	036	2013/07/16	< 2.000	2016/07
OXAMYL	38865	036	2013/07/16	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/16	< .200	2016/07
PICLORAM	39720	036	2013/07/16	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/16	< .500	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-010***

Source Name: ***WELL 10***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
SIMAZINE	**39055**	**036**	2013/07/16	**< 1.000**	2016/07
THIOBENCARB	**A-001**	**036**	2013/07/16	**< 1.000**	2016/07
TOXAPHENE	**39400**	**036**	2013/07/16	**< 1.000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**012**	2014/07/08	**< .500**	2015/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**012**	2014/07/08	**< .500**	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**012**	2014/07/08	**< 10.000**	2015/07
1,1,2-TRICHLOROETHANE	**34511**	**012**	2014/07/08	**< .500**	2015/07
1,1-DICHLOROETHANE	**34496**	**012**	2014/07/08	**< .500**	2015/07
1,1-DICHLOROETHYLENE	**34501**	**012**	2014/07/08	**< .500**	2015/07
1,2,4-TRICHLOROBENZENE	**34551**	**012**	2014/07/08	**< .500**	2015/07
1,2-DICHLOROBENZENE	**34536**	**012**	2014/07/08	**< .500**	2015/07
1,2-DICHLOROETHANE	**34531**	**012**	2014/07/08	**< .500**	2015/07
1,2-DICHLOROPROPANE	**34541**	**012**	2014/07/08	**< .500**	2015/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**012**	2014/04/08	**< .500**	2015/04
1,4-DICHLOROBENZENE	**34571**	**012**	2014/07/08	**< .500**	2015/07
BENZENE	**34030**	**012**	2014/07/08	**< .500**	2015/07
CARBON TETRACHLORIDE	**32102**	**012**	2014/07/08	**< .500**	2015/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2014/07/08	**< .500**	2015/07
DICHLOROMETHANE	**34423**	**012**	2014/07/08	**< .500**	2015/07
ETHYLBENZENE	**34371**	**012**	2014/07/08	**< .500**	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/08	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**012**	2014/07/08	**< .500**	2015/07
STYRENE	**77128**	**012**	2014/07/08	**< .500**	2015/07
TETRACHLOROETHYLENE	**34475**	**012**	2014/07/08	**< .500**	2015/07
TOLUENE	**34010**	**012**	2014/07/08	**< .500**	2015/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2014/07/08	**< .500**	2015/07
TRICHLOROETHYLENE	**39180**	**012**	2014/07/08	**. .870**	2015/07
TRICHLOROFLUOROMETHANE	**34488**	**012**	2014/07/08	**< 5.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-010
Source Name: WELL 10
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
VINYL CHLORIDE	39175	012	2014/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/16	. 510.000	2016/07
CALCIUM	00916	036	2013/07/16	. 240.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/16	. 170.000	2016/07
COLOR	00081	036	2013/07/16	< 3.000	2016/07
COPPER	01042	036	2013/07/16	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/16	. 860.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	< 3.000	2016/07
IRON	01045	036	2013/07/16	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/16	. 60.000	2016/07
MANGANESE	01055	036	2013/07/16	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/16	. 6.900	2016/07
SILVER	01077	036	2013/07/16	< 10.000	2016/07
SODIUM	00929	036	2013/07/16	56.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	. 1900.000	2016/07
SULFATE	00945	036	2013/07/16	88.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 1130.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/16	< .200	2016/07
ZINC	01092	036	2013/07/16	< 50.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-011
Source Name: WELL 11
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/07/17	< 50.000	2015/07
ANTIMONY	01097	036	2012/07/17	< 6.000	2015/07
ARSENIC	01002	036	2012/07/17	< 2.000	2015/07
BARIUM	01007	036	2012/07/17	200.000	2015/07
BERYLLIUM	01012	036	2012/07/17	< 1.000	2015/07
CADMIUM	01027	036	2012/07/17	< 1.000	2015/07
CHROMIUM (TOTAL)	01034	036	2012/07/17	. 3.800	2015/07
CYANIDE	01291	036	2012/07/17	< 100.000	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/17	. .100	2015/07
MERCURY	71900	036	2012/07/17	< 1.000	2015/07
NICKEL	01067	036	2012/07/17	< 10.000	2015/07
PERCHLORATE	A-031	036	2012/07/17	< 4.000	2015/07
SELENIUM	01147	036	2012/07/17	< 5.000	2015/07
THALLIUM	01059	036	2012/07/17	< 1.000	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 154.000	2014/08
NITRITE (AS N)	00620	036	2013/11/27	< 20.000	2016/11
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/07/17	. 10.600	2015/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/16	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2012/07/17	< 1.000	2015/07
2,4-D	39730	036	2012/07/17	< 10.000	2015/07
ALACHLOR	77825	036	2012/07/17	< 1.000	2015/07
ATRAZINE	39033	036	2012/07/17	< .500	2015/07
BENTAZON	38710	036	2012/07/17	< 2.000	2015/07
BENZO (A) PYRENE	34247	036	2012/07/17	< .100	2015/07
CARBOFURAN	81405	036	2012/07/17	. .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-011
Source Name: WELL 11
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
CHLORDANE	39350	036	2012/07/17	< .100	2015/07
DALAPON	38432	036	2012/07/17	< 10.000	2015/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/07/17	< 5.000	2015/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/07/17	< 3.000	2015/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/17	< .010	2015/07
DINOSEB	81287	036	2012/07/17	< 2.000	2015/07
DIQUAT	78885	036	2014/07/16	< .000	2017/07
ENDOTHALL	38926	036	2012/07/17	< 45.000	2015/07
ENDRIN	39390	036	2012/07/17	< .100	2015/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/17	< .020	2015/07
GLYPHOSATE	79743	036	2014/07/16	< .000	2017/07
HEPTACHLOR	39410	036	2012/07/17	< .010	2015/07
HEPTACHLOR EPOXIDE	39420	036	2012/07/17	< .010	2015/07
HEXACHLOROBENZENE	39700	036	2012/07/17	< .500	2015/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/07/17	< 1.000	2015/07
LINDANE	39340	036	2012/07/17	< .200	2015/07
METHOXYCHLOR	39480	036	2012/07/17	< 10.000	2015/07
MOLINATE	82199	036	2012/07/17	< 2.000	2015/07
OXAMYL	38865	036	2012/07/17	. .000	2015/07
PENTACHLOROPHENOL	39032	036	2012/07/17	< .200	2015/07
PICLORAM	39720	036	2012/07/17	< 1.000	2015/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/07/17	< .500	2015/07
SIMAZINE	39055	036	2012/07/17	< 1.000	2015/07
THIOBENCARB	A-001	036	2012/07/17	< 1.000	2015/07
TOXAPHENE	39400	036	2012/07/17	< 1.000	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2014/07/08	< .500	2015/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2014/07/08	< .500	2015/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2014/07/08	< 10.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-011
Source Name: WELL 11
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHANE	34496	012	2014/07/08	< .500	2015/07
1,1-DICHLOROETHYLENE	34501	012	2014/07/08	< .500	2015/07
1,2,4-TRICHLOROBENZENE	34551	012	2014/07/08	< .500	2015/07
1,2-DICHLOROBENZENE	34536	012	2014/07/08	< .500	2015/07
1,2-DICHLOROETHANE	34531	012	2014/07/08	< .500	2015/07
1,2-DICHLOROPROPANE	34541	012	2014/07/08	< .500	2015/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2014/04/08	< .500	2015/04
1,4-DICHLOROBENZENE	34571	012	2014/07/08	< .500	2015/07
BENZENE	34030	012	2014/07/08	< .500	2015/07
CARBON TETRACHLORIDE	32102	012	2014/07/08	< .500	2015/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2014/07/08	< .500	2015/07
DICHLOROMETHANE	34423	012	2014/07/08	< .500	2015/07
ETHYLBENZENE	34371	012	2014/07/08	< .500	2015/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/08	< 3.000	2017/07
MONOCHLOROBENZENE	34301	012	2014/07/08	< .500	2015/07
STYRENE	77128	012	2014/07/08	< .500	2015/07
TETRACHLOROETHYLENE	34475	012	2014/07/08	< .500	2015/07
TOLUENE	34010	012	2014/07/08	< .500	2015/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2014/07/08	< .500	2015/07
TRICHLOROETHYLENE	39180	012	2014/07/08	. 2.800	2015/07
TRICHLOROFLUOROMETHANE	34488	012	2014/07/08	< 5.000	2015/07
VINYL CHLORIDE	39175	012	2014/07/08	< .500	2015/07
XYLENES (TOTAL)	81551	012	2014/07/08	< .500	2015/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/17	. 480.000	2015/07
CALCIUM	00916	036	2012/07/17	. 180.000	2015/07
CARBONATE ALKALINITY	00445	036	2012/07/17	< 3.000	2015/07
CHLORIDE	00940	036	2012/07/17	. 100.000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-011
Source Name: WELL 11
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2012/07/17	< 3.000	2015/07
COPPER	01042	036	2012/07/17	< 50.000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/17	< .050	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/17	. 640.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/17	< 3.000	2015/07
IRON	01045	036	2012/07/17	< 100.000	2015/07
MAGNESIUM	00927	036	2012/07/17	. 46.000	2015/07
MANGANESE	01055	036	2012/07/17	< 20.000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/17	< 1.000	2015/07
PH, LABORATORY	00403	036	2012/07/17	. 7.200	2015/07
SILVER	01077	036	2012/07/17	< 10.000	2015/07
SODIUM	00929	036	2012/07/17	51.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/17	. 1400.000	2015/07
SULFATE	00945	036	2012/07/17	57.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 832.000	2017/07
TURBIDITY, LABORATORY	82079	036	2012/07/17	< .200	2015/07
ZINC	01092	036	2012/07/17	< 50.000	2015/07

PS Code: 3610075-013
Source Name: WELL 13
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/07/09	< 50.000	2016/07
ANTIMONY	01097	036	2013/07/09	< 6.000	2016/07
ARSENIC	01002	036	2013/07/09	< 2.000	2016/07
BARIUM	01007	036	2013/07/09	170.000	2016/07
BERYLLIUM	01012	036	2013/07/09	< 1.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-013
Source Name: WELL 13
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2013/07/09	< 1.000	2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/09	. 2.500	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2010/08/03	2.500	2013/08	DUE
CYANIDE	01291	036	2013/07/09	< 5.000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/09	. .200	2016/07	
MERCURY	71900	036	2013/07/09	< 1.000	2016/07	
NICKEL	01067	036	2013/07/09	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/09	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/09	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/09	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	001	2014/07/08	. 122.000	2014/08	
NITRITE (AS N)	00620	036	2013/07/09	< 100.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/07/09	. 5.180	2016/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/16	< .000	2017/07	
2,4,5-TP (SILVEX)	39045	036	2013/07/09	< 1.000	2016/07	
2,4-D	39730	036	2013/07/09	< 10.000	2016/07	
ALACHLOR	77825	036	2013/07/09	< 1.000	2016/07	
ATRAZINE	39033	036	2013/07/09	< .500	2016/07	
BENTAZON	38710	036	2013/07/09	< 2.000	2016/07	
BENZO (A) PYRENE	34247	036	2013/07/09	< .100	2016/07	
CARBOFURAN	81405	036	2013/07/09	. .000	2016/07	
CHLORDANE	39350	036	2013/07/09	< .100	2016/07	
DALAPON	38432	036	2013/07/09	< 10.000	2016/07	
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/09	< 5.000	2016/07	
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/09	< 3.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-013***

Source Name: ***WELL 13***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/09	**< .010**	2016/07
DINOSEB	**81287**	**036**	2013/07/09	**< 2.000**	2016/07
DIQUAT	**78885**	**036**	2014/07/16	**< .000**	2017/07
ENDOTHALL	**38926**	**036**	2013/07/09	**< 45.000**	2016/07
ENDRIN	**39390**	**036**	2013/07/09	**< .100**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/09	**< .020**	2016/07
GLYPHOSATE	**79743**	**036**	2014/07/16	**< .000**	2017/07
HEPTACHLOR	**39410**	**036**	2013/07/09	**< .010**	2016/07
HEPTACHLOR EPOXIDE	**39420**	**036**	2013/07/09	**< .010**	2016/07
HEXACHLOROBENZENE	**39700**	**036**	2013/07/09	**< .500**	2016/07
HEXACHLOROCYCLOPENTADIENE	**34386**	**036**	2013/07/09	**< 1.000**	2016/07
LINDANE	**39340**	**036**	2013/07/09	**< .200**	2016/07
METHOXYCHLOR	**39480**	**036**	2013/07/09	**< 10.000**	2016/07
MOLINATE	**82199**	**036**	2013/07/09	**< 2.000**	2016/07
OXAMYL	**38865**	**036**	2013/07/09	**. .000**	2016/07
PENTACHLOROPHENOL	**39032**	**036**	2013/07/09	**< .200**	2016/07
PICLORAM	**39720**	**036**	2013/07/09	**< 1.000**	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	**39516**	**036**	2013/07/09	**< .500**	2016/07
SIMAZINE	**39055**	**036**	2013/07/09	**< 1.000**	2016/07
THIOBENCARB	**A-001**	**036**	2013/07/09	**< 1.000**	2016/07
TOXAPHENE	**39400**	**036**	2013/07/09	**< 1.000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**012**	2013/07/09	**< .500**	2014/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**012**	2013/07/09	**< .500**	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**012**	2013/07/09	**< 10.000**	2014/07
1,1,2-TRICHLOROETHANE	**34511**	**012**	2013/07/09	**< .500**	2014/07
1,1-DICHLOROETHANE	**34496**	**012**	2013/07/09	**< .500**	2014/07
1,1-DICHLOROETHYLENE	**34501**	**012**	2013/07/09	**< .500**	2014/07
1,2,4-TRICHLOROBENZENE	**34551**	**012**	2013/07/09	**< .500**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-013
Source Name: WELL 13
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	34536	012	2013/07/09	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/09	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/09	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/09	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/09	< .500	2014/07
BENZENE	34030	012	2013/07/09	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/09	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/09	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/09	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/09	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/09	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/09	< .500	2014/07
STYRENE	77128	012	2013/07/09	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/09	< .500	2014/07
TOLUENE	34010	012	2013/07/09	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/09	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/09	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/09	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/09	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/09	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/09	. 300.000	2016/07
CALCIUM	00916	036	2013/07/09	. 120.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/09	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/09	. 62.000	2016/07
COLOR	00081	036	2013/07/09	< 3.000	2016/07
COPPER	01042	036	2013/07/09	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/09	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/09	. 430.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-013***

Source Name: ***WELL 13***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)	
HYDROXIDE ALKALINITY	71830	036	2013/07/09	<	3.000		2016/07	
IRON	01045	036	2013/07/09	<	100.000		2016/07	
MAGNESIUM	00927	036	2013/07/09	.	29.000		2016/07	
MANGANESE	01055	036	2013/07/09	<	20.000		2016/07	
ODOR THRESHOLD @ 60 C	00086	036	2013/07/09	<	1.000		2016/07	
PH, LABORATORY	00403	036	2013/07/09	.	7.500		2016/07	
SILVER	01077	036	2013/07/09	<	10.000		2016/07	
SODIUM	00929	036	2013/07/09		43.000		2016/07	
SPECIFIC CONDUCTANCE	00095	036	2013/07/09	.	1000.000		2016/07	
SULFATE	00945	036	2013/07/09		30.000		2016/07	
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	.	574.000		2017/07	
TURBIDITY, LABORATORY	82079	036	2013/07/09	<	.200		2016/07	
ZINC	01092	036	2013/07/09	<	50.000		2016/07	

PS Code: ***3610075-014***

Source Name: ***WELL 14***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2013/07/09	<	50.000		2016/07	
ANTIMONY	01097	036	2013/07/09	<	6.000		2016/07	
ARSENIC	01002	036	2013/07/09	<	2.000		2016/07	
BARIUM	01007	036	2013/07/09		270.000		2016/07	
BERYLLIUM	01012	036	2013/07/09	<	1.000		2016/07	
CADMIUM	01027	036	2013/07/09	<	1.000		2016/07	
CHROMIUM (TOTAL)	01034	036	2013/07/09	.	2.900		2016/07	
CHROMIUM, HEXAVALENT	01032	036	**2009/07/15**		2.900		**2012/07**	**DUE**
CYANIDE	01291	036	2013/07/09	<	5.000		2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-014
Source Name: WELL 14
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/09	. .200	2016/07	
MERCURY	71900	036	2013/07/09	< 1.000	2016/07	
NICKEL	01067	036	2013/07/09	< 10.000	2016/07	
PERCHLORATE	A-031	036	2013/07/09	< 4.000	2016/07	
SELENIUM	01147	036	2013/07/09	< 5.000	2016/07	
THALLIUM	01059	036	2013/07/09	< 1.000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	001	2014/05/13	. 234.000	2014/06	DUE
NITRITE (AS N)	00620	036	2013/07/09	< 100.000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2013/07/09	. 6.660	2016/07	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	036	2013/07/09	. .000	2016/07	
2,4,5-TP (SILVEX)	39045	036	2013/07/09	< 1.000	2016/07	
2,4-D	39730	036	2013/07/09	< 10.000	2016/07	
ALACHLOR	77825	036	2013/07/09	< 1.000	2016/07	
ATRAZINE	39033	036	2013/07/09	< .500	2016/07	
BENTAZON	38710	036	2013/07/09	< 2.000	2016/07	
BENZO (A) PYRENE	34247	036	2013/07/09	< .100	2016/07	
CARBOFURAN	81405	036	2013/07/09	. .000	2016/07	
CHLORDANE	39350	036	2013/07/09	< .100	2016/07	
DALAPON	38432	036	2013/07/09	< 10.000	2016/07	
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/09	< 5.000	2016/07	
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/09	< 3.000	2016/07	
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/09	< .010	2016/07	
DINOSEB	81287	036	2013/07/09	< 2.000	2016/07	
DIQUAT	78885	036	2013/07/09	. .000	2016/07	
ENDOTHALL	38926	036	2013/07/09	< 45.000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-014
Source Name: WELL 14
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
ENDRIN	39390	036	2013/07/09	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/09	< .020	2016/07
GLYPHOSATE	79743	036	2013/07/09	. .000	2016/07
HEPTACHLOR	39410	036	2013/07/09	< .010	2016/07
HEPTACHLOR EPOXIDE	39420	036	2013/07/09	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/09	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/09	< 1.000	2016/07
LINDANE	39340	036	2013/07/09	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/09	< 10.000	2016/07
MOLINATE	82199	036	2013/07/09	< 2.000	2016/07
OXAMYL	38865	036	2013/07/09	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/09	< .200	2016/07
PICLORAM	39720	036	2013/07/09	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/09	< .500	2016/07
SIMAZINE	39055	036	2013/07/09	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/09	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/09	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/07/09	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/09	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/09	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/09	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/09	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/09	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/09	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/09	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/09	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/09	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/09	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-014
Source Name: WELL 14
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	012	2013/07/09	< .500	2014/07
BENZENE	34030	012	2013/07/09	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/09	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/09	< .500	2014/07
DICHLOROMETHANE	34423	012	2013/07/09	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/09	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/09	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/09	< .500	2014/07
STYRENE	77128	012	2013/07/09	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/09	< .500	2014/07
TOLUENE	34010	012	2013/07/09	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/09	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/09	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/09	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/09	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/09	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/09	. 360.000	2016/07
CALCIUM	00916	036	2013/07/09	. 170.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/09	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/09	. 100.000	2016/07
COLOR	00081	036	2013/07/09	. 3.000	2016/07
COPPER	01042	036	2013/07/09	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/09	. .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/09	. 570.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/09	< 3.000	2016/07
IRON	01045	036	2013/07/09	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/09	. 34.000	2016/07
MANGANESE	01055	036	2013/07/09	< 20.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610075***

System Name: ***CHINO BASIN DESALTER AUTH. - DESALTER 1***

PS Code: ***3610075-014***

Source Name: ***WELL 14***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/07/09	**<**	**1.000**	2016/07	
PH, LABORATORY	**00403**	**036**	2013/07/09	**.**	**7.300**	2016/07	
SILVER	**01077**	**036**	2013/07/09	**<**	**10.000**	2016/07	
SODIUM	**00929**	**036**	2013/07/09		**54.000**	2016/07	
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/07/09	**.**	**1400.000**	2016/07	
SULFATE	**00945**	**036**	2013/07/09		**44.000**	2016/07	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/13	**.**	**928.000**	2017/05	
TURBIDITY, LABORATORY	**82079**	**036**	2013/07/09	**<**	**.200**	2016/07	
ZINC	**01092**	**036**	2013/07/09	**<**	**50.000**	2016/07	

PS Code: ***3610075-015***

Source Name: ***WELL 15***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	**01105**	**036**	2013/07/09	**<**	**50.000**	2016/07	
ANTIMONY	**01097**	**036**	2013/07/09	**<**	**6.000**	2016/07	
ARSENIC	**01002**	**036**	2013/07/09	**<**	**2.000**	2016/07	
BARIUM	**01007**	**036**	2013/07/09		**200.000**	2016/07	
BERYLLIUM	**01012**	**036**	2013/07/09	**<**	**1.000**	2016/07	
CADMIUM	**01027**	**036**	2013/07/09	**<**	**1.000**	2016/07	
CHROMIUM (TOTAL)	**01034**	**036**	2013/07/09	**.**	**2.600**	2016/07	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2010/08/03**		**1.900**	**2013/08**	**DUE**
CYANIDE	**01291**	**036**	2013/07/09	**<**	**5.000**	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/07/09	**.**	**.100**	2016/07	
MERCURY	**71900**	**036**	2013/07/09	**<**	**1.000**	2016/07	
NICKEL	**01067**	**036**	2013/07/09	**<**	**10.000**	2016/07	
PERCHLORATE	**A-031**	**036**	2013/07/09	**<**	**4.000**	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-015
Source Name: WELL 15
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2013/07/09	< 5.000	2016/07
THALLIUM	01059	036	2013/07/09	< 1.000	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	001	2014/07/08	. 191.000	2014/08
NITRITE (AS N)	00620	036	2013/07/09	< 100.000	2016/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/07/09	. 5.900	2016/07
REGULATED SOC					
2,3,7,8-TCDD (DIOXIN)	34676	036	2014/07/23	< .000	2017/07
2,4,5-TP (SILVEX)	39045	036	2013/07/09	< 1.000	2016/07
2,4-D	39730	036	2013/07/09	< 10.000	2016/07
ALACHLOR	77825	036	2013/07/09	< 1.000	2016/07
ATRAZINE	39033	036	2013/07/09	< .500	2016/07
BENTAZON	38710	036	2013/07/09	< 2.000	2016/07
BENZO (A) PYRENE	34247	036	2013/07/09	< .100	2016/07
CARBOFURAN	81405	036	2013/07/09	. .000	2016/07
CHLORDANE	39350	036	2013/07/09	< .100	2016/07
DALAPON	38432	036	2013/07/09	< 10.000	2016/07
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2013/07/09	< 5.000	2016/07
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2013/07/09	< 3.000	2016/07
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/09	< .010	2016/07
DINOSEB	81287	036	2013/07/09	< 2.000	2016/07
DIQUAT	78885	036	2013/07/09	. .000	2016/07
ENDOTHALL	38926	036	2013/07/09	< 45.000	2016/07
ENDRIN	39390	036	2013/07/09	< .100	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/09	< .020	2016/07
GLYPHOSATE	79743	036	2013/07/09	. .000	2016/07
HEPTACHLOR	39410	036	2013/07/09	< .010	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-015
Source Name: WELL 15
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
HEPTACHLOR EPOXIDE	39420	036	2013/07/09	< .010	2016/07
HEXACHLOROBENZENE	39700	036	2013/07/09	< .500	2016/07
HEXACHLOROCYCLOPENTADIENE	34386	036	2013/07/09	< 1.000	2016/07
LINDANE	39340	036	2013/07/09	< .200	2016/07
METHOXYCHLOR	39480	036	2013/07/09	< 10.000	2016/07
MOLINATE	82199	036	2013/07/09	< 2.000	2016/07
OXAMYL	38865	036	2013/07/09	. .000	2016/07
PENTACHLOROPHENOL	39032	036	2013/07/09	< .200	2016/07
PICLORAM	39720	036	2013/07/09	< 1.000	2016/07
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2013/07/09	< .500	2016/07
SIMAZINE	39055	036	2013/07/09	< 1.000	2016/07
THIOBENCARB	A-001	036	2013/07/09	< 1.000	2016/07
TOXAPHENE	39400	036	2013/07/09	< 1.000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	012	2013/07/09	< .500	2014/07
1,1,2,2-TETRACHLOROETHANE	34516	012	2013/07/09	< .500	2014/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	012	2013/07/09	< 10.000	2014/07
1,1,2-TRICHLOROETHANE	34511	012	2013/07/09	< .500	2014/07
1,1-DICHLOROETHANE	34496	012	2013/07/09	< .500	2014/07
1,1-DICHLOROETHYLENE	34501	012	2013/07/09	< .500	2014/07
1,2,4-TRICHLOROBENZENE	34551	012	2013/07/09	< .500	2014/07
1,2-DICHLOROBENZENE	34536	012	2013/07/09	< .500	2014/07
1,2-DICHLOROETHANE	34531	012	2013/07/09	< .500	2014/07
1,2-DICHLOROPROPANE	34541	012	2013/07/09	< .500	2014/07
1,3-DICHLOROPROPENE (TOTAL)	34561	012	2013/07/09	< .500	2014/07
1,4-DICHLOROBENZENE	34571	012	2013/07/09	< .500	2014/07
BENZENE	34030	012	2013/07/09	< .500	2014/07
CARBON TETRACHLORIDE	32102	012	2013/07/09	< .500	2014/07
CIS-1,2-DICHLOROETHYLENE	77093	012	2013/07/09	< .500	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075

System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

PS Code: 3610075-015

Source Name: WELL 15

Source Number: 015

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	34423	012	2013/07/09	< .500	2014/07
ETHYLBENZENE	34371	012	2013/07/09	< .500	2014/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/09	< 3.000	2016/07
MONOCHLOROBENZENE	34301	012	2013/07/09	< .500	2014/07
STYRENE	77128	012	2013/07/09	< .500	2014/07
TETRACHLOROETHYLENE	34475	012	2013/07/09	< .500	2014/07
TOLUENE	34010	012	2013/07/09	< .500	2014/07
TRANS-1,2-DICHLOROETHYLENE	34546	012	2013/07/09	< .500	2014/07
TRICHLOROETHYLENE	39180	012	2013/07/09	< .500	2014/07
TRICHLOROFLUOROMETHANE	34488	012	2013/07/09	< 5.000	2014/07
VINYL CHLORIDE	39175	012	2013/07/09	< .500	2014/07
XYLENES (TOTAL)	81551	012	2013/07/09	< .500	2014/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/09	. 330.000	2016/07
CALCIUM	00916	036	2013/07/09	. 150.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/09	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/09	. 100.000	2016/07
COLOR	00081	036	2013/07/09	< 3.000	2016/07
COPPER	01042	036	2013/07/09	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/09	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/09	. 530.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/09	< 3.000	2016/07
IRON	01045	036	2013/07/09	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/09	. 35.000	2016/07
MANGANESE	01055	036	2013/07/09	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/09	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/09	. 7.400	2016/07
SILVER	01077	036	2013/07/09	< 10.000	2016/07
SODIUM	00929	036	2013/07/09	60.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610075-015					
Source Name: WELL 15					
Source Number: 015					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SPECIFIC CONDUCTANCE	00095	036	2013/07/09	. 1300.000	2016/07
SULFATE	00945	036	2013/07/09	52.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/08	. 900.000	2017/07
TURBIDITY, LABORATORY	82079	036	2013/07/09	< .200	2016/07
ZINC	01092	036	2013/07/09	< 50.000	2016/07
PS Code: 3610075-016					
Source Name: AIR STRIPPING TOWER EFFLUENT					
Source Number: 016					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610075-017					
Source Name: IX AND RO COMMON INFLUENT LINE					
Source Number: 017					
Source Status: COMBINATION OR BLEND MIXED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610075-018					
Source Name: IX VESSEL COMMON EFFLUENT LINE					
Source Number: 018					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610075
System Name: CHINO BASIN DESALTER AUTH. - DESALTER 1

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610075-019					
Source Name: RO COMBINED PERMEATE					
Source Number: 019					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610075-020					
Source Name: CHINO DESALTER 1 TREATED FINAL EFFLUENT					
Source Number: 020					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610075-021					
Source Name:					
Source Number: 021					
Source Status: COMBINATION OR BLEND TREATED					
Water type:					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610075-022					
Source Name:					
Source Number: 022					
Source Status: COMBINATION OR BLEND TREATED					
Water type:					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610082***

System Name: ***SAN ANTONIO CANYON MSC***

PS Code: ***3610082-001***

Source Name: ***SPRING***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/07/06	< .000	2014/07	
ANTIMONY	01097	036	2011/07/06	< .000	2014/07	
ARSENIC	01002	036	2011/07/06	< .000	2014/07	
BARIUM	01007	036	2011/07/06	< .000	2014/07	
BERYLLIUM	01012	036	2011/07/06	< .000	2014/07	
CADMIUM	01027	036	2011/07/06	< .000	2014/07	
CHROMIUM (TOTAL)	01034	036	2011/07/06	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/07/06	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/06	. .260	2014/07	
MERCURY	71900	036	2011/07/06	< .000	2014/07	
NICKEL	01067	036	2011/07/06	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/06	< .000	2014/07	
SELENIUM	01147	036	2011/07/06	< .000	2014/07	
THALLIUM	01059	036	2011/07/06	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/12/19	< 2.000	2014/12	
NITRITE (AS N)	00620	036	2011/07/06	< .000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/10/11	< .000	2014/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/07/06	< .000	2014/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/07/06	< .000	2014/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2006/05/01	< .500	2012/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/01	< .500	2012/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/01	< 10.000	2012/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2006/05/01	< .500	2012/05	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610082
System Name: SAN ANTONIO CANYON MSC

PS Code: 3610082-001
Source Name: SPRING
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	072	2006/05/01	< .500	2012/05	DUE
1,1-DICHLOROETHYLENE	34501	072	2006/05/01	< .500	2012/05	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/01	< .500	2012/05	DUE
1,2-DICHLOROBENZENE	34536	072	2006/05/01	< .500	2012/05	DUE
1,2-DICHLOROETHANE	34531	072	2006/05/01	< .500	2012/05	DUE
1,2-DICHLOROPROPANE	34541	072	2006/05/01	< .500	2012/05	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/01	< .500	2012/05	DUE
1,4-DICHLOROBENZENE	34571	072	2006/05/01	< .500	2012/05	DUE
BENZENE	34030	072	2006/05/01	< .500	2012/05	DUE
CARBON TETRACHLORIDE	32102	072	2006/05/01	< .500	2012/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/01	< .500	2012/05	DUE
DICHLOROMETHANE	34423	072	2006/05/01	.590	2012/05	DUE
ETHYLBENZENE	34371	072	2006/05/01	< .500	2012/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/01	< 3.000	2012/05	DUE
MONOCHLOROBENZENE	34301	072	2006/05/01	< .500	2012/05	DUE
STYRENE	77128	072	2006/05/01	< .500	2012/05	DUE
TETRACHLOROETHYLENE	34475	072	2006/05/01	< .500	2012/05	DUE
TOLUENE	34010	072	2006/05/01	< .500	2012/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/01	< .500	2012/05	DUE
TRICHLOROETHYLENE	39180	072	2006/05/01	< .500	2012/05	DUE
TRICHLOROFLUOROMETHANE	34488	072	2006/05/01	< 5.000	2012/05	DUE
VINYL CHLORIDE	39175	072	2006/05/01	< .500	2012/05	DUE
XYLENES (TOTAL)	81551	072	2006/05/01	< .500	2012/05	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/07/06	. 170.000	2014/07	
CALCIUM	00916	036	2011/07/06	. 40.000	2014/07	
CARBONATE ALKALINITY	00445	036	2011/07/06	< .000	2014/07	
CHLORIDE	00940	036	2011/07/06	. 1.300	2014/07	
COLOR	00081	036	2011/07/06	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610082
System Name: SAN ANTONIO CANYON MSC

PS Code: 3610082-001
Source Name: SPRING
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
COPPER	01042	036	2006/05/01		39.000	2009/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/07/06	<	.000	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/07/06	.	140.000	2014/07	
HYDROXIDE ALKALINITY	71830	036	2011/07/06	<	.000	2014/07	
IRON	01045	036	2011/07/06	<	.000	2014/07	
MAGNESIUM	00927	036	2011/07/06	.	8.800	2014/07	
MANGANESE	01055	036	2006/05/01	<	10.000	2009/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/07/06		1.000	2014/07	
PH, LABORATORY	00403	036	2011/07/06	.	7.600	2014/07	
SILVER	01077	036	2006/05/01	<	.200	2009/05	DUE
SODIUM	00929	036	2011/07/06		3.800	2014/07	
SPECIFIC CONDUCTANCE	00095	036	2011/07/06	.	290.000	2014/07	
SULFATE	00945	036	2011/07/06		12.000	2014/07	
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/06	.	170.000	2014/07	
TURBIDITY, LABORATORY	82079	036	2011/07/06	<	.000	2014/07	
ZINC	01092	036	2006/05/01	<	50.000	2009/05	DUE

PS Code: 3610082-002
Source Name: MINERS SPRING
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/07/06	<	.000	2014/07	
ANTIMONY	01097	036	2011/07/06	<	.000	2014/07	
ARSENIC	01002	036	2011/07/06	<	.000	2014/07	
BARIUM	01007	036	2011/07/06	<	.000	2014/07	
BERYLLIUM	01012	036	2011/07/06	<	.000	2014/07	
CADMIUM	01027	036	2011/07/06	<	.000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610082
System Name: SAN ANTONIO CANYON MSC

PS Code: 3610082-002
Source Name: MINERS SPRING
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/07/06	< .000	2014/07	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2011/07/06	< .000	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/07/06	. .260	2014/07	
MERCURY	71900	036	2011/07/06	< .000	2014/07	
NICKEL	01067	036	2011/07/06	< .000	2014/07	
PERCHLORATE	A-031	036	2011/07/06	< .000	2014/07	
SELENIUM	01147	036	2011/07/06	< .000	2014/07	
THALLIUM	01059	036	2011/07/06	< .000	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/12/19	< 2.000	2014/12	
NITRITE (AS N)	00620	036	2011/07/06	< .000	2014/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/10/11	. 3.400	2014/10	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2007/07/17	< .010	2010/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2007/07/17	< .020	2010/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2007/12/03	< .500	2013/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/12/03	< .500	2013/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/12/03	< 5.000	2013/12	DUE
1,1,2-TRICHLOROETHANE	34511	072	2007/12/03	< .500	2013/12	DUE
1,1-DICHLOROETHANE	34496	072	2007/12/03	< .500	2013/12	DUE
1,1-DICHLOROETHYLENE	34501	072	2007/12/03	< .500	2013/12	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2007/12/03	< .500	2013/12	DUE
1,2-DICHLOROBENZENE	34536	072	2007/12/03	< .500	2013/12	DUE
1,2-DICHLOROETHANE	34531	072	2007/12/03	< .500	2013/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610082
System Name: SAN ANTONIO CANYON MSC

PS Code: 3610082-002
Source Name: MINERS SPRING
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,2-DICHLOROPROPANE	34541	072	2007/12/03	< .500	2013/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/12/03	< .500	2013/12	DUE
1,4-DICHLOROBENZENE	34571	072	2007/12/03	< .500	2013/12	DUE
BENZENE	34030	072	2007/12/03	< .500	2013/12	DUE
CARBON TETRACHLORIDE	32102	072	2007/12/03	< .500	2013/12	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/12/03	< .500	2013/12	DUE
DICHLOROMETHANE	34423	072	2007/12/03	< .500	2013/12	DUE
ETHYLBENZENE	34371	072	2007/12/03	< .500	2013/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/12/03	< 3.000	2013/12	DUE
MONOCHLOROBENZENE	34301	072	2007/12/03	< .500	2013/12	DUE
STYRENE	77128	072	2007/12/03	< .500	2013/12	DUE
TETRACHLOROETHYLENE	34475	072	2007/12/03	< .500	2013/12	DUE
TOLUENE	34010	072	2007/12/03	< .500	2013/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/12/03	< .500	2013/12	DUE
TRICHLOROETHYLENE	39180	072	2007/12/03	< .500	2013/12	DUE
TRICHLOROFLUOROMETHANE	34488	072	2007/12/03	< 5.000	2013/12	DUE
VINYL CHLORIDE	39175	072	2007/12/03	< .500	2013/12	DUE
XYLENES (TOTAL)	81551	072	2007/12/03	< .500	2013/12	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2011/07/06	. 170.000	2014/07	
CALCIUM	00916	036	2011/07/06	. 40.000	2014/07	
CARBONATE ALKALINITY	00445	036	2011/07/06	< .000	2014/07	
CHLORIDE	00940	036	2011/07/06	. 1.400	2014/07	
COLOR	00081	036	2011/07/06	< .000	2014/07	
COPPER	01042	036	2007/07/17	< 10.000	2010/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/07/06	< .000	2014/07	
HARDNESS (TOTAL) AS CACO3	00900	036	2011/07/06	. 140.000	2014/07	
HYDROXIDE ALKALINITY	71830	036	2011/07/06	< .000	2014/07	
IRON	01045	036	2011/07/06	< .000	2014/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610082***

System Name: ***SAN ANTONIO CANYON MSC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610082-002***							
Source Name: ***MINERS SPRING***							
Source Number: ***002***							
Source Status: ***ACTIVE RAW***							
Water type: ***G***							
SECONDARY/GP							
MAGNESIUM	00927	036	2011/07/06	.	8.800	2014/07	
MANGANESE	01055	036	2007/07/17	<	10.000	2010/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/07/06		1.000	2014/07	
PH, LABORATORY	00403	036	2011/07/06	.	7.520	2014/07	
SILVER	01077	000					DUE
SODIUM	00929	036	2011/07/06		3.800	2014/07	
SPECIFIC CONDUCTANCE	00095	036	2011/07/06	.	280.000	2014/07	
SULFATE	00945	036	2011/07/06		12.000	2014/07	
TOTAL DISSOLVED SOLIDS	70300	036	2011/07/06	.	150.000	2014/07	
TURBIDITY, LABORATORY	82079	036	2011/07/06	<	.000	2014/07	
ZINC	01092	036	2007/07/17	<	50.000	2010/07	DUE
PS Code: ***3610082-601***							
Source Name: ***DBP2-#1 OAK DRIVE***							
Source Number: ***601***							
Source Status: ***DISTRIBUTION TREATED***							
Water type: ***G***							
HALOACETIC ACIDS							
DIBROMOACETIC ACID (DBAA)	82721	000					DUE
DICHLOROACETIC ACID (DCAA)	77288	000					DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000					DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000					DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000					DUE
TRICHLOROACETIC ACID (TCAA)	82723	000					DUE
STATE UCMR							
BROMODICHLORMETHANE (THM)	32101	000					DUE
BROMOFORM (THM)	32104	000					DUE
CHLOROFORM (THM)	32106	000					DUE
DIBROMOCHLOROMETHANE (THM)	32105	000					DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610082***
System Name: ***SAN ANTONIO CANYON MSC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610082-601***						
Source Name: ***DBP2-#1 OAK DRIVE***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**000**				**DUE**
PS Code: ***3610082-800***						
Source Name: ***TANK 2 EFFLUENT CL2***						
Source Number: ***800***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-001
Source Name: SAN ANTONIO TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/07/10	< .000	2015/07	
ANTIMONY	01097	036	2012/07/10	< .000	2015/07	
ARSENIC	01002	036	2012/07/10	< .000	2015/07	
BARIUM	01007	036	2012/07/10	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07	
CADMIUM	01027	036	2012/07/10	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/10	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2007/07/12	.000	2010/07	DUE
CYANIDE	01291	036	2012/07/10	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/10	. .470	2015/07	
MERCURY	71900	036	2012/07/10	< .000	2015/07	
NICKEL	01067	036	2012/07/10	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/10	< .000	2015/07	
SELENIUM	01147	036	2012/07/10	< .000	2015/07	
THALLIUM	01059	036	2012/07/10	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/08	< .000	2015/07	
NITRITE (AS N)	00620	036	2012/07/10	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/10/05	< .000	2015/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/23	< .000	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-001
Source Name: SAN ANTONIO TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/23	< .000	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/23	< .000	2016/07
BENZENE	34030	036	2013/07/23	< .000	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/23	< .000	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/23	< .000	2016/07
DICHLOROMETHANE	34423	036	2013/07/23	< .000	2016/07
ETHYLBENZENE	34371	036	2013/07/23	< .000	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/23	< .000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/23	< .000	2016/07
STYRENE	77128	036	2013/07/23	< .000	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/23	< .000	2016/07
TOLUENE	34010	036	2013/07/23	< .000	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/23	< .000	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/23	< .000	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/23	< .000	2016/07
VINYL CHLORIDE	39175	036	2013/07/23	< .000	2016/07
XYLENES (TOTAL)	81551	036	2013/07/23	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/10	. 200.000	2015/07
CALCIUM	00916	036	2014/07/08	. 56.000	2017/07
CARBONATE ALKALINITY	00445	036	2012/07/10	< .000	2015/07
CHLORIDE	00940	036	2012/07/10	. 3.300	2015/07
COLOR	00081	036	2013/12/31	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-001***

Source Name: ***SAN ANTONIO TUNNEL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/07/10	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/10	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/10	. 180.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/10	< .000	2015/07
IRON	01045	036	2012/07/10	< .000	2015/07
MAGNESIUM	00927	036	2012/07/10	. 13.000	2015/07
MANGANESE	01055	036	2012/07/10	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2013/12/31	. 1.000	2016/12
PH, LABORATORY	00403	036	2012/07/10	7.800	2015/07
SILVER	01077	036	2012/07/10	< .000	2015/07
SODIUM	00929	036	2012/07/10	9.700	2015/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 410.000	2017/07
SULFATE	00945	036	2012/07/10	25.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 230.000	2015/07
TURBIDITY, LABORATORY	82079	036	2014/07/29	< .000	2017/07
ZINC	01092	036	2012/07/10	< .000	2015/07

PS Code: ***3610085-002***

Source Name: ***WELL 015***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2012/07/10	< .000	2015/07
ANTIMONY	01097	036	2012/07/10	< .000	2015/07
ARSENIC	01002	036	2012/07/10	< .000	2015/07
BARIUM	01007	036	2012/07/10	< .000	2015/07
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07
CADMIUM	01027	036	2012/07/10	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-002
Source Name: WELL 015
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/07/10	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2007/11/13	.000	2010/11	DUE
CYANIDE	01291	036	2012/07/10	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/10	. .510	2015/07	
MERCURY	71900	036	2012/07/10	< .000	2015/07	
NICKEL	01067	036	2012/07/10	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/10	< .000	2015/07	
SELENIUM	01147	036	2012/07/10	< .000	2015/07	
THALLIUM	01059	036	2012/07/10	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/08	. 10.000	2015/07	
NITRITE (AS N)	00620	036	2012/07/10	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/10/05	. 4.200	2015/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/23	< .000	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-002***

Source Name: ***WELL 015***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/23	**< .000**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/23	**< .000**	2016/07
BENZENE	**34030**	**036**	2013/07/23	**< .000**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/23	**< .000**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/23	**< .000**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/23	**< .000**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/23	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/23	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/23	**< .000**	2016/07
STYRENE	**77128**	**036**	2013/07/23	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/23	**< .000**	2016/07
TOLUENE	**34010**	**036**	2013/07/23	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/23	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/23	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/23	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/10	**. 220.000**	2015/07
CALCIUM	**00916**	**036**	2014/07/08	**. 54.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/10	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/10	**. 6.800**	2015/07
COLOR	**00081**	**036**	2012/07/10	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/10	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/10	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/10	**. 200.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/10	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/10	**< .000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/10	**. 13.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-002***

Source Name: ***WELL 015***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2012/07/10	< .000	2015/07	
ODOR THRESHOLD @ 60 C	00086	036	2012/07/10	1.000	2015/07	
PH, LABORATORY	00403	036	2012/07/10	7.800	2015/07	
SILVER	01077	036	2012/07/10	< .000	2015/07	
SODIUM	00929	036	2012/07/10	12.000	2015/07	
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 390.000	2017/07	
SULFATE	00945	036	2012/07/10	22.000	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 270.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/10	< .000	2015/07	
ZINC	01092	036	2012/07/10	< .000	2015/07	

PS Code: ***3610085-003***

Source Name: ***SAN ANTONIO WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/07/10	< .000	2015/07	
ANTIMONY	01097	036	2012/07/10	< .000	2015/07	
ARSENIC	01002	036	2012/07/10	< .000	2015/07	
BARIUM	01007	036	2012/07/10	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07	
CADMIUM	01027	036	2012/07/10	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/10	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	**2007/11/13**	.000	**2010/11**	**DUE**
CYANIDE	01291	036	2012/07/10	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/10	. .510	2015/07	
MERCURY	71900	036	2012/07/10	< .000	2015/07	
NICKEL	01067	036	2012/07/10	< .000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-003
Source Name: SAN ANTONIO WELL 02
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2012/07/10	< .000	2015/07
SELENIUM	01147	036	2012/07/10	< .000	2015/07
THALLIUM	01059	036	2012/07/10	< .000	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/08	. 15.000	2015/07
NITRITE (AS N)	00620	036	2012/07/10	< .000	2015/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/10/05	< .000	2021/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/08	< .000	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/23	< .000	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/23	< .000	2016/07
BENZENE	34030	036	2013/07/23	< .000	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/23	< .000	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/23	< .000	2016/07
DICHLOROMETHANE	34423	036	2013/07/23	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-003***

Source Name: ***SAN ANTONIO WELL 02***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2013/07/23	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/23	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/23	**< .000**	2016/07
STYRENE	**77128**	**036**	2013/07/23	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/23	**< .000**	2016/07
TOLUENE	**34010**	**036**	2013/07/23	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/23	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/23	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/23	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/10	**. 180.000**	2015/07
CALCIUM	**00916**	**036**	2014/07/08	**. 49.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/10	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/10	**. 6.700**	2015/07
COLOR	**00081**	**036**	2012/07/10	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/10	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/10	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/10	**. 170.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/10	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/10	**< .000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/10	**. 9.400**	2015/07
MANGANESE	**01055**	**036**	2012/07/10	**< .000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/10	**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/10	**7.700**	2015/07
SILVER	**01077**	**036**	2012/07/10	**< .000**	2015/07
SODIUM	**00929**	**036**	2012/07/10	**12.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/08	**. 380.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610085-003***						
Source Name: ***SAN ANTONIO WELL 02***						
Source Number: ***003***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
SECONDARY/GP						
SULFATE	**00945**	**036**	2012/07/10	**23.000**	2015/07	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/10	**. 240.000**	2015/07	
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/10	**. .200**	2015/07	
ZINC	**01092**	**036**	2012/07/10	**< .000**	2015/07	
PS Code: ***3610085-004***						
Source Name: ***SAN ANTONIO WELL 03***						
Source Number: ***004***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2012/07/10	**< .000**	2015/07	
ANTIMONY	**01097**	**036**	2012/07/10	**< .000**	2015/07	
ARSENIC	**01002**	**036**	2012/07/10	**< .000**	2015/07	
BARIUM	**01007**	**036**	2012/07/10	**< .000**	2015/07	
BERYLLIUM	**01012**	**036**	2012/07/10	**< .000**	2015/07	
CADMIUM	**01027**	**036**	2012/07/10	**< .000**	2015/07	
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/10	**< .000**	2015/07	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2007/11/13**	**.000**	**2010/11**	**DUE**
CYANIDE	**01291**	**036**	2012/07/10	**< .000**	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/10	**. .400**	2015/07	
MERCURY	**71900**	**036**	2012/07/10	**< .000**	2015/07	
NICKEL	**01067**	**036**	2012/07/10	**< .000**	2015/07	
PERCHLORATE	**A-031**	**036**	2012/07/10	**< .000**	2015/07	
SELENIUM	**01147**	**036**	2012/07/10	**< .000**	2015/07	
THALLIUM	**01059**	**036**	2012/07/10	**< .000**	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/15	**. 38.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2012/07/10	**< .000**	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-004
Source Name: SAN ANTONIO WELL 03
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	072	2012/10/05	< .000	2018/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/15	. .120	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/23	< .000	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/23	< .000	2016/07
BENZENE	34030	036	2013/07/23	< .000	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/23	< .000	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/23	< .000	2016/07
DICHLOROMETHANE	34423	036	2013/07/23	< .000	2016/07
ETHYLBENZENE	34371	036	2013/07/23	< .000	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/23	< .000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/23	< .000	2016/07
STYRENE	77128	036	2013/07/23	< .000	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/23	< .000	2016/07
TOLUENE	34010	036	2013/07/23	< .000	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/23	< .000	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/23	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-004
Source Name: SAN ANTONIO WELL 03
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/07/23	< .000	2016/07
VINYL CHLORIDE	39175	036	2013/07/23	< .000	2016/07
XYLENES (TOTAL)	81551	036	2013/07/23	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/10	. 180.000	2015/07
CALCIUM	00916	036	2014/07/15	. 65.000	2017/07
CARBONATE ALKALINITY	00445	036	2012/07/10	< .000	2015/07
CHLORIDE	00940	036	2012/07/10	. 9.200	2015/07
COLOR	00081	036	2012/07/10	< .000	2015/07
COPPER	01042	036	2012/07/10	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/10	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/10	. 190.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/10	< .000	2015/07
IRON	01045	036	2012/07/10	< .000	2015/07
MAGNESIUM	00927	036	2012/07/10	. 10.000	2015/07
MANGANESE	01055	036	2012/07/10	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/10	1.000	2015/07
PH, LABORATORY	00403	036	2014/07/15	. 7.500	2017/07
SILVER	01077	036	2012/07/10	< .000	2015/07
SODIUM	00929	036	2012/07/10	14.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/15	. 460.000	2017/07
SULFATE	00945	036	2012/07/10	27.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 260.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/10	. .100	2015/07
ZINC	01092	036	2012/07/10	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-010***

Source Name: ***SAN ANTONIO WELL 22***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/07/10	**< .000**	2015/07	
ANTIMONY	**01097**	**036**	2012/07/10	**< .000**	2015/07	
ARSENIC	**01002**	**036**	2012/07/10	**. 3.300**	2015/07	
BARIUM	**01007**	**036**	2012/07/10	**< .000**	2015/07	
BERYLLIUM	**01012**	**036**	2012/07/10	**< .000**	2015/07	
CADMIUM	**01027**	**036**	2012/07/10	**< .000**	2015/07	
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/10	**< .000**	2015/07	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2007/11/13**	**.000**	**2010/11**	**DUE**
CYANIDE	**01291**	**036**	2012/07/10	**< .000**	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/10	**. .390**	2015/07	
MERCURY	**71900**	**036**	2012/07/10	**< .000**	2015/07	
NICKEL	**01067**	**036**	2012/07/10	**< .000**	2015/07	
PERCHLORATE	**A-031**	**036**	2012/07/10	**< .000**	2015/07	
SELENIUM	**01147**	**036**	2012/07/10	**< .000**	2015/07	
THALLIUM	**01059**	**036**	2012/07/10	**< .000**	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/15	**. 54.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2012/07/10	**< .000**	2015/07	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2012/10/05	**. 4.400**	2021/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/15	**. .069**	2017/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/23	**< .000**	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/07/23	**< .000**	2016/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/07/23	**< .000**	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/07/23	**< .000**	2016/07	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/07/23	**< .000**	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-010***

Source Name: ***SAN ANTONIO WELL 22***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/23	**< .000**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/23	**< .000**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/23	**< .000**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/23	**< .000**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/23	**< .000**	2016/07
BENZENE	**34030**	**036**	2013/07/23	**< .000**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/23	**< .000**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/23	**< .000**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/23	**< .000**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/23	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/23	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/23	**< .000**	2016/07
STYRENE	**77128**	**036**	2013/07/23	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/23	**< .000**	2016/07
TOLUENE	**34010**	**036**	2013/07/23	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/23	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/23	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/23	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/10	**. 200.000**	2015/07
CALCIUM	**00916**	**036**	2014/07/15	**. 82.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/10	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/10	**. 16.000**	2015/07
COLOR	**00081**	**036**	2012/07/10	**< .000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-010
Source Name: SAN ANTONIO WELL 22
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/07/10	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/10	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/10	. 230.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/10	< .000	2015/07
IRON	01045	036	2012/07/10	< .000	2015/07
MAGNESIUM	00927	036	2012/07/10	. 13.000	2015/07
MANGANESE	01055	036	2012/07/10	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/10	1.000	2015/07
PH, LABORATORY	00403	036	2014/07/15	. 7.600	2017/07
SILVER	01077	036	2012/07/10	< .000	2015/07
SODIUM	00929	036	2012/07/10	18.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/15	. 590.000	2017/07
SULFATE	00945	036	2012/07/10	37.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 330.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/10	< .000	2015/07
ZINC	01092	036	2012/07/10	< .000	2015/07

PS Code: 3610085-011
Source Name: SAN ANTONIO WELL 24
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/07/10	< .000	2015/07
ANTIMONY	01097	036	2012/07/10	< .000	2015/07
ARSENIC	01002	036	2012/07/10	< .000	2015/07
BARIUM	01007	036	2012/07/10	< .000	2015/07
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07
CADMIUM	01027	036	2012/07/10	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-011***

Source Name: ***SAN ANTONIO WELL 24***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/07/10	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2007/11/13	.000	2010/11	DUE
CYANIDE	01291	036	2012/07/10	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/10	. .500	2015/07	
MERCURY	71900	036	2012/07/10	< .000	2015/07	
NICKEL	01067	036	2012/07/10	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/10	< .000	2015/07	
SELENIUM	01147	036	2012/07/10	< .000	2015/07	
THALLIUM	01059	036	2012/07/10	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/08	. 33.000	2015/07	
NITRITE (AS N)	00620	036	2012/07/10	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2012/10/05	. 5.000	2018/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/08	. .150	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07	
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07	
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07	
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07	
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07	
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07	
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07	
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-011
Source Name: SAN ANTONIO WELL 24
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/23	< .000	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/23	< .000	2016/07
BENZENE	34030	036	2013/07/23	< .000	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/23	< .000	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/23	< .000	2016/07
DICHLOROMETHANE	34423	036	2013/07/23	< .000	2016/07
ETHYLBENZENE	34371	036	2013/07/23	< .000	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/23	< .000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/23	< .000	2016/07
STYRENE	77128	036	2013/07/23	< .000	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/23	< .000	2016/07
TOLUENE	34010	036	2013/07/23	< .000	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/23	< .000	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/23	< .000	2016/07
TRICHLOROFLUOROMETHANE	34488	036	2013/07/23	< .000	2016/07
VINYL CHLORIDE	39175	036	2013/07/23	< .000	2016/07
XYLENES (TOTAL)	81551	036	2013/07/23	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/10	. 170.000	2015/07
CALCIUM	00916	036	2014/07/08	. 57.000	2017/07
CARBONATE ALKALINITY	00445	036	2012/07/10	< .000	2015/07
CHLORIDE	00940	036	2012/07/10	. 6.800	2015/07
COLOR	00081	036	2012/07/10	< .000	2015/07
COPPER	01042	036	2012/07/10	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/10	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/10	. 170.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/10	< .000	2015/07
IRON	01045	036	2012/07/10	< .000	2015/07
MAGNESIUM	00927	036	2012/07/10	. 8.100	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-011***

Source Name: ***SAN ANTONIO WELL 24***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2012/07/10	< .000	2015/07	
ODOR THRESHOLD @ 60 C	00086	036	2012/07/10	1.000	2015/07	
PH, LABORATORY	00403	036	2012/07/10	7.800	2015/07	
SILVER	01077	036	2012/07/10	< .000	2015/07	
SODIUM	00929	036	2012/07/10	11.000	2015/07	
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 430.000	2017/07	
SULFATE	00945	036	2012/07/10	25.000	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 250.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/10	. .100	2015/07	
ZINC	01092	036	2012/07/10	< .000	2015/07	

PS Code: ***3610085-013***

Source Name: ***SAN ANTONIO WELL 26***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2012/07/10	< .000	2015/07	
ANTIMONY	01097	036	2012/07/10	< .000	2015/07	
ARSENIC	01002	036	2012/07/10	< .000	2015/07	
BARIUM	01007	036	2012/07/10	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07	
CADMIUM	01027	036	2012/07/10	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/10	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	**2007/11/13**	.000	**2010/11**	**DUE**
CYANIDE	01291	036	2012/07/10	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/10	. .420	2015/07	
MERCURY	71900	036	2012/07/10	< .000	2015/07	
NICKEL	01067	036	2012/07/10	< .000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-013
Source Name: SAN ANTONIO WELL 26
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2012/07/10	< .000	2015/07
SELENIUM	01147	036	2012/07/10	< .000	2015/07
THALLIUM	01059	036	2012/07/10	< .000	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/08	. 12.000	2015/07
NITRITE (AS N)	00620	036	2012/07/10	< .000	2015/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/10/05	< .000	2021/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/23	< .000	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/23	< .000	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/23	< .000	2016/07
BENZENE	34030	036	2013/07/23	< .000	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/23	< .000	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/23	< .000	2016/07
DICHLOROMETHANE	34423	036	2013/07/23	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-013***

Source Name: ***SAN ANTONIO WELL 26***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2013/07/23	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/23	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/23	**< .000**	2016/07
STYRENE	**77128**	**036**	2013/07/23	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/23	**< .000**	2016/07
TOLUENE	**34010**	**036**	2013/07/23	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/23	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/23	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/23	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/10	**. 230.000**	2015/07
CALCIUM	**00916**	**036**	2014/07/08	**. 56.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/10	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/10	**. 5.900**	2015/07
COLOR	**00081**	**036**	2012/07/10	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/10	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/10	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/10	**. 210.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/10	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/10	**< .000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/10	**. 12.000**	2015/07
MANGANESE	**01055**	**036**	2012/07/10	**< .000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/10	**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/10	**7.800**	2015/07
SILVER	**01077**	**036**	2012/07/10	**< .000**	2015/07
SODIUM	**00929**	**036**	2012/07/10	**12.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/08	**. 400.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-013
Source Name: SAN ANTONIO WELL 26
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
SULFATE	00945	036	2012/07/10	26.000	2015/07	
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 270.000	2015/07	
TURBIDITY, LABORATORY	82079	036	2012/07/10	. .200	2015/07	
ZINC	01092	036	2012/07/10	< .000	2015/07	

PS Code: 3610085-016
Source Name: SAN ANTONIO WELL 32
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

INORGANIC						
ALUMINUM	01105	036	2012/07/10	< .000	2015/07	
ANTIMONY	01097	036	2012/07/10	< .000	2015/07	
ARSENIC	01002	036	2012/07/10	< .000	2015/07	
BARIUM	01007	036	2012/07/10	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07	
CADMIUM	01027	036	2012/07/10	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/10	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2007/11/13	.000	2010/11	DUE
CYANIDE	01291	036	2012/07/10	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/10	. .500	2015/07	
MERCURY	71900	036	2012/07/10	< .000	2015/07	
NICKEL	01067	036	2012/07/10	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/10	< .000	2015/07	
SELENIUM	01147	036	2012/07/10	< .000	2015/07	
THALLIUM	01059	036	2012/07/10	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/08	. 4.000	2015/07	
NITRITE (AS N)	00620	036	2012/07/10	< .000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-016
Source Name: SAN ANTONIO WELL 32
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2012/10/05	. 5.500	2021/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/23	< .000	2016/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/23	< .000	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/07/23	< .000	2016/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/07/23	< .000	2016/07
1,1,2-TRICHLOROETHANE	34511	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHANE	34496	036	2013/07/23	< .000	2016/07
1,1-DICHLOROETHYLENE	34501	036	2013/07/23	< .000	2016/07
1,2,4-TRICHLOROBENZENE	34551	036	2013/07/23	< .000	2016/07
1,2-DICHLOROBENZENE	34536	036	2013/07/23	< .000	2016/07
1,2-DICHLOROETHANE	34531	036	2013/07/23	< .000	2016/07
1,2-DICHLOROPROPANE	34541	036	2013/07/23	< .000	2016/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/07/23	< .000	2016/07
1,4-DICHLOROBENZENE	34571	036	2013/07/23	< .000	2016/07
BENZENE	34030	036	2013/07/23	< .000	2016/07
CARBON TETRACHLORIDE	32102	036	2013/07/23	< .000	2016/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/07/23	< .000	2016/07
DICHLOROMETHANE	34423	036	2013/07/23	< .000	2016/07
ETHYLBENZENE	34371	036	2013/07/23	< .000	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/07/23	< .000	2016/07
MONOCHLOROBENZENE	34301	036	2013/07/23	< .000	2016/07
STYRENE	77128	036	2013/07/23	< .000	2016/07
TETRACHLOROETHYLENE	34475	036	2013/07/23	< .000	2016/07
TOLUENE	34010	036	2013/07/23	< .000	2016/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/07/23	< .000	2016/07
TRICHLOROETHYLENE	39180	036	2013/07/23	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-016
Source Name: SAN ANTONIO WELL 32
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2013/07/23	< .000	2016/07
VINYL CHLORIDE	39175	036	2013/07/23	< .000	2016/07
XYLENES (TOTAL)	81551	036	2013/07/23	< .000	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/07/10	. 170.000	2015/07
CALCIUM	00916	036	2014/07/08	. 45.000	2017/07
CARBONATE ALKALINITY	00445	036	2012/07/10	< .000	2015/07
CHLORIDE	00940	036	2012/07/10	. 2.800	2015/07
COLOR	00081	036	2012/07/10	< .000	2015/07
COPPER	01042	036	2012/07/10	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/10	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/10	. 130.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/10	< .000	2015/07
IRON	01045	036	2012/07/10	< .000	2015/07
MAGNESIUM	00927	036	2012/07/10	. 8.500	2015/07
MANGANESE	01055	036	2012/07/10	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/10	1.000	2015/07
PH, LABORATORY	00403	036	2014/07/08	. 7.500	2017/07
SILVER	01077	036	2012/07/10	< .000	2015/07
SODIUM	00929	036	2012/07/10	11.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 360.000	2017/07
SULFATE	00945	036	2012/07/10	17.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 200.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/10	. .100	2015/07
ZINC	01092	036	2012/07/10	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-017***

Source Name: ***WELL 27-A***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/07/10	**< .000**	2015/07	
ANTIMONY	**01097**	**036**	2012/07/10	**< .000**	2015/07	
ARSENIC	**01002**	**036**	2012/07/10	**< .000**	2015/07	
BARIUM	**01007**	**036**	2012/07/10	**< .000**	2015/07	
BERYLLIUM	**01012**	**036**	2012/07/10	**< .000**	2015/07	
CADMIUM	**01027**	**036**	2012/07/10	**< .000**	2015/07	
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/10	**< .000**	2015/07	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2007/11/13**	**.000**	**2010/11**	**DUE**
CYANIDE	**01291**	**036**	2012/07/10	**< .000**	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/10	**. .430**	2015/07	
MERCURY	**71900**	**036**	2012/07/10	**< .000**	2015/07	
NICKEL	**01067**	**036**	2012/07/10	**< .000**	2015/07	
PERCHLORATE	**A-031**	**036**	2012/07/10	**< .000**	2015/07	
SELENIUM	**01147**	**036**	2012/07/10	**< .000**	2015/07	
THALLIUM	**01059**	**036**	2012/07/10	**< .000**	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/08	**. 9.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2012/07/10	**< .000**	2015/07	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2012/10/05	**< .000**	2021/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/23	**< .000**	2016/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/23	**< .000**	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/07/23	**< .000**	2016/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/07/23	**< .000**	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/07/23	**< .000**	2016/07	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/07/23	**< .000**	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-017***

Source Name: ***WELL 27-A***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/23	**< .000**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/23	**< .000**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/23	**< .000**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/23	**< .000**	2016/07
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/23	**< .000**	2016/07
BENZENE	**34030**	**036**	2013/07/23	**< .000**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/23	**< .000**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/23	**< .000**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/23	**< .000**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/23	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/23	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/23	**< .000**	2016/07
STYRENE	**77128**	**036**	2013/07/23	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/23	**< .000**	2016/07
TOLUENE	**34010**	**036**	2013/07/23	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/23	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/23	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/23	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/10	**. 200.000**	2015/07
CALCIUM	**00916**	**036**	2014/07/08	**. 51.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/10	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/10	**. 3.900**	2015/07
COLOR	**00081**	**036**	2012/07/10	**< .000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

PS Code: 3610085-017
Source Name: WELL 27-A
Source Number: 017
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2012/07/10	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/10	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/10	. 180.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/10	< .000	2015/07
IRON	01045	036	2012/07/10	< .000	2015/07
MAGNESIUM	00927	036	2012/07/10	. 9.600	2015/07
MANGANESE	01055	036	2012/07/10	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/10	1.000	2015/07
PH, LABORATORY	00403	036	2012/07/10	7.800	2015/07
SILVER	01077	036	2012/07/10	< .000	2015/07
SODIUM	00929	036	2012/07/10	13.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/08	. 370.000	2017/07
SULFATE	00945	036	2012/07/10	26.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/10	. 250.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/10	. .100	2015/07
ZINC	01092	036	2012/07/10	< .000	2015/07

PS Code: 3610085-018
Source Name: WELL 16
Source Number: 018
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2012/07/10	< .000	2015/07
ANTIMONY	01097	036	2012/07/10	< .000	2015/07
ARSENIC	01002	036	2012/07/10	< .000	2015/07
BARIUM	01007	036	2012/07/10	< .000	2015/07
BERYLLIUM	01012	036	2012/07/10	< .000	2015/07
CADMIUM	01027	036	2012/07/10	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-018***

Source Name: ***WELL 16***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2012/07/10	**< .000**	2015/07
CYANIDE	**01291**	**036**	2012/07/10	**< .000**	2015/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/07/10	**. .440**	2015/07
MERCURY	**71900**	**036**	2012/07/10	**< .000**	2015/07
NICKEL	**01067**	**036**	2012/07/10	**< .000**	2015/07
PERCHLORATE	**A-031**	**036**	2012/07/10	**< .000**	2015/07
SELENIUM	**01147**	**036**	2012/07/10	**< .000**	2015/07
THALLIUM	**01059**	**036**	2012/07/10	**< .000**	2015/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/08	**. 13.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2012/07/10	**< .000**	2015/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/10/05	**. 4.700**	2015/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/23	**< .000**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/23	**< .000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/07/23	**< .000**	2016/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/07/23	**< .000**	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/07/23	**< .000**	2016/07
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/07/23	**< .000**	2016/07
1,1-DICHLOROETHANE	**34496**	**036**	2013/07/23	**< .000**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/07/23	**< .000**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROBENZENE	**34536**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROETHANE	**34531**	**036**	2013/07/23	**< .000**	2016/07
1,2-DICHLOROPROPANE	**34541**	**036**	2013/07/23	**< .000**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/07/23	**< .000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-018***

Source Name: ***WELL 16***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	**34571**	**036**	2013/07/23	**< .000**	2016/07
BENZENE	**34030**	**036**	2013/07/23	**< .000**	2016/07
CARBON TETRACHLORIDE	**32102**	**036**	2013/07/23	**< .000**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/07/23	**< .000**	2016/07
DICHLOROMETHANE	**34423**	**036**	2013/07/23	**< .000**	2016/07
ETHYLBENZENE	**34371**	**036**	2013/07/23	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/07/23	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**036**	2013/07/23	**< .000**	2016/07
STYRENE	**77128**	**036**	2013/07/23	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**036**	2013/07/23	**< .000**	2016/07
TOLUENE	**34010**	**036**	2013/07/23	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**036**	2013/07/23	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/07/23	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**036**	2013/07/23	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**036**	2013/07/23	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/10	**. 210.000**	2015/07
CALCIUM	**00916**	**036**	2014/07/08	**. 53.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/10	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/10	**. 6.400**	2015/07
COLOR	**00081**	**036**	2012/07/10	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/10	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/10	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/10	**. 190.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/10	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/10	**< .000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/10	**. 11.000**	2015/07
MANGANESE	**01055**	**036**	2012/07/10	**< .000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-018***

Source Name: ***WELL 16***

Source Number: ***018***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/10		**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/10		**7.800**	2015/07
SILVER	**01077**	**036**	2012/07/10	**<**	**.000**	2015/07
SODIUM	**00929**	**036**	2012/07/10		**12.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/08	**.**	**390.000**	2017/07
SULFATE	**00945**	**036**	2012/07/10		**22.000**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/10	**.**	**260.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/10	**.**	**.100**	2015/07
ZINC	**01092**	**036**	2012/07/10	**<**	**.000**	2015/07

PS Code: ***3610085-019***

Source Name: ***WELL 26 AND 27A - RAW***

Source Number: ***019***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** **999**

PS Code: ***3610085-020***

Source Name: ***WELLS 2,3,22,24 - RAW***

Source Number: ***020***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** **999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-021***

Source Name: ***WELL 25A***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/07/23	**< .000**	2016/07	
ANTIMONY	**01097**	**036**	2012/06/28	**< .000**	2015/06	
ARSENIC	**01002**	**036**	2012/06/28	**< .000**	2015/06	
BARIUM	**01007**	**036**	2012/06/28	**< .000**	2015/06	
BERYLLIUM	**01012**	**036**	2012/06/28	**< .000**	2015/06	
CADMIUM	**01027**	**036**	2012/06/28	**< .000**	2015/06	
CHROMIUM (TOTAL)	**01034**	**036**	2012/06/28	**< .000**	2015/06	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2012/06/28	**< .000**	2015/06	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/06/28	**. .560**	2015/06	
MERCURY	**71900**	**036**	2012/06/28	**< .000**	2015/06	
NICKEL	**01067**	**036**	2012/06/28	**< .000**	2015/06	
PERCHLORATE	**A-031**	**036**	2012/06/28	**< .000**	2015/06	
SELENIUM	**01147**	**036**	2012/06/28	**< .000**	2015/06	
THALLIUM	**01059**	**036**	2012/06/28	**< .000**	2015/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/15	**. 23.000**	2015/07	
NITRITE (AS N)	**00620**	**036**	2012/06/28	**< .000**	2015/06	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2013/11/19	**< .000**	2016/11	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/23	**< .000**	2016/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/23	**< .000**	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2013/11/20	**< .000**	2016/11	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2013/11/20	**< .000**	2016/11	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2013/11/20	**< .000**	2016/11	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2013/11/20	**< .000**	2016/11	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-021***

Source Name: ***WELL 25A***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**036**	2013/11/20	**< .000**	2016/11
1,1-DICHLOROETHYLENE	**34501**	**036**	2013/11/20	**< .000**	2016/11
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2013/11/20	**< .000**	2016/11
1,2-DICHLOROBENZENE	**34536**	**036**	2013/11/20	**< .000**	2016/11
1,2-DICHLOROETHANE	**34531**	**036**	2013/11/20	**< .000**	2016/11
1,2-DICHLOROPROPANE	**34541**	**036**	2013/11/20	**< .000**	2016/11
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2013/11/20	**< .000**	2016/11
1,4-DICHLOROBENZENE	**34571**	**036**	2013/11/20	**< .000**	2016/11
BENZENE	**34030**	**036**	2013/11/20	**< .000**	2016/11
CARBON TETRACHLORIDE	**32102**	**036**	2013/11/20	**< .000**	2016/11
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2013/11/20	**< .000**	2016/11
DICHLOROMETHANE	**34423**	**036**	2013/11/20	**< .000**	2016/11
ETHYLBENZENE	**34371**	**036**	2013/11/20	**< .000**	2016/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/11/20	**< .000**	2016/11
MONOCHLOROBENZENE	**34301**	**036**	2013/11/20	**< .000**	2016/11
STYRENE	**77128**	**036**	2013/11/20	**< .000**	2016/11
TETRACHLOROETHYLENE	**34475**	**036**	2013/11/20	**< .000**	2016/11
TOLUENE	**34010**	**036**	2013/11/20	**< .000**	2016/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/11/20	**< .000**	2016/11
TRICHLOROETHYLENE	**39180**	**036**	2013/11/20	**< .000**	2016/11
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/11/20	**< .000**	2016/11
VINYL CHLORIDE	**39175**	**036**	2013/11/20	**< .000**	2016/11
XYLENES (TOTAL)	**81551**	**036**	2013/11/20	**< .000**	2016/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/06/28	**. 200.000**	2015/06
CALCIUM	**00916**	**036**	2014/07/15	**. 45.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2012/06/28	**< .000**	2015/06
CHLORIDE	**00940**	**036**	2012/06/28	**. 11.000**	2015/06
COLOR	**00081**	**036**	2012/06/28	**. 12.500**	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

PS Code: ***3610085-021***

Source Name: ***WELL 25A***

Source Number: ***021***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	**01042**	**036**	2012/06/28	**< .000**	2015/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/06/28	**< .000**	2015/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/06/28	**. 180.000**	2015/06
HYDROXIDE ALKALINITY	**71830**	**036**	2012/06/28	**< .000**	2015/06
IRON	**01045**	**036**	2013/07/23	**< .000**	2016/07
MAGNESIUM	**00927**	**036**	2012/06/28	**. 8.100**	2015/06
MANGANESE	**01055**	**036**	2012/06/28	**< .000**	2015/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/06/28	**1.000**	2015/06
PH, LABORATORY	**00403**	**036**	2014/07/15	**. 7.600**	2017/07
SILVER	**01077**	**036**	2012/06/28	**< .000**	2015/06
SODIUM	**00929**	**036**	2012/06/28	**36.000**	2015/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/15	**. 400.000**	2017/07
SULFATE	**00945**	**036**	2012/06/28	**38.000**	2015/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/06/28	**. 290.000**	2015/06
TURBIDITY, LABORATORY	**82079**	**036**	2012/06/28	**. 12.000**	2015/06
ZINC	**01092**	**036**	2012/06/28	**< .000**	2015/06

PS Code: ***3610085-601***

Source Name: ***DBP2-2400 CLIFF RD***

Source Number: ***601***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

HALOACETIC ACIDS

DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/08	**< .000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/08	**< .000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/08	**< .000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/08	**< .000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/08	**< .000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/08	**< .000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610085
System Name: SAN ANTONIO WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610085-601					
Source Name: DBP2-2400 CLIFF RD					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/07/08	< .000	2015/07
BROMOFORM (THM)	32104	012	2014/07/08	< .000	2015/07
CHLOROFORM (THM)	32106	012	2014/07/08	< .000	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/08	< .000	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/07/08	< .000	2015/07
PS Code: 3610085-602					
Source Name: DBP2-856 CYPRESS					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/07/08	< .000	2015/07
DICHLOROACETIC ACID (DCAA)	77288	012	2014/07/08	< .000	2015/07
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/07/08	< .000	2015/07
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/07/08	< .000	2015/07
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/07/08	< .000	2015/07
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/07/08	< .000	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/07/08	< .000	2015/07
BROMOFORM (THM)	32104	012	2014/07/08	< .000	2015/07
CHLOROFORM (THM)	32106	012	2014/07/08	. 1.200	2015/07
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/07/08	< .000	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/07/08	. 1.200	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610085-603***					
Source Name: ***DBP2-2490 FOREMAN***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/08	**< .000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/08	**< .000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/08	**< .000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/08	**< .000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/08	**< .000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/08	**< .000**	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/08	**< .000**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/08	**< .000**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/08	**< .000**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/08	**< .000**	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/08	**< .000**	2015/07

PS Code: ***3610085-800***

Source Name: ***SAN ANTONIO TUNNEL - TREATED (CL2)***

Source Number: ***800***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** **999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610085***

System Name: ***SAN ANTONIO WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610085-801***					
Source Name: ***WELL 015 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610085-802***					
Source Name: ***SAN ANTONIO WELL 32 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610085-803***					
Source Name: ***WELL 16 - TREATED (CL2)***					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-001

Source Name: UPLAND FOOTHILL WELL 03

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	1999/07/07	< 50.000	2002/07	DUE
ANTIMONY	01097	036	1999/07/07	< 6.000	2002/07	DUE
ARSENIC	01002	036	1999/07/07	< 2.000	2002/07	DUE
BARIUM	01007	036	1999/07/07	< 100.000	2002/07	DUE
BERYLLIUM	01012	036	1999/07/07	< 1.000	2002/07	DUE
CADMIUM	01027	036	1999/07/07	< 1.000	2002/07	DUE
CHROMIUM (TOTAL)	01034	036	1999/07/07	< 10.000	2002/07	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	1999/07/07	< 100.000	2002/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	1999/07/07	.215	2002/07	DUE
MERCURY	71900	036	1999/07/07	< 1.000	2002/07	DUE
NICKEL	01067	036	1999/07/07	< 10.000	2002/07	DUE
PERCHLORATE	A-031	036	1999/02/22	< 5.000	2002/02	DUE
SELENIUM	01147	036	1999/07/07	< 5.000	2002/07	DUE
THALLIUM	01059	036	1999/07/07	< 1.000	2002/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/16	. 5.300	2015/07	
NITRITE (AS N)	00620	036	2014/07/16	< 400.000	2017/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2000/03/20	. 1.800	2003/03	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/16	< .010	2017/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/16	< .020	2017/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	1999/07/07	.000	2002/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	1999/07/07	.000	2002/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	1999/07/07	.000	2002/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	1999/07/07	.000	2002/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-001

Source Name: UPLAND FOOTHILL WELL 03

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	036	1999/07/07		.000	2002/07	DUE
1,1-DICHLOROETHYLENE	34501	036	1999/07/07		.000	2002/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	1999/07/07		.000	2002/07	DUE
1,2-DICHLOROBENZENE	34536	036	1999/07/07		.000	2002/07	DUE
1,2-DICHLOROETHANE	34531	036	1999/07/07		.000	2002/07	DUE
1,2-DICHLOROPROPANE	34541	036	1999/07/07		.000	2002/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	1999/07/07		.000	2002/07	DUE
1,4-DICHLOROBENZENE	34571	036	1999/07/07		.000	2002/07	DUE
BENZENE	34030	036	1999/07/07		.000	2002/07	DUE
CARBON TETRACHLORIDE	32102	036	1999/07/07		.000	2002/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	1999/07/07		.000	2002/07	DUE
DICHLOROMETHANE	34423	036	1999/07/07		.000	2002/07	DUE
ETHYLBENZENE	34371	036	1999/07/07		.000	2002/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	1999/07/07		.000	2002/07	DUE
MONOCHLOROBENZENE	34301	036	1999/07/07		.000	2002/07	DUE
STYRENE	77128	036	1999/07/07		.000	2002/07	DUE
TETRACHLOROETHYLENE	34475	036	1999/07/07		.000	2002/07	DUE
TOLUENE	34010	036	1999/07/07		.000	2002/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	1999/07/07		.000	2002/07	DUE
TRICHLOROETHYLENE	39180	036	1999/07/07		.000	2002/07	DUE
TRICHLOROFLUOROMETHANE	34488	036	1999/07/07		.000	2002/07	DUE
VINYL CHLORIDE	39175	036	1999/07/07		.000	2002/07	DUE
XYLENES (TOTAL)	81551	036	1999/07/07		.000	2002/07	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	1999/07/07		256.000	2002/07	DUE
CALCIUM	00916	036	1999/07/07		73.700	2002/07	DUE
CARBONATE ALKALINITY	00445	036	1999/07/07	<	1.000	2002/07	DUE
CHLORIDE	00940	036	1999/07/07		5.600	2002/07	DUE
COLOR	00081	036	1999/07/07	<	3.000	2002/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-001

Source Name: UPLAND FOOTHILL WELL 03

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
COPPER	01042	036	1999/09/22	<	50.000	2002/09	DUE
FOAMING AGENTS (MBAS)	38260	036	1999/07/07	<	.020	2002/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	1999/07/07		268.000	2002/07	DUE
HYDROXIDE ALKALINITY	71830	036	1999/07/07	<	1.000	2002/07	DUE
IRON	01045	036	1999/07/07	<	100.000	2002/07	DUE
MAGNESIUM	00927	036	1999/07/07		12.000	2002/07	DUE
MANGANESE	01055	036	1999/07/07	<	20.000	2002/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	1999/07/07		1.000	2002/07	DUE
PH, LABORATORY	00403	036	1999/07/07		7.520	2002/07	DUE
SILVER	01077	036	1999/07/07	<	10.000	2002/07	DUE
SODIUM	00929	036	1999/07/07		9.100	2002/07	DUE
SPECIFIC CONDUCTANCE	00095	036	1999/07/07		430.000	2002/07	DUE
SULFATE	00945	036	1999/07/07		25.300	2002/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	1999/07/07		262.000	2002/07	DUE
TURBIDITY, LABORATORY	82079	036	1999/07/07		.100	2002/07	DUE
ZINC	01092	036	1999/07/07	<	50.000	2002/07	DUE

PS Code: 3610086-002

Source Name: LEMON HEIGHTS WELL 04

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/09/15	<	50.000	2014/09	
ANTIMONY	01097	036	2011/09/15	<	6.000	2014/09	
ARSENIC	01002	036	2011/09/15	<	2.000	2014/09	
BARIUM	01007	036	2011/09/15	<	100.000	2014/09	
BERYLLIUM	01012	036	2011/09/15	<	1.000	2014/09	
CADMIUM	01027	036	2011/09/15	<	1.000	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610086***

System Name: ***WEST END CONSOLIDATED WATER COMPANY***

PS Code: ***3610086-002***

Source Name: ***LEMON HEIGHTS WELL 04***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/09/15	< 10.000	2014/09	
CYANIDE	01291	036	2011/09/15	< 100.000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	. .280	2014/09	
MERCURY	71900	036	2011/09/15	< 1.000	2014/09	
NICKEL	01067	036	2011/09/15	< 10.000	2014/09	
PERCHLORATE	A-031	036	2011/09/15	< 4.000	2014/09	
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09	
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/30	. 13.000	2015/04	
NITRITE (AS N)	00620	036	2014/04/30	< 400.000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/09/28**	< 3.000	**2013/09**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/04/30	< .010	2017/04	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/04/30	< .020	2017/04	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/12/14	< .500	2014/12	
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/14	< .500	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/14	< 10.000	2014/12	
1,1,2-TRICHLOROETHANE	34511	036	2011/12/14	< .500	2014/12	
1,1-DICHLOROETHANE	34496	036	2011/12/14	< .500	2014/12	
1,1-DICHLOROETHYLENE	34501	036	2011/12/14	< .500	2014/12	
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/14	< .500	2014/12	
1,2-DICHLOROBENZENE	34536	036	2011/12/14	< .500	2014/12	
1,2-DICHLOROETHANE	34531	036	2011/12/14	< .500	2014/12	
1,2-DICHLOROPROPANE	34541	036	2011/12/14	< .500	2014/12	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/14	< .500	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-002

Source Name: LEMON HEIGHTS WELL 04

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	036	2011/12/14	< .500	2014/12
BENZENE	34030	036	2011/12/14	< .500	2014/12
CARBON TETRACHLORIDE	32102	036	2011/12/14	< .500	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/14	< .500	2014/12
DICHLOROMETHANE	34423	036	2011/12/14	< .500	2014/12
ETHYLBENZENE	34371	036	2011/12/14	< .500	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/14	< 3.000	2014/12
MONOCHLOROBENZENE	34301	036	2011/12/14	< .500	2014/12
STYRENE	77128	036	2011/12/14	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/14	< .500	2014/12
TOLUENE	34010	036	2011/12/14	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/14	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/14	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/14	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/14	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/14	< 1.000	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/15	. 280.000	2014/09
CALCIUM	00916	036	2011/09/15	. 90.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/15	< 2.000	2014/09
CHLORIDE	00940	036	2011/09/15	. 17.000	2014/09
COLOR	00081	036	2011/09/15	< 3.000	2014/09
COPPER	01042	036	2011/09/15	< 50.000	2014/09
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	< .050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	. 300.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	< 2.000	2014/09
IRON	01045	036	2011/09/15	< 100.000	2014/09
MAGNESIUM	00927	036	2011/09/15	. 20.000	2014/09
MANGANESE	01055	036	2011/09/15	< 20.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-002

Source Name: LEMON HEIGHTS WELL 04

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15		1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	.	7.600	2014/09
SILVER	01077	036	2011/09/15	<	10.000	2014/09
SODIUM	00929	036	2011/09/15		11.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	.	560.000	2014/09
SULFATE	00945	036	2011/09/15		30.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/15	.	360.000	2014/09
TURBIDITY, LABORATORY	82079	036	2011/09/15	.	.170	2014/09
ZINC	01092	036	2011/09/15	<	50.000	2014/09

PS Code: 3610086-005

Source Name: WEST END WELL 03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

INORGANIC						
ALUMINUM	01105	036	2011/09/15	<	50.000	2014/09
ANTIMONY	01097	036	2011/09/15	<	6.000	2014/09
ARSENIC	01002	036	2011/09/15	<	2.000	2014/09
BARIUM	01007	036	2014/01/14	<	100.000	2017/01
BERYLLIUM	01012	036	2011/09/15	<	1.000	2014/09
CADMIUM	01027	036	2011/09/15	<	1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2014/01/14	<	10.000	2017/01
CYANIDE	01291	036	2011/09/15	<	100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	.	.320	2014/09
MERCURY	71900	036	2011/09/15	<	1.000	2014/09
NICKEL	01067	036	2011/09/15	<	10.000	2014/09
PERCHLORATE	A-031	036	2011/09/15	<	4.000	2014/09
SELENIUM	01147	036	2011/09/15	<	5.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610086***

System Name: ***WEST END CONSOLIDATED WATER COMPANY***

PS Code: ***3610086-005***

Source Name: ***WEST END WELL 03***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/15	. 6.000	2012/09	DUE
NITRITE (AS N)	00620	036	2011/09/15	< 400.000	2014/09	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/09/28	< 3.000	2013/09	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/11	< .010	2014/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/11	< .020	2014/10	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2011/12/14	< .500	2014/12	
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/12/14	< .500	2014/12	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/12/14	< 10.000	2014/12	
1,1,2-TRICHLOROETHANE	34511	036	2011/12/14	< .500	2014/12	
1,1-DICHLOROETHANE	34496	036	2011/12/14	< .500	2014/12	
1,1-DICHLOROETHYLENE	34501	036	2011/12/14	< .500	2014/12	
1,2,4-TRICHLOROBENZENE	34551	036	2011/12/14	< .500	2014/12	
1,2-DICHLOROBENZENE	34536	036	2011/12/14	< .500	2014/12	
1,2-DICHLOROETHANE	34531	036	2011/12/14	< .500	2014/12	
1,2-DICHLOROPROPANE	34541	036	2011/12/14	< .500	2014/12	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/12/14	< .500	2014/12	
1,4-DICHLOROBENZENE	34571	036	2011/12/14	< .500	2014/12	
BENZENE	34030	036	2011/12/14	< .500	2014/12	
CARBON TETRACHLORIDE	32102	036	2011/12/14	< .500	2014/12	
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/12/14	< .500	2014/12	
DICHLOROMETHANE	34423	036	2011/12/14	< .500	2014/12	
ETHYLBENZENE	34371	036	2011/12/14	< .500	2014/12	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/12/14	< 3.000	2014/12	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-005

Source Name: WEST END WELL 03

Source Number: 005

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	036	2011/12/14	< .500	2014/12
STYRENE	77128	036	2011/12/14	< .500	2014/12
TETRACHLOROETHYLENE	34475	036	2011/12/14	< .500	2014/12
TOLUENE	34010	036	2011/12/14	< .500	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/12/14	< .500	2014/12
TRICHLOROETHYLENE	39180	036	2011/12/14	< .500	2014/12
TRICHLOROFLUOROMETHANE	34488	036	2011/12/14	< 5.000	2014/12
VINYL CHLORIDE	39175	036	2011/12/14	< .500	2014/12
XYLENES (TOTAL)	81551	036	2011/12/14	< 1.000	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/15	. 220.000	2014/09
CALCIUM	00916	036	2011/09/15	. 66.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/15	< 2.000	2014/09
CHLORIDE	00940	036	2011/09/15	. 5.100	2014/09
COLOR	00081	036	2011/09/15	< 3.000	2014/09
COPPER	01042	036	2014/01/14	. 350.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	< .050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	. 220.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	< 2.000	2014/09
IRON	01045	036	2011/09/15	< 100.000	2014/09
MAGNESIUM	00927	036	2011/09/15	. 14.000	2014/09
MANGANESE	01055	036	2011/09/15	< 20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15	< 1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	. 7.700	2014/09
SILVER	01077	036	2011/09/15	< 10.000	2014/09
SODIUM	00929	036	2011/09/15	6.900	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	. 420.000	2014/09
SULFATE	00945	036	2011/09/15	24.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/15	. 260.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610086-005						
Source Name: WEST END WELL 03						
Source Number: 005						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
TURBIDITY, LABORATORY	82079	036	2011/09/15	. .087	2014/09	
ZINC	01092	036	2014/01/14	< 50.000	2017/01	
PS Code: 3610086-006						
Source Name: WEST END WELL 04						
Source Number: 006						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2011/09/15	< 50.000	2014/09	
ANTIMONY	01097	036	2011/09/15	< 6.000	2014/09	
ARSENIC	01002	036	2011/09/15	< 2.000	2014/09	
BARIUM	01007	036	2014/01/14	< 100.000	2017/01	
BERYLLIUM	01012	036	2011/09/15	< 1.000	2014/09	
CADMIUM	01027	036	2011/09/15	< 1.000	2014/09	
CHROMIUM (TOTAL)	01034	036	2014/01/14	< 10.000	2017/01	
CYANIDE	01291	036	2011/09/15	< 100.000	2014/09	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/09/15	. .310	2014/09	
MERCURY	71900	036	2011/09/15	< 1.000	2014/09	
NICKEL	01067	036	2011/09/15	< 10.000	2014/09	
PERCHLORATE	A-031	036	2011/09/15	< 4.000	2014/09	
SELENIUM	01147	036	2011/09/15	< 5.000	2014/09	
THALLIUM	01059	036	2011/09/15	< 1.000	2014/09	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2011/09/15	. 4.600	2012/09	DUE
NITRITE (AS N)	00620	036	2011/09/15	< 400.000	2014/09	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2010/09/28	5.400	2013/09	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610086***

System Name: ***WEST END CONSOLIDATED WATER COMPANY***

PS Code: ***3610086-006***

Source Name: ***WEST END WELL 04***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/10/11	**< .010**	2014/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/10/11	**< .020**	2014/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/12/14	**< .500**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/12/14	**< .500**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/12/14	**< 10.000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/12/14	**< .500**	2014/12
1,1-DICHLOROETHANE	**34496**	**036**	2011/12/14	**< .500**	2014/12
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/12/14	**< .500**	2014/12
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/12/14	**< .500**	2014/12
1,2-DICHLOROBENZENE	**34536**	**036**	2011/12/14	**< .500**	2014/12
1,2-DICHLOROETHANE	**34531**	**036**	2011/12/14	**< .500**	2014/12
1,2-DICHLOROPROPANE	**34541**	**036**	2011/12/14	**< .500**	2014/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/12/14	**< .500**	2014/12
1,4-DICHLOROBENZENE	**34571**	**036**	2011/12/14	**< .500**	2014/12
BENZENE	**34030**	**036**	2011/12/14	**< .500**	2014/12
CARBON TETRACHLORIDE	**32102**	**036**	2011/12/14	**< .500**	2014/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2011/12/14	**< .500**	2014/12
DICHLOROMETHANE	**34423**	**036**	2011/12/14	**< .500**	2014/12
ETHYLBENZENE	**34371**	**036**	2011/12/14	**< .500**	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2011/12/14	**< 3.000**	2014/12
MONOCHLOROBENZENE	**34301**	**036**	2011/12/14	**< .500**	2014/12
STYRENE	**77128**	**036**	2011/12/14	**< .500**	2014/12
TETRACHLOROETHYLENE	**34475**	**036**	2011/12/14	**< .500**	2014/12
TOLUENE	**34010**	**036**	2011/12/14	**< .500**	2014/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2011/12/14	**< .500**	2014/12
TRICHLOROETHYLENE	**39180**	**036**	2011/12/14	**< .500**	2014/12
TRICHLOROFLUOROMETHANE	**34488**	**036**	2011/12/14	**< 5.000**	2014/12
VINYL CHLORIDE	**39175**	**036**	2011/12/14	**< .500**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610086

System Name: WEST END CONSOLIDATED WATER COMPANY

PS Code: 3610086-006

Source Name: WEST END WELL 04

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	81551	036	2011/12/14	< 1.000	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/09/15	. 200.000	2014/09
CALCIUM	00916	036	2011/09/15	. 67.000	2014/09
CARBONATE ALKALINITY	00445	036	2011/09/15	< 2.000	2014/09
CHLORIDE	00940	036	2011/09/15	. 18.000	2014/09
COLOR	00081	036	2011/09/15	< 3.000	2014/09
COPPER	01042	036	2014/01/14	< 50.000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2011/09/15	< .050	2014/09
HARDNESS (TOTAL) AS CACO3	00900	036	2011/09/15	. 230.000	2014/09
HYDROXIDE ALKALINITY	71830	036	2011/09/15	< 2.000	2014/09
IRON	01045	036	2011/09/15	< 100.000	2014/09
MAGNESIUM	00927	036	2011/09/15	. 14.000	2014/09
MANGANESE	01055	036	2011/09/15	< 20.000	2014/09
ODOR THRESHOLD @ 60 C	00086	036	2011/09/15	< 1.000	2014/09
PH, LABORATORY	00403	036	2011/09/15	. 7.700	2014/09
SILVER	01077	036	2011/09/15	< 10.000	2014/09
SODIUM	00929	036	2011/09/15	6.700	2014/09
SPECIFIC CONDUCTANCE	00095	036	2011/09/15	. 420.000	2014/09
SULFATE	00945	036	2011/09/15	26.000	2014/09
TOTAL DISSOLVED SOLIDS	70300	036	2011/09/15	. 270.000	2014/09
TURBIDITY, LABORATORY	82079	036	2011/09/15	. .086	2014/09
ZINC	01092	036	2014/01/14	< 50.000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610086***

System Name: ***WEST END CONSOLIDATED WATER COMPANY***

STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)

PS Code: ***3610086-800***

Source Name: ***CENTRAL CHLORINATION TREATED CL2***

Source Number: ***800***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610093***

System Name: ***ARROWHEAD VILLAS MUTUAL SERVICE COMPANY***

PS Code: ***3610093-001***

Source Name: ***BIG WELL (WELL 03)***

Source Number: ***001***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/04/23	**< .000**	2017/04	
ANTIMONY	**01097**	**036**	2014/04/23	**< .000**	2017/04	
ARSENIC	**01002**	**036**	2014/04/23	**< .000**	2017/04	
BARIUM	**01007**	**036**	2014/04/23	**< .000**	2017/04	
BERYLLIUM	**01012**	**036**	2014/04/23	**< .000**	2017/04	
CADMIUM	**01027**	**036**	2014/04/23	**< .000**	2017/04	
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/23	**< .000**	2017/04	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2002/07/31**	**. .000**	**2005/07**	**DUE**
CYANIDE	**01291**	**036**	2014/04/23	**< .000**	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/28	**< .000**	2017/05	
MERCURY	**71900**	**036**	2014/04/23	**< .000**	2017/04	
NICKEL	**01067**	**036**	2014/04/23	**< .000**	2017/04	
PERCHLORATE	**A-031**	**036**	2014/04/23	**< .000**	2017/04	
SELENIUM	**01147**	**036**	2014/04/23	**< .000**	2017/04	
THALLIUM	**01059**	**036**	2014/04/23	**< .000**	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/05/28	**. 4.900**	2015/05	
NITRITE (AS N)	**00620**	**036**	2014/04/23	**< .000**	2017/04	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/04/23	**. 17.000**	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/05/28	**< .000**	2017/05	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/05/28	**< .000**	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/02/06	**< .000**	2019/02	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/02/06	**< .000**	2019/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/02/06	**< .000**	2019/02	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/02/06	**< .000**	2019/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610093
System Name: ARROWHEAD VILLAS MUTUAL SERVICE COMPANY

PS Code: 3610093-001
Source Name: BIG WELL (WELL 03)
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/02/06	< .000	2019/02
1,1-DICHLOROETHYLENE	34501	072	2013/02/06	< .000	2019/02
1,2,4-TRICHLOROBENZENE	34551	072	2013/02/06	< .000	2019/02
1,2-DICHLOROBENZENE	34536	072	2013/02/06	< .000	2019/02
1,2-DICHLOROETHANE	34531	072	2013/02/06	< .000	2019/02
1,2-DICHLOROPROPANE	34541	072	2013/02/06	< .000	2019/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/02/06	< .000	2019/02
1,4-DICHLOROBENZENE	34571	072	2013/02/06	< .000	2019/02
BENZENE	34030	072	2013/02/06	< .000	2019/02
CARBON TETRACHLORIDE	32102	072	2013/02/06	< .000	2019/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/02/06	< .000	2019/02
DICHLOROMETHANE	34423	072	2013/02/06	< .000	2019/02
ETHYLBENZENE	34371	072	2013/02/06	< .000	2019/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/02/06	< .000	2019/02
MONOCHLOROBENZENE	34301	072	2013/02/06	< .000	2019/02
STYRENE	77128	072	2013/02/06	< .000	2019/02
TETRACHLOROETHYLENE	34475	072	2013/02/06	< .000	2019/02
TOLUENE	34010	072	2013/02/06	< .000	2019/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/02/06	< .000	2019/02
TRICHLOROETHYLENE	39180	072	2013/02/06	< .000	2019/02
TRICHLOROFLUOROMETHANE	34488	072	2013/02/06	< .000	2019/02
VINYL CHLORIDE	39175	072	2013/02/06	< .000	2019/02
XYLENES (TOTAL)	81551	072	2013/02/06	< .000	2019/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/28	. 140.000	2017/05
CALCIUM	00916	036	2014/05/28	. 34.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/28	< .000	2017/05
CHLORIDE	00940	036	2014/05/28	. 14.000	2017/05
COLOR	00081	036	2014/02/26	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610093
System Name: ARROWHEAD VILLAS MUTUAL SERVICE COMPANY

PS Code: 3610093-001
Source Name: BIG WELL (WELL 03)
Source Number: 001
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2014/05/28	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/28	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/28	. 110.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/28	< .000	2017/05
IRON	01045	036	2014/05/28	< .000	2017/05
MAGNESIUM	00927	036	2014/05/28	. 6.600	2017/05
MANGANESE	01055	036	2014/05/28	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/02/26	. 1.000	2017/02
PH, LABORATORY	00403	036	2014/05/28	. 6.900	2017/05
SILVER	01077	036	2014/04/23	< .000	2017/04
SODIUM	00929	036	2014/05/28	. 9.600	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/28	. 290.000	2017/05
SULFATE	00945	036	2014/05/28	. 9.400	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/28	. 180.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/02/26	< .000	2017/02
ZINC	01092	036	2014/05/28	< .000	2017/05

PS Code: 3610093-004
Source Name: WELL 05 (OAKMONT)
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/04/23	< .000	2017/04
ANTIMONY	01097	036	2014/04/23	< .000	2017/04
ARSENIC	01002	036	2014/04/23	< .000	2017/04
BARIUM	01007	036	2014/04/23	< .000	2017/04
BERYLLIUM	01012	036	2014/04/23	< .000	2017/04
CADMIUM	01027	036	2014/04/23	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610093

System Name: ARROWHEAD VILLAS MUTUAL SERVICE COMPANY

PS Code: 3610093-004

Source Name: WELL 05 (OAKMONT)

Source Number: 004

Source Status: ACTIVE UNTREATED

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/04/23	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	2002/07/31	. .000	2005/07	DUE
CYANIDE	01291	036	2014/04/23	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/28	< .000	2017/05	
MERCURY	71900	036	2014/04/23	< .000	2017/04	
NICKEL	01067	036	2014/04/23	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/23	< .000	2017/04	
SELENIUM	01147	036	2014/04/23	< .000	2017/04	
THALLIUM	01059	036	2014/04/23	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/05/28	< .000	2015/05	
NITRITE (AS N)	00620	036	2014/04/23	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/23	. 9.800	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/05/28	< .000	2017/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/05/28	< .000	2017/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2013/02/06	< .000	2019/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/02/06	< .000	2019/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/02/06	< .000	2019/02	
1,1,2-TRICHLOROETHANE	34511	072	2013/02/06	< .000	2019/02	
1,1-DICHLOROETHANE	34496	072	2013/02/06	< .000	2019/02	
1,1-DICHLOROETHYLENE	34501	072	2013/02/06	< .000	2019/02	
1,2,4-TRICHLOROBENZENE	34551	072	2013/02/06	< .000	2019/02	
1,2-DICHLOROBENZENE	34536	072	2013/02/06	< .000	2019/02	
1,2-DICHLOROETHANE	34531	072	2013/02/06	< .000	2019/02	
1,2-DICHLOROPROPANE	34541	072	2013/02/06	< .000	2019/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610093
System Name: ARROWHEAD VILLAS MUTUAL SERVICE COMPANY

PS Code: 3610093-004
Source Name: WELL 05 (OAKMONT)
Source Number: 004
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/02/06	< .000	2019/02
1,4-DICHLOROBENZENE	34571	072	2013/02/06	< .000	2019/02
BENZENE	34030	072	2013/02/06	< .000	2019/02
CARBON TETRACHLORIDE	32102	072	2013/02/06	< .000	2019/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/02/06	< .000	2019/02
DICHLOROMETHANE	34423	072	2013/02/06	< .000	2019/02
ETHYLBENZENE	34371	072	2013/02/06	< .000	2019/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/02/06	< .000	2019/02
MONOCHLOROBENZENE	34301	072	2013/02/06	< .000	2019/02
STYRENE	77128	072	2013/02/06	< .000	2019/02
TETRACHLOROETHYLENE	34475	072	2013/02/06	< .000	2019/02
TOLUENE	34010	072	2013/02/06	< .000	2019/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/02/06	< .000	2019/02
TRICHLOROETHYLENE	39180	072	2013/02/06	< .000	2019/02
TRICHLOROFLUOROMETHANE	34488	072	2013/02/06	< .000	2019/02
VINYL CHLORIDE	39175	072	2013/02/06	< .000	2019/02
XYLENES (TOTAL)	81551	072	2013/02/06	< .000	2019/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/28	. 140.000	2017/05
CALCIUM	00916	036	2014/05/28	. 44.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/28	< .000	2017/05
CHLORIDE	00940	036	2014/05/28	. 24.000	2017/05
COLOR	00081	036	2014/02/26	< .000	2017/02
COPPER	01042	036	2014/05/28	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/28	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/28	. 140.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/28	< .000	2017/05
IRON	01045	036	2014/05/28	< .000	2017/05
MAGNESIUM	00927	036	2014/05/28	. 7.700	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610093

System Name: ARROWHEAD VILLAS MUTUAL SERVICE COMPANY

PS Code: 3610093-004

Source Name: WELL 05 (OAKMONT)

Source Number: 004

Source Status: ACTIVE UNTREATED

Water type: G

SECONDARY/GP	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/05/28	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/02/26	. 1.000	2017/02
PH, LABORATORY	00403	036	2014/05/28	. 7.500	2017/05
SILVER	01077	036	2014/04/23	< .000	2017/04
SODIUM	00929	036	2014/05/28	. 9.100	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/28	. 330.000	2017/05
SULFATE	00945	036	2014/05/28	. 7.600	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/28	. 210.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/02/26	< .000	2017/02
ZINC	01092	036	2014/05/28	< .000	2017/05

PS Code: 3610093-006A

Source Name: AERATION TREATMENT - INFLUENT INACTIVE

Source Number: 006

Source Status: COMBINATION OR BLEND RAW

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

PS Code: 3610093-008

Source Name: PURCHASED-CLAWA

Source Number: 008

Source Status: PURCHASED TREATED

Water type: S

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)*

System Number: 3610093
System Name: ARROWHEAD VILLAS MUTUAL SERVICE COMPANY

PS Code: 3610093-601
Source Name: DBP2-570 MILL CT
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 4.500	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 4.500	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	. 2.600	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	. 10.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	. 1.500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	. 4.900	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	. 19.900	2014/10

PS Code: 3610093-602
Source Name: DBP2-767 COMMUNITY DR
Source Number: 602
Source Status: DISTRIBUTION TREATED
Water type: S

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610093***

System Name: ***ARROWHEAD VILLAS MUTUAL SERVICE COMPANY***

PS Code: ***3610093-602***

Source Name: ***DBP2-767 COMMUNITY DR***

Source Number: ***602***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

PS Code: 3610105-001

Source Name: CENTRAL 02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/18	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/18	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/18	. 2.600	2017/02	
BARIUM	01007	036	2014/02/18	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/10	. 3.000	2014/01	DUE
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. 1.600	2017/02	
MERCURY	71900	036	2014/02/18	< 1.000	2017/02	
NICKEL	01067	036	2014/02/18	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/18	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 4.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/11/27	11.400	2015/11	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/10	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/10	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/10	< 10.000	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

PS Code: 3610105-001

Source Name: CENTRAL 02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2011/01/10	< .500	2017/01
1,1-DICHLOROETHANE	34496	072	2011/01/10	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	072	2011/01/10	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/10	< .500	2017/01
1,2-DICHLOROBENZENE	34536	072	2011/01/10	< .500	2017/01
1,2-DICHLOROETHANE	34531	072	2011/01/10	< .500	2017/01
1,2-DICHLOROPROPANE	34541	072	2011/01/10	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/10	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/10	< .500	2017/01
BENZENE	34030	072	2011/01/10	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/10	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/10	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/10	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/10	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/10	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/10	< .500	2017/01
STYRENE	77128	072	2011/01/10	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/10	< .500	2017/01
TOLUENE	34010	072	2011/01/10	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/10	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/10	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/10	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/10	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/10	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 86.000	2017/02
CALCIUM	00916	036	2014/02/18	. 38.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 30.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

PS Code: 3610105-001

Source Name: CENTRAL 02

Source Number: 001

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 120.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/18	. 5.400	2017/02
MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.950	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	69.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 530.000	2017/02
SULFATE	00945	036	2014/02/18	160.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	. 390.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	< .100	2017/02
ZINC	01092	036	2014/02/18	< 50.000	2017/02

PS Code: 3610105-003

Source Name: PAPAGO

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/02/18	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/18	< 6.000	2017/02
ARSENIC	01002	036	2014/02/18	< 2.000	2017/02
BARIUM	01007	036	2014/02/18	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/18	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

PS Code: 3610105-003

Source Name: PAPAGO

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/02/18	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/18	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/11	. 1.000	2014/01	DUE
CYANIDE	01291	036	2014/02/18	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/18	. .690	2017/02	
MERCURY	71900	036	2014/02/18	< 1.000	2017/02	
NICKEL	01067	036	2014/02/18	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/18	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/18	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/18	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/18	. 5.800	2015/02	
NITRITE (AS N)	00620	036	2014/02/18	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/11/27	. 13.800	2015/11	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/18	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/18	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/11	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/11	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/11	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/11	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/11	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/11	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/11	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/11	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/11	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

PS Code: 3610105-003

Source Name: PAPAGO

Source Number: 003

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	34541	072	2011/01/11	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/11	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/11	< .500	2017/01
BENZENE	34030	072	2011/01/11	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/11	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/11	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/11	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/11	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/11	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/11	< .500	2017/01
STYRENE	77128	072	2011/01/11	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/11	< .500	2017/01
TOLUENE	34010	072	2011/01/11	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/11	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/11	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/11	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/11	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/11	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/18	. 66.000	2017/02
CALCIUM	00916	036	2014/02/18	. 63.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/18	.000	2017/02
CHLORIDE	00940	036	2014/02/18	. 44.000	2017/02
COLOR	00081	036	2014/02/18	< 1.000	2017/02
COPPER	01042	036	2014/02/18	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/18	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/18	. 180.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/18	. .000	2017/02
IRON	01045	036	2014/02/18	< 100.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610105-003					
Source Name: PAPAGO					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MAGNESIUM	00927	036	2014/02/18	. 6.400	2017/02
MANGANESE	01055	036	2014/02/18	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/18	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/18	. 7.750	2017/02
SILVER	01077	036	2014/02/18	< 10.000	2017/02
SODIUM	00929	036	2014/02/18	72.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/18	. 690.000	2017/02
SULFATE	00945	036	2014/02/18	230.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/18	. 500.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/18	< .100	2017/02
ZINC	01092	036	2014/02/18	< 50.000	2017/02
PS Code: 3610105-601					
Source Name: DBP2-22828 EL CENTRO ROAD					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/02/18	< 1.000	2015/02
DICHLOROACETIC ACID (DCAA)	77288	012	2014/02/18	< 1.000	2015/02
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/02/18	< 1.000	2015/02
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/02/18	< 1.000	2015/02
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/02/18	< 2.000	2015/02
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/02/18	< 1.000	2015/02
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/02/18	< 1.000	2015/02
BROMOFORM (THM)	32104	012	2014/02/18	< 1.000	2015/02
CHLOROFORM (THM)	32106	012	2014/02/18	< 1.000	2015/02
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/02/18	< 1.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610105***

System Name: ***GOLDEN STATE WATER CO - APPLE VLY NORTH***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610105-601***					
Source Name: ***DBP2-22828 EL CENTRO ROAD***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/02/18	**< 1.000**	2015/02
PS Code: ***3610105-602***					
Source Name: ***DBP2-17068 TOKATA ROAD***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/02/18	**< 1.000**	2015/02
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/02/18	**< 1.000**	2015/02
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/02/18	**< 1.000**	2015/02
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/02/18	**< 1.000**	2015/02
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/02/18	**< 2.000**	2015/02
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/02/18	**< 1.000**	2015/02
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/02/18	**< 1.000**	2015/02
BROMOFORM (THM)	**32104**	**012**	2014/02/18	**. 1.100**	2015/02
CHLOROFORM (THM)	**32106**	**012**	2014/02/18	**< 1.000**	2015/02
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/02/18	**< 1.000**	2015/02
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/02/18	**. 1.100**	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610105

System Name: GOLDEN STATE WATER CO - APPLE VLY NORTH

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610105-800					
Source Name: CENTRAL 02 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610105-801					
Source Name: PAPAGO - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107
System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-001
Source Name: MOHAWK 02
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/25	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/25	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/25	. 2.800	2017/02	
BARIUM	01007	036	2014/02/25	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/25	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/25	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/25	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/12	. 1.500	2014/01	DUE
CYANIDE	01291	036	2014/02/25	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/25	. .330	2017/02	
MERCURY	71900	036	2014/02/25	< 1.000	2017/02	
NICKEL	01067	036	2014/02/25	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/25	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/25	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/25	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/25	. 4.200	2015/02	
NITRITE (AS N)	00620	036	2014/02/25	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/12	. .540	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/25	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/25	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/12	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/12	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/12	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/12	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107
System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-001
Source Name: MOHAWK 02
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/01/12	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	072	2011/01/12	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/12	< .500	2017/01
1,2-DICHLOROBENZENE	34536	072	2011/01/12	< .500	2017/01
1,2-DICHLOROETHANE	34531	072	2011/01/12	< .500	2017/01
1,2-DICHLOROPROPANE	34541	072	2011/01/12	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/12	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/12	< .500	2017/01
BENZENE	34030	072	2011/01/12	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/12	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/12	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/12	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/12	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/12	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/12	< .500	2017/01
STYRENE	77128	072	2011/01/12	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/12	< .500	2017/01
TOLUENE	34010	072	2011/01/12	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/12	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/12	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/12	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/12	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/12	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/25	. 95.000	2017/02
CALCIUM	00916	036	2014/02/25	. 13.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/25	.000	2017/02
CHLORIDE	00940	036	2014/02/25	. 6.700	2017/02
COLOR	00081	036	2014/02/25	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107
System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-001
Source Name: MOHAWK 02
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/25	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/25	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/25	. 65.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/25	. .000	2017/02
IRON	01045	036	2014/02/25	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/25	. 7.900	2017/02
MANGANESE	01055	036	2014/02/25	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/25	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/25	. 7.960	2017/02
SILVER	01077	036	2014/02/25	< 10.000	2017/02
SODIUM	00929	036	2014/02/25	14.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/25	. 190.000	2017/02
SULFATE	00945	036	2014/02/25	12.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/25	. 130.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/25	< .100	2017/02
ZINC	01092	036	2014/02/25	< 50.000	2017/02

PS Code: 3610107-002
Source Name: MOHAWK 03A
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/02/25	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/25	< 6.000	2017/02
ARSENIC	01002	036	2014/02/25	< 2.000	2017/02
BARIUM	01007	036	2014/02/25	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/25	< 1.000	2017/02
CADMIUM	01027	036	2014/02/25	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610107***

System Name: ***GOLDEN STATE WATER CO - APPLE VLY SOUTH***

PS Code: ***3610107-002***

Source Name: ***MOHAWK 03A***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/25	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2011/01/12	. 1.100	2014/01	DUE
CYANIDE	01291	036	2014/02/25	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/25	. .270	2017/02	
MERCURY	71900	036	2014/02/25	< 1.000	2017/02	
NICKEL	01067	036	2014/02/25	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/25	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/25	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/25	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/25	. 5.100	2015/02	
NITRITE (AS N)	00620	036	2014/02/25	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/12	. .872	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/25	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/25	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/12	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/12	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/12	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/12	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/12	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/12	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/12	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/12	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/12	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/12	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107
System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-002
Source Name: MOHAWK 03A
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/12	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/12	< .500	2017/01
BENZENE	34030	072	2011/01/12	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/12	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/12	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/12	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/12	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/12	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/12	< .500	2017/01
STYRENE	77128	072	2011/01/12	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/12	< .500	2017/01
TOLUENE	34010	072	2011/01/12	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/12	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/12	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/12	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/12	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/12	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/25	. 96.000	2017/02
CALCIUM	00916	036	2014/02/25	. 14.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/25	.000	2017/02
CHLORIDE	00940	036	2014/02/25	. 6.600	2017/02
COLOR	00081	036	2014/02/25	< 1.000	2017/02
COPPER	01042	036	2014/02/25	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/25	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/25	. 70.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/25	. .000	2017/02
IRON	01045	036	2014/02/25	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/25	. 8.400	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107

System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-002

Source Name: MOHAWK 03A

Source Number: 002

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
MANGANESE	01055	036	2014/02/25	< 20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/25	< 1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/25	. 7.950	2017/02	
SILVER	01077	036	2014/02/25	< 10.000	2017/02	
SODIUM	00929	036	2014/02/25	12.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/25	. 190.000	2017/02	
SULFATE	00945	036	2014/02/25	11.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/25	. 140.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/25	< .100	2017/02	
ZINC	01092	036	2014/02/25	< 50.000	2017/02	

PS Code: 3610107-006

Source Name: BEAR VALLEY WELL 02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/25	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/25	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/25	< 2.000	2017/02	
BARIUM	01007	036	2014/02/25	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/25	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/25	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/25	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2008/02/11	6.300	2011/02	DUE
CYANIDE	01291	036	2014/02/25	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/25	. .830	2017/02	
MERCURY	71900	036	2014/02/25	< 1.000	2017/02	
NICKEL	01067	036	2014/02/25	< 10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107

System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-006

Source Name: BEAR VALLEY WELL 02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/02/25	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/25	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/25	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/25	. 11.000	2015/02	
NITRITE (AS N)	00620	036	2014/02/25	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2011/01/26**	. 4.700	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/25	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/25	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/26	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/26	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/26	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/26	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/26	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/26	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/26	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/26	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/26	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/26	< .500	2017/01	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/26	< .500	2017/01	
1,4-DICHLOROBENZENE	34571	072	2011/01/26	< .500	2017/01	
BENZENE	34030	072	2011/01/26	< .500	2017/01	
CARBON TETRACHLORIDE	32102	072	2011/01/26	< .500	2017/01	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/26	< .500	2017/01	
DICHLOROMETHANE	34423	072	2011/01/26	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107

System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-006

Source Name: BEAR VALLEY WELL 02

Source Number: 006

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2011/01/26	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/01/26	< 3.000	2017/01
MONOCHLOROBENZENE	34301	072	2011/01/26	< .500	2017/01
STYRENE	77128	072	2011/01/26	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/26	< .500	2017/01
TOLUENE	34010	072	2011/01/26	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/26	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/26	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/26	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/26	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/26	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/25	. 120.000	2017/02
CALCIUM	00916	036	2014/02/25	. 58.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/25	.000	2017/02
CHLORIDE	00940	036	2014/02/25	. 110.000	2017/02
COLOR	00081	036	2014/02/25	< 1.000	2017/02
COPPER	01042	036	2014/02/25	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/25	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/25	. 210.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/25	. .000	2017/02
IRON	01045	036	2014/02/25	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/25	. 16.000	2017/02
MANGANESE	01055	036	2014/02/25	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/25	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/25	. 7.970	2017/02
SILVER	01077	036	2014/02/25	< 10.000	2017/02
SODIUM	00929	036	2014/02/25	78.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/25	. 780.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107
System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

PS Code: 3610107-006
Source Name: BEAR VALLEY WELL 02
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
SULFATE	00945	036	2014/02/25		140.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/25	.	530.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/25	<	.100	2017/02
ZINC	01092	036	2014/02/25	<	50.000	2017/02

PS Code: 3610107-601
Source Name: DBP2-22821 ANOKA ROAD
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: G

HALOACETIC ACIDS			
DIBROMOACETIC ACID (DBAA)	82721	000	DUE
DICHLOROACETIC ACID (DCAA)	77288	000	DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000	DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000	DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000	DUE
TRICHLOROACETIC ACID (TCAA)	82723	000	DUE
STATE UCMR			
BROMODICHLORMETHANE (THM)	32101	000	DUE
BROMOFORM (THM)	32104	000	DUE
CHLOROFORM (THM)	32106	000	DUE
DIBROMOCHLOROMETHANE (THM)	32105	000	DUE
TRIHALOMETHANES			
TOTAL TRIHALOMETHANES	82080	000	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610107
System Name: GOLDEN STATE WATER CO - APPLE VLY SOUTH

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610107-602						
Source Name: DBP2-22007 PAH-UTE ROAD						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610107-800						
Source Name: MOHAWK 02 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610107***

System Name: ***GOLDEN STATE WATER CO - APPLE VLY SOUTH***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610107-801***					
Source Name: ***MOHAWK 03A - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610107-802***					
Source Name: ***BEAR VALLEY WELL 02 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610108***

System Name: ***GOLDEN STATE WATER CO - LUCERNE***

PS Code: ***3610108-002***

Source Name: ***SUTTER***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02	
ARSENIC	01002	036	2014/02/11	< 2.000	2017/02	
BARIUM	01007	036	2014/02/11	< 100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02	
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	**2008/02/13**	4.600	**2011/02**	**DUE**
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .240	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 4.600	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2011/01/19**	. 1.190	**2014/01**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/18	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/18	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/18	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/18	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-002
Source Name: SUTTER
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/01/18	< .500	2017/01
1,1-DICHLOROETHYLENE	34501	072	2011/01/18	< .500	2017/01
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/18	< .500	2017/01
1,2-DICHLOROBENZENE	34536	072	2011/01/18	< .500	2017/01
1,2-DICHLOROETHANE	34531	072	2011/01/18	< .500	2017/01
1,2-DICHLOROPROPANE	34541	072	2011/01/18	< .500	2017/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/18	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/18	< .500	2017/01
BENZENE	34030	072	2011/01/18	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/18	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/18	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/18	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/18	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/13	< 3.000	2020/05
MONOCHLOROBENZENE	34301	072	2011/01/18	< .500	2017/01
STYRENE	77128	072	2011/01/18	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/18	< .500	2017/01
TOLUENE	34010	072	2011/01/18	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/18	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/18	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/18	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/18	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/18	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 180.000	2017/02
CALCIUM	00916	036	2014/02/11	. 44.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 11.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-002
Source Name: SUTTER
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 140.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 7.000	2017/02
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.990	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 39.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 420.000	2017/02
SULFATE	00945	036	2014/02/11	. 86.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 280.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	. .220	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

PS Code: 3610108-003
Source Name: TOPAZ
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/02/11	< 50.000	2017/02
ANTIMONY	01097	036	2014/02/11	< 6.000	2017/02
ARSENIC	01002	036	2014/02/11	< 2.000	2017/02
BARIUM	01007	036	2014/02/11	< 100.000	2017/02
BERYLLIUM	01012	036	2014/02/11	< 1.000	2017/02
CADMIUM	01027	036	2014/02/11	< 1.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610108***

System Name: ***GOLDEN STATE WATER CO - LUCERNE***

PS Code: ***3610108-003***

Source Name: ***TOPAZ***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/02/11	< 10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2008/02/13	1.900	2011/02	DUE
CYANIDE	01291	036	2014/02/11	< 100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	. .150	2017/02	
MERCURY	71900	036	2014/02/11	< 1.000	2017/02	
NICKEL	01067	036	2014/02/11	< 10.000	2017/02	
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 3.200	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/25	. 1.840	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/25	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/25	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/25	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/25	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/25	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/25	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/25	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/25	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/25	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/25	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-003
Source Name: TOPAZ
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/25	< .500	2017/01
1,4-DICHLOROBENZENE	34571	072	2011/01/25	< .500	2017/01
BENZENE	34030	072	2011/01/25	< .500	2017/01
CARBON TETRACHLORIDE	32102	072	2011/01/25	< .500	2017/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/25	< .500	2017/01
DICHLOROMETHANE	34423	072	2011/01/25	< .500	2017/01
ETHYLBENZENE	34371	072	2011/01/25	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/13	< 3.000	2020/05
MONOCHLOROBENZENE	34301	072	2011/01/25	< .500	2017/01
STYRENE	77128	072	2011/01/25	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/25	< .500	2017/01
TOLUENE	34010	072	2011/01/25	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/25	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/25	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/25	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/25	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/25	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 250.000	2017/02
CALCIUM	00916	036	2014/02/11	. 45.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 4.700	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 190.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/02/11	< 100.000	2017/02
MAGNESIUM	00927	036	2014/02/11	. 20.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-003
Source Name: TOPAZ
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2014/02/11	<	20.000	2017/02	
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	<	1.000	2017/02	
PH, LABORATORY	00403	036	2014/02/11	.	7.980	2017/02	
SILVER	01077	036	2014/02/11	<	10.000	2017/02	
SODIUM	00929	036	2014/02/11	.	16.000	2017/02	
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	.	420.000	2017/02	
SULFATE	00945	036	2014/02/11	.	27.000	2017/02	
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	.	250.000	2017/02	
TURBIDITY, LABORATORY	82079	036	2014/02/11	<	.100	2017/02	
ZINC	01092	036	2014/02/11	<	50.000	2017/02	

PS Code: 3610108-004
Source Name: EMERALD NO 1
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2014/02/11	<	50.000	2017/02	
ANTIMONY	01097	036	2014/02/11	<	6.000	2017/02	
ARSENIC	01002	036	2014/02/11	<	2.000	2017/02	
BARIUM	01007	036	2014/02/11	<	100.000	2017/02	
BERYLLIUM	01012	036	2014/02/11	<	1.000	2017/02	
CADMIUM	01027	036	2014/02/11	<	1.000	2017/02	
CHROMIUM (TOTAL)	01034	036	2014/02/11	<	10.000	2017/02	
CHROMIUM, HEXAVALENT	01032	036	2006/06/22	<	1.000	2009/06	DUE
CYANIDE	01291	036	2014/02/11	<	100.000	2017/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/02/11	.	.360	2017/02	
MERCURY	71900	036	2014/02/11	<	1.000	2017/02	
NICKEL	01067	036	2014/02/11	<	10.000	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-004
Source Name: EMERALD NO 1
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2014/02/11	< 4.000	2017/02	
SELENIUM	01147	036	2014/02/11	< 5.000	2017/02	
THALLIUM	01059	036	2014/02/11	< 1.000	2017/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/11	. 2.700	2015/02	
NITRITE (AS N)	00620	036	2014/02/11	< 400.000	2017/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/01/25	. 3.910	2014/01	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/11	< .010	2017/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/11	< .020	2017/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/01/25	< .500	2017/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/01/25	< .500	2017/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/01/25	< 10.000	2017/01	
1,1,2-TRICHLOROETHANE	34511	072	2011/01/25	< .500	2017/01	
1,1-DICHLOROETHANE	34496	072	2011/01/25	< .500	2017/01	
1,1-DICHLOROETHYLENE	34501	072	2011/01/25	< .500	2017/01	
1,2,4-TRICHLOROBENZENE	34551	072	2011/01/25	< .500	2017/01	
1,2-DICHLOROBENZENE	34536	072	2011/01/25	< .500	2017/01	
1,2-DICHLOROETHANE	34531	072	2011/01/25	< .500	2017/01	
1,2-DICHLOROPROPANE	34541	072	2011/01/25	< .500	2017/01	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/01/25	< .500	2017/01	
1,4-DICHLOROBENZENE	34571	072	2011/01/25	< .500	2017/01	
BENZENE	34030	072	2011/01/25	< .500	2017/01	
CARBON TETRACHLORIDE	32102	072	2011/01/25	< .500	2017/01	
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/01/25	< .500	2017/01	
DICHLOROMETHANE	34423	072	2011/01/25	< .500	2017/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-004
Source Name: EMERALD NO 1
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2011/01/25	< .500	2017/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/13	< 3.000	2020/05
MONOCHLOROBENZENE	34301	072	2011/01/25	< .500	2017/01
STYRENE	77128	072	2011/01/25	< .500	2017/01
TETRACHLOROETHYLENE	34475	072	2011/01/25	< .500	2017/01
TOLUENE	34010	072	2011/01/25	< .500	2017/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/01/25	< .500	2017/01
TRICHLOROETHYLENE	39180	072	2011/01/25	< .500	2017/01
TRICHLOROFLUOROMETHANE	34488	072	2011/01/25	< 5.000	2017/01
VINYL CHLORIDE	39175	072	2011/01/25	< .500	2017/01
XYLENES (TOTAL)	81551	072	2011/01/25	< 1.000	2017/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/11	. 230.000	2017/02
CALCIUM	00916	036	2014/02/11	. 68.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/11	< 2.400	2017/02
CHLORIDE	00940	036	2014/02/11	. 10.000	2017/02
COLOR	00081	036	2014/02/11	< 1.000	2017/02
COPPER	01042	036	2014/02/11	< 50.000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/11	< .100	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/11	. 230.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/11	< 1.400	2017/02
IRON	01045	036	2014/08/12	< 100.000	2017/08
MAGNESIUM	00927	036	2014/02/11	. 15.000	2017/02
MANGANESE	01055	036	2014/02/11	< 20.000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/11	< 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/11	. 7.990	2017/02
SILVER	01077	036	2014/02/11	< 10.000	2017/02
SODIUM	00929	036	2014/02/11	. 31.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/11	. 510.000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108
System Name: GOLDEN STATE WATER CO - LUCERNE

PS Code: 3610108-004
Source Name: EMERALD NO 1
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2014/02/11	. 74.000	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/11	. 320.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/11	. 1.500	2017/02
ZINC	01092	036	2014/02/11	< 50.000	2017/02

PS Code: 3610108-601
Source Name: DBP2-33131 CARSON ROAD
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: G

HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/05/06	< 1.000	2015/05
DICHLOROACETIC ACID (DCAA)	77288	012	2014/05/06	< 1.000	2015/05
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/05/06	. 3.300	2015/05
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/05/06	< 1.000	2015/05
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/05/06	. 3.300	2015/05
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/05/06	< 1.000	2015/05
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/05/06	< 1.000	2015/05
BROMOFORM (THM)	32104	012	2014/05/06	< 1.000	2015/05
CHLOROFORM (THM)	32106	012	2014/05/06	< 1.000	2015/05
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/05/06	< 1.000	2015/05
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/05/06	< 1.000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610108

System Name: GOLDEN STATE WATER CO - LUCERNE

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610108-602					
Source Name: DBP2-32866 EMERALD ROAD					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2014/05/06	< 1.000	2015/05
DICHLOROACETIC ACID (DCAA)	77288	012	2014/05/06	< 1.000	2015/05
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2014/05/06	. 3.700	2015/05
MONOBROMOACETIC ACID (MBAA)	A-041	012	2014/05/06	< 1.000	2015/05
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2014/05/06	. 3.700	2015/05
TRICHLOROACETIC ACID (TCAA)	82723	012	2014/05/06	< 1.000	2015/05
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2014/05/06	< 1.000	2015/05
BROMOFORM (THM)	32104	012	2014/05/06	< 1.000	2015/05
CHLOROFORM (THM)	32106	012	2014/05/06	< 1.000	2015/05
DIBROMOCHLOROMETHANE (THM)	32105	012	2014/05/06	< 1.000	2015/05
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	012	2014/05/06	< 1.000	2015/05
PS Code: 3610108-801					
Source Name: SUTTER - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610108***

System Name: ***GOLDEN STATE WATER CO - LUCERNE***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610108-802***					
Source Name: ***TOPAZ - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

PS Code: ***3610109-001***

Source Name: ***HEAD WEIR TUNNEL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/10/07	**< .000**	2016/10
ANTIMONY	**01097**	**036**	2013/10/07	**< .000**	2016/10
ARSENIC	**01002**	**036**	2013/10/07	**< .000**	2016/10
BARIUM	**01007**	**036**	2013/10/07	**< .000**	2016/10
BERYLLIUM	**01012**	**036**	2013/10/07	**< .000**	2016/10
CADMIUM	**01027**	**036**	2013/10/07	**< .000**	2016/10
CHROMIUM (TOTAL)	**01034**	**036**	2013/10/07	**< .000**	2016/10
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/14	**< .000**	2017/07
CYANIDE	**01291**	**036**	2013/10/07	**< .000**	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/10/07	**. .340**	2016/10
MERCURY	**71900**	**036**	2013/10/07	**< .000**	2016/10
NICKEL	**01067**	**036**	2013/10/07	**< .000**	2016/10
PERCHLORATE	**A-031**	**036**	2013/10/07	**< .000**	2016/10
SELENIUM	**01147**	**036**	2013/10/07	**< .000**	2016/10
THALLIUM	**01059**	**036**	2013/10/07	**< .000**	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/14	**. 25.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/10/07	**< .000**	2016/10
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/12	**. 4.900**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/07	**< .000**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/07	**< .000**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/11/03	**.000**	2015/11
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/11/03	**.000**	2015/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/11/03	**.000**	2015/11
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/11/03	**.000**	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-001
Source Name: HEAD WEIR TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2009/11/03	.000	2015/11
1,1-DICHLOROETHYLENE	34501	072	2009/11/03	.000	2015/11
1,2,4-TRICHLOROBENZENE	34551	072	2009/11/03	.000	2015/11
1,2-DICHLOROBENZENE	34536	072	2009/11/03	.000	2015/11
1,2-DICHLOROETHANE	34531	072	2009/11/03	.000	2015/11
1,2-DICHLOROPROPANE	34541	072	2009/11/03	.000	2015/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/11/03	.000	2015/11
1,4-DICHLOROBENZENE	34571	072	2009/11/03	.000	2015/11
BENZENE	34030	072	2009/11/03	.000	2015/11
CARBON TETRACHLORIDE	32102	072	2009/11/03	.000	2015/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/11/03	.000	2015/11
DICHLOROMETHANE	34423	072	2009/11/03	.000	2015/11
ETHYLBENZENE	34371	072	2009/11/03	.000	2015/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/11/03	.000	2015/11
MONOCHLOROBENZENE	34301	072	2009/11/03	.000	2015/11
STYRENE	77128	072	2009/11/03	.000	2015/11
TETRACHLOROETHYLENE	34475	072	2009/11/03	.000	2015/11
TOLUENE	34010	072	2009/11/03	.000	2015/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/11/03	.000	2015/11
TRICHLOROETHYLENE	39180	072	2009/11/03	.000	2015/11
TRICHLOROFLUOROMETHANE	34488	072	2009/11/03	.000	2015/11
VINYL CHLORIDE	39175	072	2009/11/03	.000	2015/11
XYLENES (TOTAL)	81551	072	2009/11/03	.000	2015/11
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/10/07	. 410.000	2016/10
CALCIUM	00916	036	2013/10/07	. 130.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/07	< .000	2016/10
CHLORIDE	00940	036	2013/10/07	. 40.000	2016/10
COLOR	00081	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-001
Source Name: HEAD WEIR TUNNEL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/10/07	< .000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/07	< .000	2016/10
HARDNESS (TOTAL) AS CACO3	00900	036	2013/10/07	. 460.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/07	< .000	2016/10
IRON	01045	036	2013/10/07	< .000	2016/10
MAGNESIUM	00927	036	2013/10/07	. 35.000	2016/10
MANGANESE	01055	036	2013/10/07	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/07	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/07	. 6.900	2016/10
SILVER	01077	036	2013/10/07	< .000	2016/10
SODIUM	00929	036	2013/10/07	16.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/07	. 980.000	2016/10
SULFATE	00945	036	2013/10/07	140.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 650.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/07	< .000	2016/10
ZINC	01092	036	2013/10/07	< .000	2016/10

PS Code: 3610109-006
Source Name: WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/10/07	< .000	2016/10
ANTIMONY	01097	036	2013/10/07	< .000	2016/10
ARSENIC	01002	036	2013/10/07	< .000	2016/10
BARIUM	01007	036	2013/10/07	< .000	2016/10
BERYLLIUM	01012	036	2013/10/07	< .000	2016/10
CADMIUM	01027	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

PS Code: ***3610109-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2013/10/07	< .000	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	< .000	2017/07
CYANIDE	01291	036	2013/10/07	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/07	. .360	2016/10
MERCURY	71900	036	2013/10/07	< .000	2016/10
NICKEL	01067	036	2013/10/07	< .000	2016/10
PERCHLORATE	A-031	036	2013/10/07	< .000	2016/10
SELENIUM	01147	036	2013/10/07	< .000	2016/10
THALLIUM	01059	036	2013/10/07	< .000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 25.000	2015/07
NITRITE (AS N)	00620	036	2013/10/07	< .000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/12	. 13.000	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/07	< .000	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/07	< .000	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/11/03	.000	2015/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/11/03	.000	2015/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/11/03	.000	2015/11
1,1,2-TRICHLOROETHANE	34511	072	2009/11/03	.000	2015/11
1,1-DICHLOROETHANE	34496	072	2009/11/03	.000	2015/11
1,1-DICHLOROETHYLENE	34501	072	2009/11/03	.000	2015/11
1,2,4-TRICHLOROBENZENE	34551	072	2009/11/03	.000	2015/11
1,2-DICHLOROBENZENE	34536	072	2009/11/03	.000	2015/11
1,2-DICHLOROETHANE	34531	072	2009/11/03	.000	2015/11
1,2-DICHLOROPROPANE	34541	072	2009/11/03	.000	2015/11

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

PS Code: ***3610109-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/11/03	**.000**	2015/11
1,4-DICHLOROBENZENE	**34571**	**072**	2009/11/03	**.000**	2015/11
BENZENE	**34030**	**072**	2009/11/03	**.000**	2015/11
CARBON TETRACHLORIDE	**32102**	**072**	2009/11/03	**.000**	2015/11
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/11/03	**.000**	2015/11
DICHLOROMETHANE	**34423**	**072**	2009/11/03	**.000**	2015/11
ETHYLBENZENE	**34371**	**072**	2009/11/03	**.000**	2015/11
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/11/03	**.000**	2015/11
MONOCHLOROBENZENE	**34301**	**072**	2009/11/03	**.000**	2015/11
STYRENE	**77128**	**072**	2009/11/03	**.000**	2015/11
TETRACHLOROETHYLENE	**34475**	**072**	2009/11/03	**.000**	2015/11
TOLUENE	**34010**	**072**	2009/11/03	**.000**	2015/11
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/11/03	**.000**	2015/11
TRICHLOROETHYLENE	**39180**	**072**	2009/11/03	**.000**	2015/11
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/11/03	**.000**	2015/11
VINYL CHLORIDE	**39175**	**072**	2009/11/03	**.000**	2015/11
XYLENES (TOTAL)	**81551**	**072**	2009/11/03	**.000**	2015/11
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/10/07	**. 420.000**	2016/10
CALCIUM	**00916**	**036**	2013/10/07	**. 130.000**	2016/10
CARBONATE ALKALINITY	**00445**	**036**	2013/10/07	**< .000**	2016/10
CHLORIDE	**00940**	**036**	2013/10/07	**. 39.000**	2016/10
COLOR	**00081**	**036**	2013/10/07	**< .000**	2016/10
COPPER	**01042**	**036**	2013/10/07	**< .000**	2016/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/10/07	**< .000**	2016/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/10/07	**. 500.000**	2016/10
HYDROXIDE ALKALINITY	**71830**	**036**	2013/10/07	**< .000**	2016/10
IRON	**01045**	**036**	2013/10/07	**< .000**	2016/10
MAGNESIUM	**00927**	**036**	2013/10/07	**. 41.000**	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-006
Source Name: WELL 05
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2013/10/07	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/07	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/07	. 6.800	2016/10
SILVER	01077	036	2013/10/07	< .000	2016/10
SODIUM	00929	036	2013/10/07	15.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/07	. 1000.000	2016/10
SULFATE	00945	036	2013/10/07	180.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 740.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/07	. .300	2016/10
ZINC	01092	036	2013/10/07	< .000	2016/10

PS Code: 3610109-007
Source Name: WELL 03A
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/10/07	< .000	2016/10
ANTIMONY	01097	036	2013/10/07	< .000	2016/10
ARSENIC	01002	036	2013/10/07	< .000	2016/10
BARIUM	01007	036	2013/10/07	< .000	2016/10
BERYLLIUM	01012	036	2013/10/07	< .000	2016/10
CADMIUM	01027	036	2013/10/07	< .000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/07	< .000	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	< .000	2017/07
CYANIDE	01291	036	2013/10/07	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/07	. .370	2016/10
MERCURY	71900	036	2013/10/07	< .000	2016/10
NICKEL	01067	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

PS Code: ***3610109-007***

Source Name: ***WELL 03A***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2013/10/07	**< .000**	2016/10
SELENIUM	**01147**	**036**	2013/10/07	**< .000**	2016/10
THALLIUM	**01059**	**036**	2013/10/07	**< .000**	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/07	**. 22.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/10/07	**< .000**	2016/10
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/12	**. 4.900**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/07	**< .000**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/07	**< .000**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/12/06	**< .000**	2016/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/12/06	**< .000**	2016/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/12/06	**< .000**	2016/12
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/12/06	**< .000**	2016/12
1,1-DICHLOROETHANE	**34496**	**072**	2010/12/06	**< .000**	2016/12
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/12/06	**< .000**	2016/12
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/12/06	**< .000**	2016/12
1,2-DICHLOROBENZENE	**34536**	**072**	2010/12/06	**< .000**	2016/12
1,2-DICHLOROETHANE	**34531**	**072**	2010/12/06	**< .000**	2016/12
1,2-DICHLOROPROPANE	**34541**	**072**	2010/12/06	**< .000**	2016/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/12/06	**< .000**	2016/12
1,4-DICHLOROBENZENE	**34571**	**072**	2010/12/06	**< .000**	2016/12
BENZENE	**34030**	**072**	2010/12/06	**< .000**	2016/12
CARBON TETRACHLORIDE	**32102**	**072**	2010/12/06	**< .000**	2016/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/12/06	**< .000**	2016/12
DICHLOROMETHANE	**34423**	**072**	2010/12/06	**< .000**	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

PS Code: ***3610109-007***

Source Name: ***WELL 03A***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2010/12/06	**< .000**	2016/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/12/06	**< .000**	2016/12
MONOCHLOROBENZENE	**34301**	**072**	2010/12/06	**< .000**	2016/12
STYRENE	**77128**	**072**	2010/12/06	**< .000**	2016/12
TETRACHLOROETHYLENE	**34475**	**072**	2010/12/06	**< .000**	2016/12
TOLUENE	**34010**	**072**	2010/12/06	**< .000**	2016/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/12/06	**< .000**	2016/12
TRICHLOROETHYLENE	**39180**	**072**	2010/12/06	**< .000**	2016/12
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/12/06	**< .000**	2016/12
VINYL CHLORIDE	**39175**	**072**	2010/12/06	**< .000**	2016/12
XYLENES (TOTAL)	**81551**	**072**	2010/12/06	**< .000**	2016/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/10/07	**. 400.000**	2016/10
CALCIUM	**00916**	**036**	2013/10/07	**. 150.000**	2016/10
CARBONATE ALKALINITY	**00445**	**036**	2013/10/07	**< .000**	2016/10
CHLORIDE	**00940**	**036**	2013/10/07	**. 33.000**	2016/10
COLOR	**00081**	**036**	2013/10/07	**< .000**	2016/10
COPPER	**01042**	**036**	2013/10/07	**< .000**	2016/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/10/07	**< .000**	2016/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/10/07	**. 540.000**	2016/10
HYDROXIDE ALKALINITY	**71830**	**036**	2013/10/07	**< .000**	2016/10
IRON	**01045**	**036**	2013/10/07	**< .000**	2016/10
MAGNESIUM	**00927**	**036**	2013/10/07	**. 42.000**	2016/10
MANGANESE	**01055**	**036**	2013/10/07	**< .000**	2016/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/10/07	**1.000**	2016/10
PH, LABORATORY	**00403**	**036**	2013/10/07	**. 6.800**	2016/10
SILVER	**01077**	**036**	2013/10/07	**< .000**	2016/10
SODIUM	**00929**	**036**	2013/10/07	**18.000**	2016/10
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/10/07	**. 1100.000**	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-007
Source Name: WELL 03A
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2013/10/07	230.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 760.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/07	< .000	2016/10
ZINC	01092	036	2013/10/07	< .000	2016/10

PS Code: 3610109-008
Source Name: WELL 04A
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/10/07	< .000	2016/10
ANTIMONY	01097	036	2013/10/07	< .000	2016/10
ARSENIC	01002	036	2013/10/07	< .000	2016/10
BARIUM	01007	036	2013/10/07	< .000	2016/10
BERYLLIUM	01012	036	2013/10/07	< .000	2016/10
CADMIUM	01027	036	2013/10/07	< .000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/07	< .000	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	< .000	2017/07
CYANIDE	01291	036	2013/10/07	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/07	. .420	2016/10
MERCURY	71900	036	2013/10/07	< .000	2016/10
NICKEL	01067	036	2013/10/07	< .000	2016/10
PERCHLORATE	A-031	036	2013/10/07	< .000	2016/10
SELENIUM	01147	036	2013/10/07	< .000	2016/10
THALLIUM	01059	036	2013/10/07	< .000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 23.000	2015/07
NITRITE (AS N)	00620	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

PS Code: ***3610109-008***

Source Name: ***WELL 04A***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/12	**< .000**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/01/07	**< .000**	2016/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/01/07	**< .000**	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/05/10	**< .000**	2017/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/05/10	**< .000**	2017/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/05/10	**< .000**	2017/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/05/10	**< .000**	2017/05
1,1-DICHLOROETHANE	**34496**	**072**	2011/05/10	**< .000**	2017/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/05/10	**< .000**	2017/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/05/10	**< .000**	2017/05
1,2-DICHLOROBENZENE	**34536**	**072**	2011/05/10	**< .000**	2017/05
1,2-DICHLOROETHANE	**34531**	**072**	2011/05/10	**< .000**	2017/05
1,2-DICHLOROPROPANE	**34541**	**072**	2011/05/10	**< .000**	2017/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/05/10	**< .000**	2017/05
1,4-DICHLOROBENZENE	**34571**	**072**	2011/05/10	**< .000**	2017/05
BENZENE	**34030**	**072**	2011/05/10	**< .000**	2017/05
CARBON TETRACHLORIDE	**32102**	**072**	2011/05/10	**< .000**	2017/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/05/10	**< .000**	2017/05
DICHLOROMETHANE	**34423**	**072**	2011/05/10	**< .000**	2017/05
ETHYLBENZENE	**34371**	**072**	2011/05/10	**< .000**	2017/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/05/10	**< .000**	2017/05
MONOCHLOROBENZENE	**34301**	**072**	2011/05/10	**< .000**	2017/05
STYRENE	**77128**	**072**	2011/05/10	**< .000**	2017/05
TETRACHLOROETHYLENE	**34475**	**072**	2011/05/10	**< .000**	2017/05
TOLUENE	**34010**	**072**	2011/05/10	**< .000**	2017/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/05/10	**< .000**	2017/05
TRICHLOROETHYLENE	**39180**	**072**	2011/05/10	**< .000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-008
Source Name: WELL 04A
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2011/05/10	< .000	2017/05
VINYL CHLORIDE	39175	072	2011/05/10	< .000	2017/05
XYLENES (TOTAL)	81551	072	2011/05/10	< .000	2017/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/10/07	. 410.000	2016/10
CALCIUM	00916	036	2013/10/07	. 150.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/07	< .000	2016/10
CHLORIDE	00940	036	2013/10/07	. 38.000	2016/10
COLOR	00081	036	2013/10/07	< .000	2016/10
COPPER	01042	036	2013/10/07	< .000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/07	< .000	2016/10
HARDNESS (TOTAL) AS CACO3	00900	036	2013/10/07	. 540.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/07	< .000	2016/10
IRON	01045	036	2013/10/07	< .000	2016/10
MAGNESIUM	00927	036	2013/10/07	. 42.000	2016/10
MANGANESE	01055	036	2013/10/07	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/07	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/07	. 6.800	2016/10
SILVER	01077	036	2013/10/07	< .000	2016/10
SODIUM	00929	036	2013/10/07	15.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/07	. 1100.000	2016/10
SULFATE	00945	036	2013/10/07	200.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 720.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/07	< .000	2016/10
ZINC	01092	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-009
Source Name: WELL 08
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2013/10/07	< .000	2016/10
ANTIMONY	01097	036	2013/10/07	< .000	2016/10
ARSENIC	01002	036	2013/10/07	< .000	2016/10
BARIUM	01007	036	2013/10/07	< .000	2016/10
BERYLLIUM	01012	036	2013/10/07	< .000	2016/10
CADMIUM	01027	036	2013/10/07	< .000	2016/10
CHROMIUM (TOTAL)	01034	036	2013/10/07	< .000	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	< .000	2017/07
CYANIDE	01291	036	2013/10/07	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/07	. .420	2016/10
MERCURY	71900	036	2013/10/07	< .000	2016/10
NICKEL	01067	036	2013/10/07	< .000	2016/10
PERCHLORATE	A-031	036	2013/10/07	< .000	2016/10
SELENIUM	01147	036	2013/10/07	< .000	2016/10
THALLIUM	01059	036	2013/10/07	< .000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 23.000	2015/07
NITRITE (AS N)	00620	036	2013/10/07	< .000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/12	. 4.900	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/01/07	< .000	2016/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/01/07	< .000	2016/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/01/31	< .000	2018/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/01/31	< .000	2018/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/01/31	< .000	2018/01
1,1,2-TRICHLOROETHANE	34511	072	2012/01/31	< .000	2018/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-009
Source Name: WELL 08
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2012/01/31	< .000	2018/01
1,1-DICHLOROETHYLENE	34501	072	2012/01/31	< .000	2018/01
1,2,4-TRICHLOROBENZENE	34551	072	2012/01/31	< .000	2018/01
1,2-DICHLOROBENZENE	34536	072	2012/01/31	< .000	2018/01
1,2-DICHLOROETHANE	34531	072	2012/01/31	< .000	2018/01
1,2-DICHLOROPROPANE	34541	072	2012/01/31	< .000	2018/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/01/31	< .000	2018/01
1,4-DICHLOROBENZENE	34571	072	2012/01/31	< .000	2018/01
BENZENE	34030	072	2012/01/31	< .000	2018/01
CARBON TETRACHLORIDE	32102	072	2012/01/31	< .000	2018/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/01/31	< .000	2018/01
DICHLOROMETHANE	34423	072	2012/01/31	< .000	2018/01
ETHYLBENZENE	34371	072	2012/01/31	< .000	2018/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/01/31	< .000	2018/01
MONOCHLOROBENZENE	34301	072	2012/01/31	< .000	2018/01
STYRENE	77128	072	2012/01/31	< .000	2018/01
TETRACHLOROETHYLENE	34475	072	2012/01/31	< .000	2018/01
TOLUENE	34010	072	2012/01/31	< .000	2018/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/01/31	< .000	2018/01
TRICHLOROETHYLENE	39180	072	2012/01/31	< .000	2018/01
TRICHLOROFLUOROMETHANE	34488	072	2012/01/31	< .000	2018/01
VINYL CHLORIDE	39175	072	2012/01/31	< .000	2018/01
XYLENES (TOTAL)	81551	072	2012/01/31	< .000	2018/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/10/07	. 420.000	2016/10
CALCIUM	00916	036	2013/10/07	. 130.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/07	< .000	2016/10
CHLORIDE	00940	036	2013/10/07	. 37.000	2016/10
COLOR	00081	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-009
Source Name: WELL 08
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/10/07	< .000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/07	< .000	2016/10
HARDNESS (TOTAL) AS CACO3	00900	036	2013/10/07	. 510.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/07	< .000	2016/10
IRON	01045	036	2013/10/07	< .000	2016/10
MAGNESIUM	00927	036	2013/10/07	. 42.000	2016/10
MANGANESE	01055	036	2013/10/07	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/07	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/07	. 6.800	2016/10
SILVER	01077	036	2013/10/07	< .000	2016/10
SODIUM	00929	036	2013/10/07	15.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/07	. 1100.000	2016/10
SULFATE	00945	036	2013/10/07	200.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 760.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/07	< .000	2016/10
ZINC	01092	036	2013/10/07	< .000	2016/10

PS Code: 3610109-010
Source Name: WELL 2A
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/10/07	< .000	2016/10
ANTIMONY	01097	036	2013/10/07	< .000	2016/10
ARSENIC	01002	036	2013/10/07	< .000	2016/10
BARIUM	01007	036	2013/10/07	< .000	2016/10
BERYLLIUM	01012	036	2013/10/07	< .000	2016/10
CADMIUM	01027	036	2013/10/07	< .000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-010
Source Name: WELL 2A
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2013/10/07	< .000	2016/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/07	< .000	2017/07
CYANIDE	01291	036	2013/10/07	< .000	2016/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/10/07	. .400	2016/10
MERCURY	71900	036	2013/10/07	< .000	2016/10
NICKEL	01067	036	2013/10/07	< .000	2016/10
PERCHLORATE	A-031	036	2013/10/07	< .000	2016/10
SELENIUM	01147	036	2013/10/07	< .000	2016/10
THALLIUM	01059	036	2013/10/07	< .000	2016/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/07	. 24.000	2015/07
NITRITE (AS N)	00620	036	2013/10/07	< .000	2016/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/05/12	. 3.700	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/10/07	< .000	2016/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/10/07	< .000	2016/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2013/07/03	< .000	2019/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2013/07/03	< .000	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2013/07/03	< .000	2019/07
1,1,2-TRICHLOROETHANE	34511	072	2013/07/03	< .000	2019/07
1,1-DICHLOROETHANE	34496	072	2013/07/03	< .000	2019/07
1,1-DICHLOROETHYLENE	34501	072	2013/07/03	< .000	2019/07
1,2,4-TRICHLOROBENZENE	34551	072	2013/07/03	< .000	2019/07
1,2-DICHLOROBENZENE	34536	072	2013/07/03	< .000	2019/07
1,2-DICHLOROETHANE	34531	072	2013/07/03	< .000	2019/07
1,2-DICHLOROPROPANE	34541	072	2013/07/03	< .000	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

PS Code: 3610109-010
Source Name: WELL 2A
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/07/03	< .000	2019/07
1,4-DICHLOROBENZENE	34571	072	2013/07/03	< .000	2019/07
BENZENE	34030	072	2013/07/03	< .000	2019/07
CARBON TETRACHLORIDE	32102	072	2013/07/03	< .000	2019/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/07/03	< .000	2019/07
DICHLOROMETHANE	34423	072	2013/07/03	< .000	2019/07
ETHYLBENZENE	34371	072	2013/07/03	< .000	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/07/03	< .000	2019/07
MONOCHLOROBENZENE	34301	072	2013/07/03	< .000	2019/07
STYRENE	77128	072	2013/07/03	< .000	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/03	< .000	2019/07
TOLUENE	34010	072	2013/07/03	< .000	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/03	< .000	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/03	< .000	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/03	< .000	2019/07
VINYL CHLORIDE	39175	072	2013/07/03	< .000	2019/07
XYLENES (TOTAL)	81551	072	2013/07/03	< .000	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/10/07	. 400.000	2016/10
CALCIUM	00916	036	2013/10/07	. 130.000	2016/10
CARBONATE ALKALINITY	00445	036	2013/10/07	< .000	2016/10
CHLORIDE	00940	036	2013/10/07	. 37.000	2016/10
COLOR	00081	036	2013/10/07	< .000	2016/10
COPPER	01042	036	2013/10/07	< .000	2016/10
FOAMING AGENTS (MBAS)	38260	036	2013/10/07	< .000	2016/10
HARDNESS (TOTAL) AS CACO3	00900	036	2013/10/07	. 500.000	2016/10
HYDROXIDE ALKALINITY	71830	036	2013/10/07	< .000	2016/10
IRON	01045	036	2013/10/07	140.000	2016/10
MAGNESIUM	00927	036	2013/10/07	. 41.000	2016/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610109
System Name: SHEEP CREEK WATER COMPANY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610109-010					
Source Name: WELL 2A					
Source Number: 010					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2013/10/07	< .000	2016/10
ODOR THRESHOLD @ 60 C	00086	036	2013/10/07	1.000	2016/10
PH, LABORATORY	00403	036	2013/10/07	. 6.900	2016/10
SILVER	01077	036	2013/10/07	< .000	2016/10
SODIUM	00929	036	2013/10/07	16.000	2016/10
SPECIFIC CONDUCTANCE	00095	036	2013/10/07	. 1100.000	2016/10
SULFATE	00945	036	2013/10/07	200.000	2016/10
TOTAL DISSOLVED SOLIDS	70300	036	2013/10/07	. 720.000	2016/10
TURBIDITY, LABORATORY	82079	036	2013/10/07	. .600	2016/10
ZINC	01092	036	2013/10/07	< .000	2016/10
PS Code: 3610109-601					
Source Name: DBP2- SAMPLE STATION #7					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610109***

System Name: ***SHEEP CREEK WATER COMPANY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610109-601***						
Source Name: ***DBP2- SAMPLE STATION #7***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**000**				**DUE**
PS Code: ***3610109-800***						
Source Name: ***TANK 7 EFFLUENT CL2***						
Source Number: ***800***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610110-0009					
Source Name: ION EXCHANGE VESSEL C					
Source Number: 000					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610110-001					
Source Name: WELL 01					
Source Number: 001					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/01/08	< .000	2017/01
ANTIMONY	01097	036	2014/01/08	< .000	2017/01
ARSENIC	01002	036	2014/01/08	< .000	2017/01
BARIUM	01007	036	2014/01/08	< .000	2017/01
BERYLLIUM	01012	036	2014/01/08	< .000	2017/01
CADMIUM	01027	036	2014/01/08	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/01/08	< .000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	< .000	2017/07
CYANIDE	01291	036	2014/01/08	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/01/08	. .130	2017/01
MERCURY	71900	036	2014/01/08	< .000	2017/01
NICKEL	01067	036	2014/01/08	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/08	< .000	2017/01
SELENIUM	01147	036	2014/01/08	< .000	2017/01
THALLIUM	01059	036	2014/01/08	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/01/22	< .000	2015/01
NITRITE (AS N)	00620	036	2014/01/08	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/01	. 85.000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

PS Code: 3610110-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/26	< .000	2014/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/26	< .000	2014/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/01/08	< .000	2020/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/08	< .000	2020/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/08	< .000	2020/01
1,1,2-TRICHLOROETHANE	34511	072	2014/01/08	< .000	2020/01
1,1-DICHLOROETHANE	34496	072	2014/01/08	< .000	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/08	< .000	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/08	< .000	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/08	< .000	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/08	< .000	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/08	< .000	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/08	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/08	< .000	2020/01
BENZENE	34030	072	2014/01/08	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/08	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/08	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/08	< .000	2020/01
ETHYLBENZENE	34371	072	2014/01/08	< .000	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/01/08	< .000	2020/01
MONOCHLOROBENZENE	34301	072	2014/01/08	< .000	2020/01
STYRENE	77128	072	2014/01/08	< .000	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/08	< .000	2020/01
TOLUENE	34010	072	2014/01/08	< .000	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/08	< .000	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/08	< .000	2020/01
TRICHLOROFLUOROMETHANE	34488	072	2014/01/08	< .000	2020/01
VINYL CHLORIDE	39175	072	2014/01/08	< .000	2020/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2014/01/08	**< .000**	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/01/08	**. 180.000**	2017/01
CALCIUM	**00916**	**036**	2014/01/08	**. 41.000**	2017/01
CARBONATE ALKALINITY	**00445**	**036**	2014/01/08	**< .000**	2017/01
CHLORIDE	**00940**	**036**	2014/01/08	**. 2.300**	2017/01
COLOR	**00081**	**036**	2014/01/08	**< .000**	2017/01
COPPER	**01042**	**036**	2014/01/08	**< .000**	2017/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/01/08	**< .000**	2017/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/01/08	**. 110.000**	2017/01
HYDROXIDE ALKALINITY	**71830**	**036**	2014/01/08	**< .000**	2017/01
IRON	**01045**	**036**	2014/01/08	**< .000**	2017/01
MAGNESIUM	**00927**	**036**	2014/01/08	**. 2.200**	2017/01
MANGANESE	**01055**	**036**	2014/01/08	**< .000**	2017/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/01/08	**. 1.000**	2017/01
PH, LABORATORY	**00403**	**036**	2014/01/08	**. 7.600**	2017/01
SILVER	**01077**	**036**	2014/01/08	**< .000**	2017/01
SODIUM	**00929**	**036**	2014/01/08	**. 15.000**	2017/01
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/01/08	**. 260.000**	2017/01
SULFATE	**00945**	**036**	2014/01/08	**. 2.000**	2017/01
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/01/08	**. 170.000**	2017/01
TURBIDITY, LABORATORY	**82079**	**036**	2014/01/08	**. .300**	2017/01
ZINC	**01092**	**036**	2014/01/08	**< .000**	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-002***

Source Name: ***WELL 02 - RAW***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/02/19	**< .000**	2017/02
ANTIMONY	**01097**	**036**	2014/02/19	**< .000**	2017/02
ARSENIC	**01002**	**036**	2014/02/19	**< .000**	2017/02
BARIUM	**01007**	**036**	2014/02/19	**< .000**	2017/02
BERYLLIUM	**01012**	**036**	2014/02/19	**< .000**	2017/02
CADMIUM	**01027**	**036**	2014/02/19	**< .000**	2017/02
CHROMIUM (TOTAL)	**01034**	**036**	2014/02/19	**< .000**	2017/02
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/01	**< .000**	2017/07
CYANIDE	**01291**	**036**	2014/02/19	**< .000**	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/02/19	**. .110**	2017/02
MERCURY	**71900**	**036**	2014/02/19	**< .000**	2017/02
NICKEL	**01067**	**036**	2014/02/19	**< .000**	2017/02
PERCHLORATE	**A-031**	**036**	2014/02/19	**< .000**	2017/02
SELENIUM	**01147**	**036**	2014/02/19	**< .000**	2017/02
THALLIUM	**01059**	**036**	2014/02/19	**< .000**	2017/02
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/19	**< .000**	2015/02
NITRITE (AS N)	**00620**	**036**	2014/02/19	**< .000**	2017/02
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/10	**. 53.000**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/06/13	**< .000**	2015/06
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/06/13	**< .000**	2015/06
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/03/13	**< .000**	2019/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/03/13	**< .000**	2019/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/03/13	**< .000**	2019/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/03/13	**< .000**	2019/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

PS Code: 3610110-002
Source Name: WELL 02 - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2013/03/13	< .000	2019/03
1,1-DICHLOROETHYLENE	34501	072	2013/03/13	< .000	2019/03
1,2,4-TRICHLOROBENZENE	34551	072	2013/03/13	< .000	2019/03
1,2-DICHLOROBENZENE	34536	072	2013/03/13	< .000	2019/03
1,2-DICHLOROETHANE	34531	072	2013/03/13	< .000	2019/03
1,2-DICHLOROPROPANE	34541	072	2013/03/13	< .000	2019/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2013/03/13	< .000	2019/03
1,4-DICHLOROBENZENE	34571	072	2013/03/13	< .000	2019/03
BENZENE	34030	072	2013/03/13	< .000	2019/03
CARBON TETRACHLORIDE	32102	072	2013/03/13	< .000	2019/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2013/03/13	< .000	2019/03
DICHLOROMETHANE	34423	072	2013/03/13	< .000	2019/03
ETHYLBENZENE	34371	072	2013/03/13	< .000	2019/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/03/13	< .000	2019/03
MONOCHLOROBENZENE	34301	072	2013/03/13	< .000	2019/03
STYRENE	77128	072	2013/03/13	< .000	2019/03
TETRACHLOROETHYLENE	34475	072	2013/03/13	< .000	2019/03
TOLUENE	34010	072	2013/03/13	< .000	2019/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/03/13	< .000	2019/03
TRICHLOROETHYLENE	39180	072	2013/03/13	< .000	2019/03
TRICHLOROFLUOROMETHANE	34488	072	2013/03/13	< .000	2019/03
VINYL CHLORIDE	39175	072	2013/03/13	< .000	2019/03
XYLENES (TOTAL)	81551	072	2013/03/13	< .000	2019/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/02/19	. 150.000	2017/02
CALCIUM	00916	036	2014/02/19	. 33.000	2017/02
CARBONATE ALKALINITY	00445	036	2014/02/19	< .000	2017/02
CHLORIDE	00940	036	2014/02/19	. 6.300	2017/02
COLOR	00081	036	2014/02/19	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

PS Code: 3610110-002
Source Name: WELL 02 - RAW
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/02/19	< .000	2017/02
FOAMING AGENTS (MBAS)	38260	036	2014/02/19	< .000	2017/02
HARDNESS (TOTAL) AS CACO3	00900	036	2014/02/19	. 92.000	2017/02
HYDROXIDE ALKALINITY	71830	036	2014/02/19	< .000	2017/02
IRON	01045	036	2014/02/19	< .000	2017/02
MAGNESIUM	00927	036	2014/02/19	. 2.100	2017/02
MANGANESE	01055	036	2014/02/19	< .000	2017/02
ODOR THRESHOLD @ 60 C	00086	036	2014/02/19	. 1.000	2017/02
PH, LABORATORY	00403	036	2014/02/19	. 7.300	2017/02
SILVER	01077	036	2014/02/19	< .000	2017/02
SODIUM	00929	036	2014/02/19	. 15.000	2017/02
SPECIFIC CONDUCTANCE	00095	036	2014/02/19	. 250.000	2017/02
SULFATE	00945	036	2014/02/19	. 2.100	2017/02
TOTAL DISSOLVED SOLIDS	70300	036	2014/02/19	. 140.000	2017/02
TURBIDITY, LABORATORY	82079	036	2014/02/19	. .100	2017/02
ZINC	01092	036	2014/02/19	< .000	2017/02

PS Code: 3610110-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/04/02	< .000	2017/04
ANTIMONY	01097	036	2014/04/02	< .000	2017/04
ARSENIC	01002	036	2014/04/02	< .000	2017/04
BARIUM	01007	036	2014/04/02	< .000	2017/04
BERYLLIUM	01012	036	2014/04/02	< .000	2017/04
CADMIUM	01027	036	2014/04/02	< .000	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

PS Code: 3610110-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2014/04/02	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	< .000	2017/07	
CYANIDE	01291	036	2014/04/02	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .110	2017/04	
MERCURY	71900	036	2014/04/02	< .000	2017/04	
NICKEL	01067	036	2014/04/02	< .000	2017/04	
PERCHLORATE	A-031	036	2014/04/02	< .000	2017/04	
SELENIUM	01147	036	2014/04/02	< .000	2017/04	
THALLIUM	01059	036	2014/04/02	< .000	2017/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/02	< .000	2015/04	
NITRITE (AS N)	00620	036	2014/04/02	< .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/16	. 56.000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/26	< .000	2014/10	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/26	< .000	2014/10	
OXAMYL	38865	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/03/23	< .000	2017/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/03/23	< .000	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/03/23	< .000	2017/03	
1,1,2-TRICHLOROETHANE	34511	072	2011/03/23	< .000	2017/03	
1,1-DICHLOROETHANE	34496	072	2011/03/23	< .000	2017/03	
1,1-DICHLOROETHYLENE	34501	072	2011/03/23	< .000	2017/03	
1,2,4-TRICHLOROBENZENE	34551	072	2011/03/23	< .000	2017/03	
1,2-DICHLOROBENZENE	34536	072	2011/03/23	< .000	2017/03	
1,2-DICHLOROETHANE	34531	072	2011/03/23	< .000	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROPROPANE	**34541**	**072**	2011/03/23	**< .000**	2017/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/03/23	**< .000**	2017/03
1,4-DICHLOROBENZENE	**34571**	**072**	2011/03/23	**< .000**	2017/03
BENZENE	**34030**	**072**	2011/03/23	**< .000**	2017/03
CARBON TETRACHLORIDE	**32102**	**072**	2011/03/23	**< .000**	2017/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/03/23	**< .000**	2017/03
DICHLOROMETHANE	**34423**	**072**	2011/03/23	**< .000**	2017/03
ETHYLBENZENE	**34371**	**072**	2011/03/23	**< .000**	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/03/23	**< .000**	2017/03
MONOCHLOROBENZENE	**34301**	**072**	2011/03/23	**< .000**	2017/03
STYRENE	**77128**	**072**	2011/03/23	**< .000**	2017/03
TETRACHLOROETHYLENE	**34475**	**072**	2011/03/23	**< .000**	2017/03
TOLUENE	**34010**	**072**	2011/03/23	**< .000**	2017/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/03/23	**< .000**	2017/03
TRICHLOROETHYLENE	**39180**	**072**	2011/03/23	**< .000**	2017/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/03/23	**< .000**	2017/03
VINYL CHLORIDE	**39175**	**072**	2011/03/23	**< .000**	2017/03
XYLENES (TOTAL)	**81551**	**072**	2011/03/23	**< .000**	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/02	**. 170.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/02	**. 39.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/02	**< .000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/02	**. 2.500**	2017/04
COLOR	**00081**	**036**	2014/04/02	**< .000**	2017/04
COPPER	**01042**	**036**	2014/04/02	**< .000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/02	**. .250**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/02	**. 110.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/02	**< .000**	2017/04
IRON	**01045**	**036**	2014/04/02	**< .000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

PS Code: 3610110-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MAGNESIUM	00927	036	2014/04/02	. 2.600	2017/04
MANGANESE	01055	036	2014/04/02	< .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	. 1.000	2017/04
PH, LABORATORY	00403	036	2014/04/02	. 7.300	2017/04
SILVER	01077	036	2014/04/02	< .000	2017/04
SODIUM	00929	036	2014/04/02	. 16.000	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 260.000	2017/04
SULFATE	00945	036	2014/04/02	. 2.300	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/02	. 180.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .100	2017/04
ZINC	01092	036	2014/04/02	< .000	2017/04

PS Code: 3610110-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/06/17	< .000	2017/06
ANTIMONY	01097	036	2014/06/17	< .000	2017/06
ARSENIC	01002	036	2014/06/17	< .000	2017/06
BARIUM	01007	036	2014/06/17	< .000	2017/06
BERYLLIUM	01012	036	2014/06/17	< .000	2017/06
CADMIUM	01027	036	2014/06/17	< .000	2017/06
CHROMIUM (TOTAL)	01034	036	2014/06/17	< .000	2017/06
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	< .000	2017/07
CYANIDE	01291	036	2014/06/17	< .000	2017/06
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/17	< .000	2017/06
MERCURY	71900	036	2014/06/17	< .000	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
NICKEL	**01067**	**036**	2014/06/17	**< .000**	2017/06
PERCHLORATE	**A-031**	**036**	2014/06/17	**< .000**	2017/06
SELENIUM	**01147**	**036**	2014/06/17	**< .000**	2017/06
THALLIUM	**01059**	**036**	2014/06/17	**< .000**	2017/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/06/17	**< .000**	2015/06
NITRITE (AS N)	**00620**	**036**	2014/06/17	**< .000**	2017/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/07/22	**. 93.000**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/10/26	**< .000**	2014/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/10/26	**< .000**	2014/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/06/17	**< .000**	2020/06
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/06/17	**< .000**	2020/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/06/17	**< .000**	2020/06
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/06/17	**< .000**	2020/06
1,1-DICHLOROETHANE	**34496**	**072**	2014/06/17	**< .000**	2020/06
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/06/17	**< .000**	2020/06
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/06/17	**< .000**	2020/06
1,2-DICHLOROBENZENE	**34536**	**072**	2014/06/17	**< .000**	2020/06
1,2-DICHLOROETHANE	**34531**	**072**	2014/06/17	**< .000**	2020/06
1,2-DICHLOROPROPANE	**34541**	**072**	2014/06/17	**< .000**	2020/06
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/06/17	**< .000**	2020/06
1,4-DICHLOROBENZENE	**34571**	**072**	2014/06/17	**< .000**	2020/06
BENZENE	**34030**	**072**	2014/06/17	**< .000**	2020/06
CARBON TETRACHLORIDE	**32102**	**072**	2014/06/17	**< .000**	2020/06
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/06/17	**< .000**	2020/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
DICHLOROMETHANE	**34423**	**072**	2014/06/17	**< .000**	2020/06
ETHYLBENZENE	**34371**	**072**	2014/06/17	**< .000**	2020/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/06/17	**< .000**	2020/06
MONOCHLOROBENZENE	**34301**	**072**	2014/06/17	**< .000**	2020/06
STYRENE	**77128**	**072**	2014/06/17	**< .000**	2020/06
TETRACHLOROETHYLENE	**34475**	**072**	2014/06/17	**< .000**	2020/06
TOLUENE	**34010**	**072**	2014/06/17	**< .000**	2020/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/06/17	**< .000**	2020/06
TRICHLOROETHYLENE	**39180**	**072**	2014/06/17	**< .000**	2020/06
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/06/17	**< .000**	2020/06
VINYL CHLORIDE	**39175**	**072**	2014/06/17	**< .000**	2020/06
XYLENES (TOTAL)	**81551**	**072**	2014/06/17	**< .000**	2020/06
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/17	**. 180.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/17	**. 45.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/17	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/17	**. 1.900**	2017/06
COLOR	**00081**	**036**	2014/06/17	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/17	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/17	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/17	**. 120.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/17	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/17	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/17	**. 2.700**	2017/06
MANGANESE	**01055**	**036**	2014/06/17	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/17	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/17	**. 7.600**	2017/06
SILVER	**01077**	**036**	2014/06/17	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/17	**. 12.000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610110-004					
Source Name: WELL 04					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SPECIFIC CONDUCTANCE	00095	036	2014/06/17	. 280.000	2017/06
SULFATE	00945	036	2014/06/17	. 2.000	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/06/17	. 170.000	2017/06
TURBIDITY, LABORATORY	82079	036	2014/06/17	< .000	2017/06
ZINC	01092	036	2014/06/17	< .000	2017/06
PS Code: 3610110-005					
Source Name: IX VESSEL A & B - PROCESS					
Source Number: 005					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610110-006					
Source Name: WELL 05					
Source Number: 006					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2011/10/26	< .000	2014/10
ANTIMONY	01097	036	2011/10/26	< .000	2014/10
ARSENIC	01002	036	2011/10/26	< .000	2014/10
BARIUM	01007	036	2011/10/26	< .000	2014/10
BERYLLIUM	01012	036	2011/10/26	< .000	2014/10
CADMIUM	01027	036	2011/10/26	< .000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/26	< .000	2014/10
CHROMIUM, HEXAVALENT	01032	036	2014/07/01	< .000	2017/07
CYANIDE	01291	036	2011/10/26	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/10/26	**. .160**	2014/10
MERCURY	**71900**	**036**	2011/10/26	**< .000**	2014/10
NICKEL	**01067**	**036**	2011/10/26	**< .000**	2014/10
PERCHLORATE	**A-031**	**036**	2012/07/25	**< .000**	2015/07
SELENIUM	**01147**	**036**	2011/10/26	**< .000**	2014/10
THALLIUM	**01059**	**036**	2011/10/26	**< .000**	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/01/22	**< .000**	2015/01
NITRITE (AS N)	**00620**	**036**	2011/10/26	**< .000**	2014/10
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/15	**. 83.000**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/10/26	**< .000**	2014/10
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/10/26	**< .000**	2014/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2008/10/08	**.000**	2014/10
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2008/10/08	**.000**	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2008/10/08	**.000**	2014/10
1,1,2-TRICHLOROETHANE	**34511**	**072**	2008/10/08	**.000**	2014/10
1,1-DICHLOROETHANE	**34496**	**072**	2008/10/08	**.000**	2014/10
1,1-DICHLOROETHYLENE	**34501**	**072**	2008/10/08	**.000**	2014/10
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2008/10/08	**.000**	2014/10
1,2-DICHLOROBENZENE	**34536**	**072**	2008/10/08	**.000**	2014/10
1,2-DICHLOROETHANE	**34531**	**072**	2008/10/08	**.000**	2014/10
1,2-DICHLOROPROPANE	**34541**	**072**	2008/10/08	**.000**	2014/10
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2008/10/08	**.000**	2014/10
1,4-DICHLOROBENZENE	**34571**	**072**	2008/10/08	**.000**	2014/10
BENZENE	**34030**	**072**	2008/10/08	**.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

PS Code: ***3610110-006***

Source Name: ***WELL 05***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
CARBON TETRACHLORIDE	**32102**	**072**	2008/10/08		**.000**	2014/10
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2008/10/08		**.000**	2014/10
DICHLOROMETHANE	**34423**	**072**	2008/10/08		**.000**	2014/10
ETHYLBENZENE	**34371**	**072**	2008/10/08		**.000**	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/10/26	**<**	**.000**	2017/10
MONOCHLOROBENZENE	**34301**	**072**	2008/10/08		**.000**	2014/10
STYRENE	**77128**	**072**	2008/10/08		**.000**	2014/10
TETRACHLOROETHYLENE	**34475**	**072**	2008/10/08		**.000**	2014/10
TOLUENE	**34010**	**072**	2008/10/08		**.000**	2014/10
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2008/10/08		**.000**	2014/10
TRICHLOROETHYLENE	**39180**	**072**	2008/10/08		**.000**	2014/10
TRICHLOROFLUOROMETHANE	**34488**	**072**	2008/10/08		**.000**	2014/10
VINYL CHLORIDE	**39175**	**072**	2008/10/08		**.000**	2014/10
XYLENES (TOTAL)	**81551**	**072**	2008/10/08		**.000**	2014/10
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2011/10/26	**.**	**160.000**	2014/10
CALCIUM	**00916**	**036**	2011/10/26	**.**	**37.000**	2014/10
CARBONATE ALKALINITY	**00445**	**036**	2011/10/26	**<**	**.000**	2014/10
CHLORIDE	**00940**	**036**	2011/10/26	**.**	**4.000**	2014/10
COLOR	**00081**	**036**	2011/10/26	**<**	**.000**	2014/10
COPPER	**01042**	**036**	2011/10/26	**<**	**.000**	2014/10
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/10/26	**<**	**.000**	2014/10
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2011/10/26	**.**	**94.000**	2014/10
HYDROXIDE ALKALINITY	**71830**	**036**	2011/10/26	**<**	**.000**	2014/10
IRON	**01045**	**036**	2011/10/26	**<**	**.000**	2014/10
MAGNESIUM	**00927**	**036**	2011/10/26	**.**	**1.900**	2014/10
MANGANESE	**01055**	**036**	2011/10/26	**<**	**.000**	2014/10
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/10/26		**1.000**	2014/10
PH, LABORATORY	**00403**	**036**	2011/10/26	**.**	**7.800**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610110-006***					
Source Name: ***WELL 05***					
Source Number: ***006***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
SILVER	**01077**	**036**	2011/10/26	**< .000**	2014/10
SODIUM	**00929**	**036**	2011/10/26	**19.000**	2014/10
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/10/26	**. 260.000**	2014/10
SULFATE	**00945**	**036**	2011/10/26	**2.600**	2014/10
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/10/26	**. 150.000**	2014/10
TURBIDITY, LABORATORY	**82079**	**036**	2011/10/26	**. .100**	2014/10
ZINC	**01092**	**036**	2011/10/26	**< .000**	2014/10
PS Code: ***3610110-0070***					
Source Name: ***ION EXCHANGE VESSEL A***					
Source Number: ***007***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610110-0080***					
Source Name: ***ION EXCHANGE VESSEL B***					
Source Number: ***008***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610110
System Name: ARROWBEAR PARK CWD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610110-009					
Source Name: ION EXCHANGE VESSEL C					
Source Number: 009					
Source Status: ACTIVE TREATED					
Water type:					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610110-010					
Source Name: ION EXCHANGE VESSEL D					
Source Number: 010					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610110-601					
Source Name: DBP2-32755 HILLTOP BLVD					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	012	2013/10/03	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	012	2013/10/03	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	012	2013/10/03	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	012	2013/10/03	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	012	2013/10/03	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	012	2013/10/03	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	012	2013/10/03	< .000	2014/10
BROMOFORM (THM)	32104	012	2013/10/03	< .000	2014/10
CHLOROFORM (THM)	32106	012	2013/10/03	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	012	2013/10/03	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610110***

System Name: ***ARROWBEAR PARK CWD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610110-601***					
Source Name: ***DBP2-32755 HILLTOP BLVD***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2013/10/03	**< .000**	2014/10
PS Code: ***3610110-602***					
Source Name: ***DBP2-2233 KEATER LANE***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2013/10/03	**< .000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2013/10/03	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2013/10/03	**< .000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2013/10/03	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2013/10/03	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2013/10/03	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2013/10/03	**< .000**	2014/10
BROMOFORM (THM)	**32104**	**012**	2013/10/03	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**012**	2013/10/03	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2013/10/03	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2013/10/03	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2013/05/14	**< .000**	2016/05
ANTIMONY	**01097**	**036**	2013/05/14	**< .000**	2016/05
ARSENIC	**01002**	**036**	2013/05/14	**< .000**	2016/05
BARIUM	**01007**	**036**	2013/05/14	**< .000**	2016/05
BERYLLIUM	**01012**	**036**	2013/05/14	**< .000**	2016/05
CADMIUM	**01027**	**036**	2013/05/14	**< .000**	2016/05
CHROMIUM (TOTAL)	**01034**	**036**	2013/05/14	**< .000**	2016/05
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/08	**< .000**	2017/07
CYANIDE	**01291**	**036**	2013/05/14	**< .000**	2016/05
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/05/14	**. .340**	2016/05
MERCURY	**71900**	**036**	2013/05/14	**< .000**	2016/05
NICKEL	**01067**	**036**	2013/05/14	**< .000**	2016/05
PERCHLORATE	**A-031**	**036**	2013/05/14	**< .000**	2016/05
SELENIUM	**01147**	**036**	2013/05/14	**< .000**	2016/05
THALLIUM	**01059**	**036**	2013/05/14	**< .000**	2016/05
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/08	**. 2.200**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/08	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**072**	2014/07/08	**. 13.000**	2020/07
URANIUM (PCI/L)	**28012**	**072**	2014/07/08	**. 9.900**	2020/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/12/17	**< .000**	2016/12
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/12/17	**< .000**	2016/12
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/07/30	**< .000**	2018/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/07/30	**< .000**	2018/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/07/30	**< .000**	2018/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112
System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	072	2012/07/30	< .000	2018/07
1,1-DICHLOROETHANE	34496	072	2012/07/30	< .000	2018/07
1,1-DICHLOROETHYLENE	34501	072	2012/07/30	< .000	2018/07
1,2,4-TRICHLOROBENZENE	34551	072	2012/07/30	< .000	2018/07
1,2-DICHLOROBENZENE	34536	072	2012/07/30	< .000	2018/07
1,2-DICHLOROETHANE	34531	072	2012/07/30	< .000	2018/07
1,2-DICHLOROPROPANE	34541	072	2012/07/30	< .000	2018/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/07/30	< .000	2018/07
1,4-DICHLOROBENZENE	34571	072	2012/07/30	< .000	2018/07
BENZENE	34030	072	2012/07/30	< .000	2018/07
CARBON TETRACHLORIDE	32102	072	2012/07/30	< .000	2018/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/07/30	< .000	2018/07
DICHLOROMETHANE	34423	072	2012/07/30	< .000	2018/07
ETHYLBENZENE	34371	072	2012/07/30	< .000	2018/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2012/07/30	< .000	2018/07
MONOCHLOROBENZENE	34301	072	2012/07/30	< .000	2018/07
STYRENE	77128	072	2012/07/30	< .000	2018/07
TETRACHLOROETHYLENE	34475	072	2012/07/30	< .000	2018/07
TOLUENE	34010	072	2012/07/30	< .000	2018/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/07/30	< .000	2018/07
TRICHLOROETHYLENE	39180	072	2012/07/30	< .000	2018/07
TRICHLOROFLUOROMETHANE	34488	072	2012/07/30	< .000	2018/07
VINYL CHLORIDE	39175	072	2012/07/30	< .000	2018/07
XYLENES (TOTAL)	81551	072	2012/07/30	< .000	2018/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/05/14	. 220.000	2016/05
CALCIUM	00916	036	2013/05/14	. 75.000	2016/05
CARBONATE ALKALINITY	00445	036	2013/05/14	< .000	2016/05
CHLORIDE	00940	036	2013/05/14	. 49.000	2016/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112
System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COLOR	00081	036	2013/05/14	< .000	2016/05
COPPER	01042	036	2013/05/14	< .000	2016/05
FOAMING AGENTS (MBAS)	38260	036	2013/05/14	< .000	2016/05
HARDNESS (TOTAL) AS CACO3	00900	036	2013/05/14	. 230.000	2016/05
HYDROXIDE ALKALINITY	71830	036	2013/05/14	< .000	2016/05
IRON	01045	036	2014/07/08	. 300.000	2017/07
MAGNESIUM	00927	036	2013/05/14	. 11.000	2016/05
MANGANESE	01055	036	2013/05/14	55.000	2016/05
ODOR THRESHOLD @ 60 C	00086	036	2013/05/14	1.000	2016/05
PH, LABORATORY	00403	036	2013/05/14	. 7.600	2016/05
SILVER	01077	036	2013/05/14	< .000	2016/05
SODIUM	00929	036	2013/05/14	65.000	2016/05
SPECIFIC CONDUCTANCE	00095	036	2013/05/14	. 710.000	2016/05
SULFATE	00945	036	2013/05/14	110.000	2016/05
TOTAL DISSOLVED SOLIDS	70300	036	2013/05/14	. 450.000	2016/05
TURBIDITY, LABORATORY	82079	036	2013/05/14	. 2.000	2016/05
ZINC	01092	036	2013/05/14	< .000	2016/05

PS Code: 3610112-003
Source Name: WELL 03 - STANDBY
Source Number: 003
Source Status: STANDBY RAW
Water type: G

INORGANIC					
ALUMINUM	01105	108	2013/06/26	< .000	2022/06
ANTIMONY	01097	108	2013/06/26	< .000	2022/06
ARSENIC	01002	108	2013/09/30	. 18.000	2022/09
BARIUM	01007	108	2013/06/26	< .000	2022/06
BERYLLIUM	01012	108	2013/06/26	< .000	2022/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**108**	2013/06/26	**< .000**	2022/06
CHROMIUM (TOTAL)	**01034**	**108**	2013/06/26	**< .000**	2022/06
CHROMIUM, HEXAVALENT	**01032**	**108**	2014/07/02	**< .000**	2023/07
CYANIDE	**01291**	**108**	2013/06/26	**< .000**	2022/06
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**108**	2013/06/26	**. 1.300**	2022/06
MERCURY	**71900**	**108**	2013/06/26	**< .000**	2022/06
NICKEL	**01067**	**108**	2013/06/26	**< .000**	2022/06
PERCHLORATE	**A-031**	**108**	2013/06/26	**< .000**	2022/06
SELENIUM	**01147**	**108**	2013/06/26	**< .000**	2022/06
THALLIUM	**01059**	**108**	2013/06/26	**< .000**	2022/06
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**108**	2013/06/26	**. 6.400**	2022/06
NITRITE (AS N)	**00620**	**108**	2013/06/26	**< .000**	2022/06
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2011/04/21	**. 13.000**	2020/04
URANIUM (PCI/L)	**28012**	**072**	2009/08/12	**11.000**	2015/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**108**	2008/07/30	**.000**	2017/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**108**	2008/07/30	**.000**	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**108**	2008/07/30	**.000**	2017/07
1,1,2-TRICHLOROETHANE	**34511**	**108**	2008/07/30	**.000**	2017/07
1,1-DICHLOROETHANE	**34496**	**108**	2008/07/30	**.000**	2017/07
1,1-DICHLOROETHYLENE	**34501**	**108**	2008/07/30	**.000**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**108**	2008/07/30	**.000**	2017/07
1,2-DICHLOROBENZENE	**34536**	**108**	2008/07/30	**.000**	2017/07
1,2-DICHLOROETHANE	**34531**	**108**	2008/07/30	**.000**	2017/07
1,2-DICHLOROPROPANE	**34541**	**108**	2008/07/30	**.000**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**108**	2008/07/30	**.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112

System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-003

Source Name: WELL 03 - STANDBY

Source Number: 003

Source Status: STANDBY RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	108	2008/07/30	.000	2017/07
BENZENE	34030	108	2008/07/30	.000	2017/07
CARBON TETRACHLORIDE	32102	108	2008/07/30	.000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	108	2008/07/30	.000	2017/07
DICHLOROMETHANE	34423	108	2008/07/30	.000	2017/07
ETHYLBENZENE	34371	108	2008/07/30	.000	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2008/07/30	.000	2017/07
MONOCHLOROBENZENE	34301	108	2008/07/30	.000	2017/07
STYRENE	77128	108	2008/07/30	.000	2017/07
TETRACHLOROETHYLENE	34475	108	2008/07/30	.000	2017/07
TOLUENE	34010	108	2008/07/30	.000	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	108	2008/07/30	.000	2017/07
TRICHLOROETHYLENE	39180	108	2008/07/30	.000	2017/07
TRICHLOROFLUOROMETHANE	34488	108	2008/07/30	.000	2017/07
VINYL CHLORIDE	39175	108	2008/07/30	.000	2017/07
XYLENES (TOTAL)	81551	108	2008/07/30	.000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2013/06/26	. 190.000	2022/06
CALCIUM	00916	108	2013/06/26	. 59.000	2022/06
CARBONATE ALKALINITY	00445	108	2013/06/26	< .000	2022/06
CHLORIDE	00940	108	2013/06/26	. 110.000	2022/06
COLOR	00081	108	2013/06/26	< .000	2022/06
COPPER	01042	108	2013/06/26	< .000	2022/06
FOAMING AGENTS (MBAS)	38260	108	2013/06/26	< .000	2022/06
HARDNESS (TOTAL) AS CACO3	00900	108	2013/06/26	. 160.000	2022/06
HYDROXIDE ALKALINITY	71830	108	2013/06/26	< .000	2022/06
IRON	01045	108	2013/06/26	100.000	2022/06
MAGNESIUM	00927	108	2013/06/26	. 3.700	2022/06
MANGANESE	01055	108	2013/06/26	< .000	2022/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-003***

Source Name: ***WELL 03 - STANDBY***

Source Number: ***003***

Source Status: ***STANDBY RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ODOR THRESHOLD @ 60 C	**00086**	**108**	2013/06/26		**1.000**	2022/06
PH, LABORATORY	**00403**	**108**	2013/06/26	.	**7.600**	2022/06
SILVER	**01077**	**108**	2013/06/26	<	**.000**	2022/06
SODIUM	**00929**	**108**	2013/06/26		**170.000**	2022/06
SPECIFIC CONDUCTANCE	**00095**	**108**	2013/09/30	.	**1100.000**	2022/09
SULFATE	**00945**	**108**	2013/09/30	.	**230.000**	2022/09
TOTAL DISSOLVED SOLIDS	**70300**	**108**	2013/09/30	.	**700.000**	2022/09
TURBIDITY, LABORATORY	**82079**	**108**	2013/06/26	.	**.600**	2022/06
ZINC	**01092**	**108**	2013/06/26	<	**.000**	2022/06

PS Code: ***3610112-006***

Source Name: ***WELL 07 - STANDBY***

Source Number: ***006***

Source Status: ***STANDBY RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	**01105**	**108**	2012/02/29	<	**.000**	2021/02
ANTIMONY	**01097**	**108**	2012/02/29	<	**.000**	2021/02
ARSENIC	**01002**	**108**	2013/09/30	.	**24.000**	2022/09
BARIUM	**01007**	**108**	2012/02/29	<	**.000**	2021/02
BERYLLIUM	**01012**	**108**	2012/02/29	<	**.000**	2021/02
CADMIUM	**01027**	**108**	2012/02/29	<	**.000**	2021/02
CHROMIUM (TOTAL)	**01034**	**108**	2012/02/29	<	**.000**	2021/02
CHROMIUM, HEXAVALENT	**01032**	**108**	2014/07/02	<	**.000**	2023/07
CYANIDE	**01291**	**108**	2012/02/29	<	**.000**	2021/02
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**108**	2012/02/29	.	**1.700**	2021/02
MERCURY	**71900**	**108**	2012/02/29	<	**.000**	2021/02
NICKEL	**01067**	**108**	2012/02/29	<	**.000**	2021/02
PERCHLORATE	**A-031**	**108**	2012/02/29	<	**.000**	2021/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112
System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-006
Source Name: WELL 07 - STANDBY
Source Number: 006
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	108	2012/02/29	< .000	2021/02
THALLIUM	01059	108	2012/02/29	< .000	2021/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	108	2012/12/12	< .000	2021/12
NITRITE (AS N)	00620	108	2012/12/12	< .000	2021/12
RADIOLOGICAL					
GROSS ALPHA	01501	108	2011/04/21	. 5.800	2020/04
URANIUM (PCI/L)	28012	072	2010/02/24	8.900	2016/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2011/04/21	< .000	2020/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/04/21	< .000	2020/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/04/21	< .000	2020/04
1,1,2-TRICHLOROETHANE	34511	108	2011/04/21	< .000	2020/04
1,1-DICHLOROETHANE	34496	108	2011/04/21	< .000	2020/04
1,1-DICHLOROETHYLENE	34501	108	2011/04/21	< .000	2020/04
1,2,4-TRICHLOROBENZENE	34551	108	2011/04/21	< .000	2020/04
1,2-DICHLOROBENZENE	34536	108	2011/04/21	< .000	2020/04
1,2-DICHLOROETHANE	34531	108	2011/04/21	< .000	2020/04
1,2-DICHLOROPROPANE	34541	108	2011/04/21	< .000	2020/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/04/21	< .000	2020/04
1,4-DICHLOROBENZENE	34571	108	2011/04/21	< .000	2020/04
BENZENE	34030	108	2011/04/21	< .000	2020/04
CARBON TETRACHLORIDE	32102	108	2011/04/21	< .000	2020/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/04/21	< .000	2020/04
DICHLOROMETHANE	34423	108	2011/04/21	< .000	2020/04
ETHYLBENZENE	34371	108	2011/04/21	< .000	2020/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2011/04/21	< .000	2020/04
MONOCHLOROBENZENE	34301	108	2011/04/21	< .000	2020/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112

System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-006

Source Name: WELL 07 - STANDBY

Source Number: 006

Source Status: STANDBY RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
STYRENE	77128	108	2011/04/21	< .000	2020/04
TETRACHLOROETHYLENE	34475	108	2011/04/21	< .000	2020/04
TOLUENE	34010	108	2011/04/21	< .000	2020/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/04/21	< .000	2020/04
TRICHLOROETHYLENE	39180	108	2011/04/21	< .000	2020/04
TRICHLOROFLUOROMETHANE	34488	108	2011/04/21	< .000	2020/04
VINYL CHLORIDE	39175	108	2011/04/21	< .000	2020/04
XYLENES (TOTAL)	81551	108	2011/04/21	< .000	2020/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2012/07/31	. 190.000	2021/07
CALCIUM	00916	108	2012/07/31	. 46.000	2021/07
CARBONATE ALKALINITY	00445	108	2012/07/31	< .000	2021/07
CHLORIDE	00940	108	2012/07/31	. 66.000	2021/07
COLOR	00081	108	2012/07/31	< .000	2021/07
COPPER	01042	108	2012/07/31	< .000	2021/07
FOAMING AGENTS (MBAS)	38260	108	2012/07/31	< .000	2021/07
HARDNESS (TOTAL) AS CACO3	00900	108	2012/07/31	. 140.000	2021/07
HYDROXIDE ALKALINITY	71830	108	2012/07/31	< .000	2021/07
IRON	01045	108	2012/07/31	270.000	2021/07
MAGNESIUM	00927	108	2012/07/31	. 5.100	2021/07
MANGANESE	01055	108	2012/07/31	< .000	2021/07
ODOR THRESHOLD @ 60 C	00086	108	2012/07/31	1.000	2021/07
PH, LABORATORY	00403	108	2012/07/31	. 7.900	2021/07
SILVER	01077	108	2012/02/29	< .000	2021/02
SODIUM	00929	108	2012/07/31	170.000	2021/07
SPECIFIC CONDUCTANCE	00095	108	2011/04/21	. 1100.000	2020/04
SULFATE	00945	108	2011/04/21	. 260.000	2020/04
TOTAL DISSOLVED SOLIDS	70300	108	2012/12/12	. 670.000	2021/12
TURBIDITY, LABORATORY	82079	108	2012/07/31	. 2.400	2021/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112
System Name: HELENDALE COMMUNITY SERVICE DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610112-006						
Source Name: WELL 07 - STANDBY						
Source Number: 006						
Source Status: STANDBY RAW						
Water type: G						
SECONDARY/GP						
ZINC	01092	108	2012/07/31	< .000	2021/07	
PS Code: 3610112-007						
Source Name: WELL 08 - STANDBY						
Source Number: 007						
Source Status: STANDBY RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	108	2013/06/26	< .000	2022/06	
ANTIMONY	01097	108	2013/06/26	< .000	2022/06	
ARSENIC	01002	108	2013/09/30	. 17.000	2022/09	
BARIUM	01007	108	2013/06/26	< .000	2022/06	
BERYLLIUM	01012	108	2013/06/26	< .000	2022/06	
CADMIUM	01027	108	2013/06/26	< .000	2022/06	
CHROMIUM (TOTAL)	01034	108	2013/06/26	< .000	2022/06	
CHROMIUM, HEXAVALENT	01032	108	2014/07/02	< .000	2023/07	
CYANIDE	01291	108	2013/06/26	< .000	2022/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2013/06/26	. 1.300	2022/06	
MERCURY	71900	108	2013/09/30	< .000	2022/09	
NICKEL	01067	108	2013/06/26	< .000	2022/06	
PERCHLORATE	A-031	108	2013/06/26	< .000	2022/06	
SELENIUM	01147	108	2013/06/26	< .000	2022/06	
THALLIUM	01059	108	2013/06/26	< .000	2022/06	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	108	2013/06/26	< .000	2022/06	
NITRITE (AS N)	00620	108	2013/06/26	< .000	2022/06	
RADIOLOGICAL						
GROSS ALPHA	01501	003	2013/09/30	. 15.000	2013/12	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112

System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-007

Source Name: WELL 08 - STANDBY

Source Number: 007

Source Status: STANDBY RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
URANIUM (PCI/L)	28012	036	2013/09/30	. 5.800	2016/09
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	108	2011/04/21	< .000	2020/04
1,1,2,2-TETRACHLOROETHANE	34516	108	2011/04/21	< .000	2020/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2011/04/21	< .000	2020/04
1,1,2-TRICHLOROETHANE	34511	108	2011/04/21	< .000	2020/04
1,1-DICHLOROETHANE	34496	108	2011/04/21	< .000	2020/04
1,1-DICHLOROETHYLENE	34501	108	2011/04/21	< .000	2020/04
1,2,4-TRICHLOROBENZENE	34551	108	2011/04/21	< .000	2020/04
1,2-DICHLOROBENZENE	34536	108	2011/04/21	< .000	2020/04
1,2-DICHLOROETHANE	34531	108	2011/04/21	< .000	2020/04
1,2-DICHLOROPROPANE	34541	108	2011/04/21	< .000	2020/04
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2011/04/21	< .000	2020/04
1,4-DICHLOROBENZENE	34571	108	2011/04/21	< .000	2020/04
BENZENE	34030	108	2011/04/21	< .000	2020/04
CARBON TETRACHLORIDE	32102	108	2011/04/21	< .000	2020/04
CIS-1,2-DICHLOROETHYLENE	77093	108	2011/04/21	< .000	2020/04
DICHLOROMETHANE	34423	108	2011/04/21	< .000	2020/04
ETHYLBENZENE	34371	108	2011/04/21	< .000	2020/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2011/04/21	< .000	2020/04
MONOCHLOROBENZENE	34301	108	2011/04/21	< .000	2020/04
STYRENE	77128	108	2011/04/21	< .000	2020/04
TETRACHLOROETHYLENE	34475	108	2011/04/21	< .000	2020/04
TOLUENE	34010	108	2011/04/21	< .000	2020/04
TRANS-1,2-DICHLOROETHYLENE	34546	108	2011/04/21	< .000	2020/04
TRICHLOROETHYLENE	39180	108	2011/04/21	< .000	2020/04
TRICHLOROFLUOROMETHANE	34488	108	2011/04/21	< .000	2020/04
VINYL CHLORIDE	39175	108	2011/04/21	< .000	2020/04
XYLENES (TOTAL)	81551	108	2011/04/21	< .000	2020/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-007***

Source Name: ***WELL 08 - STANDBY***

Source Number: ***007***

Source Status: ***STANDBY RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**108**	2013/06/26	.	**190.000**	2022/06
CALCIUM	**00916**	**108**	2013/06/26	.	**39.000**	2022/06
CARBONATE ALKALINITY	**00445**	**108**	2013/06/26	<	**.000**	2022/06
CHLORIDE	**00940**	**108**	2013/09/30	.	**69.000**	2022/09
COLOR	**00081**	**108**	2013/06/26	.	**5.000**	2022/06
COPPER	**01042**	**108**	2013/06/26	<	**.000**	2022/06
FOAMING AGENTS (MBAS)	**38260**	**108**	2013/06/26	<	**.000**	2022/06
HARDNESS (TOTAL) AS CACO3	**00900**	**108**	2013/06/26	.	**110.000**	2022/06
HYDROXIDE ALKALINITY	**71830**	**108**	2013/06/26	<	**.000**	2022/06
IRON	**01045**	**108**	2013/06/26		**340.000**	2022/06
MAGNESIUM	**00927**	**108**	2013/06/26	.	**3.800**	2022/06
MANGANESE	**01055**	**108**	2013/06/26		**38.000**	2022/06
ODOR THRESHOLD @ 60 C	**00086**	**108**	2013/06/26		**1.000**	2022/06
PH, LABORATORY	**00403**	**108**	2013/06/26	.	**7.600**	2022/06
SILVER	**01077**	**108**	2013/06/26	<	**.000**	2022/06
SODIUM	**00929**	**108**	2013/06/26		**150.000**	2022/06
SPECIFIC CONDUCTANCE	**00095**	**108**	2013/09/30	.	**930.000**	2022/09
SULFATE	**00945**	**108**	2013/09/30		**190.000**	2022/09
TOTAL DISSOLVED SOLIDS	**70300**	**108**	2013/09/30	.	**580.000**	2022/09
TURBIDITY, LABORATORY	**82079**	**108**	2013/06/26	.	**2.500**	2022/06
ZINC	**01092**	**108**	2013/06/26	<	**.000**	2022/06

PS Code: ***3610112-009***

Source Name: ***WELL 09 - STANDBY***

Source Number: ***009***

Source Status: ***STANDBY RAW***

Water type: ***G***

INORGANIC						
ALUMINUM	**01105**	**108**	2008/03/27		**.000**	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-009***

Source Name: ***WELL 09 - STANDBY***

Source Number: ***009***

Source Status: ***STANDBY RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ANTIMONY	**01097**	**108**	2008/03/27		**.000**	2017/03	
ARSENIC	**01002**	**108**	2009/02/27		**7.700**	2018/02	
BARIUM	**01007**	**108**	2008/03/27		**.000**	2017/03	
BERYLLIUM	**01012**	**108**	2008/03/27		**.000**	2017/03	
CADMIUM	**01027**	**108**	2008/03/27		**.000**	2017/03	
CHROMIUM (TOTAL)	**01034**	**108**	2008/03/27		**.000**	2017/03	
CHROMIUM, HEXAVALENT	**01032**	**000**					**DUE**
CYANIDE	**01291**	**108**	2008/03/27		**.000**	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**108**	2008/03/27		**1.000**	2017/03	
MERCURY	**71900**	**108**	2008/03/27		**.000**	2017/03	
NICKEL	**01067**	**108**	2008/03/27		**.000**	2017/03	
PERCHLORATE	**A-031**	**108**	2010/08/25	**<**	**.000**	2019/08	
SELENIUM	**01147**	**108**	2008/03/27		**.000**	2017/03	
THALLIUM	**01059**	**108**	2008/03/27		**.000**	2017/03	
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**108**	2008/03/27		**26.000**	2017/03	
NITRITE (AS N)	**00620**	**108**	2008/03/27		**.000**	2017/03	
RADIOLOGICAL							
GROSS ALPHA	**01501**	**108**	2008/03/27		**8.330**	2017/03	
URANIUM (PCI/L)	**28012**	**108**	2011/04/26	**.**	**20.000**	2020/04	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	**34506**	**108**	2008/03/27		**.000**	2017/03	
1,1,2,2-TETRACHLOROETHANE	**34516**	**108**	2008/03/27		**.000**	2017/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**108**	2008/03/27		**.000**	2017/03	
1,1,2-TRICHLOROETHANE	**34511**	**108**	2008/03/27		**.000**	2017/03	
1,1-DICHLOROETHANE	**34496**	**108**	2008/03/27		**.000**	2017/03	
1,1-DICHLOROETHYLENE	**34501**	**108**	2008/03/27		**.000**	2017/03	
1,2,4-TRICHLOROBENZENE	**34551**	**108**	2008/03/27		**.000**	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112

System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-009

Source Name: WELL 09 - STANDBY

Source Number: 009

Source Status: STANDBY RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	34536	108	2008/03/27	.000	2017/03
1,2-DICHLOROETHANE	34531	108	2008/03/27	.000	2017/03
1,2-DICHLOROPROPANE	34541	108	2008/03/27	.000	2017/03
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2008/03/27	.000	2017/03
1,4-DICHLOROBENZENE	34571	108	2008/03/27	.000	2017/03
BENZENE	34030	108	2008/03/27	.000	2017/03
CARBON TETRACHLORIDE	32102	108	2008/03/27	.000	2017/03
CIS-1,2-DICHLOROETHYLENE	77093	108	2008/03/27	.000	2017/03
DICHLOROMETHANE	34423	108	2008/03/27	.000	2017/03
ETHYLBENZENE	34371	108	2008/03/27	.000	2017/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2008/03/27	.000	2017/03
MONOCHLOROBENZENE	34301	108	2008/03/27	.000	2017/03
STYRENE	77128	108	2008/03/27	.000	2017/03
TETRACHLOROETHYLENE	34475	108	2008/03/27	.000	2017/03
TOLUENE	34010	108	2008/03/27	.000	2017/03
TRANS-1,2-DICHLOROETHYLENE	34546	108	2008/03/27	.000	2017/03
TRICHLOROETHYLENE	39180	108	2008/03/27	.000	2017/03
TRICHLOROFLUOROMETHANE	34488	108	2008/03/27	.000	2017/03
VINYL CHLORIDE	39175	108	2008/03/27	.000	2017/03
XYLENES (TOTAL)	81551	108	2008/03/27	.000	2017/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	108	2008/03/27	280.000	2017/03
CALCIUM	00916	108	2008/03/27	180.000	2017/03
CARBONATE ALKALINITY	00445	108	2008/03/27	.000	2017/03
CHLORIDE	00940	108	2008/03/27	400.000	2017/03
COLOR	00081	108	2008/03/27	.000	2017/03
COPPER	01042	108	2008/03/27	.000	2017/03
FOAMING AGENTS (MBAS)	38260	108	2008/03/27	.000	2017/03
HARDNESS (TOTAL) AS CACO3	00900	108	2008/03/27	480.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-009***

Source Name: ***WELL 09 - STANDBY***

Source Number: ***009***

Source Status: ***STANDBY RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HYDROXIDE ALKALINITY	**71830**	**108**	2008/03/27	**.000**	2017/03
IRON	**01045**	**108**	2008/03/27	**.000**	2017/03
MAGNESIUM	**00927**	**108**	2008/03/27	**9.500**	2017/03
MANGANESE	**01055**	**108**	2008/03/27	**.000**	2017/03
ODOR THRESHOLD @ 60 C	**00086**	**108**	2008/03/27	**1.000**	2017/03
PH, LABORATORY	**00403**	**108**	2008/03/27	**7.300**	2017/03
SILVER	**01077**	**108**	2008/03/27	**.000**	2017/03
SODIUM	**00929**	**108**	2008/03/27	**380.000**	2017/03
SPECIFIC CONDUCTANCE	**00095**	**108**	2008/03/27	**2500.000**	2017/03
SULFATE	**00945**	**108**	2008/03/27	**450.000**	2017/03
TOTAL DISSOLVED SOLIDS	**70300**	**108**	2009/02/27	**1400.000**	2018/02
TURBIDITY, LABORATORY	**82079**	**108**	2008/03/27	**.100**	2017/03
ZINC	**01092**	**108**	2008/03/27	**.000**	2017/03

PS Code: ***3610112-010***

Source Name: ***WELL 1A***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	**01105**	**036**	2013/04/02	**< .000**	2016/04
ANTIMONY	**01097**	**036**	2013/04/02	**< .000**	2016/04
ARSENIC	**01002**	**036**	2013/04/02	**. 2.100**	2016/04
BARIUM	**01007**	**036**	2013/04/02	**< .000**	2016/04
BERYLLIUM	**01012**	**036**	2013/04/02	**< .000**	2016/04
CADMIUM	**01027**	**036**	2013/04/02	**< .000**	2016/04
CHROMIUM (TOTAL)	**01034**	**036**	2013/04/02	**< .000**	2016/04
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/03	**< .000**	2017/07
CYANIDE	**01291**	**036**	2013/04/02	**< .000**	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112
System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-010
Source Name: WELL 1A
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/02	. .250	2016/04
MERCURY	71900	036	2013/04/02	< .000	2016/04
NICKEL	01067	036	2013/04/02	< .000	2016/04
PERCHLORATE	A-031	036	2013/04/02	< .000	2016/04
SELENIUM	01147	036	2013/04/02	< .000	2016/04
THALLIUM	01059	036	2013/04/02	< .000	2016/04
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 2.200	2015/07
NITRITE (AS N)	00620	036	2014/07/03	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/06/12	. 5.900	2017/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/04/02	< .000	2016/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/04/02	< .000	2016/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2011/02/23	< .000	2017/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/02/23	< .000	2017/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/02/23	< .000	2017/02
1,1,2-TRICHLOROETHANE	34511	072	2011/02/23	< .000	2017/02
1,1-DICHLOROETHANE	34496	072	2011/02/23	< .000	2017/02
1,1-DICHLOROETHYLENE	34501	072	2011/02/23	< .000	2017/02
1,2,4-TRICHLOROBENZENE	34551	072	2011/02/23	< .000	2017/02
1,2-DICHLOROBENZENE	34536	072	2011/02/23	< .000	2017/02
1,2-DICHLOROETHANE	34531	072	2011/02/23	< .000	2017/02
1,2-DICHLOROPROPANE	34541	072	2011/02/23	< .000	2017/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/02/23	< .000	2017/02
1,4-DICHLOROBENZENE	34571	072	2011/02/23	< .000	2017/02
BENZENE	34030	072	2011/02/23	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-010***

Source Name: ***WELL 1A***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
CARBON TETRACHLORIDE	**32102**	**072**	2011/02/23	**< .000**	2017/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/02/23	**< .000**	2017/02
DICHLOROMETHANE	**34423**	**072**	2011/02/23	**< .000**	2017/02
ETHYLBENZENE	**34371**	**072**	2011/02/23	**< .000**	2017/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/02/23	**< .000**	2017/02
MONOCHLOROBENZENE	**34301**	**072**	2011/02/23	**< .000**	2017/02
STYRENE	**77128**	**072**	2011/02/23	**< .000**	2017/02
TETRACHLOROETHYLENE	**34475**	**072**	2011/02/23	**< .000**	2017/02
TOLUENE	**34010**	**072**	2011/02/23	**< .000**	2017/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/02/23	**< .000**	2017/02
TRICHLOROETHYLENE	**39180**	**072**	2011/02/23	**< .000**	2017/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/02/23	**< .000**	2017/02
VINYL CHLORIDE	**39175**	**072**	2011/02/23	**< .000**	2017/02
XYLENES (TOTAL)	**81551**	**072**	2011/02/23	**< .000**	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/04/02	**. 200.000**	2016/04
CALCIUM	**00916**	**036**	2013/04/02	**. 75.000**	2016/04
CARBONATE ALKALINITY	**00445**	**036**	2013/04/02	**< .000**	2016/04
CHLORIDE	**00940**	**036**	2013/04/02	**. 58.000**	2016/04
COLOR	**00081**	**036**	2013/04/04	**< .000**	2016/04
COPPER	**01042**	**036**	2013/04/02	**< .000**	2016/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/04/04	**< .000**	2016/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/04/02	**. 220.000**	2016/04
HYDROXIDE ALKALINITY	**71830**	**036**	2013/04/02	**< .000**	2016/04
IRON	**01045**	**036**	2013/04/02	**< .000**	2016/04
MAGNESIUM	**00927**	**036**	2013/04/02	**. 8.700**	2016/04
MANGANESE	**01055**	**036**	2013/04/02	**< .000**	2016/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/04/04	**1.000**	2016/04
PH, LABORATORY	**00403**	**036**	2013/04/02	**. 7.300**	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112

System Name: HELENDALE COMMUNITY SERVICE DISTRICT

PS Code: 3610112-010

Source Name: WELL 1A

Source Number: 010

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SILVER	01077	036	2013/04/02	< .000	2016/04
SODIUM	00929	036	2013/04/02	81.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/02	. 790.000	2016/04
SULFATE	00945	036	2013/04/02	140.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/02	. 510.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/04	< .000	2016/04
ZINC	01092	036	2013/04/02	< .000	2016/04

PS Code: 3610112-012

Source Name: WELL 4A

Source Number: 012

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/07/09	< .000	2017/07
ANTIMONY	01097	036	2014/07/09	< .000	2017/07
ARSENIC	01002	036	2014/07/09	< .000	2017/07
BARIUM	01007	036	2014/07/09	< .000	2017/07
BERYLLIUM	01012	036	2014/07/09	< .000	2017/07
CADMIUM	01027	036	2014/07/09	< .000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/09	< .000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/02	< .000	2017/07
CYANIDE	01291	036	2014/07/09	< .000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. .400	2017/07
MERCURY	71900	036	2014/07/09	< .000	2017/07
NICKEL	01067	036	2014/07/09	< .000	2017/07
PERCHLORATE	A-031	036	2014/07/09	< .000	2017/07
SELENIUM	01147	036	2014/07/09	< .000	2017/07
THALLIUM	01059	036	2014/07/09	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-012***

Source Name: ***WELL 4A***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 2.400**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/09	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/03/29	**. 4.400**	2015/03
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/07/03	**< .000**	2017/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/07/03	**< .000**	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/29	**< .000**	2018/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/29	**< .000**	2018/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/29	**< .000**	2018/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/29	**< .000**	2018/03
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/29	**< .000**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/29	**< .000**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/29	**< .000**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/29	**< .000**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/29	**< .000**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/29	**< .000**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/29	**< .000**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/29	**< .000**	2018/03
BENZENE	**34030**	**072**	2012/03/29	**< .000**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/29	**< .000**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/29	**< .000**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/29	**< .000**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/29	**< .000**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/03/29	**< .000**	2018/03
MONOCHLOROBENZENE	**34301**	**072**	2012/03/29	**< .000**	2018/03
STYRENE	**77128**	**072**	2012/03/29	**< .000**	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

PS Code: ***3610112-012***

Source Name: ***WELL 4A***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/29	**< .000**	2018/03
TOLUENE	**34010**	**072**	2012/03/29	**< .000**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/29	**< .000**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/29	**< .000**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/29	**< .000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/29	**< .000**	2018/03
XYLENES (TOTAL)	**81551**	**072**	2012/03/29	**< .000**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/03	**. 210.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/03	**. 56.000**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/03	**< .000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/03	**. 44.000**	2017/07
COLOR	**00081**	**036**	2014/07/03	**< .000**	2017/07
COPPER	**01042**	**036**	2014/07/03	**< .000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/03	**< .000**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/03	**. 170.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/03	**< .000**	2017/07
IRON	**01045**	**036**	2014/07/03	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/03	**. 8.000**	2017/07
MANGANESE	**01055**	**036**	2014/07/03	**< .000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/03	**. 1.000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/03	**. 7.300**	2017/07
SILVER	**01077**	**036**	2014/07/09	**< .000**	2017/07
SODIUM	**00929**	**036**	2014/07/03	**. 57.000**	2017/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/03	**. 620.000**	2017/07
SULFATE	**00945**	**036**	2014/07/03	**. 69.000**	2017/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/03	**. 370.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2014/07/03	**< .000**	2017/07
ZINC	**01092**	**036**	2014/07/03	**< .000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112
System Name: HELENDALE COMMUNITY SERVICE DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610112-601						
Source Name: DBP2-NORTH TANK						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610112-602						
Source Name: DBP2-SOUTH TANK						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610112-602***						
Source Name: ***DBP2-SOUTH TANK***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610112-800***						
Source Name:						
Source Number: ***800***						
Source Status: ***ACTIVE TREATED***						
Water type:						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: ***3610112-801***						
Source Name: ***WELL 02 - TREATED (CL2)***						
Source Number: ***801***						
Source Status: ***ACTIVE TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610112

System Name: HELENDALE COMMUNITY SERVICE DISTRICT

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610112-802					
Source Name: WELL 03 - TREATED (CL2) - STANDBY					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610112-803					
Source Name: WELL 04 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610112-805					
Source Name: WELL 07 - TREATED (CL2) - EMERGENCY					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610112-806					
Source Name: WELL 08 - TREATED (CL2) - STANDBY					
Source Number: 806					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610112***

System Name: ***HELENDALE COMMUNITY SERVICE DISTRICT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610112-807***					
Source Name: ***WELL 09 - STANDBY - TREATED (CL2)***					
Source Number: ***807***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

PS Code: ***3610114-001***

Source Name: ***CRESTLINE-LAKE ARROWHEAD SILVERWOOD RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**012**	2014/05/12	**< .000**	2015/05	
ANTIMONY	**01097**	**012**	2014/05/12	**< .000**	2015/05	
ARSENIC	**01002**	**012**	2014/05/12	**. 3.700**	2015/05	
ASBESTOS	**81855**	**108**	2009/10/01	**.000**	2018/10	
BARIUM	**01007**	**012**	2014/05/12	**< .000**	2015/05	
BERYLLIUM	**01012**	**012**	2014/05/12	**< .000**	2015/05	
CADMIUM	**01027**	**012**	2014/05/12	**< .000**	2015/05	
CHROMIUM (TOTAL)	**01034**	**012**	2014/05/12	**< .000**	2015/05	
CHROMIUM, HEXAVALENT	**01032**	**012**	**2002/12/16**	**. .000**	**2003/12**	**DUE**
CYANIDE	**01291**	**012**	2014/05/12	**< .000**	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**012**	2014/05/12	**. .160**	2015/05	
MERCURY	**71900**	**012**	2014/05/12	**< .000**	2015/05	
NICKEL	**01067**	**012**	2014/05/12	**< .000**	2015/05	
PERCHLORATE	**A-031**	**012**	2014/05/12	**< .000**	2015/05	
SELENIUM	**01147**	**012**	2014/05/12	**< .000**	2015/05	
THALLIUM	**01059**	**012**	2014/05/12	**< .000**	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/05/12	**. 2.500**	2015/05	
NITRITE (AS N)	**00620**	**036**	2014/05/12	**< .000**	2017/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2010/11/09	**< .000**	2019/11	
RADIUM 228	**11501**	**108**	2014/05/12	**. .000**	2023/05	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	**34676**	**036**	2012/10/08	**< 5.000**	2015/10	
2,4,5-TP (SILVEX)	**39045**	**036**	2012/10/08	**< .000**	2015/10	
2,4-D	**39730**	**036**	2012/10/08	**< .000**	2015/10	
ALACHLOR	**77825**	**036**	2012/10/08	**< 1.000**	2015/10	
ATRAZINE	**39033**	**036**	2012/10/08	**< .500**	2015/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

PS Code: ***3610114-001***

Source Name: ***CRESTLINE-LAKE ARROWHEAD SILVERWOOD RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

REGULATED SOC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
BENTAZON	38710	036	2012/10/08	< .000	2015/10
BENZO (A) PYRENE	34247	036	2012/10/08	< .100	2015/10
CARBOFURAN	81405	036	2012/10/08	< .000	2015/10
CHLORDANE	39350	036	2012/10/08	< .000	2015/10
DALAPON	38432	036	2012/10/08	< .000	2015/10
DI(2-ETHYLHEXYL)ADIPATE	A-026	036	2012/10/08	< 5.000	2015/10
DI(2-ETHYLHEXYL)PHTHALATE	39100	036	2012/10/08	< 3.000	2015/10
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/10/08	< .000	2015/10
DINOSEB	81287	036	2012/10/08	< .000	2015/10
DIQUAT	78885	036	2012/10/08	< 4.000	2015/10
ENDOTHALL	38926	036	2012/10/08	< .000	2015/10
ENDRIN	39390	036	2012/10/08	< .000	2015/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/10/08	< .000	2015/10
GLYPHOSATE	79743	036	2012/10/08	< .000	2015/10
HEPTACHLOR	39410	036	2012/10/08	< .000	2015/10
HEPTACHLOR EPOXIDE	39420	036	2012/10/08	< .000	2015/10
HEXACHLOROBENZENE	39700	036	2012/10/08	< .000	2015/10
HEXACHLOROCYCLOPENTADIENE	34386	036	2012/10/08	< .000	2015/10
LINDANE	39340	036	2012/10/08	< .000	2015/10
METHOXYCHLOR	39480	036	2012/10/08	< .000	2015/10
MOLINATE	82199	036	2012/10/08	< 2.000	2015/10
OXAMYL	38865	036	2012/10/08	< .000	2015/10
PENTACHLOROPHENOL	39032	036	2012/10/08	< .000	2015/10
PICLORAM	39720	036	2012/10/08	< .000	2015/10
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	036	2012/10/08	< .000	2015/10
SIMAZINE	39055	036	2012/10/08	< 1.000	2015/10
THIOBENCARB	A-001	036	2012/10/08	< 1.000	2015/10
TOXAPHENE	39400	036	2012/10/08	< .000	2015/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

PS Code: ***3610114-001***

Source Name: ***CRESTLINE-LAKE ARROWHEAD SILVERWOOD RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**012**	2013/12/09	**< .000**	2014/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**012**	2013/12/09	**< .000**	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**012**	2013/12/09	**< .000**	2014/12
1,1,2-TRICHLOROETHANE	**34511**	**012**	2013/12/09	**< .000**	2014/12
1,1-DICHLOROETHANE	**34496**	**012**	2013/12/09	**< .000**	2014/12
1,1-DICHLOROETHYLENE	**34501**	**012**	2013/12/09	**< .000**	2014/12
1,2,4-TRICHLOROBENZENE	**34551**	**012**	2013/12/09	**< .000**	2014/12
1,2-DICHLOROBENZENE	**34536**	**012**	2013/12/09	**< .000**	2014/12
1,2-DICHLOROETHANE	**34531**	**012**	2013/12/09	**< .000**	2014/12
1,2-DICHLOROPROPANE	**34541**	**012**	2013/12/09	**< .000**	2014/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**012**	2013/12/09	**< .000**	2014/12
1,4-DICHLOROBENZENE	**34571**	**012**	2013/12/09	**< .000**	2014/12
BENZENE	**34030**	**012**	2013/12/09	**< .000**	2014/12
CARBON TETRACHLORIDE	**32102**	**012**	2013/12/09	**< .000**	2014/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**012**	2013/12/09	**< .000**	2014/12
DICHLOROMETHANE	**34423**	**012**	2013/12/09	**< .000**	2014/12
ETHYLBENZENE	**34371**	**012**	2013/12/09	**< .000**	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**012**	2013/12/09	**< .000**	2014/12
MONOCHLOROBENZENE	**34301**	**012**	2013/12/09	**< .000**	2014/12
STYRENE	**77128**	**012**	2013/12/09	**< .000**	2014/12
TETRACHLOROETHYLENE	**34475**	**012**	2013/12/09	**< .000**	2014/12
TOLUENE	**34010**	**012**	2013/12/09	**< .000**	2014/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**012**	2013/12/09	**< .000**	2014/12
TRICHLOROETHYLENE	**39180**	**012**	2013/12/09	**< .000**	2014/12
TRICHLOROFLUOROMETHANE	**34488**	**012**	2013/12/09	**< .000**	2014/12
VINYL CHLORIDE	**39175**	**012**	2013/12/09	**< .000**	2014/12
XYLENES (TOTAL)	**81551**	**012**	2013/12/09	**< .000**	2014/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**012**	2014/05/12	**. 98.000**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

PS Code: ***3610114-001***

Source Name: ***CRESTLINE-LAKE ARROWHEAD SILVERWOOD RAW***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***S***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
CALCIUM	00916	012	2014/05/12	. 26.000	2015/05
CARBONATE ALKALINITY	00445	012	2014/05/12	< .000	2015/05
CHLORIDE	00940	012	2014/05/12	. 80.000	2015/05
COLOR	00081	012	2014/07/28	< .000	2015/07
COPPER	01042	012	2014/05/12	< .000	2015/05
FOAMING AGENTS (MBAS)	38260	012	2014/05/12	< .000	2015/05
HARDNESS (TOTAL) AS CACO3	00900	012	2014/05/12	. 100.000	2015/05
HYDROXIDE ALKALINITY	71830	012	2014/05/12	< .000	2015/05
IRON	01045	012	2014/05/12	< .000	2015/05
MAGNESIUM	00927	012	2014/05/12	. 8.700	2015/05
MANGANESE	01055	012	2014/05/12	. 50.000	2015/05
ODOR THRESHOLD @ 60 C	00086	012	2014/07/28	. 3.000	2015/07
PH, LABORATORY	00403	012	2014/05/12	. 7.600	2015/05
SILVER	01077	012	2014/05/12	< .000	2015/05
SODIUM	00929	012	2014/05/12	. 65.000	2015/05
SPECIFIC CONDUCTANCE	00095	012	2014/05/12	. 540.000	2015/05
SULFATE	00945	012	2014/05/12	. 47.000	2015/05
TOTAL DISSOLVED SOLIDS	70300	012	2014/05/12	. 300.000	2015/05
TURBIDITY, LABORATORY	82079	012	2014/07/28	. 1.700	2015/07
ZINC	01092	012	2014/05/12	< .000	2015/05

PS Code: ***3610114-002***

Source Name: ***CLAWA SILVERWOOD - TREATED***

Source Number: ***002***

Source Status: ***ACTIVE TREATED***

Water type: ***S***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***
System Name: ***CLAWA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610114-101T***					
Source Name: ***GREEN VALLEY TANK - TREATED***					
Source Number: ***101***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610114-102T***					
Source Name: ***NOB HILL TANK - TREATED***					
Source Number: ***102***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610114-103T***					
Source Name: ***PLANTATION TANK - TREATED***					
Source Number: ***103***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610114-104T***					
Source Name: ***STRAWBERRY PEAK TANK - TREATED***					
Source Number: ***104***					
Source Status: ***ACTIVE TREATED***					
Water type: ***S***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***
System Name: ***CLAWA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610114-105T***						
Source Name: ***CRESTLINE COMPLEX - TREATED***						
Source Number: ***105***						
Source Status: ***ACTIVE TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610114-106T***						
Source Name: ***PAIVIKA TANK - TREATED***						
Source Number: ***106***						
Source Status: ***ACTIVE TREATED***						
Water type: ***S***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610114-601***						
Source Name: ***DBP2-SITE 2 BOOSTER STATION 2***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***S***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/12	**.**	**5.200**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/12	**<**	**.000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/12	**.**	**5.200**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/12	**<**	**.000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/12	**<**	**.000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/12	**<**	**.000**	2014/08
STATE UCMR						
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/12	**.**	**5.900**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/12	**.**	**18.600**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/12	**.**	**3.000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/12	**.**	**9.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610114-601***					
Source Name: ***DBP2-SITE 2 BOOSTER STATION 2***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/12	**. 36.500**	2014/08
PS Code: ***3610114-602***					
Source Name: ***DBP2-SITE 4 BOOSTER STATION 3***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/12	**. 7.500**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/12	**< .000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/12	**. 7.500**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/12	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/12	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/12	**< .000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/12	**. 6.300**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/12	**. 22.800**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/12	**. 2.900**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/12	**. 11.100**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/12	**. 43.100**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610114-603***					
Source Name: ***DBP2-SITE 5 BURNT MILL***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/12	**. 7.600**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/12	**< .000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/12	**. 7.600**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/12	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/12	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/12	**< .000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/12	**. 6.000**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/12	**. 24.600**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/12	**. 2.600**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/12	**. 10.400**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/12	**. 43.600**	2014/08
PS Code: ***3610114-604***					
Source Name: ***DBP2-SITE 8 FOREST TURNOUT***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/12	**. 9.600**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/12	**< .000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/12	**. 9.600**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/12	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/12	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/12	**< .000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/12	**. 5.000**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610114***

System Name: ***CLAWA***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610114-604***					
Source Name: ***DBP2-SITE 8 FOREST TURNOUT***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***S***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/12	**. 27.500**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/12	**. 2.400**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/12	**. 10.500**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/12	**. 45.400**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610117-001					
Source Name: BIG KIMBARK NO 2					
Source Number: 001					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-002					
Source Name: BIG KIMBARK NO 4					
Source Number: 002					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-003					
Source Name: BIG KIMBARK NO 5					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-005					
Source Name: BIG KIMBARK NO 1					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-006***

Source Name: ***BIG KIMBARK COMPOSITE 1-7***

Source Number: ***006***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/01/26	**< .000**	2015/01	
ANTIMONY	**01097**	**036**	2012/01/26	**< .000**	2015/01	
ARSENIC	**01002**	**036**	2012/01/26	**< .000**	2015/01	
BARIUM	**01007**	**036**	2012/01/26	**< .000**	2015/01	
BERYLLIUM	**01012**	**036**	2012/01/26	**< .000**	2015/01	
CADMIUM	**01027**	**036**	2012/01/26	**< .000**	2015/01	
CHROMIUM (TOTAL)	**01034**	**036**	2012/01/26	**< .000**	2015/01	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2004/12/15**	**. .000**	**2007/12**	**DUE**
CYANIDE	**01291**	**036**	2012/01/26	**< .000**	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/01/26	**. .470**	2015/01	
MERCURY	**71900**	**036**	2012/01/26	**< .000**	2015/01	
NICKEL	**01067**	**036**	2012/01/26	**< .000**	2015/01	
PERCHLORATE	**A-031**	**036**	2012/01/26	**< .000**	2015/01	
SELENIUM	**01147**	**036**	2012/01/26	**< .000**	2015/01	
THALLIUM	**01059**	**036**	2012/01/26	**< .000**	2015/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/01/16	**< .000**	2015/01	
NITRITE (AS N)	**00620**	**036**	2012/01/26	**< .000**	2015/01	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2013/10/15	**. 4.300**	2022/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/01/26	**< .000**	2015/01	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/01/26	**< .000**	2015/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/05/15	**.000**	2015/05	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/05/15	**.000**	2015/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/05/15	**.000**	2015/05	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/05/15	**.000**	2015/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-006***

Source Name: ***BIG KIMBARK COMPOSITE 1-7***

Source Number: ***006***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2009/05/15	**.000**	2015/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/05/15	**.000**	2015/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/05/15	**.000**	2015/05
1,2-DICHLOROBENZENE	**34536**	**072**	2009/05/15	**.000**	2015/05
1,2-DICHLOROETHANE	**34531**	**072**	2009/05/15	**.000**	2015/05
1,2-DICHLOROPROPANE	**34541**	**072**	2009/05/15	**.000**	2015/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/05/15	**.000**	2015/05
1,4-DICHLOROBENZENE	**34571**	**072**	2009/05/15	**.000**	2015/05
BENZENE	**34030**	**072**	2009/05/15	**.000**	2015/05
CARBON TETRACHLORIDE	**32102**	**072**	2009/05/15	**.000**	2015/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/05/15	**.000**	2015/05
DICHLOROMETHANE	**34423**	**072**	2009/05/15	**.000**	2015/05
ETHYLBENZENE	**34371**	**072**	2009/05/15	**.000**	2015/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/05/15	**.000**	2015/05
MONOCHLOROBENZENE	**34301**	**072**	2009/05/15	**.000**	2015/05
STYRENE	**77128**	**072**	2009/05/15	**.000**	2015/05
TETRACHLOROETHYLENE	**34475**	**072**	2009/05/15	**.000**	2015/05
TOLUENE	**34010**	**072**	2009/05/15	**.000**	2015/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/05/15	**.000**	2015/05
TRICHLOROETHYLENE	**39180**	**072**	2009/05/15	**.000**	2015/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/05/15	**.000**	2015/05
VINYL CHLORIDE	**39175**	**072**	2009/05/15	**.000**	2015/05
XYLENES (TOTAL)	**81551**	**072**	2009/05/15	**.000**	2015/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/26	**. 250.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/26	**. 74.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/26	**< .000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/26	**. 5.200**	2015/01
COLOR	**00081**	**036**	2012/01/26	**< .000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610117-006***						
Source Name: ***BIG KIMBARK COMPOSITE 1-7***						
Source Number: ***006***						
Source Status: ***COMBINATION OR BLEND RAW***						
Water type: ***G***						
SECONDARY/GP						
COPPER	**01042**	**036**	2012/01/26	**< .000**	2015/01	
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/26	**< .000**	2015/01	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/26	**. 250.000**	2015/01	
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/26	**< .000**	2015/01	
IRON	**01045**	**036**	2012/01/26	**< .000**	2015/01	
MAGNESIUM	**00927**	**036**	2012/01/26	**. 16.000**	2015/01	
MANGANESE	**01055**	**036**	2012/01/26	**< .000**	2015/01	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/26	**1.000**	2015/01	
PH, LABORATORY	**00403**	**036**	2012/01/26	**. 7.800**	2015/01	
SILVER	**01077**	**036**	2012/01/26	**< .000**	2015/01	
SODIUM	**00929**	**036**	2012/01/26	**9.400**	2015/01	
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/01/26	**. 500.000**	2015/01	
SULFATE	**00945**	**036**	2012/01/26	**53.000**	2015/01	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/01/26	**. 300.000**	2015/01	
TURBIDITY, LABORATORY	**82079**	**036**	2012/01/26	**. .100**	2015/01	
ZINC	**01092**	**036**	2012/01/26	**< .000**	2015/01	
PS Code: ***3610117-007***						
Source Name: ***LETHAN SPRING COMPOSITE (2 & 3)***						
Source Number: ***007***						
Source Status: ***COMBINATION OR BLEND RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	**2009/07/17**	**.000**	**2012/07**	**DUE**
ANTIMONY	**01097**	**036**	**2009/07/17**	**.000**	**2012/07**	**DUE**
ARSENIC	**01002**	**036**	**2009/07/17**	**.000**	**2012/07**	**DUE**
BARIUM	**01007**	**036**	**2009/07/17**	**.000**	**2012/07**	**DUE**
BERYLLIUM	**01012**	**036**	**2009/07/17**	**.000**	**2012/07**	**DUE**
CADMIUM	**01027**	**036**	**2009/07/17**	**.000**	**2012/07**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-007***

Source Name: ***LETHAN SPRING COMPOSITE (2 & 3)***

Source Number: ***007***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2009/07/17	.000	2012/07	DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2009/07/17	.000	2012/07	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/07/17	.380	2012/07	DUE
MERCURY	71900	036	2009/07/17	.000	2012/07	DUE
NICKEL	01067	036	2009/07/17	.000	2012/07	DUE
PERCHLORATE	A-031	036	2009/07/17	.000	2012/07	DUE
SELENIUM	01147	036	2009/07/17	.000	2012/07	DUE
THALLIUM	01059	036	2009/07/17	.000	2012/07	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/05/02	. 8.100	2014/05	DUE
NITRITE (AS N)	00620	036	2009/07/17	.000	2012/07	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2005/12/13	. 5.100	2014/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/07/17	.000	2012/07	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/07/17	.000	2012/07	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/07/17	.000	2015/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/07/17	.000	2015/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/07/17	.000	2015/07	
1,1,2-TRICHLOROETHANE	34511	072	2009/07/17	.000	2015/07	
1,1-DICHLOROETHANE	34496	072	2009/07/17	.000	2015/07	
1,1-DICHLOROETHYLENE	34501	072	2009/07/17	.000	2015/07	
1,2,4-TRICHLOROBENZENE	34551	072	2009/07/17	.000	2015/07	
1,2-DICHLOROBENZENE	34536	072	2009/07/17	.000	2015/07	
1,2-DICHLOROETHANE	34531	072	2009/07/17	.000	2015/07	
1,2-DICHLOROPROPANE	34541	072	2009/07/17	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-007***

Source Name: ***LETHAN SPRING COMPOSITE (2 & 3)***

Source Number: ***007***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/07/17	.000	2015/07	
1,4-DICHLOROBENZENE	34571	072	2009/07/17	.000	2015/07	
BENZENE	34030	072	2009/07/17	.000	2015/07	
CARBON TETRACHLORIDE	32102	072	2009/07/17	.000	2015/07	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/07/17	.000	2015/07	
DICHLOROMETHANE	34423	072	2009/07/17	.000	2015/07	
ETHYLBENZENE	34371	072	2009/07/17	.000	2015/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/07/17	.000	2015/07	
MONOCHLOROBENZENE	34301	072	2009/07/17	.000	2015/07	
STYRENE	77128	072	2009/07/17	.000	2015/07	
TETRACHLOROETHYLENE	34475	072	2009/07/17	.000	2015/07	
TOLUENE	34010	072	2009/07/17	.000	2015/07	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/07/17	.000	2015/07	
TRICHLOROETHYLENE	39180	072	2009/07/17	.000	2015/07	
TRICHLOROFLUOROMETHANE	34488	072	2009/07/17	.000	2015/07	
VINYL CHLORIDE	39175	072	2009/07/17	.000	2015/07	
XYLENES (TOTAL)	81551	072	2009/07/17	.000	2015/07	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/07/17	250.000	2012/07	DUE
CALCIUM	00916	036	2009/07/17	70.000	2012/07	DUE
CARBONATE ALKALINITY	00445	036	2009/07/17	.000	2012/07	DUE
CHLORIDE	00940	036	2009/07/17	4.600	2012/07	DUE
COLOR	00081	036	2009/07/17	.000	2012/07	DUE
COPPER	01042	036	2009/07/17	.000	2012/07	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/07/17	.000	2012/07	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/07/17	250.000	2012/07	DUE
HYDROXIDE ALKALINITY	71830	036	2009/07/17	.000	2012/07	DUE
IRON	01045	036	2009/07/17	.000	2012/07	DUE
MAGNESIUM	00927	036	2009/07/17	23.000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610117-007						
Source Name: LETHAN SPRING COMPOSITE (2 & 3)						
Source Number: 007						
Source Status: COMBINATION OR BLEND RAW						
Water type: G						
SECONDARY/GP						
MANGANESE	01055	036	2009/07/17	.000	2012/07	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/07/17	1.000	2012/07	DUE
PH, LABORATORY	00403	036	2009/07/17	7.900	2012/07	DUE
SILVER	01077	036	2009/07/17	.000	2012/07	DUE
SODIUM	00929	036	2009/07/17	8.700	2012/07	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/07/17	480.000	2012/07	DUE
SULFATE	00945	036	2009/07/17	38.000	2012/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/07/17	290.000	2012/07	DUE
TURBIDITY, LABORATORY	82079	036	2009/07/17	.400	2012/07	DUE
ZINC	01092	036	2009/07/17	58.000	2012/07	DUE
PS Code: 3610117-008						
Source Name: LETHAN NO 3						
Source Number: 008						
Source Status: ACTIVE UNTREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610117-009						
Source Name: LITTLE KIMBARK NO 3						
Source Number: 009						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610117-010						
Source Name: LITTLE KIMBARK NO 2						
Source Number: 010						
Source Status: ACTIVE RAW						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610117-011						
Source Name: LITTLE KIMBARK COMPOSITE (1-3)						
Source Number: 011						
Source Status: COMBINATION OR BLEND RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2012/03/15	< .000	2015/03	
ANTIMONY	01097	036	2012/03/15	< .000	2015/03	
ARSENIC	01002	036	2012/03/15	< .000	2015/03	
BARIUM	01007	036	2012/03/15	< .000	2015/03	
BERYLLIUM	01012	036	2012/03/15	< .000	2015/03	
CADMIUM	01027	036	2012/03/15	< .000	2015/03	
CHROMIUM (TOTAL)	01034	036	2012/03/15	< .000	2015/03	
CHROMIUM, HEXAVALENT	01032	036	2004/12/15	. .000	2007/12	DUE
CYANIDE	01291	036	2012/03/15	< .000	2015/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/15	. .220	2015/03	
MERCURY	71900	036	2012/03/15	< .000	2015/03	
NICKEL	01067	036	2012/03/15	< .000	2015/03	
PERCHLORATE	A-031	036	2012/03/15	< .000	2015/03	
SELENIUM	01147	036	2012/03/15	< .000	2015/03	
THALLIUM	01059	036	2012/03/15	< .000	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/01/16	< .000	2015/01	
NITRITE (AS N)	00620	036	2012/03/15	< .000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	072	2013/10/15	. 7.000	2019/10	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-011***

Source Name: ***LITTLE KIMBARK COMPOSITE (1-3)***

Source Number: ***011***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/15	< .000	2015/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/15	< .000	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/06/12	.000	2015/06
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/06/12	.000	2015/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/06/12	.000	2015/06
1,1,2-TRICHLOROETHANE	34511	072	2009/06/12	.000	2015/06
1,1-DICHLOROETHANE	34496	072	2009/06/12	.000	2015/06
1,1-DICHLOROETHYLENE	34501	072	2009/06/12	.000	2015/06
1,2,4-TRICHLOROBENZENE	34551	072	2009/06/12	.000	2015/06
1,2-DICHLOROBENZENE	34536	072	2009/06/12	.000	2015/06
1,2-DICHLOROETHANE	34531	072	2009/06/12	.000	2015/06
1,2-DICHLOROPROPANE	34541	072	2009/06/12	.000	2015/06
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/06/12	.000	2015/06
1,4-DICHLOROBENZENE	34571	072	2009/06/12	.000	2015/06
BENZENE	34030	072	2009/06/12	.000	2015/06
CARBON TETRACHLORIDE	32102	072	2009/06/12	.000	2015/06
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/06/12	.000	2015/06
DICHLOROMETHANE	34423	072	2009/06/12	.000	2015/06
ETHYLBENZENE	34371	072	2009/06/12	.000	2015/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/06/12	.000	2015/06
MONOCHLOROBENZENE	34301	072	2009/06/12	.000	2015/06
STYRENE	77128	072	2009/06/12	.000	2015/06
TETRACHLOROETHYLENE	34475	072	2009/06/12	.000	2015/06
TOLUENE	34010	072	2009/06/12	.000	2015/06
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/06/12	.000	2015/06
TRICHLOROETHYLENE	39180	072	2009/06/12	.000	2015/06
TRICHLOROFLUOROMETHANE	34488	072	2009/06/12	.000	2015/06
VINYL CHLORIDE	39175	072	2009/06/12	.000	2015/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-011***

Source Name: ***LITTLE KIMBARK COMPOSITE (1-3)***

Source Number: ***011***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
XYLENES (TOTAL)	**81551**	**072**	2009/06/12		**.000**	2015/06
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2012/03/15	.	**290.000**	2015/03
CALCIUM	**00916**	**036**	2012/03/15	.	**70.000**	2015/03
CARBONATE ALKALINITY	**00445**	**036**	2012/03/15	<	**.000**	2015/03
CHLORIDE	**00940**	**036**	2012/03/15	.	**5.500**	2015/03
COLOR	**00081**	**036**	2012/03/15	<	**.000**	2015/03
COPPER	**01042**	**036**	2012/03/15	<	**.000**	2015/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/03/15	<	**.000**	2015/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/03/15	.	**270.000**	2015/03
HYDROXIDE ALKALINITY	**71830**	**036**	2012/03/15	<	**.000**	2015/03
IRON	**01045**	**036**	2012/03/15	<	**.000**	2015/03
MAGNESIUM	**00927**	**036**	2012/03/15	.	**23.000**	2015/03
MANGANESE	**01055**	**036**	2012/03/15	<	**.000**	2015/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/03/15		**1.000**	2015/03
PH, LABORATORY	**00403**	**036**	2012/03/15	.	**8.000**	2015/03
SILVER	**01077**	**036**	2012/03/15	<	**.000**	2015/03
SODIUM	**00929**	**036**	2012/03/15		**8.100**	2015/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/03/15	.	**520.000**	2015/03
SULFATE	**00945**	**036**	2012/03/15		**41.000**	2015/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/03/15	.	**330.000**	2015/03
TURBIDITY, LABORATORY	**82079**	**036**	2012/03/15	.	**.200**	2015/03
ZINC	**01092**	**036**	2012/03/15	<	**.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

PS Code: 3610117-012
Source Name: MIDDLEMAN FALLS NO 1
Source Number: 012
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610117-014
Source Name: WELL 02A
Source Number: 014
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/07/26	< .000	2015/07	
ANTIMONY	01097	036	2012/07/26	< .000	2015/07	
ARSENIC	01002	036	2012/07/26	< .000	2015/07	
BARIUM	01007	036	2012/07/26	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/26	< .000	2015/07	
CADMIUM	01027	036	2012/07/26	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/26	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2004/12/15	. .000	2007/12	DUE
CYANIDE	01291	036	2012/07/26	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/26	. .210	2015/07	
MERCURY	71900	036	2012/07/26	< .000	2015/07	
NICKEL	01067	036	2012/07/26	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/26	< .000	2015/07	
SELENIUM	01147	036	2012/07/26	< .000	2015/07	
THALLIUM	01059	036	2012/07/26	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2014/07/22	. 23.000	2014/10	
NITRITE (AS N)	00620	036	2012/07/26	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/07/26	< .000	2021/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-014***

Source Name: ***WELL 02A***

Source Number: ***014***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/07/26	**< .000**	2015/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/07/26	**< .000**	2015/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/02/20	**.000**	2015/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/02/20	**.000**	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/02/20	**.000**	2015/02
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/02/20	**.000**	2015/02
1,1-DICHLOROETHANE	**34496**	**072**	2009/02/20	**.000**	2015/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/02/20	**.000**	2015/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/02/20	**.000**	2015/02
1,2-DICHLOROBENZENE	**34536**	**072**	2009/02/20	**.000**	2015/02
1,2-DICHLOROETHANE	**34531**	**072**	2009/02/20	**.000**	2015/02
1,2-DICHLOROPROPANE	**34541**	**072**	2009/02/20	**.000**	2015/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/02/20	**.000**	2015/02
1,4-DICHLOROBENZENE	**34571**	**072**	2009/02/20	**.000**	2015/02
BENZENE	**34030**	**072**	2009/02/20	**.000**	2015/02
CARBON TETRACHLORIDE	**32102**	**072**	2009/02/20	**.000**	2015/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/02/20	**.000**	2015/02
DICHLOROMETHANE	**34423**	**072**	2009/02/20	**.000**	2015/02
ETHYLBENZENE	**34371**	**072**	2009/02/20	**.000**	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/02/20	**.000**	2015/02
MONOCHLOROBENZENE	**34301**	**072**	2009/02/20	**.000**	2015/02
STYRENE	**77128**	**072**	2009/02/20	**.000**	2015/02
TETRACHLOROETHYLENE	**34475**	**072**	2009/02/20	**.000**	2015/02
TOLUENE	**34010**	**072**	2009/02/20	**.000**	2015/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/02/20	**.000**	2015/02
TRICHLOROETHYLENE	**39180**	**072**	2009/02/20	**.000**	2015/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/02/20	**.000**	2015/02
VINYL CHLORIDE	**39175**	**072**	2009/02/20	**.000**	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

PS Code: ***3610117-014***
Source Name: ***WELL 02A***
Source Number: ***014***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
XYLENES (TOTAL)	**81551**	**072**	2009/02/20		**.000**	2015/02
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/26	.	**230.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/26	.	**67.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/26	<	**.000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/26	.	**13.000**	2015/07
COLOR	**00081**	**036**	2012/07/26	<	**.000**	2015/07
COPPER	**01042**	**036**	2012/07/26	<	**.000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/26	<	**.000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/26	.	**240.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/26	<	**.000**	2015/07
IRON	**01045**	**036**	2012/07/26	<	**.000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/26	.	**17.000**	2015/07
MANGANESE	**01055**	**036**	2012/07/26	<	**.000**	2015/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/07/26		**1.000**	2015/07
PH, LABORATORY	**00403**	**036**	2012/07/26	.	**7.600**	2015/07
SILVER	**01077**	**036**	2012/07/26	<	**.000**	2015/07
SODIUM	**00929**	**036**	2012/07/26		**12.000**	2015/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/07/26	.	**530.000**	2015/07
SULFATE	**00945**	**036**	2012/07/26		**33.000**	2015/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/07/26	.	**330.000**	2015/07
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/26	.	**.300**	2015/07
ZINC	**01092**	**036**	2012/07/26	<	**.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

PS Code: ***3610117-015***
Source Name: ***WELL 03***
Source Number: ***015***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/07/26	< .000	2015/07	
ANTIMONY	01097	036	2012/07/26	< .000	2015/07	
ARSENIC	01002	036	2012/07/26	< .000	2015/07	
BARIUM	01007	036	2012/07/26	< .000	2015/07	
BERYLLIUM	01012	036	2012/07/26	< .000	2015/07	
CADMIUM	01027	036	2012/07/26	< .000	2015/07	
CHROMIUM (TOTAL)	01034	036	2012/07/26	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2004/12/15	. 1.400	2007/12	DUE
CYANIDE	01291	036	2012/07/26	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/26	. .170	2015/07	
MERCURY	71900	036	2012/07/26	< .000	2015/07	
NICKEL	01067	036	2012/07/26	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/26	< .000	2015/07	
SELENIUM	01147	036	2012/07/26	< .000	2015/07	
THALLIUM	01059	036	2012/07/26	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2014/07/22	. 30.000	2014/10	
NITRITE (AS N)	00620	036	2012/07/26	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/10/25	. 4.000	2021/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/26	< .000	2015/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/26	< .000	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2006/07/11	.000	2012/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/07/11	.000	2012/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/07/11	.000	2012/07	DUE
1,1,2-TRICHLOROETHANE	34511	072	2006/07/11	.000	2012/07	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

PS Code: ***3610117-015***
Source Name: ***WELL 03***
Source Number: ***015***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2006/07/11		.000	2012/07	DUE
1,1-DICHLOROETHYLENE	34501	072	2006/07/11		.000	2012/07	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2006/07/11		.000	2012/07	DUE
1,2-DICHLOROBENZENE	34536	072	2006/07/11		.000	2012/07	DUE
1,2-DICHLOROETHANE	34531	072	2006/07/11		.000	2012/07	DUE
1,2-DICHLOROPROPANE	34541	072	2006/07/11		.000	2012/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/07/11		.000	2012/07	DUE
1,4-DICHLOROBENZENE	34571	072	2006/07/11		.000	2012/07	DUE
BENZENE	34030	072	2006/07/11		.000	2012/07	DUE
CARBON TETRACHLORIDE	32102	072	2006/07/11		.000	2012/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/07/11		.000	2012/07	DUE
DICHLOROMETHANE	34423	072	2006/07/11		.000	2012/07	DUE
ETHYLBENZENE	34371	072	2006/07/11		.000	2012/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/07/11		.000	2012/07	DUE
MONOCHLOROBENZENE	34301	072	2006/07/11		.000	2012/07	DUE
STYRENE	77128	072	2006/07/11		.000	2012/07	DUE
TETRACHLOROETHYLENE	34475	072	2006/07/11		.000	2012/07	DUE
TOLUENE	34010	072	2006/07/11		.000	2012/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/07/11		.000	2012/07	DUE
TRICHLOROETHYLENE	39180	072	2006/07/11		.000	2012/07	DUE
TRICHLOROFLUOROMETHANE	34488	072	2006/07/11		.000	2012/07	DUE
VINYL CHLORIDE	39175	072	2006/07/11		.000	2012/07	DUE
XYLENES (TOTAL)	81551	072	2006/07/11		.000	2012/07	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2012/07/26	.	210.000	2015/07	
CALCIUM	00916	036	2012/07/26	.	61.000	2015/07	
CARBONATE ALKALINITY	00445	036	2012/07/26	<	.000	2015/07	
CHLORIDE	00940	036	2012/07/26	.	12.000	2015/07	
COLOR	00081	036	2012/07/26	<	.000	2015/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

PS Code: 3610117-015
Source Name: WELL 03
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2012/07/26	< .000	2015/07
FOAMING AGENTS (MBAS)	38260	036	2012/07/26	< .000	2015/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/07/26	. 220.000	2015/07
HYDROXIDE ALKALINITY	71830	036	2012/07/26	< .000	2015/07
IRON	01045	036	2012/07/26	< .000	2015/07
MAGNESIUM	00927	036	2012/07/26	. 16.000	2015/07
MANGANESE	01055	036	2012/07/26	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/26	1.000	2015/07
PH, LABORATORY	00403	036	2012/07/26	. 7.700	2015/07
SILVER	01077	036	2012/07/26	< .000	2015/07
SODIUM	00929	036	2012/07/26	10.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/26	. 480.000	2015/07
SULFATE	00945	036	2012/07/26	27.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/26	. 300.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/26	. .300	2015/07
ZINC	01092	036	2012/07/26	< .000	2015/07

PS Code: 3610117-016
Source Name: WELL 04
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/07/26	< .000	2015/07
ANTIMONY	01097	036	2012/07/26	< .000	2015/07
ARSENIC	01002	036	2012/07/26	< .000	2015/07
BARIUM	01007	036	2012/07/26	< .000	2015/07
BERYLLIUM	01012	036	2012/07/26	< .000	2015/07
CADMIUM	01027	036	2012/07/26	< .000	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

PS Code: ***3610117-016***
Source Name: ***WELL 04***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/07/26	< .000	2015/07	
CHROMIUM, HEXAVALENT	01032	036	2004/12/22	. .000	2007/12	DUE
CYANIDE	01291	036	2012/07/26	< .000	2015/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/07/26	. 1.400	2015/07	
MERCURY	71900	036	2012/07/26	< .000	2015/07	
NICKEL	01067	036	2012/07/26	< .000	2015/07	
PERCHLORATE	A-031	036	2012/07/26	< .000	2015/07	
SELENIUM	01147	036	2012/07/26	< .000	2015/07	
THALLIUM	01059	036	2012/07/26	< .000	2015/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	003	2014/07/22	. 11.000	2014/10	
NITRITE (AS N)	00620	036	2012/07/26	< .000	2015/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2012/10/25	. 3.400	2021/10	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/07/26	< .000	2015/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/07/26	< .000	2015/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2010/07/29	< .000	2016/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2010/07/29	< .000	2016/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2010/07/29	< .000	2016/07	
1,1,2-TRICHLOROETHANE	34511	072	2010/07/29	< .000	2016/07	
1,1-DICHLOROETHANE	34496	072	2010/07/29	< .000	2016/07	
1,1-DICHLOROETHYLENE	34501	072	2010/07/29	< .000	2016/07	
1,2,4-TRICHLOROBENZENE	34551	072	2010/07/29	< .000	2016/07	
1,2-DICHLOROBENZENE	34536	072	2010/07/29	< .000	2016/07	
1,2-DICHLOROETHANE	34531	072	2010/07/29	< .000	2016/07	
1,2-DICHLOROPROPANE	34541	072	2010/07/29	< .000	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

PS Code: ***3610117-016***
Source Name: ***WELL 04***
Source Number: ***016***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/07/29	**< .000**	2016/07
1,4-DICHLOROBENZENE	**34571**	**072**	2010/07/29	**< .000**	2016/07
BENZENE	**34030**	**072**	2010/07/29	**< .000**	2016/07
CARBON TETRACHLORIDE	**32102**	**072**	2010/07/29	**< .000**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/07/29	**< .000**	2016/07
DICHLOROMETHANE	**34423**	**072**	2010/07/29	**< .000**	2016/07
ETHYLBENZENE	**34371**	**072**	2010/07/29	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/07/29	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**072**	2010/07/29	**< .000**	2016/07
STYRENE	**77128**	**072**	2010/07/29	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**072**	2010/07/29	**< .000**	2016/07
TOLUENE	**34010**	**072**	2010/07/29	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/07/29	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**072**	2010/07/29	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/07/29	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**072**	2010/07/29	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**072**	2010/07/29	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/07/26	**. 270.000**	2015/07
CALCIUM	**00916**	**036**	2012/07/26	**. 73.000**	2015/07
CARBONATE ALKALINITY	**00445**	**036**	2012/07/26	**< .000**	2015/07
CHLORIDE	**00940**	**036**	2012/07/26	**. 13.000**	2015/07
COLOR	**00081**	**036**	2012/07/26	**< .000**	2015/07
COPPER	**01042**	**036**	2012/07/26	**< .000**	2015/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/07/26	**< .000**	2015/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/07/26	**. 260.000**	2015/07
HYDROXIDE ALKALINITY	**71830**	**036**	2012/07/26	**< .000**	2015/07
IRON	**01045**	**036**	2012/07/26	**< .000**	2015/07
MAGNESIUM	**00927**	**036**	2012/07/26	**. 18.000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610117-016					
Source Name: WELL 04					
Source Number: 016					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2012/07/26	< .000	2015/07
ODOR THRESHOLD @ 60 C	00086	036	2012/07/26	1.000	2015/07
PH, LABORATORY	00403	036	2012/07/26	. 7.700	2015/07
SILVER	01077	036	2012/07/26	< .000	2015/07
SODIUM	00929	036	2012/07/26	25.000	2015/07
SPECIFIC CONDUCTANCE	00095	036	2012/07/26	. 610.000	2015/07
SULFATE	00945	036	2012/07/26	71.000	2015/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/07/26	. 390.000	2015/07
TURBIDITY, LABORATORY	82079	036	2012/07/26	. .200	2015/07
ZINC	01092	036	2012/07/26	< .000	2015/07
PS Code: 3610117-017					
Source Name: MIDDLEMAN FALLS NO 2					
Source Number: 017					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-018					
Source Name: LETHAN NO 2					
Source Number: 018					
Source Status: ACTIVE UNTREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

PS Code: 3610117-019
Source Name: LITTLE KIMBARK NO 1
Source Number: 019
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

PS Code: 3610117-020
Source Name: MIDDLEMAN FALLS COMPOSITE (1-2)
Source Number: 020
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/04/26	< .000	2015/04	
ANTIMONY	01097	036	2012/04/26	< .000	2015/04	
ARSENIC	01002	036	2012/04/26	. 10.000	2015/04	
BARIUM	01007	036	2012/04/26	< .000	2015/04	
BERYLLIUM	01012	036	2012/04/26	< .000	2015/04	
CADMIUM	01027	036	2012/04/26	< .000	2015/04	
CHROMIUM (TOTAL)	01034	036	2012/04/26	< .000	2015/04	
CHROMIUM, HEXAVALENT	01032	036	2004/12/15	. .000	2007/12	DUE
CYANIDE	01291	036	2012/04/26	< .000	2015/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/04/26	. .460	2015/04	
MERCURY	71900	036	2012/04/26	< .000	2015/04	
NICKEL	01067	036	2012/04/26	< .000	2015/04	
PERCHLORATE	A-031	036	2012/04/26	< .000	2015/04	
SELENIUM	01147	036	2012/04/26	< .000	2015/04	
THALLIUM	01059	036	2012/04/26	< .000	2015/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/16	< .000	2015/04	
NITRITE (AS N)	00620	036	2012/04/26	< .000	2015/04	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2014/07/22	. 4.200	2023/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-020***

Source Name: ***MIDDLEMAN FALLS COMPOSITE (1-2)***

Source Number: ***020***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/04/26	< .000	2015/04
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/04/26	< .000	2015/04
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/01/30	.000	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/01/30	.000	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/01/30	.000	2015/01
1,1,2-TRICHLOROETHANE	34511	072	2009/01/30	.000	2015/01
1,1-DICHLOROETHANE	34496	072	2009/01/30	.000	2015/01
1,1-DICHLOROETHYLENE	34501	072	2009/01/30	.000	2015/01
1,2,4-TRICHLOROBENZENE	34551	072	2009/01/30	.000	2015/01
1,2-DICHLOROBENZENE	34536	072	2009/01/30	.000	2015/01
1,2-DICHLOROETHANE	34531	072	2009/01/30	.000	2015/01
1,2-DICHLOROPROPANE	34541	072	2009/01/30	.000	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/01/30	.000	2015/01
1,4-DICHLOROBENZENE	34571	072	2009/01/30	.000	2015/01
BENZENE	34030	072	2009/01/30	.000	2015/01
CARBON TETRACHLORIDE	32102	072	2009/01/30	.000	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/01/30	.000	2015/01
DICHLOROMETHANE	34423	072	2009/01/30	.000	2015/01
ETHYLBENZENE	34371	072	2009/01/30	.000	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/01/30	.000	2015/01
MONOCHLOROBENZENE	34301	072	2009/01/30	.000	2015/01
STYRENE	77128	072	2009/01/30	.000	2015/01
TETRACHLOROETHYLENE	34475	072	2009/01/30	.000	2015/01
TOLUENE	34010	072	2009/01/30	.000	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/01/30	.000	2015/01
TRICHLOROETHYLENE	39180	072	2009/01/30	.000	2015/01
TRICHLOROFLUOROMETHANE	34488	072	2009/01/30	.000	2015/01
VINYL CHLORIDE	39175	072	2009/01/30	.000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***

System Name: ***DEVORE WC***

PS Code: ***3610117-020***

Source Name: ***MIDDLEMAN FALLS COMPOSITE (1-2)***

Source Number: ***020***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
XYLENES (TOTAL)	**81551**	**072**	2009/01/30		**.000**	2015/01
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2012/04/26	.	**150.000**	2015/04
CALCIUM	**00916**	**036**	2012/04/26	.	**61.000**	2015/04
CARBONATE ALKALINITY	**00445**	**036**	2012/04/26	<	**.000**	2015/04
CHLORIDE	**00940**	**036**	2012/04/26	.	**5.500**	2015/04
COLOR	**00081**	**036**	2012/04/26	<	**.000**	2015/04
COPPER	**01042**	**036**	2012/04/26	<	**.000**	2015/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/04/26	<	**.000**	2015/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/04/26	.	**190.000**	2015/04
HYDROXIDE ALKALINITY	**71830**	**036**	2012/04/26	<	**.000**	2015/04
IRON	**01045**	**036**	2012/04/26		**1600.000**	2015/04
MAGNESIUM	**00927**	**036**	2012/04/26	.	**12.000**	2015/04
MANGANESE	**01055**	**036**	2012/04/26	<	**.000**	2015/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/04/26		**1.000**	2015/04
PH, LABORATORY	**00403**	**036**	2012/04/26	.	**7.600**	2015/04
SILVER	**01077**	**036**	2012/04/26	<	**.000**	2015/04
SODIUM	**00929**	**036**	2012/04/26		**9.200**	2015/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/04/26	.	**420.000**	2015/04
SULFATE	**00945**	**036**	2012/04/26		**85.000**	2015/04
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/04/26	.	**270.000**	2015/04
TURBIDITY, LABORATORY	**82079**	**036**	2012/07/10	.	**.600**	2015/07
ZINC	**01092**	**036**	2012/04/26	.	**50.000**	2015/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610117-021***					
Source Name: ***BIG KIMBARK 6***					
Source Number: ***021***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610117-601***					
Source Name: ***DBP2-CDF 18365 CAJON BLVD***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/17	**< .000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/17	**< .000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/17	**< .000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/17	**< .000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/17	**< .000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/17	**< .000**	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/17	**< .000**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/17	**< .000**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/17	**< .000**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/17	**< .000**	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/17	**< .000**	2015/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610117***
System Name: ***DEVORE WC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610117-602***					
Source Name: ***DBP2-DWC 18185 KENWOOD AVE***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**012**	2014/07/17	**< .000**	2015/07
DICHLOROACETIC ACID (DCAA)	**77288**	**012**	2014/07/17	**< .000**	2015/07
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**012**	2014/07/17	**< .000**	2015/07
MONOBROMOACETIC ACID (MBAA)	**A-041**	**012**	2014/07/17	**< .000**	2015/07
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**012**	2014/07/17	**< .000**	2015/07
TRICHLOROACETIC ACID (TCAA)	**82723**	**012**	2014/07/17	**< .000**	2015/07
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**012**	2014/07/17	**< .000**	2015/07
BROMOFORM (THM)	**32104**	**012**	2014/07/17	**< .000**	2015/07
CHLOROFORM (THM)	**32106**	**012**	2014/07/17	**< .000**	2015/07
DIBROMOCHLOROMETHANE (THM)	**32105**	**012**	2014/07/17	**< .000**	2015/07
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**012**	2014/07/17	**< .000**	2015/07
PS Code: ***3610117-800***					
Source Name: ***BIG KIMBARK COMPOSITE CL2***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610117
System Name: DEVORE WC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610117-801 **Source Name:** WELL 04 - TREATED (CL2) **Source Number:** 801 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-802 **Source Name:** LITTLE KIMBARK COMPOSITE CL2 **Source Number:** 802 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-803 **Source Name:** WELL 03 - TREATED (CL2) **Source Number:** 803 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610117-804 **Source Name:** WELL 02A - TREATED (CL2) **Source Number:** 804 **Source Status:** ACTIVE TREATED **Water type:** G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

PS Code: 3610118-004
Source Name: MARINE WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/05/22	< .000	2015/05
ANTIMONY	01097	036	2012/05/22	< .000	2015/05
ARSENIC	01002	036	2012/05/22	< .000	2015/05
BARIUM	01007	036	2012/05/22	< .000	2015/05
BERYLLIUM	01012	036	2012/05/22	< .000	2015/05
CADMIUM	01027	036	2012/05/22	< .000	2015/05
CHROMIUM (TOTAL)	01034	036	2012/05/22	< .000	2015/05
CHROMIUM, HEXAVALENT	01032	036	2013/06/06	. 6.800	2016/06
CYANIDE	01291	036	2012/05/22	< .000	2015/05
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/22	. .620	2015/05
MERCURY	71900	036	2012/05/22	< .000	2015/05
NICKEL	01067	036	2012/05/22	< .000	2015/05
PERCHLORATE	A-031	036	2013/06/06	< 4.000	2016/06
SELENIUM	01147	036	2012/05/22	< .000	2015/05
THALLIUM	01059	036	2012/05/22	< .000	2015/05
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/02/10	. 8.800	2015/02
NITRITE (AS N)	00620	036	2012/05/22	< .000	2015/05
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/06/06	. 12.900	2016/06
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/22	< .000	2015/05
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/22	< .000	2015/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2013/06/06	< .500	2016/06
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/06/06	< .500	2016/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/06/06	< 10.000	2016/06
1,1,2-TRICHLOROETHANE	34511	036	2013/06/06	< .500	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

PS Code: 3610118-004
Source Name: MARINE WELL 01
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHANE	34496	036	2013/06/06	< .500	2016/06	
1,1-DICHLOROETHYLENE	34501	036	2013/06/06	< .500	2016/06	
1,2,4-TRICHLOROBENZENE	34551	036	2013/06/06	< .500	2016/06	
1,2-DICHLOROBENZENE	34536	036	2013/06/06	< .500	2016/06	
1,2-DICHLOROETHANE	34531	036	2013/06/06	< .500	2016/06	
1,2-DICHLOROPROPANE	34541	036	2013/06/06	< .500	2016/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/06/06	< .500	2016/06	
1,4-DICHLOROBENZENE	34571	036	2013/06/06	< .500	2016/06	
BENZENE	34030	036	2013/06/06	< .500	2016/06	
CARBON TETRACHLORIDE	32102	036	2013/06/06	< .500	2016/06	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/06/06	< .500	2016/06	
DICHLOROMETHANE	34423	036	2013/06/06	< .500	2016/06	
ETHYLBENZENE	34371	036	2013/06/06	< .500	2016/06	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/06/06	< 3.000	2016/06	
MONOCHLOROBENZENE	34301	036	2013/06/06	< .500	2016/06	
STYRENE	77128	036	2013/06/06	< .500	2016/06	
TETRACHLOROETHYLENE	34475	036	2013/06/06	< .500	2016/06	
TOLUENE	34010	036	2013/06/06	< .500	2016/06	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/06/06	< .500	2016/06	
TRICHLOROETHYLENE	39180	036	2013/06/06	< .500	2016/06	
TRICHLOROFLUOROMETHANE	34488	036	2013/06/06	< 5.000	2016/06	
VINYL CHLORIDE	39175	036	2013/06/06	< .500	2016/06	
XYLENES (TOTAL)	81551	036	2013/06/06	< .500	2016/06	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/05/22	. 180.000	2015/05	
CALCIUM	00916	036	2012/05/22	. 39.000	2015/05	
CARBONATE ALKALINITY	00445	036	2012/05/22	< .000	2015/05	
CHLORIDE	00940	036	2012/05/22	. 20.000	2015/05	
COLOR	00081	036	**2007/05/30**	< 1.000	**2010/05**	**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610118***

System Name: ***YERMO WATER CO***

PS Code: ***3610118-004***

Source Name: ***MARINE WELL 01***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2012/05/22	< .000	2015/05	
FOAMING AGENTS (MBAS)	38260	036	2012/05/22	< .000	2015/05	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/22	. 130.000	2015/05	
HYDROXIDE ALKALINITY	71830	036	2012/05/22	< .000	2015/05	
IRON	01045	036	2012/05/22	< .000	2015/05	
MAGNESIUM	00927	036	2012/05/22	. 8.300	2015/05	
MANGANESE	01055	036	2012/05/22	< .000	2015/05	
ODOR THRESHOLD @ 60 C	00086	036	**2007/05/30**	.000	**2010/05**	**DUE**
PH, LABORATORY	00403	036	2012/05/22	. 7.900	2015/05	
SILVER	01077	036	2012/05/22	< .000	2015/05	
SODIUM	00929	036	2012/05/22	36.000	2015/05	
SPECIFIC CONDUCTANCE	00095	036	2012/05/22	. 440.000	2015/05	
SULFATE	00945	036	2012/05/22	24.000	2015/05	
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/22	. 250.000	2015/05	
TURBIDITY, LABORATORY	82079	036	**2007/05/30**	< .100	**2010/05**	**DUE**
ZINC	01092	036	2012/05/22	< .000	2015/05	

PS Code: ***3610118-005***

Source Name: ***MARINE WELL 02***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2012/05/22	< .000	2015/05	
ANTIMONY	01097	036	2012/05/22	< .000	2015/05	
ARSENIC	01002	036	2012/05/22	< .000	2015/05	
BARIUM	01007	036	2012/05/22	< .000	2015/05	
BERYLLIUM	01012	036	2012/05/22	< .000	2015/05	
CADMIUM	01027	036	2012/05/22	< .000	2015/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610118***

System Name: ***YERMO WATER CO***

PS Code: ***3610118-005***

Source Name: ***MARINE WELL 02***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2012/05/22	< .000	2015/05	
CHROMIUM, HEXAVALENT	01032	036	2001/08/01	. 7.760	2004/08	DUE
CYANIDE	01291	036	2012/05/22	< .000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/22	. .460	2015/05	
MERCURY	71900	036	2012/05/22	< .000	2015/05	
NICKEL	01067	036	2012/05/22	< .000	2015/05	
PERCHLORATE	A-031	036	2012/11/19	< .000	2015/11	
SELENIUM	01147	036	2012/05/22	< .000	2015/05	
THALLIUM	01059	036	2012/05/22	< .000	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2012/05/22	. 4.600	2013/05	DUE
NITRITE (AS N)	00620	036	2012/05/22	< .000	2015/05	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2009/06/09	13.000	2012/06	DUE
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/22	< .000	2015/05	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/22	< .000	2015/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2009/06/09	.000	2012/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2009/06/09	.000	2012/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2009/06/09	.000	2012/06	DUE
1,1,2-TRICHLOROETHANE	34511	036	2009/06/09	.000	2012/06	DUE
1,1-DICHLOROETHANE	34496	036	2009/06/09	.000	2012/06	DUE
1,1-DICHLOROETHYLENE	34501	036	2009/06/09	.000	2012/06	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2009/06/09	.000	2012/06	DUE
1,2-DICHLOROBENZENE	34536	036	2009/06/09	.000	2012/06	DUE
1,2-DICHLOROETHANE	34531	036	2009/06/09	.000	2012/06	DUE
1,2-DICHLOROPROPANE	34541	036	2009/06/09	.000	2012/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610118***

System Name: ***YERMO WATER CO***

PS Code: ***3610118-005***

Source Name: ***MARINE WELL 02***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2009/06/09		.000	2012/06	DUE
1,4-DICHLOROBENZENE	34571	036	2009/06/09		.000	2012/06	DUE
BENZENE	34030	036	2009/06/09		.000	2012/06	DUE
CARBON TETRACHLORIDE	32102	036	2009/06/09		.000	2012/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2009/06/09		.000	2012/06	DUE
DICHLOROMETHANE	34423	036	2009/06/09		.000	2012/06	DUE
ETHYLBENZENE	34371	036	2009/06/09		.000	2012/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/03/09	<	.000	2015/03	
MONOCHLOROBENZENE	34301	036	2009/06/09		.000	2012/06	DUE
STYRENE	77128	036	2009/06/09		.000	2012/06	DUE
TETRACHLOROETHYLENE	34475	036	2009/06/09		.000	2012/06	DUE
TOLUENE	34010	036	2009/06/09		.000	2012/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2009/06/09		.000	2012/06	DUE
TRICHLOROETHYLENE	39180	036	2009/06/09		.000	2012/06	DUE
TRICHLOROFLUOROMETHANE	34488	036	2009/06/09		.000	2012/06	DUE
VINYL CHLORIDE	39175	036	2009/06/09		.000	2012/06	DUE
XYLENES (TOTAL)	81551	036	2009/06/09		.000	2012/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2012/05/22	.	140.000	2015/05	
CALCIUM	00916	036	2012/05/22	.	25.000	2015/05	
CARBONATE ALKALINITY	00445	036	2012/05/22	<	.000	2015/05	
CHLORIDE	00940	036	2012/05/22	.	9.300	2015/05	
COLOR	00081	036	2007/05/30	<	1.000	2010/05	DUE
COPPER	01042	036	2012/05/22	<	.000	2015/05	
FOAMING AGENTS (MBAS)	38260	036	2012/05/22	<	.000	2015/05	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/22	.	87.000	2015/05	
HYDROXIDE ALKALINITY	71830	036	2012/05/22	<	.000	2015/05	
IRON	01045	036	2012/05/22	<	.000	2015/05	
MAGNESIUM	00927	036	2012/05/22	.	5.400	2015/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610118-005						
Source Name: MARINE WELL 02						
Source Number: 005						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
MANGANESE	01055	036	2012/05/22	< .000	2015/05	
ODOR THRESHOLD @ 60 C	00086	036	2007/05/30	.000	2010/05	DUE
PH, LABORATORY	00403	036	2012/05/22	. 8.100	2015/05	
SILVER	01077	036	2012/05/22	< .000	2015/05	
SODIUM	00929	036	2012/05/22	22.000	2015/05	
SPECIFIC CONDUCTANCE	00095	036	2012/05/22	. 270.000	2015/05	
SULFATE	00945	036	2012/05/22	11.000	2015/05	
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/22	. 160.000	2015/05	
TURBIDITY, LABORATORY	82079	036	2007/05/30	< .100	2010/05	DUE
ZINC	01092	036	2012/05/22	< .000	2015/05	
PS Code: 3610118-008T						
Source Name: MARINE WELL 02 - TREATED						
Source Number: 008						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610118-009T						
Source Name: HEL BRO WELL 01 - TREATED						
Source Number: 009						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610118***

System Name: ***YERMO WATER CO***

PS Code: ***3610118-010***

Source Name: ***HEL BRO WELL 4***

Source Number: ***010***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2012/05/22	**< .000**	2015/05	
ANTIMONY	**01097**	**036**	2012/05/22	**< .000**	2015/05	
ARSENIC	**01002**	**036**	2012/05/22	**< .000**	2015/05	
BARIUM	**01007**	**036**	2012/05/22	**< .000**	2015/05	
BERYLLIUM	**01012**	**036**	2012/05/22	**< .000**	2015/05	
CADMIUM	**01027**	**036**	2012/05/22	**< .000**	2015/05	
CHROMIUM (TOTAL)	**01034**	**036**	2012/05/22	**< .000**	2015/05	
CHROMIUM, HEXAVALENT	**01032**	**036**	2013/06/06	**. 5.600**	2016/06	
CYANIDE	**01291**	**036**	2012/05/22	**< .000**	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/05/22	**. .770**	2015/05	
MERCURY	**71900**	**036**	2012/05/22	**< .000**	2015/05	
NICKEL	**01067**	**036**	2012/05/22	**< .000**	2015/05	
PERCHLORATE	**A-031**	**036**	2013/06/06	**< 4.000**	2016/06	
SELENIUM	**01147**	**036**	2012/05/22	**< .000**	2015/05	
THALLIUM	**01059**	**036**	2012/05/22	**< .000**	2015/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/02/10	**< .000**	2015/02	
NITRITE (AS N)	**00620**	**036**	2012/05/22	**< .000**	2015/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2013/06/06	**. 9.720**	2016/06	
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	**34676**	**000**				**DUE**
2,4,5-TP (SILVEX)	**39045**	**000**				**DUE**
2,4-D	**39730**	**000**				**DUE**
ALACHLOR	**77825**	**000**				**DUE**
ATRAZINE	**39033**	**000**				**DUE**
BENTAZON	**38710**	**000**				**DUE**
BENZO (A) PYRENE	**34247**	**000**				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

PS Code: 3610118-010
Source Name: HEL BRO WELL 4
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/05/22	< .000	2015/05	
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/05/22	< .000	2015/05	
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/06/06	< .500	2016/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/06/06	< .500	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

PS Code: 3610118-010
Source Name: HEL BRO WELL 4
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2013/06/06	< 10.000	2016/06
1,1,2-TRICHLOROETHANE	34511	036	2013/06/06	< .500	2016/06
1,1-DICHLOROETHANE	34496	036	2013/06/06	< .500	2016/06
1,1-DICHLOROETHYLENE	34501	036	2013/06/06	< .500	2016/06
1,2,4-TRICHLOROBENZENE	34551	036	2013/06/06	< .500	2016/06
1,2-DICHLOROBENZENE	34536	036	2013/06/06	< .500	2016/06
1,2-DICHLOROETHANE	34531	036	2013/06/06	< .500	2016/06
1,2-DICHLOROPROPANE	34541	036	2013/06/06	< .500	2016/06
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/06/06	< .500	2016/06
1,4-DICHLOROBENZENE	34571	036	2013/06/06	< .500	2016/06
BENZENE	34030	036	2013/06/06	< .500	2016/06
CARBON TETRACHLORIDE	32102	036	2013/06/06	< .500	2016/06
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/06/06	< .500	2016/06
DICHLOROMETHANE	34423	036	2013/06/06	< .500	2016/06
ETHYLBENZENE	34371	036	2013/06/06	< .500	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2013/06/06	< 3.000	2016/06
MONOCHLOROBENZENE	34301	036	2013/06/06	< .500	2016/06
STYRENE	77128	036	2013/06/06	< .500	2016/06
TETRACHLOROETHYLENE	34475	036	2013/06/06	< .500	2016/06
TOLUENE	34010	036	2013/06/06	< .500	2016/06
TRANS-1,2-DICHLOROETHYLENE	34546	036	2013/06/06	< .500	2016/06
TRICHLOROETHYLENE	39180	036	2013/06/06	< .500	2016/06
TRICHLOROFLUOROMETHANE	34488	036	2013/06/06	< 5.000	2016/06
VINYL CHLORIDE	39175	036	2013/06/06	< .500	2016/06
XYLENES (TOTAL)	81551	036	2013/06/06	< .500	2016/06
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/05/22	. 200.000	2015/05
CALCIUM	00916	036	2012/05/22	. 39.000	2015/05
CARBONATE ALKALINITY	00445	036	2012/05/22	< .000	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

PS Code: 3610118-010
Source Name: HEL BRO WELL 4
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
CHLORIDE	00940	036	2012/05/22	.	26.000	2015/05	
COLOR	00081	000					DUE
COPPER	01042	036	2012/05/22	<	.000	2015/05	
FOAMING AGENTS (MBAS)	38260	036	2012/05/22	<	.000	2015/05	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/05/22	.	150.000	2015/05	
HYDROXIDE ALKALINITY	71830	036	2012/05/22	<	.000	2015/05	
IRON	01045	036	2012/05/22	<	.000	2015/05	
MAGNESIUM	00927	036	2012/05/22	.	8.700	2015/05	
MANGANESE	01055	036	2012/05/22	<	.000	2015/05	
ODOR THRESHOLD @ 60 C	00086	000					DUE
PH, LABORATORY	00403	036	2012/05/22	.	8.000	2015/05	
SILVER	01077	036	2012/05/22	<	.000	2015/05	
SODIUM	00929	036	2012/05/22		45.000	2015/05	
SPECIFIC CONDUCTANCE	00095	036	2012/05/22	.	500.000	2015/05	
SULFATE	00945	036	2012/05/22		35.000	2015/05	
TOTAL DISSOLVED SOLIDS	70300	036	2012/05/22	.	280.000	2015/05	
TURBIDITY, LABORATORY	82079	000					DUE
ZINC	01092	036	2012/05/22	<	.000	2015/05	

PS Code: 3610118-601
Source Name: DBP2-35811 FRONTIER
Source Number: 601
Source Status: DISTRIBUTION TREATED
Water type: G

HALOACETIC ACIDS							
DIBROMOACETIC ACID (DBAA)	82721	000					DUE
DICHLOROACETIC ACID (DCAA)	77288	000					DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000					DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000					DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610118-601						
Source Name: DBP2-35811 FRONTIER						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610118-602						
Source Name: DBP2-36045 SKYVIEW						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610118
System Name: YERMO WATER CO

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610118-602						
Source Name: DBP2-36045 SKYVIEW						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610118-800						
Source Name: HEL BRO WELL 4 - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610118-801						
Source Name: MARINE WELL 01 - TREATED (CL2)						
Source Number: 801						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610118-802						
Source Name: MARINE WELL 03 - TREATED (CL2)						
Source Number: 802						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/02/09	< .000	2015/02	
ANTIMONY	01097	036	2012/02/09	< .000	2015/02	
ARSENIC	01002	036	2012/02/09	< .000	2015/02	
BARIUM	01007	036	2012/02/09	< .000	2015/02	
BERYLLIUM	01012	036	2012/02/09	< .000	2015/02	
CADMIUM	01027	036	2012/02/09	< .000	2015/02	
CHROMIUM (TOTAL)	01034	036	2012/02/09	< .000	2015/02	
CHROMIUM, HEXAVALENT	01032	036	2003/07/24	. 2.800	2006/07	DUE
CYANIDE	01291	036	2012/02/09	< .000	2015/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/09	. .270	2015/02	
MERCURY	71900	036	2012/02/09	< .000	2015/02	
NICKEL	01067	036	2012/02/09	< .000	2015/02	
PERCHLORATE	A-031	036	2012/02/09	< .000	2015/02	
SELENIUM	01147	036	2012/02/09	< .000	2015/02	
THALLIUM	01059	036	2012/02/09	< .000	2015/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/17	. 3.400	2015/04	
NITRITE (AS N)	00620	036	2012/02/09	< .000	2015/02	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2013/09/24	< .000	2022/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/14	< .000	2015/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/14	< .000	2015/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/02/26	.000	2015/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/02/26	.000	2015/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/02/26	.000	2015/02	
1,1,2-TRICHLOROETHANE	34511	072	2009/02/26	.000	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2009/02/26	**.000**	2015/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/02/26	**.000**	2015/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/02/26	**.000**	2015/02
1,2-DICHLOROBENZENE	**34536**	**072**	2009/02/26	**.000**	2015/02
1,2-DICHLOROETHANE	**34531**	**072**	2009/02/26	**.000**	2015/02
1,2-DICHLOROPROPANE	**34541**	**072**	2009/02/26	**.000**	2015/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/02/26	**.000**	2015/02
1,4-DICHLOROBENZENE	**34571**	**072**	2009/02/26	**.000**	2015/02
BENZENE	**34030**	**072**	2009/02/26	**.000**	2015/02
CARBON TETRACHLORIDE	**32102**	**072**	2009/02/26	**.000**	2015/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/02/26	**.000**	2015/02
DICHLOROMETHANE	**34423**	**072**	2009/02/26	**.000**	2015/02
ETHYLBENZENE	**34371**	**072**	2009/02/26	**.000**	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/02/26	**.000**	2015/02
MONOCHLOROBENZENE	**34301**	**072**	2009/02/26	**.000**	2015/02
STYRENE	**77128**	**072**	2009/02/26	**.000**	2015/02
TETRACHLOROETHYLENE	**34475**	**072**	2009/02/26	**.000**	2015/02
TOLUENE	**34010**	**072**	2009/02/26	**.000**	2015/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/02/26	**.000**	2015/02
TRICHLOROETHYLENE	**39180**	**072**	2009/02/26	**.000**	2015/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/02/26	**.000**	2015/02
VINYL CHLORIDE	**39175**	**072**	2009/02/26	**.000**	2015/02
XYLENES (TOTAL)	**81551**	**072**	2009/02/26	**.000**	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2011/12/20	**. 78.000**	2014/12
CALCIUM	**00916**	**036**	2011/12/20	**. 31.000**	2014/12
CARBONATE ALKALINITY	**00445**	**036**	2011/12/20	**< .000**	2014/12
CHLORIDE	**00940**	**036**	2011/12/20	**. 3.800**	2014/12
COLOR	**00081**	**036**	2011/12/20	**< .000**	2014/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2011/12/20	< .000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2011/12/20	< .000	2014/12
HARDNESS (TOTAL) AS CACO3	00900	036	2011/12/20	. 88.000	2014/12
HYDROXIDE ALKALINITY	71830	036	2011/12/20	< .000	2014/12
IRON	01045	036	2011/12/20	< .000	2014/12
MAGNESIUM	00927	036	2011/12/20	. 4.200	2014/12
MANGANESE	01055	036	2011/12/20	< .000	2014/12
ODOR THRESHOLD @ 60 C	00086	036	2011/12/20	1.000	2014/12
PH, LABORATORY	00403	036	2011/12/20	. 8.200	2014/12
SILVER	01077	036	2012/02/09	< .000	2015/02
SODIUM	00929	036	2011/12/20	71.000	2014/12
SPECIFIC CONDUCTANCE	00095	036	2011/12/20	. 510.000	2014/12
SULFATE	00945	036	2011/12/20	170.000	2014/12
TOTAL DISSOLVED SOLIDS	70300	036	2011/12/20	. 340.000	2014/12
TURBIDITY, LABORATORY	82079	036	2011/12/20	. .200	2014/12
ZINC	01092	036	2011/12/20	< .000	2014/12

PS Code: 3610120-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/07/08	< .000	2016/07
ANTIMONY	01097	036	2013/07/08	< .000	2016/07
ARSENIC	01002	036	2013/07/08	. 3.400	2016/07
BARIUM	01007	036	2013/07/08	< .000	2016/07
BERYLLIUM	01012	036	2013/07/08	< .000	2016/07
CADMIUM	01027	036	2013/07/08	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/07/08	< .000	2016/07	
CHROMIUM, HEXAVALENT	01032	036	2003/07/24	. 1.100	2006/07	DUE
CYANIDE	01291	036	2013/07/08	< .000	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .330	2016/07	
MERCURY	71900	036	2013/07/08	< .000	2016/07	
NICKEL	01067	036	2013/07/08	< .000	2016/07	
PERCHLORATE	A-031	036	2013/07/08	< .000	2016/07	
SELENIUM	01147	036	2013/07/08	< .000	2016/07	
THALLIUM	01059	036	2013/07/08	< .000	2016/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/02	. 2.800	2015/07	
NITRITE (AS N)	00620	036	2013/07/08	< .000	2016/07	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/17	< .000	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/07/08	< .000	2016/07	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/07/08	< .000	2016/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/04/20	< .000	2017/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/04/20	< .000	2017/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/04/20	< .000	2017/04	
1,1,2-TRICHLOROETHANE	34511	072	2011/04/20	< .000	2017/04	
1,1-DICHLOROETHANE	34496	072	2011/04/20	< .000	2017/04	
1,1-DICHLOROETHYLENE	34501	072	2011/04/20	< .000	2017/04	
1,2,4-TRICHLOROBENZENE	34551	072	2011/04/20	< .000	2017/04	
1,2-DICHLOROBENZENE	34536	072	2011/04/20	< .000	2017/04	
1,2-DICHLOROETHANE	34531	072	2011/04/20	< .000	2017/04	
1,2-DICHLOROPROPANE	34541	072	2011/04/20	< .000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/04/20	< .000	2017/04
1,4-DICHLOROBENZENE	34571	072	2011/04/20	< .000	2017/04
BENZENE	34030	072	2011/04/20	< .000	2017/04
CARBON TETRACHLORIDE	32102	072	2011/04/20	< .000	2017/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/04/20	< .000	2017/04
DICHLOROMETHANE	34423	072	2011/04/20	< .000	2017/04
ETHYLBENZENE	34371	072	2011/04/20	< .000	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/04/20	< .000	2017/04
MONOCHLOROBENZENE	34301	072	2011/04/20	< .000	2017/04
STYRENE	77128	072	2011/04/20	< .000	2017/04
TETRACHLOROETHYLENE	34475	072	2011/04/20	< .000	2017/04
TOLUENE	34010	072	2011/04/20	< .000	2017/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/04/20	< .000	2017/04
TRICHLOROETHYLENE	39180	072	2011/04/20	< .000	2017/04
TRICHLOROFLUOROMETHANE	34488	072	2011/04/20	< .000	2017/04
VINYL CHLORIDE	39175	072	2011/04/20	< .000	2017/04
XYLENES (TOTAL)	81551	072	2011/04/20	< .000	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/08	. 67.000	2016/07
CALCIUM	00916	036	2013/07/08	. 11.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/08	8.200	2016/07
CHLORIDE	00940	036	2013/07/08	. 4.400	2016/07
COLOR	00081	036	2013/07/08	< .000	2016/07
COPPER	01042	036	2013/07/08	< .000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/08	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/08	. 33.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/08	< .000	2016/07
IRON	01045	036	2013/07/08	< .000	2016/07
MAGNESIUM	00927	036	2013/07/08	. 1.200	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-005
Source Name: WELL 05
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2013/07/08	< .000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/08	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/08	. 8.700	2016/07
SILVER	01077	036	2013/07/08	< .000	2016/07
SODIUM	00929	036	2013/07/08	75.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/08	. 450.000	2016/07
SULFATE	00945	036	2013/07/08	130.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/08	. 280.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/08	. .100	2016/07
ZINC	01092	036	2013/07/08	< .000	2016/07

PS Code: 3610120-006
Source Name: WELL 06A
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2013/04/17	< .000	2016/04
ANTIMONY	01097	036	2013/04/17	< .000	2016/04
ARSENIC	01002	036	2013/04/17	< .000	2016/04
BARIUM	01007	036	2013/04/17	< .000	2016/04
BERYLLIUM	01012	036	2013/04/17	< .000	2016/04
CADMIUM	01027	036	2013/04/17	< .000	2016/04
CHROMIUM (TOTAL)	01034	036	2014/01/28	14.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/01/28	. 13.000	2017/01
CYANIDE	01291	036	2013/04/17	< .000	2016/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/17	. .230	2016/04
MERCURY	71900	036	2013/04/17	< .000	2016/04
NICKEL	01067	036	2013/04/17	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-006***

Source Name: ***WELL 06A***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2013/04/17	**< .000**	2016/04
SELENIUM	**01147**	**036**	2013/04/17	**< .000**	2016/04
THALLIUM	**01059**	**036**	2013/04/17	**< .000**	2016/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/17	**. 2.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2013/04/17	**< .000**	2016/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/12/16	**. 3.000**	2016/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/14	**< .000**	2015/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/14	**< .000**	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/04/20	**< .000**	2017/04
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/04/20	**< .000**	2017/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/04/20	**< .000**	2017/04
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/04/20	**< .000**	2017/04
1,1-DICHLOROETHANE	**34496**	**072**	2011/04/20	**< .000**	2017/04
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/04/20	**< .000**	2017/04
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/04/20	**< .000**	2017/04
1,2-DICHLOROBENZENE	**34536**	**072**	2011/04/20	**< .000**	2017/04
1,2-DICHLOROETHANE	**34531**	**072**	2011/04/20	**< .000**	2017/04
1,2-DICHLOROPROPANE	**34541**	**072**	2011/04/20	**< .000**	2017/04
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/04/20	**< .000**	2017/04
1,4-DICHLOROBENZENE	**34571**	**072**	2011/04/20	**< .000**	2017/04
BENZENE	**34030**	**072**	2011/04/20	**< .000**	2017/04
CARBON TETRACHLORIDE	**32102**	**072**	2011/04/20	**< .000**	2017/04
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2011/04/20	**< .000**	2017/04
DICHLOROMETHANE	**34423**	**072**	2011/04/20	**< .000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-006***

Source Name: ***WELL 06A***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2011/04/20	**< .000**	2017/04
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/04/20	**< .000**	2017/04
MONOCHLOROBENZENE	**34301**	**072**	2011/04/20	**< .000**	2017/04
STYRENE	**77128**	**072**	2011/04/20	**< .000**	2017/04
TETRACHLOROETHYLENE	**34475**	**072**	2011/04/20	**< .000**	2017/04
TOLUENE	**34010**	**072**	2011/04/20	**< .000**	2017/04
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2011/04/20	**< .000**	2017/04
TRICHLOROETHYLENE	**39180**	**072**	2011/04/20	**< .000**	2017/04
TRICHLOROFLUOROMETHANE	**34488**	**072**	2011/04/20	**< .000**	2017/04
VINYL CHLORIDE	**39175**	**072**	2011/04/20	**< .000**	2017/04
XYLENES (TOTAL)	**81551**	**072**	2011/04/20	**< .000**	2017/04
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/04/17	**. 210.000**	2016/04
CALCIUM	**00916**	**036**	2013/04/17	**. 64.000**	2016/04
CARBONATE ALKALINITY	**00445**	**036**	2013/04/17	**< .000**	2016/04
CHLORIDE	**00940**	**036**	2013/04/17	**. 2.500**	2016/04
COLOR	**00081**	**036**	2013/04/17	**< .000**	2016/04
COPPER	**01042**	**036**	2013/04/17	**< .000**	2016/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/04/17	**< .000**	2016/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/04/17	**. 260.000**	2016/04
HYDROXIDE ALKALINITY	**71830**	**036**	2013/04/17	**< .000**	2016/04
IRON	**01045**	**036**	2013/04/17	**350.000**	2016/04
MAGNESIUM	**00927**	**036**	2013/04/17	**. 24.000**	2016/04
MANGANESE	**01055**	**036**	2013/04/17	**< .000**	2016/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/04/17	**1.000**	2016/04
PH, LABORATORY	**00403**	**036**	2013/04/17	**. 7.900**	2016/04
SILVER	**01077**	**036**	2013/04/17	**< .000**	2016/04
SODIUM	**00929**	**036**	2013/04/17	**28.000**	2016/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/04/17	**. 570.000**	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-006
Source Name: WELL 06A
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2013/04/17		130.000	2016/04	
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/17	.	380.000	2016/04	
TURBIDITY, LABORATORY	82079	036	2013/04/17	.	.200	2016/04	
ZINC	01092	036	2013/04/17	<	.000	2016/04	

PS Code: 3610120-007
Source Name: WELL 06B
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2014/06/18	<	.000	2017/06	
ANTIMONY	01097	036	2014/06/18	<	.000	2017/06	
ARSENIC	01002	036	2014/06/18	<	.000	2017/06	
BARIUM	01007	036	2014/06/18	<	.000	2017/06	
BERYLLIUM	01012	036	2014/06/18	<	.000	2017/06	
CADMIUM	01027	036	2014/06/18	<	.000	2017/06	
CHROMIUM (TOTAL)	01034	036	2014/06/18	<	.000	2017/06	
CHROMIUM, HEXAVALENT	01032	036	2003/07/25	.	7.500	2006/07	DUE
CYANIDE	01291	036	2014/06/18	<	.000	2017/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/06/18	.	.200	2017/06	
MERCURY	71900	036	2014/06/18	<	.000	2017/06	
NICKEL	01067	036	2014/06/18	<	.000	2017/06	
PERCHLORATE	A-031	036	2014/06/18	<	.000	2017/06	
SELENIUM	01147	036	2014/06/18	<	.000	2017/06	
THALLIUM	01059	036	2014/06/18	<	.000	2017/06	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/06/18	<	.000	2015/06	
NITRITE (AS N)	00620	036	2014/06/18	<	.000	2017/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-007***

Source Name: ***WELL 06B***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	**2010/09/29**	**< .000**	**2013/09**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/14	**< .000**	2015/03	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/14	**< .000**	2015/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/02/26	**.000**	2015/02	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/02/26	**.000**	2015/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/02/26	**.000**	2015/02	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/02/26	**.000**	2015/02	
1,1-DICHLOROETHANE	**34496**	**072**	2009/02/26	**.000**	2015/02	
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/02/26	**.000**	2015/02	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/02/26	**.000**	2015/02	
1,2-DICHLOROBENZENE	**34536**	**072**	2009/02/26	**.000**	2015/02	
1,2-DICHLOROETHANE	**34531**	**072**	2009/02/26	**.000**	2015/02	
1,2-DICHLOROPROPANE	**34541**	**072**	2009/02/26	**.000**	2015/02	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/02/26	**.000**	2015/02	
1,4-DICHLOROBENZENE	**34571**	**072**	2009/02/26	**.000**	2015/02	
BENZENE	**34030**	**072**	2009/02/26	**.000**	2015/02	
CARBON TETRACHLORIDE	**32102**	**072**	2009/02/26	**.000**	2015/02	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/02/26	**.000**	2015/02	
DICHLOROMETHANE	**34423**	**072**	2009/02/26	**.000**	2015/02	
ETHYLBENZENE	**34371**	**072**	2009/02/26	**.000**	2015/02	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/02/26	**.000**	2015/02	
MONOCHLOROBENZENE	**34301**	**072**	2009/02/26	**.000**	2015/02	
STYRENE	**77128**	**072**	2009/02/26	**.000**	2015/02	
TETRACHLOROETHYLENE	**34475**	**072**	2009/02/26	**.000**	2015/02	
TOLUENE	**34010**	**072**	2009/02/26	**.000**	2015/02	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/02/26	**.000**	2015/02	
TRICHLOROETHYLENE	**39180**	**072**	2009/02/26	**.000**	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-007***

Source Name: ***WELL 06B***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/02/26	**.000**	2015/02
VINYL CHLORIDE	**39175**	**072**	2009/02/26	**.000**	2015/02
XYLENES (TOTAL)	**81551**	**072**	2009/02/26	**.000**	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/06/18	**. 200.000**	2017/06
CALCIUM	**00916**	**036**	2014/06/18	**. 64.000**	2017/06
CARBONATE ALKALINITY	**00445**	**036**	2014/06/18	**< .000**	2017/06
CHLORIDE	**00940**	**036**	2014/06/18	**. 2.400**	2017/06
COLOR	**00081**	**036**	2014/06/18	**< .000**	2017/06
COPPER	**01042**	**036**	2014/06/18	**< .000**	2017/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/06/18	**< .000**	2017/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/06/18	**. 260.000**	2017/06
HYDROXIDE ALKALINITY	**71830**	**036**	2014/06/18	**< .000**	2017/06
IRON	**01045**	**036**	2014/06/18	**< .000**	2017/06
MAGNESIUM	**00927**	**036**	2014/06/18	**. 25.000**	2017/06
MANGANESE	**01055**	**036**	2014/06/18	**< .000**	2017/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/06/18	**. 1.000**	2017/06
PH, LABORATORY	**00403**	**036**	2014/06/18	**. 7.600**	2017/06
SILVER	**01077**	**036**	2014/06/18	**< .000**	2017/06
SODIUM	**00929**	**036**	2014/06/18	**. 27.000**	2017/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/06/18	**. 580.000**	2017/06
SULFATE	**00945**	**036**	2014/06/18	**. 140.000**	2017/06
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/06/18	**. 390.000**	2017/06
TURBIDITY, LABORATORY	**82079**	**036**	2014/06/18	**. .200**	2017/06
ZINC	**01092**	**036**	2014/06/18	**< .000**	2017/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-009
Source Name: WELL 09B
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/07/08	< .000	2016/07	
ANTIMONY	01097	036	2012/02/29	< .000	2015/02	
ARSENIC	01002	036	2012/02/29	< .000	2015/02	
BARIUM	01007	036	2012/02/29	< .000	2015/02	
BERYLLIUM	01012	036	2012/02/29	< .000	2015/02	
CADMIUM	01027	036	2012/02/29	< .000	2015/02	
CHROMIUM (TOTAL)	01034	036	2012/02/29	< .000	2015/02	
CHROMIUM, HEXAVALENT	01032	036	2003/07/29	. .000	2006/07	DUE
CYANIDE	01291	036	2012/02/29	< .000	2015/02	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .270	2016/07	
MERCURY	71900	036	2012/02/29	< .000	2015/02	
NICKEL	01067	036	2012/02/29	< .000	2015/02	
PERCHLORATE	A-031	036	2012/02/29	< .000	2015/02	
SELENIUM	01147	036	2012/02/29	< .000	2015/02	
THALLIUM	01059	036	2012/02/29	< .000	2015/02	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/07/08	. 2.100	2014/07	
NITRITE (AS N)	00620	036	2012/02/29	< .000	2015/02	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/04/17	. 3.000	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/11/19	< .000	2016/11	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/11/19	< .000	2016/11	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/02/26	.000	2015/02	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/02/26	.000	2015/02	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/02/26	.000	2015/02	
1,1,2-TRICHLOROETHANE	34511	072	2009/02/26	.000	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-009***

Source Name: ***WELL 09B***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2009/02/26	**.000**	2015/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/02/26	**.000**	2015/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/02/26	**.000**	2015/02
1,2-DICHLOROBENZENE	**34536**	**072**	2009/02/26	**.000**	2015/02
1,2-DICHLOROETHANE	**34531**	**072**	2009/02/26	**.000**	2015/02
1,2-DICHLOROPROPANE	**34541**	**072**	2009/02/26	**.000**	2015/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/02/26	**.000**	2015/02
1,4-DICHLOROBENZENE	**34571**	**072**	2009/02/26	**.000**	2015/02
BENZENE	**34030**	**072**	2009/02/26	**.000**	2015/02
CARBON TETRACHLORIDE	**32102**	**072**	2009/02/26	**.000**	2015/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/02/26	**.000**	2015/02
DICHLOROMETHANE	**34423**	**072**	2009/02/26	**.000**	2015/02
ETHYLBENZENE	**34371**	**072**	2009/02/26	**.000**	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/02/26	**.000**	2015/02
MONOCHLOROBENZENE	**34301**	**072**	2009/02/26	**.000**	2015/02
STYRENE	**77128**	**072**	2009/02/26	**.000**	2015/02
TETRACHLOROETHYLENE	**34475**	**072**	2009/02/26	**.000**	2015/02
TOLUENE	**34010**	**072**	2009/02/26	**.000**	2015/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/02/26	**.000**	2015/02
TRICHLOROETHYLENE	**39180**	**072**	2009/02/26	**.000**	2015/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/02/26	**.000**	2015/02
VINYL CHLORIDE	**39175**	**072**	2009/02/26	**.000**	2015/02
XYLENES (TOTAL)	**81551**	**072**	2009/02/26	**.000**	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/07/08	**. 110.000**	2016/07
CALCIUM	**00916**	**036**	2013/07/08	**. 36.000**	2016/07
CARBONATE ALKALINITY	**00445**	**036**	2013/07/08	**< .000**	2016/07
CHLORIDE	**00940**	**036**	2013/07/08	**. 3.000**	2016/07
COLOR	**00081**	**036**	2013/07/08	**< .000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-009
Source Name: WELL 09B
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/07/08	< .000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/08	< .000	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/08	. 120.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/08	< .000	2016/07
IRON	01045	036	2013/07/08	< .000	2016/07
MAGNESIUM	00927	036	2013/07/08	. 7.600	2016/07
MANGANESE	01055	036	2013/07/08	< .000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/08	1.000	2016/07
PH, LABORATORY	00403	036	2013/07/08	. 8.100	2016/07
SILVER	01077	036	2013/07/08	< .000	2016/07
SODIUM	00929	036	2013/07/08	61.000	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/08	. 520.000	2016/07
SULFATE	00945	036	2013/07/08	160.000	2016/07
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/08	. 350.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/08	< .000	2016/07
ZINC	01092	036	2013/07/08	< .000	2016/07

PS Code: 3610120-011
Source Name: WELL 10
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/04/17	< .000	2016/04
ANTIMONY	01097	036	2012/02/09	< .000	2015/02
ARSENIC	01002	036	2012/02/09	< .000	2015/02
BARIUM	01007	036	2012/02/09	< .000	2015/02
BERYLLIUM	01012	036	2012/02/09	< .000	2015/02
CADMIUM	01027	036	2012/02/09	< .000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-011***

Source Name: ***WELL 10***

Source Number: ***011***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/01/28	19.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/01/28	. 17.000	2017/01
CYANIDE	01291	036	2012/02/09	< .000	2015/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/02/09	. .230	2015/02
MERCURY	71900	036	2012/02/09	< .000	2015/02
NICKEL	01067	036	2012/02/09	< .000	2015/02
PERCHLORATE	A-031	036	2012/02/09	< .000	2015/02
SELENIUM	01147	036	2012/02/09	< .000	2015/02
THALLIUM	01059	036	2012/02/09	< .000	2015/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/09/24	< .000	2014/09
NITRITE (AS N)	00620	036	2012/02/09	< .000	2015/02
RADIOLOGICAL					
GROSS ALPHA	01501	036	2013/12/16	< .000	2016/12
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/14	< .000	2015/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/14	< .000	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2009/02/26	.000	2015/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/02/26	.000	2015/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/02/26	.000	2015/02
1,1,2-TRICHLOROETHANE	34511	072	2009/02/26	.000	2015/02
1,1-DICHLOROETHANE	34496	072	2009/02/26	.000	2015/02
1,1-DICHLOROETHYLENE	34501	072	2009/02/26	.000	2015/02
1,2,4-TRICHLOROBENZENE	34551	072	2009/02/26	.000	2015/02
1,2-DICHLOROBENZENE	34536	072	2009/02/26	.000	2015/02
1,2-DICHLOROETHANE	34531	072	2009/02/26	.000	2015/02
1,2-DICHLOROPROPANE	34541	072	2009/02/26	.000	2015/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-011
Source Name: WELL 10
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/02/26	.000	2015/02
1,4-DICHLOROBENZENE	34571	072	2009/02/26	.000	2015/02
BENZENE	34030	072	2009/02/26	.000	2015/02
CARBON TETRACHLORIDE	32102	072	2009/02/26	.000	2015/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/02/26	.000	2015/02
DICHLOROMETHANE	34423	072	2009/02/26	.000	2015/02
ETHYLBENZENE	34371	072	2009/02/26	.000	2015/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2009/02/26	.000	2015/02
MONOCHLOROBENZENE	34301	072	2009/02/26	.000	2015/02
STYRENE	77128	072	2009/02/26	.000	2015/02
TETRACHLOROETHYLENE	34475	072	2009/02/26	.000	2015/02
TOLUENE	34010	072	2009/02/26	.000	2015/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/02/26	.000	2015/02
TRICHLOROETHYLENE	39180	072	2009/02/26	.000	2015/02
TRICHLOROFLUOROMETHANE	34488	072	2009/02/26	.000	2015/02
VINYL CHLORIDE	39175	072	2009/02/26	.000	2015/02
XYLENES (TOTAL)	81551	072	2009/02/26	.000	2015/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/04/17	. 180.000	2016/04
CALCIUM	00916	036	2013/04/17	. 56.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/17	< .000	2016/04
CHLORIDE	00940	036	2013/04/17	. 2.400	2016/04
COLOR	00081	036	2013/04/17	< .000	2016/04
COPPER	01042	036	2013/04/17	< .000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/17	< .000	2016/04
HARDNESS (TOTAL) AS CACO3	00900	036	2013/04/17	. 220.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/17	< .000	2016/04
IRON	01045	036	2013/04/17	< .000	2016/04
MAGNESIUM	00927	036	2013/04/17	. 20.000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610120-011					
Source Name: WELL 10					
Source Number: 011					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
MANGANESE	01055	036	2013/04/17	< .000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/17	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/17	. 7.900	2016/04
SILVER	01077	036	2013/04/17	< .000	2016/04
SODIUM	00929	036	2013/04/17	32.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/17	. 540.000	2016/04
SULFATE	00945	036	2013/04/17	130.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/17	. 350.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/17	. .100	2016/04
ZINC	01092	036	2013/04/17	< .000	2016/04
PS Code: 3610120-012					
Source Name: WELL 11					
Source Number: 012					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/07/08	< .000	2016/07
ANTIMONY	01097	036	2013/07/08	< .000	2016/07
ARSENIC	01002	036	2013/07/08	< .000	2016/07
BARIUM	01007	036	2013/07/08	< .000	2016/07
BERYLLIUM	01012	036	2013/07/08	< .000	2016/07
CADMIUM	01027	036	2013/07/08	< .000	2016/07
CHROMIUM (TOTAL)	01034	036	2014/01/28	11.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/01/28	. 9.800	2017/01
CYANIDE	01291	036	2013/07/08	< .000	2016/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/07/08	. .210	2016/07
MERCURY	71900	036	2013/07/08	< .000	2016/07
NICKEL	01067	036	2013/07/08	< .000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-012***

Source Name: ***WELL 11***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2013/07/08	**< .000**	2016/07
SELENIUM	**01147**	**036**	2013/07/08	**< .000**	2016/07
THALLIUM	**01059**	**036**	2013/07/08	**< .000**	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/02	**< .000**	2015/07
NITRITE (AS N)	**00620**	**036**	2013/07/08	**< .000**	2016/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/09/27	**. 3.500**	2015/09
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/08	**< .000**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/08	**< .000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2010/07/21	**< .000**	2016/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2010/07/21	**< .000**	2016/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2010/07/21	**< .000**	2016/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2010/07/21	**< .000**	2016/07
1,1-DICHLOROETHANE	**34496**	**072**	2010/07/21	**< .000**	2016/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2010/07/21	**< .000**	2016/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2010/07/21	**< .000**	2016/07
1,2-DICHLOROBENZENE	**34536**	**072**	2010/07/21	**< .000**	2016/07
1,2-DICHLOROETHANE	**34531**	**072**	2010/07/21	**< .000**	2016/07
1,2-DICHLOROPROPANE	**34541**	**072**	2010/07/21	**< .000**	2016/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2010/07/21	**< .000**	2016/07
1,4-DICHLOROBENZENE	**34571**	**072**	2010/07/21	**< .000**	2016/07
BENZENE	**34030**	**072**	2010/07/21	**< .000**	2016/07
CARBON TETRACHLORIDE	**32102**	**072**	2010/07/21	**< .000**	2016/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2010/07/21	**< .000**	2016/07
DICHLOROMETHANE	**34423**	**072**	2010/07/21	**< .000**	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-012***

Source Name: ***WELL 11***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2010/07/21	**< .000**	2016/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2010/07/21	**< .000**	2016/07
MONOCHLOROBENZENE	**34301**	**072**	2010/07/21	**< .000**	2016/07
STYRENE	**77128**	**072**	2010/07/21	**< .000**	2016/07
TETRACHLOROETHYLENE	**34475**	**072**	2010/07/21	**< .000**	2016/07
TOLUENE	**34010**	**072**	2010/07/21	**< .000**	2016/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2010/07/21	**< .000**	2016/07
TRICHLOROETHYLENE	**39180**	**072**	2010/07/21	**< .000**	2016/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2010/07/21	**< .000**	2016/07
VINYL CHLORIDE	**39175**	**072**	2010/07/21	**< .000**	2016/07
XYLENES (TOTAL)	**81551**	**072**	2010/07/21	**< .000**	2016/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/04/17	**. 180.000**	2016/04
CALCIUM	**00916**	**036**	2013/04/17	**. 57.000**	2016/04
CARBONATE ALKALINITY	**00445**	**036**	2013/04/17	**< .000**	2016/04
CHLORIDE	**00940**	**036**	2013/04/17	**. 2.100**	2016/04
COLOR	**00081**	**036**	2013/04/17	**< .000**	2016/04
COPPER	**01042**	**036**	2013/04/17	**< .000**	2016/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/04/17	**< .000**	2016/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/04/17	**. 220.000**	2016/04
HYDROXIDE ALKALINITY	**71830**	**036**	2013/04/17	**< .000**	2016/04
IRON	**01045**	**036**	2013/04/17	**< .000**	2016/04
MAGNESIUM	**00927**	**036**	2013/04/17	**. 20.000**	2016/04
MANGANESE	**01055**	**036**	2013/04/17	**< .000**	2016/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/04/17	**1.000**	2016/04
PH, LABORATORY	**00403**	**036**	2013/04/17	**. 8.000**	2016/04
SILVER	**01077**	**036**	2013/07/08	**< .000**	2016/07
SODIUM	**00929**	**036**	2013/04/17	**34.000**	2016/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/04/17	**. 530.000**	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610120-012					
Source Name: WELL 11					
Source Number: 012					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2013/04/17	130.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/17	. 350.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/17	. .300	2016/04
ZINC	01092	036	2013/04/17	. 65.000	2016/04
PS Code: 3610120-013					
Source Name: WELL 12					
Source Number: 013					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2013/12/16	< .000	2016/12
ANTIMONY	01097	036	2013/12/16	< .000	2016/12
ARSENIC	01002	036	2013/12/16	< .000	2016/12
BARIUM	01007	036	2013/12/16	< .000	2016/12
BERYLLIUM	01012	036	2013/12/16	< .000	2016/12
CADMIUM	01027	036	2013/12/16	< .000	2016/12
CHROMIUM (TOTAL)	01034	036	2014/01/28	15.000	2017/01
CHROMIUM, HEXAVALENT	01032	036	2014/01/28	. 15.000	2017/01
CYANIDE	01291	036	2013/12/16	< .000	2016/12
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/12/16	. .250	2016/12
MERCURY	71900	036	2013/12/16	< .000	2016/12
NICKEL	01067	036	2013/12/16	< .000	2016/12
PERCHLORATE	A-031	036	2013/12/16	< .000	2016/12
SELENIUM	01147	036	2013/12/16	< .000	2016/12
THALLIUM	01059	036	2013/12/16	< .000	2016/12
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2013/12/16	. 2.000	2014/12
NITRITE (AS N)	00620	036	2013/12/16	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-013***

Source Name: ***WELL 12***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/07/08	**< .000**	2016/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/08	**< .000**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/08	**< .000**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/09/27	**< .000**	2018/09
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/09/27	**< .000**	2018/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/09/27	**< .000**	2018/09
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/09/27	**< .000**	2018/09
1,1-DICHLOROETHANE	**34496**	**072**	2012/09/27	**< .000**	2018/09
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/09/27	**< .000**	2018/09
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/09/27	**< .000**	2018/09
1,2-DICHLOROBENZENE	**34536**	**072**	2012/09/27	**< .000**	2018/09
1,2-DICHLOROETHANE	**34531**	**072**	2012/09/27	**< .000**	2018/09
1,2-DICHLOROPROPANE	**34541**	**072**	2012/09/27	**< .000**	2018/09
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/09/27	**< .000**	2018/09
1,4-DICHLOROBENZENE	**34571**	**072**	2012/09/27	**< .000**	2018/09
BENZENE	**34030**	**072**	2012/09/27	**< .000**	2018/09
CARBON TETRACHLORIDE	**32102**	**072**	2012/09/27	**< .000**	2018/09
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/09/27	**< .000**	2018/09
DICHLOROMETHANE	**34423**	**072**	2012/09/27	**< .000**	2018/09
ETHYLBENZENE	**34371**	**072**	2012/09/27	**< .000**	2018/09
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2012/09/27	**< .000**	2018/09
MONOCHLOROBENZENE	**34301**	**072**	2012/09/27	**< .000**	2018/09
STYRENE	**77128**	**072**	2012/09/27	**< .000**	2018/09
TETRACHLOROETHYLENE	**34475**	**072**	2012/09/27	**< .000**	2018/09
TOLUENE	**34010**	**072**	2012/09/27	**< .000**	2018/09
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/09/27	**< .000**	2018/09
TRICHLOROETHYLENE	**39180**	**072**	2012/09/27	**< .000**	2018/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-013
Source Name: WELL 12
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2012/09/27	< .000	2018/09
VINYL CHLORIDE	39175	072	2012/09/27	< .000	2018/09
XYLENES (TOTAL)	81551	072	2012/09/27	< .000	2018/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/12/16	. 170.000	2016/12
CALCIUM	00916	036	2013/12/16	. 45.000	2016/12
CARBONATE ALKALINITY	00445	036	2013/12/16	< .000	2016/12
CHLORIDE	00940	036	2013/12/16	. 3.100	2016/12
COLOR	00081	036	2013/12/16	< .000	2016/12
COPPER	01042	036	2013/12/16	< .000	2016/12
FOAMING AGENTS (MBAS)	38260	036	2013/12/16	< .000	2016/12
HARDNESS (TOTAL) AS CACO3	00900	036	2013/12/16	. 170.000	2016/12
HYDROXIDE ALKALINITY	71830	036	2013/12/16	< .000	2016/12
IRON	01045	036	2013/12/16	< .000	2016/12
MAGNESIUM	00927	036	2013/12/16	. 13.000	2016/12
MANGANESE	01055	036	2013/12/16	< .000	2016/12
ODOR THRESHOLD @ 60 C	00086	036	2013/12/16	. 1.000	2016/12
PH, LABORATORY	00403	036	2013/12/16	. 7.700	2016/12
SILVER	01077	036	2013/12/16	< .000	2016/12
SODIUM	00929	036	2013/12/16	. 41.000	2016/12
SPECIFIC CONDUCTANCE	00095	036	2013/12/16	. 500.000	2016/12
SULFATE	00945	036	2013/12/16	. 130.000	2016/12
TOTAL DISSOLVED SOLIDS	70300	036	2013/12/16	. 320.000	2016/12
TURBIDITY, LABORATORY	82079	036	2013/12/16	< .000	2016/12
ZINC	01092	036	2013/12/16	< .000	2016/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-015***

Source Name: ***WELL 02A***

Source Number: ***015***

Source Status: ***ACTIVE UNTREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/04/17	< .000	2016/04	
ANTIMONY	01097	036	2013/04/17	< .000	2016/04	
ARSENIC	01002	036	2013/04/17	< .000	2016/04	
BARIUM	01007	036	2013/04/17	< .000	2016/04	
BERYLLIUM	01012	036	2013/04/17	< .000	2016/04	
CADMIUM	01027	036	2013/04/17	< .000	2016/04	
CHROMIUM (TOTAL)	01034	036	2013/04/17	< .000	2016/04	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2013/04/17	< .000	2016/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/04/17	. .370	2016/04	
MERCURY	71900	036	2013/04/17	< .000	2016/04	
NICKEL	01067	036	2013/04/17	< .000	2016/04	
PERCHLORATE	A-031	036	2013/04/17	< .000	2016/04	
SELENIUM	01147	036	2013/04/17	< .000	2016/04	
THALLIUM	01059	036	2013/04/17	< .000	2016/04	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/17	. 24.000	2015/04	
NITRITE (AS N)	00620	036	2013/04/17	< .000	2016/04	
RADIOLOGICAL						
GROSS ALPHA	01501	036	**2010/09/29**	< .000	**2013/09**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/08	< .000	2015/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/08	< .000	2015/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2011/07/12	< .000	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	072	2011/07/12	< .000	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2011/07/12	< .000	2017/07	
1,1,2-TRICHLOROETHANE	34511	072	2011/07/12	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-015
Source Name: WELL 02A
Source Number: 015
Source Status: ACTIVE UNTREATED
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2011/07/12	< .000	2017/07
1,1-DICHLOROETHYLENE	34501	072	2011/07/12	< .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	072	2011/07/12	< .000	2017/07
1,2-DICHLOROBENZENE	34536	072	2011/07/12	< .000	2017/07
1,2-DICHLOROETHANE	34531	072	2011/07/12	< .000	2017/07
1,2-DICHLOROPROPANE	34541	072	2011/07/12	< .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2011/07/12	< .000	2017/07
1,4-DICHLOROBENZENE	34571	072	2011/07/12	< .000	2017/07
BENZENE	34030	072	2011/07/12	< .000	2017/07
CARBON TETRACHLORIDE	32102	072	2011/07/12	< .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/07/12	< .000	2017/07
DICHLOROMETHANE	34423	072	2011/07/12	< .000	2017/07
ETHYLBENZENE	34371	072	2011/07/12	< .000	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/07/12	< .000	2017/07
MONOCHLOROBENZENE	34301	072	2011/07/12	< .000	2017/07
STYRENE	77128	072	2011/07/12	< .000	2017/07
TETRACHLOROETHYLENE	34475	072	2011/07/12	< .000	2017/07
TOLUENE	34010	072	2011/07/12	< .000	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/07/12	< .000	2017/07
TRICHLOROETHYLENE	39180	072	2011/07/12	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	072	2011/07/12	< .000	2017/07
VINYL CHLORIDE	39175	072	2011/07/12	< .000	2017/07
XYLENES (TOTAL)	81551	072	2011/07/12	< .000	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/04/17	. 390.000	2016/04
CALCIUM	00916	036	2013/04/17	. 140.000	2016/04
CARBONATE ALKALINITY	00445	036	2013/04/17	< .000	2016/04
CHLORIDE	00940	036	2013/04/17	. 25.000	2016/04
COLOR	00081	036	2013/04/17	< .000	2016/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

PS Code: 3610120-015
Source Name: WELL 02A
Source Number: 015
Source Status: ACTIVE UNTREATED
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2013/04/17	< .000	2016/04
FOAMING AGENTS (MBAS)	38260	036	2013/04/17	< .000	2016/04
HARDNESS (TOTAL) AS CACO3	00900	036	2013/04/17	. 510.000	2016/04
HYDROXIDE ALKALINITY	71830	036	2013/04/17	< .000	2016/04
IRON	01045	036	2013/04/17	< .000	2016/04
MAGNESIUM	00927	036	2013/04/17	. 40.000	2016/04
MANGANESE	01055	036	2013/04/17	< .000	2016/04
ODOR THRESHOLD @ 60 C	00086	036	2013/04/17	1.000	2016/04
PH, LABORATORY	00403	036	2013/04/17	. 7.400	2016/04
SILVER	01077	036	2013/04/17	< .000	2016/04
SODIUM	00929	036	2013/04/17	17.000	2016/04
SPECIFIC CONDUCTANCE	00095	036	2013/04/17	. 950.000	2016/04
SULFATE	00945	036	2013/04/17	170.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	036	2013/04/17	. 640.000	2016/04
TURBIDITY, LABORATORY	82079	036	2013/04/17	. .100	2016/04
ZINC	01092	036	2013/04/17	. 290.000	2016/04

PS Code: 3610120-016
Source Name: WELL 14
Source Number: 016
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2013/09/24	< .000	2016/09
ANTIMONY	01097	036	2013/09/24	< .000	2016/09
ARSENIC	01002	036	2013/09/24	< .000	2016/09
BARIUM	01007	036	2013/09/24	< .000	2016/09
BERYLLIUM	01012	036	2013/09/24	< .000	2016/09
CADMIUM	01027	036	2013/09/24	< .000	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-016***

Source Name: ***WELL 14***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	**01034**	**036**	2014/01/28		**13.000**	2017/01	
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/01/28	.	**12.000**	2017/01	
CYANIDE	**01291**	**036**	2013/09/24	<	**.000**	2016/09	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/09/24	.	**.240**	2016/09	
MERCURY	**71900**	**036**	2013/09/24	<	**.000**	2016/09	
NICKEL	**01067**	**036**	2013/09/24	<	**.000**	2016/09	
PERCHLORATE	**A-031**	**036**	2013/09/24	<	**.000**	2016/09	
SELENIUM	**01147**	**036**	2013/09/24	<	**.000**	2016/09	
THALLIUM	**01059**	**036**	2013/09/24	<	**.000**	2016/09	
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**012**	2013/09/24	.	**2.100**	2014/09	
NITRITE (AS N)	**00620**	**036**	2013/09/24	<	**.000**	2016/09	
RADIOLOGICAL							
GROSS ALPHA	**01501**	**036**	**2010/09/29**	<	**.000**	**2013/09**	**DUE**
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/04/17	<	**.000**	2016/04	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/04/17	<	**.000**	2016/04	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/08	<	**.000**	2019/07	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/08	<	**.000**	2019/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/08	<	**.000**	2019/07	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/08	<	**.000**	2019/07	
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/08	<	**.000**	2019/07	
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/08	<	**.000**	2019/07	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/08	<	**.000**	2019/07	
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/08	<	**.000**	2019/07	
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/08	<	**.000**	2019/07	
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/08	<	**.000**	2019/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-016***

Source Name: ***WELL 14***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/07/08	**< .000**	2019/07
1,4-DICHLOROBENZENE	**34571**	**072**	2013/07/08	**< .000**	2019/07
BENZENE	**34030**	**072**	2013/07/08	**< .000**	2019/07
CARBON TETRACHLORIDE	**32102**	**072**	2013/07/08	**< .000**	2019/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/07/08	**< .000**	2019/07
DICHLOROMETHANE	**34423**	**072**	2013/07/08	**< .000**	2019/07
ETHYLBENZENE	**34371**	**072**	2013/07/08	**< .000**	2019/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/07/08	**< .000**	2019/07
MONOCHLOROBENZENE	**34301**	**072**	2013/07/08	**< .000**	2019/07
STYRENE	**77128**	**072**	2013/07/08	**< .000**	2019/07
TETRACHLOROETHYLENE	**34475**	**072**	2013/07/08	**< .000**	2019/07
TOLUENE	**34010**	**072**	2013/07/08	**< .000**	2019/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROETHYLENE	**39180**	**072**	2013/07/08	**< .000**	2019/07
TRICHLOROFLUOROMETHANE	**34488**	**072**	2013/07/08	**< .000**	2019/07
VINYL CHLORIDE	**39175**	**072**	2013/07/08	**< .000**	2019/07
XYLENES (TOTAL)	**81551**	**072**	2013/07/08	**< .000**	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/09/24	**. 140.000**	2016/09
CALCIUM	**00916**	**036**	2013/09/24	**. 32.000**	2016/09
CARBONATE ALKALINITY	**00445**	**036**	2013/09/24	**< .000**	2016/09
CHLORIDE	**00940**	**036**	2013/09/24	**. 3.700**	2016/09
COLOR	**00081**	**036**	2013/09/24	**< .000**	2016/09
COPPER	**01042**	**036**	2013/09/24	**< .000**	2016/09
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/09/24	**< .000**	2016/09
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/09/24	**. 120.000**	2016/09
HYDROXIDE ALKALINITY	**71830**	**036**	2013/09/24	**< .000**	2016/09
IRON	**01045**	**036**	2013/09/24	**< .000**	2016/09
MAGNESIUM	**00927**	**036**	2013/09/24	**. 8.700**	2016/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-016***

Source Name: ***WELL 14***

Source Number: ***016***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2013/09/24	< .000	2016/09	
ODOR THRESHOLD @ 60 C	00086	036	2013/09/24	1.000	2016/09	
PH, LABORATORY	00403	036	2013/09/24	. 8.000	2016/09	
SILVER	01077	036	2013/09/24	< .000	2016/09	
SODIUM	00929	036	2013/09/24	51.000	2016/09	
SPECIFIC CONDUCTANCE	00095	036	2013/09/24	. 470.000	2016/09	
SULFATE	00945	036	2013/09/24	120.000	2016/09	
TOTAL DISSOLVED SOLIDS	70300	036	2013/09/24	. 310.000	2016/09	
TURBIDITY, LABORATORY	82079	036	2013/09/24	< .000	2016/09	
ZINC	01092	036	2013/09/24	< .000	2016/09	

PS Code: ***3610120-017***

Source Name: ***WELL 01B***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2014/04/17	< .000	2017/04	
ANTIMONY	01097	036	2014/04/17	< .000	2017/04	
ARSENIC	01002	036	2014/04/17	< .000	2017/04	
BARIUM	01007	036	2014/04/17	< .000	2017/04	
BERYLLIUM	01012	036	2014/04/17	< .000	2017/04	
CADMIUM	01027	036	2014/04/17	< .000	2017/04	
CHROMIUM (TOTAL)	01034	036	2014/04/17	< .000	2017/04	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2014/04/17	< .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/17	. .370	2017/04	
MERCURY	71900	036	2014/04/17	< .000	2017/04	
NICKEL	01067	036	2014/04/17	< .000	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-017***

Source Name: ***WELL 01B***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2014/04/17	**< .000**	2017/04
SELENIUM	**01147**	**036**	2014/04/17	**< .000**	2017/04
THALLIUM	**01059**	**036**	2014/04/17	**< .000**	2017/04
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/04/17	**. 18.000**	2015/04
NITRITE (AS N)	**00620**	**036**	2014/04/17	**< .000**	2017/04
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/04/17	**. 7.000**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/08	**< .000**	2015/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/08	**< .000**	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/03/12	**.000**	2015/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/03/12	**.000**	2015/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/03/12	**.000**	2015/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/03/12	**.000**	2015/03
1,1-DICHLOROETHANE	**34496**	**072**	2009/03/12	**.000**	2015/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/03/12	**.000**	2015/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/03/12	**.000**	2015/03
1,2-DICHLOROBENZENE	**34536**	**072**	2009/03/12	**.000**	2015/03
1,2-DICHLOROETHANE	**34531**	**072**	2009/03/12	**.000**	2015/03
1,2-DICHLOROPROPANE	**34541**	**072**	2009/03/12	**.000**	2015/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/03/12	**.000**	2015/03
1,4-DICHLOROBENZENE	**34571**	**072**	2009/03/12	**.000**	2015/03
BENZENE	**34030**	**072**	2009/03/12	**.000**	2015/03
CARBON TETRACHLORIDE	**32102**	**072**	2009/03/12	**.000**	2015/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/03/12	**.000**	2015/03
DICHLOROMETHANE	**34423**	**072**	2009/03/12	**.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

PS Code: ***3610120-017***

Source Name: ***WELL 01B***

Source Number: ***017***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC						
ETHYLBENZENE	**34371**	**072**	2009/03/12		**.000**	2015/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2009/12/16	**<**	**.000**	2015/12
MONOCHLOROBENZENE	**34301**	**072**	2009/03/12		**.000**	2015/03
STYRENE	**77128**	**072**	2009/03/12		**.000**	2015/03
TETRACHLOROETHYLENE	**34475**	**072**	2009/03/12		**.000**	2015/03
TOLUENE	**34010**	**072**	2009/03/12		**.000**	2015/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2009/03/12		**.000**	2015/03
TRICHLOROETHYLENE	**39180**	**072**	2009/03/12		**.000**	2015/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2009/03/12		**.000**	2015/03
VINYL CHLORIDE	**39175**	**072**	2009/03/12		**.000**	2015/03
XYLENES (TOTAL)	**81551**	**072**	2009/03/12		**.000**	2015/03
SECONDARY/GP						
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/17	**.**	**400.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/17	**.**	**140.000**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/17	**<**	**.000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/17	**.**	**25.000**	2017/04
COLOR	**00081**	**036**	2014/04/17	**<**	**.000**	2017/04
COPPER	**01042**	**036**	2014/04/17	**<**	**.000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/17	**<**	**.000**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/17	**.**	**180.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/17	**<**	**.000**	2017/04
IRON	**01045**	**036**	2014/04/17	**<**	**.000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/17	**.**	**44.000**	2017/04
MANGANESE	**01055**	**036**	2014/04/17	**<**	**.000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/17	**.**	**1.000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/17	**.**	**7.100**	2017/04
SILVER	**01077**	**036**	2014/04/17	**<**	**.000**	2017/04
SODIUM	**00929**	**036**	2014/04/17	**.**	**18.000**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/17	**.**	**990.000**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610120-017					
Source Name: WELL 01B					
Source Number: 017					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
SULFATE	00945	036	2014/04/17	. 190.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/17	. 650.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/17	. .900	2017/04
ZINC	01092	036	2014/04/17	< .000	2017/04
PS Code: 3610120-601					
Source Name: DBP2-5299 JOSHUA TREE LN					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	< .000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	< .000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610120-602***					
Source Name: ***DBP2-2240 LA MESA RD***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/02	**< .000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/02	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/02	**< .000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/02	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/02	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/02	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/02	**< .000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**. 1.100**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**. 1.100**	2014/10
PS Code: ***3610120-603***					
Source Name: ***DBP2-8651 MUSCATEL RD***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/02	**< .000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/02	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/02	**< .000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/02	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/02	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/02	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/02	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610120-603***					
Source Name: ***DBP2-8651 MUSCATEL RD***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**< .000**	2014/10
PS Code: ***3610120-604***					
Source Name: ***DBP2-300 NIELSON RD***					
Source Number: ***604***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/02	**< .000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/02	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/02	**< .000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/02	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/02	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/02	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/02	**< .000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610120-800					
Source Name: WELL 02 - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610120-803					
Source Name: RESERVOIR 2-A - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610120-804					
Source Name: WELL 06A - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610120-805					
Source Name: WELL 06B - TREATED (CL2)					
Source Number: 805					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610120
System Name: PHELAN PINON HILLS CSD

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610120-807					
Source Name: WELL 09B - TREATED (CL2)					
Source Number: 807					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610120-808					
Source Name: WELL 10 - TREATED (CL2)					
Source Number: 808					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610120-809					
Source Name: WELL 11 - TREATED (CL2)					
Source Number: 809					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610120-810					
Source Name: WELL 12 - TREATED (CL2)					
Source Number: 810					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610120***

System Name: ***PHELAN PINON HILLS CSD***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610120-811***					
Source Name: ***WELL 14 - TREATED (CL2)***					
Source Number: ***811***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610120-812***					
Source Name: ***WELL 01B - TREATED (CL2)***					
Source Number: ***812***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610121***

System Name: ***SBDNO COUNTY SERVICE AREA 64***

PS Code: ***3610121-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/01/03	**< .000**	2016/01	
ANTIMONY	**01097**	**036**	2013/01/03	**< .000**	2016/01	
ARSENIC	**01002**	**036**	2013/07/05	**< .000**	2016/07	
BARIUM	**01007**	**036**	2013/01/03	**< .000**	2016/01	
BERYLLIUM	**01012**	**036**	2013/01/03	**< .000**	2016/01	
CADMIUM	**01027**	**036**	2013/01/03	**< .000**	2016/01	
CHROMIUM (TOTAL)	**01034**	**036**	2013/01/03	**< .000**	2016/01	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2003/07/16**	**. .000**	**2006/07**	**DUE**
CYANIDE	**01291**	**036**	2013/01/03	**< .000**	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/01/03	**. .330**	2016/01	
MERCURY	**71900**	**036**	2013/01/03	**< .000**	2016/01	
NICKEL	**01067**	**036**	2013/01/03	**< .000**	2016/01	
PERCHLORATE	**A-031**	**036**	2013/07/12	**< .000**	2016/07	
SELENIUM	**01147**	**036**	2013/01/03	**< .000**	2016/01	
THALLIUM	**01059**	**036**	2013/01/03	**< .000**	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/07/01	**. 3.900**	2015/07	
NITRITE (AS N)	**00620**	**036**	2013/01/03	**< .000**	2016/01	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/07/01	**. 3.500**	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/01/29	**< .000**	2017/01	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/01/29	**< .000**	2017/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/01/29	**< .000**	2020/01	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/01/29	**< .000**	2020/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/01/29	**< .000**	2020/01	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/01/29	**< .000**	2020/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2014/01/29	< .000	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/29	< .000	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/29	< .000	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/29	< .000	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/29	< .000	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/29	< .000	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/29	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/29	< .000	2020/01
BENZENE	34030	072	2014/01/29	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/29	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/29	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/29	< .000	2020/01
ETHYLBENZENE	34371	072	2014/01/29	< .000	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/01/29	< .000	2020/01
MONOCHLOROBENZENE	34301	072	2014/01/29	< .000	2020/01
STYRENE	77128	072	2014/01/29	< .000	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/29	< .000	2020/01
TOLUENE	34010	072	2014/01/29	< .000	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/29	< .000	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/29	< .000	2020/01
TRICHLOROFLUOROMETHANE	34488	072	2014/01/29	< .000	2020/01
VINYL CHLORIDE	39175	072	2014/01/29	< .000	2020/01
XYLENES (TOTAL)	81551	072	2014/01/29	< .000	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/03	. 110.000	2016/01
CALCIUM	00916	036	2013/01/03	. 23.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/03	< .000	2016/01
CHLORIDE	00940	036	2013/01/03	. 13.000	2016/01
COLOR	00081	036	2013/01/03	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2013/01/03	< .000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/03	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/03	. 69.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/03	< .000	2016/01
IRON	01045	036	2013/01/03	< .000	2016/01
MAGNESIUM	00927	036	2013/01/03	. 2.700	2016/01
MANGANESE	01055	036	2013/01/03	< .000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/03	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/03	. 8.500	2016/01
SILVER	01077	036	2013/01/03	< .000	2016/01
SODIUM	00929	036	2013/01/03	25.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/03	. 260.000	2016/01
SULFATE	00945	036	2013/01/03	14.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/03	. 160.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/03	< .000	2016/01
ZINC	01092	036	2013/01/03	< .000	2016/01

PS Code: 3610121-002
Source Name: WELL 03
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2013/01/03	< .000	2016/01
ANTIMONY	01097	036	2013/01/03	< .000	2016/01
ARSENIC	01002	036	2013/01/03	< .000	2016/01
BARIUM	01007	036	2013/01/03	< .000	2016/01
BERYLLIUM	01012	036	2013/01/03	< .000	2016/01
CADMIUM	01027	036	2013/01/03	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610121***

System Name: ***SBDNO COUNTY SERVICE AREA 64***

PS Code: ***3610121-002***

Source Name: ***WELL 03***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/01/03	< .000	2016/01	
CHROMIUM, HEXAVALENT	01032	036	2003/07/16	. .000	2006/07	DUE
CYANIDE	01291	036	2013/01/03	< .000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/03	. .460	2016/01	
MERCURY	71900	036	2013/01/03	< .000	2016/01	
NICKEL	01067	036	2013/01/03	< .000	2016/01	
PERCHLORATE	A-031	036	2013/07/12	< .000	2016/07	
SELENIUM	01147	036	2013/01/03	< .000	2016/01	
THALLIUM	01059	036	2013/01/03	< .000	2016/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/01	. 8.600	2015/07	
NITRITE (AS N)	00620	036	2013/01/03	< .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/01	< .000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/29	< .000	2017/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/29	< .000	2017/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/01/29	< .000	2020/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/29	< .000	2020/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/29	< .000	2020/01	
1,1,2-TRICHLOROETHANE	34511	072	2014/01/29	< .000	2020/01	
1,1-DICHLOROETHANE	34496	072	2014/01/29	< .000	2020/01	
1,1-DICHLOROETHYLENE	34501	072	2014/01/29	< .000	2020/01	
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/29	< .000	2020/01	
1,2-DICHLOROBENZENE	34536	072	2014/01/29	< .000	2020/01	
1,2-DICHLOROETHANE	34531	072	2014/01/29	< .000	2020/01	
1,2-DICHLOROPROPANE	34541	072	2014/01/29	< .000	2020/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-002
Source Name: WELL 03
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/29	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/29	< .000	2020/01
BENZENE	34030	072	2014/01/29	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/29	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/29	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/29	< .000	2020/01
ETHYLBENZENE	34371	072	2014/01/29	< .000	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/07/01	< .000	2020/07
MONOCHLOROBENZENE	34301	072	2014/01/29	< .000	2020/01
STYRENE	77128	072	2014/01/29	< .000	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/29	< .000	2020/01
TOLUENE	34010	072	2014/01/29	< .000	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/29	< .000	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/29	< .000	2020/01
TRICHLOROFLUOROMETHANE	34488	072	2014/01/29	< .000	2020/01
VINYL CHLORIDE	39175	072	2014/01/29	< .000	2020/01
XYLENES (TOTAL)	81551	072	2014/01/29	< .000	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/03	. 84.000	2016/01
CALCIUM	00916	036	2013/01/03	. 25.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/03	< .000	2016/01
CHLORIDE	00940	036	2013/01/03	. 17.000	2016/01
COLOR	00081	036	2013/01/03	< .000	2016/01
COPPER	01042	036	2013/01/03	< .000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/03	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/03	. 85.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/03	< .000	2016/01
IRON	01045	036	2013/01/03	< .000	2016/01
MAGNESIUM	00927	036	2013/01/03	. 5.600	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-002
Source Name: WELL 03
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
MANGANESE	01055	036	2013/01/03	< .000	2016/01	
ODOR THRESHOLD @ 60 C	00086	036	2013/01/03	1.000	2016/01	
PH, LABORATORY	00403	036	2013/01/03	. 7.600	2016/01	
SILVER	01077	036	2013/01/03	< .000	2016/01	
SODIUM	00929	036	2013/01/03	16.000	2016/01	
SPECIFIC CONDUCTANCE	00095	036	2013/01/03	. 260.000	2016/01	
SULFATE	00945	036	2013/01/03	25.000	2016/01	
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/03	. 160.000	2016/01	
TURBIDITY, LABORATORY	82079	036	2013/01/03	< .000	2016/01	
ZINC	01092	036	2013/01/03	< .000	2016/01	

PS Code: 3610121-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
ALUMINUM	01105	036	2013/06/20	< .000	2016/06	
ANTIMONY	01097	036	2013/06/20	< .000	2016/06	
ARSENIC	01002	036	2014/06/23	. 11.000	2017/06	
BARIUM	01007	036	2013/06/20	< .000	2016/06	
BERYLLIUM	01012	036	2013/06/20	< .000	2016/06	
CADMIUM	01027	036	2013/06/20	< .000	2016/06	
CHROMIUM (TOTAL)	01034	036	2013/06/20	< .000	2016/06	
CHROMIUM, HEXAVALENT	01032	036	**2003/07/16**	. 1.000	**2006/07**	**DUE**
CYANIDE	01291	036	2013/06/20	< .000	2016/06	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/06/20	. .440	2016/06	
MERCURY	71900	036	2013/06/20	< .000	2016/06	
NICKEL	01067	036	2013/06/20	< .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2013/06/20	< .000	2016/06
SELENIUM	01147	036	2013/06/20	< .000	2016/06
THALLIUM	01059	036	2013/06/20	< .000	2016/06
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/01	< .000	2015/07
NITRITE (AS N)	00620	036	2013/06/20	< .000	2016/06
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/01	< .000	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/29	< .000	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/29	< .000	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/01/29	< .000	2020/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/29	< .000	2020/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/29	< .000	2020/01
1,1,2-TRICHLOROETHANE	34511	072	2014/01/29	< .000	2020/01
1,1-DICHLOROETHANE	34496	072	2014/01/29	< .000	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/29	< .000	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/29	< .000	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/29	< .000	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/29	< .000	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/29	< .000	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/29	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/29	< .000	2020/01
BENZENE	34030	072	2014/01/29	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/29	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/29	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/29	< .000	2020/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610121***

System Name: ***SBDNO COUNTY SERVICE AREA 64***

PS Code: ***3610121-003***

Source Name: ***WELL 04***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2014/01/29	**< .000**	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/01/29	**< .000**	2020/01
MONOCHLOROBENZENE	**34301**	**072**	2014/01/29	**< .000**	2020/01
STYRENE	**77128**	**072**	2014/01/29	**< .000**	2020/01
TETRACHLOROETHYLENE	**34475**	**072**	2014/01/29	**< .000**	2020/01
TOLUENE	**34010**	**072**	2014/01/29	**< .000**	2020/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/01/29	**< .000**	2020/01
TRICHLOROETHYLENE	**39180**	**072**	2014/01/29	**< .000**	2020/01
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/01/29	**< .000**	2020/01
VINYL CHLORIDE	**39175**	**072**	2014/01/29	**< .000**	2020/01
XYLENES (TOTAL)	**81551**	**072**	2014/01/29	**< .000**	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/06/20	**. 75.000**	2016/06
CALCIUM	**00916**	**036**	2013/06/20	**. 10.000**	2016/06
CARBONATE ALKALINITY	**00445**	**036**	2013/06/20	**12.000**	2016/06
CHLORIDE	**00940**	**036**	2013/06/20	**. 6.200**	2016/06
COLOR	**00081**	**036**	2013/06/20	**< .000**	2016/06
COPPER	**01042**	**036**	2013/06/20	**< .000**	2016/06
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/06/20	**< .000**	2016/06
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/06/20	**. 30.000**	2016/06
HYDROXIDE ALKALINITY	**71830**	**036**	2013/06/20	**< .000**	2016/06
IRON	**01045**	**036**	2013/06/20	**< .000**	2016/06
MAGNESIUM	**00927**	**036**	2013/06/20	**. 1.100**	2016/06
MANGANESE	**01055**	**036**	2013/06/20	**< .000**	2016/06
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/06/20	**1.000**	2016/06
PH, LABORATORY	**00403**	**036**	2013/06/20	**. 8.500**	2016/06
SILVER	**01077**	**036**	2013/06/20	**< .000**	2016/06
SODIUM	**00929**	**036**	2013/06/20	**35.000**	2016/06
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/06/20	**. 190.000**	2016/06

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2013/06/20		10.000	2016/06	
TOTAL DISSOLVED SOLIDS	70300	036	2013/06/20	.	120.000	2016/06	
TURBIDITY, LABORATORY	82079	036	2013/06/20	.	.100	2016/06	
ZINC	01092	036	2013/06/20	<	.000	2016/06	

PS Code: 3610121-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2013/01/03	<	.000	2016/01	
ANTIMONY	01097	036	2013/01/03	<	.000	2016/01	
ARSENIC	01002	036	2013/01/03	<	.000	2016/01	
BARIUM	01007	036	2013/01/03	<	.000	2016/01	
BERYLLIUM	01012	036	2013/01/03	<	.000	2016/01	
CADMIUM	01027	036	2013/01/03	<	.000	2016/01	
CHROMIUM (TOTAL)	01034	036	2013/01/03	<	.000	2016/01	
CHROMIUM, HEXAVALENT	01032	036	2003/07/16	.	.000	2006/07	DUE
CYANIDE	01291	036	2013/01/03	<	.000	2016/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/01/03	.	.310	2016/01	
MERCURY	71900	036	2013/01/03	<	.000	2016/01	
NICKEL	01067	036	2013/01/03	<	.000	2016/01	
PERCHLORATE	A-031	036	2013/07/12	<	.000	2016/07	
SELENIUM	01147	036	2013/01/03	<	.000	2016/01	
THALLIUM	01059	036	2013/01/03	<	.000	2016/01	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/01	.	3.800	2015/07	
NITRITE (AS N)	00620	036	2013/01/03	<	.000	2016/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	036	2014/07/01	< .000	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/29	< .000	2017/01
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/29	< .000	2017/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/01/29	< .000	2020/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/29	< .000	2020/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/29	< .000	2020/01
1,1,2-TRICHLOROETHANE	34511	072	2014/01/29	< .000	2020/01
1,1-DICHLOROETHANE	34496	072	2014/01/29	< .000	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/29	< .000	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/29	< .000	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/29	< .000	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/29	< .000	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/29	< .000	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/29	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/29	< .000	2020/01
BENZENE	34030	072	2014/01/29	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/29	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/29	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/29	< .000	2020/01
ETHYLBENZENE	34371	072	2014/01/29	< .000	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/01/29	< .000	2020/01
MONOCHLOROBENZENE	34301	072	2014/01/29	< .000	2020/01
STYRENE	77128	072	2014/01/29	< .000	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/29	< .000	2020/01
TOLUENE	34010	072	2014/01/29	< .000	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/29	< .000	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/29	< .000	2020/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-004
Source Name: WELL 05
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2014/01/29	< .000	2020/01
VINYL CHLORIDE	39175	072	2014/01/29	< .000	2020/01
XYLENES (TOTAL)	81551	072	2014/01/29	< .000	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/01/03	. 86.000	2016/01
CALCIUM	00916	036	2013/01/03	. 21.000	2016/01
CARBONATE ALKALINITY	00445	036	2013/01/03	< .000	2016/01
CHLORIDE	00940	036	2013/01/03	. 11.000	2016/01
COLOR	00081	036	2013/01/03	< .000	2016/01
COPPER	01042	036	2013/01/03	< .000	2016/01
FOAMING AGENTS (MBAS)	38260	036	2013/01/03	< .000	2016/01
HARDNESS (TOTAL) AS CACO3	00900	036	2013/01/03	. 64.000	2016/01
HYDROXIDE ALKALINITY	71830	036	2013/01/03	< .000	2016/01
IRON	01045	036	2013/01/03	< .000	2016/01
MAGNESIUM	00927	036	2013/01/03	. 3.000	2016/01
MANGANESE	01055	036	2013/01/03	< .000	2016/01
ODOR THRESHOLD @ 60 C	00086	036	2013/01/03	1.000	2016/01
PH, LABORATORY	00403	036	2013/01/03	. 7.900	2016/01
SILVER	01077	036	2013/01/03	< .000	2016/01
SODIUM	00929	036	2013/01/03	14.000	2016/01
SPECIFIC CONDUCTANCE	00095	036	2013/01/03	. 200.000	2016/01
SULFATE	00945	036	2013/01/03	11.000	2016/01
TOTAL DISSOLVED SOLIDS	70300	036	2013/01/03	. 120.000	2016/01
TURBIDITY, LABORATORY	82079	036	2013/01/03	< .000	2016/01
ZINC	01092	036	2013/01/03	< .000	2016/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2014/01/14	< .000	2017/01	
ANTIMONY	01097	036	2014/01/14	< .000	2017/01	
ARSENIC	01002	036	2014/01/14	< .000	2017/01	
BARIUM	01007	036	2014/01/14	< .000	2017/01	
BERYLLIUM	01012	036	2014/01/14	< .000	2017/01	
CADMIUM	01027	036	2014/01/14	< .000	2017/01	
CHROMIUM (TOTAL)	01034	036	2014/01/14	< .000	2017/01	
CHROMIUM, HEXAVALENT	01032	036	2003/07/16	. 1.900	2006/07	DUE
CYANIDE	01291	036	2014/01/14	< .000	2017/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/07	. .310	2017/05	
MERCURY	71900	036	2014/01/14	< .000	2017/01	
NICKEL	01067	036	2014/01/14	< .000	2017/01	
PERCHLORATE	A-031	036	2014/01/14	< .000	2017/01	
SELENIUM	01147	036	2014/01/14	< .000	2017/01	
THALLIUM	01059	036	2014/01/14	< .000	2017/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/01	. 8.200	2015/07	
NITRITE (AS N)	00620	036	2014/01/14	< .000	2017/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/07/01	< .000	2017/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/01/29	< .000	2017/01	
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/01/29	< .000	2017/01	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/01/29	< .000	2020/01	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/01/29	< .000	2020/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/01/29	< .000	2020/01	
1,1,2-TRICHLOROETHANE	34511	072	2014/01/29	< .000	2020/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

PS Code: 3610121-005
Source Name: WELL 06
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2014/01/29	< .000	2020/01
1,1-DICHLOROETHYLENE	34501	072	2014/01/29	< .000	2020/01
1,2,4-TRICHLOROBENZENE	34551	072	2014/01/29	< .000	2020/01
1,2-DICHLOROBENZENE	34536	072	2014/01/29	< .000	2020/01
1,2-DICHLOROETHANE	34531	072	2014/01/29	< .000	2020/01
1,2-DICHLOROPROPANE	34541	072	2014/01/29	< .000	2020/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/01/29	< .000	2020/01
1,4-DICHLOROBENZENE	34571	072	2014/01/29	< .000	2020/01
BENZENE	34030	072	2014/01/29	< .000	2020/01
CARBON TETRACHLORIDE	32102	072	2014/01/29	< .000	2020/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/01/29	< .000	2020/01
DICHLOROMETHANE	34423	072	2014/01/29	< .000	2020/01
ETHYLBENZENE	34371	072	2014/01/29	< .000	2020/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/07/01	< .000	2020/07
MONOCHLOROBENZENE	34301	072	2014/01/29	< .000	2020/01
STYRENE	77128	072	2014/01/29	< .000	2020/01
TETRACHLOROETHYLENE	34475	072	2014/01/29	< .000	2020/01
TOLUENE	34010	072	2014/01/29	< .000	2020/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/01/29	< .000	2020/01
TRICHLOROETHYLENE	39180	072	2014/01/29	< .000	2020/01
TRICHLOROFLUOROMETHANE	34488	072	2014/01/29	< .000	2020/01
VINYL CHLORIDE	39175	072	2014/01/29	< .000	2020/01
XYLENES (TOTAL)	81551	072	2014/01/29	< .000	2020/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/07	. 94.000	2017/05
CALCIUM	00916	036	2014/05/07	. 21.000	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/07	< .000	2017/05
CHLORIDE	00940	036	2014/05/07	. 16.000	2017/05
COLOR	00081	036	2014/05/07	< .000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610121***

System Name: ***SBDNO COUNTY SERVICE AREA 64***

PS Code: ***3610121-005***

Source Name: ***WELL 06***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	**01042**	**036**	2014/05/07	**< .000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/07	**< .000**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/07	**. 64.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/07	**< .000**	2017/05
IRON	**01045**	**036**	2014/05/07	**< .000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/07	**. 2.600**	2017/05
MANGANESE	**01055**	**036**	2014/05/07	**< .000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/07	**. 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/07	**. 8.000**	2017/05
SILVER	**01077**	**036**	2014/01/14	**< .000**	2017/01
SODIUM	**00929**	**036**	2014/05/07	**. 21.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/07	**. 230.000**	2017/05
SULFATE	**00945**	**036**	2014/05/07	**. 11.000**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/07	**. 160.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/07	**< .000**	2017/05
ZINC	**01092**	**036**	2014/05/07	**< .000**	2017/05

PS Code: ***3610121-800***

Source Name: ***WELL 01 - TREATED (CL2)***

Source Number: ***800***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610121
System Name: SBDNO COUNTY SERVICE AREA 64

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610121-801					
Source Name: WELL 03 - TREATED (CL2)					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610121-802					
Source Name: WELL 04 - TREATED (CL2)					
Source Number: 802					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610121-803					
Source Name: WELL 05 - TREATED (CL2)					
Source Number: 803					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610121-804					
Source Name: WELL 06 - TREATED (CL2)					
Source Number: 804					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/01/10	**< .000**	2017/01
ANTIMONY	**01097**	**036**	2014/01/10	**< .000**	2017/01
ARSENIC	**01002**	**036**	2014/01/10	**. 4.700**	2017/01
BARIUM	**01007**	**036**	2014/01/10	**< .000**	2017/01
BERYLLIUM	**01012**	**036**	2014/01/10	**< .000**	2017/01
CADMIUM	**01027**	**036**	2014/01/10	**< .000**	2017/01
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/08	**. 15.000**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/08	**. 14.000**	2017/07
CYANIDE	**01291**	**036**	2014/01/10	**< .000**	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/08	**. .350**	2017/05
MERCURY	**71900**	**036**	2014/01/10	**< .000**	2017/01
NICKEL	**01067**	**036**	2014/01/10	**< .000**	2017/01
PERCHLORATE	**A-031**	**036**	2014/01/10	**< .000**	2017/01
SELENIUM	**01147**	**036**	2014/01/10	**< .000**	2017/01
THALLIUM	**01059**	**036**	2014/01/10	**< .000**	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/08	**. 12.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/01/10	**< .000**	2017/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2014/07/08	**< .000**	2023/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/03	**< .000**	2017/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/03	**< .000**	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/02/03	**< .000**	2020/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/02/03	**< .000**	2020/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/02/03	**< .000**	2020/02
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/02/03	**< .000**	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2014/02/03	**< .000**	2020/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/02/03	**< .000**	2020/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/02/03	**< .000**	2020/02
1,2-DICHLOROBENZENE	**34536**	**072**	2014/02/03	**< .000**	2020/02
1,2-DICHLOROETHANE	**34531**	**072**	2014/02/03	**< .000**	2020/02
1,2-DICHLOROPROPANE	**34541**	**072**	2014/02/03	**< .000**	2020/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/02/03	**< .000**	2020/02
1,4-DICHLOROBENZENE	**34571**	**072**	2014/02/03	**< .000**	2020/02
BENZENE	**34030**	**072**	2014/02/03	**< .000**	2020/02
CARBON TETRACHLORIDE	**32102**	**072**	2014/02/03	**< .000**	2020/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/02/03	**< .000**	2020/02
DICHLOROMETHANE	**34423**	**072**	2014/02/03	**< .000**	2020/02
ETHYLBENZENE	**34371**	**072**	2014/02/03	**< .000**	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/07/08	**< .000**	2020/07
MONOCHLOROBENZENE	**34301**	**072**	2014/02/03	**< .000**	2020/02
STYRENE	**77128**	**072**	2014/02/03	**< .000**	2020/02
TETRACHLOROETHYLENE	**34475**	**072**	2014/02/03	**< .000**	2020/02
TOLUENE	**34010**	**072**	2014/02/03	**< .000**	2020/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/02/03	**< .000**	2020/02
TRICHLOROETHYLENE	**39180**	**072**	2014/02/03	**< .000**	2020/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/02/03	**< .000**	2020/02
VINYL CHLORIDE	**39175**	**072**	2014/02/03	**< .000**	2020/02
XYLENES (TOTAL)	**81551**	**072**	2014/02/03	**< .000**	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/08	**. 82.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/08	**. 7.800**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/08	**< .000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/08	**. 9.200**	2017/05
COLOR	**00081**	**036**	2014/05/08	**< .000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/05/08	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/08	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/08	. 19.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/08	< .000	2017/05
IRON	01045	036	2014/05/08	< .000	2017/05
MAGNESIUM	00927	036	2014/05/08	< .000	2017/05
MANGANESE	01055	036	2014/05/08	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/08	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/08	. 8.500	2017/05
SILVER	01077	036	2014/01/10	< .000	2017/01
SODIUM	00929	036	2014/05/08	. 31.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/08	. 200.000	2017/05
SULFATE	00945	036	2014/05/08	. 3.300	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/08	. 130.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/08	< .000	2017/05
ZINC	01092	036	2014/05/08	< .000	2017/05

PS Code: ***3610125-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/01/10	< .000	2017/01
ANTIMONY	01097	036	2014/01/10	< .000	2017/01
ARSENIC	01002	036	2014/01/10	. 5.300	2017/01
BARIUM	01007	036	2014/01/10	< .000	2017/01
BERYLLIUM	01012	036	2014/01/10	< .000	2017/01
CADMIUM	01027	036	2014/01/10	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610125
System Name: SBNDO COUNTY SERVICE AREA 70J

PS Code: 3610125-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/07/08	. 20.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/08	. 20.000	2017/07
CYANIDE	01291	036	2014/01/10	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/08	. .340	2017/05
MERCURY	71900	036	2014/01/10	< .000	2017/01
NICKEL	01067	036	2014/01/10	< .000	2017/01
PERCHLORATE	A-031	036	2014/01/10	< .000	2017/01
SELENIUM	01147	036	2014/01/10	< .000	2017/01
THALLIUM	01059	036	2014/01/10	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/08	. 8.200	2015/05
NITRITE (AS N)	00620	036	2014/01/10	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/07/08	< .000	2023/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/03	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/03	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/02/03	< .000	2020/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/02/03	< .000	2020/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/02/03	< .000	2020/02
1,1,2-TRICHLOROETHANE	34511	072	2014/02/03	< .000	2020/02
1,1-DICHLOROETHANE	34496	072	2014/02/03	< .000	2020/02
1,1-DICHLOROETHYLENE	34501	072	2014/02/03	< .000	2020/02
1,2,4-TRICHLOROBENZENE	34551	072	2014/02/03	< .000	2020/02
1,2-DICHLOROBENZENE	34536	072	2014/02/03	< .000	2020/02
1,2-DICHLOROETHANE	34531	072	2014/02/03	< .000	2020/02
1,2-DICHLOROPROPANE	34541	072	2014/02/03	< .000	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/02/03	**< .000**	2020/02
1,4-DICHLOROBENZENE	**34571**	**072**	2014/02/03	**< .000**	2020/02
BENZENE	**34030**	**072**	2014/02/03	**< .000**	2020/02
CARBON TETRACHLORIDE	**32102**	**072**	2014/02/03	**< .000**	2020/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/02/03	**< .000**	2020/02
DICHLOROMETHANE	**34423**	**072**	2014/02/03	**< .000**	2020/02
ETHYLBENZENE	**34371**	**072**	2014/02/03	**< .000**	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/04/03	**< .000**	2020/04
MONOCHLOROBENZENE	**34301**	**072**	2014/02/03	**< .000**	2020/02
STYRENE	**77128**	**072**	2014/02/03	**< .000**	2020/02
TETRACHLOROETHYLENE	**34475**	**072**	2014/02/03	**< .000**	2020/02
TOLUENE	**34010**	**072**	2014/02/03	**< .000**	2020/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/02/03	**< .000**	2020/02
TRICHLOROETHYLENE	**39180**	**072**	2014/02/03	**< .000**	2020/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/02/03	**< .000**	2020/02
VINYL CHLORIDE	**39175**	**072**	2014/02/03	**< .000**	2020/02
XYLENES (TOTAL)	**81551**	**072**	2014/02/03	**< .000**	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/08	**. 90.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/08	**. 4.900**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/08	**. 6.200**	2017/05
CHLORIDE	**00940**	**036**	2014/05/08	**. 15.000**	2017/05
COLOR	**00081**	**036**	2014/05/08	**< .000**	2017/05
COPPER	**01042**	**036**	2014/05/08	**< .000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/08	**< .000**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/08	**. 12.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/08	**< .000**	2017/05
IRON	**01045**	**036**	2014/05/08	**< .000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/08	**< .000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610125
System Name: SBNDO COUNTY SERVICE AREA 70J

PS Code: 3610125-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
MANGANESE	01055	036	2014/05/08	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/08	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/08	. 8.800	2017/05
SILVER	01077	036	2014/01/10	< .000	2017/01
SODIUM	00929	036	2014/05/08	. 40.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/08	. 220.000	2017/05
SULFATE	00945	036	2014/05/08	. 5.200	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/08	. 130.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/08	< .000	2017/05
ZINC	01092	036	2014/05/08	< .000	2017/05

PS Code: 3610125-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/01/10	< .000	2017/01
ANTIMONY	01097	036	2014/01/10	< .000	2017/01
ARSENIC	01002	036	2014/01/10	. 4.800	2017/01
BARIUM	01007	036	2014/01/10	< .000	2017/01
BERYLLIUM	01012	036	2014/01/10	< .000	2017/01
CADMIUM	01027	036	2014/01/10	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/07/10	< .000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/10	. 9.700	2017/07
CYANIDE	01291	036	2014/01/10	< .000	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/08	. .510	2017/05
MERCURY	71900	036	2014/01/10	< .000	2017/01
NICKEL	01067	036	2014/01/10	< .000	2017/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610125
System Name: SBNDO COUNTY SERVICE AREA 70J

PS Code: 3610125-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	A-031	036	2014/01/10	< .000	2017/01
SELENIUM	01147	036	2014/01/10	< .000	2017/01
THALLIUM	01059	036	2014/01/10	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/08	. 8.500	2015/05
NITRITE (AS N)	00620	036	2014/01/10	< .000	2017/01
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/07/10	< .000	2023/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/03	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/03	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/02/03	< .000	2020/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/02/03	< .000	2020/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/02/03	< .000	2020/02
1,1,2-TRICHLOROETHANE	34511	072	2014/02/03	< .000	2020/02
1,1-DICHLOROETHANE	34496	072	2014/02/03	< .000	2020/02
1,1-DICHLOROETHYLENE	34501	072	2014/02/03	< .000	2020/02
1,2,4-TRICHLOROBENZENE	34551	072	2014/02/03	< .000	2020/02
1,2-DICHLOROBENZENE	34536	072	2014/02/03	< .000	2020/02
1,2-DICHLOROETHANE	34531	072	2014/02/03	< .000	2020/02
1,2-DICHLOROPROPANE	34541	072	2014/02/03	< .000	2020/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/02/03	< .000	2020/02
1,4-DICHLOROBENZENE	34571	072	2014/02/03	< .000	2020/02
BENZENE	34030	072	2014/02/03	< .000	2020/02
CARBON TETRACHLORIDE	32102	072	2014/02/03	< .000	2020/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/02/03	< .000	2020/02
DICHLOROMETHANE	34423	072	2014/02/03	< .000	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610125
System Name: SBNDO COUNTY SERVICE AREA 70J

PS Code: 3610125-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	34371	072	2014/02/03	< .000	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/07/10	< .000	2020/07
MONOCHLOROBENZENE	34301	072	2014/02/03	< .000	2020/02
STYRENE	77128	072	2014/02/03	< .000	2020/02
TETRACHLOROETHYLENE	34475	072	2014/02/03	< .000	2020/02
TOLUENE	34010	072	2014/02/03	< .000	2020/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/02/03	< .000	2020/02
TRICHLOROETHYLENE	39180	072	2014/02/03	< .000	2020/02
TRICHLOROFLUOROMETHANE	34488	072	2014/02/03	< .000	2020/02
VINYL CHLORIDE	39175	072	2014/02/03	< .000	2020/02
XYLENES (TOTAL)	81551	072	2014/02/03	< .000	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/05/08	. 79.000	2017/05
CALCIUM	00916	036	2014/05/08	. 6.600	2017/05
CARBONATE ALKALINITY	00445	036	2014/05/08	. 5.300	2017/05
CHLORIDE	00940	036	2014/05/08	. 12.000	2017/05
COLOR	00081	036	2014/05/08	< .000	2017/05
COPPER	01042	036	2014/05/08	< .000	2017/05
FOAMING AGENTS (MBAS)	38260	036	2014/05/08	< .000	2017/05
HARDNESS (TOTAL) AS CACO3	00900	036	2014/05/08	. 17.000	2017/05
HYDROXIDE ALKALINITY	71830	036	2014/05/08	< .000	2017/05
IRON	01045	036	2014/05/08	< .000	2017/05
MAGNESIUM	00927	036	2014/05/08	< .000	2017/05
MANGANESE	01055	036	2014/05/08	< .000	2017/05
ODOR THRESHOLD @ 60 C	00086	036	2014/05/08	. 1.000	2017/05
PH, LABORATORY	00403	036	2014/05/08	. 8.500	2017/05
SILVER	01077	036	2014/01/10	< .000	2017/01
SODIUM	00929	036	2014/05/08	. 33.000	2017/05
SPECIFIC CONDUCTANCE	00095	036	2014/05/08	. 200.000	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610125
System Name: SBNDO COUNTY SERVICE AREA 70J

PS Code: 3610125-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
SULFATE	00945	036	2014/05/08	. 5.000	2017/05
TOTAL DISSOLVED SOLIDS	70300	036	2014/05/08	. 140.000	2017/05
TURBIDITY, LABORATORY	82079	036	2014/05/08	< .000	2017/05
ZINC	01092	036	2014/05/08	< .000	2017/05

PS Code: 3610125-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2014/02/12	< .000	2017/02
ANTIMONY	01097	036	2014/02/12	< .000	2017/02
ARSENIC	01002	036	2014/02/12	. 5.900	2017/02
BARIUM	01007	036	2014/02/12	< .000	2017/02
BERYLLIUM	01012	036	2014/02/12	< .000	2017/02
CADMIUM	01027	036	2014/02/12	< .000	2017/02
CHROMIUM (TOTAL)	01034	036	2014/07/10	. 19.000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/10	. 18.000	2017/07
CYANIDE	01291	036	2014/02/12	< .000	2017/02
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/08	. .530	2017/05
MERCURY	71900	036	2014/02/12	< .000	2017/02
NICKEL	01067	036	2014/02/12	< .000	2017/02
PERCHLORATE	A-031	036	2014/02/12	< .000	2017/02
SELENIUM	01147	036	2014/02/12	< .000	2017/02
THALLIUM	01059	036	2014/02/12	< .000	2017/02
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/05/08	. 9.700	2015/05
NITRITE (AS N)	00620	036	2014/02/12	< .000	2017/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610125
System Name: SBNDO COUNTY SERVICE AREA 70J

PS Code: 3610125-004
Source Name: WELL 04
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	01501	108	2014/07/10	< .000	2023/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/02/04	< .000	2017/02
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/02/04	< .000	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/02/04	< .000	2020/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/02/04	< .000	2020/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/02/04	< .000	2020/02
1,1,2-TRICHLOROETHANE	34511	072	2014/02/04	< .000	2020/02
1,1-DICHLOROETHANE	34496	072	2014/02/04	< .000	2020/02
1,1-DICHLOROETHYLENE	34501	072	2014/02/04	< .000	2020/02
1,2,4-TRICHLOROBENZENE	34551	072	2014/02/04	< .000	2020/02
1,2-DICHLOROBENZENE	34536	072	2014/02/04	< .000	2020/02
1,2-DICHLOROETHANE	34531	072	2014/02/04	< .000	2020/02
1,2-DICHLOROPROPANE	34541	072	2014/02/04	< .000	2020/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/02/04	< .000	2020/02
1,4-DICHLOROBENZENE	34571	072	2014/02/04	< .000	2020/02
BENZENE	34030	072	2014/02/04	< .000	2020/02
CARBON TETRACHLORIDE	32102	072	2014/02/04	< .000	2020/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/02/04	< .000	2020/02
DICHLOROMETHANE	34423	072	2014/02/04	< .000	2020/02
ETHYLBENZENE	34371	072	2014/02/04	< .000	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/07/10	< .000	2020/07
MONOCHLOROBENZENE	34301	072	2014/02/04	< .000	2020/02
STYRENE	77128	072	2014/02/04	< .000	2020/02
TETRACHLOROETHYLENE	34475	072	2014/02/04	< .000	2020/02
TOLUENE	34010	072	2014/02/04	< .000	2020/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/02/04	< .000	2020/02
TRICHLOROETHYLENE	39180	072	2014/02/04	< .000	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-004***

Source Name: ***WELL 04***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/02/04	**< .000**	2020/02
VINYL CHLORIDE	**39175**	**072**	2014/02/04	**< .000**	2020/02
XYLENES (TOTAL)	**81551**	**072**	2014/02/04	**< .000**	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/08	**. 77.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/08	**. 6.200**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/08	**. 5.300**	2017/05
CHLORIDE	**00940**	**036**	2014/05/08	**. 11.000**	2017/05
COLOR	**00081**	**036**	2014/05/08	**< .000**	2017/05
COPPER	**01042**	**036**	2014/05/08	**< .000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/08	**< .000**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/08	**. 15.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/08	**< .000**	2017/05
IRON	**01045**	**036**	2014/05/08	**< .000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/08	**< .000**	2017/05
MANGANESE	**01055**	**036**	2014/05/08	**< .000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/08	**. 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/08	**. 8.600**	2017/05
SILVER	**01077**	**036**	2014/02/12	**< .000**	2017/02
SODIUM	**00929**	**036**	2014/05/08	**. 32.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/08	**. 200.000**	2017/05
SULFATE	**00945**	**036**	2014/05/08	**. 4.900**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/08	**. 130.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/08	**. .200**	2017/05
ZINC	**01092**	**036**	2014/05/08	**< .000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/01/16	**. 69.000**	2017/01
ANTIMONY	**01097**	**036**	2014/01/16	**< .000**	2017/01
ARSENIC	**01002**	**036**	2014/01/16	**. 4.800**	2017/01
BARIUM	**01007**	**036**	2014/01/16	**< .000**	2017/01
BERYLLIUM	**01012**	**036**	2014/01/16	**< .000**	2017/01
CADMIUM	**01027**	**036**	2014/01/16	**< .000**	2017/01
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/08	**. 20.000**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/08	**. 20.000**	2017/07
CYANIDE	**01291**	**036**	2014/01/16	**< .000**	2017/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/05/08	**. .480**	2017/05
MERCURY	**71900**	**036**	2014/01/16	**< .000**	2017/01
NICKEL	**01067**	**036**	2014/01/16	**< .000**	2017/01
PERCHLORATE	**A-031**	**036**	2014/01/16	**< .000**	2017/01
SELENIUM	**01147**	**036**	2014/01/16	**< .000**	2017/01
THALLIUM	**01059**	**036**	2014/01/16	**< .000**	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/05/08	**. 11.000**	2015/05
NITRITE (AS N)	**00620**	**036**	2014/01/16	**< .000**	2017/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2014/07/08	**< .000**	2023/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/02/03	**< .000**	2017/02
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/02/03	**< .000**	2017/02
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/02/03	**< .000**	2020/02
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/02/03	**< .000**	2020/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/02/03	**< .000**	2020/02
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/02/03	**< .000**	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

PS Code: ***3610125-005***

Source Name: ***WELL 05***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2014/02/03	**< .000**	2020/02
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/02/03	**< .000**	2020/02
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/02/03	**< .000**	2020/02
1,2-DICHLOROBENZENE	**34536**	**072**	2014/02/03	**< .000**	2020/02
1,2-DICHLOROETHANE	**34531**	**072**	2014/02/03	**< .000**	2020/02
1,2-DICHLOROPROPANE	**34541**	**072**	2014/02/03	**< .000**	2020/02
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/02/03	**< .000**	2020/02
1,4-DICHLOROBENZENE	**34571**	**072**	2014/02/03	**< .000**	2020/02
BENZENE	**34030**	**072**	2014/02/03	**< .000**	2020/02
CARBON TETRACHLORIDE	**32102**	**072**	2014/02/03	**< .000**	2020/02
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/02/03	**< .000**	2020/02
DICHLOROMETHANE	**34423**	**072**	2014/02/03	**< .000**	2020/02
ETHYLBENZENE	**34371**	**072**	2014/02/03	**< .000**	2020/02
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/03	**< .000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2014/02/03	**< .000**	2020/02
STYRENE	**77128**	**072**	2014/02/03	**< .000**	2020/02
TETRACHLOROETHYLENE	**34475**	**072**	2014/02/03	**< .000**	2020/02
TOLUENE	**34010**	**072**	2014/02/03	**< .000**	2020/02
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/02/03	**< .000**	2020/02
TRICHLOROETHYLENE	**39180**	**072**	2014/02/03	**< .000**	2020/02
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/02/03	**< .000**	2020/02
VINYL CHLORIDE	**39175**	**072**	2014/02/03	**< .000**	2020/02
XYLENES (TOTAL)	**81551**	**072**	2014/02/03	**< .000**	2020/02
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/05/08	**. 79.000**	2017/05
CALCIUM	**00916**	**036**	2014/05/08	**. 6.400**	2017/05
CARBONATE ALKALINITY	**00445**	**036**	2014/05/08	**< .000**	2017/05
CHLORIDE	**00940**	**036**	2014/05/08	**. 10.000**	2017/05
COLOR	**00081**	**036**	2014/05/08	**< .000**	2017/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610125-005***					
Source Name: ***WELL 05***					
Source Number: ***005***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2014/05/08	**< .000**	2017/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/05/08	**< .000**	2017/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/05/08	**. 16.000**	2017/05
HYDROXIDE ALKALINITY	**71830**	**036**	2014/05/08	**< .000**	2017/05
IRON	**01045**	**036**	2014/05/08	**< .000**	2017/05
MAGNESIUM	**00927**	**036**	2014/05/08	**< .000**	2017/05
MANGANESE	**01055**	**036**	2014/05/08	**< .000**	2017/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/05/08	**. 1.000**	2017/05
PH, LABORATORY	**00403**	**036**	2014/05/08	**. 8.600**	2017/05
SILVER	**01077**	**036**	2014/01/16	**< .000**	2017/01
SODIUM	**00929**	**036**	2014/05/08	**. 32.000**	2017/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/05/08	**. 200.000**	2017/05
SULFATE	**00945**	**036**	2014/05/08	**. 3.600**	2017/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/05/08	**. 140.000**	2017/05
TURBIDITY, LABORATORY	**82079**	**036**	2014/05/08	**. .200**	2017/05
ZINC	**01092**	**036**	2014/05/08	**< .000**	2017/05
PS Code: ***3610125-800***					
Source Name: ***WELL 01 - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610125***

System Name: ***SBNDO COUNTY SERVICE AREA 70J***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610125-801***					
Source Name: ***WELL 02 - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610125-802***					
Source Name: ***WELL 03 - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610125-803***					
Source Name: ***WELL 04 - TREATED (CL2)***					
Source Number: ***803***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610125-804***					
Source Name: ***WELL 05 - TREATED (CL2)***					
Source Number: ***804***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2013/08/29	**< .000**	2016/08	
ANTIMONY	**01097**	**036**	2013/08/29	**< .000**	2016/08	
ARSENIC	**01002**	**036**	2013/08/29	**< .000**	2016/08	
BARIUM	**01007**	**036**	2013/08/29	**< .000**	2016/08	
BERYLLIUM	**01012**	**036**	2013/08/29	**< .000**	2016/08	
CADMIUM	**01027**	**036**	2013/08/29	**< .000**	2016/08	
CHROMIUM (TOTAL)	**01034**	**036**	2013/08/29	**< .000**	2016/08	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2010/09/10**	**< 1.000**	**2013/09**	**DUE**
CYANIDE	**01291**	**036**	2013/08/29	**< .000**	2016/08	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/29	**. .510**	2016/08	
MERCURY	**71900**	**036**	2013/08/29	**< .000**	2016/08	
NICKEL	**01067**	**036**	2013/08/29	**< .000**	2016/08	
PERCHLORATE	**A-031**	**036**	2014/02/13	**< .000**	2017/02	
SELENIUM	**01147**	**036**	2013/08/29	**< .000**	2016/08	
THALLIUM	**01059**	**036**	2013/08/29	**< .000**	2016/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2013/08/29	**. 2.100**	2014/08	
NITRITE (AS N)	**00620**	**036**	2013/08/29	**< .000**	2016/08	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2014/05/12	**< .000**	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/29	**< .000**	2016/08	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/29	**< .000**	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/05/12	**< .000**	2020/05	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/05/12	**< .000**	2020/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/05/12	**< .000**	2020/05	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/05/12	**< .000**	2020/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2014/05/12	**< .000**	2020/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/05/12	**< .000**	2020/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/05/12	**< .000**	2020/05
1,2-DICHLOROBENZENE	**34536**	**072**	2014/05/12	**< .000**	2020/05
1,2-DICHLOROETHANE	**34531**	**072**	2014/05/12	**< .000**	2020/05
1,2-DICHLOROPROPANE	**34541**	**072**	2014/05/12	**< .000**	2020/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/05/12	**< .000**	2020/05
1,4-DICHLOROBENZENE	**34571**	**072**	2014/05/12	**< .000**	2020/05
BENZENE	**34030**	**072**	2014/05/12	**< .000**	2020/05
CARBON TETRACHLORIDE	**32102**	**072**	2014/05/12	**< .000**	2020/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/05/12	**< .000**	2020/05
DICHLOROMETHANE	**34423**	**072**	2014/05/12	**< .000**	2020/05
ETHYLBENZENE	**34371**	**072**	2014/05/12	**< .000**	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/12	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2014/05/12	**< .000**	2020/05
STYRENE	**77128**	**072**	2014/05/12	**< .000**	2020/05
TETRACHLOROETHYLENE	**34475**	**072**	2014/05/12	**< .000**	2020/05
TOLUENE	**34010**	**072**	2014/05/12	**< .000**	2020/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/05/12	**< .000**	2020/05
TRICHLOROETHYLENE	**39180**	**072**	2014/05/12	**< .000**	2020/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/05/12	**< .000**	2020/05
VINYL CHLORIDE	**39175**	**072**	2014/05/12	**< .000**	2020/05
XYLENES (TOTAL)	**81551**	**072**	2014/05/12	**< .000**	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/08/29	**. 91.000**	2016/08
CALCIUM	**00916**	**036**	2013/08/29	**. 23.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2013/08/29	**< .000**	2016/08
CHLORIDE	**00940**	**036**	2013/08/29	**. 12.000**	2016/08
COLOR	**00081**	**036**	2013/08/29	**< .000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610129-001***					
Source Name: ***WELL 1***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
COPPER	**01042**	**036**	2013/08/29	**< .000**	2016/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/08/29	**< .000**	2016/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/29	**. 69.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2013/08/29	**< .000**	2016/08
IRON	**01045**	**036**	2013/08/29	**< .000**	2016/08
MAGNESIUM	**00927**	**036**	2013/08/29	**. 3.000**	2016/08
MANGANESE	**01055**	**036**	2013/08/29	**< .000**	2016/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/08/29	**1.000**	2016/08
PH, LABORATORY	**00403**	**036**	2013/08/29	**. 7.900**	2016/08
SILVER	**01077**	**036**	2013/08/29	**< .000**	2016/08
SODIUM	**00929**	**036**	2013/08/29	**13.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/08/29	**. 200.000**	2016/08
SULFATE	**00945**	**036**	2013/08/29	**11.000**	2016/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/29	**. 130.000**	2016/08
TURBIDITY, LABORATORY	**82079**	**036**	2013/08/29	**< .000**	2016/08
ZINC	**01092**	**036**	2013/08/29	**< .000**	2016/08
PS Code: ***3610129-002***					
Source Name: ***WELL 2***					
Source Number: ***002***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2013/08/29	**< .000**	2016/08
ANTIMONY	**01097**	**036**	2013/08/29	**< .000**	2016/08
ARSENIC	**01002**	**036**	2013/08/29	**< .000**	2016/08
BARIUM	**01007**	**036**	2013/08/29	**< .000**	2016/08
BERYLLIUM	**01012**	**036**	2013/08/29	**< .000**	2016/08
CADMIUM	**01027**	**036**	2013/08/29	**< .000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-002***

Source Name: ***WELL 2***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2013/08/29	< .000	2016/08	
CHROMIUM, HEXAVALENT	01032	036	2010/07/30	< 1.000	2013/07	DUE
CYANIDE	01291	036	2013/08/29	< .000	2016/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/29	. .390	2016/08	
MERCURY	71900	036	2013/08/29	< .000	2016/08	
NICKEL	01067	036	2013/08/29	< .000	2016/08	
PERCHLORATE	A-031	036	2014/02/13	< .000	2017/02	
SELENIUM	01147	036	2013/08/29	< .000	2016/08	
THALLIUM	01059	036	2013/08/29	< .000	2016/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/29	. 2.100	2014/08	
NITRITE (AS N)	00620	036	2013/08/29	< .000	2016/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/08	< .000	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/29	< .000	2016/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/29	< .000	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/05/08	< .000	2020/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/05/08	< .000	2020/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/05/08	< .000	2020/05	
1,1,2-TRICHLOROETHANE	34511	072	2014/05/08	< .000	2020/05	
1,1-DICHLOROETHANE	34496	072	2014/05/08	< .000	2020/05	
1,1-DICHLOROETHYLENE	34501	072	2014/05/08	< .000	2020/05	
1,2,4-TRICHLOROBENZENE	34551	072	2014/05/08	< .000	2020/05	
1,2-DICHLOROBENZENE	34536	072	2014/05/08	< .000	2020/05	
1,2-DICHLOROETHANE	34531	072	2014/05/08	< .000	2020/05	
1,2-DICHLOROPROPANE	34541	072	2014/05/08	< .000	2020/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

PS Code: 3610129-002
Source Name: WELL 2
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/05/08	< .000	2020/05
1,4-DICHLOROBENZENE	34571	072	2014/05/08	< .000	2020/05
BENZENE	34030	072	2014/05/08	< .000	2020/05
CARBON TETRACHLORIDE	32102	072	2014/05/08	< .000	2020/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/05/08	< .000	2020/05
DICHLOROMETHANE	34423	072	2014/05/08	. .760	2020/05
ETHYLBENZENE	34371	072	2014/05/08	< .000	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/08	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2014/05/08	< .000	2020/05
STYRENE	77128	072	2014/05/08	< .000	2020/05
TETRACHLOROETHYLENE	34475	072	2014/05/08	< .000	2020/05
TOLUENE	34010	072	2014/05/08	< .000	2020/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/05/08	< .000	2020/05
TRICHLOROETHYLENE	39180	072	2014/05/08	< .000	2020/05
TRICHLOROFLUOROMETHANE	34488	072	2014/05/08	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/08	< .000	2020/05
XYLENES (TOTAL)	81551	072	2014/05/08	< .000	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/29	. 84.000	2016/08
CALCIUM	00916	036	2013/08/29	. 21.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/29	< .000	2016/08
CHLORIDE	00940	036	2013/08/29	. 14.000	2016/08
COLOR	00081	036	2013/08/29	< .000	2016/08
COPPER	01042	036	2013/08/29	< .000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/29	< .000	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/29	. 65.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/29	< .000	2016/08
IRON	01045	036	2013/08/29	< .000	2016/08
MAGNESIUM	00927	036	2013/08/29	. 3.400	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-002***

Source Name: ***WELL 2***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	**01055**	**036**	2013/08/29	**<**	**.000**	2016/08	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/08/29		**1.000**	2016/08	
PH, LABORATORY	**00403**	**036**	2013/08/29	**.**	**7.900**	2016/08	
SILVER	**01077**	**036**	2013/08/29	**<**	**.000**	2016/08	
SODIUM	**00929**	**036**	2013/08/29		**13.000**	2016/08	
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/08/29	**.**	**200.000**	2016/08	
SULFATE	**00945**	**036**	2013/08/29		**11.000**	2016/08	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2013/08/29	**.**	**130.000**	2016/08	
TURBIDITY, LABORATORY	**82079**	**036**	2013/08/29	**.**	**.200**	2016/08	
ZINC	**01092**	**036**	2013/08/29	**<**	**.000**	2016/08	

PS Code: ***3610129-003***

Source Name: ***WELL 3***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	**01105**	**036**	2013/08/07	**<**	**.000**	2016/08	
ANTIMONY	**01097**	**036**	2013/08/07	**<**	**.000**	2016/08	
ARSENIC	**01002**	**036**	2013/08/07	**<**	**.000**	2016/08	
BARIUM	**01007**	**036**	2013/08/07	**<**	**.000**	2016/08	
BERYLLIUM	**01012**	**036**	2013/08/07	**<**	**.000**	2016/08	
CADMIUM	**01027**	**036**	2013/08/07	**<**	**.000**	2016/08	
CHROMIUM (TOTAL)	**01034**	**036**	2013/08/07	**<**	**.000**	2016/08	
CHROMIUM, HEXAVALENT	**01032**	**036**	**2010/12/22**	**<**	**1.000**	**2013/12**	**DUE**
CYANIDE	**01291**	**036**	2013/08/07	**<**	**.000**	2016/08	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/08/07	**.**	**.310**	2016/08	
MERCURY	**71900**	**036**	2013/08/07	**<**	**.000**	2016/08	
NICKEL	**01067**	**036**	2013/08/07	**<**	**.000**	2016/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-003***

Source Name: ***WELL 3***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
PERCHLORATE	**A-031**	**036**	2014/02/13	**< .000**	2017/02
SELENIUM	**01147**	**036**	2013/08/07	**< .000**	2016/08
THALLIUM	**01059**	**036**	2013/08/07	**< .000**	2016/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/08/07	**. 2.400**	2014/08
NITRITE (AS N)	**00620**	**036**	2013/08/07	**< .000**	2016/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/14	**< .000**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/07	**< .000**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/07	**< .000**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/05/14	**< .000**	2020/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/05/14	**< .000**	2020/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/05/14	**< .000**	2020/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/05/14	**< .000**	2020/05
1,1-DICHLOROETHANE	**34496**	**072**	2014/05/14	**< .000**	2020/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/05/14	**< .000**	2020/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/05/14	**< .000**	2020/05
1,2-DICHLOROBENZENE	**34536**	**072**	2014/05/14	**< .000**	2020/05
1,2-DICHLOROETHANE	**34531**	**072**	2014/05/14	**< .000**	2020/05
1,2-DICHLOROPROPANE	**34541**	**072**	2014/05/14	**< .000**	2020/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/05/14	**< .000**	2020/05
1,4-DICHLOROBENZENE	**34571**	**072**	2014/05/14	**< .000**	2020/05
BENZENE	**34030**	**072**	2014/05/14	**< .000**	2020/05
CARBON TETRACHLORIDE	**32102**	**072**	2014/05/14	**< .000**	2020/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/05/14	**< .000**	2020/05
DICHLOROMETHANE	**34423**	**072**	2014/05/14	**< .000**	2020/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-003***

Source Name: ***WELL 3***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**072**	2014/05/14	**< .000**	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/14	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2014/05/14	**< .000**	2020/05
STYRENE	**77128**	**072**	2014/05/14	**< .000**	2020/05
TETRACHLOROETHYLENE	**34475**	**072**	2014/05/14	**< .000**	2020/05
TOLUENE	**34010**	**072**	2014/05/14	**< .000**	2020/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/05/14	**< .000**	2020/05
TRICHLOROETHYLENE	**39180**	**072**	2014/05/14	**< .000**	2020/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2014/05/14	**< .000**	2020/05
VINYL CHLORIDE	**39175**	**072**	2014/05/14	**< .000**	2020/05
XYLENES (TOTAL)	**81551**	**072**	2014/05/14	**< .000**	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2013/08/07	**. 79.000**	2016/08
CALCIUM	**00916**	**036**	2013/08/07	**. 27.000**	2016/08
CARBONATE ALKALINITY	**00445**	**036**	2013/08/07	**< .000**	2016/08
CHLORIDE	**00940**	**036**	2013/08/07	**. 23.000**	2016/08
COLOR	**00081**	**036**	2013/08/07	**< .000**	2016/08
COPPER	**01042**	**036**	2013/08/07	**< .000**	2016/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2013/08/07	**< .000**	2016/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2013/08/07	**. 84.000**	2016/08
HYDROXIDE ALKALINITY	**71830**	**036**	2013/08/07	**< .000**	2016/08
IRON	**01045**	**036**	2013/08/07	**< .000**	2016/08
MAGNESIUM	**00927**	**036**	2013/08/07	**. 4.200**	2016/08
MANGANESE	**01055**	**036**	2013/08/07	**< .000**	2016/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2013/08/07	**1.000**	2016/08
PH, LABORATORY	**00403**	**036**	2013/08/07	**. 7.700**	2016/08
SILVER	**01077**	**036**	2013/08/07	**< .000**	2016/08
SODIUM	**00929**	**036**	2013/08/07	**14.000**	2016/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2013/08/07	**. 250.000**	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

PS Code: 3610129-003
Source Name: WELL 3
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
SULFATE	00945	036	2013/08/07		16.000	2016/08	
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/07	.	160.000	2016/08	
TURBIDITY, LABORATORY	82079	036	2013/08/07	<	.000	2016/08	
ZINC	01092	036	2013/08/07	<	.000	2016/08	

PS Code: 3610129-004
Source Name: WELL 4
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2013/08/07	<	.000	2016/08	
ANTIMONY	01097	036	2013/08/07	<	.000	2016/08	
ARSENIC	01002	036	2013/08/07	<	.000	2016/08	
BARIUM	01007	036	2013/08/07	<	.000	2016/08	
BERYLLIUM	01012	036	2013/08/07	<	.000	2016/08	
CADMIUM	01027	036	2013/08/07	<	.000	2016/08	
CHROMIUM (TOTAL)	01034	036	2013/08/07	<	.000	2016/08	
CHROMIUM, HEXAVALENT	01032	036	2010/11/03	<	1.000	2013/11	DUE
CYANIDE	01291	036	2013/08/07	<	.000	2016/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/07	.	.330	2016/08	
MERCURY	71900	036	2013/08/07	<	.000	2016/08	
NICKEL	01067	036	2013/08/07	<	.000	2016/08	
PERCHLORATE	A-031	036	2014/02/13	<	.000	2017/02	
SELENIUM	01147	036	2013/08/07	<	.000	2016/08	
THALLIUM	01059	036	2013/08/07	<	.000	2016/08	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/08/07	.	2.100	2014/08	
NITRITE (AS N)	00620	036	2013/08/07	<	.000	2016/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-004***

Source Name: ***WELL 4***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2014/05/20	**< .000**	2017/05
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/07	**< .000**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/07	**< .000**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/05/20	**< .000**	2020/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/05/20	**< .000**	2020/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/05/20	**< .000**	2020/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/05/20	**< .000**	2020/05
1,1-DICHLOROETHANE	**34496**	**072**	2014/05/20	**< .000**	2020/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2014/05/20	**< .000**	2020/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2014/05/20	**< .000**	2020/05
1,2-DICHLOROBENZENE	**34536**	**072**	2014/05/20	**< .000**	2020/05
1,2-DICHLOROETHANE	**34531**	**072**	2014/05/20	**< .000**	2020/05
1,2-DICHLOROPROPANE	**34541**	**072**	2014/05/20	**< .000**	2020/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2014/05/20	**< .000**	2020/05
1,4-DICHLOROBENZENE	**34571**	**072**	2014/05/20	**< .000**	2020/05
BENZENE	**34030**	**072**	2014/05/20	**< .000**	2020/05
CARBON TETRACHLORIDE	**32102**	**072**	2014/05/20	**< .000**	2020/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2014/05/20	**< .000**	2020/05
DICHLOROMETHANE	**34423**	**072**	2014/05/20	**< .000**	2020/05
ETHYLBENZENE	**34371**	**072**	2014/05/20	**< .000**	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/05/20	**< .000**	2020/05
MONOCHLOROBENZENE	**34301**	**072**	2014/05/20	**< .000**	2020/05
STYRENE	**77128**	**072**	2014/05/20	**< .000**	2020/05
TETRACHLOROETHYLENE	**34475**	**072**	2014/05/20	**< .000**	2020/05
TOLUENE	**34010**	**072**	2014/05/20	**< .000**	2020/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2014/05/20	**< .000**	2020/05
TRICHLOROETHYLENE	**39180**	**072**	2014/05/20	**< .000**	2020/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

PS Code: 3610129-004
Source Name: WELL 4
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	072	2014/05/20	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/20	< .000	2020/05
XYLENES (TOTAL)	81551	072	2014/05/20	< .000	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/07	. 84.000	2016/08
CALCIUM	00916	036	2013/08/07	. 23.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/07	< .000	2016/08
CHLORIDE	00940	036	2013/08/07	. 16.000	2016/08
COLOR	00081	036	2013/08/07	< .000	2016/08
COPPER	01042	036	2013/08/07	< .000	2016/08
FOAMING AGENTS (MBAS)	38260	036	2013/08/07	< .000	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/07	. 70.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/07	< .000	2016/08
IRON	01045	036	2013/08/07	< .000	2016/08
MAGNESIUM	00927	036	2013/08/07	. 3.400	2016/08
MANGANESE	01055	036	2013/08/07	< .000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/07	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/07	. 7.800	2016/08
SILVER	01077	036	2013/08/07	< .000	2016/08
SODIUM	00929	036	2013/08/07	13.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/07	. 210.000	2016/08
SULFATE	00945	036	2013/08/07	12.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/07	. 130.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/07	< .000	2016/08
ZINC	01092	036	2013/08/07	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

PS Code: 3610129-005
Source Name: WELL 5
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2013/08/13	< .000	2016/08	
ANTIMONY	01097	036	2013/08/13	< .000	2016/08	
ARSENIC	01002	036	2013/08/13	< .000	2016/08	
BARIUM	01007	036	2014/01/30	< .000	2017/01	
BERYLLIUM	01012	036	2013/08/13	< .000	2016/08	
CADMIUM	01027	036	2013/08/13	< .000	2016/08	
CHROMIUM (TOTAL)	01034	036	2013/08/13	< .000	2016/08	
CHROMIUM, HEXAVALENT	01032	036	2010/12/08	< 1.000	2013/12	DUE
CYANIDE	01291	036	2013/08/13	< .000	2016/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/08/13	. .220	2016/08	
MERCURY	71900	036	2013/08/13	< .000	2016/08	
NICKEL	01067	036	2013/08/13	< .000	2016/08	
PERCHLORATE	A-031	036	2014/02/13	< .000	2017/02	
SELENIUM	01147	036	2013/08/13	< .000	2016/08	
THALLIUM	01059	036	2013/08/13	< .000	2016/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/08/13	< .000	2014/08	
NITRITE (AS N)	00620	036	2013/08/13	< .000	2016/08	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/05/28	< .000	2017/05	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/13	< .000	2016/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/13	< .000	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2014/05/28	< .000	2020/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/05/28	< .000	2020/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/05/28	< .000	2020/05	
1,1,2-TRICHLOROETHANE	34511	072	2014/05/28	< .000	2020/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

PS Code: 3610129-005
Source Name: WELL 5
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	072	2014/05/28	< .000	2020/05
1,1-DICHLOROETHYLENE	34501	072	2014/05/28	< .000	2020/05
1,2,4-TRICHLOROBENZENE	34551	072	2014/05/28	< .000	2020/05
1,2-DICHLOROBENZENE	34536	072	2014/05/28	< .000	2020/05
1,2-DICHLOROETHANE	34531	072	2014/05/28	< .000	2020/05
1,2-DICHLOROPROPANE	34541	072	2014/05/28	< .000	2020/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/05/28	< .000	2020/05
1,4-DICHLOROBENZENE	34571	072	2014/05/28	< .000	2020/05
BENZENE	34030	072	2014/05/28	< .000	2020/05
CARBON TETRACHLORIDE	32102	072	2014/05/28	< .000	2020/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/05/28	< .000	2020/05
DICHLOROMETHANE	34423	072	2014/05/28	< .000	2020/05
ETHYLBENZENE	34371	072	2014/05/28	< .000	2020/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/05/28	< .000	2020/05
MONOCHLOROBENZENE	34301	072	2014/05/28	< .000	2020/05
STYRENE	77128	072	2014/05/28	< .000	2020/05
TETRACHLOROETHYLENE	34475	072	2014/05/28	< .000	2020/05
TOLUENE	34010	072	2014/05/28	< .000	2020/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/05/28	< .000	2020/05
TRICHLOROETHYLENE	39180	072	2014/05/28	< .000	2020/05
TRICHLOROFLUOROMETHANE	34488	072	2014/05/28	< .000	2020/05
VINYL CHLORIDE	39175	072	2014/05/28	< .000	2020/05
XYLENES (TOTAL)	81551	072	2014/05/28	< .000	2020/05
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/08/13	. 80.000	2016/08
CALCIUM	00916	036	2013/08/13	. 25.000	2016/08
CARBONATE ALKALINITY	00445	036	2013/08/13	< .000	2016/08
CHLORIDE	00940	036	2013/08/13	. 21.000	2016/08
COLOR	00081	036	2013/08/13	< .000	2016/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

PS Code: ***3610129-005***

Source Name: ***WELL 5***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/01/30	< .000	2017/01
FOAMING AGENTS (MBAS)	38260	036	2013/08/13	< .000	2016/08
HARDNESS (TOTAL) AS CACO3	00900	036	2013/08/13	. 75.000	2016/08
HYDROXIDE ALKALINITY	71830	036	2013/08/13	< .000	2016/08
IRON	01045	036	2013/08/13	< .000	2016/08
MAGNESIUM	00927	036	2013/08/13	. 3.400	2016/08
MANGANESE	01055	036	2013/08/13	< .000	2016/08
ODOR THRESHOLD @ 60 C	00086	036	2013/08/13	1.000	2016/08
PH, LABORATORY	00403	036	2013/08/13	. 7.500	2016/08
SILVER	01077	036	2013/08/13	< .000	2016/08
SODIUM	00929	036	2013/08/13	15.000	2016/08
SPECIFIC CONDUCTANCE	00095	036	2013/08/13	. 250.000	2016/08
SULFATE	00945	036	2013/08/13	16.000	2016/08
TOTAL DISSOLVED SOLIDS	70300	036	2013/08/13	. 150.000	2016/08
TURBIDITY, LABORATORY	82079	036	2013/08/13	. .200	2016/08
ZINC	01092	036	2014/01/30	< .000	2017/01

PS Code: ***3610129-006***

Source Name: ***WELL 6 (PENDING)***

Source Number: ***006***

Source Status: ***PENDING***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610129-601					
Source Name: DBP2-ZONE 1 RESERVOIR					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	< .000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	< .000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/14	< .000	2014/08
PS Code: 3610129-602					
Source Name: DBP2-TURNOUT 3					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610129-602***					
Source Name: ***DBP2-TURNOUT 3***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/14	**< .000**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/14	**< .000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/14	**< .000**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/14	**< .000**	2014/08
PS Code: ***3610129-603***					
Source Name: ***DBP2-TURNOUT 4***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/14	**. 1.400**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/14	**< .000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/14	**. 1.400**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/14	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/14	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/14	**< .000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/14	**< .000**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/14	**. 8.300**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/14	**< .000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/14	**. 1.000**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/14	**. 9.300**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610129
System Name: MOJAVE WATER AGENCY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610129-604					
Source Name: DBP2-TURNOUT 5 CONNECTION					
Source Number: 604					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	< .000	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	< .000	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08
BROMOFORM (THM)	32104	003	2014/05/14	< .000	2014/08
CHLOROFORM (THM)	32106	003	2014/05/14	< .000	2014/08
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/05/14	< .000	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/05/14	< .000	2014/08
PS Code: 3610129-605					
Source Name: DBP2-LA PANTO RESERVOIR					
Source Number: 605					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/05/14	. 1.100	2014/08
DICHLOROACETIC ACID (DCAA)	77288	003	2014/05/14	< .000	2014/08
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/05/14	. 1.100	2014/08
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/05/14	< .000	2014/08
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/05/14	< .000	2014/08
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/05/14	< .000	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/05/14	< .000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610129-605***					
Source Name: ***DBP2-LA PANTO RESERVOIR***					
Source Number: ***605***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/05/14	**. 6.300**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/14	**< .000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/14	**. 1.100**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/14	**. 7.400**	2014/08
PS Code: ***3610129-606***					
Source Name: ***DBP2-TURNOUT 6***					
Source Number: ***606***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/05/14	**< .000**	2014/08
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/05/14	**< .000**	2014/08
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/05/14	**< .000**	2014/08
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/05/14	**< .000**	2014/08
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/05/14	**< .000**	2014/08
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/05/14	**< .000**	2014/08
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/05/14	**< .000**	2014/08
BROMOFORM (THM)	**32104**	**003**	2014/05/14	**. 18.500**	2014/08
CHLOROFORM (THM)	**32106**	**003**	2014/05/14	**< .000**	2014/08
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/05/14	**. 1.800**	2014/08
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/05/14	**. 20.300**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610129***

System Name: ***MOJAVE WATER AGENCY***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610129-800***					
Source Name: ***WEST CHLORINATION FACILITY***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610130***

System Name: ***CAL TRANS - MOUNTAIN PASS - PENDING***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610130-001***					
Source Name: ***WELL 1 - PENDING***					
Source Number: ***001***					
Source Status: ***PENDING***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610300
System Name: PROVIDENCE MTNS SRA

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610300-001						
Source Name: COOKS WELL						
Source Number: 001						
Source Status: ACTIVE RAW						
Water type: G						
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/08/06	34.000	2011/08	DUE
NITRITE (AS N)	00620	036	2008/08/08	.000	2011/08	DUE
PS Code: 3610300-002						
Source Name: NEW WELL - PENDING						
Source Number: 002						
Source Status: PENDING						
Water type:						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610300-800						
Source Name: COOKS WELL - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610300-802						
Source Name: NEW WELL - TREATED (CL2)						
Source Number: 802						
Source Status: ACTIVE TREATED						
Water type:						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610301***

System Name: ***NPS - KELSO DEPOT***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610301-001***					
Source Name: ***WELL NO. 1***					
Source Number: ***001***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/06	**. 12.000**	2015/02
NITRITE (AS N)	**00620**	**036**	2011/07/07	**< .000**	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610701***

System Name: ***USMC NEBO (BARSTOW)***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610701-001***						
Source Name: ***PURCHASED WATER FROM BARSTOW - TREATED***						
Source Number: ***001***						
Source Status: ***PURCHASED TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: ***3610701-002D***						
Source Name: ***DIST. SAMPLE SITE - S-1548***						
Source Number: ***002***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: ***3610701-003D***						
Source Name: ***DIST. SAMPLE SITE - NESP1***						
Source Number: ***003***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: ***3610701-601***						
Source Name: ***DBP2-BUILDING 44***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610701***

System Name: ***USMC NEBO (BARSTOW)***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610701-601***						
Source Name: ***DBP2-BUILDING 44***						
Source Number: ***601***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610701-602***						
Source Name: ***DBP2-BUILDING 62***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610701***

System Name: ***USMC NEBO (BARSTOW)***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610701-602***						
Source Name: ***DBP2-BUILDING 62***						
Source Number: ***602***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	**82080**	**000**				**DUE**

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610702***

System Name: ***USMC YERMO ANNEX***

PS Code: ***3610702-003***

Source Name: ***WELL 05***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/08/31	. .000	2015/08	
ANTIMONY	01097	036	2012/08/31	.000	2015/08	
ARSENIC	01002	036	2012/08/31	. .000	2015/08	
BARIUM	01007	036	2012/08/31	.000	2015/08	
BERYLLIUM	01012	036	2010/08/20	.000	2013/08	DUE
CADMIUM	01027	036	2012/08/31	. .000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/31	. .000	2015/08	
CHROMIUM, HEXAVALENT	01032	036	2003/11/13	. 1.300	2006/11	DUE
CYANIDE	01291	036	2012/08/31	. .000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/31	. .721	2015/08	
MERCURY	71900	036	2012/08/31	. .000	2015/08	
NICKEL	01067	036	2012/08/31	. .000	2015/08	
PERCHLORATE	A-031	036	2011/03/07	. .150	2014/03	DUE
SELENIUM	01147	036	2012/08/31	. .000	2015/08	
THALLIUM	01059	036	2012/08/31	.000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/11	. 4.900	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/11	. .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/31	. 9.080	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/31	. .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/31	. .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	. .000	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	. .000	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	. .000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	. .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610702
System Name: USMC YERMO ANNEX

PS Code: 3610702-003
Source Name: WELL 05
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2014/07/09	. .000	2017/07
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	. .000	2017/07
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	. .000	2017/07
1,2-DICHLOROBENZENE	34536	036	2014/07/09	. .000	2017/07
1,2-DICHLOROETHANE	34531	036	2014/07/09	. .000	2017/07
1,2-DICHLOROPROPANE	34541	036	2014/07/09	. .000	2017/07
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/09	. .000	2017/07
1,4-DICHLOROBENZENE	34571	036	2014/07/09	. .000	2017/07
BENZENE	34030	036	2014/07/09	. .000	2017/07
CARBON TETRACHLORIDE	32102	036	2014/07/09	. .000	2017/07
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	. .000	2017/07
DICHLOROMETHANE	34423	036	2014/07/09	. .000	2017/07
ETHYLBENZENE	34371	036	2014/07/09	. .000	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	. .000	2017/07
MONOCHLOROBENZENE	34301	036	2014/07/09	. .000	2017/07
STYRENE	77128	036	2014/07/09	. .000	2017/07
TETRACHLOROETHYLENE	34475	036	2014/07/09	. .000	2017/07
TOLUENE	34010	036	2014/07/09	. .000	2017/07
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	. .000	2017/07
TRICHLOROETHYLENE	39180	036	2014/07/09	. .000	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	. .000	2017/07
VINYL CHLORIDE	39175	036	2014/07/09	. .000	2017/07
XYLENES (TOTAL)	81551	036	2014/02/12	< .500	2017/02
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/08/31	. 192.000	2015/08
CALCIUM	00916	036	2012/08/31	. 55.500	2015/08
CARBONATE ALKALINITY	00445	036	2012/08/31	.000	2015/08
CHLORIDE	00940	036	2012/08/31	. 69.400	2015/08
COLOR	00081	036	2012/08/31	. .000	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610702
System Name: USMC YERMO ANNEX

PS Code: 3610702-003
Source Name: WELL 05
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2012/08/31	. .000	2015/08	
FOAMING AGENTS (MBAS)	38260	036	2012/08/31	. .000	2015/08	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/08/31	. 168.000	2015/08	
HYDROXIDE ALKALINITY	71830	036	2012/08/31	. .000	2015/08	
IRON	01045	036	2012/08/31	207.000	2015/08	
MAGNESIUM	00927	036	2012/08/31	. 7.180	2015/08	
MANGANESE	01055	036	2012/08/31	.000	2015/08	
ODOR THRESHOLD @ 60 C	00086	036	2010/08/20	.000	2013/08	DUE
PH, LABORATORY	00403	036	2012/08/31	. 7.550	2015/08	
SILVER	01077	036	2012/08/31	. .000	2015/08	
SODIUM	00929	036	2012/08/31	83.100	2015/08	
SPECIFIC CONDUCTANCE	00095	036	2012/08/31	. 671.000	2015/08	
SULFATE	00945	036	2012/08/31	72.200	2015/08	
TOTAL DISSOLVED SOLIDS	70300	036	2012/08/31	. 226.000	2015/08	
TURBIDITY, LABORATORY	82079	036	2012/08/31	. .190	2015/08	
ZINC	01092	036	2012/08/31	. .000	2015/08	

PS Code: 3610702-004
Source Name: WELL 06
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2009/08/21	.000	2012/08	DUE
ANTIMONY	01097	036	2009/08/21	6.000	2012/08	DUE
ARSENIC	01002	036	2009/08/21	2.000	2012/08	DUE
BARIUM	01007	036	2009/08/21	117.000	2012/08	DUE
BERYLLIUM	01012	036	2009/08/21	.000	2012/08	DUE
CADMIUM	01027	036	2009/08/21	.000	2012/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610702***

System Name: ***USMC YERMO ANNEX***

PS Code: ***3610702-004***

Source Name: ***WELL 06***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
CHROMIUM (TOTAL)	01034	036	2009/08/21		.000	2012/08	DUE
CHROMIUM, HEXAVALENT	01032	000					DUE
CYANIDE	01291	036	2006/08/18		.000	2009/08	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/08/21		.590	2012/08	DUE
MERCURY	71900	036	2009/08/21		.000	2012/08	DUE
NICKEL	01067	036	2009/08/21		.000	2012/08	DUE
PERCHLORATE	A-031	036	2011/03/07	.	.160	2014/03	DUE
SELENIUM	01147	036	2009/08/21		.000	2012/08	DUE
THALLIUM	01059	036	2009/08/21		.000	2012/08	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2011/07/11	.	3.600	2012/07	DUE
NITRITE (AS N)	00620	036	2011/07/11	.	72.000	2014/07	
RADIOLOGICAL							
GROSS ALPHA	01501	036	2009/08/21		1.470	2012/08	DUE
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/09/10	<	.500	2012/09	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/09/10	<	.250	2012/09	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	.	.000	2017/07	
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	.	.000	2017/07	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	.	.000	2017/07	
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	.	.000	2017/07	
1,1-DICHLOROETHANE	34496	036	2014/07/09	.	.000	2017/07	
1,1-DICHLOROETHYLENE	34501	036	2014/07/09	.	.000	2017/07	
1,2,4-TRICHLOROBENZENE	34551	036	2014/07/09	.	.000	2017/07	
1,2-DICHLOROBENZENE	34536	036	2014/07/09	.	.000	2017/07	
1,2-DICHLOROETHANE	34531	036	2014/07/09	.	.000	2017/07	
1,2-DICHLOROPROPANE	34541	036	2014/07/09	.	.000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610702***

System Name: ***USMC YERMO ANNEX***

PS Code: ***3610702-004***

Source Name: ***WELL 06***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2014/07/09	. .000	2017/07	
1,4-DICHLOROBENZENE	34571	036	2014/07/09	. .000	2017/07	
BENZENE	34030	036	2014/07/09	. .000	2017/07	
CARBON TETRACHLORIDE	32102	036	2014/07/09	. .000	2017/07	
CIS-1,2-DICHLOROETHYLENE	77093	036	2014/07/09	. .000	2017/07	
DICHLOROMETHANE	34423	036	2014/07/09	. .000	2017/07	
ETHYLBENZENE	34371	036	2014/07/09	. .000	2017/07	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2014/07/09	. .000	2017/07	
MONOCHLOROBENZENE	34301	036	2014/07/09	. .000	2017/07	
STYRENE	77128	036	2014/07/09	. .000	2017/07	
TETRACHLOROETHYLENE	34475	036	2014/07/09	. .000	2017/07	
TOLUENE	34010	036	2014/07/09	. .000	2017/07	
TRANS-1,2-DICHLOROETHYLENE	34546	036	2014/07/09	. .000	2017/07	
TRICHLOROETHYLENE	39180	036	2014/07/09	. .000	2017/07	
TRICHLOROFLUOROMETHANE	34488	036	2014/07/09	. .000	2017/07	
VINYL CHLORIDE	39175	036	2014/07/09	. .000	2017/07	
XYLENES (TOTAL)	81551	036	2014/02/12	< .500	2017/02	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/08/21	226.000	2012/08	DUE
CALCIUM	00916	036	2009/08/21	55.700	2012/08	DUE
CARBONATE ALKALINITY	00445	036	2009/08/21	.000	2012/08	DUE
CHLORIDE	00940	036	2009/08/21	56.400	2012/08	DUE
COLOR	00081	036	2009/08/21	.000	2012/08	DUE
COPPER	01042	036	2009/08/21	.000	2012/08	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/08/21	.000	2012/08	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/08/21	184.000	2012/08	DUE
HYDROXIDE ALKALINITY	71830	036	2009/08/21	.000	2012/08	DUE
IRON	01045	036	2009/08/21	.000	2012/08	DUE
MAGNESIUM	00927	036	2009/08/21	10.900	2012/08	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610702
System Name: USMC YERMO ANNEX

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610702-004							
Source Name: WELL 06							
Source Number: 004							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
MANGANESE	01055	036	2009/08/21		.000	2012/08	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/08/21		.000	2012/08	DUE
PH, LABORATORY	00403	036	2009/08/21		6.620	2012/08	DUE
SILVER	01077	036	2009/08/21		.000	2012/08	DUE
SODIUM	00929	036	2009/08/21		81.600	2012/08	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/08/21		700.000	2012/08	DUE
SULFATE	00945	036	2009/08/21		70.100	2012/08	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/08/21		420.000	2012/08	DUE
TURBIDITY, LABORATORY	82079	036	2009/08/21		.230	2012/08	DUE
ZINC	01092	036	2009/08/21		.000	2012/08	DUE
PS Code: 3610702-005							
Source Name: WELL 07 (YDW-7)							
Source Number: 005							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2012/08/31	.	.000	2015/08	
ANTIMONY	01097	036	2012/08/31		.000	2015/08	
ARSENIC	01002	036	2012/08/31	.	.000	2015/08	
BARIUM	01007	036	2012/08/31		.000	2015/08	
BERYLLIUM	01012	036	2010/08/20		.000	2013/08	DUE
CADMIUM	01027	036	2012/08/31	.	.000	2015/08	
CHROMIUM (TOTAL)	01034	036	2012/08/31	.	.000	2015/08	
CHROMIUM, HEXAVALENT	01032	036	2005/08/03	.	2.810	2008/08	DUE
CYANIDE	01291	036	2012/08/31	.	.000	2015/08	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/08/31	.	.701	2015/08	
MERCURY	71900	036	2012/08/31	.	.000	2015/08	
NICKEL	01067	036	2012/08/31	.	.000	2015/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610702
System Name: USMC YERMO ANNEX

PS Code: 3610702-005
Source Name: WELL 07 (YDW-7)
Source Number: 005
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/03/07	. .120	2014/03	DUE
SELENIUM	01147	036	2012/08/31	. .000	2015/08	
THALLIUM	01059	036	2012/08/31	14.000	2015/08	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2013/01/11	. 3.400	2014/01	DUE
NITRITE (AS N)	00620	036	2013/01/11	. .000	2016/01	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/08/31	. 3.580	2015/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/08/31	. .000	2015/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/08/31	. .000	2015/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2013/06/04	.000	2016/06	
1,1,2,2-TETRACHLOROETHANE	34516	036	2013/06/04	.000	2016/06	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/08/31	. .000	2015/08	
1,1,2-TRICHLOROETHANE	34511	036	2013/06/04	. .000	2016/06	
1,1-DICHLOROETHANE	34496	036	2013/06/04	. .000	2016/06	
1,1-DICHLOROETHYLENE	34501	036	2013/06/04	. .000	2016/06	
1,2,4-TRICHLOROBENZENE	34551	036	2013/06/04	. .000	2016/06	
1,2-DICHLOROBENZENE	34536	036	2013/06/04	.000	2016/06	
1,2-DICHLOROETHANE	34531	036	2013/06/04	. .000	2016/06	
1,2-DICHLOROPROPANE	34541	036	2013/06/04	. .000	2016/06	
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2013/06/04	. .000	2016/06	
1,4-DICHLOROBENZENE	34571	036	2013/06/04	. .000	2016/06	
BENZENE	34030	036	2013/06/04	. .000	2016/06	
CARBON TETRACHLORIDE	32102	036	2013/06/04	.000	2016/06	
CIS-1,2-DICHLOROETHYLENE	77093	036	2013/06/04	. .000	2016/06	
DICHLOROMETHANE	34423	036	2013/06/04	. .000	2016/06	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610702***

System Name: ***USMC YERMO ANNEX***

PS Code: ***3610702-005***

Source Name: ***WELL 07 (YDW-7)***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**036**	2013/06/04	**. .000**	2016/06
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2013/06/04	**. .000**	2016/06
MONOCHLOROBENZENE	**34301**	**036**	2013/06/04	**. .000**	2016/06
STYRENE	**77128**	**036**	2013/06/04	**. .000**	2016/06
TETRACHLOROETHYLENE	**34475**	**036**	2013/06/04	**. .000**	2016/06
TOLUENE	**34010**	**036**	2013/06/04	**. .000**	2016/06
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2013/06/04	**.000**	2016/06
TRICHLOROETHYLENE	**39180**	**036**	2013/06/04	**. .000**	2016/06
TRICHLOROFLUOROMETHANE	**34488**	**036**	2013/06/04	**. .000**	2016/06
VINYL CHLORIDE	**39175**	**036**	2013/06/04	**. .000**	2016/06
XYLENES (TOTAL)	**81551**	**036**	2012/08/31	**. .000**	2015/08
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/08/31	**. 177.000**	2015/08
CALCIUM	**00916**	**036**	2012/08/31	**. 48.800**	2015/08
CARBONATE ALKALINITY	**00445**	**036**	2012/08/31	**.000**	2015/08
CHLORIDE	**00940**	**036**	2012/08/31	**. 58.000**	2015/08
COLOR	**00081**	**036**	2012/08/31	**. .000**	2015/08
COPPER	**01042**	**036**	2012/08/31	**. .000**	2015/08
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/08/31	**. .000**	2015/08
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/08/31	**. 155.000**	2015/08
HYDROXIDE ALKALINITY	**71830**	**036**	2012/08/31	**. .000**	2015/08
IRON	**01045**	**036**	2012/08/31	**.000**	2015/08
MAGNESIUM	**00927**	**036**	2012/08/31	**. 8.140**	2015/08
MANGANESE	**01055**	**036**	2012/08/31	**.000**	2015/08
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/08/31	**.000**	2015/08
PH, LABORATORY	**00403**	**036**	2012/08/31	**. 7.350**	2015/08
SILVER	**01077**	**036**	2012/08/31	**. .000**	2015/08
SODIUM	**00929**	**036**	2012/08/31	**69.600**	2015/08
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/08/31	**. 614.000**	2015/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610702***

System Name: ***USMC YERMO ANNEX***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610702-005***					
Source Name: ***WELL 07 (YDW-7)***					
Source Number: ***005***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
SULFATE	**00945**	**036**	2012/08/31	**67.200**	2015/08
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/08/31	**. 204.000**	2015/08
TURBIDITY, LABORATORY	**82079**	**036**	2012/08/31	**. .200**	2015/08
ZINC	**01092**	**036**	2012/08/31	**. .000**	2015/08
PS Code: ***3610702-102G***					
Source Name: ***WELL 05 - GAC LEAD BED***					
Source Number: ***102***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610702-103G***					
Source Name: ***WELL 05 - GAC LAG BED***					
Source Number: ***103***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610702-104G***					
Source Name: ***WELL 06-GAC LEAD BED***					
Source Number: ***104***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610702
System Name: USMC YERMO ANNEX

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610702-105C						
Source Name: WELL 06-GAC LAG BED						
Source Number: 105						
Source Status: COMBINATION OR BLEND TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610702-601						
Source Name: DBP2-BUILDING 572						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610702
System Name: USMC YERMO ANNEX

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610702-602						
Source Name: DBP2-BUILDING 626						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610702-800						
Source Name: PUMPHOUSE CHLORINATION						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-001
Source Name: WELL 02A
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2012/03/14	< 50.000	2015/03	
ANTIMONY	01097	036	2012/03/14	< 6.000	2015/03	
ARSENIC	01002	036	2014/02/12	. 3.900	2017/02	
BARIUM	01007	036	2012/03/14	< 100.000	2015/03	
BERYLLIUM	01012	036	2012/03/14	< 1.000	2015/03	
CADMIUM	01027	036	2012/03/14	< 1.000	2015/03	
CHROMIUM (TOTAL)	01034	036	2012/03/14	. 9.900	2015/03	
CHROMIUM, HEXAVALENT	01032	000				**DUE**
CYANIDE	01291	036	2012/03/14	< 100.000	2015/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/14	. .700	2015/03	
MERCURY	71900	036	2012/03/14	< 1.000	2015/03	
NICKEL	01067	036	2012/03/14	< 10.000	2015/03	
PERCHLORATE	A-031	036	2012/03/14	< 4.000	2015/03	
SELENIUM	01147	036	2012/03/14	< 5.000	2015/03	
THALLIUM	01059	036	2012/03/14	< 1.000	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 3.700	2015/02	
NITRITE (AS N)	00620	036	2012/03/14	< 100.000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2007/09/19	1.150	2016/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/14	< .010	2015/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/14	< .020	2015/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/03/14	< .500	2018/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/03/14	< .500	2018/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/03/14	< 10.000	2018/03	
1,1,2-TRICHLOROETHANE	34511	072	2012/03/14	< .500	2018/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-001***

Source Name: ***WELL 02A***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/14	**< .500**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/14	**< .500**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/14	**< .500**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/14	**< .500**	2018/03
BENZENE	**34030**	**072**	2012/03/14	**< .500**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/14	**< .500**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/14	**< .500**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/14	**< .500**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/14	**< .500**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/12	**< 3.000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2012/03/14	**< .500**	2018/03
STYRENE	**77128**	**072**	2012/03/14	**< .500**	2018/03
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/14	**< .500**	2018/03
TOLUENE	**34010**	**072**	2012/03/14	**< .500**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/14	**< 5.000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/14	**< .500**	2018/03
XYLENES (TOTAL)	**81551**	**072**	2012/03/14	**< .500**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/03/14	**. 73.000**	2015/03
CALCIUM	**00916**	**036**	2012/03/14	**. 4.500**	2015/03
CARBONATE ALKALINITY	**00445**	**036**	2012/03/14	**3.600**	2015/03
CHLORIDE	**00940**	**036**	2012/03/14	**. 17.000**	2015/03
COLOR	**00081**	**036**	2012/03/14	**< 3.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-001
Source Name: WELL 02A
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
COPPER	01042	036	2012/03/14	< 50.000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/14	< .050	2015/03
HARDNESS (TOTAL) AS CACO3	00900	036	2012/03/14	. 12.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/14	< 3.000	2015/03
IRON	01045	036	2012/03/14	< 100.000	2015/03
MAGNESIUM	00927	036	2012/03/14	< 1.000	2015/03
MANGANESE	01055	036	2012/03/14	< 20.000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2012/03/14	< 1.000	2015/03
PH, LABORATORY	00403	036	2012/03/14	. 9.000	2015/03
SILVER	01077	036	2012/03/14	< 10.000	2015/03
SODIUM	00929	036	2012/03/14	48.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/14	. 270.000	2015/03
SULFATE	00945	036	2012/03/14	26.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/14	. 140.000	2015/03
TURBIDITY, LABORATORY	82079	036	2012/03/14	< .200	2015/03
ZINC	01092	036	2012/03/14	< 50.000	2015/03

PS Code: 3610703-003
Source Name: WELL 04A
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC					
ALUMINUM	01105	036	2012/03/14	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/14	< 6.000	2015/03
ARSENIC	01002	036	2014/02/12	. 8.000	2017/02
BARIUM	01007	036	2012/03/14	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/14	< 1.000	2015/03
CADMIUM	01027	036	2012/03/14	< 1.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-003***
Source Name: ***WELL 04A***
Source Number: ***003***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	**01034**	**036**	2012/03/14	. **22.000**	2015/03
CYANIDE	**01291**	**036**	2012/03/14	< **100.000**	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/03/14	. **.800**	2015/03
MERCURY	**71900**	**036**	2012/03/14	< **1.000**	2015/03
NICKEL	**01067**	**036**	2012/03/14	< **10.000**	2015/03
PERCHLORATE	**A-031**	**036**	2012/03/14	< **4.000**	2015/03
SELENIUM	**01147**	**036**	2012/03/14	< **5.000**	2015/03
THALLIUM	**01059**	**036**	2012/03/14	< **1.000**	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/12	. **5.100**	2015/02
NITRITE (AS N)	**00620**	**036**	2012/03/14	< **100.000**	2015/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2009/01/21	**6.110**	2018/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/14	< **.010**	2015/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/14	< **.020**	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/14	< **.500**	2018/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/14	< **.500**	2018/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/14	< **10.000**	2018/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/14	< **.500**	2018/03
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/14	< **.500**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/14	< **.500**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/14	< **.500**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/14	< **.500**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/14	< **.500**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/14	< **.500**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/14	< **.500**	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-003
Source Name: WELL 04A
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2012/03/14	< .500	2018/03
BENZENE	34030	072	2012/03/14	< .500	2018/03
CARBON TETRACHLORIDE	32102	072	2012/03/14	< .500	2018/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/03/14	< .500	2018/03
DICHLOROMETHANE	34423	072	2012/03/14	< .500	2018/03
ETHYLBENZENE	34371	072	2012/03/14	< .500	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/12	< 3.000	2020/02
MONOCHLOROBENZENE	34301	072	2012/03/14	< .500	2018/03
STYRENE	77128	072	2012/03/14	< .500	2018/03
TETRACHLOROETHYLENE	34475	072	2012/03/14	< .500	2018/03
TOLUENE	34010	072	2012/03/14	< .500	2018/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/03/14	< .500	2018/03
TRICHLOROETHYLENE	39180	072	2012/03/14	< .500	2018/03
TRICHLOROFLUOROMETHANE	34488	072	2012/03/14	< 5.000	2018/03
VINYL CHLORIDE	39175	072	2012/03/14	< .500	2018/03
XYLENES (TOTAL)	81551	072	2012/03/14	< .500	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/03/14	. 79.000	2015/03
CALCIUM	00916	036	2012/03/14	. 3.400	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/14	4.800	2015/03
CHLORIDE	00940	036	2012/03/14	. 8.100	2015/03
COLOR	00081	036	2012/03/14	< 3.000	2015/03
COPPER	01042	036	2012/03/14	< 50.000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/14	< .050	2015/03
HARDNESS (TOTAL) AS CACO3	00900	036	2012/03/14	. 8.500	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/14	< 3.000	2015/03
IRON	01045	036	2012/03/14	< 100.000	2015/03
MAGNESIUM	00927	036	2012/03/14	< 1.000	2015/03
MANGANESE	01055	036	2012/03/14	< 20.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610703-003					
Source Name: WELL 04A					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
ODOR THRESHOLD @ 60 C	00086	036	2012/03/14	< 1.000	2015/03
PH, LABORATORY	00403	036	2012/03/14	. 8.800	2015/03
SILVER	01077	036	2012/03/14	< 10.000	2015/03
SODIUM	00929	036	2012/03/14	44.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/14	. 220.000	2015/03
SULFATE	00945	036	2012/03/14	16.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/14	. 120.000	2015/03
TURBIDITY, LABORATORY	82079	036	2012/03/14	. .200	2015/03
ZINC	01092	036	2012/03/14	< 50.000	2015/03
PS Code: 3610703-004					
Source Name: WELL 05A					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/03/14	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/14	< 6.000	2015/03
ARSENIC	01002	036	2014/05/14	. 3.600	2017/05
BARIUM	01007	036	2012/03/14	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/14	< 1.000	2015/03
CADMIUM	01027	036	2012/03/14	< 1.000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/14	. 11.000	2015/03
CYANIDE	01291	036	2012/03/14	< 100.000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/14	. .900	2015/03
MERCURY	71900	036	2012/03/14	< 1.000	2015/03
NICKEL	01067	036	2012/03/14	< 10.000	2015/03
PERCHLORATE	A-031	036	2012/03/14	< 4.000	2015/03
SELENIUM	01147	036	2012/03/14	< 5.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-004***
Source Name: ***WELL 05A***
Source Number: ***004***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
THALLIUM	**01059**	**036**	2012/03/14	**< 1.000**	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/12	**. 3.500**	2015/02
NITRITE (AS N)	**00620**	**036**	2012/03/14	**< 100.000**	2015/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2008/04/16	**1.730**	2017/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/14	**< .010**	2015/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/14	**< .020**	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/14	**< .500**	2018/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/14	**< .500**	2018/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/14	**< 10.000**	2018/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/14	**< .500**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/14	**< .500**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/14	**< .500**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/14	**< .500**	2018/03
BENZENE	**34030**	**072**	2012/03/14	**< .500**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/14	**< .500**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/14	**< .500**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/14	**< .500**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/14	**< .500**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/12	**< 3.000**	2020/02

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-004
Source Name: WELL 05A
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
MONOCHLOROBENZENE	34301	072	2012/03/14	< .500	2018/03
STYRENE	77128	072	2012/03/14	< .500	2018/03
TETRACHLOROETHYLENE	34475	072	2012/03/14	< .500	2018/03
TOLUENE	34010	072	2012/03/14	< .500	2018/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/03/14	< .500	2018/03
TRICHLOROETHYLENE	39180	072	2012/03/14	< .500	2018/03
TRICHLOROFLUOROMETHANE	34488	072	2012/03/14	< 5.000	2018/03
VINYL CHLORIDE	39175	072	2012/03/14	< .500	2018/03
XYLENES (TOTAL)	81551	072	2012/03/14	< .500	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/03/14	. 68.000	2015/03
CALCIUM	00916	036	2012/03/14	. 3.100	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/14	4.800	2015/03
CHLORIDE	00940	036	2012/03/14	. 13.000	2015/03
COLOR	00081	036	2012/03/14	. 5.000	2015/03
COPPER	01042	036	2012/03/14	. 240.000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/14	< .050	2015/03
HARDNESS (TOTAL) AS CACO3	00900	036	2012/03/14	. 8.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/14	< 3.000	2015/03
IRON	01045	036	2012/03/14	220.000	2015/03
MAGNESIUM	00927	036	2012/03/14	< 1.000	2015/03
MANGANESE	01055	036	2012/03/14	< 20.000	2015/03
ODOR THRESHOLD @ 60 C	00086	036	2012/03/14	< 1.000	2015/03
PH, LABORATORY	00403	036	2012/03/14	. 9.000	2015/03
SILVER	01077	036	2012/03/14	< 10.000	2015/03
SODIUM	00929	036	2012/03/14	46.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/14	. 240.000	2015/03
SULFATE	00945	036	2012/03/14	22.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/14	. 140.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610703-004					
Source Name: WELL 05A					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TURBIDITY, LABORATORY	82079	036	2012/03/14	. 1.300	2015/03
ZINC	01092	036	2012/03/14	< 50.000	2015/03
PS Code: 3610703-005					
Source Name: WELL 06A					
Source Number: 005					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/03/14	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/14	< 6.000	2015/03
ARSENIC	01002	036	2014/02/12	< 2.000	2017/02
BARIUM	01007	036	2012/03/14	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/14	< 1.000	2015/03
CADMIUM	01027	036	2012/03/14	< 1.000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/14	. 6.300	2015/03
CYANIDE	01291	036	2012/03/14	< 100.000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/14	. .500	2015/03
MERCURY	71900	036	2012/03/14	< 1.000	2015/03
NICKEL	01067	036	2012/03/14	< 10.000	2015/03
PERCHLORATE	A-031	036	2012/03/14	< 4.000	2015/03
SELENIUM	01147	036	2012/03/14	< 5.000	2015/03
THALLIUM	01059	036	2012/03/14	< 1.000	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/02/12	. 4.500	2015/02
NITRITE (AS N)	00620	036	2012/03/14	< 100.000	2015/03
RADIOLOGICAL					
GROSS ALPHA	01501	108	2009/01/21	1.420	2018/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-005***

Source Name: ***WELL 06A***

Source Number: ***005***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/14	**< .010**	2015/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/14	**< .020**	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/14	**< .500**	2018/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/14	**< .500**	2018/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/14	**< 10.000**	2018/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/14	**< .500**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/14	**< .500**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/14	**< .500**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/14	**< .500**	2018/03
BENZENE	**34030**	**072**	2012/03/14	**< .500**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/14	**< .500**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/14	**< .500**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/14	**< .500**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/14	**< .500**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/12	**< 3.000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2012/03/14	**< .500**	2018/03
STYRENE	**77128**	**072**	2012/03/14	**< .500**	2018/03
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/14	**< .500**	2018/03
TOLUENE	**34010**	**072**	2012/03/14	**< .500**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/14	**< 5.000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/14	**< .500**	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-005***
Source Name: ***WELL 06A***
Source Number: ***005***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2012/03/14	**< .500**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/03/14	**. 71.000**	2015/03
CALCIUM	**00916**	**036**	2012/03/14	**. 4.500**	2015/03
CARBONATE ALKALINITY	**00445**	**036**	2012/03/14	**4.800**	2015/03
CHLORIDE	**00940**	**036**	2012/03/14	**. 22.000**	2015/03
COLOR	**00081**	**036**	2012/03/14	**< 3.000**	2015/03
COPPER	**01042**	**036**	2012/03/14	**< 50.000**	2015/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/03/14	**< .050**	2015/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/03/14	**. 12.000**	2015/03
HYDROXIDE ALKALINITY	**71830**	**036**	2012/03/14	**< 3.000**	2015/03
IRON	**01045**	**036**	2014/05/14	**< 100.000**	2017/05
MAGNESIUM	**00927**	**036**	2012/03/14	**< 1.000**	2015/03
MANGANESE	**01055**	**036**	2012/03/14	**< 20.000**	2015/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/03/14	**< 1.000**	2015/03
PH, LABORATORY	**00403**	**036**	2012/03/14	**. 9.000**	2015/03
SILVER	**01077**	**036**	2012/03/14	**< 10.000**	2015/03
SODIUM	**00929**	**036**	2012/03/14	**55.000**	2015/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/03/14	**. 300.000**	2015/03
SULFATE	**00945**	**036**	2012/03/14	**32.000**	2015/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/03/14	**. 150.000**	2015/03
TURBIDITY, LABORATORY	**82079**	**036**	2012/03/14	**< .200**	2015/03
ZINC	**01092**	**036**	2012/03/14	**< 50.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-006
Source Name: WELL 07A
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2009/04/15	<	50.000	2012/04	DUE
ANTIMONY	01097	036	2009/04/15	<	6.000	2012/04	DUE
ARSENIC	01002	036	2010/01/28	<	2.000	2013/01	DUE
BARIUM	01007	036	2009/04/15	<	100.000	2012/04	DUE
BERYLLIUM	01012	036	2009/04/15	<	1.000	2012/04	DUE
CADMIUM	01027	036	2009/04/15	<	1.000	2012/04	DUE
CHROMIUM (TOTAL)	01034	036	2009/04/15		3.800	2012/04	DUE
CYANIDE	01291	036	2009/04/15	<	100.000	2012/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/04/15		.500	2012/04	DUE
MERCURY	71900	036	2009/04/15	<	1.000	2012/04	DUE
NICKEL	01067	036	2009/04/15	<	10.000	2012/04	DUE
PERCHLORATE	A-031	036	2009/04/15	<	4.000	2012/04	DUE
SELENIUM	01147	036	2009/04/15	<	5.000	2012/04	DUE
THALLIUM	01059	036	2009/04/15	<	1.000	2012/04	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2010/01/28		4.600	2011/01	DUE
NITRITE (AS N)	00620	036	2009/04/15	<	100.000	2012/04	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	108	2009/01/21		.830	2018/01	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/15	<	.010	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/15	<	.020	2012/04	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2009/04/15	<	.500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/04/15	<	.500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/04/15	<	10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	072	2009/04/15	<	.500	2015/04	
1,1-DICHLOROETHANE	34496	072	2009/04/15	<	.500	2015/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-006***

Source Name: ***WELL 07A***

Source Number: ***006***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHYLENE	34501	072	2009/04/15	< .500	2015/04	
1,2,4-TRICHLOROBENZENE	34551	072	2009/04/15	< .500	2015/04	
1,2-DICHLOROBENZENE	34536	072	2009/04/15	< .500	2015/04	
1,2-DICHLOROETHANE	34531	072	2009/04/15	< .500	2015/04	
1,2-DICHLOROPROPANE	34541	072	2009/04/15	< .500	2015/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/04/15	< .500	2015/04	
1,4-DICHLOROBENZENE	34571	072	2009/04/15	< .500	2015/04	
BENZENE	34030	072	2009/04/15	< .500	2015/04	
CARBON TETRACHLORIDE	32102	072	2009/04/15	< .500	2015/04	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/04/15	< .500	2015/04	
DICHLOROMETHANE	34423	072	2009/04/15	< .500	2015/04	
ETHYLBENZENE	34371	072	2009/04/15	< .500	2015/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/01/28	< 3.000	2016/01	
MONOCHLOROBENZENE	34301	072	2009/04/15	< .500	2015/04	
STYRENE	77128	072	2009/04/15	< .500	2015/04	
TETRACHLOROETHYLENE	34475	072	2009/04/15	< .500	2015/04	
TOLUENE	34010	072	2009/04/15	< .500	2015/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/04/15	< .500	2015/04	
TRICHLOROETHYLENE	39180	072	2009/04/15	< .500	2015/04	
TRICHLOROFLUOROMETHANE	34488	072	2009/04/15	< 5.000	2015/04	
VINYL CHLORIDE	39175	072	2009/04/15	< .500	2015/04	
XYLENES (TOTAL)	81551	072	2009/04/15	< .500	2015/04	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/04/15	67.000	2012/04	DUE
CALCIUM	00916	036	2009/04/15	14.000	2012/04	DUE
CARBONATE ALKALINITY	00445	036	2009/04/15	< 3.000	2012/04	DUE
CHLORIDE	00940	036	2009/04/15	30.000	2012/04	DUE
COLOR	00081	036	2009/04/15	3.000	2012/04	DUE
COPPER	01042	036	2009/04/15	< 50.000	2012/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-006
Source Name: WELL 07A
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
FOAMING AGENTS (MBAS)	38260	036	2009/04/15	< .050	2012/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/04/15	36.000	2012/04	DUE
HYDROXIDE ALKALINITY	71830	036	2009/04/15	< 3.000	2012/04	DUE
IRON	01045	036	2009/04/15	< 100.000	2012/04	DUE
MAGNESIUM	00927	036	2009/04/15	< 1.000	2012/04	DUE
MANGANESE	01055	036	2009/04/15	< 20.000	2012/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/04/15	< 1.000	2012/04	DUE
PH, LABORATORY	00403	036	2009/04/15	8.400	2012/04	DUE
SILVER	01077	036	2009/04/15	< 10.000	2012/04	DUE
SODIUM	00929	036	2009/04/15	46.000	2012/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/04/15	340.000	2012/04	DUE
SULFATE	00945	036	2009/04/15	41.000	2012/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/04/15	230.000	2012/04	DUE
TURBIDITY, LABORATORY	82079	036	2009/04/15	.800	2012/04	DUE
ZINC	01092	036	2009/04/15	< 50.000	2012/04	DUE

PS Code: 3610703-007
Source Name: WELL 08A
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2009/04/09	< 50.000	2012/04	DUE
ANTIMONY	01097	036	2009/04/09	< 6.000	2012/04	DUE
ARSENIC	01002	036	2010/07/21	3.200	2013/07	DUE
BARIUM	01007	036	2009/04/09	< 100.000	2012/04	DUE
BERYLLIUM	01012	036	2009/04/09	< 1.000	2012/04	DUE
CADMIUM	01027	036	2009/04/09	< 1.000	2012/04	DUE
CHROMIUM (TOTAL)	01034	036	2009/04/09	15.000	2012/04	DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-007
Source Name: WELL 08A
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	01032	036	2002/06/12	. 11.000	2005/06	DUE
CYANIDE	01291	036	2009/04/09	< 100.000	2012/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/04/09	.500	2012/04	DUE
MERCURY	71900	036	2009/04/09	< 1.000	2012/04	DUE
NICKEL	01067	036	2009/04/09	< 10.000	2012/04	DUE
PERCHLORATE	A-031	036	2009/04/09	< 4.000	2012/04	DUE
SELENIUM	01147	036	2009/04/09	< 5.000	2012/04	DUE
THALLIUM	01059	036	2009/04/09	< 1.000	2012/04	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2010/07/21	5.300	2011/07	DUE
NITRITE (AS N)	00620	036	2009/04/09	< 100.000	2012/04	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	108	2009/01/21	2.150	2018/01	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2009/04/09	< .010	2012/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2009/04/09	< .020	2012/04	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2009/04/09	< .500	2015/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2009/04/09	< .500	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2009/04/09	< 10.000	2015/04	
1,1,2-TRICHLOROETHANE	34511	072	2009/04/09	< .500	2015/04	
1,1-DICHLOROETHANE	34496	072	2009/04/09	< .500	2015/04	
1,1-DICHLOROETHYLENE	34501	072	2009/04/09	< .500	2015/04	
1,2,4-TRICHLOROBENZENE	34551	072	2009/04/09	< .500	2015/04	
1,2-DICHLOROBENZENE	34536	072	2009/04/09	< .500	2015/04	
1,2-DICHLOROETHANE	34531	072	2009/04/09	< .500	2015/04	
1,2-DICHLOROPROPANE	34541	072	2009/04/09	< .500	2015/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2009/04/09	< .500	2015/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-007
Source Name: WELL 08A
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,4-DICHLOROBENZENE	34571	072	2009/04/09	< .500	2015/04	
BENZENE	34030	072	2009/04/09	< .500	2015/04	
CARBON TETRACHLORIDE	32102	072	2009/04/09	< .500	2015/04	
CIS-1,2-DICHLOROETHYLENE	77093	072	2009/04/09	< .500	2015/04	
DICHLOROMETHANE	34423	072	2009/04/09	< .500	2015/04	
ETHYLBENZENE	34371	072	2009/04/09	< .500	2015/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2010/07/21	< 3.000	2016/07	
MONOCHLOROBENZENE	34301	072	2009/04/09	< .500	2015/04	
STYRENE	77128	072	2009/04/09	< .500	2015/04	
TETRACHLOROETHYLENE	34475	072	2009/04/09	< .500	2015/04	
TOLUENE	34010	072	2009/04/09	< .500	2015/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/04/09	< .500	2015/04	
TRICHLOROETHYLENE	39180	072	2009/04/09	< .500	2015/04	
TRICHLOROFLUOROMETHANE	34488	072	2009/04/09	< 5.000	2015/04	
VINYL CHLORIDE	39175	072	2009/04/09	< .500	2015/04	
XYLENES (TOTAL)	81551	072	2009/04/09	< .500	2015/04	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/04/09	84.000	2012/04	DUE
CALCIUM	00916	036	2009/04/09	13.000	2012/04	DUE
CARBONATE ALKALINITY	00445	036	2009/04/09	< 3.000	2012/04	DUE
CHLORIDE	00940	036	2009/04/09	16.000	2012/04	DUE
COLOR	00081	036	2009/04/09	< 3.000	2012/04	DUE
COPPER	01042	036	2009/04/09	< 50.000	2012/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/04/09	< .050	2012/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/04/09	33.000	2012/04	DUE
HYDROXIDE ALKALINITY	71830	036	2009/04/09	< 3.000	2012/04	DUE
IRON	01045	036	2010/07/21	< 100.000	2013/07	DUE
MAGNESIUM	00927	036	2009/04/09	< 1.000	2012/04	DUE
MANGANESE	01055	036	2009/04/09	< 20.000	2012/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610703-007						
Source Name: WELL 08A						
Source Number: 007						
Source Status: ACTIVE RAW						
Water type: G						
SECONDARY/GP						
ODOR THRESHOLD @ 60 C	00086	036	2009/04/09	< 1.000	2012/04	DUE
PH, LABORATORY	00403	036	2009/04/09	8.200	2012/04	DUE
SILVER	01077	036	2009/04/09	< 10.000	2012/04	DUE
SODIUM	00929	036	2009/04/09	39.000	2012/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/04/09	280.000	2012/04	DUE
SULFATE	00945	036	2009/04/09	26.000	2012/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/04/09	140.000	2012/04	DUE
TURBIDITY, LABORATORY	82079	036	2009/04/09	< .200	2012/04	DUE
ZINC	01092	036	2009/04/09	< 50.000	2012/04	DUE
PS Code: 3610703-008						
Source Name: WELL 09A						
Source Number: 008						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2009/04/09	< 50.000	2012/04	DUE
ANTIMONY	01097	036	2009/04/09	< 6.000	2012/04	DUE
ARSENIC	01002	036	2011/02/16	< 2.000	2014/02	DUE
BARIUM	01007	036	2009/04/09	< 100.000	2012/04	DUE
BERYLLIUM	01012	036	2009/04/09	< 1.000	2012/04	DUE
CADMIUM	01027	036	2009/04/09	< 1.000	2012/04	DUE
CHROMIUM (TOTAL)	01034	036	2009/04/09	13.000	2012/04	DUE
CYANIDE	01291	036	2009/04/09	< 100.000	2012/04	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2009/04/09	.400	2012/04	DUE
MERCURY	71900	036	2009/04/09	< 1.000	2012/04	DUE
NICKEL	01067	036	2009/04/09	< 10.000	2012/04	DUE
PERCHLORATE	A-031	036	2009/04/09	< 4.000	2012/04	DUE
SELENIUM	01147	036	2009/04/09	< 5.000	2012/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-008***
Source Name: ***WELL 09A***
Source Number: ***008***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
THALLIUM	**01059**	**036**	**2009/04/09**	**<**	**1.000**	**2012/04**	**DUE**
NITRATE/NITRITE							
NITRATE (AS NO3)	**71850**	**012**	**2011/02/16**	**.**	**6.800**	**2012/02**	**DUE**
NITRITE (AS N)	**00620**	**036**	**2009/04/09**	**<**	**100.000**	**2012/04**	**DUE**
RADIOLOGICAL							
GROSS ALPHA	**01501**	**108**	2009/01/21		**1.720**	2018/01	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	**2009/04/09**	**<**	**.010**	**2012/04**	**DUE**
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	**2009/04/09**	**<**	**.020**	**2012/04**	**DUE**
REGULATED VOC							
1,1,1-TRICHLOROETHANE	**34506**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2009/04/09	**<**	**10.000**	2015/04	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,1-DICHLOROETHANE	**34496**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,1-DICHLOROETHYLENE	**34501**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,2-DICHLOROBENZENE	**34536**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,2-DICHLOROETHANE	**34531**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,2-DICHLOROPROPANE	**34541**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2009/04/09	**<**	**.500**	2015/04	
1,4-DICHLOROBENZENE	**34571**	**072**	2009/04/09	**<**	**.500**	2015/04	
BENZENE	**34030**	**072**	2009/04/09	**<**	**.500**	2015/04	
CARBON TETRACHLORIDE	**32102**	**072**	2009/04/09	**<**	**.500**	2015/04	
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2009/04/09	**<**	**.500**	2015/04	
DICHLOROMETHANE	**34423**	**072**	2009/04/09	**<**	**.500**	2015/04	
ETHYLBENZENE	**34371**	**072**	2009/04/09	**<**	**.500**	2015/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2011/02/16	**<**	**3.000**	2017/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-008***

Source Name: ***WELL 09A***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
MONOCHLOROBENZENE	34301	072	2009/04/09	< .500	2015/04	
STYRENE	77128	072	2009/04/09	< .500	2015/04	
TETRACHLOROETHYLENE	34475	072	2009/04/09	< .500	2015/04	
TOLUENE	34010	072	2009/04/09	< .500	2015/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2009/04/09	< .500	2015/04	
TRICHLOROETHYLENE	39180	072	2009/04/09	< .500	2015/04	
TRICHLOROFLUOROMETHANE	34488	072	2009/04/09	< 5.000	2015/04	
VINYL CHLORIDE	39175	072	2009/04/09	< .500	2015/04	
XYLENES (TOTAL)	81551	072	2009/04/09	< .500	2015/04	
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2009/04/09	90.000	2012/04	DUE
CALCIUM	00916	036	2009/04/09	16.000	2012/04	DUE
CARBONATE ALKALINITY	00445	036	2009/04/09	< 3.000	2012/04	DUE
CHLORIDE	00940	036	2009/04/09	16.000	2012/04	DUE
COLOR	00081	036	2009/04/09	< 3.000	2012/04	DUE
COPPER	01042	036	2009/04/09	< 50.000	2012/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2009/04/09	< .050	2012/04	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2009/04/09	42.000	2012/04	DUE
HYDROXIDE ALKALINITY	71830	036	2009/04/09	< 3.000	2012/04	DUE
IRON	01045	036	2009/04/09	< 100.000	2012/04	DUE
MAGNESIUM	00927	036	2009/04/09	< 1.000	2012/04	DUE
MANGANESE	01055	036	2009/04/09	< 20.000	2012/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2009/04/09	< 1.000	2012/04	DUE
PH, LABORATORY	00403	036	2009/04/09	8.100	2012/04	DUE
SILVER	01077	036	2009/04/09	< 10.000	2012/04	DUE
SODIUM	00929	036	2009/04/09	38.000	2012/04	DUE
SPECIFIC CONDUCTANCE	00095	036	2009/04/09	300.000	2012/04	DUE
SULFATE	00945	036	2009/04/09	27.000	2012/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2009/04/09	180.000	2012/04	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610703-008							
Source Name: WELL 09A							
Source Number: 008							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
TURBIDITY, LABORATORY	82079	036	2009/04/09		.260	2012/04	DUE
ZINC	01092	036	2009/04/09	<	50.000	2012/04	DUE
PS Code: 3610703-009							
Source Name: WELL 10A							
Source Number: 009							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2012/05/24	<	50.000	2015/05	
ANTIMONY	01097	036	2012/05/24	<	6.000	2015/05	
ARSENIC	01002	036	2013/06/19	<	2.000	2016/06	
BARIUM	01007	036	2012/05/24	<	100.000	2015/05	
BERYLLIUM	01012	036	2012/05/24	<	1.000	2015/05	
CADMIUM	01027	036	2012/05/24	<	1.000	2015/05	
CHROMIUM (TOTAL)	01034	036	2012/05/24	.	11.000	2015/05	
CYANIDE	01291	036	2012/05/24	<	100.000	2015/05	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/05/24	.	.400	2015/05	
MERCURY	71900	036	2012/05/24	<	1.000	2015/05	
NICKEL	01067	036	2012/05/24	<	10.000	2015/05	
PERCHLORATE	A-031	036	2012/05/24	<	4.000	2015/05	
SELENIUM	01147	036	2012/05/24	<	5.000	2015/05	
THALLIUM	01059	036	2012/05/24	<	1.000	2015/05	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2013/06/19	.	6.600	2014/06	DUE
NITRITE (AS N)	00620	036	2012/05/24	<	100.000	2015/05	
RADIOLOGICAL							
GROSS ALPHA	01501	108	2009/01/21		2.740	2018/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-009***

Source Name: ***WELL 10A***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/05/24	**< .010**	2015/05
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/05/24	**< .020**	2015/05
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/05/24	**< .500**	2018/05
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/05/24	**< .500**	2018/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/05/24	**< 10.000**	2018/05
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/05/24	**< .500**	2018/05
1,1-DICHLOROETHANE	**34496**	**072**	2012/05/24	**< .500**	2018/05
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/05/24	**< .500**	2018/05
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/05/24	**< .500**	2018/05
1,2-DICHLOROBENZENE	**34536**	**072**	2012/05/24	**< .500**	2018/05
1,2-DICHLOROETHANE	**34531**	**072**	2012/05/24	**< .500**	2018/05
1,2-DICHLOROPROPANE	**34541**	**072**	2012/05/24	**< .500**	2018/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/05/24	**< .500**	2018/05
1,4-DICHLOROBENZENE	**34571**	**072**	2012/05/24	**< .500**	2018/05
BENZENE	**34030**	**072**	2012/05/24	**< .500**	2018/05
CARBON TETRACHLORIDE	**32102**	**072**	2012/05/24	**< .500**	2018/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/05/24	**< .500**	2018/05
DICHLOROMETHANE	**34423**	**072**	2012/05/24	**< .500**	2018/05
ETHYLBENZENE	**34371**	**072**	2012/05/24	**< .500**	2018/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2013/06/19	**< 3.000**	2019/06
MONOCHLOROBENZENE	**34301**	**072**	2012/05/24	**< .500**	2018/05
STYRENE	**77128**	**072**	2012/05/24	**< .500**	2018/05
TETRACHLOROETHYLENE	**34475**	**072**	2012/05/24	**< .500**	2018/05
TOLUENE	**34010**	**072**	2012/05/24	**< .500**	2018/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/05/24	**< .500**	2018/05
TRICHLOROETHYLENE	**39180**	**072**	2012/05/24	**< .500**	2018/05
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/05/24	**< 5.000**	2018/05
VINYL CHLORIDE	**39175**	**072**	2012/05/24	**< .500**	2018/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-009***

Source Name: ***WELL 10A***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
XYLENES (TOTAL)	**81551**	**072**	2012/05/24	**< .500**	2018/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/05/24	**. 78.000**	2015/05
CALCIUM	**00916**	**036**	2012/05/24	**. 16.000**	2015/05
CARBONATE ALKALINITY	**00445**	**036**	2012/05/24	**< 3.000**	2015/05
CHLORIDE	**00940**	**036**	2012/05/24	**. 32.000**	2015/05
COLOR	**00081**	**036**	2012/05/24	**< 3.000**	2015/05
COPPER	**01042**	**036**	2012/05/24	**< 50.000**	2015/05
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/05/24	**< .050**	2015/05
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/05/24	**. 42.000**	2015/05
HYDROXIDE ALKALINITY	**71830**	**036**	2012/05/24	**< 3.000**	2015/05
IRON	**01045**	**036**	2012/05/24	**< 100.000**	2015/05
MAGNESIUM	**00927**	**036**	2012/05/24	**< 1.000**	2015/05
MANGANESE	**01055**	**036**	2012/05/24	**< 20.000**	2015/05
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/05/24	**< 1.000**	2015/05
PH, LABORATORY	**00403**	**036**	2012/05/24	**. 8.400**	2015/05
SILVER	**01077**	**036**	2012/05/24	**< 10.000**	2015/05
SODIUM	**00929**	**036**	2012/05/24	**51.000**	2015/05
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/05/24	**. 350.000**	2015/05
SULFATE	**00945**	**036**	2012/05/24	**34.000**	2015/05
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/05/24	**. 220.000**	2015/05
TURBIDITY, LABORATORY	**82079**	**036**	2012/05/24	**. .280**	2015/05
ZINC	**01092**	**036**	2012/05/24	**< 50.000**	2015/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-010
Source Name: WELL 11A
Source Number: 010
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2012/03/14	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/14	< 6.000	2015/03
ARSENIC	01002	036	2014/02/12	. 2.800	2017/02
BARIUM	01007	036	2012/03/14	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/14	< 1.000	2015/03
CADMIUM	01027	036	2012/03/14	< 1.000	2015/03
CHROMIUM (TOTAL)	01034	036	2012/03/14	. 13.000	2015/03
CYANIDE	01291	036	2012/03/14	< 100.000	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/14	. .500	2015/03
MERCURY	71900	036	2012/03/14	< 1.000	2015/03
NICKEL	01067	036	2012/03/14	< 10.000	2015/03
PERCHLORATE	A-031	036	2012/03/14	< 4.000	2015/03
SELENIUM	01147	036	2012/03/14	< 5.000	2015/03
THALLIUM	01059	036	2012/03/14	< 1.000	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/02/12	. 6.800	2015/02
NITRITE (AS N)	00620	036	2012/03/14	< 100.000	2015/03
RADIOLOGICAL					
GROSS ALPHA	01501	108	2009/01/21	1.880	2018/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/14	< .010	2015/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/14	< .020	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2012/03/14	< .500	2018/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/03/14	< .500	2018/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/03/14	< 10.000	2018/03
1,1,2-TRICHLOROETHANE	34511	072	2012/03/14	< .500	2018/03
1,1-DICHLOROETHANE	34496	072	2012/03/14	< .500	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-010***
Source Name: ***WELL 11A***
Source Number: ***010***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/14	**< .500**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/14	**< .500**	2018/03
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/14	**< .500**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/14	**< .500**	2018/03
BENZENE	**34030**	**072**	2012/03/14	**< .500**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/14	**< .500**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/14	**< .500**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/14	**< .500**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/14	**< .500**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/12	**< 3.000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2012/03/14	**< .500**	2018/03
STYRENE	**77128**	**072**	2012/03/14	**< .500**	2018/03
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/14	**< .500**	2018/03
TOLUENE	**34010**	**072**	2012/03/14	**< .500**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/14	**< 5.000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/14	**< .500**	2018/03
XYLENES (TOTAL)	**81551**	**072**	2012/03/14	**< .500**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/03/14	**. 90.000**	2015/03
CALCIUM	**00916**	**036**	2012/03/14	**. 18.000**	2015/03
CARBONATE ALKALINITY	**00445**	**036**	2012/03/14	**< 3.000**	2015/03
CHLORIDE	**00940**	**036**	2012/03/14	**. 21.000**	2015/03
COLOR	**00081**	**036**	2012/03/14	**< 3.000**	2015/03
COPPER	**01042**	**036**	2012/03/14	**< 50.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610703-010***					
Source Name: ***WELL 11A***					
Source Number: ***010***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/03/14	**< .050**	2015/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/03/14	**. 49.000**	2015/03
HYDROXIDE ALKALINITY	**71830**	**036**	2012/03/14	**< 3.000**	2015/03
IRON	**01045**	**036**	2012/03/14	**< 100.000**	2015/03
MAGNESIUM	**00927**	**036**	2012/03/14	**< 1.000**	2015/03
MANGANESE	**01055**	**036**	2012/03/14	**< 20.000**	2015/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/03/14	**< 1.000**	2015/03
PH, LABORATORY	**00403**	**036**	2012/03/14	**. 8.200**	2015/03
SILVER	**01077**	**036**	2012/03/14	**< 10.000**	2015/03
SODIUM	**00929**	**036**	2012/03/14	**40.000**	2015/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/03/14	**. 300.000**	2015/03
SULFATE	**00945**	**036**	2012/03/14	**28.000**	2015/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/03/14	**. 160.000**	2015/03
TURBIDITY, LABORATORY	**82079**	**036**	2012/03/14	**< .200**	2015/03
ZINC	**01092**	**036**	2012/03/14	**< 50.000**	2015/03
PS Code: ***3610703-011***					
Source Name: ***WELL 12A***					
Source Number: ***011***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
INORGANIC					
ALUMINUM	**01105**	**036**	2012/03/14	**< 50.000**	2015/03
ANTIMONY	**01097**	**036**	2012/03/14	**< 6.000**	2015/03
ARSENIC	**01002**	**036**	2014/02/12	**. 2.300**	2017/02
BARIUM	**01007**	**036**	2012/03/14	**< 100.000**	2015/03
BERYLLIUM	**01012**	**036**	2012/03/14	**< 1.000**	2015/03
CADMIUM	**01027**	**036**	2012/03/14	**< 1.000**	2015/03
CHROMIUM (TOTAL)	**01034**	**036**	2012/03/14	**. 9.900**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-011
Source Name: WELL 12A
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	036	2012/03/14	< 100.000	2015/03	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2012/03/14	. .600	2015/03	
MERCURY	71900	036	2012/03/14	< 1.000	2015/03	
NICKEL	01067	036	2012/03/14	< 10.000	2015/03	
PERCHLORATE	A-031	036	2012/03/14	< 4.000	2015/03	
SELENIUM	01147	036	2012/03/14	< 5.000	2015/03	
THALLIUM	01059	036	2012/03/14	< 1.000	2015/03	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/02/12	. 5.300	2015/02	
NITRITE (AS N)	00620	036	2012/03/14	< 100.000	2015/03	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2008/04/16	2.320	2017/04	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/03/14	< .010	2015/03	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/03/14	< .020	2015/03	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2012/03/14	< .500	2018/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2012/03/14	< .500	2018/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2012/03/14	< 10.000	2018/03	
1,1,2-TRICHLOROETHANE	34511	072	2012/03/14	< .500	2018/03	
1,1-DICHLOROETHANE	34496	072	2012/03/14	< .500	2018/03	
1,1-DICHLOROETHYLENE	34501	072	2012/03/14	< .500	2018/03	
1,2,4-TRICHLOROBENZENE	34551	072	2012/03/14	< .500	2018/03	
1,2-DICHLOROBENZENE	34536	072	2012/03/14	< .500	2018/03	
1,2-DICHLOROETHANE	34531	072	2012/03/14	< .500	2018/03	
1,2-DICHLOROPROPANE	34541	072	2012/03/14	< .500	2018/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2012/03/14	< .500	2018/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

PS Code: 3610703-011
Source Name: WELL 12A
Source Number: 011
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2012/03/14	< .500	2018/03
BENZENE	34030	072	2012/03/14	< .500	2018/03
CARBON TETRACHLORIDE	32102	072	2012/03/14	< .500	2018/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2012/03/14	< .500	2018/03
DICHLOROMETHANE	34423	072	2012/03/14	< .500	2018/03
ETHYLBENZENE	34371	072	2012/03/14	< .500	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/02/12	< 3.000	2020/02
MONOCHLOROBENZENE	34301	072	2012/03/14	< .500	2018/03
STYRENE	77128	072	2012/03/14	< .500	2018/03
TETRACHLOROETHYLENE	34475	072	2012/03/14	< .500	2018/03
TOLUENE	34010	072	2012/03/14	< .500	2018/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2012/03/14	< .500	2018/03
TRICHLOROETHYLENE	39180	072	2012/03/14	< .500	2018/03
TRICHLOROFLUOROMETHANE	34488	072	2012/03/14	< 5.000	2018/03
VINYL CHLORIDE	39175	072	2012/03/14	< .500	2018/03
XYLENES (TOTAL)	81551	072	2012/03/14	< .500	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/03/14	. 76.000	2015/03
CALCIUM	00916	036	2012/03/14	. 12.000	2015/03
CARBONATE ALKALINITY	00445	036	2012/03/14	< 3.000	2015/03
CHLORIDE	00940	036	2012/03/14	. 20.000	2015/03
COLOR	00081	036	2012/03/14	< 3.000	2015/03
COPPER	01042	036	2012/03/14	< 50.000	2015/03
FOAMING AGENTS (MBAS)	38260	036	2012/03/14	< .050	2015/03
HARDNESS (TOTAL) AS CACO3	00900	036	2012/03/14	. 30.000	2015/03
HYDROXIDE ALKALINITY	71830	036	2012/03/14	< 3.000	2015/03
IRON	01045	036	2014/05/14	. 220.000	2017/05
MAGNESIUM	00927	036	2012/03/14	< 1.000	2015/03
MANGANESE	01055	036	2012/03/14	< 20.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610703-011					
Source Name: WELL 12A					
Source Number: 011					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
ODOR THRESHOLD @ 60 C	00086	036	2012/03/14	< 1.000	2015/03
PH, LABORATORY	00403	036	2012/03/14	. 8.500	2015/03
SILVER	01077	036	2012/03/14	< 10.000	2015/03
SODIUM	00929	036	2012/03/14	44.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2012/03/14	. 290.000	2015/03
SULFATE	00945	036	2012/03/14	34.000	2015/03
TOTAL DISSOLVED SOLIDS	70300	036	2012/03/14	. 160.000	2015/03
TURBIDITY, LABORATORY	82079	036	2012/03/14	< .200	2015/03
ZINC	01092	036	2012/03/14	< 50.000	2015/03
PS Code: 3610703-012T					
Source Name: EQUALIZATION TANKS - TREATED 1					
Source Number: 012					
Source Status: COMBINATION OR BLEND TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610703-013					
Source Name: WELL 03B					
Source Number: 013					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2012/03/14	< 50.000	2015/03
ANTIMONY	01097	036	2012/03/14	< 6.000	2015/03
ARSENIC	01002	036	2014/02/12	. 3.800	2017/02
BARIUM	01007	036	2012/03/14	< 100.000	2015/03
BERYLLIUM	01012	036	2012/03/14	< 1.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-013***

Source Name: ***WELL 03B***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CADMIUM	**01027**	**036**	2012/03/14	**< 1.000**	2015/03
CHROMIUM (TOTAL)	**01034**	**036**	2012/03/14	**. 10.000**	2015/03
CYANIDE	**01291**	**036**	2012/03/14	**< 100.000**	2015/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2012/03/14	**. .900**	2015/03
MERCURY	**71900**	**036**	2012/03/14	**< 1.000**	2015/03
NICKEL	**01067**	**036**	2012/03/14	**< 10.000**	2015/03
PERCHLORATE	**A-031**	**036**	2012/03/14	**< 4.000**	2015/03
SELENIUM	**01147**	**036**	2012/03/14	**< 5.000**	2015/03
THALLIUM	**01059**	**036**	2012/03/14	**< 1.000**	2015/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/02/12	**. 3.800**	2015/02
NITRITE (AS N)	**00620**	**036**	2012/03/14	**< 100.000**	2015/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2008/07/30	**.260**	2017/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/03/14	**< .010**	2015/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/03/14	**< .020**	2015/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2012/03/14	**< .500**	2018/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2012/03/14	**< .500**	2018/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2012/03/14	**< 10.000**	2018/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHANE	**34496**	**072**	2012/03/14	**< .500**	2018/03
1,1-DICHLOROETHYLENE	**34501**	**072**	2012/03/14	**< .500**	2018/03
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROBENZENE	**34536**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROETHANE	**34531**	**072**	2012/03/14	**< .500**	2018/03
1,2-DICHLOROPROPANE	**34541**	**072**	2012/03/14	**< .500**	2018/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-013***
Source Name: ***WELL 03B***
Source Number: ***013***
Source Status: ***ACTIVE RAW***
Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2012/03/14	**< .500**	2018/03
1,4-DICHLOROBENZENE	**34571**	**072**	2012/03/14	**< .500**	2018/03
BENZENE	**34030**	**072**	2012/03/14	**< .500**	2018/03
CARBON TETRACHLORIDE	**32102**	**072**	2012/03/14	**< .500**	2018/03
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2012/03/14	**< .500**	2018/03
DICHLOROMETHANE	**34423**	**072**	2012/03/14	**< .500**	2018/03
ETHYLBENZENE	**34371**	**072**	2012/03/14	**< .500**	2018/03
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**072**	2014/02/12	**< 3.000**	2020/02
MONOCHLOROBENZENE	**34301**	**072**	2012/03/14	**< .500**	2018/03
STYRENE	**77128**	**072**	2012/03/14	**< .500**	2018/03
TETRACHLOROETHYLENE	**34475**	**072**	2012/03/14	**< .500**	2018/03
TOLUENE	**34010**	**072**	2012/03/14	**< .500**	2018/03
TRANS-1,2-DICHLOROETHYLENE	**34546**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROETHYLENE	**39180**	**072**	2012/03/14	**< .500**	2018/03
TRICHLOROFLUOROMETHANE	**34488**	**072**	2012/03/14	**< 5.000**	2018/03
VINYL CHLORIDE	**39175**	**072**	2012/03/14	**< .500**	2018/03
XYLENES (TOTAL)	**81551**	**072**	2012/03/14	**< .500**	2018/03
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/03/14	**. 76.000**	2015/03
CALCIUM	**00916**	**036**	2012/03/14	**. 7.900**	2015/03
CARBONATE ALKALINITY	**00445**	**036**	2012/03/14	**< 3.000**	2015/03
CHLORIDE	**00940**	**036**	2012/03/14	**. 16.000**	2015/03
COLOR	**00081**	**036**	2012/03/14	**< 3.000**	2015/03
COPPER	**01042**	**036**	2012/03/14	**< 50.000**	2015/03
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/03/14	**< .050**	2015/03
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/03/14	**. 20.000**	2015/03
HYDROXIDE ALKALINITY	**71830**	**036**	2012/03/14	**< 3.000**	2015/03
IRON	**01045**	**036**	2012/03/14	**< 100.000**	2015/03
MAGNESIUM	**00927**	**036**	2012/03/14	**< 1.000**	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***
System Name: ***USMC - 29 PALMS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610703-013***					
Source Name: ***WELL 03B***					
Source Number: ***013***					
Source Status: ***ACTIVE RAW***					
Water type: ***G***					
SECONDARY/GP					
MANGANESE	**01055**	**036**	2012/03/14	**< 20.000**	2015/03
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/03/14	**< 1.000**	2015/03
PH, LABORATORY	**00403**	**036**	2012/03/14	**. 8.900**	2015/03
SILVER	**01077**	**036**	2012/03/14	**< 10.000**	2015/03
SODIUM	**00929**	**036**	2012/03/14	**47.000**	2015/03
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/03/14	**. 270.000**	2015/03
SULFATE	**00945**	**036**	2012/03/14	**27.000**	2015/03
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/03/14	**. 150.000**	2015/03
TURBIDITY, LABORATORY	**82079**	**036**	2012/03/14	**< .200**	2015/03
ZINC	**01092**	**036**	2012/03/14	**< 50.000**	2015/03
PS Code: ***3610703-014***					
Source Name: ***EQUALIZATION TANKS - TREATED 2***					
Source Number: ***014***					
Source Status: ***COMBINATION OR BLEND TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610703-601***					
Source Name: ***DBP2-SITE 4 BUILDING 2205***					
Source Number: ***601***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/08	**< 1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/08	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/08	**< 2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/08	**< 1.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610703
System Name: USMC - 29 PALMS

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610703-601					
Source Name: DBP2-SITE 4 BUILDING 2205					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	< .500	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. 2.900	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	. .970	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/08	. 3.900	2014/10
PS Code: 3610703-602					
Source Name: DBP2-SITE 17 SUNSHINE PK RV PLAYGROUND					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/08	< 1.000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/08	< 1.000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/08	< 2.000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/08	< 1.000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/08	< 2.000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/08	< 1.000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/08	< .500	2014/10
BROMOFORM (THM)	32104	003	2014/07/08	. .570	2014/10
CHLOROFORM (THM)	32106	003	2014/07/08	< .500	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/08	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610703-602***					
Source Name: ***DBP2-SITE 17 SUNSHINE PK RV PLAYGROUND***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/08	. **.570**	2014/10
PS Code: ***3610703-603***					
Source Name: ***DBP2-SITE 2 BUILDING 5399***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/08	. **2.500**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/08	< **1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/08	. **3.600**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/08	. **1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/08	< **2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/08	< **1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/08	. **1.800**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/08	. **16.000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/08	< **.500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/08	. **6.200**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/08	. **24.000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610703***

System Name: ***USMC - 29 PALMS***

PS Code: ***3610703-604***

Source Name: ***DBP2-SITE 6 BUILDING 2143***

Source Number: ***604***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/08	**< 1.000**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/08	**< 1.000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/08	**< 2.000**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/08	**< 1.000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/08	**< 2.000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/08	**< 1.000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/08	**< .500**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/08	**. 2.800**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/08	**< .500**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/08	**. 1.500**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/08	**. 4.200**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-001***

Source Name: ***LANGFORD WELL 01 (L-1)***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2007/10/04	<	50.000	2010/10	DUE
ANTIMONY	01097	036	2012/01/11	<	6.000	2015/01	
ARSENIC	01002	036	2014/07/09	.	9.700	2017/07	
BARIUM	01007	036	2007/10/04	<	100.000	2010/10	DUE
BERYLLIUM	01012	036	2012/01/11	<	1.000	2015/01	
CADMIUM	01027	036	2012/01/11	<	1.000	2015/01	
CHROMIUM (TOTAL)	01034	036	2012/01/11	.	1.700	2015/01	
CYANIDE	01291	036	2012/01/11	<	100.000	2015/01	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	.	7.200	2017/07	
MERCURY	71900	036	2012/01/11	<	1.000	2015/01	
NICKEL	01067	036	2012/01/11	<	10.000	2015/01	
PERCHLORATE	A-031	036	2007/10/04	<	4.000	2010/10	DUE
SELENIUM	01147	036	2012/01/11	<	5.000	2015/01	
THALLIUM	01059	036	2012/01/11	<	1.000	2015/01	
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/07/09	.	4.300	2015/07	
NITRITE (AS N)	00620	036	2007/10/04	<	100.000	2010/10	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2011/07/20	.	8.990	2014/07	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2008/04/25	<	.010	2011/04	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2008/04/25	<	.020	2011/04	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	036	2005/03/31		.000	2008/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2005/03/31		.000	2008/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2005/03/31	.	.000	2008/03	DUE
1,1,2-TRICHLOROETHANE	34511	036	2005/03/31	.	.000	2008/03	DUE
1,1-DICHLOROETHANE	34496	036	2005/03/31	.	.000	2008/03	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-001
Source Name: LANGFORD WELL 01 (L-1)
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC						
1,1-DICHLOROETHYLENE	34501	036	2005/03/31	. .000	2008/03	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2005/03/31	. .000	2008/03	DUE
1,2-DICHLOROBENZENE	34536	036	2005/03/31	.000	2008/03	DUE
1,2-DICHLOROETHANE	34531	036	2005/03/31	. .000	2008/03	DUE
1,2-DICHLOROPROPANE	34541	036	2005/03/31	. .000	2008/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2005/03/31	. .000	2008/03	DUE
1,4-DICHLOROBENZENE	34571	036	2005/03/31	. .000	2008/03	DUE
BENZENE	34030	036	2005/03/31	. .000	2008/03	DUE
CARBON TETRACHLORIDE	32102	036	2005/03/31	.000	2008/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2005/03/31	. .000	2008/03	DUE
DICHLOROMETHANE	34423	036	2005/03/31	. .000	2008/03	DUE
ETHYLBENZENE	34371	036	2005/03/31	. .000	2008/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2008/04/25	< 3.000	2011/04	DUE
MONOCHLOROBENZENE	34301	036	2005/03/31	. .000	2008/03	DUE
STYRENE	77128	036	2005/03/31	. .000	2008/03	DUE
TETRACHLOROETHYLENE	34475	036	2005/03/31	. .000	2008/03	DUE
TOLUENE	34010	036	2005/03/31	. .000	2008/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2005/03/31	.000	2008/03	DUE
TRICHLOROETHYLENE	39180	036	2005/03/31	. .000	2008/03	DUE
TRICHLOROFLUOROMETHANE	34488	036	2005/03/31	. .000	2008/03	DUE
VINYL CHLORIDE	39175	036	2005/03/31	. .000	2008/03	DUE
XYLENES (TOTAL)	81551	036	2005/03/31	. .000	2008/03	DUE
SECONDARY/GP						
BICARBONATE ALKALINITY	00440	036	2012/01/11	. 220.000	2015/01	
CALCIUM	00916	036	2012/01/11	. 5.200	2015/01	
CARBONATE ALKALINITY	00445	036	2012/01/11	< 3.000	2015/01	
CHLORIDE	00940	036	2007/10/04	51.000	2010/10	DUE
COLOR	00081	036	2012/01/11	. 5.000	2015/01	
COPPER	01042	036	2012/01/11	< 50.000	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-001
Source Name: LANGFORD WELL 01 (L-1)
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
FOAMING AGENTS (MBAS)	38260	036	2012/01/11	<	.050	2015/01	
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/11	.	25.000	2015/01	
HYDROXIDE ALKALINITY	71830	036	2012/01/11	<	3.000	2015/01	
IRON	01045	036	2007/10/04	<	25.000	2010/10	DUE
MAGNESIUM	00927	036	2012/01/11	.	2.800	2015/01	
MANGANESE	01055	036	2007/10/04	<	20.000	2010/10	DUE
ODOR THRESHOLD @ 60 C	00086	036	2012/01/11	<	1.000	2015/01	
PH, LABORATORY	00403	036	2012/01/11	.	8.500	2015/01	
SILVER	01077	036	2012/01/11	<	10.000	2015/01	
SODIUM	00929	036	2007/10/04		180.000	2010/10	DUE
SPECIFIC CONDUCTANCE	00095	036	2007/10/04		760.000	2010/10	DUE
SULFATE	00945	036	2007/10/04		84.000	2010/10	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/11	.	390.000	2015/01	
TURBIDITY, LABORATORY	82079	036	2012/01/11	.	2.300	2015/01	
ZINC	01092	036	2012/01/11	<	50.000	2015/01	

PS Code: 3610705-002
Source Name: LANGFORD WELL 02 (L-2)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC							
ALUMINUM	01105	036	2011/08/03	<	50.000	2014/08	
ANTIMONY	01097	036	2012/01/11	<	6.000	2015/01	
ARSENIC	01002	036	2014/07/09	.	6.900	2017/07	
BARIUM	01007	036	2011/08/03	<	100.000	2014/08	
BERYLLIUM	01012	036	2012/01/11	<	1.000	2015/01	
CADMIUM	01027	036	2012/01/11	<	1.000	2015/01	
CHROMIUM (TOTAL)	01034	036	2012/01/11	.	2.000	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-002***

Source Name: ***LANGFORD WELL 02 (L-2)***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2012/01/11	**< 100.000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/09	**. 8.500**	2017/07
MERCURY	**71900**	**036**	2011/08/03	**< 1.000**	2014/08
NICKEL	**01067**	**036**	2011/08/03	**< 10.000**	2014/08
PERCHLORATE	**A-031**	**036**	2011/08/03	**< 4.000**	2014/08
SELENIUM	**01147**	**036**	2011/08/03	**< 5.000**	2014/08
THALLIUM	**01059**	**036**	2011/08/03	**< 1.000**	2014/08
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 7.100**	2015/07
NITRITE (AS N)	**00620**	**036**	2011/08/03	**< 100.000**	2014/08
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/08/03	**. 12.100**	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/08/03	**< .010**	2014/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/08/03	**< .020**	2014/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2011/08/03	**< .500**	2014/08
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2011/08/03	**< .500**	2014/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2011/08/03	**< 10.000**	2014/08
1,1,2-TRICHLOROETHANE	**34511**	**036**	2011/08/03	**< .500**	2014/08
1,1-DICHLOROETHANE	**34496**	**036**	2011/08/03	**< .500**	2014/08
1,1-DICHLOROETHYLENE	**34501**	**036**	2011/08/03	**< .500**	2014/08
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2011/08/03	**< .500**	2014/08
1,2-DICHLOROBENZENE	**34536**	**036**	2011/08/03	**< .500**	2014/08
1,2-DICHLOROETHANE	**34531**	**036**	2011/08/03	**< .500**	2014/08
1,2-DICHLOROPROPANE	**34541**	**036**	2011/08/03	**< .500**	2014/08
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/08/03	**< .500**	2014/08
1,4-DICHLOROBENZENE	**34571**	**036**	2011/08/03	**< .500**	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-002
Source Name: LANGFORD WELL 02 (L-2)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	34030	036	2011/08/03	< .500	2014/08
CARBON TETRACHLORIDE	32102	036	2011/08/03	< .500	2014/08
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/08/03	< .500	2014/08
DICHLOROMETHANE	34423	036	2011/08/03	< .500	2014/08
ETHYLBENZENE	34371	036	2011/08/03	< .500	2014/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/08/03	< 3.000	2014/08
MONOCHLOROBENZENE	34301	036	2011/08/03	< .500	2014/08
STYRENE	77128	036	2011/08/03	< .500	2014/08
TETRACHLOROETHYLENE	34475	036	2011/08/03	< .500	2014/08
TOLUENE	34010	036	2011/08/03	< .500	2014/08
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/08/03	< .500	2014/08
TRICHLOROETHYLENE	39180	036	2011/08/03	< .500	2014/08
TRICHLOROFLUOROMETHANE	34488	036	2011/08/03	< 5.000	2014/08
VINYL CHLORIDE	39175	036	2011/08/03	< .500	2014/08
XYLENES (TOTAL)	81551	036	2011/08/03	< .500	2014/08
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/08/03	. 270.000	2014/08
CALCIUM	00916	036	2011/08/03	. 7.500	2014/08
CARBONATE ALKALINITY	00445	036	2011/08/03	< 3.000	2014/08
CHLORIDE	00940	036	2011/08/03	. 50.000	2014/08
COLOR	00081	036	2011/08/03	< 3.000	2014/08
COPPER	01042	036	2011/08/03	< 50.000	2014/08
FOAMING AGENTS (MBAS)	38260	036	2011/08/03	< .050	2014/08
HARDNESS (TOTAL) AS CACO3	00900	036	2011/08/03	. 27.000	2014/08
HYDROXIDE ALKALINITY	71830	036	2011/08/03	< 3.000	2014/08
IRON	01045	036	2011/08/03	< 100.000	2014/08
MAGNESIUM	00927	036	2011/08/03	. 2.000	2014/08
MANGANESE	01055	036	2011/08/03	< 20.000	2014/08
ODOR THRESHOLD @ 60 C	00086	036	2011/08/03	< 1.000	2014/08

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-002
Source Name: LANGFORD WELL 02 (L-2)
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
PH, LABORATORY	00403	036	2011/08/03	.	8.400	2014/08	
SILVER	01077	036	2011/08/03	<	10.000	2014/08	
SODIUM	00929	036	2011/08/03		190.000	2014/08	
SPECIFIC CONDUCTANCE	00095	036	2011/08/03	.	900.000	2014/08	
SULFATE	00945	036	2011/08/03		110.000	2014/08	
TOTAL DISSOLVED SOLIDS	70300	036	2011/08/03	.	520.000	2014/08	
TURBIDITY, LABORATORY	82079	036	2011/08/03	<	.200	2014/08	
ZINC	01092	036	2011/08/03	<	50.000	2014/08	

PS Code: 3610705-003
Source Name: LANGFORD WELL 03 (L-3)
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2012/12/12	<	50.000	2015/12	
ANTIMONY	01097	036	**2009/02/04**	<	6.000	**2012/02**	**DUE**
ARSENIC	01002	036	2014/07/09	.	10.000	2017/07	
BARIUM	01007	036	2012/12/12	<	100.000	2015/12	
BERYLLIUM	01012	036	**2009/02/04**	<	1.000	**2012/02**	**DUE**
CADMIUM	01027	036	**2009/02/04**	<	1.000	**2012/02**	**DUE**
CHROMIUM (TOTAL)	01034	036	**2009/02/04**		8.000	**2012/02**	**DUE**
CYANIDE	01291	036	**2009/02/04**	<	100.000	**2012/02**	**DUE**
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	.	3.500	2017/07	
MERCURY	71900	036	2012/02/02	<	1.000	2015/02	
NICKEL	01067	036	2012/02/02	<	10.000	2015/02	
PERCHLORATE	A-031	036	2012/12/12	<	4.000	2015/12	
SELENIUM	01147	036	2012/02/02	<	5.000	2015/02	
THALLIUM	01059	036	2012/02/02	<	1.000	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-003
Source Name: LANGFORD WELL 03 (L-3)
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 9.500	2015/07	
NITRITE (AS N)	00620	036	2012/12/12	< 100.000	2015/12	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/12/12	. 7.440	2015/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2012/02/02	< .010	2015/02	
ETHYLENE DIBROMIDE (EDB)	77651	036	2012/02/02	< .020	2015/02	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2009/02/04	< .500	2012/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2009/02/04	< .500	2012/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2009/02/04	< 10.000	2012/02	DUE
1,1,2-TRICHLOROETHANE	34511	036	2009/02/04	< .500	2012/02	DUE
1,1-DICHLOROETHANE	34496	036	2009/02/04	< .500	2012/02	DUE
1,1-DICHLOROETHYLENE	34501	036	2009/02/04	< .500	2012/02	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2009/02/04	< .500	2012/02	DUE
1,2-DICHLOROBENZENE	34536	036	2009/02/04	< .500	2012/02	DUE
1,2-DICHLOROETHANE	34531	036	2009/02/04	< .500	2012/02	DUE
1,2-DICHLOROPROPANE	34541	036	2009/02/04	< .500	2012/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2009/02/04	< .500	2012/02	DUE
1,4-DICHLOROBENZENE	34571	036	2009/02/04	< .500	2012/02	DUE
BENZENE	34030	036	2009/02/04	< .500	2012/02	DUE
CARBON TETRACHLORIDE	32102	036	2009/02/04	< .500	2012/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2009/02/04	< .500	2012/02	DUE
DICHLOROMETHANE	34423	036	2009/02/04	< .500	2012/02	DUE
ETHYLBENZENE	34371	036	2009/02/04	< .500	2012/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2009/02/04	< 3.000	2012/02	DUE
MONOCHLOROBENZENE	34301	036	2009/02/04	< .500	2012/02	DUE
STYRENE	77128	036	2009/02/04	< .500	2012/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-003***

Source Name: ***LANGFORD WELL 03 (L-3)***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TETRACHLOROETHYLENE	**34475**	**036**	**2009/02/04**	**<**	**.500**	**2012/02**	**DUE**
TOLUENE	**34010**	**036**	**2009/02/04**	**<**	**.500**	**2012/02**	**DUE**
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	**2009/02/04**	**<**	**.500**	**2012/02**	**DUE**
TRICHLOROETHYLENE	**39180**	**036**	**2009/02/04**	**<**	**.500**	**2012/02**	**DUE**
TRICHLOROFLUOROMETHANE	**34488**	**036**	**2009/02/04**	**<**	**5.000**	**2012/02**	**DUE**
VINYL CHLORIDE	**39175**	**036**	**2009/02/04**	**<**	**.500**	**2012/02**	**DUE**
XYLENES (TOTAL)	**81551**	**036**	**2009/02/04**	**<**	**.500**	**2012/02**	**DUE**
SECONDARY/GP							
BICARBONATE ALKALINITY	**00440**	**036**	2012/02/02	**.**	**180.000**	2015/02	
CALCIUM	**00916**	**036**	2012/02/02	**.**	**7.900**	2015/02	
CARBONATE ALKALINITY	**00445**	**036**	2012/02/02	**<**	**3.000**	2015/02	
CHLORIDE	**00940**	**036**	2012/12/12	**.**	**93.000**	2015/12	
COLOR	**00081**	**036**	2012/02/02	**<**	**3.000**	2015/02	
COPPER	**01042**	**036**	2012/02/02	**<**	**50.000**	2015/02	
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/02/02	**<**	**.050**	2015/02	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/02/02	**.**	**27.000**	2015/02	
HYDROXIDE ALKALINITY	**71830**	**036**	2012/02/02	**<**	**3.000**	2015/02	
IRON	**01045**	**036**	2012/12/12	**<**	**100.000**	2015/12	
MAGNESIUM	**00927**	**036**	2012/02/02	**.**	**1.600**	2015/02	
MANGANESE	**01055**	**036**	2012/12/12	**<**	**20.000**	2015/12	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/02/02	**<**	**1.000**	2015/02	
PH, LABORATORY	**00403**	**036**	2012/02/02	**.**	**8.400**	2015/02	
SILVER	**01077**	**036**	2012/02/02	**<**	**10.000**	2015/02	
SODIUM	**00929**	**036**	2012/12/12	**.**	**180.000**	2015/12	
SPECIFIC CONDUCTANCE	**00095**	**036**	2012/12/12	**.**	**910.000**	2015/12	
SULFATE	**00945**	**036**	2012/12/12		**140.000**	2015/12	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/02/02	**.**	**510.000**	2015/02	
TURBIDITY, LABORATORY	**82079**	**036**	2012/02/02	**<**	**.200**	2015/02	
ZINC	**01092**	**036**	2012/02/02	**<**	**50.000**	2015/02	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-009
Source Name: WELL 07 (I-7)
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2014/07/09	< 50.000	2017/07
ANTIMONY	01097	036	2014/07/09	< 6.000	2017/07
ARSENIC	01002	036	2014/07/09	. 36.000	2017/07
BARIUM	01007	036	2014/07/09	< 100.000	2017/07
BERYLLIUM	01012	036	2014/07/09	< 1.000	2017/07
CADMIUM	01027	036	2014/07/09	< 1.000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/09	. 5.000	2017/07
CYANIDE	01291	036	2014/07/09	< 100.000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. 8.100	2017/07
MERCURY	71900	036	2014/07/09	< 1.000	2017/07
NICKEL	01067	036	2014/07/09	< 10.000	2017/07
PERCHLORATE	A-031	036	2014/07/09	< 4.000	2017/07
SELENIUM	01147	036	2014/07/09	< 5.000	2017/07
THALLIUM	01059	036	2014/07/09	< 1.000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 18.000	2015/07
NITRITE (AS N)	00620	036	2014/07/09	< 100.000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	036	2011/11/16	. 5.530	2014/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/07/09	< .010	2017/07
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/07/09	< .020	2017/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2014/07/09	< .500	2017/07
1,1,2,2-TETRACHLOROETHANE	34516	036	2014/07/09	< .500	2017/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2014/07/09	< 10.000	2017/07
1,1,2-TRICHLOROETHANE	34511	036	2014/07/09	< .500	2017/07
1,1-DICHLOROETHANE	34496	036	2014/07/09	< .500	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-009***

Source Name: ***WELL 07 (I-7)***

Source Number: ***009***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	**34501**	**036**	2014/07/09	**< .500**	2017/07
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROBENZENE	**34536**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROETHANE	**34531**	**036**	2014/07/09	**< .500**	2017/07
1,2-DICHLOROPROPANE	**34541**	**036**	2014/07/09	**< .500**	2017/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2011/11/16	**< .500**	2014/11
1,4-DICHLOROBENZENE	**34571**	**036**	2014/07/09	**< .500**	2017/07
BENZENE	**34030**	**036**	2014/07/09	**< .500**	2017/07
CARBON TETRACHLORIDE	**32102**	**036**	2014/07/09	**< .500**	2017/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2014/07/09	**< .500**	2017/07
DICHLOROMETHANE	**34423**	**036**	2014/07/09	**< .500**	2017/07
ETHYLBENZENE	**34371**	**036**	2014/07/09	**< .500**	2017/07
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2014/07/09	**< 3.000**	2017/07
MONOCHLOROBENZENE	**34301**	**036**	2014/07/09	**< .500**	2017/07
STYRENE	**77128**	**036**	2014/07/09	**< .500**	2017/07
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/09	**< .500**	2017/07
TOLUENE	**34010**	**036**	2014/07/09	**< .500**	2017/07
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROETHYLENE	**39180**	**036**	2014/07/09	**< .500**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2014/07/09	**< 5.000**	2017/07
VINYL CHLORIDE	**39175**	**036**	2014/07/09	**< .500**	2017/07
XYLENES (TOTAL)	**81551**	**036**	2014/07/09	**< .500**	2017/07
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/24	**. 140.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/24	**. 15.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/24	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2014/07/09	**. 88.000**	2017/07
COLOR	**00081**	**036**	2014/07/09	**< 3.000**	2017/07
COPPER	**01042**	**036**	2014/07/09	**< 50.000**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-009
Source Name: WELL 07 (I-7)
Source Number: 009
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/07/09	< .200	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2012/01/24	. 45.000	2015/01
HYDROXIDE ALKALINITY	71830	036	2012/01/24	< 3.000	2015/01
IRON	01045	036	2014/07/09	< 100.000	2017/07
MAGNESIUM	00927	036	2012/01/24	. 1.700	2015/01
MANGANESE	01055	036	2014/07/09	< 20.000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/09	< 1.000	2017/07
PH, LABORATORY	00403	036	2014/07/09	. 8.100	2017/07
SILVER	01077	036	2014/07/09	< 10.000	2017/07
SODIUM	00929	036	2014/07/09	. 170.000	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/09	. 920.000	2017/07
SULFATE	00945	036	2014/07/09	. 150.000	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/24	. 490.000	2015/01
TURBIDITY, LABORATORY	82079	036	2014/07/09	< .200	2017/07
ZINC	01092	036	2014/07/09	< 50.000	2017/07

PS Code: 3610705-012
Source Name: BICYCLE WELL 04 (B-4)
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2012/01/19	< 50.000	2015/01
ANTIMONY	01097	036	2012/01/19	< 6.000	2015/01
ARSENIC	01002	036	2014/07/09	. 32.000	2017/07
BARIUM	01007	036	2012/01/19	< 100.000	2015/01
BERYLLIUM	01012	036	2012/01/19	< 1.000	2015/01
CADMIUM	01027	036	2012/01/19	< 1.000	2015/01
CHROMIUM (TOTAL)	01034	036	2012/01/19	. 8.600	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-012***

Source Name: ***BICYCLE WELL 04 (B-4)***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CYANIDE	**01291**	**036**	2012/01/19	**< 100.000**	2015/01
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/09	**. 2.000**	2017/07
MERCURY	**71900**	**036**	2012/01/19	**< 1.000**	2015/01
NICKEL	**01067**	**036**	2012/01/19	**< 10.000**	2015/01
PERCHLORATE	**A-031**	**036**	2012/01/19	**< 4.000**	2015/01
SELENIUM	**01147**	**036**	2012/01/19	**< 5.000**	2015/01
THALLIUM	**01059**	**036**	2012/01/19	**< 1.000**	2015/01
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/09	**. 20.000**	2015/07
NITRITE (AS N)	**00620**	**036**	2012/01/19	**< 100.000**	2015/01
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2012/01/19	**. 2.620**	2015/01
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2012/01/19	**< .010**	2015/01
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2012/01/19	**< .020**	2015/01
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/12/13	**< .500**	2015/12
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/12/13	**< .500**	2015/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/12/13	**< 10.000**	2015/12
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/12/13	**< .500**	2015/12
1,1-DICHLOROETHANE	**34496**	**036**	2012/12/13	**< .500**	2015/12
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/12/13	**< .500**	2015/12
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/12/13	**< .500**	2015/12
1,2-DICHLOROBENZENE	**34536**	**036**	2012/12/13	**< .500**	2015/12
1,2-DICHLOROETHANE	**34531**	**036**	2012/12/13	**< .500**	2015/12
1,2-DICHLOROPROPANE	**34541**	**036**	2012/12/13	**< .500**	2015/12
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/12/13	**< .500**	2015/12
1,4-DICHLOROBENZENE	**34571**	**036**	2012/12/13	**< .500**	2015/12

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-012***

Source Name: ***BICYCLE WELL 04 (B-4)***

Source Number: ***012***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
BENZENE	**34030**	**036**	2012/12/13	**< .500**	2015/12
CARBON TETRACHLORIDE	**32102**	**036**	2012/12/13	**< .500**	2015/12
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/12/13	**< .500**	2015/12
DICHLOROMETHANE	**34423**	**036**	2012/12/13	**< .500**	2015/12
ETHYLBENZENE	**34371**	**036**	2012/12/13	**< .500**	2015/12
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/12/13	**< 3.000**	2015/12
MONOCHLOROBENZENE	**34301**	**036**	2012/12/13	**< .500**	2015/12
STYRENE	**77128**	**036**	2012/12/13	**< .500**	2015/12
TETRACHLOROETHYLENE	**34475**	**036**	2012/12/13	**< .500**	2015/12
TOLUENE	**34010**	**036**	2012/12/13	**< .500**	2015/12
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/12/13	**< .500**	2015/12
TRICHLOROETHYLENE	**39180**	**036**	2012/12/13	**< .500**	2015/12
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/12/13	**< 5.000**	2015/12
VINYL CHLORIDE	**39175**	**036**	2012/12/13	**< .500**	2015/12
XYLENES (TOTAL)	**81551**	**036**	2012/12/13	**< .500**	2015/12
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/19	**. 170.000**	2015/01
CALCIUM	**00916**	**036**	2012/01/19	**. 19.000**	2015/01
CARBONATE ALKALINITY	**00445**	**036**	2012/01/19	**< 3.000**	2015/01
CHLORIDE	**00940**	**036**	2012/01/19	**. 83.000**	2015/01
COLOR	**00081**	**036**	2012/01/19	**< 3.000**	2015/01
COPPER	**01042**	**036**	2012/01/19	**< 50.000**	2015/01
FOAMING AGENTS (MBAS)	**38260**	**036**	2012/01/19	**< .050**	2015/01
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/19	**. 63.000**	2015/01
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/19	**< 3.000**	2015/01
IRON	**01045**	**036**	2012/01/19	**< 100.000**	2015/01
MAGNESIUM	**00927**	**036**	2012/01/19	**. 3.800**	2015/01
MANGANESE	**01055**	**036**	2012/01/19	**< 20.000**	2015/01
ODOR THRESHOLD @ 60 C	**00086**	**036**	2012/01/19	**< 1.000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-012
Source Name: BICYCLE WELL 04 (B-4)
Source Number: 012
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PH, LABORATORY	00403	036	2012/01/19	. 8.100	2015/01
SILVER	01077	036	2012/01/19	< 10.000	2015/01
SODIUM	00929	036	2012/01/19	140.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2012/01/19	. 880.000	2015/01
SULFATE	00945	036	2012/01/19	110.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	036	2012/01/19	. 600.000	2015/01
TURBIDITY, LABORATORY	82079	036	2012/01/19	< .200	2015/01
ZINC	01092	036	2012/01/19	< 50.000	2015/01

PS Code: 3610705-013
Source Name: BICYCLE WELL 05 (B-5)
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2011/09/23	< 50.000	2014/09
ANTIMONY	01097	036	2011/09/23	< 6.000	2014/09
ARSENIC	01002	036	2014/07/09	. 3.100	2017/07
BARIUM	01007	036	2011/09/23	< 100.000	2014/09
BERYLLIUM	01012	036	2011/09/23	< 1.000	2014/09
CADMIUM	01027	036	2011/09/23	< 1.000	2014/09
CHROMIUM (TOTAL)	01034	036	2011/09/23	. 3.600	2014/09
CYANIDE	01291	036	2011/09/23	< 100.000	2014/09
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. .800	2017/07
MERCURY	71900	036	2011/09/23	< 1.000	2014/09
NICKEL	01067	036	2011/09/23	< 10.000	2014/09
PERCHLORATE	A-031	036	2011/09/23	< 4.000	2014/09
SELENIUM	01147	036	2011/09/23	< 5.000	2014/09
THALLIUM	01059	036	2011/09/23	< 1.000	2014/09

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-013***

Source Name: ***BICYCLE WELL 05 (B-5)***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/09	. 20.000	2015/07	
NITRITE (AS N)	00620	036	2011/09/23	< 100.000	2014/09	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/09/23	. 12.800	2014/09	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/09/23	< .010	2014/09	
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/09/23	< .020	2014/09	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2010/02/02	< .500	2013/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2010/02/02	< .500	2013/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2010/02/02	< 10.000	2013/02	DUE
1,1,2-TRICHLOROETHANE	34511	036	2010/02/02	< .500	2013/02	DUE
1,1-DICHLOROETHANE	34496	036	2010/02/02	< .500	2013/02	DUE
1,1-DICHLOROETHYLENE	34501	036	2010/02/02	< .500	2013/02	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2010/02/02	< .500	2013/02	DUE
1,2-DICHLOROBENZENE	34536	036	2010/02/02	< .500	2013/02	DUE
1,2-DICHLOROETHANE	34531	036	2010/02/02	< .500	2013/02	DUE
1,2-DICHLOROPROPANE	34541	036	2010/02/02	< .500	2013/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2010/02/02	< .500	2013/02	DUE
1,4-DICHLOROBENZENE	34571	036	2010/02/02	< .500	2013/02	DUE
BENZENE	34030	036	2010/02/02	< .500	2013/02	DUE
CARBON TETRACHLORIDE	32102	036	2010/02/02	< .500	2013/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2010/02/02	< .500	2013/02	DUE
DICHLOROMETHANE	34423	036	2010/02/02	< .500	2013/02	DUE
ETHYLBENZENE	34371	036	2010/02/02	< .500	2013/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2010/02/02	< 3.000	2013/02	DUE
MONOCHLOROBENZENE	34301	036	2010/02/02	< .500	2013/02	DUE
STYRENE	77128	036	2010/02/02	< .500	2013/02	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-013***

Source Name: ***BICYCLE WELL 05 (B-5)***

Source Number: ***013***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TETRACHLOROETHYLENE	**34475**	**036**	**2010/02/02**	**<**	**.500**	**2013/02**	**DUE**
TOLUENE	**34010**	**036**	**2010/02/02**	**<**	**.500**	**2013/02**	**DUE**
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	**2010/02/02**	**<**	**.500**	**2013/02**	**DUE**
TRICHLOROETHYLENE	**39180**	**036**	**2010/02/02**	**<**	**.500**	**2013/02**	**DUE**
TRICHLOROFLUOROMETHANE	**34488**	**036**	**2010/02/02**	**<**	**5.000**	**2013/02**	**DUE**
VINYL CHLORIDE	**39175**	**036**	**2010/02/02**	**<**	**.500**	**2013/02**	**DUE**
XYLENES (TOTAL)	**81551**	**036**	**2010/02/02**	**<**	**.500**	**2013/02**	**DUE**
SECONDARY/GP							
BICARBONATE ALKALINITY	**00440**	**036**	2012/01/19	**.**	**140.000**	2015/01	
CALCIUM	**00916**	**036**	2012/01/19	**.**	**57.000**	2015/01	
CARBONATE ALKALINITY	**00445**	**036**	2012/01/19	**<**	**3.000**	2015/01	
CHLORIDE	**00940**	**036**	2011/09/23	**.**	**290.000**	2014/09	
COLOR	**00081**	**036**	2011/09/23	**.**	**3.000**	2014/09	
COPPER	**01042**	**036**	2011/09/23	**<**	**50.000**	2014/09	
FOAMING AGENTS (MBAS)	**38260**	**036**	2011/09/23	**<**	**.050**	2014/09	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2012/01/19	**.**	**180.000**	2015/01	
HYDROXIDE ALKALINITY	**71830**	**036**	2012/01/19	**<**	**3.000**	2015/01	
IRON	**01045**	**036**	2011/09/23		**250.000**	2014/09	
MAGNESIUM	**00927**	**036**	2012/01/19	**.**	**9.900**	2015/01	
MANGANESE	**01055**	**036**	2011/09/23	**<**	**20.000**	2014/09	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/09/23	**<**	**1.000**	2014/09	
PH, LABORATORY	**00403**	**036**	2012/01/19	**.**	**7.900**	2015/01	
SILVER	**01077**	**036**	2011/09/23	**<**	**10.000**	2014/09	
SODIUM	**00929**	**036**	2011/09/23	**.**	**180.000**	2014/09	
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/09/23	**.**	**1400.000**	2014/09	
SULFATE	**00945**	**036**	2011/09/23		**130.000**	2014/09	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2012/01/19	**.**	**760.000**	2015/01	
TURBIDITY, LABORATORY	**82079**	**036**	2011/09/23	**.**	**3.100**	2014/09	
ZINC	**01092**	**036**	2011/09/23	**<**	**50.000**	2014/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-015
Source Name: BICYCLE WELL 06 (B-6)
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	01105	036	2011/10/13	< 50.000	2014/10
ANTIMONY	01097	036	2011/10/13	< 6.000	2014/10
ARSENIC	01002	036	2014/07/09	. 19.000	2017/07
BARIUM	01007	036	2011/10/13	< 100.000	2014/10
BERYLLIUM	01012	036	2011/10/13	< 1.000	2014/10
CADMIUM	01027	036	2011/10/13	< 1.000	2014/10
CHROMIUM (TOTAL)	01034	036	2011/10/13	. 12.000	2014/10
CYANIDE	01291	036	2011/10/13	< 100.000	2014/10
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/09	. 3.400	2017/07
MERCURY	71900	036	2011/10/13	< 1.000	2014/10
NICKEL	01067	036	2011/10/13	< 10.000	2014/10
PERCHLORATE	A-031	036	2011/10/13	< 4.000	2014/10
SELENIUM	01147	036	2011/10/13	< 5.000	2014/10
THALLIUM	01059	036	2011/10/13	< 1.000	2014/10
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/09	. 23.000	2015/07
NITRITE (AS N)	00620	036	2011/10/13	< 100.000	2014/10
RADIOLOGICAL					
GROSS ALPHA	01501	036	2011/10/13	. 8.880	2014/10
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/10/13	< .010	2014/10
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/10/13	< .020	2014/10
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2011/10/13	< .500	2014/10
1,1,2,2-TETRACHLOROETHANE	34516	036	2011/10/13	< .500	2014/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2011/10/13	< 10.000	2014/10
1,1,2-TRICHLOROETHANE	34511	036	2011/10/13	< .500	2014/10
1,1-DICHLOROETHANE	34496	036	2011/10/13	< .500	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

PS Code: 3610705-015
Source Name: BICYCLE WELL 06 (B-6)
Source Number: 015
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	036	2011/10/13	< .500	2014/10
1,2,4-TRICHLOROBENZENE	34551	036	2011/10/13	< .500	2014/10
1,2-DICHLOROBENZENE	34536	036	2011/10/13	< .500	2014/10
1,2-DICHLOROETHANE	34531	036	2011/10/13	< .500	2014/10
1,2-DICHLOROPROPANE	34541	036	2011/10/13	< .500	2014/10
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2011/10/13	< .500	2014/10
1,4-DICHLOROBENZENE	34571	036	2011/10/13	< .500	2014/10
BENZENE	34030	036	2011/10/13	< .500	2014/10
CARBON TETRACHLORIDE	32102	036	2011/10/13	< .500	2014/10
CIS-1,2-DICHLOROETHYLENE	77093	036	2011/10/13	< .500	2014/10
DICHLOROMETHANE	34423	036	2011/10/13	< .500	2014/10
ETHYLBENZENE	34371	036	2011/10/13	< .500	2014/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2011/10/13	< 3.000	2014/10
MONOCHLOROBENZENE	34301	036	2011/10/13	< .500	2014/10
STYRENE	77128	036	2011/10/13	< .500	2014/10
TETRACHLOROETHYLENE	34475	036	2011/10/13	< .500	2014/10
TOLUENE	34010	036	2011/10/13	< .500	2014/10
TRANS-1,2-DICHLOROETHYLENE	34546	036	2011/10/13	< .500	2014/10
TRICHLOROETHYLENE	39180	036	2011/10/13	< .500	2014/10
TRICHLOROFLUOROMETHANE	34488	036	2011/10/13	< 5.000	2014/10
VINYL CHLORIDE	39175	036	2011/10/13	< .500	2014/10
XYLENES (TOTAL)	81551	036	2011/10/13	< .500	2014/10
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2012/02/09	. 180.000	2015/02
CALCIUM	00916	036	2012/02/09	. 22.000	2015/02
CARBONATE ALKALINITY	00445	036	2012/02/09	< 3.000	2015/02
CHLORIDE	00940	036	2011/10/13	. 71.000	2014/10
COLOR	00081	036	2011/10/13	< 3.000	2014/10
COPPER	01042	036	2011/10/13	< 50.000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

PS Code: ***3610705-015***

Source Name: ***BICYCLE WELL 06 (B-6)***

Source Number: ***015***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2011/10/13	< .050	2014/10
HARDNESS (TOTAL) AS CACO3	00900	036	2012/02/09	. 76.000	2015/02
HYDROXIDE ALKALINITY	71830	036	2012/02/09	< 3.000	2015/02
IRON	01045	036	2011/10/13	< 100.000	2014/10
MAGNESIUM	00927	036	2012/02/09	. 4.800	2015/02
MANGANESE	01055	036	2011/10/13	< 20.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2011/10/13	< 1.000	2014/10
PH, LABORATORY	00403	036	2012/02/09	. 8.100	2015/02
SILVER	01077	036	2011/10/13	< 10.000	2014/10
SODIUM	00929	036	2011/10/13	. 140.000	2014/10
SPECIFIC CONDUCTANCE	00095	036	2011/10/13	. 840.000	2014/10
SULFATE	00945	036	2011/10/13	120.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	036	2012/02/09	. 570.000	2015/02
TURBIDITY, LABORATORY	82079	036	2011/10/13	< .200	2014/10
ZINC	01092	036	2011/10/13	< 50.000	2014/10

PS Code: ***3610705-100***

Source Name: ***RO TREATMENT PLANT INFLUENT***

Source Number: ***100***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610705-101						
Source Name: RO TREATMENT PLANT EFFLUENT						
Source Number: 101						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610705-601						
Source Name: DBP2-BUILDING 840 - DOM						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610705-602						
Source Name: DBP2-BUILDING 3903 - DOM						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610705-603						
Source Name: DBP2-BUILDING 1322 - DOM						
Source Number: 603						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***

System Name: ***US ARMY FORT IRWIN***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610705-603***						
Source Name: ***DBP2-BUILDING 1322 - DOM***						
Source Number: ***603***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
STATE UCMR						
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: ***3610705-604***						
Source Name: ***DBP2-BUILDING 5349 - DOM***						
Source Number: ***604***						
Source Status: ***DISTRIBUTION TREATED***						
Water type: ***G***						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610705
System Name: US ARMY FORT IRWIN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610705-605						
Source Name: DBP2-BUILDING 840 - RO						
Source Number: 605						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610705-800						
Source Name: LANGFORD RESERVOIR - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610705***
System Name: ***US ARMY FORT IRWIN***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610705-801***					
Source Name: ***BICYCLE LAKE RESERVOIR - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: ***3610705-802***					
Source Name: ***WELL 07 (I-7) - TREATED (CL2)***					
Source Number: ***802***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610708
System Name: BARSTOW ARMY HELIPORT

PS Code: 3610708-001
Source Name: WELL 1
Source Number: 001
Source Status: ACTIVE RAW
Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	000				DUE
ANTIMONY	01097	000				DUE
ARSENIC	01002	000				DUE
BARIUM	01007	000				DUE
BERYLLIUM	01012	000				DUE
CADMIUM	01027	000				DUE
CHROMIUM (TOTAL)	01034	000				DUE
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	000				DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000				DUE
MERCURY	71900	000				DUE
NICKEL	01067	000				DUE
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	000				DUE
THALLIUM	01059	000				DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE
RADIOLOGICAL						
GROSS ALPHA	01501	000				DUE
REGULATED SOC						
2,3,7,8-TCDD (DIOXIN)	34676	000				DUE
2,4,5-TP (SILVEX)	39045	000				DUE
2,4-D	39730	000				DUE
ALACHLOR	77825	000				DUE
ATRAZINE	39033	000				DUE
BENTAZON	38710	000				DUE
BENZO (A) PYRENE	34247	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610708
System Name: BARSTOW ARMY HELIPORT

PS Code: 3610708-001
Source Name: WELL 1
Source Number: 001
Source Status: ACTIVE RAW
Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED SOC						
CARBOFURAN	81405	000				DUE
CHLORDANE	39350	000				DUE
DALAPON	38432	000				DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000				DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000				DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000				DUE
DINOSEB	81287	000				DUE
DIQUAT	78885	000				DUE
ENDOTHALL	38926	000				DUE
ENDRIN	39390	000				DUE
ETHYLENE DIBROMIDE (EDB)	77651	000				DUE
GLYPHOSATE	79743	000				DUE
HEPTACHLOR	39410	000				DUE
HEPTACHLOR EPOXIDE	39420	000				DUE
HEXACHLOROBENZENE	39700	000				DUE
HEXACHLOROCYCLOPENTADIENE	34386	000				DUE
LINDANE	39340	000				DUE
METHOXYCHLOR	39480	000				DUE
MOLINATE	82199	000				DUE
OXAMYL	38865	000				DUE
PENTACHLOROPHENOL	39032	000				DUE
PICLORAM	39720	000				DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000				DUE
SIMAZINE	39055	000				DUE
THIOBENCARB	A-001	000				DUE
TOXAPHENE	39400	000				DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610708
System Name: BARSTOW ARMY HELIPORT

PS Code: 3610708-001
Source Name: WELL 1
Source Number: 001
Source Status: ACTIVE RAW
Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE
VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610708***

System Name: ***BARSTOW ARMY HELIPORT***

PS Code: ***3610708-001***

Source Name: ***WELL 1***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type:

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CACO3	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610800***

System Name: ***CDF - OAK GLEN CONSERVATION CAMP***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: ***3610800-001***						
Source Name: ***WELL 01***						
Source Number: ***001***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610800-002***						
Source Name: ***WELL 02***						
Source Number: ***002***						
Source Status: ***ACTIVE RAW***						
Water type: ***G***						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**				
PS Code: ***3610800-003***						
Source Name: ***WELL 1 AND 2 COMBINED - RAW***						
Source Number: ***003***						
Source Status: ***COMBINATION OR BLEND RAW***						
Water type: ***G***						
INORGANIC						
ALUMINUM	**01105**	**036**	2013/07/16	**< 50.000**	2016/07	
ANTIMONY	**01097**	**036**	2013/07/16	**< 6.000**	2016/07	
ARSENIC	**01002**	**036**	2013/07/16	**< 2.000**	2016/07	
BARIUM	**01007**	**036**	2013/07/16	**< 100.000**	2016/07	
BERYLLIUM	**01012**	**036**	2013/07/16	**< 1.000**	2016/07	
CADMIUM	**01027**	**036**	2013/07/16	**< 1.000**	2016/07	
CHROMIUM (TOTAL)	**01034**	**036**	2013/07/16	**< 1.000**	2016/07	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2013/07/16	**< 100.000**	2016/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2013/07/16	**. .400**	2016/07	
MERCURY	**71900**	**036**	2013/07/16	**< 1.000**	2016/07	
NICKEL	**01067**	**036**	2013/07/16	**< 10.000**	2016/07	
PERCHLORATE	**A-031**	**036**	2013/07/16	**< 4.000**	2016/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610800***

System Name: ***CDF - OAK GLEN CONSERVATION CAMP***

PS Code: ***3610800-003***

Source Name: ***WELL 1 AND 2 COMBINED - RAW***

Source Number: ***003***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	**01147**	**036**	2013/07/16	**< 5.000**	2016/07
THALLIUM	**01059**	**036**	2013/07/16	**< 1.000**	2016/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2013/07/16	**< 1.000**	2014/07
NITRITE (AS N)	**00620**	**036**	2013/07/16	**< 100.000**	2016/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2013/07/16	**. .443**	2016/07
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/07/16	**< .010**	2016/07
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/07/16	**< .020**	2016/07
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2013/07/16	**< .500**	2019/07
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2013/07/16	**< .500**	2019/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2013/07/16	**< 10.000**	2019/07
1,1,2-TRICHLOROETHANE	**34511**	**072**	2013/07/16	**< .500**	2019/07
1,1-DICHLOROETHANE	**34496**	**072**	2013/07/16	**< .500**	2019/07
1,1-DICHLOROETHYLENE	**34501**	**072**	2013/07/16	**< .500**	2019/07
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2013/07/16	**< .500**	2019/07
1,2-DICHLOROBENZENE	**34536**	**072**	2013/07/16	**< .500**	2019/07
1,2-DICHLOROETHANE	**34531**	**072**	2013/07/16	**< .500**	2019/07
1,2-DICHLOROPROPANE	**34541**	**072**	2013/07/16	**< .500**	2019/07
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2013/07/16	**< .500**	2019/07
1,4-DICHLOROBENZENE	**34571**	**072**	2013/07/16	**< .500**	2019/07
BENZENE	**34030**	**072**	2013/07/16	**< .500**	2019/07
CARBON TETRACHLORIDE	**32102**	**072**	2013/07/16	**< .500**	2019/07
CIS-1,2-DICHLOROETHYLENE	**77093**	**072**	2013/07/16	**< .500**	2019/07
DICHLOROMETHANE	**34423**	**072**	2013/07/16	**< .500**	2019/07
ETHYLBENZENE	**34371**	**072**	2013/07/16	**< .500**	2019/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610800
System Name: CDF - OAK GLEN CONSERVATION CAMP

PS Code: 3610800-003
Source Name: WELL 1 AND 2 COMBINED - RAW
Source Number: 003
Source Status: COMBINATION OR BLEND RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2013/07/16	< 3.000	2019/07
MONOCHLOROBENZENE	34301	072	2013/07/16	< .500	2019/07
STYRENE	77128	072	2013/07/16	< .500	2019/07
TETRACHLOROETHYLENE	34475	072	2013/07/16	< .500	2019/07
TOLUENE	34010	072	2013/07/16	< .500	2019/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2013/07/16	< .500	2019/07
TRICHLOROETHYLENE	39180	072	2013/07/16	< .500	2019/07
TRICHLOROFLUOROMETHANE	34488	072	2013/07/16	< 5.000	2019/07
VINYL CHLORIDE	39175	072	2013/07/16	< .500	2019/07
XYLENES (TOTAL)	81551	072	2013/07/16	< .500	2019/07
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2013/07/16	. 160.000	2016/07
CALCIUM	00916	036	2013/07/16	. 35.000	2016/07
CARBONATE ALKALINITY	00445	036	2013/07/16	< 3.000	2016/07
CHLORIDE	00940	036	2013/07/16	< 1.000	2016/07
COLOR	00081	036	2013/07/16	< 3.000	2016/07
COPPER	01042	036	2013/07/16	< 50.000	2016/07
FOAMING AGENTS (MBAS)	38260	036	2013/07/16	< .050	2016/07
HARDNESS (TOTAL) AS CACO3	00900	036	2013/07/16	. 140.000	2016/07
HYDROXIDE ALKALINITY	71830	036	2013/07/16	< 3.000	2016/07
IRON	01045	036	2013/07/16	< 100.000	2016/07
MAGNESIUM	00927	036	2013/07/16	. 13.000	2016/07
MANGANESE	01055	036	2013/07/16	< 20.000	2016/07
ODOR THRESHOLD @ 60 C	00086	036	2013/07/16	< 1.000	2016/07
PH, LABORATORY	00403	036	2013/07/16	. 7.700	2016/07
SILVER	01077	036	2013/07/16	< 10.000	2016/07
SODIUM	00929	036	2013/07/16	5.400	2016/07
SPECIFIC CONDUCTANCE	00095	036	2013/07/16	. 290.000	2016/07
SULFATE	00945	036	2013/07/16	14.000	2016/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610800
System Name: CDF - OAK GLEN CONSERVATION CAMP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610800-003					
Source Name: WELL 1 AND 2 COMBINED - RAW					
Source Number: 003					
Source Status: COMBINATION OR BLEND RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2013/07/16	. 150.000	2016/07
TURBIDITY, LABORATORY	82079	036	2013/07/16	< .200	2016/07
ZINC	01092	036	2013/07/16	< 50.000	2016/07
PS Code: 3610800-601					
Source Name: DBP2-MECHANIC SHOP					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE
DIBROMOCHLOROMETHANE (THM)	32105	000			DUE
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610800
System Name: CDF - OAK GLEN CONSERVATION CAMP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610800-602						
Source Name: DBP2-ADMINISTRATIVE OFFICE						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610800-800						
Source Name: WELL 1 AND 2 TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610801***

System Name: ***CDF - PILOT ROCK CONSERVATION CAMP***

PS Code: ***3610801-001***

Source Name: ***PILOT ROCK WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/03/26	**< 50.000**	2017/03
ANTIMONY	**01097**	**036**	2014/03/26	**< 6.000**	2017/03
ARSENIC	**01002**	**036**	2014/03/26	**< 2.000**	2017/03
BARIUM	**01007**	**036**	2014/03/26	**< 100.000**	2017/03
BERYLLIUM	**01012**	**036**	2014/03/26	**< 1.000**	2017/03
CADMIUM	**01027**	**036**	2014/03/26	**< 1.000**	2017/03
CHROMIUM (TOTAL)	**01034**	**036**	2014/03/26	**< 1.000**	2017/03
CYANIDE	**01291**	**036**	2014/03/26	**< 5.000**	2017/03
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/26	**. .300**	2017/03
MERCURY	**71900**	**036**	2014/03/26	**< 1.000**	2017/03
NICKEL	**01067**	**036**	2014/03/26	**< 10.000**	2017/03
PERCHLORATE	**A-031**	**036**	2014/03/26	**< 4.000**	2017/03
SELENIUM	**01147**	**036**	2014/03/26	**< 5.000**	2017/03
THALLIUM	**01059**	**036**	2014/03/26	**< 1.000**	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/03/26	**. 1.100**	2015/03
NITRITE (AS N)	**00620**	**036**	2014/03/26	**< 100.000**	2017/03
RADIOLOGICAL					
GROSS ALPHA	**01501**	**036**	2011/11/30	**. 12.700**	2014/11
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2014/03/26	**< .010**	2017/03
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2014/03/26	**< .020**	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**072**	2014/03/26	**< .500**	2020/03
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2014/03/26	**< .500**	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2014/03/26	**< 10.000**	2020/03
1,1,2-TRICHLOROETHANE	**34511**	**072**	2014/03/26	**< .500**	2020/03
1,1-DICHLOROETHANE	**34496**	**072**	2014/03/26	**< .500**	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610801
System Name: CDF - PILOT ROCK CONSERVATION CAMP

PS Code: 3610801-001
Source Name: PILOT ROCK WELL
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHYLENE	34501	072	2014/03/26	< .500	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/26	< .500	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/26	< .500	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/26	< .500	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/26	< .500	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/26	< .500	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/26	< .500	2020/03
BENZENE	34030	072	2014/03/26	< .500	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/26	< .500	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/26	< .500	2020/03
DICHLOROMETHANE	34423	072	2014/03/26	< .500	2020/03
ETHYLBENZENE	34371	072	2014/03/26	< .500	2020/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/26	< 3.000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/26	< .500	2020/03
STYRENE	77128	072	2014/03/26	< .500	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/26	< .500	2020/03
TOLUENE	34010	072	2014/03/26	< .500	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/26	< .500	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/26	< .500	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/26	< 5.000	2020/03
VINYL CHLORIDE	39175	072	2014/03/26	< .500	2020/03
XYLENES (TOTAL)	81551	072	2014/03/26	< .500	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/26	. 240.000	2017/03
CALCIUM	00916	036	2014/03/26	. 54.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/26	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/26	. 5.600	2017/03
COLOR	00081	036	2014/03/26	< 3.000	2017/03
COPPER	01042	036	2014/03/26	< 50.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610801***

System Name: ***CDF - PILOT ROCK CONSERVATION CAMP***

PS Code: ***3610801-001***

Source Name: ***PILOT ROCK WELL***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED			NEXT TEST DATE (yyyy/mm)
FOAMING AGENTS (MBAS)	38260	036	2014/03/26	<		.050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/26	.		190.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/26	<		3.000	2017/03
IRON	01045	036	2014/03/26	<		100.000	2017/03
MAGNESIUM	00927	036	2014/03/26	.		13.000	2017/03
MANGANESE	01055	036	2014/03/26	<		20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/26	<		1.000	2017/03
PH, LABORATORY	00403	036	2014/03/26	.		7.400	2017/03
SILVER	01077	036	2014/03/26	<		10.000	2017/03
SODIUM	00929	036	2014/03/26	.		16.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/26	.		410.000	2017/03
SULFATE	00945	036	2014/03/26	.		15.000	2017/03
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/26	.		270.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/26	<		.200	2017/03
ZINC	01092	036	2014/03/26	<		50.000	2017/03

PS Code: ***3610801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

INORGANIC

ALUMINUM	01105	036	2011/07/20	.		50.000	2014/07
ANTIMONY	01097	036	2011/07/20	<		6.000	2014/07
ARSENIC	01002	036	2011/07/20	<		2.000	2014/07
BARIUM	01007	036	2011/07/20	<		100.000	2014/07
BERYLLIUM	01012	036	2011/07/20	<		1.000	2014/07
CADMIUM	01027	036	2011/07/20	<		1.000	2014/07
CHROMIUM (TOTAL)	01034	036	2011/07/20	.		10.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610801***

System Name: ***CDF - PILOT ROCK CONSERVATION CAMP***

PS Code: ***3610801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM, HEXAVALENT	**01032**	**036**	**2007/10/10**	**< 1.000**	**2010/10**	**DUE**
CYANIDE	**01291**	**036**	2011/07/20	**< 100.000**	2014/07	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2011/07/20	**. .600**	2014/07	
MERCURY	**71900**	**036**	2011/07/20	**< 1.000**	2014/07	
NICKEL	**01067**	**036**	2011/07/20	**< 10.000**	2014/07	
PERCHLORATE	**A-031**	**036**	2011/07/20	**< 4.000**	2014/07	
SELENIUM	**01147**	**036**	2011/07/20	**< 5.000**	2014/07	
THALLIUM	**01059**	**036**	2011/07/20	**< 1.000**	2014/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/03/28	**< 1.000**	2015/03	
NITRITE (AS N)	**00620**	**036**	2014/03/28	**< 100.000**	2017/03	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**036**	2011/07/20	**. 35.000**	2014/07	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2011/07/20	**< .010**	2014/07	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2011/07/20	**< .020**	2014/07	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**072**	2011/09/21	**< .500**	2017/09	
1,1,2,2-TETRACHLOROETHANE	**34516**	**072**	2011/09/21	**< .500**	2017/09	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**072**	2011/09/21	**< 10.000**	2017/09	
1,1,2-TRICHLOROETHANE	**34511**	**072**	2011/09/21	**< .500**	2017/09	
1,1-DICHLOROETHANE	**34496**	**072**	2011/09/21	**< .500**	2017/09	
1,1-DICHLOROETHYLENE	**34501**	**072**	2011/09/21	**< .500**	2017/09	
1,2,4-TRICHLOROBENZENE	**34551**	**072**	2011/09/21	**< .500**	2017/09	
1,2-DICHLOROBENZENE	**34536**	**072**	2011/09/21	**< .500**	2017/09	
1,2-DICHLOROETHANE	**34531**	**072**	2011/09/21	**< .500**	2017/09	
1,2-DICHLOROPROPANE	**34541**	**072**	2011/09/21	**< .500**	2017/09	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**072**	2011/09/21	**< .500**	2017/09	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610801
System Name: CDF - PILOT ROCK CONSERVATION CAMP

PS Code: 3610801-002
Source Name: WELL 02
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,4-DICHLOROBENZENE	34571	072	2011/09/21	< .500	2017/09
BENZENE	34030	072	2011/09/21	< .500	2017/09
CARBON TETRACHLORIDE	32102	072	2011/09/21	< .500	2017/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2011/09/21	< .500	2017/09
DICHLOROMETHANE	34423	072	2011/09/21	< .500	2017/09
ETHYLBENZENE	34371	072	2011/09/21	< .500	2017/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/09/21	< 3.000	2017/09
MONOCHLOROBENZENE	34301	072	2011/09/21	< .500	2017/09
STYRENE	77128	072	2011/09/21	< .500	2017/09
TETRACHLOROETHYLENE	34475	072	2011/09/21	< .500	2017/09
TOLUENE	34010	072	2011/09/21	. 2.300	2017/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2011/09/21	< .500	2017/09
TRICHLOROETHYLENE	39180	072	2011/09/21	< .500	2017/09
TRICHLOROFLUOROMETHANE	34488	072	2011/09/21	< 5.000	2017/09
VINYL CHLORIDE	39175	072	2011/09/21	< .500	2017/09
XYLENES (TOTAL)	81551	072	2011/09/21	< .500	2017/09
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2011/07/20	. 100.000	2014/07
CALCIUM	00916	036	2011/07/20	. 3.700	2014/07
CARBONATE ALKALINITY	00445	036	2011/07/20	4.800	2014/07
CHLORIDE	00940	036	2011/07/20	. 3.600	2014/07
COLOR	00081	036	2011/07/20	. 3.000	2014/07
COPPER	01042	036	2011/07/20	< 50.000	2014/07
FOAMING AGENTS (MBAS)	38260	036	2011/07/20	< .050	2014/07
HARDNESS (TOTAL) AS CACO3	00900	036	2011/07/20	. 9.800	2014/07
HYDROXIDE ALKALINITY	71830	036	2011/07/20	< 3.000	2014/07
IRON	01045	036	2011/07/20	530.000	2014/07
MAGNESIUM	00927	036	2011/07/20	< 1.000	2014/07
MANGANESE	01055	036	2011/07/20	< 20.000	2014/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610801***

System Name: ***CDF - PILOT ROCK CONSERVATION CAMP***

PS Code: ***3610801-002***

Source Name: ***WELL 02***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP						
ODOR THRESHOLD @ 60 C	**00086**	**036**	2011/07/20	**< 1.000**	2014/07	
PH, LABORATORY	**00403**	**036**	2011/07/20	**. 8.800**	2014/07	
SILVER	**01077**	**036**	2011/07/20	**< 10.000**	2014/07	
SODIUM	**00929**	**036**	2011/07/20	**46.000**	2014/07	
SPECIFIC CONDUCTANCE	**00095**	**036**	2011/07/20	**. 230.000**	2014/07	
SULFATE	**00945**	**036**	2011/07/20	**13.000**	2014/07	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2011/07/20	**. 140.000**	2014/07	
TURBIDITY, LABORATORY	**82079**	**036**	2011/07/20	**. 2.400**	2014/07	
ZINC	**01092**	**036**	2011/07/20	**< 50.000**	2014/07	

PS Code: ***3610801-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/03/28	**< 50.000**	2017/03	
ANTIMONY	**01097**	**036**	2014/03/28	**< 6.000**	2017/03	
ARSENIC	**01002**	**036**	2014/03/28	**< 2.000**	2017/03	
BARIUM	**01007**	**036**	2014/03/28	**< 100.000**	2017/03	
BERYLLIUM	**01012**	**036**	2014/03/28	**< 1.000**	2017/03	
CADMIUM	**01027**	**036**	2014/03/28	**< 1.000**	2017/03	
CHROMIUM (TOTAL)	**01034**	**036**	2014/03/28	**< 1.000**	2017/03	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**036**	2014/03/28	**< 100.000**	2017/03	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/03/28	**. 3.300**	2017/03	
MERCURY	**71900**	**036**	2014/03/28	**< 1.000**	2017/03	
NICKEL	**01067**	**036**	2014/03/28	**< 10.000**	2017/03	
PERCHLORATE	**A-031**	**036**	2014/03/28	**< 4.000**	2017/03	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610801
System Name: CDF - PILOT ROCK CONSERVATION CAMP

PS Code: 3610801-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2014/03/28	< 5.000	2017/03
THALLIUM	01059	036	2014/03/28	< 1.000	2017/03
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/03/28	< 1.000	2015/03
NITRITE (AS N)	00620	036	2014/03/28	< 100.000	2017/03
RADIOLOGICAL					
GROSS ALPHA	01501	036	2012/04/18	. .220	2015/04
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2014/03/28	< .010	2017/03
ETHYLENE DIBROMIDE (EDB)	77651	036	2014/03/28	< .020	2017/03
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	072	2014/03/28	< .500	2020/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2014/03/28	< .500	2020/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2014/03/28	< 10.000	2020/03
1,1,2-TRICHLOROETHANE	34511	072	2014/03/28	< .500	2020/03
1,1-DICHLOROETHANE	34496	072	2014/03/28	< .500	2020/03
1,1-DICHLOROETHYLENE	34501	072	2014/03/28	< .500	2020/03
1,2,4-TRICHLOROBENZENE	34551	072	2014/03/28	< .500	2020/03
1,2-DICHLOROBENZENE	34536	072	2014/03/28	< .500	2020/03
1,2-DICHLOROETHANE	34531	072	2014/03/28	< .500	2020/03
1,2-DICHLOROPROPANE	34541	072	2014/03/28	< .500	2020/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2014/03/28	< .500	2020/03
1,4-DICHLOROBENZENE	34571	072	2014/03/28	< .500	2020/03
BENZENE	34030	072	2014/03/28	< .500	2020/03
CARBON TETRACHLORIDE	32102	072	2014/03/28	< .500	2020/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2014/03/28	< .500	2020/03
DICHLOROMETHANE	34423	072	2014/03/28	< .500	2020/03
ETHYLBENZENE	34371	072	2014/03/28	< .500	2020/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610801
System Name: CDF - PILOT ROCK CONSERVATION CAMP

PS Code: 3610801-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2014/03/28	< 3.000	2020/03
MONOCHLOROBENZENE	34301	072	2014/03/28	< .500	2020/03
STYRENE	77128	072	2014/03/28	< .500	2020/03
TETRACHLOROETHYLENE	34475	072	2014/03/28	< .500	2020/03
TOLUENE	34010	072	2014/03/28	. 3.700	2020/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2014/03/28	< .500	2020/03
TRICHLOROETHYLENE	39180	072	2014/03/28	< .500	2020/03
TRICHLOROFLUOROMETHANE	34488	072	2014/03/28	< 5.000	2020/03
VINYL CHLORIDE	39175	072	2014/03/28	< .500	2020/03
XYLENES (TOTAL)	81551	072	2014/03/28	< .500	2020/03
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/03/28	. 65.000	2017/03
CALCIUM	00916	036	2014/03/28	. 10.000	2017/03
CARBONATE ALKALINITY	00445	036	2014/03/28	< 3.000	2017/03
CHLORIDE	00940	036	2014/03/28	. 5.800	2017/03
COLOR	00081	036	2014/03/28	< 3.000	2017/03
COPPER	01042	036	2014/03/28	< 50.000	2017/03
FOAMING AGENTS (MBAS)	38260	036	2014/03/28	< .050	2017/03
HARDNESS (TOTAL) AS CACO3	00900	036	2014/03/28	. 25.000	2017/03
HYDROXIDE ALKALINITY	71830	036	2014/03/28	< 3.000	2017/03
IRON	01045	036	2014/03/28	< 100.000	2017/03
MAGNESIUM	00927	036	2014/03/28	< 1.000	2017/03
MANGANESE	01055	036	2014/03/28	< 20.000	2017/03
ODOR THRESHOLD @ 60 C	00086	036	2014/03/28	< 1.000	2017/03
PH, LABORATORY	00403	036	2014/03/28	. 8.500	2017/03
SILVER	01077	036	2014/03/28	< 10.000	2017/03
SODIUM	00929	036	2014/03/28	. 63.000	2017/03
SPECIFIC CONDUCTANCE	00095	036	2014/03/28	. 340.000	2017/03
SULFATE	00945	036	2014/03/28	. 89.000	2017/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610801
System Name: CDF - PILOT ROCK CONSERVATION CAMP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610801-003					
Source Name: WELL 03					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/03/28	. 220.000	2017/03
TURBIDITY, LABORATORY	82079	036	2014/03/28	< .200	2017/03
ZINC	01092	036	2014/03/28	< 50.000	2017/03
PS Code: 3610801-004					
Source Name: WELLS 1, 2, 3 - TREATED (FLUORIDE BLEND)					
Source Number: 004					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610801-601					
Source Name: DBP2-WAREHOUSE BLDG BATHROOM					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	000			DUE
DICHLOROACETIC ACID (DCAA)	77288	000			DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000			DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000			DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000			DUE
TRICHLOROACETIC ACID (TCAA)	82723	000			DUE
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	000			DUE
BROMOFORM (THM)	32104	000			DUE
CHLOROFORM (THM)	32106	000			DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610801
System Name: CDF - PILOT ROCK CONSERVATION CAMP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610801-601						
Source Name: DBP2-WAREHOUSE BLDG BATHROOM						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
STATE UCMR						
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610801-602						
Source Name: DBP2-STAFF BARRACKS						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610801***

System Name: ***CDF - PILOT ROCK CONSERVATION CAMP***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610801-800***					
Source Name: ***PILOT ROCK WELL - TREATED (CL2)***					
Source Number: ***800***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-001***

Source Name: ***WELL 01***

Source Number: ***001***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
ALUMINUM	**01105**	**036**	2014/07/03	**< .000**	2017/07
ANTIMONY	**01097**	**036**	2014/07/03	**< .000**	2017/07
ARSENIC	**01002**	**036**	2014/07/03	**< .000**	2017/07
BARIUM	**01007**	**036**	2014/07/03	**< .000**	2017/07
BERYLLIUM	**01012**	**036**	2014/07/03	**< .000**	2017/07
CADMIUM	**01027**	**036**	2014/07/03	**< .000**	2017/07
CHROMIUM (TOTAL)	**01034**	**036**	2014/07/03	**< .000**	2017/07
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/16	**. 8.290**	2017/07
CYANIDE	**01291**	**036**	2014/07/03	**< .000**	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/07/03	**. .125**	2017/07
MERCURY	**71900**	**036**	2014/07/03	**< .000**	2017/07
NICKEL	**01067**	**036**	2014/07/03	**< .000**	2017/07
PERCHLORATE	**A-031**	**036**	2012/03/05	**< 4.000**	2015/03
SELENIUM	**01147**	**036**	2014/07/03	**< .000**	2017/07
THALLIUM	**01059**	**036**	2014/07/03	**< .000**	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	**71850**	**012**	2014/07/03	**. 55.300**	2015/07
NITRITE (AS N)	**00620**	**036**	2014/07/03	**< .000**	2017/07
RADIOLOGICAL					
GROSS ALPHA	**01501**	**108**	2005/08/02	**2.410**	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/21	**. .000**	2016/08
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/21	**. .000**	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/01/04	**.000**	2015/01
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/01/04	**.000**	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/01/04	**. .000**	2015/01
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/01/04	**. .000**	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1-DICHLOROETHANE	34496	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHYLENE	34501	036	2012/01/04	. .000	2015/01
1,2,4-TRICHLOROBENZENE	34551	036	2012/01/04	. .000	2015/01
1,2-DICHLOROBENZENE	34536	036	2012/01/04	.000	2015/01
1,2-DICHLOROETHANE	34531	036	2012/01/04	. .000	2015/01
1,2-DICHLOROPROPANE	34541	036	2012/01/04	. .000	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/01/04	. .000	2015/01
1,4-DICHLOROBENZENE	34571	036	2012/01/04	. .000	2015/01
BENZENE	34030	036	2012/01/04	. .000	2015/01
CARBON TETRACHLORIDE	32102	036	2012/01/04	.000	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/01/04	. .000	2015/01
DICHLOROMETHANE	34423	036	2012/01/04	. .000	2015/01
ETHYLBENZENE	34371	036	2012/01/04	. .000	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/01/04	. .000	2015/01
MONOCHLOROBENZENE	34301	036	2012/01/04	. .000	2015/01
STYRENE	77128	036	2012/01/04	. .000	2015/01
TETRACHLOROETHYLENE	34475	036	2014/07/02	. 1.740	2017/07
TOLUENE	34010	036	2012/01/04	. .000	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/01/04	.000	2015/01
TRICHLOROETHYLENE	39180	036	2014/07/02	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2012/01/04	. .000	2015/01
VINYL CHLORIDE	39175	036	2012/01/04	. .000	2015/01
XYLENES (TOTAL)	81551	036	2012/01/04	. .000	2015/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/03	. 154.000	2017/07
CALCIUM	00916	036	2014/07/03	. 66.100	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/03	< .000	2017/07
CHLORIDE	00940	036	2014/07/03	. 33.500	2017/07
COLOR	00081	036	2014/07/03	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-001
Source Name: WELL 01
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COPPER	01042	036	2014/07/03	< .000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/03	< .000	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/03	. 230.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/03	< .000	2017/07
IRON	01045	036	2014/07/03	< .000	2017/07
MAGNESIUM	00927	036	2014/07/03	. 12.900	2017/07
MANGANESE	01055	036	2014/07/03	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/03	< .000	2017/07
PH, LABORATORY	00403	036	2014/07/03	. 7.540	2017/07
SILVER	01077	036	2014/07/03	< .000	2017/07
SODIUM	00929	036	2014/07/03	. 24.100	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/03	. 580.000	2017/07
SULFATE	00945	036	2014/07/03	. 48.400	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 346.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/03	. .128	2017/07
ZINC	01092	036	2014/07/03	< .000	2017/07

PS Code: 3610850-002
Source Name: WELL 01A
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2014/07/03	< .000	2017/07
ANTIMONY	01097	036	2014/07/03	< .000	2017/07
ARSENIC	01002	036	2014/07/03	< .000	2017/07
BARIUM	01007	036	2014/07/03	. 128.000	2017/07
BERYLLIUM	01012	036	2014/07/03	< .000	2017/07
CADMIUM	01027	036	2014/07/03	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-002***

Source Name: ***WELL 01A***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
CHROMIUM (TOTAL)	01034	036	2014/07/03	< .000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	. 6.560	2017/07
CYANIDE	01291	036	2014/07/03	< .000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	< .000	2017/07
MERCURY	71900	036	2014/07/03	< .000	2017/07
NICKEL	01067	036	2014/07/03	< .000	2017/07
PERCHLORATE	A-031	036	2012/03/05	< 4.000	2015/03
SELENIUM	01147	036	2014/07/03	. 11.400	2017/07
THALLIUM	01059	036	2014/07/03	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 79.700	2015/07
NITRITE (AS N)	00620	036	2014/07/03	< .000	2017/07
RADIOLOGICAL					
GROSS ALPHA	01501	108	2005/08/02	2.320	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/21	. .000	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/21	. .000	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/01/04	.000	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/01/04	.000	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/01/04	. .000	2015/01
1,1,2-TRICHLOROETHANE	34511	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHANE	34496	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHYLENE	34501	036	2012/01/04	. .000	2015/01
1,2,4-TRICHLOROBENZENE	34551	036	2012/01/04	. .000	2015/01
1,2-DICHLOROBENZENE	34536	036	2012/01/04	.000	2015/01
1,2-DICHLOROETHANE	34531	036	2012/01/04	. .000	2015/01
1,2-DICHLOROPROPANE	34541	036	2012/01/04	. .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-002***

Source Name: ***WELL 01A***

Source Number: ***002***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/01/04	**. .000**	2015/01
1,4-DICHLOROBENZENE	**34571**	**036**	2012/01/04	**. .000**	2015/01
BENZENE	**34030**	**036**	2012/01/04	**. .000**	2015/01
CARBON TETRACHLORIDE	**32102**	**036**	2012/01/04	**.000**	2015/01
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/01/04	**. .000**	2015/01
DICHLOROMETHANE	**34423**	**036**	2012/01/04	**. .000**	2015/01
ETHYLBENZENE	**34371**	**036**	2012/01/04	**. .000**	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/01/04	**. .000**	2015/01
MONOCHLOROBENZENE	**34301**	**036**	2012/01/04	**. .000**	2015/01
STYRENE	**77128**	**036**	2012/01/04	**. .000**	2015/01
TETRACHLOROETHYLENE	**34475**	**036**	2014/07/02	**< .000**	2017/07
TOLUENE	**34010**	**036**	2012/01/04	**. .000**	2015/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/01/04	**.000**	2015/01
TRICHLOROETHYLENE	**39180**	**036**	2014/07/02	**< .000**	2017/07
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/01/04	**. .000**	2015/01
VINYL CHLORIDE	**39175**	**036**	2012/01/04	**. .000**	2015/01
XYLENES (TOTAL)	**81551**	**036**	2012/01/04	**. .000**	2015/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/03	**. 155.000**	2017/07
CALCIUM	**00916**	**036**	2014/07/03	**. 99.700**	2017/07
CARBONATE ALKALINITY	**00445**	**036**	2014/07/03	**< .000**	2017/07
CHLORIDE	**00940**	**036**	2014/07/03	**. 52.100**	2017/07
COLOR	**00081**	**036**	2014/07/03	**< .000**	2017/07
COPPER	**01042**	**036**	2014/07/03	**< .000**	2017/07
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/03	**< .000**	2017/07
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/03	**. 340.000**	2017/07
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/03	**< .000**	2017/07
IRON	**01045**	**036**	2014/07/03	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/03	**. 17.900**	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-002
Source Name: WELL 01A
Source Number: 002
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
MANGANESE	01055	036	2014/07/03	< .000	2017/07
ODOR THRESHOLD @ 60 C	00086	036	2014/07/03	< .000	2017/07
PH, LABORATORY	00403	036	2014/07/03	. 7.360	2017/07
SILVER	01077	036	2014/07/03	< .000	2017/07
SODIUM	00929	036	2014/07/03	. 31.600	2017/07
SPECIFIC CONDUCTANCE	00095	036	2014/07/03	. 813.000	2017/07
SULFATE	00945	036	2014/07/03	. 94.900	2017/07
TOTAL DISSOLVED SOLIDS	70300	036	2014/07/03	. 524.000	2017/07
TURBIDITY, LABORATORY	82079	036	2014/07/03	. .149	2017/07
ZINC	01092	036	2014/07/03	< .000	2017/07

PS Code: 3610850-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/04/02	. .000	2017/04
ANTIMONY	01097	036	2014/01/08	< .000	2017/01
ARSENIC	01002	036	2014/01/08	< .000	2017/01
BARIUM	01007	036	2014/04/02	. .000	2017/04
BERYLLIUM	01012	036	2014/01/08	< .000	2017/01
CADMIUM	01027	036	2014/01/08	< .000	2017/01
CHROMIUM (TOTAL)	01034	036	2014/04/02	. .000	2017/04
CYANIDE	01291	036	2014/04/02	. .000	2017/04
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .230	2017/04
MERCURY	71900	036	2014/04/02	. .000	2017/04
NICKEL	01067	036	2014/04/02	. .000	2017/04
PERCHLORATE	A-031	036	2012/03/05	< 4.000	2015/03

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-003
Source Name: WELL 03
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
INORGANIC					
SELENIUM	01147	036	2014/01/08	< .000	2017/01
THALLIUM	01059	036	2014/01/08	< .000	2017/01
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/04/02	. 52.100	2015/04
NITRITE (AS N)	00620	036	2014/04/02	. .000	2017/04
RADIOLOGICAL					
GROSS ALPHA	01501	108	2005/08/02	. 2.620	2014/08
REGULATED SOC					
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/21	. .000	2016/08
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/21	. .000	2016/08
REGULATED VOC					
1,1,1-TRICHLOROETHANE	34506	036	2012/01/04	.000	2015/01
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/01/04	.000	2015/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/01/04	. .000	2015/01
1,1,2-TRICHLOROETHANE	34511	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHANE	34496	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHYLENE	34501	036	2012/01/04	. .000	2015/01
1,2,4-TRICHLOROBENZENE	34551	036	2012/01/04	. .000	2015/01
1,2-DICHLOROBENZENE	34536	036	2012/01/04	.000	2015/01
1,2-DICHLOROETHANE	34531	036	2012/01/04	. .000	2015/01
1,2-DICHLOROPROPANE	34541	036	2012/01/04	. .000	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/01/04	. .000	2015/01
1,4-DICHLOROBENZENE	34571	036	2012/01/04	. .000	2015/01
BENZENE	34030	036	2012/01/04	. .000	2015/01
CARBON TETRACHLORIDE	32102	036	2012/01/04	.000	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/01/04	. .000	2015/01
DICHLOROMETHANE	34423	036	2012/01/04	. .000	2015/01
ETHYLBENZENE	34371	036	2012/01/04	. .000	2015/01

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-003***

Source Name: ***WELL 03***

Source Number: ***003***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/01/04	**. .000**	2015/01
MONOCHLOROBENZENE	**34301**	**036**	2012/01/04	**. .000**	2015/01
STYRENE	**77128**	**036**	2012/01/04	**. .000**	2015/01
TETRACHLOROETHYLENE	**34475**	**036**	2014/04/02	**. .000**	2017/04
TOLUENE	**34010**	**036**	2012/01/04	**. .000**	2015/01
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/01/04	**.000**	2015/01
TRICHLOROETHYLENE	**39180**	**036**	2014/04/02	**. .000**	2017/04
TRICHLOROFLUOROMETHANE	**34488**	**036**	2012/01/04	**. .000**	2015/01
VINYL CHLORIDE	**39175**	**036**	2012/01/04	**. .000**	2015/01
XYLENES (TOTAL)	**81551**	**036**	2012/01/04	**. .000**	2015/01
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**036**	2014/04/02	**. 146.000**	2017/04
CALCIUM	**00916**	**036**	2014/04/02	**. 53.900**	2017/04
CARBONATE ALKALINITY	**00445**	**036**	2014/04/02	**. .000**	2017/04
CHLORIDE	**00940**	**036**	2014/04/02	**. 25.200**	2017/04
COLOR	**00081**	**036**	2014/04/02	**< 1.000**	2017/04
COPPER	**01042**	**036**	2014/04/02	**. .000**	2017/04
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/04/02	**< .050**	2017/04
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/04/02	**. 190.000**	2017/04
HYDROXIDE ALKALINITY	**71830**	**036**	2014/04/02	**. .000**	2017/04
IRON	**01045**	**036**	2014/04/02	**. .000**	2017/04
MAGNESIUM	**00927**	**036**	2014/04/02	**. 9.890**	2017/04
MANGANESE	**01055**	**036**	2014/04/02	**. .000**	2017/04
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/04/02	**. .000**	2017/04
PH, LABORATORY	**00403**	**036**	2014/04/02	**. 7.700**	2017/04
SILVER	**01077**	**036**	2014/04/02	**. .000**	2017/04
SODIUM	**00929**	**036**	2014/04/02	**. 29.600**	2017/04
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/04/02	**. 480.000**	2017/04
SULFATE	**00945**	**036**	2014/04/02	**. 32.100**	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850

System Name: CALIFORNIA INSTITUTION FOR MEN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610850-003					
Source Name: WELL 03					
Source Number: 003					
Source Status: ACTIVE RAW					
Water type: G					
SECONDARY/GP					
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/02	. 301.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/02	< .100	2017/04
ZINC	01092	036	2014/04/02	. .000	2017/04
PS Code: 3610850-004					
Source Name: WELL 11A					
Source Number: 004					
Source Status: ACTIVE RAW					
Water type: G					
INORGANIC					
ALUMINUM	01105	036	2014/07/03	< .000	2017/07
ANTIMONY	01097	036	2014/07/03	< .000	2017/07
ARSENIC	01002	036	2014/07/03	< .000	2017/07
BARIUM	01007	036	2014/07/03	. 113.000	2017/07
BERYLLIUM	01012	036	2014/07/03	< .000	2017/07
CADMIUM	01027	036	2014/07/03	< .000	2017/07
CHROMIUM (TOTAL)	01034	036	2014/07/03	< .000	2017/07
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	. 6.960	2017/07
CYANIDE	01291	036	2014/07/03	< .000	2017/07
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	< .000	2017/07
MERCURY	71900	036	2014/07/03	< .000	2017/07
NICKEL	01067	036	2014/07/03	< .000	2017/07
PERCHLORATE	A-031	036	2012/04/02	< 4.000	2015/04
SELENIUM	01147	036	2014/07/03	< .000	2017/07
THALLIUM	01059	036	2014/07/03	< .000	2017/07
NITRATE/NITRITE					
NITRATE (AS NO3)	71850	012	2014/07/03	. 43.300	2015/07
NITRITE (AS N)	00620	036	2014/07/03	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-004***

Source Name: ***WELL 11A***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2005/08/02	. 1.800	2014/08	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/21	. .000	2016/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/21	. .000	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2008/07/16	.000	2011/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2008/07/16	.000	2011/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2008/07/16	.000	2011/07	DUE
1,1,2-TRICHLOROETHANE	34511	036	2008/07/16	.000	2011/07	DUE
1,1-DICHLOROETHANE	34496	036	2008/07/16	.000	2011/07	DUE
1,1-DICHLOROETHYLENE	34501	036	2008/07/16	.000	2011/07	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2008/07/16	.000	2011/07	DUE
1,2-DICHLOROBENZENE	34536	036	2008/07/16	.000	2011/07	DUE
1,2-DICHLOROETHANE	34531	036	2008/07/16	.000	2011/07	DUE
1,2-DICHLOROPROPANE	34541	036	2008/07/16	.000	2011/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2008/07/16	.000	2011/07	DUE
1,4-DICHLOROBENZENE	34571	036	2008/07/16	.000	2011/07	DUE
BENZENE	34030	036	2008/07/16	.000	2011/07	DUE
CARBON TETRACHLORIDE	32102	036	2008/07/16	.000	2011/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2008/07/16	.000	2011/07	DUE
DICHLOROMETHANE	34423	036	2008/07/16	.000	2011/07	DUE
ETHYLBENZENE	34371	036	2008/07/16	.000	2011/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2008/07/16	.000	2011/07	DUE
MONOCHLOROBENZENE	34301	036	2008/07/16	.000	2011/07	DUE
STYRENE	77128	036	2008/07/16	.000	2011/07	DUE
TETRACHLOROETHYLENE	34475	036	2014/07/02	< .000	2017/07	
TOLUENE	34010	036	2008/07/16	.000	2011/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2008/07/16	.000	2011/07	DUE
TRICHLOROETHYLENE	39180	036	2014/07/02	< .000	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-004***

Source Name: ***WELL 11A***

Source Number: ***004***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TRICHLOROFLUOROMETHANE	**34488**	**036**	**2008/07/16**		**.000**	**2011/07**	**DUE**
VINYL CHLORIDE	**39175**	**036**	**2008/07/16**		**.000**	**2011/07**	**DUE**
XYLENES (TOTAL)	**81551**	**036**	**2008/07/16**		**.000**	**2011/07**	**DUE**
SECONDARY/GP							
BICARBONATE ALKALINITY	**00440**	**036**	2014/07/03	.	**193.000**	2017/07	
CALCIUM	**00916**	**036**	2014/07/03	.	**103.000**	2017/07	
CARBONATE ALKALINITY	**00445**	**036**	2014/07/03	<	**.000**	2017/07	
CHLORIDE	**00940**	**036**	2014/07/03	.	**58.100**	2017/07	
COLOR	**00081**	**036**	2014/07/03	.	**5.000**	2017/07	
COPPER	**01042**	**036**	2014/07/03	<	**.000**	2017/07	
FOAMING AGENTS (MBAS)	**38260**	**036**	2014/07/03	<	**.000**	2017/07	
HARDNESS (TOTAL) AS CACO3	**00900**	**036**	2014/07/03	.	**160.000**	2017/07	
HYDROXIDE ALKALINITY	**71830**	**036**	2014/07/03	<	**.000**	2017/07	
IRON	**01045**	**036**	2014/07/03	<	**.000**	2017/07	
MAGNESIUM	**00927**	**036**	2014/07/03	.	**20.200**	2017/07	
MANGANESE	**01055**	**036**	2014/07/03	<	**.000**	2017/07	
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/03	<	**.000**	2017/07	
PH, LABORATORY	**00403**	**036**	2014/07/03	.	**7.490**	2017/07	
SILVER	**01077**	**036**	2014/07/03	<	**.000**	2017/07	
SODIUM	**00929**	**036**	2014/07/03	.	**31.300**	2017/07	
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/03	.	**850.000**	2017/07	
SULFATE	**00945**	**036**	2014/07/03	.	**78.700**	2017/07	
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/03	.	**525.000**	2017/07	
TURBIDITY, LABORATORY	**82079**	**036**	2014/07/03	.	**.432**	2017/07	
ZINC	**01092**	**036**	2014/07/03	<	**.000**	2017/07	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-007***

Source Name: ***WELL 14***

Source Number: ***007***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**036**	2014/04/02	**. .000**	2017/04	
ANTIMONY	**01097**	**036**	2014/01/08	**< .000**	2017/01	
ARSENIC	**01002**	**036**	2014/01/08	**< .000**	2017/01	
BARIUM	**01007**	**036**	2014/04/02	**. 154.000**	2017/04	
BERYLLIUM	**01012**	**036**	2014/01/08	**< .000**	2017/01	
CADMIUM	**01027**	**036**	2014/01/08	**< .000**	2017/01	
CHROMIUM (TOTAL)	**01034**	**036**	2014/04/02	**. .000**	2017/04	
CHROMIUM, HEXAVALENT	**01032**	**036**	2014/07/16	**< .200**	2017/07	
CYANIDE	**01291**	**036**	2014/04/02	**. .000**	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**036**	2014/04/02	**. .148**	2017/04	
MERCURY	**71900**	**036**	2014/04/02	**. .000**	2017/04	
NICKEL	**01067**	**036**	2014/04/02	**. .000**	2017/04	
PERCHLORATE	**A-031**	**036**	2012/03/05	**< 4.000**	2015/03	
SELENIUM	**01147**	**036**	2014/01/08	**< .000**	2017/01	
THALLIUM	**01059**	**036**	2014/01/08	**< .000**	2017/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/04	**. 52.200**	2015/06	
NITRITE (AS N)	**00620**	**036**	2014/04/02	**. .000**	2017/04	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2005/08/02	**. 2.700**	2014/08	
RADIUM 228	**11501**	**072**	**2007/10/09**	**.006**	**2013/10**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/21	**. .000**	2016/08	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/21	**. .000**	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/01/04	**.000**	2015/01	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/01/04	**.000**	2015/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/01/04	**. .000**	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-007
Source Name: WELL 14
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,1,2-TRICHLOROETHANE	34511	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHANE	34496	036	2012/01/04	. .000	2015/01
1,1-DICHLOROETHYLENE	34501	036	2012/01/04	. .000	2015/01
1,2,4-TRICHLOROBENZENE	34551	036	2012/01/04	. .000	2015/01
1,2-DICHLOROBENZENE	34536	036	2012/01/04	.000	2015/01
1,2-DICHLOROETHANE	34531	036	2012/01/04	. .000	2015/01
1,2-DICHLOROPROPANE	34541	036	2012/01/04	. .000	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/01/04	. .000	2015/01
1,4-DICHLOROBENZENE	34571	036	2012/01/04	. .000	2015/01
BENZENE	34030	036	2012/01/04	. .000	2015/01
CARBON TETRACHLORIDE	32102	036	2012/01/04	.000	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/01/04	. .000	2015/01
DICHLOROMETHANE	34423	036	2012/01/04	. .000	2015/01
ETHYLBENZENE	34371	036	2012/01/04	. .000	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/01/04	. .000	2015/01
MONOCHLOROBENZENE	34301	036	2012/01/04	. .000	2015/01
STYRENE	77128	036	2012/01/04	. .000	2015/01
TETRACHLOROETHYLENE	34475	036	2014/06/04	. 1.250	2017/06
TOLUENE	34010	036	2012/01/04	. .000	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/01/04	.000	2015/01
TRICHLOROETHYLENE	39180	036	2014/06/04	. .000	2017/06
TRICHLOROFLUOROMETHANE	34488	036	2012/01/04	. .000	2015/01
VINYL CHLORIDE	39175	036	2012/01/04	. .000	2015/01
XYLENES (TOTAL)	81551	036	2012/01/04	. .000	2015/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/02	. 191.000	2017/04
CALCIUM	00916	036	2014/04/02	. 92.900	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/02	. .000	2017/04
CHLORIDE	00940	036	2014/04/02	. 66.700	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-007
Source Name: WELL 14
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
COLOR	00081	036	2014/04/02	. 5.000	2017/04
COPPER	01042	036	2014/04/02	. .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/06/04	. 336.000	2017/06
HYDROXIDE ALKALINITY	71830	036	2014/04/02	. .000	2017/04
IRON	01045	036	2014/04/02	. .000	2017/04
MAGNESIUM	00927	036	2014/04/02	. 19.000	2017/04
MANGANESE	01055	036	2014/04/02	. .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	. .000	2017/04
PH, LABORATORY	00403	036	2014/04/02	. 7.490	2017/04
SILVER	01077	036	2014/04/02	. .000	2017/04
SODIUM	00929	036	2014/04/02	. 30.400	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 735.000	2017/04
SULFATE	00945	036	2014/06/04	. 76.100	2017/06
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/02	. 450.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .882	2017/04
ZINC	01092	036	2014/04/02	. .000	2017/04

PS Code: 3610850-008
Source Name: WELL 15
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

INORGANIC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
ALUMINUM	01105	036	2014/07/03	< .000	2017/07
ANTIMONY	01097	036	2014/07/03	< .000	2017/07
ARSENIC	01002	036	2014/07/03	< .000	2017/07
BARIUM	01007	036	2014/07/03	. 164.000	2017/07
BERYLLIUM	01012	036	2014/07/03	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-008***

Source Name: ***WELL 15***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CADMIUM	01027	036	2014/07/03	< .000	2017/07	
CHROMIUM (TOTAL)	01034	036	2014/07/03	< .000	2017/07	
CHROMIUM, HEXAVALENT	01032	036	2014/07/16	. 4.320	2017/07	
CYANIDE	01291	036	2014/07/03	< .000	2017/07	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/03	< .000	2017/07	
MERCURY	71900	036	2014/07/03	< .000	2017/07	
NICKEL	01067	036	2014/07/03	< .000	2017/07	
PERCHLORATE	A-031	036	2012/03/05	< 4.000	2015/03	
SELENIUM	01147	036	2014/07/03	< .000	2017/07	
THALLIUM	01059	036	2014/07/03	< .000	2017/07	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/07/03	. 106.000	2015/07	
NITRITE (AS N)	00620	036	2014/07/03	< .000	2017/07	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2005/08/02	. 1.220	2014/08	
RADIUM 228	11501	072	**2007/10/09**	.180	**2013/10**	**DUE**
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2013/08/21	. .000	2016/08	
ETHYLENE DIBROMIDE (EDB)	77651	036	2013/08/21	. .000	2016/08	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	036	2012/01/04	.000	2015/01	
1,1,2,2-TETRACHLOROETHANE	34516	036	2012/01/04	.000	2015/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2012/01/04	. .000	2015/01	
1,1,2-TRICHLOROETHANE	34511	036	2012/01/04	. .000	2015/01	
1,1-DICHLOROETHANE	34496	036	2012/01/04	. .000	2015/01	
1,1-DICHLOROETHYLENE	34501	036	2012/01/04	. .000	2015/01	
1,2,4-TRICHLOROBENZENE	34551	036	2012/01/04	. .000	2015/01	
1,2-DICHLOROBENZENE	34536	036	2012/01/04	.000	2015/01	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-008
Source Name: WELL 15
Source Number: 008
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROETHANE	34531	036	2012/01/04	. .000	2015/01
1,2-DICHLOROPROPANE	34541	036	2012/01/04	. .000	2015/01
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2012/01/04	. .000	2015/01
1,4-DICHLOROBENZENE	34571	036	2012/01/04	. .000	2015/01
BENZENE	34030	036	2012/01/04	. .000	2015/01
CARBON TETRACHLORIDE	32102	036	2012/01/04	.000	2015/01
CIS-1,2-DICHLOROETHYLENE	77093	036	2012/01/04	. .000	2015/01
DICHLOROMETHANE	34423	036	2012/01/04	. .000	2015/01
ETHYLBENZENE	34371	036	2012/01/04	. .000	2015/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2012/01/04	. .000	2015/01
MONOCHLOROBENZENE	34301	036	2012/01/04	. .000	2015/01
STYRENE	77128	036	2012/01/04	. .000	2015/01
TETRACHLOROETHYLENE	34475	036	2014/07/02	. 1.920	2017/07
TOLUENE	34010	036	2012/01/04	. .000	2015/01
TRANS-1,2-DICHLOROETHYLENE	34546	036	2012/01/04	.000	2015/01
TRICHLOROETHYLENE	39180	036	2014/07/02	< .000	2017/07
TRICHLOROFLUOROMETHANE	34488	036	2012/01/04	. .000	2015/01
VINYL CHLORIDE	39175	036	2012/01/04	. .000	2015/01
XYLENES (TOTAL)	81551	036	2012/01/04	. .000	2015/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/07/03	. 180.000	2017/07
CALCIUM	00916	036	2014/07/03	. 114.000	2017/07
CARBONATE ALKALINITY	00445	036	2014/07/03	< .000	2017/07
CHLORIDE	00940	036	2014/07/03	. 75.400	2017/07
COLOR	00081	036	2014/07/03	< .000	2017/07
COPPER	01042	036	2014/07/03	< .000	2017/07
FOAMING AGENTS (MBAS)	38260	036	2014/07/03	< .000	2017/07
HARDNESS (TOTAL) AS CACO3	00900	036	2014/07/03	. 408.000	2017/07
HYDROXIDE ALKALINITY	71830	036	2014/07/03	< .000	2017/07

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-008***

Source Name: ***WELL 15***

Source Number: ***008***

Source Status: ***ACTIVE RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
SECONDARY/GP					
IRON	**01045**	**036**	2014/07/03	**< .000**	2017/07
MAGNESIUM	**00927**	**036**	2014/07/03	**. 24.200**	2017/07
MANGANESE	**01055**	**036**	2014/07/03	**< .000**	2017/07
ODOR THRESHOLD @ 60 C	**00086**	**036**	2014/07/03	**< .000**	2017/07
PH, LABORATORY	**00403**	**036**	2014/07/03	**. 7.259**	2017/07
SILVER	**01077**	**036**	2014/07/03	**< .000**	2017/07
SODIUM	**00929**	**036**	2014/07/03	**. 31.500**	2017/07
SPECIFIC CONDUCTANCE	**00095**	**036**	2014/07/03	**. 958.000**	2017/07
SULFATE	**00945**	**036**	2014/07/03	**. 77.700**	2017/07
TOTAL DISSOLVED SOLIDS	**70300**	**036**	2014/07/03	**. 585.000**	2017/07
TURBIDITY, LABORATORY	**82079**	**036**	2014/07/03	**. .199**	2017/07
ZINC	**01092**	**036**	2014/07/03	**< .000**	2017/07

PS Code: ***3610850-009***

Source Name: ***TREATMENT PLANT - RAW***

Source Number: ***009***

Source Status: ***COMBINATION OR BLEND RAW***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	**999**	

PS Code: ***3610850-010***

Source Name: ***TREATMENT PLANT - TREATED***

Source Number: ***010***

Source Status: ***ACTIVE TREATED***

Water type: ***G***

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***	**999**	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610850-012						
Source Name: NITRATE IX VESSELS - BLEND						
Source Number: 012						
Source Status: COMBINATION OR BLEND TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610850-013						
Source Name: WELL 16						
Source Number: 013						
Source Status: ACTIVE RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	036	2014/04/02	. .000	2017/04	
ANTIMONY	01097	036	2014/01/08	< .000	2017/01	
ARSENIC	01002	036	2014/01/08	< .000	2017/01	
BARIUM	01007	036	2014/04/02	. 124.000	2017/04	
BERYLLIUM	01012	036	2014/01/08	< .000	2017/01	
CADMIUM	01027	036	2014/01/08	< .000	2017/01	
CHROMIUM (TOTAL)	01034	036	2014/04/02	. .000	2017/04	
CHROMIUM, HEXAVALENT	01032	036	2004/09/14	. .000	2007/09	DUE
CYANIDE	01291	036	2014/04/02	. .000	2017/04	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/04/02	. .132	2017/04	
MERCURY	71900	036	2014/04/02	. .000	2017/04	
NICKEL	01067	036	2014/04/02	. .000	2017/04	
PERCHLORATE	A-031	036	2012/03/05	< 4.000	2015/03	
SELENIUM	01147	036	2014/01/08	< .000	2017/01	
THALLIUM	01059	036	2014/01/08	< .000	2017/01	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/04/02	. 73.200	2015/04	
NITRITE (AS N)	00620	036	2014/04/02	. .000	2017/04	
RADIOLOGICAL						
GROSS ALPHA	01501	180	2005/08/02	2.030	2020/08	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850

System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-013

Source Name: WELL 16

Source Number: 013

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL							
RADIUM 228	**11501**	**072**	**2007/10/09**		**.130**	**2013/10**	**DUE**
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	**38761**	**036**	2013/08/21	.	**.000**	2016/08	
ETHYLENE DIBROMIDE (EDB)	**77651**	**036**	2013/08/21	.	**.000**	2016/08	
REGULATED VOC							
1,1,1-TRICHLOROETHANE	**34506**	**036**	2012/01/04		**.000**	2015/01	
1,1,2,2-TETRACHLOROETHANE	**34516**	**036**	2012/01/04		**.000**	2015/01	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**036**	2012/01/04	.	**.000**	2015/01	
1,1,2-TRICHLOROETHANE	**34511**	**036**	2012/01/04	.	**.000**	2015/01	
1,1-DICHLOROETHANE	**34496**	**036**	2012/01/04	.	**.000**	2015/01	
1,1-DICHLOROETHYLENE	**34501**	**036**	2012/01/04	.	**.000**	2015/01	
1,2,4-TRICHLOROBENZENE	**34551**	**036**	2012/01/04	.	**.000**	2015/01	
1,2-DICHLOROBENZENE	**34536**	**036**	2012/01/04		**.000**	2015/01	
1,2-DICHLOROETHANE	**34531**	**036**	2012/01/04	.	**.000**	2015/01	
1,2-DICHLOROPROPANE	**34541**	**036**	2012/01/04	.	**.000**	2015/01	
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**036**	2012/01/04	.	**.000**	2015/01	
1,4-DICHLOROBENZENE	**34571**	**036**	2012/01/04	.	**.000**	2015/01	
BENZENE	**34030**	**036**	2012/01/04	.	**.000**	2015/01	
CARBON TETRACHLORIDE	**32102**	**036**	2012/01/04		**.000**	2015/01	
CIS-1,2-DICHLOROETHYLENE	**77093**	**036**	2012/01/04	.	**.000**	2015/01	
DICHLOROMETHANE	**34423**	**036**	2012/01/04	.	**.000**	2015/01	
ETHYLBENZENE	**34371**	**036**	2012/01/04	.	**.000**	2015/01	
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**036**	2012/01/04	.	**.000**	2015/01	
MONOCHLOROBENZENE	**34301**	**036**	2012/01/04	.	**.000**	2015/01	
STYRENE	**77128**	**036**	2012/01/04	.	**.000**	2015/01	
TETRACHLOROETHYLENE	**34475**	**036**	2014/04/02	.	**.000**	2017/04	
TOLUENE	**34010**	**036**	2012/01/04	.	**.000**	2015/01	
TRANS-1,2-DICHLOROETHYLENE	**34546**	**036**	2012/01/04		**.000**	2015/01	
TRICHLOROETHYLENE	**39180**	**036**	2014/04/02	.	**.000**	2017/04	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

PS Code: 3610850-013
Source Name: WELL 16
Source Number: 013
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
TRICHLOROFLUOROMETHANE	34488	036	2012/01/04	. .000	2015/01
VINYL CHLORIDE	39175	036	2012/01/04	. .000	2015/01
XYLENES (TOTAL)	81551	036	2012/01/04	. .000	2015/01
SECONDARY/GP					
BICARBONATE ALKALINITY	00440	036	2014/04/02	. 177.000	2017/04
CALCIUM	00916	036	2014/04/02	. 91.200	2017/04
CARBONATE ALKALINITY	00445	036	2014/04/02	. .000	2017/04
CHLORIDE	00940	036	2014/04/02	. 40.100	2017/04
COLOR	00081	036	2014/04/02	. 3.000	2017/04
COPPER	01042	036	2014/04/02	. .000	2017/04
FOAMING AGENTS (MBAS)	38260	036	2014/04/02	< .050	2017/04
HARDNESS (TOTAL) AS CACO3	00900	036	2014/04/02	. 328.000	2017/04
HYDROXIDE ALKALINITY	71830	036	2014/04/02	. .000	2017/04
IRON	01045	036	2014/04/02	. 127.000	2017/04
MAGNESIUM	00927	036	2014/04/02	. 18.400	2017/04
MANGANESE	01055	036	2014/04/02	. .000	2017/04
ODOR THRESHOLD @ 60 C	00086	036	2014/04/02	. .000	2017/04
PH, LABORATORY	00403	036	2014/04/02	. 7.600	2017/04
SILVER	01077	036	2014/04/02	. .000	2017/04
SODIUM	00929	036	2014/04/02	. 24.100	2017/04
SPECIFIC CONDUCTANCE	00095	036	2014/04/02	. 715.000	2017/04
SULFATE	00945	036	2014/04/02	. 62.000	2017/04
TOTAL DISSOLVED SOLIDS	70300	036	2014/04/02	. 452.000	2017/04
TURBIDITY, LABORATORY	82079	036	2014/04/02	. .601	2017/04
ZINC	01092	036	2014/04/02	. 50.300	2017/04

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610850
System Name: CALIFORNIA INSTITUTION FOR MEN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610850-601					
Source Name: DBP2-A FACILITY					
Source Number: 601					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	. 2.190	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	. 2.190	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	< .000	2014/10
BROMOFORM (THM)	32104	003	2014/07/02	< .000	2014/10
CHLOROFORM (THM)	32106	003	2014/07/02	< .000	2014/10
DIBROMOCHLOROMETHANE (THM)	32105	003	2014/07/02	< .000	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	82080	003	2014/07/02	< .000	2014/10
PS Code: 3610850-602					
Source Name: DBP2-B FACILITY					
Source Number: 602					
Source Status: DISTRIBUTION TREATED					
Water type: G					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	82721	003	2014/07/02	< .000	2014/10
DICHLOROACETIC ACID (DCAA)	77288	003	2014/07/02	< .000	2014/10
HALOACETIC ACIDS (5) (HAA5)	A-049	003	2014/07/02	< .000	2014/10
MONOBROMOACETIC ACID (MBAA)	A-041	003	2014/07/02	< .000	2014/10
MONOCHLOROACETIC ACID (MCAA)	A-042	003	2014/07/02	< .000	2014/10
TRICHLOROACETIC ACID (TCAA)	82723	003	2014/07/02	< .000	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	32101	003	2014/07/02	< .000	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610850-602***					
Source Name: ***DBP2-B FACILITY***					
Source Number: ***602***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
STATE UCMR					
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**< .000**	2014/10
PS Code: ***3610850-603***					
Source Name: ***DBP2-C FACILITY***					
Source Number: ***603***					
Source Status: ***DISTRIBUTION TREATED***					
Water type: ***G***					
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/02	**. 1.640**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/02	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/02	**. 1.640**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/02	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/02	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/02	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/02	**< .000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610850***

System Name: ***CALIFORNIA INSTITUTION FOR MEN***

PS Code: ***3610850-604***

Source Name: ***DBP2-TREATMENT PLANT HIGH TANK***

Source Number: ***604***

Source Status: ***DISTRIBUTION TREATED***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
HALOACETIC ACIDS					
DIBROMOACETIC ACID (DBAA)	**82721**	**003**	2014/07/02	**. 1.850**	2014/10
DICHLOROACETIC ACID (DCAA)	**77288**	**003**	2014/07/02	**< .000**	2014/10
HALOACETIC ACIDS (5) (HAA5)	**A-049**	**003**	2014/07/02	**. 1.850**	2014/10
MONOBROMOACETIC ACID (MBAA)	**A-041**	**003**	2014/07/02	**< .000**	2014/10
MONOCHLOROACETIC ACID (MCAA)	**A-042**	**003**	2014/07/02	**< .000**	2014/10
TRICHLOROACETIC ACID (TCAA)	**82723**	**003**	2014/07/02	**< .000**	2014/10
STATE UCMR					
BROMODICHLORMETHANE (THM)	**32101**	**003**	2014/07/02	**< .000**	2014/10
BROMOFORM (THM)	**32104**	**003**	2014/07/02	**< .000**	2014/10
CHLOROFORM (THM)	**32106**	**003**	2014/07/02	**< .000**	2014/10
DIBROMOCHLOROMETHANE (THM)	**32105**	**003**	2014/07/02	**< .000**	2014/10
TRIHALOMETHANES					
TOTAL TRIHALOMETHANES	**82080**	**003**	2014/07/02	**< .000**	2014/10

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610851
System Name: CALIFORNIA INSTITUTION FOR WOMEN

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610851-003D					
Source Name: CIM/CIW CONNECTION - TREATED					
Source Number: 003					
Source Status: PURCHASED TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			
PS Code: 3610851-800					
Source Name: WELL 01 - INACTIVE - TREATED (CL2)					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999			

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610853***

System Name: ***CYA-YOUTH CORRECTIONAL FACILITY***

PS Code: ***3610853-001***

Source Name: ***NORTH WELL - TREATED - STANDBY***

Source Number: ***001***

Source Status: ***STANDBY RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	**01105**	**108**	2010/05/26	**< .000**	2019/05	
ANTIMONY	**01097**	**108**	2010/05/26	**< .000**	2019/05	
ARSENIC	**01002**	**108**	2010/05/26	**< .000**	2019/05	
BARIUM	**01007**	**108**	2010/05/26	**140.000**	2019/05	
BERYLLIUM	**01012**	**108**	2010/05/26	**< .000**	2019/05	
CADMIUM	**01027**	**108**	2010/05/26	**< .000**	2019/05	
CHROMIUM (TOTAL)	**01034**	**108**	2010/05/26	**< .000**	2019/05	
CHROMIUM, HEXAVALENT	**01032**	**000**				**DUE**
CYANIDE	**01291**	**108**	2010/05/26	**< .000**	2019/05	
FLUORIDE (F) (NATURAL-SOURCE)	**00951**	**108**	2010/05/26	**.180**	2019/05	
MERCURY	**71900**	**108**	2010/05/26	**< .000**	2019/05	
NICKEL	**01067**	**108**	2010/05/26	**< .000**	2019/05	
PERCHLORATE	**A-031**	**000**				**DUE**
SELENIUM	**01147**	**108**	2010/05/26	**10.000**	2019/05	
THALLIUM	**01059**	**108**	2010/05/26	**< .000**	2019/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	**71850**	**012**	2014/06/04	**. 149.000**	2015/06	
NITRITE (AS N)	**00620**	**108**	2010/05/26	**< .000**	2019/05	
RADIOLOGICAL						
GROSS ALPHA	**01501**	**108**	2010/05/26	**3.110**	2019/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	**34506**	**108**	2010/05/26	**< .000**	2019/05	
1,1,2,2-TETRACHLOROETHANE	**34516**	**108**	2010/05/26	**< .000**	2019/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	**81611**	**108**	2010/05/26	**< .000**	2019/05	
1,1,2-TRICHLOROETHANE	**34511**	**108**	2010/05/26	**< .000**	2019/05	
1,1-DICHLOROETHANE	**34496**	**108**	2010/05/26	**< .000**	2019/05	
1,1-DICHLOROETHYLENE	**34501**	**108**	2010/05/26	**< .000**	2019/05	
1,2,4-TRICHLOROBENZENE	**34551**	**108**	2010/05/26	**< .000**	2019/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610853***

System Name: ***CYA-YOUTH CORRECTIONAL FACILITY***

PS Code: ***3610853-001***

Source Name: ***NORTH WELL - TREATED - STANDBY***

Source Number: ***001***

Source Status: ***STANDBY RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
1,2-DICHLOROBENZENE	**34536**	**108**	2010/05/26	**< .000**	2019/05
1,2-DICHLOROETHANE	**34531**	**108**	2010/05/26	**< .000**	2019/05
1,2-DICHLOROPROPANE	**34541**	**108**	2010/05/26	**< .000**	2019/05
1,3-DICHLOROPROPENE (TOTAL)	**34561**	**108**	2010/05/26	**< .000**	2019/05
1,4-DICHLOROBENZENE	**34571**	**108**	2010/05/26	**< .000**	2019/05
BENZENE	**34030**	**108**	2010/05/26	**< .000**	2019/05
CARBON TETRACHLORIDE	**32102**	**108**	2010/05/26	**< .000**	2019/05
CIS-1,2-DICHLOROETHYLENE	**77093**	**108**	2010/05/26	**< .000**	2019/05
DICHLOROMETHANE	**34423**	**108**	2010/05/26	**< .000**	2019/05
ETHYLBENZENE	**34371**	**108**	2010/05/26	**< .000**	2019/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**108**	2010/05/26	**< .000**	2019/05
MONOCHLOROBENZENE	**34301**	**108**	2010/05/26	**< .000**	2019/05
STYRENE	**77128**	**108**	2010/05/26	**< .000**	2019/05
TETRACHLOROETHYLENE	**34475**	**108**	2010/05/26	**< .000**	2019/05
TOLUENE	**34010**	**108**	2010/05/26	**< .000**	2019/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**108**	2010/05/26	**< .000**	2019/05
TRICHLOROETHYLENE	**39180**	**108**	2010/05/26	**< .000**	2019/05
TRICHLOROFLUOROMETHANE	**34488**	**108**	2010/05/26	**< .000**	2019/05
VINYL CHLORIDE	**39175**	**108**	2010/05/26	**< .000**	2019/05
XYLENES (TOTAL)	**81551**	**108**	2010/05/26	**< .000**	2019/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**108**	2010/05/26	**240.000**	2019/05
CALCIUM	**00916**	**108**	2010/05/26	**120.000**	2019/05
CARBONATE ALKALINITY	**00445**	**108**	2010/05/26	**< .000**	2019/05
CHLORIDE	**00940**	**108**	2010/05/26	**90.000**	2019/05
COLOR	**00081**	**108**	2010/05/26	**< .000**	2019/05
COPPER	**01042**	**108**	2010/05/26	**< .000**	2019/05
FOAMING AGENTS (MBAS)	**38260**	**108**	2010/05/26	**< .000**	2019/05
HARDNESS (TOTAL) AS CACO3	**00900**	**108**	2010/05/26	**420.000**	2019/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610853
System Name: CYA-YOUTH CORRECTIONAL FACILITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610853-001						
Source Name: NORTH WELL - TREATED - STANDBY						
Source Number: 001						
Source Status: STANDBY RAW						
Water type: G						
SECONDARY/GP						
HYDROXIDE ALKALINITY	71830	108	2010/05/26	< .000	2019/05	
IRON	01045	108	2010/05/26	< .000	2019/05	
MAGNESIUM	00927	108	2010/05/26	29.000	2019/05	
MANGANESE	01055	108	2010/05/26	< .000	2019/05	
ODOR THRESHOLD @ 60 C	00086	108	2010/05/26	1.000	2019/05	
PH, LABORATORY	00403	108	2010/05/26	7.680	2019/05	
SILVER	01077	108	2010/05/26	< .000	2019/05	
SODIUM	00929	108	2010/05/26	26.000	2019/05	
SPECIFIC CONDUCTANCE	00095	108	2010/05/26	1000.000	2019/05	
SULFATE	00945	108	2010/05/26	69.000	2019/05	
TOTAL DISSOLVED SOLIDS	70300	108	2010/05/26	710.000	2019/05	
TURBIDITY, LABORATORY	82079	108	2010/05/26	< .000	2019/05	
ZINC	01092	108	2010/05/26	< .000	2019/05	
PS Code: 3610853-002						
Source Name: SOUTH WELL - TREATED - STANDBY						
Source Number: 002						
Source Status: STANDBY RAW						
Water type: G						
INORGANIC						
ALUMINUM	01105	108	2010/05/26	< .000	2019/05	
ANTIMONY	01097	108	2010/05/26	< .000	2019/05	
ARSENIC	01002	108	2010/05/26	< .000	2019/05	
BARIUM	01007	108	2010/05/26	150.000	2019/05	
BERYLLIUM	01012	108	2010/05/26	< .000	2019/05	
CADMIUM	01027	108	2010/05/26	< .000	2019/05	
CHROMIUM (TOTAL)	01034	108	2010/05/26	< .000	2019/05	
CHROMIUM, HEXAVALENT	01032	000				DUE
CYANIDE	01291	108	2010/05/26	< .000	2019/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610853
System Name: CYA-YOUTH CORRECTIONAL FACILITY

PS Code: 3610853-002
Source Name: SOUTH WELL - TREATED - STANDBY
Source Number: 002
Source Status: STANDBY RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2010/05/26	.170	2019/05	
MERCURY	71900	108	2010/05/26	< .000	2019/05	
NICKEL	01067	108	2010/05/26	< .000	2019/05	
PERCHLORATE	A-031	000				DUE
SELENIUM	01147	108	2010/05/26	9.500	2019/05	
THALLIUM	01059	108	2010/05/26	< .000	2019/05	
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/04	. 155.000	2015/06	
NITRITE (AS N)	00620	108	2010/05/26	< .000	2019/05	
RADIOLOGICAL						
GROSS ALPHA	01501	108	2010/05/26	< .000	2019/05	
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	108	2010/05/26	< .000	2019/05	
1,1,2,2-TETRACHLOROETHANE	34516	108	2010/05/26	< .000	2019/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2010/05/26	< .000	2019/05	
1,1,2-TRICHLOROETHANE	34511	108	2010/05/26	< .000	2019/05	
1,1-DICHLOROETHANE	34496	108	2010/05/26	< .000	2019/05	
1,1-DICHLOROETHYLENE	34501	108	2010/05/26	< .000	2019/05	
1,2,4-TRICHLOROBENZENE	34551	108	2010/05/26	< .000	2019/05	
1,2-DICHLOROBENZENE	34536	108	2010/05/26	< .000	2019/05	
1,2-DICHLOROETHANE	34531	108	2010/05/26	< .000	2019/05	
1,2-DICHLOROPROPANE	34541	108	2010/05/26	< .000	2019/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2010/05/26	< .000	2019/05	
1,4-DICHLOROBENZENE	34571	108	2010/05/26	< .000	2019/05	
BENZENE	34030	108	2010/05/26	< .000	2019/05	
CARBON TETRACHLORIDE	32102	108	2010/05/26	< .000	2019/05	
CIS-1,2-DICHLOROETHYLENE	77093	108	2010/05/26	< .000	2019/05	
DICHLOROMETHANE	34423	108	2010/05/26	< .000	2019/05	

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610853***

System Name: ***CYA-YOUTH CORRECTIONAL FACILITY***

PS Code: ***3610853-002***

Source Name: ***SOUTH WELL - TREATED - STANDBY***

Source Number: ***002***

Source Status: ***STANDBY RAW***

Water type: ***G***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
REGULATED VOC					
ETHYLBENZENE	**34371**	**108**	2010/05/26	**< .000**	2019/05
METHYL-TERT-BUTYL-ETHER (MTBE)	**46491**	**108**	2010/05/26	**< .000**	2019/05
MONOCHLOROBENZENE	**34301**	**108**	2010/05/26	**< .000**	2019/05
STYRENE	**77128**	**108**	2010/05/26	**< .000**	2019/05
TETRACHLOROETHYLENE	**34475**	**108**	2010/05/26	**< .000**	2019/05
TOLUENE	**34010**	**108**	2010/05/26	**< .000**	2019/05
TRANS-1,2-DICHLOROETHYLENE	**34546**	**108**	2010/05/26	**< .000**	2019/05
TRICHLOROETHYLENE	**39180**	**108**	2010/05/26	**< .000**	2019/05
TRICHLOROFLUOROMETHANE	**34488**	**108**	2010/05/26	**< .000**	2019/05
VINYL CHLORIDE	**39175**	**108**	2010/05/26	**< .000**	2019/05
XYLENES (TOTAL)	**81551**	**108**	2010/05/26	**< .000**	2019/05
SECONDARY/GP					
BICARBONATE ALKALINITY	**00440**	**108**	2010/05/26	**260.000**	2019/05
CALCIUM	**00916**	**108**	2010/05/26	**120.000**	2019/05
CARBONATE ALKALINITY	**00445**	**108**	2010/05/26	**< .000**	2019/05
CHLORIDE	**00940**	**108**	2010/05/26	**87.000**	2019/05
COLOR	**00081**	**108**	2010/05/26	**< .000**	2019/05
COPPER	**01042**	**108**	2010/05/26	**< .000**	2019/05
FOAMING AGENTS (MBAS)	**38260**	**108**	2010/05/26	**< .000**	2019/05
HARDNESS (TOTAL) AS CACO3	**00900**	**108**	2010/05/26	**430.000**	2019/05
HYDROXIDE ALKALINITY	**71830**	**108**	2010/05/26	**< .000**	2019/05
IRON	**01045**	**108**	2010/05/26	**< .000**	2019/05
MAGNESIUM	**00927**	**108**	2010/05/26	**30.000**	2019/05
MANGANESE	**01055**	**108**	2010/05/26	**< .000**	2019/05
ODOR THRESHOLD @ 60 C	**00086**	**108**	2010/05/26	**1.000**	2019/05
PH, LABORATORY	**00403**	**108**	2010/05/26	**7.670**	2019/05
SILVER	**01077**	**108**	2010/05/26	**< .000**	2019/05
SODIUM	**00929**	**108**	2010/05/26	**26.000**	2019/05
SPECIFIC CONDUCTANCE	**00095**	**108**	2010/05/26	**1000.000**	2019/05

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610853
System Name: CYA-YOUTH CORRECTIONAL FACILITY

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: 3610853-002					
Source Name: SOUTH WELL - TREATED - STANDBY					
Source Number: 002					
Source Status: STANDBY RAW					
Water type: G					
SECONDARY/GP					
SULFATE	**00945**	**108**	2010/05/26	**80.000**	2019/05
TOTAL DISSOLVED SOLIDS	**70300**	**108**	2010/05/26	**720.000**	2019/05
TURBIDITY, LABORATORY	**82079**	**108**	2010/05/26	**< .000**	2019/05
ZINC	**01092**	**108**	2010/05/26	**< .000**	2019/05
PS Code: 3610853-003D					
Source Name: CIM/YTS CONNECTION - TREATED					
Source Number: 003					
Source Status: PURCHASED TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610853-800					
Source Name: NORTH WELL - TREATED - STANDBY - TREATED					
Source Number: 800					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			
PS Code: 3610853-801					
Source Name: SOUTH WELL - TREATED - STANDBY - TREATED					
Source Number: 801					
Source Status: ACTIVE TREATED					
Water type: G					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-001
Source Name: WELL 02
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
ALUMINUM	01105	036	2011/06/07	< .000	2014/06	DUE
ANTIMONY	01097	036	2011/06/07	< .000	2014/06	DUE
ARSENIC	01002	036	2011/06/07	. 2.800	2014/06	DUE
BARIUM	01007	036	2011/06/07	210.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/07	< .000	2014/06	DUE
CADMIUM	01027	036	2011/06/07	< .000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/07	< .000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/11/12	. .000	2006/11	DUE
CYANIDE	01291	036	2011/06/07	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2013/11/05	. .380	2016/11	
MERCURY	71900	036	2011/06/07	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/07	< .000	2014/06	DUE
PERCHLORATE	A-031	036	2011/06/07	< .000	2014/06	DUE
SELENIUM	01147	036	2011/06/07	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/07	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/03	. 15.000	2015/06	
NITRITE (AS N)	00620	036	2011/06/07	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/06/03	. 3.780	2017/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/07	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/07	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/03	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/03	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-001
Source Name: WELL 02
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/06/03		.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/03		.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/03		.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/03		.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/03		.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/03		.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/03		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/03		.000	2014/06	DUE
BENZENE	34030	072	2008/06/03		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/03		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/03		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/03		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/03		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/06/07	<	.000	2017/06	
MONOCHLOROBENZENE	34301	072	2008/06/03		.000	2014/06	DUE
STYRENE	77128	072	2008/06/03		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/03		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/03		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/03		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/03		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/03		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/03		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/03		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/07	.	96.000	2014/06	DUE
CALCIUM	00916	036	2011/06/07	.	130.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/07	<	.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/07	.	490.000	2014/06	DUE
COLOR	00081	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-001
Source Name: WELL 02
Source Number: 001
Source Status: ACTIVE RAW
Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/06/07	<	.000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/07	<	.000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/07	.	490.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/07	<	.000	2014/06	DUE
IRON	01045	036	2011/06/07	<	.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/07	.	42.000	2014/06	DUE
MANGANESE	01055	036	2011/06/07	<	.000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/07		1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/07	.	7.400	2014/06	DUE
SILVER	01077	036	2011/06/07	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/07		170.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/07	.	1900.000	2014/06	DUE
SULFATE	00945	036	2011/06/07		85.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/07	.	1100.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/07	.	.100	2014/06	DUE
ZINC	01092	036	2011/06/07	<	.000	2014/06	DUE

PS Code: 3610854-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

INORGANIC

ALUMINUM	01105	036	2011/06/07	<	.000	2014/06	DUE
ANTIMONY	01097	036	2011/06/07	<	.000	2014/06	DUE
ARSENIC	01002	036	2014/06/03	.	21.000	2017/06	
BARIUM	01007	036	2011/06/07	<	.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/07	<	.000	2014/06	DUE
CADMIUM	01027	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
CHROMIUM (TOTAL)	01034	036	2011/06/07	< .000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/05/13	. .000	2006/05	DUE
CYANIDE	01291	036	2011/06/07	< .000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	. 1.400	2017/07	
MERCURY	71900	036	2011/06/07	< .000	2014/06	DUE
NICKEL	01067	036	2011/06/07	< .000	2014/06	DUE
PERCHLORATE	A-031	036	2011/06/07	< .000	2014/06	DUE
SELENIUM	01147	036	2011/06/07	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/07	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/03	< .000	2015/06	
NITRITE (AS N)	00620	036	2011/06/07	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2011/12/06	. 6.700	2014/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/07	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/07	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/03	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/03	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	072	2008/06/03	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/03	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/03	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/03		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/03		.000	2014/06	DUE
BENZENE	34030	072	2008/06/03		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/03		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/03		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/03		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/03		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/06/07	<	.000	2017/06	
MONOCHLOROBENZENE	34301	072	2008/06/03		.000	2014/06	DUE
STYRENE	77128	072	2008/06/03		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/03		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/03		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/03		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/03		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/03		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/03		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/03		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/07	.	180.000	2014/06	DUE
CALCIUM	00916	036	2011/06/07	.	3.400	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/07		21.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/07	.	89.000	2014/06	DUE
COLOR	00081	036	2011/06/07	<	.000	2014/06	DUE
COPPER	01042	036	2011/06/07	<	.000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/07	<	.000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/07	.	10.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/07	<	.000	2014/06	DUE
IRON	01045	036	2011/06/07	<	.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-003
Source Name: WELL 04
Source Number: 003
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
SECONDARY/GP							
MANGANESE	01055	036	2011/06/07	<	.000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/07		1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/07	.	8.500	2014/06	DUE
SILVER	01077	036	2011/06/07	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/07		150.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/07	.	690.000	2014/06	DUE
SULFATE	00945	036	2011/06/07		23.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/07	.	410.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/07	<	.000	2014/06	DUE
ZINC	01092	036	2011/06/07	<	.000	2014/06	DUE

PS Code: 3610854-004
Source Name: WELL 30
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/06/07	<	.000	2014/06	DUE
ANTIMONY	01097	036	2011/06/07	<	.000	2014/06	DUE
ARSENIC	01002	036	2014/06/03	.	4.100	2017/06	
BARIUM	01007	036	2011/06/07	<	.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/07	<	.000	2014/06	DUE
CADMIUM	01027	036	2011/06/07	<	.000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/07	<	.000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/11/12	.	2.000	2006/11	DUE
CYANIDE	01291	036	2011/06/07	<	.000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2011/06/07	.	.630	2014/06	DUE
MERCURY	71900	036	2011/06/07	<	.000	2014/06	DUE
NICKEL	01067	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-004
Source Name: WELL 30
Source Number: 004
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC						
PERCHLORATE	A-031	036	2011/06/07	< .000	2014/06	DUE
SELENIUM	01147	036	2011/06/07	< .000	2014/06	DUE
THALLIUM	01059	036	2011/06/07	< .000	2014/06	DUE
NITRATE/NITRITE						
NITRATE (AS NO3)	71850	012	2014/06/03	. 11.000	2015/06	
NITRITE (AS N)	00620	036	2011/06/07	< .000	2014/06	DUE
RADIOLOGICAL						
GROSS ALPHA	01501	036	2014/06/03	. 3.500	2017/06	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/07	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/07	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/03	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/03	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	072	2008/06/03	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/03	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/03	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/03	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/03	.000	2014/06	DUE
BENZENE	34030	072	2008/06/03	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/03	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/03	.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/03	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854

System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-004

Source Name: WELL 30

Source Number: 004

Source Status: ACTIVE RAW

Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
ETHYLBENZENE	34371	072	2008/06/03		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/06/07	<	.000	2017/06	
MONOCHLOROBENZENE	34301	072	2008/06/03		.000	2014/06	DUE
STYRENE	77128	072	2008/06/03		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/03		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/03		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/03		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/03		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/03		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/03		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/03		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/07	.	120.000	2014/06	DUE
CALCIUM	00916	036	2011/06/07	.	37.000	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/07	<	.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/07	.	30.000	2014/06	DUE
COLOR	00081	036	2011/06/07	<	.000	2014/06	DUE
COPPER	01042	036	2011/06/07	<	.000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/07	<	.000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/07	.	120.000	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/07	<	.000	2014/06	DUE
IRON	01045	036	2011/06/07	<	.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/07	.	7.800	2014/06	DUE
MANGANESE	01055	036	2011/06/07	<	.000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/07		1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/07	.	7.900	2014/06	DUE
SILVER	01077	036	2011/06/07	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/07		36.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/07	.	410.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610854-004							
Source Name: WELL 30							
Source Number: 004							
Source Status: ACTIVE RAW							
Water type: G							
SECONDARY/GP							
SULFATE	00945	036	2011/06/07		48.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/07	.	250.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/07	<	.000	2014/06	DUE
ZINC	01092	036	2011/06/07	<	.000	2014/06	DUE
PS Code: 3610854-006							
Source Name: WELL 35							
Source Number: 006							
Source Status: ACTIVE RAW							
Water type: G							
INORGANIC							
ALUMINUM	01105	036	2011/06/07	<	.000	2014/06	DUE
ANTIMONY	01097	036	2011/06/07	<	.000	2014/06	DUE
ARSENIC	01002	036	2014/06/03	.	11.000	2017/06	
BARIUM	01007	036	2011/06/07	<	.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/07	<	.000	2014/06	DUE
CADMIUM	01027	036	2011/06/07	<	.000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/07	<	.000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/11/12	.	.000	2006/11	DUE
CYANIDE	01291	036	2011/06/07	<	.000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/07/01	.	1.300	2017/07	
MERCURY	71900	036	2011/06/07	<	.000	2014/06	DUE
NICKEL	01067	036	2011/06/07	<	.000	2014/06	DUE
PERCHLORATE	A-031	036	2011/06/07	<	.000	2014/06	DUE
SELENIUM	01147	036	2011/06/07	<	.000	2014/06	DUE
THALLIUM	01059	036	2011/06/07	<	.000	2014/06	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/06/03	<	.000	2015/06	
NITRITE (AS N)	00620	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-006
Source Name: WELL 35
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
RADIOLOGICAL						
GROSS ALPHA	01501	036	2012/12/11	. 3.700	2015/12	
REGULATED SOC						
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/07	< .000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/07	< .000	2014/06	DUE
REGULATED VOC						
1,1,1-TRICHLOROETHANE	34506	072	2008/06/03	.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/03	.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/03	.000	2014/06	DUE
1,1-DICHLOROETHANE	34496	072	2008/06/03	.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/03	.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/03	.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/03	.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/03	.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/03	.000	2014/06	DUE
BENZENE	34030	072	2008/06/03	.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/03	.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/03	.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/03	.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/03	.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/06/07	< .000	2017/06	
MONOCHLOROBENZENE	34301	072	2008/06/03	.000	2014/06	DUE
STYRENE	77128	072	2008/06/03	.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/03	.000	2014/06	DUE
TOLUENE	34010	072	2008/06/03	.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/03	.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/03	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-006
Source Name: WELL 35
Source Number: 006
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
TRICHLOROFLUOROMETHANE	34488	072	2008/06/03		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/03		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/03		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/07	.	130.000	2014/06	DUE
CALCIUM	00916	036	2011/06/07	.	2.700	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/07		47.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/07	.	28.000	2014/06	DUE
COLOR	00081	036	2011/06/07	<	.000	2014/06	DUE
COPPER	01042	036	2011/06/07	<	.000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/07	<	.000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/07	.	9.200	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/07	<	.000	2014/06	DUE
IRON	01045	036	2011/06/07	<	.000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/07	<	.000	2014/06	DUE
MANGANESE	01055	036	2011/06/07	<	.000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/07		1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/07	.	9.100	2014/06	DUE
SILVER	01077	036	2011/06/07	<	.000	2014/06	DUE
SODIUM	00929	036	2011/06/07		99.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/07	.	470.000	2014/06	DUE
SULFATE	00945	036	2011/06/07		13.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/07	.	290.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/07	.	.300	2014/06	DUE
ZINC	01092	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-007
Source Name: WELL 36IW
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
INORGANIC							
ALUMINUM	01105	036	2011/06/07	<	.000	2014/06	DUE
ANTIMONY	01097	036	2011/06/07	<	.000	2014/06	DUE
ARSENIC	01002	036	2014/06/03	.	20.000	2017/06	
BARIUM	01007	036	2011/06/07	<	.000	2014/06	DUE
BERYLLIUM	01012	036	2011/06/07	<	.000	2014/06	DUE
CADMIUM	01027	036	2011/06/07	<	.000	2014/06	DUE
CHROMIUM (TOTAL)	01034	036	2011/06/07	<	.000	2014/06	DUE
CHROMIUM, HEXAVALENT	01032	036	2003/11/12	.	.000	2006/11	DUE
CYANIDE	01291	036	2011/06/07	<	.000	2014/06	DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2014/05/06	.	.890	2017/05	
MERCURY	71900	036	2011/06/07	<	.000	2014/06	DUE
NICKEL	01067	036	2011/06/07	<	.000	2014/06	DUE
PERCHLORATE	A-031	036	2011/06/07	<	.000	2014/06	DUE
SELENIUM	01147	036	2011/06/07	<	.000	2014/06	DUE
THALLIUM	01059	036	2011/06/07	<	.000	2014/06	DUE
NITRATE/NITRITE							
NITRATE (AS NO3)	71850	012	2014/06/03	.	9.100	2015/06	
NITRITE (AS N)	00620	036	2011/06/07	<	.000	2014/06	DUE
RADIOLOGICAL							
GROSS ALPHA	01501	036	2013/12/03	<	.000	2016/12	
REGULATED SOC							
DIBROMOCHLOROPROPANE (DBCP)	38761	036	2011/06/07	<	.000	2014/06	DUE
ETHYLENE DIBROMIDE (EDB)	77651	036	2011/06/07	<	.000	2014/06	DUE
REGULATED VOC							
1,1,1-TRICHLOROETHANE	34506	072	2008/06/03		.000	2014/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2008/06/03		.000	2014/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2008/06/03		.000	2014/06	DUE
1,1,2-TRICHLOROETHANE	34511	072	2008/06/03		.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-007
Source Name: WELL 36IW
Source Number: 007
Source Status: ACTIVE RAW
Water type: G

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)		LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
REGULATED VOC							
1,1-DICHLOROETHANE	34496	072	2008/06/03		.000	2014/06	DUE
1,1-DICHLOROETHYLENE	34501	072	2008/06/03		.000	2014/06	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2008/06/03		.000	2014/06	DUE
1,2-DICHLOROBENZENE	34536	072	2008/06/03		.000	2014/06	DUE
1,2-DICHLOROETHANE	34531	072	2008/06/03		.000	2014/06	DUE
1,2-DICHLOROPROPANE	34541	072	2008/06/03		.000	2014/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2008/06/03		.000	2014/06	DUE
1,4-DICHLOROBENZENE	34571	072	2008/06/03		.000	2014/06	DUE
BENZENE	34030	072	2008/06/03		.000	2014/06	DUE
CARBON TETRACHLORIDE	32102	072	2008/06/03		.000	2014/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2008/06/03		.000	2014/06	DUE
DICHLOROMETHANE	34423	072	2008/06/03		.000	2014/06	DUE
ETHYLBENZENE	34371	072	2008/06/03		.000	2014/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2011/06/07	<	.000	2017/06	
MONOCHLOROBENZENE	34301	072	2008/06/03		.000	2014/06	DUE
STYRENE	77128	072	2008/06/03		.000	2014/06	DUE
TETRACHLOROETHYLENE	34475	072	2008/06/03		.000	2014/06	DUE
TOLUENE	34010	072	2008/06/03		.000	2014/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2008/06/03		.000	2014/06	DUE
TRICHLOROETHYLENE	39180	072	2008/06/03		.000	2014/06	DUE
TRICHLOROFLUOROMETHANE	34488	072	2008/06/03		.000	2014/06	DUE
VINYL CHLORIDE	39175	072	2008/06/03		.000	2014/06	DUE
XYLENES (TOTAL)	81551	072	2008/06/03		.000	2014/06	DUE
SECONDARY/GP							
BICARBONATE ALKALINITY	00440	036	2011/06/07	.	100.000	2014/06	DUE
CALCIUM	00916	036	2011/06/07	.	2.700	2014/06	DUE
CARBONATE ALKALINITY	00445	036	2011/06/07		18.000	2014/06	DUE
CHLORIDE	00940	036	2011/06/07	.	12.000	2014/06	DUE
COLOR	00081	036	2011/06/07	<	.000	2014/06	DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854

System Name: SEARLES VALLEY MINERALS OPERATIONS INC

PS Code: 3610854-007

Source Name: WELL 36IW

Source Number: 007

Source Status: ACTIVE RAW

Water type: G

SECONDARY/GP

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
COPPER	01042	036	2011/06/07	< .000	2014/06	DUE
FOAMING AGENTS (MBAS)	38260	036	2011/06/07	< .000	2014/06	DUE
HARDNESS (TOTAL) AS CACO3	00900	036	2011/06/07	. 5.600	2014/06	DUE
HYDROXIDE ALKALINITY	71830	036	2011/06/07	< .000	2014/06	DUE
IRON	01045	036	2011/06/07	< .000	2014/06	DUE
MAGNESIUM	00927	036	2011/06/07	< .000	2014/06	DUE
MANGANESE	01055	036	2011/06/07	< .000	2014/06	DUE
ODOR THRESHOLD @ 60 C	00086	036	2011/06/07	1.000	2014/06	DUE
PH, LABORATORY	00403	036	2011/06/07	. 8.700	2014/06	DUE
SILVER	01077	036	2011/06/07	< .000	2014/06	DUE
SODIUM	00929	036	2011/06/07	65.000	2014/06	DUE
SPECIFIC CONDUCTANCE	00095	036	2011/06/07	. 290.000	2014/06	DUE
SULFATE	00945	036	2011/06/07	14.000	2014/06	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2011/06/07	. 160.000	2014/06	DUE
TURBIDITY, LABORATORY	82079	036	2011/06/07	. .100	2014/06	DUE
ZINC	01092	036	2011/06/07	< .000	2014/06	DUE

PS Code: 3610854-008

Source Name: ARSENIC TP EFFLUENT 8-INCH LINE

Source Number: 008

Source Status: ACTIVE TREATED

Water type: G

*** ALL SCHEDULE CONSTITUENTS ARE WAIVED *** 999

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854
System Name: SEARLES VALLEY MINERALS OPERATIONS INC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610854-009						
Source Name: ARSENIC TP EFFLUENT 14-INCH LINE						
Source Number: 009						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				
PS Code: 3610854-601						
Source Name: DBP2-FIR & 11TH ST.						
Source Number: 601						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: 3610854

System Name: SEARLES VALLEY MINERALS OPERATIONS INC

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)	
PS Code: 3610854-602						
Source Name: DBP2-ARGUS AVE & CALIFORNIA ST.						
Source Number: 602						
Source Status: DISTRIBUTION TREATED						
Water type: G						
HALOACETIC ACIDS						
DIBROMOACETIC ACID (DBAA)	82721	000				DUE
DICHLOROACETIC ACID (DCAA)	77288	000				DUE
HALOACETIC ACIDS (5) (HAA5)	A-049	000				DUE
MONOBROMOACETIC ACID (MBAA)	A-041	000				DUE
MONOCHLOROACETIC ACID (MCAA)	A-042	000				DUE
TRICHLOROACETIC ACID (TCAA)	82723	000				DUE
STATE UCMR						
BROMODICHLORMETHANE (THM)	32101	000				DUE
BROMOFORM (THM)	32104	000				DUE
CHLOROFORM (THM)	32106	000				DUE
DIBROMOCHLOROMETHANE (THM)	32105	000				DUE
TRIHALOMETHANES						
TOTAL TRIHALOMETHANES	82080	000				DUE
PS Code: 3610854-800						
Source Name: HILLTOP TANK - TREATED (CL2)						
Source Number: 800						
Source Status: ACTIVE TREATED						
Water type: G						
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		999				

*Testing interval is in months;
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)

System Number: ***3610854***

System Name: ***SEARLES VALLEY MINERALS OPERATIONS INC***

	STORET NUMBER	TESTING INTERVAL (MONTHS)*	LAST TEST DATE (yyyy/mm/dd)	LAST RESULT REPORTED	NEXT TEST DATE (yyyy/mm)
PS Code: ***3610854-801***					
Source Name: ***IW METER HOUSE - TREATED (CL2)***					
Source Number: ***801***					
Source Status: ***ACTIVE TREATED***					
Water type: ***G***					
*** ALL SCHEDULE CONSTITUENTS ARE WAIVED ***		**999**			

**Testing interval is in months;*
0 = No data for this constituent and is DUE NOW
I = Invalid (NOT) valid analyses reported
Any analyses not listed as required for testing has been Waive (not required)