



California Regional Water Quality Control Board
Los Angeles Region



Matthew Rodriguez
Secretary for
Environmental Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
(213) 576-6600 • FAX (213) 576-6640
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

October 17, 2011

Ms. Josephine Galley
Galley Enterprises
1168 Candlecrest Drive
Westlake Village, CA 91362

FINAL ORDER – TERMINATION OF WASTE DISCHARGE REQUIREMENTS FOR VILLAGE CARWASH AT 3369 THOUSAND OAKS BOULEVARD, THOUSAND OAKS, CALIFORNIA (ORDER NO. R4-2011-0166, CI-7864, FILE NO. 97-013)


Dear Ms. Galley:

Our letter of August 17, 2011, transmitted a tentative order to terminate Waste Discharge Requirements (WDR), Order No. 98-011, for the discharge of treated groundwater to the subsurface via an on-site recharge trench at Village Carwash located at 3369 Thousand Oaks Boulevard, Thousand Oaks, California.

Pursuant to Division 7 of the California Water Code, this Regional Board at a public meeting held on October 6, 2011, reviewed the tentative order, considered all factors in the case, and adopted Order No. R4-2011-0166 (a copy is enclosed) relative to the termination of the WDR. No written comments were received related to the termination of the WDR.

If you have any questions or need additional information, please contact the Project Manager, Mr. David Koo at (213) 620-6155 or me at (213) 576-6683.

Sincerely,

for 
Eric Wu, Ph.D., P.E.
Chief of Groundwater Permitting Unit

Enclosure: Order No. R4-2011-0166

cc: Mr. David Salter, County of Ventura, Resource Management Agency
Ms. Ruth Titelbaum, Wash Depot Holdings, Inc.
Mr. Kent Tucker, FREY Environmental, Inc.

California Environmental Protection Agency

State of California
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

ORDER NO. R4-2011-0166

TERMINATION OF WASTE DISCHARGE REQUIREMENTS
FOR DISCHARGES TO LAND/GROUNDWATER
(Village Carwash – Galley Enterprises)

The California Regional Water Quality Control Board, Los Angeles Region (Regional Board) finds:


1. On January 29, 1998, this Regional Board adopted Waste Discharge Requirements (WDR) contained in Order No. 98-011 for Galley Enterprises (Discharger) for discharge of treated groundwater to the subsurface via an on-site recharge trench at Village Carwash located at 3369 Thousand Oaks Boulevard, Thousand Oaks, California (site).
2. On June 17, 2011, the Discharger requested that the Regional Board terminate Order No. 98-011 since the groundwater remediation system was turned off on June 15, 2011, and dismantled.
3. Because the groundwater remediation has been completed at the site, the Regional Board finds that Order No. 98-011, with waste discharge requirements, is no longer applicable and shall be terminated, except for enforcement purposes.
4. The termination of Order No. 98-011 is exempt from the provisions of Chapter 3 (commencing with Section 21100), Division 13, Public Resources Code, in accordance with California Water Code (CWC) section 13389.
5. The Regional Board has notified the Discharger and interested agencies and persons of its intent to consider termination of Order No. 98-011, and has provided them with an opportunity to submit comments.
6. The Regional Board, in a public hearing, heard and considered all comments and testimony pertinent to the Order.

IT IS HEREBY ORDERED that Order No. 98-011 is terminated, except for enforcement purposes.

The Executive Officer of this Regional Board is authorized, and is hereby directed, to certify and submit copies of this Order to the Discharger, and to such individuals and governmental agencies that request it.

Village Carwash
Galley Enterprises
Order No. R4-2011-0166

I, Samuel Unger, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Los Angeles Region on October 6, 2011.


Samuel Unger, P.E.
Executive Officer