STATE OF CALIFORNIA CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LOS ANGELES REGION

MONITORING AND REPORTING PROGRAM NO. <u>CI-8862</u> UNITED STATES NAVY, NAVAL BASE VENTURA COUNTY (401 PATTERSON ROAD) PORT HUENEME, CALIFORNIA

ORDER NO. R4-2002-0030 (Series No. 57) (FILE NO. 94-073)

I. Discharge Monitoring

The Discharger shall sample from one upgradient monitoring well (W4), two proposed downgradient monitoring wells within the test plot (W2 and W3) and an additional existing monitoring well (B4-B) approximately 400 feet down gradient of the test site. Monitoring of the technology evaluation shall consist of sampling and analyzing groundwater samples from these groundwater-monitoring wells. Groundwater shall be monitored for the duration of the evaluation in accordance with the following discharge monitoring program:

Groundwater

<u>CONSTITUENT</u>	<u>UNITS</u>	TYPE OF SAMPLE	MINIMUM FREQUENCY OF ANALYSIS
Total daily injection waste flow	Liters/day, or other units as appropriate	Not Applicable	Daily during injection
Cations (barium, calcium, magnesium, manganese, potassium and sodium)	mg/l	Grab, from wells W1, W2, W3, W4 and B4-B.	 Prior to injection Prior to injection 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter
Anions (bromide, iodide, chloride, sulfate, nitrate, nitrite, O-phosphate, and sulfide) (EPA 300)	mg/l	Grab, from wells W1, W2, W3, W4 and B4-B.	 Prior to injection 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter
Rhodamine dye	Intensity units	Grab, from wells W1, W2, W3, W4 and B4-B.	 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter

Total dissolved solids and total suspended solids	mg/l	Grab, from wells W1, W2, W3, W4 and B4-B.	 Prior to injection 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter
рН	pH units	Grab, from wells W1, W2, W3, W4 and B4-B.	 Prior to injection 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter
Temperature	°F/°C	Grab, from wells W1, W2, W3, W4 and B4-B.	 Prior to injection 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter
Groundwater Elevation	Feet below ground surface, and feet above (or below) mean sea level	Grab, from wells W1, W2, W3, W4 and B4-B.	 Prior to injection 1 week after injection Weekly for 2nd and 3rd weeks Monthly for the next 2 months Every 3 months thereafter

II. <u>Reporting and Laboratory Analyses</u>

A. REPORTING REQUIREMENTS

- 1. In accordance with Section 13267 of the California Water Code, the Discharger shall furnish, under penalty of perjury, technical monitoring report to the Regional Board during the evaluation and any post-test monitoring period. Such reports shall be submitted in accordance with specifications prepared by the Executive Officer.
- 2. The monitoring reports shall be submitted quarterly by the 15th of the following month, with the first report due July 15, 2005. Subsequent quarterly reports shall be received at the Regional Board according to the following schedule:

Monitoring Period	Report Due
January – March	April 15
April – June	July 15
July – September	October 15
October – December	January 15
Annual Summary Report	March 1 of each year

- 3. If there is no discharge or injection, during any reporting period, the report shall so state. Monitoring reports must be addressed to the Regional Board, Attention: <u>Information Technology Unit</u>.
- 4. All monitoring reports shall include discharge limitations in the Order (see A. Waste Discharge Requirements, and B. Discharge Prohibitions), tabulated analytical data, the chain of custody, laboratory report (including but not limited to date and time of sampling, date of analyses, method of analysis and detection limits). If there is no discharge, the report shall so state it.
- 5. Within six (6) months following the end of the evaluation the Discharger shall submit a final summary report to the Regional Board to report the findings.

The report shall contain both tabular and graphical summaries of the monitoring data obtained prior to and proceeding the pilot test. In addition, US Naval Base Ventura County, Port Hueneme shall discuss the compliance record and the corrective actions taken or planned, which may be needed to bring the discharge into full compliance with the site's waste discharge requirements, if any.

United States Navy, Ventura County Monitoring & Reporting Program No. CI-8862

B. CERTIFICATION STATEMENT

Each report shall contain the following completed declaration:

"I certify under penalty of law that this document, including all attachments and supplemental information, was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment.

Executed on theday of	
at	
	(Signature)
	(Title)"

C. LABORATORY ANALYSIS REQUIREMENTS

- 1. All chemical, bacteriological, and toxicity analyses shall be conducted at a laboratory certified for such analyses by the State Department of Health Services Environmental Laboratory Accreditation Program (ELAP) or approved by the Executive Officer.
- 2. Samples shall be analyzed within allowable holding time limits as specified in 40 CFR Part 136.3. All quality assurance/quality control (QA/QC) items should be run on the same dates when samples were actually analyzed and documentation shall accompany the laboratory reports.
- 3. The detection limits employed for sample analyses shall be lower than the permit limits established for a given parameter, unless the discharger can demonstrates that a particular detection limit is not attainable and obtains approval for a higher detection limit from the Executive Officer.

III. Notification

- 1. The Discharger shall inform this Regional Board 24 hours before the start of the discharge.
- 2. The Discharger shall inform this Regional Board within 24 hours in the event that any discharge exceeds the discharge limit. Written confirmation shall follow within one week and shall include date and time, estimated volume and/or concentration, duration, cause, and all corrective actions taken.
- 3. The Discharger shall inform this Regional Board of the termination of the evaluation project.

United States Navy, Ventura County Monitoring & Reporting Program No. CI-8862 File No. 94-073 Order No. R4-2002-0030

IV. Monitoring Frequency

- 1. Specifications in this monitoring program are subject to periodic revisions. Monitoring requirements may be modified or revised by the Executive Officer based on review of monitoring data submitted pursuant to this Order. Monitoring frequencies may be adjusted to a less frequent basis or parameters and locations dropped by the Executive Officer if the Discharger makes a request and the request is backed by statistical trends of monitoring data submitted.
- 2. All records and reports submitted in compliance with this Order are public documents and will be made available for inspection during business hours at the office of the California Regional Water Quality Control Board, Los Angeles Region, upon request by interested parties. Only proprietary information, and only at the request of the Discharger will be treated as confidential.

Ordered by:

Date: February 9, 2005

Jonathan Bishop Executive Officer

s:\slic\pjr\phueneme\piezocone geovis\draft hueneme piezocone monitoring&reporting prog jan05.doc