

CHANGE SHEET #1 (CIRCULATED June 25, 2024)

Consideration of Proposed Amendments to the Water Quality Control Plan for the Los Angeles Region to Establish a Copper Water Effects Ratio for Marina del Rey Harbor and Revise the Marina del Rey Harbor Toxic Substances TMDL

Change	Document	Part	Page (page in Board package)	Added or Deleted Text (Changes included in the change sheet denoted as underline + highlight for addition and underline + strikethrough for deletions)	Reason for Change
1	Staff Report	SSO acute formula	20 (9-053)	a. SSOacute = CMC x WER where CMC = 4.8 mg/L ug/L, therefore	Correct typo
2	Staff Report	SSO chronic formula	21 (9-054)	b. SSOchronic = CCC x WER where CCC = 3.1 mg/L ug/L, therefore	Correct typo
3	Staff Report	References	37 (09-070)	Parks, A.N., Greenstein, D.J. and K.C. Schiff. 2021. Southern California Coastal Water Research Project, Marina del Rey Harbor Site-specific Objective Study, Technical Report 1208. https://file.lacounty.gov/SDSInter/dbh/docs/1143109_AppendixAMdRHSSOstudy_FinalReport.pdf	Add reference link to provide greater access to background documents.
4	Staff Report	References	37 (09-070)	Parks, A.N., Greenstein, D.J. and S. Bay. Southern California Coastal Water Research Project. 2019. Final Work Plan Marina del Rey Harbor Site-Specific Objective Study. Southern California Coastal Water Research Project. Technical Report 1208. https://file.lacounty.gov/SDSInter/dbh/docs/1107228_MDRSiteSpecificStudy.pdf	Correct reference and add reference link to provide greater access to background documents.