

## Cuevas, Veronica@Waterboards

---

**From:** Steven Johnson <sjohnson@healthebay.org>  
**Sent:** Thursday, March 17, 2016 11:36 AM  
**To:** Cuevas, Veronica@Waterboards  
**Subject:** RE: Burbank WRP - Tentative Non-NPDES WDR & Water Recycling Requirements

Thanks Veronica,

Never hesitate to ask if we might have comments, we can always be missing something!

We're quite supportive of any efforts to recycle water. Do you expect any opposition to the project?

Steven



**STEVEN JOHNSON | WATER RESOURCES POLICY ANALYST**

**Main Office**

1444 9th Street  
Santa Monica, CA 90401  
**T:** 310.451.1500 **x** 189 | **F:** 310.496.1902

[healthebay.org](http://healthebay.org)   

---

**From:** Cuevas, Veronica@Waterboards [<mailto:Veronica.Cuevas@waterboards.ca.gov>]  
**Sent:** Tuesday, March 15, 2016 11:17 AM  
**To:** Steven Johnson  
**Subject:** Burbank WRP - Tentative Non-NPDES WDR & Water Recycling Requirements

Good morning Mr. Johnson,

I was wondering if Heal the Bay was planning on submitting any comments with respect to the renewal of the Burbank WRP WDR/WRR which will allow the City of Burbank to recycle more of its tertiary treated water. Comments are due by 5 PM on March 23, 2016.

*Veronica Cuevas*

Water Resource Control Engineer  
Los Angeles Regional Water Quality Control Board  
320 West 4<sup>th</sup> Street, Suite 200  
Los Angeles, CA 90013  
Phone (213) 576-6662  
FAX (213) 576-6660