

Los Angeles Regional Water Quality Control Board

April 7, 2016

Mr. Daniel J. Rynn
Assistant Public Works Director of Wastewater
City of Burbank
P.O. Box 6459
Burbank, CA 91510-6459

Dear Mr. Rynn:

CHANGE SHEET FOR REVISED TENTATIVE WASTE DISCHARGE REQUIREMENTS (WDRs) AND WATER RECLAMATION REQUIREMENTS (WRRs) – CITY OF BURBANK, BURBANK WATER RECLAMATION PLANT (FILE NO. 83-25, CI-6753)

On March 29, 2016, the Los Angeles Regional Water Quality Control Board (Regional Water Board) staff sent you revised tentative Waste Discharge Requirements (WDRs) and Water Reclamation Requirements (WRRs) for the above-mentioned Water Reclamation Plant. Regional Water Board staff considered comments submitted and prepared a change sheet to eliminate duplicative monitoring requirements associated with radioactivity.

In accordance with administrative procedures, this Board at a public hearing to be held on **April 14, 2016, at 9:00 a.m.**, at the **City of Simi Valley, Council Chambers, 2929 Tapo Canyon Road, Simi Valley, California**, will consider the enclosed Revised Tentative WDRs/WRRs and comments submitted in writing regarding the changes contained within the proposed amended Order. The Board will hear any testimony pertinent to this discharge and the tentative requirements. It is expected that the Board will take action at the hearing; however, as testimony indicates, the Board, at its discretion, may order further action by staff.

The agenda for the meeting will be posted on the Los Angeles Regional Water Quality Control Board's website (http://www.waterboards.ca.gov/losangeles/board_info/agenda/index.shtml) approximately one week prior to the meeting.

If you have any questions, please contact Veronica Cuevas at (213) 576-6662 or the undersigned at (213) 620-2083.

Sincerely,

A handwritten signature in black ink, appearing to read "Cris Morris".

Cris Morris, P.E., Chief
Municipal Permitting Unit (NPDES)

Enclosures

cc: Environmental Protection Agency, Region 9, Permits Branch (WTR-5)
NOAA, National Marine Fisheries Service
Department of Interior, U.S. Fish and Wildlife Service
David Coupe, State Water Resources Control Board, Office of Chief Counsel
State Water Resources Control Board, Division of Drinking Water
Department of Fish and Game, Region 5
Los Angeles County, DPW, Watershed Division
Los Angeles County Department of Public Health
Los Angeles Department of Public Works
Los Angeles and San Gabriel River Watershed Council
Water Replenishment District of Southern California
Heal the Bay
Environment Now
Los Angeles Waterkeeper
Natural Resources Defense Council
Friends of the Los Angeles River

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION**

596th Regular Board Meeting
Thursday, April 14, 2016, 9:00 a.m.

ITEM 15

ORDER NO. R4-2016-XXX
WASTE DISCHARGE REQUIREMENTS AND WATER RECYCLING REQUIREMENTS
FOR
THE CITY OF BURBANK

CHANGE SHEET #1

(Additions are underlined, deletions are lined over)

1. Monitoring and Reporting Program Table M1, Page MRP-5, Agenda page 15-058

The Regional Water Board proposes to remove a redundant monitoring requirement in Table M1 for radioactivity, and the corresponding footnote which accompanies it, because radionuclides are already included in the list of pollutants under Attachment A.

TABLE M1. TITLE 22 RECYCLED WATER MONITORING

Constituent	Units	Type of Sample	Minimum Frequency of Analysis ¹⁷
Radioactivity²⁵	pCi/L	grab²⁰	annually
Attachment A - VOCs and Disinfection Byproducts	µg/L	grab ²⁰	annually
Remaining Attachment A Pollutants	µg/L <u>and</u> <u>pCi/L</u>	24-hr comp.	annually

~~25 — Radionuclides to be monitored are: Combined Radium-226 and Radium-228, Gross Alpha particle activity (excluding radon and uranium), Uranium, Strontium-90, Tritium, and Gross Beta.~~