

**STATE OF CALIFORNIA
LOS ANGELES REGIONAL WATER QUALITY CONTROL BOARD**

PUBLIC NOTICE

Public Notice No. 11-031

WHAT IS BEING PLANNED?	The California Regional Water Quality Control Board (Regional Board) will consider adopting revised waste discharge requirements (WDRs) for the United Rock Products Pit No. 2 (Site) at 1245 E. Arrow Highway, Irwindale, California. A public hearing regarding this matter will be held on November 10, 2011, at 9:00 A.M., at the Metropolitan Water District of Southern California Board Room, located at 700 N. Alameda Street, Los Angeles, California.
WHAT DOES THIS MEAN?	The Site is an aggregate mining pit that is concurrently operated as an inert landfill. The current WDRs (Regional Board Order No. R4-2004-0118) allows only aggregate mining wastes to be disposed of at the pit for the reclamation of the mining pit. The proposed revised WDRs, if adopted, will expand the list of wastes that are permitted to be discharged at the Site to other inert wastes, such as uncontaminated concrete, crushed glass, bricks, ceramics, clay and clay products, rock and soil, and fully cured asphalt.
WHY THIS NOTICE?	This notice is to announce: 1) that the Regional Board will be considering adoption of revised waste discharge requirements for the Site; 2) the availability of tentative waste discharge requirements for public review; 3) that members of the public are encouraged to comment on the tentative waste discharge requirements; and 4) how and when comments can be submitted.
HOW DO I COMMENT?	Written comments may be sent to: Dr. Wen Yang, Los Angeles Regional Water Quality Control Board, 320 West 4 th Street, Suite 200, Los Angeles, CA 90013 or to wyang@waterboards.ca.gov . Written comments must be received by October 14, 2011 . Verbal comments may be made during the public hearing. Individuals requiring hearing devices or other special accommodations during this meeting are asked to call 213-576-6612.
WHERE DO I GET MORE INFORMATION?	Copies of tentative waste discharge requirements and related documents will be posted at the Regional Board's website no later than September 9, 2011, at http://www.waterboards.ca.gov/losangeles/board_decisions/tentative_orders/ . For addition information, please contact Dr. Wen Yang at 213-620-2253 or wyang@waterboards.ca.gov .