



Attachment O – Interim Limit Calculations

Minitab Project Report




Percent	CU	Lower Bound	Upper Bound
1	-3.44950	-6.86232	-0.0366739
2	-2.23019	-5.35363	0.893250
3	-1.45658	-4.40240	1.48924
4	-0.874624	-3.69054	1.94130
5	-0.401247	-3.11420	2.31171
6	0.0016708	-2.62579	2.62913
7	0.354951	-2.19933	2.90924
8	0.671271	-1.81904	3.16158
9	0.958952	-1.47454	3.39244
10	1.22376	-1.15866	3.60619
20	3.19152	1.14304	5.24000
30	4.61041	2.73696	6.48387
40	5.82281	4.04071	7.60491
50	6.956	5.20266	8.70934
60	8.08919	6.30709	9.87129
70	9.30159	7.42813	11.1750
80	10.7205	8.67200	12.7690
90	12.6882	10.3058	15.0707
91	12.9530	10.5196	15.3865
92	13.2407	10.7504	15.7310
93	13.5570	11.0028	16.1113
94	13.9103	11.2829	16.5378
95	14.3132	11.6003	17.0262
96	14.7866	11.9707	17.6025
97	15.3686	12.4228	18.3144
98	16.1422	13.0187	19.2656
99	17.3615	13.9487	20.7743




Percent	CU	Lower Bound	Upper Bound
1	0.486881	0.224362	1.05657
2	0.642149	0.316003	1.30491
3	0.765432	0.392170	1.49396
4	0.873539	0.460954	1.65542
5	0.972642	0.525387	1.80064
6	1.06580	0.586993	1.93518
7	1.15480	0.646662	2.06223
8	1.24078	0.704972	2.18382
9	1.32451	0.762318	2.30132
10	1.40658	0.818991	2.41574
20	2.19871	1.38104	3.50051
30	3.03430	1.98314	4.64264
40	3.99567	2.66619	5.98811
50	5.16789	3.47096	7.69444
60	6.68399	4.46002	10.0169
70	8.80171	5.75256	13.4671
80	12.1467	7.62948	19.3384
90	18.9872	11.0554	32.6097
91	20.1636	11.6051	35.0340
92	21.5244	12.2295	37.8839
93	23.1269	12.9506	41.2998
94	25.0581	13.8008	45.4981
95	27.4582	14.8320	50.8331
96	30.5734	16.1331	57.9387
97	34.8915	17.8767	68.1007
98	41.5901	20.4666	84.5151
99	54.8534	25.2772	119.036

Minitab Project Report




Percent	Pb	Lower Bound	Upper Bound
1	-23.9139	-33.2463	-14.5815
2	-20.5797	-29.1208	-12.0386
3	-18.4643	-26.5196	-10.4089
4	-16.8729	-24.5730	-9.17274
5	-15.5784	-22.9970	-8.15984
6	-14.4767	-21.6615	-7.29185
7	-13.5106	-20.4953	-6.52590
8	-12.6456	-19.4554	-5.83587
9	-11.8590	-18.5134	-5.20457
10	-11.1348	-17.6496	-4.62009
20	-5.75399	-11.3556	-0.152399
30	-1.87402	-6.99699	3.24896
40	1.44128	-3.43189	6.31444
50	4.54	-0.254520	9.33452
60	7.63872	2.76556	12.5119
70	10.9540	5.83104	16.0770
80	14.8340	9.23240	20.4356
90	20.2148	13.7001	26.7296
91	20.9390	14.2846	27.5934
92	21.7256	14.9159	28.5354
93	22.5906	15.6059	29.5753
94	23.5567	16.3718	30.7415
95	24.6584	17.2398	32.0770
96	25.9529	18.2527	33.6530
97	27.5443	19.4889	35.5996
98	29.6597	21.1186	38.2008
99	32.9939	23.6615	42.3263




Percent	Pb	Lower Bound	Upper Bound
1	0.191832	0.0891260	0.412892
2	0.252268	0.125076	0.508803
3	0.300142	0.154869	0.581685
4	0.342055	0.181722	0.643851
5	0.380429	0.206837	0.699711
6	0.416464	0.230819	0.751420
7	0.450858	0.254023	0.800215
8	0.484056	0.276675	0.846881
9	0.516367	0.298934	0.891954
10	0.548013	0.320914	0.935821
20	0.852596	0.538166	1.35073
30	1.17261	0.769841	1.78611
40	1.53965	1.03176	2.29754
50	1.98593	1.33945	2.94441
60	2.56156	1.71658	3.82249
70	3.36335	2.20810	5.12300
80	4.62576	2.91982	7.32841
90	7.19673	4.21437	12.2896
91	7.63778	4.42164	13.1932
92	8.14761	4.65697	14.2546
93	8.74755	4.92855	15.5258
94	9.46997	5.24860	17.0865
95	10.3670	5.63647	19.0677
96	11.5300	6.12549	21.7030
97	13.1401	6.78013	25.4660
98	15.6338	7.75133	31.5320
99	20.5592	9.55189	44.2508

Minitab Project Report




Percent	Hg	Lower Bound	Upper Bound
1	-0.292089	-0.489951	-0.0942270
2	-0.235891	-0.416897	-0.0548852
3	-0.200236	-0.370892	-0.0295794
4	-0.173413	-0.336497	-0.0103290
5	-0.151595	-0.308676	0.0054857
6	-0.133025	-0.285120	0.0190702
7	-0.116742	-0.264569	0.0310843
8	-0.102163	-0.246257	0.0419308
9	-0.0889037	-0.229682	0.0518743
10	-0.0766986	-0.214496	0.0610987
20	0.0139953	-0.104294	0.132285
30	0.0793921	-0.0286574	0.187442
40	0.135271	0.0325718	0.237971
50	0.1875	0.0864858	0.288514
60	0.239729	0.137029	0.342428
70	0.295608	0.187558	0.403657
80	0.361005	0.242715	0.479294
90	0.451699	0.313901	0.589496
91	0.463904	0.323126	0.604682
92	0.477163	0.333069	0.621257
93	0.491742	0.343916	0.639569
94	0.508025	0.355930	0.660120
95	0.526595	0.369514	0.683676
96	0.548413	0.385329	0.711497
97	0.575236	0.404579	0.745892
98	0.610891	0.429885	0.791897
99	0.667089	0.469227	0.864951




Percent	Hg	Lower Bound	Upper Bound
1	0.0271859	0.0139665	0.0529174
2	0.0328472	0.0178601	0.0604105
3	0.0370360	0.0208517	0.0657821
4	0.0405355	0.0234111	0.0701859
5	0.0436246	0.0257095	0.0740235
6	0.0464387	0.0278312	0.0774870
7	0.0490550	0.0298246	0.0806849
8	0.0515225	0.0317209	0.0836852
9	0.0538742	0.0335410	0.0865337
10	0.0561337	0.0353002	0.0892628
20	0.0761745	0.0511543	0.113433
30	0.0949322	0.0659865	0.136575
40	0.114579	0.0810899	0.161898
50	0.136602	0.0972263	0.191925
60	0.162859	0.115259	0.230117
70	0.196563	0.136629	0.282787
80	0.244966	0.164504	0.364782
90	0.332423	0.209047	0.528613
91	0.346365	0.215640	0.556337
92	0.362174	0.222980	0.588260
93	0.380392	0.231272	0.625662
94	0.401823	0.240816	0.670476
95	0.427743	0.252084	0.725806
96	0.460340	0.265867	0.797063
97	0.503838	0.283666	0.894899
98	0.568088	0.308889	1.04479
99	0.686391	0.352627	1.33606

Minitab Project Report




Percent	Ag	Lower Bound	Upper Bound
1	-4.34448	-6.68352	-2.00545
2	-3.68014	-5.81991	-1.54037
3	-3.25863	-5.27605	-1.24121
4	-2.94155	-4.86946	-1.01364
5	-2.68363	-4.54057	-0.826691
6	-2.46410	-4.26210	-0.666101
7	-2.27161	-4.01915	-0.524075
8	-2.09926	-3.80268	-0.395854
9	-1.94252	-3.60673	-0.278306
10	-1.79824	-3.42721	-0.169260
20	-0.726094	-2.12446	0.672268
30	0.0469968	-1.23032	1.32431
40	0.707574	-0.506492	1.92164
50	1.325	0.130855	2.51914
60	1.94243	0.728360	3.15649
70	2.60300	1.32569	3.88032
80	3.37609	1.97773	4.77446
90	4.44824	2.81926	6.07721
91	4.59252	2.92831	6.25673
92	4.74926	3.04585	6.45268
93	4.92161	3.17408	6.66915
94	5.11410	3.31610	6.91210
95	5.33363	3.47669	7.19057
96	5.59155	3.66364	7.51946
97	5.90863	3.89121	7.92605
98	6.33014	4.19037	8.46991
99	6.99448	4.65545	9.33352




Percent	Ag	Lower Bound	Upper Bound
1	0.0092285	0.0020049	0.0424783
2	0.0142381	0.0035229	0.0575441
3	0.0187470	0.0050242	0.0699521
4	0.0230576	0.0065512	0.0811538
5	0.0272851	0.0081199	0.0916861
6	0.0314888	0.0097384	0.101818
7	0.0357042	0.0114118	0.111708
8	0.0399552	0.0131437	0.121459
9	0.0442594	0.0149368	0.131145
10	0.0486300	0.0167937	0.140819
20	0.0979083	0.0393036	0.243897
30	0.162167	0.0704515	0.373282
40	0.249582	0.112997	0.551263
50	0.373450	0.171291	0.814199
60	0.558793	0.252992	1.23423
70	0.860007	0.373619	1.97959
80	1.42445	0.571820	3.54840
90	2.86788	0.990382	8.30460
91	3.15109	1.06344	9.33698
92	3.49053	1.14824	10.6108
93	3.90613	1.24848	12.2212
94	4.42904	1.36975	14.3212
95	5.11139	1.52111	17.1758
96	6.04854	1.71853	21.2885
97	7.43931	1.99372	27.7588
98	9.79522	2.42362	39.5881
99	15.1124	3.28321	69.5612

Minitab Project Report




Percent	Zn	Lower Bound	Upper Bound
1	-78.4010	-121.345	-35.4572
2	-63.0584	-102.361	-23.7560
3	-53.3240	-90.3915	-16.2565
4	-46.0012	-81.4341	-10.5683
5	-40.0447	-74.1820	-5.90739
6	-34.9748	-68.0363	-1.91324
7	-30.5294	-62.6701	1.61132
8	-26.5491	-57.8848	4.78657
9	-22.9292	-53.5500	7.69153
10	-19.5971	-49.5753	10.3811
20	-5.16334	-20.6128	30.9395
30	23.0174	-0.556432	46.5911
40	38.2730	15.8487	60.6972
50	52.532	30.4696	74.5944
60	66.7910	44.3668	89.2153
70	82.0466	58.4729	105.620
80	99.9007	74.1245	125.677
90	124.661	94.6829	154.639
91	127.993	97.3725	158.614
92	131.613	100.277	162.949
93	135.593	103.453	167.734
94	140.039	106.977	173.100
95	145.109	110.971	179.246
96	151.065	115.632	186.498
97	158.388	121.321	195.456
98	168.122	128.820	207.425
99	183.465	140.521	226.409




Percent	Zn	Lower Bound	Upper Bound
1	3.47297	1.64073	7.35130
2	4.53995	2.28561	9.01780
3	5.38111	2.81690	10.2795
4	6.11511	3.29382	11.3529
5	6.78540	3.73849	12.3156
6	7.41350	4.16200	13.2052
7	8.01188	4.57084	14.0434
8	8.58853	4.96918	14.8440
9	9.14893	5.35992	15.6164
10	9.69704	5.74514	16.3673
20	14.9420	9.52656	23.4360
30	20.4082	13.5218	30.8018
40	26.6376	18.0070	39.4048
50	34.1687	23.2444	50.2271
60	43.8290	29.6284	64.8360
70	57.2074	37.9037	86.3424
80	78.1354	49.8167	122.552
90	120.398	71.3312	203.216
91	127.611	74.7611	217.821
92	135.937	78.6512	234.948
93	145.721	83.1352	255.424
94	157.483	88.4124	280.515
95	172.061	94.7988	312.293
96	190.921	102.837	354.453
97	216.963	113.576	414.464
98	257.162	129.466	510.806
99	336.168	158.816	711.573

Minitab Project Report




Percent	HCN	Lower Bound	Upper Bound
1	-9.07722	-14.5627	-3.59176
2	-7.51922	-12.5374	-2.50106
3	-6.53071	-11.2619	-1.79949
4	-5.78709	-10.3084	-1.26580
5	-5.18222	-9.53709	-0.827357
6	-4.66738	-8.88401	-0.450746
7	-4.21596	-8.31426	-0.117669
8	-3.81177	-7.80658	0.183034
9	-3.44418	-7.34707	0.458704
10	-3.10581	-6.92606	0.714439
20	-0.591439	-3.87085	2.68798
30	1.22160	-1.77393	4.21713
40	2.77077	-0.0764324	5.61798
50	4.21875	1.41826	7.01924
60	5.66673	2.81952	8.51393
70	7.21590	4.22037	10.2114
80	9.02894	5.74952	12.3084
90	11.5433	7.72306	15.3636
91	11.8817	7.97880	15.7846
92	12.2493	8.25447	16.2441
93	12.6535	8.55517	16.7518
94	13.1049	8.88825	17.3215
95	13.6197	9.26486	17.9746
96	14.2246	9.70330	18.7459
97	14.9682	10.2370	19.6994
98	15.9567	10.9386	20.9749
99	17.5147	12.0293	23.0002




Percent	HCN	Lower Bound	Upper Bound
1	0.688791	0.372612	1.27326
2	0.820114	0.467493	1.43871
3	0.916133	0.539283	1.55632
4	0.995704	0.600067	1.65219
5	1.06550	0.654212	1.73535
6	1.12875	0.703859	1.81012
7	1.18729	0.750241	1.87892
8	1.24227	0.794137	1.94329
9	1.29449	0.836080	2.00422
10	1.34449	0.876450	2.06246
20	1.78182	1.23408	2.57268
30	2.18301	1.56079	3.05329
40	2.59665	1.88762	3.57199
50	3.05384	2.23163	4.17899
60	3.59154	2.61086	4.94059
70	4.27207	3.05440	5.97517
80	5.23396	3.62501	7.55704
90	6.93645	4.52177	10.6406
91	7.20438	4.65316	11.1544
92	7.50720	4.79907	11.7435
93	7.85487	4.96346	12.4306
94	8.26223	5.15213	13.2498
95	8.75267	5.37410	14.2553
96	9.36621	5.64460	15.5415
97	10.1797	5.99230	17.2933
98	11.3716	6.48217	19.9489
99	13.5396	7.32446	25.0286

Minitab Project Report



Percent Chlorodibromomethane Lower Bound Upper Bound


1	-24.5719	-39.9376	-9.20612
2	-20.2076	-34.2643	-6.15088
3	-17.4386	-30.6916	-4.18565
4	-15.3556	-28.0206	-2.69069
5	-13.6613	-25.8600	-1.46253
6	-12.2191	-24.0306	-0.407580
7	-10.9546	-22.4347	0.525426
8	-9.82241	-21.0126	1.36775
9	-8.79272	-19.7254	2.13995
10	-7.84488	-18.5461	2.85631
20	-0.801688	-9.98791	8.38453
30	4.27695	-4.11405	12.6680
40	8.61646	0.640937	16.5920
50	12.6725	4.82784	20.5172
60	16.7285	8.75301	24.7041
70	21.0680	12.6770	29.4591
80	26.1467	16.9605	35.3329
90	33.1899	22.4887	43.8911
91	34.1377	23.2051	45.0704
92	35.1674	23.9773	46.3576
93	36.2996	24.8196	47.7797
94	37.5641	25.7526	49.3756
95	39.0063	26.8075	51.2050
96	40.7006	28.0357	53.3656
97	42.7836	29.5307	56.0366
98	45.5526	31.4959	59.6093
99	49.9169	34.5511	65.2826



Percent Chlorodibromomethane Lower Bound Upper Bound


1	0.213478	0.0569302	0.800504
2	0.310732	0.0927419	1.04111
3	0.394299	0.126108	1.23285
4	0.471671	0.158680	1.40203
5	0.545676	0.191088	1.55825
6	0.617744	0.223651	1.70626
7	0.688725	0.256562	1.84884
8	0.759174	0.289945	1.98777
9	0.829482	0.323892	2.12429
10	0.899943	0.358472	2.25930
20	1.64939	0.748443	3.63487
30	2.55296	1.24047	5.25416
40	3.70811	1.86731	7.36361
50	5.25621	2.67685	10.3210
60	7.45061	3.75192	14.7955
70	10.8218	5.25826	22.2720
80	16.7502	7.60074	36.9136
90	30.6994	12.2284	77.0707
91	33.3072	13.0056	85.2991
92	36.3918	13.8988	95.2860
93	40.1143	14.9432	107.685
94	44.7235	16.1919	123.530
95	50.6303	17.7300	144.581
96	58.5741	19.7055	174.110
97	70.0679	22.4096	219.081
98	88.9116	26.5368	297.899
99	129.417	34.5129	485.291

Minitab Project Report



Percent Dichlorobromomethane Lower Bound Upper Bound


1	-53.2649	-85.6575	-20.8724
2	-44.0646	-73.6977	-14.4316
3	-38.2273	-66.1660	-10.2887
4	-33.8362	-60.5352	-7.13717
5	-30.2643	-55.9805	-4.54810
6	-27.2241	-52.1240	-2.32415
7	-24.5584	-48.7595	-0.357277
8	-22.1716	-45.7616	1.41843
9	-20.0009	-43.0481	3.04630
10	-18.0027	-40.5620	4.55646
20	-3.15497	-22.5205	16.2105
30	7.55133	-10.1378	25.2404
40	16.6995	-0.113767	33.5127
50	25.25	8.71266	41.7873
60	33.8005	16.9873	50.6138
70	42.9487	25.2596	60.6378
80	53.6550	34.2895	73.0205
90	68.5027	45.9435	91.0620
91	70.5009	47.4537	93.5481
92	72.6716	49.0816	96.2616
93	75.0584	50.8573	99.2595
94	77.7241	52.8241	102.624
95	80.7643	55.0481	106.481
96	84.3362	57.6372	111.035
97	88.7273	60.7887	116.666
98	94.5646	64.9316	124.198
99	103.765	71.3724	136.157



Percent Dichlorobromomethane Lower Bound Upper Bound


1	0.165597	0.0336095	0.815915
2	0.260475	0.0605587	1.12036
3	0.347196	0.0877432	1.37384
4	0.430986	0.115773	1.60443
5	0.513847	0.144874	1.82254
6	0.596813	0.175165	2.03342
7	0.680508	0.206721	2.24018
8	0.765361	0.239598	2.44483
9	0.851684	0.273843	2.64883
10	0.939725	0.309498	2.85328
20	1.95193	0.752327	5.06432
30	3.30657	1.38409	7.89936
40	5.18771	2.26719	11.8703
50	7.90308	3.50113	17.8396
60	12.0397	5.26175	27.5489
70	18.8893	7.90681	45.1263
80	31.9984	12.3331	83.0206
90	66.4648	21.8902	201.806
91	73.3355	23.5797	228.082
92	81.6069	25.5472	260.681
93	91.7824	27.8811	302.140
94	104.654	30.7160	356.570
95	121.551	34.2701	431.124
96	144.920	38.9290	539.494
97	179.895	45.4628	711.835
98	239.787	55.7489	1031.37
99	377.172	76.5505	1858.37

Minitab Project Report



Percent Bis(2-ethylhexyl)phthalate Lower Bound Upper Bound

1	-21.9067	-33.5087	-10.3046
2	-18.6114	-29.2251	-7.99775
3	-16.5207	-26.5274	-6.51389
4	-14.9479	-24.5107	-5.38510
5	-13.6685	-22.8793	-4.45778
6	-12.5796	-21.4980	-3.66122
7	-11.6249	-20.2930	-2.95675
8	-10.7700	-19.2192	-2.32075
9	-9.99249	-18.2473	-1.73769
10	-9.27682	-17.3568	-1.19680
20	-3.95880	-10.8949	2.97733
30	-0.124128	-6.45983	6.21157
40	3.15246	-2.86953	9.17444
50	6.215	0.291826	12.1382
60	9.27754	3.25556	15.2995
70	12.5541	6.21843	18.8898
80	16.3888	9.45267	23.3249
90	21.7068	13.6268	29.7868
91	22.4225	14.1677	30.6773
92	23.2000	14.7507	31.6492
93	24.0549	15.3867	32.7230
94	25.0096	16.0912	33.9280
95	26.0985	16.8878	35.3093
96	27.3779	17.8151	36.9407
97	28.9507	18.9439	38.9574
98	31.0414	20.4277	41.6551
99	34.3367	22.7346	45.9387



Percent Bis(2-ethylhexyl)phthalate Lower Bound Upper Bound

1	0.127809	0.0397408	0.411043
2	0.178096	0.0611715	0.518515
3	0.219825	0.0802618	0.602070
4	0.257544	0.0983325	0.674537
5	0.292950	0.115886	0.740551
6	0.326895	0.133178	0.802391
7	0.359880	0.150358	0.861372
8	0.392229	0.167524	0.918336
9	0.424167	0.184747	0.973861
10	0.455860	0.202075	1.02837
20	0.778707	0.387325	1.56557
30	1.14565	0.605356	2.16819
40	1.59342	0.868970	2.92183
50	2.16894	1.19465	3.93778
60	2.95232	1.61005	5.41363
70	4.10619	2.16968	7.77110
80	6.04114	3.00484	12.1456
90	10.3196	4.57451	23.2798
91	11.0906	4.83055	25.4634
92	11.9937	5.12261	28.0812
93	13.0718	5.46138	31.2873
94	14.3908	5.86283	35.3233
95	16.0583	6.35240	40.5940
96	18.2659	6.97409	47.8405
97	21.4001	7.81351	58.6117
98	26.4142	9.07259	76.9032
99	36.8070	11.4447	118.374