

3152 Shad Court
Simi Valley, CA 93063
October 15, 2008

Ms. Tracy J. Egoscue, Executive Officer
LARWQCB
320 W. 4th Street, Suite 200
Los Angeles, CA 90013

Re: TENTATIVE AMENDMENT, COPPER WATER EFFECTS RATIO (WER)
FOR WASTE DISCHARGE REQUIREMENTS (WDRs) AND NATIONAL
POLLUTANT DISCHARGE ELIMINATION (NPDES) PERMIT - CITY
OF SAN BUENAVENTURA, VENTURA WATER RECLAMATION
FACILITY (NPDES NO. CA0053651, CI NO. 1822).

Dear Ms. Egoscue:

I am opposed to changing the copper WER of 1.58 applied
to the final limits for copper in the Regional Board's
March 6, 2008 Order No. R4-2008-0011.

Ms. Egoscue, please note that the entity "Ventura County
Department of Public Works, Flood Control and Drainage"
included on the Mailing List, on Page 3, in Blythe Ponak
Bacharowski's October 14, 2008 letter to Mr. Dan Pfeifer
(Utility Manager of the City of San Buenaventura) is
incorrect. The name of the entity is the Ventura County
Public Works Agency. I was surprised to see the error
since the Cities of Simi Valley and Thousand Oaks, and the
Camarillo Sanitary District's Plants' NPDES Permits' Board
public hearings' cancellation notices had finally made the
change. I would have enclosed a copy of these letters, but
the information is no longer posted on the Board's Website.

Sincerely,



Mrs. Teresa Jordan