

Los Angeles Regional Water Quality Control Board

Mr. Sree Kumar  
County of Los Angeles  
Department of Public Works  
900 S. Fremont Avenue  
Alhambra, CA 91803

VIA CERTIFIED MAIL  
RETURN RECEIPT REQUESTED  
No. 7012 3460 0001 6366 0199

**TECHNICALLY CONDITIONED WATER QUALITY CERTIFICATION FOR PROPOSED BOUQUET CANYON RESTORATION PROJECT (Corps' Project No. 2014-00612-BLR), BOUQUET CANYON, CITY OF SANTA CLARITA, LOS ANGELES COUNTY (File No. 14-099)**


Dear Mr. Kumar:

Board staff has reviewed your request on behalf of County of Los Angeles Department of Public Works (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on October 24, 2014.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

**Please read this entire document carefully.** The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo Zara, P.G., Lead, Section 401 Program, at (213) 576-6759.



Samuel Unger, P.E.  
Executive Officer

11-17-14  
Date

## DISTRIBUTION LIST

Jemellee Cruz (via electronic copy)  
County of Los Angeles  
Department of Public Works  
900 S. Fremont Avenue,  
Annex Building 2<sup>nd</sup> floor  
Alhambra, CA 91803

Bill Orme (via electronic copy)  
State Water Resources Control Board  
Division of Water Quality  
P.O. Box 944213  
Sacramento, CA 94244-2130

Bonnie Rogers (via electronic copy)  
U.S. Army Corps of Engineers  
Regulatory Branch, Los Angeles District  
915 Wilshire Blvd., Suite 1101  
Los Angeles, CA 90017

Matt Chirdon (via electronic copy)  
California Department of Fish and Wildlife  
Streambed Alteration Team  
3883 Ruffin Rd. Suite A  
San Diego, CA. 92123-4813

Paul Amato (via electronic copy)  
U.S. Environmental Protection Agency, Region 9  
75 Hawthorne Street  
San Francisco, CA 94105

Jim Bartel  
U.S. Fish and Wildlife Service  
6010 Hidden Valley Road  
Carlsbad, CA 92011

**ATTACHMENT A**

**Project Information  
File No. 14-099**

1. Applicant: Sree Kumar  
County of Los Angeles  
Department of Public Works  
900 S. Fremont Ave.  
Alhambra, CA 91803  
Phone: (626) 458-4145 Fax: (626) 458-4150

2. Applicant's Agent: Jemellee Cruz  
County of Los Angeles  
Department of Public Works  
900 S. Fremont Ave.  
Alhambra, CA 91803  
Phone: (626) 458-4170 Fax: (626) 458-4150

3. Project Name: Bouquet Canyon Restoration

4. Project Location: Santa Clarita, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
34.450908	118.502016
34.451184	118.501120
34.450792	118.500944
34.450557	118.501838
34.451098	118.501422
34.451047	118.500928
34.450713	118.501263
34.450735	118.501914

5. Type of Project: Channel repairs

6. Project Purpose: Bouquet Canyon Channel (Reach 67) is one of the earthen-bottom channels maintained by the Los Angeles County Flood Control District (LACFCD). Damages to the concrete side slope and invert have recently been identified and require immediate restoration.

7. Project Description: Bouquet Canyon Channel (Reach 67) is an existing earthen-bottom channel maintained as part of the Los Angeles County Flood Control District's (LACFCD) soft-bottom channel (SBC)

## ATTACHMENT A

### Project Information

File No. 14-099

maintenance program. LACFCD's SBC maintenance program is included in regional, federal, and state permits for maintenance and minor repairs of SBCs on an annual basis; however the recently identified damages to the concrete side slope and invert are not currently included in permitted activities and require immediate restoration. LACFCD will repair the damage and restore the channel to "as-built" condition to maintain the channel's design capacity and prevent further erosion, voids, and potential failure of the banks adjacent to the residential communities.

The damage consists of cracked concrete surrounding a 2.5-foot square hole and a 10-foot wide by 50-foot long void behind the hole. Additionally, there is 15-foot wide scour for a length of approximately 91 feet along the invert where the concrete stabilizer transitions to earth-bottom channel adjacent to the aforementioned hole and void. The scoured section is approximately 6 to 8-inches deep. LACFCD will repair the damage and restore the channel to "asbuilt" conditions to maintain the channel's design capacity and prevent further erosion, voids, and potential failure of the banks adjacent to the residential communities.

Repairs will take place on the concrete-lined side slope, where cracked concrete surrounds a 2.5-foot square hole, as well as along scouring on the invert where the concrete stabilizer transitions to earth-bottom channel adjacent to the aforementioned hole and void. The damaged concrete, measuring a total of 4-foot-wide by 6-foot-long will be removed using a concrete drill and new steel will be doweled into the existing concrete to replace the damaged steel. Six holes will be cored into the side slope above the damaged area to fill the void with approximately 93 cubic yards of two-sack slurry cement via gravity. A steel plate will be fastened over the damaged concrete to prevent spillage of fill material. The 15-foot-wide by 91-foot-long scoured area along the invert will be restored with approximately 354 cubic yards of riprap (20-inch diameter rock), to prevent future scouring.

Crews will place a sand bag berm water diversion along the invert to allow the immediate area upstream and downstream of the site to be dewatered and an expanded site survey will be performed to assess for any further damage not observed while water was present. The damaged concrete measuring a total of 4-foot wide by 6-foot long will then be removed using a concrete drill and new steel will

## ATTACHMENT A

### Project Information

File No. 14-099

be doweled into the existing concrete to replace the damaged steel. Silt fencing and absorbent booms will be hand placed around the damaged side slope to contain all debris within the work site. Six holes will be cored into the side slope above the damaged area to fill the void with approximately 93 cubic yards of two sack slurry cement via gravity; and a steel plate will be fastened over the damaged concrete to prevent spillage of fill material. All material will be hauled to the site using a 25 ton off road truck and placed using an excavator with a thumb attachment.

8. Federal Agency/Permit: U.S. Army Corps of Engineers  
Permit No. 2014-00612-BLR
9. Other Required Regulatory Approvals: California Department of Fish and Wildlife  
Streambed Alteration Agreement
10. California Environmental Quality Act Compliance: The proposed project is Categoricaly Exempt from CEQA pursuant to the CEQA Guidelines, Section 15301 Existing Facility.
11. Receiving Water: Bouquet Canyon Channel (Hydrologic Unit Code: 180701020401)
12. Designated Beneficial Uses: MUN\*, IND, PROC, AGR, GWR, FRSH, REC-1, REC-2, WARM, COLD, WILD, SPWN, WET
- \*Conditional beneficial use
13. Impacted Waters of the United States: Non-wetland waters (unvegetated streambed): 0.141 temporary acres (175 linear feet) and 0.032 permanent acres
14. Dredge Volume: None
15. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- To minimize impact, a sandbag berm will be utilized to divert water from the worksite

## ATTACHMENT A

### Project Information

File No. 14-099

- Additionally, a water truck will be used for dust control, a silt fence will be installed by hand around the work area to secure any debris from moving beyond the worksite, and a steel plate will be fastened over the damaged concrete using bolts embedded into the concrete to seal the opening to prevent spillage of fill material during repair.
- Work will be performed outside of nesting bird season and storm events.
- To minimize impacts on both nesting birds and potential sensitive fish species, LACFCD proposes to conduct maintenance repair work after September 1 during the scheduled 2014-2015 SBC vegetation clearing activities.
- Prior to start of work, pre-construction biological surveys will be performed by qualified biologists to confirm presence/absence/ of potential special status wildlife and/or plant species. If present, the biologist will perform trapping of wildlife species prior to and/or flag special status plant species for avoidance during construction. Biological monitoring will be available on site if needed.

17. Proposed  
Compensatory  
Mitigation:

The Applicant has not proposed any additional compensatory mitigation.

18. Required  
Compensatory  
Mitigation:

The Applicant is proposing to repair the damaged sections of the concrete portion of the channel (in kind) and no additional compensatory mitigation will be required.  
See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

## ATTACHMENT B

### Conditions of Certification File No. 14-099

#### STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

#### ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Wildlife's (CDFW) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFW's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

## ATTACHMENT B

### Conditions of Certification File No. 14-099

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit for further information regarding the disposal of solid wastes.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the



## ATTACHMENT B

### Conditions of Certification

File No. 14-099

target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2011-0002-DWQ and 2004-0009-DWQ.

14. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
15. If rain is predicted after operations have begun, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
16. The grading, stabilization and re-vegetation will be phased to limit the exposed or working face such that the graded area can be stabilized within 24 hours after the first prediction of rain during the 5-day forecast or within 24 hours after final grading of the phased area.
17. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
18. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge (ROWD)** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.
19. All project/ maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
20. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan (plan)** to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls,

## ATTACHMENT B

### Conditions of Certification File No. 14-099

and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:

- pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

21. The Applicant shall restore **all areas** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years.
22. The Applicant shall submit to this Regional Board a **Final Mitigation Monitoring Report** (Annual Reports) by **January 1<sup>st</sup>** of the year following project completion. The Report shall describe in detail all of the project/construction activities performed during the previous year and all restoration efforts; including percent survival by plant species and percent cover. At a minimum the Annual Reports shall include the following documentation:
  - (a) Color photo documentation of the pre- and post-project site conditions;
  - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;

## ATTACHMENT B

### Conditions of Certification

File No. 14-099

- (c) The overall status of project including a detailed schedule of whether or not work has begun on the Project;
  - (d) Copies of all permits revised as required in Additional Condition 1;
  - (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
  - (f) A certified Statement of “no net loss” of wetlands associated with this project;
  - (g) Discussion of any monitoring activities and exotic plant control efforts; and
  - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
23. Prior to any subsequent maintenance activities within the subject drainages/basin, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the drainage’s/basin’s existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (d) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (e) any proposed compensatory mitigation. Notifications must be submitted a minimum of **three (3) weeks** prior to commencing work activities.
24. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
  - (b) For a partnership, by a general partner.
  - (c) For a sole proprietorship, by the proprietor.
  - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
25. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

“I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the

**ATTACHMENT B**

**Conditions of Certification  
File No. 14-099**

person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the \_\_\_\_\_ day of \_\_\_\_\_ at \_\_\_\_\_.

\_\_\_\_\_  
\_\_\_\_\_  
(Signature)  
(Title)"

26. All communications regarding this project and submitted to this Regional Board shall identify the Project **File Number 14-099**. Submittals shall be sent to the attention of the 401 Certification Unit.
27. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
28. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. R4-2012-0175. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2012-0011-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
29. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
30. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.

## ATTACHMENT B

### Conditions of Certification File No. 14-099

31. *Enforcement:*

- (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.

32. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application at least 90 days prior to termination of this Certification if renewal is requested.

