

Sustainable Groundwater Management Through Existing Basin Adjudication – Four ULARA Groundwater Basins

Presented at: The Forum on Groundwater Management UCS Center for Sustainable Cities & The Regional Water Quality Control Board – Los Angeles November 17, 2015

> Presented By: Richard C. Slade ULARA Watermaster and President and Principal Groundwater Geologist Richard C. Slade & Associates LLC Consulting Groundwater Geologists



Key Topics

- 1. ULARA Defined
- 2. Key Components of ULARA Judgment
- 3. Basic Data for ULARA Groundwater Basins
- 4. Active Groundwater Management Items

ULARA

Topic No. 1 ULARA Defined

- A. An area created by adjudication in the case of City of Los Angeles vs. City of San Fernando, et al; Final Judgment, 1/26/79
- B. Watershed & Basins in the upper portion of the Los Angeles River and its Tributaries, above Gage F-57C
- C. Four ULARA Groundwater Basins (Valley Fill Areas)
 - San Fernando
 - Sylmar
 - Verdugo
 - Eagle Rock

Total Area of ULARA = 328,500 ac (513 mi²) Total Area of Hills/Mountains = 205,700 ac (321 mi²) Total Area of Valley Fill (VF) = 122,800 ac (192 mi²)





Topic No. 2 Key Components of ULARA Judgment

- Final Superior Court Judgment dated 1/26/79
- Created 5 Principal Parties to Judgment:
 - <u>City of Burbank</u>, pumping from San Fernando Basin (SFB) only
 - <u>City of Glendale</u>, SFB & Verdugo Basin (VB)
 - <u>City of Los Angeles</u>, SFB & Sylmar Basin (SB)
 - <u>City of San Fernando</u>, SB only
 - Crescenta Valley Water District, VB only
- Created 4 Distinct Groundwater Basins
- Defined Safe Yields for Annual Pumping by Parties
- Established a Court-appointed Watermaster

Topic No. 3 Basic Information for ULARA Groundwater Basins


- San Fernando Basin
- Sylmar Basin
- Verdugo Basin
- Eagle Rock Basin




- 112,800 acres (91.2% of total VF) = 175 mi²
- Burbank, Glendale & Los Angeles wellfields
 - Safe Yield Value (90,680 AF/yr)
- Basin


San Fernando.

- VOCs (1979); Cr6; 1,4-Dioxane; NO3
- EPA Involvement and Superfund sites










ncentration contours based on the most recent analytical results available to the U.S. EPA from around water




Sylmar Basin

- 5,600 Acres (4.6% of Total VF) = 8.7 mi²
- Los Angeles &
 San Fernando wellfields
- Ongoing safe yield evaluations (6210 -> 7140 AF/yr, 50:50 split)
- VOCs & NO₃



Verdugo Basin


- 4,400 Acres (3.6% of total VF) = 6.9 mi²
- CVWD & Glendale wells; No Los Angeles wells
- Safe Yield Value per Judgment (7150 AF/yr; split 50:50)
- NO₃ & MTBE





Eagle Rock Basin

- 800 Acres (0.6% of total VF) = 1.2 mi²
- No municipalsupply water wells
- No measurable native Safe Yield Value per Judgment
- No major water quality problems



Topic No. 4 Active Groundwater Management Items

- Create Annual Watermaster Report
 - Plot Water Levels in Key Wells
 - Tabulate Total Pumping by Each Party
 - Calculate Annual Change in Groundwater in Storage
 - Account for Basin Imports/Exports and Recycled Water Use
- Attend Regular Hearings with Superior Court Judge
- Hold Regular A/C Meetings with the 5 Parties
- Track Water Levels & Serve as M.E. for CASGEM
- Prepare Annual 5-year Pumping & Spreading Plan



Topic No. 4 (cont)

Active Groundwater Management Items

- Work with EPA OUs & RWQCB (e.g., SNMP)
- Evaluate data from numerous new multiport groundwater monitoring wells in SFB, by LADWP & others
- Support artificial recharge activities by LADWP & LAPWD
- Assess LIDs in LA
- Develop electronic database for subsurface data (e.g., Elogs)
- Develop ULARA Website (all prior Watermaster reports, Report of Referee, SNMP updates, etc)



Contact Information

Richard C. Slade Richard C. Slade & Associates LLC (818) 506-0418

Slade @ULARAwatermaster.com http://www.ularawatermaster.com/