



EDMUND G. BROWN JR.  
GOVERNOR

MATTHEW RODRIGUEZ  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

---

## Los Angeles Regional Water Quality Control Board

April 28, 2017

Mr. Kirk Gribben  
Alcoa Corporate Center  
201 Isabella Street  
Pittsburgh, Pennsylvania 15212

Mr. Curtis Mello  
Heraeus Precious Metals North America  
15536 Carmenita Road  
Santa Fe Springs, California 90670

Mr. Steven H. Lyverse  
Hillerich & Bradsby Co.  
800 West Main Street  
Louisville, Kentucky 40202

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS  
– ALONDRA INDUSTRIAL PARK, NORTHEAST CORNER OF ALONDRA BOULEVARD  
AND CARMENITA ROAD, SANTA FE SPRINGS, CALIFORNIA (FILE NO. 14-067, ORDER  
NO. R4-2014-0187, SERIES NO. 011, CI-10066, GLOBAL ID. WDR 100018334)**


Dear Messrs. Gribben, Mello, and Lyverse:

On November 19, 2014, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2014-0187, which specifies your Waste Discharge Requirements (WDR).

In the letter dated April 25, 2017, you requested termination of the WDR coverage under Regional Board Order No. R4-2014-0187 because injections of sodium lactate and bioaugmentation organisms were completed in February 2016 and no additional injection activities are planned in the future. Therefore, the WDR is no longer needed. The coverage under Regional Board Order No. R4-2014-0187 for the subject site is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 ([ann.chang@waterboards.ca.gov](mailto:ann.chang@waterboards.ca.gov)), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 ([eric.wu@waterboards.ca.gov](mailto:eric.wu@waterboards.ca.gov)).

Sincerely,



Samuel Unger, P.E.  
Executive Officer

cc: Mr. Jeremy Squire, Murex Environmental, Inc.