
Los Angeles Regional Water Quality Control Board

May 25, 2018

Ms. Heather A. Tomley
Director of Environmental Planning
Port of Long Beach
4801 Airport Plaza Drive
Long Beach, CA 90815

ORDER FOR TERMINATION OF WASTE DISCHARGE REQUIREMENTS

Dear Ms. Tomley,

Reference is made to our letter issued on March 30, 2018, which transmitted a copy of the tentative Board order for terminating the waste discharge requirements for the following completed dredging project: Order No. R4-2015-0027 for the Port of Long Beach Inner Harbor Turning Basin Dredging project (File No. 14-110).

In accordance with the California Water Code, this Board, at a public meeting held on May 10, 2018, reviewed the tentative requirements, considered all factors in these cases and adopted Order No. R4-2018-0070 relative to these waste discharges (copy enclosed).

Should you have any questions, please telephone me at (213) 576-6681.

Sincerely,



Jun J. Zhu, Ph.D.
Senior Environmental Scientist

Enclosures

Termination of Waste Discharge Requirements

cc: Elizabeth Payne, Water Quality Certification Unit, SWRCB
David Coupe, Office of Chief Counsel, SWRCB
Larry Simon, California Coastal Commission
Theresa Stevens, U.S. Army Corps of Engineers
Szijj, Antal, U.S. Army Corps of Engineers
Allan Ota, U.S. Environmental Protection Agency
Melissa Scianni, U.S. Environmental Protection Agency
Carol Roberts, U.S. Fish and Wildlife Service
Bryan Chesney, National Marine Fisheries Service
William Paznokas, California Department of Fish and Wildlife
Annalisa Moe, Heal the Bay
James Vernon, Port of Long Beach
Janna Morimoto, Port of Long Beach

STATE OF CALIFORNIA
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

ORDER NO. R4-2018-0070

TERMINATING WASTE DISCHARGE REQUIREMENTS
FOR DISCHARGES TO LAND/GROUNDWATER

The California Regional Water Quality Control Board, Los Angeles Region (Regional Board) finds:

1. The Regional Board adopted Order No. R4-2015-0027 for the Port of Long Beach Inner Harbor Turning Basin Dredging project on February 12, 2015. These WDRs authorized dredging of up to 50,000 cubic yards of material in connection with maintenance dredging operations at the Turning Basin and approach to the Turning Basin in Long Beach Harbor. The dredged material was approved for disposal within the Port of Long Beach Middle Harbor fill site. The Port of Long Beach notified the Regional Board on January 31, 2018, that the project has been completed and requested termination of the WDRs.
2. The Regional Board finds that the requirements in the aforementioned WDRs are no longer applicable and should be terminated, except for enforcement purposes.

This Regional Board has notified the Discharger and interested agencies and persons of its intent to consider termination of Order No: R4-2015-0027 and has provided them with an opportunity to submit their written views and recommendations. This Regional Board, in a public hearing, heard and considered all comments and testimony pertinent to the Termination Order.

The Executive Officer of this Regional Board, is authorized, and she is hereby directed, to certify and submit copies of this Order to the Discharger, and to such individuals and governmental agencies as may be needed or required.

I, Deborah J. Smith, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Los Angeles Region on May 10, 2018.



Deborah J. Smith
Executive Officer

Date: May 10, 2018

May 10, 2018