



GAVIN NEWSOM
GOVERNOR



JARED BLUMENFELD
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

March 18, 2019

Mr. Arthur Lenox
The Boeing Company
5800 Woolsey Canyon Road, MC T-487
Canoga Park, California 91304

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– FORMER ROCKETDYNE FACILITY, 21200 VICTORY BOULEVARD, WOODLAND HILLS,
CALIFORNIA (FILE NO. 16-142, ORDER NO. R4-2014-0187, SERIES NO. 088, CI-10290,
GLOBAL ID. WDR100039590)**

Dear Mr. Lenox,

On January 12, 2017, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2014-0187, which specifies your Waste Discharge Requirements (WDR).

In the letter dated March 6, 2019, you requested termination of the WDR coverage under Regional Board Order No. R4-2014-0187 because injection of sodium permanganate was completed in April 2017 and no additional injection activities are planned in the future. Therefore, the WDR is no longer needed. The coverage under Regional Board Order No. R4-2014-0187 for the subject site is hereby terminated except for enforcement purposes.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,


Deborah J. Smith
Executive Officer

cc: Ms. Stacie L. Aichner, JHA Environmental, Inc.

IRMA MUÑOZ, CHAIR | DEBORAH SMITH, EXECUTIVE OFFICER

320 West 4th St., Suite 200, Los Angeles, CA 90013 | www.waterboards.ca.gov/losangeles