

California Regional Water Quality Control Board

Los Angeles Region

Recipient of the 2001 Environmental Leadership Award from Keep California Beautiful

Linda S. Adams Agency Secretary 320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles



Governor

September 11, 2007

Maxwell A. Ocansey, Refinery Manager ExxonMobil Oil Corporation – Torrance Refinery 3700 West 190th Street Torrance, CA 90509 VIA CERTIFIED MAIL RETURNED RECEIPT REQUESTED No. 7002 0860 0001 0651 1814

Dear Mr. Ocansey:

WASTE DISCHARGE REQUIREMENTS – EXXONMOBIL OIL CORPORATION (TORRANCE REFINERY), 3700 WEST 190TH STREET, TORRANCE, CA, NPDES NO.CA0055387, CI NO. 5742.

Our letters dated June 19, 2007, and August 21, 2007, transmitted a tentative order and a revised tentative order for renewal of your permit to discharge wastes under the National Pollutant Discharge Elimination System (NPDES).

Pursuant to Division 7 of the California Water Code, this Regional Board at a public hearing held on September 6, 2007, reviewed the revised tentative requirements, considered all factors in the case, and adopted Order No. R4-2007-0049 (copy attached) relative to this waste discharge. Order No. R4-2007-0049 serves as your permit under the NPDES and expires on August 10, 2012. Section 13376 of the California Water Code requires that an application for a new permit must be filed at least 180 days before the expiration date.

You are required to implement the *Monitoring and Reporting Program* (MRP) on the effective date of Order No. R4-2007-0049. Your first monitoring report for the October reporting period is due by February 1, 2008. All monitoring reports should be sent to the Regional Board, <u>Attn:</u> Information Technology Unit.

When submitting monitoring, technical reports, or any correspondence regarding the discharge under Order No. R4-2007-0049 to the Regional Board, please include a reference to *Compliance File No. CI 5742 and NPDES No. CA00055387*, which will assure that the reports are directed to the appropriate file and staff. Please do not combine your discharge monitoring reports with other reports. Please submit each type of report as a separate document.

We are sending the final copy of the permit only to the Discharger. For those on the mailing list who would like access to a copy of the final permit, please go to the Regional Board's website http://www.waterboards.ca.gov/losangeles/.

California Environmental Protection Agency

If you have any questions, please call Mazhar Ali at (213) 576-6652.

Sincerely,

Cassandra Owens, Chief Industrial Permitting Unit

(assardup, liver)

Enclosures:

cc: Environmental Protection Agency, Region 9, Permits Branch (WTR-5)

U.S. Army Corps of Engineers

NOAA. National Marine Fisheries Service

Department of Interior, U.S. Fish and Wildlife Service

Mr. Philip Isorena, State Water Resources Control Board, Division of Water Quality

Mr. Michael Levy, State Water Resources Control Board, Office of Chief Counsel

Mr. William Paznokas, Department of Fish and Game, Region 5

Department of Health Services, Sanitary Engineering Section

California State Parks and Recreation

California Coastal Commission, South Coast Region

Water Replenishment District of Southern California

Los Angeles County, Department of Public Works, Waste Management Division

Los Angeles County, Department of Health Services

Dr. Mark Gold, Heal the Bay

Mr. Daniel Cooper, Lawyers for Clean Water

Ms. Tracy Egoscue, Santa Monica Baykeeper

Mr. David Beckman, Natural Resources Defense Council

Ms. Martha Rincon, County Sanitation Districts of Los Angeles County

Mr. Jae Kim, Tetra Tech