



California Regional Water Quality Control Board

Los Angeles Region



Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful

Linda S. Adams
Agency Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Arnold Schwarzenegger
Governor

December 13, 2007

Ms. Holly Ebright
Environmental Coordinator
CEMEX Construction Materials, L.P.
P.O. Box 1030
Moorpark, CA 93021

VIA CERTIFIED MAIL
RETURNED RECEIPT REQUESTED
No. 7000 0600 0029 1197 0284

Dear Ms. Ebright:

WASTE DISCHARGE REQUIREMENTS – CEMEX CONSTRUCTION MATERIALS, L.P. (MOORPARK FACILITY), MOORPARK, CA. (NPDES NO. CA0059315, CI NO. 6658)

Our letters dated September 20, 2007, October 29, 2007, and November 19, 2007, transmitted a tentative order and revised tentative orders for renewal of your permit to discharge wastes under the National Pollutant Discharge Elimination System (NPDES).

Pursuant to Division 7 of the California Water Code, this Regional Board at a public hearing held on December 6, 2007, reviewed the revised tentative requirements, considered all factors in the case, and adopted Order No. R4-2007-0060 (copy attached) relative to this waste discharge. Order No. R4-2007-0060 serves as your permit under the NPDES and expires on November 10, 2012. Section 13376 of the California Water Code requires that an application for a new permit must be filed at least 180 days before the expiration date.

You are required to implement the *Monitoring and Reporting Program (MRP)* on the effective date of Order No. R4-2007-0060. Your first monitoring report for the January reporting period is due by May 1, 2008. All monitoring reports should be sent to the Regional Board, Attn: Information Technology Unit.

When submitting monitoring, technical reports, or any correspondence regarding the discharge under Order No. R4-2007-0060 to the Regional Board, please include a reference to *Compliance File No. CI 6658 and NPDES No. CA00059315*, which will assure that the reports are directed to the appropriate file and staff. Please do not combine your discharge monitoring reports with other reports. Please submit each type of report as a separate document.

We are sending the final copy of the permit only to the Discharger. For those on the mailing list who would like access to a copy of the final permit, please go to the Regional Board's website <http://www.waterboards.ca.gov/losangeles/>.


Ms. Holly Ebright
CEMEX Construction Materials, L.P

- 2 -

December 13, 2007

If you have any questions, please call Mazhar Ali at (213) 576-6652.

Sincerely,



Cassandra D. Owens, Chief
Industrial Permitting Unit

Enclosures:

cc: Environmental Protection Agency, Region 9, Permits Branch (WTR-5)
U.S. Army Corps of Engineers
NOAA, National Marine Fisheries Service
Department of Interior, U.S. Fish and Wildlife Service
Mr. Philip Isorena, State Water Resources Control Board, Division of Water Quality
Mr. Michael Levy, State Water Resources Control Board, Office of Chief Counsel
Mr. William Paznokas, Department of Fish and Game, Region 5
Department of Health Services, Sanitary Engineering Section
California State Parks and Recreation
California Coastal Commission, South Coast Region
Water Replenishment District of Southern California
Los Angeles County, Department of Public Works, Waste Management Division
Los Angeles County, Department of Health Services
Dr. Mark Gold, Heal the Bay
Mr. Daniel Cooper, Lawyers for Clean Water
Mr. Tom Ford, Santa Monica Baykeeper
Mr. David Beckman, Natural Resources Defense Council
Ms. Ann Hill, County Sanitation Districts of Los Angeles County
Mr. Jae Kim, Tetra Tech