



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

August 27, 2012

Mr. Myron Wolter
3942 West Sierra Highway
Acton, California 93510

Certified Mail
Return Receipt Required
Claim No. 7006 3450 0002 4641 1702

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT TRACT 48818,
350 N. SIERRA HIGHWAY, ACTON, CALIFORNIA (ORDER NO. 91-94, CI-7083, FILE NO.
91-029, GLOBAL ID. WDR 100000544)**

Dear Mr. Wolter:

On August 30, 1991, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. 91-94 which specifies your Waste Discharge Requirements (WDR).

An invoice dated January 6, 2011, was sent to collect annual permit fees. Since the discharger (Myron Wolter) has not developed the property since the Permit Application Fee in 1991, the coverage for the subject facility, under Regional Board Order No. 91-94, is hereby terminated.

If you have any questions, please contact the Project Manager, Ms. Elizabeth Erickson at (213) 620-2264 or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683.

Sincerely,

A handwritten signature in blue ink that reads "Samuel Unger".

Samuel Unger, P.E.
Executive Officer