

**State of California
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION
320 West 4th Street, Suite 200, Los Angeles**

**FACT SHEET
WASTE DISCHARGE REQUIREMENTS
FOR
KAYVAN NAIMI
(Wilshire Center Project)**

**NPDES NO. CAG994001
CI-8477**

PROJECT LOCATION

12026 Wilshire Boulevard
Santa Monica, CA 90025

FACILITY MAILING ADDRESS

3223 Santa Monica Boulevard
Santa Monica, CA 90404

PROJECT DESCRIPTION

Mr. Kayvan Naimi, the Discharger, proposes to construct an apartment and commercial complex building with three levels of subterranean parking. Dewatering of localized areas may be necessary during the construction activities. The Discharger proposes to extract and store the groundwater in a settling tank. Groundwater from the settling tank will be analyzed prior to discharge into the storm drain.

VOLUME AND DESCRIPTION OF DISCHARGE

The Discharer will discharge up to 86,400 gallons per day of groundwater into the storm drain located at (Latitude 34°02' 41", Longitude 118° 29' 57"). Discharge from the storm drain flows into the Ballona Creek, a water of the United States. The site location map is shown as Attachment 1.

FREQUENCY OF DISCHARGE

The discharge is proposed to begin in October 2002. The discharge will last for approximately six months.

REUSE OF WATER

Some of the groundwater will be used during construction for activities such as dust control and soil compaction. The majority of the groundwater will be discharged to the storm drain.