



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

July 1, 2015

Mr. David Chernik
Playa Capital Company, LLC
12045 Waterfront Drive, Suite 400
Playa Vista, California 90094

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– FORMER TEST SITE 2 AND FORMER FIRE SAFETY TRAINING AREAS OF PLAYA
VISTA PROPERTY, 6775 CENTINELA AVENUE, LOS ANGELES, CALIFORNIA (ORDER
NO. R4-2007-0019, SERIES NO. 110, CI-8609, GLOBAL ID. WDR100001024)**

Dear Mr. Chernik,


On April 27, 2010, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In a letter June 17, 2015, you notified the Regional Board that you ceased injection of lactate amendment solution and emulsified oil at the subject site and requested termination of the WDR.

Since Playa Capital Company, LLC has no plan to inject lactate amendment solution and emulsified oil in the future, the coverage for the subject facility under Regional Board Order No. R4-2007-0019 is hereby terminated, with the exception of enforcement under the terms of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Ms. Barbara Wells, CDM Smith Inc.

CHARLES STRINGER, CHAIR | SAMUEL UNGER, EXECUTIVE OFFICER

320 West 4th St., Suite 200, Los Angeles, CA 90013 | www.waterboards.ca.gov/losangeles