



# California Regional Water Quality Control Board Los Angeles Region



320 West Fourth Street, Suite 200, Los Angeles, California 90013  
(213) 576-6600 • Fax (213) 576-6640  
<http://www.waterboards.ca.gov/losangeles>

Linda S. Adams  
Acting Secretary for  
Environmental Protection

Edmund G. Brown Jr.  
Governor

July 25, 2011

Mr. Paul Weaverling  
International Risk Assumption Downey LLC  
7991 Shaffer Pkwy, Suite 300  
Littleton, CO 80127

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT FORMER NASA INDUSTRIAL PLANT, 12214 LAKEWOOD BL, DOWNEY, CALIFORNIA (ORDER NO. R4-2002-0030, SERIES NO. 047, CI-8724)**


Dear Mr. Weaverling:

In our letter dated June 3, 2010, we informed you that the subject discharge is regulated under Order No. R4-2010-0088 which specifies your Individual Waste Discharge Requirements (WDR).

Due to the issuance of the site specific WDR R4-2010-0088 and its associated monitoring program CI 8724, ARCADIS, on behalf of International Risk Assumption Downey, LLC (IRAD), has requested the termination of General WDR permit, R4-2002-0030 in a letter dated December 30, 2010. The coverage under Board Order No. R4-2002-0030, for the subject facility is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang, at (213) 620-6122 or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683.

Sincerely,

  
\_\_\_\_\_  
Samuel Unger, P.E.  
Executive Officer

Chief Deputy EO  
for

cc: Philip Nicolay, Arcadis