



California Regional Water Quality Control Board

Los Angeles Region



Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful

Linda S. Adams
Agency Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Arnold Schwarzenegger
Governor

November 29, 2006

Ms. Teresa Olmstead
ITT Industries Inc.
1054 N. Tustin Avenue
Anaheim, CA 92807

MODIFICATIONS TO GENERAL WASTE DISCHARGE REQUIREMENTS FOR ITT INDUSTRIES INC. (GROUNDWATER REMEDIATION USING CARBOHYDRATE SOLUTION) - FORMER ITT BARTON FACILITY, 900 S. TURNBULL CANYON ROAD, CITY OF INDUSTRY, CALIFORNIA (FILE NO. 102.0028, SITE NO. 2040015)

Dear Ms. Olmstead:

Los Angeles Regional Water Quality Control Board (Regional Board) staff has reviewed the request to modify the General Waste Discharge Requirements (WDR) for the former ITT Barton Instruments facility in the City of Industry, California. Your consultant, Arcadis Inc., submitted a request for modifications dated March 14, 2006 and a clarification dated April 28, 2006.

The requested modifications are as follows:

1. Replace analyses for acetic acid, propionic acid, lactic acid, and butyric acid with total organic carbon (TOC, by USEPA Method 415.1);
2. Replace carbon dioxide monitoring with light hydrocarbon gas monitoring (dissolved methane, ethane, and propane);
3. Discontinue monitoring for total dissolved solids, nitrate, sulfate, manganese, total iron, chloride, boron, and potassium bromide;
4. Monitor for xanthene dye visually; and
5. Increase injection volume limit from 10,000 to 65,000 gallons per event and from 183,000 to 580,000 gallons total.

Based on a review of the information you submitted, the Regional Board authorizes the above-listed modifications to the WDR.

Enclosed is the revised Monitoring and Reporting Program (MRP) No. CI-8938. This revised MRP supersedes the MRP previously sent to you on July 26, 2005. You are required to implement the attached "Monitoring and Reporting Program, Revision 1" on the effective date of this letter (October 3, 2006) under Regional Board Order No. R4-2005-0030. All monitoring reports shall be sent to the Regional Board per these requirements. Please include a reference to "Compliance File No. CI-8938" which will assure that the reports are directed to the appropriate file and staff. Submit each type of report as a separate document. Please do not combine other reports with your monitoring reports.

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.


Ms. Teresa Olmstead
ITT Industries, Inc.

November 29, 2006

Please refer to the Board Order No. R4-2005-0030 previously sent to you, or it can be obtained at our web site address: http://www.swrcb.ca.gov/~rwqcb4/html/permits/general_permits.html, or a copy can be furnished upon request.

If you have any questions, please contact Don Indermill at (213) 576-6811 or Dixon Oriola at (213) 576-6803.

Sincerely,



Jonathan S. Bishop
Executive Officer

Enclosure: Monitoring and Reporting Program No. CI-8938 (Revision 1)
 Standard Provisions Applicable to Waste Discharge Requiriements

cc. Mr. Jeffrey Friedman, Arcadis, Inc.

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

STATE OF CALIFORNIA
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

MONITORING AND REPORTING PROGRAM NO. CI-8938 (Revision 1)
FOR
ITT INDUSTRIES, INC.
(FORMER ITT BARTON INSTRUMENTS FACILITY)
CITY OF INDUSTRY, CA

ENROLLMENT UNDER REGIONAL BOARD
ORDER NO. R4-2005-0030 (Series No. 023)
FILE NO. 102.0028

I. REPORTING REQUIREMENTS

- A. The Discharger shall implement this monitoring program on the effective date of this enrollment (November 29, 2006) under Regional Board Order No. R4-2005-0030. The first monitoring report under this Program is due by January 15, 2007.

Monitoring reports shall be received by the dates in the following schedule:

<u>Reporting Period</u>	<u>Report Due</u>
July — December 2006	January 15, 2007
January — June 2007	July 15, 2007
July — December 2007	January 15, 2008
January — June 2008	July 15, 2008
July — December 2008	January 15, 2009

- B. If there is no discharge or injection during any reporting period, the report shall so state. Monitoring reports must be addressed to the Regional Board, Attention: Information Technology Unit.
- C. By March 31 of each year, the Discharger shall submit an annual summary report to the Regional Board. The report shall contain both tabular and graphical summaries of the monitoring data obtained during the previous calendar year. In addition, the Discharger shall discuss the compliance record and the corrective actions taken or planned, which may be needed to bring the discharge into full compliance with the waste discharge requirements.
- D. Each monitoring report shall contain a separate section titled "Summary of Non-Compliance" which discusses the compliance record and the corrective actions taken or planned that may be needed to bring the discharge into full compliance with waste discharge requirements. This section shall be located at the front of the report and shall clearly list all non-compliance with discharge requirements, as well as all excursions of effluent limitations.
- E. The Discharger shall comply with requirements contained in Section G of Order No. R4-2005-0030 "*Monitoring and Reporting Requirements*" in addition to the

aforementioned requirements.

II. CARBOHYDRATE SOLUTION GROUNDWATER INJECTION MONITORING REQUIREMENTS

The semi-annual reports shall contain the following information regarding injection activities:

1. Location Map showing the injection points for the carbohydrate solution;
2. Written summary defining:
 - Depth of injection points;
 - Quantity of carbohydrate solution injected per injection point and per vertical spacing at each point; and
 - Total amount of carbohydrate solution injected.
3. The proposed tracer test, including the location, and the submittal of daily logs to record compounds injected, concentration, volume, duration, and field parameters.

III. GROUNDWATER MONITORING PROGRAM

A groundwater-monitoring program shall be designed to detect and evaluate impacts associated with the injection activities (carbohydrate solution injection and one-time tracer solution injection). The following shall constitute the monitoring program for; well MW-6 (upgradient well of injection point), wells MW-9 and MW-10 (downgradient of injection point), also MW-7 and MW-8 (in the treatment area) (Figure 2). These sampling stations shall not be changed and any proposed change of monitoring locations shall be identified and approved by the Executive Officer prior to their use. The Discharger shall conduct baseline sampling prior to carbohydrate solution injection and regular sampling with the required frequencies of the monitoring wells mentioned above for the following groundwater parameters:

<u>CONSTITUENT</u>	<u>UNITS¹</u>	<u>TYPE OF SAMPLE</u>	<u>MINIMUM FREQUENCY OF ANALYSIS²</u>
pH	pH units	grab	Semi-annual
Temperature	^o F	grab	Semi-annual
Oxidation-reduction potential	millivolts	grab	Semi-annual
Specific conductivity	µmhos/cm	grab	Semi-annual

µg/L: micrograms per liter; µmhos/cm: microohms per centimeter, °F: degree Fahrenheit

Ferrous iron	µg/L	grab	Semi-annual
Dissolved Oxygen	µg/L	grab	Semi-annual
Acetone	µg/L	grab	Semi-annual
Tetrachloroethene	µg/L	grab	Semi-annual
Trichloroethene	µg/L	grab	Semi-annual
Cis-1,2-dichloroethene	µg/L	grab	Semi-annual
Trans-1,2-dichloroethene	µg/L	grab	Semi-annual
1,1-dichloroethene	µg/L	grab	Semi-annual
1,2-dichloroethane	µg/L	grab	Semi-annual
1,1,1-trichloroethane	µg/L	grab	Semi-annual
Carbon tetrachloride	µg/L	grab	Semi-annual
1,2,4-trimethylbenzene	µg/L	grab	Semi-annual
1,1,1,2-trichloroethane	µg/L	grab	Semi-annual
Vinyl chloride	µg/L	grab	Semi-annual
Benzene	µg/L	grab	Semi-annual
Ethylbenzene	µg/L	grab	Semi-annual
Toluene	µg/L	grab	Semi-annual
Total xylenes	µg/L	grab	Semi-annual
Sulfide	µg/l	grab	Semi-annual
Total organic carbon	µg/L	grab	Semi-annual
methane	µg/L	grab	Semi-annual
ethane	µg/L	grab	Semi-annual
ethene	µg/L	grab	Semi-annual
Green/yellow xanthene dye	µg/L	grab	Semi-annual

All groundwater monitoring reports must include, at minimum, the following:

- a. Well identification, date and time of sampling;
- b. Sampler identification, and laboratory identification;
- c. Quarterly observation of groundwater levels first the first year and semi-annual thereafter, recorded to 0.01 feet mean sea level and groundwater flow

direction.

IV. MONITORING FREQUENCIES

Specifications in this monitoring program are subject to periodic revisions. Monitoring requirements may be modified or revised by the Executive Officer based on review of monitoring data submitted pursuant to this Order. Monitoring frequencies may be adjusted to a less frequent basis or parameters and locations dropped by the Executive Officer if the Discharger makes a request and the request is backed by statistical trends of monitoring data submitted.

V. CERTIFICATION STATEMENT

Each report shall contain the following completed declaration:

"I certify under penalty of law that this document, including all attachments and supplemental information, was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment.

Executed on the ____ day of _____ at _____.

(Signature)

(Title)"

All records and reports submitted in compliance with this Order are public documents and will be made available for inspection during business hours at the office of the California Regional Water Quality Control Board, Los Angeles Region, upon request by interested parties. Only proprietary information, and only at the request of the Discharger, will be treated as confidential.

Ordered by:


Jonathan S. Bishop
Executive Officer

Date: November 29, 2006