



Dr. Alan Lloyd
Agency Secretary

California Regional Water Quality Control Board

Los Angeles Region

Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful



Arnold Schwarzenegger
Governor

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

February 16, 2006

Dr. George Kallins, M.D.
15747 South Woodruff Avenue
Bellflower, CA 90706

GENERAL WASTE DISCHARGE REQUIREMENTS (ORDER NO. R4-2005-0030, SERIES NO. 033, MRP NO. CI-8996), POTASSIUM PERMANGANATE INJECTION – FREMONT CLEANERS, 690 VENTURA ROAD, OXNARD, CALIFORNIA (SLIC NO. 842, SITE ID NO. 2044W00)

Dear Dr. Kallins:

Los Angeles Regional Water Quality Control Board (Regional Board) staff have completed our review of your application for coverage under General Waste Discharge Requirements (WDR) for the injection of a potassium permanganate solution into soil and groundwater for as part of a remediation pilot test. We have determined that the proposed discharge meets the conditions specified in Regional Board Order No. R4-2005-0030, “*Revised General Waste Discharge Requirements for Groundwater Remediation at Petroleum Hydrocarbon Fuel and/or Volatile Organic Compound Impacted Sites,*” adopted by this Regional Board on May 5, 2005. Refer to the attached Fact Sheet.

You may begin to inject a maximum of 1,500 pounds of 30,000 milligram per liter potassium permanganate solution at the approximate locations and depths indicated in the November 17, 2005 *Workplan for Potassium Permanganate Injection Pilot Test*, which was approved by the Regional Board in a letter dated November 30, 2005.

Enclosed are your Waste Discharge Requirements, consisting of Regional Board Order No. R4-2005-0030 (Series 033) and Monitoring and Reporting Program No. CI-8996. Please note that the discharge limits in Attachment A [DWR Basin No. 4-4 (Oxnard Plain – Unconfined and Perched Aquifers)] of this Order No. R4-2005-0030 are applicable to your discharge.

The “Monitoring and Reporting Program” requires you to implement the monitoring program on the effective date of this enrollment (February 10, 2006) under Regional Board Order No. R4-2005-0030. All monitoring reports shall be sent to the Regional Board, ATTN: Information Technology Unit.

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

When submitting monitoring or technical reports to the Regional Board per these requirements, please include a reference to 'Compliance File No. CI-8996', which will assure that the reports are directed to the appropriate file and staff. Also, please do not combine other reports with your monitoring reports. Submit each type of report as a separate document.

If you have any questions, please contact Mr. Peter Raftery at (213) 576-6724.

Sincerely,

Jonathan Bishop
Executive Officer

Enclosures:

- 1) Fact Sheet
- 2) General Waste Discharge Requirements, Order No. R4-2005-0030
- 3) Monitoring and Reporting Program, CI No. 8996

cc: Angel Cardoza, The Reynolds Group

