



California Regional Water Quality Control Board Los Angeles Region



Matthew Rodriquez
Secretary for
Environmental Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
(213) 576-6600 • FAX (213) 576-6640
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

August 19, 2011

Mr. Chris Panaitescu
Thrifty Oil Co.
P.O. Box 2128
Santa Fe Springs, CA 90670

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT FORMER
THRIFTY STATION NO. 249, 11304 CULVER BOULEVARD, CULVER CITY, CALIFORNIA
(ORDER NO. R4-2005-0030, SERIES NO. 072, CI-9227)**

Dear Mr. Panaitescu:


In our letter dated February 13, 2007, we informed you that the subject discharge is regulated under Order No.R4-2005-0030 which specifies your Waste Discharge Requirements (WDR).

In a letter dated June 28, 2011, you notified the Regional Board that you ceased ozone injection for this site and you requested termination of the WDR.

Since Thrifty has no plan to inject ozone into the groundwater in the future, the coverage for the subject facility, under Board Order No.R4-2005-0030, is hereby terminated with the exception of enforcement under the terms of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683.

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. Tim Smith, Los Angeles County Department of Public Works, Environmental Program
Division
Mr. Richard Vogel, GeoHydrologic Consultants, Inc.