



California Regional Water Quality Control Board Los Angeles Region



Linda S. Adams
Acting Secretary for
Environmental Protection

320 West Fourth Street, Suite 200, Los Angeles, California 90013
(213) 576-6600 • Fax (213) 576-6640
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

January 24, 2011

Mr. Ron Bulter
Rockview Dairies, Inc.
7011 Stewart & Gray
Downey, CA 90745

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT ROCKVIEW
DAIRIES, 205 E. CARSON STREET, CARSON, CALIFORNIA (ORDER NO. R4-2007-0019, CI-
9364)**

Dear Mr. Bulter:


In our letter dated February 15, 2008, we informed you that the subject discharge is regulated under Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In a letter dated December 7, 2010, you notified the Regional Board that you ceased Oxygen Release Compound injection for this site and that you requested termination of the WDR.

Because the ongoing remediation does not plan to continue to inject Oxygen Release Compound, you no longer need the WDR. The coverage under Board Order No. R4-2007-0019, for the subject facility is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Mr. Jimmie Woo, at (213) 576-6699 or the Section Chief of Groundwater Permitting and Land Disposal, Dr. Rebecca Chou, at (213) 576-6618.

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Yvonne Shanks, SWRCB, Underground Storage Tank Cleanup fund
Nancy Matsumoto, Water Replenishment District of Southern California
Tim Smith, Los Angeles County Department of Public Works, Environmental Programs
Division
Kenneth Lister, SCS Engineers, Inc.