



California Regional Water Quality Control Board

Los Angeles Region



Linda S. Adams
Cal/EPA Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Arnold Schwarzenegger
Governor

August 13, 2009

Dr. George Kallins, M.D.
BGN Fremont Square LTD
15747 South Woodruff Avenue
Bellflower, CA 90706

GENERAL WASTE DISCHARGE REQUIREMENTS (ORDER NO. R4-2007-0019, SERIES NO. 091, MRP NO. CI-9521), HYDROGEN RELEASE COMPOUND INJECTION – FREMONT CLEANERS, 690 VENTURA ROAD, OXNARD, CALIFORNIA (SCP NO. 842, SITE ID NO. 2044W00)

Dear Dr. Kallins:


Los Angeles Regional Water Quality Control Board (Regional Board) staff have completed our review of your application for coverage under General Waste Discharge Requirements (WDR) for the injection of a hydrogen release compound (HRC) solution into soil and groundwater for remediation of volatile organic compounds (VOCs) in soil and groundwater. We have determined that the proposed discharge meets the conditions specified in Regional Board Order No. R4-2007-0019, "Revised *General Waste Discharge Requirements for Groundwater Remediation at Petroleum Hydrocarbon Fuel and/or Volatile Organic Compound Impacted Sites*," adopted by this Regional Board on March 1, 2007. Please refer to the attached Fact Sheet.

You may begin to inject a maximum of 30,000 pounds of HRC-Advanced (HRC-A) emulsion/water solution, at a concentration of 9.1% by volume, into the 48 injection points at the approximate locations and depths indicated in the May 6, 2009 *New Plot Plan with Proposed HRC-A Injection Points*, which was approved by the Regional Board in a letter dated July 2, 2009.

Enclosed are your Waste Discharge Requirements, consisting of Regional Board Order No. R4-2007-0019 (Series 091) and Monitoring and Reporting Program (MRP) No. CI-9521. Please note that the discharge limits in Attachment B [DWR Basin No. 4-4 (Oxnard Plain – Unconfined and Perched Aquifers)] of this Order No. R4-2007-0019 are applicable to your discharge.

The "Monitoring and Reporting Program" requires you to implement the monitoring program on the effective date of this enrollment (July 24, 2009) under Regional Board Order No. R4-2007-0019. All monitoring reports shall be sent to the Regional Board, ATTN: Information Technology Unit.

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

Dr. George Kallins, MD
Fremont Cleaners
SCP No. 0842


- 2 -

August 13, 2009

When submitting monitoring or technical reports to the Regional Board per these requirements, please include a reference to "Compliance File No. CI-9521", which will assure that the reports are directed to the appropriate file and staff. Also, please do not combine other reports with your WDR monitoring reports. Submit each type of report as a separate document.

Should you have any questions, please contact Mr. Gregg Crandall at (213) 576-6701.

Sincerely,



Tracy J. Egoscue
Executive Officer

Enclosures:

- 1) Fact Sheet
- 2) General Waste Discharge Requirements, Order No. R4-2007-0019
- 3) Monitoring and Reporting Program, CI No. 9521

cc: Daniel Nunez, The Reynolds Group, Tustin, CA

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.