



California Regional Water Quality Control Board Los Angeles Region



Matthew Rodriguez
Secretary for
Environmental Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
(213) 576-6600 • FAX (213) 576-6640
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

January 9, 2012

Mr. John G. Veyna
John C. Veyna Separate Property Trust
843 South Oakstone Way
Anaheim, CA 92806

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT FORMER
ORANGE COUNTY NURSERY, INC, 13363 EXCELSIOR DRIVE, NORWALK, CALIFORNIA
(ORDER NO. R4-2007-0019, SERIES NO. 125, CI-9598)**


Dear Mr. Veyna:

In our letter dated May 18, 2010, we informed you that the subject discharge is regulated under Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In the letter dated October 4, 2011, you requested the termination of the WDR coverage under Board Order No. R4-2007-0019 because the subject property was transferred to the Department of Transportation (DOT) on July 14, 2011. The DOT is responsible for site cleanup and will propose a new remedy for the site. Therefore, you no longer need the WDR. The coverage under Board Order No. R4-2007-0019, for the subject site is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 or the Chief of Groundwater Permitting Unit, Dr. Eric Wu, at (213) 576-6683.

Sincerely,


Samuel Unger, P.E.
Executive Officer