



Central Valley Regional Water Quality Control Board

1 November 2021

Don Renz, Supervising Engineer
Shasta County Department of Public Works
1855 Placer Street
Redding, CA 96001

ACCEPTANCE OF FAWN FIRE DERIVED WASTE, ORDER WQ 2020-0004-DWQ, GENERAL WASTE DISCHARGE REQUIREMENTS FOR DISASTER RELATED WASTES, WEST CENTRAL CLASS III MUNICIPAL SOLID WASTE LANDFILL AND CLASS II SURFACE IMPOUNDMENTS, 14095 CLEAR CREEK ROAD, IGO, SHASTA COUNTY

On 20 October 2021, Central Valley Regional Water Quality Control Board (Central Valley Water Board) staff received Attachment C, Notice of Intent (NOI), to Order WQ 2020-0004-DWQ (Order) from Shasta County and the City of Redding (Discharger). The NOI indicates that West Central Class III Municipal Solid Waste Landfill and Class II Surface Impoundments (West Central Landfill) intends to receive emergency-derived waste generated by the Fawn Fire. Coverage under the Order is automatic upon submittal of a complete NOI. This letter confirms receipt of the NOI, and coverage under the Order.

On 27 September 2021, the Office of the Governor declared a state of emergency due to the effects of the Fawn Fire. The Order conditionally waives the legal requirement for persons discharging waste from cleanup of an emergency or disaster area to submit a report of waste discharge (ROWD) and for the Central Valley Water Board to prescribe waste discharge requirements (WDRs) for the emergencies and discharges of wastes identified in the Order.

The Discharger must comply with the general waiver conditions identified in the Order. Coverage under the Order remains in effect until you submit a Notice of Termination (NOT), or coverage expires under the following conditions:

- The Governor or the Legislature terminates the state of emergency pursuant to California Government Code section 8629; or
- The Central Valley Water Board terminates enrollment of individual Dischargers/Units, or all Dischargers/Units temporarily enrolled under the

KARL E. LONGLEY ScD, P.E., CHAIR | PATRICK PULUPA, ESQ., EXECUTIVE OFFICER

364 Knollcrest Drive, Suite 205, Redding, CA 96002 | www.waterboards.ca.gov/centralvalley

Conditional Waiver for a particular emergency, or terminates this Conditional Waiver in its entirety.

On page 17 of the Order, the Notice of Termination section requires that:

...For permanent disposal in regulated waste management units that accepted waste from disaster-impacted areas, the owner/operator must submit an amendment to their ROWD (amendment to the facility's Joint Technical Document) describing the material change to their discharge pertaining to the temporary acceptance, management, and disposal of the waste within 30 days after the completion of discharges for each emergency. The amended ROWD must include a completed NOT form and information about the waste types accepted, location of the discharge including a map, and approximate volumes discharged.

If discharge pertaining to the management and disposal of the emergency derived waste is not completed by **27 March 2022**, please provide Central Valley Water Board staff with a status update regarding the discharge of emergency derived waste. If you have any questions, please contact me at (530) 224-4786, the footer address, or Patrick.DeCarvalho@waterboards.ca.gov.

Patrick DeCarvalho  Digitally signed by Patrick DeCarvalho
Date: 2021.11.01 09:42:43 -07'00'

Patrick DeCarvalho, P.E. # 91472
Water Resource Control Engineer

PD: cc

cc via email: Nevin Yeates, CalRecycle, Sacramento
Michael Deedon, City of Redding Solid Waste Utilities, Redding
Ken Henderson, Shasta County Environmental Health Division, Redding