

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD, SAN DIEGO REGION
ORDER NO. R9-2024-0001
(ATTACHMENT B)**



**WAIVER 8: INERT WASTE CERTIFICATION
[PART 1 – ENROLLMENT]**

I. INERT WASTE SOIL GENERATOR INFORMATION

Generator Name:			
Generator Contact and Title:			
Generator Mailing Address:			
City:	County:	State:	Zip:
Telephone:	Fax:	Email:	

II. INERT WASTE SOIL EXPORT SITE INFORMATION

Export Site Property Owner Name:			
Export Site Address:			
City:	County:	State:	Zip:
Local Oversight Program Case No.:			
San Diego Water Board File No.:			

III. EXPORTED INERT WASTE SOIL INFORMATION *(Use additional pages as needed.)*

Date(s) Inert Waste Soil Exported:
Quantities of Inert Waste Soil Exported: (in cubic yards for each date of export)
<input type="checkbox"/> Mark the box (☒) if the inert waste soil was temporarily stockpiled prior to export. If the box is marked, please provide a copy of the Temporary Waste Pile Certification.
Provide a map of the export site showing the location of the nearby surface water bodies and/or water wells, excavation(s), stockpile(s), samples collected for characterization. Include approximate extent and depths of excavation(s), extent and height of stockpile(s), and depth of samples collected.

IV. DESCRIPTION OF EXPORT SITE BEST MANAGEMENT PRACTICES

Describe what management measures (MMs) and best management practices (BMPs) were implemented at the export site to minimize or eliminate the discharge of pollutants to waters of the State. Use additional pages as needed. Provide a map of the property/facility showing locations of MMs/BMPs if necessary.

V. INERT WASTE SOIL CHARACTERIZATION

Name of Certified Analytical Laboratory:			
Certified Analytical Laboratory Contact:			
Certified Analytical Laboratory Address:			
City:	County:	State:	Zip:
Telephone:	Fax:	Email:	
Number of samples collected for characterization:			
<input type="checkbox"/> Mark the box (☒) to confirm that no samples collected to characterize waste soil as inert contained detectable concentrations of constituents other than Calif. Code title 22 metals.			
Title 22 Metals Contaminant of Concern	EPA Approved Analytical Method	90% UCL Concentration (mg/kg)*	

Use additional pages if there are additional contaminants of concern. Attach copy of laboratory analytical report.

* If molybdenum, silver, and/or zinc exceed the Tier 2 SSLs, then the waiver does not apply and a Report of Waste Discharge (ROWD) must be submitted to the San Diego Water Board.

VI. ENROLLMENT FOR REUSE OF TIER 1 or TIER 2 INERT WASTE SOIL

Mark the box (☒) next to the tier that the inert waste soil has been characterized, as supported with data provided in section VI.

<input type="checkbox"/> Tier 1 (Complete section X) Management of Tier 1 inert waste soils	<input type="checkbox"/> Tier 2 (Complete sections VII - X) Management of Tier 2 inert waste soils
-------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

VII. TIER 2 INERT WASTE SOIL IMPORT SITE INFORMATION

Import Site Property Owner Name:			
Import Site Address:			
City:	County:	State:	Zip:
Telephone:	Fax:	Email:	
Assessor Parcel Number(s):		Hydrologic Area/Subarea:	
<i>Provide a map of the import site showing the location of the nearby surface water bodies and/or water wells, and approximate depth to groundwater.</i>			

VIII. DESCRIPTION OF IMPORT SITE BEST MANAGEMENT PRACTICES

Describe what management measures (MMs) and best management practices (BMPs) were implemented at the import site to minimize or eliminate the discharge of pollutants to waters of the State. Use additional pages as needed. Provide a map of the property/facility showing locations of MMs/BMPs if necessary.

IX. PROPERTY OWNER ACKNOWLEDGMENT

Mark all the boxes (☒) to acknowledge that the applicable Tier 2 inert waste soil waiver conditions have been or will be met:

- Import site is designated for commercial or industrial land use.
- Inert waste soil placed at least 5 feet above highest historically known or anticipated level of groundwater.
- Soil that separates inert waste soil from groundwater has clay content greater than 5 percent and/or in situ permeability of less than 10⁻⁵ cm/sec.
- Inert waste soil placed at least 100 feet from the nearest surface water body.
- Inert waste soil is protected against 100-year peak storm flows as defined by the county flood control agency.
- Inert waste soil covered by either: 1) engineered materials (e.g. used as road base, fill beneath buildings, bridge abutments), or 2) not less than 2 feet of non-contaminated, clean fill. The cover has a permeability of no more than 10⁻⁵ cm/sec.
- Placement of a cover on the inert waste soils completed within 30 days of discharging the final load of inert waste soils at the import site.

“I acknowledge the receipt or planned receipt of the waste soil described in sections V and VI and that the soil will be managed pursuant to the restrictions set forth in Solid Waste Waiver”

Signature (Owner or Authorized Representative)

Date

Print Name

Title

X. GENERATOR AND CONSULTANT CERTIFICATION

“I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.”

Print Name (Generator)

Print Name (Consultant)

Signature (Generator)

Signature (Consultant)

Title (Generator)

Title and Professional Registration No.
(Consultant)

Date

Date