



## San Diego Regional Water Quality Control Board

October 2, 2024

**Sent by Email Only**

Kyle Morgan  
Assistant Director of Utilities  
City of Escondido  
1521 S. Hale Avenue  
Escondido, CA 92029  
[Kyle.Morgan@escondido.gov](mailto:Kyle.Morgan@escondido.gov)

**In reply refer to:**  
**229726/846371:JLLim**

**Subject: Settlement Offer No. R9-2024-0115 Related to Violations of Order No. R9-2018-0002, National Pollutant Discharge Elimination System No. CA0107981 for Escondido Hale Avenue Resource Recovery Facility Discharge to the Pacific Ocean through the San Elijo Ocean Outfall**

Kyle Morgan:

City of Escondido (Escondido, Permittee) is hereby notified of alleged violations of Order No. R9-2018-0002, National Pollutant Discharge Elimination System (NPDES) No. CA0107981, *Waste Discharge Requirements for the City of Escondido, Hale Avenue Resource Recovery Facility and Membrane Filtration/Reverse Osmosis Facility Discharge to the Pacific Ocean through the San Elijo Ocean Outfall* (Order), and of the opportunity to participate in an expedited settlement process to address liability that may be assessed pursuant to California Water Code (Water Code) section 13385.

### **ALLEGED VIOLATIONS SUBJECT TO THIS OFFER**

As detailed in the attached *Notice of Violation of Order No. R9-2018-0002, NPDES No. CA0107981, Subject to Mandatory Minimum Penalties, Escondido Hale Avenue Resource Recovery Facility Discharge to the Pacific Ocean through the San Elijo Ocean Outfall* (Exhibit A), the California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) alleges that the Permittee has violated the Order. Exhibit A lists 24 effluent limitation exceedances that are potentially subject to mandatory minimum penalties. Of the 24 effluent limitation exceedances listed, Escondido reported that 21 effluent limitation exceedances in March and April 2023 were the result of a single operational upset, as explained below. Exhibit A is incorporated into and made part of this Settlement Offer by reference.

According to the Escondido's letters dated April 25 and May 25, 2023,<sup>1</sup> a single operational upset (SOU) occurred at the Hale Avenue Resource Recovery Facility (HARRF) from March 31, 2023, to April 21, 2023.

---

<sup>1</sup> The letters were submitted by the City as attachments to the City's electronic self-monitoring reports for March and April 2023 submitted on the California Integrated Water Quality System (CIWQS), [https://www.waterboards.ca.gov/water\\_issues/programs/ciwqs/](https://www.waterboards.ca.gov/water_issues/programs/ciwqs/)

California Water Code section 13385(f) states that a SOU in a biological wastewater treatment process that leads to multiple effluent limitation exceedances shall be treated as a single violation if the discharger demonstrates that 1) the upset was not caused by wastewater treatment operator error and was not due to discharger negligence; 2) the violations would not have occurred, nor would they have continued for more than one day without the SOU; 3) the discharger carried out all reasonable and immediately feasible actions to reduce noncompliance with the applicable effluent limitations; and 4) the discharger is implementing an approved pretreatment program. The SOU applies to violations that occur during a period for which the San Diego Water Board has determined that violations were unavoidable, but in no case may that period exceed 30 days.

According to the Escondido's letter dated May 25, 2023, Escondido met the requirements of Water Code section 13385(f). In the May letter, Escondido states that the biological treatment process at HARRF was in normal operating condition prior to March 31, 2023, and HARRF was meeting all its effluent limitation requirements in the Order. This helps demonstrate that 1) the upset was not caused by wastewater treatment operator error and was not due to discharger negligence and 2) the violations would not have occurred, nor would they have continued for more than one day without the SOU.

On or around March 30, 2023, Escondido received a large volume of septic (anaerobic) untreated wastewater from the City of San Diego's Pump Station 77. The City of San Diego did not notify Escondido of the septic (anaerobic) condition of the wastewater. From March 31 to April 2, Escondido operators observed problems in the biological treatment process at HARRF due to the high volume of septic wastewater (i.e., reduction in mixed liquor dissolved oxygen, reduction in mixed liquor volatile solids concentration along with an increase in filamentous growth). This helps demonstrate the SOU was not caused by Escondido wastewater treatment operator error and was not due to negligence by Escondido.

The May letter details the actions Escondido took to bring the biological treatment process back in normal operating conditions from March 31 to April 20, 2023, and thus to reduce noncompliance with the applicable effluent limitations as required by Water Code section 13385(f).

Based on the monitoring results, the effluent limitation exceedances occurred from March 31 to April 20, less than a period of 30 days as required by Water Code section 13385(f), leading to effluent limitation exceedances from March 31 to April 31 (including average monthly limitation exceedances).

As required by Water Code section 13385(f), Escondido implements its approved pretreatment program.

The SOU led to three (3) effluent limitation exceedances in March 2023 and eighteen (18) in April 2023. However, based on the above information and as detailed in Exhibit A, the twenty-one (21) effluent limitation exceedances will be treated by the San Diego Water Board as a single violation for the purposes of Water Code section 13385(h) and (i).

## STATUTORY LIABILITY

The Permittee is subject to the following statutory liability:

1. Water Code section 13385(h)(1) requires the assessment of a \$3,000 mandatory minimum penalty for each serious violation; and<sup>2</sup>
2. Water Code section 13385(i) requires the assessment of a \$3,000 mandatory minimum penalty for each non-serious violation<sup>3</sup> within 180 days, except the mandatory minimum penalty is not applicable to the first three non-serious violations.

The formal enforcement action that the San Diego Water Board uses to assess such liabilities is an Administrative Civil Liability (ACL) complaint that may also include discretionary penalties and staff costs<sup>4</sup>, followed by a public hearing on the matter. The San Diego Water Board may instead refer such matters to the Attorney General's Office for prosecution. If referred to the Attorney General's Office for prosecution, the Superior Court may assess up to \$25,000 for each day in which the violations occur, and \$25 for each gallon discharged but not cleaned up in excess of 1,000 gallons.

## SETTLEMENT OFFER

The Permittee can avoid a formal enforcement action and settle the alleged violations by accepting the San Diego Water Board's ACL Settlement Offer, as detailed herein. The Permittee may accept this Settlement Offer, waive its right to a hearing, and pay the mandatory minimum penalty of **\$12,000** for the alleged violations identified in Exhibit A. If the Permittee accepts this Settlement Offer, the San Diego Water Board, or its delegate, will execute the Settlement Offer, subject to the conditions below. Accordingly, the San Diego Water Board will forego issuance of an ACL complaint, will not refer the violations to the Attorney General's Office, will not charge incurred staff costs, and will waive its right to seek additional discretionary civil liabilities for the violations identified in Exhibit A.

The Expedited Payment Program does not address or resolve liability for any violation that is not specifically identified in Exhibit A regardless of the date that the violation occurred.

## OPTIONS FOR RESPONSE TO OFFER

1. If the Permittee accepts this Settlement Offer, the Permittee shall complete and return the attached *Acceptance of Conditional Resolution and Waiver of Right to Hearing for Settlement Offer No. R9-2024-0115, Escondido Hale Avenue Resource Recovery Facility Discharge to the Pacific Ocean through the San Elijo*

---

<sup>2</sup> "Serious violation" is defined in Exhibit A.

<sup>3</sup> "Non-serious violation" is defined in Exhibit A.

<sup>4</sup> Water Code section 13385(c) allows for discretionary administrative civil liability of up to \$10,000 for each day in which the violations occur, and \$10 for each gallon discharged but not cleaned up in excess of 1,000 gallons; and

Water Code section 13385(e) allows for the reimbursement of staff costs.

*Ocean Outfall* (Acceptance and Waiver, Exhibit B) on or before 5 p.m. on November 1, 2024.

- a. In lieu of paying all of the mandatory minimum penalty to the State Water Pollution Cleanup and Abatement Account, the Permittee may elect to apply up to \$12,000 of the penalty to fund a supplemental environmental project (SEP). The remaining penalty must be paid to the State Water Pollution Cleanup and Abatement Account. One SEP option is available to the Permittee in this settlement: a SEP that supplements the Bight Regional Monitoring Program (RMP), which is administered by the Southern California Coastal Water Research Project (SCCWRP). This SEP must supplement RMP work that would not otherwise be funded by the RMP's existing workplan(s). The [Bight RMP](#)<sup>5</sup> is an ongoing marine monitoring collaboration that examines how human activities have affected the health of more than 1,500 square miles of Southern California's coastal waters. Monitoring objectives are designed to answer questions like "Is it safe to swim?" and "Are fish and shellfish safe to eat?" No funds will go to the Water Boards, and the Permittee's obligation to complete the SEP is released upon proof of payment to SCCWRP.
- b. If the Permittee does not choose to fund a SEP, they must pay the total mandatory minimum penalty amount to the State Water Pollution Cleanup and Abatement Account.

Both options are represented in the enclosed Acceptance and Waiver.

2. If the Permittee chooses to contest the violations alleged in Exhibit A, the Permittee shall submit a written response that identifies the specific violations and details the basis for the challenge (factual error, affirmative defense, etc.) to the San Diego Water Board on or before 5 p.m. on November 1, 2024. The San Diego Water Board will evaluate the contested violations and take one of two actions:
  - a. If the San Diego Water Board determines the violations are not supported, it will expunge the alleged violations, take no further action against the Permittee for the alleged violations, and notify the Permittee in writing of that determination; or
  - b. If the San Diego Water Board determines the alleged violations are meritorious, it will notify the Permittee of that determination. The Permittee will be given 30 days from the date of receipt of the San Diego Water Board determination to either accept the Settlement Offer by completing and returning the Acceptance and Waiver to the San Diego Water Board, or to reject the Settlement Offer.
3. If the Permittee does not respond to or rejects this Settlement Offer, the San Diego Water Board will initiate a formal enforcement action to resolve the alleged

---

<sup>5</sup> <https://www.sccwrp.org/about/research-areas/regional-monitoring/southern-california-bight-regional-monitoring-program/bight-program-documents/>

violations. In a formal enforcement action, the liability amount sought and/or imposed may exceed the liability amount set forth in this Settlement Offer. Moreover, the staff costs of investigating the violations and proceeding with a formal enforcement action are factors that will be considered in assessing the liability amount.

### **CONDITIONS FOR SAN DIEGO WATER BOARD ACCEPTANCE OF RESOLUTION**

Pursuant to title 40 of the Code of Federal Regulations, section 123.27(d)(2)(iii), the San Diego Water Board is required to publish and allow the public 30 days to comment on any settlement of an enforcement action addressing alleged violations of the NPDES permit conditions. Upon receipt of the Permittee's Acceptance and Waiver, the San Diego Water Board will publish a notice of the proposed resolution of the violations.

If no comments are received within the 30-day comment period, and unless there are new material facts that become available to the San Diego Water Board, the San Diego Water Board, or its delegate, will execute the Acceptance and Waiver as a stipulated order assessing the uncontested mandatory minimum penalty amount pursuant to Water Code section 13385(h) and/or (i).

If, however, significant comments are received in opposition to the settlement, this Settlement Offer may be withdrawn. In that case, the Permittee's waiver pursuant to the Acceptance and Waiver will also be treated as withdrawn, and the violations will be addressed in a liability assessment proceeding before the San Diego Water Board, or its delegate. At the liability assessment hearing, the Permittee will be free to make arguments as to the alleged violations, and the Permittee's agreement to accept this Settlement Offer will not in any way be binding or used as evidence against the Permittee. The Permittee will be provided with further information in advance of the liability assessment proceeding.

In the event the Acceptance and Waiver is executed by the San Diego Water Board, or its delegate, full payment of the assessed amount shall be due within 30 calendar days of the San Diego Water Board's, or its delegate's, execution. Failure to pay the full liability within the required time period may subject the Permittee to further liability.

In the subject line of any response, please include the following: 229726/846371:JLLim. For questions or concerns regarding this letter, please contact Joann Lim by phone at (619) 521-3362 or by email at [Joann.Lim@waterboards.ca.gov](mailto:Joann.Lim@waterboards.ca.gov).

Respectfully,

Kelly Dorsey, P.G.  
Assistant Executive Officer  
San Diego Water Board

Attachments:

Exhibit A: Notice of Violation of Order No. R9-2018-0002, NPDES No. CA0107981, Subject to Mandatory Minimum Penalties, Escondido Hale Avenue Resource Recovery Facility Discharge to the Pacific Ocean through the San Elijo Ocean Outfall

Exhibit B: Acceptance of Conditional Resolution and Waiver of Right to Hearing for Settlement Offer No. R9-2024-0115, Escondido Hale Avenue Resource Recovery Facility Discharge to the Pacific Ocean through the San Elijo Ocean Outfall

cc:

David Gibson, San Diego Water Board, [David.Gibson@waterboards.ca.gov](mailto:David.Gibson@waterboards.ca.gov)  
Laurie Walsh, San Diego Water Board, [Laurie.Walsh@waterboards.ca.gov](mailto:Laurie.Walsh@waterboards.ca.gov)  
Chiara Clemente, San Diego Water Board, [Chiara.Clemente@waterboards.ca.gov](mailto:Chiara.Clemente@waterboards.ca.gov)  
Wayne Chiu, San Diego Water Board, [Wayne.Chiu@waterboards.ca.gov](mailto:Wayne.Chiu@waterboards.ca.gov)  
Joann Lim, San Diego Water Board, [Joann.Lim@waterboards.ca.gov](mailto:Joann.Lim@waterboards.ca.gov)  
Ralph Ginese, City of Escondido, [Ralph.Ginese@escondido.gov](mailto:Ralph.Ginese@escondido.gov)  
Oyuna Jenkins, City of Escondido, [Oyuna.Jenkins@escondido.gov](mailto:Oyuna.Jenkins@escondido.gov)

Tech Staff Info & Use

Type of Information	Permit/Permittee/Enforcement Information
Order	R9-2018-0002
NPDES Permit	CA0107981
CW Place ID	229726 (HARRF DISCH to San Elijo Ocean Outfall) and 846371 (Membrane Filtration/Reverse Osmosis Facility)
CW Party/Organization ID	14960 (Escondido City)
CW Party/Person ID	574342 (Kyle Morgan)
CW Regulatory Measure	420777 ( R9-2018-0002)
CW Regulatory Measure	457989 (Settlement Offer No. R9-2024-0115)
Violation IDs	1106070, 1116071, 1116072, 1117305, 1117314, 1117317, 1117318, 1117311, 1117308, 1117312, 1117313, 1117319, 1117320, 1117306, 1117315, 1117316, 1117307, 1117309, 1117310, 1117321, 1117322, 1120805, 1120806, 1120807
WDID	9 000000030

**EXHIBIT A**

**NOTICE OF VIOLATION OF ORDER NO. R9-2018-0002, NPDES NO. CA0107981,  
 SUBJECT TO MANDATORY MINIMUM PENALTIES, ESCONDIDO HALE AVENUE RESOURCE RECOVERY FACILITY  
 DISCHARGE TO THE PACIFIC OCEAN THROUGH THE SAN ELIJO OCEAN OUTFALL**

The following table lists the alleged violation subject to mandatory minimum penalties (MMPs) pursuant to Water Code section 13385(h) and/or (i). For additional information about the alleged violations listed in the table:

1. Refer to the [State Water Resources Control Board Public Reports](#) webpage;
2. Choose the “MMP Report” link located under the “Violations Reports” category; and
3. Enter the search criteria.

**Table 1. Effluent Violation Subject to MMPs, Monitoring Location EFF-003**

Violation ID	Occurrence Date	Parameter	Units	Permit Limit	Measured	Period	Comments	Amount
1116070	03/31/2023	Settleable Solids	milliliter per liter (ml/L)	1.0	1.7	Average Monthly	1 and 5	\$3000
1116071	03/31/2023	Settleable Solids	ml/L	1.5	7.5	Average Weekly	1 and 5	--
1116072	03/31/2023	Settleable Solids	ml/L	3.0	34	Instantaneous Maximum	1 and 5	--
1117305	04/10/2023	Settleable Solids	ml/L	3.0	18	Instantaneous Maximum	1 and 5	--
1117314	04/11/2023	Settleable Solids	ml/L	3.0	40	Instantaneous Maximum	1 and 5	--
1117317	04/12/2023	Settleable Solids	ml/L	3.0	34	Instantaneous Maximum	1 and 5	--
1117318	04/13/2023	Settleable Solids	ml/L	3.0	20	Instantaneous Maximum	1 and 5	--
1117311	04/14/2023	Settleable Solids	ml/L	3.0	80	Instantaneous Maximum	1 and 5	--
1117308	04/15/2023	Total Suspended Solids (TSS)	pounds per day (lbs/day)	6800	12851	Average Weekly	1 and 5	--

Exhibit A  
 Notice of Violation  
 Subject to Mandatory Minimum Penalty  
 City of Escondido

Violation ID	Occurrence Date	Parameter	Units	Permit Limit	Measured	Period	Comments	Amount
1117312	04/15/2023	Settleable Solids	ml/L	3.0	105	Instantaneous Maximum	1 and 5	--
1117313	04/15/2023	Carbonaceous Biochemical Oxygen Demand (CBOD)	milligram per liter (mg/L)	40	45.4	Average Weekly	4 and 5	--
1117319	04/15/2023	Settleable Solids	ml/L	1.5	49.5	Average Weekly	1 and 5	--
1117320	04/15/2023	TSS	mg/L	45	109	Average Weekly	1 and 5	--
1117306	04/19/2023	Settleable Solids	ml/L	3.0	3.5	Instantaneous Maximum	4 and 5	--
1117315	04/22/2023	TSS	mg/L	45	94.7	Average Weekly	1 and 5	--
1117316	04/22/2023	TSS	lbs/day	6800	10495	Average Weekly	1 and 5	--
1117307	04/30/2023	Settleable Solids	ml/L	1.0	23.2	Average Monthly	1 and 5	--
1117309	04/30/2023	TSS	% removal	85	82.4	Average Monthly	4 and 5	--
1117310	04/30/2023	CBOD	mg/L	25	26.8	Average Monthly	4 and 5	--
1117321	04/30/2023	TSS	mg/L	30	58.6	Average Monthly	1 and 5	--
1117322	04/30/2023	TSS	lbs/day	4500	6800	Average Monthly	1 and 5	--
1120805	08/07/2023	Settleable Solids	ml/L	3.0	33	Instantaneous Maximum	1	\$3000
1120807	08/12/2023	Settleable Solids	ml/L	1.5	6.6	Average Weekly	1	\$3000
1120806	08/31/2023	Settleable Solids	ml/L	1.0	1.1	Average Monthly	4	\$3000

**Comments:**

1. Serious Violation: For Group 1 pollutants that exceed the effluent limitation by 40 percent or more.
2. Serious Violation: For Group 2 pollutants that exceed the effluent limitation by 20 percent or more.
3. Non-serious violation not subject to MMPs: the violation falls within the first three violations within a 180-day period.
4. Non-serious violation subject to MMPs: the violation has at least three preceding violations within a 180-day period.
5. Effluent limitation exceedances reported from March 31 to April 20 are assessed as a single violation for the purposes of Water Code section 13385(h) and (i).



Exhibit A  
Notice of Violation  
Subject to Mandatory Minimum Penalty  
City of Escondido

**PENALTY AMOUNT**

MMP Amount for Effluent Violations

3 Serious Violations × \$3,000 per Serious Violation = \$9,000 MMP Amount

MMP Amount for Non-Serious Violations

1 Non-Serious Violations subject to MMPs × \$3,000 per Serious Violation = \$3,000 MMP Amount

**Total Penalty Amount = \$12,000**

## EXHIBIT B

### **ACCEPTANCE OF CONDITIONAL RESOLUTION AND WAIVER OF RIGHT TO HEARING FOR SETTLEMENT OFFER NO. R9-2024-0115, ESCONDIDO HALE AVENUE RESOURCE RECOVERY FACILITY DISCHARGE TO THE PACIFIC OCEAN THROUGH THE SAN ELIJO OCEAN OUTFALL**

By signing below and returning this *Acceptance of Conditional Resolution and Waiver of Right to Hearing* (Acceptance and Waiver) to the California Regional Water Quality Control Board, San Diego Region (San Diego Water Board), the City of Escondido (Permittee) hereby accepts the offer to participate in the expedited payment program and waives the right to a hearing before the San Diego Water Board to dispute the alleged violations identified in Exhibit A of the Settlement Offer, which is attached hereto and incorporated herein by reference.

The Permittee agrees that the Settlement Offer shall serve as a complaint pursuant to Article 2.5 of the Water Code and that no separate complaint is required for the San Diego Water Board to assert jurisdiction over the alleged violations through its Chief Prosecutor. The Permittee agrees to pay the penalty required by Water Code section 13385(h) and/or (i), in the sum of **\$12,000** (Penalty Amount), which shall be deemed payment in full of any civil liability pursuant to Water Code section 13385 that otherwise might be assessed for the violations identified in the Settlement Offer. The Permittee understands that this Acceptance and Waiver waives the Permittee's right to contest the allegations in the Settlement Offer and the amount of civil liability for such violations.

The Permittee understands that this Acceptance and Waiver does not address or resolve liability for any violation that is not specifically identified in the Settlement Offer.

Upon execution by the Permittee, the completed Acceptance and Waiver shall be submitted by email to [SanDiego@waterboards.ca.gov](mailto:SanDiego@waterboards.ca.gov), attention **229726/846371:JLLim** or by mail to the following address:

California Regional Water Quality Control Board, San Diego Region  
2375 Northside Drive, Suite 100  
San Diego, CA 92108-2700  
ATTN: **229726/846371:JLLim**

The Permittee understands that federal regulations set forth at title 40 of the Code of Federal Regulations, section 123.27(d)(2)(iii), require the San Diego Water Board to publish notice of and provide at least 30 days for public comment on any proposed resolution of an enforcement action addressing National Pollutant Discharge Elimination System (NPDES) permit violation. Accordingly, this Acceptance and Waiver, prior to execution by the San Diego Water Board, or its delegate, will be published as required by law for public comment.

During the public comment period, if no comments are received that cause the San Diego Water Board, or its delegate, to question the Settlement Offer, the San Diego Water Board, or its delegate, will execute the Acceptance and Waiver.

The Permittee understands that if significant comments are received in opposition to the Settlement Offer, the offer may be withdrawn. In that circumstance, the Permittee will be advised of the withdrawal and an administrative civil liability complaint may be issued and the matter may be set for a hearing before the San Diego Water Board. For such a

Exhibit B

Acceptance of Conditional Resolution and Waiver of Right to Hearing for Settlement Offer No. R9-2024-0115 B-2

liability hearing, the Permittee understands that this Acceptance and Waiver executed by the Permittee will be treated as a settlement communication and will not be used as evidence in that hearing.

The Permittee further understands that, in lieu of full payment of the assessed mandatory minimum penalty to the State Water Pollution Cleanup and Abatement Account, all or a portion of the penalty payment may be made by the Permittee toward a supplemental environment project (SEP). The SEP option available to the Permittee is the Bight SEP Fund, which supplements Regional Monitoring Program (RMP) studies that would not otherwise be conducted through the RMP's existing cost allocations.

The Permittee further understands that once the Acceptance and Waiver is executed by the San Diego Water Board or its delegate, full payment is due no later than 30 days after the date of execution, as a condition of this Acceptance and Waiver. The Permittee shall pay the assessed civil liability to the State Water Pollution Cleanup and Abatement Account and/or the Southern California Coastal Water Research Project (SCCWRP, for the Bight SEP fund) in accordance with the payment option selected below.

The Permittee agrees to pay the amounts indicated below to the State Water Pollution Cleanup and Abatement Account and, if the applicable payment option is selected, the Bight SEP Fund, in accordance with the Payment Instructions below. The Permittee understands that the San Diego Water Board will consider the Permittee to have fulfilled its SEP obligation when SCCWRP receives the Permittee's contribution to the SEP Fund.

**Payment Instructions:**

SCCWRP Bight RMP SEP Fund

Payments must be made to SCCWRP and made out to the "Southern California Coastal Water Research Project" with the Settlement Offer No. R9-2024-0115 written on the check. Payment must be mailed to the following address:

SCCWRP  
Attn: Bight RMP SEP Funds  
3535 Harbor Blvd., Suite 110  
Costa Mesa, CA 92626

State Water Pollution Cleanup and Abatement Account

Payments must be made to the State Water Pollution Cleanup and Abatement Account and made out to the "State Water Pollution Cleanup and Abatement Account" with the Settlement Offer No. R9-2024-0115 written on the check. Payment must be mailed to the following address:

State Water Resources Control Board, Accounting Office,  
Attn: ACL Payment  
P.O. Box 1888  
Sacramento, CA 95812-1888

Verification of Payment

For tracking purposes, a copy of any issued checks must also be provided to the San Diego Water Board via email to [SanDiego@waterboards.ca.gov](mailto:SanDiego@waterboards.ca.gov), attention 229726/846371:JLLim/Settlement Offer No. R9-2024-0115, or by mail to:

San Diego Water Board  
Attn: 229726/846371:JLLim  
2375 Northside Drive, Suite 100,  
San Diego, CA 92108

**Payment Options:**

Mark **one** of the “Option” boxes below and fill in the blank fields as appropriate. Electing to pay all or a portion of the assessed liability to the SEP Fund will not change the total amount to be paid.

Option 1: Pay all or a portion of the assessed liability to the Bight RMP SEP Fund:

Amount to be paid to the SEP Fund (cannot exceed \$12,000)

\$

Amount to be paid to the State Water Pollution Cleanup and Abatement Account (\$12,000 minus amount inserted above)

\$

**\$12,000** Total assessed mandatory minimum penalty (sum of amounts above).

**Or**

Option 2: Pay the total assessed mandatory minimum liability (\$12,000) to the State Water Pollution Cleanup and Abatement Account.

**SETTLEMENT OFFER No. R9-2024-0115, EXHIBIT B SIGNATURE PAGE**

I hereby affirm that I am duly authorized to act on behalf of and to bind the Permittee in the making and giving of this Acceptance and Waiver.

City of Escondido

By: \_\_\_\_\_  
Name, title, date

IT IS SO ORDERED PURSUANT TO WATER CODE SECTION 13323 AND  
GOVERNMENT SECTION 11415.60 ON BEHALF OF THE CALIFORNIA REGIONAL  
WATER QUALITY CONTROL BOARD, SAN DIEGO REGION

By: \_\_\_\_\_  
DAVID W. GIBSON  
Executive Officer