



California Regional Water Quality Control Board

San Diego Region



Matthew Rodriguez
*Secretary for Environmental
Protection*

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Edmund G. Brown Jr.
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

December 16, 2011

In reply refer to:
229726:JLIM
WDID: 9 000000031

Mr. Christopher McKinney
Director of Utilities, City of Escondido
201 North Broadway
Escondido, CA 92025

Dear: Mr. McKinney:

SUBJECT: TENTATIVE ADDENDUM NO. 1 TO ORDER NO. R9-2010-0086, NPDES PERMIT NO. CA0107981

Enclosed is a copy of Tentative Addendum No. 1 Order No. R9-2010-0086, NPDES Permit No. CA0107981, *Waste Discharge Requirements for the City of Escondido, Hale Avenue Resource Recovery Facility, Discharge to the Pacific Ocean via the San Elijo Ocean Outfall*. The tentative addendum is scheduled to be considered by the California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) for adoption at their regularly scheduled meeting on February 8, 2012. If adopted, the tentative addendum would incorporate the City of Escondido's Local Limits that were adopted by the Escondido City Council on December 14, 2011.

The February 8, 2012 meeting will begin promptly at 9:00 a.m. and is currently scheduled to be held at the following location:

San Diego Regional Water Quality Control Board
9174 Sky Park Court, Suite 100
San Diego, CA 92123

The location, however, may be changed prior to the meeting. The meeting agenda, which will indicate any changes, will be posted at http://www.waterboards.ca.gov/sandiego/board_info/agendas/ at least two weeks prior to the meeting date.

Mr. McKinney, City of Escondido
Tentative Addendum No. 1

- 2 -

December 16, 2011

Please review and comment on the tentative addendum at your earliest convenience. It is recommended that written comments be submitted as soon as possible to enable staff to amend the tentative addendum, if necessary, and allow changes to the tentative addendum to be fully reviewed by the San Diego Water Board and interested parties. The final deadline for submittal of written comments is January 22, 2012. Written material submitted to the staff after the final submittal deadline date will not be provided to the San Diego Water Board. Also it is not likely that written material will be accepted by the San Diego Water Board on the day of the meeting.

For questions pertaining to the subject matter, please contact Joann Lim by email at icofrancesco@waterboards.ca.gov, or by phone at 858-637-5589.

Respectfully,



DAVID BARKER
Supervising WRC Engineer

DTB:rwm:jll

Enclosure: Tentative Addendum No. 1 to Order No. R9-2010-0086

cc (by email):

Vasana Vipatapat	Vvipatapat@ci.escondido.ca.us
Keith Silva, USEPA	Silva.Keith@epamail.epa.gov