

CARLSBAD SEAWATER DESALINATION PROJECT

SAN DIEGO REGIONAL WATER QUALITY CONTROL BOARD

REGION 9, SAN DIEGO REGION

ORDER NO. R-9-2006-0065

NPDES NO. CA0109223

FLOW, ENTRAINMENT AND IMPINGEMENT MINIMIZATION PLAN

**ATTACHMENT 8 - NUMBERS AND BIOMASS OF SPECIES COLLECTED
DURING 2004/2005 SAMPLING PERIOD**

March 9, 2009

EPS Impingement Summary:

Numbers and Biomass of Species Collected During 2004/2005 Sampling Period

Table A.

Numbers and weights of fishes, sharks and rays impinged during 52 normal operations surveys at EPS from June 2004 to June 2005, sorted by taxa abundance. Traveling screen data and bar rack data presented separately. Some sample weights were extrapolated based on a subset of collected fishes.

TAXON	COMMON NAME	SAMPLE COUNT	SAMPLE WEIGHT (g)	BAR RACK COUNT	BAR RACK WEIGHT (g)
Atherinops affinis	topsmelt	5,242	42,298.7	10	261.5
Cymatogaster aggregata	shiner surfperch	2,827	28,374.4	—	—
Anchoa compressa	deepbody anchovy	2,079	11,605.9	2	21.0
Seriphis politus	queenfish	1,304	7,498.8	2	16.5
Xenistius californiensis	salema	1,061	2,389.8	—	—
Anchoa delicatissima	slough anchovy	1,056	3,143.5	—	—
Atherinopsidae	silverside	999	4,453.9	—	—
Hyperprosopon argenteum	walleye surfperch	605	23,961.8	1	21.0
Engraulis mordax	northern anchovy	537	786.3	—	—
Leuresthes tenuis	California grunion	489	2,280.3	—	—
Heterostichus rostratus	giant kelpfish	344	2,612.3	—	—
Paralabrax maculatofasciatus	spotted sand bass	303	4,603.6	—	—
Sardinops sagax	Pacific sardine	268	1,479.7	—	—
Roncador stearnsi	spotfin croaker	182	8,353.6	2	3,000.0
Paralabrax nebulifer	barred sand bass	151	1,540.8	—	—
Gymnura marmorata	California butterfly ray	146	60,628.5	1	390.0
Phanerodon furcatus	white surfperch	144	4,685.6	—	—
Strongylura exilis	California needlefish	135	6,025.0	—	—
Paralabrax clathratus	kelp bass	111	679.8	—	—
Porichthys myriaster	specklefin midshipman	103	28,189.3	—	—
unidentified chub	unidentified chub	96	877.3	—	—
Paralichthys californicus	California halibut	95	1,728.9	—	—
Anisotremus davidsoni	sargo	94	1,662.3	—	—
Urolophus halleri	round stingray	79	20,588.6	—	—
Atractoscion nobilis (Sciaenidae)	white seabass	70	11,294.8	6	872.1
Hypsopsetta guttulata	diamond turbot	66	10,679.2	1	85.0
Micrometrus minimus	dwarf surfperch	57	562.2	—	—
Syngnathus spp.	pipefishes	55	160.7	—	—
Atherinopsis californiensis	jacksmelt	54	1,152.0	—	—
Myliobatis californica	bat ray	50	19,899.1	4	5,965.0
Menticirrhus undulatus	California corbina	43	1,906.1	—	—
Amphistichus argenteus	barred surfperch	43	1,306.4	—	—
Fundulus parvipinnis	California killifish	43	299.0	—	—
unidentified fish, damaged	unidentified damaged fish	36	1,060.2	1	70.0
Ictaluridae	catfish unid.	35	4,278.5	—	—
Leptocottus armatus	Pacific staghorn sculpin	32	280.2	—	—
Lepomis cyanellus	green sunfish	29	1,169.6	—	—

Sphyraena argentea	California barracuda	29	397.2	—	—
Umbrina roncador	yellowfin croaker	28	572.5	—	—
Lepomis macrochirus	bluegill	20	670.0	—	—
Ophichthus zophochir	yellow snake eel	18	5,348.6	—	—
Citharichthys stigmaeus	speckled sanddab	17	61.6	—	—
Brachyistius frenatus	kelp surfperch	16	181.5	—	—
Cheilotrema saturnum	black croaker	15	103.4	—	—
Embiotoca jacksoni	black surfperch	14	1,240.3	—	—
Genyonemus lineatus	white croaker	12	170.7	—	—
Platycephaloides triseriata	thornback	11	4,730.9	1	1,500.0
unidentified fish	unidentified fish	10	811.0	—	—
Chromis punctipinnis	blacksmith	10	395.9	—	—
Porichthys notatus	plainfin midshipman	9	1,791.8	—	—
Hermosilla azurea	zebra perch	9	1,097.2	—	—
Micropterus salmoides	large mouth bass	9	27.0	—	—
Heterostichus spp.	kelpfish	7	47.8	—	—
Hypsoblennius gentilis	bay blenny	7	36.5	—	—
Trachurus symmetricus	jack mackerel	7	7.2	—	—
Anchoa spp.	anchovy	6	27.0	—	—
Engraulidae	anchovies	6	2.8	—	—
Peprilus simillimus	Pacific butterfish	5	91.3	—	—
Rhacochilus vacca	pile surfperch	4	915.1	—	—
Pylodictis olivaris	flathead catfish	4	480.0	—	—
Pleuronichthys verticalis	hornyhead turbot	4	189.6	—	—
Pleuronectiformes unid.	flatfishes	4	62.1	—	—
Sebastes atrovirens	kelp rockfish	4	39.8	—	—
Mustelus californicus	gray smoothhound	3	1,850.0	—	—
Cheilopogon pinnatibarbatus	spotted flyingfish	3	604.0	—	—
Ameiurus natalis	yellow bullhead	3	220.0	—	—
Lepomis spp.	sunfishes	3	195.5	—	—
Hypsoblennius gilberti	rockpool blenny	3	15.6	—	—
Syngnathus leptorhynchus	bay pipefish	3	8.8	—	—
Albula vulpes	bonefish	2	1,192.0	—	—
Sarda chiliensis	Pacific bonito	2	1,010.0	—	—
Rhinobatos productus	shovelnose guitarfish	2	460.8	2	6,200.0
Girella nigricans	opaleye	2	346.1	—	—
Scorpaena guttata	California scorpionfish	2	76.0	—	—
Acanthogobius flavimanus	yellowfin goby	2	55.2	—	—
Hyphessobrycon rosae	California halfbeak	2	22.6	—	—
Hypsoblennius jenkinsi	mussel blenny	2	17.3	—	—
Symphurus atricauda	California tonguefish	2	15.4	—	—
Hypsoblennius spp.	blennies	2	10.5	—	—
Scomber japonicus	Pacific mackerel	2	10.0	—	—
Tilapia spp.	African mouth brooders	2	6.6	—	—
Sciaenidae unid.	croaker	2	2.8	—	—
Paralabrax spp.	sand bass	2	2.0	—	—
Cynoscion parvipinnis	shortfin corvina	1	900.0	—	—
Porichthys spp.	midshipman	1	200.0	—	—
Micropterus dolomieu	smallmouth bass	1	150.0	—	—
Hyperprosopon spp.	surfperch	1	115.0	—	—

Ameiurus nebulosus	brown bullhead	1	100.0	—	—
Gillichthys mirabilis	longjaw mudsucker	1	34.4	—	—
Lyopsetta exilis	slender sole	1	25.9	—	—
Gibbonsia montereyensis	crevice kelpfish	1	8.3	—	—
Pleuronichthys ritteri	spotted turbot	1	6.5	—	—
Oxylebius pictus	painted greenling	1	4.8	—	—
Paraclinus integrifinnis	reef finspot	1	3.7	—	—
Dorosoma petenense	threadfin shad	1	3.4	—	—
Mugil cephalus	striped mullet	1	3.4	—	—
Citharichthys sordidus	Pacific sanddab	1	0.5	—	—
Torpedo californica	Pacific electric ray	—	—	1	3,750.0
		19,408	351,672.4	34	22,152.1

Table B.

Numbers and weights of shellfish invertebrates impinged during 52 normal operations surveys at EPS from June 2004 to June 2005, sorted by taxa abundance. Traveling screen data and bar rack data presented separately.

Taxon	Common Name	Sample Count	Sample Weight (g)	Bar Rack Count	Bar Rack Weight (g)
<i>Portunus xantusii</i>	Xantus' swimming crab	699	4,423.4	—	—
<i>Pachygrapsus crassipes</i>	striped shore crab	655	2,786.3	—	—
<i>Pachygrapsus</i> spp.	shore crab	418	821.9	—	—
<i>Octopus</i> spp.	octopus	36	6,909.4	—	—
<i>Cancer productus</i>	red rock crab	26	222.0	—	—
<i>Loligo opalescens</i>	market squid	24	263.7	—	—
<i>Pugettia</i> spp.	kelp crabs	24	53.3	—	—
<i>Cancer</i> spp.	cancer crabs	23	57.3	—	—
<i>Pugettia producta</i>	northern kelp crab	11	20.4	—	—
<i>Pyromaia tuberculata</i>	tuberculate pea crab	11	17.7	—	—
<i>Octopus bimaculatus</i>	California two-spot octopus	8	1,108.1	—	—
<i>Taliepus nuttallii</i>	globose kelp crab	6	2.9	—	—
Brachyuran unid.	unidentified crab	4	270.9	—	—
<i>Cancer antennarius</i>	brown rock crab	4	11.4	—	—
<i>Loxorhynchus crispatus</i>	moss crab	4	2.4	—	—
<i>Cancer jordani</i>	hairy rock crab	3	15.6	—	—
<i>Hemigrapsus oregonensis</i>	yellow shore crab	3	6.2	—	—
<i>Panulirus interruptus</i>	California spiny lobster	2	96.0	—	—
Caridean unid.	unidentified shrimp	2	35.0	—	—
<i>Pugettia richii</i>	cryptic kelp crab	2	12.3	—	—
<i>Blepharipoda occidentalis</i>	spiny mole crab	2	12.0	—	—
<i>Lophopanopeus</i> spp.	black-clawed crabs	2	9.3	—	—
<i>Callianassa californiensis</i>	ghost shrimp	2	2.9	—	—
<i>Lophopanopeus frontalis</i>	molarless crestleg crab	2	0.8	—	—
<i>Crangon</i> spp.	bay shrimp	1	20.9	—	—
<i>Rhithropanopeus harrisi</i>	Harris mud crab	1	18.0	—	—
<i>Sicyonia ingentis</i>	Ridgeback rock shrimp	1	16.0	—	—
<i>Callinectes</i> spp.	crab	1	13.8	—	—
<i>Podochela hemphilli</i>	Hemphill's kelp crab	1	3.0	—	—
<i>Cycloanthrops novemdentatus</i>	ninetooth pebble crab	1	2.6	—	—
<i>Pelia tumida</i>	dwarf teardrop crab	1	1.9	—	—
<i>Pandalus platyceros</i>	spot shrimp	1	1.8	—	—
Majidae	spider crabs	1	1.8	—	—
<i>Loxorhynchus</i> spp.	spider crabs	1	0.1	1	0.5
Hippolytidae unid.	hippolytid shrimps	1	0.0	—	—
<i>Cancer magister</i>	dungeness crab	1	0.0	—	—
<i>Dosidicus gigas</i>	jumbo squid	—	—	1	500.0
		1,985	17,241.2	2	500.5