STATE OF CALIFORNIA CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD SAN FRANCISCO BAY REGION

STAFF SUMMARY REPORT (Habte Kifle) MEETING DATE: July 21, 2004

ITEM: 11

SUBJECT: San Mateo Countywide Stormwater Pollution Prevention Program (STOPPP),

San Mateo County – Third Amendment of Order No. 99-059

CHRONOLOGY: Municipal Stormwater Permit Reissued – July 1999

First Amendment (New and Redevelopment Control Measures) adopted –

February 19, 2003

DISCUSSION: As a result of the San Francisco Superior Court's Writ of Mandate and Statement of

Decision issued on November 14, 2003 (see Staff Summary Report, Item No. 9), various administrative approvals for changes to the Stormwater Management Plan since adoption of Order No. 99-059 (a municipal stormwater permit that is described further in the Staff Summary Report in Item No. 9) have in effect been invalidated because they were not subject to the correct notice and comment procedures. This Tentative Order (Appendix A) brings those invalidated administrative changes and any pending requests for approvals relating to the Discharger's Stormwater

Management Plan to the Regional Board for consideration and adoption under a public process. Adoption of the Tentative Order has the effect of formally approving those efforts that are already being implemented by the Dischargers since they were previously sanctioned by the Board staff. Staff therefore recommend adoption of the

Tentative Order.

This Tentative Order is distinct from Item No. 9 in that the latter only deals with those amendments to the permit that are necessary to comply with the San Francisco Superior Court's Writ of Mandate and Statement of Decision.

The Tentative Order was noticed for public comment in May 2004. We have received minor and editorial comments from the Dischargers (Appendix C). The Tentative Order is revised to incorporate those minor changes.

RECCOMEN-

DATION: Adopt the Tentative Order

File No. 1538.07 (HTK)

Appendices: A: Tentative Order

B: Fact Sheet

C: Comment Letter