



Matthew Rodriguez
Secretary for
Environmental Protection

California Regional Water Quality Control Board San Francisco Bay Region

1515 Clay Street, Suite 1400, Oakland, California 94612
(510) 622-2300 • FAX (510) 622-2460
<http://www.waterboards.ca.gov/sanfranciscobay>



Edmund G. Brown Jr.
Governor

Date: April 15, 2013
CIWQS Place ID No. 247266

PUBLIC NOTICE

Subject: Tentative Order for Revised Site Cleanup Requirements for the Pacific Rod and Gun Club, and the City and County of San Francisco, San Francisco Public Utilities Commission, 525 Golden Gate Avenue, San Francisco

Dear Interested Party,

Enclosed is a Tentative Order for issuing Site Cleanup Requirements for the Pacific Rod and Gun Club. The Tentative Order will be considered by the Regional Board at its June 12, 2013 hearing. The hearing will be held at:

Elihu Harris State Building
First Floor Auditorium
1515 Clay Street
Oakland, CA 94612
June 12, 2013, 9:00 a.m.

This Order requires site investigations and corrective measures for soil and sediment at this Site.

Comments to the Tentative Order must be submitted in writing to this office by May 17, 2013. Any comments submitted after the deadline may not be considered. Questions regarding this matter should be directed to me at (510) 622-2347, or by e-mail at afriedman@waterboards.ca.gov.

Sincerely,

Alan D. Friedman, P.E.
Water Resource Control Engineer

Enclosures: Tentative Order
Mailing List

Mailing List

James R. Arnold, Attorney at Law
225 Bush Street, 16th Floor
San Francisco, CA 94104
JArnold@ArnoldLP.com

Joshua D. Milstein
City Of San Francisco
Joshua.D.Milstein@sfgov.org

Obiajulu Nzewi, P.G.
San Francisco Public Utilities Commission
525 Golden Gate Ave., 10th
Floor
San Francisco, CA 94103
onzewi@sfgwater.org

Steven R. Ritchie
San Francisco Public Utilities Commission
525 Golden Gate Ave., 10th
Floor
San Francisco, CA 94103
Sritchie@sfgwater.org

Andrea Kopecky
San Francisco Baykeeper
785 Market Street, Suite 850
San Francisco, CA 94103

Board Meeting Lyris List

