

---

## San Francisco Bay Regional Water Quality Control Board

# NOTICE OF OPPORTUNITY TO COMMENT REGARDING SITE CLEANUP REQUIREMENTS FOR PACIFIC GAS AND ELECTRIC COMPANY AND PORT OF SAN FRANCISCO FOR THE OFFSHORE PROPERTY BETWEEN PIER 39 AND PIER 43½ IN SAN FRANCISCO

**NOTICE IS HEREBY GIVEN THAT** the San Francisco Bay Regional Water Quality Control Board (Water Board) will accept written comments on the Tentative Order (Order) issuing Site Cleanup Requirements for Pacific Gas and Electric Company and Port of San Francisco (The Dischargers).

The Order would establish Site Cleanup Requirements for offshore sediment. The Order summarizes the site history, basis for naming the Dischargers, the remedial investigation, the feasibility study and remedial action plan, and the recommended cleanup alternative. Adoption of the Order would approve the Dischargers' recommended cleanup alternative.

The Tentative Order is available for review at:

[https://www.waterboards.ca.gov/sanfranciscobay/board\\_decisions/tentative\\_orders.html](https://www.waterboards.ca.gov/sanfranciscobay/board_decisions/tentative_orders.html)

**SUBMISSION OF WRITTEN COMMENTS.** Persons interested in the Tentative Order are encouraged to submit comments electronically. To be considered, comment letters must be received by 5:00 pm on December 17, 2021. Submit comments to Ross Steenson, by email to [Ross.Steenson@waterboards.ca.gov](mailto:Ross.Steenson@waterboards.ca.gov), or mail or hand deliver to:

Ross Steenson  
San Francisco Regional Water Quality Control Board  
1515 Clay Street, Suite 1400  
Oakland, CA 94612

Please use the subject line: "**Comment Letter – Pier 39 to 43½ Sediment Tentative Order.**"

Please direct questions about this notice to Ross Steenson at (510) 622-2445 or [Ross.Steenson@waterboards.ca.gov](mailto:Ross.Steenson@waterboards.ca.gov).