

# SUPPLEMENTAL

STATE OF CALIFORNIA  
REGIONAL WATER QUALITY CONTROL BOARD  
SAN FRANCISCO BAY REGION

ITEM: **5.B – Supplemental**

SUBJECT: **Sonoma Resource Conservation District, Petaluma River and Sonoma Creek Levee Maintenance Program, Sonoma County – Issuance of Waste Discharge Requirements and Water Quality Certification**

DISCUSSION: This document corrects an error in the Tentative Order for the Water Board's consideration. Additions are shown by underlined text, and deletions are shown by ~~strikethrough~~ text.

The Petaluma River and Sonoma Creek Maintenance Manual (Manual), the Tentative Order, and the NOI erroneously state cubic feet instead of cubic yards in the overall excavation limits for the Maintenance Program. This Supplemental corrects that error, which has also been corrected in the Manual, as follows:

Appendix A – Tentative Order

**Finding 12.** (...) Excavation activities must be limited to 4 cubic yards (CY) of material excavated from waters of the State, per linear foot of levee maintained, not to exceed 10,000 cubic ~~feet~~ yards or 2,500 linear feet, per parcel, per year, for each participating landowner....

**Provision D.6.b.** No more than 10,000 cubic ~~feet~~ yards of material excavated from waters of the State or 2,500 linear feet of levee maintained per parcel per year for each participating landowner;

Appendix B – NOI

**VI. Discharge Information, B.** (...) In accordance with the Manual and Order, no more than 4 cubic yards of material may be excavated from jurisdictional waters per foot of levee maintained, and no more than 10,000 cubic ~~feet~~ yards of material may be excavated from no more than 2,500 linear feet of jurisdictional waters per parcel per year.

Appendix C – Maintenance Manual

**Section 1.7 Program Impacts (page 9).** (...) Additional program limitations under other regulatory agencies, limit dredging to up to 4 cubic yards (cy) of material within jurisdictional waters and wetlands, per foot of levee, not to exceed 10,000 cubic ~~feet~~ yards (cy) or 2,500 linear feet per parcel, per year, from the channels for each participating landowner or responsible party with total program dredging volumes shall not exceed 150,000 cubic yards in any given year.