

Table 7.3.1-3 Density-Based Pollutant Wasteload and Load Allocations^a for Dischargers of Pathogens in Tomales Bay Watershed

Categorical Pollutant Source	Wasteload and Load Allocations Fecal Coliform (MPN/100 mL)		
	For Direct Discharges to the Bay		For Discharges to Major Tomales Bay Tributaries
	Median ^b	90th Percentile ^c	Log Mean ^b
Onsite Sewage Disposal Systems	0	0	0
Small Wastewater Treatment Facilities	0	0	0
Boat Discharges	0	0	N/A
Grazing Lands	<14	<43	< 200
Dairies	<14	<43	< 200
Equestrian Facilities	<14	<43	< 200
Municipal Runoff	<14	<43	< 200
Open space lands (terrestrial wildlife) ^d	<14	<43	< 200
In-Bay Background (marine wildlife) ^d	<14	<43	N/A

a. These allocations are applicable year-round. Wasteload allocations apply to any sources (existing or future) subject to regulation by a NPDES permit.
b. Based on a minimum of five consecutive samples equally spaced over a 30-day period.
c. No more than 10% of total samples during any 30-day period may exceed this number.
d. Open space lands and the Bay contain wildlife and are therefore recognized as potential source areas. These areas are not believed to be a significant source of pathogens and their contribution is considered natural background; therefore, no management measures are required.