Appendix 6.1 Underground Storage Tank Spill Containment Testing Report Form Continuation Page

CERS ID Facility Name					Test Date	
6. SPILL CONTAINMENT DETAILS (continued)						
Tank ID						
Spill Containment Manufacturer:						
Method of Cathodic Protection		☐ Nonmetallic ☐ Other	☐ Nonmetallic ☐ Other	☐ Nonmetallic ☐ Other		☐ Nonmetallic ☐ Other
Is the spill containment minimum capacity five gallons excluding riser volume?		□ Yes □ No	□ Yes □ No	□ Yes □ No		□ Yes □ No
Method to keep spill containment empty		□ Drain □ Pump □ Other	□ Drain □ Pump □ Other	□ Drain □ Pump □ Other		□ Drain □ Pump □ Other
Spill Containment Test Results		□ Pass □ Fail	□ Pass □ Fail	□ Pass □ Fail		□ Pass □ Fail
Tank ID						
Spill Containment Manufacturer:						
Method of Cathodic Protection		☐ Nonmetallic ☐ Other	☐ Nonmetallic ☐ Other	☐ Nonmetallic ☐ Other		☐ Nonmetallic ☐ Other
Is the spill containment minimum capacity five gallons excluding riser volume?		□ Yes □ No	□ Yes □ No	□ Yes □ No		□ Yes □ No
Method to keep spill containment empty		□ Drain □ Pump □ Other	☐ Drain ☐ Pump ☐ Other	☐ Drain ☐ Pump ☐ Other		☐ Drain ☐ Pump ☐ Other
Spill Containment Test Results		□ Pass □ Fail	□ Pass □ Fail	□ Pass □ Fail		□ Pass □ Fail
Tank ID						
Spill Containment Manufacturer:						
Method of Cathodic Prote	ection	☐ Nonmetallic ☐ Other	☐ Nonmetallic ☐ Other	☐ Nonmetal	lic	☐ Nonmetallic ☐ Other
Is the spill containment minimum capacity five gallons excluding riser volume?		□ Yes □ No	□ Yes □ No	□ Yes □ No		□ Yes □ No
Method to keep spill containment empty		☐ Drain ☐ Pump ☐ Other	☐ Drain ☐ Pump ☐ Other	□ Drain □ Pump □ Other		☐ Drain ☐ Pump ☐ Other
Spill Containment Test Results		□ Pass □ Fail	□ Pass □ Fail	□ Pass □ Fail		□ Pass □ Fail