

Critical Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	5 cfs	10 cfs	10 cfs
December	5 cfs	13 cfs	13 cfs
January	5 cfs	13 cfs	13 cfs
February	5 cfs	12 cfs	12 cfs
March	5 cfs	13 cfs	13 cfs

Dry Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	6 cfs	10 cfs	10 cfs
December	7 cfs	13 cfs	13 cfs
January	7 cfs	13 cfs	13 cfs
February	7 cfs	12 cfs	12 cfs
March	10 cfs	13 cfs	13 cfs

Below Normal Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	8 cfs	10 cfs	10 cfs
December	10 cfs	13 cfs	13 cfs
January	10 cfs	13 cfs	13 cfs
February	10 cfs	12 cfs	12 cfs
March	15 cfs	13 cfs	15 cfs

Above Normal and Wet Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	10 cfs	10 cfs	10 cfs
December	10 cfs	13 cfs	13 cfs
January	15 cfs	13 cfs	15 cfs
February	15 cfs	12 cfs	15 cfs
March	20 cfs	13 cfs	20 cfs

*Federal Energy Regulatory Commission has issued a new license to the El Dorado Irrigation District for the El Dorado Hydroelectric Project, which asserts minimum instream flow requirement at USGS gage 11434500 as summarized in the above table.

Web Link to FERC License:

[FERC License #P-184 El Dorado Hydroelectric Project](#)