
State Water Resources Control Board

**CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION
ORDER NO. WQ 2025-####-DWQ AND
NOTICE OF APPLICABILITY FOR ENROLLMENT UNDER STATE WATER BOARD
GENERAL ORDER FOR THE CORPS' NATIONWIDE PERMITS
(ORDER NO. [WQ] 2020-0039-EXEC)**

Effective Date: Upon Deputy Director's Signature

Program Type: Fill/Excavation

Project Type: Overhead Utility

Project: 904528095 Ilana Lane Ground Rod Installation Project
Regulatory Measure ID: 462507
WDID: SB25045IN

Applicant: Southern California Edison
Applicant Contact: Robert LeMoine
Director Environmental Services
2244 Walnut Grove Avenue
Rosemead, CA 91770
Phone: (626) 302-4476
Email: Robert.F.LeMoine@sce.com

State Water Board Staff: Shawn Agarwal
Engineering Geologist
1001 I Street
Sacramento, CA 95814
Phone: (916) 323-0886
Email: Shawn.Agarwal@waterboards.ca.gov

State Water Board Contact Person:

For further assistance, please call the State Water Resources Control Board (State Water Board) Staff listed above or (916) 322-7781 and ask to speak with the Wetlands Permitting and Enforcement II Unit Supervisor.

I. Summary

This Notice of Applicability for enrollment under the State Water Board General Order for the Nationwide Permits (Order No. [WQ] 2020-0039-EXEC; SWRCB ID SB20031GN; hereafter referred to as the General Order) is issued at the request of Southern California Edison (Applicant). The General Order can be accessed at [the Clean Water Act Section 401 - Certification and Wetlands Program, General Orders webpage](https://www.waterboards.ca.gov/water_issues/programs/cwa401/generalorders.html#yr_2020) (https://www.waterboards.ca.gov/water_issues/programs/cwa401/generalorders.html#yr_2020). On September 11, 2025, the State Water Board received a complete Notice of Intent requesting authorization for the Applicant's 904528095 Ilana Lane Ground Rod Installation Project (Project). After reviewing the Notice of Intent, the State Water Board has determined that the Project meets General Order requirements for Nationwide Permit 57: Electric Utility Line and Telecommunications Activities.

This order also serves as an individual certification (Certification) for the Project enrolling under U.S. Army Corps of Engineers' Nationwide Permit 57 pursuant to Clean Water Act Section 401.

II. Project Description

As described in the Project Notice of Intent and supplemental information (hereafter referred to as the Application), which is incorporated herein by reference, the purpose of the Project is to install grounding rods at one wood utility pole (Pole 706242E). The area of soil disturbance (i.e. excavation, side casting and backfill) associated with the project would be limited to an approximate 10-foot area around Pole 706242E.

III. Project Location

The Project is located on 29050 Ilana Lane, in Santa Clarita, Los Angeles, California. The Project coordinates are 34.459209°N, 118.467540°W.

IV. Receiving Waters Information

The Project is located within the jurisdiction of the Los Angeles Regional Water Quality Control Board. Receiving waters and groundwater potentially impacted by this Project are listed in Table 1. These waters are regulated in accordance with the applicable water quality control plan (Basin Plan) for the region and other plans and policies of the California Water Boards, which may be accessed online at [the State Water Boards' Plans and Policies webpage](http://www.waterboards.ca.gov/plans_policies/) (http://www.waterboards.ca.gov/plans_policies/).

Table 1: Receiving Water Information

Impact Site ID	Waterbody Name	Impacted Aquatic Resource Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303(d) Listing Pollutants
706242E	Unnamed ephemeral drainage	Stream Channel	403.51	Bouquet Canyon Creek	MUN, IND, PROC, AGR, GWR, FRSH, WARM, WILD	N/A

V. Direct Impacts to Waters of the State

Total Project fill/excavation quantities for all impacts are summarized in Table 2.

Table 2: Total Project Fill/Excavation Quantity to Stream Channels

Temporary Impact ¹	Permanent Impact - Physical Loss of Area	Permanent Impact - Degradation of Ecological Condition Only
0.001 acres 20 linear feet	0 acres 0 linear feet	0 acres 0 linear feet

VI. Description of Indirect Impacts to Waters of the State

The State Water Board recognizes the potential for indirect impacts to waters of the state associated with the Project. Potential indirect adverse effects include but are not limited to: increased sediment loading to streams from riparian and/or upland areas used for access or staging areas, possibility of introducing invasive species into the Project areas, and changing timing of runoff delivery to streams in the Project area. The Project, as designed, will not have significant indirect impacts to waters of the state.

VII. Conditions

A. Scope of Authorization

The Project may proceed only as described in the Application submitted to the State Water Board by the Applicant and in accordance with the conditions in State Water Board General Order No. [WQ] 2020-0039-EXEC and this

¹ Includes only temporary direct impacts to waters of the state and does not include upland areas of temporary disturbance which could result in a discharge to waters of the state. Temporary impacts, by definition, are restored to pre-project conditions and therefore do not include a physical loss of area or degradation of ecological condition.

Notice of Applicability. This Certification and coverage under the General Order is no longer valid if the Project (as described) is modified. A copy of the General Order and its attachments can be found on the State Water Resources Control Board's [General Order Website](https://www.waterboards.ca.gov/water_issues/programs/cwa401/generalorders.html#yr_2020) (https://www.waterboards.ca.gov/water_issues/programs/cwa401/generalorders.html#yr_2020).

B. Avoidance and Minimization

In order to avoid and minimize impacts to waters of the state and their designated beneficial uses, the Applicant will follow the avoidance and minimization measures as proposed in their Application. Each avoidance and minimization measure demonstrates that a sequence of actions has been taken to first avoid, then to minimize, and lastly compensate for loss of or significant adverse impacts to beneficial uses of waters of the state that cannot be practicably avoided or minimized.

C. Mitigation for Temporary Impacts

All temporarily affected areas will be restored to pre-construction contours and conditions upon completion of construction activities in compliance with the General Order and according to the restoration plan submitted by the Applicant in the Application.

VIII. California Environmental Quality Act

The State Water Board has determined that the Project is exempt from review under the California Environmental Quality Act pursuant to California Code of Regulations, title 14, section 15301. Additionally, the State Water Board finds that no exceptions to the exemptions apply to the activities approved by this Notice of Applicability.

IX. Certification Fees

The Project is being implemented as part of the Applicant's Wildfire Mitigation Plan. The fee amount was determined as required by California Code of Regulations, title 23, sections 3833(b)(3) and 2200(a)(3) and falls under Category H – Wildfire Mitigation by Electrical Corporations, Electric Utilities, and Electrical Cooperatives.

X. Public Notice

The State Water Board provided public notice of the Application pursuant to California Code of Regulations, title 23, section 3858 from September 12 to October 3, 2025. The State Water Board did not receive any comments during the comment period.

XI. Reporting and Notification Requirements

Notices and reporting shall be provided to the State Water Board according to section VI.E, "Application for Coverage and Termination," of the General Order.

The Applicant shall submit Report Types 2 and 3 as described in Attachment B, "Report and Notification Requirements" of the General Order. The Applicant must also submit Report Types 4 through 9 if the Project encounters the conditions described in these Report Types. The Applicant must submit all reports and information required under this Certification according to the Report Submittal Instructions found in Attachment B, "Report and Notification Requirements," of the General Order.

XII. Water Quality Certification

I hereby issue this Notice of Applicability for the 904528095 Ilana Lane Ground Rod Installation Project, certifying that as long as all of the conditions listed in the General Order are met, any discharge from the referenced Project will comply with the applicable provisions of Clean Water Act sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards).

As a water quality certification and enrollment under State Water Board General Order No. [WQ] 2020-0039-EXEC, this Certification and Notice of Applicability serve as waste discharge requirements pursuant to the Porter-Cologne Water Quality Control Act (Wat. Code, § 13000 et seq.). State Water Board Order No. [WQ] 2020-0039-EXEC serves as waste discharge requirements in accordance with State Water Board Water Quality General Order No. 2003-0017-DWQ. The State Water Board will file a Notice of Exemption (NOE) at the State Clearinghouse within five (5) working days of issuance of this Notice of Applicability.

Except insofar as may be modified by any preceding conditions, all Notice of Applicability actions are contingent on: (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the conditions of the General Order and the attachments to the General Order; and, (b) compliance with all applicable requirements of Statewide Water Quality Control Plans, and the Regional Water Boards' Water Quality Control Plans.

Date

Phillip Crader  Digitally signed by Phillip Crader
Date: 2025.10.16 09:12:18 -07'00'

Phillip Crader, Deputy Director
Division of Water Quality