


Groundwater Fact Sheet

Hexavalent Chromium (Cr⁶)



Constituent of Concern

Hexavalent Chromium

Synonym

Chromium VI, Chromium Six, Chrome 6+, Cr⁶

Chemical Formula

Cr⁶⁺

CAS Number

18540-29-9

Storet Number

01032

Summary

In 2017, California State Water Resources Control Board (SWRCB) withdrew the previous Maximum Contaminant Level (MCL) of 10 micrograms per liter (µg/L) for hexavalent chromium (Cr⁶). Until MCL is revised, the total chromium MCL of 0.1 milligrams per liter (mg/L) is in use as the drinking water standard. Total chromium refers to all chromium compounds present in water. The most common valence states in the environment are trivalent chromium (Cr³), an essential element in humans, and Cr⁶, a human carcinogen according to the Environmental Protection Agency (EPA). These states can convert into one another under different oxidizing and pH conditions.

In this fact sheet, the Detection Limit for Purposes of Reporting (DLR) of Cr⁶ (1 µg/L) is used to display its occurrence. Based on SWRCB data from 2007 to 2017, 3,778 active and standby public water wells (of 8,765 wells sampled, 4,461 detections) had at least one concentration of Cr⁶⁺ above the DLR. Most detections have occurred in Los Angeles (514), San Bernardino (429), and Fresno (323) counties.

REGULATORY WATER QUALITY LEVELS ¹		
HEXAVALENT CHROMIUM (Cr ⁶)		
Type	Agency	Concentration
Federal MCL	EPA ²	Not established
State MCL	SWRCB ³	In progress
Detection Limit for Purposes of Reporting (DLR)	SWRCB ³	1 µg/L
Public Health Goal (PHG)	OEHHA ⁴	0.02 µg/L
Health Based Screening Level (HBSL)	USGS ⁵	20 µg/L
Cancer Potency Factor as a drinking water level	Cal/EPA ⁶	0.07 µg/L

¹These levels are generally related to drinking water. Other water quality levels may exist. For further information, see "A Compilation of Water Quality Goals", 17th Edition (SWRCB 2016).

²EPA – United States Environmental Protection Agency

³SWRCB - State Water Resources Control Board.

⁴OEHHA – Office of Environmental Health Hazard Assessment

⁵USGS – United State Geological Survey

⁶Cal/EPA – California Environmental Protection Agency

HEXAVALENT CHROMIUM DETECTIONS IN PUBLIC WATER WELL SOURCES⁷

Number of active and standby public water wells with Cr ⁶ concentrations > 1 µg/L ⁸	186 of 8,994 wells tested with 470 detections
Top 3 counties with Cr ⁶ detection in public wells above the MCL	Los Angeles (153), San Bernardino (14), Fresno (6)

⁷ Based on 2007-2017 public standby and active well (groundwater sources) data collected by the SWRCB.

⁸ Data from private domestic wells and wells with less than 15 service connections are not available.

ANALYTICAL INFORMATION

Approved EPA methods	218.7	218.6
Detection Limit (µg/L)	0.01	0.3
Notes	Ion chromatography with post-column derivatization and UV-visible spectroscopic detection (SWRCB approved for drinking water)	Ion chromatography (SWRCB approved for drinking water)
Known Limitations to Analytical Methods	Water sample pH must be adjusted to 9.0-9.5, stored at 4°C and analyzed within 24 hours.	
Public Drinking Water Testing Requirements	In January 2001, Cr ⁶ was identified as an unregulated chemical requiring monitoring. As a result, public water systems began to test for Cr ⁶ in their drinking water supplies to the DLR of 1 µg/L. In 2014, MCL for Cr ⁶ was established at 10 µg/L. On August 1, 2017, the MCL was repealed. Compliance with the MCL for total chromium continues to be required.	

Hexavalent Chromium Occurrence

Anthropogenic Sources

Chromium is a metallic chemical that originates as a contaminant in the environment from the discharges of dye and paint pigments, wood preservatives, chrome-plating liquid wastes, and leaching from hazardous waste sites. The greatest use of chromium is in metal alloys such as stainless steel, protective coatings on metal, magnetic tapes, pigments for paints, cement, paper, rubber, composition floor covering, etc. The two largest sources of chromium emission in the atmosphere are from the chemical manufacturing and combustion of natural gas, oil and coal.

Natural Sources

Chromium is a metal found in natural deposits of ores containing other elements, mostly as chrome-iron ores. It is also widely present in soil and plants. Under most conditions, natural chromium in the environment occurs as Cr³. Under oxidizing conditions, alkaline pH range, presence of MnO₂, and minerals containing chromium, part of it may occur as hexavalent chromium dissolved in

groundwater. Recent sampling of drinking water sources throughout California suggests that hexavalent chromium may occur naturally in groundwater at many locations. Naturally occurring hexavalent chromium may be associated with serpentinite-containing rock or chromium containing geologic formations.

History of Occurrence

Hexavalent chromium has been detected in groundwater at several industrial sites where wood treatment or metal plating solutions were used. Between 1952 and 1966, Pacific Gas & Electric (PG&E) used hexavalent chromium to reduce corrosion in its natural gas compressor plant in Hinkley, near Barstow. Hexavalent chromium contaminated groundwater was suspected of causing cancer and tumors in residents beginning in the mid 1980's. Since then, elevated levels of hexavalent chromium have been detected in groundwater at several other locations including Glendale, Topock, and Kettleman City. Hexavalent chromium also occurs naturally in groundwater at the Presidio of San Francisco and Lawrence Livermore National Laboratory.

Contaminant Transport Characteristics

Hexavalent chromium is readily soluble in water. Under high Eh (oxidizing) and alkaline (pH above 7) conditions, hexavalent chromium can be predominant in groundwater. However, in the presence of organic matter, ferrous iron (Fe II) and sulfide, hexavalent chromium can be readily reduced to Cr³ and immobilized. Adsorption of hexavalent chromium by clayey soil and natural aquifer materials is low to moderate under near-neutral pH ranges commonly encountered in groundwater.

Remediation and Treatment Technologies

In-situ Treatment

In several laboratory and field pilot tests, and full-scale remediation systems, hexavalent chromium has been removed using a permeable reactive barrier filled with zero-valent iron granules or surfactant-modified zeolite. Engineered chemical reduction technologies involve the addition or in-situ injection of an electron donor such as hydrogen sulfite, sodium dithionite, sodium metabisulfite, calcium metabisulfite calcium polysulfite or tin(II) chloride. Other methods include geochemical fixation, soil flushing and extraction, bioremediation and electrokinetic.

Above-Ground Treatment

Drinking water can be treated by different Pump and Treat remediation systems. Cr³ and Cr⁶ can be removed by reverse osmosis or ion exchange resin. The ion exchange method should be used with caution, as presence of other metals may interact with the process and decrease system effectiveness. Removal of Cr⁶ by seaweed biosorbent and bacteria (*Bacillus* sp.) within packed bed reactors has also been used.

Natural Attenuation

Natural attenuation of hexavalent chromium may occur in the subsurface environment through reduction by organic matter, iron hydroxides or sulfides. Prior to selection of natural attenuation as an option for remediation, the following conditions need to be demonstrated: 1) there are natural reducers present within the aquifer, 2) the amount of hexavalent chromium and other reactive constituents do not exceed the capacity of the aquifer to reduce them, 3) the rate of hexavalent chromium reduction is greater than the rate of transport of the aqueous hexavalent chromium off the impacted site, 4) the hexavalent chromium remains immobile, and 5) there is no net oxidation of Cr³ to Cr⁶.

Health Effect Information

Hexavalent chromium is known to cause cancer in humans when inhaled. It can also damage the lining of the nose and throat and irritate the lungs. Several scientific studies have found elevated rates of lung cancer in workers with occupational exposure to hexavalent chromium by inhalation.

A few studies of workers exposed to Cr⁶ inhalation have shown an increase in cancers of the gastrointestinal tract. When swallowed, hexavalent chromium can upset the gastrointestinal tract and damage the liver and kidneys. In recent scientific studies of laboratory animals, hexavalent chromium has been linked to cancer when ingested, although it is rapidly converted to Cr³ after entering the stomach and coming into contact with organic matter.

Key Resources

1. Kratochvil D., Pimentel, P., Volesky B. Removal of Trivalent and Hexavalent Chromium by Seaweed Biosorbent, Environmental Science & Technology; 1998; 32(18); 2693-2698.
<https://doi.org/10.1021/es971073u>
2. Haman D.Z., Bottcher D.B. Home Water Quality and Safety, University of Florida, Cooperative Extension Service, Institute of Food and Agricultural Science. <http://www.pinecrest-fl.gov/Modules/ShowDocument.aspx?documentid=2809>
3. OEHHA, Public Health Goal for Hexavalent Chromium, July 2011.
4. <https://oehha.ca.gov/media/downloads/water/chemicals/phg/cr6phg072911.pdf>
5. US Environmental Protection Agency. An In-Situ Permeable Reactive Barrier for the Treatment of Hexavalent Chromium and Trichloroethylene in Ground Water, EPA 600-R-99-095b, September 1999. <http://www.clu-in.org/download/techfocus/prb/in-situ-prb-vol-2-600r99095b.pdf>
6. US Environmental Protection Agency; Groundwater Issue; Natural attenuation of Hexavalent Chromium in Groundwater & Soils; by Robert Puls, 1994, EPA/540/S-94/505.
https://www.epa.gov/sites/default/files/2015-06/documents/natatt_hexavalent_chromium.pdf
7. McLean, J. E. AND B. E. Bledsoe. Behavior of metals in soils (EPA/540/S-92/018). U.S. Environmental Protection Agency, Washington, D.C., 1992.
https://www.epa.gov/sites/default/files/2015-06/documents/issue_behavior_metals_soil.pdf
8. EPA -Technology Innovation Program-Contaminant Focus-Chromium VI (Aug 15, 2007).
http://www.clu-in.org/contaminantfocus/default.focus/sec/chromium_VI/cat/Overview/
9. Yi-Tin Wang; Hexavalent Chromium Reduction by Bacillus sp. in a Packed-Bed Bioreactor, Environmental Science & Technology; 31 (5); 1446-1451. (Article)
<https://doi.org/10.1021/es9606900>
10. USGS - Health-Based Screening Levels for Evaluating Water-Quality Data.
<https://water.usgs.gov/water-resources/hbsl/>
11. USGS; John A. Izbicki, James W. Ball, Thomas D. Bullen, Stephen J. Sutley, Chromium, chromium isotopes and selected trace elements, western Mojave Desert, USA, 2008.
<https://pubs.er.usgs.gov/publication/70033341>




Figure 1 Active and standby public drinking water wells that had at least one detection of Cr⁶ above the DLR, 2007-2017, 3778 wells. (Source: Public supply well data in GAMA GIS).