

ATTACHMENT IX — LIST OF REFERENCES

- Barton, C. & Kinkead, K. (2005). Do erosion control and snakes mesh? *Journal of Soil and Water Conservation*, 60 (2), 33A – 35A.
- Bledsoe, B. P. (1999). *Specific Stream Power as an Indicator of Channel Pattern, Stability, and Response to Urbanization*, PhD Dissertation, Colorado State University Department of Civil Engineering.
- Bledsoe, B. P., Watson, C.C., & Biedenbarn, D.S. (2002). Quantification of incised channel evolution and equilibrium, *Journal of the American Water Resources Association*, 38 (3), 861-870.
- Bledsoe, B. P., & Watson, C.C. (2004). Regional risk analysis of channel instability, *American Society of Civil Engineers*.
- Bledsoe, B., Hawley, R., & Stein, E. (2008). *Stream channel classification and mapping systems: Implications for assessing susceptibility to hydromodification effects in southern California*. Southern California Coastal Water Research Project, Technical Report 562.
- Booth, D. B. (1990, June). *Stream channel incision following drainage-Basin urbanization*, Paper No. 89098, *Water Resources Bulletin* 26(3), 407-417.
- Booth, D. B. & Jackson, C. R. (1997). Urbanization of aquatic systems: Degradation thresholds, stormwater detection, and the limits of mitigation. *Journal of the American Water Resources Association* Volume 33(5), 1077-1089.
- Brown, K. B. (2000). *Housing density and urban land use as stream quality indicators* in Practice of Watershed Protection, Article 25, p. 123-127.
- Brzozowski, C. (2009). Versatility in control, *Erosion Control Journal*, November-December 2009. Retrieved on May 17, 2010 from <http://www.erosioncontrol.com/November-december-2009/mats-blankets-erosion-5.aspx>
- California Department of Fish & Game. (2010). *Fish Passage Evaluation at Stream Crossings, Part IX*. California Salmonid Stream Habitat Restoration Manual, Volume 2, 4th edition. Retrieved on December 27, 2010 from <http://www.dfg.ca.gov/fish/Resources/HabitatManual.asp>
- California Department of Toxics Substance Control (DTSC). (2009). Caltrans Lead Variance for ReUse of Lead-Contaminated Soils. Variance Number V09HQSCD006.

- California Department of Transportation. (2003a). *Caltrans storm water monitoring & data management: Discharge characterization study report*, CTSW-RT-03-065.51.42.
- California Department of Transportation. (2003b). *Caltrans statewide storm water management plan*. CTSW-Rt-02-008
- California Department of Transportation. (2005). *Toxicity of storm water from Caltrans facilities*: John Muir Institute of the Environment–University of California, Davis
- California Department of Transportation. (2006). *Caltrans storm water management program annual report: Fiscal Year 2004-2005, Addendum (February 6, 2007)*, CTSW-RT-06-132-16.1.
- California Department of Transportation, (2007a). *Caltrans non-stormwater report: fiscal year 2005-2006 Annual Report*, CTSW-RT-07-182-24-1.
- California Department of Transportation. (2007b). *Caltrans storm water quality handbook maintenance staff guide*, CTSW-RT-02-057.
- California Department of Transportation. (2007c). *Caltrans storm water quality handbooks: project planning and design guide*, CTSW-RT-07-172.19.1.
- California Department of Transportation. (2010). *Caltrans storm water management program annual report (FY 2008-2009)*, 5-11 and 5-28. Retrieved on January 5, 2011 from http://www.dot.ca.gov/hq/env/stormwater/annual_report/curent_ar.pdf
- California Department of Transportation. (2009). *Caltrans fish passage design for road crossings: Chapter 3 design elements*. Retrieved on April 15, 2009, from <http://www.dot.ca.gov/hq/oppd/fishPassage/index.htm>
- California Department of Transportation, (2010a). *Caltrans year-end performance report (July 1, 2008- June 30, 2009): A summary of construction compliance reviews*, CTSW-RT-10-222-04.1
- California Department of Transportation, (2010b). *Caltrans April 2010 annual report: fiscal year 2008-2009*, CTSW-RT-10-182.32.1
- California Endangered Species Act. (1984). Fish and Game Code, Sections 2050 to 2069. Retrieved on January 5, 2011 from <http://www.leginfo.ca.gov/cgi-bin/displaycode?section=fgc&group=02001-03000&file=2050-2069>
- California State Water Resources Control Board (SWRCB). (1968). Resolution no. 68-16 regarding Federal antidegradation policy.

- California State Water Resources Control Board. (1994). *Urban runoff technical advisory committee report and recommendation: Nonpoint source management program*.
- California State Water Resources Control Board (SWRCB). (1997). *Statewide industrial general permit: Water quality order no. 97-03-DWQ*.
- California State Water Resources Control Board. (2000a). *Memo to executive officer of standard urban storm water mitigation plans, Order WQ 2000-11: SUSMP*. Retrieved on January 5, 2011 from http://www.waterboards.ca.gov/losangeles/water_issues/programs/stormwater/susmp/susmps_memo_122600.pdf
- California State Water Resources Control Board. (2000b). *Petition from cities of Bellflower, et al.: review of action of the regional board and actions and failures to act by both the LARWQCB and its Executive Officer pursuant to Oder No. 96-054*. Retrieved on January 5, 2011 from http://www.waterboards.ca.gov/board_decisions/adopted_orders/water_quality/2000/wq2000_11.pdf
- California State Water Resources Control Board (SWRCB). (2005a). *California Ocean Plan, Water Quality Control Plan, Resolution No. 2005-0013. Implementation provisions for Areas of Special Biological Significance (ASBS), 20-21*.
- California State Water Resources Control Board (SWRCB). (2005b). *NPDES stormwater cost survey: California State University, Sacramento -Office of Water Programs*.
- California State Water Resources Control Board. (2006). *Storm Water Panel recommendations to the California State Water Resources Control Board: Feasibility of numeric effluent limits applicable to discharges of storm water associated with municipal, industrial and construction activities*.
- California State Water Resources Control Board and The Water Board Academy. (2007). *A review of low impact development policies: Removing institutional barriers to adoption*: Low Impact Development Center.
- California State Water Resources Control Board (2009). *Statewide Construction General Permit, Order No. 2009-09-DWQ*.
- California State Water Resources Control Board. (2010). *Surface water ambient monitoring program website: SWAMP Comparability*. Retrieved on January 5, 2011 from <http://swamp.mpsl.mlml.calstate.edu/swamp-comparability>
- California Stormwater Quality Association (CASQA). (2007). *Municipal Stormwater Program Effectiveness Assessment Guidance*. Retrieved on August 13, 2010 from

<https://www.casqa.org/store/products/tabid/154/p-7-effectiveness-assessment-guide.aspx>

California Stormwater Quality Association (CASQA). (2009). *Stormwater best management practice handbook: Portal– Construction (Paving and Grinding Operations, NS-3)*. Retrieved on July 19, 2010 from <https://www.casqa.org/Portals/0/HandbookFiles/files/NS-3.pdf>

California Travel and Tourism Commission (2008). *California Travel Impacts by County 1992-2007*. Retrieved on July 30, 2010 from <http://tourism.visitcalifornia.com/media/uploads/files/editor/Research/CAImp08pfina1%281%29.pdf>

County of Orange. (2007). *Fact sheet/technical report for order no. 9-2007-001: Discharges of urban runoff from the municipal separate sewer systems, 11*. Retrieved on July 27, 2007 http://www.waterboards.ca.gov/sandiego/water_issues/programs/stormwater/docs/sd_permit/r9_2007_0001/2007_0001finalfacts.pdf

County of Sacramento. (2009). *Log Interval of Morrison Creek*. Retrieved on January 4, 2010 from http://waterdata.usgs.gov/nwis/?tab_delimited_format_info

Devinny, J.S., Kamieniecki, S., & Stenstrom, M. (2005). *Alternative approaches to stormwater quality control: University of Southern California, University of California-Los Angeles, and the Los Angeles Regional Water Quality Control Board*.

Dunne, T & Leopold, L.B. (1978). *Water in environmental planning*. San Francisco W.H. Freeman and Company.

Federal Highway Administration (FHWA). (2001). *Stream stability at highway structures, Third Edition*. Hydraulic Engineering Circular No. 20. Publication No. FHWA NHI 01-002, 260.

Federal Highway Administration (FHWA). (2006). *Assessing stream channel stability at bridges in physiographic regions*. Publication No. FHWA-HRT-05-072.

Finkenbine, J.K., Atwater, D.S., & Mavinic, D.S. (2000). Stream health after urbanization. *Journal of the American Water Resources Association*, 36,1149-60.

Finlayson, D.P. & Montgomery, D.R. (2003). Modeling Large-Scale Fluvial Erosion in Geographic Information Systems. *Geomorphology* , 53, 47-164.

Goldman S., Jackson, J.K., & Bursztynsky, T.A. (1986). *Erosion and Sediment Control Handbook*. McGraw Hill. San Francisco, CA.

- Haile, R.W., Alamillo, J., Barret, K., Cressey, R., Dermond, J., Glasser, A., et al. (1996). *An Epidemiological Study of Possible Adverse Health Effects of Swimming in Santa Monica Bay: Final Report 7 May 96*. Santa Monica Bay Restoration Project, Monterey Park, CA.
- Haile, R.W. (1999). The Health effects of swimming in ocean water contaminated by storm drain runoff. *Epidemiology*, 10(4), 353-363.
- Hammer, T.R. (1973). Effects of urbanization on stream channels and stream flow. *Regional Science Research Institute*, Philadelphia. PA.
- Hollis, G.E. (1975). *The effect of urbanization on floods of different recurrence interval*. *Water Resources Research*. 431-435.
- Klein, Richard D. (1979). *Urbanization and stream quality impairment*. Paper No. 78091, *Water Resources Bulletin* 15 (4), 948-963.
- Lahontan Region Water Quality Control Plan (Basin Plan). (2005). *Narrative and Numerical Objectives*, 3-13.
- Lin, S. (2005, May 3). Here's what ocean germs cost you: A UC Irvine study tallies the cost of treatment and lost wages for beachgoers who get sick. Stomach ailment? That'll be \$36.58. *Los Angeles Times*. Retrieved on February 3, 2010 from <http://articles.latimes.com/2005/may/03/local/me-beaches3>
- Los Angeles Regional Water Quality Control Board (LARWQCB). (2004). *Alternative Approaches to Stormwater Control*.
- MacRae, C.R. (1996). Experience From Morphological Research on Canadian Streams: Is control of the two-year frequency runoff event the best basis for stream channel protection? *Effects of Watershed Development and Aquatic Management on Aquatic Ecosystems*, Larry A. Roesner, ed. New York: ASCE, 144-162.
- May, C.W. (1998). Cumulative Effects of Urbanization on Small Streams in the Puget Sound Lowland Eco Region. Conference proceedings from Puget Sound Research '98 held March 12-13, 1998 in Seattle, WA.
- Metz, V. (2009). California Coastal Commission. E-mail communication, Draft conditional language for use of biodegradable netting on fiber rolls in Coastal Development Permits.
- Natural Resources Defense Council (NRDC). (1999). *Stormwater Strategies, Community Response to Runoff Pollution*. Retrieved on April 23, 2010 from <http://www.nrdc.org/water/pollution/storm/stoinx.asp>

- National Marine Fisheries Service (NMFS). (2001). *Guidelines for Salmonid Passage at Stream Crossings*. Retrieved on December 27, 2010 from <http://swr.nmfs.noaa.gov/hcd/NMFSSCG.PDF>
- Pizzuto, J.E., Hession, W.S., & McBride, M. (2000). Comparing gravel-bed rivers in paired urban and rural catchments of southeastern Pennsylvania. *Geology*, 28, 79-82.
- Rosgen, D.L. (1996). *Applied River Morphology* Pagosa Springs: Wildland Hydrology, p.2-2.
- Santa Clara Valley Urban Runoff Pollution Prevention Program (SCVURPPP). (2002). *Hydromodification Management Plan Literature Review*. Retrieved on November 16, 2010 from http://www.scvurppp-w2k.com/pdfs/0102/C3f_HMP_lit_review.pdf
- Schueler, T. R., & Holland, H. K. (Eds.). (2000). The practice of watershed protection: The importance of imperviousness. *Center for Watershed Protection*, 1, 7-18.
- Schumm, S. A., Harvey, M.D., & Watson, C.C. (1984). *Incised Channels: Morphology, Dynamics and Control*. Water Resources Publications, LLC. Littleton, Colorado.
- Simon, A., Doyle M., Kondolf, M., Shields Jr., F.D., Rhoads, B., & McPhillips, M. (2007). Critical evaluation of how the rosgen classification and associated 'natural channel design' methods fail to integrate and quantify fluvial processes and channel response, *Journal of the American Water Resources Association*, 43 (5).
- Stein, E.D. & Zalenski, S. (2005). *Managing runoff to protect natural streams: The latest developments on investigation and management of hydromodification* (Technical Report 475). Southern California Coastal Water Research Project.
- Stuart, J., Watson, M. L., Eustice, C. (2001). Plastic netting: an entanglement hazards to snakes and other wildlife. *Herpetological Review*, 32(3),162-164.
- Trimble, S.W. (1997). Contribution of stream channel erosion to sediment yield from an urbanizing watershed. *Science*, 278(21), 1442-1444.
- U.S. Environmental Protection Agency (USEPA). (1987). Clean Water Act, Section 402 (p): National Pollutant Discharge Elimination System. <http://www.epa.gov/wetlands/laws/section402.html>.
- U.S. Environmental Protection Agency (USEPA). (1999a). Cost Benefit Analysis. *Federal Register*/ Vol. 64, No. 235/ Wednesday, December 8, 1999 / Rules and Regulations, Section 68791.

- U.S. Environmental Protection Agency (USEPA). (1999b) *Phase II Final Rule, Who's Covered? Designation and Waivers of Regulated Small MS4s*. Retrieved on April 3, 2010 from <http://www.epa.gov/npdes/pubs/fact2-1.pdf>.
- U.S. Environmental Protection Agency (USEPA). (2000a). *Storm Water Phase II Compliance Assistance Guide: EPA 833-R-00-002*, Revised December 2005.
- U.S. Environmental Protection Agency (USEPA). (2000b). *Water Quality Standards; Establishments of Numerical Criteria for Priority Toxic Pollutants for the State of California; Rule*. California Toxics Rule. Federal Register, 40 CFR Part 131,65 (97).
- U.S. Environmental Protection Agency (USEPA). (2005). *Stormwater phase II final rule – public education and outreach minimum control measure: EPA 833-F00-005. Fact Sheet 2.3*. Retrieved on May 19, 2010 from <http://www.epa.gov/npdes/pubs/fact2-3.pdf>
- U.S. Environmental Protection Agency (USEPA). (2007). *Reducing Stormwater Costs through Low Impact Development (LID) Strategies and Practices*. EPA 841-F-07-006. Retrieved on August 2, 2010 from www.epa.gov/nps/lid.
- United States Geological Survey (USGS). (2009). *USGS Surface-Water for the Nation. National Water Information System: Webinterface*. Retrieved on June 1, 2010 from <http://waterdata.usgs.gov/nwis/sw>.
- Van Hattem, M. (2009). E-mail communication from Michael Van Hattem of California Department of Fish and Game to Mona Dougherty of the North Coast Regional Water Board. General conditions for all encroachments.
- Walley, H.R., King, R.B., Jay, J.M. & Robinson, J. (2005). Erosion mesh netting: a major threat hazard to snakes. *Bulletin of Maryland Herpetological Society* 41, 36-38.
- Washington State Department of Ecology. (2000). *Stormwater management manual for western Washington (final draft), Publication 99-11, 1 and 3*.
- Watson, C. C., Biedenharn, D.S., & Bledsoe, B.P. (2002). Use of incised channel evolution models in understanding rehabilitation alternatives, *Journal of the American Water Resources Association*. 38 (1).
- Wolman as cited in Paul, M.P. & Meyer, J.L. (2001). Streams in the urban landscape. *Annual Review of Ecology Systematics (November 2001)*, 32, 333-365. (1967)