



State Water Resources Control Board

Month 04, 2023

United States Department of the Navy
Attention: Lara Urizar
NAVFAC Southwest
750 Pacific Highway, EV 14/11th Floor
San Diego, California 92132
[Via email only] Lara.Urizar@navy.mil

Dear Ms. Urizar:

**UNDERGROUND STORAGE TANK CASE CLOSURE FOR MCLB BARSTOW T22B,
NEBO ANNEX, MCLB BARSTOW, SAN BERNARDINO COUNTY**

This letter confirms completion of site investigation and remedial action for the underground storage tank (UST) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0607100917
- Lahontan Regional Water Quality Control Board, Case No. 6B3600873T
- San Bernardino County, Case No. UST T-22B

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your UST site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to Section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

E. JOAQUIN ESQUIVEL, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Mr. Steven McMasters at (916) 341-5518 or Steven.McMasters@waterboards.ca.gov.

Sincerely,



Karen Mogus, Deputy Director
Division of Water Quality

cc: [Via email only]

Mike Plaziak, Executive Officer
Lahontan Regional Water Quality Control Board
(Mike.Plaziak@waterboards.ca.gov)

Ben Letton, Assistant Executive Officer
Lahontan Regional Water Quality Control Board
(Ben.Letton@waterboards.ca.gov)

Timothy Middlemis-Clark
Lahontan Regional Water Quality Control Board
(Timothy.Middlemis-Clark@waterboards.ca.gov)

William Muir
Lahontan Regional Water Quality Control Board
(William.Muir@waterboards.ca.gov)

cc: Continued next page.

cc: (Continued)

Christopher Avalos
Lahontan Regional Water Quality Control Board
(Christopher.Avalos@waterboards.ca.gov)

Elizabeth Beryt
State Water Resources Control Board
(Elizabeth.Beryt@waterboards.ca.gov)

Merswind Reyer
State Water Resources Control Board
(Merswind.Reyer@waterboards.ca.gov)

Frances McChesney
State Water Resources Control Board
(Frances.McChesney@waterboards.ca.gov)

Cheryl Prowell
State Water Resources Control Board
(Cheryl.Prowell@waterboards.ca.gov)

Steven McMasters
State Water Resources Control Board
(Steven.McMasters@waterboards.ca.gov)

Alexis White
Department of Toxic Substances Control
(Alexis.White@dtsc.ca.gov)

Ted Peng
Department of Toxic Substances Control
(Ted.Peng@dtsc.ca.gov)

Mary Aycock
U.S. Environmental Protection Agency
(Aycock.Mary@epamail.epa.gov)

Josh Sacker
Battelle
(Sacker@batelle.org)