State Water Resources Control Board

August 17, 2026

US Army Corps of Engineers, Los Angeles
District
Attention: Courtney Stallman
915 Wilshire Blvd.
Los Angeles, CA 90017
[Via email only]
(Courtney.L.Stallman@usace.army.mil)

Dear Courtney Stallman:

TRANSMITTAL OF UNIFORM CLOSURE LETTER FOR UNDERGROUND STORAGE TANK CASE AOC4, 2975 NORRISH ROAD, HOLTVILLE, IMPERIAL COUNTY

The State Water Resources Control Board (State Water Board) finds that the requirements of Order No. WQ 2026-0015-UST have been completed. The Uniform Closure Letter confirming completion of corrective action for the above-referenced underground storage tank (UST) case is attached. This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T10000002631
- Colorado River Basin Regional Water Quality Control Board, Case No. T10000002631

This UST case has achieved closure under the current site use of aircraft facility, which was designated for the source property at the date of this letter. In the event of a change in site use designation (e.g., land use change from commercial to residential) or significant redevelopment of the site, the lead regulatory agency, Colorado River Basin Regional Water Quality Control Board, must be notified. The case may be reopened if the lead regulatory agency determines that additional corrective action is warranted.

Claims for reimbursement of corrective action costs received by the State Water Board UST Cleanup Fund (Fund) more than 365 days after the date of this letter or after the issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or

- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former UST(s) are greatly appreciated.

If you have any questions regarding this matter, please contact me at (916) 341-5385 or Dayna.Cordano@waterboards.ca.gov.

Sincerely,



Dayna Cordano, P.G.
Senior Engineering Geologist
Underground Storage Tank Cleanup Program
Division of Water Quality

cc: Via email only]

Michael Placencia, Executive Officer
Colorado River Basin Regional Water Quality Control Board
(Michael.Placencia@waterboards.ca.gov)

Kai Dunn, Assistant Executive Officer
Colorado River Basin Regional Water Quality Control Board
(Kai.Dunn@waterboards.ca.gov)

Angela Garcia
Colorado River Basin Regional Water Quality Control Board
(Angela.Garcia@waterboards.ca.gov)

cc: Continued next page

cc: Continued

Phan Le
Colorado River Basin Regional Water Quality Control Board
(Phan.Le@waterboards.ca.gov)

David Lancaster
State Water Resources Control Board
(David.Lancaster@waterboards.ca.gov)

Merswind Reyer
State Water Resources Control Board
(Merswind.Reyer@waterboards.ca.gov)

Steve McMasters
State Water Resources Control Board
(Steven.McMasters@waterboards.ca.gov)

Dayna Cordano
State Water Resources Control Board
(Dayna.Cordano@waterboards.ca.gov)

Julie Johnson
State Water Resources Control Board
(Julie.Johnson@waterboards.ca.gov)

Essi Esmaili
Noreas Inc.
(essi.esmaili@noreasinc.com)