
State Water Resources Control Board

December 23, 2021

Loma Linda University
Attention: Curtis Brundage
Department of Risk Management
197 East Caroline Street
San Bernardino, CA 92408
[Via email only] CBrundage@llu.edu

Dear Mr. Brundage:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR BEAR OIL CO./FORMER
TEXACO, 24913 REDLANDS BOULEVARD, LOMA LINDA, SAN BERNARDINO
COUNTY

This letter confirms completion of site investigation and remedial action for the underground storage tank (UST) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0607100598
- Santa Ana Regional Water Quality Control Board, Case No. 083603537T
- San Bernardino County Fire Department, Case No. 99095

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your UST site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

E. JOAQUIN ESQUIVEL, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,



Karen Mogus, Deputy Director
Division of Water Quality

cc: [Via email only]

Jayne Joy, Executive Officer
Santa Ana Regional Water Quality Control Board
Jayne.Joy@waterboards.ca.gov

Ann E. Sturdivant
Santa Ana Regional Water Quality Control Board
Ann.Sturdivant@waterboards.ca.gov

Ken Williams
Santa Ana Regional Water Quality Control Board
Ken.Williams@waterboards.ca.gov

Miguel Oviedo
Santa Ana Regional Water Quality Control Board
Miguel.Oviedo@waterboards.ca.gov

Teresita Sablan
State Water Resources Control Board
Teresita.Sablan@waterboards.ca.gov

cc: Continued next page

cc: (Continued)

Therese Barakatt
State Water Resources Control Board
Therese.Barakatt@waterboards.ca.gov

Merswind Reyer
State Water Resources Control Board
Merswind.Reyer@waterboards.ca.gov

Cheryl Prowell
State Water Resources Control Board
Cheryl.Prowell@waterboards.ca.gov

Matthew Cohen
State Water Resources Control Board
Matthew.Cohen@waterboards.ca.gov

Todd G. McFarland
Terracon Consultants, Inc.
todd.mcfarland@terracon.com