

---

## State Water Resources Control Board

### Notice of Temporary Permit Application T033516

Siskiyou County Flood Control and Water Conservation District (SCFCD) filed a temporary permit application with the State Water Resources Control Board (State Water Board), Division of Water Rights, pursuant to Water Code section 1425 et seq. The project associated with the application is located in Siskiyou County and would divert water from the Shasta River stream system. The Applicant requests authorization to appropriate surface water for underground storage as described below.

### Summary of Temporary Permit Application T033516

#### Type of Temporary Permit: 180-Day Temporary Permit

**Date of Filing:** The application was filed with the State Water Board on August 29, 2025.

**Source of Water:** The source of water is the Shasta River, which is tributary to Klamath River, thence the Pacific Ocean.

**Amount:** The maximum amount of water requested for diversion is 4,800 acre-feet, which would be diverted at a rate not to exceed 40 cubic feet per second.

**Season of Diversion:** The season for diversion of water would be from January 1, 2026 to March 31, 2026.

**Point of Diversion (POD):** The point where water would be diverted is located at North 2,469,908 feet and East 6,432,002 feet by California Coordinate System, Zone 1, North American Datum 1983 Section 6, Township 43 North, Range 5 West, Mount Diablo Base and Meridian.

**Purpose of Use:** The purpose of use for water is Domestic and Irrigation.

**Place of Use:** The place of use is 1,477 acres of the Grenada Irrigation District (GID) service area.

**Location and Type of Infiltration:** Diverted water would be infiltrated to groundwater storage through the GID service ditch, which is 7 miles long and extends from GID pumpstation (POD) through the GID service area. Water would also be delivered by the service ditch to on-farm recharge areas for infiltration to underground storage.

**Use Accounting:** The water stored underground through this temporary permit is expected to be used within one year of infiltration to storage.

## **Water Rights Records Database**

Documentation related to temporary permit applications were previously available through the State Water Board's electronic Water Rights Information Management System (eWRIMS) database, but that system is currently unavailable. For access to the application documents, please contact Benjamin McCovery at (916) 327-8683 or [Benjamin.McCovery@waterboards.ca.gov](mailto:Benjamin.McCovery@waterboards.ca.gov) (email is the preferred means of communication).

## **Procedure for Filing Objections**

Pursuant to Water Code section 1425, any interested person may file an objection against the approval of the subject application. Objections should be submitted via email to the staff and applicant contact listed below but may also be submitted via regular mail or hand delivered. If objections are sent by mail or hand delivered, please provide a courtesy email to the contact listed below.

Objections must be received by the Division of Water Rights or postmarked by **October 13, 2025**, with copy provided to the applicant. The State Water Board may, for good cause shown, allow additional time to file an objection.

## **Contact Information**

Please direct all requests and inquiries regarding this notice to Benjamin McCovery at (916) 327-8683 or [Benjamin.McCovery@waterboards.ca.gov](mailto:Benjamin.McCovery@waterboards.ca.gov) (email is the preferred means of communication). Written correspondence should be addressed to:

State Water Resources Control Board, Division of Water Rights  
Attn: Benjamin McCovery  
P.O. Box 2000, Sacramento, CA 95812-2000

All correspondence directed to the applicant should be emailed to Matt Parker at [mparker@co.siskiyou.ca.us](mailto:mparker@co.siskiyou.ca.us), or mailed to:

Siskiyou County Flood Control and Water Conservation District  
Attn: Matt Parker  
1312 Fairlane Rd  
Yreka, CA 96097

**Date of Notice:** The date that this public notice was issued is **September 11, 2025**.