

Errata
Recirculated Draft

Substitute Environmental Document in Support of Potential Changes to the Water Quality Control Plan for the San Francisco Bay-Sacramento/San Joaquin Delta Estuary: San Joaquin River Flows and Southern Delta Water Quality

Last Updated: 10/6/16

This errata contains minor revisions to address typographical or clerical errors in the recirculated draft substitute environmental document (SED) that were found after the SED was released for public comment. The revisions are organized according to their order of appearance in the SED. The revisions are identified by SED page number and section number, as well as table or figure number, as applicable. Deletions from the SED are shown as “strikeout” (e.g., ~~strikeout~~) text; additions are “underlined” (e.g., addition). The corrections contained in this errata will be included in the final SED.

This errata may be periodically updated and can be found at: www.waterboards.ca.gov/DeltaWQCP-Phase1.

Chapter/ Appendix	Page	Section	Table/Figure	Revision	Date Revised
Executive Summary	ES-14	ES5.2	--	Alternative 4 evaluates a range between 50 and 60 percent, with 50 <u>60</u> percent as the starting percentage of unimpaired flow in the program of implementation.	10/6/16
Executive Summary	ES-16	ES5.2	--	LSJR Alternative 3 <u>4</u> is similar to LSJR Alternative 2 except that the range of unimpaired flow is 50--60 percent, with a starting point of 50 <u>60</u> percent of unimpaired flow, and a minimum total volume of flow from February–June of no less than 50 percent of the unimpaired flow for that time period.	10/6/16

Executive Summary	ES-54	ES8.1	--	The activities evaluated in Chapter 16 that result in significant and unavoidable impacts include: <ul style="list-style-type: none"> • <u>Transfer of Surface Water—water transfers or sales between water users</u> 	10/6/16
Executive Summary	ES-56	ES8.1	Table ES-22	Greenhouse Gas Emissions L <u>SU</u>	10/6/16
18	18-21	18.2.1	Table 18-6	Greenhouse Gas Emissions L <u>SU</u>	10/6/16