
State Water Resources Control Board

NOTICE OF MINOR CHANGE REQUEST FOR LICENSES 1849, 2640, AND 5677 (APPLICATIONS 6716, 8884, AND 15197)

County: Shasta

Source: Sacramento River

The City of Redding has requested minor changes under Water Code section 1700.6 to update Licenses 1849, 2640, and 5677 (Applications 6716, 8884, and 15197). Below is a summary of each water right and the requested change:

Summary for License 1849 (Application 6716):

Source: Sacramento River tributary to Suisun Bay

Point of Diversion (POD): Within the Southwest quarter of Southwest quarter of Section 26, Township 32 North, Range 5 West, Mount Diablo Base and Meridian

Purposes of Use: Municipal and Industrial

Diversion Rate and Amount: 0.11 cubic foot per second (cfs) by direct diversion. The total combined amount of water diverted under Licenses 1849 and 5677 shall not exceed 265 acre-feet per year.

Season: About March 1 to about November 1 each year

Place of Use: City of Redding Service Area, being within Townships 31 and 32 North; Ranges 4 and 5 West, Townships 30 and 33 North, Range 4 West, Mount Diablo Base and Meridian

Summary for License 2640 (Application 8884):

Source: Sacramento River tributary of Suisun Bay

POD: Within the Southwest quarter of the Southwest quarter of projected Section 26, Township 32 North, Range 5 West, Mount Diablo Base and Meridian.

Purpose of Use: Municipal

Diversion Rate and Amount: 5 cfs by direct diversion.

Season: January 1 to December 31 of each year

E. JOAQUIN ESQUIVEL, CHAIR | ERIC OPPENHEIMER, EXECUTIVE DIRECTOR

Place of Use: Within the incorporated City of Redding, California

Summary for License 5677 (Application 15197):

Source: Sacramento River tributary to Suisun Bay

POD: Within the Southwest quarter of Southwest quarter of Section 26, Township 32 North, Range 5 West, Mount Diablo Base and Meridian.

Purposes of Use: Municipal and Industrial

Diversion Rate and Amount: 0.58 cfs by direct diversion. The total combined amount of water diverted under Licenses 1849 and 5677 shall not exceed 265 acre-feet per year.

Season: About May 1 to about October 31 each year

Place of Use: City of Redding Service Area, being within Townships 31 and 32 North; Ranges 4 and 5 West, Townships 30 and 33 North, Range 4 West, Mount Diablo Base and Meridian

Requested Minor Change for Licenses 1849, 2640, and 5677:

The Minor Change wishes to replace the existing Pump Station 1 on the Sacramento River with a new fish screened intake and pumping plant, which would be located approximately 0.3 mile upstream of the existing pump station and will also include restoration of Jenny Creek to an open channel. Additionally, a new access road from Overhill Dr. to the Sacramento River Trail would be constructed along an existing pedestrian trail for site access. The proposed pump station location will be within Southwest quarter of the Southwest quarter of Section 26, Township 32 North, Range 5 West, Mount Diablo Base and Meridian.

Procedure For Filing Comments:

Pursuant to Water Code section 1700.6, any interested person may submit comments regarding the proposed minor changes. Comments should be submitted via email to the staff contact listed below but may also be submitted via regular mail or hand delivered. If comments are sent by mail or hand delivered, please provide a courtesy email to the staff contact listed below. For hand delivery, please contact the State Water Board's Water Rights Records Room at dwr@waterboards.ca.gov or (916) 341-5300 to make an appointment. Comments must be received by the Division of Water Rights or postmarked by **December 1, 2025**.

Staff Contact Information:

Correspondence and questions regarding this notice should be sent to Mina Mohammadzadeh at Mina.Mohammadzadeh@waterboards.ca.gov. Correspondence sent by mail should be addressed as follows:

State Water Resources Control Board, Division of Water Rights,
Attn: Mina Mohammadzadeh, P.O. Box 2000, Sacramento, CA 95812-2000

Date of Notice: **November 14, 2025**