



Transmittal

Attention: Nathan Fisch, Garrett Long
California State Water Resources Control
Board

Date: 9/9/2024

Contract
No/RFI
No.:

Justin Alvarez
Hoopa Tribe

Toz Soto
Karuk Tribe

Hans Voight
Resighini Rancheria

Valerie Thompson
Oregon Department of Environmental
Quality

Gil Falcone, Rich Fadness
North Coast Regional Water Quality Control
Board

Michael Limb, Chelsea Aquino
U.S. Bureau of Land Management Klamath
Falls Field Office

FERC Project Number: No. 14803

Phase
No:

To: Nathan Fisch, Garrett Long, Justin Alvarez, Toz Soto, Hans Voight,
Valerie Thompson, Gil Falcone, Rich Fadness, Michael Limb, Chelsea Aquino

Phone:

Regarding: Klamath River Restoration Project – August 2024 Initial Monthly Report for the California Water
Quality Monitoring Plan

We are sending you: Attached Under separate cover via _____ the following items

- Shop drawings Prints Meeting Minutes Documents Specifications
- Copy of letter Presentation Invoice

Copies	Date	No.	Description
1	9/9/2024		August 2024 Initial Monthly Report for the California Water Quality Monitoring Plan

These are transmitted as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval

- For your use
- Approved as noted
- Submit _____ copies for distribution
- As requested
- Returned for corrections
- Return _____ corrected prints
- For review/comment
- sign & return _____
- For bids due _____
- Prints returned after loan to us

Remarks		
Copy to	File.	Signed Mark Bransom <i>Mark Bransom</i>

If enclosures are not as noted, please notify us at once.



**August 2024 Initial Monthly Report
for the California Water Quality
Monitoring Plan**

Lower Klamath Project

September 2024



This page intentionally left blank



Table of Contents

- 1.0 Introduction 1**
- 2.0 Summary of Monitoring Activities for the Period of Record..... 1**
 - 2.1 Continuous Monitoring..... 1
 - 2.2 Grab Water Sampling 4
- 3.0 Results of Water Quality Monitoring..... 9**
- 4.0 Additional Water Quality Activities 9**
 - 4.1 Sediment Load Quantification 9
- 5.0 Summary 10**
- 6.0 References 11**

Tables

- Table 1. Continuous water quality monitoring stations, parameters, periods of record, and data gaps..... 2
- Table 2. Grab water sampling locations, parameters, and dates samples were collected..... 4
- Table 3. Estimated sediment loads in metric tons and cubic yards for the period of record at six Klamath River monitoring stations..... 10

List of Appendices

- Appendix A August 2024 Continuous Monitoring Data Graphs
- Appendix B August 2024 Continuous Monitoring Tabular Data
- Appendix C Figures
- Appendix D Grab Sample Location Photos



1.0 Introduction

The Klamath River Renewal Corporation (Renewal Corporation) hereby submits this August 2024 Initial Monthly Report (the Report) under the California Water Quality Monitoring Plan, which is a subplan of the Water Quality Monitoring and Management Plan, implementing license surrender for the Lower Klamath Project.

The Lower Klamath Project consists of four hydroelectric developments on the Klamath River: J.C. Boyle, Copco No. 1, Copco No. 2, and Iron Gate. On November 17, 2022, the Federal Energy Regulatory Commission (FERC) issued its License Surrender Order (LSO), approving license surrender and the Renewal Corporation's application and 16 Management Plans to implement dam removal and basin restoration activities.

Ordering Paragraph (GG) of the LSO requires implementation of the Water Quality Monitoring and Management Plan, including the California Water Quality Monitoring Subplan, as approved by FERC. This Report was prepared in compliance with conditions of Section 3.4 of the California Water Quality Monitoring Subplan and addresses the water quality monitoring activities described below for the time period of August 1-31, 2024. The Report also includes a brief discussion of Project impacts on water quality for the period of August 1-31, 2024, as well as estimated sediment loads for the year to date. The results of the monitoring are attached in graphical format (Appendix A) and tabular format (Appendix B).

In accordance with Condition 2 of the amended 401 Water Quality Certification of the Lower Klamath Project License Surrender, temporary exceedances of water quality criteria related to the Project are anticipated and permitted within the first 36 months following the initiation of drawdown (State of California, 2022).

2.0 Summary of Monitoring Activities for the Period of Record

2.1 Continuous Monitoring

Continuous water quality monitoring occurred at nine locations on the Klamath River in California and Oregon (Appendix C, Figures C1 and C2). Continuous monitoring data was collected at all stations at 15-minute intervals. The locations of monitoring, parameters sampled, and period of record for each station are listed in Table 1. Continuous monitoring data has been stored by and accessed via the Karuk Tribe Water Quality Department (Karuk Tribe Department of Natural Resources, 2023) and the U.S. Geological Survey (USGS) National Water Information System (NWIS) and maintained per USGS and U.S. Environmental Protection Agency (EPA) guidelines. (U.S. Geological Survey (USGS), 2016). Data from both entities is provisional and subject to change.

For the purposes of this report, the period of record spans continuous data collected from August 1, 2024 through August 31, 2024.

'Data gaps,' as defined in this report, are periods of 12 hours or longer where data is missing from the record. Data gaps are noted to account for diurnal fluctuations in readings, particularly when calculating daily statistics like minimum, maximum, and mean.

At the Klamath River Estuary station, two issues affected the data. There is a gap on August 1 in all parameters. There was also a lingering programming issue from July which set the logging interval at this station to 30 minutes rather than 15 minutes. This issue was corrected mid-month, however the data for August 1 through August 12 is reported at an increased interval.

At the Klamath River at Orleans station there is a data gap in turbidity from August 1 through August 13. The sonde tube became packed with sediment and the readings were not representative of river conditions; therefore, the data was removed from the record. The sensor has since been serviced and is reporting data normally.

At the Klamath River at Walker Bridge station there is a data gap in turbidity from August 8 through 10. The sensor became fouled during that period and the readings were not representative of river conditions; therefore, the data was removed from the record. The sensor has since been serviced and is reporting data normally.

At the Klamath River below Iron Gate Dam station there are data gaps in all parameters other than temperature for different days during the period of August 28 through August 31. The sensor became fouled by excessive turbidity during this period and was not reporting accurate data. The sensor has been serviced and the data quality checked to ensure accurate readings.



There is potential for reported data to change or be removed from the record in the future after additional quality checks. See Appendix A for graphical representations of the data collected and Appendix B for tabular data in 15-minute intervals. Appendix A also includes graphical comparisons of current year continuous data (2024) to baseline year continuous data (2023).

Table 1. Continuous water quality monitoring stations, parameters, periods of record, and data gaps.

Monitoring Station	Parameter Sampled	Period of Record	Data Gap Identification ¹
Klamath River at Klamath Estuary, CA	Water temperature	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/1/2024 22:15
	Conductance	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/1/2024 22:15
	pH	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/1/2024 22:15
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/1/2024 22:15
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/1/2024 22:15
	Turbidity	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/1/2024 22:15
Klamath River near Klamath, CA (USGS 11530500)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None
	Turbidity	8/1/2024 – 8/31/2024	None
Klamath River at Orleans, CA (USGS 11523000)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None
	Turbidity	8/1/2024 – 8/31/2024	8/1/2024 0:00 – 8/13/2024 12:45
Klamath River near Seiad Valley, CA (USGS 11520500)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None
	Turbidity	8/1/2024 – 8/31/2024	None
Klamath River at Walker Bridge, CA (USGS 11517818)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None



Monitoring Station	Parameter Sampled	Period of Record	Data Gap Identification ¹
	Turbidity	8/1/2024 – 8/31/2024	8/8/2024 9:00 – 8/10/2024 6:30
Klamath River below Iron Gate Dam, CA (USGS 11516530)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	8/28/2024 20:00 – 8/31/24 23:45
	pH	8/1/2024 – 8/31/2024	8/28/2024 20:00 – 8/31/24 23:45
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	8/28/2024 20:00 – 8/31/24 23:45
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	8/30/2024 7:30 – 8/31/24 23:45
	Turbidity	8/1/2024 – 8/31/2024	8/31/2024 9:30 – 8/31/24 23:45
Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None
	Turbidity	8/1/2024 – 8/31/2024	None
Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None
	Turbidity	8/1/2024 – 8/31/2024	None
	Discharge	8/1/2024 – 8/31/2024	None
Klamath River at Keno, OR (USGS 11509500)	Water temperature	8/1/2024 – 8/31/2024	None
	Conductance	8/1/2024 – 8/31/2024	None
	pH	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (%)	8/1/2024 – 8/31/2024	None
	Dissolved oxygen (mg/L)	8/1/2024 – 8/31/2024	None
	Turbidity	8/1/2024 – 8/31/2024	None
	Discharge	8/1/2024 – 8/31/2024	None

¹ Data gaps discussed in detail in Section 2.1 Continuous Monitoring.



2.2 Grab Water Sampling

Grab water samples were collected at nine locations on the Klamath River in California and Oregon (Appendix C, Figures C1 and C2). The locations of monitoring, parameters sampled, and sample date(s) for each station are listed in Table 2. Photos in the up- and down-stream direction at each sampling location are attached in Appendix D.

The sample bottle for microcystin from the Klamath River near Klamath, CA station was broken after sample collection and therefore no results are included for that sample. This is denoted by “No Sample” in Table 2, below.

The samples for all parameters other than suspended sediment concentration (SSC) were collected once per month and either shipped overnight to or dropped off at the Sprague River Water Quality Lab (SRWQL) in Chiloquin, Oregon. Samples for several parameters (particulate and dissolved organic carbon, methylmercury, and particulate and dissolved aluminum) were then shipped by SRWQL to contracted labs for analysis. The remaining analyses will be completed by SRWQL. The SSC samples were collected every other week and were shipped to the USGS Sediment Laboratory in Santa Cruz, California for analysis.

Methylmercury samples shipped to contracted labs for analysis arrived outside of hold temperatures due to shipping delays. However, these samples were preserved via acidified bottles and the delay should not significantly affect the results. This will be noted in the August Final Monthly Report when results are reported.

Analysis of these samples is ongoing, and results will be included in a final monthly report once they become available.

Table 2. Grab water sampling locations, parameters, and dates samples were collected.

Monitoring Station	Parameter Sampled	Sample Date(s)
Klamath River at Klamath Estuary, CA	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024
	Methylmercury	8/6/2024
	Settleable solids	8/6/2024
	Particulate and dissolved aluminum	8/6/2024
Chlorophyll-a	8/6/2024	
Microcystin	8/6/2024	
Klamath River near Klamath, CA (USGS 11530500)	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024



Monitoring Station	Parameter Sampled	Sample Date(s)
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024
	Methylmercury	8/6/2024
	Settleable solids	8/6/2024
	Particulate and dissolved aluminum	8/6/2024
	Chlorophyll-a	8/6/2024
	Microcystin	No Sample
Klamath River at Orleans, CA (USGS 11523000)	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024
	Methylmercury	8/6/2024
	Settleable solids	8/6/2024
	Particulate and dissolved aluminum	8/6/2024
Chlorophyll-a	8/6/2024	
Microcystin	8/6/2024	
Klamath River near Seiad Valley, CA (USGS 11520500)	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024



Monitoring Station	Parameter Sampled	Sample Date(s)
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024
	Methylmercury	8/6/2024
	Settleable solids	8/6/2024
	Particulate and dissolved aluminum	8/6/2024
	Chlorophyll-a	8/6/2024
	Microcystin	8/6/2024
Klamath River below Iron Gate Dam, CA (USGS 11516530)	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024
	Methylmercury	8/6/2024
	Settleable solids	8/6/2024
	Particulate and dissolved aluminum	8/6/2024
	Chlorophyll-a	8/6/2024
Microcystin	8/6/2024	
Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024



Monitoring Station	Parameter Sampled	Sample Date(s)
	Methylmercury	8/6/2024
	Settleable solids	8/6/2024
	Chlorophyll-a	8/6/2024
	Microcystin	8/6/2024
Klamath River below Shovel Creek above Copco Lake, CA	Total nitrogen	8/6/2024
	Nitrate	8/6/2024
	Nitrite	8/6/2024
	Ammonia	8/6/2024
	Total phosphorous	8/6/2024
	Particulate organic phosphorous	8/6/2024
	Orthophosphate	8/6/2024
	Particulate organic carbon	8/6/2024
	Dissolved organic carbon	8/6/2024
	Turbidity	8/6/2024
	Suspended sediment concentration ¹	8/6/2024, 8/21/2024
	Settleable solids	8/6/2024
	Chlorophyll-a	8/6/2024
	Microcystin	8/6/2024
Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700)	Total nitrogen	8/7/2024
	Nitrate	8/7/2024
	Nitrite	8/7/2024
	Ammonia	8/7/2024
	Total phosphorous	8/7/2024
	Particulate organic phosphorous	8/7/2024
	Orthophosphate	8/7/2024
	Particulate organic carbon	8/7/2024
	Dissolved organic carbon	8/7/2024
	Turbidity	8/7/2024
	Suspended sediment concentration ¹	8/7/2024, 8/21/2024
	Settleable solids	8/7/2024
	Chlorophyll-a	8/7/2024
	Microcystin	8/7/2024
Klamath River at Keno, OR (USGS 11509500)	Total nitrogen	8/7/2024
	Nitrate	8/7/2024



Monitoring Station	Parameter Sampled	Sample Date(s)
	Nitrite	8/7/2024
	Ammonia	8/7/2024
	Total phosphorous	8/7/2024
	Particulate organic phosphorous	8/7/2024
	Orthophosphate	8/7/2024
	Particulate organic carbon	8/7/2024
	Dissolved organic carbon	8/7/2024
	Turbidity	8/7/2024
	Suspended sediment concentration ¹	8/7/2024, 8/21/2024
	Settleable solids	8/7/2024
	Chlorophyll-a	8/7/2024
	Microcystin	8/7/2024

¹Per the requirements of the California Water Quality Monitoring Plan, SSC samples are collected at all stations every two weeks, starting with the initiation of reservoir drawdown (Klamath River Renewal Corporation (KRRC), 2022).



3.0 Results of Water Quality Monitoring

August 2024 included the final breaching of cofferdams upstream of the hydroelectric dams and the return of a free-flowing condition to the Klamath River. Project activities related to physical dam removal and cofferdam breach occurred throughout August. Graphical representations of 2023 data charted with 2024 data can be found in Appendix A.

At all monitoring stations other than Klamath River at Keno, the median turbidity recorded in August 2024 was higher than in August 2023. At several locations this was due to Project activities including the removal of the cofferdams at J.C. Boyle at the end of July and at Copco No. 1 Dam and Iron Gate Dam at the end of August. At J.C. Boyle, removal of the cofferdam occurred on July 30, resulting in high turbidity levels that decreased gradually over the month of August as cofferdam material and residual reservoir sediment moved into the downstream reaches. At Copco No. 1 Dam, cofferdam removal occurred on August 28 and turbidity increased downstream at the Daggett Bridge station for brief period before gradually dropping over the remaining days of August. Cofferdam removal at Iron Gate Dam also occurred on August 28. This resulted in a rapid increase in turbidity levels which remained relatively high in the downstream reaches. By August 31, the increased turbidity from the cofferdam breach at Iron Gate Dam was recorded at the monitoring stations at Iron Gate Dam, Walker Bridge, and Seiad Valley. It is anticipated that future monthly reports will include increased turbidity from this event recorded at more downstream locations as well.

These increases in turbidity from Project activities led to decreases in dissolved oxygen concentrations at some monitoring locations. At the station below Iron Gate Dam, dissolved oxygen dropped to zero several hours after the increase in turbidity. Fouling affected this station, so it is currently unknown for how long levels remained at zero. However, at the next downstream station, Walker Bridge, dissolved oxygen did not drop to zero despite a similar increase in turbidity: at that station, dissolved oxygen briefly dropped to around 3.5 mg/L but was only below 5.0 mg/L for a few hours. At the next downstream station, Seiad Valley, dissolved oxygen appeared to be slightly affected but remained above 7.0 mg/L for the remainder of August. The dissolved oxygen at the stations below J.C. Boyle Dam and Copco No. 1 Dam did not appear to be affected by the respective cofferdam breaches at those locations. Dissolved oxygen at the remaining monitoring locations was similar to or above conditions recorded in August 2023.

Overall, pH in August 2024 was similar to conditions in August 2023. However, stations that recorded increased turbidity from cofferdam breaches—especially Klamath River below Iron Gate Dam, Klamath River at Walker Bridge, and Klamath River at Seiad Valley—also recorded drops in pH as turbidity increased at those locations.

In August 2024, specific conductance was stable and similar to baseline conditions observed in August 2023 at most monitoring locations. However, stations that recorded increased turbidity from cofferdam breaches—especially Klamath River below Iron Gate Dam, Klamath River at Walker Bridge, and Klamath River at Seiad Valley—also recorded increases in specific conductance as turbidity increased at each location.

At all monitoring locations, median water temperatures in August 2024 were lower than median water temperatures measured in August 2023. Larger daily fluctuations in temperatures were observed at locations downstream of the former reservoirs. This more natural daily temperature cycle is part of the expected Project benefits as the thermal lag associated with the reservoirs is removed from the system (Federal Energy Regulatory Commission (FERC), 2022).

The entire data record is hosted and publicly available by request on the Klamath River Renewal Project Data Management Platform (DMP) (RES, 2022). Some data is provisional and subject to change.

4.0 Additional Water Quality Activities

4.1 Sediment Load Quantification

In accordance with Section 3.4 of the California Water Quality Monitoring Plan, estimates of sediment load for the year to date have been calculated for six locations along the Klamath River (Table 3). These estimates are based on provisional relational curves between real-time turbidity data and sampled SSC values and will continue to change and be refined as additional sampling is completed throughout the drawdown year. The sediment volume estimates use bulk density estimates from past core sample collections and are reported with high uncertainty. These data should be viewed as general estimates that are subject to change in future reports.



Table 3. Estimated sediment loads in metric tons and cubic yards for the period of record at six Klamath River monitoring stations.

Monitoring Station	Period of Record	Sediment Load (metric tons)	Sediment Load (cu yd)
Klamath River near Klamath, CA (USGS 11530500)	1/1/2024 – 8/31/2024	2,410,609	9,694,823
Klamath River at Orleans, CA (USGS 11523000)	1/1/2024 – 8/31/2024	1,100,056	4,424,131
Klamath River near Seiad Valley, CA (USGS 11520500)	1/1/2024 – 8/31/2024	895,596*	3,601,848*
Klamath River below Iron Gate Dam, CA (USGS 11516530)	1/1/2024 – 8/31/2024	1,004,430	4,039,551
Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700)	1/1/2024 – 8/31/2024	83,377	416,885
Klamath River at Keno, OR (USGS 11509500)	1/1/2024 – 8/31/2024	10,386	51,930
* The Klamath River near Seiad Valley, CA station is missing several days of flow data from the year-to-date record due to equipment fouling. This load value is therefore reported with high uncertainty when compared to the other stations.			

5.0 Summary

August 2024 was the eighth month of data collection in the reservoir drawdown and dam removal year under the Water Quality Monitoring and Management Plan as required by the amended 401 Water Quality Certification of the Lower Klamath Project License Surrender (State of California, 2022). August 2024 marked the return of the Klamath River to a free-flowing condition. Water quality monitoring required in August 2024 included continuous monitoring at nine stations and grab water sample collection at nine stations. The continuous monitoring dataset for this month has gaps at four monitoring stations. Grab water sampling resulted in a near-complete set of samples and the results will be reported in the final monthly report for August 2024.

Project impacts were recorded in the basin in August 2024. These included increased turbidity due to cofferdam removal activities and subsequently decreased dissolved oxygen and pH and increased specific conductance. Median temperatures at all monitoring locations were cooler when compared to the baseline year, and more natural diurnal variations in temperature were recorded below the former reservoirs. In addition to Project impacts, sediment inputs from burn scars in downstream reaches have been recorded and are reflected in gage data. These conditions will continue to be monitored. Future reports will continue to compare drawdown year data to baseline year data and estimates of sediment load on a monthly basis will be reported and refined as time goes on.


In accordance with Condition 2 of the amended 401 Water Quality Certification of the Lower Klamath Project License Surrender, temporary exceedances of water quality criteria related to the Project are anticipated and permitted within the first 36 months following the initiation of drawdown (State of California, 2022).

As required by the Quality Assurance Project Plan for monitoring, continuous monitoring data is being maintained per USGS and EPA-approved guidelines on both Karuk and USGS servers (Klamath River Renewal Corporation (KRRRC), 2022). When the results of grab water sampling become available that data will also be stored on the respective data servers. The entire data record will be hosted and publicly available by request on the Klamath River Renewal Project Data Management Platform (KRRP DMP or DMP) created by RES (RES, 2022). The DMP will include all water quality monitoring results associated with the Project including baseline conditions, drawdown conditions, and free-flowing river conditions.



6.0 References

- Federal Energy Regulatory Commission (FERC). (2022). *Final Environmental Impact Statement for Hydropower License Surrender and Decommissioning. Lower Klamath Project-FERC Project 14803-001*. Retrieved from FERC eLibrary, Accession Number 20220826-3006.
- Karuk Tribe Department of Natural Resources. (2023). *Water Quality Data Portal*. Retrieved February 2, 2023, from Karuk Tribe Water Quality Department: <https://waterquality.karuk.us/>
- Klamath River Renewal Corporation (KRRRC). (2022). *Water Quality Monitoring and Management Plan*. Retrieved from FERC eLibrary, Accession Number 20221205-5047.
- RES. (2022). *Water Quality Monitoring*. Retrieved February 7, 2023, from Klamath Data Management System: <https://klamath-data-management-system-klamath.hub.arcgis.com/pages/water-quality-management-plan>
- State of California. (2022). *Final Water Quality Certification for Lower Klamath Project License Surrender, Ammended November 3, 2022*. Sacramento, California: State Water Resources Control Board. Retrieved February 7, 2023, from https://www.waterboards.ca.gov/waterrights/water_issues/programs/water_quality_cert/lower_klamath_ferc14803.html
- U.S. Geological Survey (USGS). (2016). *National Water Information System*. Retrieved February 2, 2023, from USGS Water Data for the Nation: <https://waterdata.usgs.gov/nwis>




Appendix A / August 2024 Continuous Monitoring Data Graphs



Klamath River at Klamath Estuary, CA


Klamath River Estuary

August Dissolved Oxygen (mg/L)




Klamath River Estuary

August Dissolved Oxygen (%)



Klamath River Estuary

August pH




Klamath River Estuary

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	0	48625	1648	5752
2024	5	48947	678	3922




Klamath River Estuary

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	13.8	24.9	21.3	21.1
2024	13.5	23.3	20.9	20.5




Klamath River Estuary

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	0	815	1	31
2024	1	26	4	4






Klamath River near Klamath, CA (USGS 11530500)

Klamath River near Klamath, CA

August Dissolved Oxygen (mg/L)




Dissolved Oxygen (mg/L)

year	min	max	median	mean
2023	4.7	9.2	8.1	8.0
2024	7.7	10.0	8.7	8.7


Klamath River near Klamath, CA

August Dissolved Oxygen (%)



Klamath River near Klamath, CA

August pH




Klamath River near Klamath, CA

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	158	250	169	171
2024	120	171	164	163




Klamath River near Klamath, CA

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	19.6	25.3	22.6	22.4
2024	18.3	24.0	21.8	21.7




Klamath River near Klamath, CA

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	0	939	1	21
2024	0	121	7	7






Klamath River at Orleans, CA (USGS 11523000)


Klamath River at Orleans

August Dissolved Oxygen (mg/L)



Klamath River at Orleans


August Dissolved Oxygen (%)



Dissolved Oxygen (%)				
year	min	max	median	mean
2023	93	112	100	101
2024	90	109	95	97

Klamath River at Orleans

August pH




Klamath River at Orleans

August Specific Conductance ($\mu\text{S}/\text{cm}$)




Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	157	212	162	164
2024	155	177	168	167



Klamath River at Orleans

August Water Temperature (°C)




Klamath River at Orleans

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	0	1695	0	73
2024	14	37	21	22



Klamath River at Orleans

August Turbidity (SBU)



Turbidity (SBU)

year	min	max	median	mean
2024	302	1780	318	340






Klamath River near Seiad Valley, CA (USGS 11520500)


Klamath River below Seiad Valley

August Dissolved Oxygen (mg/L)




Klamath River below Seiad Valley

August Dissolved Oxygen (%)



Klamath River below Seiad Valley

August pH




Klamath River below Seiad Valley

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	145	272	158	160
2024	168	200	176	177




Klamath River below Seiad Valley

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	20.3	27.3	23.5	23.4
2024	16.9	26.7	21.9	22.0




Klamath River below Seiad Valley

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	1	1875	2	87
2024	15	1133	54	100



Klamath River below Seiad Valley

August Turbidity (SBU)



Turbidity (SBU)

year	min	max	median	mean
2024	395	2850	2460	2472






Klamath River at Walker Bridge, CA (USGS 11517818)


Klamath River at Walker Bridge

August Dissolved Oxygen (mg/L)




Klamath River at Walker Bridge

August Dissolved Oxygen (%)



Klamath River at Walker Bridge

August pH




Klamath River at Walker Bridge

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	138	234	154	155
2024	156	206	164	166




Klamath River at Walker Bridge

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	20.5	26.6	23.5	23.5
2024	16.4	26.4	21.4	21.4




Klamath River at Walker Bridge

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	1	787	4	32
2024	23	1307	62	146



Klamath River at Walker Bridge

August Turbidity (SBU)



Turbidity (SBU)

year	min	max	median	mean
2024	512	2390	1010	1135






Klamath River below Iron Gate Dam, CA (USGS 11516530)


Klamath River below Iron Gate Dam

August Dissolved Oxygen (mg/L)




Klamath River below Iron Gate Dam

August Dissolved Oxygen (%)



Klamath River below Iron Gate Dam

August pH




Klamath River below Iron Gate Dam

August Specific Conductance ($\mu\text{S}/\text{cm}$)




Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	137	156	141	141
2024	136	226	140	141



Klamath River below Iron Gate Dam

August Water Temperature (°C)




Klamath River below Iron Gate Dam

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	1	5	2	2
2024	26	723	70	114




Klamath River below Iron Gate Dam

August Turbidity (SBU)



Turbidity (SBU)

year	min	max	median	mean
2024	303	3830	860	873




2024



Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)


Klamath River at Daggett Bridge

August Dissolved Oxygen (mg/L)



Klamath River at Daggett Bridge

August Dissolved Oxygen (%)




Dissolved Oxygen (%)

year	min	max	median	mean
2023	93	107	98	99
2024	99	105	102	102

Klamath River at Daggett Bridge

August pH




Klamath River at Daggett Bridge

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	127	135	132	132
2024	129	149	133	133




Klamath River at Daggett Bridge

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	20.4	23.6	22.1	22.1
2024	14.8	24.7	20.0	20.0




Klamath River at Daggett Bridge

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	2	55	4	6
2024	17	165	40	52



Klamath River at Daggett Bridge

August Turbidity (SBU)



Turbidity (SBU)

year	min	max	median	mean
2024	301	714	359	389






Klamath River below J.C. Boyle Powerplant near Keno, OR (USGS 11510700)


Klamath River below J. C. Boyle Powerplant

August Discharge (cfs)



Klamath River below J. C. Boyle Powerplant

August Dissolved Oxygen (mg/L)




Dissolved Oxygen (mg/L)

year	min	max	median	mean
2023	6.9	9.3	8.2	8.1
2024	7.6	9.6	8.4	8.4


Klamath River below J. C. Boyle Powerplant

August Dissolved Oxygen (%)



Klamath River below J. C. Boyle Powerplant

August pH




Klamath River below J. C. Boyle Powerplant

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	122	139	134	133
2024	120	129	124	124




Klamath River below J. C. Boyle Powerplant

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	13.8	23.3	17.8	18.3
2024	14.2	22.2	18.8	18.7




Klamath River below J. C. Boyle Powerplant

August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	1	3	2	2
2024	10	226	22	44



Klamath River below J. C. Boyle Powerplant

August Turbidity (SBU)



Turbidity (SBU)

year	min	max	median	mean
2024	202	721	273	286






Klamath River at Keno, OR (USGS 11509500)


Klamath River at Keno

August Discharge (cfs)



Klamath River at Keno

August Dissolved Oxygen (mg/L)




Dissolved Oxygen (mg/L)

year	min	max	median	mean
2023	4.9	7.5	6.6	6.6
2024	5.5	8.3	7.1	7.2


Klamath River at Keno

August Dissolved Oxygen (%)



Klamath River at Keno

August pH




Klamath River at Keno

August Specific Conductance ($\mu\text{S}/\text{cm}$)



Specific Conductance ($\mu\text{S}/\text{cm}$)

year	min	max	median	mean
2023	116	134	123	125
2024	117	122	120	120




Klamath River at Keno

August Water Temperature (°C)



Water Temperature (°C)

year	min	max	median	mean
2023	19.5	24.2	22.3	22.2
2024	17.7	24.8	21.8	21.4




Klamath River at Keno


August Turbidity (FNU)



Turbidity (FNU)

year	min	max	median	mean
2023	1	10	5	5
2024	2	15	4	6





Appendix B / August 2024 Continuous
Monitoring Tabular Data



Klamath River at Klamath Estuary, CA

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/1/24 0:00						
8/1/24 0:15						
8/1/24 0:30						
8/1/24 0:45						
8/1/24 1:00						
8/1/24 1:15						
8/1/24 1:30						
8/1/24 1:45						
8/1/24 2:00						
8/1/24 2:15						
8/1/24 2:30						
8/1/24 2:45						
8/1/24 3:00						
8/1/24 3:15						
8/1/24 3:30						
8/1/24 3:45						
8/1/24 4:00						
8/1/24 4:15						
8/1/24 4:30						
8/1/24 4:45						
8/1/24 5:00						
8/1/24 5:15						
8/1/24 5:30						
8/1/24 5:45						
8/1/24 6:00						
8/1/24 6:15						
8/1/24 6:30						
8/1/24 6:45						
8/1/24 7:00						
8/1/24 7:15						
8/1/24 7:30						
8/1/24 7:45						
8/1/24 8:00						
8/1/24 8:15						
8/1/24 8:30						
8/1/24 8:45						
8/1/24 9:00						
8/1/24 9:15						
8/1/24 9:30						
8/1/24 9:45						
8/1/24 10:00						



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/1/24 10:15						
8/1/24 10:30						
8/1/24 10:45						
8/1/24 11:00						
8/1/24 11:15						
8/1/24 11:30						
8/1/24 11:45						
8/1/24 12:00						
8/1/24 12:15						
8/1/24 12:30						
8/1/24 12:45						
8/1/24 13:00						
8/1/24 13:15						
8/1/24 13:30						
8/1/24 13:45						
8/1/24 14:00						
8/1/24 14:15						
8/1/24 14:30						
8/1/24 14:45						
8/1/24 15:00						
8/1/24 15:15						
8/1/24 15:30						
8/1/24 15:45						
8/1/24 16:00						
8/1/24 16:15						
8/1/24 16:30						
8/1/24 16:45						
8/1/24 17:00						
8/1/24 17:15						
8/1/24 17:30						
8/1/24 17:45						
8/1/24 18:00						
8/1/24 18:15						
8/1/24 18:30						
8/1/24 18:45						
8/1/24 19:00						
8/1/24 19:15						
8/1/24 19:30						
8/1/24 19:45						
8/1/24 20:00						
8/1/24 20:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/1/24 20:30						
8/1/24 20:45						
8/1/24 21:00						
8/1/24 21:15						
8/1/24 21:30						
8/1/24 21:45						
8/1/24 22:00						
8/1/24 22:15						
8/1/24 22:30	8.8	102	7.9	365	22.7	6
8/1/24 22:45						
8/1/24 23:00	8.8	102	7.9	378	22.7	6
8/1/24 23:15						
8/1/24 23:30	8.9	104	8.0	357	22.9	6
8/1/24 23:45						
8/2/24 0:00	9.0	104	7.9	368	22.9	6
8/2/24 0:15						
8/2/24 0:30	8.6	99	7.4	451	22.3	6
8/2/24 0:45						
8/2/24 1:00	8.8	101	7.5	411	22.3	6
8/2/24 1:15						
8/2/24 1:30	8.9	103	7.6	397	22.6	6
8/2/24 1:45						
8/2/24 2:00	8.8	102	7.7	397	22.7	6
8/2/24 2:15						
8/2/24 2:30	8.9	104	7.8	399	22.9	6
8/2/24 2:45						
8/2/24 3:00	9.0	104	7.6	437	22.6	6
8/2/24 3:15						
8/2/24 3:30	9.5	112	8.2	350	23.2	6
8/2/24 3:45						
8/2/24 4:00	9.0	104	7.8	753	22.7	6
8/2/24 4:15						
8/2/24 4:30	8.7	100	7.4	2680	21.9	6
8/2/24 4:45						
8/2/24 5:00	9.6	112	8.3	1439	23.1	6
8/2/24 5:15						
8/2/24 5:30	9.2	105	8.0	4112	21.6	6
8/2/24 5:45						
8/2/24 6:00	8.2	93	7.7	10413	19.9	6
8/2/24 6:15						
8/2/24 6:30	8.1	92	7.1	689	21.7	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/2/24 6:45						
8/2/24 7:00	8.6	99	7.4	1410	22.1	6
8/2/24 7:15						
8/2/24 7:30	8.6	99	7.5	483	22.3	6
8/2/24 7:45						
8/2/24 8:00	9.3	109	8.2	322	23.0	6
8/2/24 8:15						
8/2/24 8:30	7.5	85	6.9	474	21.0	6
8/2/24 8:45						
8/2/24 9:00	6.7	74	6.7	465	19.7	6
8/2/24 9:15						
8/2/24 9:30	7.8	88	7.1	631	21.1	6
8/2/24 9:45						
8/2/24 10:00	8.7	100	7.7	621	22.3	6
8/2/24 10:15						
8/2/24 10:30	8.4	96	7.5	692	22.2	6
8/2/24 10:45						
8/2/24 11:00	8.5	98	7.5	829	22.1	6
8/2/24 11:15						
8/2/24 11:30	8.7	101	7.8	855	22.4	6
8/2/24 11:45						
8/2/24 12:00	8.7	100	7.9	822	22.2	6
8/2/24 12:15						
8/2/24 12:30	8.4	97	7.7	837	22.1	6
8/2/24 12:45						
8/2/24 13:00	8.3	95	7.7	892	21.9	6
8/2/24 13:15						
8/2/24 13:30	8.0	91	7.6	979	21.8	6
8/2/24 13:45						
8/2/24 14:00	8.0	91	7.6	977	21.8	6
8/2/24 14:15						
8/2/24 14:30	7.9	90	7.7	1029	21.9	6
8/2/24 14:45						
8/2/24 15:00	7.7	89	7.8	1142	22.1	6
8/2/24 15:15						
8/2/24 15:30	7.7	88	7.7	1205	22.0	6
8/2/24 15:45						
8/2/24 16:00	7.5	87	7.8	1147	22.2	6
8/2/24 16:15						
8/2/24 16:30	7.2	82	7.8	1133	22.2	6
8/2/24 16:45						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/2/24 17:00	7.2	83	7.8	1197	22.2	6
8/2/24 17:15						
8/2/24 17:30	7.4	85	7.8	1693	22.2	6
8/2/24 17:45						
8/2/24 18:00	7.2	81	7.5	1982	21.3	6
8/2/24 18:15						
8/2/24 18:30	7.0	80	7.4	3056	21.1	6
8/2/24 18:45						
8/2/24 19:00	7.6	88	7.8	1590	22.2	6
8/2/24 19:15						
8/2/24 19:30	7.7	88	7.8	1326	22.4	6
8/2/24 19:45						
8/2/24 20:00	7.8	90	7.9	1235	22.3	6
8/2/24 20:15						
8/2/24 20:30	7.8	91	7.9	998	22.6	6
8/2/24 20:45						
8/2/24 21:00	8.0	93	7.9	743	22.7	6
8/2/24 21:15						
8/2/24 21:30	8.1	93	7.8	833	22.5	6
8/2/24 21:45						
8/2/24 22:00	7.8	90	7.8	605	22.7	6
8/2/24 22:15						
8/2/24 22:30	8.4	98	7.9	577	22.6	6
8/2/24 22:45						
8/2/24 23:00	8.4	97	7.9	613	22.6	6
8/2/24 23:15						
8/2/24 23:30	8.5	98	8.0	524	22.7	6
8/2/24 23:45						
8/3/24 0:00	8.5	99	8.0	502	22.7	6
8/3/24 0:15						
8/3/24 0:30	8.5	98	7.9	501	22.7	6
8/3/24 0:45						
8/3/24 1:00	8.6	99	7.9	542	22.5	6
8/3/24 1:15						
8/3/24 1:30	8.7	101	8.0	488	22.6	6
8/3/24 1:45						
8/3/24 2:00	8.4	98	7.9	488	22.6	6
8/3/24 2:15						
8/3/24 2:30	8.6	99	8.0	487	22.7	6
8/3/24 2:45						
8/3/24 3:00	8.5	99	8.0	484	22.6	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/3/24 3:15						
8/3/24 3:30	8.8	102	8.0	484	22.6	6
8/3/24 3:45						
8/3/24 4:00	8.8	101	7.9	984	22.2	6
8/3/24 4:15						
8/3/24 4:30	8.6	100	7.9	1364	22.3	6
8/3/24 4:45						
8/3/24 5:00	8.8	101	8.0	4528	21.7	6
8/3/24 5:15						
8/3/24 5:30	9.1	108	8.2	23813	19.3	6
8/3/24 5:45						
8/3/24 6:00	9.7	116	8.3	36018	17.2	6
8/3/24 6:15						
8/3/24 6:30	9.4	112	8.3	30517	18.1	6
8/3/24 6:45						
8/3/24 7:00	9.6	115	8.3	33856	17.9	6
8/3/24 7:15						
8/3/24 7:30	9.3	105	8.2	2840	21.0	6
8/3/24 7:45						
8/3/24 8:00	8.9	102	8.2	478	22.4	6
8/3/24 8:15						
8/3/24 8:30	8.5	96	7.7	849	21.5	6
8/3/24 8:45						
8/3/24 9:00	8.6	98	7.9	576	21.9	6
8/3/24 9:15						
8/3/24 9:30	8.6	98	7.9	773	21.8	6
8/3/24 9:45						
8/3/24 10:00	8.6	98	7.9	1082	21.7	6
8/3/24 10:15						
8/3/24 10:30	8.6	98	8.0	832	21.9	6
8/3/24 10:45						
8/3/24 11:00	8.3	94	7.8	1299	21.5	6
8/3/24 11:15						
8/3/24 11:30	8.5	97	7.9	1556	21.7	6
8/3/24 11:45						
8/3/24 12:00	8.3	95	7.9	1776	21.8	6
8/3/24 12:15						
8/3/24 12:30	8.1	93	7.8	1505	21.8	6
8/3/24 12:45						
8/3/24 13:00	8.3	95	7.9	1238	21.8	6
8/3/24 13:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/3/24 13:30	8.1	92	7.8	1337	21.8	6
8/3/24 13:45						
8/3/24 14:00	8.0	91	7.8	1544	21.8	6
8/3/24 14:15						
8/3/24 14:30	7.7	88	7.8	1596	21.8	6
8/3/24 14:45						
8/3/24 15:00	7.8	90	7.8	1623	21.8	6
8/3/24 15:15						
8/3/24 15:30	7.8	89	7.7	1723	21.6	6
8/3/24 15:45						
8/3/24 16:00	7.5	86	7.8	1787	22.0	6
8/3/24 16:15						
8/3/24 16:30	7.4	85	7.8	1585	22.2	6
8/3/24 16:45						
8/3/24 17:00	7.4	86	7.8	1526	22.2	6
8/3/24 17:15						
8/3/24 17:30	7.2	82	7.6	1615	21.7	6
8/3/24 17:45						
8/3/24 18:00	7.2	81	7.6	2424	21.4	6
8/3/24 18:15						
8/3/24 18:30	7.3	82	7.6	2647	21.2	6
8/3/24 18:45						
8/3/24 19:00	7.2	82	7.7	3813	21.5	6
8/3/24 19:15						
8/3/24 19:30	7.2	84	7.8	5350	21.7	6
8/3/24 19:45						
8/3/24 20:00	7.5	87	7.8	3019	22.0	6
8/3/24 20:15						
8/3/24 20:30	7.8	90	7.9	2029	22.3	6
8/3/24 20:45						
8/3/24 21:00	7.8	90	8.0	1873	22.2	6
8/3/24 21:15						
8/3/24 21:30	8.2	95	7.9	929	22.7	6
8/3/24 21:45						
8/3/24 22:00	8.2	95	7.9	834	22.8	6
8/3/24 22:15						
8/3/24 22:30	8.3	97	7.9	795	22.9	6
8/3/24 22:45						
8/3/24 23:00	8.4	98	8.0	741	23.0	6
8/3/24 23:15						
8/3/24 23:30	8.5	99	8.0	979	22.8	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/3/24 23:45						
8/4/24 0:00	8.3	98	7.9	766	23.0	6
8/4/24 0:15						
8/4/24 0:30	8.6	100	8.0	668	23.1	6
8/4/24 0:45						
8/4/24 1:00	8.5	100	8.0	636	23.1	6
8/4/24 1:15						
8/4/24 1:30	8.7	102	8.0	634	23.0	6
8/4/24 1:45						
8/4/24 2:00	8.8	103	8.0	635	23.0	6
8/4/24 2:15						
8/4/24 2:30	8.8	103	8.0	610	23.0	6
8/4/24 2:45						
8/4/24 3:00	8.8	103	8.0	619	23.0	6
8/4/24 3:15						
8/4/24 3:30	8.7	101	8.0	656	22.9	6
8/4/24 3:45						
8/4/24 4:00	8.7	101	8.0	620	22.9	6
8/4/24 4:15						
8/4/24 4:30	8.6	100	8.0	720	22.7	6
8/4/24 4:45						
8/4/24 5:00	8.8	103	8.0	1314	22.7	6
8/4/24 5:15						
8/4/24 5:30	8.7	100	7.8	3166	21.9	6
8/4/24 5:45						
8/4/24 6:00	8.9	105	8.1	17258	20.2	6
8/4/24 6:15						
8/4/24 6:30	9.7	114	8.3	36797	16.6	6
8/4/24 6:45						
8/4/24 7:00	9.8	116	8.3	40840	15.6	6
8/4/24 7:15						
8/4/24 7:30	9.2	108	8.2	27311	18.2	6
8/4/24 7:45						
8/4/24 8:00	9.4	111	8.2	32519	17.5	6
8/4/24 8:15						
8/4/24 8:30	9.1	106	8.2	12005	20.4	6
8/4/24 8:45						
8/4/24 9:00	8.8	102	8.2	1215	22.4	6
8/4/24 9:15						
8/4/24 9:30	8.5	97	7.8	1197	21.7	6
8/4/24 9:45						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/4/24 10:00	8.6	98	8.0	2585	21.8	6
8/4/24 10:15						
8/4/24 10:30	8.7	100	8.1	3589	21.5	6
8/4/24 10:45						
8/4/24 11:00	8.7	100	8.1	939	22.1	6
8/4/24 11:15						
8/4/24 11:30	8.4	97	8.0	1823	22.0	6
8/4/24 11:45						
8/4/24 12:00	8.5	97	8.0	1573	22.0	6
8/4/24 12:15						
8/4/24 12:30	8.3	96	8.0	2366	22.0	6
8/4/24 12:45						
8/4/24 13:00	8.0	91	7.7	2508	21.6	6
8/4/24 13:15						
8/4/24 13:30	8.2	94	7.9	1771	21.9	6
8/4/24 13:45						
8/4/24 14:00	7.9	90	7.7	2287	21.3	6
8/4/24 14:15						
8/4/24 14:30	7.9	90	7.7	2307	21.6	6
8/4/24 14:45						
8/4/24 15:00	8.0	91	7.8	1984	21.5	6
8/4/24 15:15						
8/4/24 15:30	7.9	90	7.8	1863	21.5	6
8/4/24 15:45						
8/4/24 16:00	7.5	84	7.5	2091	20.5	6
8/4/24 16:15						
8/4/24 16:30	7.2	80	7.4	2079	20.1	6
8/4/24 16:45						
8/4/24 17:00	7.6	86	7.8	2236	21.6	6
8/4/24 17:15						
8/4/24 17:30	7.4	85	7.8	2251	21.5	6
8/4/24 17:45						
8/4/24 18:00	7.1	80	7.5	2238	20.8	6
8/4/24 18:15						
8/4/24 18:30	7.3	83	7.7	2248	21.1	6
8/4/24 18:45						
8/4/24 19:00	7.0	78	7.5	3646	20.3	6
8/4/24 19:15						
8/4/24 19:30	7.3	83	7.7	4802	21.2	6
8/4/24 19:45						
8/4/24 20:00	7.2	83	7.8	6261	21.2	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/4/24 20:15						
8/4/24 20:30	7.5	86	7.9	5959	21.3	6
8/4/24 20:45						
8/4/24 21:00	7.8	90	7.9	5149	21.4	6
8/4/24 21:15						
8/4/24 21:30	7.5	87	8.0	13649	20.1	6
8/4/24 21:45						
8/4/24 22:00	8.0	92	8.0	2954	21.7	6
8/4/24 22:15						
8/4/24 22:30	8.2	95	8.0	1299	22.2	6
8/4/24 22:45						
8/4/24 23:00	8.4	97	8.0	948	22.3	6
8/4/24 23:15						
8/4/24 23:30	8.3	96	7.9	1367	22.1	6
8/4/24 23:45						
8/5/24 0:00	8.3	96	8.0	1043	22.3	6
8/5/24 0:15						
8/5/24 0:30	8.2	95	7.9	1129	22.2	6
8/5/24 0:45						
8/5/24 1:00	8.5	98	7.9	939	22.3	6
8/5/24 1:15						
8/5/24 1:30	8.5	98	8.0	831	22.3	6
8/5/24 1:45						
8/5/24 2:00	8.5	98	8.0	779	22.3	6
8/5/24 2:15						
8/5/24 2:30	8.6	99	8.0	739	22.3	6
8/5/24 2:45						
8/5/24 3:00	8.6	99	8.0	742	22.2	6
8/5/24 3:15						
8/5/24 3:30	8.7	100	8.0	730	22.2	6
8/5/24 3:45						
8/5/24 4:00	8.6	99	8.0	752	22.1	6
8/5/24 4:15						
8/5/24 4:30	8.6	99	8.0	749	22.1	6
8/5/24 4:45						
8/5/24 5:00	8.6	98	8.0	744	22.1	6
8/5/24 5:15						
8/5/24 5:30	9.0	103	8.1	1649	22.1	6
8/5/24 5:45						
8/5/24 6:00	8.3	94	7.8	1912	21.5	6
8/5/24 6:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/5/24 6:30	8.8	102	8.1	9422	20.8	6
8/5/24 6:45						
8/5/24 7:00	9.2	108	8.3	25051	18.9	6
8/5/24 7:15						
8/5/24 7:30	9.8	116	8.4	39227	16.3	6
8/5/24 7:45						
8/5/24 8:00	9.9	117	8.4	42251	15.7	6
8/5/24 8:15						
8/5/24 8:30	9.3	111	8.3	35454	17.2	6
8/5/24 8:45						
8/5/24 9:00	8.8	101	8.4	1316	21.6	6
8/5/24 9:15						
8/5/24 9:30	8.8	101	8.2	4899	21.4	6
8/5/24 9:45						
8/5/24 10:00	8.8	100	8.1	1135	21.8	6
8/5/24 10:15						
8/5/24 10:30	8.1	92	7.8	2564	21.1	6
8/5/24 10:45						
8/5/24 11:00	8.6	98	8.1	4160	21.1	6
8/5/24 11:15						
8/5/24 11:30	8.6	98	8.1	619	21.7	6
8/5/24 11:45						
8/5/24 12:00	8.3	94	7.9	1741	21.4	6
8/5/24 12:15						
8/5/24 12:30	8.3	94	7.9	2028	21.4	6
8/5/24 12:45						
8/5/24 13:00	8.3	94	8.0	2084	21.4	6
8/5/24 13:15						
8/5/24 13:30	7.9	90	7.8	2056	21.2	6
8/5/24 13:45						
8/5/24 14:00	7.5	83	7.5	2238	20.0	6
8/5/24 14:15						
8/5/24 14:30	7.5	83	7.5	1968	20.3	6
8/5/24 14:45						
8/5/24 15:00	7.8	87	7.7	1505	20.6	6
8/5/24 15:15						
8/5/24 15:30	8.0	90	7.8	1761	21.0	6
8/5/24 15:45						
8/5/24 16:00	7.9	89	7.8	1744	20.8	6
8/5/24 16:15						
8/5/24 16:30	7.7	86	7.7	2158	20.9	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/5/24 16:45						
8/5/24 17:00	7.2	81	7.5	2296	20.5	6
8/5/24 17:15						
8/5/24 17:30	7.6	86	7.8	2369	21.2	6
8/5/24 17:45						
8/5/24 18:00	7.4	84	7.7	2447	21.1	6
8/5/24 18:15						
8/5/24 18:30	7.0	78	7.5	2450	20.3	6
8/5/24 18:45						
8/5/24 19:00	7.1	79	7.5	2718	20.1	6
8/5/24 19:15						
8/5/24 19:30	7.0	79	7.6	3892	20.6	6
8/5/24 19:45						
8/5/24 20:00	7.2	81	7.7	5344	20.7	6
8/5/24 20:15						
8/5/24 20:30	7.3	83	7.8	5553	21.0	6
8/5/24 20:45						
8/5/24 21:00	7.1	82	7.8	6300	21.0	6
8/5/24 21:15						
8/5/24 21:30	7.5	85	7.9	7100	20.7	6
8/5/24 21:45						
8/5/24 22:00	7.5	87	8.1	16114	19.6	6
8/5/24 22:15						
8/5/24 22:30	7.9	90	7.9	2881	21.5	6
8/5/24 22:45						
8/5/24 23:00	8.2	94	7.9	1111	21.9	6
8/5/24 23:15						
8/5/24 23:30	8.1	92	7.8	1543	21.6	6
8/5/24 23:45						
8/6/24 0:00	8.5	97	8.0	1487	21.7	6
8/6/24 0:15						
8/6/24 0:30	8.4	96	7.9	1235	21.8	6
8/6/24 0:45						
8/6/24 1:00	8.3	95	7.9	1163	21.8	6
8/6/24 1:15						
8/6/24 1:30	8.3	95	7.9	1022	21.9	6
8/6/24 1:45						
8/6/24 2:00	8.3	95	7.9	917	21.9	6
8/6/24 2:15						
8/6/24 2:30	8.3	95	7.9	838	21.9	6
8/6/24 2:45						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/6/24 3:00	8.4	96	7.9	814	21.9	6
8/6/24 3:15						
8/6/24 3:30	8.5	97	8.0	761	21.8	6
8/6/24 3:45						
8/6/24 4:00	8.4	96	7.9	792	21.8	6
8/6/24 4:15						
8/6/24 4:30	8.5	97	7.9	781	21.7	6
8/6/24 4:45						
8/6/24 5:00	8.4	96	7.9	828	21.7	6
8/6/24 5:15						
8/6/24 5:30	8.5	97	8.0	849	21.6	6
8/6/24 5:45						
8/6/24 6:00	8.2	93	7.8	1183	21.1	6
8/6/24 6:15						
8/6/24 6:30	8.7	99	8.1	2011	21.6	6
8/6/24 6:45						
8/6/24 7:00	8.5	97	8.0	4407	20.9	6
8/6/24 7:15						
8/6/24 7:30	8.9	101	8.2	9641	20.1	6
8/6/24 7:45						
8/6/24 8:00	9.3	110	8.3	33837	17.2	6
8/6/24 8:15						
8/6/24 8:30	9.8	116	8.3	38331	16.4	6
8/6/24 8:45						
8/6/24 9:00	8.9	103	8.3	26074	18.1	6
8/6/24 9:15						
8/6/24 9:30	9.8	112	8.3	21012	18.2	6
8/6/24 9:45						
8/6/24 10:00	8.5	97	8.1	5028	20.9	6
8/6/24 10:15						
8/6/24 10:30	8.3	94	8.0	1434	21.2	6
8/6/24 10:45						
8/6/24 11:00	8.3	93	7.9	1066	21.1	6
8/6/24 11:15						
8/6/24 11:30	8.3	93	7.9	879	21.1	6
8/6/24 11:45						
8/6/24 12:00	8.3	93	7.9	676	21.1	6
8/6/24 12:15						
8/6/24 12:30	8.1	91	7.8	903	21.0	6
8/6/24 12:45						
8/6/24 13:00	7.9	88	7.8	1385	20.7	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/6/24 13:15						
8/6/24 13:30	7.8	87	7.8	1734	20.6	6
8/6/24 13:45						
8/6/24 14:00	7.8	88	7.8	1861	20.8	6
8/6/24 14:15						
8/6/24 14:30	7.8	87	7.7	1677	20.6	6
8/6/24 14:45						
8/6/24 15:00	7.8	87	7.7	1495	20.5	6
8/6/24 15:15						
8/6/24 15:30	7.7	86	7.7	992	20.3	6
8/6/24 15:45						
8/6/24 16:00	7.6	85	7.7	1348	20.6	6
8/6/24 16:15						
8/6/24 16:30	7.6	85	7.7	1623	20.6	6
8/6/24 16:45						
8/6/24 17:00	7.6	85	7.7	1774	20.7	6
8/6/24 17:15						
8/6/24 17:30	7.6	86	7.7	1915	20.6	6
8/6/24 17:45						
8/6/24 18:00	7.3	82	7.6	2044	20.3	6
8/6/24 18:15						
8/6/24 18:30	7.1	79	7.5	2318	20.1	6
8/6/24 18:45						
8/6/24 19:00	7.0	76	7.4	2253	19.5	6
8/6/24 19:15						
8/6/24 19:30	7.0	77	7.4	3202	19.6	6
8/6/24 19:45						
8/6/24 20:00	7.0	79	7.6	4459	20.3	6
8/6/24 20:15						
8/6/24 20:30	7.2	81	7.8	6294	20.5	6
8/6/24 20:45						
8/6/24 21:00	7.7	88	7.9	5417	21.1	6
8/6/24 21:15						
8/6/24 21:30	7.3	84	7.9	12101	19.8	6
8/6/24 21:45						
8/6/24 22:00	7.5	86	8.0	14657	19.6	6
8/6/24 22:15						
8/6/24 22:30	8.2	94	8.2	18806	19.2	6
8/6/24 22:45						
8/6/24 23:00	8.2	95	8.1	7809	21.1	6
8/6/24 23:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/6/24 23:30	8.3	96	8.0	1508	22.3	6
8/6/24 23:45						
8/7/24 0:00	8.6	99	8.0	2040	22.0	6
8/7/24 0:15						
8/7/24 0:30	8.5	99	8.0	725	22.6	6
8/7/24 0:45						
8/7/24 1:00	8.6	100	8.0	708	22.6	6
8/7/24 1:15						
8/7/24 1:30	8.8	102	8.0	625	22.7	6
8/7/24 1:45						
8/7/24 2:00	8.7	101	8.0	683	22.6	6
8/7/24 2:15						
8/7/24 2:30	8.4	98	7.9	679	22.5	6
8/7/24 2:45						
8/7/24 3:00	8.6	100	7.9	668	22.5	6
8/7/24 3:15						
8/7/24 3:30	8.6	99	7.9	641	22.5	6
8/7/24 3:45						
8/7/24 4:00	8.7	100	8.0	632	22.5	6
8/7/24 4:15						
8/7/24 4:30	8.8	102	8.0	669	22.5	6
8/7/24 4:45						
8/7/24 5:00	8.8	101	8.0	744	22.4	6
8/7/24 5:15						
8/7/24 5:30	9.0	104	8.1	993	22.5	6
8/7/24 5:45						
8/7/24 6:00	9.1	106	8.2	1298	22.5	6
8/7/24 6:15						
8/7/24 6:30	8.8	102	8.0	2146	22.0	6
8/7/24 6:45						
8/7/24 7:00	8.6	99	8.0	1573	22.2	6
8/7/24 7:15						
8/7/24 7:30	8.4	97	7.9	2866	21.8	6
8/7/24 7:45						
8/7/24 8:00	8.8	103	8.2	4587	22.2	6
8/7/24 8:15						
8/7/24 8:30	8.9	102	8.2	2224	21.8	6
8/7/24 8:45						
8/7/24 9:00	8.7	101	8.2	14928	20.6	6
8/7/24 9:15						
8/7/24 9:30	8.6	99	8.2	7881	21.2	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/7/24 9:45						
8/7/24 10:00	8.9	102	8.2	1584	21.9	6
8/7/24 10:15						
8/7/24 10:30	8.6	99	8.1	3102	21.6	6
8/7/24 10:45						
8/7/24 11:00	8.5	97	8.0	1975	21.8	6
8/7/24 11:15						
8/7/24 11:30	8.6	98	8.0	1845	21.9	6
8/7/24 11:45						
8/7/24 12:00	8.5	97	8.0	733	21.8	6
8/7/24 12:15						
8/7/24 12:30	8.1	91	7.8	2368	20.9	6
8/7/24 12:45						
8/7/24 13:00	8.3	94	7.9	786	21.6	6
8/7/24 13:15						
8/7/24 13:30	7.9	89	7.7	1331	21.0	6
8/7/24 13:45						
8/7/24 14:00	8.0	90	7.8	1113	21.2	6
8/7/24 14:15						
8/7/24 14:30	8.0	90	7.7	1177	21.1	6
8/7/24 14:45						
8/7/24 15:00	7.8	88	7.8	2178	21.1	6
8/7/24 15:15						
8/7/24 15:30	8.0	90	7.8	1122	21.0	6
8/7/24 15:45						
8/7/24 16:00	8.0	90	7.8	1159	20.9	6
8/7/24 16:15						
8/7/24 16:30	7.5	84	7.6	1657	20.6	6
8/7/24 16:45						
8/7/24 17:00	8.1	91	7.8	1377	21.1	6
8/7/24 17:15						
8/7/24 17:30	7.9	89	7.7	1718	20.9	6
8/7/24 17:45						
8/7/24 18:00	7.8	88	7.6	1745	20.8	6
8/7/24 18:15						
8/7/24 18:30	7.5	82	7.5	1705	20.0	6
8/7/24 18:45						
8/7/24 19:00	7.5	84	7.5	1955	20.5	6
8/7/24 19:15						
8/7/24 19:30	7.6	85	7.6	2156	20.9	6
8/7/24 19:45						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/7/24 20:00	7.4	85	7.6	3330	21.1	6
8/7/24 20:15						
8/7/24 20:30	7.5	86	7.8	4832	21.4	6
8/7/24 20:45						
8/7/24 21:00	7.4	86	7.8	5125	21.5	6
8/7/24 21:15						
8/7/24 21:30	7.9	92	7.9	6658	21.6	6
8/7/24 21:45						
8/7/24 22:00	7.2	83	7.8	11300	20.3	6
8/7/24 22:15						
8/7/24 22:30	7.6	88	8.1	14805	20.0	6
8/7/24 22:45						
8/7/24 23:00	7.9	92	8.2	23324	18.5	6
8/7/24 23:15						
8/7/24 23:30	8.2	95	7.9	2846	22.6	6
8/7/24 23:45						
8/8/24 0:00	8.3	98	7.9	1351	23.3	6
8/8/24 0:15						
8/8/24 0:30	8.5	99	7.9	918	23.2	6
8/8/24 0:45						
8/8/24 1:00	8.6	101	7.9	811	23.2	6
8/8/24 1:15						
8/8/24 1:30	8.5	100	7.9	717	23.2	6
8/8/24 1:45						
8/8/24 2:00	8.4	98	7.9	1160	23.0	6
8/8/24 2:15						
8/8/24 2:30	8.4	98	7.8	789	23.0	6
8/8/24 2:45						
8/8/24 3:00	8.4	99	7.9	849	23.0	6
8/8/24 3:15						
8/8/24 3:30	8.2	96	7.8	790	22.9	6
8/8/24 3:45						
8/8/24 4:00	8.4	98	7.8	982	22.6	6
8/8/24 4:15						
8/8/24 4:30	8.4	98	7.8	1111	22.6	6
8/8/24 4:45						
8/8/24 5:00	8.6	100	7.9	1029	22.5	6
8/8/24 5:15						
8/8/24 5:30	8.8	102	8.0	1419	22.7	6
8/8/24 5:45						
8/8/24 6:00	8.8	102	8.0	1430	22.6	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/8/24 6:15						
8/8/24 6:30	8.7	100	7.9	1720	22.4	6
8/8/24 6:45						
8/8/24 7:00	8.6	99	8.0	1443	22.4	6
8/8/24 7:15						
8/8/24 7:30	8.5	98	7.9	1446	22.2	6
8/8/24 7:45						
8/8/24 8:00	8.2	95	7.8	1769	22.0	6
8/8/24 8:15						
8/8/24 8:30	8.2	94	7.8	2479	22.0	6
8/8/24 8:45						
8/8/24 9:00	8.4	98	8.0	5203	21.9	6
8/8/24 9:15						
8/8/24 9:30	8.8	101	8.1	1399	22.3	6
8/8/24 9:45						
8/8/24 10:00	8.4	98	8.0	2771	22.2	6
8/8/24 10:15						
8/8/24 10:30	8.5	98	8.0	1222	22.1	6
8/8/24 10:45						
8/8/24 11:00	8.3	96	7.9	1141	22.1	6
8/8/24 11:15						
8/8/24 11:30	8.2	95	7.9	1206	22.0	6
8/8/24 11:45						
8/8/24 12:00	8.2	94	7.9	1117	22.0	6
8/8/24 12:15						
8/8/24 12:30	8.2	94	7.9	900	22.0	6
8/8/24 12:45						
8/8/24 13:00	8.1	93	7.8	784	21.9	6
8/8/24 13:15						
8/8/24 13:30	8.1	92	7.8	785	21.8	6
8/8/24 13:45						
8/8/24 14:00	7.9	90	7.7	1100	21.6	6
8/8/24 14:15						
8/8/24 14:30	7.8	89	7.7	1142	21.7	6
8/8/24 14:45						
8/8/24 15:00	7.8	90	7.8	1110	21.7	6
8/8/24 15:15						
8/8/24 15:30	8.0	91	7.8	821	21.7	6
8/8/24 15:45						
8/8/24 16:00	7.9	90	7.8	827	21.6	6
8/8/24 16:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/8/24 16:30	7.8	89	7.8	904	21.6	6
8/8/24 16:45						
8/8/24 17:00	7.7	88	7.7	1030	21.5	6
8/8/24 17:15						
8/8/24 17:30	7.7	87	7.7	1110	21.4	6
8/8/24 17:45						
8/8/24 18:00	7.6	86	7.7	1243	21.3	6
8/8/24 18:15						
8/8/24 18:30	7.5	85	7.6	1314	21.2	6
8/8/24 18:45						
8/8/24 19:00	7.5	85	7.6	1332	20.8	6
8/8/24 19:15						
8/8/24 19:30	7.4	83	7.5	1536	20.5	6
8/8/24 19:45						
8/8/24 20:00	7.8	89	7.7	1495	21.4	6
8/8/24 20:15						
8/8/24 20:30	7.4	84	7.7	1847	21.5	6
8/8/24 20:45						
8/8/24 21:00	7.4	85	7.8	3438	21.6	6
8/8/24 21:15						
8/8/24 21:30	7.3	84	7.7	3946	21.1	6
8/8/24 21:45						
8/8/24 22:00	7.5	86	7.8	3809	21.4	6
8/8/24 22:15						
8/8/24 22:30	7.1	82	7.8	6966	20.8	6
8/8/24 22:45						
8/8/24 23:00	7.7	88	8.1	16772	19.6	6
8/8/24 23:15						
8/8/24 23:30	8.1	93	8.1	2242	22.3	6
8/8/24 23:45						
8/9/24 0:00	8.4	98	8.0	1756	22.6	6
8/9/24 0:15						
8/9/24 0:30	8.6	100	8.0	937	22.8	6
8/9/24 0:45						
8/9/24 1:00	8.4	98	7.9	785	22.8	6
8/9/24 1:15						
8/9/24 1:30	8.9	103	8.0	639	22.9	6
8/9/24 1:45						
8/9/24 2:00	8.8	103	8.0	693	22.8	6
8/9/24 2:15						
8/9/24 2:30	8.9	104	8.1	678	22.7	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/9/24 2:45						
8/9/24 3:00	8.7	101	8.0	706	22.6	6
8/9/24 3:15						
8/9/24 3:30	8.5	99	8.0	654	22.6	6
8/9/24 3:45						
8/9/24 4:00	8.7	101	8.0	622	22.6	6
8/9/24 4:15						
8/9/24 4:30	8.5	98	7.9	912	22.2	6
8/9/24 4:45						
8/9/24 5:00	8.9	103	8.1	969	22.4	6
8/9/24 5:15						
8/9/24 5:30	8.7	101	8.0	990	22.3	6
8/9/24 5:45						
8/9/24 6:00	8.7	100	8.0	871	22.2	6
8/9/24 6:15						
8/9/24 6:30	8.6	99	8.0	964	22.1	6
8/9/24 6:45						
8/9/24 7:00	8.8	101	8.0	1625	22.1	6
8/9/24 7:15						
8/9/24 7:30	8.7	100	8.0	1540	22.1	6
8/9/24 7:45						
8/9/24 8:00	8.4	96	7.8	1476	21.7	6
8/9/24 8:15						
8/9/24 8:30	8.3	95	7.9	1651	22.0	6
8/9/24 8:45						
8/9/24 9:00	8.1	92	7.7	1739	21.6	6
8/9/24 9:15						
8/9/24 9:30	8.0	91	7.8	2357	21.5	6
8/9/24 9:45						
8/9/24 10:00	8.3	96	8.0	3544	21.8	6
8/9/24 10:15						
8/9/24 10:30	8.5	98	8.0	1888	21.9	6
8/9/24 10:45						
8/9/24 11:00	8.5	97	8.0	1202	21.8	6
8/9/24 11:15						
8/9/24 11:30	8.2	94	7.9	1050	21.8	6
8/9/24 11:45						
8/9/24 12:00	8.1	93	7.9	1057	21.8	6
8/9/24 12:15						
8/9/24 12:30	8.0	91	7.9	815	21.7	6
8/9/24 12:45						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/9/24 13:00	8.0	92	7.8	683	21.7	6
8/9/24 13:15						
8/9/24 13:30	7.9	90	7.8	641	21.6	6
8/9/24 13:45						
8/9/24 14:00	7.8	89	7.8	612	21.6	6
8/9/24 14:15						
8/9/24 14:30	7.8	89	7.8	581	21.6	6
8/9/24 14:45						
8/9/24 15:00	7.7	87	7.8	581	21.6	6
8/9/24 15:15						
8/9/24 15:30	7.7	88	7.7	585	21.5	6
8/9/24 15:45						
8/9/24 16:00	7.9	89	7.8	587	21.5	6
8/9/24 16:15						
8/9/24 16:30	7.8	88	7.8	615	21.5	6
8/9/24 16:45						
8/9/24 17:00	7.7	87	7.8	639	21.5	6
8/9/24 17:15						
8/9/24 17:30	7.8	89	7.8	654	21.5	6
8/9/24 17:45						
8/9/24 18:00	7.4	84	7.7	661	21.5	6
8/9/24 18:15						
8/9/24 18:30	7.6	86	7.7	702	21.4	6
8/9/24 18:45						
8/9/24 19:00	7.6	86	7.7	780	21.4	6
8/9/24 19:15						
8/9/24 19:30	7.7	87	7.7	782	21.4	6
8/9/24 19:45						
8/9/24 20:00	7.4	83	7.6	1170	20.9	6
8/9/24 20:15						
8/9/24 20:30	7.3	83	7.7	1861	21.6	6
8/9/24 20:45						
8/9/24 21:00	7.1	81	7.7	2533	21.6	6
8/9/24 21:15						
8/9/24 21:30	7.2	83	7.8	3986	21.3	6
8/9/24 21:45						
8/9/24 22:00	7.2	82	7.7	3678	21.1	6
8/9/24 22:15						
8/9/24 22:30	7.4	84	7.8	2929	21.5	6
8/9/24 22:45						
8/9/24 23:00	7.2	83	7.9	9042	20.5	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/9/24 23:15						
8/9/24 23:30	7.7	89	8.1	17134	19.3	6
8/9/24 23:45						
8/10/24 0:00	7.7	90	8.0	10965	21.1	6
8/10/24 0:15						
8/10/24 0:30	8.2	95	8.0	1202	22.5	6
8/10/24 0:45						
8/10/24 1:00	8.3	96	7.9	988	22.6	6
8/10/24 1:15						
8/10/24 1:30	8.1	94	7.9	758	22.6	6
8/10/24 1:45						
8/10/24 2:00	8.3	97	7.9	693	22.6	6
8/10/24 2:15						
8/10/24 2:30	8.3	97	7.9	610	22.6	6
8/10/24 2:45						
8/10/24 3:00	8.7	101	8.0	619	22.5	6
8/10/24 3:15						
8/10/24 3:30	8.7	101	8.0	685	22.5	6
8/10/24 3:45						
8/10/24 4:00	8.6	100	8.0	595	22.5	6
8/10/24 4:15						
8/10/24 4:30	8.8	101	8.0	580	22.4	6
8/10/24 4:45						
8/10/24 5:00	8.4	97	7.9	735	22.2	6
8/10/24 5:15						
8/10/24 5:30	8.8	102	8.0	598	22.2	6
8/10/24 5:45						
8/10/24 6:00	8.9	103	8.0	562	22.2	6
8/10/24 6:15						
8/10/24 6:30	8.8	101	8.0	636	22.1	6
8/10/24 6:45						
8/10/24 7:00	8.6	99	7.9	786	22.1	6
8/10/24 7:15						
8/10/24 7:30	8.7	99	8.0	1103	22.0	6
8/10/24 7:45						
8/10/24 8:00	8.7	100	8.0	1087	22.0	6
8/10/24 8:15						
8/10/24 8:30	8.7	100	8.0	1265	21.9	6
8/10/24 8:45						
8/10/24 9:00	8.3	95	8.0	2002	22.0	6
8/10/24 9:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/10/24 9:30	8.6	98	8.0	1457	21.9	6
8/10/24 9:45						
8/10/24 10:00	8.4	97	8.0	1405	22.0	6
8/10/24 10:15						
8/10/24 10:30	8.2	94	7.9	1483	21.8	6
8/10/24 10:45						
8/10/24 11:00	8.3	96	7.9	2216	21.9	6
8/10/24 11:15						
8/10/24 11:30	8.4	96	8.0	1035	21.8	6
8/10/24 11:45						
8/10/24 12:00	8.2	94	7.9	1009	21.8	6
8/10/24 12:15						
8/10/24 12:30	8.0	92	7.9	865	21.7	6
8/10/24 12:45						
8/10/24 13:00	8.0	91	7.8	773	21.7	6
8/10/24 13:15						
8/10/24 13:30	7.9	90	7.8	633	21.7	6
8/10/24 13:45						
8/10/24 14:00	7.7	88	7.8	639	21.7	6
8/10/24 14:15						
8/10/24 14:30	7.8	89	7.8	623	21.6	6
8/10/24 14:45						
8/10/24 15:00	7.7	87	7.8	632	21.6	6
8/10/24 15:15						
8/10/24 15:30	7.6	87	7.7	606	21.5	6
8/10/24 15:45						
8/10/24 16:00	7.6	86	7.7	587	21.5	6
8/10/24 16:15						
8/10/24 16:30	7.4	84	7.7	575	21.4	6
8/10/24 16:45						
8/10/24 17:00	7.9	89	7.8	585	21.5	6
8/10/24 17:15						
8/10/24 17:30	7.9	89	7.8	589	21.5	6
8/10/24 17:45						
8/10/24 18:00	7.8	89	7.8	589	21.5	6
8/10/24 18:15						
8/10/24 18:30	7.8	88	7.8	608	21.4	6
8/10/24 18:45						
8/10/24 19:00	7.6	86	7.7	634	21.4	6
8/10/24 19:15						
8/10/24 19:30	7.7	87	7.7	703	21.4	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/10/24 19:45						
8/10/24 20:00	7.9	90	7.8	705	21.5	6
8/10/24 20:15						
8/10/24 20:30	7.6	85	7.6	827	21.0	6
8/10/24 20:45						
8/10/24 21:00	7.8	88	7.7	934	21.3	6
8/10/24 21:15						
8/10/24 21:30	7.5	84	7.7	1226	21.2	6
8/10/24 21:45						
8/10/24 22:00	7.2	82	7.7	2600	21.3	6
8/10/24 22:15						
8/10/24 22:30	7.6	85	7.7	1894	21.2	6
8/10/24 22:45						
8/10/24 23:00	8.0	92	7.9	1315	21.9	6
8/10/24 23:15						
8/10/24 23:30	7.6	86	7.8	4866	21.0	6
8/10/24 23:45						
8/11/24 0:00	7.7	88	8.1	13007	20.2	6
8/11/24 0:15						
8/11/24 0:30	7.9	91	7.9	1620	22.2	6
8/11/24 0:45						
8/11/24 1:00	8.2	95	7.9	763	22.5	6
8/11/24 1:15						
8/11/24 1:30	8.3	96	7.9	786	22.5	6
8/11/24 1:45						
8/11/24 2:00	8.4	97	7.9	828	22.3	6
8/11/24 2:15						
8/11/24 2:30	8.3	95	7.9	807	22.3	6
8/11/24 2:45						
8/11/24 3:00	8.8	102	8.0	542	22.5	6
8/11/24 3:15						
8/11/24 3:30	8.7	100	8.0	520	22.5	6
8/11/24 3:45						
8/11/24 4:00	8.5	98	8.0	530	22.5	6
8/11/24 4:15						
8/11/24 4:30	8.8	101	8.0	520	22.4	6
8/11/24 4:45						
8/11/24 5:00	8.7	100	8.0	550	22.3	6
8/11/24 5:15						
8/11/24 5:30	8.5	98	7.9	530	22.3	6
8/11/24 5:45						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/11/24 6:00	8.6	99	8.0	548	22.3	6
8/11/24 6:15						
8/11/24 6:30	8.8	101	8.0	700	22.2	6
8/11/24 6:45						
8/11/24 7:00	8.7	100	8.0	682	22.1	6
8/11/24 7:15						
8/11/24 7:30	8.9	102	8.0	971	22.0	6
8/11/24 7:45						
8/11/24 8:00	8.7	100	8.0	1008	22.0	6
8/11/24 8:15						
8/11/24 8:30	8.7	99	8.0	1016	21.9	6
8/11/24 8:45						
8/11/24 9:00	8.7	100	8.0	1060	21.9	6
8/11/24 9:15						
8/11/24 9:30	8.5	97	8.0	1239	21.9	6
8/11/24 9:45						
8/11/24 10:00	8.4	96	7.9	1209	21.8	6
8/11/24 10:15						
8/11/24 10:30	8.3	95	7.9	1494	21.6	6
8/11/24 10:45						
8/11/24 11:00	8.3	94	7.9	1133	21.6	6
8/11/24 11:15						
8/11/24 11:30	8.3	95	8.0	989	21.7	6
8/11/24 11:45						
8/11/24 12:00	8.3	94	7.9	670	21.7	6
8/11/24 12:15						
8/11/24 12:30	8.2	93	7.9	598	21.7	6
8/11/24 12:45						
8/11/24 13:00	8.0	91	7.8	554	21.7	6
8/11/24 13:15						
8/11/24 13:30	7.9	90	7.8	440	21.7	6
8/11/24 13:45						
8/11/24 14:00	7.7	88	7.8	493	21.6	6
8/11/24 14:15						
8/11/24 14:30	7.8	89	7.8	408	21.6	6
8/11/24 14:45						
8/11/24 15:00	7.6	87	7.7	370	21.6	6
8/11/24 15:15						
8/11/24 15:30	7.6	87	7.7	377	21.5	6
8/11/24 15:45						
8/11/24 16:00	7.4	84	7.7	358	21.5	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/11/24 16:15						
8/11/24 16:30	7.7	87	7.7	345	21.5	6
8/11/24 16:45						
8/11/24 17:00	7.6	87	7.7	350	21.5	6
8/11/24 17:15						
8/11/24 17:30	7.8	89	7.7	352	21.5	6
8/11/24 17:45						
8/11/24 18:00	7.7	88	7.8	396	21.7	6
8/11/24 18:15						
8/11/24 18:30	7.9	90	7.8	424	21.7	6
8/11/24 18:45						
8/11/24 19:00	7.9	90	7.8	435	21.8	6
8/11/24 19:15						
8/11/24 19:30	7.8	88	7.7	457	21.6	6
8/11/24 19:45						
8/11/24 20:00	7.8	89	7.7	452	21.7	6
8/11/24 20:15						
8/11/24 20:30	7.8	89	7.8	459	21.7	6
8/11/24 20:45						
8/11/24 21:00	7.9	90	7.7	479	21.7	6
8/11/24 21:15						
8/11/24 21:30	8.1	92	7.8	480	21.8	6
8/11/24 21:45						
8/11/24 22:00	8.1	93	7.8	478	21.9	6
8/11/24 22:15						
8/11/24 22:30	8.2	95	7.9	474	22.0	6
8/11/24 22:45						
8/11/24 23:00	7.6	86	7.7	1354	21.4	6
8/11/24 23:15						
8/11/24 23:30	7.8	89	7.8	1459	21.6	6
8/11/24 23:45						
8/12/24 0:00	8.2	94	7.9	1177	21.9	6
8/12/24 0:15						
8/12/24 0:30	7.4	85	7.9	5003	21.1	6
8/12/24 0:45						
8/12/24 1:00	8.3	96	7.9	455	22.4	6
8/12/24 1:15						
8/12/24 1:30	8.2	94	7.8	471	22.4	6
8/12/24 1:45						
8/12/24 2:00	8.5	98	7.9	412	22.5	6
8/12/24 2:15						

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/12/24 2:30	8.7	101	8.0	376	22.6	6
8/12/24 2:45						
8/12/24 3:00	8.9	103	8.0	351	22.6	6
8/12/24 3:15						
8/12/24 3:30	9.2	106	8.1	314	22.7	6
8/12/24 3:45						
8/12/24 4:00	9.1	105	8.1	320	22.8	6
8/12/24 4:15						
8/12/24 4:30	9.1	106	8.1	313	22.8	6
8/12/24 4:45						
8/12/24 5:00	9.1	105	8.1	320	22.7	6
8/12/24 5:15						
8/12/24 5:30	9.1	105	8.1	339	22.6	6
8/12/24 5:45						
8/12/24 6:00	9.1	105	8.1	367	22.6	6
8/12/24 6:15						
8/12/24 6:30	9.1	105	8.1	358	22.6	6
8/12/24 6:45						
8/12/24 7:00	9.0	104	8.1	384	22.5	6
8/12/24 7:15						
8/12/24 7:30	9.2	106	8.2	436	22.5	6
8/12/24 7:45						
8/12/24 8:00	9.0	104	8.1	418	22.4	6
8/12/24 8:15						
8/12/24 8:30	8.9	103	8.1	433	22.3	6
8/12/24 8:45						
8/12/24 9:00	8.9	103	8.1	447	22.2	6
8/12/24 9:15						
8/12/24 9:30	8.8	102	8.0	536	22.2	6
8/12/24 9:45						
8/12/24 10:00	8.7	100	8.0	593	22.1	6
8/12/24 10:15						
8/12/24 10:30	8.7	99	7.9	829	21.7	6
8/12/24 10:45						
8/12/24 11:00	8.6	98	8.0	731	21.9	6
8/12/24 11:15						
8/12/24 11:30	8.6	98	8.0	723	21.9	6
8/12/24 11:45						
8/12/24 12:00	8.4	96	8.0	711	21.8	6
8/12/24 12:15						
8/12/24 12:30	8.4	96	7.9	734	21.7	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
8/12/24 12:45						
8/12/24 13:00	8.4	96	8.0	675	21.6	6
8/12/24 13:15						
8/12/24 13:30	8.1	92	7.9	488	21.6	6
8/12/24 13:45						
8/12/24 14:00	8.0	91	7.8	413	21.6	6
8/12/24 14:15						
8/12/24 14:30	7.8	88	7.8	362	21.6	6
8/12/24 14:45						
8/12/24 15:00	7.8	88	7.8	385	21.6	6
8/12/24 15:15						
8/12/24 15:30	8.3	96	7.9	347	22.3	5
8/12/24 15:45	8.4	97	8.0	346	22.3	4
8/12/24 16:00	8.5	98	8.0	345	22.3	5
8/12/24 16:15	8.3	96	7.9	347	22.4	4
8/12/24 16:30	8.4	97	7.9	346	22.5	4
8/12/24 16:45	8.4	97	7.9	359	22.5	4
8/12/24 17:00	8.3	96	7.9	395	22.5	4
8/12/24 17:15	8.3	96	7.9	451	22.5	4
8/12/24 17:30	8.5	98	8.0	348	22.6	4
8/12/24 17:45	8.4	97	7.9	331	22.6	4
8/12/24 18:00	8.5	98	8.0	320	22.6	4
8/12/24 18:15	8.2	94	7.8	851	22.1	4
8/12/24 18:30	8.5	98	8.0	356	22.5	4
8/12/24 18:45	8.3	96	7.9	324	22.5	3
8/12/24 19:00	8.4	97	7.9	316	22.5	4
8/12/24 19:15	8.4	97	7.9	325	22.5	3
8/12/24 19:30	8.4	97	7.9	320	22.6	3
8/12/24 19:45	8.5	99	8.0	308	22.5	4
8/12/24 20:00	8.5	99	8.0	281	22.6	4
8/12/24 20:15	8.5	99	8.0	276	22.6	4
8/12/24 20:30	8.7	100	8.0	272	22.5	4
8/12/24 20:45	8.6	99	8.0	278	22.5	4
8/12/24 21:00	8.6	100	8.0	281	22.5	4
8/12/24 21:15	8.6	100	8.0	280	22.5	4
8/12/24 21:30	8.6	99	8.0	282	22.5	4
8/12/24 21:45	8.8	102	8.0	332	22.2	4
8/12/24 22:00	8.8	100	8.0	372	21.8	4
8/12/24 22:15	8.7	100	7.9	379	21.9	4
8/12/24 22:30	8.9	102	8.0	405	22.0	4
8/12/24 22:45	8.7	99	7.9	410	22.0	4



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/12/24 23:00	8.8	100	8.0	424	21.9	4
8/12/24 23:15	9.0	103	8.0	432	21.9	4
8/12/24 23:30	8.9	101	8.0	465	21.7	4
8/12/24 23:45	8.8	100	7.9	473	21.7	4
8/13/24 0:00	8.8	101	8.0	502	21.6	4
8/13/24 0:15	8.8	100	8.0	479	21.6	4
8/13/24 0:30	8.7	99	7.9	462	21.6	4
8/13/24 0:45	8.9	100	8.0	650	21.2	4
8/13/24 1:00	8.7	99	8.0	510	21.3	4
8/13/24 1:15	8.7	98	7.9	645	21.2	4
8/13/24 1:30	8.6	97	7.9	810	21.1	5
8/13/24 1:45	8.6	97	8.0	741	21.1	4
8/13/24 2:00	8.5	95	7.9	578	20.9	4
8/13/24 2:15	8.6	97	8.0	644	21.0	4
8/13/24 2:30	8.5	96	7.9	661	21.0	4
8/13/24 2:45	8.5	95	7.9	779	20.9	4
8/13/24 3:00	8.6	96	8.0	753	20.9	4
8/13/24 3:15	8.5	96	7.9	754	20.9	4
8/13/24 3:30	8.5	95	8.0	744	20.8	4
8/13/24 3:45	8.5	95	8.0	748	20.7	4
8/13/24 4:00	8.4	94	7.9	801	20.7	4
8/13/24 4:15	8.4	94	7.9	794	20.6	4
8/13/24 4:30	8.3	93	7.9	800	20.5	4
8/13/24 4:45	8.3	93	7.9	804	20.5	5
8/13/24 5:00	8.2	91	7.9	818	20.4	5
8/13/24 5:15	8.2	91	7.9	816	20.4	4
8/13/24 5:30	8.2	92	7.9	813	20.3	4
8/13/24 5:45	8.2	90	7.9	810	20.3	5
8/13/24 6:00	8.0	89	7.8	792	20.3	5
8/13/24 6:15	7.9	88	7.8	747	20.2	5
8/13/24 6:30	7.9	87	7.8	780	20.2	5
8/13/24 6:45	7.7	85	7.8	824	20.2	5
8/13/24 7:00	7.8	87	7.8	782	20.1	5
8/13/24 7:15	7.9	87	7.8	831	20.1	4
8/13/24 7:30	8.0	88	7.8	788	20.0	4
8/13/24 7:45	8.0	88	7.8	465	20.1	5
8/13/24 8:00	7.9	87	7.8	448	20.2	5
8/13/24 8:15	7.7	85	7.8	449	20.2	5
8/13/24 8:30	7.8	87	7.8	414	20.2	6
8/13/24 8:45	7.8	86	7.8	394	20.2	5
8/13/24 9:00	7.7	86	7.8	393	20.3	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/13/24 9:15	7.8	86	7.7	368	20.3	5
8/13/24 9:30	7.6	84	7.7	363	20.3	5
8/13/24 9:45	7.5	83	7.7	369	20.4	5
8/13/24 10:00	7.7	85	7.8	360	20.3	5
8/13/24 10:15	7.9	87	7.8	331	20.5	5
8/13/24 10:30	8.0	89	7.8	326	20.6	6
8/13/24 10:45	8.0	89	7.8	315	20.6	5
8/13/24 11:00	8.2	91	7.8	289	20.7	4
8/13/24 11:15	8.2	92	7.8	277	20.7	4
8/13/24 11:30	8.3	93	7.9	274	20.8	5
8/13/24 11:45	8.4	94	7.9	262	20.9	5
8/13/24 12:00	8.5	95	7.9	250	21.0	5
8/13/24 12:15	8.5	96	7.9	249	21.1	4
8/13/24 12:30	8.6	97	7.9	248	21.2	4
8/13/24 12:45	8.6	97	7.9	250	21.2	4
8/13/24 13:00	8.6	97	7.9	252	21.3	5
8/13/24 13:15	8.6	97	7.9	255	21.3	5
8/13/24 13:30	8.6	97	7.9	256	21.4	4
8/13/24 13:45	8.5	96	7.9	259	21.4	5
8/13/24 14:00	8.6	97	7.9	262	21.4	4
8/13/24 14:15	8.4	95	7.9	299	21.3	4
8/13/24 14:30	8.5	96	7.9	288	21.4	5
8/13/24 14:45	8.6	98	7.9	280	21.6	4
8/13/24 15:00	8.7	99	7.9	280	21.6	4
8/13/24 15:15	8.6	98	7.9	282	21.7	4
8/13/24 15:30	8.7	99	8.0	282	21.8	4
8/13/24 15:45	8.7	99	8.0	282	21.8	4
8/13/24 16:00	8.7	100	8.0	271	22.1	4
8/13/24 16:15	8.7	99	7.9	321	21.8	4
8/13/24 16:30	8.7	100	7.9	352	21.8	4
8/13/24 16:45	8.7	100	7.9	303	21.9	4
8/13/24 17:00	9.1	105	8.1	290	22.2	4
8/13/24 17:15	9.5	109	8.2	330	22.3	4
8/13/24 17:30	9.4	108	8.2	331	22.3	4
8/13/24 17:45	9.4	108	8.2	352	22.2	4
8/13/24 18:00	9.5	110	8.2	335	22.2	4
8/13/24 18:15	9.1	104	8.1	296	22.3	4
8/13/24 18:30	8.9	102	8.0	281	22.3	4
8/13/24 18:45	9.0	104	8.1	258	22.3	4
8/13/24 19:00	9.1	105	8.1	254	22.3	4
8/13/24 19:15	9.2	106	8.1	217	22.5	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/13/24 19:30	9.1	104	8.0	389	22.1	3
8/13/24 19:45	9.1	105	8.1	254	22.3	4
8/13/24 20:00	9.0	104	8.1	227	22.5	4
8/13/24 20:15	9.1	105	8.1	232	22.5	4
8/13/24 20:30	9.0	104	8.1	246	22.5	4
8/13/24 20:45	9.0	103	8.0	308	22.2	4
8/13/24 21:00	8.8	102	8.0	285	22.3	4
8/13/24 21:15	9.1	104	8.1	244	22.4	4
8/13/24 21:30	9.2	106	8.1	234	22.4	4
8/13/24 21:45	9.3	107	8.1	234	22.4	4
8/13/24 22:00	9.3	107	8.1	233	22.4	4
8/13/24 22:15	9.1	105	8.1	235	22.4	4
8/13/24 22:30	9.1	105	8.1	235	22.4	4
8/13/24 22:45	9.3	107	8.1	234	22.4	4
8/13/24 23:00	9.3	107	8.2	233	22.4	4
8/13/24 23:15	9.3	107	8.2	233	22.3	4
8/13/24 23:30	9.3	107	8.2	231	22.3	4
8/13/24 23:45	9.3	107	8.2	228	22.3	4
8/14/24 0:00	9.2	106	8.1	228	22.2	5
8/14/24 0:15	9.2	105	8.1	230	22.2	4
8/14/24 0:30	9.0	104	8.1	232	22.2	4
8/14/24 0:45	9.2	106	8.2	235	22.2	4
8/14/24 1:00	9.3	106	8.2	235	22.2	4
8/14/24 1:15	9.2	105	8.1	237	22.1	4
8/14/24 1:30	9.0	103	8.1	242	22.1	6
8/14/24 1:45	9.2	105	8.2	260	22.1	4
8/14/24 2:00	9.1	104	8.1	259	22.0	4
8/14/24 2:15	9.2	105	8.2	260	22.0	4
8/14/24 2:30	9.2	105	8.2	264	22.0	4
8/14/24 2:45	9.3	106	8.2	264	21.9	4
8/14/24 3:00	8.9	102	8.1	305	21.8	4
8/14/24 3:15	8.8	100	8.1	313	21.8	4
8/14/24 3:30	8.7	99	8.1	312	21.7	5
8/14/24 3:45	8.7	98	8.1	311	21.7	4
8/14/24 4:00	8.6	97	8.0	320	21.6	4
8/14/24 4:15	8.5	96	8.0	318	21.6	5
8/14/24 4:30	8.5	96	8.0	321	21.5	5
8/14/24 4:45	8.3	94	8.0	329	21.5	5
8/14/24 5:00	8.2	92	7.9	340	21.4	5
8/14/24 5:15	8.1	91	7.9	362	21.3	6
8/14/24 5:30	8.1	91	7.9	364	21.3	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/14/24 5:45	8.0	90	7.9	368	21.3	5
8/14/24 6:00	7.9	89	7.8	375	21.3	5
8/14/24 6:15	7.9	89	7.8	379	21.2	5
8/14/24 6:30	7.8	88	7.8	382	21.2	5
8/14/24 6:45	7.9	89	7.8	392	21.2	6
8/14/24 7:00	7.8	88	7.8	405	21.1	5
8/14/24 7:15	7.8	88	7.8	431	21.1	5
8/14/24 7:30	7.9	89	7.8	449	21.1	5
8/14/24 7:45	7.6	86	7.8	454	21.1	5
8/14/24 8:00	7.9	88	7.8	453	21.1	4
8/14/24 8:15	7.9	89	7.8	448	21.0	5
8/14/24 8:30	7.9	89	7.8	460	21.1	5
8/14/24 8:45	7.9	89	7.8	467	21.1	4
8/14/24 9:00	7.8	88	7.8	467	21.1	5
8/14/24 9:15	7.8	88	7.8	281	21.3	5
8/14/24 9:30	7.8	88	7.8	273	21.3	5
8/14/24 9:45	7.7	87	7.7	265	21.3	5
8/14/24 10:00	7.8	88	7.7	265	21.3	5
8/14/24 10:15	7.7	88	7.7	260	21.4	8
8/14/24 10:30	7.8	88	7.8	320	21.3	5
8/14/24 10:45	7.7	87	7.7	255	21.4	5
8/14/24 11:00	7.1	81	7.7	254	21.4	4
8/14/24 11:15	7.8	88	7.7	254	21.4	4
8/14/24 11:30	7.9	90	7.8	230	21.5	4
8/14/24 11:45	7.9	90	7.8	227	21.6	4
8/14/24 12:00	8.0	91	7.8	225	21.6	4
8/14/24 12:15	8.2	93	7.8	213	21.7	4
8/14/24 12:30	8.2	93	7.8	205	21.8	4
8/14/24 12:45	8.2	94	7.8	202	21.8	4
8/14/24 13:00	8.1	92	7.8	194	22.0	4
8/14/24 13:15	8.4	96	7.8	192	22.0	4
8/14/24 13:30	8.3	96	7.9	191	22.1	4
8/14/24 13:45	8.5	97	7.9	193	22.1	4
8/14/24 14:00	8.5	97	7.9	194	22.1	4
8/14/24 14:15	8.5	98	7.9	194	22.2	4
8/14/24 14:30	8.5	98	7.9	188	22.3	4
8/14/24 14:45	8.7	100	7.9	194	22.3	8
8/14/24 15:00	8.6	99	7.9	199	22.3	4
8/14/24 15:15	8.7	100	7.9	201	22.4	4
8/14/24 15:30	8.6	99	7.9	206	22.4	4
8/14/24 15:45	8.6	99	7.9	206	22.4	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/14/24 16:00	8.6	99	7.9	208	22.4	4
8/14/24 16:15	8.6	99	7.9	205	22.4	4
8/14/24 16:30	8.7	100	7.9	203	22.5	4
8/14/24 16:45	8.6	100	7.9	202	22.6	4
8/14/24 17:00	8.6	100	7.9	201	22.6	4
8/14/24 17:15	8.6	100	7.9	203	22.6	4
8/14/24 17:30	8.7	100	7.9	207	22.6	3
8/14/24 17:45	8.6	100	7.9	208	22.6	3
8/14/24 18:00	8.5	99	7.9	208	22.6	4
8/14/24 18:15	8.7	101	7.9	206	22.7	4
8/14/24 18:30	8.7	100	7.9	206	22.7	3
8/14/24 18:45	8.6	99	7.9	206	22.7	3
8/14/24 19:00	8.7	100	8.0	303	22.6	4
8/14/24 19:15	8.8	102	8.0	206	22.6	4
8/14/24 19:30	8.8	102	8.0	197	22.7	4
8/14/24 19:45	9.1	106	8.1	207	22.7	4
8/14/24 20:00	9.6	112	8.3	242	22.8	3
8/14/24 20:15	9.2	107	8.1	198	22.8	4
8/14/24 20:30	8.9	103	8.0	193	22.8	4
8/14/24 20:45	9.0	104	8.1	195	22.8	4
8/14/24 21:00	9.0	104	8.0	197	22.8	3
8/14/24 21:15	8.8	102	8.0	219	22.6	4
8/14/24 21:30	9.0	104	8.0	206	22.7	3
8/14/24 21:45	9.0	105	8.0	196	22.7	3
8/14/24 22:00	8.9	104	8.0	189	22.7	3
8/14/24 22:15	8.9	103	8.0	190	22.7	4
8/14/24 22:30	8.8	102	8.0	191	22.7	4
8/14/24 22:45	8.8	102	8.0	191	22.7	4
8/14/24 23:00	8.8	102	8.0	195	22.7	3
8/14/24 23:15	8.8	102	8.0	196	22.6	4
8/14/24 23:30	8.9	103	8.0	197	22.6	4
8/14/24 23:45	9.0	104	8.0	196	22.6	3
8/15/24 0:00	9.1	105	8.1	193	22.6	4
8/15/24 0:15	9.1	106	8.1	220	22.5	4
8/15/24 0:30	9.0	104	8.1	219	22.4	4
8/15/24 0:45	8.9	103	8.0	228	22.4	4
8/15/24 1:00	8.9	102	8.0	225	22.4	4
8/15/24 1:15	8.8	102	8.0	217	22.4	4
8/15/24 1:30	8.8	102	8.0	230	22.3	5
8/15/24 1:45	8.8	100	8.0	259	22.2	4
8/15/24 2:00	9.0	102	8.0	264	21.9	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/15/24 2:15	9.0	102	8.0	240	21.8	4
8/15/24 2:30	9.1	103	8.0	222	21.7	4
8/15/24 2:45	8.9	102	8.0	220	21.7	4
8/15/24 3:00	8.8	100	8.0	223	21.7	4
8/15/24 3:15	8.7	99	7.9	238	21.6	4
8/15/24 3:30	8.6	97	7.9	235	21.6	4
8/15/24 3:45	8.5	96	7.9	238	21.5	4
8/15/24 4:00	8.4	95	7.9	235	21.4	4
8/15/24 4:15	8.3	94	7.9	233	21.4	4
8/15/24 4:30	8.2	92	7.8	241	21.3	5
8/15/24 4:45	8.1	91	7.8	241	21.3	5
8/15/24 5:00	8.1	92	7.8	235	21.4	6
8/15/24 5:15	7.9	89	7.8	264	21.3	5
8/15/24 5:30	7.7	87	7.7	275	21.2	6
8/15/24 5:45	7.6	86	7.7	306	21.0	6
8/15/24 6:00	7.6	85	7.7	313	21.0	6
8/15/24 6:15	7.4	83	7.7	322	20.9	5
8/15/24 6:30	7.4	83	7.7	332	20.9	6
8/15/24 6:45	7.4	83	7.7	346	20.8	5
8/15/24 7:00	7.4	82	7.7	357	20.8	6
8/15/24 7:15	7.4	83	7.7	360	20.8	5
8/15/24 7:30	7.1	79	7.6	360	20.7	5
8/15/24 7:45	7.3	81	7.6	360	20.7	5
8/15/24 8:00	7.3	81	7.6	359	20.7	5
8/15/24 8:15	7.4	82	7.7	358	20.7	5
8/15/24 8:30	7.5	83	7.7	350	20.6	4
8/15/24 8:45	7.5	83	7.7	347	20.6	4
8/15/24 9:00	7.4	82	7.6	346	20.6	4
8/15/24 9:15	7.8	87	7.7	346	20.7	5
8/15/24 9:30	7.7	86	7.7	346	20.7	5
8/15/24 9:45	7.8	86	7.7	347	20.7	5
8/15/24 10:00	7.6	85	7.7	441	20.5	6
8/15/24 10:15	7.7	86	7.7	465	20.6	5
8/15/24 10:30	8.0	89	7.7	306	20.9	5
8/15/24 10:45	7.9	88	7.7	306	20.9	5
8/15/24 11:00	7.9	89	7.7	288	21.0	5
8/15/24 11:15	7.9	89	7.7	276	21.0	5
8/15/24 11:30	7.9	89	7.8	262	21.1	5
8/15/24 11:45	7.9	89	7.7	255	21.1	4
8/15/24 12:00	7.8	88	7.7	252	21.2	4
8/15/24 12:15	7.8	88	7.7	250	21.2	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/15/24 12:30	8.1	91	7.8	238	21.3	4
8/15/24 12:45	8.0	90	7.7	233	21.3	4
8/15/24 13:00	8.2	92	7.8	224	21.4	4
8/15/24 13:15	8.2	93	7.8	224	21.4	4
8/15/24 13:30	8.2	93	7.8	232	21.3	4
8/15/24 13:45	8.2	92	7.8	228	21.4	6
8/15/24 14:00	8.2	93	7.8	230	21.4	5
8/15/24 14:15	8.4	96	7.8	222	21.5	4
8/15/24 14:30	8.7	98	7.9	209	21.7	4
8/15/24 14:45	8.8	100	7.9	201	21.8	4
8/15/24 15:00	8.8	100	7.9	199	21.8	4
8/15/24 15:15	9.0	102	8.0	198	21.9	4
8/15/24 15:30	9.0	102	8.0	197	21.9	4
8/15/24 15:45	9.0	103	8.0	195	22.0	5
8/15/24 16:00	9.1	104	8.0	195	22.0	4
8/15/24 16:15	9.0	103	8.0	196	22.0	4
8/15/24 16:30	9.0	103	8.0	195	22.0	3
8/15/24 16:45	9.1	104	8.0	195	22.0	4
8/15/24 17:00	9.0	104	8.0	195	22.1	4
8/15/24 17:15	9.1	104	8.0	194	22.2	3
8/15/24 17:30	9.0	104	8.0	194	22.2	4
8/15/24 17:45	9.0	103	8.0	194	22.2	4
8/15/24 18:00	9.0	103	8.0	206	22.1	4
8/15/24 18:15	9.0	103	8.0	198	22.2	4
8/15/24 18:30	9.0	103	8.0	197	22.2	4
8/15/24 18:45	9.0	103	8.0	196	22.2	3
8/15/24 19:00	9.0	103	8.0	196	22.2	3
8/15/24 19:15	9.0	104	8.0	198	22.2	3
8/15/24 19:30	9.1	104	8.0	201	22.2	3
8/15/24 19:45	9.1	105	8.0	209	22.2	4
8/15/24 20:00	9.1	104	8.0	216	22.2	4
8/15/24 20:15	9.3	107	8.1	207	22.3	4
8/15/24 20:30	9.4	108	8.1	194	22.4	4
8/15/24 20:45	9.4	108	8.1	192	22.4	4
8/15/24 21:00	9.4	109	8.1	195	22.4	4
8/15/24 21:15	9.0	103	8.1	1192	22.0	4
8/15/24 21:30	9.4	108	8.1	276	22.3	4
8/15/24 21:45	9.3	107	8.1	435	22.2	4
8/15/24 22:00	9.3	107	8.1	418	22.2	4
8/15/24 22:15	9.2	106	8.1	245	22.2	4
8/15/24 22:30	9.2	106	8.1	230	22.2	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/15/24 22:45	9.2	106	8.1	290	22.2	4
8/15/24 23:00	9.2	106	8.1	315	22.2	4
8/15/24 23:15	9.1	104	8.1	289	22.2	4
8/15/24 23:30	9.2	105	8.0	276	22.1	4
8/15/24 23:45	9.1	104	8.0	257	22.1	4
8/16/24 0:00	9.3	106	8.1	239	22.1	4
8/16/24 0:15	9.5	109	8.2	203	22.1	4
8/16/24 0:30	9.4	107	8.2	201	22.1	4
8/16/24 0:45	9.2	106	8.1	201	22.1	4
8/16/24 1:00	9.4	107	8.2	205	22.0	4
8/16/24 1:15	8.9	101	8.0	240	21.4	4
8/16/24 1:30	8.8	99	7.9	251	21.4	4
8/16/24 1:45	8.8	99	7.9	254	21.6	4
8/16/24 2:00	8.8	100	7.9	254	21.6	4
8/16/24 2:15	9.0	102	7.9	373	21.4	4
8/16/24 2:30	9.0	102	7.9	391	21.4	4
8/16/24 2:45	8.9	100	7.9	409	21.4	4
8/16/24 3:00	8.7	99	7.9	441	21.3	5
8/16/24 3:15	8.8	100	8.0	447	21.3	4
8/16/24 3:30	8.8	99	7.9	454	21.3	4
8/16/24 3:45	8.9	100	8.0	466	21.2	4
8/16/24 4:00	9.0	102	8.1	482	21.2	4
8/16/24 4:15	9.0	101	8.0	440	21.1	4
8/16/24 4:30	8.9	100	8.0	304	21.1	4
8/16/24 4:45	8.9	100	8.1	298	21.1	4
8/16/24 5:00	8.8	99	8.0	298	21.1	4
8/16/24 5:15	8.5	96	8.0	336	21.1	4
8/16/24 5:30	8.3	94	7.9	379	21.1	5
8/16/24 5:45	8.1	91	7.8	383	21.0	5
8/16/24 6:00	8.0	90	7.8	375	21.0	6
8/16/24 6:15	8.0	89	7.8	370	20.9	6
8/16/24 6:30	7.9	88	7.8	359	20.9	7
8/16/24 6:45	7.8	88	7.8	352	20.9	6
8/16/24 7:00	7.7	86	7.8	351	20.9	7
8/16/24 7:15	7.6	86	7.7	354	20.9	6
8/16/24 7:30	7.6	85	7.7	356	20.9	6
8/16/24 7:45	7.7	86	7.7	361	20.8	6
8/16/24 8:00	7.6	85	7.7	364	20.9	5
8/16/24 8:15	7.6	85	7.7	366	20.8	6
8/16/24 8:30	7.7	86	7.7	372	20.8	5
8/16/24 8:45	7.7	86	7.7	374	20.8	5



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/16/24 9:00	7.6	85	7.7	378	20.8	5
8/16/24 9:15	7.6	84	7.7	410	20.6	5
8/16/24 9:30	7.7	85	7.7	456	20.3	5
8/16/24 9:45	8.1	90	7.8	408	20.6	5
8/16/24 10:00	7.8	87	7.7	450	20.5	6
8/16/24 10:15	7.7	85	7.6	871	20.1	5
8/16/24 10:30	8.0	89	7.8	838	20.6	5
8/16/24 10:45	8.0	90	7.8	434	21.1	6
8/16/24 11:00	8.0	90	7.8	403	21.3	5
8/16/24 11:15	7.5	83	7.6	1361	20.2	5
8/16/24 11:30	8.1	92	7.8	474	21.2	4
8/16/24 11:45	8.0	91	7.8	402	21.4	26
8/16/24 12:00	7.8	89	7.7	356	21.5	4
8/16/24 12:15	8.0	90	7.8	324	21.6	4
8/16/24 12:30	7.7	87	7.8	833	21.0	5
8/16/24 12:45	8.2	93	7.8	626	21.3	4
8/16/24 13:00	8.4	95	7.9	535	21.5	4
8/16/24 13:15	8.1	92	7.8	478	21.6	4
8/16/24 13:30	8.3	95	7.8	465	21.6	4
8/16/24 13:45	8.4	95	7.8	464	21.6	4
8/16/24 14:00	8.7	99	8.0	430	21.7	4
8/16/24 14:15	8.6	98	7.9	412	21.8	4
8/16/24 14:30	8.6	98	7.9	404	21.9	4
8/16/24 14:45	8.4	96	7.8	425	21.8	4
8/16/24 15:00	8.4	96	7.8	400	21.8	3
8/16/24 15:15	8.6	98	7.9	378	21.8	4
8/16/24 15:30	8.5	97	7.9	354	21.8	4
8/16/24 15:45	8.6	98	7.9	347	21.8	4
8/16/24 16:00	8.6	98	7.9	355	21.8	4
8/16/24 16:15	8.7	99	7.9	355	21.9	4
8/16/24 16:30	8.8	100	8.0	347	21.9	4
8/16/24 16:45	8.9	102	8.0	300	22.1	4
8/16/24 17:00	8.9	102	8.0	297	22.1	3
8/16/24 17:15	8.9	102	8.0	296	22.1	3
8/16/24 17:30	8.9	102	8.0	303	22.0	4
8/16/24 17:45	8.9	102	8.0	302	22.0	3
8/16/24 18:00	8.9	102	8.0	298	22.0	3
8/16/24 18:15	8.9	102	8.0	293	22.1	3
8/16/24 18:30	9.0	103	8.0	296	22.1	3
8/16/24 18:45	9.0	103	8.0	300	22.1	3
8/16/24 19:00	8.9	102	8.0	292	22.1	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/16/24 19:15	8.9	101	7.9	401	21.7	3
8/16/24 19:30	8.8	100	7.9	458	21.7	3
8/16/24 19:45	8.8	100	7.9	559	21.8	3
8/16/24 20:00	8.8	100	7.9	1003	21.5	4
8/16/24 20:15	8.9	101	8.0	1608	21.4	3
8/16/24 20:30	8.8	100	8.0	1746	21.5	3
8/16/24 20:45	9.1	104	8.1	1273	21.9	4
8/16/24 21:00	8.6	98	7.9	2820	21.6	3
8/16/24 21:15	7.4	87	7.9	16135	20.2	4
8/16/24 21:30	7.6	86	7.9	3888	21.0	3
8/16/24 21:45	7.6	88	7.9	19258	19.1	4
8/16/24 22:00	7.8	90	7.9	16619	19.3	3
8/16/24 22:15	9.2	104	8.2	587	21.9	4
8/16/24 22:30	9.2	105	8.1	476	22.0	4
8/16/24 22:45	9.2	105	8.2	811	21.9	4
8/16/24 23:00	9.2	106	8.2	744	22.0	4
8/16/24 23:15	9.0	102	8.0	1372	21.6	3
8/16/24 23:30	8.9	102	8.0	497	21.8	4
8/16/24 23:45	9.0	102	8.0	369	21.8	3
8/17/24 0:00	9.1	104	8.1	360	22.0	3
8/17/24 0:15	8.7	99	7.9	381	21.7	3
8/17/24 0:30	8.7	99	8.0	352	21.7	3
8/17/24 0:45	8.6	96	7.9	1160	21.0	4
8/17/24 1:00	8.7	99	8.0	552	21.6	4
8/17/24 1:15	9.0	103	8.1	409	21.8	4
8/17/24 1:30	9.0	103	8.1	463	21.8	4
8/17/24 1:45	8.9	102	8.0	764	21.7	4
8/17/24 2:00	8.8	101	8.0	575	21.7	3
8/17/24 2:15	9.1	103	8.0	539	21.6	4
8/17/24 2:30	9.0	102	8.1	591	21.6	4
8/17/24 2:45	9.1	104	8.1	1218	21.5	4
8/17/24 3:00	9.0	102	8.1	875	21.6	4
8/17/24 3:15	8.7	98	8.0	619	21.5	4
8/17/24 3:30	8.9	101	8.1	988	21.6	4
8/17/24 3:45	8.9	102	8.1	1115	21.6	4
8/17/24 4:00	8.9	101	8.1	1222	21.5	4
8/17/24 4:15	8.9	101	8.0	1175	21.5	4
8/17/24 4:30	8.8	100	8.0	1135	21.2	5
8/17/24 4:45	8.7	98	8.0	1253	21.1	4
8/17/24 5:00	8.6	97	7.9	1268	21.0	4
8/17/24 5:15	8.5	96	7.9	1263	21.0	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/17/24 5:30	8.5	95	7.9	1266	21.0	4
8/17/24 5:45	8.1	91	7.8	1235	20.8	5
8/17/24 6:00	8.1	90	7.8	1105	20.6	4
8/17/24 6:15	8.0	89	7.8	1097	20.6	5
8/17/24 6:30	8.0	89	7.7	1130	20.6	4
8/17/24 6:45	8.0	89	7.8	1152	20.6	4
8/17/24 7:00	7.5	84	7.7	1188	20.6	4
8/17/24 7:15	7.5	83	7.7	1194	20.5	5
8/17/24 7:30	7.9	88	7.8	1219	20.5	25
8/17/24 7:45	8.1	90	7.8	1226	20.5	5
8/17/24 8:00	8.0	89	7.8	1281	20.5	4
8/17/24 8:15	7.5	84	7.8	1342	20.5	4
8/17/24 8:30	7.8	88	7.8	1323	20.5	4
8/17/24 8:45	7.7	86	7.8	1343	20.5	4
8/17/24 9:00	7.8	87	7.8	1366	20.5	4
8/17/24 9:15	7.7	86	7.8	1369	20.4	4
8/17/24 9:30	7.8	86	7.7	1724	20.3	4
8/17/24 9:45	7.0	77	7.5	2758	19.8	5
8/17/24 10:00	7.0	78	7.6	3505	19.8	4
8/17/24 10:15	7.3	81	7.7	3965	20.1	10
8/17/24 10:30	7.3	82	7.7	4764	20.2	5
8/17/24 10:45	7.3	82	7.8	5008	20.3	4
8/17/24 11:00	7.3	82	7.8	5029	20.4	4
8/17/24 11:15	7.7	86	7.9	2560	20.8	4
8/17/24 11:30	8.0	90	7.9	2390	20.8	4
8/17/24 11:45	8.0	91	7.8	882	21.7	4
8/17/24 12:00	7.9	90	7.8	1132	21.6	4
8/17/24 12:15	6.9	78	7.8	9788	19.7	4
8/17/24 12:30	8.2	93	7.9	942	21.5	4
8/17/24 12:45	8.3	94	7.9	674	21.6	4
8/17/24 13:00	8.6	98	8.0	756	21.6	4
8/17/24 13:15	8.3	94	7.9	656	21.7	4
8/17/24 13:30	8.3	94	7.9	625	21.6	4
8/17/24 13:45	8.0	91	7.8	1045	21.3	4
8/17/24 14:00	8.1	91	7.8	1005	21.3	3
8/17/24 14:15	8.3	95	7.9	921	21.4	4
8/17/24 14:30	8.4	95	7.9	819	21.5	4
8/17/24 14:45	8.5	96	7.9	666	21.6	4
8/17/24 15:00	8.4	96	7.9	553	21.7	3
8/17/24 15:15	8.6	98	8.0	561	21.7	3
8/17/24 15:30	8.3	95	7.8	620	21.5	3

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/17/24 15:45	8.5	96	7.9	822	21.5	4
8/17/24 16:00	8.8	100	8.0	538	21.8	3
8/17/24 16:15	8.7	99	8.0	526	21.8	3
8/17/24 16:30	8.7	99	8.0	532	21.8	4
8/17/24 16:45	8.6	98	8.0	534	21.8	3
8/17/24 17:00	8.5	97	7.9	560	21.7	4
8/17/24 17:15	8.5	96	7.9	612	21.7	3
8/17/24 17:30	8.6	98	7.9	624	21.7	3
8/17/24 17:45	8.4	95	7.9	614	21.7	3
8/17/24 18:00	8.4	96	7.9	613	21.7	3
8/17/24 18:15	8.6	97	7.9	626	21.6	3
8/17/24 18:30	8.5	97	7.8	653	21.5	3
8/17/24 18:45	8.2	93	7.8	660	21.5	3
8/17/24 19:00	8.4	95	7.9	654	21.5	3
8/17/24 19:15	8.5	96	7.9	710	21.3	3
8/17/24 19:30	8.4	95	7.9	731	21.3	3
8/17/24 19:45	8.5	95	7.8	1097	21.1	3
8/17/24 20:00	8.6	97	7.9	1508	21.1	3
8/17/24 20:15	8.6	98	8.0	1609	21.2	3
8/17/24 20:30	8.5	97	8.0	1966	21.2	3
8/17/24 20:45	8.3	94	7.9	3218	20.7	3
8/17/24 21:00	7.6	86	7.9	16511	19.0	3
8/17/24 21:15	7.1	82	7.9	23363	18.0	3
8/17/24 21:30	6.4	75	7.9	38693	15.6	2
8/17/24 21:45	6.4	74	8.0	41532	14.9	2
8/17/24 22:00	6.4	75	8.0	43502	14.4	10
8/17/24 22:15	6.4	75	8.0	45064	14.0	2
8/17/24 22:30	6.4	74	8.0	43305	14.5	2
8/17/24 22:45	6.4	74	7.9	37032	15.9	2
8/17/24 23:00	6.3	74	7.9	40800	15.2	2
8/17/24 23:15	7.0	81	8.0	38882	15.6	2
8/17/24 23:30	8.2	90	8.1	2883	19.9	3
8/17/24 23:45	7.8	85	8.0	5958	19.0	3
8/18/24 0:00	8.6	97	8.1	3811	20.7	3
8/18/24 0:15	8.7	98	8.2	1155	21.1	3
8/18/24 0:30	8.6	97	8.1	982	21.0	3
8/18/24 0:45	8.7	97	8.1	2086	20.8	4
8/18/24 1:00	8.4	93	7.8	2093	20.5	3
8/18/24 1:15	8.4	94	7.9	2862	20.5	4
8/18/24 1:30	8.5	95	8.0	5212	20.4	4
8/18/24 1:45	8.4	95	8.0	1109	20.8	3



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/18/24 2:00	8.4	94	8.0	1604	20.8	3
8/18/24 2:15	8.6	96	8.0	835	20.9	3
8/18/24 2:30	8.5	95	7.9	881	20.9	3
8/18/24 2:45	8.5	95	7.9	1278	20.8	5
8/18/24 3:00	8.3	93	8.0	2790	20.5	3
8/18/24 3:15	8.4	94	7.9	1598	20.7	4
8/18/24 3:30	8.3	92	7.9	1887	20.5	3
8/18/24 3:45	8.3	92	7.8	2285	20.3	4
8/18/24 4:00	8.2	92	7.9	2868	20.3	3
8/18/24 4:15	8.1	91	7.8	2669	20.3	3
8/18/24 4:30	8.1	90	7.8	2684	20.3	3
8/18/24 4:45	8.0	89	7.8	2376	20.3	3
8/18/24 5:00	8.1	90	7.8	2854	20.2	3
8/18/24 5:15	7.7	85	7.6	2579	19.5	3
8/18/24 5:30	7.5	82	7.5	2034	19.3	3
8/18/24 5:45	7.5	82	7.5	2405	19.5	4
8/18/24 6:00	7.8	87	7.7	3301	19.8	3
8/18/24 6:15	7.7	84	7.6	2843	19.5	4
8/18/24 6:30	7.6	82	7.5	2393	19.2	3
8/18/24 6:45	7.5	82	7.6	2379	19.4	3
8/18/24 7:00	7.5	83	7.6	2436	19.6	3
8/18/24 7:15	7.7	85	7.7	2792	19.7	3
8/18/24 7:30	7.7	85	7.6	2348	19.4	3
8/18/24 7:45	7.8	85	7.6	2348	19.4	3
8/18/24 8:00	7.8	85	7.6	2467	19.5	3
8/18/24 8:15	7.7	85	7.7	2998	19.6	3
8/18/24 8:30	7.5	82	7.6	2896	19.4	4
8/18/24 8:45	7.7	84	7.6	2922	19.3	4
8/18/24 9:00	7.8	85	7.5	2827	19.3	3
8/18/24 9:15	8.0	88	7.6	2781	19.4	3
8/18/24 9:30	7.5	82	7.4	2788	19.0	4
8/18/24 9:45	7.2	78	7.4	3285	18.8	3
8/18/24 10:00	7.2	78	7.4	3356	18.8	3
8/18/24 10:15	7.3	80	7.6	5271	19.1	3
8/18/24 10:30	7.5	83	7.7	5367	19.5	3
8/18/24 10:45	7.8	86	7.7	5307	19.7	3
8/18/24 11:00	7.3	81	7.7	6398	19.7	3
8/18/24 11:15	7.1	80	7.7	7885	19.5	3
8/18/24 11:30	7.3	82	7.8	6415	19.8	3
8/18/24 11:45	7.4	83	7.8	6083	20.0	4
8/18/24 12:00	6.9	77	7.7	10443	19.1	3

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/18/24 12:15	7.2	81	7.8	10142	19.4	3
8/18/24 12:30	7.5	84	7.8	7114	19.9	3
8/18/24 12:45	6.9	78	7.8	12960	19.0	4
8/18/24 13:00	6.9	78	7.9	12580	18.9	4
8/18/24 13:15	8.1	92	7.8	2651	21.2	3
8/18/24 13:30	8.4	96	7.9	2645	21.4	3
8/18/24 13:45	8.5	98	7.9	1306	21.8	3
8/18/24 14:00	8.7	100	8.0	1203	21.9	3
8/18/24 14:15	8.7	99	7.9	1072	21.9	3
8/18/24 14:30	8.6	98	7.9	1206	21.7	3
8/18/24 14:45	8.6	99	7.9	1126	21.8	3
8/18/24 15:00	8.6	99	7.9	994	22.0	3
8/18/24 15:15	8.8	100	7.9	1510	21.8	3
8/18/24 15:30	8.9	102	8.0	1328	21.9	3
8/18/24 15:45	9.0	104	8.0	1091	22.0	3
8/18/24 16:00	8.9	102	8.0	1043	22.1	3
8/18/24 16:15	9.1	104	8.0	998	22.1	3
8/18/24 16:30	8.9	103	8.0	1005	22.1	3
8/18/24 16:45	8.9	102	7.9	1048	22.1	3
8/18/24 17:00	9.0	104	8.0	954	22.2	3
8/18/24 17:15	9.0	104	8.0	937	22.2	3
8/18/24 17:30	9.0	104	8.0	905	22.2	3
8/18/24 17:45	9.0	103	8.0	891	22.2	3
8/18/24 18:00	9.0	104	8.0	853	22.2	3
8/18/24 18:15	9.0	103	8.0	864	22.2	3
8/18/24 18:30	8.9	103	8.0	827	22.2	3
8/18/24 18:45	8.9	103	8.0	809	22.2	3
8/18/24 19:00	8.8	101	8.0	837	22.1	3
8/18/24 19:15	8.9	103	8.0	844	22.1	3
8/18/24 19:30	9.0	103	8.0	868	22.1	3
8/18/24 19:45	9.0	103	8.0	873	22.0	3
8/18/24 20:00	9.0	103	8.0	847	22.1	3
8/18/24 20:15	9.1	104	8.0	828	22.1	3
8/18/24 20:30	9.4	108	8.1	736	22.2	3
8/18/24 20:45	9.7	112	8.2	1436	22.2	3
8/18/24 21:00	9.5	110	8.2	2737	22.1	3
8/18/24 21:15	9.5	110	8.2	4359	21.8	4
8/18/24 21:30	9.4	108	8.2	6807	21.4	3
8/18/24 21:45	8.3	98	8.1	27846	18.2	3
8/18/24 22:00	8.3	98	8.1	34027	17.2	2
8/18/24 22:15	8.2	97	8.2	38911	16.3	3



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/18/24 22:30	8.0	95	8.1	43216	15.4	3
8/18/24 22:45	8.0	95	8.2	45385	15.0	2
8/18/24 23:00	8.0	95	8.2	45280	15.1	2
8/18/24 23:15	8.0	94	8.2	46186	14.9	2
8/18/24 23:30	7.9	94	8.2	46154	14.9	2
8/18/24 23:45	7.9	94	8.1	41287	15.9	2
8/19/24 0:00	7.9	94	8.1	43205	15.6	2
8/19/24 0:15	7.8	93	8.1	41369	16.1	2
8/19/24 0:30	7.8	92	8.1	41076	16.1	2
8/19/24 0:45	8.3	99	8.2	31774	18.2	2
8/19/24 1:00	9.1	104	8.3	2237	21.3	3
8/19/24 1:15	9.2	105	8.2	2755	21.3	3
8/19/24 1:30	9.1	104	8.2	2208	21.5	3
8/19/24 1:45	9.0	102	8.1	6056	20.9	3
8/19/24 2:00	8.9	102	8.2	3196	21.3	3
8/19/24 2:15	9.0	103	8.2	2559	21.3	3
8/19/24 2:30	8.9	101	8.1	5173	21.0	3
8/19/24 2:45	8.9	102	8.1	2955	21.3	3
8/19/24 3:00	9.1	103	8.1	1972	21.4	3
8/19/24 3:15	9.0	102	8.1	2065	21.3	3
8/19/24 3:30	8.8	100	8.1	4096	21.0	3
8/19/24 3:45	8.9	101	8.1	4328	20.9	3
8/19/24 4:00	8.8	100	8.1	4100	20.9	3
8/19/24 4:15	8.7	99	8.1	4979	20.8	3
8/19/24 4:30	8.7	98	8.0	3027	20.9	3
8/19/24 4:45	8.5	96	8.0	4864	20.7	4
8/19/24 5:00	7.9	87	7.5	2103	19.6	3
8/19/24 5:15	8.0	89	7.7	3023	20.1	3
8/19/24 5:30	8.2	92	7.8	3503	20.3	3
8/19/24 5:45	8.2	91	7.8	3592	20.3	3
8/19/24 6:00	8.1	91	7.8	3419	20.2	3
8/19/24 6:15	8.0	89	7.8	3734	20.2	4
8/19/24 6:30	7.8	86	7.7	3492	19.9	3
8/19/24 6:45	7.7	86	7.7	3517	20.0	3
8/19/24 7:00	8.1	91	7.9	4237	20.3	4
8/19/24 7:15	7.8	87	7.7	3641	19.8	3
8/19/24 7:30	7.8	86	7.6	3422	19.6	3
8/19/24 7:45	7.8	86	7.6	3385	19.5	3
8/19/24 8:00	7.4	80	7.4	2962	18.7	3
8/19/24 8:15	7.6	83	7.4	2965	18.8	3
8/19/24 8:30	7.8	84	7.5	3020	18.9	3

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/19/24 8:45	7.8	85	7.5	3108	19.0	3
8/19/24 9:00	7.7	84	7.5	3108	19.0	3
8/19/24 9:15	8.2	90	7.5	3160	19.1	3
8/19/24 9:30	8.3	91	7.7	3488	19.5	4
8/19/24 9:45	8.3	92	7.6	3280	19.5	3
8/19/24 10:00	8.5	94	7.8	3796	19.8	4
8/19/24 10:15	7.6	84	7.6	4668	19.4	4
8/19/24 10:30	8.2	91	7.7	4177	19.6	4
8/19/24 10:45	7.7	85	7.7	5254	19.4	3
8/19/24 11:00	7.8	86	7.7	5691	19.6	3
8/19/24 11:15	7.7	86	7.8	7586	19.5	4
8/19/24 11:30	7.7	86	7.8	8441	19.5	3
8/19/24 11:45	7.8	88	7.8	8445	19.5	3
8/19/24 12:00	7.4	84	7.8	9192	19.5	3
8/19/24 12:15	7.4	83	7.8	10959	19.3	3
8/19/24 12:30	7.4	84	7.9	14273	19.0	3
8/19/24 12:45	7.7	87	7.8	8701	19.8	3
8/19/24 13:00	7.6	86	7.9	12559	19.5	3
8/19/24 13:15	7.6	86	7.9	11438	19.5	3
8/19/24 13:30	7.5	85	8.0	20269	18.1	3
8/19/24 13:45	8.6	97	8.1	2771	21.3	3
8/19/24 14:00	8.4	96	8.0	2248	21.4	3
8/19/24 14:15	8.6	98	8.0	1610	21.5	3
8/19/24 14:30	8.6	97	8.0	1337	21.4	3
8/19/24 14:45	8.5	96	8.0	1254	21.4	3
8/19/24 15:00	8.6	97	8.0	1656	21.3	3
8/19/24 15:15	8.8	100	8.0	2263	21.1	3
8/19/24 15:30	8.9	102	8.1	1777	21.4	3
8/19/24 15:45	8.9	101	8.0	1617	21.4	3
8/19/24 16:00	9.1	103	8.1	1634	21.4	3
8/19/24 16:15	9.0	102	8.0	1386	21.5	3
8/19/24 16:30	8.8	100	8.0	1423	21.4	2
8/19/24 16:45	9.1	103	8.1	1340	21.5	3
8/19/24 17:00	9.2	104	8.1	1233	21.5	3
8/19/24 17:15	9.1	104	8.0	1220	21.6	3
8/19/24 17:30	9.1	104	8.1	1170	21.6	3
8/19/24 17:45	9.0	102	8.0	1158	21.6	2
8/19/24 18:00	9.0	103	8.0	1130	21.6	3
8/19/24 18:15	8.7	99	8.0	1121	21.6	2
8/19/24 18:30	9.0	102	8.0	1098	21.5	3
8/19/24 18:45	9.0	102	8.0	1060	21.5	3

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/19/24 19:00	9.0	102	8.0	1062	21.5	3
8/19/24 19:15	8.9	101	8.0	1055	21.5	2
8/19/24 19:30	8.9	101	8.0	1058	21.4	3
8/19/24 19:45	8.8	100	8.0	1065	21.4	2
8/19/24 20:00	8.9	101	8.0	1106	21.4	3
8/19/24 20:15	8.8	100	8.0	1274	21.3	3
8/19/24 20:30	8.8	100	7.9	1346	21.2	3
8/19/24 20:45	8.7	98	7.9	1386	21.2	3
8/19/24 21:00	8.7	98	7.9	1359	21.2	3
8/19/24 21:15	8.8	99	8.0	2875	20.8	4
8/19/24 21:30	9.1	102	8.1	3869	20.8	4
8/19/24 21:45	8.7	98	8.0	4022	20.7	7
8/19/24 22:00	8.8	99	8.0	3906	20.6	4
8/19/24 22:15	8.8	100	8.0	7694	20.2	4
8/19/24 22:30	8.5	98	8.1	21061	18.6	4
8/19/24 22:45	8.2	96	8.1	35344	16.4	5
8/19/24 23:00	8.1	96	8.2	39856	15.7	2
8/19/24 23:15	8.1	96	8.2	43258	15.2	3
8/19/24 23:30	8.1	96	8.2	45129	14.9	2
8/19/24 23:45	8.2	97	8.2	46403	14.6	2
8/20/24 0:00	8.2	97	8.2	46648	14.6	2
8/20/24 0:15	8.2	97	8.2	47199	14.5	2
8/20/24 0:30	8.3	99	8.2	48002	14.3	2
8/20/24 0:45	8.0	95	8.1	44611	15.3	2
8/20/24 1:00	8.1	96	8.2	45556	15.1	2
8/20/24 1:15	8.2	98	8.2	45710	15.1	2
8/20/24 1:30	8.4	99	8.2	37257	16.3	2
8/20/24 1:45	8.5	97	8.2	19020	18.6	4
8/20/24 2:00	8.8	98	8.2	4410	20.3	4
8/20/24 2:15	8.7	97	8.1	3715	20.1	4
8/20/24 2:30	8.7	98	8.1	8167	19.8	4
8/20/24 2:45	8.7	98	8.1	3698	20.3	4
8/20/24 3:00	8.6	96	8.1	6250	20.0	4
8/20/24 3:15	8.7	97	8.0	2769	20.3	3
8/20/24 3:30	8.6	96	8.0	2524	20.3	3
8/20/24 3:45	8.6	96	8.0	2510	20.3	4
8/20/24 4:00	8.5	95	8.0	3041	20.2	4
8/20/24 4:15	8.6	96	8.0	4231	20.1	4
8/20/24 4:30	8.5	96	8.0	4677	20.1	4
8/20/24 4:45	8.2	90	7.8	3014	19.9	3
8/20/24 5:00	8.3	91	7.8	2113	19.7	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/20/24 5:15	8.3	91	7.8	2548	19.7	4
8/20/24 5:30	8.2	91	7.9	3736	19.8	3
8/20/24 5:45	8.2	91	7.8	3426	19.7	3
8/20/24 6:00	8.2	91	7.9	3855	19.7	3
8/20/24 6:15	8.3	92	7.9	4497	19.6	4
8/20/24 6:30	8.2	91	7.9	4130	19.6	3
8/20/24 6:45	8.1	89	7.8	4151	19.5	3
8/20/24 7:00	7.9	86	7.7	3928	19.2	3
8/20/24 7:15	7.8	84	7.6	3604	18.7	3
8/20/24 7:30	8.0	87	7.7	3958	19.0	3
8/20/24 7:45	8.1	89	7.8	4581	19.2	4
8/20/24 8:00	7.6	81	7.4	3283	18.0	4
8/20/24 8:15	7.8	83	7.5	3482	18.2	3
8/20/24 8:30	8.0	87	7.6	3761	18.7	4
8/20/24 8:45	8.2	89	7.7	3942	19.0	3
8/20/24 9:00	8.2	89	7.7	3934	19.0	3
8/20/24 9:15	8.2	89	7.7	3848	18.7	4
8/20/24 9:30	8.1	88	7.7	3761	18.7	3
8/20/24 9:45	8.2	89	7.7	3814	18.8	4
8/20/24 10:00	8.6	94	7.8	3979	19.0	3
8/20/24 10:15	8.4	92	7.7	3826	19.2	4
8/20/24 10:30	7.8	85	7.6	5032	18.9	5
8/20/24 10:45	7.7	83	7.6	5716	18.5	3
8/20/24 11:00	7.4	81	7.6	6763	18.4	4
8/20/24 11:15	7.6	84	7.7	8269	18.7	4
8/20/24 11:30	7.7	85	7.8	7941	19.1	3
8/20/24 11:45	7.8	87	7.8	8007	19.2	3
8/20/24 12:00	7.7	86	7.9	12100	18.9	3
8/20/24 12:15	7.6	87	8.0	20646	18.1	3
8/20/24 12:30	8.0	94	8.1	37388	16.1	2
8/20/24 12:45	8.3	98	8.2	43250	15.2	2
8/20/24 13:00	8.2	98	8.2	44208	15.2	2
8/20/24 13:15	8.2	97	8.2	44833	15.0	2
8/20/24 13:30	8.0	95	8.2	43517	15.7	2
8/20/24 13:45	8.1	96	8.2	46168	15.1	1
8/20/24 14:00	8.4	99	8.2	38924	16.0	2
8/20/24 14:15	8.2	95	8.2	30821	16.7	3
8/20/24 14:30	8.3	95	8.1	18861	18.5	3
8/20/24 14:45	8.5	96	8.1	2572	21.2	3
8/20/24 15:00	8.6	97	8.0	3749	20.7	3
8/20/24 15:15	8.9	101	8.1	1514	21.4	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/20/24 15:30	8.2	92	7.9	7734	19.7	3
8/20/24 15:45	9.0	102	8.1	2799	21.0	3
8/20/24 16:00	9.0	102	8.0	3656	20.8	3
8/20/24 16:15	8.8	99	8.0	4456	20.5	3
8/20/24 16:30	9.0	102	8.0	3062	21.0	3
8/20/24 16:45	8.8	100	8.0	4667	20.6	3
8/20/24 17:00	9.2	104	8.1	1871	21.5	3
8/20/24 17:15	8.9	101	8.0	2626	21.1	3
8/20/24 17:30	8.7	99	7.9	2450	21.1	3
8/20/24 17:45	8.8	100	8.0	2111	21.3	3
8/20/24 18:00	8.8	100	7.9	2222	21.1	3
8/20/24 18:15	8.5	96	7.9	1903	21.2	3
8/20/24 18:30	8.6	98	7.9	2050	21.1	3
8/20/24 18:45	8.8	99	8.0	2549	21.2	3
8/20/24 19:00	9.0	102	8.1	2418	21.3	3
8/20/24 19:15	9.2	104	8.1	2934	21.1	3
8/20/24 19:30	9.1	103	8.0	2287	21.2	3
8/20/24 19:45	9.2	104	8.0	2559	21.2	3
8/20/24 20:00	9.1	103	8.1	2632	21.2	3
8/20/24 20:15	9.1	103	8.1	2558	21.2	3
8/20/24 20:30	9.1	103	8.1	2777	21.2	3
8/20/24 20:45	9.2	104	8.1	2980	21.1	3
8/20/24 21:00	9.1	103	8.1	3020	21.1	3
8/20/24 21:15	9.1	103	8.1	2832	21.1	3
8/20/24 21:30	8.7	98	7.9	3341	20.6	3
8/20/24 21:45	9.1	102	8.1	2795	20.9	3
8/20/24 22:00	8.4	94	7.8	4903	20.1	3
8/20/24 22:15	8.4	95	7.9	4536	20.4	3
8/20/24 22:30	8.6	97	7.9	5162	20.4	3
8/20/24 22:45	8.7	97	7.9	6109	20.2	3
8/20/24 23:00	9.0	102	8.1	6906	20.3	3
8/20/24 23:15	8.9	101	8.1	15170	19.2	3
8/20/24 23:30	8.7	102	8.2	32818	16.9	2
8/20/24 23:45	8.8	103	8.2	39027	15.9	3
8/21/24 0:00	8.7	102	8.2	41823	15.4	2
8/21/24 0:15	8.7	103	8.2	43281	15.2	2
8/21/24 0:30	8.7	103	8.2	45316	14.9	2
8/21/24 0:45	8.7	103	8.2	45863	14.8	1
8/21/24 1:00	8.7	103	8.2	46492	14.7	2
8/21/24 1:15	8.7	103	8.2	47214	14.6	1
8/21/24 1:30	8.7	103	8.2	46604	14.8	1

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/21/24 1:45	8.5	101	8.2	43973	15.4	2
8/21/24 2:00	8.4	100	8.2	44098	15.4	1
8/21/24 2:15	8.5	102	8.2	44904	15.2	2
8/21/24 2:30	8.6	102	8.2	43288	15.6	2
8/21/24 2:45	8.6	102	8.2	32817	17.5	2
8/21/24 3:00	8.7	97	8.1	5879	19.8	3
8/21/24 3:15	8.5	95	7.9	4838	20.0	3
8/21/24 3:30	8.7	97	8.1	5900	19.9	3
8/21/24 3:45	8.5	94	8.0	5532	19.9	3
8/21/24 4:00	8.7	96	8.0	3978	20.1	3
8/21/24 4:15	8.6	96	8.0	5595	19.9	4
8/21/24 4:30	8.5	96	8.0	6858	19.7	3
8/21/24 4:45	8.6	96	8.0	2809	19.9	3
8/21/24 5:00	8.6	95	8.0	2759	19.8	4
8/21/24 5:15	8.2	91	7.8	4944	19.5	4
8/21/24 5:30	8.5	94	7.9	3065	19.7	3
8/21/24 5:45	8.4	92	7.9	3338	19.5	3
8/21/24 6:00	8.1	90	7.8	5128	19.5	3
8/21/24 6:15	8.3	93	7.9	5153	19.6	5
8/21/24 6:30	8.3	91	7.9	4377	19.5	3
8/21/24 6:45	7.8	85	7.6	3286	19.0	3
8/21/24 7:00	8.1	88	7.8	4076	19.2	3
8/21/24 7:15	8.1	89	7.8	4190	19.2	3
8/21/24 7:30	7.7	83	7.5	3288	18.6	3
8/21/24 7:45	7.6	82	7.5	3343	18.5	3
8/21/24 8:00	8.0	86	7.6	3782	18.7	3
8/21/24 8:15	7.9	85	7.5	3626	18.5	3
8/21/24 8:30	8.1	89	7.7	4741	19.1	3
8/21/24 8:45	8.0	86	7.6	3931	18.6	3
8/21/24 9:00	8.3	90	7.7	3750	18.9	3
8/21/24 9:15	8.3	91	7.8	3710	19.3	3
8/21/24 9:30	8.3	91	7.8	3824	19.4	3
8/21/24 9:45	8.4	92	7.8	3986	19.6	3
8/21/24 10:00	8.5	94	7.9	4215	19.7	3
8/21/24 10:15	8.3	92	7.8	4308	19.6	3
8/21/24 10:30	8.2	91	7.8	4224	19.6	4
8/21/24 10:45	8.0	87	7.6	4555	19.2	5
8/21/24 11:00	7.9	86	7.6	4500	19.0	5
8/21/24 11:15	7.5	82	7.5	6058	18.4	4
8/21/24 11:30	8.1	90	7.8	7571	19.2	3
8/21/24 11:45	7.7	85	7.8	9298	19.0	3



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/21/24 12:00	7.8	88	7.9	9079	19.5	3
8/21/24 12:15	8.0	91	8.0	15823	18.9	3
8/21/24 12:30	8.2	96	8.1	30073	17.5	2
8/21/24 12:45	8.6	102	8.2	38976	16.2	2
8/21/24 13:00	9.2	110	8.3	43699	15.4	2
8/21/24 13:15	9.2	110	8.3	45731	15.2	2
8/21/24 13:30	9.2	110	8.3	46254	15.1	1
8/21/24 13:45	9.6	114	8.3	47775	14.6	2
8/21/24 14:00	10.3	122	8.3	48126	14.1	2
8/21/24 14:15	10.3	122	8.3	48275	13.9	3
8/21/24 14:30	10.1	120	8.3	44663	15.3	2
8/21/24 14:45	9.7	115	8.3	43494	15.5	2
8/21/24 15:00	9.5	114	8.3	44514	15.4	2
8/21/24 15:15	9.7	116	8.3	41774	16.1	2
8/21/24 15:30	9.3	105	8.2	6214	19.9	2
8/21/24 15:45	8.8	101	8.1	2114	21.9	3
8/21/24 16:00	8.9	102	8.1	2098	21.9	3
8/21/24 16:15	9.1	105	8.1	3701	21.5	3
8/21/24 16:30	9.0	103	8.1	3996	21.5	3
8/21/24 16:45	9.1	104	8.1	3258	21.7	2
8/21/24 17:00	8.4	96	8.0	2866	21.8	2
8/21/24 17:15	9.2	105	8.1	2235	21.9	2
8/21/24 17:30	8.9	102	8.0	3109	21.6	2
8/21/24 17:45	9.0	104	8.0	2337	21.8	2
8/21/24 18:00	8.8	100	7.9	3380	21.2	2
8/21/24 18:15	8.7	99	7.9	3224	21.4	2
8/21/24 18:30	8.9	101	7.9	2407	21.2	3
8/21/24 18:45	9.1	103	7.9	3001	20.9	3
8/21/24 19:00	9.3	106	8.1	4246	21.1	2
8/21/24 19:15	9.6	110	8.2	4078	21.3	3
8/21/24 19:30	9.4	108	8.2	3470	21.3	2
8/21/24 19:45	9.2	105	8.1	3547	21.3	3
8/21/24 20:00	9.3	107	8.1	4043	21.2	2
8/21/24 20:15	9.3	107	8.1	3920	21.2	2
8/21/24 20:30	9.4	107	8.1	4236	21.2	2
8/21/24 20:45	9.3	106	8.1	4094	21.2	2
8/21/24 21:00	9.5	108	8.2	4141	21.1	2
8/21/24 21:15	9.5	109	8.2	4098	21.1	3
8/21/24 21:30	9.4	108	8.2	4144	21.0	2
8/21/24 21:45	9.3	106	8.2	4172	21.0	2
8/21/24 22:00	9.4	106	8.2	3981	20.8	2



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/21/24 22:15	9.3	106	8.1	3945	20.8	3
8/21/24 22:30	9.3	105	8.1	3925	20.7	3
8/21/24 22:45	9.3	105	8.1	5243	20.6	2
8/21/24 23:00	9.2	105	8.2	6107	20.6	2
8/21/24 23:15	9.1	104	8.2	7185	20.5	2
8/21/24 23:30	9.0	102	8.2	6662	20.5	3
8/21/24 23:45	9.3	106	8.2	8442	20.3	2
8/22/24 0:00	9.2	105	8.2	11906	19.9	3
8/22/24 0:15	9.3	108	8.2	19984	18.9	2
8/22/24 0:30	9.6	113	8.3	35685	16.6	2
8/22/24 0:45	9.8	116	8.3	39702	15.8	2
8/22/24 1:00	9.8	116	8.3	42964	15.3	1
8/22/24 1:15	9.9	117	8.3	44767	14.9	1
8/22/24 1:30	9.9	117	8.3	45334	14.8	2
8/22/24 1:45	9.9	118	8.3	45889	14.7	2
8/22/24 2:00	9.9	117	8.3	45875	14.7	1
8/22/24 2:15	9.9	118	8.3	46428	14.7	1
8/22/24 2:30	9.7	115	8.3	44220	15.2	1
8/22/24 2:45	9.7	115	8.3	44373	15.3	1
8/22/24 3:00	9.5	113	8.3	43572	15.5	2
8/22/24 3:15	9.8	117	8.3	44534	15.2	2
8/22/24 3:30	9.0	100	8.2	8505	18.9	2
8/22/24 3:45	8.8	98	8.2	7166	19.5	2
8/22/24 4:00	8.5	94	8.0	8139	19.3	2
8/22/24 4:15	8.3	92	7.9	6760	19.3	2
8/22/24 4:30	8.3	92	7.8	5885	19.4	2
8/22/24 4:45	8.6	95	8.0	9129	19.2	3
8/22/24 5:00	8.4	93	7.9	3439	19.5	3
8/22/24 5:15	8.5	94	7.9	2929	19.6	3
8/22/24 5:30	8.4	92	7.8	3184	19.5	3
8/22/24 5:45	8.7	96	8.0	2651	19.9	2
8/22/24 6:00	8.5	94	7.9	3452	19.5	3
8/22/24 6:15	8.2	90	7.7	2859	19.3	3
8/22/24 6:30	8.3	91	7.8	2892	19.3	3
8/22/24 6:45	8.3	91	7.8	4948	19.0	3
8/22/24 7:00	8.5	94	7.9	3296	19.5	3
8/22/24 7:15	8.4	93	7.9	4778	19.6	4
8/22/24 7:30	8.4	94	7.9	4463	19.6	3
8/22/24 7:45	8.4	92	7.9	4419	19.6	2
8/22/24 8:00	8.3	91	7.9	4407	19.6	3
8/22/24 8:15	8.4	94	8.0	4595	19.6	2

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/22/24 8:30	8.5	94	7.8	3882	19.4	2
8/22/24 8:45	8.5	95	8.0	5096	19.6	3
8/22/24 9:00	8.0	86	7.5	3400	18.5	2
8/22/24 9:15	7.9	86	7.5	3563	18.6	3
8/22/24 9:30	8.2	90	7.7	4178	19.1	2
8/22/24 9:45	8.3	92	7.8	3655	19.6	2
8/22/24 10:00	8.3	92	7.9	3825	19.8	2
8/22/24 10:15	8.2	90	7.8	4344	19.4	4
8/22/24 10:30	8.3	91	7.8	4256	19.5	3
8/22/24 10:45	8.3	92	7.9	4092	19.7	4
8/22/24 11:00	8.1	89	7.8	4098	19.6	5
8/22/24 11:15	8.1	90	7.8	4006	19.6	3
8/22/24 11:30	7.4	80	7.4	4949	18.5	3
8/22/24 11:45	7.4	80	7.5	4965	18.4	2
8/22/24 12:00	8.1	89	7.7	5092	19.0	2
8/22/24 12:15	7.8	86	7.8	8235	19.0	2
8/22/24 12:30	8.1	92	8.1	14459	18.9	3
8/22/24 12:45	8.0	90	8.0	13267	18.9	3
8/22/24 13:00	8.9	104	8.2	33060	16.8	2
8/22/24 13:15	9.3	110	8.3	40441	15.8	2
8/22/24 13:30	9.7	115	8.3	44055	15.1	2
8/22/24 13:45	10.1	120	8.3	45942	14.9	2
8/22/24 14:00	10.1	120	8.3	47150	14.6	1
8/22/24 14:15	10.0	105	7.8	177	17.8	5
8/22/24 14:30	9.6	101	7.0	88	18.0	4
8/22/24 14:45						
8/22/24 15:00	10.7	128	8.4	48942	14.3	3
8/22/24 15:15	10.3	124	8.3	47164	15.0	2
8/22/24 15:30	10.2	122	8.3	46673	15.1	1
8/22/24 15:45	9.9	118	8.3	45491	15.3	2
8/22/24 16:00	10.0	119	8.3	46280	15.2	1
8/22/24 16:15	9.3	107	8.2	26024	17.8	2
8/22/24 16:30	8.6	96	8.1	12874	18.4	2
8/22/24 16:45	8.4	94	8.1	5982	19.6	2
8/22/24 17:00	8.3	92	7.9	6531	19.5	2
8/22/24 17:15	8.2	92	7.9	5648	19.6	2
8/22/24 17:30	8.7	97	8.1	3544	20.2	3
8/22/24 17:45	8.6	96	8.0	3445	20.1	2
8/22/24 18:00	8.5	94	8.0	4388	19.9	2
8/22/24 18:15	8.7	97	8.0	2662	20.1	2
8/22/24 18:30	8.7	97	8.0	2640	20.2	2



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/22/24 18:45	8.6	95	7.9	2880	19.9	2
8/22/24 19:00	8.2	90	7.6	3035	18.9	2
8/22/24 19:15	8.5	93	7.8	2720	19.5	2
8/22/24 19:30	8.5	93	7.8	2667	19.6	2
8/22/24 19:45	8.5	93	7.8	4655	19.5	2
8/22/24 20:00	8.9	99	8.0	6576	19.6	2
8/22/24 20:15	9.1	101	8.1	5579	19.7	2
8/22/24 20:30	9.1	100	8.1	4805	19.7	2
8/22/24 20:45	8.9	98	8.0	3814	19.6	2
8/22/24 21:00	8.7	96	8.0	3946	19.7	2
8/22/24 21:15	8.7	96	7.9	4198	19.6	2
8/22/24 21:30	8.8	97	8.0	4683	19.6	2
8/22/24 21:45	8.5	94	7.8	4171	19.4	2
8/22/24 22:00	9.0	100	8.0	5109	19.6	2
8/22/24 22:15	8.8	97	8.0	4843	19.4	2
8/22/24 22:30	8.8	98	8.0	5072	19.5	2
8/22/24 22:45	8.6	94	7.8	4413	19.2	2
8/22/24 23:00	8.5	94	7.8	4273	19.2	2
8/22/24 23:15	8.6	95	7.9	4053	19.3	2
8/22/24 23:30	8.6	94	7.9	4220	19.3	2
8/22/24 23:45	8.5	93	7.8	4168	19.2	2
8/23/24 0:00	7.9	86	7.6	5318	18.7	2
8/23/24 0:15	7.8	86	7.6	7647	18.3	2
8/23/24 0:30	7.9	86	7.6	7008	18.5	2
8/23/24 0:45	8.1	89	7.8	7565	18.8	2
8/23/24 1:00	8.2	90	7.8	9029	18.7	2
8/23/24 1:15	8.4	94	8.0	11017	18.8	2
8/23/24 1:30	8.6	97	8.1	16823	18.3	2
8/23/24 1:45	9.2	106	8.2	29929	17.1	2
8/23/24 2:00	9.5	112	8.3	39183	15.9	2
8/23/24 2:15	9.7	114	8.3	42213	15.5	1
8/23/24 2:30	9.9	117	8.3	44683	15.1	1
8/23/24 2:45	9.9	118	8.3	45771	14.8	1
8/23/24 3:00	9.8	117	8.3	46026	14.8	1
8/23/24 3:15	9.7	115	8.3	45139	15.0	1
8/23/24 3:30	9.3	108	8.3	35345	15.9	2
8/23/24 3:45	9.3	108	8.3	33761	16.2	1
8/23/24 4:00	9.2	107	8.3	34567	16.2	2
8/23/24 4:15	8.7	96	8.2	12040	17.7	2
8/23/24 4:30	8.3	90	8.0	5085	18.7	2
8/23/24 4:45	8.3	91	8.0	3415	19.0	2



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/23/24 5:00	8.5	92	8.0	2171	19.1	2
8/23/24 5:15	8.4	91	8.0	2112	19.0	2
8/23/24 5:30	7.9	85	7.7	4007	18.4	2
8/23/24 5:45	7.6	82	7.5	6169	17.9	2
8/23/24 6:00	8.3	90	7.9	2742	18.8	2
8/23/24 6:15	8.1	87	7.8	2553	18.8	2
8/23/24 6:30	8.4	91	7.9	1933	18.9	2
8/23/24 6:45	8.4	91	7.9	1852	18.9	2
8/23/24 7:00	8.1	88	7.8	5439	18.4	3
8/23/24 7:15	8.4	90	7.8	1962	18.7	2
8/23/24 7:30	8.1	88	7.8	2132	18.6	3
8/23/24 7:45	8.1	87	7.8	2258	18.7	2
8/23/24 8:00	7.9	85	7.6	4966	18.1	3
8/23/24 8:15	8.1	87	7.7	3577	18.4	2
8/23/24 8:30	8.1	88	7.7	3420	18.5	3
8/23/24 8:45	8.1	88	7.8	3348	18.5	2
8/23/24 9:00	8.3	90	7.8	4236	18.6	2
8/23/24 9:15	8.3	90	7.8	3877	18.7	2
8/23/24 9:30	8.3	90	7.8	3916	18.7	2
8/23/24 9:45	8.5	92	7.9	3759	18.7	2
8/23/24 10:00	8.3	91	7.8	3844	18.8	2
8/23/24 10:15	8.6	93	7.8	3742	18.7	2
8/23/24 10:30	8.3	90	7.7	3438	18.5	3
8/23/24 10:45	8.3	90	7.7	3689	18.5	2
8/23/24 11:00	8.2	90	7.8	3889	18.7	2
8/23/24 11:15	8.3	90	7.8	3907	18.7	3
8/23/24 11:30	8.2	89	7.8	3685	18.7	2
8/23/24 11:45	8.1	88	7.8	4029	18.6	2
8/23/24 12:00	8.1	89	7.8	4431	18.7	3
8/23/24 12:15	8.0	86	7.8	5676	18.5	2
8/23/24 12:30	8.0	88	7.9	6708	18.6	2
8/23/24 12:45	8.1	89	7.9	6816	18.7	2
8/23/24 13:00	8.2	90	8.0	8417	18.6	2
8/23/24 13:15	8.3	92	8.1	14495	18.1	3
8/23/24 13:30	8.6	99	8.2	30788	16.4	2
8/23/24 13:45	9.1	106	8.3	38347	15.5	2
8/23/24 14:00	9.4	110	8.3	44017	14.7	2
8/23/24 14:15	9.5	112	8.3	45393	14.4	2
8/23/24 14:30	9.6	113	8.3	46701	14.2	1
8/23/24 14:45	9.7	114	8.3	47606	14.0	1
8/23/24 15:00	9.7	114	8.3	48152	13.9	2

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/23/24 15:15	9.8	114	8.3	48582	13.7	2
8/23/24 15:30	9.8	115	8.3	48868	13.5	3
8/23/24 15:45	9.8	115	8.3	48947	13.5	2
8/23/24 16:00	9.7	114	8.3	48702	13.6	2
8/23/24 16:15	9.8	114	8.3	47981	13.7	2
8/23/24 16:30	9.6	112	8.3	45186	14.3	2
8/23/24 16:45	9.5	111	8.3	44730	14.5	2
8/23/24 17:00	9.5	111	8.3	47100	14.1	2
8/23/24 17:15	9.4	111	8.3	42280	15.0	2
8/23/24 17:30	9.6	113	8.3	42518	15.0	2
8/23/24 17:45	8.7	94	8.2	6899	18.3	2
8/23/24 18:00	8.3	90	7.8	5591	18.3	2
8/23/24 18:15	9.1	100	8.2	10775	18.2	2
8/23/24 18:30	8.9	98	8.1	5404	18.8	2
8/23/24 18:45	8.9	97	8.1	5373	18.8	2
8/23/24 19:00	8.8	96	8.0	3689	18.8	2
8/23/24 19:15	8.6	93	7.9	5572	18.2	2
8/23/24 19:30	8.8	95	7.9	2968	18.7	2
8/23/24 19:45	8.8	96	8.0	2898	18.8	2
8/23/24 20:00	8.7	94	7.8	3438	18.5	2
8/23/24 20:15	8.8	95	7.9	3293	18.6	2
8/23/24 20:30	8.6	93	7.8	4123	18.3	2
8/23/24 20:45	8.7	93	7.9	4190	18.5	2
8/23/24 21:00	8.7	93	7.8	3252	18.4	2
8/23/24 21:15	8.7	94	7.9	3585	18.5	2
8/23/24 21:30	8.8	95	8.0	5297	18.4	3
8/23/24 21:45	8.7	93	7.9	3962	18.3	2
8/23/24 22:00	8.7	94	7.9	4784	18.4	2
8/23/24 22:15	8.6	93	7.8	4215	18.2	3
8/23/24 22:30	8.7	93	7.9	5494	18.1	3
8/23/24 22:45	8.0	83	7.3	3093	17.0	3
8/23/24 23:00	8.0	84	7.4	3294	17.3	3
8/23/24 23:15	8.3	89	7.6	3778	17.7	3
8/23/24 23:30	8.3	88	7.5	3277	17.5	3
8/23/24 23:45	8.5	92	7.8	6618	17.9	3
8/24/24 0:00	8.4	90	7.7	5032	17.8	3
8/24/24 0:15	8.3	88	7.6	4266	17.6	3
8/24/24 0:30	8.2	87	7.5	3826	17.5	3
8/24/24 0:45	8.5	91	7.8	4633	18.0	3
8/24/24 1:00	8.4	90	7.7	4423	18.0	2
8/24/24 1:15	8.3	88	7.6	4002	17.8	3

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/24/24 1:30	8.2	88	7.6	3611	17.7	3
8/24/24 1:45	8.4	90	7.8	5103	18.1	3
8/24/24 2:00	8.3	90	7.8	5755	18.1	2
8/24/24 2:15	8.3	89	7.9	5175	18.2	3
8/24/24 2:30	8.3	90	7.9	6422	18.2	3
8/24/24 2:45	8.2	89	7.9	6743	18.2	2
8/24/24 3:00	8.3	90	7.9	7219	18.1	3
8/24/24 3:15	8.2	88	7.9	6035	18.1	2
8/24/24 3:30	8.2	87	7.6	5006	17.6	3
8/24/24 3:45	8.5	90	7.9	2963	18.2	3
8/24/24 4:00	8.5	91	7.9	2798	18.3	3
8/24/24 4:15	8.5	91	7.9	2471	18.3	3
8/24/24 4:30	8.4	90	7.8	2360	18.3	3
8/24/24 4:45	8.4	90	7.8	3108	18.2	3
8/24/24 5:00	8.3	89	7.8	2266	18.2	3
8/24/24 5:15	8.4	90	7.8	1990	18.3	3
8/24/24 5:30	8.4	90	7.8	1888	18.3	3
8/24/24 5:45	8.3	88	7.8	2073	18.2	3
8/24/24 6:00	8.4	90	7.8	1544	18.3	3
8/24/24 6:15	8.4	90	7.8	1381	18.4	3
8/24/24 6:30	8.3	89	7.8	1458	18.3	3
8/24/24 6:45	7.1	74	7.1	2253	17.1	4
8/24/24 7:00	7.8	83	7.5	3276	17.7	3
8/24/24 7:15	8.0	86	7.7	4312	17.9	3
8/24/24 7:30	7.9	84	7.5	2749	17.8	3
8/24/24 7:45	7.3	77	7.2	1835	17.4	3
8/24/24 8:00	6.7	69	6.9	1435	16.6	4
8/24/24 8:15	6.2	63	6.8	962	16.0	4
8/24/24 8:30	7.1	74	7.1	1836	17.0	4
8/24/24 8:45	6.7	68	6.9	1048	16.5	4
8/24/24 9:00	6.9	72	7.0	1713	17.0	4
8/24/24 9:15	6.2	63	6.7	845	15.8	4
8/24/24 9:30	7.3	75	7.0	1154	16.9	3
8/24/24 9:45	7.9	84	7.3	1236	18.0	3
8/24/24 10:00	6.3	64	6.7	900	15.8	4
8/24/24 10:15	8.0	85	7.3	1379	18.0	3
8/24/24 10:30	8.3	89	7.5	1463	18.4	3
8/24/24 10:45	8.4	91	7.6	1530	18.5	3
8/24/24 11:00	8.4	90	7.6	1547	18.5	2
8/24/24 11:15	8.1	86	7.3	1406	18.0	3
8/24/24 11:30	7.9	83	7.2	1438	17.9	3

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/24/24 11:45	8.1	86	7.3	1431	18.1	3
8/24/24 12:00	8.2	87	7.3	1445	18.1	3
8/24/24 12:15	8.2	88	7.3	1485	18.2	3
8/24/24 12:30	8.2	87	7.2	1531	18.1	3
8/24/24 12:45	7.8	83	7.1	1590	17.8	3
8/24/24 13:00	8.1	86	7.1	1379	17.8	3
8/24/24 13:15	8.0	84	7.0	1316	17.8	3
8/24/24 13:30	6.9	71	6.9	1841	16.6	3
8/24/24 13:45	7.1	74	7.0	2104	16.9	3
8/24/24 14:00	8.0	85	7.4	3113	18.0	3
8/24/24 14:15	8.1	87	7.6	4456	18.2	3
8/24/24 14:30	8.3	90	7.8	5424	18.4	2
8/24/24 14:45	8.5	93	7.9	5279	18.5	3
8/24/24 15:00	8.3	90	7.9	6056	18.3	3
8/24/24 15:15	8.0	88	7.9	12979	17.8	2
8/24/24 15:30	8.8	95	8.2	6978	18.0	2
8/24/24 15:45	8.6	94	8.1	6790	18.3	2
8/24/24 16:00	8.4	93	8.1	16017	17.3	2
8/24/24 16:15	8.6	97	8.2	25974	16.8	2
8/24/24 16:30	8.5	99	8.2	30396	16.8	2
8/24/24 16:45	9.4	105	8.2	1417	20.5	3
8/24/24 17:00	9.4	105	8.0	1126	20.7	2
8/24/24 17:15	9.4	106	8.1	1030	20.7	3
8/24/24 17:30	9.4	105	8.1	1108	20.6	3
8/24/24 17:45	8.0	87	7.1	1094	19.0	3
8/24/24 18:00	8.6	94	7.4	906	19.7	3
8/24/24 18:15	8.4	92	7.3	940	19.6	3
8/24/24 18:30	8.1	86	7.0	2159	18.3	3
8/24/24 18:45	8.8	97	7.5	1015	19.6	3
8/24/24 19:00	9.5	105	7.8	2820	19.9	3
8/24/24 19:15	9.4	104	7.8	1738	20.1	3
8/24/24 19:30	8.9	98	7.4	1471	19.6	3
8/24/24 19:45	8.3	91	7.1	845	19.4	3
8/24/24 20:00	8.7	95	7.4	1390	19.7	3
8/24/24 20:15	8.8	97	7.4	1919	19.5	3
8/24/24 20:30	9.4	103	7.8	2385	19.8	3
8/24/24 20:45	9.6	106	8.0	2321	19.8	3
8/24/24 21:00	9.5	105	7.9	1889	19.8	3
8/24/24 21:15	9.5	105	8.0	2147	19.8	3
8/24/24 21:30	9.0	99	7.5	2303	19.4	3
8/24/24 21:45	8.6	93	7.3	2058	19.2	4



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/24/24 22:00	8.4	91	7.2	2249	18.8	3
8/24/24 22:15	8.1	87	7.1	1483	18.7	3
8/24/24 22:30	8.2	88	7.1	1441	18.6	3
8/24/24 22:45	6.9	72	6.8	1063	17.4	4
8/24/24 23:00	6.0	62	6.5	652	16.3	4
8/24/24 23:15	8.1	87	7.1	1150	18.5	3
8/24/24 23:30	8.5	91	7.2	1272	18.7	3
8/24/24 23:45	8.2	88	7.1	1292	18.5	4
8/25/24 0:00	8.5	92	7.3	1546	18.8	3
8/25/24 0:15	7.7	81	7.0	1291	17.8	3
8/25/24 0:30	8.2	88	7.2	1506	18.4	3
8/25/24 0:45	8.0	85	7.1	1545	18.4	3
8/25/24 1:00	7.8	83	7.1	1451	18.1	3
8/25/24 1:15	8.0	85	7.2	1486	18.3	3
8/25/24 1:30	8.1	87	7.2	1601	18.4	3
8/25/24 1:45	8.7	95	7.8	1540	19.1	4
8/25/24 2:00	8.7	94	7.8	1522	19.1	4
8/25/24 2:15	8.7	94	7.8	1461	19.1	4
8/25/24 2:30	8.5	92	7.8	1426	19.1	4
8/25/24 2:45	8.5	93	7.8	1249	19.1	4
8/25/24 3:00	8.5	92	7.8	1244	19.0	5
8/25/24 3:15	8.4	91	7.7	1240	19.0	4
8/25/24 3:30	8.0	86	7.4	1208	18.6	5
8/25/24 3:45	7.7	81	7.2	1160	18.2	4
8/25/24 4:00	8.1	87	7.6	1217	18.8	5
8/25/24 4:15	8.5	92	7.7	1169	19.0	4
8/25/24 4:30	8.6	93	7.8	954	19.0	5
8/25/24 4:45	8.6	93	7.8	752	19.1	5
8/25/24 5:00	8.6	93	7.9	617	19.1	6
8/25/24 5:15	8.6	93	7.8	478	19.2	6
8/25/24 5:30	8.5	92	7.8	477	19.2	5
8/25/24 5:45	8.5	92	7.8	432	19.2	5
8/25/24 6:00	8.4	91	7.8	446	19.1	5
8/25/24 6:15	8.4	91	7.8	429	19.1	6
8/25/24 6:30	8.3	90	7.8	423	19.1	6
8/25/24 6:45	8.2	89	7.7	424	19.1	6
8/25/24 7:00	8.2	89	7.7	396	19.0	5
8/25/24 7:15	8.2	88	7.7	382	19.0	5
8/25/24 7:30	8.3	89	7.7	368	18.9	5
8/25/24 7:45	8.3	90	7.7	338	18.9	6
8/25/24 8:00	8.3	90	7.8	306	18.9	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/25/24 8:15	8.3	90	7.7	292	19.0	6
8/25/24 8:30	8.4	90	7.7	270	19.0	7
8/25/24 8:45	8.4	90	7.7	283	19.0	5
8/25/24 9:00	8.3	90	7.7	290	19.0	5
8/25/24 9:15	8.3	90	7.7	294	19.0	5
8/25/24 9:30	8.5	91	7.7	302	19.0	6
8/25/24 9:45	8.5	92	7.7	310	19.1	6
8/25/24 10:00	8.4	91	7.7	318	19.1	5
8/25/24 10:15	8.4	90	7.7	327	19.1	5
8/25/24 10:30	8.6	93	7.7	333	19.2	5
8/25/24 10:45	8.4	91	7.7	335	19.2	4
8/25/24 11:00	8.8	95	7.8	344	19.3	4
8/25/24 11:15	8.7	95	7.8	349	19.4	5
8/25/24 11:30	8.7	95	7.8	358	19.4	5
8/25/24 11:45	8.8	96	7.8	368	19.4	5
8/25/24 12:00	8.9	96	7.8	373	19.4	5
8/25/24 12:15	8.9	97	7.8	380	19.4	5
8/25/24 12:30	8.9	96	7.8	387	19.4	5
8/25/24 12:45	8.9	96	7.8	395	19.4	6
8/25/24 13:00	8.9	96	7.8	397	19.4	5
8/25/24 13:15	8.9	97	7.8	397	19.4	5
8/25/24 13:30	8.8	96	7.8	398	19.4	5
8/25/24 13:45	8.9	96	7.8	403	19.5	5
8/25/24 14:00	8.9	97	7.8	393	19.5	5
8/25/24 14:15	9.1	99	7.8	387	19.6	5
8/25/24 14:30	9.1	100	7.9	373	19.8	5
8/25/24 14:45	8.9	98	7.8	337	20.0	5
8/25/24 15:00	8.9	98	7.8	345	20.0	4
8/25/24 15:15	8.4	91	7.4	419	19.3	4
8/25/24 15:30	8.3	89	7.3	558	19.0	5
8/25/24 15:45	8.3	89	7.4	668	19.0	5
8/25/24 16:00	8.3	90	7.4	598	19.0	5
8/25/24 16:15	8.4	90	7.3	572	19.1	5
8/25/24 16:30	8.6	94	7.5	749	19.7	5
8/25/24 16:45	9.2	101	7.8	383	20.3	5
8/25/24 17:00	8.6	93	7.5	590	19.2	5
8/25/24 17:15	8.6	94	7.6	517	19.4	4
8/25/24 17:30	8.7	95	7.7	513	19.6	5
8/25/24 17:45	8.3	90	7.4	1094	19.0	5
8/25/24 18:00	8.5	92	7.6	1122	19.2	5
8/25/24 18:15	8.6	94	7.7	691	19.6	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/25/24 18:30	8.7	95	7.7	572	19.8	5
8/25/24 18:45	9.0	99	7.8	432	20.2	4
8/25/24 19:00	8.9	99	7.8	428	20.3	4
8/25/24 19:15	9.2	102	7.8	360	20.4	4
8/25/24 19:30	9.2	102	7.9	357	20.4	5
8/25/24 19:45	9.2	102	7.8	349	20.4	4
8/25/24 20:00	9.2	102	7.9	341	20.4	5
8/25/24 20:15	9.1	101	7.8	340	20.4	5
8/25/24 20:30	9.2	102	7.8	339	20.4	5
8/25/24 20:45	9.1	100	7.6	400	20.1	4
8/25/24 21:00	9.2	101	7.7	422	20.1	5
8/25/24 21:15	8.9	98	7.6	432	20.0	5
8/25/24 21:30	8.7	96	7.5	450	20.0	5
8/25/24 21:45	9.1	100	7.6	440	20.0	5
8/25/24 22:00	9.3	102	7.7	452	19.9	5
8/25/24 22:15	9.2	100	7.7	451	19.9	4
8/25/24 22:30	9.2	101	7.7	459	19.8	5
8/25/24 22:45	9.0	98	7.7	460	19.8	5
8/25/24 23:00	9.0	99	7.7	457	19.8	5
8/25/24 23:15	9.0	99	7.7	438	19.8	4
8/25/24 23:30	9.0	99	7.7	413	19.9	5
8/25/24 23:45	9.0	99	7.7	454	19.7	5
8/26/24 0:00	8.9	98	7.6	453	19.7	5
8/26/24 0:15	8.8	96	7.6	453	19.6	5
8/26/24 0:30	8.8	96	7.6	449	19.6	5
8/26/24 0:45	8.6	94	7.6	448	19.6	5
8/26/24 1:00	9.0	98	7.7	423	19.6	5
8/26/24 1:15	8.9	98	7.7	416	19.6	4
8/26/24 1:30	8.9	97	7.7	415	19.6	5
8/26/24 1:45	8.8	96	7.7	415	19.5	6
8/26/24 2:00	8.6	94	7.6	433	19.5	5
8/26/24 2:15	8.5	93	7.6	441	19.4	5
8/26/24 2:30	8.5	93	7.6	437	19.4	5
8/26/24 2:45	8.3	91	7.6	453	19.4	5
8/26/24 3:00	8.4	91	7.7	481	19.3	6
8/26/24 3:15	8.3	90	7.7	489	19.3	7
8/26/24 3:30	8.4	91	7.7	480	19.3	6
8/26/24 3:45	8.4	91	7.7	476	19.3	6
8/26/24 4:00	8.2	90	7.7	477	19.4	5
8/26/24 4:15	8.2	89	7.7	480	19.4	6
8/26/24 4:30	8.1	87	7.5	504	19.1	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/26/24 4:45	8.2	89	7.7	489	19.3	5
8/26/24 5:00	8.1	88	7.7	486	19.3	6
8/26/24 5:15	8.1	88	7.7	486	19.3	6
8/26/24 5:30	8.2	89	7.7	487	19.3	5
8/26/24 5:45	8.3	90	7.7	487	19.3	6
8/26/24 6:00	8.2	89	7.7	484	19.2	6
8/26/24 6:15	8.0	87	7.7	483	19.2	6
8/26/24 6:30	8.1	88	7.7	481	19.2	6
8/26/24 6:45	8.2	89	7.7	412	19.2	6
8/26/24 7:00	8.3	90	7.7	370	19.2	7
8/26/24 7:15	8.2	89	7.7	352	19.3	6
8/26/24 7:30	8.2	89	7.7	330	19.2	7
8/26/24 7:45	8.2	88	7.7	315	19.2	6
8/26/24 8:00	8.0	87	7.7	323	19.2	6
8/26/24 8:15	8.1	87	7.7	291	19.2	10
8/26/24 8:30	8.3	90	7.7	251	19.3	6
8/26/24 8:45	8.2	89	7.7	250	19.3	6
8/26/24 9:00	8.2	89	7.7	234	19.4	7
8/26/24 9:15	8.3	91	7.7	207	19.4	6
8/26/24 9:30	8.3	90	7.7	206	19.4	7
8/26/24 9:45	8.3	90	7.7	206	19.4	7
8/26/24 10:00	8.4	92	7.7	206	19.4	7
8/26/24 10:15	8.3	91	7.7	205	19.4	7
8/26/24 10:30	8.3	90	7.7	207	19.4	6
8/26/24 10:45	8.4	92	7.7	208	19.5	6
8/26/24 11:00	8.5	92	7.7	208	19.5	6
8/26/24 11:15	8.6	94	7.8	209	19.6	14
8/26/24 11:30	8.8	96	7.8	211	19.6	12
8/26/24 11:45	8.9	97	7.8	212	19.6	8
8/26/24 12:00	9.1	99	7.9	214	19.7	8
8/26/24 12:15	9.0	98	7.9	216	19.7	8
8/26/24 12:30	9.0	99	7.9	218	19.7	8
8/26/24 12:45	9.1	100	7.9	218	19.7	7
8/26/24 13:00	9.1	99	7.9	221	19.7	7
8/26/24 13:15	9.1	100	7.9	224	19.8	11
8/26/24 13:30	9.1	100	7.9	225	19.7	7
8/26/24 13:45	9.1	100	7.9	226	19.7	8
8/26/24 14:00	9.0	99	7.9	226	19.7	10
8/26/24 14:15	9.3	102	7.9	217	19.8	6
8/26/24 14:30	9.4	103	8.0	213	19.8	5
8/26/24 14:45	9.3	102	7.9	212	19.8	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/26/24 15:00	9.2	101	7.9	211	19.9	5
8/26/24 15:15	9.1	100	7.9	213	19.8	5
8/26/24 15:30	9.0	98	7.8	221	19.8	5
8/26/24 15:45	9.0	98	7.8	214	19.8	5
8/26/24 16:00	8.9	98	7.8	210	19.9	4
8/26/24 16:15	8.9	97	7.8	211	19.9	5
8/26/24 16:30	9.1	100	7.8	218	19.8	5
8/26/24 16:45	9.5	104	8.0	217	20.0	10
8/26/24 17:00	9.5	104	8.0	224	20.0	5
8/26/24 17:15	9.5	104	7.9	243	20.0	5
8/26/24 17:30	9.6	106	8.0	229	20.1	5
8/26/24 17:45	9.6	106	8.0	216	20.1	5
8/26/24 18:00	9.6	106	8.0	211	20.2	5
8/26/24 18:15	9.6	105	8.0	243	20.0	5
8/26/24 18:30	9.8	108	8.1	204	20.3	5
8/26/24 18:45	9.7	107	8.0	203	20.3	5
8/26/24 19:00	9.6	106	8.0	235	20.3	5
8/26/24 19:15	9.4	103	7.9	325	20.1	4
8/26/24 19:30	9.7	107	8.1	225	20.4	5
8/26/24 19:45	9.5	106	8.0	211	20.4	4
8/26/24 20:00	9.4	103	7.8	326	19.9	5
8/26/24 20:15	9.7	107	8.0	212	20.2	5
8/26/24 20:30	9.6	106	8.0	209	20.3	5
8/26/24 20:45	9.5	105	8.0	212	20.3	5
8/26/24 21:00	9.5	105	8.0	222	20.3	5
8/26/24 21:15	9.5	105	8.0	221	20.3	5
8/26/24 21:30	9.6	106	8.0	216	20.3	5
8/26/24 21:45	9.5	105	8.0	238	20.2	5
8/26/24 22:00	9.4	104	7.9	245	20.1	5
8/26/24 22:15	9.3	103	7.9	244	20.1	5
8/26/24 22:30	9.4	104	7.9	238	20.1	5
8/26/24 22:45	9.4	103	7.9	270	20.0	5
8/26/24 23:00	9.4	104	7.9	263	20.0	5
8/26/24 23:15	9.3	102	7.8	260	20.1	5
8/26/24 23:30	9.3	103	7.9	251	20.1	5
8/26/24 23:45	9.4	104	8.0	244	20.1	5
8/27/24 0:00	9.4	104	8.0	239	20.1	5
8/27/24 0:15	9.3	103	8.0	241	20.1	5
8/27/24 0:30	9.1	100	7.9	242	20.1	5
8/27/24 0:45	9.0	99	7.9	243	20.1	5
8/27/24 1:00	9.2	101	7.8	263	20.0	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/27/24 1:15	9.1	100	7.8	277	20.0	6
8/27/24 1:30	9.0	99	7.8	273	20.0	5
8/27/24 1:45	9.0	99	7.8	277	20.0	5
8/27/24 2:00	8.8	97	7.8	282	20.0	5
8/27/24 2:15	8.9	98	7.8	281	20.0	5
8/27/24 2:30	8.9	98	7.8	277	20.0	5
8/27/24 2:45	9.1	100	7.8	263	19.9	5
8/27/24 3:00	8.9	98	7.8	268	19.9	5
8/27/24 3:15	8.8	96	7.8	275	19.9	5
8/27/24 3:30	8.7	96	7.8	280	19.9	6
8/27/24 3:45	8.4	92	7.7	293	19.8	6
8/27/24 4:00	8.3	91	7.7	311	19.8	6
8/27/24 4:15	8.1	89	7.7	311	19.8	6
8/27/24 4:30	8.1	89	7.7	313	19.7	6
8/27/24 4:45	8.2	89	7.7	319	19.7	6
8/27/24 5:00	8.2	89	7.7	326	19.7	5
8/27/24 5:15	8.2	89	7.7	332	19.7	6
8/27/24 5:30	7.9	86	7.6	337	19.7	6
8/27/24 5:45	7.8	85	7.6	340	19.7	6
8/27/24 6:00	7.7	84	7.6	348	19.7	6
8/27/24 6:15	7.8	85	7.6	366	19.7	6
8/27/24 6:30	7.7	84	7.6	378	19.7	5
8/27/24 6:45	7.4	81	7.6	382	19.7	5
8/27/24 7:00	7.3	80	7.5	389	19.7	4
8/27/24 7:15	7.5	82	7.6	394	19.7	5
8/27/24 7:30	7.7	84	7.6	402	19.8	5
8/27/24 7:45	7.3	80	7.6	406	19.8	5
8/27/24 8:00	7.3	80	7.6	409	19.8	4
8/27/24 8:15	7.8	85	7.6	410	19.8	5
8/27/24 8:30	7.8	85	7.6	401	19.7	5
8/27/24 8:45	7.9	86	7.6	296	19.9	5
8/27/24 9:00	7.8	86	7.6	294	19.9	5
8/27/24 9:15	7.7	84	7.6	301	19.9	5
8/27/24 9:30	7.6	84	7.6	305	19.9	5
8/27/24 9:45	7.7	84	7.6	306	19.9	6
8/27/24 10:00	7.8	86	7.6	251	20.0	11
8/27/24 10:15	7.8	86	7.6	238	20.1	7
8/27/24 10:30	7.9	88	7.7	237	20.1	5
8/27/24 10:45	8.0	88	7.7	222	20.1	5
8/27/24 11:00	8.0	88	7.7	216	20.2	5
8/27/24 11:15	8.0	89	7.7	213	20.2	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/27/24 11:30	8.0	89	7.7	210	20.2	5
8/27/24 11:45	8.2	91	7.7	200	20.2	5
8/27/24 12:00	8.3	91	7.7	195	20.2	5
8/27/24 12:15	8.4	93	7.7	194	20.3	5
8/27/24 12:30	8.5	94	7.7	191	20.3	5
8/27/24 12:45	8.4	94	7.7	189	20.4	4
8/27/24 13:00	8.6	95	7.8	187	20.4	5
8/27/24 13:15	8.8	97	7.8	186	20.5	5
8/27/24 13:30	8.8	98	7.8	185	20.6	5
8/27/24 13:45	8.8	98	7.8	186	20.6	5
8/27/24 14:00	8.8	98	7.8	190	20.6	5
8/27/24 14:15	10.0	103	4.8	5	16.8	10
8/27/24 14:30	8.8	98	7.8	201	20.7	4
8/27/24 14:45	8.8	98	7.8	18	20.6	5
8/27/24 15:00	8.8	98	7.8	19	20.6	5
8/27/24 15:15	8.8	97	7.8	19	20.6	5
8/27/24 15:30						
8/27/24 15:45						
8/27/24 16:00						
8/27/24 16:15	8.8	98	7.9	22	20.7	7
8/27/24 16:30	8.9	99	7.9	20	20.8	5
8/27/24 16:45	8.7	97	7.8	20	20.8	5
8/27/24 17:00	8.8	98	7.8	20	20.8	4
8/27/24 17:15	8.7	98	7.8	21	20.8	4
8/27/24 17:30	8.8	98	7.8	20	20.9	4
8/27/24 17:45	8.7	98	7.8	20	20.9	4
8/27/24 18:00	8.7	98	7.8	20	21.0	4
8/27/24 18:15	8.7	97	7.8	20	21.0	4
8/27/24 18:30	8.7	97	7.8	20	21.0	4
8/27/24 18:45	8.7	98	7.8	20	21.0	4
8/27/24 19:00	8.8	98	7.8	22	21.0	4
8/27/24 19:15	8.6	96	7.6	38	20.7	5
8/27/24 19:30	8.8	99	7.8	28	21.0	4
8/27/24 19:45	8.9	100	7.8	25	21.0	4
8/27/24 20:00	8.8	98	7.8	38	20.9	4
8/27/24 20:15	8.7	98	7.8	39	20.9	5
8/27/24 20:30	8.8	98	7.8	38	20.8	4
8/27/24 20:45	8.9	100	7.9	25	20.9	4
8/27/24 21:00	8.3	93	7.8	396	20.0	4
8/27/24 21:15	8.6	96	7.8	179	20.6	4
8/27/24 21:30	8.6	97	7.8	78	20.9	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/27/24 21:45	8.8	98	7.8	52	21.0	4
8/27/24 22:00	8.8	98	7.9	58	20.9	4
8/27/24 22:15	8.8	99	7.8	38	21.0	4
8/27/24 22:30	8.8	99	7.8	30	21.0	4
8/27/24 22:45	8.8	99	7.9	26	21.0	4
8/27/24 23:00	8.9	100	7.9	28	20.9	4
8/27/24 23:15	8.8	98	7.8	27	20.9	4
8/27/24 23:30	8.8	98	7.8	25	20.9	3
8/27/24 23:45	8.8	98	7.8	26	20.9	4
8/28/24 0:00	8.8	98	7.8	25	20.9	4
8/28/24 0:15	8.7	97	7.8	25	20.9	4
8/28/24 0:30	8.5	95	7.8	25	20.8	4
8/28/24 0:45	8.3	93	7.6	28	20.7	5
8/28/24 1:00	8.5	94	7.6	28	20.5	4
8/28/24 1:15	8.4	94	7.6	30	20.6	4
8/28/24 1:30	8.1	90	7.5	42	20.5	4
8/28/24 1:45	8.4	93	7.6	46	20.5	4
8/28/24 2:00	8.3	92	7.6	45	20.6	4
8/28/24 2:15	8.1	91	7.6	44	20.5	4
8/28/24 2:30	8.5	94	7.6	46	20.2	4
8/28/24 2:45	8.3	92	7.6	46	20.3	4
8/28/24 3:00	8.5	94	7.7	42	20.3	4
8/28/24 3:15	8.6	95	7.7	40	20.3	4
8/28/24 3:30	8.5	94	7.7	42	20.2	4
8/28/24 3:45	8.4	93	7.7	41	20.2	4
8/28/24 4:00	8.3	92	7.7	40	20.2	4
8/28/24 4:15	8.5	94	7.7	42	20.2	4
8/28/24 4:30	8.4	93	7.7	42	20.1	4
8/28/24 4:45	8.4	93	7.7	43	20.1	4
8/28/24 5:00	8.4	93	7.7	43	20.1	4
8/28/24 5:15	8.3	92	7.6	44	20.0	4
8/28/24 5:30	8.0	88	7.6	45	20.0	4
8/28/24 5:45	8.0	88	7.5	49	20.0	5
8/28/24 6:00	8.1	89	7.6	51	19.9	7
8/28/24 6:15	8.1	89	7.6	55	19.8	6
8/28/24 6:30	7.9	87	7.6	56	19.8	6
8/28/24 6:45	8.0	87	7.6	64	19.9	5
8/28/24 7:00	8.0	88	7.6	71	19.9	4
8/28/24 7:15	7.8	86	7.6	71	19.9	5
8/28/24 7:30	7.6	84	7.6	73	20.0	5
8/28/24 7:45	7.6	84	7.6	71	20.0	5



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/28/24 8:00	7.7	84	7.6	72	20.0	4
8/28/24 8:15	7.5	82	7.6	73	20.0	4
8/28/24 8:30	7.4	82	7.6	73	20.1	4
8/28/24 8:45	7.6	84	7.6	71	20.1	4
8/28/24 9:00	7.7	85	7.6	69	20.1	4
8/28/24 9:15	7.7	85	7.6	68	20.1	4
8/28/24 9:30	7.6	84	7.6	68	20.1	4
8/28/24 9:45	7.6	84	7.6	68	20.1	4
8/28/24 10:00	7.7	85	7.6	68	20.1	4
8/28/24 10:15	7.5	82	7.4	79	19.5	4
8/28/24 10:30	7.1	77	7.3	152	19.0	5
8/28/24 10:45	7.6	83	7.5	111	19.7	4
8/28/24 11:00	8.0	89	7.7	36	20.6	5
8/28/24 11:15	8.0	89	7.7	34	20.6	5
8/28/24 11:30	8.0	89	7.7	31	20.8	4
8/28/24 11:45	8.0	89	7.7	34	20.8	4
8/28/24 12:00	7.9	88	7.7	34	20.8	4
8/28/24 12:15	8.0	89	7.7	34	20.8	4
8/28/24 12:30	7.8	87	7.6	34	20.8	5
8/28/24 12:45	8.0	90	7.7	35	20.8	5
8/28/24 13:00	7.8	87	7.6	39	20.7	8
8/28/24 13:15	8.2	92	7.7	35	20.9	6
8/28/24 13:30	8.3	94	7.7	32	21.0	4
8/28/24 13:45	8.1	92	7.7	30	21.1	4
8/28/24 14:00	8.4	95	7.7	30	21.2	4
8/28/24 14:15	8.3	94	7.8	30	21.2	4
8/28/24 14:30	8.5	96	7.7	29	21.2	4
8/28/24 14:45	8.7	98	7.8	30	21.3	4
8/28/24 15:00	8.6	97	7.8	29	21.4	4
8/28/24 15:15	8.7	98	7.8	29	21.4	4
8/28/24 15:30	8.6	97	7.8	30	21.3	4
8/28/24 15:45	8.5	96	7.7	32	21.3	4
8/28/24 16:00	8.6	98	7.7	33	21.3	4
8/28/24 16:15	8.8	99	7.7	32	21.3	4
8/28/24 16:30	8.7	99	7.8	32	21.4	4
8/28/24 16:45	8.8	99	7.8	32	21.4	4
8/28/24 17:00	8.8	100	7.8	31	21.5	4
8/28/24 17:15	8.9	100	7.8	30	21.5	3
8/28/24 17:30	8.9	101	7.8	30	21.6	4
8/28/24 17:45	8.9	101	7.8	30	21.6	3
8/28/24 18:00	8.9	101	7.8	30	21.6	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/28/24 18:15	9.0	102	7.8	30	21.7	4
8/28/24 18:30	9.0	102	7.9	28	21.8	4
8/28/24 18:45	9.0	102	7.8	30	21.7	4
8/28/24 19:00	8.6	97	7.8	30	21.7	4
8/28/24 19:15	9.0	102	7.8	29	21.7	4
8/28/24 19:30	9.0	102	7.8	28	21.7	3
8/28/24 19:45	8.7	99	7.8	27	21.7	4
8/28/24 20:00	8.6	98	7.8	27	21.7	3
8/28/24 20:15	8.8	100	7.8	28	21.7	6
8/28/24 20:30	9.0	102	7.9	29	21.6	3
8/28/24 20:45	8.1	90	7.3	71	20.4	4
8/28/24 21:00	9.1	104	7.9	34	21.7	4
8/28/24 21:15	9.2	105	8.0	27	21.7	4
8/28/24 21:30	9.4	108	8.0	28	21.8	4
8/28/24 21:45	9.7	110	8.1	28	21.8	4
8/28/24 22:00	9.7	110	8.1	27	21.8	4
8/28/24 22:15	8.8	99	7.6	163	20.8	4
8/28/24 22:30	9.3	106	8.0	45	21.6	4
8/28/24 22:45	9.4	107	8.0	34	21.7	4
8/28/24 23:00	9.4	107	8.0	62	21.6	4
8/28/24 23:15	9.4	107	8.0	38	21.7	4
8/28/24 23:30	9.2	104	7.8	52	21.2	4
8/28/24 23:45	9.3	105	8.0	35	21.5	3
8/29/24 0:00	9.2	105	7.9	35	21.5	4
8/29/24 0:15	9.1	103	7.8	36	21.4	4
8/29/24 0:30	9.2	104	7.9	31	21.5	4
8/29/24 0:45	9.1	103	7.9	30	21.5	4
8/29/24 1:00	9.0	103	7.9	29	21.5	4
8/29/24 1:15	9.0	102	7.9	29	21.5	4
8/29/24 1:30	8.9	100	7.9	28	21.5	4
8/29/24 1:45	8.5	95	7.5	34	20.9	4
8/29/24 2:00	8.9	101	7.9	28	21.4	4
8/29/24 2:15	8.9	100	7.8	30	21.2	4
8/29/24 2:30	8.9	101	7.8	32	21.2	6
8/29/24 2:45	8.5	96	7.7	34	21.0	4
8/29/24 3:00	8.8	99	7.8	33	21.1	4
8/29/24 3:15	8.8	98	7.7	36	21.0	4
8/29/24 3:30	8.6	97	7.7	40	20.8	4
8/29/24 3:45	8.3	93	7.6	42	20.8	4
8/29/24 4:00	8.0	89	7.6	42	20.8	5
8/29/24 4:15	8.5	96	7.7	41	20.9	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/29/24 4:30	8.2	92	7.6	42	20.8	4
8/29/24 4:45	8.6	96	7.7	48	20.7	4
8/29/24 5:00	8.4	94	7.6	46	20.7	4
8/29/24 5:15	8.4	94	7.7	44	20.8	4
8/29/24 5:30	8.4	94	7.7	44	20.7	4
8/29/24 5:45	8.6	96	7.7	49	20.7	5
8/29/24 6:00	8.2	92	7.6	48	20.7	4
8/29/24 6:15	8.2	92	7.7	47	20.6	4
8/29/24 6:30	8.3	93	7.6	47	20.6	4
8/29/24 6:45	8.3	92	7.7	46	20.6	4
8/29/24 7:00	8.1	90	7.6	45	20.5	6
8/29/24 7:15	8.2	91	7.6	47	20.5	5
8/29/24 7:30	8.2	91	7.6	48	20.4	5
8/29/24 7:45	8.2	91	7.6	49	20.4	5
8/29/24 8:00	8.1	90	7.6	50	20.4	5
8/29/24 8:15	8.1	89	7.6	53	20.3	5
8/29/24 8:30	8.0	89	7.6	55	20.3	4
8/29/24 8:45	7.9	88	7.6	56	20.3	7
8/29/24 9:00	7.9	88	7.6	54	20.3	4
8/29/24 9:15	7.9	88	7.7	61	20.3	5
8/29/24 9:30	7.8	86	7.6	62	20.4	5
8/29/24 9:45	8.1	89	7.6	57	20.2	5
8/29/24 10:00	7.6	84	7.5	83	20.0	4
8/29/24 10:15	7.7	85	7.6	64	20.4	4
8/29/24 10:30	7.7	85	7.6	63	20.3	5
8/29/24 10:45	7.8	87	7.7	57	20.4	4
8/29/24 11:00	7.8	87	7.6	50	20.4	4
8/29/24 11:15	7.7	85	7.7	46	20.5	4
8/29/24 11:30	7.8	86	7.6	70	20.2	5
8/29/24 11:45	7.9	88	7.7	68	20.2	5
8/29/24 12:00	7.7	85	7.6	90	20.2	5
8/29/24 12:15	8.0	89	7.7	59	20.3	4
8/29/24 12:30	8.0	89	7.7	52	20.5	4
8/29/24 12:45	8.2	92	7.8	40	20.7	4
8/29/24 13:00	8.3	92	7.8	37	20.8	4
8/29/24 13:15	8.2	92	7.8	34	20.8	6
8/29/24 13:30	8.1	90	7.7	44	20.5	4
8/29/24 13:45	8.1	91	7.7	45	20.5	4
8/29/24 14:00	8.4	94	7.8	42	20.7	4
8/29/24 14:15	8.5	95	7.8	33	20.9	4
8/29/24 14:30	8.6	96	7.8	31	21.0	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/29/24 14:45	8.5	96	7.8	30	21.1	4
8/29/24 15:00	8.6	96	7.8	28	21.1	4
8/29/24 15:15	8.8	99	7.9	27	21.2	5
8/29/24 15:30	8.8	99	7.9	27	21.2	4
8/29/24 15:45	8.9	100	7.9	26	21.2	4
8/29/24 16:00	9.0	101	7.9	26	21.3	4
8/29/24 16:15	9.1	103	8.0	26	21.3	4
8/29/24 16:30	9.2	104	8.0	26	21.4	4
8/29/24 16:45	9.3	105	8.0	26	21.4	4
8/29/24 17:00	9.3	105	8.0	26	21.4	4
8/29/24 17:15	9.3	106	8.0	26	21.4	4
8/29/24 17:30	9.3	106	8.0	27	21.5	4
8/29/24 17:45	9.3	106	8.0	27	21.5	4
8/29/24 18:00	9.4	107	8.0	27	21.5	4
8/29/24 18:15	9.4	107	8.0	29	21.5	4
8/29/24 18:30	9.3	105	8.0	30	21.5	4
8/29/24 18:45	9.2	104	7.9	32	21.4	5
8/29/24 19:00	9.3	105	8.0	31	21.4	4
8/29/24 19:15	9.3	105	8.0	31	21.4	4
8/29/24 19:30	9.2	105	8.0	31	21.5	4
8/29/24 19:45	9.1	104	8.0	31	21.6	4
8/29/24 20:00	9.0	102	8.0	31	21.6	4
8/29/24 20:15	9.2	105	8.0	31	21.5	4
8/29/24 20:30	9.3	105	8.0	31	21.5	4
8/29/24 20:45	9.2	104	8.0	31	21.5	4
8/29/24 21:00	9.2	104	8.0	31	21.6	4
8/29/24 21:15	9.1	103	8.0	31	21.5	4
8/29/24 21:30	9.1	102	7.9	42	21.3	5
8/29/24 21:45	8.8	99	7.7	54	20.7	5
8/29/24 22:00	8.8	98	7.6	68	20.5	4
8/29/24 22:15	9.3	104	7.9	78	21.1	4
8/29/24 22:30	9.6	109	8.1	31	21.6	5
8/29/24 22:45	9.6	110	8.1	29	21.7	4
8/29/24 23:00	9.6	110	8.1	33	21.7	4
8/29/24 23:15	9.4	107	8.1	31	21.7	4
8/29/24 23:30	9.4	107	8.1	36	21.6	4
8/29/24 23:45	9.3	106	8.1	31	21.6	4
8/30/24 0:00	9.4	107	8.1	39	21.6	4
8/30/24 0:15	9.4	106	8.1	34	21.6	4
8/30/24 0:30	9.3	105	8.1	34	21.6	4
8/30/24 0:45	9.1	103	8.0	39	21.5	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/30/24 1:00	9.1	103	7.9	48	21.3	4
8/30/24 1:15	9.2	104	8.0	36	21.3	4
8/30/24 1:30	9.1	103	8.0	31	21.4	4
8/30/24 1:45	8.7	99	7.9	32	21.3	4
8/30/24 2:00	9.0	102	8.0	32	21.4	4
8/30/24 2:15	8.7	98	7.8	32	21.3	4
8/30/24 2:30	8.8	98	7.8	36	20.8	5
8/30/24 2:45	8.7	98	7.8	34	21.1	4
8/30/24 3:00	8.7	97	7.7	36	20.9	4
8/30/24 3:15	8.8	99	7.8	39	21.1	4
8/30/24 3:30	8.9	101	7.9	41	21.2	4
8/30/24 3:45	8.7	98	7.9	40	21.3	4
8/30/24 4:00	8.8	99	7.9	40	21.3	4
8/30/24 4:15	8.7	98	7.8	43	21.2	5
8/30/24 4:30	8.6	97	7.8	48	21.1	5
8/30/24 4:45	8.5	95	7.7	49	21.1	4
8/30/24 5:00	8.4	95	7.8	48	21.1	4
8/30/24 5:15	8.5	95	7.8	48	21.0	5
8/30/24 5:30	8.4	94	7.7	49	21.0	5
8/30/24 5:45	8.4	94	7.7	49	20.9	5
8/30/24 6:00	8.3	93	7.7	50	20.9	5
8/30/24 6:15	8.3	93	7.7	51	20.8	4
8/30/24 6:30	8.3	93	7.7	50	20.8	5
8/30/24 6:45	8.3	93	7.7	52	20.7	5
8/30/24 7:00	8.2	92	7.7	53	20.7	5
8/30/24 7:15	8.1	90	7.7	53	20.7	6
8/30/24 7:30	7.9	88	7.7	53	20.6	6
8/30/24 7:45	7.9	89	7.7	52	20.6	5
8/30/24 8:00	7.7	85	7.6	53	20.6	5
8/30/24 8:15	7.6	84	7.6	53	20.6	4
8/30/24 8:30	7.6	85	7.6	53	20.5	5
8/30/24 8:45	7.7	85	7.6	54	20.5	4
8/30/24 9:00	7.5	83	7.6	55	20.5	4
8/30/24 9:15	7.6	84	7.6	55	20.5	5
8/30/24 9:30	7.9	88	7.7	59	20.5	5
8/30/24 9:45	7.6	85	7.7	66	20.5	5
8/30/24 10:00	7.9	87	7.7	66	20.5	4
8/30/24 10:15	7.5	83	7.6	67	20.4	5
8/30/24 10:30	7.8	86	7.6	61	20.2	5
8/30/24 10:45	7.6	84	7.6	62	20.2	5
8/30/24 11:00	8.1	91	7.7	61	20.5	5

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/30/24 11:15	7.3	80	7.4	128	19.8	5
8/30/24 11:30	7.3	82	7.6	222	20.3	6
8/30/24 11:45	7.4	82	7.6	191	20.4	5
8/30/24 12:00	8.0	90	7.8	84	20.7	5
8/30/24 12:15	8.0	90	7.8	58	20.8	5
8/30/24 12:30	7.8	87	7.7	82	20.5	5
8/30/24 12:45	7.4	81	7.5	157	20.0	5
8/30/24 13:00	7.7	86	7.7	120	20.6	5
8/30/24 13:15	7.9	89	7.8	80	20.7	4
8/30/24 13:30	8.3	93	7.8	57	20.9	4
8/30/24 13:45	8.3	93	7.8	52	20.9	4
8/30/24 14:00	8.3	93	7.8	50	21.0	4
8/30/24 14:15	8.4	95	7.9	46	21.0	5
8/30/24 14:30	8.4	95	7.9	46	21.1	5
8/30/24 14:45	8.3	94	7.8	46	21.1	5
8/30/24 15:00	8.3	93	7.8	49	20.9	4
8/30/24 15:15	8.7	98	7.8	48	20.9	4
8/30/24 15:30	8.5	96	7.8	44	21.2	4
8/30/24 15:45	8.9	101	8.0	43	21.3	4
8/30/24 16:00	8.9	100	8.0	40	21.4	4
8/30/24 16:15	8.8	99	7.9	39	21.4	4
8/30/24 16:30	8.9	101	8.0	39	21.4	5
8/30/24 16:45	8.6	98	7.9	38	21.4	5
8/30/24 17:00	8.4	96	8.0	39	21.5	5
8/30/24 17:15	8.8	100	8.0	39	21.5	5
8/30/24 17:30	8.9	101	8.0	40	21.4	5
8/30/24 17:45	8.9	100	7.9	42	21.3	5
8/30/24 18:00	8.8	100	7.9	43	21.2	4
8/30/24 18:15	8.9	101	7.9	42	21.3	4
8/30/24 18:30	8.9	101	7.9	42	21.3	4
8/30/24 18:45	8.8	100	7.9	42	21.3	4
8/30/24 19:00	9.0	101	7.9	40	21.4	4
8/30/24 19:15	9.1	103	8.0	40	21.4	4
8/30/24 19:30	9.0	102	8.0	42	21.4	4
8/30/24 19:45	8.8	100	7.9	42	21.4	4
8/30/24 20:00	8.7	99	7.9	42	21.4	4
8/30/24 20:15	9.0	102	8.0	42	21.5	4
8/30/24 20:30	9.0	102	8.0	42	21.5	5
8/30/24 20:45	9.0	102	8.0	43	21.5	5
8/30/24 21:00	8.8	100	8.0	43	21.5	4
8/30/24 21:15	8.9	100	7.8	52	21.0	5



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/30/24 21:30	8.9	101	7.9	62	21.3	4
8/30/24 21:45	8.7	98	7.8	79	21.1	5
8/30/24 22:00	8.6	96	7.8	84	21.0	5
8/30/24 22:15	8.3	92	7.4	112	19.9	5
8/30/24 22:30	8.7	97	7.8	271	20.5	5
8/30/24 22:45	8.4	94	7.8	367	20.6	4
8/30/24 23:00	8.3	94	7.8	413	20.8	4
8/30/24 23:15	8.6	97	7.8	77	21.5	4
8/30/24 23:30	7.9	89	7.8	416	20.6	4
8/30/24 23:45	7.7	88	7.8	804	20.6	4
8/31/24 0:00	8.2	91	7.6	215	20.0	4
8/31/24 0:15	8.7	99	8.0	60	21.4	5
8/31/24 0:30	9.0	102	8.1	145	21.4	5
8/31/24 0:45	8.8	100	8.0	119	21.4	4
8/31/24 1:00	8.8	100	8.0	104	21.5	5
8/31/24 1:15	8.9	101	8.0	49	21.6	5
8/31/24 1:30	8.7	99	8.0	39	21.6	5
8/31/24 1:45	8.7	98	8.0	39	21.5	5
8/31/24 2:00	8.6	97	7.8	54	21.1	5
8/31/24 2:15	8.5	96	7.8	48	21.2	5
8/31/24 2:30	8.5	95	7.9	43	21.3	5
8/31/24 2:45	8.1	89	7.5	54	20.1	5
8/31/24 3:00	8.1	89	7.5	90	19.8	4
8/31/24 3:15	7.7	85	7.5	69	20.0	4
8/31/24 3:30	8.0	90	7.6	64	20.7	4
8/31/24 3:45	8.4	94	7.8	59	21.0	5
8/31/24 4:00	8.3	93	7.8	62	21.2	5
8/31/24 4:15	8.1	91	7.6	105	20.6	4
8/31/24 4:30	8.2	92	7.7	67	20.8	4
8/31/24 4:45	8.3	93	7.8	58	21.0	5
8/31/24 5:00	8.1	90	7.7	94	20.6	5
8/31/24 5:15	7.8	85	7.4	116	19.7	4
8/31/24 5:30	7.7	85	7.5	104	20.4	5
8/31/24 5:45	8.1	91	7.7	125	20.6	4
8/31/24 6:00	7.9	88	7.7	119	20.7	4
8/31/24 6:15	8.0	89	7.7	114	20.8	5
8/31/24 6:30	8.1	91	7.8	110	20.8	5
8/31/24 6:45	8.2	91	7.8	101	20.7	5
8/31/24 7:00	8.1	90	7.8	105	20.7	5
8/31/24 7:15	7.8	87	7.7	106	20.6	6
8/31/24 7:30	7.8	87	7.7	95	20.5	6

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/31/24 7:45	7.7	86	7.7	88	20.4	5
8/31/24 8:00	7.7	86	7.6	91	20.4	6
8/31/24 8:15	7.7	85	7.7	96	20.4	6
8/31/24 8:30	7.7	86	7.7	102	20.4	5
8/31/24 8:45	7.8	86	7.7	107	20.4	5
8/31/24 9:00	7.8	87	7.7	108	20.4	5
8/31/24 9:15	7.7	86	7.6	116	20.3	5
8/31/24 9:30	7.7	85	7.6	121	20.3	5
8/31/24 9:45	7.6	84	7.6	123	20.3	5
8/31/24 10:00	7.7	85	7.7	129	20.3	5
8/31/24 10:15	7.7	85	7.7	136	20.3	5
8/31/24 10:30	7.6	84	7.6	134	20.3	5
8/31/24 10:45	7.4	82	7.6	134	20.2	4
8/31/24 11:00	7.3	81	7.6	132	20.1	4
8/31/24 11:15	7.7	85	7.6	128	20.1	4
8/31/24 11:30	7.1	78	7.4	196	19.3	7
8/31/24 11:45	7.3	80	7.5	221	19.8	4
8/31/24 12:00	7.3	81	7.5	214	19.8	5
8/31/24 12:15	7.0	78	7.5	337	19.7	5
8/31/24 12:30	7.3	82	7.7	320	20.2	4
8/31/24 12:45	7.3	81	7.7	346	20.1	5
8/31/24 13:00	7.8	87	7.8	253	20.5	5
8/31/24 13:15	7.9	88	7.8	210	20.6	5
8/31/24 13:30	7.3	81	7.5	365	19.8	5
8/31/24 13:45	7.2	81	7.8	828	19.9	4
8/31/24 14:00	7.4	83	7.8	257	20.4	4
8/31/24 14:15	8.3	94	7.9	114	21.1	4
8/31/24 14:30	8.4	95	7.9	95	21.3	5
8/31/24 14:45	8.5	96	7.9	91	21.3	4
8/31/24 15:00	8.2	92	7.7	120	20.9	4
8/31/24 15:15	8.7	99	8.0	69	21.5	4
8/31/24 15:30	8.4	95	7.9	63	21.6	4
8/31/24 15:45	8.4	96	7.9	54	21.6	5
8/31/24 16:00	8.2	94	7.9	63	21.5	5
8/31/24 16:15	8.5	97	7.9	62	21.5	4
8/31/24 16:30	8.5	97	7.9	54	21.6	5
8/31/24 16:45	8.9	101	8.0	50	21.7	5
8/31/24 17:00	8.7	99	7.9	54	21.6	5
8/31/24 17:15	8.6	98	7.9	54	21.6	4
8/31/24 17:30	8.5	97	7.9	54	21.6	4
8/31/24 17:45	8.4	95	7.8	54	21.6	4

Klamath River Estuary, CA



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/31/24 18:00	8.8	100	8.0	52	21.6	4
8/31/24 18:15	8.8	100	7.9	52	21.6	4
8/31/24 18:30	8.7	98	7.9	57	21.4	5
8/31/24 18:45	8.8	99	7.9	55	21.4	5
8/31/24 19:00	8.7	99	7.9	54	21.4	4
8/31/24 19:15	8.7	99	7.9	53	21.5	4
8/31/24 19:30	8.9	101	8.0	53	21.5	4
8/31/24 19:45	8.7	99	7.9	53	21.5	5
8/31/24 20:00	8.9	101	8.0	56	21.5	4
8/31/24 20:15	8.8	100	7.9	60	21.5	4
8/31/24 20:30	8.9	101	7.9	62	21.5	5
8/31/24 20:45	8.8	99	7.9	62	21.5	5
8/31/24 21:00	8.8	99	7.9	64	21.5	5
8/31/24 21:15	8.8	100	7.9	64	21.4	5
8/31/24 21:30	8.7	99	7.9	66	21.4	5
8/31/24 21:45	8.7	99	7.9	68	21.6	5
8/31/24 22:00	8.8	100	8.0	70	21.6	6
8/31/24 22:15	8.7	98	7.9	111	21.3	5
8/31/24 22:30	8.6	97	7.8	136	21.1	5
8/31/24 22:45	8.6	97	7.8	139	21.2	5
8/31/24 23:00	8.1	91	7.7	468	20.4	5
8/31/24 23:15	8.0	89	7.9	544	20.1	4
8/31/24 23:30	7.6	87	7.9	1542	19.7	4
8/31/24 23:45	7.6	89	8.0	2687	18.5	3



Klamath River near Klamath, CA (USGS 11530500)

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/1/24 0:00	8.7	103	8.4	160	23.7	2
8/1/24 0:15	8.6	102	8.4	160	23.7	2
8/1/24 0:30	8.6	102	8.4	160	23.7	2
8/1/24 0:45	8.6	101	8.4	160	23.6	2
8/1/24 1:00	8.5	101	8.4	160	23.6	3
8/1/24 1:15	8.5	100	8.4	160	23.6	3
8/1/24 1:30	8.5	100	8.4	160	23.5	3
8/1/24 1:45	8.4	99	8.4	160	23.5	2
8/1/24 2:00	8.4	99	8.4	160	23.5	2
8/1/24 2:15	8.4	99	8.3	160	23.4	3
8/1/24 2:30	8.4	98	8.3	160	23.4	2
8/1/24 2:45	8.3	98	8.3	160	23.4	4
8/1/24 3:00	8.3	98	8.3	160	23.3	3
8/1/24 3:15	8.3	97	8.3	160	23.3	2
8/1/24 3:30	8.2	97	8.3	160	23.3	3
8/1/24 3:45	8.2	96	8.3	160	23.2	3
8/1/24 4:00	8.2	96	8.3	160	23.2	3
8/1/24 4:15	8.2	96	8.3	160	23.1	3
8/1/24 4:30	8.2	95	8.3	160	23.1	3
8/1/24 4:45	8.2	95	8.3	160	23.1	2
8/1/24 5:00	8.1	95	8.3	160	23.0	3
8/1/24 5:15	8.1	94	8.2	160	23.0	3
8/1/24 5:30	8.1	94	8.2	160	22.9	3
8/1/24 5:45	8.1	94	8.2	160	22.9	2
8/1/24 6:00	8.1	94	8.2	160	22.8	3
8/1/24 6:15	8.0	93	8.2	160	22.8	3
8/1/24 6:30	8.0	93	8.2	160	22.7	3
8/1/24 6:45	8.0	93	8.2	160	22.7	3
8/1/24 7:00	8.0	92	8.2	160	22.6	3
8/1/24 7:15	8.0	92	8.2	160	22.6	3
8/1/24 7:30	8.0	92	8.2	160	22.5	3
8/1/24 7:45	8.0	92	8.2	160	22.5	3
8/1/24 8:00	8.0	92	8.1	160	22.5	3
8/1/24 8:15	8.0	92	8.1	160	22.4	2
8/1/24 8:30	8.0	92	8.1	160	22.4	3
8/1/24 8:45	8.0	93	8.1	160	22.3	2
8/1/24 9:00	8.1	93	8.1	160	22.3	2
8/1/24 9:15	8.1	94	8.1	160	22.3	2
8/1/24 9:30	8.2	94	8.1	160	22.3	3
8/1/24 9:45	8.2	95	8.1	160	22.3	2
8/1/24 10:00	8.3	95	8.2	160	22.3	2
8/1/24 10:15	8.3	96	8.2	160	22.3	4
8/1/24 10:30	8.4	96	8.2	160	22.3	2
8/1/24 10:45	8.4	97	8.2	160	22.3	2
8/1/24 11:00	8.5	98	8.2	160	22.4	2

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/1/24 11:15	8.5	98	8.2	160	22.4	2
8/1/24 11:30	8.6	99	8.2	160	22.4	2
8/1/24 11:45	8.6	100	8.2	160	22.5	2
8/1/24 12:00	8.7	100	8.2	160	22.5	3
8/1/24 12:15	8.7	101	8.2	160	22.5	2
8/1/24 12:30	8.8	102	8.2	159	22.6	3
8/1/24 12:45	8.8	102	8.2	159	22.6	2
8/1/24 13:00	8.9	103	8.3	159	22.7	2
8/1/24 13:15	8.9	104	8.3	159	22.7	2
8/1/24 13:30	9.0	104	8.3	159	22.8	2
8/1/24 13:45	9.0	105	8.3	159	22.8	3
8/1/24 14:00	9.0	105	8.3	159	22.9	2
8/1/24 14:15	9.1	106	8.3	159	22.9	2
8/1/24 14:30	9.1	106	8.3	159	23.0	2
8/1/24 14:45	9.2	107	8.3	159	23.0	2
8/1/24 15:00	9.2	107	8.3	159	23.1	2
8/1/24 15:15	9.2	108	8.3	159	23.1	2
8/1/24 15:30	9.2	108	8.4	159	23.2	2
8/1/24 15:45	9.3	109	8.4	159	23.2	2
8/1/24 16:00	9.3	109	8.4	159	23.3	2
8/1/24 16:15	9.3	110	8.4	159	23.3	2
8/1/24 16:30	9.4	110	8.4	159	23.4	2
8/1/24 16:45	9.4	110	8.4	159	23.4	3
8/1/24 17:00	9.4	110	8.4	159	23.4	2
8/1/24 17:15	9.4	110	8.4	159	23.5	2
8/1/24 17:30	9.4	110	8.4	159	23.5	2
8/1/24 17:45	9.4	110	8.4	159	23.5	2
8/1/24 18:00	9.4	111	8.4	159	23.6	2
8/1/24 18:15	9.4	110	8.4	159	23.6	2
8/1/24 18:30	9.3	110	8.4	159	23.6	2
8/1/24 18:45	9.3	110	8.4	159	23.6	2
8/1/24 19:00	9.3	110	8.4	159	23.6	2
8/1/24 19:15	9.3	109	8.4	159	23.7	2
8/1/24 19:30	9.2	109	8.4	159	23.7	2
8/1/24 19:45	9.2	109	8.4	159	23.7	2
8/1/24 20:00	9.2	108	8.4	159	23.7	2
8/1/24 20:15	9.1	108	8.4	159	23.8	3
8/1/24 20:30	9.1	108	8.4	159	23.8	2
8/1/24 20:45	9.1	107	8.4	159	23.8	2
8/1/24 21:00	9.0	107	8.4	159	23.8	2
8/1/24 21:15	8.9	106	8.4	159	23.9	2
8/1/24 21:30	8.9	106	8.4	159	23.9	2
8/1/24 21:45	8.8	105	8.4	159	23.9	2
8/1/24 22:00	8.8	105	8.4	159	23.9	2
8/1/24 22:15	8.8	104	8.4	159	23.9	2

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/1/24 22:30	8.7	104	8.4	159	23.9	2
8/1/24 22:45	8.7	103	8.4	159	23.9	2
8/1/24 23:00	8.6	102	8.4	159	23.9	2
8/1/24 23:15	8.6	102	8.4	159	23.9	2
8/1/24 23:30	8.6	102	8.4	159	23.9	2
8/1/24 23:45	8.5	101	8.4	159	23.9	2
8/2/24 0:00	8.5	101	8.3	159	23.9	2
8/2/24 0:15	8.4	100	8.3	159	23.9	2
8/2/24 0:30	8.4	100	8.3	159	23.9	2
8/2/24 0:45	8.4	100	8.3	159	23.9	2
8/2/24 1:00	8.4	99	8.3	159	23.8	2
8/2/24 1:15	8.3	99	8.3	159	23.8	2
8/2/24 1:30	8.3	98	8.3	159	23.8	2
8/2/24 1:45	8.3	98	8.3	159	23.8	2
8/2/24 2:00	8.3	98	8.3	159	23.7	3
8/2/24 2:15	8.2	97	8.3	159	23.7	2
8/2/24 2:30	8.2	97	8.3	159	23.7	2
8/2/24 2:45	8.2	96	8.3	159	23.7	2
8/2/24 3:00	8.2	96	8.3	159	23.6	3
8/2/24 3:15	8.1	96	8.3	160	23.6	3
8/2/24 3:30	8.1	96	8.3	160	23.6	2
8/2/24 3:45	8.1	95	8.2	160	23.5	3
8/2/24 4:00	8.1	95	8.2	160	23.5	2
8/2/24 4:15	8.1	95	8.2	160	23.5	2
8/2/24 4:30	8.0	94	8.2	160	23.4	3
8/2/24 4:45	8.0	94	8.2	160	23.4	2
8/2/24 5:00	8.0	94	8.2	160	23.4	3
8/2/24 5:15	8.0	94	8.2	160	23.3	2
8/2/24 5:30	7.9	93	8.2	160	23.3	3
8/2/24 5:45	7.9	93	8.2	160	23.3	2
8/2/24 6:00	7.9	93	8.2	160	23.2	3
8/2/24 6:15	7.9	92	8.2	160	23.2	3
8/2/24 6:30	7.9	92	8.2	160	23.2	3
8/2/24 6:45	7.9	92	8.2	160	23.1	3
8/2/24 7:00	7.9	92	8.1	160	23.1	3
8/2/24 7:15	7.9	92	8.1	160	23.0	2
8/2/24 7:30	7.9	92	8.1	160	23.0	3
8/2/24 7:45	7.9	92	8.1	160	22.9	3
8/2/24 8:00	7.9	92	8.1	160	22.9	3
8/2/24 8:15	7.9	92	8.1	160	22.9	2
8/2/24 8:30	7.9	92	8.1	160	22.8	2
8/2/24 8:45	7.9	92	8.1	160	22.8	2
8/2/24 9:00	8.0	92	8.1	160	22.7	2
8/2/24 9:15	8.0	92	8.1	160	22.7	2
8/2/24 9:30	8.0	93	8.1	160	22.7	2

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/2/24 9:45	8.0	93	8.1	160	22.7	2
8/2/24 10:00	8.1	93	8.1	160	22.6	2
8/2/24 10:15	8.1	94	8.1	160	22.6	2
8/2/24 10:30	8.1	94	8.1	160	22.6	3
8/2/24 10:45	8.2	95	8.1	160	22.6	2
8/2/24 11:00	8.2	95	8.1	160	22.6	2
8/2/24 11:15	8.3	96	8.1	160	22.6	2
8/2/24 11:30	8.3	96	8.1	160	22.6	3
8/2/24 11:45	8.4	97	8.1	160	22.6	2
8/2/24 12:00	8.4	97	8.2	160	22.6	2
8/2/24 12:15	8.5	98	8.2	160	22.6	2
8/2/24 12:30	8.5	99	8.2	160	22.6	2
8/2/24 12:45	8.6	99	8.2	160	22.7	2
8/2/24 13:00	8.6	100	8.2	160	22.7	3
8/2/24 13:15	8.7	100	8.2	160	22.7	2
8/2/24 13:30	8.7	101	8.2	160	22.7	2
8/2/24 13:45	8.8	102	8.2	160	22.7	2
8/2/24 14:00	8.8	102	8.2	160	22.8	2
8/2/24 14:15	8.8	102	8.2	160	22.8	2
8/2/24 14:30	8.9	103	8.3	160	22.8	2
8/2/24 14:45	8.9	104	8.3	160	22.9	2
8/2/24 15:00	8.9	104	8.3	160	22.9	2
8/2/24 15:15	9.0	104	8.3	160	22.9	3
8/2/24 15:30	9.0	105	8.3	160	22.9	2
8/2/24 15:45	9.0	105	8.3	160	23.0	2
8/2/24 16:00	9.0	105	8.3	160	23.0	2
8/2/24 16:15	9.1	106	8.3	160	23.0	2
8/2/24 16:30	9.1	106	8.3	159	23.0	2
8/2/24 16:45	9.1	106	8.3	159	23.1	2
8/2/24 17:00	9.1	106	8.3	160	23.1	3
8/2/24 17:15	9.1	106	8.3	159	23.1	2
8/2/24 17:30	9.1	106	8.3	159	23.2	2
8/2/24 17:45	9.1	106	8.3	159	23.2	2
8/2/24 18:00	9.0	106	8.3	159	23.3	3
8/2/24 18:15	9.0	106	8.3	159	23.3	2
8/2/24 18:30	9.0	106	8.3	159	23.4	2
8/2/24 18:45	9.0	105	8.3	159	23.4	2
8/2/24 19:00	8.9	105	8.3	159	23.4	2
8/2/24 19:15	8.9	105	8.3	159	23.5	2
8/2/24 19:30	8.9	105	8.3	159	23.5	2
8/2/24 19:45	8.8	104	8.3	159	23.6	2
8/2/24 20:00	8.8	104	8.3	159	23.6	2
8/2/24 20:15	8.8	104	8.3	159	23.7	2
8/2/24 20:30	8.7	103	8.3	159	23.7	2
8/2/24 20:45	8.7	103	8.3	160	23.7	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/2/24 21:00	8.7	103	8.3	159	23.8	2
8/2/24 21:15	8.6	102	8.3	159	23.8	3
8/2/24 21:30	8.6	102	8.3	160	23.9	2
8/2/24 21:45	8.6	102	8.3	160	23.9	3
8/2/24 22:00	8.5	101	8.3	160	23.9	3
8/2/24 22:15	8.5	101	8.3	160	24.0	3
8/2/24 22:30	8.5	101	8.3	160	24.0	3
8/2/24 22:45	8.4	100	8.3	160	24.0	3
8/2/24 23:00	8.4	100	8.3	160	24.0	3
8/2/24 23:15	8.4	100	8.3	160	24.0	2
8/2/24 23:30	8.4	100	8.3	160	24.0	3
8/2/24 23:45	8.3	99	8.3	160	24.0	3
8/3/24 0:00	8.3	99	8.3	160	24.0	3
8/3/24 0:15	8.3	99	8.3	160	24.0	3
8/3/24 0:30	8.3	98	8.3	160	24.0	3
8/3/24 0:45	8.2	98	8.2	160	24.0	2
8/3/24 1:00	8.2	98	8.3	160	24.0	3
8/3/24 1:15	8.2	97	8.2	160	24.0	3
8/3/24 1:30	8.2	97	8.2	160	24.0	3
8/3/24 1:45	8.1	97	8.2	160	23.9	3
8/3/24 2:00	8.1	96	8.2	160	23.9	3
8/3/24 2:15	8.1	96	8.2	160	23.9	3
8/3/24 2:30	8.1	96	8.2	160	23.9	3
8/3/24 2:45	8.0	95	8.2	160	23.8	3
8/3/24 3:00	8.0	95	8.2	160	23.8	3
8/3/24 3:15	8.0	95	8.2	160	23.8	3
8/3/24 3:30	8.0	94	8.2	160	23.8	3
8/3/24 3:45	8.0	94	8.2	160	23.7	3
8/3/24 4:00	8.0	94	8.2	160	23.7	3
8/3/24 4:15	7.9	94	8.2	160	23.7	3
8/3/24 4:30	7.9	93	8.2	160	23.6	3
8/3/24 4:45	7.9	93	8.2	160	23.6	3
8/3/24 5:00	7.9	93	8.2	160	23.6	3
8/3/24 5:15	7.9	93	8.2	160	23.6	3
8/3/24 5:30	7.9	93	8.2	160	23.5	3
8/3/24 5:45	7.8	92	8.1	160	23.5	3
8/3/24 6:00	7.8	92	8.1	160	23.5	3
8/3/24 6:15	7.8	92	8.1	160	23.5	3
8/3/24 6:30	7.8	92	8.1	160	23.4	3
8/3/24 6:45	7.8	92	8.1	160	23.4	3
8/3/24 7:00	7.8	91	8.1	160	23.4	3
8/3/24 7:15	7.8	91	8.1	160	23.3	3
8/3/24 7:30	7.8	91	8.1	160	23.3	3
8/3/24 7:45	7.8	91	8.1	160	23.3	3
8/3/24 8:00	7.8	91	8.1	160	23.2	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/3/24 8:15	7.8	92	8.1	160	23.2	3
8/3/24 8:30	7.8	92	8.1	160	23.2	3
8/3/24 8:45	7.8	92	8.1	160	23.2	3
8/3/24 9:00	7.9	92	8.1	160	23.1	3
8/3/24 9:15	7.9	93	8.1	160	23.1	3
8/3/24 9:30	7.9	93	8.1	160	23.1	3
8/3/24 9:45	8.0	93	8.1	160	23.1	3
8/3/24 10:00	8.0	94	8.1	160	23.0	5
8/3/24 10:15	8.1	94	8.1	160	23.0	3
8/3/24 10:30	8.1	95	8.1	160	23.0	2
8/3/24 10:45	8.2	95	8.1	160	23.0	3
8/3/24 11:00	8.2	95	8.1	160	23.0	4
8/3/24 11:15	8.2	96	8.1	160	22.9	2
8/3/24 11:30	8.2	96	8.1	160	22.9	3
8/3/24 11:45	8.3	96	8.1	160	22.9	3
8/3/24 12:00	8.3	97	8.1	160	22.9	3
8/3/24 12:15	8.4	97	8.1	160	22.9	2
8/3/24 12:30	8.4	98	8.2	160	22.9	3
8/3/24 12:45	8.4	98	8.1	160	22.8	2
8/3/24 13:00	8.5	98	8.2	160	22.8	3
8/3/24 13:15	8.5	99	8.2	160	22.8	3
8/3/24 13:30	8.6	100	8.2	160	22.8	3
8/3/24 13:45	8.6	100	8.2	160	22.8	2
8/3/24 14:00	8.6	100	8.2	160	22.8	2
8/3/24 14:15	8.7	101	8.2	160	22.9	2
8/3/24 14:30	8.7	102	8.2	160	22.9	2
8/3/24 14:45	8.8	103	8.2	160	23.0	3
8/3/24 15:00	8.9	103	8.3	160	23.0	2
8/3/24 15:15	8.9	104	8.3	160	23.1	3
8/3/24 15:30	9.0	105	8.3	160	23.1	3
8/3/24 15:45	9.0	106	8.3	160	23.2	3
8/3/24 16:00	9.0	106	8.3	160	23.3	2
8/3/24 16:15	9.1	107	8.3	160	23.3	2
8/3/24 16:30	9.1	107	8.3	160	23.4	3
8/3/24 16:45	9.1	107	8.3	160	23.4	3
8/3/24 17:00	9.1	107	8.3	160	23.4	3
8/3/24 17:15	9.2	108	8.4	160	23.5	3
8/3/24 17:30	9.2	108	8.3	160	23.5	2
8/3/24 17:45	9.2	108	8.4	160	23.5	3
8/3/24 18:00	9.2	108	8.4	160	23.6	3
8/3/24 18:15	9.2	108	8.4	160	23.6	2
8/3/24 18:30	9.2	108	8.4	160	23.6	3
8/3/24 18:45	9.1	108	8.4	160	23.6	3
8/3/24 19:00	9.1	108	8.4	160	23.7	3
8/3/24 19:15	9.1	107	8.4	160	23.7	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/3/24 19:30	9.0	107	8.4	160	23.7	2
8/3/24 19:45	9.0	106	8.4	160	23.7	3
8/3/24 20:00	9.0	106	8.4	160	23.7	3
8/3/24 20:15	8.9	105	8.4	160	23.7	3
8/3/24 20:30	8.9	105	8.4	160	23.7	3
8/3/24 20:45	8.8	104	8.3	160	23.7	3
8/3/24 21:00	8.8	104	8.3	160	23.7	3
8/3/24 21:15	8.7	103	8.3	160	23.7	3
8/3/24 21:30	8.7	102	8.3	160	23.7	3
8/3/24 21:45	8.6	102	8.3	160	23.7	3
8/3/24 22:00	8.6	102	8.3	160	23.7	3
8/3/24 22:15	8.6	101	8.3	160	23.7	3
8/3/24 22:30	8.5	101	8.3	160	23.8	3
8/3/24 22:45	8.5	100	8.3	160	23.8	3
8/3/24 23:00	8.5	100	8.3	160	23.8	3
8/3/24 23:15	8.4	100	8.3	160	23.8	3
8/3/24 23:30	8.4	99	8.3	160	23.8	3
8/3/24 23:45	8.4	99	8.3	160	23.7	3
8/4/24 0:00	8.3	99	8.3	160	23.7	3
8/4/24 0:15	8.3	98	8.3	160	23.7	3
8/4/24 0:30	8.3	98	8.2	161	23.7	3
8/4/24 0:45	8.2	97	8.3	161	23.7	3
8/4/24 1:00	8.2	97	8.2	161	23.7	3
8/4/24 1:15	8.2	96	8.2	161	23.6	3
8/4/24 1:30	8.2	96	8.2	161	23.6	3
8/4/24 1:45	8.1	96	8.2	161	23.6	3
8/4/24 2:00	8.1	96	8.2	161	23.6	3
8/4/24 2:15	8.1	95	8.2	161	23.5	3
8/4/24 2:30	8.1	95	8.2	161	23.5	3
8/4/24 2:45	8.0	94	8.2	161	23.5	3
8/4/24 3:00	8.0	94	8.2	161	23.4	3
8/4/24 3:15	8.0	94	8.2	161	23.4	3
8/4/24 3:30	8.0	94	8.2	161	23.4	3
8/4/24 3:45	7.9	93	8.2	161	23.3	3
8/4/24 4:00	7.9	93	8.2	161	23.3	3
8/4/24 4:15	7.9	93	8.2	161	23.3	3
8/4/24 4:30	7.9	93	8.2	161	23.3	3
8/4/24 4:45	7.9	92	8.1	161	23.2	3
8/4/24 5:00	7.9	92	8.1	161	23.2	3
8/4/24 5:15	7.9	92	8.1	161	23.2	3
8/4/24 5:30	7.8	92	8.1	161	23.1	3
8/4/24 5:45	7.8	91	8.1	161	23.1	3
8/4/24 6:00	7.8	91	8.1	161	23.0	3
8/4/24 6:15	7.8	91	8.1	161	23.0	3
8/4/24 6:30	7.8	91	8.1	161	23.0	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/4/24 6:45	7.8	91	8.1	161	22.9	3
8/4/24 7:00	7.8	91	8.1	161	22.9	3
8/4/24 7:15	7.8	90	8.1	161	22.8	3
8/4/24 7:30	7.8	90	8.1	161	22.8	3
8/4/24 7:45	7.8	90	8.1	161	22.8	3
8/4/24 8:00	7.8	90	8.1	161	22.7	3
8/4/24 8:15	7.8	90	8.1	161	22.7	3
8/4/24 8:30	7.8	90	8.1	161	22.6	3
8/4/24 8:45	7.8	91	8.1	161	22.6	3
8/4/24 9:00	7.8	91	8.1	161	22.6	3
8/4/24 9:15	7.9	91	8.1	161	22.5	4
8/4/24 9:30	7.9	91	8.1	161	22.5	3
8/4/24 9:45	7.9	91	8.1	161	22.5	3
8/4/24 10:00	7.9	92	8.1	161	22.4	3
8/4/24 10:15	8.0	92	8.1	161	22.4	3
8/4/24 10:30	8.0	92	8.1	161	22.4	3
8/4/24 10:45	8.0	93	8.1	161	22.4	2
8/4/24 11:00	8.1	93	8.1	161	22.3	3
8/4/24 11:15	8.1	93	8.1	161	22.3	5
8/4/24 11:30	8.2	94	8.1	161	22.3	2
8/4/24 11:45	8.2	94	8.1	161	22.3	2
8/4/24 12:00	8.2	95	8.1	161	22.3	2
8/4/24 12:15	8.3	95	8.1	161	22.3	2
8/4/24 12:30	8.3	96	8.1	161	22.2	2
8/4/24 12:45	8.3	96	8.1	161	22.2	2
8/4/24 13:00	8.4	96	8.1	161	22.2	2
8/4/24 13:15	8.4	97	8.1	161	22.3	2
8/4/24 13:30	8.5	98	8.2	161	22.3	2
8/4/24 13:45	8.6	98	8.2	161	22.3	2
8/4/24 14:00	8.6	99	8.2	161	22.3	2
8/4/24 14:15	8.6	100	8.2	161	22.4	2
8/4/24 14:30	8.7	100	8.2	161	22.4	2
8/4/24 14:45	8.8	101	8.2	161	22.5	3
8/4/24 15:00	8.8	102	8.2	161	22.5	2
8/4/24 15:15	8.8	102	8.2	161	22.6	2
8/4/24 15:30	8.9	103	8.2	161	22.6	4
8/4/24 15:45	8.9	103	8.2	161	22.7	2
8/4/24 16:00	8.9	104	8.3	161	22.7	2
8/4/24 16:15	9.0	104	8.3	161	22.7	2
8/4/24 16:30	9.0	104	8.3	161	22.7	2
8/4/24 16:45	9.0	105	8.3	161	22.8	2
8/4/24 17:00	9.0	105	8.3	161	22.8	2
8/4/24 17:15	9.0	105	8.3	161	22.8	2
8/4/24 17:30	9.0	105	8.3	161	22.8	2
8/4/24 17:45	9.0	104	8.3	161	22.7	2

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/4/24 18:00	9.0	104	8.3	161	22.7	2
8/4/24 18:15	9.0	104	8.3	161	22.7	2
8/4/24 18:30	9.0	104	8.3	161	22.7	2
8/4/24 18:45	9.0	104	8.3	160	22.7	2
8/4/24 19:00	9.0	104	8.3	161	22.8	2
8/4/24 19:15	8.9	104	8.3	161	22.8	3
8/4/24 19:30	8.9	104	8.3	161	22.8	2
8/4/24 19:45	8.9	103	8.3	161	22.8	3
8/4/24 20:00	8.8	103	8.3	161	22.8	2
8/4/24 20:15	8.8	103	8.3	161	22.9	3
8/4/24 20:30	8.8	102	8.3	161	22.9	3
8/4/24 20:45	8.8	102	8.3	161	22.9	3
8/4/24 21:00	8.7	102	8.3	161	23.0	2
8/4/24 21:15	8.7	101	8.3	161	23.0	3
8/4/24 21:30	8.6	101	8.3	161	23.0	3
8/4/24 21:45	8.6	101	8.2	161	23.1	3
8/4/24 22:00	8.6	100	8.2	161	23.1	3
8/4/24 22:15	8.5	100	8.2	161	23.2	3
8/4/24 22:30	8.5	100	8.2	161	23.2	3
8/4/24 22:45	8.5	99	8.2	161	23.2	3
8/4/24 23:00	8.4	99	8.2	161	23.3	3
8/4/24 23:15	8.4	98	8.2	161	23.3	3
8/4/24 23:30	8.4	98	8.2	161	23.3	2
8/4/24 23:45	8.3	98	8.2	161	23.3	3
8/5/24 0:00	8.3	98	8.2	161	23.3	3
8/5/24 0:15	8.3	97	8.2	161	23.4	3
8/5/24 0:30	8.3	97	8.2	161	23.4	3
8/5/24 0:45	8.2	96	8.2	161	23.4	3
8/5/24 1:00	8.2	96	8.2	161	23.3	3
8/5/24 1:15	8.2	96	8.2	161	23.3	3
8/5/24 1:30	8.2	96	8.2	161	23.3	3
8/5/24 1:45	8.1	95	8.2	161	23.3	3
8/5/24 2:00	8.1	95	8.2	161	23.3	3
8/5/24 2:15	8.1	95	8.2	161	23.3	3
8/5/24 2:30	8.0	94	8.2	161	23.3	3
8/5/24 2:45	8.0	94	8.2	162	23.2	3
8/5/24 3:00	8.0	94	8.1	162	23.2	3
8/5/24 3:15	8.0	93	8.1	162	23.2	3
8/5/24 3:30	8.0	93	8.1	162	23.2	3
8/5/24 3:45	7.9	93	8.1	162	23.2	3
8/5/24 4:00	7.9	93	8.1	162	23.1	3
8/5/24 4:15	7.9	92	8.1	162	23.1	3
8/5/24 4:30	7.9	92	8.1	162	23.1	3
8/5/24 4:45	7.8	92	8.1	162	23.1	3
8/5/24 5:00	7.8	92	8.1	162	23.0	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/5/24 5:15	7.8	91	8.1	162	23.0	3
8/5/24 5:30	7.8	91	8.1	162	23.0	3
8/5/24 5:45	7.8	91	8.1	162	22.9	3
8/5/24 6:00	7.8	91	8.1	162	22.9	4
8/5/24 6:15	7.8	91	8.1	162	22.9	3
8/5/24 6:30	7.8	90	8.1	162	22.8	3
8/5/24 6:45	7.8	90	8.0	162	22.8	3
8/5/24 7:00	7.8	90	8.1	162	22.8	3
8/5/24 7:15	7.8	90	8.0	162	22.7	3
8/5/24 7:30	7.7	90	8.0	162	22.7	3
8/5/24 7:45	7.8	90	8.0	162	22.7	3
8/5/24 8:00	7.7	90	8.0	162	22.6	3
8/5/24 8:15	7.8	90	8.0	162	22.6	3
8/5/24 8:30	7.8	90	8.0	162	22.6	3
8/5/24 8:45	7.8	90	8.0	162	22.6	3
8/5/24 9:00	7.8	90	8.0	162	22.5	3
8/5/24 9:15	7.8	90	8.0	162	22.5	3
8/5/24 9:30	7.8	91	8.0	162	22.5	3
8/5/24 9:45	7.9	91	8.0	162	22.5	3
8/5/24 10:00	7.9	91	8.0	162	22.5	6
8/5/24 10:15	8.0	92	8.0	162	22.4	3
8/5/24 10:30	8.0	92	8.0	162	22.4	3
8/5/24 10:45	8.0	92	8.1	162	22.4	3
8/5/24 11:00	8.0	92	8.1	162	22.4	3
8/5/24 11:15	8.1	93	8.1	162	22.4	3
8/5/24 11:30	8.1	94	8.1	162	22.4	3
8/5/24 11:45	8.2	94	8.1	162	22.3	7
8/5/24 12:00	8.2	94	8.1	162	22.3	3
8/5/24 12:15	8.2	95	8.1	162	22.3	3
8/5/24 12:30	8.2	95	8.1	162	22.3	3
8/5/24 12:45	8.3	96	8.1	162	22.3	3
8/5/24 13:00	8.3	96	8.1	162	22.3	3
8/5/24 13:15	8.4	96	8.1	162	22.2	3
8/5/24 13:30	8.4	96	8.1	162	22.2	3
8/5/24 13:45	8.4	97	8.1	162	22.2	3
8/5/24 14:00	8.5	97	8.1	162	22.2	3
8/5/24 14:15	8.5	98	8.2	162	22.2	3
8/5/24 14:30	8.5	98	8.1	162	22.2	3
8/5/24 14:45	8.5	98	8.2	162	22.2	3
8/5/24 15:00	8.6	98	8.2	162	22.2	3
8/5/24 15:15	8.6	99	8.2	162	22.2	3
8/5/24 15:30	8.6	99	8.2	162	22.1	2
8/5/24 15:45	8.7	99	8.2	162	22.1	2
8/5/24 16:00	8.7	100	8.2	162	22.1	3
8/5/24 16:15	8.7	100	8.2	162	22.1	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/5/24 16:30	8.7	100	8.2	162	22.1	2
8/5/24 16:45	8.7	100	8.2	162	22.1	3
8/5/24 17:00	8.8	100	8.2	162	22.1	3
8/5/24 17:15	8.8	101	8.2	162	22.1	3
8/5/24 17:30	8.8	101	8.2	162	22.1	3
8/5/24 17:45	8.8	101	8.2	162	22.1	3
8/5/24 18:00	8.8	100	8.2	162	22.1	7
8/5/24 18:15	8.8	101	8.2	162	22.2	3
8/5/24 18:30	8.7	100	8.2	162	22.2	3
8/5/24 18:45	8.8	101	8.2	162	22.2	3
8/5/24 19:00	8.8	101	8.2	162	22.2	3
8/5/24 19:15	8.7	100	8.2	162	22.3	3
8/5/24 19:30	8.7	101	8.2	162	22.3	3
8/5/24 19:45	8.7	100	8.2	162	22.3	3
8/5/24 20:00	8.7	100	8.2	162	22.4	3
8/5/24 20:15	8.7	100	8.2	162	22.4	3
8/5/24 20:30	8.6	100	8.2	162	22.5	3
8/5/24 20:45	8.6	99	8.2	162	22.5	3
8/5/24 21:00	8.6	99	8.2	162	22.6	3
8/5/24 21:15	8.6	99	8.2	162	22.6	3
8/5/24 21:30	8.5	99	8.2	162	22.7	3
8/5/24 21:45	8.5	98	8.2	162	22.8	3
8/5/24 22:00	8.5	98	8.2	162	22.8	3
8/5/24 22:15	8.4	98	8.2	162	22.9	3
8/5/24 22:30	8.4	98	8.2	162	22.9	3
8/5/24 22:45	8.4	98	8.2	162	23.0	3
8/5/24 23:00	8.4	98	8.2	162	23.0	3
8/5/24 23:15	8.3	97	8.2	162	23.0	3
8/5/24 23:30	8.3	97	8.2	162	23.1	3
8/5/24 23:45	8.3	97	8.2	162	23.1	3
8/6/24 0:00	8.2	96	8.2	162	23.1	3
8/6/24 0:15	8.2	96	8.2	162	23.1	3
8/6/24 0:30	8.2	96	8.2	162	23.1	3
8/6/24 0:45	8.2	96	8.1	162	23.1	3
8/6/24 1:00	8.2	96	8.2	162	23.1	3
8/6/24 1:15	8.2	96	8.2	162	23.1	3
8/6/24 1:30	8.1	95	8.2	162	23.1	3
8/6/24 1:45	8.1	95	8.2	162	23.1	3
8/6/24 2:00	8.1	95	8.1	162	23.1	3
8/6/24 2:15	8.1	94	8.1	162	23.1	3
8/6/24 2:30	8.1	94	8.1	162	23.1	3
8/6/24 2:45	8.0	94	8.1	162	23.0	3
8/6/24 3:00	8.0	94	8.1	162	23.0	3
8/6/24 3:15	8.0	93	8.1	162	23.0	3
8/6/24 3:30	8.0	93	8.1	162	23.0	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/6/24 3:45	8.0	93	8.1	162	23.0	3
8/6/24 4:00	7.9	92	8.1	162	22.9	3
8/6/24 4:15	7.9	92	8.1	162	22.9	3
8/6/24 4:30	7.9	92	8.1	162	22.9	3
8/6/24 4:45	7.9	92	8.1	162	22.9	3
8/6/24 5:00	7.9	92	8.1	162	22.9	3
8/6/24 5:15	7.9	91	8.1	162	22.8	3
8/6/24 5:30	7.9	91	8.1	162	22.8	4
8/6/24 5:45	7.8	91	8.1	162	22.8	3
8/6/24 6:00	7.8	91	8.1	162	22.8	4
8/6/24 6:15	7.8	91	8.0	162	22.7	3
8/6/24 6:30	7.8	90	8.0	162	22.7	3
8/6/24 6:45	7.8	90	8.0	162	22.7	4
8/6/24 7:00	7.8	90	8.0	162	22.6	3
8/6/24 7:15	7.8	90	8.0	162	22.6	3
8/6/24 7:30	7.7	89	8.0	162	22.6	3
8/6/24 7:45	7.7	89	8.0	162	22.5	3
8/6/24 8:00	7.8	90	8.0	162	22.5	3
8/6/24 8:15	7.8	90	8.0	162	22.5	3
8/6/24 8:30	7.8	90	8.0	162	22.4	3
8/6/24 8:45	7.8	90	8.0	162	22.4	3
8/6/24 9:00	7.8	90	8.0	162	22.4	3
8/6/24 9:15	7.8	90	8.0	162	22.3	3
8/6/24 9:30	7.9	91	8.0	162	22.3	3
8/6/24 9:45	7.9	91	8.0	162	22.3	3
8/6/24 10:00	8.0	92	8.0	162	22.3	4
8/6/24 10:15	8.0	92	8.0	162	22.3	3
8/6/24 10:30	8.0	92	8.0	162	22.3	3
8/6/24 10:45	8.1	93	8.1	162	22.3	3
8/6/24 11:00	8.1	94	8.1	162	22.3	4
8/6/24 11:15	8.2	94	8.1	162	22.4	3
8/6/24 11:30	8.2	95	8.1	162	22.4	3
8/6/24 11:45	8.3	96	8.1	162	22.4	4
8/6/24 12:00	8.3	96	8.1	162	22.5	5
8/6/24 12:15	8.4	97	8.1	162	22.6	4
8/6/24 12:30	8.5	98	8.1	162	22.6	4
8/6/24 12:45	8.5	99	8.1	162	22.7	3
8/6/24 13:00	8.6	100	8.1	162	22.7	4
8/6/24 13:15	8.6	100	8.2	162	22.8	12
8/6/24 13:30	8.7	101	8.2	162	22.8	4
8/6/24 13:45	8.7	101	8.2	162	22.9	4
8/6/24 14:00	8.7	102	8.2	162	22.9	4
8/6/24 14:15	8.8	102	8.2	162	23.0	4
8/6/24 14:30	8.8	103	8.2	162	23.0	4
8/6/24 14:45	8.8	103	8.2	162	23.1	4

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/6/24 15:00	8.8	104	8.2	162	23.1	5
8/6/24 15:15	8.9	104	8.2	162	23.1	5
8/6/24 15:30	8.9	104	8.2	162	23.2	5
8/6/24 15:45	8.9	104	8.2	162	23.2	5
8/6/24 16:00	8.9	104	8.2	162	23.2	6
8/6/24 16:15	8.9	104	8.2	162	23.3	6
8/6/24 16:30	8.9	105	8.2	162	23.3	6
8/6/24 16:45	8.9	105	8.2	162	23.3	6
8/6/24 17:00	8.9	105	8.2	163	23.3	11
8/6/24 17:15	8.9	104	8.2	163	23.3	6
8/6/24 17:30	8.9	104	8.2	163	23.3	6
8/6/24 17:45	8.9	104	8.2	163	23.3	6
8/6/24 18:00	8.9	104	8.2	163	23.3	7
8/6/24 18:15	8.8	104	8.2	163	23.3	7
8/6/24 18:30	8.8	103	8.2	163	23.3	7
8/6/24 18:45	8.8	103	8.2	163	23.3	8
8/6/24 19:00	8.7	102	8.2	163	23.3	9
8/6/24 19:15	8.7	102	8.2	163	23.3	8
8/6/24 19:30	8.7	102	8.2	163	23.4	9
8/6/24 19:45	8.6	101	8.1	163	23.4	8
8/6/24 20:00	8.5	100	8.1	163	23.4	9
8/6/24 20:15	8.5	100	8.1	163	23.4	8
8/6/24 20:30	8.5	100	8.1	163	23.4	9
8/6/24 20:45	8.4	99	8.1	163	23.4	9
8/6/24 21:00	8.4	99	8.1	163	23.4	9
8/6/24 21:15	8.3	98	8.1	163	23.4	9
8/6/24 21:30	8.3	98	8.1	163	23.4	9
8/6/24 21:45	8.3	98	8.1	163	23.5	9
8/6/24 22:00	8.2	97	8.1	163	23.5	9
8/6/24 22:15	8.2	97	8.1	163	23.5	9
8/6/24 22:30	8.2	96	8.0	163	23.5	9
8/6/24 22:45	8.2	96	8.1	163	23.5	9
8/6/24 23:00	8.1	95	8.0	163	23.5	9
8/6/24 23:15	8.1	96	8.0	163	23.5	10
8/6/24 23:30	8.1	95	8.0	163	23.5	10
8/6/24 23:45	8.0	95	8.0	163	23.5	10
8/7/24 0:00	8.0	94	8.0	163	23.5	10
8/7/24 0:15	8.0	94	8.0	163	23.5	9
8/7/24 0:30	8.0	94	8.0	163	23.5	10
8/7/24 0:45	8.0	94	8.0	163	23.5	10
8/7/24 1:00	7.9	93	8.0	163	23.5	10
8/7/24 1:15	8.0	93	8.0	163	23.4	9
8/7/24 1:30	7.9	93	8.0	163	23.4	9
8/7/24 1:45	7.9	93	8.0	163	23.4	9
8/7/24 2:00	7.9	93	8.0	163	23.4	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/7/24 2:15	7.9	92	8.0	163	23.3	9
8/7/24 2:30	7.9	92	8.0	163	23.3	9
8/7/24 2:45	7.9	92	8.0	163	23.3	9
8/7/24 3:00	7.8	92	8.0	163	23.2	9
8/7/24 3:15	7.8	92	8.0	163	23.2	9
8/7/24 3:30	7.8	92	8.0	163	23.2	9
8/7/24 3:45	7.8	92	8.0	163	23.2	9
8/7/24 4:00	7.8	91	8.0	163	23.1	8
8/7/24 4:15	7.8	91	8.0	163	23.1	9
8/7/24 4:30	7.8	91	8.0	163	23.1	9
8/7/24 4:45	7.8	91	8.0	163	23.0	9
8/7/24 5:00	7.8	91	8.0	163	23.0	9
8/7/24 5:15	7.8	90	8.0	163	23.0	9
8/7/24 5:30	7.7	90	8.0	163	22.9	9
8/7/24 5:45	7.7	90	8.0	163	22.9	9
8/7/24 6:00	7.7	90	8.0	163	22.9	9
8/7/24 6:15	7.7	90	8.0	163	22.8	9
8/7/24 6:30	7.7	90	8.0	164	22.8	8
8/7/24 6:45	7.7	90	8.0	164	22.8	9
8/7/24 7:00	7.7	89	8.0	164	22.8	9
8/7/24 7:15	7.7	89	7.9	164	22.7	8
8/7/24 7:30	7.7	89	7.9	164	22.7	9
8/7/24 7:45	7.7	89	8.0	164	22.7	8
8/7/24 8:00	7.7	89	7.9	164	22.6	9
8/7/24 8:15	7.7	89	8.0	164	22.6	8
8/7/24 8:30	7.7	89	8.0	164	22.6	8
8/7/24 8:45	7.7	89	7.9	164	22.6	8
8/7/24 9:00	7.7	90	8.0	164	22.6	8
8/7/24 9:15	7.8	90	7.9	164	22.6	8
8/7/24 9:30	7.8	90	8.0	164	22.6	8
8/7/24 9:45	7.8	91	8.0	164	22.6	9
8/7/24 10:00	7.9	91	8.0	164	22.6	8
8/7/24 10:15	7.9	92	8.0	164	22.6	8
8/7/24 10:30	8.0	92	8.0	164	22.6	9
8/7/24 10:45	8.0	93	8.0	164	22.7	11
8/7/24 11:00	8.0	93	8.0	164	22.7	8
8/7/24 11:15	8.1	94	8.0	164	22.7	8
8/7/24 11:30	8.2	95	8.0	164	22.8	8
8/7/24 11:45	8.2	95	8.0	164	22.8	8
8/7/24 12:00	8.3	96	8.0	164	22.8	9
8/7/24 12:15	8.3	96	8.0	164	22.9	8
8/7/24 12:30	8.4	97	8.0	164	22.9	9
8/7/24 12:45	8.4	98	8.1	164	22.9	8
8/7/24 13:00	8.4	98	8.1	164	23.0	8
8/7/24 13:15	8.5	99	8.1	164	23.0	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/7/24 13:30	8.5	100	8.1	164	23.0	8
8/7/24 13:45	8.6	100	8.1	164	23.1	8
8/7/24 14:00	8.6	100	8.1	164	23.1	12
8/7/24 14:15	8.7	101	8.1	164	23.2	8
8/7/24 14:30	8.7	102	8.1	164	23.2	9
8/7/24 14:45	8.7	102	8.1	164	23.2	8
8/7/24 15:00	8.7	102	8.1	164	23.2	9
8/7/24 15:15	8.8	103	8.1	164	23.2	8
8/7/24 15:30	8.8	103	8.2	164	23.3	8
8/7/24 15:45	8.8	103	8.1	164	23.3	8
8/7/24 16:00	8.8	103	8.2	164	23.3	12
8/7/24 16:15	8.8	104	8.2	164	23.3	9
8/7/24 16:30	8.8	104	8.2	164	23.4	8
8/7/24 16:45	8.9	104	8.2	164	23.4	9
8/7/24 17:00	8.9	104	8.2	164	23.4	10
8/7/24 17:15	8.8	104	8.2	164	23.4	9
8/7/24 17:30	8.9	104	8.2	164	23.4	9
8/7/24 17:45	8.9	104	8.2	164	23.4	9
8/7/24 18:00	8.9	104	8.2	164	23.4	9
8/7/24 18:15	8.8	104	8.2	164	23.4	9
8/7/24 18:30	8.8	103	8.2	164	23.4	9
8/7/24 18:45	8.8	103	8.2	164	23.4	9
8/7/24 19:00	8.8	103	8.2	164	23.4	9
8/7/24 19:15	8.8	103	8.2	164	23.4	9
8/7/24 19:30	8.7	102	8.2	164	23.4	9
8/7/24 19:45	8.7	102	8.2	164	23.4	10
8/7/24 20:00	8.7	102	8.2	164	23.4	9
8/7/24 20:15	8.6	101	8.1	164	23.4	9
8/7/24 20:30	8.6	101	8.1	164	23.4	10
8/7/24 20:45	8.6	101	8.2	164	23.5	9
8/7/24 21:00	8.5	100	8.1	164	23.5	10
8/7/24 21:15	8.5	100	8.1	164	23.5	9
8/7/24 21:30	8.5	100	8.1	164	23.5	10
8/7/24 21:45	8.5	100	8.1	164	23.5	9
8/7/24 22:00	8.4	99	8.1	164	23.5	9
8/7/24 22:15	8.4	99	8.1	164	23.5	10
8/7/24 22:30	8.3	98	8.1	164	23.6	10
8/7/24 22:45	8.3	98	8.1	164	23.6	10
8/7/24 23:00	8.3	98	8.1	164	23.6	10
8/7/24 23:15	8.3	98	8.1	164	23.6	10
8/7/24 23:30	8.3	98	8.1	164	23.6	9
8/7/24 23:45	8.2	97	8.1	164	23.6	10
8/8/24 0:00	8.2	97	8.1	164	23.6	9
8/8/24 0:15	8.2	97	8.1	164	23.6	9
8/8/24 0:30	8.1	95	8.1	164	23.6	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/8/24 0:45	8.2	96	8.1	164	23.5	9
8/8/24 1:00	8.1	96	8.1	164	23.5	9
8/8/24 1:15	8.1	96	8.1	164	23.5	10
8/8/24 1:30	8.1	95	8.1	164	23.5	9
8/8/24 1:45	8.1	95	8.1	164	23.5	10
8/8/24 2:00	8.1	95	8.1	165	23.5	10
8/8/24 2:15	8.0	94	8.1	164	23.5	9
8/8/24 2:30	8.0	94	8.1	165	23.4	9
8/8/24 2:45	8.0	94	8.1	165	23.4	9
8/8/24 3:00	8.0	94	8.1	165	23.4	9
8/8/24 3:15	8.0	93	8.1	165	23.4	8
8/8/24 3:30	8.0	93	8.1	165	23.3	9
8/8/24 3:45	7.9	92	8.1	165	23.3	9
8/8/24 4:00	7.9	93	8.1	165	23.3	9
8/8/24 4:15	7.9	93	8.1	165	23.3	10
8/8/24 4:30	7.9	92	8.1	165	23.2	9
8/8/24 4:45	7.9	92	8.1	165	23.2	9
8/8/24 5:00	7.9	92	8.1	165	23.2	9
8/8/24 5:15	7.8	92	8.0	165	23.1	9
8/8/24 5:30	7.8	92	8.1	165	23.1	9
8/8/24 5:45	7.8	91	8.0	165	23.1	9
8/8/24 6:00	7.8	91	8.0	165	23.0	11
8/8/24 6:15	7.8	91	8.0	165	23.0	8
8/8/24 6:30	7.8	91	8.0	165	23.0	9
8/8/24 6:45	7.7	90	8.0	165	22.9	10
8/8/24 7:00	7.8	90	8.0	165	22.9	9
8/8/24 7:15	7.8	90	8.0	165	22.9	9
8/8/24 7:30	7.7	90	8.0	165	22.8	9
8/8/24 7:45	7.7	90	8.0	165	22.8	11
8/8/24 8:00	7.7	90	8.0	165	22.8	12
8/8/24 8:15	7.8	90	8.0	165	22.8	9
8/8/24 8:30	7.7	90	8.0	165	22.7	9
8/8/24 8:45	7.7	90	8.0	165	22.7	8
8/8/24 9:00	7.8	90	8.0	165	22.7	8
8/8/24 9:15	7.8	91	8.0	165	22.7	9
8/8/24 9:30	7.9	91	8.0	165	22.7	9
8/8/24 9:45	7.9	92	8.0	165	22.7	8
8/8/24 10:00	7.9	92	8.0	165	22.7	9
8/8/24 10:15	8.0	92	8.0	165	22.7	8
8/8/24 10:30	8.0	93	8.0	165	22.8	9
8/8/24 10:45	8.1	94	8.0	165	22.8	8
8/8/24 11:00	8.1	94	8.0	165	22.8	8
8/8/24 11:15	8.2	95	8.1	165	22.9	8
8/8/24 11:30	8.2	96	8.1	165	22.9	8
8/8/24 11:45	8.3	97	8.1	165	22.9	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/8/24 12:00	8.3	97	8.1	165	23.0	8
8/8/24 12:15	8.4	98	8.1	165	23.0	8
8/8/24 12:30	8.4	98	8.1	165	23.1	8
8/8/24 12:45	8.5	99	8.1	165	23.1	9
8/8/24 13:00	8.5	99	8.1	165	23.2	8
8/8/24 13:15	8.6	100	8.1	165	23.2	8
8/8/24 13:30	8.6	101	8.1	165	23.2	9
8/8/24 13:45	8.7	101	8.1	165	23.2	9
8/8/24 14:00	8.7	102	8.2	165	23.3	8
8/8/24 14:15	8.7	102	8.2	165	23.3	15
8/8/24 14:30	8.8	103	8.2	165	23.4	8
8/8/24 14:45	8.8	103	8.2	165	23.4	11
8/8/24 15:00	8.8	104	8.2	165	23.4	9
8/8/24 15:15	8.9	104	8.2	165	23.4	9
8/8/24 15:30	8.9	105	8.2	165	23.4	8
8/8/24 15:45	8.9	105	8.2	165	23.4	9
8/8/24 16:00	8.9	105	8.2	165	23.4	9
8/8/24 16:15	9.0	105	8.2	165	23.4	9
8/8/24 16:30	8.9	105	8.2	165	23.4	8
8/8/24 16:45	9.0	106	8.2	165	23.4	9
8/8/24 17:00	9.0	106	8.2	165	23.4	22
8/8/24 17:15	9.0	106	8.3	165	23.4	9
8/8/24 17:30	9.0	106	8.3	165	23.4	9
8/8/24 17:45	8.9	105	8.2	165	23.4	8
8/8/24 18:00	9.0	106	8.3	165	23.4	10
8/8/24 18:15	9.0	106	8.2	165	23.4	9
8/8/24 18:30	9.0	105	8.2	165	23.4	10
8/8/24 18:45	8.9	105	8.3	165	23.4	10
8/8/24 19:00	8.9	105	8.2	165	23.4	9
8/8/24 19:15	8.9	104	8.2	165	23.4	9
8/8/24 19:30	8.8	104	8.2	165	23.4	9
8/8/24 19:45	8.8	104	8.2	165	23.4	10
8/8/24 20:00	8.8	103	8.2	165	23.4	9
8/8/24 20:15	8.8	103	8.2	165	23.4	9
8/8/24 20:30	8.7	102	8.2	165	23.4	10
8/8/24 20:45	8.7	102	8.2	165	23.4	10
8/8/24 21:00	8.6	101	8.2	165	23.4	8
8/8/24 21:15	8.6	101	8.2	165	23.4	8
8/8/24 21:30	8.6	101	8.2	165	23.4	9
8/8/24 21:45	8.6	101	8.2	165	23.4	9
8/8/24 22:00	8.5	100	8.2	165	23.4	9
8/8/24 22:15	8.5	100	8.2	165	23.4	9
8/8/24 22:30	8.5	100	8.2	165	23.4	9
8/8/24 22:45	8.4	99	8.2	165	23.5	9
8/8/24 23:00	8.3	98	8.2	165	23.5	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/8/24 23:15	8.4	99	8.2	165	23.5	9
8/8/24 23:30	8.4	98	8.2	165	23.5	9
8/8/24 23:45	8.3	98	8.2	165	23.5	10
8/9/24 0:00	8.3	98	8.2	165	23.5	9
8/9/24 0:15	8.3	98	8.2	165	23.5	10
8/9/24 0:30	8.3	97	8.2	165	23.5	9
8/9/24 0:45	8.2	97	8.2	165	23.5	10
8/9/24 1:00	8.2	97	8.1	165	23.5	11
8/9/24 1:15	8.2	96	8.2	165	23.5	9
8/9/24 1:30	8.2	96	8.2	165	23.5	10
8/9/24 1:45	8.1	96	8.2	165	23.4	10
8/9/24 2:00	8.1	96	8.1	165	23.4	10
8/9/24 2:15	8.1	95	8.1	165	23.4	10
8/9/24 2:30	8.1	95	8.1	165	23.4	9
8/9/24 2:45	8.1	95	8.1	165	23.4	10
8/9/24 3:00	8.0	94	8.1	165	23.4	10
8/9/24 3:15	8.0	94	8.1	165	23.3	10
8/9/24 3:30	8.0	94	8.1	165	23.3	10
8/9/24 3:45	8.0	93	8.1	165	23.3	10
8/9/24 4:00	7.9	92	8.1	165	23.2	10
8/9/24 4:15	7.9	92	8.1	165	23.2	10
8/9/24 4:30	7.9	92	8.1	165	23.2	10
8/9/24 4:45	7.9	92	8.1	165	23.2	9
8/9/24 5:00	7.9	92	8.1	165	23.1	10
8/9/24 5:15	7.8	92	8.1	165	23.1	10
8/9/24 5:30	7.8	91	8.1	165	23.1	10
8/9/24 5:45	7.8	91	8.1	165	23.0	11
8/9/24 6:00	7.8	91	8.0	165	23.0	17
8/9/24 6:15	7.8	91	8.0	165	23.0	12
8/9/24 6:30	7.8	91	8.0	165	23.0	10
8/9/24 6:45	7.8	90	8.0	165	22.9	11
8/9/24 7:00	7.7	90	8.0	165	22.9	11
8/9/24 7:15	7.8	90	8.0	165	22.9	11
8/9/24 7:30	7.7	90	8.0	165	22.8	11
8/9/24 7:45	7.7	90	8.0	165	22.8	10
8/9/24 8:00	7.7	89	8.0	165	22.8	12
8/9/24 8:15	7.7	89	8.0	165	22.7	10
8/9/24 8:30	7.7	89	8.0	165	22.7	13
8/9/24 8:45	7.7	89	8.0	165	22.7	11
8/9/24 9:00	7.7	89	8.0	165	22.6	10
8/9/24 9:15	7.7	90	8.0	165	22.6	11
8/9/24 9:30	7.8	90	8.0	165	22.6	12
8/9/24 9:45	7.8	90	8.0	165	22.6	9
8/9/24 10:00	7.8	90	8.0	165	22.5	9
8/9/24 10:15	7.8	91	8.0	165	22.5	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/9/24 10:30	7.8	90	8.0	165	22.5	9
8/9/24 10:45	7.9	92	8.0	166	22.5	9
8/9/24 11:00	8.0	92	8.0	166	22.5	9
8/9/24 11:15	8.0	92	8.0	166	22.5	8
8/9/24 11:30	8.1	93	8.0	166	22.6	9
8/9/24 11:45	8.1	94	8.0	166	22.6	8
8/9/24 12:00	8.2	95	8.0	166	22.6	8
8/9/24 12:15	8.2	95	8.1	166	22.7	9
8/9/24 12:30	8.3	96	8.1	166	22.8	8
8/9/24 12:45	8.3	97	8.1	166	22.8	13
8/9/24 13:00	8.4	98	8.1	166	22.9	9
8/9/24 13:15	8.5	99	8.1	166	22.9	84
8/9/24 13:30	8.6	100	8.1	166	23.0	9
8/9/24 13:45	8.6	101	8.1	166	23.0	9
8/9/24 14:00	8.7	101	8.2	166	23.1	10
8/9/24 14:15	8.7	102	8.2	166	23.1	10
8/9/24 14:30	8.8	103	8.2	166	23.2	9
8/9/24 14:45	8.8	103	8.2	166	23.2	8
8/9/24 15:00	8.9	104	8.2	166	23.2	9
8/9/24 15:15	8.8	103	8.2	166	23.2	8
8/9/24 15:30	9.0	105	8.2	166	23.2	8
8/9/24 15:45	9.0	105	8.2	166	23.2	8
8/9/24 16:00	9.0	106	8.2	166	23.3	8
8/9/24 16:15	9.1	106	8.3	166	23.3	8
8/9/24 16:30	9.1	106	8.3	166	23.3	9
8/9/24 16:45	9.1	107	8.3	166	23.3	9
8/9/24 17:00	9.1	107	8.3	166	23.3	8
8/9/24 17:15	9.1	107	8.3	166	23.2	8
8/9/24 17:30	9.1	107	8.3	166	23.2	8
8/9/24 17:45	9.1	106	8.3	166	23.2	9
8/9/24 18:00	9.1	106	8.3	166	23.2	8
8/9/24 18:15	9.1	106	8.3	166	23.1	8
8/9/24 18:30	9.1	106	8.3	166	23.1	8
8/9/24 18:45	9.0	105	8.2	166	23.1	8
8/9/24 19:00	9.0	105	8.3	166	23.1	8
8/9/24 19:15	9.0	105	8.2	166	23.1	8
8/9/24 19:30	9.0	105	8.2	166	23.1	9
8/9/24 19:45	8.9	104	8.2	166	23.1	8
8/9/24 20:00	8.9	104	8.2	166	23.1	8
8/9/24 20:15	8.9	104	8.2	166	23.1	9
8/9/24 20:30	8.8	103	8.2	166	23.1	9
8/9/24 20:45	8.8	103	8.2	166	23.1	10
8/9/24 21:00	8.8	103	8.2	166	23.1	9
8/9/24 21:15	8.8	102	8.2	166	23.1	9
8/9/24 21:30	8.7	102	8.2	166	23.1	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/9/24 21:45	8.7	102	8.2	166	23.1	9
8/9/24 22:00	8.7	101	8.2	166	23.1	10
8/9/24 22:15	8.6	101	8.2	166	23.1	9
8/9/24 22:30	8.6	101	8.2	166	23.1	8
8/9/24 22:45	8.6	101	8.2	166	23.1	9
8/9/24 23:00	8.6	100	8.2	166	23.1	10
8/9/24 23:15	8.5	99	8.2	166	23.2	9
8/9/24 23:30	8.5	100	8.2	166	23.1	10
8/9/24 23:45	8.5	99	8.2	166	23.2	10
8/10/24 0:00	8.5	99	8.2	166	23.2	9
8/10/24 0:15	8.5	99	8.2	166	23.1	9
8/10/24 0:30	8.4	98	8.2	166	23.2	10
8/10/24 0:45	8.4	98	8.2	166	23.2	10
8/10/24 1:00	8.4	98	8.2	166	23.1	10
8/10/24 1:15	8.3	98	8.2	166	23.1	10
8/10/24 1:30	8.3	97	8.2	166	23.1	10
8/10/24 1:45	8.3	97	8.2	166	23.1	10
8/10/24 2:00	8.2	96	8.2	166	23.1	11
8/10/24 2:15	8.2	96	8.2	166	23.1	10
8/10/24 2:30	8.2	96	8.2	166	23.0	10
8/10/24 2:45	8.2	95	8.2	166	23.0	10
8/10/24 3:00	8.2	95	8.2	166	23.0	10
8/10/24 3:15	8.1	95	8.1	166	23.0	11
8/10/24 3:30	8.1	94	8.1	166	23.0	10
8/10/24 3:45	8.1	94	8.1	166	22.9	10
8/10/24 4:00	8.1	94	8.1	166	22.9	10
8/10/24 4:15	8.0	94	8.1	166	22.9	11
8/10/24 4:30	8.0	93	8.1	166	22.9	10
8/10/24 4:45	8.0	93	8.1	166	22.9	10
8/10/24 5:00	8.0	93	8.1	166	22.8	11
8/10/24 5:15	8.0	92	8.1	166	22.8	11
8/10/24 5:30	8.0	92	8.1	166	22.8	9
8/10/24 5:45	7.9	92	8.1	166	22.7	11
8/10/24 6:00	7.9	92	8.1	166	22.7	11
8/10/24 6:15	7.9	92	8.1	166	22.7	11
8/10/24 6:30	7.9	92	8.1	166	22.7	10
8/10/24 6:45	7.9	92	8.1	166	22.6	12
8/10/24 7:00	7.9	91	8.0	166	22.6	10
8/10/24 7:15	7.9	91	8.0	166	22.6	12
8/10/24 7:30	7.8	91	8.0	166	22.6	10
8/10/24 7:45	7.8	91	8.0	166	22.5	17
8/10/24 8:00	7.8	90	8.0	166	22.5	10
8/10/24 8:15	7.8	90	8.0	166	22.5	10
8/10/24 8:30	7.8	91	8.0	166	22.5	11
8/10/24 8:45	7.8	90	8.0	166	22.5	12

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/10/24 9:00	7.9	91	8.0	166	22.4	9
8/10/24 9:15	7.8	90	8.0	166	22.4	9
8/10/24 9:30	7.9	91	8.0	166	22.4	9
8/10/24 9:45	7.9	91	8.0	166	22.4	9
8/10/24 10:00	7.9	91	8.0	166	22.4	9
8/10/24 10:15	7.9	92	8.0	166	22.4	8
8/10/24 10:30	8.0	92	8.0	166	22.4	8
8/10/24 10:45	8.0	92	8.0	166	22.4	9
8/10/24 11:00	8.0	92	8.0	166	22.3	8
8/10/24 11:15	8.1	93	8.1	166	22.4	8
8/10/24 11:30	8.2	94	8.1	166	22.4	8
8/10/24 11:45	8.2	95	8.1	166	22.4	8
8/10/24 12:00	8.3	96	8.1	166	22.4	54
8/10/24 12:15	8.3	96	8.1	166	22.4	8
8/10/24 12:30	8.4	97	8.1	166	22.5	8
8/10/24 12:45	8.4	98	8.1	166	22.5	7
8/10/24 13:00	8.5	98	8.1	166	22.5	10
8/10/24 13:15	8.6	99	8.1	166	22.6	8
8/10/24 13:30	8.7	100	8.2	166	22.7	10
8/10/24 13:45	8.7	101	8.2	166	22.8	8
8/10/24 14:00	8.8	102	8.2	166	22.8	9
8/10/24 14:15	8.8	103	8.2	166	22.9	7
8/10/24 14:30	8.9	104	8.2	166	23.0	7
8/10/24 14:45	8.9	104	8.2	166	23.0	7
8/10/24 15:00	9.0	105	8.2	166	23.0	9
8/10/24 15:15	9.0	105	8.2	166	23.1	8
8/10/24 15:30	9.1	106	8.2	166	23.1	8
8/10/24 15:45	9.1	106	8.2	166	23.1	7
8/10/24 16:00	9.1	107	8.2	166	23.1	13
8/10/24 16:15	9.2	107	8.3	166	23.1	7
8/10/24 16:30	9.2	107	8.3	166	23.1	8
8/10/24 16:45	9.2	108	8.3	166	23.1	8
8/10/24 17:00	9.2	108	8.3	166	23.1	8
8/10/24 17:15	9.2	108	8.3	166	23.1	8
8/10/24 17:30	9.2	108	8.3	166	23.0	8
8/10/24 17:45	9.2	108	8.3	166	23.0	7
8/10/24 18:00	9.2	107	8.3	166	23.0	7
8/10/24 18:15	9.2	107	8.3	166	23.0	7
8/10/24 18:30	9.2	107	8.3	166	23.0	7
8/10/24 18:45	9.2	107	8.3	166	23.0	8
8/10/24 19:00	9.2	107	8.3	166	23.0	7
8/10/24 19:15	9.1	106	8.3	166	23.0	8
8/10/24 19:30	9.1	106	8.3	166	22.9	8
8/10/24 19:45	9.1	106	8.3	166	22.9	8
8/10/24 20:00	9.0	105	8.3	166	22.9	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/10/24 20:15	8.8	103	8.3	166	23.0	8
8/10/24 20:30	8.9	104	8.3	166	23.0	8
8/10/24 20:45	8.9	104	8.3	166	23.0	8
8/10/24 21:00	8.9	104	8.3	166	23.0	7
8/10/24 21:15	8.9	103	8.3	166	23.0	7
8/10/24 21:30	8.8	103	8.2	166	23.0	8
8/10/24 21:45	8.8	103	8.2	166	23.0	7
8/10/24 22:00	8.8	102	8.3	166	23.0	8
8/10/24 22:15	8.8	102	8.2	166	23.0	8
8/10/24 22:30	8.7	102	8.2	166	23.0	8
8/10/24 22:45	8.7	102	8.3	166	23.0	8
8/10/24 23:00	8.7	102	8.2	166	23.0	8
8/10/24 23:15	8.7	101	8.2	166	23.0	8
8/10/24 23:30	8.7	101	8.3	166	23.0	8
8/10/24 23:45	8.6	101	8.2	166	23.0	8
8/11/24 0:00	8.6	100	8.2	166	23.1	9
8/11/24 0:15	8.6	100	8.3	166	23.1	9
8/11/24 0:30	8.5	100	8.2	166	23.1	8
8/11/24 0:45	8.5	99	8.2	166	23.1	8
8/11/24 1:00	8.5	99	8.2	166	23.0	9
8/11/24 1:15	8.4	98	8.2	166	23.0	9
8/11/24 1:30	8.4	98	8.2	166	23.0	8
8/11/24 1:45	8.4	98	8.2	166	23.0	8
8/11/24 2:00	8.4	98	8.2	166	23.0	9
8/11/24 2:15	8.3	97	8.2	166	23.0	10
8/11/24 2:30	8.3	97	8.2	166	23.0	10
8/11/24 2:45	8.3	96	8.2	166	22.9	8
8/11/24 3:00	8.3	96	8.2	166	22.9	9
8/11/24 3:15	8.2	96	8.2	166	22.9	9
8/11/24 3:30	8.2	95	8.2	166	22.9	9
8/11/24 3:45	8.2	95	8.2	166	22.8	9
8/11/24 4:00	8.2	95	8.2	167	22.8	8
8/11/24 4:15	8.1	94	8.2	166	22.8	9
8/11/24 4:30	8.1	94	8.2	167	22.7	9
8/11/24 4:45	8.1	94	8.1	167	22.7	10
8/11/24 5:00	8.1	94	8.1	167	22.7	9
8/11/24 5:15	8.1	93	8.1	167	22.7	10
8/11/24 5:30	8.0	93	8.1	167	22.7	9
8/11/24 5:45	8.0	93	8.1	167	22.6	9
8/11/24 6:00	8.0	93	8.1	167	22.6	10
8/11/24 6:15	8.0	92	8.1	167	22.6	11
8/11/24 6:30	8.0	92	8.1	167	22.6	10
8/11/24 6:45	8.0	92	8.1	167	22.6	11
8/11/24 7:00	7.9	92	8.1	167	22.5	9
8/11/24 7:15	7.9	92	8.1	167	22.5	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/11/24 7:30	7.9	91	8.1	167	22.5	10
8/11/24 7:45	7.9	91	8.1	167	22.5	10
8/11/24 8:00	7.9	91	8.1	167	22.4	11
8/11/24 8:15	7.9	91	8.1	167	22.4	9
8/11/24 8:30	7.9	91	8.1	167	22.4	9
8/11/24 8:45	7.9	91	8.1	167	22.4	9
8/11/24 9:00	7.9	91	8.1	167	22.4	9
8/11/24 9:15	7.9	91	8.1	167	22.4	8
8/11/24 9:30	8.0	92	8.1	167	22.4	9
8/11/24 9:45	8.0	92	8.1	167	22.3	7
8/11/24 10:00	8.0	92	8.1	167	22.4	7
8/11/24 10:15	8.1	93	8.1	167	22.4	7
8/11/24 10:30	8.1	93	8.1	167	22.4	7
8/11/24 10:45	8.1	94	8.1	167	22.4	7
8/11/24 11:00	8.2	95	8.1	167	22.5	8
8/11/24 11:15	8.2	95	8.1	167	22.5	7
8/11/24 11:30	8.3	96	8.1	167	22.5	7
8/11/24 11:45	8.4	97	8.1	167	22.6	9
8/11/24 12:00	8.5	98	8.2	167	22.6	8
8/11/24 12:15	8.5	98	8.1	167	22.7	8
8/11/24 12:30	8.6	100	8.2	167	22.7	7
8/11/24 12:45	8.7	101	8.2	167	22.8	7
8/11/24 13:00	8.7	101	8.2	167	22.9	15
8/11/24 13:15	8.8	102	8.2	167	22.9	6
8/11/24 13:30	8.8	103	8.2	167	22.9	7
8/11/24 13:45	8.9	103	8.2	167	22.9	7
8/11/24 14:00	8.9	104	8.2	166	23.0	8
8/11/24 14:15	9.0	105	8.2	166	23.0	7
8/11/24 14:30	9.0	105	8.3	166	23.0	7
8/11/24 14:45	9.0	106	8.2	166	23.1	7
8/11/24 15:00	9.1	106	8.3	166	23.1	7
8/11/24 15:15	9.1	107	8.3	166	23.1	7
8/11/24 15:30	9.2	107	8.3	166	23.1	9
8/11/24 15:45	9.2	107	8.3	166	23.1	7
8/11/24 16:00	9.2	108	8.3	166	23.1	9
8/11/24 16:15	9.2	108	8.3	166	23.1	7
8/11/24 16:30	9.3	108	8.3	166	23.1	10
8/11/24 16:45	9.2	108	8.3	166	23.1	7
8/11/24 17:00	9.3	109	8.3	166	23.1	6
8/11/24 17:15	9.3	109	8.3	166	23.1	8
8/11/24 17:30	9.3	109	8.3	166	23.1	7
8/11/24 17:45	9.3	109	8.3	166	23.0	7
8/11/24 18:00	9.3	109	8.3	166	23.0	8
8/11/24 18:15	9.3	109	8.4	166	23.0	8
8/11/24 18:30	9.3	109	8.3	166	23.0	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/11/24 18:45	9.3	108	8.3	166	23.0	8
8/11/24 19:00	9.3	108	8.3	166	23.0	7
8/11/24 19:15	9.2	107	8.3	166	23.0	7
8/11/24 19:30	9.2	107	8.3	166	23.0	7
8/11/24 19:45	9.2	107	8.3	166	23.0	9
8/11/24 20:00	9.1	106	8.3	166	23.0	9
8/11/24 20:15	9.1	106	8.3	166	23.0	7
8/11/24 20:30	9.0	105	8.3	166	23.0	7
8/11/24 20:45	9.0	105	8.3	166	23.0	7
8/11/24 21:00	9.0	105	8.3	166	23.0	8
8/11/24 21:15	8.9	104	8.3	166	23.0	7
8/11/24 21:30	8.9	104	8.3	166	23.0	7
8/11/24 21:45	8.9	104	8.3	166	23.0	8
8/11/24 22:00	8.8	103	8.3	166	23.0	11
8/11/24 22:15	8.8	103	8.3	166	23.0	7
8/11/24 22:30	8.8	102	8.3	166	23.0	8
8/11/24 22:45	8.8	102	8.3	166	23.0	7
8/11/24 23:00	8.7	102	8.3	166	23.1	7
8/11/24 23:15	8.7	102	8.3	166	23.1	8
8/11/24 23:30	8.7	101	8.3	166	23.1	8
8/11/24 23:45	8.6	101	8.3	166	23.1	8
8/12/24 0:00	8.6	101	8.3	166	23.1	9
8/12/24 0:15	8.6	100	8.3	166	23.1	8
8/12/24 0:30	8.6	100	8.3	166	23.1	8
8/12/24 0:45	8.5	100	8.3	166	23.1	8
8/12/24 1:00	8.5	99	8.3	166	23.1	7
8/12/24 1:15	8.4	99	8.3	166	23.1	8
8/12/24 1:30	8.4	98	8.3	166	23.1	8
8/12/24 1:45	8.4	98	8.2	166	23.1	8
8/12/24 2:00	8.4	98	8.2	166	23.1	8
8/12/24 2:15	8.3	97	8.2	166	23.1	9
8/12/24 2:30	8.3	97	8.2	166	23.0	9
8/12/24 2:45	8.3	97	8.2	166	23.0	8
8/12/24 3:00	8.3	96	8.2	166	23.0	9
8/12/24 3:15	8.2	96	8.2	166	22.9	9
8/12/24 3:30	8.2	96	8.2	166	22.9	8
8/12/24 3:45	8.2	95	8.2	166	22.9	9
8/12/24 4:00	8.2	95	8.2	166	22.8	9
8/12/24 4:15	8.1	94	8.2	166	22.8	9
8/12/24 4:30	8.1	94	8.2	166	22.8	10
8/12/24 4:45	8.1	94	8.2	166	22.7	9
8/12/24 5:00	8.0	93	8.2	166	22.7	9
8/12/24 5:15	8.0	93	8.1	166	22.6	9
8/12/24 5:30	8.0	93	8.1	166	22.6	9
8/12/24 5:45	8.0	92	8.1	166	22.6	10

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/12/24 6:00	8.0	92	8.1	166	22.5	10
8/12/24 6:15	8.0	92	8.1	166	22.5	9
8/12/24 6:30	8.0	92	8.1	166	22.5	9
8/12/24 6:45	8.0	92	8.1	166	22.4	10
8/12/24 7:00	7.9	92	8.1	166	22.4	9
8/12/24 7:15	7.9	91	8.1	166	22.4	8
8/12/24 7:30	7.9	91	8.1	166	22.4	9
8/12/24 7:45	7.9	91	8.1	166	22.4	11
8/12/24 8:00	7.9	91	8.1	166	22.3	9
8/12/24 8:15	7.9	91	8.1	166	22.3	9
8/12/24 8:30	7.9	91	8.1	166	22.3	9
8/12/24 8:45	7.9	91	8.1	166	22.3	10
8/12/24 9:00	7.9	91	8.1	166	22.2	9
8/12/24 9:15	7.9	91	8.1	166	22.2	9
8/12/24 9:30	8.0	91	8.1	166	22.2	8
8/12/24 9:45	8.0	92	8.1	166	22.2	9
8/12/24 10:00	8.0	92	8.1	166	22.2	8
8/12/24 10:15	8.0	92	8.1	166	22.2	7
8/12/24 10:30	8.1	92	8.1	166	22.2	8
8/12/24 10:45	8.1	93	8.1	166	22.2	7
8/12/24 11:00	8.1	93	8.1	166	22.2	9
8/12/24 11:15	8.2	94	8.1	166	22.2	8
8/12/24 11:30	8.2	94	8.1	166	22.2	10
8/12/24 11:45	8.2	95	8.1	166	22.1	8
8/12/24 12:00						
8/12/24 12:15	8.3	95	8.1	166	22.0	7
8/12/24 12:30						
8/12/24 12:45						
8/12/24 13:00	8.4	96	8.1	166	22.0	6
8/12/24 13:15	8.4	96	8.1	166	22.0	5
8/12/24 13:30	8.4	96	8.1	166	22.0	5
8/12/24 13:45	8.5	97	8.1	166	22.0	5
8/12/24 14:00	8.5	97	8.1	166	22.0	5
8/12/24 14:15	8.5	98	8.1	166	21.9	5
8/12/24 14:30	8.5	97	8.1	166	21.9	5
8/12/24 14:45	8.6	98	8.2	166	21.9	5
8/12/24 15:00	8.6	98	8.2	166	21.9	5
8/12/24 15:15	8.6	98	8.2	166	21.8	5
8/12/24 15:30	8.7	99	8.2	166	21.8	5
8/12/24 15:45	8.7	99	8.2	166	21.8	5
8/12/24 16:00	8.8	100	8.2	166	21.8	5
8/12/24 16:15	8.8	100	8.2	166	21.8	5
8/12/24 16:30	8.8	101	8.2	166	21.8	6
8/12/24 16:45	8.9	101	8.2	166	21.8	5
8/12/24 17:00	8.9	102	8.2	166	21.8	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/12/24 17:15	8.9	102	8.2	166	21.8	5
8/12/24 17:30	9.0	102	8.2	166	21.8	5
8/12/24 17:45	9.0	103	8.2	166	21.8	5
8/12/24 18:00	9.0	103	8.2	165	21.8	5
8/12/24 18:15	9.0	103	8.3	165	21.8	5
8/12/24 18:30	9.0	103	8.3	165	21.8	5
8/12/24 18:45	9.0	103	8.3	165	21.8	5
8/12/24 19:00	9.1	103	8.3	165	21.8	6
8/12/24 19:15	9.1	104	8.3	165	21.8	5
8/12/24 19:30	9.1	104	8.3	165	21.8	5
8/12/24 19:45	9.1	103	8.3	165	21.8	5
8/12/24 20:00	9.0	103	8.3	165	21.8	5
8/12/24 20:15	9.0	103	8.3	165	21.8	5
8/12/24 20:30	9.0	103	8.3	165	21.8	5
8/12/24 20:45	9.0	102	8.3	165	21.8	5
8/12/24 21:00	9.0	102	8.3	165	21.8	5
8/12/24 21:15	8.9	102	8.3	165	21.8	5
8/12/24 21:30	8.9	102	8.3	165	21.8	5
8/12/24 21:45	8.9	102	8.3	165	21.8	5
8/12/24 22:00	8.9	101	8.3	165	21.8	5
8/12/24 22:15	8.9	101	8.3	165	21.8	5
8/12/24 22:30	8.9	101	8.3	165	21.8	5
8/12/24 22:45	8.8	101	8.3	165	21.8	5
8/12/24 23:00	8.8	101	8.3	165	21.8	5
8/12/24 23:15	8.8	100	8.3	165	21.8	5
8/12/24 23:30	8.8	100	8.3	165	21.8	5
8/12/24 23:45	8.8	100	8.3	165	21.8	6
8/13/24 0:00	8.8	100	8.3	165	21.8	6
8/13/24 0:15	8.7	100	8.3	165	21.9	6
8/13/24 0:30	8.7	99	8.3	165	21.9	6
8/13/24 0:45	8.7	99	8.3	165	21.9	5
8/13/24 1:00	8.7	99	8.3	165	21.9	6
8/13/24 1:15	8.6	99	8.3	165	21.9	6
8/13/24 1:30	8.6	98	8.3	165	21.9	6
8/13/24 1:45	8.6	98	8.3	165	21.9	6
8/13/24 2:00	8.6	98	8.3	165	21.9	6
8/13/24 2:15	8.6	98	8.2	165	21.9	7
8/13/24 2:30	8.5	97	8.2	165	21.9	7
8/13/24 2:45	8.5	97	8.2	165	21.9	6
8/13/24 3:00	8.5	97	8.2	165	21.9	6
8/13/24 3:15	8.4	96	8.2	165	21.9	7
8/13/24 3:30	8.4	96	8.2	165	21.9	6
8/13/24 3:45	8.4	96	8.2	165	21.9	7
8/13/24 4:00	8.4	96	8.2	165	21.9	7
8/13/24 4:15	8.3	95	8.2	165	21.8	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/13/24 4:30	8.3	95	8.2	165	21.8	7
8/13/24 4:45	8.3	95	8.2	165	21.8	7
8/13/24 5:00	8.3	94	8.2	165	21.8	7
8/13/24 5:15	8.3	94	8.2	165	21.8	6
8/13/24 5:30	8.2	94	8.2	165	21.8	7
8/13/24 5:45	8.2	94	8.2	165	21.8	8
8/13/24 6:00	8.2	93	8.2	165	21.7	7
8/13/24 6:15	8.2	93	8.2	165	21.7	33
8/13/24 6:30	8.2	93	8.2	165	21.7	9
8/13/24 6:45	8.2	93	8.2	166	21.6	7
8/13/24 7:00	8.2	92	8.1	165	21.6	7
8/13/24 7:15	8.1	92	8.1	165	21.6	8
8/13/24 7:30	8.1	92	8.1	165	21.5	8
8/13/24 7:45	8.1	92	8.1	166	21.5	8
8/13/24 8:00	8.1	92	8.1	165	21.5	7
8/13/24 8:15	8.2	92	8.1	166	21.5	7
8/13/24 8:30	8.2	92	8.1	166	21.5	7
8/13/24 8:45	8.1	92	8.1	165	21.5	8
8/13/24 9:00	8.2	92	8.1	165	21.4	9
8/13/24 9:15	8.2	93	8.1	166	21.4	6
8/13/24 9:30	8.2	93	8.1	165	21.5	6
8/13/24 9:45	8.3	94	8.1	165	21.5	6
8/13/24 10:00	8.3	94	8.1	165	21.5	7
8/13/24 10:15	8.4	95	8.2	165	21.5	7
8/13/24 10:30	8.4	95	8.2	165	21.6	6
8/13/24 10:45	8.5	96	8.2	165	21.6	6
8/13/24 11:00	8.5	97	8.2	165	21.7	6
8/13/24 11:15	8.6	98	8.2	165	21.7	14
8/13/24 11:30	8.7	99	8.2	165	21.8	6
8/13/24 11:45	8.7	99	8.2	165	21.8	5
8/13/24 12:00	8.8	100	8.2	165	21.8	9
8/13/24 12:15	8.8	101	8.2	165	21.9	10
8/13/24 12:30	8.9	101	8.2	165	21.9	7
8/13/24 12:45	8.9	102	8.2	165	22.0	6
8/13/24 13:00	9.0	103	8.2	165	22.0	6
8/13/24 13:15	9.0	103	8.3	165	22.1	7
8/13/24 13:30	9.1	104	8.3	165	22.1	5
8/13/24 13:45	9.1	105	8.3	165	22.1	6
8/13/24 14:00	9.2	105	8.3	165	22.2	6
8/13/24 14:15	9.2	106	8.3	165	22.2	6
8/13/24 14:30	9.2	106	8.3	165	22.2	5
8/13/24 14:45	9.2	106	8.3	165	22.2	5
8/13/24 15:00	9.3	107	8.3	165	22.3	6
8/13/24 15:15	9.3	107	8.3	165	22.3	5
8/13/24 15:30	9.4	108	8.3	165	22.3	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/13/24 15:45	9.4	108	8.3	165	22.3	6
8/13/24 16:00	9.4	109	8.3	165	22.4	6
8/13/24 16:15	9.5	109	8.3	165	22.4	6
8/13/24 16:30	9.5	109	8.3	165	22.4	5
8/13/24 16:45	9.5	110	8.4	165	22.4	6
8/13/24 17:00	9.5	110	8.4	165	22.4	6
8/13/24 17:15	9.5	110	8.4	165	22.4	5
8/13/24 17:30	9.5	110	8.4	165	22.4	5
8/13/24 17:45	9.5	110	8.4	165	22.4	5
8/13/24 18:00	9.5	109	8.4	165	22.4	5
8/13/24 18:15	9.5	109	8.4	165	22.4	5
8/13/24 18:30	9.5	109	8.4	165	22.4	5
8/13/24 18:45	9.4	109	8.4	165	22.4	38
8/13/24 19:00	9.4	108	8.4	165	22.4	5
8/13/24 19:15	9.4	108	8.4	165	22.4	6
8/13/24 19:30	9.4	108	8.4	165	22.4	5
8/13/24 19:45	9.3	107	8.3	165	22.4	6
8/13/24 20:00	9.3	107	8.3	165	22.4	5
8/13/24 20:15	9.2	107	8.3	165	22.4	6
8/13/24 20:30	9.2	106	8.3	165	22.4	6
8/13/24 20:45	9.2	106	8.3	165	22.4	5
8/13/24 21:00	9.2	106	8.3	165	22.5	6
8/13/24 21:15	9.1	106	8.3	165	22.5	5
8/13/24 21:30	9.1	105	8.3	165	22.5	6
8/13/24 21:45	9.1	105	8.3	165	22.5	6
8/13/24 22:00	9.1	105	8.3	165	22.5	5
8/13/24 22:15	9.0	104	8.3	165	22.5	6
8/13/24 22:30	9.0	104	8.3	165	22.5	6
8/13/24 22:45	9.0	104	8.3	165	22.5	5
8/13/24 23:00	8.9	103	8.3	165	22.5	6
8/13/24 23:15	8.9	103	8.3	165	22.5	5
8/13/24 23:30	8.9	103	8.3	165	22.5	6
8/13/24 23:45	8.9	103	8.3	165	22.5	5
8/14/24 0:00	8.8	102	8.3	165	22.5	6
8/14/24 0:15	8.8	102	8.3	165	22.5	6
8/14/24 0:30	8.8	102	8.3	165	22.5	7
8/14/24 0:45	8.8	101	8.3	165	22.5	7
8/14/24 1:00	8.7	101	8.3	165	22.5	6
8/14/24 1:15	8.7	100	8.3	165	22.5	6
8/14/24 1:30	8.7	100	8.3	165	22.4	6
8/14/24 1:45	8.6	100	8.3	165	22.4	7
8/14/24 2:00	8.6	99	8.3	165	22.4	6
8/14/24 2:15	8.6	99	8.3	165	22.4	6
8/14/24 2:30	8.6	98	8.3	165	22.4	7
8/14/24 2:45	8.5	98	8.3	165	22.3	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/14/24 3:00	8.5	98	8.2	165	22.3	7
8/14/24 3:15	8.5	97	8.2	165	22.3	6
8/14/24 3:30	8.4	97	8.2	165	22.3	6
8/14/24 3:45	8.4	97	8.2	165	22.3	6
8/14/24 4:00	8.4	96	8.2	165	22.2	7
8/14/24 4:15	8.3	96	8.2	165	22.2	7
8/14/24 4:30	8.3	95	8.2	165	22.2	7
8/14/24 4:45	8.3	95	8.2	165	22.2	9
8/14/24 5:00	8.3	95	8.2	166	22.1	7
8/14/24 5:15	8.2	95	8.2	166	22.1	7
8/14/24 5:30	8.2	94	8.2	166	22.1	7
8/14/24 5:45	8.2	94	8.2	166	22.1	7
8/14/24 6:00	8.2	94	8.2	166	22.0	10
8/14/24 6:15	8.2	93	8.1	166	22.0	7
8/14/24 6:30	8.2	93	8.1	166	22.0	6
8/14/24 6:45	8.1	93	8.1	166	22.0	7
8/14/24 7:00	8.1	93	8.1	166	21.9	7
8/14/24 7:15	8.1	93	8.1	166	21.9	7
8/14/24 7:30	8.1	92	8.1	166	21.9	7
8/14/24 7:45	8.1	92	8.1	166	21.9	8
8/14/24 8:00	8.1	92	8.1	166	21.8	6
8/14/24 8:15	8.1	92	8.1	166	21.8	7
8/14/24 8:30	8.1	92	8.1	166	21.8	7
8/14/24 8:45	8.1	92	8.1	166	21.8	6
8/14/24 9:00	8.2	93	8.1	166	21.9	6
8/14/24 9:15	8.2	93	8.1	166	21.8	6
8/14/24 9:30	8.2	93	8.1	166	21.8	6
8/14/24 9:45	8.2	93	8.1	166	21.8	5
8/14/24 10:00	8.2	94	8.1	166	21.8	6
8/14/24 10:15	8.3	94	8.1	166	21.8	7
8/14/24 10:30	8.3	95	8.1	166	21.8	6
8/14/24 10:45	8.4	95	8.1	166	21.8	6
8/14/24 11:00	8.4	96	8.1	166	21.8	6
8/14/24 11:15	8.5	97	8.1	166	21.8	6
8/14/24 11:30	8.5	97	8.1	166	21.8	10
8/14/24 11:45	8.6	98	8.2	166	21.8	5
8/14/24 12:00	8.6	98	8.2	166	21.8	5
8/14/24 12:15	8.6	98	8.2	166	21.8	6
8/14/24 12:30	8.6	98	8.2	166	21.8	6
8/14/24 12:45	8.7	99	8.2	166	21.8	5
8/14/24 13:00	8.7	99	8.2	166	21.8	5
8/14/24 13:15	8.7	100	8.2	166	21.8	6
8/14/24 13:30	8.7	100	8.2	166	21.8	5
8/14/24 13:45	8.8	100	8.2	166	21.8	6
8/14/24 14:00	8.8	100	8.2	166	21.7	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/14/24 14:15	8.8	101	8.2	166	21.7	5
8/14/24 14:30	8.8	101	8.2	166	21.7	6
8/14/24 14:45	8.9	101	8.2	166	21.8	5
8/14/24 15:00	8.9	102	8.2	166	21.8	5
8/14/24 15:15	9.0	102	8.2	166	21.8	5
8/14/24 15:30	9.0	102	8.2	166	21.8	10
8/14/24 15:45	9.0	103	8.2	166	21.8	5
8/14/24 16:00	9.1	104	8.2	166	21.8	5
8/14/24 16:15	9.1	104	8.2	166	21.8	5
8/14/24 16:30	9.2	104	8.2	166	21.8	5
8/14/24 16:45	9.2	104	8.2	166	21.8	5
8/14/24 17:00	9.2	105	8.3	166	21.7	13
8/14/24 17:15	9.2	105	8.3	166	21.8	5
8/14/24 17:30	9.3	106	8.3	166	21.7	5
8/14/24 17:45	9.3	106	8.3	166	21.7	6
8/14/24 18:00	9.3	106	8.3	166	21.7	5
8/14/24 18:15	9.3	105	8.3	166	21.7	5
8/14/24 18:30	9.2	105	8.3	166	21.6	5
8/14/24 18:45	9.3	105	8.3	166	21.6	6
8/14/24 19:00	9.3	105	8.3	166	21.6	5
8/14/24 19:15	9.2	105	8.3	166	21.6	5
8/14/24 19:30	9.2	104	8.3	166	21.5	5
8/14/24 19:45	9.2	104	8.3	166	21.5	7
8/14/24 20:00	9.2	104	8.3	166	21.5	4
8/14/24 20:15	9.1	103	8.3	166	21.5	5
8/14/24 20:30	9.1	103	8.3	166	21.5	5
8/14/24 20:45	9.1	103	8.3	166	21.4	5
8/14/24 21:00	9.0	102	8.2	166	21.4	5
8/14/24 21:15	9.0	102	8.2	166	21.5	5
8/14/24 21:30	9.0	102	8.2	166	21.5	5
8/14/24 21:45	9.0	102	8.2	166	21.5	5
8/14/24 22:00	9.0	102	8.2	166	21.5	5
8/14/24 22:15	8.9	101	8.2	166	21.5	6
8/14/24 22:30	8.9	101	8.2	166	21.5	5
8/14/24 22:45	8.9	101	8.3	166	21.6	5
8/14/24 23:00	8.9	101	8.3	166	21.6	6
8/14/24 23:15	8.9	101	8.3	166	21.6	5
8/14/24 23:30	8.9	101	8.3	166	21.6	5
8/14/24 23:45	8.8	101	8.3	166	21.7	5
8/15/24 0:00	8.8	100	8.3	166	21.7	6
8/15/24 0:15	8.8	100	8.3	166	21.7	6
8/15/24 0:30	8.8	100	8.3	166	21.8	6
8/15/24 0:45	8.8	100	8.3	166	21.8	6
8/15/24 1:00	8.7	100	8.3	166	21.8	6
8/15/24 1:15	8.7	99	8.3	166	21.8	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/15/24 1:30	8.7	99	8.2	166	21.8	6
8/15/24 1:45	8.7	99	8.2	166	21.8	6
8/15/24 2:00	8.6	98	8.2	166	21.8	6
8/15/24 2:15	8.6	98	8.2	166	21.8	6
8/15/24 2:30	8.6	98	8.2	166	21.8	6
8/15/24 2:45	8.6	98	8.2	166	21.8	7
8/15/24 3:00	8.6	97	8.2	166	21.7	7
8/15/24 3:15	8.5	97	8.2	166	21.7	6
8/15/24 3:30	8.5	97	8.2	166	21.7	7
8/15/24 3:45	8.5	96	8.2	166	21.6	6
8/15/24 4:00	8.4	96	8.2	166	21.6	6
8/15/24 4:15	8.4	96	8.2	166	21.6	7
8/15/24 4:30	8.4	95	8.2	166	21.5	8
8/15/24 4:45	8.4	95	8.2	166	21.5	7
8/15/24 5:00	8.3	95	8.2	166	21.5	8
8/15/24 5:15	8.3	94	8.1	166	21.5	7
8/15/24 5:30	8.3	94	8.1	166	21.4	7
8/15/24 5:45	8.3	94	8.1	166	21.4	7
8/15/24 6:00	8.3	94	8.1	166	21.4	7
8/15/24 6:15	8.2	93	8.1	166	21.3	7
8/15/24 6:30	8.2	93	8.1	166	21.3	9
8/15/24 6:45	8.2	93	8.1	166	21.3	8
8/15/24 7:00	8.2	92	8.1	166	21.3	7
8/15/24 7:15	8.2	92	8.1	166	21.2	30
8/15/24 7:30	8.2	92	8.1	166	21.2	7
8/15/24 7:45	8.2	92	8.1	166	21.2	7
8/15/24 8:00	8.2	92	8.1	166	21.2	7
8/15/24 8:15	8.2	92	8.1	166	21.2	8
8/15/24 8:30	8.2	92	8.1	166	21.2	7
8/15/24 8:45	8.2	93	8.1	166	21.2	8
8/15/24 9:00	8.2	92	8.1	166	21.2	7
8/15/24 9:15	8.3	93	8.1	166	21.2	7
8/15/24 9:30	8.3	93	8.1	167	21.3	7
8/15/24 9:45	8.3	94	8.1	167	21.3	7
8/15/24 10:00	8.4	95	8.1	167	21.3	6
8/15/24 10:15	8.4	95	8.1	167	21.4	6
8/15/24 10:30	8.5	96	8.1	167	21.4	6
8/15/24 10:45	8.6	97	8.1	167	21.5	14
8/15/24 11:00	8.6	97	8.2	167	21.5	6
8/15/24 11:15	8.7	98	8.2	167	21.6	6
8/15/24 11:30	8.7	99	8.2	167	21.6	6
8/15/24 11:45	8.7	99	8.2	167	21.7	6
8/15/24 12:00	8.8	100	8.2	167	21.7	9
8/15/24 12:15	8.9	101	8.2	167	21.8	7
8/15/24 12:30	8.9	102	8.2	167	21.8	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/15/24 12:45	9.0	102	8.2	167	21.8	6
8/15/24 13:00	9.0	103	8.2	167	21.9	6
8/15/24 13:15	9.1	104	8.2	167	21.9	6
8/15/24 13:30	9.1	104	8.2	167	22.0	7
8/15/24 13:45	9.2	105	8.3	167	22.0	6
8/15/24 14:00	9.2	105	8.3	167	22.0	5
8/15/24 14:15	9.2	106	8.3	167	22.1	6
8/15/24 14:30	9.3	106	8.3	167	22.1	7
8/15/24 14:45	9.3	107	8.3	167	22.1	6
8/15/24 15:00	9.3	107	8.3	167	22.1	6
8/15/24 15:15	9.4	108	8.3	167	22.1	5
8/15/24 15:30	9.4	108	8.3	167	22.2	5
8/15/24 15:45	9.4	108	8.3	167	22.1	6
8/15/24 16:00	9.4	108	8.3	167	22.2	5
8/15/24 16:15	9.5	109	8.3	167	22.2	5
8/15/24 16:30	9.5	109	8.3	167	22.2	6
8/15/24 16:45	9.5	109	8.3	167	22.2	7
8/15/24 17:00	9.5	109	8.3	167	22.2	6
8/15/24 17:15	9.5	110	8.3	167	22.2	6
8/15/24 17:30	9.5	110	8.3	167	22.2	7
8/15/24 17:45	9.5	109	8.3	167	22.2	6
8/15/24 18:00	9.5	109	8.3	167	22.2	6
8/15/24 18:15	9.5	109	8.3	167	22.2	6
8/15/24 18:30	9.5	109	8.3	167	22.2	6
8/15/24 18:45	9.5	109	8.3	167	22.2	6
8/15/24 19:00	9.4	108	8.3	167	22.2	7
8/15/24 19:15	9.4	108	8.3	167	22.2	5
8/15/24 19:30	9.4	108	8.3	167	22.2	6
8/15/24 19:45	9.3	107	8.3	167	22.2	6
8/15/24 20:00	9.3	107	8.3	166	22.2	7
8/15/24 20:15	9.3	107	8.3	166	22.2	6
8/15/24 20:30	9.2	106	8.3	166	22.2	6
8/15/24 20:45	9.2	106	8.3	166	22.2	6
8/15/24 21:00	9.2	106	8.3	166	22.2	5
8/15/24 21:15	9.2	105	8.3	166	22.3	6
8/15/24 21:30	9.2	105	8.3	166	22.3	6
8/15/24 21:45	9.1	105	8.3	166	22.3	6
8/15/24 22:00	9.1	104	8.3	166	22.3	6
8/15/24 22:15	9.1	104	8.3	166	22.3	6
8/15/24 22:30	9.1	104	8.3	166	22.3	6
8/15/24 22:45	9.0	104	8.3	166	22.3	6
8/15/24 23:00	9.0	104	8.3	166	22.3	7
8/15/24 23:15	9.0	103	8.3	166	22.3	6
8/15/24 23:30	9.0	103	8.3	166	22.3	6
8/15/24 23:45	8.9	103	8.3	166	22.3	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/16/24 0:00	8.9	102	8.3	166	22.3	6
8/16/24 0:15	8.9	102	8.3	166	22.3	6
8/16/24 0:30	8.8	102	8.3	166	22.3	7
8/16/24 0:45	8.8	101	8.3	166	22.2	7
8/16/24 1:00	8.8	101	8.3	166	22.2	6
8/16/24 1:15	8.8	101	8.3	166	22.2	6
8/16/24 1:30	8.7	100	8.3	166	22.2	7
8/16/24 1:45	8.7	100	8.3	166	22.2	7
8/16/24 2:00	8.7	99	8.3	166	22.2	7
8/16/24 2:15	8.6	99	8.3	166	22.1	8
8/16/24 2:30	8.6	99	8.3	166	22.1	7
8/16/24 2:45	8.6	98	8.3	166	22.1	7
8/16/24 3:00	8.5	98	8.2	166	22.0	7
8/16/24 3:15	8.5	97	8.2	166	22.0	7
8/16/24 3:30	8.5	97	8.2	166	22.0	7
8/16/24 3:45	8.4	96	8.2	166	21.9	7
8/16/24 4:00	8.4	96	8.2	166	21.9	7
8/16/24 4:15	8.4	96	8.2	166	21.8	7
8/16/24 4:30	8.4	96	8.2	166	21.8	7
8/16/24 4:45	8.3	95	8.2	166	21.8	8
8/16/24 5:00	8.3	95	8.2	166	21.7	7
8/16/24 5:15	8.3	94	8.2	166	21.7	9
8/16/24 5:30	8.3	94	8.2	166	21.7	8
8/16/24 5:45	8.3	94	8.2	166	21.6	9
8/16/24 6:00	8.2	94	8.2	166	21.6	7
8/16/24 6:15	8.2	93	8.1	166	21.6	8
8/16/24 6:30	8.2	93	8.1	166	21.5	7
8/16/24 6:45	8.2	93	8.1	166	21.5	8
8/16/24 7:00	8.1	92	8.1	166	21.5	8
8/16/24 7:15	8.2	92	8.1	166	21.4	9
8/16/24 7:30	8.2	92	8.1	166	21.4	8
8/16/24 7:45	8.1	92	8.1	166	21.4	8
8/16/24 8:00	8.1	92	8.1	166	21.4	7
8/16/24 8:15	8.2	92	8.1	166	21.4	7
8/16/24 8:30	8.2	92	8.1	166	21.4	7
8/16/24 8:45	8.2	92	8.1	166	21.4	7
8/16/24 9:00	8.2	92	8.1	166	21.3	22
8/16/24 9:15	8.2	93	8.1	166	21.3	6
8/16/24 9:30	8.2	93	8.1	166	21.3	9
8/16/24 9:45	8.2	93	8.1	166	21.4	6
8/16/24 10:00	8.3	94	8.1	166	21.4	6
8/16/24 10:15	8.4	95	8.1	166	21.4	6
8/16/24 10:30	8.4	95	8.1	166	21.4	6
8/16/24 10:45	8.5	96	8.1	166	21.5	6
8/16/24 11:00	8.5	97	8.1	166	21.5	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/16/24 11:15	8.6	97	8.2	166	21.6	6
8/16/24 11:30	8.6	98	8.2	166	21.6	6
8/16/24 11:45	8.7	99	8.2	166	21.6	7
8/16/24 12:00	8.8	99	8.2	166	21.7	7
8/16/24 12:15	8.8	100	8.2	166	21.7	5
8/16/24 12:30	8.8	101	8.2	166	21.8	6
8/16/24 12:45	8.9	101	8.2	166	21.8	6
8/16/24 13:00	8.9	102	8.2	166	21.8	7
8/16/24 13:15	9.0	103	8.2	166	21.9	6
8/16/24 13:30	9.0	103	8.2	166	21.9	7
8/16/24 13:45	9.1	104	8.2	166	21.9	5
8/16/24 14:00	9.1	104	8.2	166	22.0	6
8/16/24 14:15	9.2	105	8.2	166	22.0	6
8/16/24 14:30	9.2	105	8.2	166	22.0	8
8/16/24 14:45	9.2	106	8.3	166	22.1	7
8/16/24 15:00	9.2	106	8.3	166	22.1	6
8/16/24 15:15	9.3	106	8.3	166	22.1	7
8/16/24 15:30	9.3	107	8.3	166	22.1	6
8/16/24 15:45	9.3	107	8.3	166	22.1	7
8/16/24 16:00	9.4	108	8.3	166	22.2	7
8/16/24 16:15	9.4	108	8.3	166	22.2	6
8/16/24 16:30	9.4	108	8.3	166	22.2	8
8/16/24 16:45	9.4	108	8.3	166	22.2	8
8/16/24 17:00	9.4	108	8.3	166	22.2	6
8/16/24 17:15	9.4	108	8.3	166	22.2	7
8/16/24 17:30	9.4	108	8.3	166	22.2	8
8/16/24 17:45	9.4	108	8.3	166	22.2	7
8/16/24 18:00	9.4	108	8.3	166	22.2	7
8/16/24 18:15	9.3	107	8.3	166	22.2	7
8/16/24 18:30	9.3	107	8.3	166	22.2	8
8/16/24 18:45	9.3	107	8.3	166	22.2	7
8/16/24 19:00	9.3	107	8.3	166	22.2	8
8/16/24 19:15	9.3	106	8.3	166	22.2	7
8/16/24 19:30	9.2	106	8.3	166	22.2	7
8/16/24 19:45	9.2	106	8.3	166	22.2	7
8/16/24 20:00	9.2	105	8.3	166	22.2	7
8/16/24 20:15	9.2	105	8.3	166	22.2	7
8/16/24 20:30	9.1	105	8.3	166	22.2	7
8/16/24 20:45	9.1	105	8.3	166	22.2	10
8/16/24 21:00	9.1	104	8.3	166	22.3	8
8/16/24 21:15	9.1	104	8.3	166	22.3	7
8/16/24 21:30	9.1	104	8.3	166	22.3	7
8/16/24 21:45	9.0	104	8.3	166	22.3	10
8/16/24 22:00	9.0	104	8.3	166	22.3	8
8/16/24 22:15	9.0	104	8.3	166	22.3	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/16/24 22:30	9.0	103	8.3	166	22.3	7
8/16/24 22:45	8.9	103	8.3	166	22.3	7
8/16/24 23:00	8.9	103	8.3	166	22.3	8
8/16/24 23:15	8.9	103	8.3	166	22.3	7
8/16/24 23:30	8.9	102	8.3	166	22.3	10
8/16/24 23:45	8.9	102	8.3	166	22.3	8
8/17/24 0:00	8.8	102	8.3	166	22.3	92
8/17/24 0:15	8.8	102	8.3	166	22.3	6
8/17/24 0:30	8.8	101	8.3	166	22.3	7
8/17/24 0:45	8.8	101	8.3	166	22.2	7
8/17/24 1:00	8.8	100	8.3	166	22.2	7
8/17/24 1:15	8.7	100	8.3	166	22.2	7
8/17/24 1:30	8.7	100	8.3	166	22.2	7
8/17/24 1:45	8.7	100	8.3	166	22.2	7
8/17/24 2:00	8.6	99	8.3	166	22.1	7
8/17/24 2:15	8.6	99	8.3	166	22.1	8
8/17/24 2:30	8.6	98	8.3	166	22.1	7
8/17/24 2:45	8.6	98	8.3	166	22.0	7
8/17/24 3:00	8.5	98	8.3	166	22.0	7
8/17/24 3:15	8.5	97	8.2	166	22.0	7
8/17/24 3:30	8.5	97	8.2	166	21.9	7
8/17/24 3:45	8.4	96	8.2	166	21.9	8
8/17/24 4:00	8.4	96	8.2	166	21.9	7
8/17/24 4:15	8.4	96	8.2	166	21.8	8
8/17/24 4:30	8.4	96	8.2	166	21.8	7
8/17/24 4:45	8.3	95	8.2	166	21.8	7
8/17/24 5:00	8.3	95	8.2	166	21.8	6
8/17/24 5:15	8.3	94	8.2	166	21.7	7
8/17/24 5:30	8.3	94	8.2	166	21.7	6
8/17/24 5:45	8.3	94	8.2	166	21.7	8
8/17/24 6:00	8.2	94	8.2	166	21.6	8
8/17/24 6:15	8.2	93	8.2	166	21.6	7
8/17/24 6:30	8.2	93	8.2	166	21.6	8
8/17/24 6:45	8.2	93	8.1	166	21.5	8
8/17/24 7:00	8.2	93	8.1	166	21.5	8
8/17/24 7:15	8.2	92	8.1	166	21.5	8
8/17/24 7:30	8.2	92	8.1	166	21.4	7
8/17/24 7:45	8.1	92	8.1	166	21.4	6
8/17/24 8:00	8.2	92	8.1	166	21.4	7
8/17/24 8:15	8.2	92	8.1	166	21.4	7
8/17/24 8:30	8.1	92	8.1	166	21.3	7
8/17/24 8:45	8.1	92	8.1	166	21.3	7
8/17/24 9:00	8.2	92	8.1	166	21.2	8
8/17/24 9:15	8.2	92	8.1	166	21.2	7
8/17/24 9:30	8.2	92	8.1	166	21.2	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/17/24 9:45	8.2	92	8.1	166	21.1	6
8/17/24 10:00	8.2	92	8.1	166	21.1	6
8/17/24 10:15	8.2	92	8.1	166	21.1	6
8/17/24 10:30	8.3	93	8.1	166	21.2	5
8/17/24 10:45	8.3	94	8.1	166	21.2	6
8/17/24 11:00	8.3	94	8.1	166	21.2	5
8/17/24 11:15	8.4	94	8.1	166	21.2	5
8/17/24 11:30	8.5	95	8.1	166	21.2	7
8/17/24 11:45	8.5	96	8.1	166	21.2	5
8/17/24 12:00	8.6	97	8.1	166	21.3	6
8/17/24 12:15	8.6	97	8.1	166	21.3	6
8/17/24 12:30	8.7	98	8.2	166	21.3	8
8/17/24 12:45	8.7	98	8.1	166	21.2	5
8/17/24 13:00	8.7	98	8.2	166	21.2	7
8/17/24 13:15	8.8	99	8.2	166	21.2	12
8/17/24 13:30	8.8	99	8.2	166	21.2	6
8/17/24 13:45	8.7	98	8.2	166	21.2	7
8/17/24 14:00	8.7	98	8.1	166	21.1	5
8/17/24 14:15	8.7	98	8.1	165	21.1	5
8/17/24 14:30	8.8	98	8.1	165	21.1	5
8/17/24 14:45	8.8	98	8.1	165	21.0	5
8/17/24 15:00	8.8	98	8.1	165	21.0	6
8/17/24 15:15	8.8	99	8.1	165	21.0	5
8/17/24 15:30	8.8	98	8.1	165	21.0	5
8/17/24 15:45	8.8	98	8.1	165	21.0	7
8/17/24 16:00	8.8	99	8.1	165	21.0	5
8/17/24 16:15	8.9	100	8.2	165	21.0	5
8/17/24 16:30	8.9	100	8.2	165	21.0	5
8/17/24 16:45	8.9	100	8.2	165	21.0	5
8/17/24 17:00	8.9	100	8.2	165	21.0	7
8/17/24 17:15	8.9	100	8.2	165	21.0	5
8/17/24 17:30	9.0	101	8.2	165	21.0	6
8/17/24 17:45	9.0	101	8.2	165	21.0	6
8/17/24 18:00	9.0	101	8.2	165	21.1	5
8/17/24 18:15	9.0	101	8.2	165	21.1	5
8/17/24 18:30	9.0	101	8.2	165	21.1	5
8/17/24 18:45	9.0	101	8.2	165	21.1	5
8/17/24 19:00	9.0	101	8.2	165	21.1	5
8/17/24 19:15	9.0	101	8.2	165	21.1	5
8/17/24 19:30	9.0	101	8.2	165	21.1	5
8/17/24 19:45	8.9	101	8.2	165	21.1	6
8/17/24 20:00	8.9	100	8.2	165	21.1	5
8/17/24 20:15	8.9	100	8.2	165	21.1	5
8/17/24 20:30	8.9	100	8.2	165	21.1	5
8/17/24 20:45	8.9	100	8.2	165	21.1	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/17/24 21:00	8.9	100	8.2	165	21.1	6
8/17/24 21:15	8.8	100	8.2	165	21.1	6
8/17/24 21:30	8.8	99	8.2	165	21.1	5
8/17/24 21:45	8.8	99	8.2	165	21.1	5
8/17/24 22:00	8.8	99	8.2	164	21.1	6
8/17/24 22:15	8.8	99	8.2	165	21.1	5
8/17/24 22:30	8.8	98	8.2	164	21.2	6
8/17/24 22:45	8.7	98	8.2	164	21.2	6
8/17/24 23:00	8.7	98	8.2	164	21.2	6
8/17/24 23:15	8.7	98	8.2	165	21.2	6
8/17/24 23:30	8.7	98	8.2	164	21.2	7
8/17/24 23:45	8.7	98	8.2	165	21.2	7
8/18/24 0:00	8.7	98	8.2	164	21.2	6
8/18/24 0:15	8.7	98	8.2	165	21.2	5
8/18/24 0:30	8.7	98	8.2	164	21.2	6
8/18/24 0:45	8.6	97	8.2	165	21.2	6
8/18/24 1:00	8.6	97	8.2	165	21.2	6
8/18/24 1:15	8.6	97	8.2	165	21.3	7
8/18/24 1:30	8.6	97	8.2	165	21.3	6
8/18/24 1:45	8.6	96	8.2	165	21.3	6
8/18/24 2:00	8.5	96	8.2	165	21.3	7
8/18/24 2:15	8.5	96	8.2	165	21.2	7
8/18/24 2:30	8.5	96	8.2	165	21.2	6
8/18/24 2:45	8.5	96	8.2	165	21.2	6
8/18/24 3:00	8.4	95	8.2	165	21.2	6
8/18/24 3:15	8.4	95	8.2	165	21.2	7
8/18/24 3:30	8.4	95	8.2	165	21.2	7
8/18/24 3:45	8.4	94	8.1	165	21.2	6
8/18/24 4:00	8.4	94	8.1	165	21.2	6
8/18/24 4:15	8.3	94	8.1	165	21.2	7
8/18/24 4:30	8.3	94	8.1	165	21.2	7
8/18/24 4:45	8.3	94	8.1	165	21.2	6
8/18/24 5:00	8.3	93	8.1	165	21.1	6
8/18/24 5:15	8.3	93	8.1	165	21.1	8
8/18/24 5:30	8.3	93	8.1	165	21.1	7
8/18/24 5:45	8.2	93	8.1	165	21.1	7
8/18/24 6:00	8.2	93	8.1	165	21.1	7
8/18/24 6:15	8.2	92	8.1	165	21.1	8
8/18/24 6:30	8.2	92	8.1	165	21.1	7
8/18/24 6:45	8.2	92	8.1	165	21.0	7
8/18/24 7:00	8.2	92	8.1	165	21.0	7
8/18/24 7:15	8.2	92	8.1	165	21.0	7
8/18/24 7:30	8.1	91	8.1	165	21.0	7
8/18/24 7:45	8.2	92	8.1	165	21.0	7
8/18/24 8:00	8.2	92	8.0	165	21.0	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/18/24 8:15	8.2	92	8.1	165	20.9	8
8/18/24 8:30	8.2	92	8.0	165	21.0	7
8/18/24 8:45	8.2	92	8.0	165	21.0	7
8/18/24 9:00	8.2	92	8.1	165	21.0	7
8/18/24 9:15	8.2	92	8.1	165	21.0	6
8/18/24 9:30	8.3	93	8.1	165	21.0	6
8/18/24 9:45	8.4	94	8.1	165	21.0	8
8/18/24 10:00	8.4	94	8.1	165	21.0	6
8/18/24 10:15	8.4	95	8.1	165	21.0	7
8/18/24 10:30	8.5	95	8.1	165	21.0	7
8/18/24 10:45	8.5	96	8.1	165	21.1	6
8/18/24 11:00	8.6	97	8.1	165	21.1	6
8/18/24 11:15	8.6	97	8.1	165	21.1	6
8/18/24 11:30	8.7	98	8.1	165	21.2	6
8/18/24 11:45	8.7	98	8.1	165	21.1	9
8/18/24 12:00	8.8	99	8.1	165	21.1	7
8/18/24 12:15	8.8	99	8.1	165	21.2	6
8/18/24 12:30	8.9	100	8.2	165	21.3	6
8/18/24 12:45	8.9	101	8.2	165	21.3	6
8/18/24 13:00	8.9	101	8.2	165	21.4	6
8/18/24 13:15	9.0	102	8.2	165	21.5	6
8/18/24 13:30	9.0	102	8.2	165	21.5	6
8/18/24 13:45	9.1	103	8.2	166	21.6	6
8/18/24 14:00	9.2	104	8.2	165	21.6	7
8/18/24 14:15	9.2	104	8.2	165	21.6	9
8/18/24 14:30	9.2	105	8.2	165	21.7	6
8/18/24 14:45	9.2	105	8.2	166	21.7	7
8/18/24 15:00	9.3	105	8.2	166	21.7	5
8/18/24 15:15	9.3	106	8.2	166	21.7	7
8/18/24 15:30	9.3	106	8.2	166	21.7	8
8/18/24 15:45	9.4	107	8.3	166	21.7	6
8/18/24 16:00	9.4	107	8.3	165	21.8	8
8/18/24 16:15	9.4	108	8.3	165	21.8	7
8/18/24 16:30	9.5	108	8.3	165	21.8	6
8/18/24 16:45	9.5	108	8.3	165	21.9	7
8/18/24 17:00	9.5	109	8.3	165	21.9	7
8/18/24 17:15	9.5	109	8.3	165	21.9	6
8/18/24 17:30	9.5	109	8.3	165	21.9	7
8/18/24 17:45	9.5	109	8.3	165	21.9	7
8/18/24 18:00	9.5	109	8.3	165	21.9	7
8/18/24 18:15	9.5	108	8.3	165	21.9	6
8/18/24 18:30	9.5	108	8.3	165	21.9	6
8/18/24 18:45	9.5	108	8.3	165	21.9	6
8/18/24 19:00	9.4	108	8.3	165	21.9	6
8/18/24 19:15	9.4	108	8.3	165	21.9	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/18/24 19:30	9.4	107	8.3	165	21.9	6
8/18/24 19:45	9.4	107	8.3	165	21.9	6
8/18/24 20:00	9.3	107	8.3	165	21.9	6
8/18/24 20:15	9.3	106	8.3	165	21.9	6
8/18/24 20:30	9.3	106	8.3	165	21.9	6
8/18/24 20:45	9.2	106	8.3	165	21.9	7
8/18/24 21:00	9.2	105	8.3	164	21.9	6
8/18/24 21:15	9.2	105	8.3	165	21.9	7
8/18/24 21:30	9.2	105	8.3	164	21.9	6
8/18/24 21:45	9.2	105	8.3	164	21.9	6
8/18/24 22:00	9.2	104	8.3	164	21.9	6
8/18/24 22:15	9.1	104	8.3	164	21.9	6
8/18/24 22:30	9.1	104	8.3	164	21.9	5
8/18/24 22:45	9.1	104	8.3	164	21.9	7
8/18/24 23:00	9.1	104	8.3	164	21.9	7
8/18/24 23:15	9.0	103	8.3	164	21.9	7
8/18/24 23:30	9.0	103	8.3	164	21.9	6
8/18/24 23:45	9.0	103	8.3	164	21.9	6
8/19/24 0:00	9.0	102	8.3	164	21.8	7
8/19/24 0:15	8.9	102	8.3	164	21.8	7
8/19/24 0:30	8.9	102	8.3	164	21.8	7
8/19/24 0:45	8.9	101	8.3	164	21.8	7
8/19/24 1:00	8.9	101	8.3	164	21.8	7
8/19/24 1:15	8.8	100	8.3	164	21.8	8
8/19/24 1:30	8.8	100	8.3	164	21.7	6
8/19/24 1:45	8.8	100	8.3	164	21.7	6
8/19/24 2:00	8.8	100	8.3	164	21.7	6
8/19/24 2:15	8.7	99	8.2	164	21.6	7
8/19/24 2:30	8.7	98	8.2	164	21.6	8
8/19/24 2:45	8.7	98	8.2	164	21.6	7
8/19/24 3:00	8.6	98	8.2	164	21.5	6
8/19/24 3:15	8.6	98	8.2	164	21.5	7
8/19/24 3:30	8.6	97	8.2	165	21.5	7
8/19/24 3:45	8.6	97	8.2	165	21.4	9
8/19/24 4:00	8.5	96	8.2	165	21.4	7
8/19/24 4:15	8.5	96	8.2	165	21.3	7
8/19/24 4:30	8.5	96	8.2	165	21.3	8
8/19/24 4:45	8.5	95	8.2	165	21.2	8
8/19/24 5:00	8.4	95	8.2	165	21.2	8
8/19/24 5:15	8.4	95	8.1	165	21.1	8
8/19/24 5:30	8.4	94	8.1	165	21.1	8
8/19/24 5:45	8.4	94	8.1	165	21.0	7
8/19/24 6:00	8.3	94	8.1	165	21.0	8
8/19/24 6:15	8.3	94	8.1	165	21.0	7
8/19/24 6:30	8.3	93	8.1	165	20.9	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/19/24 6:45	8.3	93	8.1	165	20.9	8
8/19/24 7:00	8.3	93	8.1	165	20.8	8
8/19/24 7:15	8.3	92	8.1	165	20.8	8
8/19/24 7:30	8.3	92	8.1	165	20.7	8
8/19/24 7:45	8.2	92	8.1	165	20.7	8
8/19/24 8:00	8.2	92	8.1	165	20.6	8
8/19/24 8:15	8.2	92	8.1	165	20.6	13
8/19/24 8:30	8.3	92	8.1	165	20.6	9
8/19/24 8:45	8.3	92	8.0	165	20.5	7
8/19/24 9:00	8.3	92	8.0	165	20.5	8
8/19/24 9:15	8.3	92	8.0	165	20.5	7
8/19/24 9:30	8.3	93	8.0	165	20.5	8
8/19/24 9:45	8.4	93	8.0	165	20.5	10
8/19/24 10:00	8.4	93	8.1	165	20.5	9
8/19/24 10:15	8.4	94	8.1	165	20.5	8
8/19/24 10:30	8.5	94	8.1	165	20.6	121
8/19/24 10:45	8.5	95	8.1	165	20.6	8
8/19/24 11:00	8.6	95	8.1	165	20.6	8
8/19/24 11:15	8.6	96	8.1	165	20.6	9
8/19/24 11:30	8.7	97	8.1	165	20.7	9
8/19/24 11:45	8.7	97	8.1	165	20.6	8
8/19/24 12:00	8.7	97	8.1	165	20.6	7
8/19/24 12:15	8.8	98	8.1	165	20.6	8
8/19/24 12:30	8.8	98	8.1	165	20.6	36
8/19/24 12:45	8.8	98	8.1	165	20.7	7
8/19/24 13:00	8.9	99	8.1	165	20.7	8
8/19/24 13:15	8.9	99	8.1	165	20.7	8
8/19/24 13:30	8.9	99	8.1	165	20.7	8
8/19/24 13:45	9.0	100	8.1	165	20.7	8
8/19/24 14:00	9.0	101	8.2	165	20.8	7
8/19/24 14:15	9.0	101	8.2	165	20.8	8
8/19/24 14:30	9.1	101	8.2	165	20.8	7
8/19/24 14:45	9.1	102	8.2	165	20.9	7
8/19/24 15:00	9.1	102	8.2	165	20.9	76
8/19/24 15:15	9.2	103	8.2	165	20.9	7
8/19/24 15:30	9.2	103	8.2	165	21.0	8
8/19/24 15:45	9.3	104	8.2	165	21.0	8
8/19/24 16:00	9.3	104	8.2	165	21.0	9
8/19/24 16:15	9.3	105	8.2	165	21.1	7
8/19/24 16:30	9.3	105	8.2	165	21.1	7
8/19/24 16:45	9.4	106	8.3	165	21.1	6
8/19/24 17:00	9.4	106	8.3	165	21.1	7
8/19/24 17:15	9.4	106	8.3	165	21.1	7
8/19/24 17:30	9.4	106	8.3	165	21.1	7
8/19/24 17:45	9.4	106	8.3	165	21.1	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/19/24 18:00	9.5	107	8.3	165	21.2	7
8/19/24 18:15	9.5	106	8.3	165	21.2	7
8/19/24 18:30	9.4	106	8.3	165	21.1	6
8/19/24 18:45	9.4	106	8.3	165	21.1	7
8/19/24 19:00	9.4	106	8.3	165	21.1	6
8/19/24 19:15	9.4	106	8.3	165	21.1	6
8/19/24 19:30	9.4	106	8.3	165	21.1	6
8/19/24 19:45	9.4	106	8.3	164	21.1	5
8/19/24 20:00	9.4	105	8.3	165	21.1	5
8/19/24 20:15	9.3	105	8.3	164	21.2	6
8/19/24 20:30	9.3	105	8.3	164	21.2	6
8/19/24 20:45	9.3	105	8.3	164	21.2	6
8/19/24 21:00	9.3	105	8.3	164	21.2	7
8/19/24 21:15	9.3	105	8.3	164	21.2	6
8/19/24 21:30	9.3	104	8.3	164	21.2	6
8/19/24 21:45	9.2	104	8.3	164	21.2	6
8/19/24 22:00	9.2	104	8.3	164	21.2	6
8/19/24 22:15	9.2	104	8.3	164	21.2	6
8/19/24 22:30	9.2	104	8.3	164	21.2	6
8/19/24 22:45	9.2	103	8.3	164	21.3	6
8/19/24 23:00	9.1	103	8.3	164	21.3	6
8/19/24 23:15	9.1	103	8.3	164	21.3	6
8/19/24 23:30	9.1	103	8.3	164	21.3	8
8/19/24 23:45	9.1	102	8.3	164	21.3	6
8/20/24 0:00	9.1	102	8.3	164	21.3	7
8/20/24 0:15	9.0	102	8.3	164	21.3	6
8/20/24 0:30	9.0	101	8.3	164	21.2	6
8/20/24 0:45	9.0	101	8.3	164	21.2	6
8/20/24 1:00	8.9	101	8.3	164	21.2	6
8/20/24 1:15	8.9	100	8.3	164	21.2	7
8/20/24 1:30	8.9	100	8.3	164	21.2	6
8/20/24 1:45	8.9	100	8.3	164	21.2	7
8/20/24 2:00	8.8	99	8.3	164	21.1	6
8/20/24 2:15	8.8	99	8.3	164	21.1	8
8/20/24 2:30	8.8	99	8.3	164	21.1	7
8/20/24 2:45	8.8	98	8.2	164	21.1	7
8/20/24 3:00	8.7	98	8.2	164	21.0	6
8/20/24 3:15	8.7	98	8.2	164	21.0	7
8/20/24 3:30	8.7	97	8.2	164	21.0	7
8/20/24 3:45	8.6	97	8.2	164	21.0	8
8/20/24 4:00	8.6	96	8.2	164	21.0	8
8/20/24 4:15	8.6	96	8.2	164	20.9	8
8/20/24 4:30	8.6	96	8.2	164	20.9	8
8/20/24 4:45	8.5	96	8.2	164	20.9	8
8/20/24 5:00	8.5	95	8.2	164	20.9	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/20/24 5:15	8.5	95	8.2	164	20.8	7
8/20/24 5:30	8.5	95	8.2	164	20.8	8
8/20/24 5:45	8.4	94	8.1	164	20.8	9
8/20/24 6:00	8.4	94	8.1	164	20.7	9
8/20/24 6:15	8.4	94	8.1	164	20.7	8
8/20/24 6:30	8.4	93	8.1	164	20.6	9
8/20/24 6:45	8.4	93	8.1	164	20.6	8
8/20/24 7:00	8.4	93	8.1	164	20.6	9
8/20/24 7:15	8.3	92	8.1	164	20.5	8
8/20/24 7:30	8.3	93	8.1	164	20.5	8
8/20/24 7:45	8.3	92	8.1	164	20.4	10
8/20/24 8:00	8.3	92	8.1	164	20.4	9
8/20/24 8:15	8.3	92	8.1	164	20.4	10
8/20/24 8:30	8.3	92	8.1	164	20.4	9
8/20/24 8:45	8.4	93	8.1	164	20.4	8
8/20/24 9:00	8.3	92	8.1	164	20.4	9
8/20/24 9:15	8.4	93	8.1	164	20.4	9
8/20/24 9:30	8.4	94	8.1	164	20.3	8
8/20/24 9:45	8.5	94	8.1	164	20.3	8
8/20/24 10:00	8.5	94	8.1	164	20.3	7
8/20/24 10:15	8.6	95	8.1	164	20.3	8
8/20/24 10:30	8.6	95	8.1	164	20.3	7
8/20/24 10:45	8.6	96	8.1	164	20.3	11
8/20/24 11:00	8.7	96	8.1	164	20.3	7
8/20/24 11:15	8.7	96	8.1	164	20.3	7
8/20/24 11:30	8.7	97	8.1	164	20.3	7
8/20/24 11:45	8.7	97	8.1	164	20.3	7
8/20/24 12:00	8.8	97	8.1	164	20.3	7
8/20/24 12:15	8.8	97	8.1	164	20.3	7
8/20/24 12:30	8.8	98	8.1	164	20.3	7
8/20/24 12:45	8.9	99	8.1	164	20.4	8
8/20/24 13:00	8.9	99	8.1	164	20.4	7
8/20/24 13:15	9.0	100	8.1	164	20.4	8
8/20/24 13:30	9.0	100	8.2	164	20.5	7
8/20/24 13:45	9.1	101	8.2	164	20.5	7
8/20/24 14:00	9.1	102	8.2	164	20.6	8
8/20/24 14:15	9.2	102	8.2	164	20.6	7
8/20/24 14:30	9.2	103	8.2	164	20.7	6
8/20/24 14:45	9.3	104	8.2	164	20.7	7
8/20/24 15:00	9.3	104	8.2	164	20.8	7
8/20/24 15:15	9.4	105	8.2	164	20.8	7
8/20/24 15:30	9.4	106	8.2	164	20.9	6
8/20/24 15:45	9.5	106	8.3	164	20.9	7
8/20/24 16:00	9.5	107	8.3	164	21.0	7
8/20/24 16:15	9.6	108	8.3	164	21.0	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/20/24 16:30	9.6	108	8.3	164	21.1	6
8/20/24 16:45	9.6	108	8.3	164	21.1	6
8/20/24 17:00	9.7	109	8.3	164	21.1	8
8/20/24 17:15	9.7	109	8.3	164	21.2	6
8/20/24 17:30	9.7	109	8.3	164	21.2	6
8/20/24 17:45	9.7	109	8.3	164	21.2	6
8/20/24 18:00	9.7	109	8.3	164	21.2	6
8/20/24 18:15	9.7	109	8.4	164	21.2	6
8/20/24 18:30	9.7	109	8.3	164	21.2	6
8/20/24 18:45	9.6	109	8.4	164	21.3	6
8/20/24 19:00	9.6	108	8.3	164	21.3	6
8/20/24 19:15	9.6	108	8.3	164	21.3	5
8/20/24 19:30	9.6	108	8.3	164	21.3	5
8/20/24 19:45	9.5	108	8.3	163	21.3	6
8/20/24 20:00	9.5	107	8.3	163	21.3	5
8/20/24 20:15	9.5	107	8.3	164	21.4	6
8/20/24 20:30	9.4	107	8.3	163	21.4	5
8/20/24 20:45	9.4	107	8.3	163	21.4	5
8/20/24 21:00	9.4	107	8.3	163	21.4	5
8/20/24 21:15	9.4	106	8.4	163	21.4	6
8/20/24 21:30	9.4	106	8.4	163	21.4	6
8/20/24 21:45	9.4	106	8.4	163	21.4	5
8/20/24 22:00	9.3	106	8.4	163	21.4	5
8/20/24 22:15	9.3	105	8.4	163	21.4	5
8/20/24 22:30	9.3	105	8.4	163	21.4	6
8/20/24 22:45	9.3	105	8.4	163	21.4	6
8/20/24 23:00	9.3	105	8.4	163	21.4	5
8/20/24 23:15	9.2	104	8.4	163	21.4	5
8/20/24 23:30	9.2	104	8.4	163	21.4	6
8/20/24 23:45	9.2	104	8.4	163	21.4	6
8/21/24 0:00	9.2	104	8.4	163	21.4	6
8/21/24 0:15	9.1	103	8.3	163	21.4	6
8/21/24 0:30	9.1	103	8.3	163	21.4	6
8/21/24 0:45	9.1	102	8.3	163	21.4	6
8/21/24 1:00	9.0	102	8.3	163	21.4	6
8/21/24 1:15	9.0	102	8.3	163	21.3	6
8/21/24 1:30	9.0	101	8.3	163	21.3	6
8/21/24 1:45	8.9	101	8.3	163	21.3	6
8/21/24 2:00	8.9	100	8.3	163	21.3	7
8/21/24 2:15	8.9	100	8.3	163	21.2	6
8/21/24 2:30	8.8	100	8.3	163	21.2	7
8/21/24 2:45	8.8	99	8.3	163	21.2	6
8/21/24 3:00	8.8	99	8.3	163	21.1	6
8/21/24 3:15	8.8	98	8.3	163	21.1	7
8/21/24 3:30	8.7	98	8.3	163	21.1	6

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/21/24 3:45	8.7	98	8.3	163	21.1	7
8/21/24 4:00	8.7	97	8.2	163	21.0	6
8/21/24 4:15	8.6	97	8.2	163	21.0	7
8/21/24 4:30	8.6	96	8.2	163	21.0	7
8/21/24 4:45	8.6	96	8.2	163	20.9	6
8/21/24 5:00	8.6	96	8.2	163	20.9	7
8/21/24 5:15	8.5	95	8.2	163	20.9	7
8/21/24 5:30	8.5	95	8.2	163	20.8	7
8/21/24 5:45	8.5	95	8.2	163	20.8	6
8/21/24 6:00	8.5	95	8.2	163	20.8	7
8/21/24 6:15	8.5	95	8.2	163	20.8	7
8/21/24 6:30	8.4	94	8.2	163	20.7	7
8/21/24 6:45	8.4	94	8.2	163	20.7	7
8/21/24 7:00	8.4	93	8.2	163	20.7	7
8/21/24 7:15	8.4	94	8.2	163	20.6	7
8/21/24 7:30	8.4	93	8.1	163	20.6	7
8/21/24 7:45	8.3	93	8.1	163	20.6	8
8/21/24 8:00	8.4	93	8.1	163	20.5	6
8/21/24 8:15	8.3	92	8.1	163	20.5	7
8/21/24 8:30	8.4	93	8.1	163	20.5	6
8/21/24 8:45	8.4	93	8.1	163	20.5	8
8/21/24 9:00	8.4	93	8.1	163	20.5	8
8/21/24 9:15	8.4	94	8.1	163	20.5	6
8/21/24 9:30	8.5	94	8.1	163	20.5	6
8/21/24 9:45	8.5	95	8.1	163	20.5	5
8/21/24 10:00	8.6	95	8.1	163	20.5	8
8/21/24 10:15	8.6	96	8.1	163	20.5	6
8/21/24 10:30	8.7	97	8.2	163	20.5	7
8/21/24 10:45	8.8	98	8.2	163	20.5	7
8/21/24 11:00	8.8	98	8.2	163	20.6	5
8/21/24 11:15	8.9	99	8.2	163	20.6	5
8/21/24 11:30	8.9	100	8.2	163	20.7	5
8/21/24 11:45	9.0	100	8.2	163	20.7	5
8/21/24 12:00	9.1	101	8.2	163	20.7	6
8/21/24 12:15	9.1	102	8.2	163	20.7	6
8/21/24 12:30	9.2	102	8.2	163	20.8	5
8/21/24 12:45	9.2	103	8.2	163	20.8	5
8/21/24 13:00	9.3	104	8.3	163	20.8	5
8/21/24 13:15	9.3	105	8.3	163	20.9	5
8/21/24 13:30	9.4	106	8.3	163	20.9	6
8/21/24 13:45	9.5	106	8.3	163	21.0	6
8/21/24 14:00	9.5	107	8.3	163	21.0	8
8/21/24 14:15	9.6	107	8.3	163	21.0	6
8/21/24 14:30	9.6	108	8.3	163	21.0	5
8/21/24 14:45	9.6	108	8.3	163	21.1	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/21/24 15:00	9.7	109	8.3	163	21.1	5
8/21/24 15:15	9.7	109	8.3	163	21.1	6
8/21/24 15:30	9.7	110	8.3	163	21.1	5
8/21/24 15:45	9.8	110	8.3	163	21.1	5
8/21/24 16:00	9.8	110	8.4	163	21.1	5
8/21/24 16:15	9.8	111	8.4	163	21.2	5
8/21/24 16:30	9.9	112	8.4	163	21.2	5
8/21/24 16:45	9.9	112	8.4	163	21.2	5
8/21/24 17:00	10.0	112	8.4	163	21.2	5
8/21/24 17:15	10.0	113	8.4	163	21.2	4
8/21/24 17:30	10.0	113	8.4	163	21.2	5
8/21/24 17:45	10.0	112	8.4	163	21.2	5
8/21/24 18:00	10.0	113	8.4	163	21.2	5
8/21/24 18:15	10.0	112	8.4	163	21.2	5
8/21/24 18:30	10.0	112	8.4	163	21.2	5
8/21/24 18:45	9.9	112	8.4	163	21.1	6
8/21/24 19:00	9.9	111	8.4	163	21.1	5
8/21/24 19:15	9.9	111	8.4	163	21.1	5
8/21/24 19:30	9.8	111	8.4	163	21.1	5
8/21/24 19:45	9.8	110	8.4	163	21.1	4
8/21/24 20:00	9.8	110	8.4	163	21.1	5
8/21/24 20:15	9.7	110	8.4	163	21.1	5
8/21/24 20:30	9.7	109	8.4	163	21.1	4
8/21/24 20:45	9.7	109	8.4	163	21.1	5
8/21/24 21:00	9.7	108	8.4	163	21.1	4
8/21/24 21:15	9.6	108	8.4	163	21.2	4
8/21/24 21:30	9.6	108	8.4	163	21.2	5
8/21/24 21:45	9.6	108	8.4	163	21.2	5
8/21/24 22:00	9.5	107	8.4	163	21.2	5
8/21/24 22:15	9.5	107	8.4	163	21.2	5
8/21/24 22:30	9.5	107	8.4	163	21.2	5
8/21/24 22:45	9.5	107	8.4	163	21.3	5
8/21/24 23:00	9.4	106	8.4	163	21.3	4
8/21/24 23:15	9.4	106	8.4	163	21.3	5
8/21/24 23:30	9.4	106	8.4	163	21.3	5
8/21/24 23:45	9.4	106	8.4	163	21.3	5
8/22/24 0:00	9.3	106	8.4	163	21.3	5
8/22/24 0:15	9.3	105	8.4	163	21.3	5
8/22/24 0:30	9.3	105	8.4	163	21.3	5
8/22/24 0:45	9.2	104	8.4	163	21.3	5
8/22/24 1:00	9.2	104	8.4	163	21.3	4
8/22/24 1:15	9.2	103	8.4	163	21.3	5
8/22/24 1:30	9.1	103	8.4	164	21.2	5
8/22/24 1:45	9.1	102	8.4	163	21.2	5
8/22/24 2:00	9.1	102	8.4	164	21.2	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/22/24 2:15	9.0	101	8.4	164	21.1	5
8/22/24 2:30	9.0	101	8.3	164	21.1	5
8/22/24 2:45	8.9	100	8.3	163	21.1	7
8/22/24 3:00	8.9	100	8.3	164	21.1	6
8/22/24 3:15	8.9	100	8.3	164	21.0	5
8/22/24 3:30	8.8	99	8.3	164	21.0	5
8/22/24 3:45	8.8	99	8.3	164	21.0	5
8/22/24 4:00	8.8	98	8.3	164	21.0	6
8/22/24 4:15	8.7	98	8.3	164	20.9	5
8/22/24 4:30	8.7	97	8.3	164	20.9	5
8/22/24 4:45	8.7	97	8.3	164	20.9	6
8/22/24 5:00	8.6	96	8.3	164	20.9	6
8/22/24 5:15	8.6	96	8.3	164	20.9	5
8/22/24 5:30	8.6	96	8.2	164	20.8	5
8/22/24 5:45	8.6	96	8.2	164	20.8	6
8/22/24 6:00	8.5	95	8.2	164	20.8	6
8/22/24 6:15	8.5	95	8.2	164	20.8	6
8/22/24 6:30	8.5	95	8.2	164	20.8	6
8/22/24 6:45	8.4	94	8.2	164	20.8	7
8/22/24 7:00	8.4	94	8.2	164	20.8	6
8/22/24 7:15	8.4	94	8.2	164	20.8	6
8/22/24 7:30	8.4	94	8.2	164	20.7	13
8/22/24 7:45	8.4	94	8.2	164	20.7	6
8/22/24 8:00	8.4	93	8.2	164	20.7	5
8/22/24 8:15	8.4	93	8.2	164	20.7	5
8/22/24 8:30	8.4	93	8.2	164	20.7	5
8/22/24 8:45	8.4	94	8.2	164	20.7	5
8/22/24 9:00	8.4	94	8.2	164	20.7	5
8/22/24 9:15	8.4	94	8.2	164	20.7	5
8/22/24 9:30	8.4	94	8.2	164	20.7	5
8/22/24 9:45	8.5	94	8.2	164	20.7	4
8/22/24 10:00	8.5	95	8.2	164	20.7	4
8/22/24 10:15	8.6	96	8.2	164	20.7	5
8/22/24 10:30	8.6	96	8.2	164	20.7	5
8/22/24 10:45	8.7	96	8.2	164	20.7	5
8/22/24 11:00	8.7	97	8.2	164	20.7	6
8/22/24 11:15	8.7	97	8.2	164	20.7	5
8/22/24 11:30	8.8	98	8.2	164	20.7	5
8/22/24 11:45	8.8	98	8.2	164	20.6	5
8/22/24 12:00	8.8	98	8.2	164	20.6	5
8/22/24 12:15	8.8	98	8.2	164	20.6	5
8/22/24 12:30	8.8	98	8.2	164	20.6	5
8/22/24 12:45	8.8	98	8.2	164	20.5	4
8/22/24 13:00	8.9	98	8.2	164	20.5	4
8/22/24 13:15	8.8	98	8.2	164	20.5	4

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/22/24 13:30	8.9	98	8.2	164	20.4	4
8/22/24 13:45	8.9	98	8.2	164	20.4	4
8/22/24 14:00	8.9	98	8.2	164	20.4	4
8/22/24 14:15	8.8	98	8.1	164	20.3	4
8/22/24 14:30	8.9	99	8.2	164	20.3	4
8/22/24 14:45	8.9	98	8.2	164	20.3	4
8/22/24 15:00	8.9	99	8.2	164	20.3	4
8/22/24 15:15	9.0	99	8.2	164	20.3	5
8/22/24 15:30	9.0	99	8.2	164	20.2	5
8/22/24 15:45	9.1	100	8.2	164	19.9	8
8/22/24 16:00	9.0	100	8.2	164	20.2	3
8/22/24 16:15	9.1	100	8.2	164	20.2	2
8/22/24 16:30	9.1	101	8.2	164	20.2	3
8/22/24 16:45	9.1	101	8.2	164	20.2	3
8/22/24 17:00	9.2	101	8.2	164	20.2	3
8/22/24 17:15	9.2	102	8.2	164	20.2	3
8/22/24 17:30	9.2	102	8.2	164	20.2	4
8/22/24 17:45	9.2	102	8.2	164	20.2	3
8/22/24 18:00	9.3	102	8.2	164	20.2	3
8/22/24 18:15	9.3	102	8.3	164	20.2	3
8/22/24 18:30	9.3	102	8.3	164	20.2	3
8/22/24 18:45	9.3	102	8.3	164	20.2	3
8/22/24 19:00	9.3	103	8.3	164	20.2	3
8/22/24 19:15	9.3	103	8.3	164	20.2	3
8/22/24 19:30	9.3	103	8.3	164	20.1	3
8/22/24 19:45	9.3	103	8.3	164	20.1	3
8/22/24 20:00	9.3	102	8.3	164	20.1	3
8/22/24 20:15	9.3	102	8.3	164	20.1	3
8/22/24 20:30	9.3	102	8.3	164	20.1	3
8/22/24 20:45	9.2	102	8.3	164	20.1	3
8/22/24 21:00	9.2	102	8.3	164	20.1	3
8/22/24 21:15	9.2	101	8.3	164	20.1	3
8/22/24 21:30	9.2	101	8.3	164	20.1	4
8/22/24 21:45	9.1	101	8.3	164	20.1	3
8/22/24 22:00	9.1	100	8.3	164	20.1	3
8/22/24 22:15	9.1	100	8.3	164	20.1	4
8/22/24 22:30	9.1	100	8.3	164	20.1	3
8/22/24 22:45	9.1	100	8.3	164	20.1	3
8/22/24 23:00	9.0	100	8.3	164	20.1	4
8/22/24 23:15	9.0	100	8.3	164	20.1	3
8/22/24 23:30	9.0	99	8.3	164	20.1	3
8/22/24 23:45	9.0	99	8.3	164	20.1	3
8/23/24 0:00	9.0	99	8.3	164	20.1	4
8/23/24 0:15	9.0	99	8.3	164	20.1	3
8/23/24 0:30	8.9	98	8.3	164	20.1	3

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/23/24 0:45	8.9	98	8.3	164	20.1	3
8/23/24 1:00	8.9	98	8.3	164	20.1	3
8/23/24 1:15	8.9	98	8.2	164	20.1	3
8/23/24 1:30	8.9	98	8.2	164	20.1	4
8/23/24 1:45	8.8	98	8.2	164	20.1	3
8/23/24 2:00	8.8	97	8.2	164	20.0	5
8/23/24 2:15	8.8	97	8.2	164	20.0	4
8/23/24 2:30	8.8	97	8.2	164	20.0	3
8/23/24 2:45	8.8	97	8.2	164	20.0	4
8/23/24 3:00	8.8	96	8.2	164	20.0	4
8/23/24 3:15	8.7	96	8.2	164	20.0	3
8/23/24 3:30	8.7	96	8.2	164	20.0	3
8/23/24 3:45	8.7	95	8.2	164	20.0	4
8/23/24 4:00	8.7	95	8.2	164	19.9	4
8/23/24 4:15	8.6	95	8.2	164	19.9	4
8/23/24 4:30	8.6	95	8.2	164	19.9	5
8/23/24 4:45	8.6	94	8.2	164	19.9	4
8/23/24 5:00	8.6	94	8.2	164	19.9	4
8/23/24 5:15	8.6	94	8.2	164	19.9	4
8/23/24 5:30	8.5	94	8.2	164	19.9	5
8/23/24 5:45	8.5	94	8.2	163	19.8	5
8/23/24 6:00	8.5	93	8.1	164	19.8	5
8/23/24 6:15	8.5	93	8.1	164	19.8	4
8/23/24 6:30	8.5	93	8.1	164	19.8	5
8/23/24 6:45	8.4	92	8.1	164	19.8	4
8/23/24 7:00	8.4	92	8.1	164	19.8	4
8/23/24 7:15	8.4	92	8.1	164	19.8	5
8/23/24 7:30	8.4	92	8.1	164	19.8	5
8/23/24 7:45	8.4	92	8.1	164	19.8	5
8/23/24 8:00	8.4	92	8.1	164	19.8	4
8/23/24 8:15	8.4	92	8.1	164	19.8	4
8/23/24 8:30	8.4	92	8.1	164	19.8	4
8/23/24 8:45	8.4	92	8.1	164	19.8	6
8/23/24 9:00	8.5	93	8.1	164	19.8	8
8/23/24 9:15	8.5	93	8.1	164	19.8	7
8/23/24 9:30	8.5	94	8.1	164	19.8	4
8/23/24 9:45	8.6	94	8.1	164	19.8	8
8/23/24 10:00	8.7	95	8.2	164	19.8	8
8/23/24 10:15	8.7	95	8.1	164	19.8	8
8/23/24 10:30	8.7	96	8.1	164	19.8	4
8/23/24 10:45	8.8	96	8.2	164	19.8	6
8/23/24 11:00	8.8	97	8.2	164	19.8	4
8/23/24 11:15	8.8	97	8.2	164	19.8	3
8/23/24 11:30	8.9	97	8.2	164	19.8	3
8/23/24 11:45	8.9	98	8.2	164	19.8	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/23/24 12:00	8.9	98	8.2	164	19.8	4
8/23/24 12:15	8.9	98	8.2	164	19.7	3
8/23/24 12:30	9.0	98	8.2	164	19.7	8
8/23/24 12:45	9.0	98	8.2	164	19.7	5
8/23/24 13:00	9.0	98	8.2	164	19.7	3
8/23/24 13:15	9.0	98	8.2	164	19.7	3
8/23/24 13:30	9.0	99	8.2	164	19.7	5
8/23/24 13:45	9.1	99	8.2	164	19.6	5
8/23/24 14:00	9.1	99	8.2	164	19.6	3
8/23/24 14:15	9.1	99	8.2	164	19.6	3
8/23/24 14:30	9.1	99	8.2	164	19.6	3
8/23/24 14:45	9.1	100	8.2	164	19.5	4
8/23/24 15:00	9.1	100	8.2	164	19.5	11
8/23/24 15:15	9.2	100	8.2	164	19.5	3
8/23/24 15:30	9.2	100	8.2	164	19.5	3
8/23/24 15:45	9.2	100	8.2	164	19.5	3
8/23/24 16:00	9.2	100	8.2	163	19.5	3
8/23/24 16:15	9.2	100	8.2	163	19.4	3
8/23/24 16:30	9.2	100	8.2	163	19.4	4
8/23/24 16:45	9.2	100	8.2	163	19.4	3
8/23/24 17:00	9.2	100	8.2	163	19.4	3
8/23/24 17:15	9.2	100	8.2	163	19.4	3
8/23/24 17:30	9.2	100	8.2	163	19.4	3
8/23/24 17:45	9.2	100	8.2	163	19.4	4
8/23/24 18:00	9.2	100	8.2	163	19.4	4
8/23/24 18:15	9.2	100	8.2	163	19.4	3
8/23/24 18:30	9.2	100	8.2	163	19.4	4
8/23/24 18:45	9.2	100	8.2	162	19.3	3
8/23/24 19:00	9.2	100	8.2	162	19.3	3
8/23/24 19:15	9.2	100	8.2	162	19.3	3
8/23/24 19:30	9.2	100	8.2	162	19.3	4
8/23/24 19:45	9.2	100	8.2	162	19.3	3
8/23/24 20:00	9.2	100	8.2	162	19.3	4
8/23/24 20:15	9.2	100	8.2	162	19.3	4
8/23/24 20:30	9.2	99	8.2	162	19.3	4
8/23/24 20:45	9.2	99	8.2	161	19.2	5
8/23/24 21:00	9.1	99	8.2	161	19.2	3
8/23/24 21:15	9.1	99	8.2	161	19.3	4
8/23/24 21:30	9.1	99	8.2	161	19.3	4
8/23/24 21:45	9.1	99	8.2	161	19.2	4
8/23/24 22:00	9.1	98	8.2	160	19.2	4
8/23/24 22:15	9.1	98	8.2	160	19.2	4
8/23/24 22:30	9.1	98	8.2	160	19.3	3
8/23/24 22:45	9.0	98	8.2	160	19.2	5
8/23/24 23:00	9.0	98	8.2	160	19.2	4

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/23/24 23:15	9.0	98	8.2	160	19.2	4
8/23/24 23:30	9.0	97	8.2	160	19.3	4
8/23/24 23:45	9.0	97	8.2	160	19.3	4
8/24/24 0:00	8.9	97	8.2	160	19.3	4
8/24/24 0:15	8.9	97	8.2	160	19.3	4
8/24/24 0:30	8.9	96	8.2	161	19.3	4
8/24/24 0:45	8.9	96	8.2	161	19.3	5
8/24/24 1:00	8.9	96	8.2	161	19.3	4
8/24/24 1:15	8.8	96	8.2	160	19.3	4
8/24/24 1:30	8.8	96	8.2	160	19.3	4
8/24/24 1:45	8.8	96	8.2	160	19.3	4
8/24/24 2:00	8.8	95	8.2	161	19.3	4
8/24/24 2:15	8.8	95	8.2	160	19.3	3
8/24/24 2:30	8.8	95	8.2	160	19.3	5
8/24/24 2:45	8.8	95	8.1	160	19.2	4
8/24/24 3:00	8.7	95	8.1	160	19.2	5
8/24/24 3:15	8.7	94	8.1	160	19.2	4
8/24/24 3:30	8.7	94	8.1	160	19.2	4
8/24/24 3:45	8.7	94	8.1	160	19.2	5
8/24/24 4:00	8.7	94	8.1	160	19.2	5
8/24/24 4:15	8.7	94	8.1	160	19.1	7
8/24/24 4:30	8.7	94	8.1	160	19.1	7
8/24/24 4:45	8.6	93	8.1	160	19.1	7
8/24/24 5:00	8.6	93	8.1	160	19.1	5
8/24/24 5:15	8.6	93	8.1	160	19.1	5
8/24/24 5:30	8.6	93	8.1	160	19.1	5
8/24/24 5:45	8.6	93	8.1	160	19.1	5
8/24/24 6:00	8.6	93	8.1	160	19.0	4
8/24/24 6:15	8.6	93	8.1	160	19.0	5
8/24/24 6:30	8.6	93	8.1	160	19.0	8
8/24/24 6:45	8.6	92	8.1	160	19.0	6
8/24/24 7:00	8.6	92	8.1	160	19.0	5
8/24/24 7:15	8.6	92	8.0	160	19.0	5
8/24/24 7:30	8.6	92	8.0	160	18.9	5
8/24/24 7:45	8.6	92	8.0	160	18.9	6
8/24/24 8:00	8.6	92	8.0	160	18.9	7
8/24/24 8:15	8.6	93	8.0	160	18.9	6
8/24/24 8:30	8.7	93	8.0	160	18.8	5
8/24/24 8:45	8.7	93	8.0	160	18.8	5
8/24/24 9:00	8.7	93	8.0	159	18.8	5
8/24/24 9:15	8.7	94	8.0	159	18.7	5
8/24/24 9:30	8.8	94	8.1	159	18.8	6
8/24/24 9:45	8.8	95	8.1	158	18.7	6
8/24/24 10:00	8.8	95	8.1	158	18.7	6
8/24/24 10:15	8.9	95	8.1	158	18.7	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/24/24 10:30	8.9	96	8.1	158	18.7	7
8/24/24 10:45	9.0	97	8.1	157	18.8	6
8/24/24 11:00	9.1	97	8.1	157	18.8	5
8/24/24 11:15	9.1	98	8.1	157	18.8	9
8/24/24 11:30	9.1	98	8.1	158	18.8	15
8/24/24 11:45	9.2	98	8.1	158	18.8	9
8/24/24 12:00	9.2	99	8.1	158	18.9	15
8/24/24 12:15	9.2	100	8.1	158	19.0	9
8/24/24 12:30	9.2	100	8.1	158	18.9	6
8/24/24 12:45	9.2	100	8.1	158	18.9	6
8/24/24 13:00	9.3	100	8.1	158	18.9	9
8/24/24 13:15	9.3	100	8.1	158	19.0	23
8/24/24 13:30	9.4	101	8.1	158	19.1	7
8/24/24 13:45	9.4	102	8.1	158	19.1	8
8/24/24 14:00	9.5	102	8.2	158	19.2	12
8/24/24 14:15	9.5	103	8.2	158	19.2	5
8/24/24 14:30	9.6	104	8.2	158	19.3	8
8/24/24 14:45	9.6	104	8.2	158	19.3	8
8/24/24 15:00	9.6	104	8.2	158	19.4	7
8/24/24 15:15	9.6	105	8.2	158	19.4	8
8/24/24 15:30	9.7	105	8.2	158	19.5	6
8/24/24 15:45	9.7	106	8.2	158	19.5	8
8/24/24 16:00	9.7	106	8.2	158	19.6	10
8/24/24 16:15	9.8	106	8.2	158	19.6	9
8/24/24 16:30	9.8	107	8.2	158	19.7	9
8/24/24 16:45	9.8	107	8.2	158	19.8	11
8/24/24 17:00	9.8	107	8.3	158	19.8	7
8/24/24 17:15	9.8	107	8.3	158	19.8	8
8/24/24 17:30	9.8	107	8.3	158	19.9	9
8/24/24 17:45	9.7	107	8.3	158	19.9	9
8/24/24 18:00	9.7	107	8.3	159	19.9	9
8/24/24 18:15	9.7	106	8.3	159	19.9	8
8/24/24 18:30	9.7	106	8.3	159	19.9	12
8/24/24 18:45	9.7	106	8.3	159	19.9	9
8/24/24 19:00	9.7	106	8.3	159	20.0	9
8/24/24 19:15	9.6	106	8.3	159	20.0	10
8/24/24 19:30	9.6	106	8.3	159	20.0	8
8/24/24 19:45	9.6	106	8.3	159	20.0	10
8/24/24 20:00	9.6	106	8.3	159	20.1	7
8/24/24 20:15	9.6	105	8.3	159	20.1	7
8/24/24 20:30	9.5	105	8.3	159	20.1	9
8/24/24 20:45	9.5	105	8.2	159	20.1	11
8/24/24 21:00	9.5	104	8.2	159	20.1	9
8/24/24 21:15	9.4	104	8.2	159	20.1	9
8/24/24 21:30	9.4	104	8.2	159	20.0	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/24/24 21:45	9.4	103	8.2	159	20.0	10
8/24/24 22:00	9.4	103	8.2	159	20.0	10
8/24/24 22:15	9.3	103	8.2	159	20.0	10
8/24/24 22:30	9.3	102	8.2	159	19.9	10
8/24/24 22:45	9.3	102	8.2	159	19.9	12
8/24/24 23:00	9.2	102	8.2	159	19.9	13
8/24/24 23:15	9.2	101	8.2	159	19.9	11
8/24/24 23:30	9.2	101	8.2	159	19.8	11
8/24/24 23:45	9.2	100	8.2	159	19.8	10
8/25/24 0:00	9.1	100	8.2	159	19.8	13
8/25/24 0:15	9.1	100	8.2	159	19.8	13
8/25/24 0:30	9.1	99	8.1	159	19.7	12
8/25/24 0:45	9.0	99	8.1	159	19.7	10
8/25/24 1:00	9.0	99	8.1	159	19.6	13
8/25/24 1:15	9.0	98	8.1	159	19.6	12
8/25/24 1:30	9.0	98	8.1	159	19.6	12
8/25/24 1:45	8.9	98	8.1	159	19.5	28
8/25/24 2:00	8.9	97	8.1	159	19.5	13
8/25/24 2:15	8.9	97	8.1	159	19.5	16
8/25/24 2:30	8.9	97	8.1	159	19.4	14
8/25/24 2:45	8.9	96	8.1	159	19.4	13
8/25/24 3:00	8.9	96	8.0	159	19.3	12
8/25/24 3:15	8.8	96	8.0	159	19.3	12
8/25/24 3:30	8.8	96	8.0	159	19.2	14
8/25/24 3:45	8.8	95	8.0	159	19.2	14
8/25/24 4:00	8.8	95	8.0	159	19.2	16
8/25/24 4:15	8.8	95	8.0	159	19.1	20
8/25/24 4:30	8.8	95	8.0	159	19.1	14
8/25/24 4:45	8.8	95	8.0	159	19.0	14
8/25/24 5:00	8.8	94	8.0	159	19.0	15
8/25/24 5:15	8.8	94	8.0	159	18.9	18
8/25/24 5:30	8.8	94	8.0	159	18.8	12
8/25/24 5:45	8.7	94	8.0	159	18.8	14
8/25/24 6:00	8.7	94	8.0	159	18.7	15
8/25/24 6:15	8.7	94	8.0	159	18.7	16
8/25/24 6:30	8.7	94	7.9	159	18.6	16
8/25/24 6:45	8.7	93	8.0	159	18.6	15
8/25/24 7:00	8.7	93	7.9	159	18.5	15
8/25/24 7:15	8.7	93	7.9	159	18.5	13
8/25/24 7:30	8.7	93	7.9	159	18.5	14
8/25/24 7:45	8.7	93	7.9	159	18.4	14
8/25/24 8:00	8.7	93	7.9	159	18.4	14
8/25/24 8:15	8.8	93	7.9	159	18.4	15
8/25/24 8:30	8.8	93	7.9	159	18.3	15
8/25/24 8:45	8.8	93	7.9	159	18.3	12

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/25/24 9:00	8.8	94	7.9	159	18.3	13
8/25/24 9:15	8.8	94	7.9	159	18.3	12
8/25/24 9:30	8.8	94	8.0	159	18.3	13
8/25/24 9:45	8.9	94	8.0	159	18.3	11
8/25/24 10:00	8.9	95	8.0	159	18.4	12
8/25/24 10:15	8.9	95	8.0	159	18.4	13
8/25/24 10:30	8.9	95	8.0	159	18.4	12
8/25/24 10:45	9.0	96	8.0	159	18.5	13
8/25/24 11:00	9.0	96	8.0	159	18.5	11
8/25/24 11:15	9.0	97	8.0	159	18.6	12
8/25/24 11:30	9.1	97	8.0	160	18.6	29
8/25/24 11:45	9.1	97	8.0	160	18.6	20
8/25/24 12:00	9.1	98	8.0	160	18.7	14
8/25/24 12:15	9.2	98	8.0	160	18.8	10
8/25/24 12:30	9.2	99	8.0	160	18.8	11
8/25/24 12:45	9.2	99	8.0	160	18.9	11
8/25/24 13:00	9.2	100	8.0	160	19.0	10
8/25/24 13:15	9.3	100	8.1	160	19.0	11
8/25/24 13:30	9.3	100	8.1	160	19.1	11
8/25/24 13:45	9.3	101	8.1	160	19.2	12
8/25/24 14:00	9.3	101	8.1	160	19.2	12
8/25/24 14:15	9.4	102	8.1	160	19.3	12
8/25/24 14:30	9.4	102	8.1	160	19.4	10
8/25/24 14:45	9.5	103	8.1	160	19.4	12
8/25/24 15:00	9.5	104	8.1	160	19.5	10
8/25/24 15:15	9.5	104	8.2	160	19.6	34
8/25/24 15:30	9.6	104	8.2	160	19.6	12
8/25/24 15:45	9.6	105	8.2	160	19.7	10
8/25/24 16:00	9.6	105	8.2	160	19.8	10
8/25/24 16:15	9.6	106	8.2	160	19.8	10
8/25/24 16:30	9.7	106	8.2	160	19.9	8
8/25/24 16:45	9.7	106	8.2	160	19.9	9
8/25/24 17:00	9.7	107	8.2	160	20.0	9
8/25/24 17:15	9.7	107	8.2	160	20.0	12
8/25/24 17:30	9.7	107	8.2	160	20.1	11
8/25/24 17:45	9.7	107	8.2	159	20.1	8
8/25/24 18:00	9.7	107	8.2	159	20.1	13
8/25/24 18:15	9.7	107	8.2	159	20.2	8
8/25/24 18:30	9.7	107	8.2	159	20.2	10
8/25/24 18:45	9.7	107	8.3	159	20.2	8
8/25/24 19:00	9.7	107	8.3	159	20.2	11
8/25/24 19:15	9.7	107	8.3	159	20.3	8
8/25/24 19:30	9.7	107	8.3	159	20.3	9
8/25/24 19:45	9.6	107	8.3	159	20.3	9
8/25/24 20:00	9.6	107	8.3	159	20.3	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/25/24 20:15	9.6	106	8.3	159	20.4	11
8/25/24 20:30	9.6	106	8.3	159	20.4	8
8/25/24 20:45	9.6	106	8.3	159	20.4	8
8/25/24 21:00	9.6	106	8.3	159	20.4	8
8/25/24 21:15	9.5	106	8.3	159	20.4	9
8/25/24 21:30	9.5	105	8.3	159	20.4	8
8/25/24 21:45	9.5	105	8.3	159	20.4	10
8/25/24 22:00	9.4	105	8.3	159	20.4	11
8/25/24 22:15	9.4	104	8.3	159	20.4	8
8/25/24 22:30	9.4	104	8.3	159	20.4	10
8/25/24 22:45	9.4	104	8.3	159	20.3	9
8/25/24 23:00	9.4	104	8.3	159	20.3	10
8/25/24 23:15	9.3	103	8.3	159	20.3	9
8/25/24 23:30	9.3	103	8.2	159	20.3	8
8/25/24 23:45	9.3	102	8.2	159	20.2	8
8/26/24 0:00	9.2	102	8.2	159	20.2	9
8/26/24 0:15	9.2	102	8.2	159	20.2	9
8/26/24 0:30	9.2	102	8.2	159	20.1	9
8/26/24 0:45	9.2	101	8.2	159	20.1	9
8/26/24 1:00	9.2	101	8.2	159	20.1	8
8/26/24 1:15	9.1	101	8.2	159	20.0	11
8/26/24 1:30	9.1	100	8.2	159	20.0	11
8/26/24 1:45	9.1	100	8.2	158	19.9	9
8/26/24 2:00	9.1	100	8.2	158	19.9	8
8/26/24 2:15	9.1	99	8.2	158	19.8	9
8/26/24 2:30	9.0	99	8.2	158	19.8	8
8/26/24 2:45	9.0	98	8.2	158	19.7	9
8/26/24 3:00	9.0	98	8.2	158	19.7	8
8/26/24 3:15	9.0	98	8.2	158	19.6	9
8/26/24 3:30	8.9	98	8.1	158	19.6	8
8/26/24 3:45	8.9	97	8.1	158	19.5	9
8/26/24 4:00	8.9	97	8.1	158	19.5	8
8/26/24 4:15	8.9	97	8.1	158	19.4	11
8/26/24 4:30	8.9	96	8.1	158	19.4	9
8/26/24 4:45	8.9	96	8.1	158	19.3	10
8/26/24 5:00	8.8	96	8.1	158	19.3	8
8/26/24 5:15	8.8	96	8.1	158	19.2	10
8/26/24 5:30	8.8	96	8.1	158	19.2	8
8/26/24 5:45	8.8	95	8.1	158	19.1	10
8/26/24 6:00	8.8	95	8.1	158	19.1	10
8/26/24 6:15	8.8	95	8.0	158	19.0	9
8/26/24 6:30	8.8	95	8.0	158	19.0	9
8/26/24 6:45	8.8	94	8.0	158	18.9	9
8/26/24 7:00	8.8	94	8.0	158	18.9	11
8/26/24 7:15	8.8	94	8.0	158	18.8	13

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/26/24 7:30	8.8	94	8.0	158	18.8	10
8/26/24 7:45	8.8	94	8.0	158	18.7	8
8/26/24 8:00	8.8	94	8.0	158	18.7	10
8/26/24 8:15	8.8	94	8.0	158	18.7	11
8/26/24 8:30	8.8	94	8.0	158	18.7	9
8/26/24 8:45	8.8	94	8.0	158	18.7	8
8/26/24 9:00	8.8	94	8.0	158	18.6	10
8/26/24 9:15	8.8	95	8.0	158	18.6	9
8/26/24 9:30	8.8	95	8.0	158	18.6	8
8/26/24 9:45	8.9	95	8.0	158	18.7	9
8/26/24 10:00	8.9	96	8.0	158	18.7	7
8/26/24 10:15	9.0	96	8.0	158	18.7	9
8/26/24 10:30	9.0	97	8.0	158	18.8	8
8/26/24 10:45	9.1	97	8.0	158	18.8	8
8/26/24 11:00	9.1	98	8.1	158	18.8	8
8/26/24 11:15	9.2	98	8.1	158	18.9	7
8/26/24 11:30	9.2	99	8.1	158	18.9	8
8/26/24 11:45	9.2	100	8.1	158	19.0	8
8/26/24 12:00	9.2	100	8.1	158	19.1	7
8/26/24 12:15	9.3	100	8.1	158	19.2	9
8/26/24 12:30	9.3	101	8.1	158	19.2	6
8/26/24 12:45	9.4	102	8.1	158	19.3	7
8/26/24 13:00	9.4	102	8.2	158	19.4	10
8/26/24 13:15	9.4	103	8.2	158	19.4	9
8/26/24 13:30	9.5	103	8.2	158	19.5	8
8/26/24 13:45	9.5	104	8.2	158	19.5	8
8/26/24 14:00	9.5	104	8.2	158	19.6	8
8/26/24 14:15	9.6	105	8.2	158	19.6	9
8/26/24 14:30	9.6	105	8.2	158	19.7	7
8/26/24 14:45	9.6	106	8.2	158	19.8	8
8/26/24 15:00	9.7	106	8.2	158	19.8	10
8/26/24 15:15	9.7	106	8.2	158	19.9	8
8/26/24 15:30	9.7	107	8.3	158	19.9	11
8/26/24 15:45	9.8	108	8.3	158	20.0	7
8/26/24 16:00	9.8	108	8.3	158	20.0	7
8/26/24 16:15	9.8	108	8.3	158	20.1	7
8/26/24 16:30	9.8	109	8.3	158	20.1	7
8/26/24 16:45	9.8	109	8.3	158	20.2	7
8/26/24 17:00	9.9	109	8.3	158	20.2	7
8/26/24 17:15	9.9	109	8.3	158	20.3	6
8/26/24 17:30	9.8	108	8.3	158	20.3	
8/26/24 17:45	9.8	109	8.3	158	20.3	6
8/26/24 18:00	9.8	109	8.3	158	20.4	7
8/26/24 18:15	9.8	109	8.3	158	20.4	7
8/26/24 18:30	9.8	108	8.3	158	20.4	5

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/26/24 18:45	9.8	108	8.3	158	20.4	6
8/26/24 19:00	9.7	108	8.3	158	20.5	5
8/26/24 19:15	9.7	108	8.3	158	20.5	8
8/26/24 19:30	9.7	108	8.3	158	20.5	6
8/26/24 19:45	9.6	107	8.3	158	20.6	6
8/26/24 20:00	9.6	107	8.3	158	20.6	7
8/26/24 20:15	9.6	107	8.3	158	20.6	6
8/26/24 20:30	9.6	106	8.3	158	20.6	6
8/26/24 20:45	9.5	106	8.3	158	20.7	6
8/26/24 21:00	9.5	106	8.3	158	20.7	6
8/26/24 21:15	9.4	105	8.3	158	20.7	7
8/26/24 21:30	9.4	105	8.3	158	20.7	6
8/26/24 21:45	9.4	104	8.3	159	20.7	6
8/26/24 22:00	9.3	104	8.3	159	20.7	6
8/26/24 22:15	9.3	104	8.3	159	20.7	6
8/26/24 22:30	9.2	103	8.3	159	20.7	7
8/26/24 22:45	9.2	103	8.3	159	20.7	7
8/26/24 23:00	9.2	103	8.3	159	20.7	7
8/26/24 23:15	9.2	102	8.3	159	20.7	8
8/26/24 23:30	9.1	102	8.3	159	20.7	8
8/26/24 23:45	9.1	102	8.2	159	20.7	12
8/27/24 0:00	9.1	101	8.2	159	20.7	6
8/27/24 0:15	9.0	101	8.2	159	20.7	9
8/27/24 0:30	9.0	100	8.2	159	20.7	7
8/27/24 0:45	8.9	100	8.2	159	20.7	8
8/27/24 1:00	8.9	100	8.2	160	20.6	6
8/27/24 1:15	8.9	99	8.2	160	20.6	6
8/27/24 1:30	8.9	99	8.2	160	20.6	8
8/27/24 1:45	8.8	98	8.2	160	20.6	6
8/27/24 2:00	8.8	98	8.2	160	20.5	7
8/27/24 2:15	8.8	98	8.2	160	20.5	8
8/27/24 2:30	8.7	97	8.2	160	20.5	8
8/27/24 2:45	8.7	97	8.2	160	20.4	7
8/27/24 3:00	8.7	96	8.1	160	20.4	7
8/27/24 3:15	8.7	96	8.1	160	20.4	8
8/27/24 3:30	8.7	96	8.1	160	20.3	9
8/27/24 3:45	8.6	96	8.1	160	20.3	8
8/27/24 4:00	8.6	95	8.1	160	20.3	8
8/27/24 4:15	8.6	95	8.1	160	20.2	8
8/27/24 4:30	8.6	94	8.1	160	20.2	8
8/27/24 4:45	8.5	94	8.1	161	20.2	8
8/27/24 5:00	8.5	94	8.1	161	20.2	8
8/27/24 5:15	8.5	94	8.1	161	20.1	8
8/27/24 5:30	8.5	94	8.1	161	20.1	9
8/27/24 5:45	8.5	93	8.1	161	20.0	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/27/24 6:00	8.5	93	8.1	161	20.0	7
8/27/24 6:15	8.4	93	8.0	161	20.0	7
8/27/24 6:30	8.4	93	8.0	161	19.9	8
8/27/24 6:45	8.4	92	8.0	161	19.9	7
8/27/24 7:00	8.4	92	8.0	161	19.8	9
8/27/24 7:15	8.4	92	8.0	162	19.8	8
8/27/24 7:30	8.4	92	8.0	162	19.7	11
8/27/24 7:45	8.4	92	8.0	162	19.7	8
8/27/24 8:00	8.4	92	8.0	162	19.6	7
8/27/24 8:15	8.4	92	8.0	162	19.6	9
8/27/24 8:30	8.4	92	8.0	162	19.6	7
8/27/24 8:45	8.4	92	8.0	162	19.5	7
8/27/24 9:00	8.5	92	8.0	162	19.5	20
8/27/24 9:15	8.5	93	8.0	162	19.5	74
8/27/24 9:30	8.5	93	8.0	162	19.5	8
8/27/24 9:45	8.5	93	8.0	162	19.5	8
8/27/24 10:00	8.6	93	8.0	162	19.5	7
8/27/24 10:15	8.7	94	8.0	162	19.4	8
8/27/24 10:30	8.5	93	7.8	162	19.5	0
8/27/24 10:45	8.5	93	7.8	162	19.5	8
8/27/24 11:00	8.6	93	7.9	138	19.4	10
8/27/24 11:15	8.6	93	7.9	138	19.4	7
8/27/24 11:30						
8/27/24 11:45						
8/27/24 12:00						
8/27/24 12:15						
8/27/24 12:30						
8/27/24 12:45						
8/27/24 13:00						
8/27/24 13:15	8.9	98	8.1	163	19.9	7
8/27/24 13:30	8.9	98	8.1	163	19.9	7
8/27/24 13:45	9.0	99	8.1	163	19.9	6
8/27/24 14:00	9.0	99	8.1	163	20.0	8
8/27/24 14:15	9.1	100	8.1	163	20.1	8
8/27/24 14:30	9.1	100	8.1	163	20.1	7
8/27/24 14:45	9.1	101	8.1	163	20.2	9
8/27/24 15:00	9.2	101	8.1	163	20.2	7
8/27/24 15:15	9.2	101	8.1	163	20.3	9
8/27/24 15:30	9.2	102	8.1	164	20.3	7
8/27/24 15:45	9.2	102	8.1	164	20.4	16
8/27/24 16:00	9.2	102	8.2	164	20.4	7
8/27/24 16:15	9.2	103	8.2	164	20.5	6
8/27/24 16:30	9.3	103	8.2	164	20.5	7
8/27/24 16:45	9.3	103	8.2	164	20.6	10
8/27/24 17:00	9.3	104	8.2	164	20.6	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/27/24 17:15	9.3	104	8.2	164	20.7	8
8/27/24 17:30	9.3	104	8.2	164	20.7	8
8/27/24 17:45	9.4	105	8.2	164	20.8	7
8/27/24 18:00	9.4	105	8.2	164	20.8	7
8/27/24 18:15	9.4	105	8.2	164	20.8	7
8/27/24 18:30	9.4	105	8.2	164	20.9	7
8/27/24 18:45	9.3	105	8.2	164	20.9	8
8/27/24 19:00	9.3	105	8.2	164	20.9	7
8/27/24 19:15	9.3	104	8.2	164	20.9	8
8/27/24 19:30	9.3	104	8.2	164	20.9	9
8/27/24 19:45	9.3	104	8.2	164	21.0	7
8/27/24 20:00	9.3	104	8.2	164	21.0	7
8/27/24 20:15	9.2	104	8.2	164	21.0	10
8/27/24 20:30	9.2	103	8.2	164	21.1	7
8/27/24 20:45	9.2	103	8.2	164	21.1	7
8/27/24 21:00	9.2	103	8.2	164	21.1	9
8/27/24 21:15	9.1	103	8.2	164	21.2	7
8/27/24 21:30	9.1	103	8.2	164	21.2	6
8/27/24 21:45	9.1	102	8.2	164	21.2	8
8/27/24 22:00	9.1	102	8.2	164	21.3	7
8/27/24 22:15	9.0	102	8.2	164	21.3	7
8/27/24 22:30	9.0	101	8.2	164	21.3	7
8/27/24 22:45	9.0	101	8.2	164	21.3	8
8/27/24 23:00	8.9	101	8.2	164	21.3	7
8/27/24 23:15	8.9	101	8.2	164	21.3	7
8/27/24 23:30	8.9	100	8.2	164	21.3	9
8/27/24 23:45	8.8	100	8.2	164	21.4	6
8/28/24 0:00	8.8	100	8.2	164	21.4	7
8/28/24 0:15	8.8	100	8.2	164	21.4	7
8/28/24 0:30	8.8	99	8.2	164	21.4	7
8/28/24 0:45	8.8	99	8.2	164	21.4	7
8/28/24 1:00	8.7	99	8.2	164	21.3	8
8/28/24 1:15	8.7	98	8.2	164	21.3	7
8/28/24 1:30	8.7	98	8.1	164	21.3	7
8/28/24 1:45	8.6	98	8.1	164	21.3	6
8/28/24 2:00	8.6	97	8.1	164	21.3	7
8/28/24 2:15	8.6	97	8.1	164	21.3	7
8/28/24 2:30	8.6	97	8.1	164	21.3	8
8/28/24 2:45	8.5	96	8.1	164	21.2	8
8/28/24 3:00	8.5	96	8.1	164	21.2	8
8/28/24 3:15	8.5	96	8.1	164	21.2	7
8/28/24 3:30	8.5	95	8.1	164	21.2	8
8/28/24 3:45	8.4	95	8.1	164	21.2	7
8/28/24 4:00	8.4	95	8.1	164	21.1	7
8/28/24 4:15	8.4	94	8.1	164	21.1	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/28/24 4:30	8.4	94	8.1	164	21.1	8
8/28/24 4:45	8.3	94	8.1	164	21.1	8
8/28/24 5:00	8.3	94	8.1	164	21.0	9
8/28/24 5:15	8.3	93	8.1	164	21.0	9
8/28/24 5:30	8.3	93	8.1	164	21.0	8
8/28/24 5:45	8.3	93	8.1	164	21.0	12
8/28/24 6:00	8.2	92	8.0	164	20.9	8
8/28/24 6:15	8.2	92	8.0	164	20.9	8
8/28/24 6:30	8.2	92	8.0	164	20.9	9
8/28/24 6:45	8.2	92	8.0	164	20.9	8
8/28/24 7:00	8.2	92	8.0	164	20.8	8
8/28/24 7:15	8.2	92	8.0	164	20.8	8
8/28/24 7:30	8.2	91	8.0	164	20.8	8
8/28/24 7:45	8.2	91	8.0	164	20.7	8
8/28/24 8:00	8.2	91	8.0	164	20.7	8
8/28/24 8:15	8.2	91	8.0	164	20.6	8
8/28/24 8:30	8.2	91	8.0	164	20.6	8
8/28/24 8:45	8.2	91	8.0	164	20.6	8
8/28/24 9:00	8.2	91	8.0	164	20.5	7
8/28/24 9:15	8.2	91	8.0	164	20.5	8
8/28/24 9:30	8.2	91	8.0	164	20.5	7
8/28/24 9:45	8.2	92	8.0	164	20.4	7
8/28/24 10:00	8.3	92	8.0	164	20.4	7
8/28/24 10:15	8.3	92	8.0	164	20.4	7
8/28/24 10:30	8.3	92	8.0	164	20.4	7
8/28/24 10:45	8.4	93	8.0	164	20.3	8
8/28/24 11:00	8.4	93	8.0	164	20.3	9
8/28/24 11:15	8.5	94	8.0	164	20.3	8
8/28/24 11:30	8.5	95	8.0	164	20.4	7
8/28/24 11:45	8.6	95	8.0	164	20.4	8
8/28/24 12:00	8.7	96	8.0	164	20.4	8
8/28/24 12:15	8.7	97	8.1	164	20.4	7
8/28/24 12:30	8.8	97	8.1	164	20.5	8
8/28/24 12:45	8.8	98	8.1	164	20.5	7
8/28/24 13:00	8.9	99	8.1	164	20.6	7
8/28/24 13:15	8.9	100	8.1	164	20.6	7
8/28/24 13:30	9.0	100	8.1	164	20.7	7
8/28/24 13:45	9.0	101	8.1	164	20.7	8
8/28/24 14:00	9.1	101	8.1	164	20.8	9
8/28/24 14:15	9.1	102	8.1	164	20.8	7
8/28/24 14:30	9.2	103	8.2	164	20.9	7
8/28/24 14:45	9.2	103	8.2	164	20.9	7
8/28/24 15:00	9.2	104	8.2	164	21.0	7
8/28/24 15:15	9.3	104	8.2	164	21.0	8
8/28/24 15:30	9.3	105	8.2	164	21.0	7

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/28/24 15:45	9.4	105	8.2	164	21.1	7
8/28/24 16:00	9.4	106	8.2	164	21.1	7
8/28/24 16:15	9.4	106	8.2	164	21.1	7
8/28/24 16:30	9.5	107	8.2	164	21.2	7
8/28/24 16:45	9.5	107	8.2	164	21.2	8
8/28/24 17:00	9.5	107	8.2	164	21.2	9
8/28/24 17:15	9.6	108	8.3	164	21.3	7
8/28/24 17:30	9.6	108	8.3	164	21.3	7
8/28/24 17:45	9.6	108	8.3	164	21.4	7
8/28/24 18:00	9.6	109	8.3	164	21.4	17
8/28/24 18:15	9.6	109	8.3	164	21.4	8
8/28/24 18:30	9.6	109	8.3	164	21.4	8
8/28/24 18:45	9.6	109	8.3	164	21.4	7
8/28/24 19:00	9.6	109	8.3	164	21.4	7
8/28/24 19:15	9.6	109	8.3	165	21.4	7
8/28/24 19:30	9.6	108	8.3	165	21.4	7
8/28/24 19:45	9.5	108	8.3	165	21.5	8
8/28/24 20:00	9.5	108	8.3	165	21.5	7
8/28/24 20:15	9.5	107	8.3	165	21.5	7
8/28/24 20:30	9.5	107	8.3	165	21.5	7
8/28/24 20:45	9.4	107	8.3	165	21.5	7
8/28/24 21:00	9.4	107	8.3	165	21.6	9
8/28/24 21:15	9.4	106	8.3	165	21.6	7
8/28/24 21:30	9.3	106	8.3	165	21.6	7
8/28/24 21:45	9.3	106	8.3	165	21.6	8
8/28/24 22:00	9.3	106	8.3	165	21.7	8
8/28/24 22:15	9.3	105	8.3	165	21.7	8
8/28/24 22:30	9.2	105	8.3	165	21.7	8
8/28/24 22:45	9.2	104	8.3	165	21.7	8
8/28/24 23:00	9.2	104	8.3	165	21.7	7
8/28/24 23:15	9.1	104	8.3	165	21.8	7
8/28/24 23:30	9.1	103	8.3	165	21.8	9
8/28/24 23:45	9.0	103	8.3	165	21.8	8
8/29/24 0:00	9.0	103	8.3	166	21.8	7
8/29/24 0:15	9.0	102	8.3	166	21.8	7
8/29/24 0:30	8.9	102	8.3	166	21.9	8
8/29/24 0:45	8.9	101	8.3	166	21.9	7
8/29/24 1:00	8.9	101	8.3	166	21.9	7
8/29/24 1:15	8.8	101	8.2	166	21.9	8
8/29/24 1:30	8.8	101	8.2	166	21.9	8
8/29/24 1:45	8.8	100	8.2	166	21.9	8
8/29/24 2:00	8.7	100	8.2	166	21.8	7
8/29/24 2:15	8.7	99	8.2	166	21.8	8
8/29/24 2:30	8.7	99	8.2	166	21.8	8
8/29/24 2:45	8.7	99	8.2	166	21.8	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/29/24 3:00	8.6	98	8.2	125	21.8	8
8/29/24 3:15	8.6	98	8.2	166	21.7	8
8/29/24 3:30	8.6	97	8.2	167	21.7	7
8/29/24 3:45	8.5	97	8.2	167	21.7	8
8/29/24 4:00	8.5	96	8.2	167	21.7	7
8/29/24 4:15	8.5	96	8.2	167	21.7	8
8/29/24 4:30	8.4	96	8.2	167	21.6	8
8/29/24 4:45	8.4	95	8.2	167	21.6	8
8/29/24 5:00	8.4	95	8.2	167	21.6	9
8/29/24 5:15	8.3	95	8.2	167	21.6	8
8/29/24 5:30	8.3	94	8.1	167	21.5	8
8/29/24 5:45	8.3	94	8.1	167	21.5	8
8/29/24 6:00	8.3	94	8.1	167	21.5	9
8/29/24 6:15	8.3	94	8.1	167	21.5	9
8/29/24 6:30	8.2	93	8.1	167	21.5	8
8/29/24 6:45	8.2	93	8.1	167	21.4	8
8/29/24 7:00	8.2	93	8.1	168	21.4	8
8/29/24 7:15	8.2	92	8.1	168	21.4	10
8/29/24 7:30	8.2	92	8.1	168	21.4	8
8/29/24 7:45	8.1	92	8.1	168	21.3	8
8/29/24 8:00	8.2	92	8.1	168	21.3	8
8/29/24 8:15	8.1	92	8.1	168	21.3	11
8/29/24 8:30	8.1	91	8.1	168	21.2	8
8/29/24 8:45	8.2	92	8.1	168	21.2	8
8/29/24 9:00	8.2	92	8.0	168	21.2	9
8/29/24 9:15	8.2	92	8.1	168	21.1	9
8/29/24 9:30	8.2	92	8.1	168	21.1	9
8/29/24 9:45	8.2	92	8.1	168	21.1	8
8/29/24 10:00	8.3	93	8.1	168	21.1	8
8/29/24 10:15	8.3	93	8.1	168	21.1	9
8/29/24 10:30	8.3	93	8.1	168	21.0	8
8/29/24 10:45	8.3	94	8.1	168	21.0	8
8/29/24 11:00	8.4	94	8.1	168	21.0	8
8/29/24 11:15	8.5	96	8.1	168	21.0	7
8/29/24 11:30	8.5	96	8.1	168	21.0	8
8/29/24 11:45	8.6	97	8.1	168	21.1	8
8/29/24 12:00	8.7	98	8.1	168	21.1	8
8/29/24 12:15	8.8	98	8.1	168	21.1	8
8/29/24 12:30	8.8	99	8.2	168	21.1	10
8/29/24 12:45	8.9	100	8.2	168	21.2	7
8/29/24 13:00	8.9	101	8.2	168	21.2	8
8/29/24 13:15	9.0	102	8.2	168	21.2	8
8/29/24 13:30	9.1	102	8.2	168	21.3	13
8/29/24 13:45	9.1	103	8.2	168	21.3	9
8/29/24 14:00	9.2	104	8.2	168	21.3	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/29/24 14:15	9.2	104	8.2	168	21.4	8
8/29/24 14:30	9.3	105	8.2	168	21.4	9
8/29/24 14:45	9.3	105	8.3	168	21.4	8
8/29/24 15:00	9.3	106	8.3	168	21.5	8
8/29/24 15:15	9.4	106	8.3	168	21.5	8
8/29/24 15:30	9.4	107	8.3	168	21.5	8
8/29/24 15:45	9.5	107	8.3	168	21.5	7
8/29/24 16:00	9.5	108	8.3	168	21.5	8
8/29/24 16:15	9.5	108	8.3	168	21.6	8
8/29/24 16:30	9.6	109	8.3	168	21.6	8
8/29/24 16:45	9.6	109	8.3	168	21.6	8
8/29/24 17:00	9.6	109	8.3	168	21.6	7
8/29/24 17:15	9.7	110	8.3	168	21.6	8
8/29/24 17:30	9.7	110	8.4	168	21.6	8
8/29/24 17:45	9.7	110	8.4	168	21.7	9
8/29/24 18:00	9.7	111	8.4	168	21.7	10
8/29/24 18:15	9.7	111	8.4	168	21.7	10
8/29/24 18:30	9.7	110	8.4	168	21.7	10
8/29/24 18:45	9.7	110	8.4	168	21.6	8
8/29/24 19:00	9.7	110	8.4	168	21.7	9
8/29/24 19:15	9.7	110	8.4	126	21.6	10
8/29/24 19:30	9.6	109	8.4	143	21.7	9
8/29/24 19:45	9.6	109	8.4	168	21.6	9
8/29/24 20:00	9.6	109	8.4	168	21.7	9
8/29/24 20:15	9.6	109	8.4	161	21.7	9
8/29/24 20:30	9.5	108	8.4	168	21.7	8
8/29/24 20:45	9.5	108	8.4	168	21.7	9
8/29/24 21:00	9.4	107	8.4	130	21.7	10
8/29/24 21:15	9.4	107	8.4	168	21.7	9
8/29/24 21:30	9.4	107	8.4	168	21.7	10
8/29/24 21:45	9.3	106	8.4	133	21.7	9
8/29/24 22:00	9.3	106	8.4	135	21.8	8
8/29/24 22:15	9.2	105	8.4	131	21.8	9
8/29/24 22:30	9.2	105	8.3	168	21.8	9
8/29/24 22:45	9.1	104	8.3	168	21.8	8
8/29/24 23:00	9.1	104	8.3	168	21.8	9
8/29/24 23:15	9.1	103	8.3	168	21.9	9
8/29/24 23:30	9.0	103	8.3	168	21.9	9
8/29/24 23:45	9.0	102	8.3	168	21.9	9
8/30/24 0:00	8.9	102	8.3	168	21.9	8
8/30/24 0:15	8.9	102	8.3	123	21.9	10
8/30/24 0:30	8.9	101	8.3	168	21.9	8
8/30/24 0:45	8.8	101	8.3	168	21.9	9
8/30/24 1:00	8.8	100	8.3	168	21.9	9
8/30/24 1:15	8.8	100	8.3	129	21.9	10

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/30/24 1:30	8.7	100	8.3	168	21.9	10
8/30/24 1:45	8.7	100	8.3	168	21.9	9
8/30/24 2:00	8.7	99	8.3	168	21.9	9
8/30/24 2:15	8.6	98	8.3	168	21.9	10
8/30/24 2:30	8.6	98	8.3	140	21.9	9
8/30/24 2:45	8.6	98	8.3	169	21.8	10
8/30/24 3:00	8.6	97	8.3	169	21.8	9
8/30/24 3:15	8.5	97	8.3	169	21.8	10
8/30/24 3:30	8.5	97	8.2	138	21.8	9
8/30/24 3:45	8.4	96	8.2	169	21.8	10
8/30/24 4:00	8.4	96	8.2	169	21.7	9
8/30/24 4:15	8.4	96	8.2	169	21.7	8
8/30/24 4:30	8.4	95	8.2	128	21.7	9
8/30/24 4:45	8.4	95	8.2	169	21.7	10
8/30/24 5:00	8.3	95	8.2	169	21.6	10
8/30/24 5:15	8.3	94	8.2	169	21.6	9
8/30/24 5:30	8.3	94	8.2	169	21.6	11
8/30/24 5:45	8.3	94	8.2	169	21.6	10
8/30/24 6:00	8.2	93	8.2	169	21.5	15
8/30/24 6:15	8.2	93	8.2	169	21.5	9
8/30/24 6:30	8.2	93	8.2	169	21.5	10
8/30/24 6:45	8.2	93	8.2	169	21.5	11
8/30/24 7:00	8.2	93	8.2	169	21.5	10
8/30/24 7:15	8.2	92	8.2	169	21.4	10
8/30/24 7:30	8.2	92	8.2	120	21.4	9
8/30/24 7:45	8.1	92	8.1	169	21.4	10
8/30/24 8:00	8.1	91	8.1	169	21.3	9
8/30/24 8:15	8.1	91	8.1	169	21.3	9
8/30/24 8:30	8.1	92	8.1	169	21.3	10
8/30/24 8:45	8.1	92	8.1	169	21.3	10
8/30/24 9:00	8.1	91	8.1	169	21.3	11
8/30/24 9:15	8.1	91	8.1	169	21.2	9
8/30/24 9:30	8.1	92	8.1	169	21.2	9
8/30/24 9:45	8.2	92	8.1	169	21.2	10
8/30/24 10:00	8.2	92	8.1	169	21.2	10
8/30/24 10:15	8.2	93	8.1	169	21.2	9
8/30/24 10:30	8.2	93	8.1	162	21.2	9
8/30/24 10:45	8.3	93	8.1	169	21.2	9
8/30/24 11:00	8.3	93	8.1	169	21.2	9
8/30/24 11:15	8.4	95	8.1	169	21.2	8
8/30/24 11:30	8.4	95	8.2	169	21.2	9
8/30/24 11:45	8.5	96	8.2	120	21.2	11
8/30/24 12:00	8.6	97	8.2	169	21.3	8
8/30/24 12:15	8.6	97	8.2	169	21.3	8
8/30/24 12:30	8.7	98	8.2	169	21.3	8

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
8/30/24 12:45	8.8	99	8.2	124	21.4	8
8/30/24 13:00	8.8	100	8.2	169	21.4	9
8/30/24 13:15	8.9	100	8.2	169	21.4	20
8/30/24 13:30	8.9	101	8.2	120	21.5	9
8/30/24 13:45	9.0	102	8.2	129	21.5	8
8/30/24 14:00	9.0	102	8.2	169	21.5	12
8/30/24 14:15	9.1	103	8.3	133	21.6	8
8/30/24 14:30	9.1	103	8.3	170	21.6	9
8/30/24 14:45	9.1	104	8.3	169	21.7	9
8/30/24 15:00	9.2	104	8.3	169	21.7	10
8/30/24 15:15	9.2	105	8.3	170	21.7	9
8/30/24 15:30	9.2	105	8.3	170	21.8	9
8/30/24 15:45	9.3	106	8.3	170	21.8	9
8/30/24 16:00	9.3	106	8.3	170	21.8	10
8/30/24 16:15	9.3	106	8.3	169	21.8	8
8/30/24 16:30	9.3	106	8.3	169	21.8	9
8/30/24 16:45	9.4	107	8.3	134	21.8	10
8/30/24 17:00	9.4	107	8.3	141	21.8	10
8/30/24 17:15	9.4	107	8.3	169	21.8	10
8/30/24 17:30	9.4	108	8.3	169	21.8	10
8/30/24 17:45	9.4	108	8.3	169	21.8	9
8/30/24 18:00	9.5	108	8.4	169	21.8	9
8/30/24 18:15	9.5	108	8.4	169	21.9	9
8/30/24 18:30	9.5	108	8.4	169	21.8	9
8/30/24 18:45	9.5	108	8.4	169	21.8	9
8/30/24 19:00	9.4	108	8.4	169	21.8	9
8/30/24 19:15	9.4	108	8.4	169	21.8	8
8/30/24 19:30	9.4	107	8.4	169	21.8	9
8/30/24 19:45	9.4	107	8.4	169	21.8	10
8/30/24 20:00	9.3	107	8.4	146	21.8	9
8/30/24 20:15	9.4	107	8.4	169	21.8	10
8/30/24 20:30	9.3	106	8.4	169	21.8	10
8/30/24 20:45	9.3	106	8.3	169	21.8	9
8/30/24 21:00	9.2	105	8.3	169	21.8	12
8/30/24 21:15	9.2	105	8.3	130	21.8	10
8/30/24 21:30	9.2	105	8.3	123	21.8	9
8/30/24 21:45	9.2	104	8.3	169	21.9	9
8/30/24 22:00	9.1	104	8.3	123	21.9	9
8/30/24 22:15	9.1	104	8.3	169	21.9	10
8/30/24 22:30	9.0	103	8.3	169	21.9	10
8/30/24 22:45	9.0	103	8.3	169	21.9	9
8/30/24 23:00	9.0	102	8.3	169	21.9	9
8/30/24 23:15	8.9	102	8.3	138	21.9	9
8/30/24 23:30	8.9	102	8.3	159	21.9	9
8/30/24 23:45	8.9	101	8.3	156	22.0	9

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
8/31/24 0:00	8.8	101	8.3	159	22.0	11
8/31/24 0:15	8.8	101	8.3	166	22.0	10
8/31/24 0:30	8.8	100	8.3	153	22.0	9
8/31/24 0:45	8.7	100	8.3	140	22.0	10
8/31/24 1:00	8.7	100	8.3	170	22.0	10
8/31/24 1:15	8.7	99	8.3	156	22.0	9
8/31/24 1:30	8.6	99	8.3	123	22.0	10
8/31/24 1:45	8.6	99	8.3	146	22.0	10
8/31/24 2:00	8.6	98	8.3	156	22.0	9
8/31/24 2:15	8.6	98	8.3	154	22.0	10
8/31/24 2:30	8.5	98	8.3	159	21.9	11
8/31/24 2:45	8.5	97	8.3	158	21.9	9
8/31/24 3:00	8.5	97	8.3	152	21.9	10
8/31/24 3:15	8.4	96	8.3	124	21.9	9
8/31/24 3:30	8.4	96	8.2	159	21.9	10
8/31/24 3:45	8.4	96	8.2	137	21.8	10
8/31/24 4:00	8.4	95	8.2	170	21.8	11
8/31/24 4:15	8.3	95	8.2	166	21.8	11
8/31/24 4:30	8.3	95	8.2	167	21.8	12
8/31/24 4:45	8.3	95	8.2	159	21.7	10
8/31/24 5:00	8.3	94	8.2	152	21.7	10
8/31/24 5:15	8.2	94	8.2	170	21.7	12
8/31/24 5:30	8.2	93	8.2	154	21.7	11
8/31/24 5:45	8.2	93	8.2	155	21.6	11
8/31/24 6:00	8.2	93	8.2	170	21.6	10
8/31/24 6:15	8.2	93	8.2	155	21.6	9
8/31/24 6:30	8.2	93	8.2	154	21.6	9
8/31/24 6:45	8.2	93	8.2	170	21.6	11
8/31/24 7:00	8.1	92	8.2	163	21.5	11
8/31/24 7:15	8.1	92	8.2	161	21.5	10
8/31/24 7:30	8.1	92	8.2	152	21.5	9
8/31/24 7:45	8.1	92	8.1	156	21.5	10
8/31/24 8:00	8.1	92	8.1	171	21.4	9
8/31/24 8:15	8.1	91	8.1	171	21.4	8
8/31/24 8:30	8.1	91	8.1	129	21.4	10
8/31/24 8:45	8.1	91	8.1	161	21.4	9
8/31/24 9:00	8.1	91	8.1	141	21.3	9
8/31/24 9:15	8.1	91	8.1	125	21.3	9
8/31/24 9:30	8.1	91	8.1	168	21.3	9
8/31/24 9:45	8.1	92	8.1	171	21.3	8
8/31/24 10:00	8.1	92	8.1	171	21.3	12
8/31/24 10:15	8.2	93	8.1	170	21.3	10
8/31/24 10:30	8.2	93	8.1	148	21.2	9
8/31/24 10:45	8.3	93	8.1	159	21.2	9
8/31/24 11:00	8.3	94	8.1	162	21.2	10

**Klamath River near Klamath, CA
(11530500)**



Datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
8/31/24 11:15	8.4	94	8.1	139	21.3	8
8/31/24 11:30	8.4	95	8.2	136	21.3	10
8/31/24 11:45	8.5	96	8.2	165	21.3	9
8/31/24 12:00	8.5	96	8.2	152	21.3	14
8/31/24 12:15	8.6	97	8.2	162	21.4	18
8/31/24 12:30	8.6	98	8.2	151	21.4	9
8/31/24 12:45	8.7	98	8.2	157	21.4	11
8/31/24 13:00	8.7	99	8.2	170	21.4	10
8/31/24 13:15	8.8	99	8.2	170	21.5	10
8/31/24 13:30	8.8	100	8.2	168	21.5	14
8/31/24 13:45	8.9	100	8.2	158	21.6	12
8/31/24 14:00	8.9	101	8.2	168	21.6	10
8/31/24 14:15	8.9	101	8.2	170	21.6	10
8/31/24 14:30	9.0	102	8.2	161	21.7	9
8/31/24 14:45	9.0	102	8.2	141	21.7	11
8/31/24 15:00	9.0	103	8.3	165	21.7	9
8/31/24 15:15	9.1	103	8.3	164	21.8	9
8/31/24 15:30	9.1	104	8.3	141	21.8	10
8/31/24 15:45	9.1	104	8.3	149	21.8	9
8/31/24 16:00	9.2	104	8.3	163	21.8	11
8/31/24 16:15	9.2	105	8.3	162	21.8	10
8/31/24 16:30	9.2	105	8.3	154	21.8	12
8/31/24 16:45	9.2	105	8.3	170	21.8	9
8/31/24 17:00	9.3	106	8.3	151	21.9	15
8/31/24 17:15	9.3	106	8.3	170	21.9	10
8/31/24 17:30	9.3	106	8.3	128	21.8	10
8/31/24 17:45	9.3	106	8.3	160	21.8	10
8/31/24 18:00	9.3	106	8.3	152	21.8	9
8/31/24 18:15	9.3	106	8.3	170	21.8	11
8/31/24 18:30	9.3	106	8.3	161	21.8	9
8/31/24 18:45	9.3	106	8.3	169	21.8	10
8/31/24 19:00	9.3	106	8.3	134	21.7	10
8/31/24 19:15	9.3	106	8.3	142	21.7	11
8/31/24 19:30	9.3	105	8.3	142	21.7	9
8/31/24 19:45	9.2	105	8.3	146	21.7	10
8/31/24 20:00	9.2	105	8.3	141	21.7	9
8/31/24 20:15	9.2	105	8.3	153	21.7	10
8/31/24 20:30	9.2	104	8.3	137	21.7	9
8/31/24 20:45	9.1	104	8.3	134	21.7	11
8/31/24 21:00	9.1	104	8.3	137	21.7	10
8/31/24 21:15	9.1	103	8.3	137	21.7	9
8/31/24 21:30	9.0	103	8.3	169	21.7	10
8/31/24 21:45	9.0	102	8.3	155	21.7	11
8/31/24 22:00	9.0	102	8.3	160	21.8	10
8/31/24 22:15	8.9	102	8.3	169	21.8	10



Klamath River at Orleans, CA (USGS 11523000)

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/1/24 0:00	8.2	97	8.4	164	24.0		362
8/1/24 0:15	8.2	97	8.4	164	24.0		321
8/1/24 0:30	8.1	97	8.3	164	24.0		312
8/1/24 0:45	8.1	97	8.3	164	24.0		
8/1/24 1:00	8.1	96	8.3	164	24.0		
8/1/24 1:15	8.1	97	8.3	164	24.0		
8/1/24 1:30	8.1	96	8.3	164	24.0		
8/1/24 1:45	8.0	96	8.3	164	24.0		302
8/1/24 2:00	8.0	96	8.3	164	24.0		
8/1/24 2:15	8.0	96	8.3	164	24.0		
8/1/24 2:30	8.0	96	8.3	164	23.9		
8/1/24 2:45	8.0	96	8.3	164	23.9		
8/1/24 3:00	8.0	96	8.3	164	23.9		
8/1/24 3:15	8.0	96	8.3	164	23.9		
8/1/24 3:30	8.0	95	8.3	164	23.9		
8/1/24 3:45	8.0	95	8.3	164	23.8		
8/1/24 4:00	8.0	95	8.3	164	23.8		
8/1/24 4:15	8.0	95	8.3	164	23.8		
8/1/24 4:30	8.0	95	8.3	164	23.8		302
8/1/24 4:45	8.0	95	8.3	164	23.7		
8/1/24 5:00	8.0	96	8.3	163	23.7		
8/1/24 5:15	8.0	95	8.3	164	23.7		
8/1/24 5:30	8.0	95	8.3	164	23.7		
8/1/24 5:45	8.0	96	8.2	164	23.6		
8/1/24 6:00	8.0	95	8.2	163	23.6		
8/1/24 6:15	8.0	96	8.2	163	23.6		
8/1/24 6:30	8.0	95	8.2	163	23.6		
8/1/24 6:45	8.0	96	8.2	163	23.5		
8/1/24 7:00	8.0	95	8.2	163	23.5		
8/1/24 7:15	8.0	95	8.2	163	23.5		321
8/1/24 7:30	8.1	96	8.2	163	23.5		334
8/1/24 7:45	8.0	95	8.2	164	23.5		318
8/1/24 8:00	8.1	96	8.2	163	23.5		309
8/1/24 8:15	8.1	95	8.2	163	23.5		318
8/1/24 8:30	8.1	96	8.2	163	23.5		306
8/1/24 8:45	8.1	96	8.2	163	23.5		309
8/1/24 9:00	8.1	96	8.2	163	23.5		
8/1/24 9:15	8.1	96	8.2	163	23.6		
8/1/24 9:30	8.2	97	8.2	163	23.6		
8/1/24 9:45	8.2	98	8.2	163	23.6		
8/1/24 10:00	8.2	98	8.2	163	23.6		
8/1/24 10:15	8.2	98	8.2	163	23.7		
8/1/24 10:30	8.3	99	8.2	163	23.7		321
8/1/24 10:45	8.3	99	8.2	163	23.7		306
8/1/24 11:00	8.3	99	8.2	163	23.8		328

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 11:15	8.4	100	8.2	163	23.8		
8/1/24 11:30	8.5	100	8.2	163	23.8		
8/1/24 11:45	8.5	101	8.2	164	23.9		324
8/1/24 12:00	8.6	102	8.3	163	23.9		306
8/1/24 12:15	8.6	102	8.3	164	23.9		302
8/1/24 12:30	8.6	103	8.3	164	24.0		312
8/1/24 12:45	8.7	104	8.3	163	24.1		362
8/1/24 13:00	8.7	104	8.3	164	24.1		321
8/1/24 13:15	8.8	105	8.3	164	24.1		331
8/1/24 13:30	8.8	105	8.3	164	24.1		
8/1/24 13:45	8.8	105	8.3	164	24.2		309
8/1/24 14:00	8.8	106	8.3	164	24.2		340
8/1/24 14:15	8.9	106	8.3	164	24.2		302
8/1/24 14:30	8.9	107	8.3	164	24.2		340
8/1/24 14:45	8.9	107	8.3	164	24.2		318
8/1/24 15:00	9.0	108	8.4	164	24.3		
8/1/24 15:15	9.0	108	8.3	164	24.3		
8/1/24 15:30	9.1	109	8.4	164	24.3		
8/1/24 15:45	9.1	109	8.4	164	24.3		
8/1/24 16:00	9.1	109	8.4	164	24.3		
8/1/24 16:15	9.1	109	8.4	164	24.3		
8/1/24 16:30	9.1	109	8.4	164	24.3		
8/1/24 16:45	9.1	109	8.4	164	24.4		
8/1/24 17:00	9.1	109	8.4	164	24.4		
8/1/24 17:15	9.1	109	8.4	164	24.3		
8/1/24 17:30	9.1	109	8.4	164	24.3		
8/1/24 17:45	9.0	109	8.4	164	24.3		
8/1/24 18:00	9.0	109	8.4	164	24.3		
8/1/24 18:15	9.0	109	8.4	164	24.3		
8/1/24 18:30	9.0	108	8.4	164	24.3		
8/1/24 18:45	9.0	108	8.4	164	24.2		
8/1/24 19:00	9.0	108	8.4	164	24.2		
8/1/24 19:15	8.9	107	8.4	164	24.2		
8/1/24 19:30	8.9	107	8.4	164	24.2		
8/1/24 19:45	8.8	106	8.4	164	24.2		
8/1/24 20:00	8.8	106	8.4	164	24.2		
8/1/24 20:15	8.8	105	8.4	164	24.2		
8/1/24 20:30	8.7	105	8.4	164	24.3		
8/1/24 20:45	8.7	105	8.4	164	24.3		
8/1/24 21:00	8.7	104	8.4	164	24.3		
8/1/24 21:15	8.6	103	8.4	164	24.3		
8/1/24 21:30	8.6	103	8.4	164	24.3		
8/1/24 21:45	8.5	102	8.4	164	24.3		
8/1/24 22:00	8.5	102	8.4	164	24.3		
8/1/24 22:15	8.4	101	8.4	164	24.3		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/1/24 22:30	8.4	100	8.4	164	24.3		
8/1/24 22:45	8.3	100	8.4	164	24.3		
8/1/24 23:00	8.3	99	8.4	164	24.3		
8/1/24 23:15	8.2	99	8.4	164	24.3		
8/1/24 23:30	8.2	98	8.4	164	24.3		
8/1/24 23:45	8.1	98	8.4	164	24.4		
8/2/24 0:00	8.1	98	8.4	164	24.4		
8/2/24 0:15	8.1	97	8.4	164	24.4		
8/2/24 0:30	8.1	97	8.4	164	24.4		
8/2/24 0:45	8.1	97	8.4	164	24.4		
8/2/24 1:00	8.0	96	8.4	164	24.3		
8/2/24 1:15	8.0	96	8.4	164	24.4		
8/2/24 1:30	8.0	96	8.4	164	24.4		
8/2/24 1:45	8.0	96	8.3	164	24.4		
8/2/24 2:00	8.0	96	8.3	164	24.3		
8/2/24 2:15	7.9	95	8.3	164	24.3		
8/2/24 2:30	7.9	95	8.3	164	24.3		
8/2/24 2:45	7.9	95	8.3	164	24.3		
8/2/24 3:00	7.9	96	8.3	164	24.3		
8/2/24 3:15	8.0	96	8.3	164	24.2		
8/2/24 3:30	7.9	95	8.3	164	24.2		
8/2/24 3:45	7.9	95	8.3	164	24.2		
8/2/24 4:00	7.9	95	8.3	164	24.2		
8/2/24 4:15	7.9	95	8.3	164	24.1		
8/2/24 4:30	7.9	95	8.3	164	24.1		
8/2/24 4:45	8.0	95	8.3	164	24.1		
8/2/24 5:00	7.9	95	8.3	164	24.0		
8/2/24 5:15	7.9	95	8.3	165	24.0		
8/2/24 5:30	8.0	95	8.3	164	24.0		
8/2/24 5:45	8.0	95	8.3	164	23.9		
8/2/24 6:00	8.0	96	8.3	164	23.9		
8/2/24 6:15	7.9	95	8.3	165	23.9		
8/2/24 6:30	8.0	95	8.3	165	23.8		
8/2/24 6:45	8.0	96	8.3	164	23.8		
8/2/24 7:00	7.9	95	8.2	165	23.7		
8/2/24 7:15	8.0	95	8.2	165	23.7		
8/2/24 7:30	7.9	95	8.2	165	23.7		
8/2/24 7:45	8.0	96	8.2	165	23.7		
8/2/24 8:00	8.0	95	8.2	165	23.7		
8/2/24 8:15	8.0	95	8.2	165	23.7		
8/2/24 8:30	8.1	96	8.2	165	23.7		
8/2/24 8:45	8.0	95	8.2	165	23.7		
8/2/24 9:00	8.1	96	8.2	165	23.7		
8/2/24 9:15	8.2	97	8.2	165	23.7		
8/2/24 9:30	8.2	97	8.2	165	23.7		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/2/24 9:45	8.2	97	8.2	165	23.7		
8/2/24 10:00	8.2	97	8.2	165	23.7		
8/2/24 10:15	8.2	98	8.2	165	23.7		
8/2/24 10:30	8.2	98	8.2	165	23.7		
8/2/24 10:45	8.3	99	8.2	165	23.8		
8/2/24 11:00	8.3	99	8.2	165	23.8		
8/2/24 11:15	8.3	99	8.2	165	23.8		
8/2/24 11:30	8.4	100	8.3	165	23.8		
8/2/24 11:45	8.5	101	8.3	165	23.9		
8/2/24 12:00	8.5	102	8.3	165	23.9		
8/2/24 12:15	8.6	102	8.3	165	24.0		
8/2/24 12:30	8.6	103	8.3	165	24.0		
8/2/24 12:45	8.7	103	8.3	165	24.0		
8/2/24 13:00	8.7	104	8.3	165	24.1		
8/2/24 13:15	8.7	104	8.3	165	24.1		
8/2/24 13:30	8.7	104	8.3	165	24.1		
8/2/24 13:45	8.8	105	8.3	165	24.1		
8/2/24 14:00	8.8	106	8.3	165	24.2		
8/2/24 14:15	8.9	106	8.3	165	24.2		
8/2/24 14:30	8.9	106	8.3	165	24.2		
8/2/24 14:45	8.9	107	8.3	165	24.3		
8/2/24 15:00	8.9	107	8.4	165	24.3		
8/2/24 15:15	9.0	108	8.4	165	24.3		
8/2/24 15:30	9.0	108	8.4	165	24.2		
8/2/24 15:45	9.0	108	8.4	165	24.2		
8/2/24 16:00	9.0	108	8.4	165	24.3		
8/2/24 16:15	9.0	108	8.4	165	24.3		
8/2/24 16:30	9.0	109	8.4	166	24.3		
8/2/24 16:45	9.1	109	8.4	165	24.3		
8/2/24 17:00	9.0	109	8.4	165	24.2		
8/2/24 17:15	9.0	108	8.4	166	24.2		
8/2/24 17:30	9.0	109	8.4	165	24.2		
8/2/24 17:45	9.0	109	8.4	165	24.2		
8/2/24 18:00	9.0	109	8.4	165	24.2		
8/2/24 18:15	9.0	108	8.4	165	24.2		
8/2/24 18:30	8.9	108	8.4	165	24.2		
8/2/24 18:45	9.0	108	8.4	165	24.2		
8/2/24 19:00	8.9	107	8.4	165	24.2		
8/2/24 19:15	8.9	106	8.4	165	24.1		
8/2/24 19:30	8.8	106	8.4	165	24.1		
8/2/24 19:45	8.8	106	8.4	165	24.1		
8/2/24 20:00	8.8	105	8.4	165	24.1		
8/2/24 20:15	8.8	105	8.4	165	24.1		
8/2/24 20:30	8.7	105	8.4	165	24.1		
8/2/24 20:45	8.7	104	8.4	165	24.1		

**Klamath River at Orleans, CA
(11523000)**



Datetime	Specific			Water		Turbidity (FNU)	Turbidity (SBU)
	DO (mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 21:00	8.7	104	8.4	165	24.1		
8/2/24 21:15	8.7	104	8.4	165	24.1		
8/2/24 21:30	8.6	103	8.4	165	24.1		
8/2/24 21:45	8.6	103	8.4	165	24.1		
8/2/24 22:00	8.5	102	8.4	165	24.1		
8/2/24 22:15	8.4	101	8.4	165	24.1		
8/2/24 22:30	8.4	101	8.4	165	24.1		
8/2/24 22:45	8.3	100	8.4	165	24.2		
8/2/24 23:00	8.3	99	8.4	165	24.1		
8/2/24 23:15	8.2	99	8.4	164	24.2		
8/2/24 23:30	8.2	98	8.4	165	24.2		
8/2/24 23:45	8.2	98	8.4	165	24.2		
8/3/24 0:00	8.1	98	8.4	165	24.2		
8/3/24 0:15	8.1	97	8.4	165	24.2		
8/3/24 0:30	8.1	97	8.4	165	24.2		
8/3/24 0:45	8.1	97	8.4	165	24.2		
8/3/24 1:00	8.0	96	8.3	165	24.2		
8/3/24 1:15	8.0	96	8.3	164	24.2		
8/3/24 1:30	8.0	96	8.4	165	24.2		
8/3/24 1:45	8.0	96	8.3	165	24.2		
8/3/24 2:00	7.9	95	8.3	165	24.2		
8/3/24 2:15	8.0	95	8.3	165	24.1		
8/3/24 2:30	7.9	95	8.4	165	24.1		
8/3/24 2:45	8.0	96	8.4	165	24.1		
8/3/24 3:00	7.9	95	8.3	165	24.1		
8/3/24 3:15	7.9	95	8.3	165	24.0		
8/3/24 3:30	8.0	95	8.3	165	24.0		
8/3/24 3:45	8.0	96	8.3	165	24.0		
8/3/24 4:00	7.9	95	8.3	165	24.0		
8/3/24 4:15	8.0	95	8.3	165	24.0		
8/3/24 4:30	8.0	96	8.3	165	23.9		
8/3/24 4:45	8.0	95	8.3	165	23.9		
8/3/24 5:00	7.9	95	8.3	165	23.9		
8/3/24 5:15	8.0	95	8.3	165	23.9		
8/3/24 5:30	8.0	95	8.3	165	23.9		
8/3/24 5:45	7.9	95	8.3	165	23.8		
8/3/24 6:00	8.0	95	8.3	165	23.8		
8/3/24 6:15	7.9	94	8.3	165	23.8		
8/3/24 6:30	8.0	95	8.3	165	23.8		
8/3/24 6:45	8.0	96	8.3	165	23.8		
8/3/24 7:00	7.9	95	8.3	166	23.8		
8/3/24 7:15	8.0	95	8.3	166	23.7		
8/3/24 7:30	8.0	95	8.3	166	23.7		
8/3/24 7:45	8.0	95	8.3	166	23.7		
8/3/24 8:00	8.0	95	8.2	166	23.7		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/3/24 8:15	8.0	95	8.2	166	23.7		
8/3/24 8:30	7.9	95	8.2	166	23.7		
8/3/24 8:45	8.0	95	8.3	166	23.6		
8/3/24 9:00	8.1	96	8.2	166	23.6		
8/3/24 9:15	8.1	96	8.2	166	23.7		
8/3/24 9:30	8.0	96	8.2	166	23.7		
8/3/24 9:45	8.1	96	8.2	166	23.8		
8/3/24 10:00	8.1	96	8.2	166	23.8		
8/3/24 10:15	8.2	97	8.2	166	23.8		
8/3/24 10:30	8.2	97	8.2	166	23.7		
8/3/24 10:45	8.3	99	8.3	166	23.7		
8/3/24 11:00	8.3	99	8.3	166	23.7		
8/3/24 11:15	8.3	99	8.3	166	23.7		
8/3/24 11:30	8.3	99	8.2	166	23.7		
8/3/24 11:45	8.4	100	8.3	166	23.9		
8/3/24 12:00	8.4	100	8.3	166	23.9		
8/3/24 12:15	8.5	101	8.3	166	23.9		
8/3/24 12:30	8.5	101	8.3	166	23.9		
8/3/24 12:45	8.5	101	8.3	166	24.1		
8/3/24 13:00	8.6	102	8.3	166	24.0		
8/3/24 13:15	8.6	103	8.3	166	24.0		
8/3/24 13:30	8.7	103	8.3	166	24.0		
8/3/24 13:45	8.7	104	8.3	166	24.1		
8/3/24 14:00	8.7	104	8.3	166	24.1		
8/3/24 14:15	8.7	104	8.3	166	24.2		
8/3/24 14:30	8.8	105	8.3	166	24.2		
8/3/24 14:45	8.7	104	8.4	166	24.2		
8/3/24 15:00	8.8	105	8.3	166	24.3		
8/3/24 15:15	8.8	106	8.4	166	24.2		
8/3/24 15:30	8.8	106	8.4	166	24.3		
8/3/24 15:45	8.8	106	8.4	166	24.3		
8/3/24 16:00	8.9	106	8.4	166	24.3		
8/3/24 16:15	8.9	106	8.4	166	24.3		
8/3/24 16:30	8.9	107	8.4	166	24.3		
8/3/24 16:45	8.9	107	8.4	166	24.4		
8/3/24 17:00	8.9	107	8.4	166	24.4		
8/3/24 17:15	8.8	106	8.4	166	24.4		
8/3/24 17:30	8.9	107	8.4	166	24.3		
8/3/24 17:45	8.9	107	8.4	166	24.3		
8/3/24 18:00	8.8	106	8.4	166	24.3		
8/3/24 18:15	8.8	106	8.4	166	24.3		
8/3/24 18:30	8.8	106	8.4	166	24.3		
8/3/24 18:45	8.9	107	8.4	166	24.3		
8/3/24 19:00	8.8	106	8.4	166	24.3		
8/3/24 19:15	8.8	106	8.4	166	24.3		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/3/24 19:30	8.7	105	8.4	166	24.2		
8/3/24 19:45	8.7	104	8.3	166	24.2		
8/3/24 20:00	8.6	104	8.4	166	24.2		
8/3/24 20:15	8.6	103	8.4	166	24.2		
8/3/24 20:30	8.6	103	8.4	166	24.2		
8/3/24 20:45	8.6	103	8.4	166	24.2		
8/3/24 21:00	8.5	103	8.4	166	24.2		
8/3/24 21:15	8.6	103	8.4	166	24.2		
8/3/24 21:30	8.5	102	8.4	166	24.2		
8/3/24 21:45	8.4	101	8.4	166	24.2		
8/3/24 22:00	8.4	101	8.4	166	24.2		
8/3/24 22:15	8.3	100	8.4	166	24.2		
8/3/24 22:30	8.2	99	8.4	166	24.2		
8/3/24 22:45	8.2	99	8.4	166	24.2		
8/3/24 23:00	8.2	99	8.4	166	24.2		
8/3/24 23:15	8.2	99	8.4	166	24.2		
8/3/24 23:30	8.2	98	8.3	166	24.3		
8/3/24 23:45	8.1	97	8.3	166	24.3		
8/4/24 0:00	8.1	98	8.3	166	24.3		
8/4/24 0:15	8.1	97	8.3	166	24.3		
8/4/24 0:30	8.1	97	8.3	166	24.3		
8/4/24 0:45	8.0	96	8.3	166	24.3		
8/4/24 1:00	8.0	96	8.3	166	24.3		
8/4/24 1:15	8.0	96	8.3	166	24.3		
8/4/24 1:30	7.9	96	8.3	166	24.2		
8/4/24 1:45	7.9	95	8.3	166	24.2		
8/4/24 2:00	7.9	95	8.3	166	24.2		
8/4/24 2:15	7.9	95	8.3	166	24.2		
8/4/24 2:30	7.9	95	8.3	166	24.2		
8/4/24 2:45	7.9	95	8.3	166	24.2		
8/4/24 3:00	7.9	95	8.3	165	24.1		
8/4/24 3:15	7.9	95	8.3	165	24.1		
8/4/24 3:30	7.9	94	8.3	165	24.1		
8/4/24 3:45	7.9	95	8.3	165	24.1		
8/4/24 4:00	7.9	95	8.2	165	24.0		
8/4/24 4:15	7.9	95	8.3	165	24.0		
8/4/24 4:30	7.8	94	8.2	165	24.0		
8/4/24 4:45	7.8	94	8.2	165	24.0		
8/4/24 5:00	7.9	95	8.3	165	23.9		
8/4/24 5:15	7.9	95	8.3	165	23.9		
8/4/24 5:30	8.0	95	8.2	165	23.9		
8/4/24 5:45	7.9	95	8.3	165	23.9		
8/4/24 6:00	7.9	95	8.2	165	23.8		
8/4/24 6:15	7.9	94	8.2	165	23.8		
8/4/24 6:30	8.0	95	8.2	165	23.8		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/4/24 6:45	7.9	95	8.2	165	23.8		
8/4/24 7:00	7.9	94	8.2	165	23.7		
8/4/24 7:15	7.9	94	8.2	165	23.7		
8/4/24 7:30	7.9	94	8.2	165	23.7		
8/4/24 7:45	7.9	94	8.2	165	23.7		
8/4/24 8:00	7.9	94	8.2	165	23.7		
8/4/24 8:15	7.9	94	8.2	165	23.7		
8/4/24 8:30	8.0	95	8.2	165	23.7		
8/4/24 8:45	8.0	95	8.2	165	23.7		
8/4/24 9:00	8.0	95	8.2	165	23.7		
8/4/24 9:15	8.1	96	8.2	165	23.7		
8/4/24 9:30	8.0	95	8.2	165	23.7		
8/4/24 9:45	8.1	96	8.2	165	23.7		
8/4/24 10:00	8.1	96	8.2	165	23.8		
8/4/24 10:15	8.1	97	8.2	165	23.8		
8/4/24 10:30	8.2	97	8.2	165	23.8		
8/4/24 10:45	8.2	97	8.2	164	23.9		
8/4/24 11:00	8.1	97	8.2	165	23.9		
8/4/24 11:15	8.3	99	8.2	165	23.9		
8/4/24 11:30	8.3	99	8.2	165	24.0		
8/4/24 11:45	8.3	99	8.2	165	24.1		
8/4/24 12:00	8.4	100	8.2	165	24.0		
8/4/24 12:15	8.4	101	8.3	165	24.2		
8/4/24 12:30	8.4	101	8.3	165	24.2		
8/4/24 12:45	8.5	102	8.3	164	24.2		
8/4/24 13:00	8.6	103	8.3	165	24.2		
8/4/24 13:15	8.4	101	8.3	165	24.2		
8/4/24 13:30	8.6	103	8.3	165	24.3		
8/4/24 13:45	8.6	103	8.3	165	24.3		
8/4/24 14:00	8.6	104	8.3	165	24.4		
8/4/24 14:15	8.7	104	8.3	165	24.4		
8/4/24 14:30	8.7	104	8.3	165	24.4		
8/4/24 14:45	8.7	105	8.3	165	24.5		
8/4/24 15:00	8.7	105	8.3	165	24.4		
8/4/24 15:15	8.7	105	8.3	165	24.5		
8/4/24 15:30	8.8	105	8.3	165	24.4		
8/4/24 15:45	8.8	106	8.3	165	24.4		
8/4/24 16:00	8.7	105	8.3	165	24.4		
8/4/24 16:15	8.8	106	8.3	165	24.4		
8/4/24 16:30	8.8	106	8.3	165	24.4		
8/4/24 16:45	8.8	105	8.3	165	24.4		
8/4/24 17:00	8.7	105	8.3	165	24.4		
8/4/24 17:15	8.8	106	8.3	166	24.4		
8/4/24 17:30	8.8	106	8.3	166	24.4		
8/4/24 17:45	8.7	105	8.3	166	24.4		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 18:00	8.7	104	8.3	166	24.3		
8/4/24 18:15	8.7	105	8.3	166	24.3		
8/4/24 18:30	8.6	104	8.3	166	24.3		
8/4/24 18:45	8.6	104	8.3	166	24.3		
8/4/24 19:00	8.5	102	8.3	166	24.3		
8/4/24 19:15	8.5	102	8.3	166	24.3		
8/4/24 19:30	8.5	102	8.3	166	24.2		
8/4/24 19:45	8.4	101	8.2	167	24.2		
8/4/24 20:00	8.3	100	8.2	167	24.2		
8/4/24 20:15	8.3	100	8.2	167	24.2		
8/4/24 20:30	8.3	100	8.2	167	24.2		
8/4/24 20:45	8.3	100	8.2	167	24.2		
8/4/24 21:00	8.2	99	8.2	167	24.2		
8/4/24 21:15	8.2	98	8.2	167	24.2		
8/4/24 21:30	8.2	98	8.2	167	24.2		
8/4/24 21:45	8.1	97	8.1	167	24.2		
8/4/24 22:00	8.1	97	8.2	167	24.2		
8/4/24 22:15	8.1	97	8.2	166	24.2		
8/4/24 22:30	8.0	96	8.1	166	24.2		
8/4/24 22:45	8.0	96	8.1	166	24.2		
8/4/24 23:00	8.0	95	8.1	166	24.2		
8/4/24 23:15	8.0	95	8.1	167	24.2		
8/4/24 23:30	8.0	96	8.1	166	24.2		
8/4/24 23:45	7.9	95	8.1	166	24.2		
8/5/24 0:00	7.9	94	8.1	166	24.2		
8/5/24 0:15	7.9	95	8.1	166	24.2		
8/5/24 0:30	7.9	94	8.1	166	24.2		
8/5/24 0:45	7.9	95	8.1	166	24.2		
8/5/24 1:00	7.9	95	8.1	166	24.2		
8/5/24 1:15	7.9	94	8.1	166	24.2		
8/5/24 1:30	7.9	95	8.1	166	24.2		
8/5/24 1:45	7.9	94	8.1	165	24.2		
8/5/24 2:00	7.9	95	8.1	166	24.2		
8/5/24 2:15	7.8	94	8.1	165	24.1		
8/5/24 2:30	7.8	94	8.1	165	24.1		
8/5/24 2:45	7.9	94	8.1	166	24.1		
8/5/24 3:00	7.9	95	8.1	165	24.1		
8/5/24 3:15	7.9	95	8.1	165	24.1		
8/5/24 3:30			8.1	165	24.0		
8/5/24 3:45	7.9	95	8.1	165	24.0		
8/5/24 4:00	7.8	94	8.1	166	24.0		
8/5/24 4:15	7.9	94	8.1	165	23.9		
8/5/24 4:30	7.9	94	8.1	166	23.9		
8/5/24 4:45	7.9	95	8.1	165	23.8		
8/5/24 5:00	7.9	95	8.1	166	23.8		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/5/24 5:15	8.0	95	8.1	166	23.8		
8/5/24 5:30	7.9	95	8.1	166	23.7		
8/5/24 5:45	7.9	95	8.1	166	23.7		
8/5/24 6:00	7.9	95	8.1	166	23.7		
8/5/24 6:15	8.0	95	8.1	166	23.6		
8/5/24 6:30	7.9	95	8.1	166	23.6		
8/5/24 6:45	8.0	95	8.1	166	23.6		
8/5/24 7:00	8.0	95	8.1	166	23.5		
8/5/24 7:15	8.0	95	8.1	166	23.5		
8/5/24 7:30	8.0	95	8.1	166	23.4		
8/5/24 7:45			8.1	166	23.4		
8/5/24 8:00	8.0	95	8.1	166	23.4		
8/5/24 8:15			8.1	167	23.4		
8/5/24 8:30	8.0	95	8.1	167	23.4		
8/5/24 8:45	8.0	95	8.1	167	23.4		
8/5/24 9:00	8.0	95	8.1	167	23.5		
8/5/24 9:15			8.1	167	23.5		
8/5/24 9:30			8.1	167	23.5		
8/5/24 9:45	8.0	95	8.1	167	23.5		
8/5/24 10:00	8.1	96	8.1	167	23.5		
8/5/24 10:15			8.1	167	23.5		
8/5/24 10:30	8.1	96	8.1	168	23.5		
8/5/24 10:45	8.1	96	8.1	168	23.6		
8/5/24 11:00	8.1	95	8.1	168	23.6		
8/5/24 11:15			8.1	168	23.7		
8/5/24 11:30	8.1	96	8.1	168	23.7		
8/5/24 11:45	8.2	97	8.1	168	23.8		
8/5/24 12:00	8.2	97	8.1	168	23.9		
8/5/24 12:15			8.1	168	23.8		
8/5/24 12:30	8.2	97	8.1	168	23.9		
8/5/24 12:45	8.2	98	8.1	168	23.9		
8/5/24 13:00	8.3	99	8.1	168	23.9		
8/5/24 13:15			8.1	168	24.0		
8/5/24 13:30	8.3	99	8.1	168	24.0		
8/5/24 13:45	8.3	99	8.1	168	24.1		
8/5/24 14:00			8.1	168	24.1		
8/5/24 14:15			8.1	168	24.1		
8/5/24 14:30	8.4	100	8.1	168	24.1		
8/5/24 14:45	8.4	100	8.1	168	24.2		
8/5/24 15:00	8.4	100	8.1	168	24.1		
8/5/24 15:15	8.4	100	8.1	168	24.1		
8/5/24 15:30	8.4	100	8.1	168	24.1		
8/5/24 15:45	8.4	100	8.1	168	24.1		
8/5/24 16:00	8.4	101	8.1	168	24.1		
8/5/24 16:15	8.4	101	8.1	168	24.1		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/5/24 16:30			8.1	168	24.1		
8/5/24 16:45	8.3	100	8.1	168	24.1		
8/5/24 17:00			8.2	168	24.1		
8/5/24 17:15	8.2	99		168	24.0		
8/5/24 17:30			8.1	168	24.0		
8/5/24 17:45				168	24.0		
8/5/24 18:00				168	24.0		
8/5/24 18:15			8.1	168	23.9		
8/5/24 18:30			8.1	168	23.9		
8/5/24 18:45			8.1	168	23.9		
8/5/24 19:00			8.1	168	23.9		
8/5/24 19:15			8.2	168	23.8		
8/5/24 19:30	8.2	98	8.2	168	23.8		
8/5/24 19:45	8.2	98	8.1	168	23.8		
8/5/24 20:00	8.2	98	8.1	168	23.8		
8/5/24 20:15	8.2	97	8.1	168	23.8		
8/5/24 20:30	8.2	97	8.1	168	23.8		
8/5/24 20:45			8.1	168	23.8		
8/5/24 21:00	8.1	97	8.1	168	23.8		
8/5/24 21:15			8.1	168	23.8		
8/5/24 21:30			8.1	168	23.8		
8/5/24 21:45			8.1	168	23.8		
8/5/24 22:00	8.0	95	8.1	168	23.8		
8/5/24 22:15	7.9	95	8.1	168	23.8		
8/5/24 22:30	7.9	95	8.1	168	23.8		
8/5/24 22:45	7.9	94	8.1	168	23.8		
8/5/24 23:00			8.1	168	23.8		
8/5/24 23:15	7.9	94	8.1	168	23.8		
8/5/24 23:30	7.9	94	8.1	168	23.8		
8/5/24 23:45	7.9	94	8.1	168	23.8		
8/6/24 0:00	7.9	95	8.1	168	23.8		
8/6/24 0:15	7.9	94	8.1	168	23.8		
8/6/24 0:30	7.9	94	8.1	168	23.8		
8/6/24 0:45	7.9	94	8.1	168	23.8		
8/6/24 1:00	7.9	94	8.1	168	23.8		
8/6/24 1:15	7.9	94	8.1	168	23.8		
8/6/24 1:30	7.9	94	8.1	168	23.8		
8/6/24 1:45	7.9	94	8.1	168	23.8		
8/6/24 2:00	8.0	95	8.1	168	23.8		
8/6/24 2:15	8.0	95	8.1	168	23.7		
8/6/24 2:30	7.9	95	8.1	168	23.7		
8/6/24 2:45	7.9	94	8.1	168	23.7		
8/6/24 3:00	7.9	94	8.1	168	23.6		
8/6/24 3:15	8.0	95	8.1	168	23.6		
8/6/24 3:30	8.0	95	8.1	168	23.6		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/6/24 3:45	7.9	94	8.1	168	23.5		
8/6/24 4:00	8.0	95	8.1	168	23.5		
8/6/24 4:15	8.0	95	8.1	168	23.5		
8/6/24 4:30	8.0	95	8.1	168	23.4		
8/6/24 4:45	8.0	94	8.1	168	23.4		
8/6/24 5:00	8.0	95	8.1	168	23.4		
8/6/24 5:15	8.0	94	8.1	168	23.4		
8/6/24 5:30	8.0	95	8.1	168	23.3		
8/6/24 5:45			8.1	168	23.3		
8/6/24 6:00	8.1	95	8.1	168	23.2		
8/6/24 6:15	8.0	95	8.1	168	23.2		
8/6/24 6:30			8.1	168	23.2		
8/6/24 6:45	8.1	95	8.1	168	23.2		
8/6/24 7:00	8.0	95	8.1	168	23.1		
8/6/24 7:15	8.0	95	8.1	168	23.1		
8/6/24 7:30	8.0	95	8.1	168	23.1		
8/6/24 7:45			8.1	168	23.1		
8/6/24 8:00	8.1	95	8.1	168	23.1		
8/6/24 8:15	8.1	95	8.1	168	23.1		
8/6/24 8:30	8.1	95	8.1	168	23.1		
8/6/24 8:45	8.1	95	8.1	168	23.1		
8/6/24 9:00	8.1	95	8.1	168	23.1		
8/6/24 9:15	8.1	96	8.1	168	23.2		
8/6/24 9:30	8.2	96	8.1	168	23.2		
8/6/24 9:45	8.1	96	8.1	168	23.2		
8/6/24 10:00	8.1	96	8.1	168	23.2		
8/6/24 10:15	8.1	96	8.1	168	23.2		
8/6/24 10:30	8.2	96	8.1	169	23.2		
8/6/24 10:45	8.1	95	8.1	169	23.3		
8/6/24 11:00	8.2	96	8.1	169	23.3		
8/6/24 11:15	8.2	97	8.1	169	23.3		
8/6/24 11:30			8.1	169	23.4		
8/6/24 11:45	8.2	96	8.1	169	23.5		
8/6/24 12:00	8.2	97	8.1	169	23.5		
8/6/24 12:15			8.1	169	23.6		
8/6/24 12:30	8.3	98	8.1	169	23.7		
8/6/24 12:45			8.1	169	23.7		
8/6/24 13:00	8.2	97	8.1	169	23.7		
8/6/24 13:15	8.3	98	8.1	169	23.6		
8/6/24 13:30	8.3	99	8.1	169	23.8		
8/6/24 13:45	8.3	98	8.1	169	23.8		
8/6/24 14:00	8.3	98	8.1	169	23.8		
8/6/24 14:15	8.4	99	8.1	169	23.8		
8/6/24 14:30			8.1	169	23.8		
8/6/24 14:45			8.1	169	23.9		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/6/24 15:00	8.4	100	8.1	169	23.9		
8/6/24 15:15	8.4	99	8.1	169	23.9		
8/6/24 15:30	8.4	100	8.1	169	23.8		
8/6/24 15:45			8.1	169	23.8		
8/6/24 16:00	8.4	100	8.1	169	23.8		
8/6/24 16:15	8.4	100	8.1	169	23.8		
8/6/24 16:30			8.1	169	23.8		
8/6/24 16:45	8.4	100	8.1	169	23.8		
8/6/24 17:00	8.4	100	8.1	169	23.8		
8/6/24 17:15	8.4	100	8.1	169	23.8		
8/6/24 17:30	8.4	100	8.1	169	23.8		
8/6/24 17:45			8.1	169	23.8		
8/6/24 18:00	8.4	100	8.2	169	23.8		
8/6/24 18:15	8.3	99	8.1	169	23.8		
8/6/24 18:30			8.2	169	23.7		
8/6/24 18:45	8.3	99	8.1	169	23.7		
8/6/24 19:00	8.3	99	8.1	169	23.7		
8/6/24 19:15			8.1	169	23.7		
8/6/24 19:30	8.2	98	8.1	169	23.7		
8/6/24 19:45	8.3	98	8.1	169	23.7		
8/6/24 20:00			8.1	169	23.7		
8/6/24 20:15			8.1	168	23.7		
8/6/24 20:30	8.2	98	8.2	169	23.7		
8/6/24 20:45	8.2	97	8.1	169	23.7		
8/6/24 21:00	8.2	98	8.1	169	23.7		
8/6/24 21:15			8.2	168	23.7		
8/6/24 21:30	8.2	98	8.1	168	23.7		
8/6/24 21:45	8.2	97	8.1	168	23.7		
8/6/24 22:00	8.2	97	8.1	168	23.7		
8/6/24 22:15	8.2	97	8.1	168	23.7		
8/6/24 22:30	8.1	96	8.1	168	23.7		
8/6/24 22:45			8.1	168	23.8		
8/6/24 23:00	8.1	97	8.1	168	23.8		
8/6/24 23:15	8.1	96	8.1	168	23.8		
8/6/24 23:30	8.1	96	8.1	168	23.8		
8/6/24 23:45	8.0	96	8.1	168	23.8		
8/7/24 0:00	8.0	96	8.1	168	23.8		
8/7/24 0:15	8.0	96	8.1	168	23.8		
8/7/24 0:30	8.0	96	8.1	168	23.8		
8/7/24 0:45	8.0	96	8.1	167	23.8		
8/7/24 1:00	8.0	95	8.1	168	23.8		
8/7/24 1:15	8.1	96	8.1	167	23.8		
8/7/24 1:30			8.1	168	23.8		
8/7/24 1:45	8.0	95	8.1	167	23.8		
8/7/24 2:00			8.1	167	23.8		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/7/24 2:15			8.1	167	23.8		
8/7/24 2:30	8.0	95	8.1	167	23.8		
8/7/24 2:45	8.0	95	8.1	167	23.7		
8/7/24 3:00	7.9	95	8.1	167	23.7		
8/7/24 3:15	8.0	95	8.1	167	23.7		
8/7/24 3:30	7.9	95	8.1	167	23.6		
8/7/24 3:45	8.0	95	8.1	167	23.6		
8/7/24 4:00	8.0	95	8.1	167	23.6		
8/7/24 4:15	8.0	95	8.1	167	23.6		
8/7/24 4:30	8.0	95	8.1	167	23.6		
8/7/24 4:45	7.9	94	8.1	167	23.6		
8/7/24 5:00	8.0	94	8.1	167	23.5		
8/7/24 5:15	8.0	94	8.1	167	23.5		
8/7/24 5:30			8.1	167	23.5		
8/7/24 5:45	7.9	94	8.1	167	23.5		
8/7/24 6:00	8.0	95	8.1	167	23.4		
8/7/24 6:15			8.1	167	23.4		
8/7/24 6:30	8.0	95	8.1	167	23.4		
8/7/24 6:45	8.0	95	8.1	167	23.4		
8/7/24 7:00	8.0	95	8.1	167	23.3		
8/7/24 7:15			8.1	167	23.3		
8/7/24 7:30	8.1	95	8.1	167	23.3		
8/7/24 7:45	8.0	95	8.1	167	23.3		
8/7/24 8:00	8.1	95	8.1	167	23.3		
8/7/24 8:15	8.0	95	8.1	167	23.3		
8/7/24 8:30	8.1	96	8.1	167	23.3		
8/7/24 8:45			8.1	167	23.3		
8/7/24 9:00			8.1	167	23.3		
8/7/24 9:15	8.1	95	8.1	167	23.3		
8/7/24 9:30			8.1	167	23.3		
8/7/24 9:45			8.1	167	23.3		
8/7/24 10:00	8.1	95	8.1	167	23.4		
8/7/24 10:15	8.1	95	8.1	167	23.4		
8/7/24 10:30	8.1	95	8.1	168	23.5		
8/7/24 10:45	8.1	96	8.1	168	23.4		
8/7/24 11:00	8.1	95	8.1	168	23.5		
8/7/24 11:15	8.1	95	8.1	168	23.6		
8/7/24 11:30	8.1	96	8.1	168	23.6		
8/7/24 11:45	8.1	96	8.1	168	23.6		
8/7/24 12:00	8.1	96	8.1	168	23.7		
8/7/24 12:15	8.1	96	8.1	168	23.7		
8/7/24 12:30			8.1	168	23.9		
8/7/24 12:45	8.2	97	8.1	168	23.8		
8/7/24 13:00	8.2	97	8.1	168	24.0		
8/7/24 13:15	8.2	97	8.1	168	23.8		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/7/24 13:30	8.2	97	8.1	169	23.8		
8/7/24 13:45	8.2	97	8.1	169	23.9		
8/7/24 14:00			8.1	169	24.0		
8/7/24 14:15			8.1	169	24.0		
8/7/24 14:30	8.3	98	8.1	168	24.1		
8/7/24 14:45	8.2	98	8.1	169	24.1		
8/7/24 15:00	8.3	99	8.1	169	24.1		
8/7/24 15:15	8.2	98	8.1	169	24.1		
8/7/24 15:30	8.2	99	8.1	169	24.1		
8/7/24 15:45	8.3	99	8.1	169	24.1		
8/7/24 16:00	8.3	100	8.1	169	24.1		
8/7/24 16:15	8.3	99	8.1	169	24.1		
8/7/24 16:30	8.3	99	8.1	169	24.1		
8/7/24 16:45	8.3	99	8.1	169	24.1		
8/7/24 17:00	8.3	100	8.1	169	24.1		
8/7/24 17:15	8.3	99	8.1	169	24.1		
8/7/24 17:30	8.3	99	8.1	169	24.1		
8/7/24 17:45	8.2	99	8.1	169	24.0		
8/7/24 18:00	8.2	98	8.1	169	24.0		
8/7/24 18:15			8.1	169	24.0		
8/7/24 18:30	8.2	98	8.1	169	24.0		
8/7/24 18:45	8.2	98	8.1	169	24.0		
8/7/24 19:00	8.2	98	8.1	169	24.0		
8/7/24 19:15	8.1	97	8.1	169	23.9		
8/7/24 19:30	8.2	98	8.1	169	23.9		
8/7/24 19:45	8.1	97	8.1	169	23.9		
8/7/24 20:00	8.1	97	8.1	169	23.9		
8/7/24 20:15	8.1	97	8.1	169	23.9		
8/7/24 20:30	8.1	97	8.1	169	23.9		
8/7/24 20:45			8.1	169	23.9		
8/7/24 21:00	8.1	96	8.1	169	23.9		
8/7/24 21:15	8.1	97	8.1	168	23.9		
8/7/24 21:30	8.1	96	8.1	169	23.9		
8/7/24 21:45	8.1	96	8.1	169	23.9		
8/7/24 22:00	8.0	96	8.1	168	23.9		
8/7/24 22:15	8.0	96	8.1	169	23.9		
8/7/24 22:30			8.1	169	23.9		
8/7/24 22:45	8.0	95	8.1	168	24.0		
8/7/24 23:00	8.0	95	8.1	168	23.9		
8/7/24 23:15	7.9	95	8.1	168	23.9		
8/7/24 23:30	7.9	95	8.1	168	24.0		
8/7/24 23:45	7.9	95	8.1	168	24.0		
8/8/24 0:00			8.1	168	24.0		
8/8/24 0:15	7.9	94	8.1	169	24.0		
8/8/24 0:30	7.9	94	8.1	169	24.0		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/8/24 0:45			8.1	168	24.0		
8/8/24 1:00	7.9	95	8.1	168	24.0		
8/8/24 1:15			8.1	168	24.0		
8/8/24 1:30	7.9	95	8.1	168	24.0		
8/8/24 1:45			8.1	168	24.0		
8/8/24 2:00	7.9	95	8.1	168	24.0		
8/8/24 2:15	7.8	94	8.1	168	24.0		
8/8/24 2:30	7.9	94	8.1	168	24.0		
8/8/24 2:45	7.9	94	8.1	168	23.9		
8/8/24 3:00	7.9	94	8.1	168	23.9		
8/8/24 3:15	7.9	95	8.1	168	23.9		
8/8/24 3:30	7.9	95	8.1	168	23.9		
8/8/24 3:45	7.9	94	8.1	168	23.8		
8/8/24 4:00	7.9	94	8.1	168	23.8		
8/8/24 4:15			8.1	168	23.8		
8/8/24 4:30	7.9	94	8.1	168	23.8		
8/8/24 4:45			8.1	168	23.7		
8/8/24 5:00	7.9	94	8.1	168	23.7		
8/8/24 5:15	7.9	94	8.1	168	23.7		
8/8/24 5:30	7.9	94	8.1	168	23.6		
8/8/24 5:45			8.1	168	23.6		
8/8/24 6:00			8.1	168	23.6		
8/8/24 6:15	8.0	95	8.1	168	23.5		
8/8/24 6:30	7.9	94	8.1	168	23.5		
8/8/24 6:45	7.9	94	8.1	168	23.5		
8/8/24 7:00	8.0	95	8.1	168	23.4		
8/8/24 7:15			8.1	168	23.4		
8/8/24 7:30	8.0	94	8.1	168	23.4		
8/8/24 7:45	8.0	95	8.1	168	23.4		
8/8/24 8:00	8.0	95	8.1	168	23.4		
8/8/24 8:15	8.0	95	8.1	168	23.3		
8/8/24 8:30	8.0	94	8.1	168	23.4		
8/8/24 8:45	8.1	95	8.1	168	23.4		
8/8/24 9:00	8.0	95	8.0	168	23.4		
8/8/24 9:15	8.1	95	8.1	168	23.4		
8/8/24 9:30	8.1	95	8.1	168	23.4		
8/8/24 9:45	8.0	95	8.1	168	23.4		
8/8/24 10:00	8.1	95	8.1	168	23.5		
8/8/24 10:15	8.0	95	8.1	168	23.5		
8/8/24 10:30	8.0	95	8.1	168	23.5		
8/8/24 10:45			8.1	168	23.6		
8/8/24 11:00			8.0	168	23.6		
8/8/24 11:15	8.1	95	8.1	168	23.7		
8/8/24 11:30			8.1	168	23.8		
8/8/24 11:45	8.1	95	8.1	168	23.7		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/8/24 12:00	8.0	95	8.1	168	23.7		
8/8/24 12:15	8.1	96	8.1	168	23.8		
8/8/24 12:30	8.1	96	8.1	168	23.9		
8/8/24 12:45	8.1	96	8.1	169	23.8		
8/8/24 13:00	8.1	96	8.1	168	23.8		
8/8/24 13:15	8.2	97	8.1	168	24.0		
8/8/24 13:30	8.2	97	8.1	168	23.9		
8/8/24 13:45	8.1	97	8.1	168	23.8		
8/8/24 14:00	8.2	97	8.1	169	24.0		
8/8/24 14:15	8.2	98	8.1	169	24.1		
8/8/24 14:30	8.2	98	8.1	168	24.0		
8/8/24 14:45	8.2	98	8.1	168	24.1		
8/8/24 15:00			8.1	168	24.0		
8/8/24 15:15	8.2	98	8.1	169	24.0		
8/8/24 15:30	8.2	98	8.1	168	24.0		
8/8/24 15:45	8.2	98	8.1	168	24.0		
8/8/24 16:00	8.3	99	8.1	168	24.0		
8/8/24 16:15			8.1	169	24.0		
8/8/24 16:30	8.2	98	8.1	169	24.0		
8/8/24 16:45	8.2	98	8.1	169	24.0		
8/8/24 17:00	8.2	98	8.1	169	24.0		
8/8/24 17:15	8.2	98	8.1	169	24.0		
8/8/24 17:30			8.1	169	23.9		
8/8/24 17:45			8.1	169	23.9		
8/8/24 18:00	8.2	98	8.1	169	23.9		
8/8/24 18:15	8.1	97	8.1	169	23.9		
8/8/24 18:30	8.1	97	8.1	169	23.9		
8/8/24 18:45	8.2	97	8.1	169	23.8		
8/8/24 19:00	8.2	97	8.1	169	23.8		
8/8/24 19:15	8.1	97	8.1	169	23.8		
8/8/24 19:30	8.2	97	8.1	169	23.8		
8/8/24 19:45	8.1	97	8.1	169	23.8		
8/8/24 20:00			8.1	169	23.8		
8/8/24 20:15	8.1	97	8.1	169	23.8		1780
8/8/24 20:30			8.2	169	23.8		
8/8/24 20:45	8.1	97	8.1	169	23.8		
8/8/24 21:00			8.1	169	23.8		
8/8/24 21:15	8.0	96	8.1	169	23.8		
8/8/24 21:30			8.1	169	23.8		
8/8/24 21:45	8.1	96	8.1	169	23.8		
8/8/24 22:00	8.1	96	8.1	169	23.8		
8/8/24 22:15			8.1	169	23.8		
8/8/24 22:30			8.1	169	23.8		
8/8/24 22:45			8.1	168	23.8		
8/8/24 23:00			8.1	169	23.8		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/8/24 23:15			8.2	169	23.8		
8/8/24 23:30	8.0	95	8.1	169	23.8		
8/8/24 23:45			8.1	169	23.8		
8/9/24 0:00			8.1	169	23.8		
8/9/24 0:15	7.9	94	8.1	169	23.8		
8/9/24 0:30	7.9	94	8.1	169	23.8		
8/9/24 0:45	7.8	93	8.1	169	23.8		
8/9/24 1:00	7.8	94	8.1	169	23.8		
8/9/24 1:15	7.9	94	8.1	169	23.8		
8/9/24 1:30	7.8	93	8.1	169	23.8		
8/9/24 1:45	7.8	93	8.1	169	23.8		
8/9/24 2:00			8.1	169	23.8		
8/9/24 2:15	7.8	92	8.1	169	23.8		
8/9/24 2:30	7.8	93	8.1	169	23.8		
8/9/24 2:45	7.8	93	8.1	169	23.7		
8/9/24 3:00			8.1	170	23.7		
8/9/24 3:15	7.8	93	8.1	170	23.7		
8/9/24 3:30	7.8	93	8.1	170	23.7		
8/9/24 3:45	7.8	93	8.1	169	23.7		
8/9/24 4:00	7.8	92	8.1	170	23.6		
8/9/24 4:15			8.1	170	23.6		
8/9/24 4:30			8.1	170	23.6		
8/9/24 4:45	7.8	93	8.1	170	23.6		
8/9/24 5:00	7.8	93	8.1	170	23.5		
8/9/24 5:15	7.8	92	8.1	170	23.5		
8/9/24 5:30	7.8	93	8.1	170	23.5		
8/9/24 5:45	7.8	93	8.1	170	23.5		
8/9/24 6:00	7.8	92	8.1	170	23.4		
8/9/24 6:15	7.8	92	8.1	170	23.4		
8/9/24 6:30	7.8	93	8.1	170	23.4		
8/9/24 6:45			8.1	170	23.4		
8/9/24 7:00	7.8	93	8.1	170	23.3		
8/9/24 7:15	7.9	93	8.1	170	23.3		
8/9/24 7:30	7.8	93	8.1	170	23.2		
8/9/24 7:45			8.1	170	23.2		
8/9/24 8:00			8.1	170	23.2		
8/9/24 8:15	7.9	93	8.1	170	23.2		
8/9/24 8:30	7.9	93	8.0	170	23.2		
8/9/24 8:45	7.9	93	8.1	170	23.2		
8/9/24 9:00	7.9	94	8.1	170	23.2		
8/9/24 9:15	7.9	93	8.1	170	23.3		
8/9/24 9:30	8.0	94	8.1	170	23.3		
8/9/24 9:45	8.0	94	8.1	170	23.3		
8/9/24 10:00	8.0	94	8.1	170	23.3		
8/9/24 10:15	7.9	93	8.1	170	23.3		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/9/24 10:30			8.1	170	23.4		
8/9/24 10:45	8.0	94	8.1	170	23.5		
8/9/24 11:00	8.0	94	8.1	170	23.4		
8/9/24 11:15	8.0	94	8.1	170	23.5		
8/9/24 11:30	8.0	95	8.1	170	23.5		
8/9/24 11:45	8.0	95	8.1	170	23.6		
8/9/24 12:00	8.1	95	8.1	170	23.6		
8/9/24 12:15	8.0	95	8.1	170	23.6		
8/9/24 12:30			8.1	170	23.7		
8/9/24 12:45	8.1	95	8.1	170	23.7		
8/9/24 13:00	8.1	95	8.1	170	23.7		
8/9/24 13:15	8.1	96	8.1	170	23.7		
8/9/24 13:30			8.1	170	23.8		
8/9/24 13:45	8.1	96	8.1	170	23.8		
8/9/24 14:00			8.1	170	23.8		
8/9/24 14:15	8.2	97	8.1	170	23.9		
8/9/24 14:30	8.2	97	8.1	170	23.8		
8/9/24 14:45			8.1	170	23.9		
8/9/24 15:00	8.2	97	8.1	170	23.9		
8/9/24 15:15	8.2	97	8.1	170	23.9		
8/9/24 15:30			8.1	170	23.8		
8/9/24 15:45	8.2	97	8.1	170	23.8		
8/9/24 16:00			8.1	170	23.8		
8/9/24 16:15			8.1	170	23.8		
8/9/24 16:30	8.2	98	8.1	170	23.8		
8/9/24 16:45	8.2	98	8.2	170	23.8		
8/9/24 17:00				170	23.8		
8/9/24 17:15			8.1	170	23.8		
8/9/24 17:30			8.1	170	23.8		
8/9/24 17:45	8.2	98	8.1	170	23.8		
8/9/24 18:00			8.1	170	23.7		
8/9/24 18:15	8.2	98	8.1	170	23.7		
8/9/24 18:30	8.2	98	8.1	170	23.7		
8/9/24 18:45	8.2	98	8.2	169	23.7		
8/9/24 19:00	8.2	97	8.1	170	23.7		
8/9/24 19:15	8.1	97	8.2	170	23.7		
8/9/24 19:30	8.1	97	8.2	169	23.6		
8/9/24 19:45			8.1	169	23.6		
8/9/24 20:00	8.1	97	8.2	169	23.6		
8/9/24 20:15	8.1	96	8.2	170	23.6		
8/9/24 20:30			8.2	169	23.6		
8/9/24 20:45	8.1	96	8.2	169	23.6		
8/9/24 21:00			8.2	170	23.6		
8/9/24 21:15			8.1		23.6		
8/9/24 21:30			8.1		23.6		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/9/24 21:45	7.9	94	8.1	169	23.6		
8/9/24 22:00	8.0	95	8.1	169	23.6		
8/9/24 22:15	7.9	94	8.1	169	23.6		
8/9/24 22:30	7.9	94	8.1	169	23.6		
8/9/24 22:45			8.1	169	23.6		
8/9/24 23:00	8.0	95	8.1	169	23.6		
8/9/24 23:15			8.1	168	23.6		
8/9/24 23:30	8.0	95	8.1	168	23.6		
8/9/24 23:45	8.0	95	8.1	168	23.6		
8/10/24 0:00	8.0	95	8.2	168	23.7		
8/10/24 0:15	8.0	94	8.1	169	23.6		
8/10/24 0:30			8.1	168	23.6		
8/10/24 0:45	7.9	94	8.1	168	23.6		
8/10/24 1:00	8.0	95	8.1	168	23.6		
8/10/24 1:15			8.2	168	23.6		
8/10/24 1:30	7.9	94	8.1	168	23.6		
8/10/24 1:45	7.9	94	8.2	168	23.6		
8/10/24 2:00			8.1	168	23.6		
8/10/24 2:15	7.9	94	8.1	168	23.6		
8/10/24 2:30	7.9	94	8.1	168	23.6		
8/10/24 2:45			8.1	168	23.5		
8/10/24 3:00			8.2	168	23.5		
8/10/24 3:15	7.9	94	8.1	168	23.5		
8/10/24 3:30	7.9	94	8.1	168	23.4		
8/10/24 3:45	7.9	94	8.2	168	23.4		
8/10/24 4:00			8.1	168	23.4		
8/10/24 4:15	7.9	93	8.1	168	23.4		
8/10/24 4:30	8.0	94	8.1	168	23.3		
8/10/24 4:45	8.0	94	8.1	168	23.3		
8/10/24 5:00	7.9	94	8.1	168	23.3		
8/10/24 5:15	8.0	94	8.1	168	23.2		
8/10/24 5:30			8.1	168	23.2		
8/10/24 5:45	7.9	94	8.1	168	23.2		
8/10/24 6:00			8.1	168	23.2		
8/10/24 6:15	8.0	94	8.1	168	23.1		
8/10/24 6:30	8.0	94	8.1	168	23.1		
8/10/24 6:45			8.2	168	23.1		
8/10/24 7:00	8.0	94	8.1	168	23.1		
8/10/24 7:15	8.0	94	8.1	168	23.0		
8/10/24 7:30	8.0	94	8.1	168	23.0		
8/10/24 7:45	8.0	94	8.1	168	23.0		
8/10/24 8:00	8.0	94	8.1	168	23.0		
8/10/24 8:15	8.0	95	8.1	168	23.0		
8/10/24 8:30			8.1	168	23.0		
8/10/24 8:45	8.0	94	8.1	168	23.0		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/10/24 9:00			8.1	168	23.0		
8/10/24 9:15	8.0	94	8.1	168	23.0		
8/10/24 9:30	8.0	93	8.1	168	23.0		
8/10/24 9:45	8.0	94	8.1	168	23.0		
8/10/24 10:00			8.1	168	23.1		
8/10/24 10:15	8.0	94	8.1	168	23.1		
8/10/24 10:30			8.1	168	23.1		
8/10/24 10:45			8.1	168	23.1		
8/10/24 11:00			8.1	168	23.2		
8/10/24 11:15			8.1	168	23.2		
8/10/24 11:30			8.1	168	23.2		
8/10/24 11:45	8.0	94	8.1	168	23.3		
8/10/24 12:00	8.1	95	8.1	168	23.3		
8/10/24 12:15	8.1	95	8.1	168	23.4		
8/10/24 12:30			8.1	168	23.4		
8/10/24 12:45	8.1	95	8.1	168	23.4		
8/10/24 13:00			8.1	168	23.5		
8/10/24 13:15	8.2	97	8.1	169	23.6		
8/10/24 13:30	8.2	96	8.1	169	23.6		
8/10/24 13:45	8.2	97	8.1	168	23.6		
8/10/24 14:00	8.3	98	8.1	169	23.7		
8/10/24 14:15			8.1	169	23.7		
8/10/24 14:30			8.1	168	23.8		
8/10/24 14:45	8.2	97	8.1	169	23.9		
8/10/24 15:00	8.2	97	8.1	168	23.7		
8/10/24 15:15			8.1	168	23.8		
8/10/24 15:30			8.1	169	23.7		
8/10/24 15:45			8.1	169	23.7		
8/10/24 16:00	8.2	97	8.1	169	23.7		
8/10/24 16:15	8.2	98	8.1	169	23.7		
8/10/24 16:30	8.2	98	8.1	169	23.8		
8/10/24 16:45			8.2	168	23.7		
8/10/24 17:00	8.3	98	8.2	168	23.7		
8/10/24 17:15	8.2	98	8.1	169	23.7		
8/10/24 17:30			8.2	169	23.7		
8/10/24 17:45	8.2	98	8.2	169	23.7		
8/10/24 18:00			8.2	169	23.7		
8/10/24 18:15	8.2	97	8.1	169	23.7		
8/10/24 18:30	8.2	97	8.2	169	23.6		
8/10/24 18:45			8.2	170	23.6		
8/10/24 19:00	8.2	97	8.2	169	23.6		
8/10/24 19:15	8.2	97	8.1	169	23.6		
8/10/24 19:30			8.2	169	23.6		
8/10/24 19:45			8.2	169	23.6		
8/10/24 20:00			8.2	170	23.6		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/10/24 20:15			8.1	170	23.6		
8/10/24 20:30	8.1	96	8.1	169	23.6		
8/10/24 20:45			8.2	169	23.6		
8/10/24 21:00	8.1	96	8.2	169	23.5		
8/10/24 21:15			8.2	169	23.6		
8/10/24 21:30	8.1	96	8.1	168	23.6		
8/10/24 21:45	8.0	95	8.2	168	23.6		
8/10/24 22:00	8.0	95	8.2	168	23.6		
8/10/24 22:15	8.0	95	8.2	168	23.6		
8/10/24 22:30			8.2	168	23.6		
8/10/24 22:45	8.1	96	8.2	168	23.6		
8/10/24 23:00			8.2	168	23.6		
8/10/24 23:15	8.0	95	8.2	167	23.6		
8/10/24 23:30	8.0	95	8.2	167	23.6		
8/10/24 23:45	8.0	95	8.2	167	23.6		
8/11/24 0:00			8.2	167	23.6		
8/11/24 0:15	8.0	95	8.2	167	23.6		
8/11/24 0:30	8.0	95	8.2	167	23.6		
8/11/24 0:45	8.0	95	8.2	167	23.6		
8/11/24 1:00	8.0	95	8.2	167	23.6		
8/11/24 1:15	8.0	95	8.2	167	23.6		
8/11/24 1:30	7.9	94	8.2	167	23.6		
8/11/24 1:45			8.2	167	23.6		
8/11/24 2:00	8.0	95	8.2	167	23.6		
8/11/24 2:15	8.0	95	8.2	167	23.6		
8/11/24 2:30	8.0	95	8.2	167	23.6		
8/11/24 2:45			8.2	167	23.6		
8/11/24 3:00			8.2	167	23.5		
8/11/24 3:15			8.2	167	23.5		
8/11/24 3:30			8.2	167	23.5		
8/11/24 3:45	7.9	94	8.2	167	23.5		
8/11/24 4:00	8.0	95	8.2	168	23.4		
8/11/24 4:15	7.9	93	8.2	168	23.4		
8/11/24 4:30			8.2	168	23.4		
8/11/24 4:45	7.9	94	8.2	168	23.3		
8/11/24 5:00	8.0	94	8.2	168	23.3		
8/11/24 5:15	7.9	93	8.2	168	23.3		
8/11/24 5:30	7.9	94	8.2	168	23.2		
8/11/24 5:45	8.0	94	8.1	168	23.2		
8/11/24 6:00	7.9	94	8.1	168	23.2		
8/11/24 6:15	7.9	93	8.1	168	23.2		
8/11/24 6:30	7.9	94	8.1	168	23.2		
8/11/24 6:45	8.0	94	8.2	168	23.1		
8/11/24 7:00	7.9	93	8.1	168	23.1		
8/11/24 7:15			8.1	168	23.1		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/11/24 7:30	8.0	94	8.2	168	23.1		
8/11/24 7:45	7.9	93	8.1	168	23.0		
8/11/24 8:00	7.9	93	8.1	169	23.0		
8/11/24 8:15	8.0	94	8.1	169	23.0		
8/11/24 8:30			8.1	168	23.0		
8/11/24 8:45	8.0	94	8.1	168	23.0		
8/11/24 9:00	7.9	93	8.1	168	23.0		
8/11/24 9:15			8.1	168	23.0		
8/11/24 9:30	7.9	93	8.1	168	22.9		
8/11/24 9:45	8.0	93	8.1	168	23.0		
8/11/24 10:00			8.1	168	23.0		
8/11/24 10:15			8.1	168	23.0		
8/11/24 10:30	8.0	94	8.1	168	23.0		
8/11/24 10:45			8.1	168	23.0		
8/11/24 11:00			8.2	168	23.1		
8/11/24 11:15	8.1	95	8.1	168	23.1		
8/11/24 11:30			8.1	168	23.2		
8/11/24 11:45	8.1	94	8.1	168	23.2		
8/11/24 12:00	8.0	94	8.1	168	23.2		
8/11/24 12:15	8.0	94	8.1	168	23.2		
8/11/24 12:30	8.0	94	8.1	168	23.3		
8/11/24 12:45			8.1	169	23.3		
8/11/24 13:00			8.1	168	23.4		
8/11/24 13:15	8.0	94	8.1	168	23.4		
8/11/24 13:30	8.1	95	8.1	168	23.4		
8/11/24 13:45			8.1	169	23.4		
8/11/24 14:00	8.1	96	8.1	168	23.5		
8/11/24 14:15			8.1	168	23.5		
8/11/24 14:30	8.1	96	8.1	168	23.5		
8/11/24 14:45			8.1	169	23.6		
8/11/24 15:00			8.2	168	23.6		
8/11/24 15:15			8.2	169	23.5		
8/11/24 15:30			8.2	168	23.5		
8/11/24 15:45	8.2	97	8.1	168	23.5		
8/11/24 16:00	8.2	97	8.2	168	23.5		
8/11/24 16:15	8.1	96	8.2	168	23.5		
8/11/24 16:30			8.1	168	23.5		
8/11/24 16:45	8.2	97	8.2	168	23.5		
8/11/24 17:00			8.2	168	23.5		
8/11/24 17:15			8.2	169	23.5		
8/11/24 17:30	8.2	98	8.1	168	23.5		
8/11/24 17:45	8.2	97	8.2	168	23.5		
8/11/24 18:00	8.3	98	8.2	168	23.4		
8/11/24 18:15	8.3	98	8.2	168	23.4		
8/11/24 18:30	8.2	98	8.2	168	23.4		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/11/24 18:45	8.2	97	8.2	168	23.4		
8/11/24 19:00	8.3	98	8.2	168	23.4		
8/11/24 19:15	8.2	98	8.2	168	23.4		
8/11/24 19:30			8.2	168	23.4		
8/11/24 19:45	8.2	97	8.2	167	23.4		
8/11/24 20:00			8.2	168	23.4		
8/11/24 20:15			8.2	168	23.3		
8/11/24 20:30	8.1	96	8.2	168	23.3		
8/11/24 20:45			8.2	168	23.3		
8/11/24 21:00			8.2	168	23.3		
8/11/24 21:15			8.1		23.3		
8/11/24 21:30			8.1	167	23.3		
8/11/24 21:45	8.0	94	8.2	167	23.3		
8/11/24 22:00			8.2	167	23.3		
8/11/24 22:15	8.0	95	8.1	166	23.3		
8/11/24 22:30			8.1	168	23.3		
8/11/24 22:45			8.2	167	23.3		
8/11/24 23:00			8.2	167	23.3		
8/11/24 23:15	8.0	94	8.1	167	23.3		
8/11/24 23:30	8.0	95	8.2	167	23.4		
8/11/24 23:45	8.0	95	8.2	167	23.4		
8/12/24 0:00	8.1	95	8.2	167	23.4		
8/12/24 0:15	8.0	95	8.2	167	23.4		
8/12/24 0:30	8.1	95	8.2	167	23.4		
8/12/24 0:45	8.1	95	8.2	167	23.4		
8/12/24 1:00	8.1	95	8.2	167	23.4		
8/12/24 1:15	8.1	95	8.2	167	23.4		
8/12/24 1:30	8.1	95	8.2	167	23.4		
8/12/24 1:45	8.1	95	8.2	167	23.4		
8/12/24 2:00			8.2	167	23.3		
8/12/24 2:15	8.0	95	8.2	167	23.3		
8/12/24 2:30	8.0	95	8.2	167	23.3		
8/12/24 2:45	8.1	95	8.2	167	23.3		
8/12/24 3:00			8.2	167	23.3		
8/12/24 3:15	8.0	94	8.2	167	23.2		
8/12/24 3:30			8.2	167	23.2		
8/12/24 3:45	8.0	95	8.2	167	23.2		
8/12/24 4:00	8.1	95	8.2	167	23.2		
8/12/24 4:15	8.1	95	8.2	167	23.2		
8/12/24 4:30	8.1	95	8.2	167	23.1		
8/12/24 4:45			8.1	167	23.1		
8/12/24 5:00	8.1	95	8.2	168	23.1		
8/12/24 5:15	8.1	95	8.2	167	23.0		
8/12/24 5:30			8.1	168	23.0		
8/12/24 5:45	8.1	95	8.2	168	23.0		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/12/24 6:00			8.2	167	23.0		
8/12/24 6:15	8.1	95	8.2	168	22.9		
8/12/24 6:30	8.1	95	8.2	168	22.9		
8/12/24 6:45	8.1	95	8.2	168	22.9		
8/12/24 7:00			8.2	167	22.8		
8/12/24 7:15	8.1	95	8.1	168	22.8		
8/12/24 7:30	8.1	95	8.1	168	22.8		
8/12/24 7:45	8.1	95	8.2	168	22.8		
8/12/24 8:00	8.1	95	8.1	168	22.8		
8/12/24 8:15	8.1	94	8.1	168	22.8		
8/12/24 8:30			8.1	168	22.8		
8/12/24 8:45	8.1	95	8.1	168	22.7		
8/12/24 9:00	8.1	95	8.1	168	22.8		
8/12/24 9:15	8.1	95	8.1	168	22.7		
8/12/24 9:30	8.1	94	8.1	168	22.7		
8/12/24 9:45			8.1	169	22.8		
8/12/24 10:00	8.1	95	8.1	168	22.8		
8/12/24 10:15			8.1	169	22.8		
8/12/24 10:30	8.1	95	8.1	169	22.8		
8/12/24 10:45	8.2	95	8.2	169	22.9		
8/12/24 11:00	8.2	96	8.2	169	22.9		
8/12/24 11:15	8.2	96	8.1	169	23.0		
8/12/24 11:30	8.3	96	8.1	169	22.9		
8/12/24 11:45	8.3	97	8.2	169	23.0		
8/12/24 12:00			8.1	169	23.1		
8/12/24 12:15			8.2	169	23.1		
8/12/24 12:30			8.2	170	23.1		
8/12/24 12:45	8.3	98	8.2	169	23.2		
8/12/24 13:00	8.3	98	8.2	170	23.2		
8/12/24 13:15	8.3	98	8.2	170	23.2		
8/12/24 13:30	8.4	98	8.2	170	23.3		
8/12/24 13:45	8.3	98	8.2	170	23.3		
8/12/24 14:00	8.4	99	8.2	170	23.3		
8/12/24 14:15	8.4	99	8.2	170	23.3		
8/12/24 14:30	8.4	99	8.2	170	23.3		
8/12/24 14:45	8.4	99	8.2	170	23.4		
8/12/24 15:00	8.4	99	8.2	170	23.3		
8/12/24 15:15			8.2	170	23.3		
8/12/24 15:30	8.5	100	8.2	170	23.2		
8/12/24 15:45	8.4	99	8.2	170	23.2		
8/12/24 16:00	8.4	99	8.2	170	23.2		
8/12/24 16:15	8.4	99	8.2	170	23.2		
8/12/24 16:30	8.5	100	8.2	170	23.2		
8/12/24 16:45	8.5	100	8.2	170	23.2		
8/12/24 17:00	8.4	99	8.2	170	23.1		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/12/24 17:15	8.5	100	8.2	170	23.1		
8/12/24 17:30			8.2	170	23.1		
8/12/24 17:45	8.5	100	8.2	170	23.0		
8/12/24 18:00			8.2	170	23.0		
8/12/24 18:15			8.2	170	23.0		
8/12/24 18:30	8.5	100	8.2	170	22.9		
8/12/24 18:45	8.5	99	8.2	170	22.9		
8/12/24 19:00	8.4	99	8.2	170	22.8		
8/12/24 19:15			8.2	170	22.8		
8/12/24 19:30	8.4	98	8.2	170	22.7		
8/12/24 19:45	8.4	99	8.2	170	22.7		
8/12/24 20:00	8.4	98	8.2	170	22.7		
8/12/24 20:15	8.3	98	8.2	170	22.6		
8/12/24 20:30	8.3	98	8.2	170	22.6		
8/12/24 20:45	8.3	97	8.2	170	22.6		
8/12/24 21:00			8.2	169	22.6		
8/12/24 21:15	8.2	96	8.2	170	22.6		
8/12/24 21:30	8.2	96	8.2	170	22.6		
8/12/24 21:45			8.2	170	22.5		
8/12/24 22:00			8.2	169	22.5		
8/12/24 22:15	8.2	96	8.2	170	22.6		
8/12/24 22:30	8.2	96	8.2	170	22.6		
8/12/24 22:45	8.2	95	8.2	169	22.6		
8/12/24 23:00	8.2	95	8.2	169	22.6		
8/12/24 23:15			8.2	169	22.6		
8/12/24 23:30	8.2	96	8.2	169	22.6		
8/12/24 23:45	8.2	96	8.2	169	22.6		
8/13/24 0:00	8.2	95	8.2	169	22.6		
8/13/24 0:15			8.2	169	22.6		
8/13/24 0:30	8.2	95	8.2	169	22.6		
8/13/24 0:45			8.2	169	22.6		
8/13/24 1:00	8.1	95	8.2	169	22.6		
8/13/24 1:15	8.1	95	8.2	169	22.5		
8/13/24 1:30	8.1	95	8.2	169	22.5		
8/13/24 1:45			8.2	169	22.5		
8/13/24 2:00	8.1	95	8.2	169	22.4		
8/13/24 2:15			8.2	169	22.4		
8/13/24 2:30			8.2	169	22.4		
8/13/24 2:45	8.2	95	8.2	169	22.3		
8/13/24 3:00	8.1	94	8.2	169	22.3		
8/13/24 3:15	8.2	95	8.2	169	22.3		
8/13/24 3:30	8.1	94	8.2	169	22.2		
8/13/24 3:45	8.1	94	8.2	169	22.2		
8/13/24 4:00			8.2	169	22.2		
8/13/24 4:15	8.2	95	8.2	169	22.1		

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/13/24 4:30			8.2	169	22.1		
8/13/24 4:45	8.2	95	8.2	169	22.1		
8/13/24 5:00	8.2	95	8.2	169	22.0		
8/13/24 5:15	8.2	95	8.2	169	22.0		
8/13/24 5:30			8.2	169	22.0		
8/13/24 5:45	8.2	95	8.2	169	21.9		
8/13/24 6:00	8.2	95	8.2	169	21.9		
8/13/24 6:15	8.2	95	8.2	169	21.9		
8/13/24 6:30	8.3	95	8.2	169	21.8		
8/13/24 6:45	8.2	95	8.2	169	21.8		
8/13/24 7:00	8.3	95	8.2	169	21.8		
8/13/24 7:15			8.2	169	21.8		
8/13/24 7:30	8.2	95	8.2	169	21.7		
8/13/24 7:45			8.2	169	21.7		
8/13/24 8:00	8.3	95	8.1	169	21.7		
8/13/24 8:15			8.2	169	21.7		
8/13/24 8:30			8.2	169	21.7		
8/13/24 8:45	8.3	95	8.2	170	21.7		
8/13/24 9:00			8.2	170	21.7		
8/13/24 9:15	8.4	96	8.2	170	21.7		
8/13/24 9:30			8.2	170	21.7		
8/13/24 9:45	8.3	95	8.2	170	21.7		
8/13/24 10:00			8.2	170	21.7		
8/13/24 10:15			8.2	170	21.7		
8/13/24 10:30			8.1	170	21.7		
8/13/24 10:45			8.2	170	21.7		
8/13/24 11:00	8.3	95	8.1	170	21.7		
8/13/24 11:15	8.3	95	8.1	170	21.7		
8/13/24 11:30	8.3	95	8.1	170	21.7		
8/13/24 11:45	8.3	95	8.1	171	21.8		
8/13/24 12:00	8.3	96	8.2	170	21.8		
8/13/24 12:15			8.1	171	21.8		
8/13/24 12:30	8.4	96	8.2	171	21.8		
8/13/24 12:45	8.3	95	8.1	171	21.8		
8/13/24 13:00			8.1	171	21.9		
8/13/24 13:15			8.1	171	21.9		
8/13/24 13:30	8.5	97	8.1	171	22.0		
8/13/24 13:45			8.2	171	22.0		
8/13/24 14:00			8.2	171	22.0	28	
8/13/24 14:15			8.2	171	22.2	27	
8/13/24 14:30			8.2	171	22.1	27	
8/13/24 14:45					22.1		
8/13/24 15:00	8.4	97	8.2	171	22.1	28	
8/13/24 15:15	8.4	97	8.2	171	22.1	24	
8/13/24 15:30	8.4	97	8.2	171	22.1	23	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/13/24 15:45	8.4	97	8.2	171	22.1	25	
8/13/24 16:00	8.4	97	8.2	171	22.1	22	
8/13/24 16:15	8.4	97	8.2	171	22.1	25	
8/13/24 16:30	8.4	97	8.2	171	22.1	25	
8/13/24 16:45	8.5	98	8.2	171	22.0	25	
8/13/24 17:00	8.5	98	8.2	171	22.0	25	
8/13/24 17:15	8.5	98	8.2	171	22.0	25	
8/13/24 17:30	8.5	98	8.2	171	22.0	24	
8/13/24 17:45	8.5	98	8.2	170	22.0	25	
8/13/24 18:00	8.5	98	8.3	170	21.9	25	
8/13/24 18:15	8.5	98	8.2	170	21.9	24	
8/13/24 18:30	8.5	98	8.3	170	21.9	25	
8/13/24 18:45	8.5	97	8.2	170	21.9	25	
8/13/24 19:00	8.4	97	8.2	170	21.9	26	
8/13/24 19:15	8.4	97	8.2	170	21.9	25	
8/13/24 19:30	8.4	97	8.3	170	21.9	25	
8/13/24 19:45	8.4	97	8.3	170	21.8	26	
8/13/24 20:00	8.4	97	8.3	170	21.8	26	
8/13/24 20:15	8.4	97	8.3	170	21.8	25	
8/13/24 20:30	8.4	96	8.2	170	21.8	25	
8/13/24 20:45	8.4	96	8.3	170	21.8	26	
8/13/24 21:00	8.4	96	8.3	170	21.8	26	
8/13/24 21:15	8.3	96	8.2	170	21.8	25	
8/13/24 21:30	8.3	96	8.3	170	21.8	23	
8/13/24 21:45	8.3	96	8.3	169	21.8	26	
8/13/24 22:00	8.3	95	8.2	169	21.8	25	
8/13/24 22:15	8.3	95	8.3	169	21.8	25	
8/13/24 22:30	8.3	95	8.3	169	21.8	25	
8/13/24 22:45	8.3	95	8.3	169	21.8	26	
8/13/24 23:00	8.3	95	8.2	169	21.8	26	
8/13/24 23:15	8.2	95	8.3	169	21.8	27	
8/13/24 23:30	8.2	94	8.3	169	21.8	26	
8/13/24 23:45	8.2	94	8.2	169	21.8	26	
8/14/24 0:00	8.2	94	8.2	169	21.8	26	
8/14/24 0:15	8.2	94	8.2	169	21.8	26	
8/14/24 0:30	8.2	94	8.2	169	21.8	26	
8/14/24 0:45	8.2	94	8.2	169	21.8	27	
8/14/24 1:00	8.2	94	8.2	169	21.8	23	
8/14/24 1:15	8.2	94	8.2	168	21.8	27	
8/14/24 1:30	8.2	94	8.2	168	21.8	27	
8/14/24 1:45	8.2	94	8.2	168	21.8	27	
8/14/24 2:00	8.2	94	8.2	168	21.8	27	
8/14/24 2:15	8.2	94	8.2	168	21.8	26	
8/14/24 2:30	8.2	94	8.2	168	21.8	26	
8/14/24 2:45	8.2	94	8.2	168	21.8	28	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/14/24 3:00	8.1	93	8.2	168	21.8	26	
8/14/24 3:15	8.1	93	8.2	168	21.8	26	
8/14/24 3:30	8.2		8.2		21.7	28	
8/14/24 3:45	8.2	94	8.2	168	21.7	27	
8/14/24 4:00	8.1	93	8.2	168	21.7	27	
8/14/24 4:15	8.2	93	8.2	168	21.6	27	
8/14/24 4:30	8.2	94	8.2	168	21.6	27	
8/14/24 4:45	8.2	93	8.2	168	21.6	26	
8/14/24 5:00	8.2	93	8.2	168	21.6	27	
8/14/24 5:15	8.2	93	8.2	168	21.5	26	
8/14/24 5:30	8.2	93	8.2	168	21.5	27	
8/14/24 5:45	8.2	94	8.2	168	21.5	27	
8/14/24 6:00	8.2	94	8.2	168	21.5	27	
8/14/24 6:15	8.2	94	8.2	168	21.5	26	
8/14/24 6:30	8.2	94	8.2	168	21.4	28	
8/14/24 6:45	8.2	93	8.2	168	21.4	27	
8/14/24 7:00	8.2	93	8.2	168	21.4	27	
8/14/24 7:15	8.2	94	8.2	168	21.4	28	
8/14/24 7:30	8.2	93	8.2	168	21.3	27	
8/14/24 7:45	8.2	93	8.2	168	21.3	27	
8/14/24 8:00	8.2	93	8.2	168	21.3	27	
8/14/24 8:15	8.2	93	8.2	168	21.3	28	
8/14/24 8:30	8.2	93	8.2	168	21.3	27	
8/14/24 8:45	8.2	94	8.2	168	21.3	29	
8/14/24 9:00	8.2	94	8.2	168	21.3	28	
8/14/24 9:15	8.2	94	8.2	168	21.3	27	
8/14/24 9:30	8.3	94	8.2	168	21.3	28	
8/14/24 9:45	8.2	94	8.2	168	21.4	26	
8/14/24 10:00	8.3	94	8.2	168	21.4	27	
8/14/24 10:15	8.3	94	8.2	168	21.4	27	
8/14/24 10:30	8.3	94	8.2	168	21.4	28	
8/14/24 10:45	8.3	94	8.2	168	21.5	29	
8/14/24 11:00	8.3	95	8.2	168	21.5	27	
8/14/24 11:15	8.3	95	8.2	168	21.5	27	
8/14/24 11:30	8.3	95	8.2	168	21.6	26	
8/14/24 11:45	8.3	95	8.2	168	21.6	26	
8/14/24 12:00	8.4	95	8.2	168	21.7	26	
8/14/24 12:15	8.4	96	8.2	168	21.8	26	
8/14/24 12:30	8.4	96	8.2	168	21.8	25	
8/14/24 12:45	8.4	96	8.2	168	21.9	26	
8/14/24 13:00	8.4	96	8.2	168	21.9	24	
8/14/24 13:15	8.4	96	8.2	168	22.0	25	
8/14/24 13:30	8.4	97	8.2	168	22.0	23	
8/14/24 13:45	8.5	97	8.2	168	22.1	26	
8/14/24 14:00	8.5	97	8.2	168	22.0	23	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/14/24 14:15	8.5	97	8.2	168	22.1	25	
8/14/24 14:30	8.5	98	8.2	168	22.1	23	
8/14/24 14:45	8.5	97	8.2	168	22.1	25	
8/14/24 15:00	8.5	98	8.2	168	22.2	26	
8/14/24 15:15	8.5	98	8.2	169	22.1	27	
8/14/24 15:30	8.5	98	8.2	169	22.1	27	
8/14/24 15:45	8.5	98	8.2	169	22.1	26	
8/14/24 16:00	8.5	98	8.2	169	22.1	25	
8/14/24 16:15	8.5	99	8.2	169	22.1	26	
8/14/24 16:30	8.6	99	8.2	169	22.1	26	
8/14/24 16:45	8.6	99	8.2	169	22.1		
8/14/24 17:00	8.5	99	8.2	169	22.1	28	
8/14/24 17:15	8.6	99	8.3	169	22.1	26	
8/14/24 17:30	8.5	98	8.2	169	22.0	28	
8/14/24 17:45	8.5	98	8.2	169	22.0	28	
8/14/24 18:00	8.5	98	8.2	169	22.0	29	
8/14/24 18:15	8.5	98	8.2	169	22.0	30	
8/14/24 18:30	8.5	98	8.2	169	21.9	31	
8/14/24 18:45	8.5	98	8.2	169	22.0	30	
8/14/24 19:00	8.4	97	8.2	169	21.9	30	
8/14/24 19:15	8.4	97	8.2	169	21.9	31	
8/14/24 19:30	8.4	97	8.2	169	21.9	32	
8/14/24 19:45	8.4	97	8.2	169	21.9	35	
8/14/24 20:00	8.4	97	8.2	169	21.9	32	
8/14/24 20:15	8.4	97	8.2	169	21.9	34	
8/14/24 20:30	8.4	97	8.2	169	21.9	35	
8/14/24 20:45	8.4	96	8.2	169	21.9	35	
8/14/24 21:00	8.3	96	8.2	169	21.9	35	
8/14/24 21:15	8.3	96	8.2	169	21.9	37	
8/14/24 21:30	8.3	96	8.2	169	21.9	32	
8/14/24 21:45	8.3	96	8.2	169	21.9	36	
8/14/24 22:00	8.3	96	8.2	169	21.8	36	
8/14/24 22:15	8.3	95	8.2	169	21.9	34	
8/14/24 22:30	8.3	95	8.2	169	21.8	35	
8/14/24 22:45	8.3	95	8.2	169	21.8	36	
8/14/24 23:00	8.3	95	8.2	169	21.8	35	
8/14/24 23:15	8.2	95	8.2	169	21.8	35	
8/14/24 23:30	8.2	95	8.2	169	21.9	33	
8/14/24 23:45	8.2	95	8.2	169	21.9	34	
8/15/24 0:00	8.2	94	8.2	169	21.9	34	
8/15/24 0:15	8.2	94	8.2	169	21.9	35	
8/15/24 0:30	8.2	94	8.2	169	21.9	34	
8/15/24 0:45	8.2	94	8.2	169	21.9	33	
8/15/24 1:00	8.2	94	8.2	169	21.9	33	
8/15/24 1:15	8.2	94	8.2	169	21.9	31	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/15/24 1:30	8.2	94	8.2	168	21.9	31	
8/15/24 1:45	8.2	94	8.2	168	21.9	30	
8/15/24 2:00	8.2	94	8.2	168	21.9	31	
8/15/24 2:15	8.2	94	8.2	168	21.9	31	
8/15/24 2:30	8.2	94	8.2	168	21.9	30	
8/15/24 2:45	8.2	94	8.2	168	21.8	28	
8/15/24 3:00	8.2	94	8.2	168	21.8	28	
8/15/24 3:15	8.2	94	8.2	168	21.8	29	
8/15/24 3:30	8.2	94	8.2	168	21.8	27	
8/15/24 3:45	8.2	94	8.2	168	21.8	25	
8/15/24 4:00	8.2	94	8.2	168	21.7	26	
8/15/24 4:15	8.2	94	8.2	168	21.7	26	
8/15/24 4:30	8.2	94	8.2	168	21.6	26	
8/15/24 4:45	8.2	94	8.2	168	21.6	28	
8/15/24 5:00	8.2	94	8.2	168	21.6	26	
8/15/24 5:15	8.2	94	8.2	168	21.5	26	
8/15/24 5:30	8.2	94	8.2	168	21.5	26	
8/15/24 5:45	8.2	94	8.2	168	21.5	24	
8/15/24 6:00	8.2	94	8.2	168	21.4	25	
8/15/24 6:15	8.2	94	8.2	168	21.4	26	
8/15/24 6:30	8.2	94	8.2	168	21.4	25	
8/15/24 6:45	8.2	94	8.2	168	21.3	26	
8/15/24 7:00	8.2	94	8.2	168	21.3	26	
8/15/24 7:15	8.2	94	8.2	168	21.3	26	
8/15/24 7:30	8.2	94	8.2	168	21.2	24	
8/15/24 7:45	8.2	94	8.2	168	21.2	26	
8/15/24 8:00	8.3	94	8.2	168	21.2	26	
8/15/24 8:15	8.2	94	8.2	168	21.2	25	
8/15/24 8:30	8.3	94	8.2	168	21.2	25	
8/15/24 8:45	8.3	94	8.2	168	21.2	26	
8/15/24 9:00	8.3	94	8.2	168	21.2	26	
8/15/24 9:15	8.3	94	8.2	168	21.2	25	
8/15/24 9:30	8.3	94	8.2	168	21.2	25	
8/15/24 9:45	8.3	94	8.2	168	21.2	25	
8/15/24 10:00	8.3	94	8.2	168	21.2	23	
8/15/24 10:15	8.3	94	8.2	168	21.2	24	
8/15/24 10:30	8.3	95	8.2	168	21.3	26	
8/15/24 10:45	8.4	95	8.2	168	21.3	25	
8/15/24 11:00	8.4	95	8.2	168	21.3	24	
8/15/24 11:15	8.4	95	8.2	168	21.3	24	
8/15/24 11:30	8.4	95	8.2	168	21.3	22	
8/15/24 11:45	8.4	95	8.2	168	21.3	24	
8/15/24 12:00	8.4	95	8.2	168	21.4	23	
8/15/24 12:15	8.4	96	8.2	168	21.4	23	
8/15/24 12:30	8.4	95	8.2	168	21.4	25	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/15/24 12:45	8.4	96	8.2	168	21.5		
8/15/24 13:00	8.5	96	8.2	168	21.6	26	
8/15/24 13:15	8.5	97	8.2	168	21.5	22	
8/15/24 13:30	8.5	97	8.2	168	21.6	23	
8/15/24 13:45	8.6	97	8.2	168	21.6	23	
8/15/24 14:00	8.6	97	8.2	168	21.6	21	
8/15/24 14:15	8.5	97	8.2	168	21.6	22	
8/15/24 14:30	8.6	98	8.2	168	21.6	23	
8/15/24 14:45	8.6	98	8.2	168	21.7	22	
8/15/24 15:00	8.6	98	8.2	168	21.7	20	
8/15/24 15:15	8.6	98	8.2	168	21.7	23	
8/15/24 15:30	8.6	98	8.2	168	21.7	24	
8/15/24 15:45	8.7	99	8.3	168	21.7	21	
8/15/24 16:00	8.7	99	8.2	168	21.7	22	
8/15/24 16:15	8.7	99	8.2	168	21.7	21	
8/15/24 16:30	8.6	99	8.2	168	21.7	22	
8/15/24 16:45	8.7	99	8.3	168	21.6	23	
8/15/24 17:00	8.7	99	8.3	168	21.6	21	
8/15/24 17:15	8.7	99	8.2	168	21.6	21	
8/15/24 17:30	8.7	99	8.3	168	21.6	22	
8/15/24 17:45	8.7	99	8.3	168	21.6	23	
8/15/24 18:00	8.7	99	8.3	168	21.6	22	
8/15/24 18:15	8.6	99	8.3	168	21.5	22	
8/15/24 18:30	8.7	99	8.3	168	21.5	22	
8/15/24 18:45	8.6	99	8.3	168	21.5	23	
8/15/24 19:00	8.6	98	8.3	168	21.5	21	
8/15/24 19:15	8.6	98	8.3	168	21.4	20	
8/15/24 19:30	8.6	98	8.3	167	21.4	23	
8/15/24 19:45	8.6	98	8.3	167	21.4	21	
8/15/24 20:00	8.6	98	8.3	167	21.4	21	
8/15/24 20:15	8.6	97	8.3	167	21.4	22	
8/15/24 20:30	8.5	97	8.3	167	21.4	23	
8/15/24 20:45	8.5	97	8.3	167	21.4	24	
8/15/24 21:00	8.5	97	8.3	167	21.4	21	
8/15/24 21:15	8.5	97	8.3	167	21.4	21	
8/15/24 21:30	8.5	96	8.3	167	21.4	23	
8/15/24 21:45	8.5	96	8.3	167	21.4	24	
8/15/24 22:00	8.4	96	8.3	167	21.4	22	
8/15/24 22:15	8.4	96	8.3	167	21.4	23	
8/15/24 22:30	8.4	96	8.3	167	21.4	23	
8/15/24 22:45	8.4	95	8.3	167	21.4	22	
8/15/24 23:00	8.4	95	8.3	167	21.4	23	
8/15/24 23:15	8.3	95	8.2	167	21.4	20	
8/15/24 23:30	8.3	95	8.2	167	21.4	23	
8/15/24 23:45	8.3	95	8.3	167	21.5	23	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 0:00	8.3	94	8.3	167	21.5	21	
8/16/24 0:15	8.3	94	8.2	167	21.5	23	
8/16/24 0:30	8.3	94	8.2	167	21.5	23	
8/16/24 0:45	8.3	94	8.3	167	21.5	21	
8/16/24 1:00	8.3	94	8.3	167	21.5	22	
8/16/24 1:15	8.2	94	8.2	167	21.5	23	
8/16/24 1:30	8.2	94	8.3	167	21.5	23	
8/16/24 1:45	8.2	94	8.2	167	21.5	23	
8/16/24 2:00	8.2	94	8.3	167	21.5	24	
8/16/24 2:15	8.2	94	8.2	167	21.4	23	
8/16/24 2:30	8.2	93	8.2	167	21.4	22	
8/16/24 2:45	8.2	93	8.2	167	21.4	22	
8/16/24 3:00	8.2	94	8.2	167	21.4	23	
8/16/24 3:15	8.2	94	8.2	167	21.4	23	
8/16/24 3:30	8.2	94	8.2	167	21.4	22	
8/16/24 3:45	8.2	94	8.2	167	21.3	23	
8/16/24 4:00	8.2	94	8.2	167	21.3	24	
8/16/24 4:15	8.2	93	8.2	167	21.3	23	
8/16/24 4:30	8.2	94	8.2	167	21.3	24	
8/16/24 4:45	8.2	94	8.2	167	21.2	26	
8/16/24 5:00	8.2	94	8.2	167	21.2	22	
8/16/24 5:15	8.2	94	8.2	167	21.2	22	
8/16/24 5:30	8.2	94	8.2	168	21.2	23	
8/16/24 5:45	8.2	94	8.2	168	21.1	24	
8/16/24 6:00	8.3	94	8.2	168	21.1	23	
8/16/24 6:15	8.3	94	8.2	168	21.1	23	
8/16/24 6:30	8.3	94	8.2	168	21.0	25	
8/16/24 6:45	8.3	94	8.2	168	21.0	24	
8/16/24 7:00	8.3	94	8.2	168	21.0	25	
8/16/24 7:15	8.3	94	8.2	168	21.0	23	
8/16/24 7:30	8.3	94	8.2	168	21.0	27	
8/16/24 7:45	8.3	94	8.2	168	20.9	24	
8/16/24 8:00	8.3	94	8.2	168	20.9	24	
8/16/24 8:15	8.3	94	8.2	168	20.9	26	
8/16/24 8:30	8.3	94	8.2	168	20.9	23	
8/16/24 8:45	8.3	94	8.2	168	20.9	23	
8/16/24 9:00	8.3	94	8.2	168	20.9	25	
8/16/24 9:15	8.3	94	8.2	168	20.9	24	
8/16/24 9:30	8.3	94	8.2	168	20.9	25	
8/16/24 9:45	8.3	94	8.2	168	20.9	27	
8/16/24 10:00	8.3	94	8.2	168	21.0	25	
8/16/24 10:15	8.4	94	8.2	168	21.0	22	
8/16/24 10:30	8.4	94	8.2	168	21.0	24	
8/16/24 10:45	8.3	94	8.2	168	20.9	22	
8/16/24 11:00	8.4	94	8.2	168	21.0	23	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 11:15	8.3	94	8.2	168	21.0	22	
8/16/24 11:30	8.4	95	8.2	168	21.0	24	
8/16/24 11:45	8.5	95	8.2	168	21.0	25	
8/16/24 12:00	8.5	95	8.2	168	21.0	24	
8/16/24 12:15	8.5	96	8.2	168	21.1	22	
8/16/24 12:30	8.5	96	8.2	168	21.1	22	
8/16/24 12:45	8.5	96	8.2	168	21.2	23	
8/16/24 13:00	8.5	96	8.2	168	21.2	24	
8/16/24 13:15	8.6	97	8.2	168	21.3	23	
8/16/24 13:30	8.6	97	8.2	168	21.4	22	
8/16/24 13:45	8.6	97	8.2	168	21.4	21	
8/16/24 14:00	8.6	97	8.3	168	21.4	21	
8/16/24 14:15	8.6	97	8.2	168	21.5	23	
8/16/24 14:30	8.6	98	8.2	168	21.4	23	
8/16/24 14:45	8.6	98	8.2	168	21.5	21	
8/16/24 15:00	8.6	98	8.2	168	21.5	21	
8/16/24 15:15	8.6	98	8.2	168	21.5	22	
8/16/24 15:30	8.7	98	8.2	168	21.5	21	
8/16/24 15:45	8.7	99	8.2	168	21.5	20	
8/16/24 16:00	8.7	98	8.2	168	21.5	26	
8/16/24 16:15	8.7	99	8.2	168	21.5	19	
8/16/24 16:30	8.7	99	8.3	168	21.5	21	
8/16/24 16:45	8.7	99	8.3	168	21.5	20	
8/16/24 17:00	8.7	99	8.3	168	21.6	22	
8/16/24 17:15	8.7	99	8.3	168	21.6	19	
8/16/24 17:30	8.7	99	8.3	168	21.5	20	
8/16/24 17:45	8.7	99	8.3	168	21.5	22	
8/16/24 18:00	8.6	99	8.3	168	21.5	19	
8/16/24 18:15	8.7	99	8.3	168	21.5	22	
8/16/24 18:30	8.6	98	8.3	168	21.5	18	
8/16/24 18:45	8.6	98	8.3	168	21.5	20	
8/16/24 19:00	8.6	98	8.3	168	21.5	23	
8/16/24 19:15	8.6	98	8.3	168	21.5	20	
8/16/24 19:30	8.6	98	8.3	168	21.5	21	
8/16/24 19:45	8.6	98	8.3	168	21.5	22	
8/16/24 20:00	8.5	97	8.3	168	21.5	23	
8/16/24 20:15	8.5	97	8.3	168	21.5	21	
8/16/24 20:30	8.5	97	8.3	168	21.6	21	
8/16/24 20:45	8.5	97	8.3	168	21.6	23	
8/16/24 21:00	8.5	97	8.3	168	21.6	22	
8/16/24 21:15	8.4	96	8.3	168	21.6	21	
8/16/24 21:30	8.4	96	8.3	168	21.6	21	
8/16/24 21:45	8.4	96	8.3	168	21.6	22	
8/16/24 22:00	8.4	95	8.3	168	21.6	22	
8/16/24 22:15	8.3	95	8.3	168	21.6	22	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/16/24 22:30	8.3	95	8.3	168	21.6	22	
8/16/24 22:45	8.3	95	8.3	168	21.6	22	
8/16/24 23:00	8.3	95	8.2	168	21.7	23	
8/16/24 23:15	8.3	95	8.3	168	21.7	21	
8/16/24 23:30	8.2	94	8.3	168	21.7	22	
8/16/24 23:45	8.2	94	8.3	168	21.7	23	
8/17/24 0:00	8.2	94	8.3	168	21.7	24	
8/17/24 0:15	8.2	94	8.3	168	21.7	23	
8/17/24 0:30	8.2	94	8.2	168	21.7	23	
8/17/24 0:45	8.2	94	8.2	168	21.7	21	
8/17/24 1:00	8.2	93	8.2	168	21.7	22	
8/17/24 1:15	8.2	93	8.3	168	21.7	22	
8/17/24 1:30	8.2	94	8.2	168	21.7	23	
8/17/24 1:45	8.2	93	8.2	168	21.7	21	
8/17/24 2:00	8.1	93	8.2	168	21.7	23	
8/17/24 2:15	8.1	93	8.2	168	21.7	21	
8/17/24 2:30	8.2	93	8.3	168	21.7	21	
8/17/24 2:45	8.1	93	8.2	168	21.7		
8/17/24 3:00	8.1	93	8.3	168	21.6	21	
8/17/24 3:15	8.1	93	8.2	168	21.6	22	
8/17/24 3:30	8.2	93	8.2	168	21.6	22	
8/17/24 3:45	8.2	93	8.2	168	21.6	23	
8/17/24 4:00	8.2	93	8.2	168	21.5	23	
8/17/24 4:15	8.2	93	8.2	168	21.5	24	
8/17/24 4:30	8.2	93	8.2	168	21.4	23	
8/17/24 4:45	8.1	93	8.2	168	21.4	23	
8/17/24 5:00	8.1	93	8.2	168	21.4	21	
8/17/24 5:15	8.2	93	8.2	168	21.4	23	
8/17/24 5:30	8.2	93	8.2	168	21.4	22	
8/17/24 5:45	8.2	93	8.2	168	21.4	23	
8/17/24 6:00	8.2	93	8.2	168	21.3	21	
8/17/24 6:15	8.2	93	8.2	168	21.3	23	
8/17/24 6:30	8.2	93	8.2	168	21.3	21	
8/17/24 6:45	8.2	93	8.2	168	21.2	20	
8/17/24 7:00	8.2	93	8.2	168	21.2		
8/17/24 7:15	8.2	93	8.2	169	21.2	22	
8/17/24 7:30	8.2	93	8.2	169	21.2	22	
8/17/24 7:45	8.2	93	8.2	169	21.2	21	
8/17/24 8:00	8.2	93	8.2	169	21.2	23	
8/17/24 8:15	8.2	93	8.2	169	21.2	21	
8/17/24 8:30	8.2	93	8.2	169	21.2	22	
8/17/24 8:45	8.2	94	8.2	169	21.2	23	
8/17/24 9:00	8.2	94	8.2	169	21.2	24	
8/17/24 9:15	8.2	93	8.2	169	21.2	20	
8/17/24 9:30	8.3	94	8.2	169	21.2	22	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 9:45	8.2	93	8.2	169	21.2	20	
8/17/24 10:00	8.3	94	8.2	169	21.2	21	
8/17/24 10:15	8.3	94	8.2	169	21.2	20	
8/17/24 10:30	8.3	94	8.2	169	21.1	21	
8/17/24 10:45	8.3	94	8.2	169	21.1	19	
8/17/24 11:00	8.3	95	8.2	169	21.0	23	
8/17/24 11:15	8.4	95	8.2	169	21.1	20	
8/17/24 11:30	8.4	95	8.2	169	21.1	22	
8/17/24 11:45	8.3	95	8.2	169	21.1	20	
8/17/24 12:00	8.4	95	8.2	169	21.0		
8/17/24 12:15	8.4	95	8.2	169	21.0	21	
8/17/24 12:30	8.4	95	8.2	169	21.0	22	
8/17/24 12:45	8.4	95	8.2	169	21.0	21	
8/17/24 13:00	8.4	95	8.2	169	21.0		
8/17/24 13:15	8.4	95	8.2	169	21.0	21	
8/17/24 13:30	8.4	95	8.2	169	21.0	22	
8/17/24 13:45	8.4	95	8.2	169	21.0	22	
8/17/24 14:00	8.5	95	8.2	169	20.9	23	
8/17/24 14:15	8.5	96	8.2	169	20.9	24	
8/17/24 14:30	8.5	96	8.2	169	20.8	25	
8/17/24 14:45	8.5	96	8.2	169	20.9		
8/17/24 15:00	8.5	96	8.2	169	20.8	24	
8/17/24 15:15	8.5	96	8.2	169	20.8	25	
8/17/24 15:30	8.5	96	8.2	169	20.8	28	
8/17/24 15:45	8.5	95	8.2	169	20.8	25	
8/17/24 16:00	8.5	96	8.2	169	20.8	26	
8/17/24 16:15	8.5	96	8.2	169	20.8	29	
8/17/24 16:30	8.5	96	8.2	169	20.8	25	
8/17/24 16:45	8.5	96	8.2	169	20.7	29	
8/17/24 17:00	8.5	96	8.2	168	20.7	28	
8/17/24 17:15	8.5	96	8.2	168	20.7	29	
8/17/24 17:30	8.5	96	8.2	168	20.7	31	
8/17/24 17:45	8.5	96	8.2	168	20.7	30	
8/17/24 18:00	8.5	96	8.2	168	20.7	31	
8/17/24 18:15	8.5	96	8.2	168	20.7	31	
8/17/24 18:30	8.5	96	8.2	168	20.6	28	
8/17/24 18:45	8.5	96	8.2	168	20.6	30	
8/17/24 19:00	8.5	96	8.2	168	20.6	30	
8/17/24 19:15	8.5	96	8.2	168	20.6	29	
8/17/24 19:30	8.5	96	8.2	168	20.6	29	
8/17/24 19:45	8.5	96	8.2	168	20.6	30	
8/17/24 20:00	8.5	96	8.2	168	20.6	28	
8/17/24 20:15	8.5	96	8.2	167	20.6	32	
8/17/24 20:30	8.5	95	8.2	167	20.6	30	
8/17/24 20:45	8.5	95	8.2	167	20.6	27	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 21:00	8.5	95	8.2	167	20.6	29	
8/17/24 21:15	8.5	95	8.2	167	20.6	28	
8/17/24 21:30	8.5	95	8.2	167	20.6	29	
8/17/24 21:45	8.5	95	8.2	167	20.5	28	
8/17/24 22:00	8.5	95	8.2	167	20.5	27	
8/17/24 22:15	8.5	95	8.2	167	20.5	27	
8/17/24 22:30	8.5	95	8.2	167	20.5	26	
8/17/24 22:45	8.5	95	8.2	167	20.5	27	
8/17/24 23:00	8.4	95	8.2	167	20.5	27	
8/17/24 23:15	8.4	94	8.2	167	20.5	24	
8/17/24 23:30	8.4	94	8.2	167	20.5		
8/17/24 23:45	8.4	94	8.2	167	20.5	26	
8/18/24 0:00	8.4	94	8.2	167	20.5	26	
8/18/24 0:15	8.4	94	8.2	167	20.6	23	
8/18/24 0:30	8.4	94	8.2	167	20.5	24	
8/18/24 0:45	8.4	94	8.2	167	20.5	26	
8/18/24 1:00	8.4	94	8.2	167	20.5	24	
8/18/24 1:15	8.4	94	8.2	167	20.5	23	
8/18/24 1:30	8.4	94	8.2	167	20.5	26	
8/18/24 1:45	8.4	94	8.2	167	20.5	24	
8/18/24 2:00	8.4	94	8.2	167	20.5	24	
8/18/24 2:15	8.4	94	8.2	167	20.5	25	
8/18/24 2:30	8.4	94	8.2	167	20.4	23	
8/18/24 2:45	8.4	94	8.2	167	20.4	24	
8/18/24 3:00	8.4	94	8.2	167	20.4	24	
8/18/24 3:15	8.4	94	8.2	167	20.4	24	
8/18/24 3:30	8.4	94	8.2	167	20.4	24	
8/18/24 3:45	8.4	94	8.2	167	20.4	23	
8/18/24 4:00	8.4	94	8.2	167	20.4	24	
8/18/24 4:15	8.4	94	8.2	167	20.3	23	
8/18/24 4:30	8.4	94	8.2	167	20.3	23	
8/18/24 4:45	8.4	94	8.2	166	20.3	23	
8/18/24 5:00	8.4	94	8.2	166	20.3	23	
8/18/24 5:15	8.4	94	8.2	166	20.3	23	
8/18/24 5:30	8.4	94	8.2	166	20.2	22	
8/18/24 5:45	8.5	94	8.2	166	20.2	24	
8/18/24 6:00	8.5	94	8.2	166	20.2	22	
8/18/24 6:15	8.5	94	8.2	166	20.2	23	
8/18/24 6:30	8.5	94	8.2	167	20.2	25	
8/18/24 6:45	8.5	94	8.2	167	20.2	22	
8/18/24 7:00	8.5	94	8.2	167	20.2	23	
8/18/24 7:15	8.5	94	8.2	167	20.2	25	
8/18/24 7:30	8.5	94	8.2	167	20.2	23	
8/18/24 7:45	8.5	94	8.2	167	20.2	24	
8/18/24 8:00	8.5	94	8.2	167	20.2	24	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 8:15	8.5	94	8.2	167	20.2	25	
8/18/24 8:30	8.5	94	8.2	167	20.2	27	
8/18/24 8:45	8.5	94	8.2	167	20.2	24	
8/18/24 9:00	8.5	94	8.2	167	20.2	24	
8/18/24 9:15	8.5	94	8.2	166	20.2	25	
8/18/24 9:30	8.5	95	8.2	166	20.3	25	
8/18/24 9:45	8.5	95	8.2	166	20.3	25	
8/18/24 10:00	8.5	95	8.2	166	20.3	27	
8/18/24 10:15	8.5	95	8.2	166	20.4	26	
8/18/24 10:30	8.5	95	8.2	166	20.4	23	
8/18/24 10:45	8.5	95	8.2	166	20.5	24	
8/18/24 11:00	8.6	95	8.2	166	20.5	26	
8/18/24 11:15	8.6	96	8.2	166	20.5	25	
8/18/24 11:30	8.6	96	8.2	166	20.6	26	
8/18/24 11:45	8.6	96	8.2	166	20.5	24	
8/18/24 12:00	8.6	96	8.2	166	20.6	27	
8/18/24 12:15	8.7	97	8.2	166	20.6	27	
8/18/24 12:30	8.7	97	8.2	166	20.6	28	
8/18/24 12:45	8.7	97	8.2	166	20.7	28	
8/18/24 13:00	8.7	97	8.2	166	20.7	28	
8/18/24 13:15	8.7	97	8.2	166	20.7	30	
8/18/24 13:30	8.7	97	8.2	166	20.8	27	
8/18/24 13:45	8.7	97	8.2	166	20.8	28	
8/18/24 14:00	8.7	98	8.2	165	20.9	27	
8/18/24 14:15	8.7	98	8.2	165	20.9	28	
8/18/24 14:30	8.7	98	8.2	165	20.9	29	
8/18/24 14:45	8.7	98	8.2	165	21.0	27	
8/18/24 15:00	8.7	98	8.2	165	21.0	28	
8/18/24 15:15	8.7	98	8.2	165	21.0	28	
8/18/24 15:30	8.7	98	8.2	165	21.0	28	
8/18/24 15:45	8.8	99	8.2	165	21.0	30	
8/18/24 16:00	8.8	99	8.2	165	21.0	31	
8/18/24 16:15	8.8	99	8.2	165	21.0	27	
8/18/24 16:30	8.8	99	8.2	165	21.0	28	
8/18/24 16:45	8.8	99	8.2	165	21.0	31	
8/18/24 17:00	8.8	99	8.2	165	21.0	28	
8/18/24 17:15	8.8	99	8.2	165	21.0	30	
8/18/24 17:30	8.8	99	8.2	165	21.0	27	
8/18/24 17:45	8.8	99	8.2	164	21.0	29	
8/18/24 18:00	8.7	99	8.3	164	21.0	27	
8/18/24 18:15	8.7	99	8.2	164	21.0	29	
8/18/24 18:30	8.7	98	8.2	164	21.0	27	
8/18/24 18:45	8.7	98	8.2	164	21.0	24	
8/18/24 19:00	8.7	98	8.2	164	21.0	27	
8/18/24 19:15	8.7	98	8.2	164	21.0	26	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/18/24 19:30	8.7	98	8.2	164	21.0	29	
8/18/24 19:45	8.6	97	8.2	164	21.0	28	
8/18/24 20:00	8.6	97	8.2	164	21.0	26	
8/18/24 20:15	8.6	97	8.2	164	21.0	28	
8/18/24 20:30	8.6	97	8.2	164	21.0	26	
8/18/24 20:45	8.6	97	8.2	164	21.0	26	
8/18/24 21:00	8.6	96	8.2	164	21.0	26	
8/18/24 21:15	8.5	96	8.2	164	21.0	25	
8/18/24 21:30	8.5	96	8.2	164	21.0	28	
8/18/24 21:45	8.5	96	8.2	164	21.0	23	
8/18/24 22:00	8.5	96	8.2	164	21.0	25	
8/18/24 22:15	8.4	95	8.2	164	21.0	24	
8/18/24 22:30	8.4	95	8.2	164	21.0	25	
8/18/24 22:45	8.4	95	8.2	164	21.0	24	
8/18/24 23:00	8.4	95	8.2	164	21.1	24	
8/18/24 23:15	8.4	95	8.2	164	21.1	24	
8/18/24 23:30	8.4	95	8.2	164	21.1	25	
8/18/24 23:45	8.4	94	8.2	164	21.1	24	
8/19/24 0:00	8.4	95	8.2	164	21.1	24	
8/19/24 0:15	8.3	94	8.2	164	21.1	25	
8/19/24 0:30	8.3	94	8.2	164	21.1	23	
8/19/24 0:45	8.3	94	8.2	164	21.1	23	
8/19/24 1:00	8.3	94	8.2	164	21.1	24	
8/19/24 1:15	8.3	94	8.2	164	21.1	23	
8/19/24 1:30	8.3	94	8.2	164	21.1	26	
8/19/24 1:45	8.3	94	8.2	164	21.0	24	
8/19/24 2:00	8.3	94	8.2	164	21.0	25	
8/19/24 2:15	8.3	94	8.2	164	21.0		
8/19/24 2:30	8.3	94	8.2	164	21.0	21	
8/19/24 2:45	8.3	94	8.2	164	21.0	23	
8/19/24 3:00	8.3	94	8.2	164	20.9	22	
8/19/24 3:15	8.3	94	8.2	164	20.9	23	
8/19/24 3:30	8.3	94	8.2	164	20.9	24	
8/19/24 3:45	8.3	94	8.2	164	20.8	23	
8/19/24 4:00	8.3	94	8.2	164	20.8	23	
8/19/24 4:15	8.3	93	8.2	164	20.8		
8/19/24 4:30	8.3	94	8.2	164	20.7	22	
8/19/24 4:45	8.3	94	8.2	164	20.7	22	
8/19/24 5:00	8.3	94	8.2	164	20.6	23	
8/19/24 5:15	8.4	94	8.2	164	20.6	26	
8/19/24 5:30	8.4	94	8.2	164	20.6	25	
8/19/24 5:45	8.4	94	8.2	163	20.6	20	
8/19/24 6:00	8.4	94	8.2	163	20.5	23	
8/19/24 6:15	8.4	94	8.2	163	20.5	23	
8/19/24 6:30	8.4	94	8.2	163	20.4	25	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 6:45	8.4	94	8.2	163	20.4	23	
8/19/24 7:00	8.4	94	8.2	163	20.4	21	
8/19/24 7:15	8.4	94	8.2	163	20.3	23	
8/19/24 7:30	8.4	94	8.2	163	20.3	24	
8/19/24 7:45	8.4	94	8.2	163	20.3	20	
8/19/24 8:00	8.4	94	8.2	163	20.3	23	
8/19/24 8:15	8.4	94	8.2	163	20.2	26	
8/19/24 8:30	8.5	94	8.2	163	20.2	23	
8/19/24 8:45	8.5	94	8.2	163	20.2	22	
8/19/24 9:00	8.5	94	8.2	163	20.2	24	
8/19/24 9:15	8.5	94	8.2	163	20.2	22	
8/19/24 9:30	8.5	95	8.2	163	20.2	23	
8/19/24 9:45	8.5	95	8.2	163	20.2	22	
8/19/24 10:00	8.5	95	8.2	163	20.2	22	
8/19/24 10:15	8.6	95	8.2	163	20.2	22	
8/19/24 10:30	8.5	95	8.2	163	20.2	21	
8/19/24 10:45	8.6	95	8.2	163	20.2	23	
8/19/24 11:00	8.6	95	8.2	163	20.2	20	
8/19/24 11:15	8.6	95	8.2	163	20.2	21	
8/19/24 11:30	8.6	96	8.2	163	20.2	22	
8/19/24 11:45	8.7	96	8.2	163	20.2	23	
8/19/24 12:00	8.7	96	8.2	163	20.2	21	
8/19/24 12:15	8.7	96	8.2	163	20.2	20	
8/19/24 12:30	8.7	96	8.2	163	20.3	24	
8/19/24 12:45	8.7	97	8.2	163	20.3	20	
8/19/24 13:00	8.7	97	8.2	163	20.3	22	
8/19/24 13:15	8.8	98	8.2	163	20.3	20	
8/19/24 13:30	8.8	97	8.2	163	20.2	20	
8/19/24 13:45	8.8	98	8.2	163	20.2	22	
8/19/24 14:00	8.8	98	8.2	163	20.3	21	
8/19/24 14:15	8.8	98	8.2	163	20.3	21	
8/19/24 14:30	8.8	98	8.2	163	20.4	20	
8/19/24 14:45	8.8	98	8.2	163	20.4	20	
8/19/24 15:00	8.9	99	8.2	163	20.3	21	
8/19/24 15:15	8.8	98	8.2	163	20.3	20	
8/19/24 15:30	8.8	98	8.2	163	20.3	20	
8/19/24 15:45	8.9	99	8.2	163	20.4	20	
8/19/24 16:00	8.9	99	8.2	163	20.4	20	
8/19/24 16:15	8.9	99	8.2	163	20.4	21	
8/19/24 16:30	8.9	99	8.2	163	20.4	19	
8/19/24 16:45	8.9	99	8.2	163	20.4	19	
8/19/24 17:00	8.9	99	8.2	163	20.4	20	
8/19/24 17:15	8.9	99	8.2	163	20.4	19	
8/19/24 17:30	8.9	99	8.2	163	20.5	21	
8/19/24 17:45	8.9	99	8.2	163	20.5	22	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 18:00	8.9	99	8.2	163	20.5	18	
8/19/24 18:15	8.9	99	8.2	163	20.5	21	
8/19/24 18:30	8.9	99	8.2	163	20.4	19	
8/19/24 18:45	8.9	99	8.2	163	20.4	21	
8/19/24 19:00	8.8	99	8.2	163	20.4	20	
8/19/24 19:15	8.8	99	8.2	163	20.4	20	
8/19/24 19:30	8.8	98	8.3	163	20.4	20	
8/19/24 19:45	8.8	98	8.3	164	20.4	20	
8/19/24 20:00	8.8	98	8.2	164	20.4	19	
8/19/24 20:15	8.8	98	8.2	164	20.5	19	
8/19/24 20:30	8.8	98	8.2	164	20.5	20	
8/19/24 20:45	8.7	98	8.3	164	20.5	18	
8/19/24 21:00	8.7	97	8.2	164	20.5	20	
8/19/24 21:15	8.7	97	8.3	164	20.4	21	
8/19/24 21:30	8.7	97	8.2	164	20.4	20	
8/19/24 21:45	8.7	97	8.2	164	20.4	20	
8/19/24 22:00	8.6	96	8.2	164	20.4	21	
8/19/24 22:15	8.6	96	8.2	164	20.4	20	
8/19/24 22:30	8.6	96	8.2	164	20.5	21	
8/19/24 22:45	8.6	96	8.2	164	20.4	19	
8/19/24 23:00	8.6	96	8.2	164	20.5	19	
8/19/24 23:15	8.6	96	8.2	164	20.5	21	
8/19/24 23:30	8.5	95	8.2	164	20.4	21	
8/19/24 23:45	8.5	95	8.2	164	20.5	20	
8/20/24 0:00	8.5	95	8.2	164	20.5	22	
8/20/24 0:15	8.5	95	8.2	164	20.4	21	
8/20/24 0:30	8.5	95	8.2	164	20.4	21	
8/20/24 0:45	8.5	95	8.2	164	20.4	21	
8/20/24 1:00	8.5	95	8.2	164	20.4	20	
8/20/24 1:15	8.4	94	8.2	164	20.4	19	
8/20/24 1:30	8.4	94	8.2	164	20.4	21	
8/20/24 1:45	8.4	94	8.2	164	20.4	19	
8/20/24 2:00	8.4	94	8.2	164	20.4	21	
8/20/24 2:15	8.4	94	8.2	164	20.3	20	
8/20/24 2:30	8.4	94	8.3	164	20.3	21	
8/20/24 2:45	8.4	94	8.2	164	20.3	21	
8/20/24 3:00	8.4	94	8.2	164	20.3	20	
8/20/24 3:15	8.4	94	8.2	164	20.2	20	
8/20/24 3:30	8.4	94	8.2	164	20.2	21	
8/20/24 3:45	8.4	94	8.2	164	20.2	19	
8/20/24 4:00	8.4	94	8.2	164	20.2	20	
8/20/24 4:15	8.5	94	8.2	164	20.1	20	
8/20/24 4:30	8.4	94	8.2	164	20.1		
8/20/24 4:45	8.5	94	8.2	164	20.1	20	
8/20/24 5:00	8.4	94	8.2	164	20.0	20	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 5:15	8.5	94	8.2	164	20.0	20	
8/20/24 5:30	8.5	94	8.2	164	20.0	21	
8/20/24 5:45	8.5	94	8.2	164	20.0	19	
8/20/24 6:00	8.5	94	8.2	164	20.0	21	
8/20/24 6:15	8.5	94	8.2	164	19.9	21	
8/20/24 6:30	8.5	94	8.2	164	19.9	20	
8/20/24 6:45	8.5	94	8.2	164	19.9	22	
8/20/24 7:00	8.5	94	8.2	164	19.9	20	
8/20/24 7:15	8.5	94	8.2	164	19.9	22	
8/20/24 7:30	8.5	94	8.2	164	19.8	21	
8/20/24 7:45	8.5	94	8.2	164	19.8	23	
8/20/24 8:00	8.5	94	8.2	164	19.8	21	
8/20/24 8:15	8.5	94	8.2	164	19.8	22	
8/20/24 8:30	8.5	94	8.2	164	19.8	20	
8/20/24 8:45	8.5	94	8.2	164	19.8	21	
8/20/24 9:00	8.6	94	8.2	164	19.9	20	
8/20/24 9:15	8.6	94	8.2	164	19.9	21	
8/20/24 9:30	8.6	95	8.2	164	19.8	20	
8/20/24 9:45	8.6	95	8.2	164	19.8	20	
8/20/24 10:00	8.6	95	8.2	164	19.8	19	
8/20/24 10:15	8.6	95	8.2	164	19.8	22	
8/20/24 10:30	8.6	95	8.2	164	19.8	20	
8/20/24 10:45	8.6	95	8.2	164	19.8	21	
8/20/24 11:00	8.6	95	8.2	164	19.8	21	
8/20/24 11:15	8.5	94	8.2	164	19.8		
8/20/24 11:30	8.7	96	8.2	164	19.9	19	
8/20/24 11:45	8.7	96	8.2	164	19.8	20	
8/20/24 12:00	8.7	96	8.2	164	19.9	18	
8/20/24 12:15	8.7	96	8.2	164	20.0	18	
8/20/24 12:30	8.7	96	8.2	164	20.0	19	
8/20/24 12:45	8.7	96	8.2	164	20.1		
8/20/24 13:00	8.7		8.2		20.1	20	
8/20/24 13:15	8.8		8.2		20.1	17	
8/20/24 13:30	8.8		8.2		20.1	17	
8/20/24 13:45	8.8	97	8.2	164	20.2	17	
8/20/24 14:00	8.8	98	8.2	164	20.3	19	
8/20/24 14:15	8.9	98	8.2	164	20.3	18	
8/20/24 14:30	8.9	98	8.2	164	20.3	18	
8/20/24 14:45	8.9	99	8.3	164	20.3	19	
8/20/24 15:00	8.9	99	8.2	164	20.4	18	
8/20/24 15:15	8.9	99	8.2	164	20.4	17	
8/20/24 15:30	8.9	99	8.2	164	20.4	16	
8/20/24 15:45	9.0	100	8.2	164	20.4	17	
8/20/24 16:00	9.0	100	8.3	164	20.4	16	
8/20/24 16:15	9.0	100	8.2	164	20.4	19	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 16:30	8.9	100	8.2	164	20.4	16	
8/20/24 16:45	8.9	100	8.2	164	20.4	18	
8/20/24 17:00	9.0	100	8.2	164	20.3	18	
8/20/24 17:15	9.0	100	8.3	164	20.3	17	
8/20/24 17:30	9.0	100	8.3	164	20.3	18	
8/20/24 17:45	9.0	100	8.3	164	20.3	17	
8/20/24 18:00	9.0	100	8.3	164	20.3	18	
8/20/24 18:15	9.0	100	8.3	164	20.2	18	
8/20/24 18:30	9.0	100	8.3	164	20.2	19	
8/20/24 18:45	8.9	100	8.3	164	20.2	17	
8/20/24 19:00	8.9	100	8.3	164	20.2	18	
8/20/24 19:15	8.9	99	8.3	165	20.2	19	
8/20/24 19:30	8.9	99	8.3	165	20.2	17	
8/20/24 19:45	8.9	99	8.3	165	20.1	17	
8/20/24 20:00	8.9	99	8.3	165	20.1	17	
8/20/24 20:15	8.8	98	8.3	165	20.1	17	
8/20/24 20:30	8.8	98	8.3	165	20.1	18	
8/20/24 20:45	8.8	98	8.3	165	20.1	18	
8/20/24 21:00	8.8	98	8.3	165	20.1	18	
8/20/24 21:15	8.8	97	8.3	165	20.2	19	
8/20/24 21:30	8.8	97	8.3	165	20.2	17	
8/20/24 21:45	8.7	97	8.3	165	20.2	17	
8/20/24 22:00	8.7	97	8.3	165	20.2	18	
8/20/24 22:15	8.7	96	8.3	165	20.2	18	
8/20/24 22:30	8.7	96	8.2	165	20.2	20	
8/20/24 22:45	8.6	96	8.2	165	20.2	19	
8/20/24 23:00	8.6	96	8.2	165	20.2	19	
8/20/24 23:15	8.6	96	8.2	165	20.3	19	
8/20/24 23:30	8.6	95	8.3	165	20.3	19	
8/20/24 23:45	8.5	95	8.2	165	20.3	19	
8/21/24 0:00	8.5	95	8.2	165	20.3	18	
8/21/24 0:15	8.5	95	8.2	165	20.3	19	
8/21/24 0:30	8.5	95	8.2	165	20.4	19	
8/21/24 0:45	8.5	95	8.2	165	20.3		
8/21/24 1:00	8.5	94	8.2	165	20.4	20	
8/21/24 1:15	8.5	94	8.2	165	20.4	19	
8/21/24 1:30	8.4	94	8.2	165	20.4	19	
8/21/24 1:45	8.4	94	8.2	165	20.4	17	
8/21/24 2:00	8.4	94	8.2	165	20.4	17	
8/21/24 2:15	8.4	94	8.2	166	20.4	19	
8/21/24 2:30	8.4	94	8.2	166	20.4	19	
8/21/24 2:45	8.4	94	8.2	166	20.3	18	
8/21/24 3:00	8.4	94	8.2	166	20.3	18	
8/21/24 3:15	8.4	94	8.2	166	20.3	17	
8/21/24 3:30	8.4	94	8.2	166	20.3	17	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/21/24 3:45	8.4	94	8.2	166	20.3	17	
8/21/24 4:00	8.4	94	8.2	166	20.3	17	
8/21/24 4:15	8.4	94	8.2	166	20.2	17	
8/21/24 4:30	8.4	94	8.2	166	20.2	16	
8/21/24 4:45	8.4	94	8.2	166	20.2	18	
8/21/24 5:00	8.4	94	8.2	166	20.2	18	
8/21/24 5:15	8.4	94	8.3	166	20.2	18	
8/21/24 5:30	8.4	94	8.2	166	20.1	18	
8/21/24 5:45	8.4	94	8.2	166	20.1	19	
8/21/24 6:00	8.4	93	8.2	166	20.1		
8/21/24 6:15	8.4	94	8.2	166	20.1	19	
8/21/24 6:30	8.4	94	8.2	166	20.0	18	
8/21/24 6:45	8.5	94	8.2	166	20.0	18	
8/21/24 7:00	8.4	94	8.2	166	20.0	16	
8/21/24 7:15	8.4	94	8.2	166	20.0	17	
8/21/24 7:30	8.5	94	8.2	166	19.9	19	
8/21/24 7:45	8.5	94	8.2	166	19.9	18	
8/21/24 8:00	8.5	94	8.2	166	19.9	17	
8/21/24 8:15	8.5	94	8.2	166	19.9	18	
8/21/24 8:30	8.5	94	8.2	165	19.9	16	
8/21/24 8:45	8.5	94	8.2	165	19.9	19	
8/21/24 9:00	8.5	94	8.2	165	19.9	16	
8/21/24 9:15	8.5	94	8.2	165	20.0	18	
8/21/24 9:30	8.5	94	8.2	166	20.0	16	
8/21/24 9:45	8.5	94	8.2	165	20.0	17	
8/21/24 10:00	8.6	95	8.2	165	20.0	16	
8/21/24 10:15	8.6	95	8.2	165	20.0	17	
8/21/24 10:30	8.6	95	8.2	165	20.0	19	
8/21/24 10:45	8.6	95	8.2	165	20.0	18	
8/21/24 11:00	8.6	95	8.2	165	20.0	15	
8/21/24 11:15	8.6	95	8.2	165	20.1	16	
8/21/24 11:30	8.7	96	8.2	165	20.1	16	
8/21/24 11:45	8.7	96	8.2	165	20.1	17	
8/21/24 12:00	8.7	97	8.2	165	20.2	16	
8/21/24 12:15	8.8	97	8.2	165	20.2	17	
8/21/24 12:30	8.8	97	8.2	165	20.3	15	
8/21/24 12:45	8.8	97	8.2	165	20.3	16	
8/21/24 13:00	8.8	98	8.2	165	20.4	17	
8/21/24 13:15	8.8	98	8.2	165	20.5	15	
8/21/24 13:30	8.9	99	8.2	165	20.4	17	
8/21/24 13:45	8.9	99	8.2	165	20.6	16	
8/21/24 14:00	8.9	99	8.2	165	20.5	15	
8/21/24 14:15	8.9	99	8.2	165	20.5	15	
8/21/24 14:30	8.9	99	8.3	165	20.5	17	
8/21/24 14:45	9.0	100	8.3	165	20.6	15	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/21/24 15:00	9.0	100	8.3	165	20.5	16	
8/21/24 15:15	9.0	100	8.3	165	20.5	16	
8/21/24 15:30	9.0	101	8.3	165	20.5	20	
8/21/24 15:45	9.0	101	8.3	165	20.5	16	
8/21/24 16:00	9.0	101	8.3	165	20.5	17	
8/21/24 16:15	9.0	101	8.3	165	20.6	16	
8/21/24 16:30	9.0	101	8.3	165	20.5	16	
8/21/24 16:45	9.0	101	8.3	165	20.5	16	
8/21/24 17:00	9.1	101	8.3	165	20.5	15	
8/21/24 17:15	9.1	102	8.3	165	20.5	16	
8/21/24 17:30	9.1	101	8.3	165	20.5	17	
8/21/24 17:45	9.1	101	8.3	165	20.5	17	
8/21/24 18:00	9.1	101	8.3	165	20.5	15	
8/21/24 18:15	9.0	101	8.3	165	20.5	16	
8/21/24 18:30	9.0	101	8.3	165	20.5	17	
8/21/24 18:45	9.0	101	8.3	165	20.5	16	
8/21/24 19:00	9.0	100	8.3	165	20.4	17	
8/21/24 19:15	9.0	100	8.3	165	20.4	14	
8/21/24 19:30	8.9	100	8.3	165	20.4	17	
8/21/24 19:45	8.9	100	8.3	165	20.4	17	
8/21/24 20:00	8.9	99	8.3	165	20.4	16	
8/21/24 20:15	8.9	99	8.3	165	20.4	18	
8/21/24 20:30	8.8	99	8.3	165	20.4	17	
8/21/24 20:45	8.8	98	8.3	165	20.4	16	
8/21/24 21:00	8.8	98	8.3	165	20.4	16	
8/21/24 21:15	8.8	98	8.3	165	20.4	17	
8/21/24 21:30	8.7	97	8.3	165	20.4	16	
8/21/24 21:45	8.7	97	8.3	165	20.4	16	
8/21/24 22:00	8.7	97	8.3	165	20.4	14	
8/21/24 22:15	8.7	97	8.3	165	20.4	16	
8/21/24 22:30	8.6	96	8.3	165	20.4	16	
8/21/24 22:45	8.6	96	8.3	166	20.4	16	
8/21/24 23:00	8.6	96	8.3	166	20.5	16	
8/21/24 23:15	8.5	95	8.3	166	20.5	17	
8/21/24 23:30	8.5	95	8.3	166	20.5	17	
8/21/24 23:45	8.5	95	8.3	166	20.5	16	
8/22/24 0:00	8.5	95	8.3	166	20.6	17	
8/22/24 0:15	8.4	94	8.3	166	20.6	15	
8/22/24 0:30	8.4	94	8.3	166	20.6	18	
8/22/24 0:45	8.4	94	8.3	166	20.6	17	
8/22/24 1:00	8.4	94	8.3	166	20.6	17	
8/22/24 1:15	8.4	94	8.3	166	20.6	17	
8/22/24 1:30	8.4	94	8.3	166	20.6	17	
8/22/24 1:45	8.4	94	8.3	166	20.6	18	
8/22/24 2:00	8.3	94	8.3	166	20.6	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 2:15	8.3	93	8.3	167	20.6	17	
8/22/24 2:30	8.3	94	8.3	167	20.6	16	
8/22/24 2:45	8.3	93	8.3	167	20.5	16	
8/22/24 3:00	8.3	93	8.3	167	20.5	17	
8/22/24 3:15	8.3	93	8.3	167	20.5	21	
8/22/24 3:30	8.3	93	8.3	167	20.5	18	
8/22/24 3:45	8.3	93	8.2	167	20.5	16	
8/22/24 4:00	8.3	93	8.2	167	20.4	20	
8/22/24 4:15	8.2	92	8.2	167	20.4	17	
8/22/24 4:30	8.3	93	8.2	167	20.4	19	
8/22/24 4:45	8.3	93	8.2	168	20.4		
8/22/24 5:00	8.3	93	8.2	168	20.3		
8/22/24 5:15	8.3	93	8.2	168	20.3	20	
8/22/24 5:30	8.3	93	8.2	168	20.3		
8/22/24 5:45	8.3	93	8.2	168	20.3	16	
8/22/24 6:00	8.4	93	8.2	168	20.3	16	
8/22/24 6:15	8.4	93	8.2	168	20.2	15	
8/22/24 6:30	8.3	92	8.2	168	20.2	16	
8/22/24 6:45	8.4	93	8.2	168	20.2	16	
8/22/24 7:00	8.3	93	8.2	168	20.2	15	
8/22/24 7:15	8.3	93	8.2	168	20.2	17	
8/22/24 7:30	8.4	93	8.2	168	20.1	17	
8/22/24 7:45	8.3	93	8.2	168	20.1	17	
8/22/24 8:00	8.4	93	8.2	168	20.1	17	
8/22/24 8:15	8.4	93	8.2	168	20.1	17	
8/22/24 8:30	8.4	93	8.2	169	20.1	16	
8/22/24 8:45	8.4	93	8.2	169	20.1	16	
8/22/24 9:00	8.4	93	8.2	169	20.1	17	
8/22/24 9:15	8.3	93	8.2	169	20.1	18	
8/22/24 9:30	8.3	93	8.2	169	20.2	17	
8/22/24 9:45	8.5	94	8.2	169	20.2	17	
8/22/24 10:00	8.5	94	8.2	169	20.2	17	
8/22/24 10:15	8.5	95	8.2	169	20.2	18	
8/22/24 10:30	8.6	95	8.2	169	20.3	17	
8/22/24 10:45	8.6	95	8.2	169	20.3	18	
8/22/24 11:00	8.6	95	8.2	169	20.3	20	
8/22/24 11:15	8.6	96	8.2	169	20.4	17	
8/22/24 11:30	8.7	96	8.2	169	20.4	17	
8/22/24 11:45	8.7	97	8.2	170	20.4	16	
8/22/24 12:00	8.7	97	8.2	170	20.5	16	
8/22/24 12:15	8.7	97	8.2	170	20.5	16	
8/22/24 12:30	8.8	98	8.3	170	20.6	16	
8/22/24 12:45	8.8	98	8.3	170	20.6	17	
8/22/24 13:00	8.8	98	8.3	170	20.6	16	
8/22/24 13:15	8.9	99	8.3	170	20.6	17	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 13:30	8.9	100	8.3	170	20.5	17	
8/22/24 13:45	8.9	100	8.3	170	20.5	16	
8/22/24 14:00	8.9	100	8.3	170	20.5	16	
8/22/24 14:15	9.0	100	8.3	171	20.4	18	
8/22/24 14:30	9.0	100	8.3	171	20.5	19	
8/22/24 14:45	9.0	100	8.3	171	20.5	15	
8/22/24 15:00	8.9	100	8.3	171	20.4	18	
8/22/24 15:15	8.9	100	8.3	171	20.5	17	
8/22/24 15:30	9.0	100	8.3	171	20.4	17	
8/22/24 15:45	8.9	100	8.3	171	20.4	17	
8/22/24 16:00	9.0	100	8.3	171	20.4	18	
8/22/24 16:15	8.9	100	8.3	171	20.4	17	
8/22/24 16:30	8.9	100	8.3	171	20.4	17	
8/22/24 16:45	9.0	100	8.3	172	20.3		
8/22/24 17:00	8.9	100	8.3	172	20.3	17	
8/22/24 17:15	8.9	100	8.3	172	20.3	19	
8/22/24 17:30	8.9	100	8.3	172	20.3	19	
8/22/24 17:45	8.9	99	8.3	172	20.2	19	
8/22/24 18:00	8.9	99	8.3	172	20.2	20	
8/22/24 18:15	8.9	99	8.3	172	20.2	18	
8/22/24 18:30	8.9	99	8.3	172	20.2	19	
8/22/24 18:45	8.9	99	8.3	173	20.2	19	
8/22/24 19:00	8.8	98	8.3	173	20.2	20	
8/22/24 19:15	8.8	98	8.3	173	20.1	21	
8/22/24 19:30	8.8	98	8.3	173	20.1	20	
8/22/24 19:45	8.8	98	8.3	173	20.1	19	
8/22/24 20:00	8.7	97	8.3	174	20.1	23	
8/22/24 20:15	8.7	97	8.3	174	20.1	22	
8/22/24 20:30	8.7	97	8.3	174	20.1	23	
8/22/24 20:45	8.7	96	8.3	174	20.1	22	
8/22/24 21:00	8.7	96	8.3	175	20.1	22	
8/22/24 21:15	8.6	96	8.3	175	20.1	22	
8/22/24 21:30	8.6	95	8.3	175	20.1	27	
8/22/24 21:45	8.6	95	8.3	175	20.1	19	
8/22/24 22:00	8.6	95	8.3	176	20.1	23	
8/22/24 22:15	8.6	95	8.3	176	20.1	22	
8/22/24 22:30	8.6	95	8.3	176	20.1	20	
8/22/24 22:45	8.5	95	8.3	176	20.1	23	
8/22/24 23:00	8.5	95	8.3	176	20.1	22	
8/22/24 23:15	8.5	95	8.3	177	20.1	24	
8/22/24 23:30	8.5	94	8.3	177	20.1	23	
8/22/24 23:45	8.5	94	8.3	177	20.1	25	
8/23/24 0:00	8.5	94	8.3	177	20.0	23	
8/23/24 0:15	8.5	94	8.3	177	20.0	26	
8/23/24 0:30	8.5	94	8.3	177	20.0	24	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/23/24 0:45	8.5	94	8.3	177	20.0	25	
8/23/24 1:00	8.4	94	8.3	177	20.0	23	
8/23/24 1:15	8.4	94	8.3	177	20.0	24	
8/23/24 1:30	8.5	94	8.3	177	20.0	25	
8/23/24 1:45	8.5	94	8.3	177	20.0	24	
8/23/24 2:00	8.5	94	8.3	177	19.9	25	
8/23/24 2:15	8.4	94	8.3	177	19.9	24	
8/23/24 2:30	8.4	94	8.3	177	19.9	25	
8/23/24 2:45	8.4	94	8.3	177	19.8	25	
8/23/24 3:00	8.4	93	8.3	176	19.8	25	
8/23/24 3:15	8.5	94	8.3	176	19.8	24	
8/23/24 3:30	8.4	93	8.3	176	19.8	25	
8/23/24 3:45	8.5	93	8.3	176	19.7	28	
8/23/24 4:00	8.4	93	8.2	176	19.7	22	
8/23/24 4:15	8.5	93	8.2	175	19.7	25	
8/23/24 4:30	8.5	93	8.2	175	19.6	24	
8/23/24 4:45	8.5	93	8.2	175	19.6	27	
8/23/24 5:00	8.5	93	8.2	174	19.6	25	
8/23/24 5:15	8.5	93	8.2	174	19.6	25	
8/23/24 5:30	8.4	93	8.2	174	19.5	25	
8/23/24 5:45	8.5	93	8.2	174	19.5	24	
8/23/24 6:00	8.5	93	8.2	174	19.5	25	
8/23/24 6:15	8.5	93	8.2	173	19.5	26	
8/23/24 6:30	8.5	94	8.2	173	19.4	27	
8/23/24 6:45	8.5	93	8.2	173	19.4	27	
8/23/24 7:00	8.5	93	8.2	172	19.4	27	
8/23/24 7:15	8.5	93	8.2	172	19.4	30	
8/23/24 7:30	8.5	93	8.2	172	19.3	28	
8/23/24 7:45	8.5	93	8.2	172	19.3	26	
8/23/24 8:00	8.5	93	8.2	172	19.3	26	
8/23/24 8:15	8.6	93	8.2	171	19.2	29	
8/23/24 8:30	8.6	94	8.2	171	19.3	28	
8/23/24 8:45	8.6	94	8.2	171	19.2	29	
8/23/24 9:00	8.5	93	8.2	171	19.2	26	
8/23/24 9:15	8.6	94	8.2	171	19.2		
8/23/24 9:30	8.6	94	8.2	171	19.2	28	
8/23/24 9:45	8.6	93	8.2	171	19.2	27	
8/23/24 10:00	8.6	93	8.2	171	19.3	27	
8/23/24 10:15	8.6	94	8.2	170	19.4	28	
8/23/24 10:30	8.6	94	8.2	170	19.3	26	
8/23/24 10:45	8.7	94	8.2	170	19.3	32	
8/23/24 11:00	8.7	94	8.2	170	19.3	26	
8/23/24 11:15	8.7	95	8.2	170	19.3	27	
8/23/24 11:30	8.8	96	8.2	170	19.3	28	
8/23/24 11:45	8.7	95	8.2	170	19.3	25	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 12:00	8.7	95	8.2	170	19.2	27	
8/23/24 12:15	8.8	96	8.2	170	19.2	27	
8/23/24 12:30	8.8	96	8.2	170	19.2	25	
8/23/24 12:45	8.8	96	8.2	170	19.2	29	
8/23/24 13:00	8.8	96	8.2	170	19.2	26	
8/23/24 13:15	8.8	96	8.2	170	19.2	31	
8/23/24 13:30	8.8	96	8.2	170	19.2	28	
8/23/24 13:45	8.8	96	8.2	170	19.3	28	
8/23/24 14:00	8.9	97	8.2	170	19.3	27	
8/23/24 14:15	8.9	97	8.2	170	19.3	27	
8/23/24 14:30	8.9	97	8.2	170	19.3	25	
8/23/24 14:45	8.9	97	8.2	170	19.2	30	
8/23/24 15:00	8.9	97	8.2	170	19.2	27	
8/23/24 15:15	8.9	97	8.2	170	19.2	26	
8/23/24 15:30	8.9	97	8.2	170	19.2	27	
8/23/24 15:45	8.9	97	8.2	170	19.2	28	
8/23/24 16:00	8.9	97	8.2	170	19.2	31	
8/23/24 16:15	8.9	97	8.2	170	19.2	30	
8/23/24 16:30	8.9	97	8.2	170	19.1	29	
8/23/24 16:45	8.9	97	8.2	170	19.1	28	
8/23/24 17:00	8.9	97	8.2	170	19.1	25	
8/23/24 17:15	8.9	97	8.2	170	19.1	29	
8/23/24 17:30	8.9	97	8.2	170	19.1	26	
8/23/24 17:45	8.9	97	8.2	170	19.0	28	
8/23/24 18:00	8.9	97	8.2	170	19.0	29	
8/23/24 18:15	8.8	96	8.2	170	19.0	29	
8/23/24 18:30	8.9	97	8.2	170	19.0	27	
8/23/24 18:45	8.9	97	8.2	170	18.9	29	
8/23/24 19:00	8.9	96	8.2	170	18.9	27	
8/23/24 19:15	8.9	96	8.2	170	18.9	27	
8/23/24 19:30	8.9	96	8.2	170	18.8	27	
8/23/24 19:45	8.9	96	8.2	170	18.8	27	
8/23/24 20:00	8.8	96	8.2	170	18.8	28	
8/23/24 20:15	8.8	96	8.2	169	18.8	29	
8/23/24 20:30	8.8	96	8.2	169	18.8	28	
8/23/24 20:45	8.8	95	8.2	169	18.8	27	
8/23/24 21:00	8.8	95	8.2	169	18.7	28	
8/23/24 21:15	8.8	95	8.2	169	18.7	26	
8/23/24 21:30	8.8	95	8.2	169	18.7	28	
8/23/24 21:45	8.8	95	8.2	169	18.7	27	
8/23/24 22:00	8.8	95	8.2	168	18.7	30	
8/23/24 22:15	8.8	95	8.2	168	18.7	28	
8/23/24 22:30	8.8	95	8.2	168	18.7	29	
8/23/24 22:45	8.8	95	8.2	168	18.6	28	
8/23/24 23:00	8.8	95	8.2	168	18.6	27	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 23:15	8.8	94	8.2	167	18.6	27	
8/23/24 23:30	8.8	94	8.2	167	18.6	27	
8/23/24 23:45	8.8	94	8.2	167	18.6	28	
8/24/24 0:00	8.8	94	8.2	167	18.6	28	
8/24/24 0:15	8.8	94	8.2	166	18.6	28	
8/24/24 0:30	8.7	94	8.2	167	18.6	26	
8/24/24 0:45	8.8	94	8.2	167	18.5	26	
8/24/24 1:00	8.8	94	8.2	167	18.5	31	
8/24/24 1:15	8.7	94	8.2	167	18.5	27	
8/24/24 1:30	8.7	94	8.2	167	18.5	29	
8/24/24 1:45	8.7	94	8.2	167	18.5	27	
8/24/24 2:00	8.8	94	8.2	166	18.4	29	
8/24/24 2:15	8.8	94	8.2	166	18.4	31	
8/24/24 2:30	8.8	94	8.2	166	18.4	29	
8/24/24 2:45	8.8	94	8.2	166	18.4	30	
8/24/24 3:00	8.8	94	8.2	166	18.4	30	
8/24/24 3:15	8.8	94	8.2	166	18.3	28	
8/24/24 3:30	8.8	94	8.2	166	18.3	29	
8/24/24 3:45	8.8	94	8.2	166	18.3	28	
8/24/24 4:00	8.8	94	8.2	166	18.3	28	
8/24/24 4:15	8.8	94	8.2	166	18.2	31	
8/24/24 4:30	8.8	94	8.2	166	18.2	31	
8/24/24 4:45	8.8	94	8.2	166	18.2	29	
8/24/24 5:00	8.8	94	8.2	166	18.2	29	
8/24/24 5:15	8.8	94	8.2	166	18.1	29	
8/24/24 5:30	8.8	94	8.2	165	18.1	28	
8/24/24 5:45	8.8	94	8.2	165	18.1		
8/24/24 6:00	8.8	94	8.2	165	18.0	28	
8/24/24 6:15	8.8	94	8.2	165	18.0	28	
8/24/24 6:30	8.9	94	8.2	165	18.0	28	
8/24/24 6:45	8.8	94	8.2	165	18.0	27	
8/24/24 7:00	8.9	95	8.2	165	17.9	31	
8/24/24 7:15	8.9	95	8.2	165	17.9	30	
8/24/24 7:30	8.9	95	8.2	164	17.9	30	
8/24/24 7:45	8.9	95	8.2	164	17.8	29	
8/24/24 8:00	8.9	95	8.2	164	17.8	29	
8/24/24 8:15	8.9	95	8.2	164	17.8	29	
8/24/24 8:30	8.9	95	8.2	164	17.8	28	
8/24/24 8:45	8.9	95	8.2	164	17.8	28	
8/24/24 9:00	9.0	95	8.2	164	17.8	28	
8/24/24 9:15	9.0	95	8.2	164	17.8	29	
8/24/24 9:30	9.0	95	8.2	163	17.8	28	
8/24/24 9:45	9.0	95	8.2	163	17.9	27	
8/24/24 10:00	9.0	96	8.2	163	17.9	27	
8/24/24 10:15	9.1	96	8.2	163	17.9	28	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/24/24 10:30	9.1	96	8.2	163	18.0	26	
8/24/24 10:45	9.1	97	8.2	163	18.0	28	
8/24/24 11:00	9.1	97	8.2	163	18.0	28	
8/24/24 11:15	9.2	97	8.2	163	18.1	26	
8/24/24 11:30	9.2	98	8.2	163	18.1	27	
8/24/24 11:45	9.2	98	8.2	163	18.1	27	
8/24/24 12:00	9.2	98	8.2	163	18.1		
8/24/24 12:15	9.2	98	8.2	163	18.1	27	
8/24/24 12:30	9.3	99	8.2	162	18.1	28	
8/24/24 12:45	9.3	99	8.2	162	18.1	28	
8/24/24 13:00	9.3	99	8.2	162	18.2		
8/24/24 13:15	9.3	100	8.2	162	18.2	29	
8/24/24 13:30	9.3	100	8.2	162	18.2	29	
8/24/24 13:45	9.4	100	8.2	162	18.2	28	
8/24/24 14:00	9.4	100	8.2	161	18.2	28	
8/24/24 14:15	9.4	100	8.2	161	18.2	29	
8/24/24 14:30	9.4	101	8.2	161	18.3	32	
8/24/24 14:45	9.5	101	8.3	161	18.3	25	
8/24/24 15:00	9.5	101	8.3	160	18.3	27	
8/24/24 15:15	9.5	101	8.3	160	18.3	27	
8/24/24 15:30	9.5	101	8.3	160	18.3	29	
8/24/24 15:45	9.5	102	8.3	160	18.3	28	
8/24/24 16:00	9.5	102	8.3	159	18.4	30	
8/24/24 16:15	9.5	102	8.3	159	18.4	29	
8/24/24 16:30	9.5	102	8.3	159	18.4	29	
8/24/24 16:45	9.5	102	8.3	159	18.4	26	
8/24/24 17:00	9.5	102	8.3	159	18.4	27	
8/24/24 17:15	9.5	102	8.3	158	18.4	28	
8/24/24 17:30	9.5	102	8.3	158	18.5	29	
8/24/24 17:45	9.5	102	8.3	158	18.5	27	
8/24/24 18:00	9.5	102	8.3	157	18.5	31	
8/24/24 18:15	9.4	101	8.3	157	18.5	28	
8/24/24 18:30	9.4	101	8.3	157	18.6	27	
8/24/24 18:45	9.4	101	8.3	157	18.6	29	
8/24/24 19:00	9.4	101	8.3	156	18.6		
8/24/24 19:15	9.4	101	8.3	156	18.6	25	
8/24/24 19:30	9.3	100	8.3	156	18.6	27	
8/24/24 19:45	9.3	100	8.3	156	18.7	26	
8/24/24 20:00	9.3	100	8.3	156	18.7	30	
8/24/24 20:15	9.2	99	8.3	156	18.7	29	
8/24/24 20:30	9.2	99	8.3	155	18.7	28	
8/24/24 20:45	9.2	99	8.3	155	18.7	27	
8/24/24 21:00	9.1	98	8.3	155	18.7	28	
8/24/24 21:15	9.1	98	8.3	155	18.7	27	
8/24/24 21:30	9.1	98	8.3	155	18.7	26	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/24/24 21:45	9.0	97	8.3	155	18.7	26	
8/24/24 22:00	9.0	97	8.3	155	18.7	28	
8/24/24 22:15	9.0	97	8.3	155	18.6	26	
8/24/24 22:30	8.9	96	8.3	155	18.6	29	
8/24/24 22:45	8.9	96	8.3	155	18.6		
8/24/24 23:00	8.9	96	8.3	155	18.6	25	
8/24/24 23:15	8.9	96	8.3	155	18.6	26	
8/24/24 23:30	8.9	96	8.3	155	18.6	26	
8/24/24 23:45	8.9	96	8.3	155	18.6	25	
8/25/24 0:00	8.9	96	8.3	155	18.5	27	
8/25/24 0:15	8.9	95	8.3	155	18.5	25	
8/25/24 0:30	8.9	95	8.3	155	18.5	24	
8/25/24 0:45	8.9	95	8.2	155	18.4	25	
8/25/24 1:00	8.9	95	8.2	155	18.4	24	
8/25/24 1:15	8.8	95	8.2	155	18.4	23	
8/25/24 1:30	8.9	95	8.2	155	18.3	24	
8/25/24 1:45	8.9	95	8.2	155	18.3	24	
8/25/24 2:00	8.9	95	8.2	155	18.3	23	
8/25/24 2:15	8.9	95	8.2	155	18.2	24	
8/25/24 2:30	8.9	95	8.2	155	18.2	23	
8/25/24 2:45	8.9	95	8.2	155	18.2	25	
8/25/24 3:00	8.9	95	8.2	155	18.2	22	
8/25/24 3:15	8.9	95	8.2	155	18.2	23	
8/25/24 3:30	8.9	95	8.2	155	18.2	22	
8/25/24 3:45	8.9	95	8.2	155	18.2	21	
8/25/24 4:00	8.9	95	8.2	155	18.1	21	
8/25/24 4:15	8.9	95	8.2	155	18.1	22	
8/25/24 4:30	8.9	95	8.2	155	18.1	21	
8/25/24 4:45	8.9	95	8.2	155	18.1	22	
8/25/24 5:00	8.9	95	8.2	155	18.1	22	
8/25/24 5:15	8.9	95	8.2	155	18.0	20	
8/25/24 5:30	8.9	95	8.2	155	18.0	22	
8/25/24 5:45	8.9	95	8.2	155	18.0	22	
8/25/24 6:00	8.9	95	8.2	155	18.0	21	
8/25/24 6:15	8.9	95	8.2	155	17.9	23	
8/25/24 6:30	8.9	95	8.2	155	17.9	22	
8/25/24 6:45	8.9	95	8.2	156	17.9	22	
8/25/24 7:00	8.9	95	8.2	156	17.8	23	
8/25/24 7:15	8.9	95	8.2	156	17.8	21	
8/25/24 7:30	8.9	95	8.2	156	17.8	21	
8/25/24 7:45	9.0	95	8.2	156	17.7	21	
8/25/24 8:00	9.0	95	8.2	156	17.7	21	
8/25/24 8:15	9.0	95	8.2	156	17.7	22	
8/25/24 8:30	9.0	95	8.1	156	17.6	21	
8/25/24 8:45	9.0	95	8.1	156	17.6	24	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/25/24 9:00	9.0	95	8.1	156	17.6	23	
8/25/24 9:15	9.0	95	8.1	156	17.6	20	
8/25/24 9:30	9.0	95	8.1	156	17.6	21	
8/25/24 9:45	9.1	96	8.1	156	17.6	20	
8/25/24 10:00	9.1	96	8.1	156	17.6	20	
8/25/24 10:15	9.1	96	8.2	156	17.7	21	
8/25/24 10:30	9.1	96	8.2	156	17.7	22	
8/25/24 10:45	9.2	97	8.2	156	17.7	22	
8/25/24 11:00	9.2	97	8.2	156	17.8	20	
8/25/24 11:15	9.2	98	8.2	156	17.8	21	
8/25/24 11:30	9.3	98	8.2	156	17.8	24	
8/25/24 11:45	9.3	98	8.2	156	17.8	20	
8/25/24 12:00	9.3	99	8.2	156	17.9	21	
8/25/24 12:15	9.4	99	8.2	156	17.9	21	
8/25/24 12:30	9.4	100	8.2	157	18.0	20	
8/25/24 12:45	9.5	100	8.2	157	18.0	22	
8/25/24 13:00	9.5	100	8.2	157	18.0	20	
8/25/24 13:15	9.5	101	8.2	157	18.1	20	
8/25/24 13:30	9.5	101	8.2	157	18.1	21	
8/25/24 13:45	9.6	101	8.2	157	18.2	19	
8/25/24 14:00	9.6	102	8.3	157	18.2	20	
8/25/24 14:15	9.6	102	8.3	157	18.3	19	
8/25/24 14:30	9.6	103	8.3	157	18.3	19	
8/25/24 14:45	9.6	103	8.3	157	18.3	21	
8/25/24 15:00	9.7	103	8.3	157	18.3	20	
8/25/24 15:15	9.7	103	8.3	157	18.4	20	
8/25/24 15:30	9.7	103	8.3	157	18.4	19	
8/25/24 15:45	9.7	103	8.3	157	18.4	20	
8/25/24 16:00	9.7	104	8.3	157	18.5	19	
8/25/24 16:15	9.7	103	8.3	158	18.5	18	
8/25/24 16:30	9.7	104	8.3	158	18.6	20	
8/25/24 16:45	9.7	104	8.3	158	18.6	19	
8/25/24 17:00	9.7	104	8.3	158	18.6	24	
8/25/24 17:15	9.7	104	8.3	158	18.6	19	
8/25/24 17:30	9.6	103	8.3	158	18.6	19	
8/25/24 17:45	9.6	104	8.3	158	18.7	19	
8/25/24 18:00	9.6	103	8.3	158	18.7	21	
8/25/24 18:15	9.6	103	8.3	158	18.7	19	
8/25/24 18:30	9.5	103	8.3	158	18.7	19	
8/25/24 18:45	9.5	102	8.3	159	18.7	20	
8/25/24 19:00	9.5	102	8.3	159	18.8	19	
8/25/24 19:15	9.4	102	8.3	159	18.8	19	
8/25/24 19:30	9.4	102	8.3	159	18.8	19	
8/25/24 19:45	9.4	101	8.3	159	18.8	21	
8/25/24 20:00	9.3	101	8.3	159	18.8	20	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/25/24 20:15	9.3	100	8.3	159	18.9	19	
8/25/24 20:30	9.2	100	8.3	159	18.9	19	
8/25/24 20:45	9.2	100	8.3	159	18.9	19	
8/25/24 21:00	9.2	99	8.3	159	18.9	19	
8/25/24 21:15	9.1	99	8.3	159	18.9	19	
8/25/24 21:30	9.1	98	8.3	159	19.0	18	
8/25/24 21:45	9.0	98	8.3	159	19.0	21	
8/25/24 22:00	9.0	97	8.3	159	19.0	20	
8/25/24 22:15	8.9	97	8.3	159	19.0	21	
8/25/24 22:30	8.9	97	8.3	159	19.0	19	
8/25/24 22:45	8.9	96	8.3	159	19.0	19	
8/25/24 23:00	8.8	96	8.3	159	19.1	20	
8/25/24 23:15	8.8	96	8.3	160	19.1	17	
8/25/24 23:30	8.8	95	8.3	160	19.1	20	
8/25/24 23:45	8.8	95	8.3	160	19.1	20	
8/26/24 0:00	8.7	95	8.3	160	19.1	19	
8/26/24 0:15	8.7	95	8.2	160	19.1	19	
8/26/24 0:30	8.7	95	8.3	160	19.1	18	
8/26/24 0:45	8.7	94	8.3	160	19.1	18	
8/26/24 1:00	8.7	94	8.3	160	19.1	19	
8/26/24 1:15	8.7	94	8.2	160	19.0	19	
8/26/24 1:30	8.7	94	8.2	160	19.0	19	
8/26/24 1:45	8.7	94	8.2	160	19.0	20	
8/26/24 2:00	8.6	94	8.2	160	19.0	18	
8/26/24 2:15	8.7	94	8.2	160	19.0	18	
8/26/24 2:30	8.6	94	8.2	160	19.0	19	
8/26/24 2:45	8.6	94	8.2	160	18.9	18	
8/26/24 3:00	8.7	94	8.2	160	18.9	19	
8/26/24 3:15	8.7	94	8.2	160	18.9	19	
8/26/24 3:30	8.7	94	8.2	160	18.8	19	
8/26/24 3:45	8.7	94	8.2	160	18.8	19	
8/26/24 4:00	8.6	94	8.2	160	18.8	18	
8/26/24 4:15	8.7	94	8.2	160	18.8	19	
8/26/24 4:30	8.7	94	8.2	160	18.8	17	
8/26/24 4:45	8.7	94	8.2	160	18.7	19	
8/26/24 5:00	8.7	94	8.2	160	18.7	18	
8/26/24 5:15	8.7	94	8.2	160	18.7	18	
8/26/24 5:30	8.7	94	8.2	160	18.7	16	
8/26/24 5:45	8.7	94	8.2	160	18.6	18	
8/26/24 6:00	8.7	94	8.2	160	18.6	18	
8/26/24 6:15	8.7	94	8.2	160	18.6	18	
8/26/24 6:30	8.7	94	8.2	160	18.6	18	
8/26/24 6:45	8.7	94	8.2	160	18.5	17	
8/26/24 7:00	8.7	94	8.2	160	18.5	18	
8/26/24 7:15	8.7	94	8.1	160	18.5	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/26/24 7:30	8.7	94	8.1	160	18.5	18	
8/26/24 7:45	8.7	94	8.1	160	18.5	19	
8/26/24 8:00	8.7	94	8.1	160	18.4	19	
8/26/24 8:15	8.7	94	8.1	160	18.5	18	
8/26/24 8:30	8.8	94	8.1	160	18.5	19	
8/26/24 8:45	8.7	94	8.1	160	18.5	18	
8/26/24 9:00	8.7	94	8.1	160	18.5	22	
8/26/24 9:15	8.7	93	8.1	160	18.5	17	
8/26/24 9:30	8.8	95	8.1	160	18.5	18	
8/26/24 9:45	8.8	95	8.1	160	18.5	17	
8/26/24 10:00	8.8	94	8.1	160	18.5		
8/26/24 10:15	8.9	95	8.1	160	18.6	18	
8/26/24 10:30	8.9	95	8.1	160	18.6	17	
8/26/24 10:45	8.9	96	8.1	160	18.6	19	
8/26/24 11:00	8.9	96	8.1	160	18.7	18	
8/26/24 11:15	9.0	96	8.2	160	18.7	17	
8/26/24 11:30	9.0	97	8.2	160	18.7	17	
8/26/24 11:45	9.1	97	8.2	160	18.8	17	
8/26/24 12:00	9.1	98	8.2	161	18.8	17	
8/26/24 12:15	9.1	98	8.2	161	18.8	19	
8/26/24 12:30	9.1	98	8.2	161	18.9	17	
8/26/24 12:45	9.2	99	8.2	161	19.0	17	
8/26/24 13:00	9.2	99	8.2	161	19.0	16	
8/26/24 13:15	9.2	100	8.2	161	19.0	17	
8/26/24 13:30	9.3	100	8.2	161	19.1	16	
8/26/24 13:45	9.3	101	8.2	161	19.1	17	
8/26/24 14:00	9.3	101	8.2	161	19.1	18	
8/26/24 14:15	9.3	101	8.2	161	19.1	17	
8/26/24 14:30	9.3	101	8.2	161	19.2	17	
8/26/24 14:45	9.4	102	8.2	161	19.3	17	
8/26/24 15:00	9.4	102	8.2	161	19.2	20	
8/26/24 15:15	9.4	102	8.2	162	19.3	21	
8/26/24 15:30	9.4	102	8.3	162	19.3	18	
8/26/24 15:45	9.4	103	8.3	162	19.3	16	
8/26/24 16:00	9.4	103	8.3	162	19.4	17	
8/26/24 16:15	9.5	103	8.3	162	19.4	20	
8/26/24 16:30	9.5	103	8.3	162	19.4	17	
8/26/24 16:45	9.5	103	8.3	162	19.4	20	
8/26/24 17:00	9.4	103	8.3	162	19.4	18	
8/26/24 17:15	9.4	103	8.3	162	19.4	17	
8/26/24 17:30	9.4	103	8.3	162	19.4	18	
8/26/24 17:45	9.4	103	8.3	162	19.4	19	
8/26/24 18:00	9.4	103	8.3	162	19.4	18	
8/26/24 18:15	9.4	103	8.3	162	19.5	20	
8/26/24 18:30	9.3	102	8.3	162	19.5	20	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/26/24 18:45	9.3	102	8.3	162	19.5	20	
8/26/24 19:00	9.3	102	8.3	163	19.5	21	
8/26/24 19:15	9.2	101	8.3	163	19.5	20	
8/26/24 19:30	9.2	101	8.3	163	19.5	18	
8/26/24 19:45	9.2	101	8.3	163	19.5	19	
8/26/24 20:00	9.2	100	8.3	163	19.6	19	
8/26/24 20:15	9.1	100	8.3	163	19.6	20	
8/26/24 20:30	9.1	99	8.3	163	19.6	20	
8/26/24 20:45	9.0	99	8.3	163	19.6	20	
8/26/24 21:00	9.0	99	8.3	163	19.6	20	
8/26/24 21:15	8.9	98	8.3	164	19.6	22	
8/26/24 21:30	8.9	98	8.3	164	19.7	20	
8/26/24 21:45	8.8	97	8.3	164	19.7	18	
8/26/24 22:00	8.8	96	8.2	164	19.7	26	
8/26/24 22:15	8.8	96	8.2	164	19.7	21	
8/26/24 22:30	8.7	96	8.2	164	19.8	21	
8/26/24 22:45	8.7	95	8.2	164	19.8	23	
8/26/24 23:00	8.6	95	8.2	164	19.8	20	
8/26/24 23:15	8.6	95	8.2	164	19.9	20	
8/26/24 23:30	8.6	94	8.2	164	19.9	20	
8/26/24 23:45	8.5	94	8.2	164	19.9	20	
8/27/24 0:00	8.5	94	8.2	165	19.9	20	
8/27/24 0:15	8.5	93	8.2	165	19.9	20	
8/27/24 0:30	8.4	93	8.2	165	20.0	20	
8/27/24 0:45	8.4	93	8.2	165	20.0	20	
8/27/24 1:00	8.4	93	8.2	165	20.0	19	
8/27/24 1:15	8.4	93	8.2	165	20.0	20	
8/27/24 1:30	8.4	93	8.2	165	20.0	19	
8/27/24 1:45	8.4	93	8.2	165	20.0	20	
8/27/24 2:00	8.4	93	8.2	166	20.0	19	
8/27/24 2:15	8.3	92	8.2	166	20.0	22	
8/27/24 2:30	8.3	92	8.2	166	19.9	19	
8/27/24 2:45	8.3	92	8.2	166	19.9	20	
8/27/24 3:00	8.3	92	8.2	166	19.9	20	
8/27/24 3:15	8.3	92	8.2	166	19.9	19	
8/27/24 3:30	8.3	92	8.2	166	19.8	19	
8/27/24 3:45	8.3	92	8.2	166	19.8	20	
8/27/24 4:00	8.3	92	8.2	167	19.8	19	
8/27/24 4:15	8.3	92	8.1	167	19.8	20	
8/27/24 4:30	8.3	92	8.1	167	19.7	21	
8/27/24 4:45	8.3	92	8.1	167	19.7	19	
8/27/24 5:00	8.4	92	8.1	167	19.6	19	
8/27/24 5:15	8.4	92	8.1	167	19.6	27	
8/27/24 5:30	8.3	92	8.1	167	19.6	19	
8/27/24 5:45	8.3	92	8.1	167	19.6	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/27/24 6:00	8.4	92	8.1	168	19.5	19	
8/27/24 6:15	8.4	92	8.1	168	19.5	19	
8/27/24 6:30	8.4	92	8.1	168	19.5	23	
8/27/24 6:45	8.4	92	8.1	168	19.5	18	
8/27/24 7:00	8.4	92	8.1	168	19.4	19	
8/27/24 7:15	8.4	92	8.1	168	19.4	19	
8/27/24 7:30	8.4	92	8.1	168	19.4	20	
8/27/24 7:45	8.4	92	8.1	168	19.4	19	
8/27/24 8:00	8.4	92	8.1	169	19.4	20	
8/27/24 8:15	8.4	92	8.1	169	19.4	18	
8/27/24 8:30	8.4	92	8.1	169	19.4	19	
8/27/24 8:45	8.4	92	8.1	169	19.4	18	
8/27/24 9:00	8.5	93	8.1	169	19.5	18	
8/27/24 9:15	8.5	93	8.1	169	19.5	19	
8/27/24 9:30	8.5	93	8.1	169	19.5	20	
8/27/24 9:45	8.5	93	8.1	169	19.5	19	
8/27/24 10:00	8.6	94	8.1	169	19.6	18	
8/27/24 10:15	8.6	94	8.1	170	19.6	20	
8/27/24 10:30	8.6	94	8.1	170	19.6	18	
8/27/24 10:45	8.6	94	8.1	170	19.7	18	
8/27/24 11:00	8.7	95	8.1	170	19.7	19	
8/27/24 11:15	8.7	96	8.1	170	19.7	18	
8/27/24 11:30	8.7	96	8.1	170	19.8	18	
8/27/24 11:45	8.7	95	8.2	170	19.8	19	
8/27/24 12:00	8.8	96	8.1	170	19.8	18	
8/27/24 12:15	8.8	97	8.2	170	19.9	20	
8/27/24 12:30	8.8	96	8.2	170	19.9	19	
8/27/24 12:45	8.8	97	8.2	170	20.0	18	
8/27/24 13:00	8.9	98	8.2	170	20.0	19	
8/27/24 13:15	8.9	98	8.2	170	20.1	18	
8/27/24 13:30	8.9	98	8.2	171	20.0	18	
8/27/24 13:45	9.0	99	8.2	171	20.1	17	
8/27/24 14:00	9.0	99	8.2	171	20.2	20	
8/27/24 14:15	9.0	100	8.2	171	20.1	19	
8/27/24 14:30	9.1	100	8.2	171	20.2	18	
8/27/24 14:45	9.1	100	8.2	171	20.2	18	
8/27/24 15:00	9.1	101	8.2	171	20.2	18	
8/27/24 15:15	9.1	101	8.2	171	20.3	19	
8/27/24 15:30	9.1	101	8.2	171	20.3	29	
8/27/24 15:45	9.2	102	8.2	171	20.3	20	
8/27/24 16:00	9.1	102	8.2	171	20.3	20	
8/27/24 16:15	9.1	101	8.2	171	20.3	18	
8/27/24 16:30	9.1	102	8.2	171	20.3	19	
8/27/24 16:45	9.1	101	8.2	171	20.3	18	
8/27/24 17:00	9.1	102	8.2	171	20.3	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/27/24 17:15	9.2	102	8.3	171	20.3	20	
8/27/24 17:30	9.1	102	8.2	171	20.3	18	
8/27/24 17:45	9.1	102	8.3	171	20.3	19	
8/27/24 18:00	9.1	102	8.3	171	20.3	21	
8/27/24 18:15	9.1	102	8.3	171	20.3	19	
8/27/24 18:30	9.1	101	8.3	171	20.3	18	
8/27/24 18:45	9.1	101	8.3	171	20.3	19	
8/27/24 19:00	9.1	101	8.3	171	20.3	20	
8/27/24 19:15	9.0	100	8.3	171	20.3	20	
8/27/24 19:30	9.0	100	8.3	171	20.3	20	
8/27/24 19:45	9.0	100	8.3	171	20.3	19	
8/27/24 20:00	8.9	99	8.3	171	20.3	19	
8/27/24 20:15	8.9	99	8.3	171	20.3	19	
8/27/24 20:30	8.9	99	8.3	171	20.3	19	
8/27/24 20:45	8.8	98	8.3	171	20.3	21	
8/27/24 21:00	8.8	98	8.3	171	20.3	20	
8/27/24 21:15	8.8	97	8.3	171	20.4	20	
8/27/24 21:30	8.7	97	8.2	171	20.4	19	
8/27/24 21:45	8.7	97	8.3	172	20.4	17	
8/27/24 22:00	8.6	96	8.2	172	20.4	20	
8/27/24 22:15	8.6	96	8.2	172	20.4	20	
8/27/24 22:30	8.6	95	8.2	172	20.4	20	
8/27/24 22:45	8.5	95	8.2	172	20.4	19	
8/27/24 23:00	8.5	94	8.2	172	20.5	21	
8/27/24 23:15	8.4	94	8.2	172	20.5	21	
8/27/24 23:30	8.4	94	8.2	172	20.5	20	
8/27/24 23:45	8.4	93	8.2	172	20.5	20	
8/28/24 0:00	8.3	93	8.2	172	20.6	21	
8/28/24 0:15	8.3	93	8.2	172	20.6	19	
8/28/24 0:30	8.3	93	8.2	172	20.6	20	
8/28/24 0:45	8.3	93	8.2	172	20.6	20	
8/28/24 1:00	8.3	93	8.2	172	20.6	22	
8/28/24 1:15	8.2	92	8.2	172	20.6	21	
8/28/24 1:30	8.2	92	8.2	172	20.6	22	
8/28/24 1:45	8.2	92	8.2	172	20.6	21	
8/28/24 2:00	8.2	92	8.2	172	20.6	19	
8/28/24 2:15	8.2	92	8.2	172	20.6	21	
8/28/24 2:30	8.2	92	8.2	172	20.6	20	
8/28/24 2:45	8.2	92	8.2	172	20.6	20	
8/28/24 3:00	8.2	92	8.2	172	20.5	21	
8/28/24 3:15	8.2	92	8.2	172	20.5	22	
8/28/24 3:30	8.2	92	8.2	172	20.5	21	
8/28/24 3:45	8.2	92	8.1	172	20.5	21	
8/28/24 4:00	8.2	92	8.1	172	20.5	21	
8/28/24 4:15	8.2	92	8.1	172	20.4	21	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 4:30	8.2	92	8.1	172	20.4	21	
8/28/24 4:45	8.2	92	8.1	172	20.4	21	
8/28/24 5:00	8.2	92	8.1	172	20.4	21	
8/28/24 5:15	8.2	92	8.1	172	20.3	21	
8/28/24 5:30	8.2	92	8.1	172	20.3	21	
8/28/24 5:45	8.2	92	8.1	172	20.3	22	
8/28/24 6:00	8.2	92	8.1	172	20.3	21	
8/28/24 6:15	8.2	92	8.1	172	20.2	21	
8/28/24 6:30	8.2	92	8.1	172	20.2	21	
8/28/24 6:45	8.3	92	8.1	172	20.2	21	
8/28/24 7:00	8.3	92	8.1	172	20.1	22	
8/28/24 7:15	8.3	92	8.1	172	20.1	20	
8/28/24 7:30	8.2	92	8.1	172	20.1	20	
8/28/24 7:45	8.3	92	8.1	172	20.1	20	
8/28/24 8:00	8.3	92	8.1	172	20.1	21	
8/28/24 8:15	8.3	92	8.1	172	20.1	21	
8/28/24 8:30	8.3	92	8.1	172	20.1	20	
8/28/24 8:45	8.3	92	8.1	172	20.1	19	
8/28/24 9:00	8.3	92	8.1	172	20.1	20	
8/28/24 9:15	8.3	92	8.1	172	20.2	21	
8/28/24 9:30	8.3	93	8.1	172	20.2	20	
8/28/24 9:45	8.4	93	8.1	172	20.2	20	
8/28/24 10:00	8.4	93	8.1	172	20.2	20	
8/28/24 10:15	8.5	94	8.1	172	20.3	19	
8/28/24 10:30	8.5	94	8.1	172	20.3	19	
8/28/24 10:45	8.5	94	8.1	172	20.4	20	
8/28/24 11:00	8.6	95	8.1	172	20.4	18	
8/28/24 11:15	8.6	95	8.1	172	20.4	18	
8/28/24 11:30	8.6	95	8.1	172	20.5	18	
8/28/24 11:45	8.6	96	8.1	172	20.5	19	
8/28/24 12:00	8.7	97	8.2	172	20.5	19	
8/28/24 12:15	8.7	97	8.2	172	20.6	18	
8/28/24 12:30	8.7	97	8.2	172	20.6	18	
8/28/24 12:45	8.8	98	8.2	173	20.6	18	
8/28/24 13:00	8.9	99	8.2	173	20.6	18	
8/28/24 13:15	8.9	100	8.2	173	20.7	18	
8/28/24 13:30	8.9	100	8.2	173	20.8	19	
8/28/24 13:45	9.0	100	8.2	173	20.8	22	
8/28/24 14:00	9.0	101	8.2	173	20.8	18	
8/28/24 14:15	9.1	101	8.2	173	20.9	19	
8/28/24 14:30	9.1	102	8.2	173	20.9	19	
8/28/24 14:45	9.1	102	8.3	173	20.9	17	
8/28/24 15:00	9.1	102	8.3	173	20.9	17	
8/28/24 15:15	9.1	103	8.3	173	20.9	18	
8/28/24 15:30	9.1	103	8.3	173	20.9	17	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 15:45	9.2	103	8.3	173	20.9	19	
8/28/24 16:00	9.2	103	8.3	173	21.0	18	
8/28/24 16:15	9.2	104	8.3	173	21.0	17	
8/28/24 16:30	9.2	104	8.3	173	21.0	17	
8/28/24 16:45	9.2	104	8.3	173	21.0	18	
8/28/24 17:00	9.2	104	8.3	173	21.0	17	
8/28/24 17:15	9.2	104	8.3	173	21.0	18	
8/28/24 17:30	9.2	104	8.3	173	21.0	17	
8/28/24 17:45	9.2	104	8.3	173	21.0	18	
8/28/24 18:00	9.2	104	8.4	173	21.0	18	
8/28/24 18:15	9.2	104	8.3	173	21.0	17	
8/28/24 18:30	9.2	103	8.4	173	21.0	17	
8/28/24 18:45	9.1	103	8.4	173	21.0	18	
8/28/24 19:00	9.1	103	8.4	173	21.0	18	
8/28/24 19:15	9.1	102	8.4	173	21.0	17	
8/28/24 19:30	9.0	102	8.4	173	21.0	17	
8/28/24 19:45	9.0	102	8.3	173	21.0	17	
8/28/24 20:00	8.9	101	8.3	173	21.0	18	
8/28/24 20:15	8.9	101	8.3	173	21.0	18	
8/28/24 20:30	8.9	100	8.3	173	21.0	16	
8/28/24 20:45	8.8	100	8.3	173	21.0	17	
8/28/24 21:00	8.8	99	8.3	173	21.0	16	
8/28/24 21:15	8.7	99	8.3	173	21.0	17	
8/28/24 21:30	8.7	98	8.3	173	21.1	17	
8/28/24 21:45	8.6	98	8.3	173	21.1	17	
8/28/24 22:00	8.6	97	8.3	173	21.1	19	
8/28/24 22:15	8.5	96	8.3	173	21.1	18	
8/28/24 22:30	8.5	96	8.3	173	21.2	16	
8/28/24 22:45	8.4	95	8.3	173	21.2	17	
8/28/24 23:00	8.4	95	8.3	173	21.2	18	
8/28/24 23:15	8.3	94	8.3	173	21.2	17	
8/28/24 23:30	8.3	94	8.3	173	21.3	17	
8/28/24 23:45	8.2	93	8.3	173	21.3	17	
8/29/24 0:00	8.2	93	8.3	173	21.3	18	
8/29/24 0:15	8.2	93	8.3	173	21.3	17	
8/29/24 0:30	8.2	93	8.3	173	21.4	17	
8/29/24 0:45	8.1	92	8.2	173	21.4	20	
8/29/24 1:00	8.1	92	8.3	173	21.4	18	
8/29/24 1:15	8.1	92	8.2	173	21.4		
8/29/24 1:30	8.1	92	8.2	173	21.4	18	
8/29/24 1:45	8.1	92	8.2	173	21.4	18	
8/29/24 2:00	8.0	91	8.2	173	21.4	18	
8/29/24 2:15	8.1	92	8.2	173	21.4	18	
8/29/24 2:30	8.0	91	8.2	173	21.4	18	
8/29/24 2:45	8.1	92	8.2	173	21.4	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/29/24 3:00	8.1	92	8.2	173	21.3	19	
8/29/24 3:15	8.1	92	8.2	174	21.3	19	
8/29/24 3:30	8.0	91	8.2	174	21.3	18	
8/29/24 3:45	8.1	92	8.2	174	21.3	19	318
8/29/24 4:00	8.0	91	8.2	174	21.2	18	
8/29/24 4:15	8.1	92	8.2	174	21.2	20	
8/29/24 4:30	8.1	91	8.2	174	21.2	19	
8/29/24 4:45	8.1	92	8.2	174	21.1	18	
8/29/24 5:00	8.1	92	8.2	174	21.1	18	
8/29/24 5:15	8.1	92	8.2	174	21.1	18	
8/29/24 5:30	8.1	92	8.2	174	21.0	19	
8/29/24 5:45	8.1	91	8.2	174	21.0	18	
8/29/24 6:00	8.1	91	8.2	174	21.0	19	
8/29/24 6:15	8.1	92	8.2	174	20.9	19	
8/29/24 6:30	8.1	92	8.1	174	20.9	19	
8/29/24 6:45	8.1	92	8.1	174	20.9	20	
8/29/24 7:00	8.1	92	8.1	175	20.8	19	
8/29/24 7:15	8.1	92	8.1	175	20.8	20	
8/29/24 7:30	8.1	92	8.1	175	20.8	19	
8/29/24 7:45	8.2	92	8.1	175	20.8	18	
8/29/24 8:00	8.2	92	8.1	175	20.8	19	
8/29/24 8:15	8.1	92	8.1	175	20.8	19	
8/29/24 8:30	8.2	92	8.1	175	20.8	18	
8/29/24 8:45	8.2	92	8.1	175	20.8	21	
8/29/24 9:00	8.2	92	8.1	175	20.8	19	
8/29/24 9:15	8.2	92	8.1	175	20.8	20	
8/29/24 9:30	8.3	93	8.1	175	20.8	19	
8/29/24 9:45	8.3	93	8.1	175	20.9	19	
8/29/24 10:00	8.3	94	8.1	175	20.9	19	
8/29/24 10:15	8.3	93	8.2	175	20.9	19	
8/29/24 10:30	8.4	94	8.2	175	21.0	18	
8/29/24 10:45	8.4	95	8.2	175	21.0	18	
8/29/24 11:00	8.4	95	8.2	175	21.0	18	
8/29/24 11:15	8.5	96	8.2	175	21.0	16	
8/29/24 11:30	8.5	96	8.2	175	21.1	17	
8/29/24 11:45	8.6	97	8.2	175	21.1	18	
8/29/24 12:00	8.6	97	8.2	175	21.2	18	
8/29/24 12:15	8.7	98	8.2	175	21.2	18	
8/29/24 12:30	8.7	98	8.2	175	21.3	18	
8/29/24 12:45	8.8	99	8.2	175	21.3	20	
8/29/24 13:00	8.8	99	8.2	175	21.3	22	
8/29/24 13:15	8.8	100	8.3	175	21.4	18	
8/29/24 13:30	8.9	100	8.3	175	21.4	18	
8/29/24 13:45	8.9	101	8.3	175	21.5	17	
8/29/24 14:00	9.0	102	8.3	175	21.5	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/29/24 14:15	9.0	102	8.3	175	21.5	17	
8/29/24 14:30	9.0	102	8.3	175	21.5	20	
8/29/24 14:45	9.0	103	8.3	175	21.6	18	
8/29/24 15:00	9.1	103	8.3	174	21.5	18	
8/29/24 15:15	9.1	103	8.3	174	21.6	18	
8/29/24 15:30	9.1	104	8.3	174	21.6	19	
8/29/24 15:45	9.1	104	8.3	174	21.6	18	
8/29/24 16:00	9.1	104	8.3	174	21.6	20	
8/29/24 16:15	9.1	104	8.3	174	21.6	19	
8/29/24 16:30	9.2	105	8.4	174	21.7	19	
8/29/24 16:45	9.2	105	8.4	174	21.7	19	
8/29/24 17:00	9.2	105	8.4	174	21.7	19	
8/29/24 17:15	9.2	105	8.4	174	21.7	20	
8/29/24 17:30	9.2	105	8.4	174	21.7	19	328
8/29/24 17:45	9.2	105	8.4	174	21.7	19	
8/29/24 18:00	9.1	105	8.4	173	21.7	19	
8/29/24 18:15	9.1	104	8.4	173	21.7	19	
8/29/24 18:30	9.1	104	8.4	173	21.7	18	
8/29/24 18:45	9.1	104	8.4	173	21.7	18	
8/29/24 19:00	9.0	103	8.4	173	21.6	18	
8/29/24 19:15	9.0	103	8.4	173	21.6	18	
8/29/24 19:30	9.0	103	8.4	173	21.6	18	
8/29/24 19:45	8.9	102	8.4	173	21.6	19	
8/29/24 20:00	8.9	102	8.4	172	21.7	19	
8/29/24 20:15	8.8	101	8.4	172	21.7	19	
8/29/24 20:30	8.8	101	8.4	172	21.7	18	
8/29/24 20:45	8.8	100	8.4	172	21.7	19	
8/29/24 21:00	8.7	100	8.4	172	21.7	18	
8/29/24 21:15	8.7	99	8.4	172	21.7	18	
8/29/24 21:30	8.6	99	8.4	172	21.7	18	312
8/29/24 21:45	8.6	98	8.4	172	21.7	17	
8/29/24 22:00	8.5	98	8.4	172	21.7	17	
8/29/24 22:15	8.5	97	8.4	172	21.8	17	
8/29/24 22:30	8.4	96	8.3	171	21.8	19	
8/29/24 22:45	8.3	96	8.4	171	21.8	19	
8/29/24 23:00	8.3	95	8.3	171	21.8	17	
8/29/24 23:15	8.3	95	8.3	171	21.8	18	
8/29/24 23:30	8.2	94	8.3	171	21.8	18	
8/29/24 23:45	8.2	94	8.3	171	21.9	18	
8/30/24 0:00	8.2	94	8.3	171	21.9	18	
8/30/24 0:15	8.1	93	8.3	171	21.9	18	
8/30/24 0:30	8.1	93	8.3	171	21.9	19	
8/30/24 0:45	8.1	93	8.3	171	21.9	17	
8/30/24 1:00	8.1	93	8.3	170	22.0	19	
8/30/24 1:15	8.1	93	8.3	170	21.9	18	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/30/24 1:30	8.0	92	8.3	170	21.9	18	
8/30/24 1:45	8.0	92	8.3	170	21.9	18	
8/30/24 2:00	8.0	92	8.3	170	21.9	19	
8/30/24 2:15	8.0	92	8.3	170	21.9	18	
8/30/24 2:30	8.0	92	8.3	170	21.9	18	
8/30/24 2:45	8.0	92	8.3	170	21.9	19	
8/30/24 3:00	8.0	92	8.3	170	21.9	18	
8/30/24 3:15	8.0	92	8.3	170	21.8	19	
8/30/24 3:30	8.0	92	8.3	170	21.8	19	
8/30/24 3:45	8.0	92	8.3	170	21.8	19	
8/30/24 4:00	8.0	92	8.3	170	21.7	18	
8/30/24 4:15	8.0	92	8.3	170	21.7	18	
8/30/24 4:30	8.0	92	8.3	170	21.7	18	
8/30/24 4:45	8.0	92	8.2	170	21.7	18	309
8/30/24 5:00	8.0	92	8.2	170	21.6	18	
8/30/24 5:15	8.0	92	8.2	170	21.6	17	
8/30/24 5:30	8.0	92	8.2	170	21.5	18	
8/30/24 5:45	8.0	92	8.2	170	21.5	18	
8/30/24 6:00	8.0	92	8.2	170	21.5	19	
8/30/24 6:15	8.0	92	8.2	170	21.4	18	
8/30/24 6:30	8.0	92	8.2	171	21.4	18	
8/30/24 6:45	8.1	92	8.2	171	21.4	17	
8/30/24 7:00	8.1	92	8.2	171	21.3	17	
8/30/24 7:15	8.1	92	8.2	171	21.3	18	
8/30/24 7:30	8.1	92	8.2	171	21.3	19	
8/30/24 7:45	8.1	92	8.2	171	21.2	19	
8/30/24 8:00	8.1	92	8.2	171	21.2	18	
8/30/24 8:15	8.1	92	8.2	171	21.2	19	
8/30/24 8:30	8.1	92	8.2	171	21.2	18	
8/30/24 8:45	8.1	92	8.2	171	21.2	18	
8/30/24 9:00	8.2	93	8.2	171	21.3	18	
8/30/24 9:15	8.2	93	8.2	171	21.3	18	
8/30/24 9:30	8.2	93	8.2	171	21.3	18	
8/30/24 9:45	8.2	93	8.2	171	21.3	19	315
8/30/24 10:00	8.3	94	8.2	171	21.3	18	
8/30/24 10:15	8.3	94	8.2	171	21.3	19	
8/30/24 10:30	8.4	95	8.2	171	21.4	19	
8/30/24 10:45	8.3	95	8.2	171	21.4	18	
8/30/24 11:00	8.4	95	8.2	171	21.4	18	
8/30/24 11:15	8.5	96	8.2	171	21.5	17	
8/30/24 11:30	8.4	96	8.2	172	21.5	18	
8/30/24 11:45	8.5	96	8.2	172	21.5	18	
8/30/24 12:00	8.5	97	8.2	172	21.6	20	
8/30/24 12:15	8.5	97	8.2	172	21.5	18	
8/30/24 12:30	8.6	98	8.2	172	21.6	23	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/30/24 12:45	8.7	98	8.3	172	21.6	17	
8/30/24 13:00	8.7	99	8.2	172	21.7	18	
8/30/24 13:15	8.7	99	8.3	172	21.8	18	
8/30/24 13:30	8.8	100	8.3	172	21.8	17	
8/30/24 13:45	8.8	101	8.3	172	21.8	18	
8/30/24 14:00	8.8	101	8.3	172	21.9	17	384
8/30/24 14:15	8.9	102	8.3	172	21.9	18	
8/30/24 14:30	8.9	102	8.3	172	21.9	17	
8/30/24 14:45	8.9	102	8.3	172	21.9	18	
8/30/24 15:00	9.0	103	8.3	172	21.9	18	
8/30/24 15:15	9.0	103	8.3	172	21.9	19	
8/30/24 15:30	9.0	103	8.3	172	21.9	18	
8/30/24 15:45	9.0	103	8.3	172	21.9	17	
8/30/24 16:00	9.0	104	8.3	172	21.9	18	
8/30/24 16:15	9.1	104	8.4	172	21.9	18	
8/30/24 16:30	9.1	104	8.4	172	21.9	18	
8/30/24 16:45	9.1	104	8.3	172	21.9	17	
8/30/24 17:00	9.1	104	8.4	172	21.9	18	315
8/30/24 17:15	9.1	104	8.4	172	21.9	16	
8/30/24 17:30	9.1	104	8.4	172	21.9	17	
8/30/24 17:45	9.1	104	8.4	172	21.9	18	
8/30/24 18:00	9.0	104	8.4	172	21.9	18	
8/30/24 18:15	9.0	104	8.4	172	21.9	17	
8/30/24 18:30	9.0	103	8.4	172	21.9	17	
8/30/24 18:45	9.0	103	8.4	172	21.9	18	
8/30/24 19:00	8.9	103	8.4	172	21.9	18	
8/30/24 19:15	8.9	102	8.4	172	21.9	18	
8/30/24 19:30	8.9	102	8.4	172	21.9	18	
8/30/24 19:45	8.8	101	8.4	172	21.9	19	
8/30/24 20:00	8.8	101	8.4	172	21.9	20	
8/30/24 20:15	8.7	100	8.4	172	21.9		
8/30/24 20:30	8.7	100	8.4	172	21.9	18	
8/30/24 20:45	8.7	100	8.4	172	21.9	19	
8/30/24 21:00	8.6	99	8.4	172	21.9	18	
8/30/24 21:15	8.6	99	8.4	172	21.9	18	
8/30/24 21:30	8.5	98	8.4	172	21.9	19	
8/30/24 21:45	8.5	97	8.4	172	21.9	18	
8/30/24 22:00	8.4	97	8.3	172	21.9	18	
8/30/24 22:15	8.4	97	8.3	172	21.9	19	
8/30/24 22:30	8.3	96	8.4	172	21.9	18	
8/30/24 22:45	8.3	95	8.3	172	22.0	18	
8/30/24 23:00	8.3	95	8.3	172	22.0	18	
8/30/24 23:15	8.2	94	8.3	171	22.0	18	
8/30/24 23:30	8.2	94	8.3	171	22.0	18	
8/30/24 23:45	8.2	94	8.3	171	22.0	19	

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 0:00	8.1	93	8.3	171	22.0	18	
8/31/24 0:15	8.1	93	8.3	171	22.0	18	
8/31/24 0:30	8.1	93	8.3	171	22.0	18	306
8/31/24 0:45	8.0	93	8.3	171	22.0	18	
8/31/24 1:00	8.0	93	8.3	171	22.1	19	
8/31/24 1:15	8.0	92	8.3	171	22.1	18	
8/31/24 1:30	8.0	92	8.3	171	22.1	19	
8/31/24 1:45	8.0	92	8.3	171	22.1	19	
8/31/24 2:00	8.0	92	8.3	171	22.1	19	
8/31/24 2:15	8.0	92	8.3	171	22.1	18	
8/31/24 2:30	7.9	92	8.3	171	22.1	18	
8/31/24 2:45	8.0	92	8.3	171	22.0	19	
8/31/24 3:00	8.0	92	8.3	171	22.0	18	
8/31/24 3:15	7.9	92	8.3	171	22.0	19	
8/31/24 3:30	7.9	92	8.3	171	22.0	19	
8/31/24 3:45	7.9	92	8.2	171	22.0	19	302
8/31/24 4:00	7.9	92	8.3	171	22.0	18	
8/31/24 4:15	7.9	91	8.3	171	21.9	18	
8/31/24 4:30	7.9	91	8.2	171	21.9	20	
8/31/24 4:45	7.9	91	8.2	171	21.9	18	
8/31/24 5:00	7.9	91	8.2	171	21.8	19	
8/31/24 5:15	7.9	91	8.2	171	21.8	18	
8/31/24 5:30	8.0	91	8.2	171	21.8	18	
8/31/24 5:45	8.0	92	8.2	171	21.8	18	
8/31/24 6:00	8.0	92	8.2	171	21.7	19	
8/31/24 6:15	8.0	92	8.2	171	21.7	18	
8/31/24 6:30	8.0	91	8.2	171	21.7	19	
8/31/24 6:45	8.0	92	8.2	171	21.6	18	
8/31/24 7:00	8.0	92	8.2	172	21.6	19	
8/31/24 7:15	8.0	92	8.2	172	21.6	18	
8/31/24 7:30	8.0	91	8.2	172	21.6	18	
8/31/24 7:45	8.0	92	8.2	172	21.5	19	306
8/31/24 8:00	8.0	92	8.2	172	21.5	19	312
8/31/24 8:15	8.0	92	8.2	172	21.5	19	
8/31/24 8:30	7.9	90	8.2	172	21.5	19	331
8/31/24 8:45	8.0	92	8.1	172	21.5	18	315
8/31/24 9:00	8.1	92	8.1	172	21.5	19	312
8/31/24 9:15	8.1	92	8.2	172	21.6	18	328
8/31/24 9:30	8.1	93	8.2	172	21.6	19	312
8/31/24 9:45	8.1	93	8.2	172	21.6	20	
8/31/24 10:00	8.2	94	8.2	172	21.6	19	
8/31/24 10:15	8.2	94	8.2	172	21.6	18	315
8/31/24 10:30	8.2	94	8.2	172	21.6	18	
8/31/24 10:45	8.3	94	8.2	173	21.7	18	
8/31/24 11:00	8.3	94	8.2	173	21.7	18	340

**Klamath River at Orleans, CA
(11523000)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 11:15	8.3	95	8.2	173	21.7	17	315
8/31/24 11:30	8.3	95	8.2	173	21.8	17	321
8/31/24 11:45	8.4	96	8.2	173	21.8	19	315
8/31/24 12:00	8.4	96	8.2	173	21.9	21	
8/31/24 12:15	8.5	97	8.2	173	21.9	18	328
8/31/24 12:30	8.5	98	8.2	173	21.9	18	324
8/31/24 12:45	8.5	97	8.2	173	22.0	18	
8/31/24 13:00	8.6	99	8.2	173	22.0	18	
8/31/24 13:15	8.6	99	8.2	173	22.1	16	
8/31/24 13:30	8.7	99	8.2	174	22.1	18	309
8/31/24 13:45	8.7	100	8.3	174	22.1	18	
8/31/24 14:00	8.7	100	8.3	174	22.1	17	321
8/31/24 14:15	8.7	100	8.3	174	22.1	20	324
8/31/24 14:30	8.7	100	8.3	174	22.2	17	312
8/31/24 14:45	8.8	102	8.3	174	22.2	18	
8/31/24 15:00	8.8	102	8.3	174	22.2	17	334
8/31/24 15:15	8.8	102	8.3	174	22.2	18	
8/31/24 15:30	8.9	102	8.3	174	22.2	18	
8/31/24 15:45	8.9	103	8.3	174	22.2	18	
8/31/24 16:00	8.9	103	8.3	174	22.2	18	315
8/31/24 16:15	8.9	103	8.3	174	22.2	17	318
8/31/24 16:30	8.9	103	8.3	175	22.2	17	312
8/31/24 16:45	8.9	103	8.3	175	22.2	19	372
8/31/24 17:00	8.9	103	8.3	175	22.2	19	324
8/31/24 17:15	8.9	103	8.3	175	22.2	19	318
8/31/24 17:30	8.9	103	8.3	175	22.2	18	340
8/31/24 17:45	8.9	103	8.4	175	22.2	18	337
8/31/24 18:00	8.9	103	8.4	175	22.2	18	315
8/31/24 18:15	8.9	103	8.3	175	22.2	19	334
8/31/24 18:30	8.9	102	8.4	175	22.2	17	334
8/31/24 18:45	8.8	102	8.3	175	22.1	18	356
8/31/24 19:00	8.8	102	8.4	175	22.1	18	324
8/31/24 19:15	8.8	101	8.4	175	22.1	18	321
8/31/24 19:30	8.7	101	8.4	175	22.1	18	309
8/31/24 19:45	8.7	101	8.4	175	22.1	19	
8/31/24 20:00	8.7	100	8.4	174	22.1	18	
8/31/24 20:15	8.6	100	8.3	174	22.1	19	340
8/31/24 20:30	8.6	99	8.3	174	22.1	19	356
8/31/24 20:45	8.6	99	8.3	174	22.1	17	324
8/31/24 21:00	8.5	98	8.3	174	22.1	18	391
8/31/24 21:15	8.5	98	8.4	174	22.1	18	321
8/31/24 21:30	8.4	97	8.3	174	22.1	19	324
8/31/24 21:45	8.3	96	8.3	174	22.1	36	318
8/31/24 22:00	8.3	96	8.3	174	22.1	17	337
8/31/24 22:15	8.3	96	8.3	174	22.1	18	312



Klamath River near Seiad Valley, CA (USGS 11520500)

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 0:00	7.6	91	8.4	176	24.9	16	
8/1/24 0:15	7.6	91	8.3	176	24.9	21	
8/1/24 0:30	7.5	91	8.3	176	24.9	20	
8/1/24 0:45	7.5	91	8.3	176	24.8	17	
8/1/24 1:00	7.6	91	8.3	176	24.8	22	
8/1/24 1:15	7.5	91	8.3	176	24.8	22	
8/1/24 1:30	7.5	91	8.3	176	24.7	18	
8/1/24 1:45	7.5	91	8.3	176	24.7	22	
8/1/24 2:00	7.5	91	8.3	176	24.7		
8/1/24 2:15	7.5	91	8.3	176	24.7	21	
8/1/24 2:30	7.5	91	8.3	176	24.6	23	
8/1/24 2:45	7.5	91	8.3	176	24.6	21	
8/1/24 3:00	7.6	91	8.3	176	24.6	20	
8/1/24 3:15	7.5	91	8.3	176	24.5	20	
8/1/24 3:30	7.6	91	8.3	176	24.5	22	
8/1/24 3:45	7.6	91	8.3	176	24.5	21	
8/1/24 4:00	7.6	91	8.3	176	24.4	21	
8/1/24 4:15	7.6	91	8.2	176	24.4	19	
8/1/24 4:30	7.6	91	8.2	176	24.3	21	
8/1/24 4:45	7.6	91	8.2	176	24.3	21	
8/1/24 5:00	7.6	91	8.2	176	24.3	23	
8/1/24 5:15	7.6	91	8.2	176	24.2	19	
8/1/24 5:30	7.6	91	8.2	176	24.2	24	
8/1/24 5:45	7.6	91	8.2	176	24.2	21	
8/1/24 6:00	7.6	91	8.2	176	24.1	26	
8/1/24 6:15	7.6	91	8.2	176	24.1	19	
8/1/24 6:30	7.6	91	8.2	176	24.1	23	
8/1/24 6:45	7.6	91	8.2	176	24.0	21	
8/1/24 7:00	7.7	91	8.2	176	24.0		
8/1/24 7:15	7.7	91	8.2	176	24.0	22	
8/1/24 7:30	7.7	91	8.2	176	23.9	24	
8/1/24 7:45	7.7	91	8.2	176	23.9	20	
8/1/24 8:00	7.7	91	8.2	176	23.9	22	
8/1/24 8:15	7.7	92	8.2	176	23.8	21	
8/1/24 8:30	7.8	92	8.2	176	23.8		
8/1/24 8:45	7.8	92	8.2	175	23.8	21	
8/1/24 9:00	7.8	93	8.2	175	23.8	19	
8/1/24 9:15	7.9	93	8.2	175	23.9	20	
8/1/24 9:30	7.9	94	8.2	175	23.9	20	
8/1/24 9:45	8.0	95	8.2	175	24.0	23	
8/1/24 10:00	8.0	95	8.2	175	24.0		
8/1/24 10:15							
8/1/24 10:30							
8/1/24 10:45							
8/1/24 11:00							

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 11:15							
8/1/24 11:30							
8/1/24 11:45							
8/1/24 12:00	8.4	102	8.4	174	24.9	17	
8/1/24 12:15	8.4	102	8.4	174	25.1	17	
8/1/24 12:30	8.5	103	8.4	174	25.2	16	
8/1/24 12:45	8.5	104	8.4	174	25.3	17	
8/1/24 13:00	8.5	104	8.4	174	25.4	18	
8/1/24 13:15	8.6	105	8.4	174	25.6	17	
8/1/24 13:30	8.6	105	8.4	174	25.7	17	
8/1/24 13:45	8.6	106	8.5	174	25.8	17	
8/1/24 14:00	8.6	106	8.5	174	26.0	18	
8/1/24 14:15	8.6	106	8.5	174	26.1	16	
8/1/24 14:30	8.6	107	8.5	174	26.2	17	
8/1/24 14:45	8.6	107	8.5	174	26.2	16	
8/1/24 15:00	8.6	107	8.5	174	26.3		
8/1/24 15:15	8.6	107	8.5	174	26.4	17	
8/1/24 15:30	8.6	107	8.5	174	26.5	17	
8/1/24 15:45	8.6	107	8.6	174	26.5	17	
8/1/24 16:00	8.6	107	8.6	174	26.6	16	
8/1/24 16:15	8.6	107	8.5	173	26.6	17	
8/1/24 16:30	8.5	107	8.6	173	26.6		
8/1/24 16:45	8.5	106	8.6	173	26.7	17	
8/1/24 17:00	8.5	106	8.6	173	26.7	16	
8/1/24 17:15	8.4	106	8.6	173	26.7	16	
8/1/24 17:30	8.4	105	8.6	173	26.7	15	
8/1/24 17:45	8.3	104	8.6	173	26.6	16	
8/1/24 18:00	8.3	103	8.6	173	26.5	16	
8/1/24 18:15	8.2	102	8.6	173	26.4	16	
8/1/24 18:30	8.2	102	8.6	173	26.4	16	
8/1/24 18:45	8.1	101	8.6	173	26.4	16	
8/1/24 19:00	8.1	100	8.5	173	26.3	16	
8/1/24 19:15	8.1	100	8.5	173	26.2	16	
8/1/24 19:30	8.0	99	8.5	173	26.2	16	
8/1/24 19:45	7.9	98	8.5	173	26.1	15	
8/1/24 20:00	7.9	97	8.5	173	26.0	16	
8/1/24 20:15	7.9	97	8.5	173	25.9	16	
8/1/24 20:30	7.8	96	8.5	173	25.9	16	
8/1/24 20:45	7.8	96	8.5	173	25.8	16	
8/1/24 21:00	7.8	95	8.5	173	25.7	16	
8/1/24 21:15	7.7	95	8.5	173	25.6	16	
8/1/24 21:30	7.7	94	8.5	173	25.6	17	
8/1/24 21:45	7.7	94	8.5	173	25.6	17	
8/1/24 22:00	7.7	94	8.4	173	25.5	17	
8/1/24 22:15	7.6	93	8.4	173	25.5	16	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 22:30	7.6	93	8.4	173	25.4		
8/1/24 22:45	7.6	93	8.4	173	25.4	16	
8/1/24 23:00	7.6	92	8.4	173	25.3	16	
8/1/24 23:15	7.6	92	8.4	173	25.2	17	
8/1/24 23:30	7.6	92	8.4	173	25.2	17	
8/1/24 23:45	7.6	92	8.4	173	25.1	17	
8/2/24 0:00	7.6	92	8.4	173	25.0	18	
8/2/24 0:15	7.6	92	8.4	173	25.0	16	
8/2/24 0:30	7.6	92	8.4	173	25.0	17	
8/2/24 0:45	7.6	91	8.4	173	24.9	17	
8/2/24 1:00	7.6	91	8.4	173	24.9	17	
8/2/24 1:15	7.6	91	8.4	174	24.9	18	
8/2/24 1:30	7.6	91	8.3	174	24.9	17	
8/2/24 1:45	7.6	91	8.3	174	24.9	19	
8/2/24 2:00	7.6	91	8.3	174	24.8	19	
8/2/24 2:15	7.6	91	8.3	174	24.8	20	
8/2/24 2:30	7.6	91	8.3	174	24.7	21	
8/2/24 2:45	7.6	91	8.3	175	24.7	24	
8/2/24 3:00	7.6	91	8.3	175	24.6	27	
8/2/24 3:15	7.6	91	8.2	175	24.5	30	
8/2/24 3:30	7.6	91	8.2	175	24.5	35	
8/2/24 3:45	7.6	91	8.2	176	24.4	42	
8/2/24 4:00	7.6	91	8.2	176	24.4	50	
8/2/24 4:15	7.6	91	8.2	176	24.3	56	
8/2/24 4:30	7.6	91	8.1	176	24.3	66	
8/2/24 4:45	7.6	91	8.1	176	24.2	74	
8/2/24 5:00	7.6	91	8.1	176	24.2	85	
8/2/24 5:15	7.6	91	8.1	176	24.1	99	
8/2/24 5:30	7.6	91	8.1	176	24.1	108	
8/2/24 5:45	7.6	91	8.1	176	24.0	118	
8/2/24 6:00	7.6	91	8.1	176	24.0	125	
8/2/24 6:15	7.6	91	8.1	176	24.0	135	
8/2/24 6:30	7.6	91	8.1	175	23.9	138	
8/2/24 6:45	7.6	91	8.0	175	23.9	145	
8/2/24 7:00	7.6	90	8.0	175	23.9	146	
8/2/24 7:15	7.6	90	8.0	174	23.8	148	
8/2/24 7:30	7.6	90	8.0	174	23.8	151	
8/2/24 7:45	7.7	90	8.0	174	23.7	150	
8/2/24 8:00	7.7	91	8.0	173	23.7	150	
8/2/24 8:15	7.7	91	8.0	173	23.7	148	
8/2/24 8:30	7.7	91	8.0	173	23.6	148	
8/2/24 8:45	7.7	91	8.0	173	23.6	146	
8/2/24 9:00	7.7	91	8.0	172	23.6	142	
8/2/24 9:15	7.7	91	8.0	172	23.7	141	
8/2/24 9:30	7.7	92	8.0	172	23.7	138	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 9:45	7.8	92	8.1	172	23.8	134	
8/2/24 10:00	7.8	92	8.1	172	23.9	130	
8/2/24 10:15	7.8	92	8.1	172	23.9	127	
8/2/24 10:30	7.8	93	8.1	172	24.0	124	
8/2/24 10:45	7.8	93	8.1	172	24.1	122	
8/2/24 11:00	7.8	93	8.1	172	24.3	119	
8/2/24 11:15	7.8	94	8.1	172	24.4	116	
8/2/24 11:30	7.8	94	8.1	172	24.5	112	
8/2/24 11:45	7.8	94	8.1	172	24.6	112	
8/2/24 12:00	7.8	94	8.1	172	24.8	105	
8/2/24 12:15	7.8	95	8.1	173	24.9	104	
8/2/24 12:30	7.8	95	8.1	173	25.0	102	
8/2/24 12:45	7.8	95	8.1	173	25.1	100	
8/2/24 13:00	7.9	96	8.1	173	25.2	97	
8/2/24 13:15	7.9	96	8.1	173	25.4	94	
8/2/24 13:30	7.9	96	8.1	173	25.5	93	
8/2/24 13:45	7.9	96	8.1	174	25.6	89	
8/2/24 14:00	7.9	96	8.1	174	25.7	90	
8/2/24 14:15	7.9	97	8.1	174	25.8	87	
8/2/24 14:30	7.9	97	8.1	174	25.8	89	
8/2/24 14:45	7.9	97	8.1	175	25.9	83	
8/2/24 15:00	7.9	97	8.1	175	26.0	83	
8/2/24 15:15	7.9	97	8.2	175	26.1	82	
8/2/24 15:30	7.9	97	8.2	175	26.1	80	
8/2/24 15:45	7.9	97	8.2	176	26.2	79	
8/2/24 16:00	7.8	97	8.2	176	26.3	80	
8/2/24 16:15	7.8	97	8.2	176	26.3	77	
8/2/24 16:30	7.8	97	8.2	177	26.4	78	
8/2/24 16:45	7.8	97	8.2	177	26.4	77	
8/2/24 17:00	7.8	97	8.2	177	26.4	76	
8/2/24 17:15	7.8	97	8.2	177	26.4	77	
8/2/24 17:30	7.8	96	8.2	177	26.4	76	
8/2/24 17:45	7.7	96	8.2	178	26.3	74	
8/2/24 18:00	7.7	95	8.2	178	26.3	74	
8/2/24 18:15	7.7	95	8.2	178	26.2	75	
8/2/24 18:30	7.7	95	8.2	178	26.2	74	
8/2/24 18:45	7.7	94	8.2	178	26.1	74	
8/2/24 19:00	7.6	94	8.2	178	26.0	75	
8/2/24 19:15	7.6	94	8.2	178	26.0	74	
8/2/24 19:30	7.6	94	8.2	178	25.9	74	
8/2/24 19:45	7.6	94	8.2	178	25.9	73	
8/2/24 20:00	7.6	93	8.2	179	25.8	74	
8/2/24 20:15	7.6	93	8.2	179	25.7	75	
8/2/24 20:30	7.6	93	8.2	179	25.6	71	
8/2/24 20:45	7.6	93	8.2	178	25.5	76	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 21:00	7.6	93	8.1	178	25.5	73	
8/2/24 21:15	7.6	93	8.1	178	25.4	75	
8/2/24 21:30	7.6	92	8.1	178	25.4	76	
8/2/24 21:45	7.6	92	8.1	178	25.4	76	
8/2/24 22:00	7.6	92	8.1	178	25.3	76	
8/2/24 22:15	7.6	92	8.1	178	25.3	76	
8/2/24 22:30	7.6	92	8.1	178	25.2	76	
8/2/24 22:45	7.6	92	8.1	178	25.2	77	
8/2/24 23:00	7.6	92	8.1	178	25.2	77	
8/2/24 23:15	7.6	92	8.1	178	25.1	79	
8/2/24 23:30	7.6	92	8.1	177	25.1	80	
8/2/24 23:45	7.6	92	8.1	177	25.0	82	
8/3/24 0:00	7.6	92	8.1	177	25.0	81	
8/3/24 0:15	7.6	92	8.1	177	25.0	84	
8/3/24 0:30	7.6	92	8.1	177	24.9	85	
8/3/24 0:45	7.6	92	8.1	177	24.9	90	
8/3/24 1:00	7.6	92	8.1	177	24.9	90	
8/3/24 1:15	7.6	91	8.1	177	24.9	90	
8/3/24 1:30	7.6	91	8.1	177	24.8	90	
8/3/24 1:45	7.6	91	8.1	177	24.8	94	
8/3/24 2:00	7.6	91	8.1	177	24.8	95	
8/3/24 2:15	7.6	91	8.1	177	24.8	95	
8/3/24 2:30	7.6	91	8.1	177	24.7	99	
8/3/24 2:45	7.6	91	8.1	177	24.7	99	
8/3/24 3:00	7.6	91	8.1	177	24.6	99	
8/3/24 3:15	7.6	91	8.1	177	24.6	101	
8/3/24 3:30	7.6	91	8.1	177	24.5	100	
8/3/24 3:45	7.6	91	8.1	177	24.5	101	
8/3/24 4:00	7.6	91	8.1	177	24.4	100	
8/3/24 4:15	7.7	92	8.1	177	24.3	101	
8/3/24 4:30	7.7	92	8.1	177	24.3	100	
8/3/24 4:45	7.7	92	8.1	177	24.2	100	
8/3/24 5:00	7.7	92	8.1	177	24.2	102	
8/3/24 5:15	7.7	92	8.1	177	24.1	101	
8/3/24 5:30	7.7	92	8.1	177	24.1	98	
8/3/24 5:45	7.7	92	8.1	177	24.1	99	
8/3/24 6:00	7.7	92	8.1	177	24.0	100	
8/3/24 6:15	7.7	92	8.1	177	24.0	99	
8/3/24 6:30	7.7	92	8.1	177	24.0	99	
8/3/24 6:45	7.7	92	8.1	177	24.0	98	
8/3/24 7:00	7.7	92	8.1	177	23.9	96	
8/3/24 7:15	7.7	92	8.1	176	23.9	98	
8/3/24 7:30	7.7	92	8.1	176	23.9	98	
8/3/24 7:45	7.7	92	8.1	176	23.9	97	
8/3/24 8:00	7.7	92	8.1	176	23.9	95	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/3/24 8:15	7.7	92	8.1	176	23.9	96	
8/3/24 8:30	7.8	92	8.1	176	23.9	96	
8/3/24 8:45	7.8	92	8.1	176	23.9	94	
8/3/24 9:00	7.8	92	8.1	176	23.9	97	
8/3/24 9:15	7.8	92	8.1	176	23.9	95	
8/3/24 9:30	7.8	92	8.1	176	23.9	95	
8/3/24 9:45	7.8	92	8.1	176	23.9	96	
8/3/24 10:00	7.8	92	8.1	176	23.9	94	
8/3/24 10:15	7.8	93	8.1	176	23.9	92	
8/3/24 10:30	7.8	93	8.1	176	24.0	93	
8/3/24 10:45	7.8	93	8.1	176	24.0	92	
8/3/24 11:00	7.8	93	8.1	176	24.0	92	
8/3/24 11:15	7.8	93	8.1	176	24.1	89	
8/3/24 11:30	7.8	93	8.1	176	24.1	88	
8/3/24 11:45	7.8	94	8.1	176	24.1	88	
8/3/24 12:00	7.8	94	8.1	176	24.1	86	
8/3/24 12:15	7.8	94	8.1	176	24.2	88	
8/3/24 12:30	7.9	94	8.1	176	24.2	88	
8/3/24 12:45	7.9	94	8.1	176	24.2	86	
8/3/24 13:00	7.9	94	8.1	176	24.2	85	
8/3/24 13:15	7.9	94	8.1	176	24.3	85	
8/3/24 13:30	7.9	95	8.1	176	24.5	85	
8/3/24 13:45	7.9	95	8.1	176	24.5	81	
8/3/24 14:00	7.9	95	8.1	176	24.5	82	
8/3/24 14:15	7.9	95	8.1	177	24.7	81	
8/3/24 14:30	7.9	95	8.2	177	24.8	81	
8/3/24 14:45	7.9	95	8.2	177	24.9	80	
8/3/24 15:00	7.9	96	8.2	177	25.0	79	
8/3/24 15:15	7.9	96	8.2	177	25.1	82	
8/3/24 15:30	7.9	96	8.2	177	25.2	77	
8/3/24 15:45	7.9	96	8.2	177	25.2	77	
8/3/24 16:00	7.9	96	8.2	177	25.3	80	
8/3/24 16:15	7.9	96	8.2	177	25.4	78	
8/3/24 16:30	7.8	96	8.1	177	25.5	79	
8/3/24 16:45	7.8	96	8.2	177	25.5	78	
8/3/24 17:00	7.8	96	8.2	177	25.5	75	
8/3/24 17:15	7.8	95	8.2	177	25.5	78	
8/3/24 17:30	7.8	95	8.2	177	25.4	78	
8/3/24 17:45	7.8	95	8.2	177	25.4	78	
8/3/24 18:00	7.8	95	8.2	177	25.4	76	
8/3/24 18:15	7.8	94	8.2	177	25.4	78	
8/3/24 18:30	7.7	94	8.2	178	25.3	77	
8/3/24 18:45	7.7	94	8.2	178	25.3	79	
8/3/24 19:00	7.7	94	8.2	178	25.3	78	
8/3/24 19:15	7.7	94	8.2	178	25.2	79	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/3/24 19:30	7.7	94	8.2	178	25.2	79	
8/3/24 19:45	7.7	93	8.2	178	25.1	79	
8/3/24 20:00	7.7	93	8.2	178	25.0	80	
8/3/24 20:15	7.7	93	8.2	178	25.0	78	
8/3/24 20:30	7.7	93	8.1	178	24.9	80	
8/3/24 20:45	7.7	93	8.1	178	24.9	80	
8/3/24 21:00	7.7	93	8.2	178	24.8	80	
8/3/24 21:15	7.7	93	8.1	178	24.7	80	
8/3/24 21:30	7.7	93	8.2	178	24.7	78	
8/3/24 21:45	7.7	93	8.1	178	24.7	79	
8/3/24 22:00	7.7	92	8.2	178	24.6	79	
8/3/24 22:15	7.7	92	8.1	178	24.6	80	
8/3/24 22:30	7.7	92	8.1	177	24.6	79	
8/3/24 22:45	7.7	92	8.1	177	24.6	80	
8/3/24 23:00	7.7	92	8.1	177	24.5	80	
8/3/24 23:15	7.7	92	8.1	177	24.5	80	
8/3/24 23:30	7.7	92	8.1	177	24.5	82	
8/3/24 23:45	7.7	92	8.1	177	24.4	83	
8/4/24 0:00	7.7	92	8.1	177	24.4	86	
8/4/24 0:15	7.7	92	8.1	177	24.4	86	
8/4/24 0:30	7.7	92	8.1	177	24.3	90	
8/4/24 0:45	7.7	92	8.1	177	24.3	94	
8/4/24 1:00	7.7	92	8.1	177	24.2	94	
8/4/24 1:15	7.7	92	8.1	177	24.2	97	
8/4/24 1:30	7.7	92	8.1	177	24.1	99	
8/4/24 1:45	7.7	92	8.1	177	24.1	103	
8/4/24 2:00	7.7	92	8.1	177	24.0	107	
8/4/24 2:15	7.7	92	8.1	177	23.9	106	
8/4/24 2:30	7.8	92	8.1	177	23.9	107	
8/4/24 2:45	7.8	92	8.1	177	23.8	111	
8/4/24 3:00	7.8	92	8.1	177	23.8	108	
8/4/24 3:15	7.8	92	8.1	177	23.7	110	
8/4/24 3:30	7.8	92	8.1	177	23.7	107	
8/4/24 3:45	7.8	92	8.1	177	23.6	106	
8/4/24 4:00	7.8	92	8.1	177	23.6	108	
8/4/24 4:15	7.8	92	8.1	177	23.5	104	
8/4/24 4:30	7.8	92	8.1	177	23.5	103	
8/4/24 4:45	7.8	92	8.1	176	23.4	103	
8/4/24 5:00	7.8	92	8.1	176	23.4	103	
8/4/24 5:15	7.8	92	8.1	176	23.3	101	
8/4/24 5:30	7.8	92	8.1	176	23.3	98	
8/4/24 5:45	7.8	92	8.1	176	23.2	97	
8/4/24 6:00	7.9	92	8.1	176	23.2	97	
8/4/24 6:15	7.9	92	8.1	176	23.2	96	
8/4/24 6:30	7.9	92	8.1	176	23.1	95	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 6:45	7.9	92	8.1	176	23.1	93	
8/4/24 7:00	7.9	92	8.1	176	23.0	94	
8/4/24 7:15	7.9	92	8.1	176	23.0	94	
8/4/24 7:30	7.9	92	8.1	175	22.9	92	
8/4/24 7:45	7.9	92	8.1	175	22.9	91	
8/4/24 8:00	7.9	92	8.1	175	22.8	89	
8/4/24 8:15	7.9	92	8.1	175	22.8	91	
8/4/24 8:30	8.0	92	8.1	175	22.8	90	
8/4/24 8:45	8.0	92	8.1	174	22.7	91	
8/4/24 9:00	8.0	93	8.1	174	22.7	89	
8/4/24 9:15	8.0	93	8.1	174	22.8	91	
8/4/24 9:30	8.0	93	8.1	174	22.8	91	
8/4/24 9:45	8.0	93	8.1	174	22.9	90	
8/4/24 10:00	8.0	93	8.1	174	22.9	89	
8/4/24 10:15	8.0	93	8.1	174	23.0	90	
8/4/24 10:30	8.0	94	8.1	173	23.1	92	
8/4/24 10:45	8.0	94	8.1	173	23.2	90	
8/4/24 11:00	8.0	94	8.1	173	23.3	92	
8/4/24 11:15	8.0	94	8.1	173	23.5	91	
8/4/24 11:30	8.0	94	8.1	173	23.6	91	
8/4/24 11:45	8.0	95	8.1	173	23.8	90	
8/4/24 12:00	8.0	95	8.1	173	23.9	90	
8/4/24 12:15	8.0	95	8.1	173	24.1	87	
8/4/24 12:30	8.0	95	8.1	173	24.2	92	
8/4/24 12:45	8.0	95	8.1	173	24.3	93	
8/4/24 13:00	8.0	96	8.1	173	24.5	95	
8/4/24 13:15	8.0	96	8.1	173	24.6	98	
8/4/24 13:30	8.0	96	8.1	173	24.7	93	
8/4/24 13:45	7.9	96	8.1	173	24.8	95	
8/4/24 14:00	7.9	96	8.1	173	24.9	96	
8/4/24 14:15	7.9	96	8.1	173	25.0	94	
8/4/24 14:30	7.9	96	8.1	173	25.1	97	
8/4/24 14:45	7.9	96	8.1	173	25.2	94	
8/4/24 15:00	7.9	96	8.1	173	25.2	93	
8/4/24 15:15	7.9	96	8.1	173	25.3	94	
8/4/24 15:30	7.8	96	8.1	173	25.3	96	
8/4/24 15:45	7.8	95	8.2	173	25.3	96	
8/4/24 16:00	7.8	95	8.2	173	25.3	97	
8/4/24 16:15	7.8	95	8.2	174	25.4	95	
8/4/24 16:30	7.8	95	8.1	174	25.5	98	
8/4/24 16:45	7.8	95	8.1	174	25.6	96	
8/4/24 17:00	7.8	95	8.1	174	25.6	95	
8/4/24 17:15	7.8	95	8.1	174	25.6	97	
8/4/24 17:30	7.7	95	8.1	174	25.6	98	
8/4/24 17:45	7.7	95	8.1	175	25.5	97	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 18:00	7.7	94	8.1	175	25.5	100	
8/4/24 18:15	7.7	94	8.1	175	25.4	99	
8/4/24 18:30	7.7	94	8.1	175	25.4	100	
8/4/24 18:45	7.7	94	8.2	175	25.3	99	
8/4/24 19:00	7.7	94	8.2	175	25.2	99	
8/4/24 19:15	7.7	93	8.2	176	25.2	101	
8/4/24 19:30	7.7	93	8.1	176	25.1	102	
8/4/24 19:45	7.7	93	8.2	176	24.9	100	
8/4/24 20:00	7.7	93	8.1	176	24.8	102	
8/4/24 20:15	7.7	93	8.1	176	24.7	101	
8/4/24 20:30	7.7	93	8.2	176	24.6	102	
8/4/24 20:45	7.7	93	8.1	176	24.5	103	
8/4/24 21:00	7.7	93	8.2	176	24.5	104	
8/4/24 21:15	7.7	92	8.2	176	24.4	102	
8/4/24 21:30	7.7	92	8.2	176	24.3	101	
8/4/24 21:45	7.7	92	8.2	176	24.3	102	
8/4/24 22:00	7.7	92	8.1	176	24.2	100	
8/4/24 22:15	7.7	92	8.2	176	24.2	102	
8/4/24 22:30	7.7	92	8.2	176	24.1	99	
8/4/24 22:45	7.8	92	8.2	176	24.0	99	
8/4/24 23:00	7.8	92	8.2	177	23.9	98	
8/4/24 23:15	7.8	92	8.2	177	23.9	98	
8/4/24 23:30	7.8	92	8.2	177	23.8	96	
8/4/24 23:45	7.8	92	8.2	177	23.7	97	
8/5/24 0:00	7.8	92	8.2	177	23.7	96	
8/5/24 0:15	7.8	92	8.2	176	23.7	95	
8/5/24 0:30	7.8	92	8.2	176	23.6	96	
8/5/24 0:45	7.8	92	8.2	176	23.6	95	
8/5/24 1:00	7.8	92	8.2	176	23.6	94	
8/5/24 1:15	7.8	92	8.2	176	23.6	95	
8/5/24 1:30	7.8	92	8.2	176	23.5	95	
8/5/24 1:45	7.8	92	8.2	176	23.5	94	
8/5/24 2:00	7.8	92	8.2	176	23.5	94	
8/5/24 2:15	7.8	92	8.1	176	23.4	94	
8/5/24 2:30	7.8	92	8.2	176	23.4	93	
8/5/24 2:45	7.8	92	8.2	176	23.3	94	
8/5/24 3:00	7.8	92	8.2	176	23.3	94	
8/5/24 3:15	7.8	92	8.2	176	23.2	92	
8/5/24 3:30	7.9	92	8.2	176	23.2	94	
8/5/24 3:45	7.9	92	8.2	176	23.1	96	
8/5/24 4:00	7.9	92	8.2	176	23.1	95	
8/5/24 4:15	7.9	92	8.2	176	23.0	97	
8/5/24 4:30	7.9	92	8.1	176	22.9	96	
8/5/24 4:45	7.9	92	8.2	176	22.9	95	
8/5/24 5:00	7.9	92	8.2	175	22.9	96	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 5:15	7.9	92	8.1	175	22.8	98	
8/5/24 5:30	7.9	92	8.1	175	22.8	96	
8/5/24 5:45	7.9	92	8.1	175	22.8	98	
8/5/24 6:00	7.9	92	8.1	175	22.8	97	
8/5/24 6:15	7.9	92	8.1	175	22.7	99	
8/5/24 6:30	7.9	92	8.1	175	22.7	97	
8/5/24 6:45	7.9	92	8.1	175	22.7	98	
8/5/24 7:00	7.9	92	8.1	175	22.6	98	
8/5/24 7:15	7.9	92	8.1	175	22.6	95	
8/5/24 7:30	7.9	92	8.1	175	22.6	97	
8/5/24 7:45	8.0	92	8.1	175	22.6	98	
8/5/24 8:00	8.0	92	8.1	175	22.5	95	
8/5/24 8:15	8.0	92	8.1	175	22.5	95	
8/5/24 8:30	8.0	92	8.1	175	22.4	97	
8/5/24 8:45	8.0	92	8.1	175	22.4	95	
8/5/24 9:00	8.0	92	8.1	175	22.4	96	
8/5/24 9:15	8.0	93	8.1	175	22.4	96	
8/5/24 9:30	8.0	93	8.1	175	22.5	96	
8/5/24 9:45	8.1	93	8.1	175	22.5	93	
8/5/24 10:00	8.1	93	8.1	175	22.6	93	
8/5/24 10:15	8.1	93	8.1	175	22.7	95	
8/5/24 10:30	8.1	94	8.1	175	22.8	96	
8/5/24 10:45	8.1	94	8.1	175	22.8	95	
8/5/24 11:00	8.1	94	8.1	175	23.0	96	
8/5/24 11:15	8.1	94	8.2	175	23.1	95	
8/5/24 11:30	8.1	94	8.2	175	23.2	98	
8/5/24 11:45	8.1	95	8.2	175	23.4	98	
8/5/24 12:00	8.1	95	8.2	175	23.5	98	
8/5/24 12:15	8.0	95	8.2	175	23.7	99	
8/5/24 12:30	8.0	95	8.2	175	23.8	99	
8/5/24 12:45	8.0	95	8.2	175	23.9	98	
8/5/24 13:00	8.0	95	8.2	175	24.1	100	
8/5/24 13:15	8.0	96	8.2	175	24.2	101	
8/5/24 13:30	8.0	96	8.2	175	24.3	99	
8/5/24 13:45	8.0	96	8.2	175	24.4	100	
8/5/24 14:00	8.0	96	8.2	175	24.5	99	
8/5/24 14:15	8.0	96	8.2	175	24.6	99	
8/5/24 14:30	8.0	96	8.2	175	24.7	98	
8/5/24 14:45	8.0	96	8.2	175	24.8	97	
8/5/24 15:00	8.0	96	8.2	175	24.9	92	
8/5/24 15:15	7.9	96	8.2	175	24.9	97	
8/5/24 15:30	7.9	96	8.2	175	25.0	98	
8/5/24 15:45	7.9	96	8.2	175	25.0	96	
8/5/24 16:00	7.9	96	8.2	175	25.1	96	
8/5/24 16:15	7.9	96	8.2	175	25.1	96	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 16:30	7.9	96	8.2	175	25.2	94	
8/5/24 16:45	7.9	96	8.2	175	25.2	94	
8/5/24 17:00	7.8	95	8.2	175	25.2	94	
8/5/24 17:15	7.8	95	8.2	175	25.2	94	
8/5/24 17:30	7.8	95	8.2	175	25.2	93	
8/5/24 17:45	7.8	95	8.2	175	25.1	92	
8/5/24 18:00	7.8	94	8.2	175	25.1	95	
8/5/24 18:15	7.8	94	8.2	175	25.0	93	
8/5/24 18:30	7.8	94	8.2	175	25.0	91	
8/5/24 18:45	7.8	94	8.2	175	25.0	93	
8/5/24 19:00	7.8	94	8.2	175	24.9	90	
8/5/24 19:15	7.8	94	8.2	175	24.9	92	
8/5/24 19:30	7.8	94	8.2	175	24.8	91	
8/5/24 19:45	7.7	93	8.2	175	24.7	92	
8/5/24 20:00	7.8	93	8.2	175	24.6	92	
8/5/24 20:15	7.8	93	8.2	175	24.6	93	
8/5/24 20:30	7.7	93	8.2	175	24.5	90	
8/5/24 20:45	7.7	93	8.2	175	24.5	91	
8/5/24 21:00	7.7	93	8.2	175	24.4	91	
8/5/24 21:15	7.8	93	8.2	175	24.4	92	
8/5/24 21:30	7.7	93	8.2	175	24.3	92	
8/5/24 21:45	7.7	92	8.2	175	24.3	92	
8/5/24 22:00	7.8	93	8.2	175	24.3	91	
8/5/24 22:15	7.7	92	8.1	175	24.2		
8/5/24 22:30	7.7	92	8.2	175	24.2	90	
8/5/24 22:45	7.7	92	8.2	175	24.1	91	
8/5/24 23:00	7.7	92	8.2	175	24.1	90	
8/5/24 23:15	7.8	92	8.2	176	24.0	89	
8/5/24 23:30	7.8	92	8.2	176	24.0		
8/5/24 23:45	7.8	92	8.2	176	24.0	90	
8/6/24 0:00	7.8	92	8.2	176	23.9	89	
8/6/24 0:15	7.8	92	8.2	176	23.9	90	
8/6/24 0:30	7.8	92	8.2	176	23.8	88	
8/6/24 0:45	7.8	92	8.2	176	23.8	87	
8/6/24 1:00	7.8	92	8.2	176	23.8	88	
8/6/24 1:15	7.8	92	8.2	176	23.8	87	
8/6/24 1:30	7.8	92	8.2	176	23.7	87	
8/6/24 1:45	7.8	92	8.2	176	23.7	87	
8/6/24 2:00	7.8	92	8.2	176	23.7	89	
8/6/24 2:15	7.8	92	8.2	176	23.6	89	
8/6/24 2:30	7.8	92	8.2	176	23.6	89	
8/6/24 2:45	7.8	92	8.2	176	23.6	89	
8/6/24 3:00	7.8	92	8.2	176	23.5	89	
8/6/24 3:15	7.8	92	8.2	176	23.5	89	
8/6/24 3:30	7.8	92	8.2	176	23.4	89	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 3:45	7.8	92	8.2	176	23.4	88	
8/6/24 4:00	7.8	92	8.2	176	23.3	87	
8/6/24 4:15	7.9	92	8.2	176	23.3	88	
8/6/24 4:30	7.9	92	8.1	176	23.2	89	
8/6/24 4:45	7.9	92	8.2	175	23.2	88	
8/6/24 5:00	7.9	92	8.1	175	23.2	90	
8/6/24 5:15	7.9	92	8.1	175	23.1	92	
8/6/24 5:30	7.9	92	8.1	175	23.1	88	
8/6/24 5:45	7.9	92	8.1	175	23.1	90	
8/6/24 6:00	7.9	92	8.1	175	23.0	90	
8/6/24 6:15	7.9	92	8.1	175	23.0	89	
8/6/24 6:30	7.9	92	8.1	175	22.9	88	
8/6/24 6:45	7.9	92	8.1	175	22.9	89	
8/6/24 7:00	7.9	92	8.1	175	22.9	89	
8/6/24 7:15	7.9	92	8.1	175	22.9	91	
8/6/24 7:30	7.9	92	8.1	175	22.8	89	
8/6/24 7:45	8.0	92	8.1	175	22.8	89	
8/6/24 8:00	8.0	92	8.1	175	22.8	90	
8/6/24 8:15	8.0	92	8.1	175	22.7	87	
8/6/24 8:30	8.0	93	8.1	175	22.7	88	
8/6/24 8:45	8.0	93	8.1	176	22.7	89	
8/6/24 9:00	8.0	93	8.1	176	22.7	86	
8/6/24 9:15	8.0	93	8.1	176	22.7	88	
8/6/24 9:30	8.0	93	8.1	176	22.8	86	
8/6/24 9:45	8.0	93	8.2	176	22.8	87	
8/6/24 10:00	8.0	94	8.1	176	22.9	85	
8/6/24 10:15	8.1	94	8.2	176	23.0	86	
8/6/24 10:30	8.1	94	8.2	177	23.1	87	
8/6/24 10:45	8.1	94	8.2	177	23.2	84	
8/6/24 11:00	8.1	94	8.2	177	23.3	85	
8/6/24 11:15	8.1	95	8.2	177	23.5	87	
8/6/24 11:30	8.1	95	8.2	177	23.6	84	
8/6/24 11:45	8.1	95	8.2	178	23.8	84	
8/6/24 12:00	8.0	95	8.2	178	23.9	83	
8/6/24 12:15	8.0	96	8.2	178	24.1	84	
8/6/24 12:30	8.0	96	8.2	178	24.3	84	
8/6/24 12:45	8.0	96	8.2	178	24.4	84	
8/6/24 13:00	8.0	96	8.2	178	24.6	83	
8/6/24 13:15	8.0	96	8.2	178	24.7	84	
8/6/24 13:30	8.0	96	8.2	178	24.8	83	
8/6/24 13:45	8.0	97	8.2	178	25.0	82	
8/6/24 14:00	8.0	97	8.2	178	25.1	83	
8/6/24 14:15	7.9	97	8.2	178	25.3	83	
8/6/24 14:30	7.9	97	8.2	178	25.4	82	
8/6/24 14:45	7.9	97	8.2	178	25.5	82	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 15:00	7.9	97	8.2	178	25.6	83	
8/6/24 15:15	7.9	97	8.2	178	25.7	83	
8/6/24 15:30	7.9	97	8.2	178	25.8	82	
8/6/24 15:45	7.8	96	8.2	178	25.9	81	
8/6/24 16:00	7.8	96	8.2	178	26.0	83	
8/6/24 16:15	7.8	96	8.2	178	26.0	81	
8/6/24 16:30	7.8	96	8.2	178	26.1	81	
8/6/24 16:45	7.8	96	8.2	178	26.1	82	
8/6/24 17:00	7.8	96	8.2	178	26.1	81	
8/6/24 17:15	7.7	96	8.2	178	26.1	82	
8/6/24 17:30	7.7	95	8.2	178	26.1	82	
8/6/24 17:45	7.7	95	8.2	178	26.0	83	
8/6/24 18:00	7.7	95	8.2	178	26.0	83	
8/6/24 18:15	7.7	94	8.2	178	25.9	81	
8/6/24 18:30	7.7	94	8.2	178	25.9	82	
8/6/24 18:45	7.7	94	8.2	178	25.8	82	
8/6/24 19:00	7.7	94	8.2	178	25.7	82	
8/6/24 19:15	7.7	94	8.2	178	25.6	82	
8/6/24 19:30	7.7	94	8.2	178	25.6	82	
8/6/24 19:45	7.7	93	8.2	178	25.5	81	
8/6/24 20:00	7.7	93	8.2	178	25.4	82	
8/6/24 20:15	7.7	93	8.2	178	25.3	83	
8/6/24 20:30	7.7	93	8.2	178	25.3	84	
8/6/24 20:45	7.7	93	8.2	178	25.2	83	
8/6/24 21:00	7.7	93	8.2	178	25.2	82	
8/6/24 21:15	7.7	93	8.2	178	25.1	82	
8/6/24 21:30	7.7	93	8.2	178	25.0	81	
8/6/24 21:45	7.7	93	8.2	178	25.0	81	
8/6/24 22:00	7.7	93	8.2	177	24.9	83	
8/6/24 22:15	7.7	93	8.2	177	24.9	83	
8/6/24 22:30	7.7	93	8.2	177	24.8	84	
8/6/24 22:45	7.7	92	8.2	177	24.8	82	
8/6/24 23:00	7.7	92	8.2	177	24.7	81	
8/6/24 23:15	7.7	92	8.2	177	24.7	84	
8/6/24 23:30	7.7	92	8.2	177	24.6	82	
8/6/24 23:45	7.7	92	8.2	177	24.6	80	
8/7/24 0:00	7.7	92	8.2	177	24.5	81	
8/7/24 0:15	7.7	92	8.2	177	24.5	80	
8/7/24 0:30	7.7	92	8.2	176	24.4	80	
8/7/24 0:45	7.7	92	8.2	176	24.4	80	
8/7/24 1:00	7.7	92	8.2	176	24.4	79	
8/7/24 1:15	7.7	92	8.2	176	24.3	80	
8/7/24 1:30	7.7	92	8.2	176	24.3	77	
8/7/24 1:45	7.7	92	8.2	176	24.2	80	
8/7/24 2:00	7.7	92	8.2	176	24.2	79	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/7/24 2:15	7.7	92	8.2	176	24.2	78	
8/7/24 2:30	7.7	92	8.2	176	24.1	79	
8/7/24 2:45	7.8	92	8.2	176	24.1	78	
8/7/24 3:00	7.8	92	8.2	176	24.1	78	
8/7/24 3:15	7.8	92	8.2	176	24.0	79	
8/7/24 3:30	7.8	92	8.2	176	24.0	77	
8/7/24 3:45	7.8	92	8.2	176	23.9	78	
8/7/24 4:00	7.8	92	8.2	175	23.9	78	
8/7/24 4:15	7.8	92	8.2	175	23.8	80	
8/7/24 4:30	7.8	92	8.2	175	23.8	78	
8/7/24 4:45	7.8	92	8.2	175	23.7	78	
8/7/24 5:00	7.8	92	8.2	175	23.7	78	
8/7/24 5:15	7.8	92	8.2	175	23.6	79	
8/7/24 5:30	7.8	92	8.2	175	23.6	81	
8/7/24 5:45	7.8	92	8.2	175	23.5	79	
8/7/24 6:00	7.8	92	8.2	175	23.4	80	
8/7/24 6:15	7.9	92	8.2	174	23.4	79	
8/7/24 6:30	7.9	92	8.2	174	23.3	79	
8/7/24 6:45	7.9	92	8.1	174	23.2	80	
8/7/24 7:00	7.9	92	8.2	174	23.2	79	
8/7/24 7:15	7.9	92	8.2	174	23.1	78	
8/7/24 7:30	7.9	92	8.2	174	23.1	78	
8/7/24 7:45	7.9	93	8.1	174	23.0	78	
8/7/24 8:00	7.9	92	8.2	174	23.0	80	
8/7/24 8:15	7.9	92	8.1	174	22.9	78	
8/7/24 8:30	8.0	93	8.1	174	22.9	78	
8/7/24 8:45	8.0	93	8.2	174	22.9	79	
8/7/24 9:00	8.0	93	8.2	173	22.9	78	
8/7/24 9:15	8.0	93	8.2	173	22.9	79	
8/7/24 9:30	8.0	93	8.2	173	23.0	80	
8/7/24 9:45	8.0	93	8.2	173	23.0	78	
8/7/24 10:00	8.0	94	8.2	173	23.1	78	
8/7/24 10:15	8.0	94	8.2	173	23.2	78	
8/7/24 10:30	8.0	94	8.2	173	23.3	79	
8/7/24 10:45	8.0	94	8.2	173	23.4	78	
8/7/24 11:00	8.0	94	8.2	173	23.5	79	
8/7/24 11:15	8.0	95	8.2	173	23.6	79	
8/7/24 11:30	8.0	95	8.2	173	23.7	80	
8/7/24 11:45	8.0	95	8.2	173	23.9	78	
8/7/24 12:00	8.0	95	8.2	173	24.0	79	
8/7/24 12:15	8.0	95	8.2	173	24.1	80	
8/7/24 12:30	8.0	96	8.2	173	24.2	79	
8/7/24 12:45	8.0	96	8.2	173	24.4	79	
8/7/24 13:00	8.0	96	8.2	173	24.5	78	
8/7/24 13:15	8.0	96	8.2	173	24.7	79	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/7/24 13:30	8.0	96	8.2	173	24.8	80	
8/7/24 13:45	8.0	96	8.2	173	25.0	79	
8/7/24 14:00	8.0	96	8.2	173	25.1	79	
8/7/24 14:15	7.9	96	8.2	173	25.2	79	
8/7/24 14:30	7.9	96	8.2	173	25.3	80	
8/7/24 14:45	7.9	96	8.2	174	25.4	78	
8/7/24 15:00	7.9	96	8.2	174	25.5	78	
8/7/24 15:15	7.9	96	8.2	174	25.5	78	
8/7/24 15:30	7.9	96	8.2	174	25.6	79	
8/7/24 15:45	7.9	96	8.2	174	25.6	79	
8/7/24 16:00	7.8	96	8.2	174	25.6	76	
8/7/24 16:15	7.8	96	8.2	174	25.6	79	
8/7/24 16:30	7.8	96	8.2	174	25.7	79	
8/7/24 16:45	7.8	96	8.2	174	25.7	76	
8/7/24 17:00	7.8	96	8.2	174	25.7	75	
8/7/24 17:15	7.8	96	8.2	174	25.7	76	
8/7/24 17:30	7.8	95	8.2	175	25.7	77	
8/7/24 17:45	7.8	95	8.2	175	25.7	76	
8/7/24 18:00	7.7	95	8.2	175	25.6	75	
8/7/24 18:15	7.7	95	8.2	175	25.6	76	
8/7/24 18:30	7.7	94	8.2	175	25.6	74	
8/7/24 18:45	7.7	94	8.2	175	25.6	74	
8/7/24 19:00	7.7	94	8.2	175	25.5	76	
8/7/24 19:15	7.7	94	8.2	175	25.5	77	
8/7/24 19:30	7.7	94	8.2	175	25.4	74	
8/7/24 19:45	7.7	94	8.2	175	25.3	76	
8/7/24 20:00	7.7	93	8.2	175	25.3	75	
8/7/24 20:15	7.7	93	8.2	175	25.2	75	
8/7/24 20:30	7.7	93	8.2	174	25.1	74	
8/7/24 20:45	7.7	93	8.2	174	25.1	75	
8/7/24 21:00	7.7	93	8.2	174	25.0	75	
8/7/24 21:15	7.7	93	8.2	174	25.0	75	
8/7/24 21:30	7.7	93	8.2	174	24.9	74	
8/7/24 21:45	7.7	93	8.2	174	24.9	74	
8/7/24 22:00	7.7	93	8.2	174	24.8	75	
8/7/24 22:15	7.7	93	8.2	174	24.8	74	
8/7/24 22:30	7.7	93	8.2	174	24.7	75	
8/7/24 22:45	7.7	92	8.2	174	24.7	75	
8/7/24 23:00	7.7	92	8.2	174	24.6	73	
8/7/24 23:15	7.7	92	8.2	174	24.6	76	
8/7/24 23:30	7.7	92	8.2	174	24.5	72	
8/7/24 23:45	7.7	92	8.2	174	24.4	72	
8/8/24 0:00	7.7	92	8.2	174	24.4	73	
8/8/24 0:15	7.7	92	8.2	174	24.3	73	
8/8/24 0:30	7.7	92	8.2	174	24.3	73	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/8/24 0:45	7.7	92	8.2	174	24.2	72	
8/8/24 1:00	7.7	92	8.2	174	24.2	74	
8/8/24 1:15	7.7	92	8.2	174	24.2	70	
8/8/24 1:30	7.7	92	8.2	174	24.1	71	
8/8/24 1:45	7.8	92	8.2	174	24.1	72	
8/8/24 2:00	7.8	92	8.2	174	24.0	71	
8/8/24 2:15	7.8	92	8.2	174	24.0	72	
8/8/24 2:30	7.8	92	8.2	174	24.0	73	
8/8/24 2:45	7.8	92	8.2	174	23.9	72	
8/8/24 3:00	7.8	92	8.2	174	23.9	72	
8/8/24 3:15	7.8	92	8.2	174	23.9	71	
8/8/24 3:30	7.8	92	8.2	174	23.8	72	
8/8/24 3:45	7.8	92	8.2	174	23.8	73	
8/8/24 4:00	7.8	92	8.2	174	23.7	73	
8/8/24 4:15	7.8	92	8.2	173	23.7	74	
8/8/24 4:30	7.8	92	8.2	173	23.6	72	
8/8/24 4:45	7.8	92	8.2	173	23.6	72	
8/8/24 5:00	7.8	92	8.2	173	23.5	73	
8/8/24 5:15	7.8	92	8.2	173	23.5	72	
8/8/24 5:30	7.8	92	8.2	172	23.5	75	
8/8/24 5:45	7.8	92	8.2	172	23.4	72	
8/8/24 6:00	7.8	92	8.2	172	23.4	72	
8/8/24 6:15	7.9	92	8.2	172	23.3	72	
8/8/24 6:30	7.9	92	8.2	172	23.3	72	
8/8/24 6:45	7.9	92	8.1	171	23.2	72	
8/8/24 7:00	7.9	92	8.1	171	23.2	73	
8/8/24 7:15	7.9	92	8.1	171	23.1	73	
8/8/24 7:30	7.9	92	8.1	171	23.1	73	
8/8/24 7:45	7.9	92	8.1	171	23.1	72	
8/8/24 8:00	7.9	92	8.1	171	23.0	74	
8/8/24 8:15	7.9	92	8.1	171	23.0	74	
8/8/24 8:30	7.9	92	8.1	171	22.9	73	
8/8/24 8:45	8.0	93	8.1	171	22.9	74	
8/8/24 9:00	8.0	93	8.1	171	22.9	74	
8/8/24 9:15	8.0	93	8.1	171	22.9	74	
8/8/24 9:30	8.0	93	8.2	172	23.0	75	
8/8/24 9:45	8.0	93	8.2	172	23.0	75	
8/8/24 10:00	8.0	93	8.2	172	23.1	77	
8/8/24 10:15	8.0	94	8.2	172	23.2	75	
8/8/24 10:30	8.0	94	8.2	173	23.3		
8/8/24 10:45	8.0	94	8.2	173	23.4	76	
8/8/24 11:00	8.0	94	8.2	173	23.5	75	
8/8/24 11:15	8.0	95	8.2	173	23.6	75	
8/8/24 11:30	8.0	95	8.2	173	23.8	76	
8/8/24 11:45	8.0	95	8.2	173	23.9	76	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 12:00	8.0	95	8.2	174	24.0	74	
8/8/24 12:15	8.0	95	8.2	174	24.1	75	
8/8/24 12:30	8.0	96	8.2	174	24.2	76	
8/8/24 12:45	8.0	96	8.2	174	24.4	75	
8/8/24 13:00	8.0	96	8.2	174	24.5	76	
8/8/24 13:15	8.0	96	8.2	174	24.6	75	
8/8/24 13:30	8.0	96	8.2	174	24.7	75	
8/8/24 13:45	8.0	96	8.2	174	24.8	75	
8/8/24 14:00	8.0	96	8.2	174	24.9	75	
8/8/24 14:15	8.0	96	8.2	174	25.0	75	
8/8/24 14:30	8.0	96	8.2	175	25.1	75	
8/8/24 14:45	7.9	96	8.2	175	25.2	77	
8/8/24 15:00	7.9	96	8.2	175	25.3	74	
8/8/24 15:15	7.9	96	8.2	175	25.3	74	
8/8/24 15:30	7.9	96	8.2	175	25.4	75	
8/8/24 15:45	7.9	96	8.2	175	25.4	74	
8/8/24 16:00	7.9	96	8.2	174	25.4	76	
8/8/24 16:15	7.9	96	8.2	174	25.5	74	
8/8/24 16:30	7.9	96	8.2	174	25.5	75	
8/8/24 16:45	7.9	96	8.2	174	25.5	74	
8/8/24 17:00	7.8	96	8.2	174	25.5	73	
8/8/24 17:15	7.8	96	8.2	174	25.5	73	
8/8/24 17:30	7.8	95	8.2	174	25.4	75	
8/8/24 17:45	7.8	95	8.2	174	25.3	73	
8/8/24 18:00	7.8	95	8.2	174	25.2	73	
8/8/24 18:15	7.8	95	8.2	174	25.2		
8/8/24 18:30	7.8	95	8.2	174	25.1	73	
8/8/24 18:45	7.8	94	8.2	174	25.1	73	
8/8/24 19:00	7.8	94	8.2	174	25.0	73	
8/8/24 19:15	7.8	94	8.2	174	24.9	73	
8/8/24 19:30	7.8	94	8.2	174	24.8	72	
8/8/24 19:45	7.8	94	8.2	174	24.8	72	
8/8/24 20:00	7.8	94	8.2	174	24.7	70	
8/8/24 20:15	7.8	94	8.2	174	24.6	73	
8/8/24 20:30	7.8	93	8.2	174	24.5	73	
8/8/24 20:45	7.8	93	8.2	174	24.4	72	
8/8/24 21:00	7.8	93	8.2	174	24.4	71	
8/8/24 21:15	7.8	93	8.2	174	24.3	69	
8/8/24 21:30	7.8	93	8.2	174	24.2	69	
8/8/24 21:45	7.8	93	8.2	174	24.2	70	
8/8/24 22:00	7.8	93	8.2	174	24.1	69	
8/8/24 22:15	7.8	93	8.2	174	24.0	69	
8/8/24 22:30	7.8	93	8.2	174	24.0	68	
8/8/24 22:45	7.8	93	8.2	174	23.9	71	
8/8/24 23:00	7.8	92	8.2	173	23.9	68	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 23:15	7.8	93	8.2	173	23.8	68	
8/8/24 23:30	7.8	92	8.2	173	23.8	69	
8/8/24 23:45	7.8	92	8.2	173	23.8	69	
8/9/24 0:00	7.8	92	8.2	173	23.7	69	
8/9/24 0:15	7.8	92	8.2	173	23.7	70	
8/9/24 0:30	7.8	92	8.2	173	23.6	69	
8/9/24 0:45	7.8	92	8.2	173	23.6	69	
8/9/24 1:00	7.8	92	8.2	173	23.6	70	
8/9/24 1:15	7.8	92	8.2	172	23.6	69	
8/9/24 1:30	7.8	92	8.2	172	23.5	69	
8/9/24 1:45	7.8	92	8.2	172	23.5	69	
8/9/24 2:00	7.8	92	8.2	172	23.5	70	
8/9/24 2:15	7.8	92	8.2	172	23.4	68	
8/9/24 2:30	7.9	92	8.2	172	23.4	68	
8/9/24 2:45	7.9	92	8.2	172	23.3	70	
8/9/24 3:00	7.9	92	8.2	172	23.3	70	
8/9/24 3:15	7.9	92	8.2	172	23.2	69	
8/9/24 3:30	7.9	92	8.2	172	23.2	68	
8/9/24 3:45	7.9	92	8.2	172	23.1	68	
8/9/24 4:00	7.9	92	8.2	172	23.1	68	
8/9/24 4:15	7.9	92	8.2	172	23.0	68	
8/9/24 4:30	7.9	92	8.2	172	23.0	69	
8/9/24 4:45	7.9	92	8.2	172	22.9	69	
8/9/24 5:00	7.9	92	8.2	172	22.9	69	
8/9/24 5:15	7.9	92	8.2	172	22.9	69	
8/9/24 5:30	8.0	92	8.2	172	22.8	68	
8/9/24 5:45	8.0	92	8.2	172	22.8	71	
8/9/24 6:00	8.0	92	8.2	172	22.7	69	
8/9/24 6:15	8.0	92	8.2	172	22.7	70	
8/9/24 6:30	8.0	92	8.2	172	22.6	70	
8/9/24 6:45	8.0	92	8.2	172	22.6	69	
8/9/24 7:00	8.0	92	8.2	172	22.5	67	
8/9/24 7:15	8.0	92	8.2	172	22.5	68	
8/9/24 7:30	8.0	92	8.2	172	22.4	69	
8/9/24 7:45	8.0	93	8.2	172	22.4	69	
8/9/24 8:00	8.0	93	8.2	172	22.3	70	
8/9/24 8:15	8.1	93	8.2	172	22.3	69	
8/9/24 8:30	8.1	93	8.2	172	22.2	68	
8/9/24 8:45	8.1	93	8.2	172	22.2	69	
8/9/24 9:00	8.1	93	8.1	172	22.2	70	
8/9/24 9:15	8.1	93	8.1	172	22.2	69	
8/9/24 9:30	8.1	93	8.2	172	22.2	71	
8/9/24 9:45	8.1	94	8.2	172	22.3	72	
8/9/24 10:00	8.1	94	8.2	172	22.3	73	
8/9/24 10:15	8.1	94	8.2	172	22.4	75	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/9/24 10:30	8.1	94	8.2	172	22.5	75	
8/9/24 10:45	8.1	94	8.2	172	22.6	76	
8/9/24 11:00	8.1	94	8.2	173	22.7	77	
8/9/24 11:15	8.1	95	8.2	173	22.8	79	
8/9/24 11:30	8.1	95	8.2	173	23.0	79	
8/9/24 11:45	8.1	95	8.2	173	23.1	82	
8/9/24 12:00	8.1	95	8.2	173	23.3	83	
8/9/24 12:15	8.1	95	8.2	173	23.4	85	
8/9/24 12:30	8.1	96	8.2	174	23.5	83	
8/9/24 12:45	8.1	96	8.2	174	23.7	81	
8/9/24 13:00	8.1	96	8.2	174	23.8	81	
8/9/24 13:15	8.1	96	8.2	174	23.9	83	
8/9/24 13:30	8.1	96	8.2	174	24.0	89	
8/9/24 13:45	8.1	96	8.2	174	24.1	78	
8/9/24 14:00	8.1	96	8.2	175	24.3	78	
8/9/24 14:15	8.1	96	8.2	175	24.4	79	
8/9/24 14:30	8.1	96	8.2	175	24.5	77	
8/9/24 14:45	8.0	97	8.2	175	24.5	77	
8/9/24 15:00	8.0	96	8.2	175	24.6	75	
8/9/24 15:15	8.0	97	8.2	175	24.7	73	
8/9/24 15:30	8.0	97	8.2	175	24.7	75	
8/9/24 15:45	8.0	96	8.2	175	24.8	74	
8/9/24 16:00	8.0	96	8.2	175	24.9	74	
8/9/24 16:15	8.0	96	8.2	175	24.9	74	
8/9/24 16:30	8.0	96	8.2	175	24.9	73	
8/9/24 16:45	8.0	96	8.2	176	25.0	74	
8/9/24 17:00	7.9	96	8.2	176	25.0	72	
8/9/24 17:15	7.9	96	8.2	176	24.9	72	
8/9/24 17:30	7.9	95	8.2	176	24.9	75	
8/9/24 17:45	7.9	95	8.2	176	24.8	73	
8/9/24 18:00	7.9	95	8.2	177	24.7	72	
8/9/24 18:15	7.9	95	8.2	177	24.7	72	
8/9/24 18:30	7.9	95	8.2	177	24.6	72	
8/9/24 18:45	7.9	94	8.2	177	24.6	73	
8/9/24 19:00	7.8	94	8.2	177	24.5	75	
8/9/24 19:15	7.8	94	8.2	178	24.4	70	
8/9/24 19:30	7.9	94	8.2	178	24.4		
8/9/24 19:45	7.9	94	8.2	178	24.3	73	
8/9/24 20:00	7.8	94	8.2	178	24.2	71	
8/9/24 20:15	7.9	94	8.2	178	24.1	71	
8/9/24 20:30	7.8	93	8.2	178	24.1	71	
8/9/24 20:45	7.9	93	8.2	178	24.0	71	
8/9/24 21:00	7.9	93	8.2	178	23.9	70	
8/9/24 21:15	7.9	93	8.2	178	23.9	72	
8/9/24 21:30	7.9	93	8.2	178	23.8	71	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/9/24 21:45	7.9	93	8.2	178	23.8	70	
8/9/24 22:00	7.9	93	8.2	178	23.7	70	
8/9/24 22:15	7.9	93	8.2	178	23.7	71	
8/9/24 22:30	7.9	93	8.2	178	23.6	69	
8/9/24 22:45	7.9	93	8.2	178	23.6	71	
8/9/24 23:00	7.9	93	8.2	178	23.6	70	
8/9/24 23:15	7.9	93	8.2	178	23.5	70	
8/9/24 23:30	7.9	93	8.2	178	23.5	71	
8/9/24 23:45	7.9	93	8.2	178	23.5	68	
8/10/24 0:00	7.9	93	8.2	178	23.4	70	
8/10/24 0:15	7.9	93	8.2	178	23.4	70	
8/10/24 0:30	7.9	93	8.2	178	23.4	69	
8/10/24 0:45	7.9	93	8.2	178	23.4	70	
8/10/24 1:00	7.9	93	8.2	178	23.4	69	
8/10/24 1:15	7.9	93	8.2	178	23.3	67	
8/10/24 1:30	7.9	93	8.2	178	23.3	68	
8/10/24 1:45	7.9	93	8.2	178	23.3	67	
8/10/24 2:00	7.9	93	8.2	177	23.3	68	
8/10/24 2:15	7.9	93	8.2	177	23.3	68	
8/10/24 2:30	7.9	93	8.2	177	23.2	69	
8/10/24 2:45	7.9	93	8.2	177	23.2	68	
8/10/24 3:00	7.9	93	8.2	177	23.2	70	
8/10/24 3:15	7.9	93	8.2	177	23.2	66	
8/10/24 3:30	7.9	93	8.2	176	23.1	68	
8/10/24 3:45	7.9	93	8.2	176	23.1	69	
8/10/24 4:00	7.9	93	8.2	176	23.0	67	
8/10/24 4:15	7.9	93	8.2	176	23.0	68	
8/10/24 4:30	8.0	93	8.2	176	23.0	69	
8/10/24 4:45	8.0	93	8.2	176	22.9	68	
8/10/24 5:00	8.0	93	8.2	176	22.9	69	
8/10/24 5:15	8.0	93	8.2	176	22.8	67	
8/10/24 5:30	8.0	93	8.2	175	22.8	68	
8/10/24 5:45	8.0	93	8.2	175	22.8	69	
8/10/24 6:00	8.0	93	8.2	175	22.7		
8/10/24 6:15	8.0	93	8.2	175	22.7	69	
8/10/24 6:30	8.0	93	8.2	175	22.7	70	
8/10/24 6:45	8.0	92	8.2	176	22.7	70	
8/10/24 7:00	8.0	93	8.2	176	22.6	71	
8/10/24 7:15	8.0	93	8.2	176	22.6	71	
8/10/24 7:30	8.0	93	8.2	176	22.6	70	
8/10/24 7:45	8.0	93	8.2	176	22.5	71	
8/10/24 8:00	8.0	93	8.2	175	22.5	70	
8/10/24 8:15	8.0	93	8.2	175	22.5	71	
8/10/24 8:30	8.1	93	8.2	175	22.4	76	
8/10/24 8:45	8.1	93	8.2	175	22.4	72	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/10/24 9:00	8.1	93	8.2	175	22.4	71	
8/10/24 9:15	8.1	93	8.2	175	22.5	74	
8/10/24 9:30	8.1	93	8.2	175	22.5	72	
8/10/24 9:45	8.1	93	8.2	175	22.6	72	
8/10/24 10:00	8.1	94	8.2	175	22.6	74	
8/10/24 10:15	8.1	94	8.2	175	22.7	75	
8/10/24 10:30	8.1	94	8.2	175	22.8	74	
8/10/24 10:45	8.1	94	8.2	175	22.9	72	
8/10/24 11:00	8.1	95	8.2	175	23.0	75	
8/10/24 11:15	8.1	95	8.2	175	23.2	74	
8/10/24 11:30	8.1	95	8.2	175	23.3	74	
8/10/24 11:45	8.1	95	8.2	175	23.5	76	
8/10/24 12:00	8.1	95	8.2	175	23.6	76	
8/10/24 12:15	8.1	96	8.2	175	23.8	77	
8/10/24 12:30	8.1	96	8.2	175	23.9	76	
8/10/24 12:45	8.1	96	8.2	175	24.0	76	
8/10/24 13:00	8.1	96	8.2	175	24.2	77	
8/10/24 13:15	8.1	96	8.2	176	24.3	80	
8/10/24 13:30	8.1	96	8.2	176	24.5	78	
8/10/24 13:45	8.0	97	8.2	176	24.6	81	
8/10/24 14:00	8.0	97	8.2	176	24.7	78	
8/10/24 14:15	8.0	97	8.2	176	24.8	76	
8/10/24 14:30	8.0	97	8.2	177	25.0	77	
8/10/24 14:45	8.0	97	8.2	177	25.0		
8/10/24 15:00	8.0	97	8.2	177	25.1	75	
8/10/24 15:15	8.0	97	8.2	177	25.2	76	
8/10/24 15:30	8.0	97	8.2	178	25.2	75	
8/10/24 15:45	8.0	97	8.2	178	25.3	75	
8/10/24 16:00	7.9	97	8.2	178	25.3	73	
8/10/24 16:15	7.9	97	8.2	178	25.4	73	
8/10/24 16:30	7.9	97	8.2	179	25.4	73	
8/10/24 16:45	7.9	96	8.2	179	25.4	70	
8/10/24 17:00	7.9	96	8.2	179	25.4	71	
8/10/24 17:15	7.9	96	8.2	179	25.4	71	
8/10/24 17:30	7.8	96	8.2	179	25.3	72	
8/10/24 17:45	7.8	95	8.2	179	25.3	69	
8/10/24 18:00	7.8	95	8.2	180	25.2	69	
8/10/24 18:15	7.8	95	8.2	180	25.2	70	
8/10/24 18:30	7.8	95	8.2	180	25.1	70	
8/10/24 18:45	7.8	94	8.2	180	25.1	68	
8/10/24 19:00	7.8	94	8.2	180	25.0	68	
8/10/24 19:15	7.8	94	8.2	180	24.9	70	
8/10/24 19:30	7.8	94	8.2	180	24.9	68	
8/10/24 19:45	7.8	94	8.2	180	24.8	68	
8/10/24 20:00	7.8	94	8.2	180	24.7	68	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/10/24 20:15	7.8	94	8.2	180	24.6	68	
8/10/24 20:30	7.8	94	8.2	180	24.6	71	
8/10/24 20:45	7.8	93	8.2	180	24.5	68	
8/10/24 21:00	7.8	93	8.2	180	24.5	66	
8/10/24 21:15	7.8	93	8.2	180	24.4	69	
8/10/24 21:30	7.8	93	8.2	180	24.4	70	
8/10/24 21:45	7.8	93	8.2	180	24.4	70	
8/10/24 22:00	7.8	93	8.2	180	24.3	69	
8/10/24 22:15	7.8	93	8.2	180	24.3	64	
8/10/24 22:30	7.8	93	8.2	180	24.2	69	
8/10/24 22:45	7.8	93	8.2	180	24.2	69	
8/10/24 23:00	7.8	93	8.2	180	24.1	68	
8/10/24 23:15	7.8	93	8.2	180	24.1	68	
8/10/24 23:30	7.8	93	8.2	180	24.0	67	
8/10/24 23:45	7.8	93	8.2	180	24.0	67	
8/11/24 0:00	7.8	93	8.2	179	24.0	68	
8/11/24 0:15	7.8	93	8.2	179	23.9	68	
8/11/24 0:30	7.8	93	8.2	179	23.9	67	
8/11/24 0:45	7.8	93	8.2	179	23.9	68	
8/11/24 1:00	7.8	93	8.2	179	23.9	68	
8/11/24 1:15	7.8	93	8.2	179	23.8	67	
8/11/24 1:30	7.8	92	8.2	179	23.8	67	
8/11/24 1:45	7.8	93	8.2	179	23.8	68	
8/11/24 2:00	7.8	93	8.2	178	23.8	67	
8/11/24 2:15	7.8	93	8.2	178	23.7	68	
8/11/24 2:30	7.8	93	8.2	178	23.7	68	
8/11/24 2:45	7.8	93	8.2	178	23.7	67	
8/11/24 3:00	7.8	93	8.2	178	23.6	68	
8/11/24 3:15	7.8	93	8.2	178	23.6	67	
8/11/24 3:30	7.8	93	8.2	177	23.6	69	
8/11/24 3:45	7.8	93	8.2	177	23.6	68	
8/11/24 4:00	7.8	92	8.2	177	23.5	69	
8/11/24 4:15	7.9	93	8.2	177	23.5	67	
8/11/24 4:30	7.9	92	8.2	177	23.5	68	
8/11/24 4:45	7.9	93	8.2	177	23.4	67	
8/11/24 5:00	7.9	92	8.2	176	23.4	68	
8/11/24 5:15	7.9	93	8.2	176	23.3	68	
8/11/24 5:30	7.9	92	8.2	176	23.3	69	
8/11/24 5:45	7.9	92	8.2	176	23.3	65	
8/11/24 6:00	7.9	92	8.2	176	23.2	70	
8/11/24 6:15	7.9	92	8.2	176	23.2	70	
8/11/24 6:30	7.9	92	8.2	176	23.1	69	
8/11/24 6:45	7.9	93	8.2	175	23.1	68	
8/11/24 7:00	7.9	93	8.2	175	23.0	70	
8/11/24 7:15	7.9	92	8.2	175	23.0	70	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/11/24 7:30	7.9	93	8.2	175	22.9	70	
8/11/24 7:45	8.0	93	8.1	175	22.9	70	
8/11/24 8:00	8.0	93	8.2	175	22.9	69	
8/11/24 8:15	8.0	93	8.2	175	22.8	76	
8/11/24 8:30	8.0	93	8.2	175	22.8	69	
8/11/24 8:45	8.0	93	8.2	175	22.8	71	
8/11/24 9:00	8.0	93	8.2	175	22.8	70	
8/11/24 9:15	8.0	93	8.2	175	22.8	71	
8/11/24 9:30	8.0	93	8.2	175	22.9	71	
8/11/24 9:45	8.0	94	8.2	175	22.9	72	
8/11/24 10:00	8.0	94	8.2	174	23.0	72	
8/11/24 10:15	8.1	94	8.2	174	23.1	72	
8/11/24 10:30	8.1	94	8.2	174	23.1	72	
8/11/24 10:45	8.1	94	8.2	174	23.2	73	
8/11/24 11:00	8.1	95	8.2	174	23.3	74	
8/11/24 11:15	8.1	95	8.2	174	23.5	72	
8/11/24 11:30	8.1	95	8.2	174	23.6	73	
8/11/24 11:45	8.1	95	8.2	174	23.8	72	
8/11/24 12:00	8.1	96	8.2	174	23.9	73	
8/11/24 12:15	8.0	96	8.2	175	24.1	72	
8/11/24 12:30	8.0	96	8.2	175	24.2	72	
8/11/24 12:45	8.0	96	8.2	175	24.3	70	
8/11/24 13:00	8.0	96	8.2	175	24.4	73	
8/11/24 13:15	8.0	96	8.2	175	24.5	73	
8/11/24 13:30	8.0	96	8.2	175	24.6	72	
8/11/24 13:45	8.0	97	8.2	175	24.8	71	
8/11/24 14:00	8.0	97	8.2	175	24.8	71	
8/11/24 14:15	8.0	97	8.2	175	24.9	72	
8/11/24 14:30	8.0	97	8.2	175	25.0	70	
8/11/24 14:45	8.0	97	8.2	175	25.1	71	
8/11/24 15:00	8.0	97	8.2	175	25.1	72	
8/11/24 15:15	8.0	97	8.2	175	25.2	69	
8/11/24 15:30	7.9	96	8.2	175	25.2	70	
8/11/24 15:45	7.9	97	8.2	175	25.2	70	
8/11/24 16:00	7.9	96	8.2	175	25.3	69	
8/11/24 16:15	7.9	96	8.2	175	25.3	69	
8/11/24 16:30	7.9	96	8.2	175	25.3	73	
8/11/24 16:45	7.9	96	8.2	175	25.3	70	
8/11/24 17:00	7.9	96	8.2	175	25.3	68	
8/11/24 17:15	7.9	96	8.2	175	25.2	68	
8/11/24 17:30	7.9	95	8.2	175	25.2	68	
8/11/24 17:45	7.8	95	8.2	175	25.1	67	
8/11/24 18:00	7.8	95	8.2	175	25.0	69	
8/11/24 18:15	7.8	95	8.2	176	25.0	68	
8/11/24 18:30	7.8	95	8.2	176	24.9	68	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/11/24 18:45	7.8	94	8.2	176	24.9	69	
8/11/24 19:00	7.8	94	8.2	176	24.8	67	
8/11/24 19:15	7.8	94	8.2	176	24.7	68	
8/11/24 19:30	7.8	94	8.2	176	24.7	67	
8/11/24 19:45	7.8	94	8.2	176	24.6	67	
8/11/24 20:00	7.8	94	8.2	176	24.5	66	
8/11/24 20:15	7.8	94	8.2	176	24.4	68	
8/11/24 20:30	7.8	93	8.2	176	24.4	67	
8/11/24 20:45	7.8	93	8.2	176	24.3	66	
8/11/24 21:00	7.8	93	8.2	176	24.3	68	
8/11/24 21:15	7.8	93	8.2	176	24.2	66	
8/11/24 21:30	7.8	93	8.2	176	24.2	66	
8/11/24 21:45	7.8	93	8.2	176	24.1	64	
8/11/24 22:00	7.8	93	8.2	176	24.0	66	
8/11/24 22:15	7.8	93	8.2	176	24.0	65	
8/11/24 22:30	7.8	93	8.2	176	23.9	65	
8/11/24 22:45	7.8	93	8.2	176	23.9	66	
8/11/24 23:00	7.8	93	8.2	176	23.8	67	
8/11/24 23:15	7.8	93	8.2	176	23.8	66	
8/11/24 23:30	7.8	93	8.2	176	23.7	68	
8/11/24 23:45	7.8	93	8.2	176	23.7	67	
8/12/24 0:00	7.8	93	8.2	176	23.6	68	
8/12/24 0:15	7.8	92	8.2	176	23.6	72	
8/12/24 0:30	7.8	93	8.2	176	23.6	72	
8/12/24 0:45	7.8	92	8.2	176	23.5	73	
8/12/24 1:00	7.9	93	8.2	176	23.5	76	
8/12/24 1:15	7.9	93	8.2	177	23.5	77	
8/12/24 1:30	7.9	92	8.2	177	23.5	83	
8/12/24 1:45	7.9	93	8.2	177	23.4	87	
8/12/24 2:00	7.9	92	8.2	177	23.4	89	
8/12/24 2:15	7.9	92	8.2	177	23.3	96	
8/12/24 2:30	7.9	92	8.2	177	23.3	98	
8/12/24 2:45	7.9	92	8.2	177	23.3	104	
8/12/24 3:00	7.9	92	8.2	178	23.2	107	
8/12/24 3:15	7.9	92	8.2	178	23.2	109	
8/12/24 3:30	7.9	92	8.2	178	23.2	114	395
8/12/24 3:45	7.9	92	8.2	178	23.1	116	
8/12/24 4:00	7.9	92	8.2	178	23.1	116	
8/12/24 4:15	7.9	92	8.2	178	23.1	116	
8/12/24 4:30	7.9	93	8.2	177	23.0	114	
8/12/24 4:45	7.9	92	8.2	177	23.0	112	
8/12/24 5:00	7.9	92	8.2	177	22.9	108	
8/12/24 5:15	8.0	92	8.2	177	22.8	105	
8/12/24 5:30	8.0	92	8.2	177	22.8	102	
8/12/24 5:45	8.0	93	8.2	176	22.7	98	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/12/24 6:00	8.0	93	8.2	176	22.7	95	
8/12/24 6:15	8.0	92	8.2	176	22.6	90	
8/12/24 6:30	8.0	92	8.2	176	22.6	87	
8/12/24 6:45	8.0	93	8.2	175	22.6	84	
8/12/24 7:00	8.0	92	8.2	175	22.5	81	
8/12/24 7:15	8.0	92	8.2	175	22.5	78	
8/12/24 7:30	8.0	93	8.2	175	22.4	76	
8/12/24 7:45	8.0	93	8.2	175	22.4	73	
8/12/24 8:00	8.0	93	8.2	175	22.4	73	
8/12/24 8:15	8.1	93	8.2	175	22.3	70	
8/12/24 8:30	8.1	93	8.2	174	22.3	69	
8/12/24 8:45	8.1	93	8.2	174	22.3	68	
8/12/24 9:00	8.1	93	8.2	174	22.3	66	
8/12/24 9:15	8.1	93	8.2	174	22.3	66	
8/12/24 9:30	8.1	93	8.2	174	22.4	66	
8/12/24 9:45	8.1	94	8.2	174	22.4	68	
8/12/24 10:00	8.1	94	8.2	174	22.5	60	
8/12/24 10:15	8.1	94	8.2	174	22.5	66	
8/12/24 10:30	8.1	94	8.2	174	22.6	64	
8/12/24 10:45	8.1	94	8.2	174	22.7	63	
8/12/24 11:00	8.1	95	8.2	174	22.8	62	
8/12/24 11:15	8.2	95	8.2	174	22.9	62	
8/12/24 11:30	8.2	95	8.2	174	23.1	63	
8/12/24 11:45	8.2	96	8.2	174	23.2	63	
8/12/24 12:00	8.2	96	8.2	174	23.3	62	
8/12/24 12:15	8.2	96	8.2	174	23.4	61	
8/12/24 12:30	8.2	96	8.2	175	23.6	62	
8/12/24 12:45	8.2	96	8.2	175	23.7	61	
8/12/24 13:00	8.2	96	8.2	175	23.8	61	
8/12/24 13:15	8.1	96	8.2	175	23.9	66	
8/12/24 13:30	8.1	97	8.2	175	24.0	60	
8/12/24 13:45	8.1	97	8.2	175	24.1	61	
8/12/24 14:00	8.1	97	8.2	175	24.2	60	
8/12/24 14:15	8.1	97	8.2	175	24.3	60	
8/12/24 14:30	8.1	97	8.2	175	24.5	59	
8/12/24 14:45	8.1	97	8.2	175	24.5	59	
8/12/24 15:00	8.1	97	8.2	175	24.6	60	
8/12/24 15:15	8.1	97	8.2	176	24.7	59	
8/12/24 15:30	8.1	97	8.2	176	24.7	61	
8/12/24 15:45	8.1	97	8.2	176	24.8	60	
8/12/24 16:00	8.1	97	8.2	176	24.8	60	
8/12/24 16:15	8.0	97	8.2	176	24.8	60	
8/12/24 16:30	8.0	97	8.2	176	24.8	61	
8/12/24 16:45	8.0	97	8.2	176	24.7	60	
8/12/24 17:00	8.0	96	8.2	176	24.7	59	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 17:15	8.0	96	8.2	176	24.6	60	
8/12/24 17:30	8.0	96	8.2	176	24.5	60	
8/12/24 17:45	8.0	96	8.2	176	24.4	60	
8/12/24 18:00	8.0	95	8.2	176	24.3	58	
8/12/24 18:15	8.0	95	8.2	176	24.3	58	
8/12/24 18:30	8.0	95	8.2	176	24.2	57	
8/12/24 18:45	7.9	95	8.2	176	24.1	58	
8/12/24 19:00	8.0	95	8.2	176	24.1	57	
8/12/24 19:15	7.9	94	8.2	176	24.0	56	
8/12/24 19:30	7.9	94	8.2	176	23.9	56	
8/12/24 19:45	7.9	94	8.2	176	23.8	56	
8/12/24 20:00	7.9	94	8.2	176	23.7	57	
8/12/24 20:15	7.9	94	8.2	176	23.5	57	
8/12/24 20:30	7.9	93	8.2	175	23.4	57	
8/12/24 20:45	8.0	93	8.2	175	23.3	57	
8/12/24 21:00	8.0	93	8.2	175	23.2	58	
8/12/24 21:15	8.0	93	8.2	175	23.2	56	
8/12/24 21:30	8.0	93	8.2	175	23.1	57	
8/12/24 21:45	8.0	93	8.2	175	23.1	56	
8/12/24 22:00	8.0	93	8.2	175	23.0	55	
8/12/24 22:15	8.0	93	8.2	175	23.0	56	
8/12/24 22:30	8.0	93	8.2	175	22.9	56	
8/12/24 22:45	8.0	93	8.2	175	22.9	56	
8/12/24 23:00	8.0	93	8.2	175	22.8	56	
8/12/24 23:15	8.0	93	8.2	175	22.8	53	
8/12/24 23:30	8.0	93	8.2	175	22.7	57	
8/12/24 23:45	8.0	93	8.2	175	22.6	54	
8/13/24 0:00	8.0	93	8.2	174	22.6	55	
8/13/24 0:15	8.0	93	8.2	174	22.5	54	
8/13/24 0:30	8.0	93	8.2	174	22.5	53	
8/13/24 0:45	8.0	93	8.2	174	22.4	55	
8/13/24 1:00	8.0	92	8.2	174	22.4	55	
8/13/24 1:15	8.0	93	8.2	174	22.4	54	
8/13/24 1:30	8.0	92	8.2	174	22.3	54	
8/13/24 1:45	8.0	92	8.2	174	22.3	53	
8/13/24 2:00	8.0	92	8.2	174	22.2	54	
8/13/24 2:15	8.1	92	8.2	174	22.2	53	
8/13/24 2:30	8.1	92	8.2	174	22.1	52	
8/13/24 2:45	8.1	92	8.2	174	22.1	53	
8/13/24 3:00	8.1	92	8.2	174	22.0	53	
8/13/24 3:15	8.1	92	8.2	174	21.9	53	
8/13/24 3:30	8.1	93	8.2	174	21.9	53	
8/13/24 3:45	8.1	93	8.2	173	21.8	52	
8/13/24 4:00	8.1	93	8.2	173	21.7	53	
8/13/24 4:15	8.1	93	8.2	173	21.7	53	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/13/24 4:30	8.2	93	8.2	173	21.6	54	
8/13/24 4:45	8.2	93	8.2	173	21.6	54	
8/13/24 5:00	8.2	93	8.2	173	21.5	53	
8/13/24 5:15	8.2	93	8.2	173	21.4	54	
8/13/24 5:30	8.2	93	8.2	173	21.4	53	
8/13/24 5:45	8.2	93	8.2	173	21.3	54	
8/13/24 6:00	8.2	93	8.2	173	21.2	52	
8/13/24 6:15	8.2	93	8.2	173	21.2	53	
8/13/24 6:30	8.2	93	8.2	173	21.1	54	
8/13/24 6:45	8.3	93	8.2	173	21.0	53	
8/13/24 7:00	8.3	93	8.2	173	21.0	52	
8/13/24 7:15	8.3	93	8.2	173	20.9	53	
8/13/24 7:30	8.3	93	8.2	173	20.9	55	
8/13/24 7:45	8.3	93	8.2	173	20.8	53	
8/13/24 8:00	8.3	93	8.2	173	20.8	53	
8/13/24 8:15	8.3	93	8.2	173	20.8	54	
8/13/24 8:30	8.3	93	8.2	173	20.7	53	
8/13/24 8:45	8.4	93	8.2	173	20.7	55	
8/13/24 9:00	8.4	93	8.2	173	20.7	52	
8/13/24 9:15	8.4	94	8.2	173	20.8	54	
8/13/24 9:30	8.4	94	8.2	173	20.8	52	
8/13/24 9:45	8.4	94	8.2	173	20.9	51	
8/13/24 10:00	8.4	94	8.2	173	21.0	52	
8/13/24 10:15	8.4	95	8.2	173	21.0	54	
8/13/24 10:30	8.4	95	8.2	173	21.1	54	
8/13/24 10:45	8.4	95	8.2	173	21.2	54	
8/13/24 11:00	8.5	95	8.2	173	21.3	53	
8/13/24 11:15	8.5	96	8.2	173	21.4	54	
8/13/24 11:30	8.5	96	8.2	173	21.5	53	
8/13/24 11:45	8.5	96	8.2	173	21.6	53	
8/13/24 12:00	8.5	97	8.2	173	21.8	52	
8/13/24 12:15	8.5	97	8.2	173	21.9	54	
8/13/24 12:30	8.5	97	8.2	173	22.0	54	
8/13/24 12:45	8.5	97	8.2	174	22.1	52	
8/13/24 13:00	8.5	98	8.2	174	22.3	52	
8/13/24 13:15	8.5	98	8.2	174	22.4	53	
8/13/24 13:30	8.5	98	8.2	174	22.5	54	
8/13/24 13:45	8.5	98	8.3	174	22.6	52	
8/13/24 14:00	8.5	98	8.3	174	22.7	52	
8/13/24 14:15	8.5	98	8.3	174	22.8	53	
8/13/24 14:30	8.4	98	8.3	174	23.0	53	
8/13/24 14:45	8.4	98	8.3	175	23.0	54	
8/13/24 15:00	8.4	98	8.3	175	23.1	54	
8/13/24 15:15	8.4	98	8.3	175	23.1	53	
8/13/24 15:30	8.4	98	8.3	175	23.2	57	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/13/24 15:45	8.4	98	8.3	175	23.2	54	
8/13/24 16:00	8.4	98	8.3	175	23.3	54	
8/13/24 16:15	8.4	98	8.3	175	23.3	53	
8/13/24 16:30	8.3	98	8.3	175	23.3	55	
8/13/24 16:45	8.3	98	8.3	175	23.4	53	
8/13/24 17:00	8.3	98	8.3	175	23.4	54	
8/13/24 17:15	8.3	97	8.3	175	23.3	52	
8/13/24 17:30	8.3	97	8.3	175	23.2	53	
8/13/24 17:45	8.3	97	8.3	175	23.2	52	
8/13/24 18:00	8.2	96	8.3	176	23.1	53	
8/13/24 18:15	8.2	96	8.3	176	23.1	52	
8/13/24 18:30	8.2	96	8.3	176	23.1	52	
8/13/24 18:45	8.2	96	8.3	176	23.0	52	
8/13/24 19:00	8.2	96	8.3	176	23.0	52	
8/13/24 19:15	8.2	95	8.3	176	22.9	49	
8/13/24 19:30	8.2	95	8.2	175	22.8	52	
8/13/24 19:45	8.2	95	8.2	175	22.7	52	
8/13/24 20:00	8.2	95	8.2	175	22.7	51	
8/13/24 20:15	8.2	95	8.2	175	22.6	51	
8/13/24 20:30	8.2	94	8.2	175	22.5	56	
8/13/24 20:45	8.2	94	8.2	175	22.5	52	
8/13/24 21:00	8.2	94	8.2	175	22.4	50	
8/13/24 21:15	8.2	94	8.2	175	22.4	50	
8/13/24 21:30	8.2	94	8.2	175	22.3	49	
8/13/24 21:45	8.2	94	8.2	175	22.3	50	
8/13/24 22:00	8.1	94	8.2	174	22.3	48	
8/13/24 22:15	8.1	94	8.2	174	22.2	49	
8/13/24 22:30	8.2	94	8.2	174	22.2	49	
8/13/24 22:45	8.1	93	8.2	174	22.2	50	
8/13/24 23:00	8.2	93	8.2	174	22.1	51	
8/13/24 23:15	8.2	93	8.2	174	22.1	49	
8/13/24 23:30	8.2	93	8.2	174	22.0	49	
8/13/24 23:45	8.2	93	8.2	174	22.0	49	
8/14/24 0:00	8.2	93	8.2	174	22.0	49	
8/14/24 0:15	8.2	93	8.2	174	22.0	49	
8/14/24 0:30	8.2	93	8.2	174	21.9	47	
8/14/24 0:45	8.2	93	8.2	174	21.9	49	
8/14/24 1:00	8.2	93	8.2	174	21.9	47	
8/14/24 1:15	8.2	93	8.2	174	21.9	47	
8/14/24 1:30	8.2	93	8.2	174	21.9	46	
8/14/24 1:45	8.2	93	8.2	174	21.9	46	
8/14/24 2:00	8.2	93	8.2	174	21.9	42	
8/14/24 2:15	8.2	93	8.2	174	21.8	46	
8/14/24 2:30	8.2	93	8.2	174	21.8	46	
8/14/24 2:45	8.2	93	8.2	174	21.8	45	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/14/24 3:00	8.2	93	8.2	174	21.8	46	
8/14/24 3:15	8.2	93	8.2	174	21.7	44	
8/14/24 3:30	8.2	93	8.2	174	21.7	45	
8/14/24 3:45	8.2	93	8.2	174	21.6	45	
8/14/24 4:00	8.2	93	8.2	174	21.6	45	
8/14/24 4:15	8.2	93	8.2	174	21.6	45	
8/14/24 4:30	8.2	93	8.2	174	21.5	45	
8/14/24 4:45	8.2	93	8.2	174	21.5	46	
8/14/24 5:00	8.2	93	8.2	174	21.5	45	
8/14/24 5:15	8.2	93	8.2	174	21.4	47	
8/14/24 5:30	8.2	93	8.2	173	21.4	45	
8/14/24 5:45	8.2	93	8.2	173	21.4	46	
8/14/24 6:00	8.2	93	8.2	173	21.4	48	
8/14/24 6:15	8.2	93	8.2	173	21.3	48	
8/14/24 6:30	8.2	93	8.2	173	21.3	47	
8/14/24 6:45	8.3	93	8.2	173	21.3	47	
8/14/24 7:00	8.3	93	8.2	173	21.2	48	
8/14/24 7:15	8.3	93	8.2	173	21.2	48	
8/14/24 7:30	8.3	93	8.2	173	21.1	48	
8/14/24 7:45	8.3	93	8.2	173	21.1	50	
8/14/24 8:00	8.3	93	8.2	173	21.1	49	
8/14/24 8:15	8.3	94	8.2	173	21.1	50	
8/14/24 8:30	8.3	94	8.2	173	21.1	51	
8/14/24 8:45	8.3	94	8.2	173	21.0	51	
8/14/24 9:00	8.3	94	8.2	173	21.0	49	
8/14/24 9:15	8.4	94	8.2	173	21.1	51	
8/14/24 9:30	8.4	94	8.2	173	21.1	51	
8/14/24 9:45	8.4	94	8.2	173	21.1	50	
8/14/24 10:00	8.4	95	8.2	173	21.2	52	
8/14/24 10:15	8.4	95	8.2	173	21.2	54	
8/14/24 10:30	8.4	95	8.2	173	21.3	49	
8/14/24 10:45	8.4	96	8.2	173	21.4	48	
8/14/24 11:00	8.5	96	8.2	174	21.4	49	
8/14/24 11:15	8.5	96	8.2	174	21.5	49	
8/14/24 11:30	8.5	96	8.2	174	21.5	47	
8/14/24 11:45	8.5	96	8.2	174	21.6	48	
8/14/24 12:00	8.5	96	8.2	174	21.6	48	
8/14/24 12:15	8.5	96	8.2	174	21.6	47	
8/14/24 12:30	8.5	97	8.2	174	21.7	46	
8/14/24 12:45	8.5	97	8.2	174	21.8		
8/14/24 13:00	8.5	97	8.2	174	21.9	48	
8/14/24 13:15	8.5	97	8.3	175	21.9	45	
8/14/24 13:30	8.5	97	8.3	175	22.0	46	
8/14/24 13:45	8.5	98	8.3	175	22.1	45	
8/14/24 14:00	8.5	98	8.3	175	22.2		

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/14/24 14:15	8.5	98	8.3	175	22.3	43	
8/14/24 14:30	8.5	98	8.3	175	22.4	44	
8/14/24 14:45	8.5	98	8.3	175	22.5	45	
8/14/24 15:00	8.5	99	8.3	175	22.6	43	
8/14/24 15:15	8.5	99	8.3	175	22.7	44	
8/14/24 15:30	8.5	99	8.3	175	22.8	44	
8/14/24 15:45	8.5	99	8.3	175	22.8	44	
8/14/24 16:00	8.5	99	8.3	175	22.9	43	
8/14/24 16:15	8.5	99	8.3	175	22.9	43	
8/14/24 16:30	8.5	99	8.3	175	22.9	42	
8/14/24 16:45	8.4	98	8.3	175	22.9	44	
8/14/24 17:00	8.4	98	8.3	175	22.9	42	
8/14/24 17:15	8.4	98	8.3	175	22.9	44	
8/14/24 17:30	8.4	98	8.3	175	22.8	43	
8/14/24 17:45	8.4	97	8.3	175	22.8	43	
8/14/24 18:00	8.4	97	8.3	175	22.7	42	
8/14/24 18:15	8.3	97	8.3	175	22.7	41	
8/14/24 18:30	8.3	97	8.3	175	22.6	41	
8/14/24 18:45	8.3	96	8.3	175	22.5	43	
8/14/24 19:00	8.3	96	8.3	175	22.5	41	
8/14/24 19:15	8.3	96	8.3	175	22.4	41	
8/14/24 19:30	8.3	96	8.3	175	22.3	41	
8/14/24 19:45	8.3	95	8.3	175	22.2		
8/14/24 20:00	8.3	95	8.3	175	22.1	42	
8/14/24 20:15	8.3	95	8.3	175	22.0	42	
8/14/24 20:30	8.3	95	8.3	175	21.9	41	
8/14/24 20:45	8.3	95	8.3	175	21.9	41	
8/14/24 21:00	8.3	95	8.3	175	21.8		
8/14/24 21:15	8.3	94	8.3	175	21.8	42	
8/14/24 21:30	8.3	94	8.3	175	21.7	42	
8/14/24 21:45	8.3	94	8.3	175	21.7	42	
8/14/24 22:00	8.3	94	8.3	175	21.6	41	
8/14/24 22:15	8.3	94	8.2	175	21.6	40	
8/14/24 22:30	8.3	94	8.2	175	21.6	43	
8/14/24 22:45	8.3	94	8.2	175	21.5	42	
8/14/24 23:00	8.3	94	8.2	175	21.5	41	
8/14/24 23:15	8.3	94	8.2	175	21.4	43	
8/14/24 23:30	8.3	94	8.2	175	21.4	43	
8/14/24 23:45	8.3	94	8.2	175	21.4	43	
8/15/24 0:00	8.3	94	8.2	175	21.3	43	
8/15/24 0:15	8.3	94	8.2	175	21.3	43	
8/15/24 0:30	8.3	94	8.2	175	21.3	43	
8/15/24 0:45	8.3	94	8.2	175	21.2	46	
8/15/24 1:00	8.3	94	8.2	175	21.2	46	
8/15/24 1:15	8.3	94	8.2	175	21.2	48	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/15/24 1:30	8.3	94	8.2	175	21.1	49	
8/15/24 1:45	8.3	94	8.2	175	21.1	51	
8/15/24 2:00	8.3	94	8.2	175	21.0	52	
8/15/24 2:15	8.3	94	8.2	175	21.0	56	
8/15/24 2:30	8.3	94	8.2	176	21.0	57	
8/15/24 2:45	8.3	94	8.2	175	20.9	60	
8/15/24 3:00	8.4	94	8.2	175	20.9	63	
8/15/24 3:15	8.4	94	8.2	175	20.8	65	
8/15/24 3:30	8.4	94	8.2	175	20.8	67	
8/15/24 3:45	8.4	94	8.2	175	20.7	70	
8/15/24 4:00	8.4	94	8.2	175	20.7	70	
8/15/24 4:15	8.4	94	8.2	175	20.7	72	
8/15/24 4:30	8.4	94	8.2	175	20.6	75	
8/15/24 4:45	8.4	94	8.2	175	20.6	75	
8/15/24 5:00	8.4	94	8.2	174	20.6	73	
8/15/24 5:15	8.4	94	8.2	174	20.5	74	
8/15/24 5:30	8.4	94	8.2	174	20.5	72	
8/15/24 5:45	8.4	94	8.2	174	20.4	73	
8/15/24 6:00	8.4	94	8.2	174	20.4	71	
8/15/24 6:15	8.4	94	8.2	173	20.4	70	
8/15/24 6:30	8.5	94	8.2	173	20.4	69	
8/15/24 6:45	8.4	94	8.2	173	20.3	68	
8/15/24 7:00	8.5	94	8.2	173	20.3	66	
8/15/24 7:15	8.5	94	8.2	173	20.3	66	
8/15/24 7:30	8.5	94	8.2	173	20.2	63	
8/15/24 7:45	8.5	94	8.2	172	20.2	63	
8/15/24 8:00	8.5	94	8.2	172	20.2	60	
8/15/24 8:15	8.5	94	8.2	172	20.1	58	
8/15/24 8:30	8.5	94	8.2	172	20.1	58	
8/15/24 8:45	8.5	94	8.2	172	20.1	57	
8/15/24 9:00	8.5	94	8.2	172	20.1	56	
8/15/24 9:15	8.6	94	8.2	172	20.1	54	
8/15/24 9:30	8.6	95	8.2	172	20.2	54	
8/15/24 9:45	8.6	95	8.2	172	20.2	53	
8/15/24 10:00	8.6	95	8.2	172	20.3	53	
8/15/24 10:15	8.6	95	8.2	172	20.4	54	
8/15/24 10:30	8.6	96	8.2	173	20.5	52	
8/15/24 10:45	8.6	96	8.2	173	20.6	56	
8/15/24 11:00	8.6	96		173	20.8	49	
8/15/24 11:15							
8/15/24 11:30	8.6	97	8.2	173	21.0	47	
8/15/24 11:45	8.6	97	8.3	173	21.2	49	
8/15/24 12:00	8.6	97	8.3	173	21.3		
8/15/24 12:15	8.6	98	8.3	173	21.4	49	
8/15/24 12:30	8.6	98	8.3	173	21.5	48	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/15/24 12:45	8.6	98	8.3	173	21.7	48	
8/15/24 13:00	8.6	98	8.3	173	21.8	48	
8/15/24 13:15	8.6	99	8.3	173	21.9	49	
8/15/24 13:30	8.6	99	8.3	173	22.0	47	
8/15/24 13:45	8.6	99	8.3	173	22.1	48	
8/15/24 14:00	8.6	99	8.3	173	22.2	48	
8/15/24 14:15	8.6	99	8.3	173	22.3	48	
8/15/24 14:30	8.6	99	8.3	173	22.3	48	
8/15/24 14:45	8.6	99	8.3	173	22.3	48	
8/15/24 15:00	8.6	99	8.3	173	22.4	48	
8/15/24 15:15	8.6	99	8.3	173	22.4	46	
8/15/24 15:30	8.5	99	8.3	173	22.4	47	
8/15/24 15:45	8.5	98	8.3	173	22.4	47	
8/15/24 16:00	8.5	98	8.3	173	22.4	47	
8/15/24 16:15	8.5	98	8.3	173	22.5	46	
8/15/24 16:30	8.5	98	8.3	173	22.5	46	
8/15/24 16:45	8.5	98	8.3	173	22.5	45	
8/15/24 17:00	8.4	98	8.3	173	22.5	46	
8/15/24 17:15	8.4	97	8.3	173	22.4	47	
8/15/24 17:30	8.4	97	8.3	173	22.4	47	
8/15/24 17:45	8.4	97	8.3	173	22.4	46	
8/15/24 18:00	8.4	97	8.3	173	22.4	45	
8/15/24 18:15	8.4	97	8.3	174	22.3	45	
8/15/24 18:30	8.4	96	8.3	174	22.3	45	
8/15/24 18:45	8.4	96	8.3	174	22.3	47	
8/15/24 19:00	8.3	96	8.3	174	22.3	47	
8/15/24 19:15	8.3	96	8.3	174	22.3	46	
8/15/24 19:30	8.3	96	8.3	174	22.3	48	
8/15/24 19:45	8.3	95	8.3	174	22.2	46	
8/15/24 20:00	8.2	95	8.2	174	22.2	51	
8/15/24 20:15	8.3	95	8.3	173	22.2	46	
8/15/24 20:30	8.3	95	8.3	173	22.2	46	
8/15/24 20:45	8.2	95	8.2	173	22.2	46	
8/15/24 21:00	8.2	94	8.2	173	22.2	46	
8/15/24 21:15	8.2	94	8.2	173	22.1	48	
8/15/24 21:30	8.2	94	8.2	173	22.1	48	
8/15/24 21:45	8.2	94	8.2	173	22.1	49	
8/15/24 22:00	8.2	94	8.2	173	22.1	50	
8/15/24 22:15	8.2	94	8.2	173	22.1	48	
8/15/24 22:30	8.2	94	8.2	173	22.1	53	
8/15/24 22:45	8.2	94	8.2	173	22.1	54	
8/15/24 23:00	8.2	94	8.2	173	22.1	56	
8/15/24 23:15	8.2	94	8.2	173	22.0	58	
8/15/24 23:30	8.2	94	8.2	173	22.0	59	
8/15/24 23:45	8.2	94	8.2	173	22.0	59	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/16/24 0:00	8.2	94	8.2	173	21.9	61	
8/16/24 0:15	8.2	94	8.2	173	21.9	62	
8/16/24 0:30	8.2	93	8.2	173	21.9	63	
8/16/24 0:45	8.2	94	8.2	172	21.8	66	
8/16/24 1:00	8.2	93	8.2	172	21.8	65	
8/16/24 1:15	8.2	93	8.2	172	21.8	67	
8/16/24 1:30	8.2	93	8.2	172	21.7	66	
8/16/24 1:45	8.2	93	8.2	172	21.7	67	
8/16/24 2:00	8.2	93	8.2	172	21.7	66	
8/16/24 2:15	8.2	93	8.2	172	21.7	67	
8/16/24 2:30	8.2	93	8.2	171	21.6	65	
8/16/24 2:45	8.2	93	8.2	171	21.6	67	
8/16/24 3:00	8.2	93	8.2	171	21.6	65	
8/16/24 3:15	8.2	93	8.2	171	21.5	63	
8/16/24 3:30	8.2	93	8.2	171	21.5	65	
8/16/24 3:45	8.2	93	8.2	171	21.4	62	
8/16/24 4:00	8.2	93	8.2	171	21.4	62	
8/16/24 4:15	8.3	93	8.2	171	21.3	59	
8/16/24 4:30	8.3	93	8.2	170	21.3	61	
8/16/24 4:45	8.3	93	8.2	170	21.2	61	
8/16/24 5:00	8.3	93	8.2	170	21.2	60	
8/16/24 5:15	8.3	93	8.2	170	21.2	60	
8/16/24 5:30	8.3	93	8.2	170	21.1	59	
8/16/24 5:45	8.3	93	8.2	170	21.1	60	
8/16/24 6:00	8.3	93	8.2	170	21.1	64	
8/16/24 6:15	8.3	93	8.2	170	21.1	58	
8/16/24 6:30	8.3	93	8.2	170	21.0	57	
8/16/24 6:45	8.3	93	8.2	170	21.0	58	
8/16/24 7:00	8.3	93	8.2	170	21.0	58	
8/16/24 7:15	8.3	93	8.2	170	20.9	56	
8/16/24 7:30	8.3	93	8.2	170	20.9	55	
8/16/24 7:45	8.3	93	8.2	170	20.9	56	
8/16/24 8:00	8.3	93	8.2	170	20.9	54	
8/16/24 8:15	8.3	93	8.2	170	20.8	52	
8/16/24 8:30	8.4	93	8.2	170	20.8	53	
8/16/24 8:45	8.4	94	8.2	170	20.8	54	
8/16/24 9:00	8.4	94	8.2	170	20.8	55	
8/16/24 9:15	8.4	94	8.2	170	20.8	55	
8/16/24 9:30	8.4	94	8.2	170	20.9	54	
8/16/24 9:45	8.4	95	8.2	170	21.0	54	
8/16/24 10:00	8.4	95	8.2	171	21.0	53	
8/16/24 10:15	8.5	95	8.2	171	21.1	52	
8/16/24 10:30	8.5	95	8.2	171	21.2	51	
8/16/24 10:45	8.5	96	8.2	171	21.3	51	
8/16/24 11:00	8.5	96	8.2	171	21.4	51	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 11:15	8.5	96	8.2	171	21.5	52	
8/16/24 11:30	8.5	97	8.2	171	21.6	50	
8/16/24 11:45	8.5	97	8.2	171	21.7	50	
8/16/24 12:00	8.5	97	8.2	171	21.8	51	
8/16/24 12:15	8.5	97	8.2	171	22.0	51	
8/16/24 12:30	8.5	98	8.2	171	22.1	52	
8/16/24 12:45	8.5	98	8.2	171	22.2	51	
8/16/24 13:00	8.5	98	8.3	171	22.3	51	
8/16/24 13:15	8.5	98	8.2	171	22.4	50	
8/16/24 13:30	8.5	98	8.3	171	22.4	48	
8/16/24 13:45	8.5	98	8.3	171	22.5	49	
8/16/24 14:00	8.5	99	8.3	171	22.6	48	
8/16/24 14:15	8.5	99	8.3	171	22.7	49	
8/16/24 14:30	8.5	99	8.3	171	22.8	48	
8/16/24 14:45	8.5	99	8.3	171	22.8	48	
8/16/24 15:00	8.5	99	8.3	170	22.9	50	
8/16/24 15:15	8.5	99	8.3	170	22.9	47	
8/16/24 15:30	8.5	99	8.3	170	22.9	47	
8/16/24 15:45	8.5	99	8.3	170	23.0	47	
8/16/24 16:00	8.4	99	8.3	170	23.0	47	
8/16/24 16:15	8.4	98	8.3	170	23.0	47	
8/16/24 16:30	8.4	98	8.3	170	23.0	47	
8/16/24 16:45	8.4	98	8.3	170	23.0	48	
8/16/24 17:00	8.4	98	8.3	170	23.0	48	
8/16/24 17:15	8.4	98	8.3	170	23.0	48	
8/16/24 17:30	8.3	97	8.3	170	22.9	47	
8/16/24 17:45	8.3	97	8.3	170	22.9	47	
8/16/24 18:00	8.3	97	8.3	170	22.9	48	
8/16/24 18:15	8.3	96	8.3	170	22.9	47	
8/16/24 18:30	8.3	96	8.3	170	22.8	46	
8/16/24 18:45	8.3	96	8.3	170	22.8	47	
8/16/24 19:00	8.2	96	8.3	170	22.8	48	
8/16/24 19:15	8.2	95	8.3	170	22.7	48	
8/16/24 19:30	8.2	95	8.3	169	22.7	47	
8/16/24 19:45	8.2	95	8.3	169	22.6	48	
8/16/24 20:00	8.2	95	8.3	169	22.6	48	
8/16/24 20:15	8.2	94	8.2	169	22.5	48	
8/16/24 20:30	8.2	94	8.2	169	22.5	47	
8/16/24 20:45	8.1	94	8.2	169	22.5	47	
8/16/24 21:00	8.1	94	8.2	169	22.5	47	
8/16/24 21:15	8.1	94	8.2	169	22.5	46	
8/16/24 21:30	8.1	94	8.2	169	22.4	44	
8/16/24 21:45	8.1	94	8.2	169	22.4	47	
8/16/24 22:00	8.1	94	8.2	169	22.4	45	
8/16/24 22:15	8.1	93	8.2	169	22.3	46	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/16/24 22:30	8.1	93	8.2	169	22.3	45	
8/16/24 22:45	8.1	93	8.2	169	22.2	43	
8/16/24 23:00	8.1	93	8.2	169	22.2	45	
8/16/24 23:15	8.1	93	8.2	169	22.1	45	
8/16/24 23:30	8.1	93	8.2	169	22.1	43	
8/16/24 23:45	8.1	93	8.2	169	22.1	43	
8/17/24 0:00	8.1	93	8.2	168	22.1	44	
8/17/24 0:15	8.1	93	8.2	168	22.0	44	
8/17/24 0:30	8.1	93	8.2	168	22.0	45	
8/17/24 0:45	8.1	93	8.2	168	22.0	43	
8/17/24 1:00	8.1	93	8.2	168	21.9	48	
8/17/24 1:15	8.1	93	8.2	168	21.9	46	
8/17/24 1:30	8.1	93	8.2	168	21.9	45	
8/17/24 1:45	8.1	93	8.2	168	21.8	45	
8/17/24 2:00	8.1	93	8.2	168	21.8	44	
8/17/24 2:15	8.2	93	8.2	168	21.8	45	
8/17/24 2:30	8.2	93	8.2	169	21.7	45	
8/17/24 2:45	8.2	93	8.2	169	21.7	45	
8/17/24 3:00	8.2	93	8.2	169	21.7	45	
8/17/24 3:15	8.2	93	8.2	169	21.6	44	
8/17/24 3:30	8.2	93	8.2	169	21.6	45	
8/17/24 3:45	8.2	93	8.2	169	21.6	45	
8/17/24 4:00	8.2	93	8.2	169	21.5	44	
8/17/24 4:15	8.2	93	8.2	169	21.5	46	
8/17/24 4:30	8.2	93	8.2	169	21.4	45	
8/17/24 4:45	8.2	93	8.2	169	21.4	46	
8/17/24 5:00	8.2	93	8.2	169	21.4	45	
8/17/24 5:15	8.2	93	8.2	169	21.4	45	
8/17/24 5:30	8.2	93	8.2	169	21.3	45	
8/17/24 5:45	8.2	93	8.2	169	21.3	45	
8/17/24 6:00	8.2	93	8.2	169	21.3	43	
8/17/24 6:15	8.2	93	8.2	169	21.3	46	
8/17/24 6:30	8.2	92	8.2	169	21.3		
8/17/24 6:45	8.2	93	8.2	169	21.2	45	
8/17/24 7:00	8.2	93	8.2	169	21.2	47	
8/17/24 7:15	8.2	93	8.2	169	21.2	44	
8/17/24 7:30	8.2	93	8.2	169	21.2	44	
8/17/24 7:45	8.3	93	8.2	169	21.2		
8/17/24 8:00	8.3	93	8.2	169	21.1	46	
8/17/24 8:15	8.3	93	8.2	170	21.1	44	
8/17/24 8:30	8.3	93	8.2	170	21.1	45	
8/17/24 8:45	8.3	93	8.2	170	21.1	45	
8/17/24 9:00	8.3	94	8.2	170	21.1	45	
8/17/24 9:15			8.2	170	21.1		
8/17/24 9:30	8.3	94	8.2	170	21.1	44	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/17/24 9:45	8.4	94	8.2	170	21.1	44	
8/17/24 10:00	8.4	94	8.2	170	21.1	44	
8/17/24 10:15	8.4	95	8.2	170	21.1	44	
8/17/24 10:30	8.4	95	8.2	170	21.1		
8/17/24 10:45	8.4	95	8.2	170	21.2	45	
8/17/24 11:00	8.5	95	8.2	170	21.2	44	
8/17/24 11:15			8.2	170	21.2	46	
8/17/24 11:30	8.5	96	8.2	170	21.2	43	
8/17/24 11:45	8.5	95	8.2	170	21.2	42	
8/17/24 12:00	8.5	96	8.2	170	21.2	43	
8/17/24 12:15	8.5	95	8.2	170	21.2	44	
8/17/24 12:30	8.5	95	8.2	170	21.2	43	
8/17/24 12:45	8.5	95	8.2	170	21.1	42	
8/17/24 13:00	8.5	95	8.2	170	21.1	42	
8/17/24 13:15	8.5	95	8.2	170	21.0	43	
8/17/24 13:30	8.5	95	8.2	170	20.9	43	
8/17/24 13:45	8.5	95	8.2	170	20.9	42	
8/17/24 14:00	8.5	95	8.2	170	20.8	45	
8/17/24 14:15	8.5	95	8.2	170	20.8		
8/17/24 14:30	8.5	95	8.2	170	20.9	43	
8/17/24 14:45	8.5	96	8.2	170	21.0	42	
8/17/24 15:00	8.5	96	8.2	170	21.0	42	
8/17/24 15:15	8.5	96	8.2	170	21.0	42	
8/17/24 15:30	8.5	96	8.2	170	21.0	43	
8/17/24 15:45	8.5	96	8.2	170	21.0	42	
8/17/24 16:00	8.6	96	8.2	170	21.0	44	
8/17/24 16:15	8.6	96	8.3	170	21.0	42	
8/17/24 16:30	8.5	96	8.3	170	21.0	42	
8/17/24 16:45	8.5	96	8.3	170	21.0	44	
8/17/24 17:00	8.5	96	8.2	170	21.0	40	
8/17/24 17:15	8.5	96	8.3	170	20.9	43	
8/17/24 17:30	8.5	96	8.3	170	21.0	44	
8/17/24 17:45	8.5	96	8.2	170	21.0	44	
8/17/24 18:00	8.5	95	8.3	170	21.0	44	
8/17/24 18:15	8.5	95	8.3	170	21.0	45	
8/17/24 18:30	8.5	95	8.2	170	20.9	46	
8/17/24 18:45	8.5	95	8.2	170	20.9	46	
8/17/24 19:00	8.5	95	8.2	170	20.9	48	
8/17/24 19:15	8.5	95	8.2	170	20.9	50	
8/17/24 19:30	8.4	95	8.2	170	20.9	49	
8/17/24 19:45	8.4	95	8.2	170	20.9	45	
8/17/24 20:00	8.4	95	8.2	170	20.9	44	
8/17/24 20:15	8.4	94	8.2	170	20.9	48	
8/17/24 20:30	8.4	94	8.2	170	20.9	45	
8/17/24 20:45	8.4	94	8.2	170	20.9	45	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/17/24 21:00	8.4	94	8.2	169	20.9	43	
8/17/24 21:15	8.4	94	8.2	170	20.9	45	
8/17/24 21:30	8.4	94	8.2	170	20.9	42	
8/17/24 21:45	8.4	94	8.2	170	20.9		
8/17/24 22:00	8.4	94	8.2	170	20.9	41	
8/17/24 22:15	8.3	93	8.2	170	20.8	42	
8/17/24 22:30	8.4	94	8.2	170	20.8	42	
8/17/24 22:45	8.4	93	8.2	170	20.8	41	
8/17/24 23:00	8.3	93	8.2	170	20.8	41	
8/17/24 23:15	8.3	93	8.2	170	20.8	40	
8/17/24 23:30	8.4	93	8.2	170	20.8	42	
8/17/24 23:45	8.4	93	8.2	170	20.7	41	
8/18/24 0:00	8.4	93	8.2	170	20.7	40	
8/18/24 0:15	8.4	93	8.2	169	20.7	41	
8/18/24 0:30	8.4	93	8.2	169	20.6	39	
8/18/24 0:45	8.4	93	8.2	169	20.6	41	
8/18/24 1:00	8.4	93	8.2	169	20.6	40	
8/18/24 1:15	8.4	93	8.2	169	20.5	41	
8/18/24 1:30	8.4	93	8.2	169	20.5	46	
8/18/24 1:45	8.4	93	8.2	169	20.5	41	
8/18/24 2:00	8.4	93	8.2	168	20.5	40	
8/18/24 2:15	8.4	93	8.2	168	20.5	40	
8/18/24 2:30	8.4	93	8.2	168	20.5	42	
8/18/24 2:45	8.4	93	8.2	168	20.5	42	
8/18/24 3:00	8.4	93	8.2	168	20.4	42	
8/18/24 3:15	8.4	93	8.2	168	20.4	40	
8/18/24 3:30	8.4	93	8.2	168	20.4	41	
8/18/24 3:45	8.4	93	8.2	168	20.4	40	
8/18/24 4:00	8.4	93	8.2	169	20.3	41	
8/18/24 4:15	8.4	93	8.2	169	20.3	41	
8/18/24 4:30	8.4	93	8.2	169	20.3	40	
8/18/24 4:45	8.4	93	8.2	170	20.3	42	
8/18/24 5:00	8.4	93	8.2	171	20.2	41	
8/18/24 5:15	8.5	93	8.2	171	20.2	43	
8/18/24 5:30	8.5	93	8.2	171	20.2	41	
8/18/24 5:45	8.5	93	8.2	171	20.1	42	
8/18/24 6:00	8.5	94	8.2	171	20.1	42	
8/18/24 6:15	8.5	94	8.2	171	20.1	43	
8/18/24 6:30	8.5	94	8.2	171	20.0	44	
8/18/24 6:45	8.5	94	8.2	171	20.0	50	
8/18/24 7:00	8.5	94	8.2	171	20.0	48	
8/18/24 7:15	8.5	94	8.2	171	19.9	49	
8/18/24 7:30	8.5	94	8.2	171	19.9	50	
8/18/24 7:45	8.6	94	8.2	171	19.9	53	
8/18/24 8:00	8.6	94	8.2	171	19.9	54	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 8:15	8.6	94	8.2	171	19.8	54	
8/18/24 8:30	8.6	94	8.2	171	19.8	52	
8/18/24 8:45	8.6	94	8.2	171	19.8	58	
8/18/24 9:00	8.6	94	8.2	171	19.8	51	
8/18/24 9:15	8.6	95	8.2	171	19.8	49	
8/18/24 9:30	8.7	95	8.2	171	19.8	47	
8/18/24 9:45	8.7	95	8.2	171	19.9	46	
8/18/24 10:00	8.7	95	8.2	171	19.9	45	
8/18/24 10:15	8.7	96	8.2	172	20.0	46	
8/18/24 10:30	8.7	96	8.2	172	20.0	44	
8/18/24 10:45	8.7	96	8.2	172	20.1	43	
8/18/24 11:00	8.8	97	8.2	172	20.2	42	
8/18/24 11:15	8.8	97	8.2	172	20.3	42	
8/18/24 11:30	8.8	97	8.2	172	20.3	41	
8/18/24 11:45	8.8	98	8.2	172	20.4	43	
8/18/24 12:00	8.8	98	8.2	172	20.6	42	
8/18/24 12:15	8.8	98	8.3	172	20.7	41	
8/18/24 12:30	8.8	99	8.3	172	20.8	41	
8/18/24 12:45	8.8	99	8.3	172	20.8	41	
8/18/24 13:00	8.8	99	8.3	172	20.9	41	
8/18/24 13:15	8.8	99	8.3	172	21.0	41	
8/18/24 13:30	8.8	99	8.3	172	21.1	41	
8/18/24 13:45	8.8	100	8.3	172	21.2	40	
8/18/24 14:00	8.8	100	8.3	172	21.3	39	
8/18/24 14:15	8.8	100	8.3	172	21.3	39	
8/18/24 14:30	8.8	100	8.3	172	21.4	39	
8/18/24 14:45	8.8	100	8.3	172	21.5	40	
8/18/24 15:00	8.8	100	8.3	172	21.6	40	
8/18/24 15:15	8.8	100	8.3	172	21.7	40	
8/18/24 15:30	8.8	100	8.3	172	21.8	39	
8/18/24 15:45	8.8	100	8.3	172	21.8	39	
8/18/24 16:00	8.8	100	8.3	172	21.9	39	
8/18/24 16:15	8.8	100	8.3	172	21.9	40	
8/18/24 16:30	8.7	100	8.3	172	21.9	37	
8/18/24 16:45	8.7	100	8.3	172	22.0	37	
8/18/24 17:00	8.7	99	8.3	172	22.0	37	
8/18/24 17:15	8.7	99	8.3	172	21.9	38	
8/18/24 17:30	8.6	98	8.3	172	21.9	39	
8/18/24 17:45	8.6	98	8.3	172	21.8	37	
8/18/24 18:00	8.6	98	8.3	172	21.8	40	
8/18/24 18:15	8.6	98	8.3	172	21.8	38	
8/18/24 18:30	8.6	98	8.3	172	21.8		
8/18/24 18:45	8.5	97	8.3	171	21.7	37	
8/18/24 19:00	8.5	97	8.3	171	21.7	38	
8/18/24 19:15	8.5	97	8.3	171	21.7	36	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 19:30	8.5	96	8.3	171	21.6	37	
8/18/24 19:45	8.5	96	8.3	171	21.6		
8/18/24 20:00	8.4	96	8.3	171	21.5	36	
8/18/24 20:15	8.4	96	8.3	171	21.4	37	
8/18/24 20:30	8.4	95	8.3	171	21.4	37	
8/18/24 20:45	8.4	95	8.3	171	21.3	36	
8/18/24 21:00	8.4	95	8.3	171	21.3	39	
8/18/24 21:15	8.4	95	8.3	171	21.2	37	
8/18/24 21:30	8.4	94	8.3	170	21.2	37	
8/18/24 21:45	8.4	94	8.3	170	21.1	38	
8/18/24 22:00	8.4	94	8.3	170	21.1	38	
8/18/24 22:15	8.4	94	8.3	170	21.1	37	
8/18/24 22:30	8.4	94	8.3	170	21.0	36	
8/18/24 22:45	8.4	94	8.3	170	21.0	39	
8/18/24 23:00	8.4	94	8.2	170	21.0	36	
8/18/24 23:15	8.3	94	8.2	170	20.9	37	
8/18/24 23:30	8.4	94	8.2	170	20.9	37	
8/18/24 23:45	8.4	93	8.2	170	20.8	37	
8/19/24 0:00	8.4	93	8.2	170	20.8	38	
8/19/24 0:15	8.4	93	8.2	170	20.7		
8/19/24 0:30	8.4	93	8.2	170	20.7	36	
8/19/24 0:45	8.4	93	8.2	170	20.6	37	
8/19/24 1:00	8.4	93	8.2	170	20.6	38	
8/19/24 1:15	8.4	93	8.2	170	20.6	37	
8/19/24 1:30	8.4	93	8.2	170	20.6	38	
8/19/24 1:45	8.4	93	8.2	170	20.5	38	
8/19/24 2:00	8.4	93	8.2	170	20.5	36	
8/19/24 2:15	8.4	93	8.2	170	20.4	38	
8/19/24 2:30	8.4	93	8.2	170	20.4	38	
8/19/24 2:45	8.4	93	8.2	171	20.4	37	
8/19/24 3:00	8.4	93	8.2	171	20.3	38	
8/19/24 3:15	8.4	93	8.2	171	20.3	37	
8/19/24 3:30	8.4	93	8.2	171	20.2	37	
8/19/24 3:45	8.4	93	8.2	171	20.2	38	
8/19/24 4:00	8.4	93	8.2	171	20.2	40	
8/19/24 4:15	8.4	93	8.2	171	20.1	37	
8/19/24 4:30	8.4	93	8.2	171	20.1	37	
8/19/24 4:45	8.4	93	8.2	172	20.0	37	
8/19/24 5:00	8.5	93	8.2	172	20.0	39	
8/19/24 5:15	8.5	93	8.2	172	20.0	37	
8/19/24 5:30	8.5	93	8.2	172	19.9	39	
8/19/24 5:45	8.5	93	8.2	172	19.9	38	
8/19/24 6:00	8.5	93	8.2	172	19.9	38	
8/19/24 6:15	8.5	93	8.2	172	19.9	39	
8/19/24 6:30	8.5	93	8.2	172	19.9	39	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 6:45	8.5	93	8.2	172	19.8	38	
8/19/24 7:00	8.5	93	8.2	173	19.8	38	
8/19/24 7:15	8.5	93	8.2	173	19.8	37	
8/19/24 7:30	8.5	93	8.2	173	19.8	36	
8/19/24 7:45	8.5	93	8.2	173	19.8	37	
8/19/24 8:00	8.5	93	8.2	173	19.7	37	
8/19/24 8:15	8.5	93	8.2	173	19.7	37	
8/19/24 8:30	8.6	94	8.2	173	19.7		
8/19/24 8:45	8.6	94	8.2	173	19.7	37	
8/19/24 9:00	8.6	94	8.2	173	19.7	36	
8/19/24 9:15	8.6	94	8.2	173	19.8	36	
8/19/24 9:30	8.7	95	8.2	174	19.8	37	
8/19/24 9:45	8.7	95	8.2	174	19.9	37	
8/19/24 10:00	8.7	96	8.2	174	19.9		
8/19/24 10:15	8.7	96	8.2	174	20.0	36	
8/19/24 10:30	8.7	96	8.2	174	20.1	36	
8/19/24 10:45	8.8	97	8.2	174	20.2	35	
8/19/24 11:00	8.8	97	8.3	175	20.3	34	
8/19/24 11:15	8.8	98	8.3	175	20.4	35	
8/19/24 11:30	8.8	98	8.3	175	20.5	37	
8/19/24 11:45	8.9	99	8.3	175	20.6	35	
8/19/24 12:00	8.9	99	8.3	176	20.7	36	
8/19/24 12:15	8.9	99	8.3	176	20.7		
8/19/24 12:30	8.9	100	8.3	176	20.8	34	
8/19/24 12:45	8.9	100	8.3	176	20.9	35	
8/19/24 13:00	8.9	100	8.3	176	21.0	35	
8/19/24 13:15	8.9	100	8.3	176	21.0		
8/19/24 13:30	8.9	100	8.3	176	21.0		
8/19/24 13:45	8.9	100	8.3	176	21.0	36	
8/19/24 14:00	8.9	101	8.3	177	21.0	34	
8/19/24 14:15	8.9		8.3		21.1	33	
8/19/24 14:30	8.9	101	8.3	177	21.1	33	
8/19/24 14:45	8.9	101	8.3	177	21.1	32	
8/19/24 15:00	8.9	101	8.3	177	21.2	34	
8/19/24 15:15	8.9	101	8.4	177	21.3	37	
8/19/24 15:30	8.9	101	8.4	177	21.3		
8/19/24 15:45	8.9	101	8.4	177	21.4	33	
8/19/24 16:00	8.9	101	8.4	177	21.4	32	
8/19/24 16:15	8.9	101	8.4	177	21.4	35	
8/19/24 16:30	8.9	101	8.4	177	21.4	33	
8/19/24 16:45	8.9	100	8.4	178	21.4	33	
8/19/24 17:00	8.9	100	8.4	178	21.4	34	
8/19/24 17:15	8.8	100	8.4	178	21.3	33	
8/19/24 17:30	8.8	100	8.4	178	21.3	33	
8/19/24 17:45	8.8	99	8.4	178	21.2	33	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 18:00	8.8	99	8.4	178	21.2	33	
8/19/24 18:15	8.7	98	8.4	178	21.1	34	
8/19/24 18:30	8.7	98	8.4	179	21.1	32	
8/19/24 18:45	8.7	98	8.4	179	21.1	34	
8/19/24 19:00	8.7	98	8.4	179	21.1	34	
8/19/24 19:15	8.7	98	8.4	179	21.0	33	
8/19/24 19:30	8.7	97	8.4	179	20.9	34	
8/19/24 19:45	8.7	97	8.4	179	20.9	33	
8/19/24 20:00	8.6	97	8.3	180	20.8	34	
8/19/24 20:15	8.6	96	8.3	180	20.8	36	
8/19/24 20:30			8.3	180	20.7		
8/19/24 20:45	8.6	96	8.3	180	20.7	36	
8/19/24 21:00	8.6	95	8.3	180	20.7	34	
8/19/24 21:15	8.6	95	8.3	180	20.6	36	
8/19/24 21:30	8.5	95	8.3	180	20.5	35	
8/19/24 21:45	8.5	95	8.3	180	20.5		
8/19/24 22:00	8.5	94	8.3	181	20.4	36	
8/19/24 22:15	8.5	94	8.3	181	20.3	38	
8/19/24 22:30	8.5	94	8.3	181	20.3	37	
8/19/24 22:45	8.5	94	8.3	181	20.2	44	
8/19/24 23:00	8.5	94	8.3	181	20.2	42	
8/19/24 23:15	8.5	94	8.3	181	20.2	39	
8/19/24 23:30	8.5	94	8.3	181	20.1	41	
8/19/24 23:45	8.5	94	8.2	181	20.1	41	
8/20/24 0:00	8.5	94	8.2	182	20.1	43	
8/20/24 0:15	8.5	94	8.2	182	20.0	44	
8/20/24 0:30	8.5	94	8.2	182	20.0	46	
8/20/24 0:45	8.5	93	8.2	182	20.0	46	
8/20/24 1:00	8.5	93	8.2	182	20.0	48	
8/20/24 1:15	8.5	93	8.2	183	19.9	48	
8/20/24 1:30	8.5	93	8.2	183	19.9	49	
8/20/24 1:45	8.5	93	8.2	183	19.9	51	
8/20/24 2:00	8.5	93	8.2	184	19.8	51	
8/20/24 2:15	8.5	93	8.2	184	19.8	59	
8/20/24 2:30	8.5	93	8.2	185	19.8	53	
8/20/24 2:45	8.5	93	8.2	185	19.7	55	
8/20/24 3:00	8.5	93	8.2	186	19.7	55	
8/20/24 3:15	8.5	93	8.2	186	19.6	56	
8/20/24 3:30	8.5	93	8.2	187	19.6	57	
8/20/24 3:45	8.6	93	8.2	187	19.6	58	
8/20/24 4:00	8.6	93	8.2	188	19.6		
8/20/24 4:15	8.6	93	8.2	188	19.5		
8/20/24 4:30	8.6	93	8.2	189	19.5		
8/20/24 4:45	8.6	93	8.2	190	19.5		
8/20/24 5:00	8.6	93	8.2	190	19.5		

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 5:15	8.6	93	8.2	191	19.4	62	
8/20/24 5:30	8.6	93	8.2	191	19.4	60	
8/20/24 5:45	8.6	93	8.2	192	19.4	59	
8/20/24 6:00	8.6	93	8.2	192	19.4	61	
8/20/24 6:15	8.6	93	8.2	193	19.4	59	
8/20/24 6:30	8.6	93	8.2	193	19.3	57	
8/20/24 6:45	8.6	93	8.2	193	19.3	63	
8/20/24 7:00	8.6	93	8.2	193	19.3	60	
8/20/24 7:15	8.6	93	8.2	194	19.2	58	
8/20/24 7:30	8.6	93	8.2	194	19.2	58	
8/20/24 7:45	8.6	93	8.2	193	19.1	59	
8/20/24 8:00	8.7	94	8.2	193	19.1		
8/20/24 8:15	8.7	93	8.2	193	19.1	55	
8/20/24 8:30	8.7	93	8.2	193	19.0	55	
8/20/24 8:45	8.7	94	8.2	192	19.0	57	
8/20/24 9:00	8.7	94	8.2	192	19.0	55	
8/20/24 9:15	8.7	94	8.2	191	19.0		
8/20/24 9:30	8.8	95	8.2	190	19.1	56	
8/20/24 9:45	8.8	95	8.2	190	19.1	54	
8/20/24 10:00	8.8	95	8.2	189	19.2	55	
8/20/24 10:15	8.8	96	8.2	188	19.2	54	
8/20/24 10:30	8.8	96	8.2	188	19.3	56	
8/20/24 10:45	8.9	96	8.2	187	19.4	56	
8/20/24 11:00	8.9	97	8.2	186	19.5	56	
8/20/24 11:15	8.9	97	8.2	186	19.6	55	
8/20/24 11:30	8.9	98	8.2	185	19.7	54	
8/20/24 11:45	8.9	98	8.2	185	19.8	56	
8/20/24 12:00	8.9	98	8.2	184	19.9	55	
8/20/24 12:15	9.0	99	8.2	184	20.1	59	
8/20/24 12:30	9.0	99	8.2	183	20.2	57	
8/20/24 12:45	9.0	99	8.2	183	20.3	58	
8/20/24 13:00	9.0	100	8.2	183	20.5	56	
8/20/24 13:15	9.0	100	8.2	182	20.6	59	
8/20/24 13:30	8.9	100	8.3	182	20.7	59	
8/20/24 13:45	9.0	100	8.3	182	20.9	59	
8/20/24 14:00	8.9	100	8.3	181	21.0	59	
8/20/24 14:15	8.9	100	8.3	181	21.1	59	
8/20/24 14:30	8.9	100	8.3	181	21.2	62	
8/20/24 14:45	8.9	100	8.3	180	21.3	62	
8/20/24 15:00	8.9	100	8.3	180	21.4	63	
8/20/24 15:15	8.8	100	8.3	180	21.5	61	
8/20/24 15:30	8.8	100	8.3	180	21.5		
8/20/24 15:45	8.8	100	8.3	180	21.6		
8/20/24 16:00	8.8	100	8.3	179	21.7	62	
8/20/24 16:15	8.8	100	8.3	179	21.7	62	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 16:30	8.8	100	8.3	179	21.7	62	
8/20/24 16:45	8.8	100	8.3	179	21.7		
8/20/24 17:00	8.7	99	8.3	179	21.7		
8/20/24 17:15	8.7	99	8.3	178	21.7	61	
8/20/24 17:30	8.7	98	8.3	178	21.6	58	
8/20/24 17:45	8.6	98	8.3	178	21.6	61	
8/20/24 18:00	8.6	98	8.3	178	21.6	60	
8/20/24 18:15	8.6	98	8.3	178	21.5	59	
8/20/24 18:30	8.6	97	8.3	178	21.5	60	
8/20/24 18:45	8.6	97	8.3	178	21.5	59	
8/20/24 19:00	8.6	97	8.3	178	21.4	58	
8/20/24 19:15	8.5	96	8.3	178	21.3	60	
8/20/24 19:30	8.5	96	8.3	178	21.2	62	
8/20/24 19:45	8.5	96	8.3	178	21.2	63	
8/20/24 20:00	8.5	96	8.3	178	21.1	66	
8/20/24 20:15	8.5	95	8.3	178	21.0	62	
8/20/24 20:30	8.5	95	8.3	178	20.9	61	
8/20/24 20:45	8.5	95	8.3	178	20.8	62	
8/20/24 21:00	8.5	95	8.2	178	20.7	63	
8/20/24 21:15	8.5	95	8.2	178	20.7	62	
8/20/24 21:30	8.5	94	8.2	179	20.6	63	
8/20/24 21:45	8.5	94	8.2	179	20.5	69	
8/20/24 22:00	8.5	94	8.2	179	20.5	66	
8/20/24 22:15	8.5	94	8.2	179	20.5	64	
8/20/24 22:30	8.5	94	8.2	179	20.4	65	
8/20/24 22:45	8.5	94	8.2	179	20.4	66	
8/20/24 23:00	8.5	94	8.2	179	20.3	69	
8/20/24 23:15	8.5	94	8.2	180	20.3	66	
8/20/24 23:30	8.5	94	8.2	180	20.2	67	
8/20/24 23:45	8.5	94	8.2	179	20.2	67	
8/21/24 0:00	8.5	94	8.2	180	20.2	65	
8/21/24 0:15	8.5	94	8.2	180	20.2	69	
8/21/24 0:30	8.5	94	8.2	180	20.1	70	
8/21/24 0:45	8.5	94	8.2	180	20.1	70	
8/21/24 1:00	8.5	94	8.2	180	20.0	63	
8/21/24 1:15	8.5	94	8.2	180	20.0	64	
8/21/24 1:30	8.5	94	8.2	180	20.0	65	
8/21/24 1:45	8.5	94	8.2	180	20.0	64	
8/21/24 2:00	8.5	94	8.2	180	19.9	62	
8/21/24 2:15	8.5	94	8.2	180	19.9	62	
8/21/24 2:30	8.5	94	8.2	180	19.9	62	
8/21/24 2:45	8.5	94	8.2	180	19.9	61	
8/21/24 3:00	8.5	94	8.2	180	19.9	60	
8/21/24 3:15	8.5	94	8.2	180	19.8	60	
8/21/24 3:30	8.5	94	8.2	180	19.8	60	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 3:45	8.5	93	8.2	180	19.8	59	
8/21/24 4:00	8.5	94	8.2	180	19.8	58	
8/21/24 4:15	8.5	94	8.2	180	19.7	56	
8/21/24 4:30	8.6	94	8.2	180	19.7	61	
8/21/24 4:45	8.6	93	8.2	180	19.7	58	
8/21/24 5:00	8.6	94	8.2	180	19.6	58	
8/21/24 5:15	8.6	93	8.2	180	19.6	57	
8/21/24 5:30	8.6	93	8.2	180	19.6	58	
8/21/24 5:45	8.6	93	8.2	179	19.6	58	
8/21/24 6:00	8.6	93	8.2	179	19.5	58	
8/21/24 6:15	8.6	93	8.2	179	19.5	60	
8/21/24 6:30			8.2	179	19.5		
8/21/24 6:45	8.6	93	8.2	179	19.5		
8/21/24 7:00	8.6	93	8.2	179	19.4		
8/21/24 7:15	8.6	93	8.2	178	19.4		
8/21/24 7:30	8.6	94	8.2	178	19.4	59	
8/21/24 7:45	8.6	94	8.2	178	19.4		
8/21/24 8:00	8.6	94	8.2	178	19.4		
8/21/24 8:15	8.6	94	8.2	178	19.4		
8/21/24 8:30	8.7	94	8.2	178	19.3		
8/21/24 8:45	8.7	94	8.2	178	19.3	59	
8/21/24 9:00	8.7	94	8.2	178	19.4	59	
8/21/24 9:15	8.7	95	8.2	177	19.4		
8/21/24 9:30	8.7	95	8.2	177	19.5	60	
8/21/24 9:45	8.7	95	8.2	177	19.5	61	
8/21/24 10:00	8.8	96	8.2	177	19.6	61	
8/21/24 10:15	8.8	96	8.2	177	19.7	60	
8/21/24 10:30	8.8	96	8.2	177	19.8	61	
8/21/24 10:45			8.2	177	19.9		
8/21/24 11:00	8.8	97	8.3	177	20.0	63	
8/21/24 11:15	8.9	98	8.3	177	20.1	60	
8/21/24 11:30	8.9	98	8.3	177	20.3	59	
8/21/24 11:45	8.9	99	8.3	177	20.4	59	
8/21/24 12:00	8.9	99	8.3	177	20.6		
8/21/24 12:15	8.9	100	8.3	177	20.7	59	
8/21/24 12:30	8.9	100	8.3	177	20.8	59	
8/21/24 12:45	8.9	100	8.3	177	21.0	60	
8/21/24 13:00	9.0	101	8.3	177	21.1	59	
8/21/24 13:15	9.0	101	8.3	177	21.2	60	
8/21/24 13:30	9.0	101	8.3	178	21.3	59	
8/21/24 13:45	9.0	101	8.3	178	21.4	60	
8/21/24 14:00	9.0	102	8.3	178	21.5	59	
8/21/24 14:15	8.9	102	8.3	178	21.6	59	
8/21/24 14:30	8.9	102	8.3	178	21.7	59	
8/21/24 14:45	8.9	102	8.3	178	21.8	58	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 15:00	8.9	102	8.3	178	21.9	58	
8/21/24 15:15	8.9	102	8.3	179	21.9	57	
8/21/24 15:30	8.9	102	8.4	178	22.0	56	
8/21/24 15:45	8.9	102	8.4	178	22.0	60	
8/21/24 16:00	8.9	102	8.4	179	22.1	56	
8/21/24 16:15	8.9	102	8.4	179	22.1	58	
8/21/24 16:30	8.8	101	8.4	179	22.2	53	
8/21/24 16:45	8.8	101	8.4	179	22.2	55	
8/21/24 17:00	8.8	101	8.4	179	22.1	54	
8/21/24 17:15	8.8	100	8.4	179	22.1	54	
8/21/24 17:30	8.7	100	8.4	179	22.0	53	
8/21/24 17:45	8.7	99	8.4	179	22.0	51	
8/21/24 18:00	8.7	99	8.4	179	22.0	50	
8/21/24 18:15	8.6	99	8.4	179	21.9	51	
8/21/24 18:30	8.6	99	8.4	179	21.9	48	
8/21/24 18:45	8.6	98	8.4	180	21.8	48	
8/21/24 19:00	8.6	98	8.4	180	21.8	44	
8/21/24 19:15	8.6	98	8.4	180	21.7	47	
8/21/24 19:30	8.6	97	8.4	180	21.6	47	
8/21/24 19:45	8.5	97	8.4	180	21.5	46	
8/21/24 20:00	8.5	96	8.4	180	21.5	46	
8/21/24 20:15	8.5	96	8.4	179	21.4	46	
8/21/24 20:30	8.5	96	8.4	180	21.3	44	
8/21/24 20:45	8.5	96	8.4	179	21.3	44	
8/21/24 21:00	8.5	95	8.4	179	21.2	45	
8/21/24 21:15	8.4	95	8.4	179	21.1	44	
8/21/24 21:30	8.4	95	8.4	179	21.1	43	
8/21/24 21:45	8.4	95	8.4	179	21.0	43	
8/21/24 22:00	8.4	94	8.3	179	21.0	41	
8/21/24 22:15	8.4	94	8.3	179	20.9	41	
8/21/24 22:30	8.4	94	8.3	179	20.9	41	
8/21/24 22:45	8.4	94	8.3	179	20.8	43	
8/21/24 23:00	8.4	94	8.3	179	20.8	42	
8/21/24 23:15	8.4	94	8.3	179	20.8	42	
8/21/24 23:30	8.4	94	8.3	179	20.7	44	
8/21/24 23:45	8.4	93	8.3	179	20.7	44	
8/22/24 0:00	8.4	93	8.3	179	20.7	44	
8/22/24 0:15	8.4	93	8.3	180	20.6	43	
8/22/24 0:30	8.4	93	8.3	179	20.6	44	
8/22/24 0:45	8.4	93	8.3	180	20.6	44	
8/22/24 1:00	8.4	93	8.3	180	20.5	46	
8/22/24 1:15	8.4	93	8.3	180	20.5	45	
8/22/24 1:30	8.4	93	8.3	180	20.5	44	
8/22/24 1:45	8.4	93	8.3	180	20.5	43	
8/22/24 2:00	8.4	93	8.3	180	20.5	40	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 2:15	8.4	93	8.3	180	20.5	41	
8/22/24 2:30	8.4	93	8.3	180	20.4	41	
8/22/24 2:45	8.4	93	8.3	180	20.4	42	
8/22/24 3:00	8.4	93	8.3	180	20.4	42	
8/22/24 3:15	8.4	93	8.3	180	20.4	40	
8/22/24 3:30	8.4	93	8.3	180	20.4	40	
8/22/24 3:45	8.4	93	8.3	180	20.3	40	
8/22/24 4:00	8.4	93	8.3	180	20.3	40	
8/22/24 4:15	8.4	93	8.3	180	20.2	38	
8/22/24 4:30	8.4	93	8.3	180	20.2	39	
8/22/24 4:45	8.4	93	8.3	180	20.1	39	
8/22/24 5:00	8.4	93	8.3	180	20.1	39	
8/22/24 5:15	8.4	93	8.3	180	20.1	39	
8/22/24 5:30	8.4	93	8.3	180	20.0	39	
8/22/24 5:45	8.4	93	8.3	180	20.0	40	
8/22/24 6:00	8.4	93	8.3	179	20.0	41	
8/22/24 6:15	8.4	93	8.3	179	19.9	39	
8/22/24 6:30	8.4	92	8.2	179	19.9	39	
8/22/24 6:45	8.4	93	8.2	179	19.9	39	
8/22/24 7:00	8.4	92	8.2	179	19.8	40	
8/22/24 7:15	8.4	93	8.2	178	19.8	40	
8/22/24 7:30	8.4	93	8.2	178	19.8	41	
8/22/24 7:45	8.5	93	8.2	178	19.7	44	
8/22/24 8:00	8.5	93	8.2	178	19.7	43	
8/22/24 8:15	8.5	93	8.2	178	19.7		
8/22/24 8:30	8.5	93	8.2	178	19.7		
8/22/24 8:45	8.6	94	8.2	178	19.7	51	
8/22/24 9:00	8.6	94	8.2	178	19.7	48	
8/22/24 9:15	8.6	94	8.3	178	19.7	48	
8/22/24 9:30	8.7	95	8.3	177	19.7	48	
8/22/24 9:45	8.7	96	8.3	177	19.8	49	
8/22/24 10:00	8.8	96	8.3	177	19.8	48	
8/22/24 10:15	8.8	97	8.3	177	19.9	46	
8/22/24 10:30	8.9	98	8.3	177	20.0	47	
8/22/24 10:45	9.0	99	8.3	177	20.1	45	
8/22/24 11:00	9.0	99	8.4	177	20.2		
8/22/24 11:15	9.1	100	8.4	177	20.2	44	
8/22/24 11:30	9.1	101	8.4	177	20.3	44	
8/22/24 11:45	9.2	102	8.4	177	20.4	43	
8/22/24 12:00	9.2	103	8.4	177	20.5	44	
8/22/24 12:15	9.3	104	8.5	177	20.7	41	
8/22/24 12:30	9.3	104	8.5	177	20.9	42	
8/22/24 12:45	9.4	106	8.5	177	21.0	41	
8/22/24 13:00	9.4	106	8.5	178	21.2	39	
8/22/24 13:15	9.4	107	8.5	178	21.3	41	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 13:30	9.5	107	8.6	178	21.4	40	
8/22/24 13:45	9.5	108	8.6	178	21.5	39	
8/22/24 14:00	9.5	108	8.6	178	21.6	38	
8/22/24 14:15	9.5	107	8.6	178	21.6	38	
8/22/24 14:30	9.4	107	8.6	179	21.6	37	
8/22/24 14:45	9.4	106	8.6	179	21.5	38	
8/22/24 15:00	9.3	106	8.6	179	21.5	37	
8/22/24 15:15	9.3	106	8.6	179	21.5	38	
8/22/24 15:30	9.3	105	8.6	179	21.4	39	
8/22/24 15:45	9.3	105	8.6	179	21.4	37	
8/22/24 16:00	9.3	104	8.6	179	21.2	37	
8/22/24 16:15	9.2	104	8.6	179	21.1	38	
8/22/24 16:30	9.2	103	8.6	179	21.0	38	
8/22/24 16:45	9.1	103	8.6	179	21.0	40	
8/22/24 17:00	9.1	102	8.6	179	20.9	44	
8/22/24 17:15	9.1	102	8.6	179	20.9	42	
8/22/24 17:30	9.1	102	8.6	179	20.8	42	
8/22/24 17:45	9.1	101	8.6	178	20.8	40	
8/22/24 18:00	9.1	101	8.6	179	20.8	39	
8/22/24 18:15	9.0	101	8.6	178	20.7	38	
8/22/24 18:30	9.0	101	8.6	178	20.7	37	
8/22/24 18:45	9.0	100	8.6	178	20.6	41	
8/22/24 19:00	8.9	99	8.6	178	20.5	40	
8/22/24 19:15	8.9	99	8.6	178	20.4	39	
8/22/24 19:30	8.9	99	8.6	178	20.4	37	
8/22/24 19:45	8.8	98	8.5	178	20.3	37	
8/22/24 20:00	8.8	97	8.5	178	20.2	36	
8/22/24 20:15	8.8	97	8.5	178	20.1	38	
8/22/24 20:30	8.7	96	8.5	177	20.0		
8/22/24 20:45	8.7	96	8.5	177	20.0	35	
8/22/24 21:00	8.7	96	8.5	177	19.9	35	
8/22/24 21:15	8.7	95	8.5	177	19.8	35	
8/22/24 21:30	8.7	95	8.5	177	19.8	34	
8/22/24 21:45	8.6	95	8.5	177	19.8	34	
8/22/24 22:00	8.6	94	8.5	177	19.7	34	
8/22/24 22:15	8.6	94	8.5	177	19.7	35	
8/22/24 22:30	8.6	94	8.5	177	19.6	33	
8/22/24 22:45	8.6	94	8.5	176	19.6	34	
8/22/24 23:00	8.6	94	8.5	176	19.6	35	
8/22/24 23:15	8.6	94	8.5	176	19.5	34	
8/22/24 23:30	8.6	93	8.4	176	19.5	34	
8/22/24 23:45	8.6	93	8.4	176	19.5	34	
8/23/24 0:00	8.6	93	8.4	176	19.5	34	
8/23/24 0:15	8.6	93	8.4	176	19.4	35	
8/23/24 0:30	8.5	93	8.4	176	19.4	35	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 0:45	8.5	93	8.4	176	19.4	34	
8/23/24 1:00	8.5	93	8.4	176	19.5	34	
8/23/24 1:15	8.5	93	8.4	176	19.5	34	
8/23/24 1:30	8.5	93	8.4	176	19.4	34	
8/23/24 1:45	8.5	93	8.4	176	19.4	34	
8/23/24 2:00	8.5	93	8.4	176	19.4	34	
8/23/24 2:15	8.5	93	8.4	176	19.4	33	
8/23/24 2:30	8.5	93	8.4	176	19.4	35	
8/23/24 2:45	8.5	93	8.4	176	19.4	34	
8/23/24 3:00	8.5	92	8.4	176	19.3	34	
8/23/24 3:15	8.5	93	8.4	176	19.3	34	
8/23/24 3:30	8.5	93	8.4	176	19.3	35	
8/23/24 3:45	8.6	93	8.4	176	19.2	37	
8/23/24 4:00	8.6	93	8.4	176	19.2	34	
8/23/24 4:15	8.6	93	8.4	176	19.2	34	
8/23/24 4:30	8.6	92	8.4	176	19.1	35	
8/23/24 4:45	8.6	93	8.3	176	19.1	34	
8/23/24 5:00	8.6	93	8.3	176	19.1	36	
8/23/24 5:15	8.6	93	8.3	176	19.0	36	
8/23/24 5:30	8.6	92	8.3	176	19.0	36	
8/23/24 5:45	8.6	93	8.3	177	19.0	36	
8/23/24 6:00	8.6	93	8.3	177	18.9	35	
8/23/24 6:15	8.6	93	8.3	177	18.9	36	
8/23/24 6:30	8.6	93	8.3	177	18.9	37	
8/23/24 6:45	8.6	93	8.3	178	18.8	37	
8/23/24 7:00	8.6	93	8.3	178	18.8	38	
8/23/24 7:15	8.7	93	8.3	178	18.8	38	
8/23/24 7:30	8.7	93	8.3	179	18.8	39	
8/23/24 7:45	8.7	93	8.3	180	18.7	42	
8/23/24 8:00	8.7	93	8.3	180	18.7	40	
8/23/24 8:15	8.7	94	8.3	180	18.7	41	
8/23/24 8:30	8.8	94	8.3	180	18.7	41	
8/23/24 8:45	8.8	94	8.3	181	18.6	42	
8/23/24 9:00	8.8	95	8.3	181	18.6	41	
8/23/24 9:15	8.9	95	8.3	181	18.6	41	
8/23/24 9:30	8.9	96	8.3	180	18.6	41	
8/23/24 9:45	9.0	96	8.4	180	18.7	40	
8/23/24 10:00	9.0	97	8.4	180	18.7	40	
8/23/24 10:15	9.1	98	8.4	180	18.8	41	
8/23/24 10:30	9.2	99	8.4	179	18.9		
8/23/24 10:45	9.2	99	8.4	179	18.9	39	
8/23/24 11:00	9.3	100	8.4	178	18.9	39	
8/23/24 11:15	9.3	100	8.5	178	18.9	39	
8/23/24 11:30	9.3	101	8.5	178	19.0	38	
8/23/24 11:45	9.4	101	8.5	178	19.0	39	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/23/24 12:00	9.4	101	8.5	178	19.0	37	
8/23/24 12:15	9.4	102	8.5	178	19.0	38	
8/23/24 12:30	9.5	102	8.5	178	18.9	38	
8/23/24 12:45	9.5	102	8.5	177	18.9	37	
8/23/24 13:00	9.5	102	8.5	177	18.8	39	
8/23/24 13:15	9.5	102	8.5	177	18.8	38	
8/23/24 13:30	9.5	102	8.5	177	18.7	37	
8/23/24 13:45	9.5	102	8.5	177	18.6	36	
8/23/24 14:00	9.6	102	8.5	177	18.6	37	
8/23/24 14:15	9.6	102	8.5	177	18.6	37	
8/23/24 14:30	9.5	102	8.5	177	18.6	37	
8/23/24 14:45	9.6	102	8.5	177	18.6	37	
8/23/24 15:00	9.5	102	8.5	177	18.6	36	
8/23/24 15:15	9.5	102	8.5	177	18.6	37	
8/23/24 15:30	9.5	102	8.6	177	18.6	35	
8/23/24 15:45	9.5	101	8.5	177	18.6	34	
8/23/24 16:00	9.4	101	8.5	176	18.5	39	
8/23/24 16:15	9.4	101	8.5	176	18.5		
8/23/24 16:30	9.4	101	8.5	176	18.5	37	
8/23/24 16:45	9.4	100	8.5	176	18.4	36	
8/23/24 17:00	9.4	100	8.5	176	18.4	35	
8/23/24 17:15	9.4	100	8.5	176	18.4	36	
8/23/24 17:30	9.4	100	8.5	176	18.4	35	
8/23/24 17:45	9.3	99	8.5	176	18.3	36	
8/23/24 18:00	9.3	99	8.5	177	18.3	34	
8/23/24 18:15	9.3	98	8.5	177	18.2	35	
8/23/24 18:30	9.2	98	8.5	177	18.2	33	
8/23/24 18:45	9.2	98	8.5	177	18.2	34	
8/23/24 19:00	9.2	97	8.5	177	18.1	34	
8/23/24 19:15	9.2	97	8.5	177	18.1	34	
8/23/24 19:30	9.1	97	8.4	176	18.1	34	
8/23/24 19:45	9.1	96	8.4	176	18.0		
8/23/24 20:00	9.1	96	8.4	176	18.0		
8/23/24 20:15	9.1	96	8.4	176	17.9	34	
8/23/24 20:30	9.1	95	8.4	176	17.9	34	
8/23/24 20:45	9.0	95	8.4	176	17.8	35	
8/23/24 21:00	9.0	95	8.4	176	17.8	34	
8/23/24 21:15	9.0	95	8.4	176	17.7	33	
8/23/24 21:30	9.0	95	8.4	176	17.7	33	
8/23/24 21:45	9.0	94	8.3	176	17.6		
8/23/24 22:00	9.0	94	8.3	176	17.6	33	
8/23/24 22:15	9.0	94	8.3	176	17.6	34	
8/23/24 22:30	9.0	94	8.3	176	17.6	33	
8/23/24 22:45	9.0	94	8.3	176	17.5	33	
8/23/24 23:00	9.0	94	8.3	176	17.5	36	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 23:15	8.9	94	8.3	176	17.5	33	
8/23/24 23:30	8.9	94	8.3	176	17.5	33	
8/23/24 23:45	8.9	93	8.3	176	17.5	32	
8/24/24 0:00	8.9	93	8.3	175	17.5	33	
8/24/24 0:15	8.9	93	8.3	175	17.5	32	
8/24/24 0:30	8.9	93	8.3	175	17.5	33	
8/24/24 0:45	8.9	93	8.3	175	17.5	33	
8/24/24 1:00	8.9	93	8.3	175	17.5	32	
8/24/24 1:15	8.9	93	8.3	176	17.5	34	
8/24/24 1:30	8.9	93	8.3	176	17.5	34	
8/24/24 1:45	8.9	93	8.3	176	17.5	32	
8/24/24 2:00	8.9	93	8.3	176	17.5	34	
8/24/24 2:15	8.9	93	8.3	176	17.5	36	
8/24/24 2:30	8.9	93	8.3	176	17.5	37	
8/24/24 2:45	8.9	93	8.3	176	17.5	34	
8/24/24 3:00	8.9	93	8.3	176	17.5		
8/24/24 3:15	8.9	93	8.3	176	17.5	34	
8/24/24 3:30	8.9	93	8.3	176	17.5	34	
8/24/24 3:45	8.9	93	8.3	176	17.5	33	
8/24/24 4:00	8.9	93	8.2	176	17.5	34	
8/24/24 4:15	8.9	93	8.2	176	17.4	32	
8/24/24 4:30	8.9	93	8.2	176	17.4	33	
8/24/24 4:45	8.9	93	8.2	176	17.4	33	
8/24/24 5:00	8.9	93	8.2	176	17.4	34	
8/24/24 5:15	8.9	93	8.2	176	17.4	33	
8/24/24 5:30	8.9	93	8.2	176	17.3	34	
8/24/24 5:45	8.9	93	8.2	176	17.3	33	
8/24/24 6:00	8.9	93	8.2	176	17.3	34	
8/24/24 6:15	9.0	93	8.2	176	17.3	36	
8/24/24 6:30	9.0	93	8.2	176	17.3	36	
8/24/24 6:45	9.0	93	8.2	176	17.2		
8/24/24 7:00	9.0	93	8.2	177	17.2		
8/24/24 7:15	9.0	93	8.2	177	17.2	40	
8/24/24 7:30	9.0	94	8.2	177	17.2	39	
8/24/24 7:45	9.0	94	8.2	177	17.2	42	
8/24/24 8:00	9.0	94	8.2	177	17.2	41	
8/24/24 8:15	9.1	94	8.2	177	17.2	42	
8/24/24 8:30	9.1	94	8.2	178	17.2	42	
8/24/24 8:45	9.1	95	8.2	178	17.2	41	
8/24/24 9:00	9.2	95	8.2	178	17.2	41	
8/24/24 9:15	9.2	96	8.2	178	17.2	41	
8/24/24 9:30	9.3	96	8.3	178	17.3	41	
8/24/24 9:45	9.3	97	8.3	178	17.3	40	
8/24/24 10:00	9.4	98	8.3	178	17.4	42	
8/24/24 10:15	9.4	98	8.3	178	17.4	39	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/24/24 10:30	9.4	99	8.3	178	17.4	39	
8/24/24 10:45	9.5	99	8.3	178	17.5	39	
8/24/24 11:00	9.6	100	8.3	178	17.6	38	
8/24/24 11:15	9.6	101	8.4	178	17.7	38	
8/24/24 11:30	9.7	102	8.4	178	17.9	38	
8/24/24 11:45	9.7	103	8.4	179	18.0	38	
8/24/24 12:00	9.8	103	8.4	179	18.2	38	
8/24/24 12:15	9.8	104	8.4	179	18.3	38	
8/24/24 12:30	9.8	104	8.4	179	18.4	37	
8/24/24 12:45	9.8	104	8.4	179	18.5	38	
8/24/24 13:00	9.8	105	8.5	179	18.6	38	
8/24/24 13:15	9.8	104	8.5	179	18.6	38	
8/24/24 13:30	9.8	106		179	18.9		
8/24/24 13:45	9.9	107	8.4	179	19.1	36	
8/24/24 14:00	9.9	107	8.5	179	19.2	37	
8/24/24 14:15	9.9	108	8.5	180	19.3	34	
8/24/24 14:30	9.9	108	8.5	180	19.4	41	
8/24/24 14:45	9.9	108	8.5	180	19.3	40	
8/24/24 15:00	9.9	107	8.5	180	19.3	34	
8/24/24 15:15	9.8	107	8.5	180	19.4	35	
8/24/24 15:30	9.8	107	8.5	180	19.5	34	
8/24/24 15:45	9.8	107	8.5	180	19.5	34	
8/24/24 16:00	9.8	106	8.5	181	19.5	33	
8/24/24 16:15	9.7	106	8.5	181	19.4	34	
8/24/24 16:30	9.7	105	8.5	181	19.4	34	
8/24/24 16:45	9.7	105	8.5	182	19.4	35	
8/24/24 17:00	9.6	105	8.5	182	19.4	33	
8/24/24 17:15	9.6	104	8.5	182	19.4	34	
8/24/24 17:30	9.6	104	8.5	182	19.4	34	
8/24/24 17:45	9.5	103	8.5	183	19.4	34	
8/24/24 18:00	9.5	103	8.5	183	19.4	33	
8/24/24 18:15	9.4	103	8.5	183	19.3	35	
8/24/24 18:30	9.4	102	8.5	184	19.3	35	
8/24/24 18:45	9.3	101	8.5	184	19.3	34	
8/24/24 19:00	9.3	101	8.5	184	19.3	35	
8/24/24 19:15	9.2	100	8.5	184	19.3	35	
8/24/24 19:30	9.2	99	8.5	184	19.2	35	
8/24/24 19:45	9.1	99	8.5	185	19.2		
8/24/24 20:00	9.1	98	8.5	184	19.1	35	
8/24/24 20:15	9.0	98	8.5	184	19.0	35	
8/24/24 20:30	9.0	97	8.5	185	19.0	35	
8/24/24 20:45	9.0	97	8.5	185	18.9	34	
8/24/24 21:00	8.9	96	8.4	184	18.9	34	
8/24/24 21:15	8.9	96	8.4	185	18.8	36	
8/24/24 21:30	8.9	96	8.4	184	18.8	34	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/24/24 21:45	8.9	95	8.4	184	18.8	35	
8/24/24 22:00	8.8	95	8.4	185	18.7	34	
8/24/24 22:15	8.8	95	8.4	185	18.7	34	
8/24/24 22:30	8.8	95	8.4	185	18.7	33	
8/24/24 22:45	8.8	95	8.4	185	18.6	34	
8/24/24 23:00	8.8	94	8.4	185	18.6	35	
8/24/24 23:15	8.8	94	8.4	185	18.6	34	
8/24/24 23:30	8.8	94	8.4	185	18.5	34	
8/24/24 23:45	8.8	94	8.4	185	18.5	34	
8/25/24 0:00	8.8	94	8.4	185	18.5	34	
8/25/24 0:15	8.8	94	8.4	185	18.5	35	
8/25/24 0:30	8.8	94	8.3	185	18.5	36	
8/25/24 0:45	8.8	94	8.3	185	18.4	34	
8/25/24 1:00	8.8	93	8.3	185	18.4	34	
8/25/24 1:15	8.8	93	8.3	185	18.4	34	
8/25/24 1:30	8.8	93	8.3	185	18.4	34	
8/25/24 1:45	8.8	93	8.3	185	18.3	35	
8/25/24 2:00	8.8	93	8.3	185	18.3	35	
8/25/24 2:15	8.8	93	8.3	185	18.3	34	
8/25/24 2:30	8.8	93	8.3	185	18.3	35	
8/25/24 2:45	8.8	93	8.3	185	18.2	35	
8/25/24 3:00	8.8	93	8.3	185	18.2	36	
8/25/24 3:15	8.8	93	8.3	185	18.1	36	
8/25/24 3:30	8.8	93	8.3	185	18.1	35	
8/25/24 3:45	8.8	93	8.3	185	18.0	37	
8/25/24 4:00	8.9	93	8.3	185	17.9	36	
8/25/24 4:15	8.9	94	8.2	185	17.8	36	
8/25/24 4:30	8.9	94	8.2	185	17.8	37	
8/25/24 4:45	8.9	94	8.2	185	17.7	35	
8/25/24 5:00	8.9	94	8.2	185	17.7	37	
8/25/24 5:15	8.9	93	8.2	185	17.6	36	
8/25/24 5:30	8.9	94	8.2	185	17.6	36	
8/25/24 5:45	8.9	94	8.2	185	17.5	36	
8/25/24 6:00	9.0	94	8.2	185	17.5	36	
8/25/24 6:15	9.0	94	8.2	184	17.4	37	
8/25/24 6:30	9.0	94	8.2	184	17.3	38	
8/25/24 6:45	9.0	94	8.2	184	17.3	38	
8/25/24 7:00	9.0	94	8.2	184	17.2	38	
8/25/24 7:15	9.0	94	8.2	184	17.2	38	
8/25/24 7:30	9.0	94	8.2	184	17.2	39	
8/25/24 7:45	9.1	94	8.2	185	17.1	38	
8/25/24 8:00	9.1	94	8.2	185	17.1	38	
8/25/24 8:15	9.1	94	8.2	185	17.0	39	
8/25/24 8:30	9.1	94	8.2	185	17.0	38	
8/25/24 8:45	9.2	95	8.2	185	16.9	39	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/25/24 9:00	9.2	95	8.2	185	16.9	39	
8/25/24 9:15	9.2	96	8.2	185	16.9	40	
8/25/24 9:30	9.3	96	8.2	185	16.9	39	
8/25/24 9:45	9.3	97	8.2	185	17.0	39	
8/25/24 10:00	9.4	97	8.3	185	17.0	41	
8/25/24 10:15	9.5	98	8.3	185	17.1	39	
8/25/24 10:30	9.5	99	8.3	185	17.2	40	
8/25/24 10:45	9.6	100	8.3	185	17.3	40	
8/25/24 11:00	9.6	100	8.3	185	17.4		
8/25/24 11:15	9.7	101	8.4	185	17.5	39	
8/25/24 11:30	9.7	102	8.4	184	17.6	40	
8/25/24 11:45	9.8	103	8.4	184	17.8	40	
8/25/24 12:00	9.8	104	8.4	184	17.9	39	
8/25/24 12:15	9.9	104	8.4	184	18.0		
8/25/24 12:30	9.9	105	8.4	183	18.2		
8/25/24 12:45	9.9	106	8.5	183	18.3	38	
8/25/24 13:00	9.9	106	8.5	183	18.5	38	
8/25/24 13:15	9.9	107	8.5	183	18.6	39	
8/25/24 13:30	10.0	107	8.5	183	18.7	38	
8/25/24 13:45	10.0	107	8.5	183	18.9	39	
8/25/24 14:00	10.0	107	8.5	183	19.0	38	
8/25/24 14:15	10.0	108	8.5	183	19.1	38	
8/25/24 14:30	10.0	108	8.6	183	19.3	37	
8/25/24 14:45	9.9	108	8.6	183	19.4	37	
8/25/24 15:00	9.9	108	8.6	183	19.5	38	
8/25/24 15:15	9.9	108	8.6	183	19.5	37	
8/25/24 15:30	9.9	108	8.6	183	19.6	36	
8/25/24 15:45	9.9	108	8.6	183	19.7	37	
8/25/24 16:00	9.9	108	8.6	184	19.8	36	
8/25/24 16:15	9.8	108	8.6	183	19.8	36	
8/25/24 16:30	9.8	108	8.6	184	19.9	37	
8/25/24 16:45	9.8	107	8.6	184	19.9	37	
8/25/24 17:00	9.7	106	8.6	184	19.8	36	
8/25/24 17:15	9.6	105	8.6	184	19.8	36	
8/25/24 17:30	9.5	104	8.6	184	19.8	34	
8/25/24 17:45	9.5	104	8.6	184	19.8	34	
8/25/24 18:00	9.4	103	8.6	184	19.8	38	
8/25/24 18:15	9.4	103	8.6	184	19.8	35	
8/25/24 18:30	9.3	102	8.6	184	19.7	34	
8/25/24 18:45	9.3	102	8.6	184	19.7	34	
8/25/24 19:00	9.2	101	8.6	184	19.6	30	
8/25/24 19:15	9.2	100	8.6	185	19.6	34	
8/25/24 19:30	9.1	99	8.5	185	19.5	34	
8/25/24 19:45	9.1	99	8.5	185	19.5	36	
8/25/24 20:00	9.0	98	8.5	185	19.4	32	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/25/24 20:15	9.0	98	8.5	185	19.4	33	
8/25/24 20:30	8.9	97	8.5	185	19.4	34	
8/25/24 20:45	8.9	97	8.5	185	19.3	32	
8/25/24 21:00	8.9	96	8.5	185	19.3	33	
8/25/24 21:15	8.8	96	8.5	186	19.3	33	
8/25/24 21:30	8.8	96	8.5	186	19.3	33	
8/25/24 21:45	8.8	95	8.4	186	19.2	32	
8/25/24 22:00	8.8	95	8.4	186	19.2	33	
8/25/24 22:15	8.7	95	8.4	186	19.2	32	
8/25/24 22:30	8.7	94	8.4	186	19.1	32	
8/25/24 22:45	8.7	94	8.4	186	19.1	32	
8/25/24 23:00	8.7	94	8.4	186	19.1	31	
8/25/24 23:15	8.7	94	8.4	186	19.1	31	
8/25/24 23:30	8.7	93	8.4	186	19.0	31	
8/25/24 23:45	8.7	93	8.4	186	19.0	31	
8/26/24 0:00	8.6	93	8.4	186	19.0	30	
8/26/24 0:15	8.6	93	8.4	186	19.0	30	
8/26/24 0:30	8.6	93	8.4	186	18.9	31	
8/26/24 0:45	8.6	93	8.4	186	18.9	31	
8/26/24 1:00	8.6	93	8.4	186	18.9	30	
8/26/24 1:15	8.6	93	8.3	186	18.8	30	
8/26/24 1:30	8.6	93	8.3	186	18.8	29	
8/26/24 1:45	8.6	93	8.3	186	18.8	29	
8/26/24 2:00	8.6	93	8.3	186	18.8	30	
8/26/24 2:15	8.6	93	8.3	186	18.7	29	
8/26/24 2:30	8.6	93	8.3	186	18.7	30	
8/26/24 2:45	8.6	92	8.3	186	18.7	29	
8/26/24 3:00	8.6	93	8.3	186	18.7	29	
8/26/24 3:15	8.6	92	8.3	186	18.6	27	
8/26/24 3:30	8.7	93	8.3	186	18.6	29	
8/26/24 3:45	8.7	92	8.3	186	18.5	29	
8/26/24 4:00	8.6	92	8.3	186	18.5	30	
8/26/24 4:15	8.7	93	8.3	186	18.5	29	
8/26/24 4:30	8.7	92	8.3	186	18.4	29	
8/26/24 4:45	8.7	92	8.3	186	18.4	30	
8/26/24 5:00	8.7	92	8.3	186	18.4	29	
8/26/24 5:15	8.7	92	8.2	186	18.3	33	
8/26/24 5:30	8.7	93	8.2	186	18.3	31	
8/26/24 5:45	8.7	93	8.2	186	18.3	30	
8/26/24 6:00	8.7	92	8.2	186	18.2	29	
8/26/24 6:15	8.7	93	8.2	185	18.2		
8/26/24 6:30	8.8	93	8.2	185	18.2	30	
8/26/24 6:45	8.8	93	8.2	185	18.1	30	
8/26/24 7:00	8.8	93	8.2	185	18.1	28	
8/26/24 7:15	8.8	93	8.2	185	18.1	31	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/26/24 7:30	8.8	93	8.2	185	18.0	29	
8/26/24 7:45	8.8	93	8.2	185	18.0	30	
8/26/24 8:00	8.8	93	8.2	185	18.0	30	
8/26/24 8:15	8.8	93	8.2	185	18.0	30	
8/26/24 8:30	8.9	94	8.2	185	18.0	32	
8/26/24 8:45	8.9	94	8.2	185	17.9	32	
8/26/24 9:00	8.9	95	8.2	185	18.0	31	
8/26/24 9:15	9.0	95	8.3	185	18.0	31	
8/26/24 9:30	9.1	96	8.3	185	18.0	32	
8/26/24 9:45	9.1	97	8.3	185	18.1	30	
8/26/24 10:00	9.2	98	8.3	185	18.2	32	
8/26/24 10:15	9.3	99	8.3	185	18.3	31	
8/26/24 10:30	9.4	100	8.4	185	18.3	31	
8/26/24 10:45	9.4	100	8.4	185	18.4	30	
8/26/24 11:00	9.5	102	8.4	185	18.6	31	
8/26/24 11:15	9.6	103	8.4	186	18.7	31	
8/26/24 11:30	9.6	103	8.4	186	18.8	31	
8/26/24 11:45	9.7	104	8.5	186	18.9	29	
8/26/24 12:00	9.7	105	8.5	186	19.1	31	
8/26/24 12:15	9.8	106	8.5	186	19.2	31	
8/26/24 12:30	9.8	107	8.5	186	19.3	34	
8/26/24 12:45	9.8	107	8.5	187	19.5	31	
8/26/24 13:00	9.8	108	8.5	187	19.6	32	
8/26/24 13:15	9.9	108	8.6	187	19.7	31	
8/26/24 13:30	9.9	108	8.6	187	19.9	32	
8/26/24 13:45	9.9	109	8.6	186	20.0	32	
8/26/24 14:00	9.9	109	8.6	186	20.1	29	
8/26/24 14:15	9.9	110	8.6	187	20.3	32	
8/26/24 14:30	9.9	110	8.6	187	20.4	33	
8/26/24 14:45	9.9	110	8.6	187	20.5		
8/26/24 15:00	9.9	110	8.7	187	20.6	27	
8/26/24 15:15	9.9	110	8.7	187	20.7	31	
8/26/24 15:30	9.9	110	8.7	187	20.7	31	
8/26/24 15:45	9.9	110	8.7	187	20.8	31	
8/26/24 16:00	9.8	110	8.7	187	20.9	31	
8/26/24 16:15	9.8	110	8.7	187	20.9	31	
8/26/24 16:30	9.8	109	8.7	188	20.9	32	
8/26/24 16:45	9.7	108	8.7	188	20.9	31	
8/26/24 17:00	9.6	107	8.7	188	20.9	31	
8/26/24 17:15	9.5	106	8.7	188	20.8	30	
8/26/24 17:30	9.4	105	8.7	188	20.8	32	
8/26/24 17:45	9.3	104	8.7	188	20.8		
8/26/24 18:00	9.2	103	8.7	188	20.8		
8/26/24 18:15	9.2	102	8.7	188	20.8	33	
8/26/24 18:30	9.2	103	8.7	188	20.8	30	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/26/24 18:45	9.2	102	8.6	188	20.7	30	
8/26/24 19:00	9.1	101	8.6	188	20.7	31	
8/26/24 19:15	9.0	101	8.6	188	20.6	30	
8/26/24 19:30	9.0	100	8.6	188	20.5		
8/26/24 19:45	8.9	99	8.6	188	20.5	31	
8/26/24 20:00	8.9	98	8.6	188	20.4	32	
8/26/24 20:15	8.8	97	8.6	188	20.4	32	
8/26/24 20:30	8.8	97	8.5	188	20.3	31	
8/26/24 20:45	8.7	96	8.5	188	20.3	32	
8/26/24 21:00	8.7	96	8.5	188	20.3	32	
8/26/24 21:15	8.6	96	8.5	188	20.2	32	
8/26/24 21:30	8.6	95	8.5	188	20.2	32	
8/26/24 21:45	8.6	95	8.5	188	20.2	32	
8/26/24 22:00	8.5	94	8.5	188	20.2	33	
8/26/24 22:15	8.5	94	8.5	188	20.1	32	
8/26/24 22:30	8.5	94	8.4	188	20.1	31	
8/26/24 22:45	8.5	93	8.4	187	20.1	33	
8/26/24 23:00	8.5	93	8.4	187	20.1	32	
8/26/24 23:15	8.4	93	8.4	187	20.1	32	
8/26/24 23:30	8.4	93	8.4	187	20.1	32	
8/26/24 23:45	8.4	93	8.4	187	20.0	33	
8/27/24 0:00	8.4	93	8.4	187	20.0	33	
8/27/24 0:15	8.4	92	8.4	187	20.0	32	
8/27/24 0:30	8.4	92	8.4	187	20.0	31	
8/27/24 0:45	8.4	92	8.4	187	20.0	32	
8/27/24 1:00	8.4	92	8.4	187	20.0	32	
8/27/24 1:15	8.4	92	8.4	186	19.9	32	
8/27/24 1:30	8.4	92	8.3	186	19.9	32	
8/27/24 1:45	8.4	92	8.3	186	19.9	32	
8/27/24 2:00	8.4	92	8.3	186	19.9	32	
8/27/24 2:15	8.4	92	8.3	186	19.9	32	
8/27/24 2:30	8.4	92	8.3	186	19.9	33	
8/27/24 2:45	8.4	92	8.3	186	19.8	32	
8/27/24 3:00	8.4	92	8.3	185	19.8	31	
8/27/24 3:15	8.4	92	8.3	185	19.8	31	
8/27/24 3:30	8.4	92	8.3	185	19.7	31	
8/27/24 3:45	8.4	92	8.3	185	19.7	31	
8/27/24 4:00	8.4	92	8.3	185	19.7	31	
8/27/24 4:15	8.4	92	8.3	184	19.7	30	
8/27/24 4:30	8.4	92	8.3	184	19.6	30	
8/27/24 4:45	8.4	92	8.3	182	19.6	29	
8/27/24 5:00	8.4	92	8.3	182	19.6	29	
8/27/24 5:15	8.4	92	8.3	181	19.6	28	
8/27/24 5:30	8.4	92	8.3	181	19.5	29	
8/27/24 5:45	8.4	92	8.3	181	19.5	28	

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/27/24 6:00	8.4	92	8.3	181	19.5	28	
8/27/24 6:15	8.4	92	8.3	181	19.5	27	
8/27/24 6:30	8.4	92	8.2	180	19.4	28	
8/27/24 6:45	8.5	92	8.2	180	19.4	29	
8/27/24 7:00	8.5	92	8.2	180	19.4	28	
8/27/24 7:15	8.5	92	8.2	180	19.3	28	
8/27/24 7:30	8.5	92	8.2	179	19.3	29	
8/27/24 7:45	8.5	92	8.2	179	19.3	28	
8/27/24 8:00	8.5	92	8.2	179	19.2	28	
8/27/24 8:15	8.6	93	8.2	179	19.2	29	
8/27/24 8:30	8.6	93	8.2	179	19.2	28	
8/27/24 8:45	8.6	93	8.2	179	19.2	28	
8/27/24 9:00	8.7	94	8.2	178	19.2	29	
8/27/24 9:15	8.8	95	8.3	178	19.2	29	
8/27/24 9:30	8.8	96	8.3	178	19.3	29	
8/27/24 9:45							
8/27/24 10:00							
8/27/24 10:15							
8/27/24 10:30							
8/27/24 10:45							
8/27/24 11:00	8.9	97	8.3	178	19.3	29	
8/27/24 11:15	9.0	98	8.3	178	19.4	30	
8/27/24 11:30	9.1	99	8.3	178	19.5	30	
8/27/24 11:45	9.2	100	8.4	178	19.6	30	
8/27/24 12:00	9.2	101	8.4	178	19.7	29	
8/27/24 12:15	9.3	102	8.4	178	19.8	29	
8/27/24 12:30	9.4	103	8.4	178	19.9	30	
8/27/24 12:45	9.5	104	8.5	178	20.1	29	
8/27/24 13:00	9.5	105	8.5	178	20.2	29	
8/27/24 13:15	9.6	106	8.5	178	20.3	29	2310
8/27/24 13:30	9.6	107	8.5	178	20.5	30	2320
8/27/24 13:45	9.7	108	8.6	178	20.6	33	2310
8/27/24 14:00	9.8	109	8.6	178	20.8	28	2330
8/27/24 14:15	9.8	110	8.6	178	20.9	28	2310
8/27/24 14:30	9.9	111	8.6	178	21.0	28	2260
8/27/24 14:45	9.9	111	8.7	178	21.1	29	2250
8/27/24 15:00	9.9	112	8.7	178	21.2	28	2250
8/27/24 15:15	9.9	112	8.7	178	21.4	26	2260
8/27/24 15:30	10.0	113	8.7	178	21.5	28	2240
8/27/24 15:45	10.0	113	8.7	178	21.6	28	2190
8/27/24 16:00	10.0	113	8.7	178	21.7	28	2210
8/27/24 16:15	10.0	113	8.7	178	21.8	29	2220
8/27/24 16:30	10.0	114	8.8	178	21.9	28	2230
8/27/24 16:45	9.9	114	8.8	178	21.9	27	2190
8/27/24 17:00	9.9	114	8.8	179	22.0	28	2210

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/27/24 17:15	9.9	113	8.8	179	22.0	28	2210
8/27/24 17:30	9.9	113	8.8	179	22.1	28	2210
8/27/24 17:45	9.8	112	8.8	179	22.1	28	2220
8/27/24 18:00	9.7	111	8.8	179	22.1	28	2180
8/27/24 18:15	9.6	110	8.8	179	22.0	28	2180
8/27/24 18:30	9.5	109	8.8	179	22.0	28	2190
8/27/24 18:45	9.4	107	8.8	179	22.0	27	2070
8/27/24 19:00	9.3	107	8.8	179	21.9		2070
8/27/24 19:15	9.3	106	8.8	179	21.9	27	2180
8/27/24 19:30	9.2	106	8.8	179	21.9	27	2170
8/27/24 19:45	9.2	105	8.8	179	21.8	27	2170
8/27/24 20:00	9.1	104	8.8	180	21.8	26	2170
8/27/24 20:15	9.1	103	8.8	180	21.7	27	2190
8/27/24 20:30	9.0	102	8.7	180	21.6	27	2210
8/27/24 20:45	8.9	101	8.7	180	21.5	26	2220
8/27/24 21:00	8.9	101	8.7	180	21.4	26	2220
8/27/24 21:15	8.8	100	8.7	180	21.4	25	2250
8/27/24 21:30	8.8	99	8.7	180	21.3	26	2260
8/27/24 21:45	8.7	98	8.7	180	21.3	27	2250
8/27/24 22:00	8.7	98	8.7	180	21.3	27	2260
8/27/24 22:15	8.6	97	8.7	180	21.2	28	2250
8/27/24 22:30	8.6	97	8.7	180	21.2	27	2260
8/27/24 22:45	8.6	96	8.7	180	21.1	27	2270
8/27/24 23:00	8.5	96	8.6	180	21.1	27	2270
8/27/24 23:15	8.5	95	8.6	180	21.0	27	2270
8/27/24 23:30	8.5	95	8.6	181	21.0	27	2270
8/27/24 23:45	8.4	95	8.6	181	21.0	28	2260
8/28/24 0:00	8.4	94	8.6	181	20.9	27	2260
8/28/24 0:15	8.4	94	8.6	181	20.9	27	2280
8/28/24 0:30	8.4	94	8.6	181	20.9	27	2280
8/28/24 0:45	8.4	94	8.6	181	20.9	27	2300
8/28/24 1:00	8.4	94	8.6	181	20.8	26	2310
8/28/24 1:15	8.3	93	8.6	181	20.8	27	2320
8/28/24 1:30	8.3	93	8.5	181	20.8	27	2300
8/28/24 1:45	8.3	93	8.5	181	20.8	27	2310
8/28/24 2:00	8.3	93	8.5	181	20.7	27	2330
8/28/24 2:15	8.3	93	8.5	181	20.7	27	2330
8/28/24 2:30	8.3	93	8.5	181	20.7	27	2350
8/28/24 2:45	8.3	93	8.5	181	20.7	27	2340
8/28/24 3:00	8.3	93	8.5	180	20.7	28	2340
8/28/24 3:15	8.3	93	8.5	180	20.7	27	2340
8/28/24 3:30	8.3	92	8.5	180	20.6	27	2350
8/28/24 3:45	8.3	92	8.5	180	20.6	27	2360
8/28/24 4:00	8.3	92	8.5	180	20.6	27	2350
8/28/24 4:15	8.3	92	8.4	180	20.6	28	2370

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 4:30	8.3	92	8.4	180	20.5	28	2360
8/28/24 4:45	8.3	92	8.4	180	20.5	28	2350
8/28/24 5:00	8.3	92	8.4	180	20.5	27	2360
8/28/24 5:15	8.3	92	8.4	180	20.4	28	2380
8/28/24 5:30	8.3	92	8.4	180	20.4	33	2390
8/28/24 5:45	8.3	92	8.4	180	20.3	28	2390
8/28/24 6:00	8.3	92	8.4	180	20.3	29	2340
8/28/24 6:15	8.3	92	8.4	180	20.3	29	2360
8/28/24 6:30	8.3	92	8.4	180	20.2	29	2390
8/28/24 6:45	8.3	92	8.3	180	20.2	29	2360
8/28/24 7:00	8.4	92	8.3	180	20.2	30	2400
8/28/24 7:15	8.4	92	8.3	180	20.1	29	2420
8/28/24 7:30	8.4	92	8.3	180	20.1	30	2430
8/28/24 7:45	8.4	92	8.3	180	20.1	30	2430
8/28/24 8:00	8.4	92	8.3	180	20.0	30	2440
8/28/24 8:15	8.4	92	8.3	180	20.0	31	2440
8/28/24 8:30	8.4	93	8.3	179	19.9	33	2450
8/28/24 8:45	8.4	93	8.3	179	19.9	30	2430
8/28/24 9:00	8.4	93	8.3	179	19.8	30	2430
8/28/24 9:15	8.5	93	8.3	179	19.8	31	2440
8/28/24 9:30	8.5	93	8.3	179	19.8	30	2430
8/28/24 9:45	8.5	94	8.3	179	19.7	30	2430
8/28/24 10:00	8.6	94	8.3	179	19.7	31	2430
8/28/24 10:15	8.6	94	8.3	179	19.7	31	2580
8/28/24 10:30	8.7	95	8.3	178	19.8	31	2630
8/28/24 10:45	8.8	97	8.4	178	19.8	31	2620
8/28/24 11:00	8.9	97	8.4	178	19.9	30	2600
8/28/24 11:15	9.0	99	8.4	178	20.0	31	2610
8/28/24 11:30	9.1	100	8.4	178	20.0	32	2620
8/28/24 11:45	9.1	101	8.4	178	20.1	31	2620
8/28/24 12:00	9.2	102	8.5	178	20.2	31	2630
8/28/24 12:15	9.3	103	8.5	178	20.3	31	2610
8/28/24 12:30	9.4	104	8.5	178	20.5	31	2590
8/28/24 12:45	9.5	105	8.6	178	20.6	31	2660
8/28/24 13:00	9.5	106	8.6	178	20.7	31	2630
8/28/24 13:15	9.6	107	8.6	178	20.8	30	2650
8/28/24 13:30	9.6	108	8.6	178	21.0	30	2650
8/28/24 13:45	9.7	109	8.6	178	21.1	28	2650
8/28/24 14:00	9.7	110	8.6	178	21.2	30	2620
8/28/24 14:15	9.8	110	8.7	178	21.3	30	2670
8/28/24 14:30	9.8	111	8.7	178	21.5	30	2650
8/28/24 14:45	9.8	111	8.7	178	21.6	33	2680
8/28/24 15:00	9.8	112	8.7	178	21.7	30	2680
8/28/24 15:15	9.9	112	8.7	178	21.8	29	2610
8/28/24 15:30	9.9	113	8.7	178	21.9	29	2630

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 15:45	9.9	113	8.8	178	22.1	30	2640
8/28/24 16:00	9.9	113	8.8	178	22.2	30	2710
8/28/24 16:15	9.9	114	8.8	178	22.3	28	2720
8/28/24 16:30	9.9	114	8.8	178	22.4	27	2650
8/28/24 16:45	9.8	114	8.8	179	22.4	27	2650
8/28/24 17:00	9.8	114	8.8	179	22.5	28	2690
8/28/24 17:15	9.8	113	8.8	179	22.6	27	2630
8/28/24 17:30	9.8	113	8.8	179	22.6	28	2650
8/28/24 17:45	9.7	112	8.8	179	22.6		2610
8/28/24 18:00	9.6	111	8.8	179	22.6	27	2640
8/28/24 18:15	9.5	110	8.8	179	22.5	27	2650
8/28/24 18:30	9.4	108	8.8	179	22.5	28	2630
8/28/24 18:45	9.3	107	8.8	179	22.4	28	2670
8/28/24 19:00	9.2	106	8.8	179	22.4	27	2650
8/28/24 19:15	9.2	106	8.8	180	22.4	28	2660
8/28/24 19:30	9.1	105	8.8	180	22.4	27	2630
8/28/24 19:45	9.1	104	8.8	180	22.4	28	2650
8/28/24 20:00	9.0	104	8.8	180	22.3	27	2650
8/28/24 20:15	8.9	103	8.8	180	22.2	28	2700
8/28/24 20:30	8.9	102	8.8	180	22.2	28	2660
8/28/24 20:45	8.8	101	8.8	181	22.1	28	2620
8/28/24 21:00	8.8	100	8.7	181	22.0	27	2580
8/28/24 21:15	8.7	99	8.7	181	22.0	27	2620
8/28/24 21:30	8.6	99	8.7	181	21.9	27	2610
8/28/24 21:45	8.6	98	8.7	181	21.9	28	2600
8/28/24 22:00	8.5	97	8.7	181	21.8	27	2430
8/28/24 22:15	8.5	97	8.7	182	21.8	28	2570
8/28/24 22:30	8.5	96	8.7	182	21.7	28	2600
8/28/24 22:45	8.4	96	8.7	182	21.7	28	2600
8/28/24 23:00	8.4	95	8.7	182	21.6	27	2580
8/28/24 23:15	8.4	95	8.6	182	21.6	27	2460
8/28/24 23:30	8.3	95	8.6	182	21.5	27	2450
8/28/24 23:45	8.3	94	8.6	183	21.5	27	2450
8/29/24 0:00	8.3	94	8.6	183	21.4	27	2420
8/29/24 0:15	8.3	94	8.6	183	21.4	26	2420
8/29/24 0:30	8.3	93	8.6	183	21.4	27	2430
8/29/24 0:45	8.2	93	8.6	183	21.4	26	2410
8/29/24 1:00	8.2	93	8.6	183	21.3	27	2410
8/29/24 1:15	8.2	93	8.6	183	21.3	26	2400
8/29/24 1:30	8.2	93	8.6	183	21.3	27	2430
8/29/24 1:45	8.2	93	8.6	184	21.2	27	2370
8/29/24 2:00	8.2	93	8.6	184	21.2	27	2400
8/29/24 2:15	8.2	92	8.5	184	21.2	28	2390
8/29/24 2:30	8.2	92	8.5	184	21.2	27	2390
8/29/24 2:45	8.2	92	8.5	184	21.1	28	2430

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/29/24 3:00	8.2	92	8.5	184	21.1	28	2430
8/29/24 3:15	8.2	92	8.5	184	21.1	28	2420
8/29/24 3:30	8.2	92	8.5	184	21.1	28	2410
8/29/24 3:45	8.2	92	8.5	184	21.0	28	2400
8/29/24 4:00	8.2	92	8.5	184	21.0	28	2390
8/29/24 4:15	8.2	92	8.5	184	21.0	28	2410
8/29/24 4:30	8.2	92	8.4	184	20.9	28	2400
8/29/24 4:45	8.2	92	8.4	184	20.9	28	2590
8/29/24 5:00	8.2	92	8.4	184	20.8	28	2670
8/29/24 5:15	8.2	92	8.4	184	20.8	28	2770
8/29/24 5:30	8.2	92	8.4	184	20.7	29	2780
8/29/24 5:45	8.2	92	8.4	184	20.7	28	2780
8/29/24 6:00	8.3	92	8.4	184	20.6	28	2780
8/29/24 6:15	8.3	92	8.4	184	20.6	29	2770
8/29/24 6:30	8.3	92	8.4	183	20.6	29	2740
8/29/24 6:45	8.3	92	8.4	183	20.5	29	2740
8/29/24 7:00	8.3	92	8.4	183	20.5	29	2710
8/29/24 7:15	8.3	92	8.3	183	20.5	29	2680
8/29/24 7:30	8.3	92	8.3	183	20.4	29	2660
8/29/24 7:45	8.3	92	8.3	183	20.4	28	2650
8/29/24 8:00	8.3	92	8.3	183	20.3	29	2610
8/29/24 8:15	8.3	92	8.3	183	20.3	29	2600
8/29/24 8:30	8.3	92	8.3	182	20.2	30	2600
8/29/24 8:45	8.4	92	8.3	182	20.2	29	2600
8/29/24 9:00	8.4	93	8.3	182	20.2	29	2600
8/29/24 9:15	8.4	93	8.3	182	20.1	30	2590
8/29/24 9:30	8.4	93	8.3	182	20.1	29	2580
8/29/24 9:45	8.5	93	8.3	182	20.0	30	2450
8/29/24 10:00	8.5	94	8.3	182	20.0	30	2460
8/29/24 10:15	8.6	94	8.3	182	20.0	29	2460
8/29/24 10:30	8.7	95	8.3	181	20.1	29	2430
8/29/24 10:45	8.7	96	8.3	181	20.1	29	2430
8/29/24 11:00	8.8	97	8.4	181	20.2	29	2570
8/29/24 11:15	8.9	99	8.4	181	20.2	30	2410
8/29/24 11:30	9.0	99	8.4	181	20.3	29	2440
8/29/24 11:45	9.1	100	8.4	181	20.4	30	2440
8/29/24 12:00	9.1	101	8.4	181	20.5	30	2450
8/29/24 12:15	9.2	103	8.5	181	20.6	30	2580
8/29/24 12:30	9.3	104	8.5	181	20.7	30	2580
8/29/24 12:45	9.4	105	8.5	181	20.8	30	2400
8/29/24 13:00	9.4	106	8.5	181	21.0	30	2600
8/29/24 13:15	9.5	107	8.6	181	21.1	30	2460
8/29/24 13:30	9.6	108	8.6	181	21.2	29	2450
8/29/24 13:45	9.6	109	8.6	181	21.4	30	2570
8/29/24 14:00	9.6	109	8.6	181	21.5	29	2570

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/29/24 14:15	9.7	110	8.6	181	21.6	30	2580
8/29/24 14:30	9.7	110	8.6	181	21.7	30	2590
8/29/24 14:45	9.7	111	8.7	181	21.9	30	2570
8/29/24 15:00	9.8	112	8.7	181	22.0	30	2600
8/29/24 15:15	9.8	112	8.7	181	22.1		2620
8/29/24 15:30	9.8	112	8.7	181	22.2	30	2600
8/29/24 15:45	9.8	113	8.7	181	22.3	30	2640
8/29/24 16:00	9.8	113	8.7	181	22.4	31	2620
8/29/24 16:15	9.8	113	8.7	181	22.5	30	2610
8/29/24 16:30	9.8	113	8.7	181	22.6	30	2640
8/29/24 16:45	9.8	113	8.8	181	22.6	30	2650
8/29/24 17:00	9.7	113	8.8	181	22.7	31	2420
8/29/24 17:15	9.7	113	8.8	181	22.7	30	2580
8/29/24 17:30	9.7	112	8.8	181	22.8		2600
8/29/24 17:45	9.6	112	8.8	181	22.8	30	2590
8/29/24 18:00	9.5	110	8.8	181	22.7	30	2450
8/29/24 18:15	9.4	109	8.8	181	22.7	30	2650
8/29/24 18:30	9.3	108	8.8	181	22.6	30	2640
8/29/24 18:45	9.2	107	8.8	181	22.6	30	2700
8/29/24 19:00	9.2	106	8.8	181	22.6	30	2670
8/29/24 19:15	9.1	106	8.8	181	22.5	30	2660
8/29/24 19:30	9.1	105	8.8	181	22.5	31	2660
8/29/24 19:45	9.0	104	8.8	181	22.4	30	2680
8/29/24 20:00	9.0	103	8.8	181	22.4	30	2620
8/29/24 20:15	8.9	102	8.7	181	22.3	30	2680
8/29/24 20:30	8.8	102	8.7	181	22.2	29	2650
8/29/24 20:45	8.8	101	8.7	181	22.2	30	2660
8/29/24 21:00	8.7	100	8.7	181	22.1	30	2680
8/29/24 21:15	8.7	99	8.7	181	22.0	29	2680
8/29/24 21:30	8.6	98	8.7	181	22.0	31	2660
8/29/24 21:45	8.6	98	8.7	180	22.0	30	2670
8/29/24 22:00	8.5	97	8.7	180	21.9	29	2670
8/29/24 22:15	8.5	97	8.7	180	21.9	30	2610
8/29/24 22:30	8.4	96	8.6	180	21.8	29	2620
8/29/24 22:45	8.4	96	8.6	180	21.8	30	2630
8/29/24 23:00	8.4	95	8.6	180	21.8	27	2610
8/29/24 23:15	8.3	95	8.6	180	21.7	29	2600
8/29/24 23:30	8.3	94	8.6	180	21.7	30	2640
8/29/24 23:45	8.3	94	8.6	180	21.7	30	2650
8/30/24 0:00	8.3	94	8.6	181	21.6	30	2630
8/30/24 0:15	8.2	94	8.6	181	21.6	31	2610
8/30/24 0:30	8.2	93	8.6	181	21.6	32	2630
8/30/24 0:45	8.2	93	8.5	181	21.6	32	2650
8/30/24 1:00	8.2	93	8.5	181	21.6	34	2630
8/30/24 1:15	8.2	93	8.5	181	21.5	38	2670

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/30/24 1:30	8.2	93	8.4	182	21.5	42	2650
8/30/24 1:45	8.2	93	8.4	182	21.5	47	2620
8/30/24 2:00	8.2	93	8.4	182	21.4	55	2660
8/30/24 2:15	8.2	93	8.3	183	21.4	65	2670
8/30/24 2:30	8.2	93	8.3	183	21.4	76	2640
8/30/24 2:45	8.2	93	8.3	183	21.4	91	2660
8/30/24 3:00	8.2	93	8.2	183	21.3	106	2630
8/30/24 3:15	8.2	93	8.2	183	21.3	125	2580
8/30/24 3:30	8.2	93	8.2	183	21.3	140	2420
8/30/24 3:45	8.2	93	8.2	183	21.2	158	2440
8/30/24 4:00	8.2	93	8.2	183	21.2	173	2420
8/30/24 4:15	8.2	93	8.2	182	21.1	193	2410
8/30/24 4:30	8.2	93	8.2	182	21.1	203	2350
8/30/24 4:45	8.2	93	8.2	182	21.1	218	2310
8/30/24 5:00	8.2	93	8.1	181	21.0	231	2240
8/30/24 5:15	8.2	92	8.1	181	21.0	242	2300
8/30/24 5:30	8.2	92	8.1	180	20.9	255	2280
8/30/24 5:45	8.2	92	8.1	180	20.9	272	2200
8/30/24 6:00	8.2	92	8.1	180	20.9	286	2200
8/30/24 6:15	8.2	92	8.1	179	20.8	308	2260
8/30/24 6:30	8.2	92	8.1	179	20.8	333	2260
8/30/24 6:45	8.2	92	8.1	179	20.8	353	2260
8/30/24 7:00	8.2	92	8.1	179	20.7	373	2240
8/30/24 7:15	8.3	92	8.0	178	20.7	396	2260
8/30/24 7:30	8.3	92	8.0	178	20.6	418	2290
8/30/24 7:45	8.3	92	8.0	178	20.6	444	2280
8/30/24 8:00	8.3	92	8.0	178	20.6	462	2310
8/30/24 8:15	8.3	92	8.0	178	20.5	488	2370
8/30/24 8:30	8.3	92	8.0	178	20.5	522	2420
8/30/24 8:45	8.3	92	8.0	179	20.5	539	2460
8/30/24 9:00	8.3	92	8.0	179	20.4	580	2620
8/30/24 9:15	8.2	91	7.9	180	20.4	610	2650
8/30/24 9:30	8.2	91	7.9	181	20.3	668	2680
8/30/24 9:45	8.2	91	7.9	182	20.3	724	2770
8/30/24 10:00	8.2	91	7.8	183	20.3	758	2790
8/30/24 10:15	8.2	90	7.8	185	20.3	841	2800
8/30/24 10:30	8.1	90	7.7	187	20.3	905	2800
8/30/24 10:45	8.1	89	7.7	190	20.4	977	2810
8/30/24 11:00	8.0	89	7.6	193	20.4	1017	2820
8/30/24 11:15	7.9	88	7.6	195	20.5	1070	2800
8/30/24 11:30	7.8	87	7.5	197	20.5	1085	2810
8/30/24 11:45	7.8	87	7.5	199	20.6	1120	2800
8/30/24 12:00	7.7	86	7.4	200	20.7	1128	2780
8/30/24 12:15	7.7	86	7.4	200	20.8	1133	2770
8/30/24 12:30	7.6	86	7.4	200	20.9	1125	2750

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/30/24 12:45	7.6	86	7.4	198	21.0	1126	2730
8/30/24 13:00	7.6	86	7.4	197	21.2	1117	2740
8/30/24 13:15	7.6	86	7.4	194	21.3	1100	2720
8/30/24 13:30	7.6	86	7.4	192	21.4	1086	2780
8/30/24 13:45	7.7	87	7.4	190	21.5	1075	2740
8/30/24 14:00	7.7	87	7.4	188	21.6	1059	2740
8/30/24 14:15	7.7	88	7.5	186	21.7	1028	2730
8/30/24 14:30	7.7	88	7.5	184	21.8	1024	2700
8/30/24 14:45	7.7	88	7.5	183	22.0	1005	2720
8/30/24 15:00	7.7	88	7.5	182	22.1	986	2720
8/30/24 15:15	7.7	89	7.5	182	22.2	971	2680
8/30/24 15:30	7.7	89	7.5	181	22.3	956	2710
8/30/24 15:45	7.7	89	7.5	181	22.4	946	2710
8/30/24 16:00	7.7	89	7.5	181	22.5	948	2700
8/30/24 16:15	7.7	89	7.5	181	22.5	951	2680
8/30/24 16:30	7.7	89	7.5	182	22.6	944	2700
8/30/24 16:45	7.7	89	7.5	182	22.6	931	2730
8/30/24 17:00	7.7	89	7.5	183	22.7	939	2660
8/30/24 17:15	7.6	88	7.5	183	22.7	950	2720
8/30/24 17:30	7.6	88	7.5	184	22.7	953	2740
8/30/24 17:45	7.6	88	7.5	185	22.8	951	2750
8/30/24 18:00	7.5	87	7.5	185	22.7	966	2730
8/30/24 18:15	7.5	87	7.5	186	22.7	975	2760
8/30/24 18:30	7.5	87	7.5	187	22.6	967	2760
8/30/24 18:45	7.4	86	7.5	187	22.6	964	2760
8/30/24 19:00	7.4	86	7.5	188	22.6	963	2750
8/30/24 19:15	7.4	86	7.5	188	22.6	980	2790
8/30/24 19:30	7.5	86	7.5	188	22.5	985	2720
8/30/24 19:45	7.5	86	7.5	188	22.5	987	2760
8/30/24 20:00	7.5	86	7.5	188	22.4	971	2760
8/30/24 20:15	7.5	86	7.5	188	22.4	962	2760
8/30/24 20:30	7.5	87	7.5	188	22.3	966	2760
8/30/24 20:45	7.5	86	7.5	187	22.2	953	2710
8/30/24 21:00	7.6	87	7.5	187	22.2	939	2750
8/30/24 21:15	7.6	87	7.5	187	22.1	931	2770
8/30/24 21:30	7.6	87	7.5	186	22.1	917	2790
8/30/24 21:45	7.6	87	7.5	186	22.0	911	2780
8/30/24 22:00	7.7	88	7.6	185	22.0	904	2810
8/30/24 22:15	7.7	88	7.6	184	21.9	894	2830
8/30/24 22:30	7.7	88	7.6	183	21.9	880	2850
8/30/24 22:45	7.7	88	7.6	183	21.8	859	2830
8/30/24 23:00	7.8	88	7.6	182	21.8	854	2810
8/30/24 23:15	7.7	88	7.6	181	21.8	844	2780
8/30/24 23:30	7.8	89	7.6	181	21.7	814	2760
8/30/24 23:45	7.8	89	7.7	180	21.7	813	2700

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/31/24 0:00	7.8	89	7.7	180	21.7	805	2700
8/31/24 0:15	7.8	89	7.7	180	21.7	809	2700
8/31/24 0:30	7.8	89	7.7	180	21.6	802	2690
8/31/24 0:45	7.8	89	7.7	179	21.6	803	2700
8/31/24 1:00	7.8	89	7.7	179	21.6	793	2680
8/31/24 1:15	7.8	89	7.7	179	21.6	789	2690
8/31/24 1:30	7.8	89	7.7	179	21.6	784	2700
8/31/24 1:45	7.8	89	7.7	179	21.6	785	2700
8/31/24 2:00	7.8	89	7.7	179	21.5	787	2710
8/31/24 2:15	7.9	89	7.7	179	21.5	776	2700
8/31/24 2:30	7.9	89	7.7	179	21.5	777	2720
8/31/24 2:45	7.9	89	7.7	178	21.5	775	2730
8/31/24 3:00	7.9	90	7.7	178	21.5	767	2730
8/31/24 3:15	7.9	90	7.7	178	21.4	757	2710
8/31/24 3:30	7.9	90	7.7	177	21.4	752	2730
8/31/24 3:45	7.9	90	7.7	177	21.4	736	2740
8/31/24 4:00	8.0	90	7.7	176	21.4	725	2710
8/31/24 4:15	8.0	90	7.7	176	21.3	724	2690
8/31/24 4:30	8.0	90	7.8	175	21.3	709	2750
8/31/24 4:45	8.0	90	7.8	175	21.3	700	2720
8/31/24 5:00	8.0	90	7.8	174	21.2	685	2680
8/31/24 5:15	8.0	90	7.8	174	21.2	674	2700
8/31/24 5:30	8.0	91	7.8	174	21.2	665	2650
8/31/24 5:45	8.0	90	7.8	174	21.1	671	2600
8/31/24 6:00	8.0		7.8		21.1	662	2420
8/31/24 6:15	8.1	91	7.8	174	21.1	648	2380
8/31/24 6:30	8.1	91	7.8	173	21.1	650	2360
8/31/24 6:45	8.1	91	7.8	173	21.1	650	2360
8/31/24 7:00	8.1	91	7.8	173	21.1	638	2340
8/31/24 7:15	8.1	91	7.8	174	21.0	638	2360
8/31/24 7:30	8.1	91	7.8	174	21.0	648	2310
8/31/24 7:45	8.1	91	7.8	174	21.0	647	2290
8/31/24 8:00	8.1	91	7.8	174	20.9	648	2290
8/31/24 8:15	8.1	91	7.8	174	20.9	656	2220
8/31/24 8:30	8.1	91	7.8	174	20.9	679	2290
8/31/24 8:45	8.1	91	7.8	174	20.8	670	2270
8/31/24 9:00	8.1	91	7.8	174	20.8	672	2240
8/31/24 9:15	8.1	91	7.8	174	20.8	672	2280
8/31/24 9:30	8.1	91	7.8	174	20.7	703	2260
8/31/24 9:45	8.1	91	7.8	175	20.7	708	2320
8/31/24 10:00	8.1	91	7.8	175	20.7	727	2250
8/31/24 10:15	8.1	90	7.7	175	20.7	734	2240
8/31/24 10:30	8.1	91	7.7	175	20.7	749	2250
8/31/24 10:45	8.1	90	7.7	175	20.7	765	2190
8/31/24 11:00	8.1	90	7.7	175	20.7	778	2260

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 11:15	8.1	90	7.7	175	20.8	787	2220
8/31/24 11:30	8.1	90	7.7	175	20.8	792	2240
8/31/24 11:45	8.1	90	7.7	175	20.9	803	2200
8/31/24 12:00	8.1	90	7.7	175	21.0	810	2180
8/31/24 12:15	8.1	91	7.7	175	21.1	817	2190
8/31/24 12:30	8.1	91	7.7	175	21.2	818	2170
8/31/24 12:45	8.0	91	7.7	175	21.3	817	2160
8/31/24 13:00	8.0	91	7.6	175	21.4	818	2040
8/31/24 13:15	8.0	91	7.6	175	21.5	816	2050
8/31/24 13:30	8.0	91	7.6	175	21.6	814	2060
8/31/24 13:45	8.0	91	7.6	175	21.7	812	2040
8/31/24 14:00	8.0	91	7.6	175	21.9	818	2020
8/31/24 14:15	7.9	91	7.6	175	22.0	823	2040
8/31/24 14:30	7.9	91	7.6	175	22.1	826	2180
8/31/24 14:45	7.9	91	7.6	175	22.2	814	1990
8/31/24 15:00	7.9	91	7.6	175	22.3	814	2050
8/31/24 15:15	7.9	91	7.6	175	22.4	805	1990
8/31/24 15:30	7.9	91	7.6	175	22.5	796	1990
8/31/24 15:45	7.8	91	7.6	175	22.7	785	2040
8/31/24 16:00	7.8	91	7.6	175	22.7	785	2010
8/31/24 16:15	7.8	91	7.6	175	22.8	778	2040
8/31/24 16:30	7.8	91	7.7	175	22.9	780	2050
8/31/24 16:45	7.8	91	7.7	175	23.0	779	2010
8/31/24 17:00	7.8	91	7.7	175	23.0	765	2060
8/31/24 17:15	7.8	91	7.7	175	23.1	752	2040
8/31/24 17:30	7.8	91	7.7	175	23.1	756	2060
8/31/24 17:45	7.8	91	7.7	176	23.1	746	2070
8/31/24 18:00	7.8	91	7.7	176	23.0	743	2170
8/31/24 18:15	7.8	90	7.7	176	23.0	752	2160
8/31/24 18:30	7.8	90	7.7	176	23.0	741	2250
8/31/24 18:45	7.8	90	7.7	176	23.0	732	2200
8/31/24 19:00	7.7	90	7.7	176	22.9	743	2160
8/31/24 19:15	7.7	90	7.7	176	22.9	741	2160
8/31/24 19:30	7.7	90	7.7	176	22.9	736	2180
8/31/24 19:45	7.7	90	7.7	176	22.9	756	2210
8/31/24 20:00	7.7	90	7.7	176	22.8	747	2210
8/31/24 20:15	7.8	90	7.7	176	22.7	729	2180
8/31/24 20:30	7.8	90	7.7	176	22.6	742	2170
8/31/24 20:45	7.8	90	7.7	176	22.6	730	2310
8/31/24 21:00	7.8	90	7.7	176	22.5	740	2170
8/31/24 21:15	7.7	89	7.7	176	22.4	736	2070
8/31/24 21:30	7.8	89	7.7	176	22.4	726	2160
8/31/24 21:45	7.8	89	7.7	176	22.3	734	2150
8/31/24 22:00	7.8	89	7.7	176	22.3	735	2070
8/31/24 22:15	7.8	89	7.7	176	22.2	734	2190

**Klamath River near Seiad Valley, CA
(11520500)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μS/cm)	Temperature (°C)		
8/31/24 22:30	7.8	89	7.7	176	22.2	746	2060
8/31/24 22:45	7.8	89	7.7	176	22.1	725	2200
8/31/24 23:00	7.8	89	7.7	176	22.1	734	2180
8/31/24 23:15	7.8	89	7.7	176	22.1	736	2050
8/31/24 23:30	7.8	89	7.7	176	22.0	737	2070
8/31/24 23:45	7.8	89	7.7	176	22.0	737	2060



Klamath River at Walker Bridge, CA (USGS 11517818)

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 0:00	7.3	87	8.1	160	24.4	24	
8/1/24 0:15	7.3	87	8.1	160	24.3	24	
8/1/24 0:30	7.3	87	8.1	160	24.2	24	
8/1/24 0:45	7.3	87	8.1	160	24.2	24	
8/1/24 1:00	7.3	87	8.1	160	24.1	24	
8/1/24 1:15	7.3	87	8.1	160	24.1	24	
8/1/24 1:30	7.3	87	8.1	160	24.0	23	
8/1/24 1:45	7.3	87	8.1	160	24.0	24	
8/1/24 2:00	7.3	87	8.1	160	24.0	23	
8/1/24 2:15	7.3	87	8.1	160	23.9	23	
8/1/24 2:30	7.3	87	8.1	160	23.9	23	
8/1/24 2:45	7.3	87	8.1	160	23.9	23	
8/1/24 3:00	7.4	87	8.1	160	23.8	23	
8/1/24 3:15	7.4	87	8.1	160	23.8	23	
8/1/24 3:30	7.4	87	8.1	160	23.8	23	
8/1/24 3:45	7.4	87	8.1	160	23.8	23	
8/1/24 4:00	7.4	87	8.1	160	23.7	23	
8/1/24 4:15	7.4	87	8.1	160	23.7	26	
8/1/24 4:30	7.4	87	8.1	160	23.7	25	
8/1/24 4:45	7.4	87	8.1	160	23.7	24	
8/1/24 5:00	7.4	87	8.1	160	23.6	24	
8/1/24 5:15	7.4	87	8.1	160	23.6	24	
8/1/24 5:30	7.4	87	8.1	160	23.6	23	
8/1/24 5:45	7.4	87	8.1	160	23.6	24	
8/1/24 6:00	7.4	87	8.1	160	23.6	25	
8/1/24 6:15	7.4	87	8.1	160	23.5	26	
8/1/24 6:30	7.4	87	8.1	160	23.5	28	
8/1/24 6:45	7.4	87	8.1	160	23.5	28	
8/1/24 7:00	7.4	87	8.1	160	23.5	27	
8/1/24 7:15	7.4	87	8.1	161	23.4	35	
8/1/24 7:30	7.4	87	8.1	161	23.4	30	
8/1/24 7:45	7.4	87	8.1	161	23.4	45	
8/1/24 8:00	7.4	87	8.1	161	23.4	59	
8/1/24 8:15	7.5	88	8.1	161	23.4	37	
8/1/24 8:30	7.5	88	8.1	162	23.4	165	
8/1/24 8:45	7.5	88	8.1	162	23.4	151	
8/1/24 9:00	7.5	89	8.1	162	23.5	58	
8/1/24 9:15	7.6	89	8.1	162	23.5	70	
8/1/24 9:30	7.6	90	8.1	163	23.6	112	
8/1/24 9:45	7.6	90	8.0	163	23.6	160	
8/1/24 10:00	7.6	90	8.0	163	23.7	93	
8/1/24 10:15	7.7	90	8.0	163	23.7	199	
8/1/24 10:30	7.7	91	8.0	163	23.8	212	
8/1/24 10:45	7.7	91	8.0	163	23.9	197	
8/1/24 11:00	7.6	91	8.0	163	24.0	195	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 11:15	7.6	91	8.0	163	24.1	255	
8/1/24 11:30	7.6	91	8.0	163	24.2	229	
8/1/24 11:45	7.6	91	8.0	162	24.3	200	
8/1/24 12:00	7.6	91	7.9	162	24.4	233	
8/1/24 12:15	7.5	91	7.9	162	24.5	222	
8/1/24 12:30	7.5	90	7.9	162	24.7	260	
8/1/24 12:45	7.5	90	7.9	161	24.8		
8/1/24 13:00	7.5	91	7.9	161	24.9		
8/1/24 13:15	7.5	91	7.9	161	25.1	216	
8/1/24 13:30	7.5	91	7.9	160	25.2	253	
8/1/24 13:45	7.4	91	7.9	160	25.3		
8/1/24 14:00	7.4	91	7.9	160	25.4	203	
8/1/24 14:15	7.4	91	7.9	160	25.5	286	
8/1/24 14:30	7.4	91	7.9	159	25.7		
8/1/24 14:45	7.4	91	7.9	159	25.8	270	
8/1/24 15:00	7.4	91	7.9	159	25.9	217	
8/1/24 15:15	7.4	91	7.9	159	26.0	319	
8/1/24 15:30	7.4	91	7.9	159	26.1		
8/1/24 15:45	7.4	91	7.9	159	26.2		
8/1/24 16:00	7.4	91	8.0	159	26.2	166	
8/1/24 16:15	7.3	91	8.0	159	26.3	157	
8/1/24 16:30	7.3	91	8.0	159	26.3	145	
8/1/24 16:45	7.3	91	8.0	159	26.3	144	
8/1/24 17:00	7.3	91	8.0	159	26.3	138	
8/1/24 17:15	7.3	91	8.0	159	26.4	137	
8/1/24 17:30	7.3	91	8.0	160	26.4	133	
8/1/24 17:45	7.3	90	8.0	159	26.4	130	
8/1/24 18:00	7.3	90	8.0	160	26.4	127	
8/1/24 18:15	7.3	90	8.0	160	26.3	126	
8/1/24 18:30	7.2	90	8.0	160	26.3	123	
8/1/24 18:45	7.2	90	8.0	160	26.2	120	
8/1/24 19:00	7.2	89	8.0	160	26.1	119	
8/1/24 19:15	7.2	89	8.0	160	26.0	116	
8/1/24 19:30	7.2	89	8.0	161	25.9	114	
8/1/24 19:45	7.2	89	8.0	161	25.8	111	
8/1/24 20:00	7.2	88	8.0	161	25.7	110	
8/1/24 20:15	7.2	88	8.0	161	25.6	108	
8/1/24 20:30	7.2	88	8.0	162	25.5	108	
8/1/24 20:45	7.2	88	8.0	162	25.4	104	
8/1/24 21:00	7.2	88	8.0	162	25.3	103	
8/1/24 21:15	7.2	88	8.0	162	25.2	102	
8/1/24 21:30	7.2	87	8.0	163	25.1	101	
8/1/24 21:45	7.2	87	8.0	163	25.0	101	
8/1/24 22:00	7.2	87	8.0	163	25.0	100	
8/1/24 22:15	7.2	87	8.0	164	24.9	99	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 22:30	7.2	87	8.0	164	24.9	100	
8/1/24 22:45	7.2	87	8.0	164	24.9	99	
8/1/24 23:00	7.2	87	8.0	164	24.8	98	
8/1/24 23:15	7.2	87	8.0	164	24.7	96	
8/1/24 23:30	7.2	87	8.0	164	24.6	96	
8/1/24 23:45	7.2	87	8.0	165	24.6	94	
8/2/24 0:00	7.3	87	8.0	165	24.5	96	
8/2/24 0:15	7.3	87	8.0	165	24.4	95	
8/2/24 0:30	7.3	87	8.0	165	24.3	95	
8/2/24 0:45	7.3	87	8.0	165	24.2	93	
8/2/24 1:00	7.3	87	8.0	165	24.1	94	
8/2/24 1:15	7.3	87	8.0	165	24.0	92	
8/2/24 1:30	7.3	87	8.0	165	24.0	92	
8/2/24 1:45	7.3	87	8.0	165	23.9	91	
8/2/24 2:00	7.3	87	8.0	165	23.8	91	
8/2/24 2:15	7.4	87	8.0	165	23.8	91	
8/2/24 2:30	7.4	87	8.0	165	23.7	91	
8/2/24 2:45	7.4	87	8.0	165	23.6	90	
8/2/24 3:00	7.4	87	8.0	165	23.6	89	
8/2/24 3:15	7.4	87	8.0	164	23.5	89	
8/2/24 3:30	7.4	87	8.0	164	23.5	88	
8/2/24 3:45	7.4	88	8.0	164	23.5	90	
8/2/24 4:00	7.4	88	8.0	164	23.4	90	
8/2/24 4:15	7.4	88	8.0	164	23.4	90	
8/2/24 4:30	7.5	88	8.0	163	23.4	92	
8/2/24 4:45	7.5	88	8.0	163	23.3	94	
8/2/24 5:00	7.5	88	8.0	163	23.3	95	
8/2/24 5:15	7.5	88	8.0	163	23.3	95	
8/2/24 5:30	7.5	88	8.0	163	23.2	99	
8/2/24 5:45	7.5	88	8.0	163	23.2	100	
8/2/24 6:00	7.5	88	8.0	163	23.1	105	
8/2/24 6:15	7.5	88	8.0	162	23.1	107	
8/2/24 6:30	7.5	88	8.0	162	23.1	109	
8/2/24 6:45	7.5	87	8.0	162	23.0	111	
8/2/24 7:00	7.5	88	8.0	162	23.0	113	
8/2/24 7:15	7.5	87	8.0	162	22.9	115	
8/2/24 7:30	7.5	87	8.0	162	22.9	116	
8/2/24 7:45	7.5	88	8.0	162	22.8	116	
8/2/24 8:00	7.5	88	8.0	162	22.8	117	
8/2/24 8:15	7.6	88	8.0	162	22.8	117	
8/2/24 8:30	7.6	88	8.0	162	22.8	120	
8/2/24 8:45	7.6	88	8.0	162	22.8	118	
8/2/24 9:00	7.6	88	8.0	162	22.9	117	
8/2/24 9:15	7.6	88	8.0	162	22.9	117	
8/2/24 9:30	7.6						

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 9:45	7.6						
8/2/24 10:00	7.6						
8/2/24 10:15	7.6						
8/2/24 10:30	7.7						
8/2/24 10:45	7.7	89	8.0	162	22.9	117	
8/2/24 11:00	7.7	89	8.0	162	23.0	120	
8/2/24 11:15	7.7	90	8.0	162	23.1	115	
8/2/24 11:30	7.7	90	8.0	162	23.1	116	
8/2/24 11:45	7.7	90	8.0	162	23.2	114	
8/2/24 12:00	7.7	90	8.0	163	23.3	117	
8/2/24 12:15	7.7	90	8.0	163	23.4	118	
8/2/24 12:30	7.7	90	8.0	163	23.5	118	
8/2/24 12:45	7.7	91	8.0	163	23.6		
8/2/24 13:00	7.7	91	8.0	163	23.7		
8/2/24 13:15	7.7	91	8.0	163	23.8	121	
8/2/24 13:30	7.7	91	8.0	163	24.0	122	
8/2/24 13:45	7.7	91	8.0	163	24.1		
8/2/24 14:00	7.7	91	8.0	163	24.2		
8/2/24 14:15	7.7	92	8.0	162	24.3		
8/2/24 14:30	7.7	92	8.0	162	24.4		
8/2/24 14:45	7.6	92	8.0	162	24.6		
8/2/24 15:00	7.6	92	8.0	162	24.7	125	
8/2/24 15:15	7.6	92	8.0	162	24.8	124	
8/2/24 15:30	7.6	92	8.0	162	24.9	124	
8/2/24 15:45	7.6	92	8.0	162	25.0	124	
8/2/24 16:00	7.6	92	8.0	162	25.1	123	
8/2/24 16:15	7.6	92	8.0	162	25.2	125	
8/2/24 16:30	7.6	92	8.0	162	25.3	122	
8/2/24 16:45	7.5	92	8.0	162	25.4	121	
8/2/24 17:00	7.5	92	8.0	162	25.4	119	
8/2/24 17:15	7.5	92	8.0	162	25.5	116	
8/2/24 17:30	7.5	92	8.0	162	25.5	118	
8/2/24 17:45	7.5	91	8.0	162	25.6	115	
8/2/24 18:00	7.5	91	8.0	163	25.7	116	
8/2/24 18:15	7.4	91	8.0	163	25.7	115	
8/2/24 18:30	7.4	91	8.0	163	25.7	113	
8/2/24 18:45	7.4	91	8.0	163	25.8	113	
8/2/24 19:00	7.4	91	8.0	163	25.8	111	
8/2/24 19:15	7.4	91	8.0	163	25.8	109	
8/2/24 19:30	7.4	90	8.0	163	25.7	110	
8/2/24 19:45	7.3	90	8.0	163	25.7	109	
8/2/24 20:00	7.3	90	8.0	163	25.6	107	
8/2/24 20:15	7.3	90	8.0	163	25.6	106	
8/2/24 20:30	7.3	90	8.0	163	25.5	106	
8/2/24 20:45	7.3	89	8.0	163	25.5	106	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 21:00	7.3	89	8.0	163	25.4	105	
8/2/24 21:15	7.3	89	8.0	163	25.3	106	
8/2/24 21:30	7.3	89	8.0	164	25.2	105	
8/2/24 21:45	7.3	89	8.0	164	25.2	104	
8/2/24 22:00	7.3	89	8.0	164	25.2	103	
8/2/24 22:15	7.3	88	8.0	164	25.2	103	
8/2/24 22:30	7.3	88	8.0	164	25.2	102	
8/2/24 22:45	7.3	88	8.0	164	25.1	101	
8/2/24 23:00	7.3	88	8.0	164	25.1	100	
8/2/24 23:15	7.3	88	8.0	164	25.0	100	
8/2/24 23:30	7.3	88	8.0	164	25.0	100	
8/2/24 23:45	7.3	88	8.0	164	25.0	99	
8/3/24 0:00	7.3	88	8.0	164	24.9	99	
8/3/24 0:15	7.3	88	8.0	164	24.9	99	
8/3/24 0:30	7.3	88	8.0	164	24.8	98	
8/3/24 0:45	7.3	88	8.0	164	24.8	99	
8/3/24 1:00	7.3	88	8.0	164	24.7	100	
8/3/24 1:15	7.3	88	8.0	164	24.6	100	
8/3/24 1:30	7.3	88	8.0	164	24.5	100	
8/3/24 1:45	7.3	88	8.0	164	24.4	100	
8/3/24 2:00	7.3	88	8.0	164	24.4	100	
8/3/24 2:15	7.4	88	8.0	164	24.3	100	
8/3/24 2:30	7.4	88	8.0	164	24.2	100	
8/3/24 2:45	7.4	88	8.0	164	24.2	100	
8/3/24 3:00	7.4	88	8.0	164	24.1	99	
8/3/24 3:15	7.4	88	8.0	164	24.1	98	
8/3/24 3:30	7.4	88	8.0	164	24.0	98	
8/3/24 3:45	7.4	88	8.0	164	23.9	98	
8/3/24 4:00	7.4	88	8.0	164	23.9	98	
8/3/24 4:15	7.4	88	8.0	164	23.8	97	
8/3/24 4:30	7.4	88	8.0	164	23.8	97	
8/3/24 4:45	7.4	88	8.0	164	23.8	96	
8/3/24 5:00	7.4	88	8.0	164	23.8	95	
8/3/24 5:15	7.4	88	8.0	164	23.7	96	
8/3/24 5:30	7.4	88	8.0	164	23.7	97	
8/3/24 5:45	7.4	88	8.0	163	23.7	96	
8/3/24 6:00	7.4	88	8.0	163	23.7	98	
8/3/24 6:15	7.4	88	8.0	163	23.7	98	
8/3/24 6:30	7.4	88	8.0	163	23.7	101	
8/3/24 6:45	7.4	88	8.0	163	23.7	107	
8/3/24 7:00	7.4	88	8.0	163	23.7	110	
8/3/24 7:15	7.4	88	8.0	163	23.7	116	
8/3/24 7:30	7.4	88	8.0	163	23.7	123	
8/3/24 7:45	7.4	88	8.0	163	23.7	128	
8/3/24 8:00	7.4	88	8.0	163	23.6	134	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/3/24 8:15	7.4	88	8.0	163	23.6	140	
8/3/24 8:30	7.4	88	8.0	163	23.6	143	
8/3/24 8:45	7.4	88	8.0	163	23.6	145	
8/3/24 9:00	7.5	88	8.0	163	23.5	146	
8/3/24 9:15	7.5	88	8.0	163	23.5	148	
8/3/24 9:30	7.5	88	7.9	163	23.5	146	
8/3/24 9:45	7.5	88	7.9	163	23.5	144	
8/3/24 10:00	7.5	88	8.0	163	23.5	142	
8/3/24 10:15	7.5	88	8.0	163	23.5	140	
8/3/24 10:30	7.5	88	8.0	163	23.5	135	
8/3/24 10:45	7.5	88	8.0	163	23.5	133	
8/3/24 11:00	7.5	89	8.0	163	23.5	130	
8/3/24 11:15	7.5	89	8.0	163	23.6	130	
8/3/24 11:30	7.5	89	8.0	163	23.6	125	
8/3/24 11:45	7.5	89	8.0	163	23.7	123	
8/3/24 12:00	7.5	89	8.0	163	23.7	122	
8/3/24 12:15	7.5	89	8.0	163	23.7	119	
8/3/24 12:30	7.6	89	8.0	163	23.7	118	
8/3/24 12:45	7.6	89	8.0	163	23.7	115	
8/3/24 13:00	7.6	89	8.0	163	23.7	115	
8/3/24 13:15	7.6	89	8.0	163	23.7	114	
8/3/24 13:30	7.6	89	8.0	163	23.7	114	
8/3/24 13:45	7.6	90	8.0	163	23.7	111	
8/3/24 14:00	7.6	89	8.0	162	23.6	110	
8/3/24 14:15	7.6	89	8.0	162	23.6	112	
8/3/24 14:30	7.6	89	8.0	162	23.6	110	
8/3/24 14:45	7.6	89	8.0	162	23.6	110	
8/3/24 15:00	7.6	90	8.0	162	23.7	110	
8/3/24 15:15	7.6	90	8.0	161	23.7		
8/3/24 15:30	7.6	90	8.0	161	23.7	113	
8/3/24 15:45	7.6	90	8.0	162	23.8	113	
8/3/24 16:00	7.6	90	8.0	161	23.7	106	
8/3/24 16:15	7.6	90	8.0	161	23.7	109	
8/3/24 16:30	7.6	90	8.0	161	23.7	109	
8/3/24 16:45	7.6	90	8.0	161	23.7	110	
8/3/24 17:00	7.6	90	8.0	161	23.8	110	
8/3/24 17:15	7.6	90	8.0	160	23.8	109	
8/3/24 17:30	7.6	90	8.0	160	23.8	110	
8/3/24 17:45	7.6	90	8.0	160	23.8	112	
8/3/24 18:00	7.6	90	8.0	160	23.8	112	
8/3/24 18:15	7.6	90	8.0	160	23.9	114	
8/3/24 18:30	7.6	90	8.0	160	24.0	114	
8/3/24 18:45	7.6	90	8.0	160	24.0	113	
8/3/24 19:00	7.6	90	8.0	160	24.0	113	
8/3/24 19:15	7.6	90	8.0	159	24.1	113	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/3/24 19:30	7.6	90	8.0	159	24.1	114	
8/3/24 19:45	7.6	90	8.0	159	24.0	111	
8/3/24 20:00	7.6	90	8.0	159	24.0	112	
8/3/24 20:15	7.6	90	8.0	159	23.9	110	
8/3/24 20:30	7.6	90	8.0	159	23.8	110	
8/3/24 20:45	7.6	90	8.0	159	23.7	110	
8/3/24 21:00	7.6	89	8.0	159	23.6	110	
8/3/24 21:15	7.6	89	8.0	159	23.5	110	
8/3/24 21:30	7.6	89	8.0	159	23.4	110	
8/3/24 21:45	7.6	89	8.0	159	23.4	110	
8/3/24 22:00	7.6	89	8.0	159	23.3	109	
8/3/24 22:15	7.6	89	8.0	159	23.3	108	
8/3/24 22:30	7.6	89	8.0	159	23.2	108	
8/3/24 22:45	7.6	89	8.0	159	23.1	110	
8/3/24 23:00	7.6	89	8.0	159	23.1	110	
8/3/24 23:15	7.6	89	8.0	159	23.0	110	
8/3/24 23:30	7.6	89	8.0	160	22.9	110	
8/3/24 23:45	7.6	89	8.0	160	22.9	109	
8/4/24 0:00	7.6	89	8.0	160	22.8	109	
8/4/24 0:15	7.6	88	8.0	160	22.7	115	
8/4/24 0:30	7.6	88	8.0	160	22.7	112	
8/4/24 0:45	7.6	89	8.0	161	22.6	117	
8/4/24 1:00	7.6	88	8.0	161	22.6	120	
8/4/24 1:15	7.7	88	8.0	161	22.5	117	
8/4/24 1:30	7.7	88	8.0	161	22.5	117	
8/4/24 1:45	7.7	88	8.0	161	22.4	116	
8/4/24 2:00	7.7	88	8.0	162	22.4	115	
8/4/24 2:15	7.7	88	8.0	162	22.4	116	
8/4/24 2:30	7.7	88	8.0	162	22.3	119	
8/4/24 2:45	7.7	88	8.0	162	22.3	116	
8/4/24 3:00	7.7	88	8.0	162	22.2	115	
8/4/24 3:15	7.7	88	8.0	162	22.2	117	
8/4/24 3:30	7.7	88	8.0	162	22.1	118	
8/4/24 3:45	7.7	88	8.0	162	22.1	115	
8/4/24 4:00	7.7	88	8.0	162	22.0	118	
8/4/24 4:15	7.7	88	8.0	163	22.0	113	
8/4/24 4:30	7.7	88	8.0	163	21.9	117	
8/4/24 4:45	7.7	88	8.0	163	21.9	116	
8/4/24 5:00	7.8	88	8.0	163	21.8	115	
8/4/24 5:15	7.8	88	8.0	163	21.8	123	
8/4/24 5:30	7.8	89	8.0	163	21.8	119	
8/4/24 5:45	7.8	88	8.0	163	21.7	116	
8/4/24 6:00	7.8	88	8.0	163	21.7	122	
8/4/24 6:15	7.8	89	8.0	163	21.7	122	
8/4/24 6:30	7.8	88	8.0	163	21.7	116	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 6:45	7.8	88	8.0	163	21.6	116	
8/4/24 7:00	7.8	88	8.0	163	21.6	113	
8/4/24 7:15	7.8	88	8.0	163	21.6	115	
8/4/24 7:30	7.8	88	8.0	163	21.6	121	
8/4/24 7:45	7.8	88	8.0	162	21.6	120	
8/4/24 8:00	7.8	88	8.0	162	21.5	126	
8/4/24 8:15	7.8		8.0		21.5	119	
8/4/24 8:30	7.8	89	8.0	162	21.5	116	
8/4/24 8:45	7.8	89	8.0	162	21.5		
8/4/24 9:00	7.8	89	8.0	162	21.5		
8/4/24 9:15	7.8	89	8.0	162	21.5		
8/4/24 9:30	7.8		8.0		21.6		
8/4/24 9:45	7.8	89	8.0	162	21.6		
8/4/24 10:00	7.8	89	8.0	162	21.6	105	
8/4/24 10:15	7.8	89	8.0	162	21.7	104	
8/4/24 10:30	7.8	89	8.0	162	21.7		
8/4/24 10:45	7.8		8.0		21.8	106	
8/4/24 11:00	7.8	90	8.0	162	21.9	118	
8/4/24 11:15	7.8	90	8.0	162	22.0	103	
8/4/24 11:30	7.8	90	8.0	162	22.1		
8/4/24 11:45	7.8	90	8.0	162	22.2		
8/4/24 12:00	7.8	90	8.0	162	22.3	105	
8/4/24 12:15	7.8	90	8.0	162	22.4	122	
8/4/24 12:30	7.8	90	8.0	162	22.5	114	
8/4/24 12:45	7.8	91	8.0	162	22.6	107	
8/4/24 13:00	7.8	91	8.0	163	22.7	129	
8/4/24 13:15	7.8	91	8.0	162	22.9	124	
8/4/24 13:30	7.8	91	8.0	162	23.0		
8/4/24 13:45	7.8	91	8.0	163	23.1	120	
8/4/24 14:00	7.8	91	8.0	163	23.3	123	
8/4/24 14:15	7.8	91	8.0	163	23.4	121	
8/4/24 14:30	7.8	91	8.0	162	23.6		
8/4/24 14:45	7.7	91	8.0	162	23.6	121	
8/4/24 15:00	7.7	91	8.0	162	23.8	116	
8/4/24 15:15	7.7	91	8.0	162	23.8	116	
8/4/24 15:30	7.7	91	8.0	162	23.9	117	
8/4/24 15:45	7.7	91	8.0	162	23.9	112	
8/4/24 16:00	7.7	91	8.0	162	23.9	119	
8/4/24 16:15	7.6	91	8.0	162	23.9	122	
8/4/24 16:30	7.6	90	8.0	162	23.9	128	
8/4/24 16:45	7.6	91	8.0	162	24.1	121	
8/4/24 17:00	7.6	91	8.0	162	24.2	108	
8/4/24 17:15	7.6	90	8.0	162	24.3	108	
8/4/24 17:30	7.5	90	8.0	162	24.4	109	
8/4/24 17:45	7.5	90	8.0	162	24.6	111	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 18:00	7.5	90	8.0	162	24.7	108	
8/4/24 18:15	7.5	90	8.0	162	24.8	110	
8/4/24 18:30	7.5	90	8.0	162	25.0	109	
8/4/24 18:45	7.4	90	8.0	162	25.1	114	
8/4/24 19:00	7.4	90	8.0	162	25.1	114	
8/4/24 19:15	7.4	90	8.0	162	25.2	114	
8/4/24 19:30	7.4	90	8.0	162	25.2	114	
8/4/24 19:45	7.4	90	8.0	162	25.1	114	
8/4/24 20:00	7.4	89	8.0	162	25.1	112	
8/4/24 20:15	7.4	89	8.0	162	25.0	110	
8/4/24 20:30	7.4	89	8.0	162	24.9	110	
8/4/24 20:45	7.4	89	8.0	162	24.7	108	
8/4/24 21:00	7.4	89	8.0	162	24.6	107	
8/4/24 21:15	7.4	89	8.0	162	24.5	107	
8/4/24 21:30	7.4	88	8.0	162	24.4	104	
8/4/24 21:45	7.4	88	8.0	162	24.3	105	
8/4/24 22:00	7.4	88	8.0	161	24.2	102	
8/4/24 22:15	7.4	88	8.0	161	24.1	99	
8/4/24 22:30	7.4	88	8.0	161	24.0	100	
8/4/24 22:45	7.4	88	8.0	161	23.9	100	
8/4/24 23:00	7.4	88	8.0	161	23.9	100	
8/4/24 23:15	7.4	88	8.0	161	23.8	99	
8/4/24 23:30	7.4	88	8.0	161	23.7	98	
8/4/24 23:45	7.4	88	8.0	161	23.7	98	
8/5/24 0:00	7.4	88	8.0	161	23.7	99	
8/5/24 0:15	7.4	88	8.0	161	23.6	97	
8/5/24 0:30	7.4	88	8.0	161	23.6	98	
8/5/24 0:45	7.5	88	8.0	161	23.6	95	
8/5/24 1:00	7.5	88	8.0	162	23.5	97	
8/5/24 1:15	7.5	88	8.0	162	23.5	97	
8/5/24 1:30	7.5	88	8.0	162	23.5	96	
8/5/24 1:45	7.5	88	8.0	162	23.4	95	
8/5/24 2:00	7.5	88	8.0	162	23.4	97	
8/5/24 2:15	7.5	88	8.0	162	23.3	98	
8/5/24 2:30	7.5	88	8.0	162	23.3	98	
8/5/24 2:45	7.5	88	8.0	162	23.2	96	
8/5/24 3:00	7.5	88	8.0	162	23.2	97	
8/5/24 3:15	7.5	88	8.0	162	23.1	96	
8/5/24 3:30	7.5	88	8.0	162	23.1	97	
8/5/24 3:45	7.5	88	8.0	162	23.0	98	
8/5/24 4:00	7.5	88	8.0	162	23.0	94	
8/5/24 4:15	7.6	88	8.0	162	23.0	93	
8/5/24 4:30	7.6	88	8.0	162	23.0	93	
8/5/24 4:45	7.6	88	8.0	162	22.9	92	
8/5/24 5:00	7.6	88	8.0	162	22.9	90	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 5:15	7.6	88	8.0	162	22.9	91	
8/5/24 5:30	7.6	88	8.0	162	22.9	92	
8/5/24 5:45	7.6	88	8.0	162	22.9	94	
8/5/24 6:00	7.6	88	8.0	162	22.9	92	
8/5/24 6:15	7.6	88	8.0	162	22.8	91	
8/5/24 6:30	7.6	88	8.0	162	22.8	93	
8/5/24 6:45	7.6	88	8.0	162	22.8	94	
8/5/24 7:00	7.6	88	8.0	162	22.7	95	
8/5/24 7:15	7.6	88	8.0	162	22.7	92	
8/5/24 7:30	7.6	88	8.0	162	22.7	92	
8/5/24 7:45	7.6	88	8.0	162	22.6	94	
8/5/24 8:00	7.6	88	8.0	162	22.6	94	
8/5/24 8:15	7.6	88	8.0	162	22.5	93	
8/5/24 8:30	7.6	88	8.0	162	22.5	93	
8/5/24 8:45	7.6	88	8.0	162	22.5	92	
8/5/24 9:00	7.6	88	8.0	162	22.4	91	
8/5/24 9:15	7.7	88	8.0	162	22.4	93	
8/5/24 9:30	7.7	88	8.0	162	22.5	93	
8/5/24 9:45	7.7	89	8.0	162	22.5	103	
8/5/24 10:00	7.7	89	8.0	162	22.5	96	
8/5/24 10:15	7.7	89	8.0	162	22.5	101	
8/5/24 10:30	7.7	89	8.0	162	22.6	99	
8/5/24 10:45	7.7	89	8.0	162	22.6	104	
8/5/24 11:00	7.7	89	8.0	162	22.7	103	
8/5/24 11:15	7.7	89	8.0	162	22.8	110	
8/5/24 11:30	7.7	90	8.0	162	22.9	111	
8/5/24 11:45	7.7	90	8.0	162	23.0	113	
8/5/24 12:00	7.7	90	8.0	162	23.1	120	
8/5/24 12:15	7.7	90	8.0	162	23.2		
8/5/24 12:30	7.7	90	8.0	162	23.3	108	
8/5/24 12:45	7.7	90	8.0	162	23.4	109	
8/5/24 13:00	7.7	91	8.0	162	23.6	111	
8/5/24 13:15	7.7	91	8.0	162	23.7	109	
8/5/24 13:30	7.7	91	8.0	162	23.8	109	
8/5/24 13:45	7.7	91	8.0	162	24.0	109	
8/5/24 14:00	7.7	91	8.0	162	24.1	115	
8/5/24 14:15	7.7	91	8.0	163	24.2	126	
8/5/24 14:30	7.6	91	8.0	163	24.3	111	
8/5/24 14:45	7.6	91	8.0	163	24.5		
8/5/24 15:00	7.6	91	8.0	163	24.6		
8/5/24 15:15	7.6	92	8.0	164	24.7		
8/5/24 15:30	7.6	92	8.0	164	24.8	109	
8/5/24 15:45	7.6	92	8.0	164	24.9	109	
8/5/24 16:00	7.6	92	8.0	164	25.0	109	
8/5/24 16:15	7.6	92	8.0	164	25.1	111	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 16:30	7.5	92	8.0	165	25.2	108	
8/5/24 16:45	7.5	91	8.0	165	25.3	109	
8/5/24 17:00	7.5	91	8.0	165	25.4	108	
8/5/24 17:15	7.5	91	8.0	165	25.4	108	
8/5/24 17:30	7.5	91	8.0	166	25.5	109	
8/5/24 17:45	7.4	91	8.0	166	25.5	109	
8/5/24 18:00	7.4	91	8.0	166	25.6	109	
8/5/24 18:15	7.4	91	8.0	166	25.6	108	
8/5/24 18:30	7.4	91	8.0	166	25.6	109	
8/5/24 18:45	7.4	90	8.0	166	25.6	108	
8/5/24 19:00	7.4	90	8.0	166	25.6	109	
8/5/24 19:15	7.4	90	8.0	166	25.6	107	
8/5/24 19:30	7.4	90	8.0	166	25.5	108	
8/5/24 19:45	7.3	90	8.0	167	25.5	108	
8/5/24 20:00	7.3	90	8.0	166	25.4	109	
8/5/24 20:15	7.3	89	8.0	166	25.3	108	
8/5/24 20:30	7.3	89	8.0	166	25.2	112	
8/5/24 20:45	7.3	89	8.0	166	25.2	107	
8/5/24 21:00	7.3	89	8.0	166	25.1	107	
8/5/24 21:15	7.3	89	8.0	166	25.1	107	
8/5/24 21:30	7.3	89	8.0	166	25.0	109	
8/5/24 21:45	7.3	88	8.0	166	25.0	108	
8/5/24 22:00	7.3	88	8.0	166	25.0	109	
8/5/24 22:15	7.3	88	8.0	166	25.0	108	
8/5/24 22:30	7.3	88	8.0	166	24.9	108	
8/5/24 22:45	7.3	88	8.0	166	24.8	105	
8/5/24 23:00	7.3	88	8.0	166	24.8	105	
8/5/24 23:15	7.3	88	8.0	166	24.7	104	
8/5/24 23:30	7.3	88	8.0	166	24.7	104	
8/5/24 23:45	7.3	88	8.0	166	24.6	102	
8/6/24 0:00	7.3	88	8.0	166	24.6	103	
8/6/24 0:15	7.3	88	8.0	166	24.5	103	
8/6/24 0:30	7.4	88	8.0	166	24.4	104	
8/6/24 0:45	7.4	88	8.0	166	24.3	103	
8/6/24 1:00	7.4	88	8.0	166	24.3	102	
8/6/24 1:15	7.4	88	8.0	166	24.2	103	
8/6/24 1:30	7.4	88	8.0	166	24.1	102	
8/6/24 1:45	7.4	88	8.0	165	24.1	104	
8/6/24 2:00	7.4	88	8.0	165	24.0	103	
8/6/24 2:15	7.4	88	8.0	165	24.0	105	
8/6/24 2:30	7.4	88	8.0	165	23.9	102	
8/6/24 2:45	7.4	88	8.0	165	23.9	104	
8/6/24 3:00	7.4	88	8.0	165	23.8	103	
8/6/24 3:15	7.4	88	8.0	165	23.8	104	
8/6/24 3:30	7.4	88	8.0	165	23.7	104	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 3:45	7.5	88	8.0	165	23.7	104	
8/6/24 4:00	7.5	88	8.0	165	23.7	102	
8/6/24 4:15	7.5	88	8.0	164	23.6	100	
8/6/24 4:30	7.5	88	8.0	164	23.6	102	
8/6/24 4:45	7.5	88	8.0	164	23.6	102	
8/6/24 5:00	7.5	88	8.0	164	23.5	100	
8/6/24 5:15	7.5	88	8.0	164	23.5	100	
8/6/24 5:30	7.5	88	8.0	164	23.5	100	
8/6/24 5:45	7.5	88	8.0	163	23.4	104	
8/6/24 6:00	7.5	88	8.0	163	23.4	99	
8/6/24 6:15	7.5	88	8.0	163	23.4	101	
8/6/24 6:30	7.5	88	8.0	163	23.3	98	
8/6/24 6:45	7.5	88	8.0	163	23.3	100	
8/6/24 7:00	7.5	88	8.0	163	23.3	99	
8/6/24 7:15	7.5	88	8.0	163	23.2	102	
8/6/24 7:30	7.5	88	8.0	163	23.2	103	
8/6/24 7:45	7.6	88	8.0	163	23.1	103	
8/6/24 8:00	7.6	88	8.0	163	23.1	96	
8/6/24 8:15	7.6	88	8.0	163	23.0	115	
8/6/24 8:30	7.6	88	8.0	163	23.0	97	
8/6/24 8:45	7.6	88	8.0	163	23.0	101	
8/6/24 9:00	7.6	89	8.0	163	22.9	99	
8/6/24 9:15	7.6	89	8.0	163	22.9	103	
8/6/24 9:30	7.6	89	8.0	163	22.9	99	
8/6/24 9:45	7.6	89	8.0	163	22.9	110	
8/6/24 10:00	7.6	89	8.0	162	23.0	94	
8/6/24 10:15	7.7	89	8.0	162	23.0	96	
8/6/24 10:30	7.7	89	8.0	162	23.0	97	
8/6/24 10:45	7.7	90	8.0	162	23.1	99	
8/6/24 11:00	7.7	90	8.0	162	23.1	95	
8/6/24 11:15	7.7	90	8.0	162	23.2	119	
8/6/24 11:30	7.7	90	8.0	162	23.2	121	
8/6/24 11:45	7.7	90	8.0	162	23.3	127	
8/6/24 12:00	7.7	90	8.0	162	23.4		
8/6/24 12:15	7.7	91	8.0	161	23.5	134	
8/6/24 12:30	7.7	91	8.0	161	23.6	117	
8/6/24 12:45	7.7	91	8.0	161	23.7		
8/6/24 13:00	7.7	91	8.0	161	23.8	112	
8/6/24 13:15	7.7	91	8.0	161	23.9	106	
8/6/24 13:30	7.7	91	8.0	161	24.0	100	
8/6/24 13:45	7.7	92	8.0	161	24.1	102	
8/6/24 14:00	7.7	92	8.0	161	24.2	101	
8/6/24 14:15	7.7	92	8.0	161	24.3	101	
8/6/24 14:30	7.7	92	8.0	161	24.5	101	
8/6/24 14:45	7.7	92	8.0	161	24.6	106	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 15:00	7.7	92	8.0	161	24.7	104	
8/6/24 15:15	7.6	92	8.0	161	24.8	126	
8/6/24 15:30	7.6	92	8.0	161	24.9	133	
8/6/24 15:45	7.6	92	8.0	161	25.0	172	
8/6/24 16:00	7.6	92	8.0	161	25.1	161	
8/6/24 16:15	7.6	92	8.0	161	25.2	112	
8/6/24 16:30	7.6	92	8.0	161	25.3	132	
8/6/24 16:45	7.5	92	8.0	161	25.4	144	
8/6/24 17:00	7.5	92	8.0	161	25.5	132	
8/6/24 17:15	7.5	92	8.0	161	25.6	147	
8/6/24 17:30	7.5	92	8.0	161	25.6	182	
8/6/24 17:45	7.5	91	8.0	161	25.7	171	
8/6/24 18:00	7.4	91	8.0	161	25.7	213	
8/6/24 18:15	7.4	91	8.0	161	25.8	220	
8/6/24 18:30	7.4	91	8.0	161	25.8	211	
8/6/24 18:45	7.4	91	8.0	161	25.8	196	
8/6/24 19:00	7.4	91	8.0	161	25.8	219	
8/6/24 19:15	7.4	90	8.0	161	25.7	202	
8/6/24 19:30	7.4	90	8.0	161	25.7	175	
8/6/24 19:45	7.3	90	8.0	161	25.7	176	
8/6/24 20:00	7.3	90	8.0	161	25.7	199	
8/6/24 20:15	7.3	90	8.0	161	25.7	203	
8/6/24 20:30	7.3	90	8.0	161	25.6	163	
8/6/24 20:45	7.3	90	8.0	161	25.6	178	
8/6/24 21:00	7.3	89	8.0	161	25.4	177	
8/6/24 21:15	7.3	89	8.0	161	25.3	174	
8/6/24 21:30	7.3	89	8.0	161	25.2	177	
8/6/24 21:45	7.3	89	8.0	161	25.1	180	
8/6/24 22:00	7.3	89	8.0	161	25.0	194	
8/6/24 22:15	7.3	89	8.0	161	24.9	192	
8/6/24 22:30	7.3	89	8.0	161	24.8	190	
8/6/24 22:45	7.3	89	8.0	161	24.7	183	
8/6/24 23:00	7.3	88	8.0	161	24.6	167	
8/6/24 23:15	7.4	88	8.0	161	24.5	163	
8/6/24 23:30	7.4	88	8.0	161	24.5	191	
8/6/24 23:45	7.4	88	8.0	162	24.4	169	
8/7/24 0:00	7.4	88	8.0	162	24.3	177	
8/7/24 0:15	7.4	88	8.0	162	24.3	184	
8/7/24 0:30	7.4	88	8.0	162	24.2	175	
8/7/24 0:45	7.4	88	8.0	162	24.1	170	
8/7/24 1:00	7.4	88	8.0	162	24.0	168	
8/7/24 1:15	7.4	88	8.0	162	24.0	139	
8/7/24 1:30	7.4	88	8.0	162	23.9	178	
8/7/24 1:45	7.5	88	8.0	162	23.8	169	
8/7/24 2:00	7.5	88	8.0	162	23.7	153	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/7/24 2:15	7.5	88	8.0	161	23.7	164	
8/7/24 2:30	7.5	88	8.0	161	23.6	172	
8/7/24 2:45	7.5	88	8.0	161	23.6	157	
8/7/24 3:00	7.5	88	8.0	161	23.5	161	
8/7/24 3:15	7.5	88	8.0	161	23.4	154	
8/7/24 3:30	7.5	88	8.0	161	23.4	164	
8/7/24 3:45	7.5	88	8.0	161	23.3	140	
8/7/24 4:00	7.5	88	8.0	161	23.3	158	
8/7/24 4:15	7.6	88	8.0	161	23.2	159	
8/7/24 4:30	7.6	88	8.0	161	23.2	134	
8/7/24 4:45	7.6	88	8.0	161	23.2	152	
8/7/24 5:00	7.6	88	8.0	161	23.1	130	
8/7/24 5:15	7.6	88	8.0	161	23.1	120	
8/7/24 5:30	7.6	88	8.0	161	23.0	113	
8/7/24 5:45	7.6	88	8.0	161	23.0	136	
8/7/24 6:00	7.6	88	8.0	161	23.0	115	
8/7/24 6:15	7.6	88	8.0	161	22.9	127	
8/7/24 6:30	7.6	88	8.0	161	22.9	129	
8/7/24 6:45	7.6	88	8.0	161	22.8	127	
8/7/24 7:00	7.6	88	8.0	161	22.8	153	
8/7/24 7:15	7.6	88	8.0	161	22.7	107	
8/7/24 7:30	7.6	88	8.0	161	22.7	124	
8/7/24 7:45	7.6	88	8.0	161	22.6	121	
8/7/24 8:00	7.7	89	8.0	161	22.6	115	
8/7/24 8:15	7.7	89	8.0	161	22.5	143	
8/7/24 8:30	7.7	89	8.0	161	22.5	120	
8/7/24 8:45	7.7	89	8.0	161	22.4		
8/7/24 9:00	7.7	89	8.0	161	22.4	129	
8/7/24 9:15	7.7	89	8.0	161	22.4	106	
8/7/24 9:30	7.7	89	8.0	161	22.4	98	
8/7/24 9:45	7.7	89	8.0	161	22.4	124	
8/7/24 10:00	7.8	89	8.0	161	22.3	133	
8/7/24 10:15	7.8	89	8.0	160	22.3	112	
8/7/24 10:30	7.8	90	8.0	160	22.4	83	
8/7/24 10:45	7.8	90	8.0	160	22.4		
8/7/24 11:00	7.8	90	8.0	160	22.5	122	
8/7/24 11:15	7.8	90	8.0	159	22.5	111	
8/7/24 11:30	7.8	90	8.0	159	22.6	104	
8/7/24 11:45	7.8	90	8.0	159	22.6	119	
8/7/24 12:00	7.8	91	8.0	159	22.7	93	
8/7/24 12:15	7.8	91	8.0	158	22.8	100	
8/7/24 12:30	7.8	91	8.1	158	22.9	95	
8/7/24 12:45	7.8	91	8.0	158	22.9	96	
8/7/24 13:00	7.8	91	8.0	158	23.0		
8/7/24 13:15	7.8	91	8.0	158	23.1	124	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/7/24 13:30	7.8	92	8.1	158	23.3	95	
8/7/24 13:45	7.8	92	8.1	158	23.4	95	
8/7/24 14:00	7.8	92	8.1	158	23.5		
8/7/24 14:15	7.8	92	8.1	158	23.6	93	
8/7/24 14:30	7.8	92	8.1	158	23.7	103	
8/7/24 14:45	7.8	92	8.1	158	23.8	124	
8/7/24 15:00	7.8	92	8.1	158	23.9	125	
8/7/24 15:15	7.8	92	8.1	158	24.0	131	
8/7/24 15:30	7.8	92	8.1	159	24.1	94	
8/7/24 15:45	7.7	92	8.1	159	24.2	93	
8/7/24 16:00	7.7	92	8.1	160	24.3	98	
8/7/24 16:15	7.7	92	8.1	160	24.4	98	
8/7/24 16:30	7.7	92	8.1	160	24.5	97	
8/7/24 16:45	7.7	92	8.1	161	24.6	98	
8/7/24 17:00	7.6	92	8.1	161	24.7	102	
8/7/24 17:15	7.6	92	8.1	161	24.8	97	
8/7/24 17:30	7.6	92	8.1	161	24.8	98	
8/7/24 17:45	7.6	92	8.1	161	24.9	98	
8/7/24 18:00	7.6	92	8.1	161	25.0	98	
8/7/24 18:15	7.6	91	8.1	161	25.0	98	
8/7/24 18:30	7.5	91	8.1	162	25.0	98	
8/7/24 18:45	7.5	91	8.1	162	25.0	98	
8/7/24 19:00	7.5	91	8.1	162	25.0	99	
8/7/24 19:15	7.5	91	8.1	162	25.0	100	
8/7/24 19:30	7.5	91	8.1	162	25.0	98	
8/7/24 19:45	7.5	90	8.1	162	24.9	99	
8/7/24 20:00	7.5	90	8.1	162	24.9	99	
8/7/24 20:15	7.5	90	8.0	162	24.8	98	
8/7/24 20:30	7.4	90	8.1	162	24.8	97	
8/7/24 20:45	7.4	90	8.0	162	24.7	99	
8/7/24 21:00	7.4	89	8.0	162	24.6	99	
8/7/24 21:15	7.4	89	8.0	162	24.5	99	
8/7/24 21:30	7.4	89	8.0	162	24.4	99	
8/7/24 21:45	7.4	89	8.0	162	24.3	98	
8/7/24 22:00	7.4	89	8.0	162	24.2	100	
8/7/24 22:15	7.4	89	8.0	161	24.1	99	
8/7/24 22:30	7.5	89	8.0	161	24.0	99	
8/7/24 22:45	7.5	89	8.0	161	23.9	99	
8/7/24 23:00	7.5	89	8.0	161	23.8	100	
8/7/24 23:15	7.5	89	8.0	161	23.8	97	
8/7/24 23:30	7.5	89	8.0	161	23.7	96	
8/7/24 23:45	7.5	89	8.0	161	23.6	96	
8/8/24 0:00	7.5	89	8.0	161	23.5	96	
8/8/24 0:15	7.5	89	8.0	161	23.4	95	
8/8/24 0:30	7.5	88	8.0	161	23.3	96	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 0:45	7.6	89	8.0	161	23.2	96	
8/8/24 1:00	7.6	89	8.0	161	23.1	94	
8/8/24 1:15	7.6	89	8.0	161	23.1	95	
8/8/24 1:30	7.6	88	8.0	161	23.0	94	
8/8/24 1:45	7.6	89	8.0	161	22.9	95	
8/8/24 2:00	7.6	89	8.0	161	22.8	96	
8/8/24 2:15	7.6	89	8.0	161	22.7	92	
8/8/24 2:30	7.6	89	8.0	161	22.7	93	
8/8/24 2:45	7.7	89	8.0	161	22.6	92	
8/8/24 3:00	7.7	89	8.0	161	22.6	93	
8/8/24 3:15	7.7	89	8.0	161	22.5	93	
8/8/24 3:30	7.7	89	8.0	161	22.5	93	
8/8/24 3:45	7.7	89	8.0	161	22.4	92	
8/8/24 4:00	7.7	89	8.0	161	22.4	94	
8/8/24 4:15	7.7	89	8.0	161	22.4	90	
8/8/24 4:30	7.7	89	8.0	161	22.3	89	
8/8/24 4:45	7.7	89	8.0	161	22.3	88	
8/8/24 5:00	7.7	89	8.0	160	22.3	90	
8/8/24 5:15	7.7	89	8.0	160	22.2	91	
8/8/24 5:30	7.7	89	8.0	160	22.2	91	
8/8/24 5:45	7.7	89	8.0	160	22.2	87	
8/8/24 6:00	7.7	89	8.0	160	22.2	88	
8/8/24 6:15	7.7	89	8.0	160	22.1	85	
8/8/24 6:30	7.7	89	8.0	160	22.1	86	
8/8/24 6:45	7.7	88	8.0	159	22.1	86	
8/8/24 7:00	7.7	89	8.0	159	22.1	86	
8/8/24 7:15	7.7	88	8.0	159	22.0	87	
8/8/24 7:30	7.7	88	8.0	159	22.0	87	
8/8/24 7:45	7.7	88	8.0	159	21.9	87	
8/8/24 8:00	7.8	89	8.0	159	21.9	88	
8/8/24 8:15	7.8	89	8.0	159	21.9	88	
8/8/24 8:30	7.8	89	8.0	159	21.8	89	
8/8/24 8:45	7.8	89	8.0	159	21.8	89	
8/8/24 9:00	7.8	89	8.0	159	21.8	88	
8/8/24 9:15	7.8	89	8.0	159	21.8	88	
8/8/24 9:30	7.8	89	8.0	159	21.8	89	
8/8/24 9:45	7.8	89	8.0	159	21.8	93	
8/8/24 10:00	7.8	89	8.0	159	21.8	92	
8/8/24 10:15	7.8	89	8.0	159	21.8		
8/8/24 10:30	7.8		8.0		21.9		
8/8/24 10:45	7.8		8.0		21.9		
8/8/24 11:00	7.9	90	8.0	159	22.0		
8/8/24 11:15	7.9	90	8.0	159	22.1		
8/8/24 11:30	7.9	90	8.0	159	22.1		
8/8/24 11:45	7.9	91	8.0	159	22.2		

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 12:00	7.9	91	8.0	159	22.3		
8/8/24 12:15	7.9	91	8.1	159	22.4		
8/8/24 12:30	7.9	91	8.0	159	22.5		
8/8/24 12:45	7.9	91	8.1	159	22.6		
8/8/24 13:00	7.9	91	8.1	159	22.7		
8/8/24 13:15	7.9	92	8.1	160	22.9		
8/8/24 13:30	7.9	92	8.1	160	23.0		
8/8/24 13:45	7.9	92	8.1	160	23.1		
8/8/24 14:00	7.8	92	8.1	160	23.2		
8/8/24 14:15	7.8	92	8.1	160	23.3		
8/8/24 14:30	7.8	92	8.1	160	23.5		
8/8/24 14:45	7.8	92	8.1	160	23.6		
8/8/24 15:00	7.8	92	8.1	160	23.7		
8/8/24 15:15	7.8	92	8.1	160	23.8		
8/8/24 15:30	7.8	92	8.1	160	23.9		
8/8/24 15:45	7.8	92	8.1	160	24.0		
8/8/24 16:00	7.8	92	8.1	160	24.1		
8/8/24 16:15	7.7	92	8.1	161	24.2		
8/8/24 16:30	7.7	92	8.1	161	24.2		
8/8/24 16:45	7.7	92	8.1	161	24.3		
8/8/24 17:00	7.7	92	8.1	161	24.3		
8/8/24 17:15	7.6	91	8.1	161	24.4		
8/8/24 17:30	7.6	91	8.1	161	24.5		
8/8/24 17:45	7.6	91	8.0	161	24.5		
8/8/24 18:00	7.6	91	8.1	161	24.6		
8/8/24 18:15	7.6	91	8.1	161	24.6		
8/8/24 18:30	7.6	91	8.0	162	24.6		
8/8/24 18:45	7.5	91	8.0	162	24.7		
8/8/24 19:00	7.5	91	8.0	162	24.7		
8/8/24 19:15	7.5	91	8.0	162	24.6		
8/8/24 19:30	7.5	90	8.1	162	24.6		
8/8/24 19:45	7.5	90	8.1	162	24.6		
8/8/24 20:00	7.5	90	8.1	162	24.5		
8/8/24 20:15	7.5	90	8.0	162	24.5		
8/8/24 20:30	7.5	90	8.0	163	24.4		
8/8/24 20:45	7.5	89	8.0	163	24.3		
8/8/24 21:00	7.5	89	8.1	163	24.2		
8/8/24 21:15	7.5	89	8.0	163	24.2		
8/8/24 21:30	7.5	89	8.0	163	24.1		
8/8/24 21:45	7.5	89	8.0	163	24.0		
8/8/24 22:00	7.5	89	8.0	163	24.0		
8/8/24 22:15	7.5	89	8.0	163	23.9		
8/8/24 22:30	7.5	89	8.0	163	23.9		
8/8/24 22:45	7.5	89	8.0	163	23.8		
8/8/24 23:00	7.5	89	8.0	163	23.7		

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 23:15	7.5	89	8.0	163	23.6		
8/8/24 23:30	7.5	89	8.0	163	23.6		
8/8/24 23:45	7.5	89	8.0	164	23.5		
8/9/24 0:00	7.5	89	8.0	164	23.4		
8/9/24 0:15	7.6	89	8.0	164	23.3		
8/9/24 0:30	7.6	89	8.0	164	23.2		
8/9/24 0:45	7.6	89	8.0	165	23.1		
8/9/24 1:00	7.6	89	8.0	165	23.0		
8/9/24 1:15	7.6	89	8.0	165	22.9		
8/9/24 1:30	7.6	89	8.0	166	22.8		
8/9/24 1:45	7.6	89	8.0	166	22.8		
8/9/24 2:00	7.6	89	8.0	166	22.7		
8/9/24 2:15	7.7	89	8.0	166	22.7		
8/9/24 2:30	7.7	89	8.0	166	22.6		
8/9/24 2:45	7.7	89	8.0	166	22.5		
8/9/24 3:00	7.7	89	8.0	166	22.5		
8/9/24 3:15	7.7	89	8.0	167	22.4		
8/9/24 3:30	7.7	89	8.0	167	22.4		
8/9/24 3:45	7.7	88	8.0	167	22.4		
8/9/24 4:00	7.7	89	8.0	167	22.3		
8/9/24 4:15	7.7	89	8.0	167	22.3		
8/9/24 4:30	7.7	88	8.0	167	22.3		
8/9/24 4:45	7.7	88	8.0	167	22.3		
8/9/24 5:00	7.7	89	8.0	167	22.2		
8/9/24 5:15	7.7	88	8.0	167	22.2		
8/9/24 5:30	7.7	88	8.0	167	22.2		
8/9/24 5:45	7.7	89	8.0	167	22.2		
8/9/24 6:00	7.7	88	8.1	167	22.2		
8/9/24 6:15	7.7	89	8.1	167	22.1		
8/9/24 6:30	7.7	89	8.0	166	22.1		
8/9/24 6:45	7.7	89	8.0	166	22.1		
8/9/24 7:00	7.7	88	8.1	166	22.0		
8/9/24 7:15	7.7	88	8.1	166	22.0		
8/9/24 7:30	7.7	88	8.0	166	22.0		
8/9/24 7:45	7.7	88	8.0	166	21.9		
8/9/24 8:00	7.8	88	8.0	166	21.9		
8/9/24 8:15	7.8	89	8.0	166	21.8		
8/9/24 8:30	7.8	89	8.0	165	21.8		
8/9/24 8:45	7.8	89	8.0	165	21.8		
8/9/24 9:00	7.8	89	8.0	165	21.7		
8/9/24 9:15	7.8	89	8.1	165	21.7		
8/9/24 9:30	7.8	89	8.0	165	21.7		
8/9/24 9:45	7.8	89	8.1	164	21.7		
8/9/24 10:00	7.8	89	8.0	164	21.8		
8/9/24 10:15	7.8	89	8.1	164	21.8		

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/9/24 10:30	7.8	90	8.1	164	21.8		
8/9/24 10:45	7.9	90	8.1	164	21.9		
8/9/24 11:00	7.9	90	8.1	163	21.9		
8/9/24 11:15	7.9	90	8.1	163	22.0		
8/9/24 11:30	7.9	90	8.1	163	22.1		
8/9/24 11:45	7.9	90	8.1	163	22.2		
8/9/24 12:00	7.9	91	8.1	163	22.3		
8/9/24 12:15	7.9	91	8.1	163	22.4		
8/9/24 12:30	7.9	91	8.1	163	22.5		
8/9/24 12:45	7.9	91	8.1	164	22.6		
8/9/24 13:00	7.9	91	8.1	164	22.7		
8/9/24 13:15	7.9	91	8.1	164	22.8		
8/9/24 13:30	7.9	92	8.1	164	22.9		
8/9/24 13:45	7.9	92	8.1	165	23.1		
8/9/24 14:00	7.8	92	8.1	164	23.2		
8/9/24 14:15	7.8	92	8.1	164	23.3		
8/9/24 14:30	7.8	92	8.1	164	23.4		
8/9/24 14:45	7.8	92	8.1	164	23.5		
8/9/24 15:00	7.8	92	8.1	164	23.6		
8/9/24 15:15	7.8	92	8.1	164	23.7		
8/9/24 15:30	7.8	92	8.1	164	23.8		
8/9/24 15:45	7.8	92	8.1	164	23.9		
8/9/24 16:00	7.8	92	8.1	164	24.0		
8/9/24 16:15	7.8	92	8.1	164	24.0		
8/9/24 16:30	7.7	92	8.1	164	24.1		
8/9/24 16:45	7.7	92	8.1	163	24.2		
8/9/24 17:00	7.7	92	8.1	163	24.2		
8/9/24 17:15	7.7	92	8.1	163	24.3		
8/9/24 17:30	7.7	92	8.1	163	24.4		
8/9/24 17:45	7.7	92	8.1	163	24.4		
8/9/24 18:00	7.6	92	8.1	163	24.4		
8/9/24 18:15	7.6	91	8.1	163	24.4		
8/9/24 18:30	7.6	91	8.1	163	24.4		
8/9/24 18:45	7.6	91	8.1	163	24.4		
8/9/24 19:00	7.6	91	8.1	164	24.4		
8/9/24 19:15	7.6	91	8.1	164	24.4		
8/9/24 19:30	7.6	91	8.1	164	24.4		
8/9/24 19:45	7.6	90	8.1	164	24.4		
8/9/24 20:00	7.5	90	8.1	164	24.3		
8/9/24 20:15							
8/9/24 20:30							
8/9/24 20:45							
8/9/24 21:00							
8/9/24 21:15	7.5	89	8.1	165	24.0		
8/9/24 21:30	7.5	89	8.1	166	24.0		

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/9/24 21:45	7.5	89	8.1	166	23.9		
8/9/24 22:00	7.5	89	8.1	166	23.9		
8/9/24 22:15	7.5	89	8.1	167	23.8		
8/9/24 22:30	7.5	89	8.1	167	23.8		
8/9/24 22:45	7.5	89	8.1	167	23.7		
8/9/24 23:00	7.5	89	8.1	167	23.6		
8/9/24 23:15	7.5	89	8.0	167	23.6		
8/9/24 23:30	7.5	89	8.1	167	23.5		
8/9/24 23:45	7.5	89	8.1	167	23.4		
8/10/24 0:00	7.6	89	8.0	167	23.4		
8/10/24 0:15	7.6	89	8.0	168	23.3		
8/10/24 0:30	7.6	89	8.1	168	23.2		
8/10/24 0:45	7.6	89	8.1	168	23.1		
8/10/24 1:00	7.6	89	8.1	168	23.1		
8/10/24 1:15	7.6	89	8.0	168	23.0		
8/10/24 1:30	7.6	89	8.1	169	22.9		
8/10/24 1:45	7.6	89	8.1	169	22.9		
8/10/24 2:00	7.6	89	8.1	169	22.8		
8/10/24 2:15	7.6	89	8.1	169	22.8		
8/10/24 2:30	7.6	89	8.0	169	22.8		
8/10/24 2:45	7.6	89	8.0	169	22.7		
8/10/24 3:00	7.6	89	8.1	169	22.7		
8/10/24 3:15	7.7	89	8.0	168	22.7		
8/10/24 3:30	7.7	89	8.0	168	22.7		
8/10/24 3:45	7.7	89	8.0	168	22.6		
8/10/24 4:00	7.7	89	8.1	168	22.6		
8/10/24 4:15	7.7	89	8.0	168	22.6		
8/10/24 4:30	7.7	89	8.1	168	22.5		
8/10/24 4:45	7.7	89	8.1	168	22.5		
8/10/24 5:00	7.7	89	8.1	168	22.5		
8/10/24 5:15	7.7	89	8.0	168	22.4		
8/10/24 5:30	7.7	89	8.1	168	22.4		
8/10/24 5:45	7.7	89	8.0	168	22.4		
8/10/24 6:00	7.7	89	8.0	168	22.4		
8/10/24 6:15	7.7	89	8.1	168	22.3		
8/10/24 6:30	7.7	89	8.1	167	22.3		
8/10/24 6:45	7.7	89	8.0	167	22.3		
8/10/24 7:00	7.7	89	8.0	167	22.3		
8/10/24 7:15	7.7	89	8.0	167	22.2		
8/10/24 7:30	7.7	89	8.1	167	22.2		
8/10/24 7:45	7.7	89	8.0	167	22.2	81	
8/10/24 8:00	7.7	89	8.0	167	22.1	81	
8/10/24 8:15	7.7	89	8.1	166	22.1	82	
8/10/24 8:30	7.8	89	8.0	166	22.1	79	
8/10/24 8:45	7.8	89	8.0	166	22.1	79	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/10/24 9:00	7.8	89	8.1	166	22.1	79	
8/10/24 9:15	7.8	89	8.1	166	22.1	80	
8/10/24 9:30	7.8	89	8.0	165	22.1	80	
8/10/24 9:45	7.8	89	8.1	165	22.1	79	
8/10/24 10:00	7.8	90	8.1	165	22.1	80	
8/10/24 10:15	7.8	90	8.0	165	22.2	81	
8/10/24 10:30	7.8	90	8.1	165	22.2	80	
8/10/24 10:45	7.8	90	8.1	164	22.3	80	
8/10/24 11:00	7.8	90	8.1	164	22.3	80	
8/10/24 11:15	7.8	90	8.1	164	22.4	81	
8/10/24 11:30	7.8	91	8.1	164	22.5	81	
8/10/24 11:45	7.8	91	8.1	164	22.5	82	
8/10/24 12:00	7.8	91	8.1	164	22.6	82	
8/10/24 12:15	7.8	91	8.1	164	22.7	82	
8/10/24 12:30	7.8	91	8.1	164	22.8	83	
8/10/24 12:45	7.8	91	8.1	163	22.9	83	
8/10/24 13:00	7.8	92	8.1	164	23.0	84	
8/10/24 13:15	7.8	92	8.1	163	23.1	83	
8/10/24 13:30	7.8	92	8.1	163	23.2	83	
8/10/24 13:45	7.8	92	8.1	163	23.4	84	
8/10/24 14:00	7.8	92	8.1	163	23.5	84	
8/10/24 14:15	7.8	92	8.1	163	23.6	84	
8/10/24 14:30	7.8	92	8.1	163	23.7	84	
8/10/24 14:45	7.8	93	8.1	163	23.8	84	
8/10/24 15:00	7.8	93	8.1	163	24.0	85	
8/10/24 15:15	7.8	93	8.1	163	24.1	85	
8/10/24 15:30	7.8	93	8.1	163	24.2	85	
8/10/24 15:45	7.8	93	8.1	163	24.3	85	
8/10/24 16:00	7.7	93	8.1	163	24.4	87	
8/10/24 16:15	7.7	93	8.1	163	24.5	88	
8/10/24 16:30	7.7	92	8.1	163	24.5	90	
8/10/24 16:45	7.7	92	8.1	163	24.6	90	
8/10/24 17:00	7.7	92	8.1	163	24.7	90	
8/10/24 17:15	7.6	92	8.1	163	24.8	90	
8/10/24 17:30	7.6	92	8.1	163	24.8	90	
8/10/24 17:45	7.6	92	8.1	163	24.9	88	
8/10/24 18:00	7.6	92	8.1	163	24.9	89	
8/10/24 18:15	7.6	92	8.1	163	24.9	89	
8/10/24 18:30	7.6	91	8.1	163	25.0	88	
8/10/24 18:45	7.6	91	8.1	163	25.0	87	
8/10/24 19:00	7.5	91	8.1	163	25.0	88	
8/10/24 19:15	7.5	91	8.1	163	25.0	87	
8/10/24 19:30	7.5	91	8.1	163	25.0	86	
8/10/24 19:45	7.5	91	8.1	163	24.9	86	
8/10/24 20:00	7.5	90	8.1	163	24.9	86	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/10/24 20:15	7.5	90	8.1	163	24.8	86	
8/10/24 20:30	7.5	90	8.1	163	24.7	86	
8/10/24 20:45	7.5	90	8.1	163	24.6	86	
8/10/24 21:00	7.5	90	8.1	163	24.5	86	
8/10/24 21:15	7.5	89	8.1	163	24.4	85	
8/10/24 21:30	7.5	89	8.1	163	24.3	85	
8/10/24 21:45	7.5	89	8.1	163	24.2	86	
8/10/24 22:00	7.5	89	8.1	163	24.2	84	
8/10/24 22:15	7.5	89	8.0	163	24.1	83	
8/10/24 22:30	7.5	89	8.0	163	24.0	83	
8/10/24 22:45	7.5	89	8.0	163	24.0	83	
8/10/24 23:00	7.5	89	8.0	163	23.9	83	
8/10/24 23:15	7.5	89	8.0	163	23.8	82	
8/10/24 23:30	7.5	89	8.0	163	23.7	83	
8/10/24 23:45	7.5	89	8.0	163	23.7	82	
8/11/24 0:00	7.5	89	8.0	163	23.6	82	
8/11/24 0:15	7.5	89	8.0	163	23.5	81	
8/11/24 0:30	7.5	89	8.0	163	23.4	81	
8/11/24 0:45	7.6	89	8.0	163	23.4	80	
8/11/24 1:00	7.6	89	8.0	163	23.3	80	
8/11/24 1:15	7.6	89	8.0	163	23.2	80	
8/11/24 1:30	7.6	89	8.0	164	23.2	79	
8/11/24 1:45	7.6	89	8.0	164	23.1	80	
8/11/24 2:00	7.6	89	8.0	164	23.0	79	
8/11/24 2:15	7.6	89	8.0	164	23.0	78	
8/11/24 2:30	7.6	89	8.0	164	22.9	78	
8/11/24 2:45	7.6	89	8.0	164	22.9	77	
8/11/24 3:00	7.6	89	8.0	164	22.8	77	
8/11/24 3:15	7.6	89	8.0	164	22.8	77	
8/11/24 3:30	7.7	89	8.0	164	22.7	76	
8/11/24 3:45	7.7	89	8.0	164	22.7	77	
8/11/24 4:00	7.7	89	8.0	164	22.6	76	
8/11/24 4:15	7.7	89	8.0	164	22.6	76	
8/11/24 4:30	7.7	89	8.0	164	22.6	74	
8/11/24 4:45	7.7	89	8.0	164	22.5	75	
8/11/24 5:00	7.7	89	8.0	164	22.5	75	
8/11/24 5:15	7.7	89	8.0	164	22.5	76	
8/11/24 5:30	7.7	89	8.0	164	22.5	76	
8/11/24 5:45	7.7	89	8.0	164	22.5	77	
8/11/24 6:00	7.7	89	8.1	164	22.4	78	
8/11/24 6:15	7.7	89	8.0	164	22.4	80	
8/11/24 6:30	7.7	89	8.0	164	22.4	81	
8/11/24 6:45	7.7	89	8.1	164	22.4	81	
8/11/24 7:00	7.7	89	8.1	164	22.3	84	
8/11/24 7:15	7.7	89	8.1	165	22.3	85	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/11/24 7:30	7.7	89	8.1	165	22.3	88	
8/11/24 7:45	7.7	89	8.1	165	22.2	91	
8/11/24 8:00	7.7	89	8.1	165	22.2	97	
8/11/24 8:15	7.7	89	8.1	165	22.2	103	
8/11/24 8:30	7.7	89	8.1	166	22.1	110	
8/11/24 8:45	7.8	89	8.1	166	22.1	118	
8/11/24 9:00	7.8	89	8.1	166	22.1	127	
8/11/24 9:15	7.8	89	8.1	166	22.0	134	
8/11/24 9:30	7.8	89	8.1	166	22.0	141	
8/11/24 9:45	7.8	89	8.1	166	22.0	143	
8/11/24 10:00	7.8	89	8.1	166	22.1	147	
8/11/24 10:15	7.8	89	8.1	166	22.1	145	
8/11/24 10:30	7.8	90	8.1	166	22.1	144	
8/11/24 10:45	7.8	90	8.1	166	22.1	140	
8/11/24 11:00	7.8	90	8.1	166	22.2	135	
8/11/24 11:15	7.8	90	8.1	165	22.2	127	
8/11/24 11:30	7.8	90	8.1	165	22.3	119	
8/11/24 11:45	7.9	91	8.1	165	22.4	115	
8/11/24 12:00	7.9	91	8.1	165	22.5	108	
8/11/24 12:15	7.9	91	8.1	164	22.6	102	
8/11/24 12:30	7.9	91	8.1	164	22.6	97	
8/11/24 12:45	7.9	91	8.1	164	22.7	92	
8/11/24 13:00	7.9	92	8.1	164	22.8	90	
8/11/24 13:15	7.9	92	8.1	164	22.9	87	
8/11/24 13:30	7.9	92	8.1	163	23.0	84	
8/11/24 13:45	7.9	92	8.1	163	23.1	82	
8/11/24 14:00	7.9	92	8.1	163	23.3	81	
8/11/24 14:15	7.9	93	8.1	163	23.4		
8/11/24 14:30	7.9	93	8.1	163	23.5	78	
8/11/24 14:45	7.9	93	8.1	163	23.6	77	
8/11/24 15:00	7.8	93	8.1	163	23.7	77	
8/11/24 15:15	7.8	93	8.1	163	23.8	76	
8/11/24 15:30	7.8	93	8.1	163	23.9	76	
8/11/24 15:45	7.8	93	8.1	163	24.0	75	
8/11/24 16:00	7.8	93	8.1	163	24.1	75	
8/11/24 16:15	7.8	93	8.1	163	24.1	74	
8/11/24 16:30	7.8	93	8.1	163	24.2	75	
8/11/24 16:45	7.8	93	8.1	163	24.3	73	
8/11/24 17:00	7.8	93	8.1	163	24.4	73	
8/11/24 17:15	7.7	93	8.1	163	24.5	75	
8/11/24 17:30	7.7	92	8.1	163	24.5	73	
8/11/24 17:45	7.7	92	8.1	163	24.6	77	
8/11/24 18:00	7.7	92	8.1	163	24.6	80	
8/11/24 18:15	7.7	92	8.1	163	24.6	78	
8/11/24 18:30	7.6	92	8.1	163	24.6	78	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/11/24 18:45	7.6	92	8.1	163	24.6	79	
8/11/24 19:00	7.6	91	8.1	163	24.6	79	
8/11/24 19:15	7.6	91	8.1	164	24.6	71	
8/11/24 19:30	7.6	91	8.1	164	24.5	72	
8/11/24 19:45	7.6	91	8.1	164	24.5	73	
8/11/24 20:00	7.6	91	8.1	164	24.5	72	
8/11/24 20:15	7.6	90	8.1	164	24.4	73	
8/11/24 20:30	7.6	90	8.1	164	24.4	72	
8/11/24 20:45	7.5	90	8.1	164	24.3	72	
8/11/24 21:00	7.5	90	8.1	164	24.2	73	
8/11/24 21:15	7.5	90	8.1	164	24.2	72	
8/11/24 21:30	7.5	89	8.1	164	24.1	73	
8/11/24 21:45	7.5	89	8.1	164	24.0	73	
8/11/24 22:00	7.5	89	8.1	164	24.0	73	
8/11/24 22:15	7.5	89	8.1	164	23.9	72	
8/11/24 22:30	7.5	89	8.1	164	23.8	72	
8/11/24 22:45	7.5	89	8.1	164	23.8	72	
8/11/24 23:00	7.5	89	8.1	164	23.7	72	
8/11/24 23:15	7.5	89	8.1	164	23.6	71	
8/11/24 23:30	7.5	89	8.1	164	23.6	70	
8/11/24 23:45	7.5	89	8.1	164	23.5	70	
8/12/24 0:00	7.6	89	8.1	164	23.4	70	
8/12/24 0:15	7.6	89	8.1	164	23.3	70	
8/12/24 0:30	7.6	89	8.1	164	23.2	68	
8/12/24 0:45	7.6	89	8.1	164	23.1	68	
8/12/24 1:00	7.6	89	8.1	164	23.0	67	
8/12/24 1:15	7.6	89	8.1	164	23.0	67	
8/12/24 1:30	7.6	89	8.1	164	22.9	67	
8/12/24 1:45	7.6	89	8.1	164	22.9	67	
8/12/24 2:00	7.6	89	8.1	164	22.8	67	
8/12/24 2:15	7.6	89	8.1	164	22.8	66	
8/12/24 2:30	7.6	89	8.1	164	22.7	65	
8/12/24 2:45	7.7	89	8.1	164	22.7	66	
8/12/24 3:00	7.7	89	8.1	164	22.6	64	
8/12/24 3:15	7.7	89	8.1	164	22.6	64	
8/12/24 3:30	7.7	89	8.1	164	22.5	65	
8/12/24 3:45	7.7	89	8.1	163	22.5	64	
8/12/24 4:00	7.7	89	8.1	163	22.4	64	
8/12/24 4:15	7.7	89	8.1	163	22.4	64	
8/12/24 4:30	7.7	89	8.1	163	22.4	64	
8/12/24 4:45	7.7	89	8.0	163	22.3	65	
8/12/24 5:00	7.7	89	8.1	163	22.3	64	
8/12/24 5:15	7.7	89	8.1	163	22.3	64	
8/12/24 5:30	7.7	89	8.1	163	22.2	63	
8/12/24 5:45	7.7	89	8.1	163	22.2	62	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 6:00	7.7	89	8.1	163	22.2	62	
8/12/24 6:15	7.7	89	8.1	163	22.2	62	
8/12/24 6:30	7.7	89	8.1	162	22.1	63	
8/12/24 6:45	7.7	89	8.1	162	22.1	62	
8/12/24 7:00	7.7	89	8.1	162	22.1	62	
8/12/24 7:15	7.7	89	8.1	162	22.0	62	
8/12/24 7:30	7.7	89	8.1	162	22.0	62	
8/12/24 7:45	7.8	89	8.1	162	22.0	63	
8/12/24 8:00	7.8	89	8.1	162	21.9	62	
8/12/24 8:15	7.8	89	8.0	162	21.9	61	
8/12/24 8:30	7.8	89	8.1	162	21.8	61	
8/12/24 8:45	7.8	89	8.1	162	21.8	62	
8/12/24 9:00	7.8	89	8.1	162	21.8	61	
8/12/24 9:15	7.8	89	8.1	162	21.8	61	
8/12/24 9:30	7.8	89	8.1	162	21.7	61	
8/12/24 9:45	7.8	89	8.1	162	21.7	60	
8/12/24 10:00	7.9	90	8.1	162	21.8	60	
8/12/24 10:15	7.9	90	8.1	162	21.8	60	
8/12/24 10:30	7.9	90	8.1	162	21.8	60	
8/12/24 10:45	7.9	90	8.1	162	21.8	59	
8/12/24 11:00	7.9	90	8.1	162	21.9	60	
8/12/24 11:15	7.9	91	8.1	162	21.9	60	
8/12/24 11:30	7.9	91	8.1	162	22.0	60	
8/12/24 11:45	7.9	91	8.1	162	22.1	60	
8/12/24 12:00	8.0	91	8.1	162	22.1	61	
8/12/24 12:15	8.0	91	8.1	162	22.2	61	
8/12/24 12:30	8.0	92	8.1	162	22.3	62	
8/12/24 12:45	8.0	92	8.1	162	22.4	61	
8/12/24 13:00	8.0	92	8.1	162	22.5	61	
8/12/24 13:15	8.0	92	8.1	162	22.6	62	
8/12/24 13:30	8.0	92	8.1	162	22.7	62	
8/12/24 13:45	8.0	93	8.1	162	22.8	63	
8/12/24 14:00	8.0	93	8.1	162	22.8	62	
8/12/24 14:15	8.0	93	8.1	162	22.9	63	
8/12/24 14:30	8.0	93	8.1	162	23.0	62	
8/12/24 14:45	8.0	93	8.1	162	23.1		
8/12/24 15:00	8.0	93	8.1	161	23.2		
8/12/24 15:15	7.9	93	8.1	161	23.3	64	
8/12/24 15:30	7.9	93	8.1	161	23.4	63	
8/12/24 15:45	7.9	93	8.1	161	23.5	69	
8/12/24 16:00	7.9	93	8.1	161	23.6	62	
8/12/24 16:15	7.9	93	8.1	162	23.7	63	
8/12/24 16:30	7.9	93	8.1	162	23.7	63	
8/12/24 16:45	7.8	93	8.1	162	23.8	62	
8/12/24 17:00	7.8	93	8.1	162	23.9	62	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 17:15	7.8	93	8.1	162	23.9	62	
8/12/24 17:30	7.8	93	8.1	162	24.0	63	
8/12/24 17:45	7.8	93	8.1	162	24.0	62	
8/12/24 18:00	7.8	93	8.1	162	24.0	63	
8/12/24 18:15	7.8	92	8.1	162	24.1	63	
8/12/24 18:30	7.8	92	8.1	162	24.0	63	
8/12/24 18:45	7.7	92	8.1	162	24.0	62	
8/12/24 19:00	7.7	92	8.1	162	24.0	63	
8/12/24 19:15	7.7	91	8.1	162	23.9	62	
8/12/24 19:30	7.7	91	8.1	162	23.8	62	
8/12/24 19:45	7.7	91	8.1	163	23.8	63	
8/12/24 20:00	7.7	91	8.1	163	23.7	63	
8/12/24 20:15	7.7	91	8.1	163	23.6	63	
8/12/24 20:30	7.7	90	8.1	163	23.6	63	
8/12/24 20:45	7.7	90	8.1	163	23.4	63	
8/12/24 21:00	7.7	90	8.1	163	23.3	63	
8/12/24 21:15	7.6	89	8.1	163	23.2	63	
8/12/24 21:30	7.6	89	8.1	163	23.1	62	
8/12/24 21:45	7.6	89	8.1	163	23.0	63	
8/12/24 22:00	7.6	89	8.1	163	23.0	63	
8/12/24 22:15	7.6	89	8.1	163	22.9	63	
8/12/24 22:30	7.6	89	8.1	164	22.8	63	
8/12/24 22:45	7.6	89	8.1	164	22.7	63	
8/12/24 23:00	7.7	89	8.1	164	22.6	62	
8/12/24 23:15	7.7	89	8.1	164	22.6	62	
8/12/24 23:30	7.7	88	8.1	164	22.5	61	
8/12/24 23:45	7.7	88	8.1	164	22.4	61	
8/13/24 0:00	7.7	88	8.1	164	22.3	62	
8/13/24 0:15	7.7	89	8.1	164	22.3	61	
8/13/24 0:30	7.7	89	8.1	164	22.2	60	
8/13/24 0:45	7.7	89	8.1	164	22.1	60	
8/13/24 1:00	7.7	89	8.1	164	22.0	59	
8/13/24 1:15	7.8	89	8.1	164	21.9	59	
8/13/24 1:30	7.8	89	8.1	164	21.8	59	
8/13/24 1:45	7.8	89	8.1	164	21.7	59	
8/13/24 2:00	7.8	89	8.1	164	21.7	58	
8/13/24 2:15	7.8	89	8.1	164	21.6	58	
8/13/24 2:30	7.8	89	8.1	164	21.6	58	
8/13/24 2:45	7.8	89	8.1	164	21.5	57	
8/13/24 3:00	7.8	89	8.1	163	21.5	57	
8/13/24 3:15	7.8	89	8.1	163	21.4	57	
8/13/24 3:30	7.8	89	8.1	163	21.3	56	
8/13/24 3:45	7.9	89	8.1	163	21.3	57	
8/13/24 4:00	7.9	89	8.1	163	21.3	56	
8/13/24 4:15	7.9	89	8.1	163	21.3	56	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/13/24 4:30	7.9	89	8.1	162	21.2	56	
8/13/24 4:45	7.9	89	8.1	162	21.2	55	
8/13/24 5:00	7.9	89	8.1	162	21.1	56	
8/13/24 5:15	7.9	89	8.1	162	21.1	56	
8/13/24 5:30	7.9	89	8.1	162	21.1	56	
8/13/24 5:45	7.9	89	8.1	162	21.0	56	
8/13/24 6:00	7.9	89	8.1	162	21.0	58	
8/13/24 6:15	7.9	89	8.1	162	21.0	56	
8/13/24 6:30	7.9	89	8.1	162	20.9	56	
8/13/24 6:45	7.9	89	8.1	162	20.9	55	
8/13/24 7:00	7.9	89	8.1	162	20.8	54	
8/13/24 7:15	7.9	89	8.1	162	20.8	54	
8/13/24 7:30	8.0	89	8.1	162	20.8	54	
8/13/24 7:45	8.0	89	8.1	162	20.7	54	
8/13/24 8:00	8.0	89	8.1	162	20.7	50	
8/13/24 8:15	8.0	89	8.1	162	20.6	47	
8/13/24 8:30	8.0	89	8.1	162	20.6	54	
8/13/24 8:45	8.0	89	8.1	162	20.6	52	
8/13/24 9:00	8.0	89	8.1	162	20.5	53	
8/13/24 9:15	8.0	89	8.1	162	20.6	51	
8/13/24 9:30	8.0	89	8.1	162	20.6	52	
8/13/24 9:45	8.1	90	8.1	162	20.6	52	
8/13/24 10:00	8.1	90	8.1	162	20.6	52	
8/13/24 10:15	8.1	90	8.1	162	20.6	51	
8/13/24 10:30	8.1	90	8.1	162	20.7	51	
8/13/24 10:45	8.1	90	8.1	162	20.7	52	
8/13/24 11:00	8.1	91	8.1	162	20.8	51	
8/13/24 11:15	8.1	91	8.1	162	20.9	55	
8/13/24 11:30	8.1	91	8.1	162	21.0	52	
8/13/24 11:45	8.1	91	8.1	162	21.0	50	
8/13/24 12:00	8.2	92	8.1	162	21.1	51	
8/13/24 12:15	8.2	92	8.1	162	21.2		
8/13/24 12:30	8.2	92	8.1	162	21.3	54	
8/13/24 12:45	8.2	92	8.1	162	21.4	53	
8/13/24 13:00	8.2	93	8.1	162	21.5	54	
8/13/24 13:15	8.2	93	8.1	161	21.5	55	
8/13/24 13:30	8.2	93	8.1	161	21.6	55	
8/13/24 13:45	8.2	93	8.1	161	21.7	56	
8/13/24 14:00	8.2	93	8.1	161	21.8	57	
8/13/24 14:15	8.2	93	8.1	161	21.9	57	
8/13/24 14:30	8.2	94	8.1	161	22.0	57	
8/13/24 14:45	8.2	94	8.2	162	22.1	57	
8/13/24 15:00	8.2	94	8.2	162	22.2	58	
8/13/24 15:15	8.2	94	8.2	162	22.3	59	
8/13/24 15:30	8.2	94	8.2	162	22.4	58	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/13/24 15:45	8.1	94	8.2	162	22.5	60	
8/13/24 16:00	8.1	94	8.2	162	22.6	58	
8/13/24 16:15	8.1	94	8.2	162	22.7	59	
8/13/24 16:30	8.1	94	8.2	162	22.8	58	
8/13/24 16:45	8.1	94	8.2	162	22.8	58	
8/13/24 17:00	8.1	94	8.2	162	22.9	57	
8/13/24 17:15	8.1	94	8.2	162	23.0	57	
8/13/24 17:30	8.0	94	8.2	162	23.0	56	
8/13/24 17:45	8.0	94	8.2	163	23.0	56	
8/13/24 18:00	8.0	93	8.2	163	23.1	55	
8/13/24 18:15	8.0	93	8.2	163	23.1	56	
8/13/24 18:30	8.0	93	8.2	163	23.1		
8/13/24 18:45	8.0	93	8.2	163	23.1	53	
8/13/24 19:00	8.0	93	8.2	163	23.1	52	
8/13/24 19:15	7.9	93	8.2	163	23.1	53	
8/13/24 19:30	7.9	92	8.2	163	23.1	53	
8/13/24 19:45	7.9	92	8.2	163	23.0	53	
8/13/24 20:00	7.9	92	8.2	163	23.0	51	
8/13/24 20:15	7.9	92	8.2	163	22.9	53	
8/13/24 20:30	7.8	91	8.2	163	22.8	51	
8/13/24 20:45	7.8	91	8.1	163	22.7		
8/13/24 21:00	7.8	91	8.1	163	22.7	51	
8/13/24 21:15	7.8	90	8.1	163	22.6	48	
8/13/24 21:30	7.8	90	8.1	163	22.6	52	
8/13/24 21:45	7.8	90	8.1	163	22.5		
8/13/24 22:00	7.8	90	8.1	163	22.5	55	
8/13/24 22:15	7.8	90	8.1	163	22.4	51	
8/13/24 22:30	7.8	90	8.1	163	22.4	55	
8/13/24 22:45	7.8	90	8.1	163	22.3		
8/13/24 23:00	7.8	89	8.1	163	22.2	48	
8/13/24 23:15	7.8	89	8.1	163	22.2		
8/13/24 23:30	7.8	89	8.1	163	22.1	49	
8/13/24 23:45	7.8	89	8.1	164	22.0	49	
8/14/24 0:00	7.8	89	8.1	164	22.0	48	
8/14/24 0:15	7.8	89	8.1	164	21.9	48	
8/14/24 0:30	7.8	89	8.1	164	21.8	48	
8/14/24 0:45	7.8	89	8.1	164	21.7	49	
8/14/24 1:00	7.8	89	8.1	164	21.7	47	
8/14/24 1:15	7.8	89	8.1	164	21.6	47	
8/14/24 1:30	7.8	89	8.1	164	21.5	47	
8/14/24 1:45	7.9	89	8.1	164	21.5	47	
8/14/24 2:00	7.9	89	8.1	164	21.4	46	
8/14/24 2:15	7.8	88	8.1	164	21.4	47	
8/14/24 2:30	7.9	89	8.1	164	21.3	47	
8/14/24 2:45	7.9	89	8.1	164	21.3	46	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/14/24 3:00	7.8	89	8.1	164	21.3	46	
8/14/24 3:15	7.9	89	8.1	164	21.2	46	
8/14/24 3:30	7.9	89	8.1	164	21.2	45	
8/14/24 3:45	7.9	89	8.1	164	21.1	45	
8/14/24 4:00	7.9	89	8.1	164	21.1	45	
8/14/24 4:15	7.9	89	8.1	164	21.1	45	
8/14/24 4:30	7.9	89	8.1	164	21.0	45	
8/14/24 4:45	8.0	89	8.1	163	21.0	45	
8/14/24 5:00	8.0	89	8.1	163	21.0	45	
8/14/24 5:15	8.0	89	8.1	164	20.9	45	
8/14/24 5:30	8.0	89	8.1	164	20.9	43	
8/14/24 5:45	8.0	89	8.1	164	20.9	46	
8/14/24 6:00	8.0	89	8.1	164	20.9		
8/14/24 6:15	8.0	89	8.1	164	20.9		
8/14/24 6:30	8.0	89	8.1	164	20.9	42	
8/14/24 6:45	8.0	89	8.1	164	20.9		
8/14/24 7:00	8.0	89	8.1	164	20.8		
8/14/24 7:15	8.0	89	8.1	164	20.8		
8/14/24 7:30	8.0	89	8.1	164	20.8	43	
8/14/24 7:45	8.0	89	8.1	164	20.8	48	
8/14/24 8:00	8.0	89	8.1	164	20.7		
8/14/24 8:15	8.0	89	8.1	164	20.7		
8/14/24 8:30	8.0	89	8.1	165	20.7		
8/14/24 8:45	8.0	89	8.1	165	20.6	53	
8/14/24 9:00	8.0	90	8.1	165	20.6	60	
8/14/24 9:15	8.1	90	8.1	165	20.6	59	
8/14/24 9:30	8.1	90	8.1	165	20.6		
8/14/24 9:45	8.1	90	8.1	165	20.6	60	
8/14/24 10:00	8.1	90	8.1	165	20.6	84	
8/14/24 10:15	8.1	90	8.1	165	20.6	69	
8/14/24 10:30	8.1	90	8.1	165	20.6	86	
8/14/24 10:45	8.1	91	8.1	165	20.7	109	
8/14/24 11:00	8.1	91	8.1	165	20.7	105	
8/14/24 11:15	8.1	91	8.1	164	20.7	90	
8/14/24 11:30	8.1	91	8.1	164	20.8	130	
8/14/24 11:45	8.2	91	8.1	164	20.8	82	
8/14/24 12:00	8.2	91	8.1	164	20.9	83	
8/14/24 12:15	8.2	92	8.1	164	21.0	81	
8/14/24 12:30	8.2	92	8.1	164	21.0	81	
8/14/24 12:45	8.2	92	8.1	164	21.1	79	
8/14/24 13:00	8.2	92	8.1	163	21.1	77	
8/14/24 13:15	8.2	93	8.1	164	21.2	79	
8/14/24 13:30							
8/14/24 13:45	8.4	95	8.1	164	21.4	72	
8/14/24 14:00	8.4	95	8.1	163	21.5	69	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/14/24 14:15	8.4	95	8.1	163	21.5	69	
8/14/24 14:30	8.4	95	8.1	163	21.6	67	
8/14/24 14:45	8.4	95	8.2	163	21.7	66	
8/14/24 15:00	8.4	95	8.1	163	21.8	64	
8/14/24 15:15	8.4	95	8.2	163	21.8	63	
8/14/24 15:30	8.4	95	8.2	163	21.9	62	
8/14/24 15:45	8.3	95	8.2	163	21.9	61	
8/14/24 16:00	8.3	95	8.2	163	22.0	60	
8/14/24 16:15	8.3	95	8.2	163	22.0	59	
8/14/24 16:30	8.3	95	8.2	163	22.1	57	
8/14/24 16:45	8.3	95	8.2	163	22.1	57	
8/14/24 17:00	8.3	95	8.2	163	22.2	56	
8/14/24 17:15	8.3	95	8.2	163	22.2	55	
8/14/24 17:30	8.3	95	8.2	163	22.2	55	
8/14/24 17:45	8.3	95	8.2	163	22.3	55	
8/14/24 18:00	8.2	95	8.2	163	22.3	54	
8/14/24 18:15	8.2	95	8.2	163	22.3	54	
8/14/24 18:30	8.2	95	8.2	163	22.3	54	
8/14/24 18:45							
8/14/24 19:00							
8/14/24 19:15							
8/14/24 19:30							
8/14/24 19:45	8.2	94	8.2	163	22.2	53	
8/14/24 20:00	8.1	93	8.2	163	22.2	53	
8/14/24 20:15	8.1	93	8.2	163	22.1	54	
8/14/24 20:30	8.1	93	8.1	163	22.0	53	
8/14/24 20:45	8.1	93	8.1	162	21.9	54	
8/14/24 21:00	8.1	93	8.1	162	21.8	53	
8/14/24 21:15	8.1	92	8.1	162	21.8	54	
8/14/24 21:30	8.1	92	8.1	162	21.7	54	
8/14/24 21:45	8.1	92	8.1	162	21.6	54	
8/14/24 22:00	8.1	92	8.1	162	21.5	54	
8/14/24 22:15	8.1	92	8.1	162	21.4	53	
8/14/24 22:30	8.1	92	8.1	162	21.3	53	
8/14/24 22:45	8.1	92	8.1	162	21.2	53	
8/14/24 23:00	8.1	92	8.1	162	21.2	53	
8/14/24 23:15	8.1	91	8.1	162	21.1	53	
8/14/24 23:30	8.1	91	8.1	162	21.0	52	
8/14/24 23:45	8.2	91	8.1	162	21.0	52	
8/15/24 0:00	8.2	91	8.1	162	20.9	52	
8/15/24 0:15	8.2	91	8.1	162	20.9	52	
8/15/24 0:30	8.2	91	8.1	162	20.9	52	
8/15/24 0:45	8.2	91	8.1	163	20.8	52	
8/15/24 1:00	8.2	91	8.1	163	20.8	51	
8/15/24 1:15	8.2	91	8.1	163	20.8	52	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/15/24 1:30	8.2	91	8.1	163	20.7	51	
8/15/24 1:45	8.2	91	8.1	163	20.7	52	
8/15/24 2:00	8.2	91	8.1	163	20.7	52	
8/15/24 2:15	8.2	91	8.1	163	20.7	51	
8/15/24 2:30	8.2	91	8.1	163	20.6	52	
8/15/24 2:45							
8/15/24 3:00							
8/15/24 3:15							
8/15/24 3:30							
8/15/24 3:45	8.2	91	8.1	163	20.5	51	
8/15/24 4:00	8.2	91	8.1	163	20.5	51	
8/15/24 4:15	8.2	91	8.1	163	20.5	51	
8/15/24 4:30	8.2	91	8.1	163	20.5	52	
8/15/24 4:45	8.2	91	8.1	163	20.4	52	
8/15/24 5:00	8.2	91	8.1	163	20.4	52	
8/15/24 5:15	8.2	91	8.1	163	20.4	54	
8/15/24 5:30	8.2	91	8.1	163	20.4	55	
8/15/24 5:45	8.2	91	8.1	163	20.4	56	
8/15/24 6:00	8.2	91	8.1	163	20.4	59	
8/15/24 6:15	8.2	91	8.1	163	20.3	62	
8/15/24 6:30	8.2	91	8.1	163	20.3	64	
8/15/24 6:45	8.2	91	8.1	163	20.3	66	
8/15/24 7:00	8.2	91	8.1	163	20.3	67	
8/15/24 7:15	8.3	91	8.1	163	20.2	70	
8/15/24 7:30	8.3	91	8.1	163	20.2	71	
8/15/24 7:45	8.3	91	8.1	162	20.2	71	
8/15/24 8:00	8.3	91	8.1	162	20.1	72	
8/15/24 8:15	8.3	91	8.1	162	20.1	72	
8/15/24 8:30	8.3	91	8.1	162	20.1	74	
8/15/24 8:45							
8/15/24 9:00							
8/15/24 9:15							
8/15/24 9:30							
8/15/24 9:45	8.3	92	8.1	161	20.1	74	
8/15/24 10:00	8.4	92	8.1	161	20.1	73	
8/15/24 10:15	8.4	92	8.1	161	20.1	73	
8/15/24 10:30	8.4	92	8.1	161	20.1	72	
8/15/24 10:45	8.4	93	8.1	160	20.2	70	
8/15/24 11:00	8.4	93	8.1	160	20.2	69	
8/15/24 11:15	8.4	93	8.1	160	20.3	68	
8/15/24 11:30	8.4	93	8.1	160	20.4	68	
8/15/24 11:45	8.4	93	8.1	160	20.5	68	
8/15/24 12:00	8.4	94	8.1	160	20.6	66	
8/15/24 12:15	8.4	94	8.1	160	20.6	66	
8/15/24 12:30	8.4	94	8.1	160	20.8	65	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/15/24 12:45	8.4	94	8.1	160	20.9	64	
8/15/24 13:00	8.4	95	8.1	160	21.0	65	
8/15/24 13:15	8.4	95	8.1	160	21.1	65	
8/15/24 13:30	8.4	95	8.1	160	21.2	64	
8/15/24 13:45	8.4	95	8.1	160	21.3	64	
8/15/24 14:00	8.4	95	8.1	160	21.5	64	
8/15/24 14:15	8.4	95	8.1	160	21.6	64	
8/15/24 14:30	8.4	95	8.1	160	21.7	63	
8/15/24 14:45	8.4	96	8.1	160	21.9	63	
8/15/24 15:00	8.4	96	8.1	160	22.0	63	
8/15/24 15:15	8.4	96	8.1	160	22.1	62	
8/15/24 15:30	8.3	96	8.1	160	22.2	59	
8/15/24 15:45	8.3	96	8.1	160	22.3	61	
8/15/24 16:00	8.3	96	8.1	160	22.4	61	
8/15/24 16:15	8.3	96	8.1	160	22.5	61	
8/15/24 16:30	8.3	96	8.1	160	22.6	59	
8/15/24 16:45	8.3	96	8.1	160	22.6	59	
8/15/24 17:00	8.3	96	8.1	160	22.7	58	
8/15/24 17:15	8.2	96	8.1	160	22.8	59	
8/15/24 17:30	8.2	96	8.1	161	22.8	58	
8/15/24 17:45	8.2	96	8.1	161	22.9	58	
8/15/24 18:00	8.2	96	8.1	161	22.9	57	
8/15/24 18:15	8.2	95	8.1	161	22.9	57	
8/15/24 18:30	8.2	95	8.1	161	22.9	57	
8/15/24 18:45	8.2	95	8.1	161	22.9	57	
8/15/24 19:00	8.1	95	8.1	161	22.9	56	
8/15/24 19:15	8.1	94	8.1	161	22.9	56	
8/15/24 19:30	8.1	94	8.1	161	22.8	56	
8/15/24 19:45	8.1	94	8.1	161	22.8	56	
8/15/24 20:00	8.1	94	8.1	161	22.7	55	
8/15/24 20:15	8.1	94	8.1	161	22.6	55	
8/15/24 20:30	8.1	93	8.1	161	22.5	55	
8/15/24 20:45	8.1	93	8.1	161	22.4	54	
8/15/24 21:00	8.1	93	8.1	160	22.3	54	
8/15/24 21:15	8.1	93	8.1	160	22.2	53	
8/15/24 21:30	8.1	92	8.1	160	22.1	54	
8/15/24 21:45	8.1	92	8.1	160	22.0	48	
8/15/24 22:00	8.1	92	8.1	160	22.0	53	
8/15/24 22:15	8.1	92	8.1	160	21.9	52	
8/15/24 22:30	8.0	92	8.1	160	21.8	52	
8/15/24 22:45	8.1	92	8.1	160	21.8	52	
8/15/24 23:00	8.1	92	8.1	160	21.7	51	
8/15/24 23:15	8.1	92	8.1	160	21.6	51	
8/15/24 23:30	8.1	91	8.1	160	21.6	47	
8/15/24 23:45	8.1	91	8.1	159	21.5	51	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 0:00	8.1	91	8.1	159	21.5	49	
8/16/24 0:15	8.1	91	8.1	159	21.4	49	
8/16/24 0:30	8.1	91	8.1	159	21.4	52	
8/16/24 0:45	8.1	91	8.1	159	21.3	49	
8/16/24 1:00	8.1	91	8.1	159	21.3	52	
8/16/24 1:15	8.1	91	8.1	159	21.3	51	
8/16/24 1:30	8.1	91	8.1	159	21.2	51	
8/16/24 1:45	8.1	91	8.1	159	21.2	51	
8/16/24 2:00	8.1	91	8.1	159	21.2		
8/16/24 2:15	8.1	91	8.1	159	21.2		
8/16/24 2:30	8.1	91	8.1	159	21.1	52	
8/16/24 2:45	8.1	91	8.1	159	21.1		
8/16/24 3:00	8.1	91	8.1	159	21.1		
8/16/24 3:15	8.1	91	8.1	159	21.1	51	
8/16/24 3:30	8.1	91	8.1	158	21.1	51	
8/16/24 3:45	8.1	91	8.1	158	21.1	49	
8/16/24 4:00	8.1	91	8.1	158	21.1	51	
8/16/24 4:15	8.1	91	8.1	158	21.1	50	
8/16/24 4:30	8.1	91	8.1	158	21.0	52	
8/16/24 4:45	8.1	91	8.1	158	21.0	50	
8/16/24 5:00	8.1	91	8.1	158	21.0		
8/16/24 5:15	8.1	91	8.1	158	21.0		
8/16/24 5:30	8.1	91	8.1	158	20.9	51	
8/16/24 5:45	8.1	91	8.1	158	20.9	48	
8/16/24 6:00	8.1	91	8.1	158	20.8	49	
8/16/24 6:15	8.1	91	8.1	158	20.8	48	
8/16/24 6:30	8.2	91	8.1	158	20.8	44	
8/16/24 6:45	8.2	91	8.1	158	20.7	47	
8/16/24 7:00	8.2	91	8.1	158	20.6	46	
8/16/24 7:15	8.2	91	8.1	158	20.6		
8/16/24 7:30	8.2	91	8.1	158	20.5		
8/16/24 7:45	8.2	91	8.1	157	20.5	48	
8/16/24 8:00	8.2	91	8.1	157	20.4	48	
8/16/24 8:15	8.2	91	8.0	157	20.4	50	
8/16/24 8:30	8.2	91	8.0	157	20.3	47	
8/16/24 8:45	8.2	91	8.1	157	20.3	50	
8/16/24 9:00	8.3	91	8.1	157	20.3		
8/16/24 9:15	8.3	91	8.1	157	20.3	49	
8/16/24 9:30	8.3	92	8.1	157	20.3		
8/16/24 9:45	8.3	92	8.1	157	20.3	47	
8/16/24 10:00	8.3	92	8.1	157	20.3	48	
8/16/24 10:15	8.3	92	8.1	158	20.3	50	
8/16/24 10:30	8.3	92	8.1	158	20.4	48	
8/16/24 10:45	8.3	93	8.1	158	20.4		
8/16/24 11:00	8.4	93	8.1	158	20.4	50	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 11:15	8.4	93	8.1	158	20.5		
8/16/24 11:30	8.4	93	8.1	158	20.6	49	
8/16/24 11:45	8.4	94	8.1	158	20.7		
8/16/24 12:00	8.4	94	8.1	158	20.8	49	
8/16/24 12:15	8.4	94	8.1	158	20.9	49	
8/16/24 12:30	8.4	94	8.1	158	21.0	49	
8/16/24 12:45	8.4	95	8.1	158	21.1	49	
8/16/24 13:00	8.4	95	8.1	158	21.2	48	
8/16/24 13:15	8.4	95	8.1	158	21.3	48	
8/16/24 13:30	8.4	95	8.1	158	21.4	49	
8/16/24 13:45	8.4	96	8.1	159	21.6	48	
8/16/24 14:00	8.4	96	8.1	159	21.7	48	
8/16/24 14:15	8.4	96	8.1	159	21.8	49	
8/16/24 14:30	8.4	96	8.1	159	21.9	49	
8/16/24 14:45	8.4	96	8.2	159	22.0	49	
8/16/24 15:00	8.4	96	8.2	159	22.1	48	
8/16/24 15:15	8.4	96	8.2	159	22.2	48	
8/16/24 15:30	8.4	96	8.2	159	22.3	49	
8/16/24 15:45	8.3	96	8.2	159	22.4	48	
8/16/24 16:00	8.3	96	8.2	160	22.5	49	
8/16/24 16:15	8.3	96	8.2	160	22.6	48	
8/16/24 16:30	8.3	96	8.2	160	22.7	48	
8/16/24 16:45	8.3	96	8.2	160	22.8	48	
8/16/24 17:00	8.3	96	8.2	160	22.9	48	
8/16/24 17:15	8.3	96	8.2	160	22.9	48	
8/16/24 17:30	8.2	96	8.2	160	22.9	48	
8/16/24 17:45	8.2	96	8.2	160	22.9	48	
8/16/24 18:00	8.2	96	8.2	160	23.0	48	
8/16/24 18:15	8.2	95	8.2	160	23.0	48	
8/16/24 18:30	8.2	95	8.2	160	23.0	48	
8/16/24 18:45	8.2	95	8.2	160	22.9	47	
8/16/24 19:00			8.2	160	22.9	48	
8/16/24 19:15	8.1	95	8.2	160	22.9	48	
8/16/24 19:30	8.1	94	8.1	160	22.8	47	
8/16/24 19:45	8.1	94	8.1	160	22.8	47	
8/16/24 20:00	8.1	94	8.1	160	22.7	47	
8/16/24 20:15	8.1	93	8.1	160	22.6	47	
8/16/24 20:30	8.1	93	8.1	160	22.6	47	
8/16/24 20:45	8.0	93	8.1	160	22.5	47	
8/16/24 21:00	8.0	93	8.1	160	22.4	47	
8/16/24 21:15	8.0	92	8.1	160	22.4	47	
8/16/24 21:30	8.0	92	8.1	160	22.3	47	
8/16/24 21:45	8.0	92	8.1	160	22.2	47	
8/16/24 22:00	8.0	92	8.1	160	22.1	47	
8/16/24 22:15	8.0	92	8.1	160	22.1	46	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 22:30	8.0	91	8.1	160	22.0	47	
8/16/24 22:45	8.0	91	8.1	160	21.9	47	
8/16/24 23:00	8.0	91	8.1	160	21.9	47	
8/16/24 23:15	8.0	91	8.1	160	21.8	46	
8/16/24 23:30	8.0	91	8.1	160	21.7	47	
8/16/24 23:45	8.0	91	8.1	160	21.7	47	
8/17/24 0:00	8.0	91	8.1	160	21.6	47	
8/17/24 0:15	8.0	91	8.1	160	21.6	47	
8/17/24 0:30	8.0	91	8.1	160	21.5	47	
8/17/24 0:45	8.0	91	8.1	160	21.5	48	
8/17/24 1:00	8.0	91	8.1	160	21.5	48	
8/17/24 1:15	8.0	91	8.1	160	21.5	49	
8/17/24 1:30	8.0	91	8.1	160	21.5	49	
8/17/24 1:45	8.0	91	8.1	160	21.5	50	
8/17/24 2:00	8.0	91	8.1	160	21.4	50	
8/17/24 2:15	8.0	91	8.1	160	21.4	49	
8/17/24 2:30	8.0	91	8.1	160	21.4	50	
8/17/24 2:45	8.0	91	8.1	160	21.4	49	
8/17/24 3:00	8.0	91	8.1	160	21.3	49	
8/17/24 3:15	8.0	91	8.1	161	21.3	50	
8/17/24 3:30	8.1	91	8.1	161	21.3	48	
8/17/24 3:45	8.1	91	8.1	161	21.2	48	
8/17/24 4:00	8.1	91	8.1	161	21.2	47	
8/17/24 4:15	8.1	91	8.1	161	21.2	47	
8/17/24 4:30	8.1	91	8.1	161	21.2	47	
8/17/24 4:45	8.1	91	8.1	161	21.2	46	
8/17/24 5:00	8.1	91	8.1	161	21.1	46	
8/17/24 5:15	8.1	91	8.1	161	21.1	45	
8/17/24 5:30	8.1	91	8.1	161	21.1	45	
8/17/24 5:45	8.1	91	8.1	161	21.1	46	
8/17/24 6:00	8.1	91	8.1	161	21.0	45	
8/17/24 6:15	8.1	91	8.1	161	21.0	45	
8/17/24 6:30	8.1	91	8.1	161	21.0	43	
8/17/24 6:45	8.1	91	8.1	161	20.9	46	
8/17/24 7:00	8.1	91	8.1	161	20.9		
8/17/24 7:15	8.1	91	8.1	161	20.9		
8/17/24 7:30	8.1	91	8.1	161	20.8		
8/17/24 7:45	8.1	91	8.1	160	20.8	42	
8/17/24 8:00	8.1	91	8.1	160	20.8	43	
8/17/24 8:15	8.1	91	8.1	160	20.7	44	
8/17/24 8:30	8.1	91	8.1	160	20.7	45	
8/17/24 8:45	8.2	91	8.1	160	20.6		
8/17/24 9:00	8.2	91	8.1	160	20.6		
8/17/24 9:15	8.2	91	8.1	160	20.6		
8/17/24 9:30	8.2	91	8.1	159	20.6	43	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 9:45	8.2	92	8.1	159	20.7		
8/17/24 10:00	8.2	92	8.1	159	20.7	42	
8/17/24 10:15	8.2	92	8.1	159	20.7		
8/17/24 10:30	8.2	92	8.1	159	20.8		
8/17/24 10:45	8.3	92	8.1	159	20.8		
8/17/24 11:00	8.3	93	8.1	159	20.9		
8/17/24 11:15	8.3	93	8.1	159	20.9	42	
8/17/24 11:30	8.3	93	8.1	159	21.0		
8/17/24 11:45	8.3	94	8.1	159	21.1	42	
8/17/24 12:00	8.3	94	8.1	159	21.2		
8/17/24 12:15	8.3	94	8.1	159	21.2		
8/17/24 12:30	8.3	94	8.1	159	21.2		
8/17/24 12:45	8.3	94	8.1	159	21.3		
8/17/24 13:00	8.3	94	8.1	159	21.4	44	
8/17/24 13:15	8.3	95	8.1	160	21.5		
8/17/24 13:30	8.3	95	8.1	160	21.6	41	
8/17/24 13:45	8.3	95	8.1	160	21.6	47	
8/17/24 14:00	8.3	95	8.1	160	21.6	47	
8/17/24 14:15	8.3	94	8.1	160	21.5	47	
8/17/24 14:30	8.3	94	8.1	160	21.4	47	
8/17/24 14:45	8.3	93	8.1	160	21.3		
8/17/24 15:00	8.3	93	8.1	160	21.2	45	
8/17/24 15:15	8.2	93	8.1	160	21.1	44	
8/17/24 15:30	8.2	93	8.1	160	21.1	44	
8/17/24 15:45	8.2	93	8.1	160	21.1	45	
8/17/24 16:00	8.2	92	8.1	160	21.1	46	
8/17/24 16:15	8.2	92	8.1	160	21.0	46	
8/17/24 16:30	8.2	93	8.1	160	21.1	46	
8/17/24 16:45	8.3	93	8.1	160	21.2	45	
8/17/24 17:00	8.3	93	8.1	160	21.3	46	
8/17/24 17:15	8.3	93	8.1	160	21.3	47	
8/17/24 17:30	8.2	93	8.1	160	21.3	48	
8/17/24 17:45	8.2	93	8.1	160	21.4	47	
8/17/24 18:00	8.3	93	8.1	160	21.4	46	
8/17/24 18:15	8.2	93	8.1	160	21.4	46	
8/17/24 18:30	8.2	93	8.1	161	21.4	45	
8/17/24 18:45	8.3	93	8.1	161	21.3		
8/17/24 19:00	8.3	93	8.1	161	21.3		
8/17/24 19:15	8.3	93	8.1	161	21.2	45	
8/17/24 19:30	8.3	93	8.1	160	21.1	44	
8/17/24 19:45	8.3	93	8.1	160	21.0	44	
8/17/24 20:00	8.3	93	8.1	160	21.0	44	
8/17/24 20:15	8.3	93	8.1	160	20.9	45	
8/17/24 20:30	8.3	93	8.1	160	20.8	44	
8/17/24 20:45	8.3	93	8.1	160	20.7	45	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 21:00	8.3	93	8.1	160	20.6	44	
8/17/24 21:15	8.3	92	8.1	160	20.5	44	
8/17/24 21:30	8.3	92	8.1	160	20.4	43	
8/17/24 21:45	8.3	92	8.1	160	20.4	43	
8/17/24 22:00	8.3	92	8.1	160	20.3		
8/17/24 22:15	8.3	92	8.1	160	20.2	43	
8/17/24 22:30	8.3	92	8.1	160	20.2	42	
8/17/24 22:45	8.3	92	8.1	160	20.1	42	
8/17/24 23:00	8.3	92	8.1	160	20.0	42	
8/17/24 23:15	8.3	92	8.1	160	20.0	42	
8/17/24 23:30	8.3	92	8.1	160	19.9	41	
8/17/24 23:45	8.3	92	8.1	160	19.8	42	
8/18/24 0:00	8.3	91	8.1	160	19.8	41	
8/18/24 0:15	8.4	91	8.1	160	19.7	42	
8/18/24 0:30	8.4	91	8.1	160	19.7	42	
8/18/24 0:45	8.4	91	8.1	160	19.6	42	
8/18/24 1:00	8.4	91	8.1	160	19.6	42	
8/18/24 1:15	8.4	91	8.1	160	19.6	42	
8/18/24 1:30	8.4	91	8.1	160	19.6	42	
8/18/24 1:45	8.4	91	8.1	159	19.6	42	
8/18/24 2:00	8.4	91	8.1	159	19.6	42	
8/18/24 2:15	8.4	91	8.1	159	19.6	40	
8/18/24 2:30	8.4	91	8.1	159	19.6	41	
8/18/24 2:45	8.4	91	8.1	159	19.6	40	
8/18/24 3:00	8.4	91	8.1	159	19.5	40	
8/18/24 3:15	8.4	91	8.1	159	19.5	41	
8/18/24 3:30	8.4	91	8.1	158	19.5	41	
8/18/24 3:45	8.4	91	8.1	158	19.5	41	
8/18/24 4:00	8.4	91	8.1	158	19.4	41	
8/18/24 4:15	8.4	91	8.1	158	19.4	41	
8/18/24 4:30	8.4	91	8.1	158	19.4	42	
8/18/24 4:45	8.4	91	8.1	158	19.4	41	
8/18/24 5:00	8.4	91	8.1	158	19.4	41	
8/18/24 5:15	8.4	91	8.1	158	19.3	42	
8/18/24 5:30	8.4	91	8.1	158	19.3	42	
8/18/24 5:45	8.4	91	8.1	158	19.3	41	
8/18/24 6:00	8.4	91	8.0	158	19.3	42	
8/18/24 6:15	8.4	91	8.0	157	19.2	42	
8/18/24 6:30	8.4	91	8.1	157	19.2	43	
8/18/24 6:45	8.4	91	8.1	157	19.2	43	
8/18/24 7:00	8.4	91	8.0	157	19.2	43	
8/18/24 7:15	8.4	91	8.0	157	19.2	44	
8/18/24 7:30	8.4	91	8.0	157	19.1	43	
8/18/24 7:45	8.4	91	8.0	157	19.1	44	
8/18/24 8:00	8.5	91	8.0	157	19.1	44	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 8:15	8.5	91	8.0	157	19.0	44	
8/18/24 8:30	8.5	91	8.0	157	19.0	45	
8/18/24 8:45	8.5	92	8.0	157	19.0	45	
8/18/24 9:00	8.5	92	8.1	156	19.0	45	
8/18/24 9:15	8.5	92	8.0	157	19.0	46	
8/18/24 9:30	8.5	92	8.1	157	19.0	45	
8/18/24 9:45	8.6	92	8.1	157	19.0	44	
8/18/24 10:00	8.6	92	8.1	157	19.0	43	
8/18/24 10:15	8.6	93	8.1	157	19.0	43	
8/18/24 10:30	8.6	93	8.1	157	19.1	44	
8/18/24 10:45	8.6	93	8.1	157	19.1	44	
8/18/24 11:00	8.6	93	8.1	158	19.2	45	
8/18/24 11:15	8.6	94	8.1	158	19.3	44	
8/18/24 11:30	8.7	94	8.1	158	19.4		
8/18/24 11:45	8.7	94	8.1	159	19.5		
8/18/24 12:00	8.7	95	8.1	159	19.5		
8/18/24 12:15	8.7	95	8.1	159	19.6	46	
8/18/24 12:30	8.7	95	8.1	159	19.7	40	
8/18/24 12:45	8.7	95	8.1	159	19.8		
8/18/24 13:00	8.7	96	8.1	160	19.9	44	
8/18/24 13:15	8.7	96	8.1	160	20.0	50	
8/18/24 13:30	8.7	96	8.2	160	20.1	47	
8/18/24 13:45	8.7	97	8.2	160	20.3	48	
8/18/24 14:00	8.7	97	8.2	160	20.4		
8/18/24 14:15	8.7	97	8.2	160	20.5	43	
8/18/24 14:30	8.7	97	8.2	160	20.6	45	
8/18/24 14:45	8.7	98	8.2	160	20.8	45	
8/18/24 15:00	8.7	98	8.2	160	20.9	43	
8/18/24 15:15	8.7	98	8.2	160	21.0	42	
8/18/24 15:30	8.7	98	8.2	160	21.0	43	
8/18/24 15:45	8.7	98	8.2	161	21.1	41	
8/18/24 16:00	8.7	98	8.2	161	21.2	40	
8/18/24 16:15	8.7	98	8.2	161	21.3	41	
8/18/24 16:30	8.7	98	8.2	161	21.4	40	
8/18/24 16:45	8.7	98	8.2	162	21.4	38	
8/18/24 17:00	8.7	98	8.2	162	21.4	36	
8/18/24 17:15	8.7	98	8.2	162	21.5	42	
8/18/24 17:30	8.6	98	8.2	162	21.5		
8/18/24 17:45	8.6	98	8.2	163	21.6	37	
8/18/24 18:00	8.6	97	8.2	163	21.6		
8/18/24 18:15	8.6	97	8.2	163	21.5	38	
8/18/24 18:30	8.6	97	8.2	163	21.5		
8/18/24 18:45	8.5	97	8.2	164	21.5		
8/18/24 19:00	8.5	96	8.2	164	21.5		
8/18/24 19:15	8.5	96	8.2	164	21.4	35	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/18/24 19:30	8.5	96	8.2	164	21.4		
8/18/24 19:45	8.5	95	8.2	164	21.2	39	
8/18/24 20:00	8.4	95	8.2	165	21.1		
8/18/24 20:15	8.4	95	8.2	165	21.0		
8/18/24 20:30	8.4	94	8.2	165	20.9	34	
8/18/24 20:45	8.4	94	8.2	165	20.8	37	
8/18/24 21:00	8.4	94	8.2	165	20.7		
8/18/24 21:15	8.3	93	8.2	165	20.6		
8/18/24 21:30	8.3	93	8.2	165	20.6		
8/18/24 21:45	8.3	93	8.2	165	20.5		
8/18/24 22:00	8.3	92	8.2	165	20.4		
8/18/24 22:15	8.3	92	8.1	165	20.4		
8/18/24 22:30	8.3	92	8.1	165	20.3	33	
8/18/24 22:45	8.3	92	8.1	165	20.3		
8/18/24 23:00	8.3	92	8.1	166	20.3	35	
8/18/24 23:15	8.3	92	8.1	166	20.2	34	
8/18/24 23:30	8.3	92	8.1	166	20.2		
8/18/24 23:45	8.3	91	8.1	166	20.1		
8/19/24 0:00	8.3	91	8.1	166	20.0		
8/19/24 0:15	8.3	91	8.1	166	20.0	37	
8/19/24 0:30	8.3	91	8.1	167	19.9	37	
8/19/24 0:45	8.3	91	8.1	167	19.8	37	
8/19/24 1:00	8.3	91	8.1	167	19.8	37	
8/19/24 1:15	8.3	91	8.1	167	19.7	37	
8/19/24 1:30	8.4	91	8.1	167	19.7	38	
8/19/24 1:45	8.4	91	8.1	168	19.6	39	
8/19/24 2:00	8.4	91	8.1	168	19.5	40	
8/19/24 2:15	8.4	91	8.1	168	19.5	40	
8/19/24 2:30	8.4	91	8.1	168	19.4	40	
8/19/24 2:45	8.4	91	8.1	168	19.4	42	
8/19/24 3:00	8.4	91	8.1	169	19.4	40	
8/19/24 3:15	8.4	91	8.1	169	19.4	40	
8/19/24 3:30	8.4	91	8.1	169	19.4	41	
8/19/24 3:45	8.4	91	8.1	169	19.4	42	
8/19/24 4:00	8.4	91	8.1	169	19.4	42	
8/19/24 4:15	8.4	91	8.1	169	19.4	43	
8/19/24 4:30	8.4	91	8.1	169	19.4	43	
8/19/24 4:45	8.4	91	8.1	169	19.3	44	
8/19/24 5:00	8.4	91	8.1	169	19.3	44	
8/19/24 5:15	8.4	91	8.1	169	19.3	46	
8/19/24 5:30	8.4	91	8.1	169	19.3	48	
8/19/24 5:45	8.4	91	8.1	170	19.3	49	
8/19/24 6:00	8.4	91	8.1	170	19.3	50	
8/19/24 6:15	8.4	91	8.1	170	19.3	52	
8/19/24 6:30	8.4	91	8.1	170	19.3	54	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 6:45	8.4	91	8.1	170	19.3	54	
8/19/24 7:00	8.4	91	8.1	171	19.3	57	
8/19/24 7:15	8.4	91	8.1	171	19.3	59	
8/19/24 7:30	8.4	91	8.1	171	19.3	60	
8/19/24 7:45	8.4	91	8.1	172	19.3	61	
8/19/24 8:00	8.4	91	8.1	172	19.2	63	
8/19/24 8:15	8.4	91	8.1	173	19.2	64	
8/19/24 8:30	8.4	91	8.1	173	19.2	66	
8/19/24 8:45	8.4	91	8.1	174	19.1	67	
8/19/24 9:00	8.4	91	8.1	175	19.1	68	
8/19/24 9:15	8.5	91	8.1	175	19.1	69	
8/19/24 9:30	8.5	92	8.1	176	19.1	70	
8/19/24 9:45	8.5	92	8.1	177	19.1	70	
8/19/24 10:00	8.5	92	8.1	178	19.2	71	
8/19/24 10:15	8.5	92	8.1	178	19.2	70	
8/19/24 10:30	8.5	92	8.1	179	19.3	70	
8/19/24 10:45	8.5	93	8.1	180	19.3	69	
8/19/24 11:00	8.5	93	8.1	180	19.4	70	
8/19/24 11:15	8.5	93	8.1	181	19.5	69	
8/19/24 11:30	8.6	93	8.1	182	19.5	68	
8/19/24 11:45	8.6	93	8.1	182	19.6	68	
8/19/24 12:00	8.6	94	8.2	184	19.8	69	
8/19/24 12:15	8.6	94	8.2	184	19.9	69	
8/19/24 12:30	8.6	94	8.2	185	20.0	68	
8/19/24 12:45	8.6	95	8.2	185	20.1	68	
8/19/24 13:00	8.6	95	8.2	185	20.1	67	
8/19/24 13:15	8.6	95	8.2	185	20.2	67	
8/19/24 13:30	8.6	95	8.2	185	20.2	66	
8/19/24 13:45	8.6	95	8.2	185	20.3	66	
8/19/24 14:00	8.6	96	8.2	185	20.4	65	
8/19/24 14:15	8.6	96	8.2	184	20.5	64	
8/19/24 14:30	8.6	96	8.2	184	20.6	65	
8/19/24 14:45	8.6	96	8.2	183	20.7	65	
8/19/24 15:00	8.6	96	8.2	182	20.7	64	
8/19/24 15:15	8.6	96	8.2	181	20.7	65	
8/19/24 15:30	8.6	96	8.2	180	20.7	65	
8/19/24 15:45	8.6	96	8.2	179	20.8	65	
8/19/24 16:00	8.6	96	8.2	179	20.8	65	
8/19/24 16:15	8.6	97	8.2	178	20.9	65	
8/19/24 16:30	8.6	97	8.2	177	20.9	64	
8/19/24 16:45	8.6	96	8.2	176	20.9	65	
8/19/24 17:00	8.6	96	8.2	175	21.0	65	
8/19/24 17:15	8.6	96	8.2	175	21.0	66	
8/19/24 17:30	8.6	96	8.2	174	21.0	66	
8/19/24 17:45	8.6	96	8.2	174	21.0	66	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/19/24 18:00	8.5	96	8.2	173	20.9	67	
8/19/24 18:15	8.5	95	8.2	172	20.9	69	
8/19/24 18:30	8.5	95	8.2	172	20.9	69	
8/19/24 18:45	8.5	95	8.2	172	20.9	69	
8/19/24 19:00	8.5	95	8.2	171	20.9	70	
8/19/24 19:15	8.5	95	8.2	171	20.9	71	
8/19/24 19:30	8.4	95	8.2	170	20.8	71	
8/19/24 19:45	8.4	94	8.2	170	20.8	73	
8/19/24 20:00	8.4	94	8.2	170	20.7	74	
8/19/24 20:15	8.4	94	8.2	169	20.7	75	
8/19/24 20:30	8.4	93	8.1	169	20.6	76	
8/19/24 20:45	8.4	93	8.1	169	20.6	75	
8/19/24 21:00	8.4	93	8.1	168	20.5	76	
8/19/24 21:15	8.3	93	8.1	168	20.5	76	
8/19/24 21:30	8.3	93	8.1	168	20.4	76	
8/19/24 21:45	8.3	92	8.1	167	20.4	76	
8/19/24 22:00	8.3	92	8.1	167	20.3	76	
8/19/24 22:15	8.3	92	8.1	167	20.3	75	
8/19/24 22:30	8.3	92	8.1	167	20.3	75	
8/19/24 22:45	8.3	92	8.1	166	20.2	75	
8/19/24 23:00	8.3	92	8.1	166	20.2	75	
8/19/24 23:15	8.3	92	8.1	166	20.2	74	
8/19/24 23:30	8.3	92	8.1	166	20.2	73	
8/19/24 23:45	8.3	92	8.1	166	20.1	72	
8/20/24 0:00	8.3	92	8.1	166	20.0	72	
8/20/24 0:15	8.3	92	8.1	166	20.0	72	
8/20/24 0:30	8.3	92	8.1	166	19.9	71	
8/20/24 0:45	8.3	92	8.1	166	19.8	71	
8/20/24 1:00	8.4	92	8.1	166	19.8	71	
8/20/24 1:15	8.4	92	8.1	166	19.7	72	
8/20/24 1:30	8.4	92	8.1	166	19.6	71	
8/20/24 1:45	8.4	92	8.1	166	19.6	71	
8/20/24 2:00	8.4	92	8.1	166	19.5	71	
8/20/24 2:15	8.4	91	8.1	166	19.4	72	
8/20/24 2:30	8.4	91	8.1	166	19.4	72	
8/20/24 2:45	8.4	91	8.1	166	19.3	72	
8/20/24 3:00	8.4	91	8.1	167	19.3	73	
8/20/24 3:15	8.4	91	8.1	167	19.2	73	
8/20/24 3:30	8.4	91	8.1	167	19.2	74	
8/20/24 3:45	8.4	91	8.1	167	19.2	74	
8/20/24 4:00	8.4	91	8.1	167	19.1	75	
8/20/24 4:15	8.5	91	8.1	167	19.1	76	
8/20/24 4:30	8.5	91	8.1	167	19.0	77	
8/20/24 4:45	8.5	91	8.1	168	19.0	78	
8/20/24 5:00	8.5	91	8.1	168	19.0	78	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 5:15	8.5	91	8.1	168	19.0	79	
8/20/24 5:30	8.5	91	8.1	168	18.9	78	
8/20/24 5:45	8.5	91	8.1	168	18.9	78	
8/20/24 6:00	8.5	91	8.1	168	18.9	78	
8/20/24 6:15	8.5	91	8.1	168	18.9	77	
8/20/24 6:30	8.5	91	8.1	168	18.8	76	
8/20/24 6:45	8.5	91	8.1	168	18.8	75	
8/20/24 7:00	8.5	91	8.1	168	18.8	74	
8/20/24 7:15	8.5	91	8.1	168	18.7	73	
8/20/24 7:30	8.5	91	8.1	169	18.7	72	
8/20/24 7:45	8.5	91	8.1	169	18.7	71	
8/20/24 8:00	8.6	92	8.1	169	18.6	70	
8/20/24 8:15	8.6	91	8.1	169	18.6	70	
8/20/24 8:30	8.6	91	8.1	169	18.5	68	
8/20/24 8:45	8.6	92	8.1	169	18.5	68	
8/20/24 9:00	8.6	92	8.1	169	18.5	67	
8/20/24 9:15	8.6	92	8.1	169	18.5	67	
8/20/24 9:30	8.6	92	8.1	169	18.5	66	
8/20/24 9:45	8.6	92	8.1	169	18.5	66	
8/20/24 10:00	8.7	92	8.1	169	18.6	65	
8/20/24 10:15	8.7	93	8.1	169	18.6	65	
8/20/24 10:30	8.7	93	8.1	169	18.7	66	
8/20/24 10:45	8.7	93	8.1	169	18.7	65	
8/20/24 11:00	8.7	93	8.1	169	18.8	65	
8/20/24 11:15	8.7	94	8.1	169	18.9	64	
8/20/24 11:30	8.7	94	8.1	169	18.9	64	
8/20/24 11:45	8.7	94	8.1	169	19.0	64	
8/20/24 12:00	8.8	95	8.1	169	19.1	64	
8/20/24 12:15	8.8	95	8.1	168	19.2	64	
8/20/24 12:30	8.8	95	8.1	168	19.2	64	
8/20/24 12:45	8.8	95	8.1	168	19.3	64	
8/20/24 13:00	8.8	96	8.2	168	19.4	64	
8/20/24 13:15	8.8	96	8.2	168	19.5	65	
8/20/24 13:30	8.8	96	8.2	168	19.5	65	
8/20/24 13:45	8.8	96	8.2	168	19.6	66	
8/20/24 14:00	8.8	96	8.2	167	19.7	66	
8/20/24 14:15	8.8	97	8.2	167	19.9	66	
8/20/24 14:30	8.8	97	8.2	167	20.0	67	
8/20/24 14:45	8.8	97	8.2	167	20.0	67	
8/20/24 15:00	8.8	97	8.2	167	20.1	68	
8/20/24 15:15	8.8	97	8.2	167	20.2	68	
8/20/24 15:30	8.8	97	8.2	167	20.3	70	
8/20/24 15:45	8.8	97	8.2	167	20.4	71	
8/20/24 16:00	8.8	97	8.2	167	20.6	71	
8/20/24 16:15	8.7	97	8.2	166	20.6	71	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 16:30	8.7	97	8.2	166	20.7	72	
8/20/24 16:45	8.7	97	8.2	166	20.8	71	
8/20/24 17:00	8.7	97	8.2	166	20.9	70	
8/20/24 17:15	8.7	97	8.2	166	21.0	71	
8/20/24 17:30	8.7	97	8.2	166	21.0	70	
8/20/24 17:45	8.6	97	8.2	166	21.1	69	
8/20/24 18:00	8.6	97	8.2	166	21.1	69	
8/20/24 18:15	8.6	97	8.2	166	21.2	69	
8/20/24 18:30	8.6	97	8.2	166	21.2	68	
8/20/24 18:45	8.6	96	8.2	166	21.2	68	
8/20/24 19:00	8.5	96	8.2	166	21.2	68	
8/20/24 19:15	8.5	96	8.2	166	21.2	68	
8/20/24 19:30	8.5	96	8.2	166	21.1	68	
8/20/24 19:45	8.5	95	8.2	166	21.1	68	
8/20/24 20:00	8.5	95	8.2	167	21.1	67	
8/20/24 20:15	8.4	95	8.2	167	21.0	67	
8/20/24 20:30	8.4	94	8.2	167	20.9	67	
8/20/24 20:45	8.4	94	8.2	167	20.8	67	
8/20/24 21:00	8.4	94	8.2	167	20.8	66	
8/20/24 21:15	8.4	93	8.2	167	20.7	67	
8/20/24 21:30	8.3	93	8.2	167	20.7	66	
8/20/24 21:45	8.3	93	8.2	167	20.6	66	
8/20/24 22:00	8.3	93	8.1	168	20.6	66	
8/20/24 22:15	8.3	93	8.1	168	20.5	66	
8/20/24 22:30	8.3	92	8.1	168	20.5	65	
8/20/24 22:45	8.3	92	8.1	168	20.4	65	
8/20/24 23:00	8.3	92	8.1	168	20.3	64	
8/20/24 23:15	8.3	92	8.1	168	20.2	63	
8/20/24 23:30	8.3	92	8.1	168	20.2	62	
8/20/24 23:45	8.3	92	8.1	168	20.1	61	
8/21/24 0:00	8.4	92	8.1	168	20.0	60	
8/21/24 0:15	8.4	92	8.1	168	19.9	59	
8/21/24 0:30	8.4	92	8.1	168	19.9	58	
8/21/24 0:45	8.4	92	8.1	169	19.8	56	
8/21/24 1:00	8.4	92	8.1	169	19.7	55	
8/21/24 1:15	8.4	92	8.1	169	19.7	54	
8/21/24 1:30	8.4	92	8.1	169	19.6	53	
8/21/24 1:45	8.4	92	8.1	169	19.5	51	
8/21/24 2:00	8.4	92	8.1	168	19.4	50	
8/21/24 2:15	8.4	92	8.1	169	19.4	50	
8/21/24 2:30	8.5	92	8.1	168	19.3	49	
8/21/24 2:45	8.5	92	8.1	168	19.3	48	
8/21/24 3:00	8.5	92	8.1	168	19.2	48	
8/21/24 3:15	8.5	92	8.1	168	19.2	46	
8/21/24 3:30	8.5	92	8.1	168	19.2	46	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 3:45	8.5	92	8.1	168	19.2	45	
8/21/24 4:00	8.5	92	8.1	168	19.2	45	
8/21/24 4:15	8.5	92	8.1	168	19.2	45	
8/21/24 4:30	8.5	92	8.1	168	19.1	44	
8/21/24 4:45	8.5	92	8.1	168	19.1	45	
8/21/24 5:00	8.5	92	8.1	168	19.1	45	
8/21/24 5:15	8.5	92	8.1	168	19.1	45	
8/21/24 5:30	8.5	92	8.1	168	19.1	45	
8/21/24 5:45	8.5	92	8.1	168	19.1	46	
8/21/24 6:00	8.5	92	8.1	168	19.1	48	
8/21/24 6:15	8.5	92	8.1	168	19.1	48	
8/21/24 6:30	8.5	92	8.1	168	19.1	49	
8/21/24 6:45	8.5	92	8.1	168	19.0	49	
8/21/24 7:00	8.5	92	8.1	168	19.0	48	
8/21/24 7:15	8.5	92	8.1	168	19.0	48	
8/21/24 7:30	8.5	92	8.1	168	19.0	47	
8/21/24 7:45	8.5	92	8.1	168	18.9	46	
8/21/24 8:00	8.5	92	8.1	168	18.9	45	
8/21/24 8:15	8.5	92	8.1	168	18.9	44	
8/21/24 8:30	8.5	92	8.1	169	18.9	44	
8/21/24 8:45	8.6	92	8.1	169	18.8	43	
8/21/24 9:00	8.6	92	8.1	169	18.8	42	
8/21/24 9:15	8.6	92	8.1	169	18.8	42	
8/21/24 9:30	8.6	93	8.1	169	18.8	41	
8/21/24 9:45	8.7	93	8.1	169	18.9	41	
8/21/24 10:00	8.7	93	8.1	169	18.9	42	
8/21/24 10:15	8.7	94	8.2	169	18.9	42	
8/21/24 10:30	8.7	94	8.2	169	19.0	43	
8/21/24 10:45	8.8	95	8.2	168	19.0	42	
8/21/24 11:00	8.8	95	8.2	168	19.1	41	
8/21/24 11:15	8.8	95	8.2	168	19.2	41	
8/21/24 11:30	8.8	96	8.2	168	19.3	41	
8/21/24 11:45	8.9	96	8.2	168	19.4	41	
8/21/24 12:00	8.9	97	8.2	168	19.5	41	
8/21/24 12:15	8.9	97	8.2	168	19.6	41	
8/21/24 12:30	8.9	98	8.2	168	19.7	41	
8/21/24 12:45	9.0	98	8.3	168	19.8	41	
8/21/24 13:00	9.0	99	8.3	167	19.9	41	
8/21/24 13:15	9.0	99	8.3	167	20.0	42	
8/21/24 13:30	9.0	100	8.3	167	20.2	42	
8/21/24 13:45	9.0	100	8.3	167	20.3	42	
8/21/24 14:00	9.0	100	8.3	167	20.4	44	
8/21/24 14:15	9.0	100	8.3	167	20.5	46	
8/21/24 14:30	9.0	101	8.3	167	20.6	49	
8/21/24 14:45	9.0	100	8.3	167	20.7	52	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 15:00	9.0	100	8.3	167	20.8	55	
8/21/24 15:15	8.9	100	8.3	167	21.0	57	
8/21/24 15:30	8.9	100	8.3	167	21.0	58	
8/21/24 15:45	8.9	100	8.3	167	21.1	58	
8/21/24 16:00	8.9	101	8.3	167	21.2	58	
8/21/24 16:15	8.9	101	8.3	167	21.3	56	
8/21/24 16:30	8.9	101	8.3	167	21.4	54	
8/21/24 16:45	9.0	102	8.4	166	21.5	52	
8/21/24 17:00	9.0	102	8.4	166	21.6	50	
8/21/24 17:15	9.0	102	8.4	166	21.7	48	
8/21/24 17:30	9.0	102	8.4	166	21.7	46	
8/21/24 17:45	9.0	102	8.4	166	21.8	46	
8/21/24 18:00	8.9	102	8.4	167	21.8	45	
8/21/24 18:15	8.9	102	8.4	167	21.8	44	
8/21/24 18:30	8.9	102	8.4	167	21.9	44	
8/21/24 18:45	8.9	101	8.4	167	21.9	43	
8/21/24 19:00	8.8	101	8.4	167	21.9	43	
8/21/24 19:15	8.8	101	8.4	167	21.8	43	
8/21/24 19:30	8.8	100	8.4	167	21.8	43	
8/21/24 19:45	8.7	99	8.4	168	21.8	42	
8/21/24 20:00	8.7	99	8.4	168	21.7	43	
8/21/24 20:15	8.6	98	8.4	168	21.7	42	
8/21/24 20:30	8.6	97	8.4	168	21.6	42	
8/21/24 20:45	8.5	96	8.4	168	21.5	42	
8/21/24 21:00	8.4	96	8.4	168	21.4	42	
8/21/24 21:15	8.4	95	8.3	168	21.4	42	
8/21/24 21:30	8.4	94	8.3	168	21.3	41	
8/21/24 21:45	8.3	94	8.3	168	21.2	41	
8/21/24 22:00	8.3	93	8.3	168	21.2	41	
8/21/24 22:15	8.3	93	8.3	168	21.1	41	
8/21/24 22:30	8.2	93	8.3	168	21.0	41	
8/21/24 22:45	8.2	92	8.3	168	21.0	41	
8/21/24 23:00	8.2	92	8.3	168	20.9	41	
8/21/24 23:15	8.2	92	8.2	168	20.8	40	
8/21/24 23:30	8.2	92	8.2	168	20.8	40	
8/21/24 23:45	8.2	92	8.2	168	20.7	39	
8/22/24 0:00	8.2	91	8.2	168	20.6	39	
8/22/24 0:15	8.2	91	8.2	168	20.6	39	
8/22/24 0:30	8.2	91	8.2	168	20.5	38	
8/22/24 0:45	8.2	91	8.2	168	20.4	39	
8/22/24 1:00	8.2	91	8.2	168	20.3	38	
8/22/24 1:15	8.2	91	8.2	168	20.3	39	
8/22/24 1:30	8.2	91	8.2	167	20.2	38	
8/22/24 1:45	8.2	91	8.2	167	20.2	38	
8/22/24 2:00	8.2	91	8.2	167	20.2	38	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 2:15	8.2	91	8.2	167	20.2	37	
8/22/24 2:30	8.2	91	8.2	167	20.1	38	
8/22/24 2:45	8.2	91	8.2	167	20.1	37	
8/22/24 3:00	8.2	91	8.2	167	20.1	38	
8/22/24 3:15	8.2	91	8.2	166	20.0	37	
8/22/24 3:30	8.3	91	8.2	166	20.0	36	
8/22/24 3:45	8.3	91	8.2	166	19.9	36	
8/22/24 4:00	8.3	91	8.2	166	19.9	36	
8/22/24 4:15	8.3	91	8.2	166	19.9	36	
8/22/24 4:30	8.3	91	8.2	166	19.9	36	
8/22/24 4:45	8.3	91	8.2	166	19.8	36	
8/22/24 5:00	8.3	91	8.1	166	19.8	36	
8/22/24 5:15	8.3	91	8.1	165	19.8	36	
8/22/24 5:30	8.3	91	8.1	165	19.8	37	
8/22/24 5:45	8.3	91	8.1	165	19.8	36	
8/22/24 6:00	8.3	91	8.1	165	19.8	36	
8/22/24 6:15	8.3	91	8.1	165	19.8	37	
8/22/24 6:30	8.3	91	8.1	165	19.7	37	
8/22/24 6:45	8.3	91	8.1	165	19.7	37	
8/22/24 7:00	8.3	91	8.1	165	19.7	37	
8/22/24 7:15	8.3	91	8.1	165	19.7	37	
8/22/24 7:30	8.3	91	8.1	165	19.7	37	
8/22/24 7:45	8.3	91	8.1	165	19.6	36	
8/22/24 8:00	8.3	91	8.1	165	19.6	37	
8/22/24 8:15	8.3	91	8.1	165	19.6	36	
8/22/24 8:30	8.3	91	8.1	165	19.5	36	
8/22/24 8:45	8.4	91	8.1	165	19.4	37	
8/22/24 9:00	8.4	91	8.1	165	19.4	36	
8/22/24 9:15	8.4	92	8.1	165	19.4	37	
8/22/24 9:30	8.5	92	8.1	164	19.4	37	
8/22/24 9:45	8.5	93	8.2	164	19.4	36	
8/22/24 10:00	8.6	93	8.2	165	19.4	36	
8/22/24 10:15	8.6	94	8.2	165	19.4	36	
8/22/24 10:30	8.7	94	8.2	165	19.5	37	
8/22/24 10:45	8.7	95	8.2	165	19.5	37	
8/22/24 11:00	8.7	95	8.2	165	19.6	37	
8/22/24 11:15	8.8	96	8.2	165	19.6	37	
8/22/24 11:30	8.8	97	8.2	165	19.7	37	
8/22/24 11:45	8.9	97	8.3	165	19.8	37	
8/22/24 12:00	8.9	98	8.3	165	19.9	38	
8/22/24 12:15	8.9	98	8.3	165	19.9	36	
8/22/24 12:30	9.0	99	8.3	165	20.0	37	
8/22/24 12:45	9.0	99	8.3	165	20.1	38	
8/22/24 13:00	9.1	100	8.3	165	20.2	40	
8/22/24 13:15	9.1	100	8.3	166	20.3	40	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 13:30	9.1	101	8.4	167	20.4	41	
8/22/24 13:45	9.1	101	8.4	167	20.5	44	
8/22/24 14:00	9.1	101	8.4	168	20.6	45	
8/22/24 14:15	9.1	101	8.4	169	20.7	47	
8/22/24 14:30	9.0	101	8.4	170	20.8	48	
8/22/24 14:45	9.0	101	8.4	171	20.9	49	
8/22/24 15:00	9.0	101	8.4	171	21.0	49	
8/22/24 15:15	9.0	101	8.4	171	21.1	48	
8/22/24 15:30	9.1	102	8.4	170	21.1	47	
8/22/24 15:45	9.1	102	8.5	170	21.2	47	
8/22/24 16:00	9.1	103	8.5	169	21.3	46	
8/22/24 16:15	9.1	103	8.5	168	21.4	44	
8/22/24 16:30	9.1	103	8.5	168	21.4	44	
8/22/24 16:45	9.1	103	8.5	167	21.4	43	
8/22/24 17:00	9.1	103	8.5	167	21.4	42	
8/22/24 17:15	9.1	103	8.5	167	21.4	43	
8/22/24 17:30	9.1	103	8.5	167	21.4	42	
8/22/24 17:45	9.1	102	8.5	166	21.4	42	
8/22/24 18:00	9.0	102	8.5	167	21.3	42	
8/22/24 18:15	9.0	102	8.5	166	21.3	42	
8/22/24 18:30	9.0	101	8.5	166	21.2	42	
8/22/24 18:45	9.0	101	8.5	166	21.1	43	
8/22/24 19:00	8.9	100	8.5	166	21.0	43	
8/22/24 19:15	8.9	99	8.5	165	20.9	42	
8/22/24 19:30	8.8	99	8.5	165	20.9	43	
8/22/24 19:45	8.8	98	8.5	165	20.9	42	
8/22/24 20:00	8.8	98	8.5	165	20.8	43	
8/22/24 20:15	8.7	97	8.4	165	20.7	42	
8/22/24 20:30	8.7	97	8.4	165	20.7	42	
8/22/24 20:45	8.7	96	8.4	165	20.6	41	
8/22/24 21:00	8.6	96	8.4	165	20.4	41	
8/22/24 21:15	8.6	95	8.4	165	20.3	41	
8/22/24 21:30	8.5	94	8.4	165	20.2	41	
8/22/24 21:45	8.5	94	8.3	165	20.1	40	
8/22/24 22:00	8.5	93	8.3	165	20.0	40	
8/22/24 22:15	8.5	93	8.3	165	19.9	40	
8/22/24 22:30	8.4	93	8.3	165	19.8	40	
8/22/24 22:45	8.4	92	8.3	165	19.7	39	
8/22/24 23:00	8.4	92	8.3	165	19.7	39	
8/22/24 23:15	8.4	92	8.3	165	19.6	39	
8/22/24 23:30	8.4	92	8.3	165	19.5	39	
8/22/24 23:45	8.4	91	8.2	165	19.4	39	
8/23/24 0:00	8.4	91	8.2	165	19.3	39	
8/23/24 0:15	8.4	91	8.2	165	19.2	38	
8/23/24 0:30	8.4	91	8.2	165	19.1	38	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 0:45	8.4	91	8.2	165	19.0	39	
8/23/24 1:00	8.4	91	8.2	165	19.0	38	
8/23/24 1:15	8.4	91	8.2	165	18.9	39	
8/23/24 1:30	8.5	91	8.2	165	18.8	39	
8/23/24 1:45	8.5	91	8.2	165	18.8	38	
8/23/24 2:00	8.5	91	8.2	165	18.7	38	
8/23/24 2:15	8.5	91	8.2	165	18.6	38	
8/23/24 2:30	8.5	91	8.2	165	18.6	37	
8/23/24 2:45	8.5	91	8.2	165	18.5	37	
8/23/24 3:00	8.5	91	8.2	165	18.4	37	
8/23/24 3:15	8.5	91	8.2	165	18.4	37	
8/23/24 3:30	8.5	91	8.2	165	18.3	36	
8/23/24 3:45	8.6	91	8.2	165	18.3	37	
8/23/24 4:00	8.6	91	8.2	165	18.3	36	
8/23/24 4:15	8.6	91	8.2	165	18.2	37	
8/23/24 4:30	8.6	91	8.2	165	18.2	36	
8/23/24 4:45	8.6	91	8.2	165	18.2	36	
8/23/24 5:00	8.6	91	8.2	165	18.2	36	
8/23/24 5:15	8.6	91	8.2	165	18.2	36	
8/23/24 5:30	8.6	91	8.2	165	18.2	37	
8/23/24 5:45	8.6	91	8.1	165	18.2	36	
8/23/24 6:00	8.6	91	8.2	165	18.1	36	
8/23/24 6:15	8.6	91	8.1	165	18.1	36	
8/23/24 6:30	8.6	91	8.1	165	18.1	37	
8/23/24 6:45	8.6	91	8.1	165	18.1	37	
8/23/24 7:00	8.6	91	8.1	165	18.0	37	
8/23/24 7:15	8.6	91	8.1	166	18.0	37	
8/23/24 7:30	8.6	91	8.1	166	18.0	37	
8/23/24 7:45	8.6	91	8.1	166	18.0	37	
8/23/24 8:00	8.6	91	8.1	166	17.9	37	
8/23/24 8:15	8.6	91	8.1	166	17.9	37	
8/23/24 8:30	8.7	91	8.1	166	17.9	37	
8/23/24 8:45	8.7	91	8.1	166	17.9	37	
8/23/24 9:00	8.7	92	8.1	166	17.9	37	
8/23/24 9:15	8.7	92	8.2	166	17.9	37	
8/23/24 9:30	8.8	93	8.2	166	17.9	37	
8/23/24 9:45	8.8	93	8.2	166	17.9	37	
8/23/24 10:00	8.8	93	8.2	166	17.9	37	
8/23/24 10:15	8.9	93	8.2	166	17.9	37	
8/23/24 10:30	8.9	94	8.2	166	17.9	37	
8/23/24 10:45	8.9	94	8.2	165	17.9	37	
8/23/24 11:00	9.0	95	8.2	165	17.9	36	
8/23/24 11:15	9.0	95	8.2	165	18.0	37	
8/23/24 11:30	9.1	96	8.2	165	18.0	37	
8/23/24 11:45	9.1	96	8.2	165	18.1	37	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 12:00	9.1	97	8.3	165	18.1	38	
8/23/24 12:15	9.2	97	8.3	165	18.1	38	
8/23/24 12:30	9.2	97	8.3	165	18.2	39	
8/23/24 12:45	9.2	97	8.3	164	18.2	40	
8/23/24 13:00	9.2	97	8.3	164	18.2	42	
8/23/24 13:15	9.2	98	8.3	165	18.3	43	
8/23/24 13:30	9.2	98	8.3	165	18.4	45	
8/23/24 13:45	9.2	98	8.3	165	18.4	47	
8/23/24 14:00	9.2	98	8.3	165	18.4	48	
8/23/24 14:15	9.2	98	8.3	165	18.5	49	
8/23/24 14:30	9.2	98	8.3	165	18.5	50	
8/23/24 14:45	9.2	98	8.3	165	18.5	50	
8/23/24 15:00	9.2	98	8.3	165	18.5	50	
8/23/24 15:15	9.2	98	8.3	165	18.6	50	
8/23/24 15:30	9.2	99	8.3	166	18.6	50	
8/23/24 15:45	9.2	99	8.3	166	18.7	49	
8/23/24 16:00	9.2	99	8.4	166	18.7	48	
8/23/24 16:15	9.2	99	8.4	165	18.8	47	
8/23/24 16:30	9.2	99	8.4	165	18.7	46	
8/23/24 16:45	9.2	99	8.4	165	18.8	45	
8/23/24 17:00	9.2	99	8.4	165	18.7	44	
8/23/24 17:15	9.2	99	8.4	165	18.8	43	
8/23/24 17:30	9.2	99	8.4	165	18.8	43	
8/23/24 17:45	9.2	99	8.4	165	18.8	43	
8/23/24 18:00	9.2	99	8.4	166	18.8	43	
8/23/24 18:15	9.2	98	8.4	166	18.7	43	
8/23/24 18:30	9.1	98	8.4	166	18.7	43	
8/23/24 18:45	9.1	97	8.4	166	18.6	44	
8/23/24 19:00	9.0	97	8.4	167	18.6	44	
8/23/24 19:15	9.0	96	8.4	167	18.6	44	
8/23/24 19:30	9.0	96	8.4	167	18.6	44	
8/23/24 19:45	8.9	96	8.3	167	18.6	44	
8/23/24 20:00	8.9	95	8.3	167	18.6	44	
8/23/24 20:15	8.9	95	8.3	167	18.5	43	
8/23/24 20:30	8.9	95	8.3	167	18.5	42	
8/23/24 20:45	8.8	94	8.3	167	18.4	41	
8/23/24 21:00	8.8	94	8.3	166	18.3	40	
8/23/24 21:15	8.8	94	8.3	167	18.3	40	
8/23/24 21:30	8.8	93	8.3	167	18.2	40	
8/23/24 21:45	8.8	93	8.3	167	18.2	39	
8/23/24 22:00	8.8	93	8.3	167	18.1	38	
8/23/24 22:15	8.8	93	8.2	167	18.1	38	
8/23/24 22:30	8.7	92	8.2	167	18.1	38	
8/23/24 22:45	8.7	92	8.2	167	18.0	37	
8/23/24 23:00	8.7	92	8.2	167	18.0	38	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 23:15	8.7	92	8.2	168	18.0	38	
8/23/24 23:30	8.7	92	8.2	168	17.9	37	
8/23/24 23:45	8.7	92	8.2	168	17.9	38	
8/24/24 0:00	8.7	92	8.2	168	17.9	38	
8/24/24 0:15	8.7	92	8.2	169	17.9	39	
8/24/24 0:30	8.7	92	8.2	169	17.8	39	
8/24/24 0:45	8.7	92	8.2	169	17.8	39	
8/24/24 1:00	8.7	91	8.2	169	17.8	40	
8/24/24 1:15	8.7	92	8.2	169	17.7	39	
8/24/24 1:30	8.7	91	8.2	170	17.7	40	
8/24/24 1:45	8.7	92	8.2	170	17.7	39	
8/24/24 2:00	8.7	91	8.2	170	17.6	39	
8/24/24 2:15	8.7	91	8.2	170	17.6	38	
8/24/24 2:30	8.7	91	8.2	170	17.6	39	
8/24/24 2:45	8.7	91	8.2	170	17.5	39	
8/24/24 3:00	8.7	91	8.2	170	17.5	38	
8/24/24 3:15	8.7	91	8.2	170	17.5		
8/24/24 3:30	8.7	91	8.2	170	17.5	38	
8/24/24 3:45	8.7	91	8.2	171	17.5	38	
8/24/24 4:00	8.8	91	8.2	171	17.4	38	
8/24/24 4:15	8.8	91	8.2	171	17.4	37	
8/24/24 4:30	8.8	91	8.2	171	17.4	38	
8/24/24 4:45	8.8	91	8.2	171	17.3	38	
8/24/24 5:00	8.8	91	8.2	171	17.3	37	
8/24/24 5:15	8.8	91	8.2	170	17.3	38	
8/24/24 5:30	8.8	91	8.2	170	17.2	38	
8/24/24 5:45	8.8	91	8.1	170	17.2	38	
8/24/24 6:00	8.8	91	8.1	170	17.2	39	
8/24/24 6:15	8.8	91	8.1	170	17.1	38	
8/24/24 6:30	8.8	91	8.1	170	17.1	39	
8/24/24 6:45	8.8	91	8.1	170	17.0	39	
8/24/24 7:00	8.8	91	8.1	170	17.0	38	
8/24/24 7:15	8.8	91	8.1	170	17.0	39	
8/24/24 7:30	8.8	92	8.1	170	16.9	39	
8/24/24 7:45	8.9	92	8.1	170	16.9	40	
8/24/24 8:00	8.9	92	8.1	170	16.9	40	
8/24/24 8:15	8.9	92	8.1	170	16.8	40	
8/24/24 8:30	8.9	92	8.1	170	16.8	41	
8/24/24 8:45	8.9	92	8.1	171	16.8	41	
8/24/24 9:00	8.9	92	8.1	171	16.8	40	
8/24/24 9:15	9.0	93	8.1	171	16.8	40	
8/24/24 9:30	9.0	93	8.1	171	16.8	40	
8/24/24 9:45	9.0	93	8.1	171	16.7	41	
8/24/24 10:00	9.1	93	8.1	171	16.7	41	
8/24/24 10:15	9.1	94	8.1	171	16.7	41	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/24/24 10:30	9.1	94	8.2	171	16.8	41	
8/24/24 10:45	9.2	95	8.2	171	16.9	41	
8/24/24 11:00	9.2	95	8.2	171	16.9	41	
8/24/24 11:15	9.2	96	8.2	171	16.9	42	
8/24/24 11:30	9.3	96	8.2	171	17.0	41	
8/24/24 11:45	9.3	96	8.2	171	17.1	42	
8/24/24 12:00	9.3	97	8.2	171	17.2	42	
8/24/24 12:15	9.4	97	8.2	171	17.2	42	
8/24/24 12:30	9.4	98	8.2	171	17.3	41	
8/24/24 12:45	9.4	98	8.3	171	17.4	42	
8/24/24 13:00	9.4	98	8.3	171	17.4	42	
8/24/24 13:15	9.4	99	8.3	171	17.5	42	
8/24/24 13:30	9.5	99	8.3	171	17.6	43	
8/24/24 13:45	9.5	100	8.3	171	17.7	42	
8/24/24 14:00	9.5	100	8.3	171	17.8	43	
8/24/24 14:15	9.5	100	8.3	171	17.9	43	
8/24/24 14:30	9.5	101	8.3	171	18.0	42	
8/24/24 14:45	9.5	101	8.3	171	18.1	44	
8/24/24 15:00	9.5	101	8.3	171	18.2	44	
8/24/24 15:15	9.5	101	8.3	172	18.3	45	
8/24/24 15:30	9.5	101	8.3	172	18.4	45	
8/24/24 15:45	9.5	101	8.4	173	18.4	46	
8/24/24 16:00	9.4	101	8.3	173	18.4	47	
8/24/24 16:15	9.4	100	8.3	173	18.4	47	
8/24/24 16:30	9.4	100	8.4	174	18.4	48	
8/24/24 16:45	9.4	100	8.3	173	18.4	48	
8/24/24 17:00	9.3	100	8.3	173	18.4	48	
8/24/24 17:15	9.3	100	8.3	173	18.4	48	
8/24/24 17:30	9.3	99	8.4	173	18.4	47	
8/24/24 17:45	9.3	99	8.4	172	18.4	47	
8/24/24 18:00	9.3	99	8.4	172	18.4	47	
8/24/24 18:15	9.3	99	8.4	172	18.5	47	
8/24/24 18:30	9.3	99	8.4	171	18.5	46	
8/24/24 18:45	9.2	99	8.4	171	18.5	46	
8/24/24 19:00	9.2	98	8.4	171	18.5	46	
8/24/24 19:15	9.2	98	8.4	171	18.5	46	
8/24/24 19:30	9.2	98	8.3	171	18.5	46	
8/24/24 19:45	9.1	97	8.3	171	18.5	46	
8/24/24 20:00	9.1	97	8.3	171	18.5	46	
8/24/24 20:15	9.1	97	8.3	171	18.4	46	
8/24/24 20:30	9.0	96	8.3	171	18.4	46	
8/24/24 20:45	9.0	96	8.3	171	18.3	46	
8/24/24 21:00	8.9	95	8.3	171	18.3	46	
8/24/24 21:15	8.9	95	8.3	171	18.3	46	
8/24/24 21:30	8.9	94	8.3	171	18.3	46	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/24/24 21:45	8.8	94	8.3	171	18.3	45	
8/24/24 22:00	8.8	94	8.2	171	18.2	45	
8/24/24 22:15	8.8	93	8.2	171	18.2	45	
8/24/24 22:30	8.8	93	8.2	171	18.1	45	
8/24/24 22:45	8.8	93	8.2	171	18.1	44	
8/24/24 23:00	8.8	93	8.2	171	18.0	43	
8/24/24 23:15	8.8	93	8.2	171	18.0	43	
8/24/24 23:30	8.8	93	8.2	171	17.9	42	
8/24/24 23:45	8.8	93	8.2	172	17.8	42	
8/25/24 0:00	8.8	93	8.2	172	17.8	42	
8/25/24 0:15	8.8	92	8.2	172	17.7	41	
8/25/24 0:30	8.8	92	8.2	172	17.6	41	
8/25/24 0:45	8.8	92	8.2	172	17.6	41	
8/25/24 1:00	8.8	92	8.2	172	17.5	40	
8/25/24 1:15	8.8	92	8.2	172	17.5	40	
8/25/24 1:30	8.8	92	8.2	172	17.5	39	
8/25/24 1:45	8.8	92	8.2	172	17.4	39	
8/25/24 2:00	8.8	92	8.2	172	17.4	39	
8/25/24 2:15	8.8	92	8.1	172	17.4	39	
8/25/24 2:30	8.8	92	8.2	172	17.3	38	
8/25/24 2:45	8.8	92	8.2	172	17.3	38	
8/25/24 3:00	8.8	92	8.2	173	17.3	38	
8/25/24 3:15	8.8	92	8.2	173	17.2	37	
8/25/24 3:30	8.8	92	8.2	173	17.2	37	
8/25/24 3:45	8.8	92	8.2	173	17.2	37	
8/25/24 4:00	8.8	92	8.2	173	17.2	36	
8/25/24 4:15	8.8	92	8.2	173	17.2	36	
8/25/24 4:30	8.8	92	8.2	173	17.1	36	
8/25/24 4:45	8.8	92	8.2	174	17.1	35	
8/25/24 5:00	8.8	92	8.1	174	17.1	35	
8/25/24 5:15	8.8	92	8.1	174	17.1	35	
8/25/24 5:30	8.9	92	8.1	174	17.1	35	
8/25/24 5:45	8.9	92	8.1	174	17.0	35	
8/25/24 6:00	8.9	92	8.1	174	17.0	34	
8/25/24 6:15	8.9	92	8.1	174	16.9	34	
8/25/24 6:30	8.9	92	8.1	174	16.9	34	
8/25/24 6:45	8.9	92	8.1	174	16.8	33	
8/25/24 7:00	8.9	92	8.1	174	16.8	33	
8/25/24 7:15	8.9	92	8.1	174	16.7	33	
8/25/24 7:30	8.9	92	8.1	174	16.7	33	
8/25/24 7:45	9.0	92	8.1	173	16.6	33	
8/25/24 8:00	9.0	92	8.1	173	16.6	34	
8/25/24 8:15	9.0	92	8.1	173	16.5	32	
8/25/24 8:30	9.0	92	8.1	173	16.5	32	
8/25/24 8:45	9.0	92	8.1	173	16.5	32	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/25/24 9:00	9.1	93	8.1	173	16.4	32	
8/25/24 9:15	9.1	93	8.1	173	16.4	32	
8/25/24 9:30	9.2	94	8.2	173	16.4	31	
8/25/24 9:45	9.2	94	8.2	173	16.4	32	
8/25/24 10:00	9.2	95	8.2	173	16.4	31	
8/25/24 10:15	9.3	95	8.2	173	16.4	31	
8/25/24 10:30	9.3	96	8.2	173	16.5	31	
8/25/24 10:45	9.4	96	8.2	173	16.5	31	
8/25/24 11:00	9.4	97	8.2	173	16.5	31	
8/25/24 11:15	9.5	97	8.2	173	16.6	31	
8/25/24 11:30	9.5	98	8.2	173	16.7	31	
8/25/24 11:45	9.5	98	8.3	173	16.8	31	
8/25/24 12:00	9.6	99	8.3	173	16.9	31	
8/25/24 12:15	9.6	100	8.3	173	17.0	31	
8/25/24 12:30	9.7	100	8.3	173	17.1	31	
8/25/24 12:45	9.7	101	8.3	173	17.2	32	
8/25/24 13:00	9.7	101	8.3	173	17.4	32	
8/25/24 13:15	9.7	102	8.3	173	17.5	32	
8/25/24 13:30	9.7	102	8.4	173	17.6	32	
8/25/24 13:45	9.8	103	8.4	173	17.7	33	
8/25/24 14:00	9.8	103	8.4	173	17.9	33	
8/25/24 14:15	9.8	104	8.4	173	18.0	33	
8/25/24 14:30	9.8	104	8.4	173	18.1	34	
8/25/24 14:45	9.8	104	8.4	173	18.3	34	
8/25/24 15:00	9.8	104	8.4	173	18.4	34	
8/25/24 15:15	9.8	105	8.4	173	18.5	34	
8/25/24 15:30	9.8	105	8.4	173	18.6	35	
8/25/24 15:45	9.8	105	8.4	173	18.7	35	
8/25/24 16:00	9.8	105	8.5	173	18.8	35	
8/25/24 16:15	9.8	105	8.5	174	18.9	36	
8/25/24 16:30	9.8	105	8.5	174	19.0	35	
8/25/24 16:45	9.7	105	8.5	174	19.1	35	
8/25/24 17:00	9.7	105	8.5	173	19.2	35	
8/25/24 17:15	9.7	105	8.5	174	19.3	35	
8/25/24 17:30	9.7	105	8.5	174	19.3	34	
8/25/24 17:45	9.7	105	8.5	174	19.4	35	
8/25/24 18:00	9.6	105	8.5	174	19.4	35	
8/25/24 18:15	9.6	104	8.5	174	19.5	35	
8/25/24 18:30	9.6	104	8.5	174	19.5	35	
8/25/24 18:45	9.5	104	8.5	174	19.5	35	
8/25/24 19:00	9.4	103	8.5	174	19.5	35	
8/25/24 19:15	9.4	102	8.5	174	19.5	36	
8/25/24 19:30	9.3	102	8.5	175	19.5	36	
8/25/24 19:45	9.3	101	8.5	175	19.5	36	
8/25/24 20:00	9.2	100	8.5	175	19.4	36	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/25/24 20:15	9.2	99	8.4	175	19.4	36	
8/25/24 20:30	9.1	98	8.4	175	19.3	36	
8/25/24 20:45	9.0	97	8.4	176	19.3	36	
8/25/24 21:00	8.9	97	8.4	176	19.2	35	
8/25/24 21:15	8.9	96	8.4	176	19.2	36	
8/25/24 21:30	8.8	96	8.4	176	19.1	36	
8/25/24 21:45	8.8	95	8.3	176	19.1	35	
8/25/24 22:00	8.8	95	8.3	177	19.0	35	
8/25/24 22:15	8.7	94	8.3	177	19.0	35	
8/25/24 22:30	8.7	94	8.3	176	18.9	36	
8/25/24 22:45	8.7	93	8.3	177	18.9	35	
8/25/24 23:00	8.7	93	8.3	177	18.8	35	
8/25/24 23:15	8.6	93	8.3	177	18.8	35	
8/25/24 23:30	8.6	93	8.3	177	18.7	35	
8/25/24 23:45	8.6	92	8.2	177	18.7	35	
8/26/24 0:00	8.6	92	8.2	177	18.6	35	
8/26/24 0:15	8.6	92	8.2	177	18.5	34	
8/26/24 0:30	8.6	92	8.2	177	18.5	34	
8/26/24 0:45	8.6	92	8.2	177	18.4	34	
8/26/24 1:00	8.6	92	8.2	177	18.4	35	
8/26/24 1:15	8.6	92	8.2	177	18.3	34	
8/26/24 1:30	8.6	92	8.2	177	18.3	35	
8/26/24 1:45	8.7	92	8.2	177	18.2	35	
8/26/24 2:00	8.7	92	8.2	177	18.1	35	
8/26/24 2:15	8.7	92	8.2	177	18.1	35	
8/26/24 2:30	8.7	92	8.2	177	18.1	35	
8/26/24 2:45	8.7	92	8.2	177	18.0	35	
8/26/24 3:00	8.7	92	8.2	177	18.0	34	
8/26/24 3:15	8.7	92	8.2	177	18.0	35	
8/26/24 3:30	8.7	92	8.2	177	17.9	35	
8/26/24 3:45	8.7	92	8.2	177	17.9	35	
8/26/24 4:00	8.7	92	8.2	177	17.9	35	
8/26/24 4:15	8.7	91	8.2	176	17.9	35	
8/26/24 4:30	8.7	91	8.1	176	17.9	35	
8/26/24 4:45	8.7	92	8.1	176	17.8	35	
8/26/24 5:00	8.7	92	8.1	176	17.8	35	
8/26/24 5:15	8.7	92	8.1	176	17.8	35	
8/26/24 5:30	8.7	91	8.1	176	17.8	35	
8/26/24 5:45	8.7	91	8.1	176	17.8	35	
8/26/24 6:00	8.7	91	8.1	176	17.8	36	
8/26/24 6:15	8.7	91	8.1	176	17.8	35	
8/26/24 6:30	8.7	92	8.1	175	17.8	35	
8/26/24 6:45	8.7	91	8.1	175	17.7	35	
8/26/24 7:00	8.7	92	8.1	175	17.7	35	
8/26/24 7:15	8.7	92	8.1	175	17.7	35	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/26/24 7:30	8.7	92	8.1	175	17.7	35	
8/26/24 7:45	8.7	92	8.1	175	17.6	35	
8/26/24 8:00	8.8	92	8.1	174	17.6	35	
8/26/24 8:15	8.8	92	8.1	174	17.5	34	
8/26/24 8:30	8.8	92	8.1	174	17.5	34	
8/26/24 8:45	8.8	92	8.1	174	17.5	34	
8/26/24 9:00	8.8	92	8.1	173	17.4	34	
8/26/24 9:15	8.9	93	8.1	173	17.4	34	
8/26/24 9:30	8.9	93	8.1	173	17.4	34	
8/26/24 9:45	9.0	94	8.2	172	17.4	33	
8/26/24 10:00	9.0	94	8.2	172	17.4	33	
8/26/24 10:15	9.1	95	8.2	172	17.5	33	
8/26/24 10:30	9.1	95	8.2	172	17.5	33	
8/26/24 10:45	9.2	96	8.2	171	17.6	32	
8/26/24 11:00	9.2	97	8.2	171	17.6	32	
8/26/24 11:15	9.3	97	8.2	171	17.7	31	
8/26/24 11:30	9.3	98	8.2	170	17.8	31	
8/26/24 11:45	9.3	99	8.3	170	17.9	31	
8/26/24 12:00	9.4	99	8.3	170	18.0	31	
8/26/24 12:15	9.4	100	8.3	169	18.1	31	
8/26/24 12:30	9.5	101	8.3	169	18.2	30	
8/26/24 12:45	9.5	101	8.3	169	18.3	30	
8/26/24 13:00	9.6	102	8.4	168	18.4	30	
8/26/24 13:15	9.6	103	8.4	168	18.5	30	
8/26/24 13:30	9.6	103	8.4	168	18.7	30	
8/26/24 13:45	9.7	104	8.4	168	18.8	30	
8/26/24 14:00	9.7	105	8.4	167	18.9	30	
8/26/24 14:15	9.7	105	8.4	167	19.1	30	
8/26/24 14:30	9.7	105	8.4	167	19.2	30	
8/26/24 14:45	9.7	106	8.5	167	19.4	30	
8/26/24 15:00	9.7		8.5		19.5	31	
8/26/24 15:15	9.7	106	8.5	166	19.6	31	
8/26/24 15:30	9.7	106	8.5	166	19.7	31	
8/26/24 15:45	9.7	107	8.5	166	19.9	32	
8/26/24 16:00	9.7	107	8.5	166	20.0	32	
8/26/24 16:15	9.7	107	8.5	166	20.1	32	
8/26/24 16:30	9.7	107	8.5	166	20.2	33	
8/26/24 16:45	9.7	107	8.5	166	20.3	33	
8/26/24 17:00	9.6	107	8.5	166	20.4	33	
8/26/24 17:15	9.6	107	8.5	166	20.5	34	
8/26/24 17:30	9.6	106	8.6	166	20.5	34	
8/26/24 17:45	9.5	106	8.6	166	20.6	34	
8/26/24 18:00	9.5	106	8.6	165	20.7	34	
8/26/24 18:15	9.5	106	8.6	165	20.7	34	
8/26/24 18:30	9.4	105	8.6	165	20.7	33	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/26/24 18:45	9.4	105	8.6	165	20.7	33	
8/26/24 19:00	9.3	104	8.6	165	20.7	33	
8/26/24 19:15	9.3	104	8.6	165	20.7	33	
8/26/24 19:30	9.2	103	8.6	165	20.7	32	
8/26/24 19:45	9.2	102	8.6	165	20.7	32	
8/26/24 20:00	9.1	101	8.5	166	20.6	32	
8/26/24 20:15	9.0	100	8.5	166	20.6	32	
8/26/24 20:30	8.9	99	8.5	166	20.5	32	
8/26/24 20:45	8.8	98	8.5	166	20.4	32	
8/26/24 21:00	8.8	97	8.5	166	20.4	31	
8/26/24 21:15	8.7	97	8.4	166	20.3	32	
8/26/24 21:30	8.7	96	8.4	166	20.3	31	
8/26/24 21:45	8.6	95	8.4	166	20.3	31	
8/26/24 22:00	8.6	95	8.4	167	20.2	31	
8/26/24 22:15	8.5	94	8.4	167	20.2	31	
8/26/24 22:30	8.5	94	8.4	167	20.1	31	
8/26/24 22:45	8.5	93	8.3	167	20.1	31	
8/26/24 23:00	8.4	93	8.3	167	20.0	31	
8/26/24 23:15	8.4	93	8.3	167	19.9	30	
8/26/24 23:30	8.4	92	8.3	167	19.9	30	
8/26/24 23:45	8.4	92	8.3	167	19.8	30	
8/27/24 0:00	8.4	92	8.3	167	19.8	30	
8/27/24 0:15	8.4	92	8.3	167	19.7	30	
8/27/24 0:30	8.4	92	8.3	168	19.6	30	
8/27/24 0:45	8.4	91	8.2	168	19.6	29	
8/27/24 1:00	8.4	91	8.2	168	19.5	29	
8/27/24 1:15	8.4	91	8.2	168	19.4	29	
8/27/24 1:30	8.4	91	8.2	168	19.4	29	
8/27/24 1:45	8.4	91	8.2	168	19.3	29	
8/27/24 2:00	8.4	91	8.2	168	19.3	29	
8/27/24 2:15	8.4	91	8.2	168	19.3	29	
8/27/24 2:30	8.4	91	8.2	168	19.2	29	
8/27/24 2:45	8.4	91	8.2	168	19.2	29	
8/27/24 3:00	8.4	91	8.2	169	19.2	29	
8/27/24 3:15	8.4	91	8.2	169	19.1	29	
8/27/24 3:30	8.4	91	8.2	169	19.1	29	
8/27/24 3:45	8.4	91	8.2	169	19.1	29	
8/27/24 4:00	8.4	91	8.2	169	19.1	28	
8/27/24 4:15	8.4	91	8.2	169	19.1	28	
8/27/24 4:30	8.4	91	8.2	169	19.0	29	
8/27/24 4:45	8.4	91	8.2	169	19.0	29	
8/27/24 5:00	8.4	91	8.2	169	19.0	29	
8/27/24 5:15	8.4	91	8.2	169	19.0	29	
8/27/24 5:30	8.4	91	8.1	169	19.0	28	
8/27/24 5:45	8.4	91	8.2	169	19.0	29	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/27/24 6:00	8.4	91	8.1	169	19.0	29	
8/27/24 6:15	8.4	91	8.1	169	19.0	28	
8/27/24 6:30	8.4	91	8.1	169	19.0	28	
8/27/24 6:45	8.4	91	8.1	169	19.0	29	
8/27/24 7:00	8.4	91	8.1	169	19.0	29	
8/27/24 7:15	8.4	91	8.1	169	19.0	29	
8/27/24 7:30	8.4	91	8.1	169	18.9	28	
8/27/24 7:45	8.4	91	8.1	169	18.9	29	
8/27/24 8:00	8.4	91	8.1	169	18.9	29	
8/27/24 8:15	8.5	91	8.1	169	18.9	28	
8/27/24 8:30	8.5	91	8.1	169	18.8	28	
8/27/24 8:45	8.5	91	8.1	168	18.8	28	
8/27/24 9:00	8.5	92	8.1	168	18.8	28	
8/27/24 9:15	8.6	92	8.1	169	18.8	28	
8/27/24 9:30	8.6	93	8.2	168	18.8	28	
8/27/24 9:45	8.7	94	8.2	168	18.8	29	
8/27/24 10:00	8.8	94	8.2	168	18.9	29	
8/27/24 10:15	8.8	95	8.2	168	18.9	29	
8/27/24 10:30	8.9	96	8.2	168	18.9	29	
8/27/24 10:45	8.9	96	8.2	168	19.0	29	
8/27/24 11:00	9.0	97	8.2	168	19.0	30	
8/27/24 11:15	9.0	98	8.3	168	19.1	30	
8/27/24 11:30	9.1	98	8.3	168	19.2	30	
8/27/24 11:45	9.2	99	8.3	168	19.3	31	
8/27/24 12:00	9.2	100	8.3	168	19.4	31	
8/27/24 12:15	9.2	101	8.3	168	19.5	31	
8/27/24 12:30	9.3	101	8.4	168	19.6	31	
8/27/24 12:45	9.3	102	8.4	168	19.7	31	
8/27/24 13:00	9.4	103	8.4	167	19.8	32	
8/27/24 13:15	9.4	104	8.4	167	19.9	31	
8/27/24 13:30	9.4	104	8.4	167	20.0	32	
8/27/24 13:45	9.5	105	8.4	167	20.2	33	
8/27/24 14:00	9.5	105	8.5	167	20.3	32	
8/27/24 14:15	9.5	106	8.5	167	20.4	32	
8/27/24 14:30	9.6	106	8.5	167	20.6	32	
8/27/24 14:45	9.6	107	8.5	167	20.7	33	
8/27/24 15:00	9.6	107	8.5	167	20.8	33	
8/27/24 15:15	9.6	107	8.5	167	20.9	33	
8/27/24 15:30	9.6	108	8.5	166	21.0	32	
8/27/24 15:45	9.6	108	8.6	166	21.1	32	
8/27/24 16:00	9.6	108	8.6	166	21.2	32	
8/27/24 16:15	9.6	108	8.6	166	21.3	32	
8/27/24 16:30	9.6	108	8.6	166	21.4	33	
8/27/24 16:45	9.6	108	8.6	166	21.5	32	
8/27/24 17:00	9.5	108	8.6	166	21.6	33	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/27/24 17:15	9.5	108	8.6	166	21.7	33	
8/27/24 17:30	9.5	108	8.6	165	21.7	34	
8/27/24 17:45	9.4	108	8.6	165	21.8	33	
8/27/24 18:00	9.4	107	8.6	165	21.8	33	
8/27/24 18:15	9.3	107	8.6	165	21.9	33	
8/27/24 18:30	9.3	106	8.6	165	21.9	34	
8/27/24 18:45	9.3	106	8.6	165	21.9	33	
8/27/24 19:00	9.2	105	8.6	165	21.9	33	
8/27/24 19:15	9.2	105	8.6	165	21.9	33	
8/27/24 19:30	9.1	104	8.6	165	21.9	32	
8/27/24 19:45	9.0	103	8.6	165	21.9	32	
8/27/24 20:00	8.9	102	8.6	166	21.8	32	
8/27/24 20:15	8.8	101	8.6	166	21.7	32	
8/27/24 20:30	8.7	99	8.6	166	21.7	32	
8/27/24 20:45	8.7	98	8.5	166	21.6	32	
8/27/24 21:00	8.6	97	8.5	166	21.6	32	
8/27/24 21:15	8.5	97	8.5	166	21.5	31	
8/27/24 21:30	8.5	96	8.5	166	21.4	32	
8/27/24 21:45	8.4	95	8.5	166	21.4	31	
8/27/24 22:00	8.4	94	8.5	166	21.3	31	
8/27/24 22:15	8.3	94	8.4	167	21.2	31	
8/27/24 22:30	8.3	93	8.4	167	21.2	30	
8/27/24 22:45	8.3	93	8.4	167	21.1	31	
8/27/24 23:00	8.2	93	8.4	167	21.0	31	
8/27/24 23:15	8.2	92	8.4	167	21.0	31	
8/27/24 23:30	8.2	92	8.4	167	20.9	31	
8/27/24 23:45	8.2	92	8.4	167	20.8	30	
8/28/24 0:00	8.2	92	8.3	168	20.8	31	
8/28/24 0:15	8.2	91	8.3	168	20.7	30	
8/28/24 0:30	8.2	91	8.3	168	20.6	30	
8/28/24 0:45	8.2	91	8.3	168	20.6	30	
8/28/24 1:00	8.2	91	8.3	168	20.5	30	
8/28/24 1:15	8.2	91	8.3	168	20.4	30	
8/28/24 1:30	8.2	91	8.3	168	20.4	30	
8/28/24 1:45	8.2	91	8.3	169	20.3	30	
8/28/24 2:00	8.2	91	8.3	169	20.2	30	
8/28/24 2:15	8.2	91	8.3	169	20.2	30	
8/28/24 2:30	8.2	91	8.2	169	20.1	30	
8/28/24 2:45	8.2	91	8.2	169	20.1	29	
8/28/24 3:00	8.2	91	8.2	170	20.1	30	
8/28/24 3:15	8.2	91	8.2	170	20.0	29	
8/28/24 3:30	8.2	91	8.2	170	19.9	30	
8/28/24 3:45	8.2	90	8.2	170	19.9	29	
8/28/24 4:00	8.2	90	8.2	170	19.8	29	
8/28/24 4:15	8.3	90	8.2	171	19.8	29	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 4:30	8.3	90	8.2	171	19.8	28	
8/28/24 4:45	8.3	90	8.2	171	19.7	29	
8/28/24 5:00	8.3	90	8.2	171	19.7	29	
8/28/24 5:15	8.3	90	8.2	171	19.7	29	
8/28/24 5:30	8.3	90	8.2	171	19.7	29	
8/28/24 5:45	8.3	90	8.2	172	19.6	29	
8/28/24 6:00	8.3	90	8.2	172	19.6	29	
8/28/24 6:15	8.3	90	8.2	172	19.6	29	
8/28/24 6:30	8.3	90	8.2	172	19.6	29	
8/28/24 6:45	8.3	90	8.2	172	19.6	29	
8/28/24 7:00	8.3	90	8.2	172	19.6	29	
8/28/24 7:15	8.3	90	8.2	172	19.5	29	
8/28/24 7:30	8.3	90	8.2	173	19.5	29	
8/28/24 7:45	8.3	90	8.2	173	19.4	29	
8/28/24 8:00	8.3	90	8.2	173	19.4	29	
8/28/24 8:15	8.3	91	8.2	173	19.3	29	
8/28/24 8:30	8.4	91	8.2	173	19.3	29	
8/28/24 8:45	8.4	91	8.2	173	19.2	29	
8/28/24 9:00	8.4	91	8.2	173	19.2	29	
8/28/24 9:15	8.5	92	8.2	173	19.2	30	
8/28/24 9:30	8.6	92	8.2	173	19.1	29	
8/28/24 9:45	8.6	93	8.2	173	19.1	29	
8/28/24 10:00	8.7	94	8.2	173	19.2	29	
8/28/24 10:15	8.7	95	8.2	173	19.2	29	
8/28/24 10:30	8.8	95	8.3	173	19.2	29	
8/28/24 10:45	8.9	96	8.3	172	19.2	30	
8/28/24 11:00	8.9	97	8.3	172	19.3	29	
8/28/24 11:15	9.0	98	8.3	172	19.3	29	
8/28/24 11:30	9.0	98	8.3	172	19.4	29	
8/28/24 11:45	9.1	99	8.3	172	19.5	30	
8/28/24 12:00	9.2	100	8.4	172	19.5	30	
8/28/24 12:15	9.2	101	8.4	172	19.6	30	
8/28/24 12:30	9.3	101	8.4	171	19.7	30	
8/28/24 12:45	9.3	102	8.4	171	19.8	30	
8/28/24 13:00	9.4	103	8.4	172	19.8	30	
8/28/24 13:15	9.4	104	8.5	171	19.9	30	
8/28/24 13:30	9.5	104	8.5	171	20.0	30	
8/28/24 13:45	9.5	105	8.5	171	20.1	30	
8/28/24 14:00	9.5	105	8.5	171	20.2	30	
8/28/24 14:15	9.6	106	8.5	171	20.4	30	
8/28/24 14:30	9.6	106	8.5	171	20.5	30	
8/28/24 14:45	9.6	107	8.6	171	20.6	30	
8/28/24 15:00	9.6	107	8.6	171	20.7	30	
8/28/24 15:15	9.6	107	8.6	170	20.8	31	
8/28/24 15:30	9.6	108	8.6	170	20.9	31	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 15:45	9.6	108	8.6	170	21.0	31	
8/28/24 16:00	9.6	108	8.6	170	21.2	31	
8/28/24 16:15	9.6	108	8.6	170	21.3	32	
8/28/24 16:30	9.6	108	8.6	170	21.4	32	
8/28/24 16:45	9.6	108	8.6	170	21.5	32	
8/28/24 17:00	9.5	108	8.6	170	21.6	32	
8/28/24 17:15	9.5	108	8.6	170	21.6	32	
8/28/24 17:30	9.5	108	8.6	170	21.7	32	
8/28/24 17:45	9.4	108	8.6	170	21.8	32	
8/28/24 18:00	9.4	107	8.6	170	21.8	32	
8/28/24 18:15	9.4	107	8.6	169	21.9	32	
8/28/24 18:30	9.3	106	8.6	169	21.9	32	
8/28/24 18:45	9.3	106	8.6	169	21.9	32	
8/28/24 19:00	9.2	105	8.6	169	21.9	32	
8/28/24 19:15	9.2	105	8.6	169	21.9	32	
8/28/24 19:30	9.1	104	8.6	169	21.9	32	
8/28/24 19:45	9.0	103	8.6	169	21.9	32	
8/28/24 20:00	8.9	102	8.6	169	21.8	32	
8/28/24 20:15	8.8	100	8.6	169	21.7	33	
8/28/24 20:30	8.7	99	8.6	169	21.7	33	
8/28/24 20:45	8.6	98	8.5	169	21.6	33	
8/28/24 21:00	8.6	97	8.5	169	21.5	33	
8/28/24 21:15	8.5	96	8.5	169	21.5	33	
8/28/24 21:30	8.4	95	8.5	169	21.4	33	
8/28/24 21:45	8.4	95	8.5	169	21.3	33	
8/28/24 22:00	8.3	94	8.5	169	21.3	32	
8/28/24 22:15	8.3	94	8.4	170	21.2	33	
8/28/24 22:30	8.3	93	8.4	170	21.1	33	
8/28/24 22:45	8.2	93	8.4	170	21.0	32	
8/28/24 23:00	8.2	92	8.4	170	21.0	33	
8/28/24 23:15	8.2	92	8.4	170	20.9	33	
8/28/24 23:30	8.2	92	8.4	170	20.8	32	
8/28/24 23:45	8.2	92	8.3	170	20.7	32	
8/29/24 0:00	8.2	91	8.3	170	20.6	32	
8/29/24 0:15	8.2	91	8.3	170	20.5	32	
8/29/24 0:30	8.2	91	8.3	170	20.4	32	
8/29/24 0:45	8.2	91	8.3	170	20.4	32	
8/29/24 1:00	8.2	91	8.3	170	20.3	32	
8/29/24 1:15	8.2	91	8.3	170	20.2	32	
8/29/24 1:30	8.2	91	8.3	170	20.1	31	
8/29/24 1:45	8.2	91	8.3	170	20.0	31	
8/29/24 2:00	8.2	91	8.3	170	20.0	29	
8/29/24 2:15	8.3	91	8.2	170	19.9	31	
8/29/24 2:30	8.3	91	8.2	170	19.9	31	
8/29/24 2:45	8.3	91	8.2	170	19.8	30	

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/29/24 3:00	8.3	91	8.2	170	19.8	30	
8/29/24 3:15	8.3	91	8.2	170	19.7	30	
8/29/24 3:30	8.3	91	8.2	169	19.7	30	
8/29/24 3:45	8.3	91	8.2	169	19.6	30	
8/29/24 4:00	8.3	91	8.2	169	19.6	31	
8/29/24 4:15	8.3	91	8.2	169	19.6	30	
8/29/24 4:30	8.3	91	8.2	169	19.6	31	
8/29/24 4:45	8.3	90	8.2	169	19.5	31	
8/29/24 5:00	8.3	90	8.2	169	19.5	31	
8/29/24 5:15	8.3	90	8.2	169	19.5	31	
8/29/24 5:30	8.3	90	8.2	169	19.5	32	
8/29/24 5:45	8.3	91	8.2	169	19.5	31	
8/29/24 6:00	8.3	90	8.2	169	19.5	32	
8/29/24 6:15	8.3	90	8.2	169	19.5	32	
8/29/24 6:30	8.3	91	8.2	170	19.4	32	
8/29/24 6:45	8.3	90	8.2	170	19.4	33	
8/29/24 7:00	8.3	91	8.2	170	19.4	35	
8/29/24 7:15	8.3	91	8.2	170	19.3	38	
8/29/24 7:30	8.4	91	8.1	171	19.3	44	
8/29/24 7:45	8.4	91	8.1	171	19.3	52	
8/29/24 8:00	8.4	91	8.1	171	19.2	65	
8/29/24 8:15	8.4	91	8.1	172	19.2	81	
8/29/24 8:30	8.4	91	8.1	172	19.1	103	
8/29/24 8:45	8.4	91	8.1	172	19.1	127	
8/29/24 9:00	8.4	91	8.1	172	19.0	156	
8/29/24 9:15	8.4	91	8.0	172	19.0	185	
8/29/24 9:30	8.4	91	8.0	171	19.0	219	
8/29/24 9:45	8.4	91	8.0	171	19.0	246	
8/29/24 10:00	8.4	91	8.0	171	19.0	271	
8/29/24 10:15	8.4	91	8.0	170	19.0	291	
8/29/24 10:30	8.4	91	8.0	170	19.0	306	512
8/29/24 10:45	8.4	91	8.0	169	19.1	319	537
8/29/24 11:00	8.4	91	8.0	169	19.1	325	588
8/29/24 11:15	8.4	91	7.9	168	19.2	330	650
8/29/24 11:30	8.4	91	7.9	168	19.2	346	717
8/29/24 11:45	8.4	91	7.9	167	19.3	365	551
8/29/24 12:00	8.4	91	7.9	167	19.4	402	576
8/29/24 12:15	8.3	91	7.8	167	19.5	443	603
8/29/24 12:30	8.3	90	7.8	167	19.6	489	626
8/29/24 12:45	8.2	90	7.8	168	19.7	539	653
8/29/24 13:00	8.2	90	7.7	168	19.8	577	663
8/29/24 13:15	8.1	89	7.7	168	19.9	616	703
8/29/24 13:30	8.1	89	7.7	169	20.0	642	746
8/29/24 13:45	8.1	89	7.7	169	20.1	662	836
8/29/24 14:00	8.1	89	7.7	169	20.2	673	898

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/29/24 14:15	8.0	89	7.7	169	20.3	700	992
8/29/24 14:30	8.0	89	7.7	170	20.4	726	1180
8/29/24 14:45	7.9	88	7.6	171	20.6	769	1350
8/29/24 15:00	7.8	88	7.6	172	20.7	826	1580
8/29/24 15:15	7.7	86	7.6	174	20.8	894	1780
8/29/24 15:30	7.5	84	7.5	176	20.9	986	1970
8/29/24 15:45	7.2	81	7.4	179	21.0	1093	2180
8/29/24 16:00	6.8	76	7.3	184	21.1	1217	2320
8/29/24 16:15	6.3	71	7.3	189	21.2		2330
8/29/24 16:30	5.7	64	7.2	193	21.3		2390
8/29/24 16:45	5.1	57	7.1	198	21.4		2350
8/29/24 17:00	4.5	51	7.1	202	21.4		2270
8/29/24 17:15	4.0	46	7.0	205	21.5		2250
8/29/24 17:30	3.7	42	7.0	206	21.6		2180
8/29/24 17:45	3.5	40	7.0	206	21.6		2000
8/29/24 18:00	3.5	40	7.0	205	21.6		1910
8/29/24 18:15	3.7	42	7.0	202	21.7		1830
8/29/24 18:30	4.0	46	7.0	199	21.7		1800
8/29/24 18:45	4.3	49	7.0	195	21.7		1650
8/29/24 19:00	4.7	53	7.0	192	21.7		1620
8/29/24 19:15	5.0	56	7.0	189	21.7		1580
8/29/24 19:30	5.2	59	7.1	186	21.7		1560
8/29/24 19:45	5.4	62	7.1	184	21.6		1540
8/29/24 20:00	5.6	64	7.1	183	21.6	1307	1530
8/29/24 20:15	5.7	65	7.1	182	21.5	1291	1520
8/29/24 20:30	5.9	67	7.1	181	21.4	1272	1510
8/29/24 20:45	6.0	68	7.2	180	21.4	1254	1500
8/29/24 21:00	6.0	68	7.2	180	21.3	1249	1510
8/29/24 21:15	6.1	69	7.2	180	21.2	1236	1550
8/29/24 21:30	6.1	69	7.2	180	21.2	1232	1540
8/29/24 21:45	6.2	69	7.2	180	21.1	1228	1550
8/29/24 22:00	6.1	69	7.2	180	21.1	1229	1630
8/29/24 22:15	6.1	69	7.2	181	21.0	1236	1640
8/29/24 22:30	6.1	68	7.2	181	20.9	1238	1650
8/29/24 22:45	6.0	67	7.2	182	20.8	1250	1680
8/29/24 23:00	6.0	66	7.2	183	20.8	1260	1680
8/29/24 23:15	5.9	66	7.2	184	20.7	1276	1670
8/29/24 23:30	5.8	65	7.1	185	20.6	1279	1700
8/29/24 23:45	5.7	64	7.1	186	20.5	1290	1640
8/30/24 0:00	5.7	63	7.1	187	20.4	1297	1640
8/30/24 0:15	5.6	63	7.1	187	20.4	1302	1630
8/30/24 0:30	5.7	63	7.1	187	20.3	1306	1610
8/30/24 0:45	5.7	63	7.1	188	20.2	1304	1590
8/30/24 1:00	5.7	63	7.1	187	20.1	1301	1570
8/30/24 1:15	5.8	64	7.1	187	20.0	1292	1570

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/30/24 1:30	5.9	65	7.2	186	20.0	1284	1520
8/30/24 1:45	6.0	65	7.2	186	19.9	1276	1520
8/30/24 2:00	6.0	66	7.2	185	19.8	1266	1490
8/30/24 2:15	6.1	67	7.2	185	19.8	1262	1480
8/30/24 2:30	6.2	68	7.2	184	19.7	1249	1360
8/30/24 2:45	6.2	68	7.2	184	19.7	1238	1320
8/30/24 3:00	6.3	69	7.2	183	19.6	1237	1280
8/30/24 3:15	6.4	70	7.2	182	19.6	1212	1250
8/30/24 3:30	6.4	70	7.2	181	19.6	1201	1240
8/30/24 3:45	6.6	71	7.2	180	19.5	1177	1210
8/30/24 4:00	6.7	72	7.2	179	19.5	1154	1170
8/30/24 4:15	6.7	73	7.3	178	19.5	1125	1180
8/30/24 4:30	6.8	74	7.3	177	19.5	1104	1170
8/30/24 4:45	6.9	75	7.3	176	19.5	1082	1180
8/30/24 5:00	7.0	76	7.3	175	19.4	1060	1170
8/30/24 5:15	7.0	76	7.3	174	19.4	1052	1180
8/30/24 5:30	7.0	77	7.3	174	19.4	1041	1170
8/30/24 5:45	7.1	77	7.3	174	19.4	1040	1160
8/30/24 6:00	7.1	77	7.3	174	19.4	1045	1180
8/30/24 6:15	7.1	77	7.3	174	19.4	1048	1180
8/30/24 6:30	7.1	77	7.3	174	19.3	1047	1160
8/30/24 6:45	7.1	77	7.3	174	19.3	1050	1150
8/30/24 7:00	7.1	77	7.3	174	19.3	1033	1160
8/30/24 7:15	7.1	77	7.3	174	19.2	1044	1130
8/30/24 7:30	7.1	77	7.3	174	19.2	1048	1110
8/30/24 7:45	7.1	77	7.3	174	19.2	1041	1030
8/30/24 8:00	7.1	77	7.3	174	19.1	1035	1040
8/30/24 8:15	7.2	77	7.3	173	19.1	1022	1020
8/30/24 8:30	7.2	78	7.3	173	19.1	1014	972
8/30/24 8:45	7.3	78	7.3	172	19.0	1000	992
8/30/24 9:00	7.3	79	7.4	172	19.0	987	957
8/30/24 9:15	7.4	80	7.4	171	19.0	968	928
8/30/24 9:30	7.4	80	7.4	170	19.0	946	910
8/30/24 9:45	7.5	81	7.4	169	19.0	931	907
8/30/24 10:00	7.5	81	7.4	169	19.1	914	880
8/30/24 10:15	7.6	82	7.4	168	19.1	902	865
8/30/24 10:30	7.6	82	7.4	168	19.1	889	868
8/30/24 10:45	7.6	83	7.4	167	19.2	875	855
8/30/24 11:00	7.7	83	7.4	167	19.2	865	841
8/30/24 11:15	7.7	83	7.4	167	19.3	846	829
8/30/24 11:30	7.7	84	7.4	167	19.4	837	838
8/30/24 11:45	7.7	84	7.5	167	19.5	831	838
8/30/24 12:00	7.7	84	7.5	167	19.6	825	850
8/30/24 12:15	7.7	84	7.5	167	19.7	817	848
8/30/24 12:30	7.7	85	7.5	167	19.8	813	855

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/30/24 12:45	7.7	85	7.5	167	19.9	816	861
8/30/24 13:00	7.7	85	7.5	168	20.0	804	868
8/30/24 13:15	7.7	85	7.5	168	20.1	819	896
8/30/24 13:30	7.7	85	7.5	168	20.2	823	917
8/30/24 13:45	7.7	85	7.4	168	20.4	831	952
8/30/24 14:00	7.6	85	7.4	168	20.5	839	979
8/30/24 14:15	7.6	85	7.4	168	20.6	852	975
8/30/24 14:30	7.5	84	7.4	169	20.7	876	1050
8/30/24 14:45	7.5	84	7.4	169	20.9	892	1050
8/30/24 15:00	7.4	83	7.4	170	21.0	916	1120
8/30/24 15:15	7.4	83	7.4	170	21.1	942	1140
8/30/24 15:30	7.3	82	7.4	171	21.2	961	1170
8/30/24 15:45	7.2	82	7.3	171	21.3	985	1160
8/30/24 16:00	7.1	81	7.3	172	21.4	1015	1180
8/30/24 16:15	7.1	80	7.3	172	21.5	1030	1210
8/30/24 16:30	7.0	79	7.3	173	21.6	1041	1210
8/30/24 16:45	6.9	79	7.3	173	21.7	1051	1190
8/30/24 17:00	6.8	78	7.3	173	21.8	1063	1230
8/30/24 17:15	6.8	77	7.2	173	21.9	1071	1200
8/30/24 17:30	6.7	77	7.2	173	21.9	1074	1220
8/30/24 17:45	6.7	76	7.2	173	22.0	1082	1220
8/30/24 18:00	6.6	76	7.2	173	22.0	1078	1220
8/30/24 18:15	6.6	75	7.2	173	22.0	1083	1200
8/30/24 18:30	6.6	75	7.2	173	22.0	1084	1220
8/30/24 18:45	6.6	75	7.2	173	21.9	1085	1180
8/30/24 19:00	6.6	75	7.2	173	21.9	1086	1180
8/30/24 19:15	6.6	75	7.2	173	21.9	1078	1190
8/30/24 19:30	6.6	75	7.2	173	21.8	1073	1180
8/30/24 19:45	6.6	75	7.2	173	21.8	1079	1150
8/30/24 20:00	6.6	75	7.2	173	21.7	1072	1120
8/30/24 20:15	6.6	75	7.2	173	21.7	1067	1140
8/30/24 20:30	6.6	75	7.2	173	21.6	1062	1110
8/30/24 20:45	6.6	75	7.2	173	21.6	1061	1110
8/30/24 21:00	6.6	75	7.2	172	21.5	1041	1050
8/30/24 21:15	6.7	75	7.2	172	21.5	1032	1030
8/30/24 21:30	6.7	76	7.2	172	21.5	1034	1030
8/30/24 21:45	6.7	76	7.3	172	21.4	1009	1030
8/30/24 22:00	6.8	76	7.3	172	21.4	1006	1000
8/30/24 22:15	6.8	77	7.3	171	21.3	999	1000
8/30/24 22:30	6.8	77	7.3	171	21.3	978	1010
8/30/24 22:45	6.8	77	7.3	171	21.2	979	997
8/30/24 23:00	6.9	77	7.3	171	21.1	975	1020
8/30/24 23:15	6.9	77	7.3	171	21.1	972	1000
8/30/24 23:30	6.9	77	7.3	171	21.0	964	1010
8/30/24 23:45	6.9	77	7.3	171	20.9	961	1000

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 0:00	6.9	78	7.3	171	20.8	956	1030
8/31/24 0:15	7.0	78	7.3	171	20.8	959	1000
8/31/24 0:30	7.0	78	7.3	171	20.7	965	1000
8/31/24 0:45	7.0	78	7.3	171	20.6	958	1020
8/31/24 1:00	7.0	78	7.3	170	20.6	956	1010
8/31/24 1:15	7.0	78	7.3	170	20.5	958	1020
8/31/24 1:30	7.0	78	7.3	170	20.4	958	1010
8/31/24 1:45	7.0	78	7.3	170	20.4	961	1010
8/31/24 2:00	7.0	78	7.3	170	20.3	961	999
8/31/24 2:15	7.0	78	7.3	170	20.3	955	1020
8/31/24 2:30	7.0	78	7.3	170	20.2	956	1020
8/31/24 2:45	7.0	78	7.3	170	20.2	960	1010
8/31/24 3:00	7.0	78	7.3	170	20.2	960	1030
8/31/24 3:15	7.0	78	7.3	170	20.1	958	1020
8/31/24 3:30	7.0	78	7.3	170	20.1	964	1000
8/31/24 3:45	7.0	78	7.3	170	20.1	960	989
8/31/24 4:00	7.1	78	7.3	170	20.1	960	1000
8/31/24 4:15	7.1	78	7.3	170	20.1	959	1000
8/31/24 4:30	7.1	78	7.3	170	20.1	951	1010
8/31/24 4:45	7.1	78	7.3	170	20.1	952	1030
8/31/24 5:00	7.1	78	7.3	170	20.1	953	1020
8/31/24 5:15	7.1	78	7.3	171	20.1	959	1010
8/31/24 5:30	7.1	78	7.3	171	20.1	960	1030
8/31/24 5:45	7.1	78	7.3	171	20.1	967	1020
8/31/24 6:00	7.1	78	7.3	171	20.1	975	1020
8/31/24 6:15	7.1	78	7.3	171	20.1	979	999
8/31/24 6:30	7.1	78	7.3	171	20.1	972	989
8/31/24 6:45	7.1	78	7.3	171	20.1	979	982
8/31/24 7:00	7.1	78	7.3	171	20.1	970	975
8/31/24 7:15	7.1	78	7.3	171	20.1	958	943
8/31/24 7:30	7.2	79	7.3	171	20.0	949	967
8/31/24 7:45	7.2	79	7.3	170	20.0	950	940
8/31/24 8:00	7.2	80	7.3	170	20.0	937	940
8/31/24 8:15	7.3	80	7.3	170	20.0	929	953
8/31/24 8:30	7.3	80	7.3	169	19.9	917	938
8/31/24 8:45	7.3	81	7.4	169	19.9	916	960
8/31/24 9:00	7.4	81	7.4	169	19.9	909	935
8/31/24 9:15	7.4	81	7.4	169	19.9	908	942
8/31/24 9:30	7.4	81	7.4	169	19.9	909	920
8/31/24 9:45	7.4	81	7.4	169	19.9	907	920
8/31/24 10:00	7.4	82	7.4	169	20.0	899	912
8/31/24 10:15	7.4	82	7.4	168	20.0	900	908
8/31/24 10:30	7.5	82	7.4	168	20.0	887	917
8/31/24 10:45	7.5	82	7.4	168	20.1	897	918
8/31/24 11:00	7.5	83	7.4	168	20.2	888	915

**Klamath River at Walker Bridge, CA
(11517818)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 11:15	7.5	83	7.4	168	20.2	889	917
8/31/24 11:30	7.5	83	7.4	168	20.3	885	913
8/31/24 11:45	7.5	83	7.4	168	20.4	880	910
8/31/24 12:00	7.5	83	7.4	168	20.5	878	932
8/31/24 12:15	7.5	83	7.4	168	20.6	886	925
8/31/24 12:30	7.5	83	7.4	167	20.7	887	937
8/31/24 12:45	7.4	83	7.4	167	20.8	889	953
8/31/24 13:00	7.4	83	7.4	167	20.9	893	922
8/31/24 13:15	7.4	83	7.4	167	21.0	895	967
8/31/24 13:30	7.4	83	7.3	167	21.1	903	952
8/31/24 13:45	7.4	83	7.3	167	21.3	904	959
8/31/24 14:00	7.3	83	7.3	167	21.4	908	977
8/31/24 14:15	7.3	83	7.3	167	21.5	908	982
8/31/24 14:30	7.3	83	7.3	167	21.6	908	965
8/31/24 14:45	7.3	83	7.3	167	21.8	916	1000
8/31/24 15:00	7.2	83	7.3	167	21.9	922	974
8/31/24 15:15	7.2	83	7.3	167	22.0	928	947
8/31/24 15:30	7.2	83	7.3	167	22.1	932	969
8/31/24 15:45	7.2	83	7.3	167	22.2	928	960
8/31/24 16:00	7.2	83	7.3	167	22.4	931	959
8/31/24 16:15	7.2	83	7.3	167	22.5	935	942
8/31/24 16:30	7.2	83	7.3	167	22.6	932	940
8/31/24 16:45	7.1	83	7.3	167	22.7	923	940
8/31/24 17:00	7.1	83	7.3	167	22.8	926	955
8/31/24 17:15	7.1	83	7.3	167	22.8	919	943
8/31/24 17:30	7.1	83	7.3	167	22.9	918	938
8/31/24 17:45	7.1	83	7.3	167	22.9	912	967
8/31/24 18:00	7.1	83	7.3	167	23.0	914	945
8/31/24 18:15	7.1	83	7.3	167	23.0	910	937
8/31/24 18:30	7.1	82	7.3	167	23.0	913	923
8/31/24 18:45	7.0	82	7.3	167	23.0	918	928
8/31/24 19:00	7.0	82	7.3	167	23.0	911	943
8/31/24 19:15	7.0	82	7.3	167	22.9	912	905
8/31/24 19:30	7.0	82	7.3	167	22.9	911	915
8/31/24 19:45	7.0	82	7.3	167	22.8	902	933
8/31/24 20:00	7.0	81	7.3	167	22.8	898	945
8/31/24 20:15	7.0	81	7.3	167	22.7	896	932
8/31/24 20:30	7.0	81	7.3	168	22.6	893	962
8/31/24 20:45	7.0	81	7.3	168	22.5	898	970
8/31/24 21:00	7.0	81	7.3	168	22.4	904	989
8/31/24 21:15	7.0	80	7.3	168	22.4	913	992
8/31/24 21:30	6.9	80	7.3	169	22.3	917	1010
8/31/24 21:45	6.9	79	7.3	169	22.3	929	1000
8/31/24 22:00	6.8	78	7.3	170	22.2	947	1010
8/31/24 22:15	6.8	78	7.3	170	22.2	953	1060



Klamath River below Iron Gate Dam, CA (USGS 11516530)

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/1/24 0:00	7.7	90	7.8	139	23.2	130	
8/1/24 0:15	7.7	90	7.8	139	23.2	132	
8/1/24 0:30	7.7	90	7.8	139	23.1	131	
8/1/24 0:45	7.7	90	7.8	139	22.9	126	
8/1/24 1:00	7.7	90	7.8	139	22.8	126	
8/1/24 1:15	7.7	90	7.8	139	22.7	127	
8/1/24 1:30	7.8	90	7.8	139	22.6	122	
8/1/24 1:45	7.8	90	7.8	139	22.5	124	
8/1/24 2:00	7.8	90	7.8	139	22.4	126	
8/1/24 2:15	7.8	90	7.8	139	22.3	125	
8/1/24 2:30	7.8	90	7.8	139	22.2	118	
8/1/24 2:45	7.8	90	7.8	139	22.1	123	
8/1/24 3:00	7.8	90	7.8	139	21.9	123	
8/1/24 3:15	7.9	90	7.8	139	21.8	123	
8/1/24 3:30	7.9	90	7.8	140	21.8	123	
8/1/24 3:45	7.9	90	7.8	139	21.7	124	
8/1/24 4:00	7.9	90	7.8	139	21.6	117	
8/1/24 4:15	7.9	90	7.8	139	21.5	123	
8/1/24 4:30	7.9	90	7.8	139	21.4	122	
8/1/24 4:45	8.0	90	7.8	139	21.3	122	
8/1/24 5:00	8.0	90	7.8	139	21.3	116	
8/1/24 5:15	8.0	90	7.8	139	21.2	119	
8/1/24 5:30	8.0	90	7.8	139	21.1	119	
8/1/24 5:45	8.0	90	7.8	139	21.1	118	
8/1/24 6:00	8.0	90	7.8	139	21.0	119	
8/1/24 6:15	8.0	90	7.8	139	21.0	116	
8/1/24 6:30	8.1	90	7.8	139	20.9	122	
8/1/24 6:45	8.1	90	7.8	139	20.8	122	
8/1/24 7:00	8.1	90	7.8	139	20.8	126	
8/1/24 7:15	8.1	90	7.8	139	20.7	130	
8/1/24 7:30	8.1	91	7.8	138	20.7	131	
8/1/24 7:45	8.1	90	7.8	139	20.7	138	
8/1/24 8:00	8.1	91	7.8	138	20.7	142	
8/1/24 8:15	8.1	91	7.8	138	20.7	148	
8/1/24 8:30	8.2	91	7.8	138	20.6	153	309
8/1/24 8:45	8.2	91	7.8	138	20.7	155	
8/1/24 9:00	8.2	91	7.8	138	20.7	157	328
8/1/24 9:15	8.2	91	7.8	138	20.8	155	325
8/1/24 9:30	8.2	91	7.8	138	20.8	156	
8/1/24 9:45	8.2	92	7.8	138	20.9	159	
8/1/24 10:00	8.2	92	7.8	138	21.0	161	312
8/1/24 10:15	8.2	92	7.8	138	21.1	161	319
8/1/24 10:30	8.2	92	7.8	137	21.3	161	332
8/1/24 10:45	8.2	92	7.8	137	21.4	156	319
8/1/24 11:00	8.1	92	7.8	137	21.5	157	312

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 11:15	8.1	92	7.8	137	21.7	155	306
8/1/24 11:30	8.1	93	7.8	137	21.8	156	332
8/1/24 11:45	8.1	93	7.8	137	22.0	153	315
8/1/24 12:00	8.1	93	7.8	137	22.2	151	
8/1/24 12:15	8.1	93	7.8	137	22.3	151	
8/1/24 12:30	8.0	93	7.8	137	22.5	150	
8/1/24 12:45	8.0	93	7.8	137	22.7	146	
8/1/24 13:00	8.0	93	7.8	137	22.9	148	303
8/1/24 13:15	8.0	93	7.8	136	23.0	146	
8/1/24 13:30	7.9	93	7.8	136	23.2	149	
8/1/24 13:45	7.9	93	7.8	136	23.3	142	
8/1/24 14:00	7.9	93	7.8	137	23.5	145	303
8/1/24 14:15	7.9	93	7.8	136	23.6	146	303
8/1/24 14:30	7.8	93	7.8	136	23.8	150	
8/1/24 14:45			7.8				315
8/1/24 15:00			7.8				
8/1/24 15:15			7.8				309
8/1/24 15:30			7.8				
8/1/24 15:45							312
8/1/24 16:00	7.8	93		136	24.0	149	
8/1/24 16:15	7.8	93		136	24.0	152	
8/1/24 16:30	7.8	93		136	24.2	152	
8/1/24 16:45	7.8	93		136	24.3	146	
8/1/24 17:00	7.7	92	7.8	136	24.4	158	
8/1/24 17:15	7.7	92	7.8	136	24.4	150	
8/1/24 17:30	7.7	92	7.8	136	24.5	153	
8/1/24 17:45	7.7	92	7.8	136	24.6	152	
8/1/24 18:00	7.7	92	7.8	136	24.6	147	
8/1/24 18:15	7.6	92	7.8	136	24.6	148	
8/1/24 18:30	7.6	92	7.8	136	24.6	148	
8/1/24 18:45	7.6	91	7.8	137	24.6	143	
8/1/24 19:00	7.6	91	7.8	136	24.6	140	
8/1/24 19:15	7.6	91	7.8	137	24.6	144	
8/1/24 19:30	7.6	91	7.8	136	24.6	142	
8/1/24 19:45	7.6	91	7.8	137	24.6	141	
8/1/24 20:00	7.6	91	7.8	136	24.6	138	
8/1/24 20:15	7.6	91	7.8	136	24.6	136	
8/1/24 20:30	7.5	90	7.8	137	24.5	131	
8/1/24 20:45	7.5	90	7.8	136	24.4	132	
8/1/24 21:00	7.5	90	7.8	137	24.4	136	
8/1/24 21:15	7.6	90	7.8	137	24.3	130	
8/1/24 21:30	7.6	90	7.8	137	24.2	124	
8/1/24 21:45	7.6	90	7.8	137	24.1	127	
8/1/24 22:00	7.6	90	7.8	137	24.0	127	
8/1/24 22:15	7.6	90	7.8	137	23.9	124	

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 22:30	7.6	90	7.8	138	23.8	125	
8/1/24 22:45	7.6	90	7.8	138	23.6	126	
8/1/24 23:00	7.6	90	7.8	138	23.5	126	
8/1/24 23:15	7.7	90	7.8	138	23.5	125	
8/1/24 23:30	7.7	90	7.8	139	23.4	122	
8/1/24 23:45	7.7	90	7.8	139	23.3	126	
8/2/24 0:00	7.7	90	7.8	139	23.2	128	
8/2/24 0:15	7.7	90	7.8	139	23.1	121	
8/2/24 0:30	7.7	90	7.8	139	23.0	122	
8/2/24 0:45	7.7	90	7.8	139	22.9	123	
8/2/24 1:00	7.7	90	7.8	139	22.8		
8/2/24 1:15	7.8	90	7.8	139	22.7	122	
8/2/24 1:30	7.8	90	7.8	139	22.6	115	
8/2/24 1:45	7.8	90	7.8	139	22.6	118	
8/2/24 2:00	7.8	90	7.8	139	22.5	123	
8/2/24 2:15	7.8	90	7.8	139	22.4	120	
8/2/24 2:30	7.8	90	7.8	139	22.3	119	
8/2/24 2:45	7.9	90	7.8	139	22.2	119	
8/2/24 3:00	7.9	90	7.8	139	22.1	123	
8/2/24 3:15	7.9	90	7.8	139	22.0	125	
8/2/24 3:30	7.9	90	7.8	139	21.9	126	
8/2/24 3:45	7.9	90	7.8	138	21.8	128	
8/2/24 4:00	7.9	90	7.8	138	21.7	121	
8/2/24 4:15	8.0	90	7.8	139	21.6	124	
8/2/24 4:30	8.0	90	7.8	138	21.5	119	
8/2/24 4:45	8.0	90	7.8	139	21.5	119	
8/2/24 5:00	8.0	90	7.8	138	21.4	124	
8/2/24 5:15	8.0	90	7.8	138	21.3	121	
8/2/24 5:30	8.0	90	7.8	139	21.2	113	
8/2/24 5:45	8.0	90	7.8	139	21.1	120	
8/2/24 6:00	8.1	90	7.8	139	21.0	117	
8/2/24 6:15	8.1	90	7.8	139	21.0	119	
8/2/24 6:30	8.1	90	7.8	139	20.9	112	
8/2/24 6:45	8.1	90	7.8	139	20.8	116	
8/2/24 7:00	8.1	90	7.8	139	20.8	116	
8/2/24 7:15	8.1	90	7.8	139	20.7	113	
8/2/24 7:30	8.1	90	7.8	139	20.7	117	
8/2/24 7:45	8.1	90	7.8	139	20.6	124	312
8/2/24 8:00	8.1	90	7.8	139	20.5	118	332
8/2/24 8:15	8.1	90	7.8	140	20.5	127	393
8/2/24 8:30	8.1	89	7.7	140	20.4	131	365
8/2/24 8:45	8.1	89	7.7	140	20.3	145	418
8/2/24 9:00	8.0	88	7.7	140	20.3	157	454
8/2/24 9:15	8.0	88	7.7	140	20.2	172	435
8/2/24 9:30	7.8	87	7.6	140	20.2	199	409

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/2/24 9:45	7.8	86	7.6	141	20.2	201	386
8/2/24 10:00	7.7	86	7.6	141	20.3	227	357
8/2/24 10:15	7.7	85	7.6	142	20.3	241	354
8/2/24 10:30	7.7	85	7.6	141	20.4	228	351
8/2/24 10:45	7.7	86	7.6	141	20.5	211	328
8/2/24 11:00	7.7	86	7.6	141	20.6	205	380
8/2/24 11:15	7.8	87	7.6	141	20.8	207	386
8/2/24 11:30	7.8	88	7.6	141	20.9	182	351
8/2/24 11:45	7.8	88	7.6	141	21.0	183	364
8/2/24 12:00	7.8	88	7.7	141	21.2	185	383
8/2/24 12:15	7.9	89	7.7	140	21.3	167	958
8/2/24 12:30	7.9	89	7.7	140	21.5	172	425
8/2/24 12:45	7.9	90	7.7	140	21.6	160	542
8/2/24 13:00	7.9	90	7.7	140	21.8	160	806
8/2/24 13:15	7.9	90	7.7	140	22.0	161	368
8/2/24 13:30	7.9	90	7.7	139	22.1	171	525
8/2/24 13:45	7.8	90	7.7	140	22.3	153	437
8/2/24 14:00	7.9	91	7.8	139	22.4	148	427
8/2/24 14:15	7.9	91	7.8	139	22.6	141	368
8/2/24 14:30	7.9	92	7.8	139	22.7	173	402
8/2/24 14:45	7.9	92	7.8	138	22.9	136	380
8/2/24 15:00	7.9	92	7.8	138	23.0	139	412
8/2/24 15:15	7.9	92	7.8	138	23.2	135	454
8/2/24 15:30	7.8	92	7.8	138	23.4	132	383
8/2/24 15:45	7.8	92	7.8	137	23.5	129	444
8/2/24 16:00	7.8	92	7.8	137	23.7	131	402
8/2/24 16:15	7.8	92	7.8	137	23.8	131	425
8/2/24 16:30	7.8	93	7.8	137	24.0	135	429
8/2/24 16:45	7.8	93	7.8	137	24.1	129	441
8/2/24 17:00	7.8	93	7.8	136	24.3	130	425
8/2/24 17:15	7.7	93	7.8	136	24.4	127	368
8/2/24 17:30	7.7	93	7.8	136	24.6	127	451
8/2/24 17:45	7.7	92	7.8	136	24.7	129	402
8/2/24 18:00	7.7	93	7.8	136	24.8	133	402
8/2/24 18:15	7.6	92	7.8	136	24.9	131	460
8/2/24 18:30	7.6	92	7.8	136	24.9	131	467
8/2/24 18:45	7.6	92	7.8	136	24.8	130	435
8/2/24 19:00	7.6	92	7.8	136	24.7	137	473
8/2/24 19:15	7.6	91	7.8	137	24.7	133	419
8/2/24 19:30	7.6	91	7.8	137	24.6	132	724
8/2/24 19:45	7.6	91	7.8	137	24.5	138	444
8/2/24 20:00	7.6	91	7.8	137	24.5	136	535
8/2/24 20:15	7.6	91	7.8	137	24.5	139	427
8/2/24 20:30	7.6	91	7.8	137	24.4	135	400
8/2/24 20:45	7.6	91	7.8	137	24.3	140	461

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/2/24 21:00	7.6	90	7.8	137	24.3	140	417
8/2/24 21:15	7.6	90	7.8	137	24.2	141	503
8/2/24 21:30	7.6	90	7.8	138	24.1	140	464
8/2/24 21:45	7.6	90	7.8	137	24.0	140	380
8/2/24 22:00	7.6	90	7.8	137	23.9	137	457
8/2/24 22:15	7.6	90	7.8	137	23.8	136	410
8/2/24 22:30	7.7	90	7.8	137	23.7	143	368
8/2/24 22:45	7.7	90	7.8	137	23.6	138	422
8/2/24 23:00	7.7	90	7.8	138	23.5	137	446
8/2/24 23:15	7.7	90	7.8	138	23.4	139	422
8/2/24 23:30	7.7	91	7.8	138	23.3	135	418
8/2/24 23:45	7.7	90	7.8	138	23.2	136	415
8/3/24 0:00	7.8	91	7.8	138	23.1	136	425
8/3/24 0:15	7.8	91	7.8	138	23.0	137	435
8/3/24 0:30	7.8	91	7.8	139	23.0	139	451
8/3/24 0:45	7.8	91	7.8	138	22.9	139	415
8/3/24 1:00	7.8	91	7.8	139	22.8	137	447
8/3/24 1:15	7.8	91	7.8	139	22.7	136	415
8/3/24 1:30	7.8	91	7.8	139	22.6	140	444
8/3/24 1:45	7.8	91	7.8	139	22.5	140	412
8/3/24 2:00	7.9	91	7.8	139	22.5	140	441
8/3/24 2:15	7.9	91	7.8	139	22.4	137	425
8/3/24 2:30	7.9	91	7.8	139	22.3	140	441
8/3/24 2:45	7.9	91	7.8	139	22.3	146	422
8/3/24 3:00	7.9	91	7.8	140	22.2	147	418
8/3/24 3:15	7.9	91	7.8	140	22.2	145	454
8/3/24 3:30	7.9	91	7.8	140	22.1	148	438
8/3/24 3:45	7.9	91	7.8	140	22.1	146	444
8/3/24 4:00	7.9	91	7.8	140	22.0	150	438
8/3/24 4:15	7.9	91	7.8	140	21.9	151	418
8/3/24 4:30	8.0	91	7.8	140	21.8	150	454
8/3/24 4:45	8.0	91	7.8	140	21.8	147	476
8/3/24 5:00	8.0	91	7.8	140	21.7	154	444
8/3/24 5:15	8.0	91	7.8	140	21.6	146	402
8/3/24 5:30	8.0	91	7.8	140	21.6	150	470
8/3/24 5:45	8.0	91	7.8	140	21.5	148	415
8/3/24 6:00	8.0	91	7.8	140	21.5	152	422
8/3/24 6:15	8.0	91	7.8	140	21.4	141	447
8/3/24 6:30	8.0	91	7.8	141	21.4	146	447
8/3/24 6:45	8.0	91	7.8	140	21.4	140	447
8/3/24 7:00	8.0	91	7.8	140	21.3	142	428
8/3/24 7:15	8.1	91	7.8	140	21.3	140	389
8/3/24 7:30	8.1	91	7.8	140	21.3	141	390
8/3/24 7:45	8.1	91	7.8	140	21.2	138	444
8/3/24 8:00	8.1	91	7.8	140	21.2	139	467

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/3/24 8:15	8.1	91	7.8	140	21.2	137	375
8/3/24 8:30	8.1	91	7.8	140	21.2	134	409
8/3/24 8:45	8.1	91	7.8	140	21.2	132	435
8/3/24 9:00	8.1	91	7.8	140	21.2	134	451
8/3/24 9:15	8.1	91	7.8	140	21.1	133	441
8/3/24 9:30	8.1	91	7.8	140	21.1	130	428
8/3/24 9:45	8.1	91	7.8	140	21.1	131	441
8/3/24 10:00	8.1	91	7.8	139	21.1	131	444
8/3/24 10:15	8.1	91	7.8	140	21.1	130	467
8/3/24 10:30	8.1	91	7.8	139	21.1	132	454
8/3/24 10:45	8.1	92	7.8	139	21.2	130	438
8/3/24 11:00	8.2	92	7.8	139	21.2	130	431
8/3/24 11:15	8.1	92	7.8	139	21.2	134	375
8/3/24 11:30	8.1	92	7.8	139	21.2	129	451
8/3/24 11:45	8.1	91	7.8	139	21.2	127	425
8/3/24 12:00	8.1	91	7.8	140	21.2	130	409
8/3/24 12:15	8.1	92	7.8	139	21.2	131	438
8/3/24 12:30	8.1	92	7.8	139	21.2	133	428
8/3/24 12:45	8.1	92	7.8	138	21.3	133	368
8/3/24 13:00	8.1	92	7.8	139	21.3	132	454
8/3/24 13:15	8.1	91	7.8	138	21.3	133	412
8/3/24 13:30	8.1	92	7.8	138	21.3	133	410
8/3/24 13:45	8.1	92	7.8	138	21.3	133	438
8/3/24 14:00	8.1	92	7.8	138	21.3	136	454
8/3/24 14:15	8.1	92	7.8	137	21.4	136	470
8/3/24 14:30	8.1	92	7.8	138	21.4	133	428
8/3/24 14:45	8.1	91	7.8	138	21.4	139	438
8/3/24 15:00	8.1	91	7.8	137	21.4	141	407
8/3/24 15:15	8.1	92	7.8	137	21.5	137	467
8/3/24 15:30	8.1	92	7.8	137	21.5	141	460
8/3/24 15:45	8.1	93	7.8	137	21.8	133	467
8/3/24 16:00	8.1	93	7.8	136	21.9	134	418
8/3/24 16:15	8.1	93	7.8	137	22.0	135	375
8/3/24 16:30	8.1	93	7.8	137	22.1	136	378
8/3/24 16:45	8.1	93	7.8	137	22.2	133	613
8/3/24 17:00	8.0	92	7.8	136	22.2	133	370
8/3/24 17:15	8.0	92	7.8	137	22.2	134	457
8/3/24 17:30	8.0	92	7.8	137	22.3	135	444
8/3/24 17:45	8.0	92	7.8	136	22.4	131	441
8/3/24 18:00	8.0	92	7.8	137	22.5	136	451
8/3/24 18:15	8.0	92	7.8	137	22.5	137	370
8/3/24 18:30	7.9	92	7.8	137	22.6	133	370
8/3/24 18:45	8.0	92	7.8	137	22.6	132	383
8/3/24 19:00	7.9	92	7.8	137	22.6	137	464
8/3/24 19:15	7.9	92	7.8	136	22.6	136	447

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/3/24 19:30	7.9	92	7.8	137	22.7	137	373
8/3/24 19:45	7.9	91	7.8	137	22.7	140	397
8/3/24 20:00	7.9	91	7.8	137	22.7	142	395
8/3/24 20:15	7.9	91	7.8	137	22.7	146	476
8/3/24 20:30	7.9	91	7.8	137	22.7	145	444
8/3/24 20:45	7.8	91	7.8	138	22.7	144	457
8/3/24 21:00	7.8	91	7.8	137	22.6	154	378
8/3/24 21:15	7.8	91	7.8	138	22.6	147	392
8/3/24 21:30	7.8	91	7.8	137	22.6	151	378
8/3/24 21:45	7.8	90	7.8	137	22.6	147	473
8/3/24 22:00	7.8	90	7.8	138	22.7	150	373
8/3/24 22:15	7.8	90	7.8	138	22.6	151	451
8/3/24 22:30	7.8	90	7.8	137	22.6	146	447
8/3/24 22:45	7.8	90	7.8	138	22.5	142	460
8/3/24 23:00	7.8	90	7.8	138	22.4	138	397
8/3/24 23:15	7.8	90	7.8	137	22.4	140	438
8/3/24 23:30	7.8	90	7.8	138	22.3	136	375
8/3/24 23:45	7.9	90	7.8	137	22.3	134	425
8/4/24 0:00	7.9	90	7.8	138	22.2	134	457
8/4/24 0:15	7.9	90	7.8	138	22.2	135	375
8/4/24 0:30	7.9	90	7.8	138	22.1	132	373
8/4/24 0:45	7.9	90	7.8	138	22.0	132	454
8/4/24 1:00	7.9	90	7.8	139	21.9	127	464
8/4/24 1:15	7.9	90	7.8	138	21.8	129	457
8/4/24 1:30	7.9	90	7.8	139	21.7	134	400
8/4/24 1:45	8.0	90	7.8	139	21.7	130	368
8/4/24 2:00	8.0	90	7.8	138	21.6	132	476
8/4/24 2:15	8.0	90	7.8	139	21.5	128	470
8/4/24 2:30	8.0	90	7.8	138	21.5	129	451
8/4/24 2:45	8.0	90	7.8	139	21.4	127	444
8/4/24 3:00	8.0	90	7.8	139	21.3	129	473
8/4/24 3:15	8.0	90	7.8	139	21.3	132	378
8/4/24 3:30	8.0	90	7.8	139	21.2	126	464
8/4/24 3:45	8.0	90	7.8	139	21.2	132	390
8/4/24 4:00	8.0	90	7.8	139	21.1	134	457
8/4/24 4:15	8.0	90	7.8	139	21.1	126	451
8/4/24 4:30	8.1	90	7.8	139	21.0	129	375
8/4/24 4:45	8.1	90	7.8	139	21.0	127	390
8/4/24 5:00	8.1	90	7.8	139	20.9	130	476
8/4/24 5:15	8.1	90	7.8	139	20.9	129	375
8/4/24 5:30	8.1	90	7.8	139	20.8	132	476
8/4/24 5:45	8.1	90	7.8	139	20.8	126	473
8/4/24 6:00	8.1	90	7.8	139	20.7	132	368
8/4/24 6:15	8.1	90	7.8	139	20.7	126	467
8/4/24 6:30	8.1	91	7.8	138	20.6	127	447

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 6:45	8.1	90	7.8	139	20.5	126	451
8/4/24 7:00	8.1	90	7.8	139	20.5	126	438
8/4/24 7:15	8.2	91	7.8	138	20.4	124	464
8/4/24 7:30	8.2	91	7.8	138	20.4	123	454
8/4/24 7:45	8.2	90	7.8	139	20.3	122	365
8/4/24 8:00	8.2	91	7.8	139	20.3	121	373
8/4/24 8:15	8.2	91	7.8	138	20.2	123	432
8/4/24 8:30	8.2	91	7.8	138	20.2	122	378
8/4/24 8:45	8.2	91	7.8	139	20.2	120	375
8/4/24 9:00	8.2	91	7.8	138	20.1	120	467
8/4/24 9:15	8.2	91	7.8	139	20.1	123	473
8/4/24 9:30	8.3	91	7.8	138	20.1	122	407
8/4/24 9:45	8.3	91	7.8	138	20.1	123	470
8/4/24 10:00	8.2	91	7.8	138	20.1	124	444
8/4/24 10:15	8.2	91	7.8	138	20.2	125	368
8/4/24 10:30	8.2	91	7.8	138	20.3	124	375
8/4/24 10:45	8.2	91	7.8	138	20.4	123	457
8/4/24 11:00	8.2	92	7.8	138	20.5	120	470
8/4/24 11:15	8.2	92	7.8	138	20.7	132	467
8/4/24 11:30	8.2	92	7.8	138	20.8	121	467
8/4/24 11:45	8.2	92	7.8	137	21.0	123	417
8/4/24 12:00	8.2	92	7.8	138	21.1	119	378
8/4/24 12:15	8.2	92	7.8	138	21.3	123	388
8/4/24 12:30	8.2	93	7.8	137	21.5	123	365
8/4/24 12:45	8.2	93	7.8	138	21.7	122	473
8/4/24 13:00	8.1	93	7.8	138	21.9	123	388
8/4/24 13:15	8.1	93	7.8	138	22.0	123	390
8/4/24 13:30	8.1	93	7.8	137	22.2	122	402
8/4/24 13:45	8.1	93	7.8	137	22.4	121	481
8/4/24 14:00	8.0	93	7.8	137	22.6	123	473
8/4/24 14:15	8.0	93	7.8	137	22.8	119	470
8/4/24 14:30	8.0	93	7.8	137	22.9	125	368
8/4/24 14:45	8.0	93	7.8	137	23.1	125	397
8/4/24 15:00	7.9	93	7.8	137	23.3	124	378
8/4/24 15:15	7.9	93	7.8	137	23.4	123	476
8/4/24 15:30	7.9	93	7.8	137	23.6	126	476
8/4/24 15:45	7.8	93	7.8	137	23.8	124	464
8/4/24 16:00	7.8	93	7.8	137	23.9	122	373
8/4/24 16:15	7.8	93	7.8	137	24.1	123	451
8/4/24 16:30	7.8	93	7.8	137	24.2	120	368
8/4/24 16:45	7.8	93	7.8	137	24.4	127	380
8/4/24 17:00	7.7	93	7.8	137	24.5	125	467
8/4/24 17:15	7.7	93	7.8	137	24.6	125	466
8/4/24 17:30	7.7	92	7.8	137	24.7	123	390
8/4/24 17:45	7.7	92	7.8	137	24.9	126	365

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/4/24 18:00	7.6	92	7.8	137	25.0	123	373
8/4/24 18:15	7.6	92	7.8	137	25.0	123	407
8/4/24 18:30	7.6	92	7.8	137	25.1	126	378
8/4/24 18:45	7.6	92	7.8	137	25.1	123	390
8/4/24 19:00	7.6	92	7.8	138	25.1	121	388
8/4/24 19:15	7.6	92	7.8	137	25.1	120	415
8/4/24 19:30	7.6	91	7.8	137	25.0	121	378
8/4/24 19:45	7.5	91	7.8	137	25.0	122	427
8/4/24 20:00	7.5	91	7.8	138	24.9	122	368
8/4/24 20:15	7.5	91	7.8	137	24.8	124	434
8/4/24 20:30	7.5	91	7.8	138	24.7	118	402
8/4/24 20:45	7.5	91	7.8	138	24.6	120	397
8/4/24 21:00	7.6	91	7.8	138	24.5	122	375
8/4/24 21:15	7.6	90	7.8	138	24.4	124	368
8/4/24 21:30	7.6	91	7.8	138	24.3	126	405
8/4/24 21:45	7.6	91	7.8	138	24.3	122	434
8/4/24 22:00	7.6	91	7.8	138	24.1	120	478
8/4/24 22:15	7.6	91	7.8	138	24.0	120	424
8/4/24 22:30	7.6	91	7.8	138	23.9	119	415
8/4/24 22:45	7.6	91	7.8	138	23.8	125	451
8/4/24 23:00	7.7	91	7.8	138	23.7	122	437
8/4/24 23:15	7.7	90	7.8	138	23.6	124	392
8/4/24 23:30	7.7	90	7.8	138	23.5	125	397
8/4/24 23:45	7.7	90	7.8	138	23.4	120	498
8/5/24 0:00	7.7	91	7.8	138	23.3	125	444
8/5/24 0:15	7.7	90	7.8	138	23.3	120	427
8/5/24 0:30	7.7	90	7.8	139	23.2	123	491
8/5/24 0:45	7.8	91	7.8	138	23.1	123	456
8/5/24 1:00	7.8	91	7.8	138	23.1	127	417
8/5/24 1:15	7.8	91	7.8	138	23.0	118	434
8/5/24 1:30	7.8	91	7.8	138	23.0	117	456
8/5/24 1:45	7.8	91	7.8	139	22.9	115	415
8/5/24 2:00	7.8	91	7.8	139	22.8	118	476
8/5/24 2:15	7.8	91	7.8	139	22.8	120	437
8/5/24 2:30	7.8	91	7.8	139	22.7	115	427
8/5/24 2:45	7.8	91	7.8	139	22.6	118	518
8/5/24 3:00	7.8	91	7.8	139	22.5	119	412
8/5/24 3:15	7.8	91	7.8	139	22.4	116	370
8/5/24 3:30	7.9	91	7.8	139	22.3	120	432
8/5/24 3:45	7.9	91	7.8	139	22.2	114	407
8/5/24 4:00	7.9	91	7.8	139	22.1	113	535
8/5/24 4:15	7.9	90	7.8	139	22.0	117	491
8/5/24 4:30	7.9	91	7.8	139	21.9	120	456
8/5/24 4:45	7.9	91	7.8	139	21.8	114	513
8/5/24 5:00	8.0	91	7.8	139	21.7	113	446

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/5/24 5:15	8.0	91	7.8	139	21.6	128	446
8/5/24 5:30	8.0	91	7.8	139	21.6	117	446
8/5/24 5:45	8.0	91	7.8	139	21.5	120	439
8/5/24 6:00	8.0	91	7.8	139	21.5	116	412
8/5/24 6:15	8.0	91	7.8	139	21.4	119	429
8/5/24 6:30	8.0	91	7.8	139	21.4	120	405
8/5/24 6:45	8.0	91	7.8	139	21.3	117	468
8/5/24 7:00	8.1	91	7.8	139	21.2	117	470
8/5/24 7:15	8.1	91	7.8	140	21.1	114	473
8/5/24 7:30	8.1	91	7.8	139	21.1	112	385
8/5/24 7:45	8.1	91	7.8	139	21.0	109	424
8/5/24 8:00	8.1	91	7.8	139	20.9	110	375
8/5/24 8:15	8.1	91	7.8	139	20.9	111	383
8/5/24 8:30	8.2	91	7.8	139	20.8	108	378
8/5/24 8:45	8.2	91	7.8	139	20.7	105	397
8/5/24 9:00	8.2	91	7.8	140	20.7	109	383
8/5/24 9:15	8.2	91	7.8	139	20.7	109	407
8/5/24 9:30	8.2	91	7.8	139	20.7	104	444
8/5/24 9:45	8.2	91	7.8	139	20.6	106	385
8/5/24 10:00	8.2	91	7.8	139	20.7	108	400
8/5/24 10:15	8.2	92	7.8	140	20.7	104	412
8/5/24 10:30	8.2	92	7.8	139	20.8	106	383
8/5/24 10:45	8.2	92	7.9	140	20.9	102	415
8/5/24 11:00	8.2	92	7.9	139	21.0	105	407
8/5/24 11:15	8.2	92	7.8	139	21.2	107	442
8/5/24 11:30	8.2	92	7.9	139	21.3	105	407
8/5/24 11:45	8.2	93	7.9	139	21.4	109	395
8/5/24 12:00	8.2	93	7.9	140	21.6	107	437
8/5/24 12:15	8.2	93	7.9	139	21.7	104	415
8/5/24 12:30	8.1	93	7.9	140	21.9	109	368
8/5/24 12:45	8.1	93	7.9	139	22.0	105	392
8/5/24 13:00	8.1	93	7.9	140	22.2	103	370
8/5/24 13:15	8.1	93	7.9	139	22.3	104	388
8/5/24 13:30	8.1	93	7.9	139	22.4	108	410
8/5/24 13:45	8.1	93	7.9	139	22.6	105	459
8/5/24 14:00	8.1	93	7.9	139	22.7	102	427
8/5/24 14:15	8.0	93	7.9	139	22.9	107	390
8/5/24 14:30	8.0	94	7.9	139	23.1	104	407
8/5/24 14:45	8.0	94	7.9	139	23.2	106	422
8/5/24 15:00	8.0	94	7.9	139	23.4	104	402
8/5/24 15:15	7.9	93	7.9	138	23.5	104	397
8/5/24 15:30	7.9	94	7.9	138	23.7	106	390
8/5/24 15:45	7.9	93	7.9	138	23.8	106	380
8/5/24 16:00	7.9	94	7.9	138	24.0	109	388
8/5/24 16:15	7.8	93	7.9	138	24.2	116	365

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 16:30	7.8	93	7.9	138	24.4	110	375
8/5/24 16:45	7.8	93	7.9	138	24.5	108	370
8/5/24 17:00	7.8	93	7.9	137	24.6	109	375
8/5/24 17:15	7.7	93	7.9	138	24.7	110	385
8/5/24 17:30	7.7	93	7.9	137	24.9	111	378
8/5/24 17:45	7.7	93	7.9	137	24.9	112	368
8/5/24 18:00	7.7	93	7.9	138	25.0	107	412
8/5/24 18:15	7.6	93	7.9	137	25.1	114	449
8/5/24 18:30	7.6	93	7.9	137	25.1	115	410
8/5/24 18:45	7.6	92	7.9	138	25.1	115	395
8/5/24 19:00	7.6	92	7.9	137	25.1	113	476
8/5/24 19:15	7.6	92	7.9	137	25.1	113	395
8/5/24 19:30	7.6	92	7.9	137	25.1	112	395
8/5/24 19:45	7.6	92	7.9	137	25.1	113	395
8/5/24 20:00	7.6	92	7.8	137	25.1	113	424
8/5/24 20:15	7.6	91	7.9	137	25.0	109	397
8/5/24 20:30	7.5	91	7.9	137	24.9	116	395
8/5/24 20:45	7.6	91	7.9	138	24.8	114	388
8/5/24 21:00	7.6	91	7.8	138	24.7	111	397
8/5/24 21:15	7.6	91	7.8	138	24.6	114	373
8/5/24 21:30	7.6	91	7.8	137	24.5	112	419
8/5/24 21:45	7.6	91	7.8	138	24.4	114	419
8/5/24 22:00	7.6	91	7.8	138	24.3	111	493
8/5/24 22:15	7.6	91	7.8	138	24.1	116	427
8/5/24 22:30	7.6	91	7.8	138	24.0	113	446
8/5/24 22:45	7.7	91	7.8	138	23.9	113	368
8/5/24 23:00	7.7	91	7.8	138	23.8	109	434
8/5/24 23:15	7.7	91	7.8	139	23.7	106	522
8/5/24 23:30	7.7	91	7.8	138	23.6	111	446
8/5/24 23:45	7.7	91	7.8	139	23.5	109	395
8/6/24 0:00	7.7	91	7.8	139	23.5	110	370
8/6/24 0:15	7.7	91	7.8	139	23.4	102	454
8/6/24 0:30	7.8	91	7.8	139	23.3	110	422
8/6/24 0:45	7.8	91	7.8	139	23.2	111	417
8/6/24 1:00	7.8	91	7.8	139	23.1	110	513
8/6/24 1:15	7.8	91	7.8	139	22.9	107	427
8/6/24 1:30	7.8	91	7.8	139	22.8	105	432
8/6/24 1:45	7.8	91	7.8	139	22.7	106	498
8/6/24 2:00	7.9	91	7.8	140	22.6	108	412
8/6/24 2:15	7.9	91	7.8	139	22.5	110	407
8/6/24 2:30	7.9	91	7.9	140	22.4	103	375
8/6/24 2:45	7.9	91	7.8	139	22.2	108	380
8/6/24 3:00	7.9	91	7.8	140	22.1	105	400
8/6/24 3:15	8.0	91	7.8	139	22.0	103	405
8/6/24 3:30	8.0	91	7.8	140	21.9	106	419

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 3:45	8.0	91	7.8	139	21.8	103	422
8/6/24 4:00	8.0	91	7.8	139	21.7	103	410
8/6/24 4:15	8.0	91	7.8	140	21.6	105	456
8/6/24 4:30	8.0	91	7.9	140	21.5	105	395
8/6/24 4:45	8.1	91	7.9	139	21.4	101	388
8/6/24 5:00	8.1	91	7.8	139	21.3	102	530
8/6/24 5:15	8.1	91	7.8	140	21.2	105	417
8/6/24 5:30	8.1	91	7.9	139	21.2	107	397
8/6/24 5:45	8.1	91	7.9	140	21.1	104	427
8/6/24 6:00	8.1	91	7.9	140	21.0	102	375
8/6/24 6:15	8.1	91	7.9	139	21.0	100	427
8/6/24 6:30	8.2	91	7.9	139	20.9	101	444
8/6/24 6:45	8.2	91	7.9	139	20.9	101	464
8/6/24 7:00	8.2	91	7.9	140	20.8	101	405
8/6/24 7:15	8.2	91	7.9	140	20.7	97	488
8/6/24 7:30	8.2	91	7.9	140	20.7	97	388
8/6/24 7:45	8.2	91	7.9	139	20.6	100	392
8/6/24 8:00	8.2	92	7.9	139	20.6	95	395
8/6/24 8:15	8.2	92	7.8	139	20.5	96	569
8/6/24 8:30	8.2	92	7.9	140	20.5	97	461
8/6/24 8:45	8.3	92	7.9	139	20.4	96	410
8/6/24 9:00	8.3	92	7.9	140	20.4	96	464
8/6/24 9:15	8.3	92	7.9	140	20.3	94	468
8/6/24 9:30	8.3	92	7.9	140	20.3	97	380
8/6/24 9:45	8.3	92	7.9	139	20.3	97	495
8/6/24 10:00	8.3	92	7.9	140	20.3	95	422
8/6/24 10:15	8.3	92	7.9	139	20.4	97	461
8/6/24 10:30	8.3	92	7.9	140	20.5	95	444
8/6/24 10:45	8.3	92	7.9	140	20.5	93	400
8/6/24 11:00	8.3	93	7.9	139	20.6	95	456
8/6/24 11:15	8.3	93	7.9	139	20.7	93	454
8/6/24 11:30	8.3	93	7.9	140	20.9	98	481
8/6/24 11:45	8.3	93	7.9	139	21.0	97	608
8/6/24 12:00	8.3	93	7.9	139	21.1	93	567
8/6/24 12:15	8.3	93	7.9	139	21.3	95	427
8/6/24 12:30	8.3	94	7.9	139	21.4	94	569
8/6/24 12:45	8.2	94	7.9	139	21.6	95	589
8/6/24 13:00	8.2	94	7.9	139	21.7	96	481
8/6/24 13:15	8.2	94	7.9	139	21.9	96	564
8/6/24 13:30	8.2	94	7.9	139	22.0	94	562
8/6/24 13:45	8.2	94	7.9	139	22.2	95	633
8/6/24 14:00	8.2	94	7.9	139	22.4	94	567
8/6/24 14:15	8.1	94	7.9	139	22.5	95	557
8/6/24 14:30	8.1	94	7.9	138	22.7	92	613
8/6/24 14:45	8.1	94	7.9	138	22.9	97	466

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/6/24 15:00	8.1	94	7.9	138	23.1	99	549
8/6/24 15:15	8.0	94	7.9	138	23.3	96	687
8/6/24 15:30	8.0	94	7.9	138	23.4	100	493
8/6/24 15:45	8.0	94	7.9	138	23.6	99	454
8/6/24 16:00	8.0	94	7.9	138	23.8	101	549
8/6/24 16:15	7.9	94	7.9	138	23.9	100	630
8/6/24 16:30	7.9	94	7.9	137	24.1	102	586
8/6/24 16:45	7.9	94	7.9	138	24.2	103	625
8/6/24 17:00	7.8	94	7.9	138	24.3	103	562
8/6/24 17:15	7.8	94	7.9	138	24.5	106	581
8/6/24 17:30	7.8	94	7.9	138	24.5	105	644
8/6/24 17:45	7.8	93	8.0	140	24.6	104	629
8/6/24 18:00	7.8	93	8.0	141	24.6	104	667
8/6/24 18:15	7.7	93	8.0	141	24.6	108	860
8/6/24 18:30	7.7	93	8.0	142	24.7	106	813
8/6/24 18:45	7.7	93	8.0	141	24.7	103	548
8/6/24 19:00	7.7	93	8.0	141	24.7	100	635
8/6/24 19:15	7.7	92	8.0	140	24.6	113	611
8/6/24 19:30	7.7	92	8.0	140	24.5	104	902
8/6/24 19:45	7.7	92	8.0	140	24.5	100	906
8/6/24 20:00	7.7	92	8.0	140	24.4	104	732
8/6/24 20:15	7.7	92	8.0	140	24.3	106	929
8/6/24 20:30	7.7	92	7.9	140	24.2	104	732
8/6/24 20:45	7.7	92	7.9	140	24.1	106	1050
8/6/24 21:00	7.7	91	8.0	141	24.1	107	580
8/6/24 21:15	7.7	92	8.0	141	24.0	107	1170
8/6/24 21:30	7.7	91	7.9	140	23.9	101	879
8/6/24 21:45	7.7	91	7.9	140	23.8	107	1230
8/6/24 22:00	7.7	91	7.9	140	23.7	103	828
8/6/24 22:15	7.7	91	7.9	140	23.6	105	792
8/6/24 22:30	7.8	91	7.9	140	23.5	99	557
8/6/24 22:45	7.8	91	7.9	140	23.4	102	2000
8/6/24 23:00	7.8	91	7.9	140	23.3	118	1950
8/6/24 23:15	7.8	91	7.9	139	23.2	103	945
8/6/24 23:30	7.8	91	7.9	139	23.1	106	612
8/6/24 23:45	7.8	91	7.9	139	22.9	107	706
8/7/24 0:00	7.8	91	7.9	139	22.8	102	968
8/7/24 0:15	7.9	91	7.9	139	22.7	104	703
8/7/24 0:30	7.9	91	7.9	139	22.5	103	970
8/7/24 0:45	7.9	91	7.9	139	22.4	100	1500
8/7/24 1:00	7.9	91	7.9	139	22.3	102	1200
8/7/24 1:15	7.9	91	7.9	139	22.2	103	1540
8/7/24 1:30	8.0	91	7.9	139	22.1	96	530
8/7/24 1:45	8.0	91	7.9	139	21.9	101	1220
8/7/24 2:00	8.0	91	7.9	139	21.8	99	872

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/7/24 2:15	8.0	91	7.9	139	21.7	100	1280
8/7/24 2:30	8.0	91	7.9	139	21.6	96	666
8/7/24 2:45	8.1	91	7.9	139	21.5	97	915
8/7/24 3:00	8.1	91	7.9	139	21.3	97	1690
8/7/24 3:15	8.1	91	7.9	139	21.2	96	819
8/7/24 3:30	8.1	91	7.9	139	21.1	97	690
8/7/24 3:45	8.2	91	7.9	139	21.0	91	1630
8/7/24 4:00	8.2	91	7.9	139	20.9	97	703
8/7/24 4:15	8.2	91	7.9	139	20.8	93	970
8/7/24 4:30	8.2	92	7.9	139	20.7	97	981
8/7/24 4:45	8.2	92	7.9	139	20.6	94	737
8/7/24 5:00	8.2	92	7.9	139	20.5	90	742
8/7/24 5:15	8.3	92	7.9	139	20.4	91	1500
8/7/24 5:30	8.3	92	7.9	139	20.3	86	1050
8/7/24 5:45	8.3	92	7.9	139	20.2	107	1330
8/7/24 6:00	8.3	92	7.9	139	20.1	89	1320
8/7/24 6:15	8.3	92	7.9	139	20.0	89	1340
8/7/24 6:30	8.3	92	7.9	139	19.9	95	1540
8/7/24 6:45	8.4	92	7.9	139	19.8	87	1250
8/7/24 7:00	8.4	92	7.9	139	19.7	86	1110
8/7/24 7:15	8.4	92	7.9	139	19.7	88	1210
8/7/24 7:30	8.4	92	7.9	139	19.6	88	1450
8/7/24 7:45	8.4	92	7.9	139	19.5	88	959
8/7/24 8:00	8.4	92	7.9	139	19.5	87	1160
8/7/24 8:15	8.4	92	7.9	139	19.4	87	735
8/7/24 8:30	8.5	92	7.9	139	19.4	85	919
8/7/24 8:45	8.5	92	7.9	139	19.3	89	1290
8/7/24 9:00	8.5	92	7.9	139	19.3	86	1570
8/7/24 9:15	8.5	92	7.9	139	19.2	85	1790
8/7/24 9:30	8.5	92	7.9	139	19.2	84	1480
8/7/24 9:45	8.5	92	7.9	139	19.2	86	1310
8/7/24 10:00	8.5	92	7.9	139	19.2	86	1570
8/7/24 10:15	8.5	92	7.9	139	19.2	85	1900
8/7/24 10:30	8.5	93	7.9	139	19.3	91	1310
8/7/24 10:45	8.5	93	7.9	139	19.4	87	1530
8/7/24 11:00	8.5	93	7.9	138	19.5	83	1660
8/7/24 11:15	8.5	93	7.9	138	19.6	85	1860
8/7/24 11:30	8.5	93	7.9	139	19.7	86	1140
8/7/24 11:45	8.5	93	7.9	138	19.9	84	1140
8/7/24 12:00	8.5	93	7.9	138	20.0	86	1280
8/7/24 12:15	8.5	94	7.9	138	20.1	86	1330
8/7/24 12:30	8.5	94	7.9	138	20.3	86	1790
8/7/24 12:45	8.5	94	7.9	138	20.4	85	2000
8/7/24 13:00	8.4	94	7.9	138	20.6	87	1270
8/7/24 13:15	8.4	94	7.9	138	20.8	89	1500

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/7/24 13:30	8.4	94	7.9	138	21.0	84	1810
8/7/24 13:45	8.4	94	7.9	138	21.1	86	656
8/7/24 14:00	8.3	94	8.0	139	21.3	84	2420
8/7/24 14:15	8.3	94	7.9	139	21.5	88	1980
8/7/24 14:30	8.3	94	7.9	138	21.7	84	2070
8/7/24 14:45	8.3	94	7.9	138	21.9	87	1020
8/7/24 15:00	8.2	94	8.0	138	22.0	85	1960
8/7/24 15:15	8.2	94	8.0	138	22.2	87	602
8/7/24 15:30	8.2	95	7.9	138	22.4	87	1870
8/7/24 15:45	8.2	94	8.0	138	22.6	88	1620
8/7/24 16:00	8.1	94	8.0	138	22.8	87	1480
8/7/24 16:15	8.1	94	8.0	138	23.0	90	1890
8/7/24 16:30	8.1	94	8.0	138	23.1	89	1600
8/7/24 16:45	8.0	94	8.0	138	23.2	87	2000
8/7/24 17:00	8.0	94	7.9	138	23.3	89	3830
8/7/24 17:15	8.0	94	8.0	138	23.5	89	2010
8/7/24 17:30	8.0	94	7.9	138	23.6	90	1660
8/7/24 17:45	7.9	94	8.0	138	23.7	91	1950
8/7/24 18:00	7.9	94	8.0	138	23.7	91	1590
8/7/24 18:15	7.9	93	8.0	138	23.8	90	1680
8/7/24 18:30	7.9	93	8.0	138	23.8	90	856
8/7/24 18:45	7.9	93	8.0	138	23.9	91	2700
8/7/24 19:00	7.8	93	8.0	138	23.8	94	856
8/7/24 19:15	7.8	93	8.1	139	23.8	109	2170
8/7/24 19:30	7.8	92	8.0	139	23.8	113	1030
8/7/24 19:45	7.7	91	7.9	139	23.8	126	1660
8/7/24 20:00	7.4	88	7.7	139	23.6	174	991
8/7/24 20:15	7.5	88	7.8	139	23.5	151	1490
8/7/24 20:30	7.6	90	7.8	139	23.4	121	3520
8/7/24 20:45	7.7	90	7.9	139	23.3	106	737
8/7/24 21:00	7.8	91	7.9	140	23.2	99	1290
8/7/24 21:15	7.8	91	7.9	141	23.1	101	1320
8/7/24 21:30	7.8	91	7.9	140	23.0	101	1290
8/7/24 21:45	7.8	91	7.9	140	22.9	100	1530
8/7/24 22:00	7.8	91	7.9	140	22.8	101	747
8/7/24 22:15	7.8	91	7.9	140	22.8	101	1030
8/7/24 22:30	7.8	91	7.9	140	22.7	100	1460
8/7/24 22:45	7.8	91	7.9	140	22.7	106	1970
8/7/24 23:00	7.8	91	7.8	140	22.6	103	1300
8/7/24 23:15	7.9	91	7.8	140	22.5	102	949
8/7/24 23:30	7.9	91	7.8	140	22.4	103	1370
8/7/24 23:45	7.9	91	7.8	139	22.3	99	1260
8/8/24 0:00	7.9	91	7.8	139	22.2	105	1330
8/8/24 0:15	7.9	91	7.8	139	22.0	103	2290
8/8/24 0:30	7.9	91	7.8	139	21.9	104	2430

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 0:45	8.0	91	7.8	139	21.8	100	1310
8/8/24 1:00	8.0	91	7.8	139	21.7	103	981
8/8/24 1:15	8.0	91	7.8	139	21.5	101	1530
8/8/24 1:30	8.0	91	7.8	139	21.4	100	1600
8/8/24 1:45	8.0	91	7.8	139	21.3	103	951
8/8/24 2:00	8.1	91	7.8	139	21.2	101	1240
8/8/24 2:15	8.1	91	7.8	139	21.0	98	1220
8/8/24 2:30	8.1	91	7.8	139	20.9	104	885
8/8/24 2:45	8.1	91	7.8	139	20.8	104	1000
8/8/24 3:00	8.1	91	7.8	139	20.7	99	990
8/8/24 3:15	8.2	91	7.8	139	20.6	99	835
8/8/24 3:30	8.2	91	7.8	139	20.5	93	1040
8/8/24 3:45	8.2	91	7.8	139	20.4	99	1050
8/8/24 4:00	8.2	91	7.8	139	20.4	94	1700
8/8/24 4:15	8.2	91	7.8	139	20.3	98	975
8/8/24 4:30	8.2	91	7.8	139	20.2	96	924
8/8/24 4:45	8.2	91	7.8	139	20.2	95	1000
8/8/24 5:00	8.2	91	7.8	139	20.1	94	1120
8/8/24 5:15	8.2	91	7.8	139	20.0	96	935
8/8/24 5:30	8.3	91	7.8	139	19.9	98	1050
8/8/24 5:45	8.3	91	7.8	139	19.8	96	819
8/8/24 6:00	8.3	91	7.8	138	19.8	92	1110
8/8/24 6:15	8.3	91	7.8	138	19.7	95	895
8/8/24 6:30	8.3	91	7.8	139	19.6	98	867
8/8/24 6:45	8.3	91	7.8	139	19.5	95	1180
8/8/24 7:00	8.3	91	7.8	138	19.4	94	681
8/8/24 7:15	8.4	91	7.9	139	19.4	88	1020
8/8/24 7:30	8.4	91	7.9	139	19.3	92	803
8/8/24 7:45	8.4	91	7.9	138	19.2	95	1380
8/8/24 8:00	8.4	91	7.9	138	19.2	94	872
8/8/24 8:15	8.4	91	7.9	138	19.1	94	612
8/8/24 8:30	8.4	91	7.9	138	19.1	92	705
8/8/24 8:45	8.4	91	7.9	138	19.0	92	1650
8/8/24 9:00	8.4	91	7.9	138	19.0	87	967
8/8/24 9:15	8.5	91	7.9	138	19.0	89	860
8/8/24 9:30	8.5	91	7.9	138	19.0	87	813
8/8/24 9:45	8.5	91	7.9	138	19.0	87	813
8/8/24 10:00	8.5	91	7.9	138	19.0	88	1460
8/8/24 10:15	8.5	92	7.9	138	19.1	90	1040
8/8/24 10:30	8.5	92	7.9	138	19.1	88	1010
8/8/24 10:45	8.5	92	7.9	138	19.2	87	1470
8/8/24 11:00	8.5	92	7.9	138	19.3	84	1440
8/8/24 11:15	8.5	92	7.9	139	19.5	87	703
8/8/24 11:30	8.5	93	7.9	139	19.6	90	838
8/8/24 11:45	8.5	93	7.9	139	19.7	87	931

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 12:00	8.4	93	7.9	138	19.9	92	1140
8/8/24 12:15	8.4	93	7.9	138	20.1	91	837
8/8/24 12:30	8.4	93	7.9	139	20.2	87	963
8/8/24 12:45	8.4	93	7.9	139	20.4	88	671
8/8/24 13:00	8.4	93	7.9	139	20.6	86	910
8/8/24 13:15	8.4	93	7.9	139	20.7	89	870
8/8/24 13:30	8.3	93	7.9	139	20.9	89	942
8/8/24 13:45	8.3	94	7.9	139	21.1	92	983
8/8/24 14:00	8.3	93	7.9	139	21.3	91	1050
8/8/24 14:15	8.3	94	7.9	139	21.5	89	943
8/8/24 14:30	8.2	94	7.9	139	21.7	100	910
8/8/24 14:45	8.2	94	7.9	138	21.9	97	1460
8/8/24 15:00	8.2	94	7.9	139	22.1	93	835
8/8/24 15:15	8.2	94	8.0	140	22.3	95	1190
8/8/24 15:30	8.1	94	8.0	142	22.5	109	840
8/8/24 15:45	8.1	94	8.0	143	22.6	105	977
8/8/24 16:00	8.1	94	8.0	142	22.8	105	1360
8/8/24 16:15	8.0	93	8.0	141	23.0	101	1010
8/8/24 16:30	8.0	93	7.9	140	23.1	99	926
8/8/24 16:45	8.0	93	7.9	139	23.3	102	919
8/8/24 17:00	7.9	93	7.9	138	23.4	98	991
8/8/24 17:15	7.9	93	7.9	139	23.5	99	854
8/8/24 17:30	7.9	93	7.9	139	23.6	103	1230
8/8/24 17:45	7.9	93	7.9	139	23.7	99	792
8/8/24 18:00	7.9	93	7.9	139	23.7	105	1040
8/8/24 18:15	7.8	93	7.9	139	23.8	106	881
8/8/24 18:30	7.8	92	7.9	139	23.8	106	627
8/8/24 18:45	7.8	92	7.9	139	23.8	104	860
8/8/24 19:00	7.8	92	7.9	139	23.8	101	690
8/8/24 19:15	7.8	92	7.9	138	23.7	105	817
8/8/24 19:30	7.8	92	7.9	138	23.7	99	919
8/8/24 19:45	7.8	92	7.9	139	23.6	101	683
8/8/24 20:00	7.8	91	7.9	139	23.6	102	879
8/8/24 20:15	7.8	91	7.9	139	23.5	102	1010
8/8/24 20:30	7.8	91	7.9	139	23.4	98	1010
8/8/24 20:45	7.8	91	7.9	139	23.4	103	740
8/8/24 21:00	7.7	91	7.9	139	23.3	103	853
8/8/24 21:15	7.7	90		141	23.2	159	708
8/8/24 21:30	7.7	90		141	23.2	135	817
8/8/24 21:45	7.7	90	7.9	141	23.1	120	813
8/8/24 22:00	7.7	90	7.9	141	23.0	105	894
8/8/24 22:15	7.7	90	7.9	141	22.9	119	715
8/8/24 22:30	7.8	90	7.9	141	22.8	104	749
8/8/24 22:45	7.8	90	7.8	141	22.7	104	739
8/8/24 23:00	7.8	90	7.8	141	22.7	101	1600

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/8/24 23:15	7.8	90	7.8	141	22.6	104	1180
8/8/24 23:30	7.8	90	7.8	141	22.6	103	796
8/8/24 23:45	7.8	90	7.8	141	22.5	105	822
8/9/24 0:00	7.8	90	7.9	156	22.3	100	725
8/9/24 0:15	7.8	90	7.9	155	22.2	101	681
8/9/24 0:30	7.9	90	7.9	153	22.1	96	697
8/9/24 0:45	7.9	90	7.9	152	22.0	95	911
8/9/24 1:00	7.9	90	7.9	150	21.9	92	952
8/9/24 1:15	7.9	90	7.9	150	21.8	95	676
8/9/24 1:30	8.0	90	7.9	148	21.7	92	1790
8/9/24 1:45	8.0	90	7.9	146	21.6	94	1640
8/9/24 2:00	8.0	90	7.9	146	21.5	93	735
8/9/24 2:15	8.0	91	7.9	149	21.4	92	847
8/9/24 2:30	8.0	91	7.9	154	21.4	96	671
8/9/24 2:45	8.0	90	7.9	161	21.3	93	600
8/9/24 3:00	8.0	91	7.9	163	21.2	92	700
8/9/24 3:15	8.0	90	7.9	166	21.1	93	1110
8/9/24 3:30	8.1	91	7.9	167	21.0	99	917
8/9/24 3:45	8.1	91	7.9	166	20.9	97	894
8/9/24 4:00	8.1	91	7.9	169	20.8	91	863
8/9/24 4:15	8.1	91	7.9	165	20.7	88	1490
8/9/24 4:30	8.1	91	7.9	165	20.7	90	1140
8/9/24 4:45	8.1	91	7.9	164	20.6	92	1720
8/9/24 5:00	8.1	91	7.9	166	20.5	89	942
8/9/24 5:15	8.2	91	7.9	162	20.5	91	1180
8/9/24 5:30	8.2	91	7.9	160	20.4	88	1180
8/9/24 5:45	8.2	91	7.9	161	20.3	89	1240
8/9/24 6:00	8.2	91	7.9	163	20.3	87	842
8/9/24 6:15	8.2	91	7.9	161	20.2	89	1280
8/9/24 6:30	8.2	91	7.9	161	20.2	90	1050
8/9/24 6:45	8.2	91	7.9	158	20.1	89	856
8/9/24 7:00	8.2	91	7.9	158	20.0	89	892
8/9/24 7:15	8.2	91	7.9	159	19.9	87	740
8/9/24 7:30	8.3	91	7.9	157	19.9	86	1030
8/9/24 7:45	8.3	91	7.9	157	19.8	86	1240
8/9/24 8:00	8.3	91	7.9	156	19.8	86	867
8/9/24 8:15	8.2	90	7.9	155	19.7	103	1040
8/9/24 8:30	8.3	91	7.9	153	19.7	91	967
8/9/24 8:45	8.3	91	7.9	155	19.6	89	1040
8/9/24 9:00	8.3	91	7.9	154	19.6	99	1190
8/9/24 9:15	8.3	91	7.9	154	19.6	90	1330
8/9/24 9:30	8.4	91	7.9	153	19.6	86	1010
8/9/24 9:45	8.4	91	7.9	153	19.5	91	1000
8/9/24 10:00	8.4	91	7.9	154	19.6	86	1110
8/9/24 10:15	8.4	91	7.9	151	19.6	85	837

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/9/24 10:30	8.4	92	7.9	152	19.6	85	1130
8/9/24 10:45	8.4	92	7.9	151	19.7	91	1040
8/9/24 11:00	8.4	92	7.9	151	19.8	84	660
8/9/24 11:15	8.4	92	7.9	150	19.9	87	979
8/9/24 11:30	8.4	92	7.9	149	20.1	82	849
8/9/24 11:45	8.4	92	7.9	150	20.2	90	1000
8/9/24 12:00	8.4	93	7.9	151	20.3	87	878
8/9/24 12:15	8.3	93	7.9	149	20.5	85	881
8/9/24 12:30	8.3	93	7.9	149	20.7	88	833
8/9/24 12:45	8.3	93	7.9	151	20.8	85	881
8/9/24 13:00	8.3	93	7.9	150	21.0	89	942
8/9/24 13:15	8.3	93	7.9	148	21.2	91	1020
8/9/24 13:30	8.2	93	7.9	147	21.4	89	854
8/9/24 13:45	8.2	93	7.9	148	21.6	100	997
8/9/24 14:00	8.2	93	7.9	149	21.8	97	1370
8/9/24 14:15	8.2	93	7.9	147	21.9	95	840
8/9/24 14:30	8.1	93	7.9	148	22.1	90	797
8/9/24 14:45	8.1	93	7.9	146	22.2	87	729
8/9/24 15:00	8.1	93	7.9	146	22.4	90	897
8/9/24 15:15	8.1	93	7.9	147	22.6	92	965
8/9/24 15:30	8.0	93	7.9	146	22.7	91	1330
8/9/24 15:45	8.0	93	7.9	145	22.9	94	821
8/9/24 16:00	8.0	93	7.9	147	23.1	93	1220
8/9/24 16:15	8.0	93	7.9	147	23.2	96	886
8/9/24 16:30	7.9	93	7.9	145	23.4	99	949
8/9/24 16:45	7.9	93	7.9	145	23.5	93	1260
8/9/24 17:00	7.9	93	7.9	145	23.6	93	888
8/9/24 17:15	7.8	93	7.9	144	23.8	92	710
8/9/24 17:30	7.8	93	7.9	146	23.9	92	1240
8/9/24 17:45	7.8	93	7.9	144	24.0	95	806
8/9/24 18:00	7.8	93	7.9	144	24.0	101	1540
8/9/24 18:15	7.8	92	7.9	144	24.1	103	676
8/9/24 18:30	7.7	91	7.8	144	24.1		1880
8/9/24 18:45	7.7	92	7.8	143	24.2	108	1180
8/9/24 19:00	7.6	91	7.8	144	24.2	107	990
8/9/24 19:15	7.7	91	7.9	143	24.1	105	636
8/9/24 19:30	7.7	91	7.9	143	24.1	100	1220
8/9/24 19:45	7.7	91	7.9	143	24.0	98	927
8/9/24 20:00	7.7	91	7.9	144	23.9	102	1170
8/9/24 20:15	7.7	91	7.8	143	23.8	100	1040
8/9/24 20:30	7.7	91	7.9	143	23.8	103	1010
8/9/24 20:45	7.7	91	7.8	143	23.7	91	698
8/9/24 21:00	7.7	91	7.8	143	23.6	98	645
8/9/24 21:15	7.7	90	7.8	142	23.6	97	813
8/9/24 21:30	7.7	90	7.8	142	23.5	99	867

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/9/24 21:45	7.7	90	7.8	142	23.4	96	917
8/9/24 22:00	7.7	90	7.8	143	23.3	100	1330
8/9/24 22:15	7.7	90	7.8	143	23.2	97	886
8/9/24 22:30	7.7	90	7.8	142	23.1	98	680
8/9/24 22:45	7.7	90	7.8	143	23.0	96	979
8/9/24 23:00	7.8	90	7.8	143	22.9	95	717
8/9/24 23:15	7.8	90	7.8	142	22.8	94	1430
8/9/24 23:30	7.8	90	7.8	143	22.7	95	2220
8/9/24 23:45	7.8	90	7.8	142	22.6	94	1830
8/10/24 0:00	7.8	90	7.8	143	22.5	93	661
8/10/24 0:15	7.8	90	7.8	143	22.4	93	867
8/10/24 0:30	7.9	90	7.8	143	22.3	93	521
8/10/24 0:45	7.9	90	7.8	143	22.2	92	931
8/10/24 1:00	7.9	90	7.8	143	22.1	92	705
8/10/24 1:15	7.9	90	7.8	142	22.0	90	625
8/10/24 1:30	7.9	90	7.8	143	21.9	88	899
8/10/24 1:45	7.9	90	7.8	142	21.7	91	933
8/10/24 2:00	8.0	91	7.8	142	21.6	92	822
8/10/24 2:15	8.0	90	7.8	143	21.5	88	602
8/10/24 2:30	8.0	91	7.8	143	21.4	91	899
8/10/24 2:45	8.0	91	7.8	142	21.3	93	1310
8/10/24 3:00	8.0	91	7.8	142	21.2	89	1660
8/10/24 3:15	8.1	91	7.8	144	21.1	91	1010
8/10/24 3:30	8.1	91	7.8	143	21.0	88	963
8/10/24 3:45	8.1	91	7.8	142	20.9	89	858
8/10/24 4:00	8.1	91	7.8	143	20.8	85	833
8/10/24 4:15	8.1	91	7.8	143	20.7	86	860
8/10/24 4:30	8.2	91	7.8	142	20.6	87	595
8/10/24 4:45	8.2	91	7.8	142	20.5	84	708
8/10/24 5:00	8.2	91	7.8	143	20.4	82	810
8/10/24 5:15	8.2	91	7.8	142	20.3	83	745
8/10/24 5:30	8.2	91	7.8	142	20.2	87	713
8/10/24 5:45	8.2	91	7.8	142	20.2	83	835
8/10/24 6:00	8.2	91	7.8	143	20.1	82	1150
8/10/24 6:15	8.2	91	7.8	142	20.1	80	724
8/10/24 6:30	8.3	91	7.9	142	20.0	83	592
8/10/24 6:45	8.3	91	7.8	142	20.0	80	806
8/10/24 7:00	8.3	91	7.9	142	19.9	84	822
8/10/24 7:15	8.3	91	7.8	143	19.9	81	1280
8/10/24 7:30	8.3	91	7.9	142	19.8	80	1230
8/10/24 7:45	8.3	91	7.8	142	19.8	93	810
8/10/24 8:00	8.3	91	7.9	141	19.7	85	740
8/10/24 8:15	8.3	91	7.9	143	19.7	218	577
8/10/24 8:30	8.3	91	7.9	142	19.6	105	673
8/10/24 8:45	8.3	91	7.9	143	19.6	106	908

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/10/24 9:00	8.3	91	7.9	143	19.5	108	582
8/10/24 9:15	8.4	91	7.9	142	19.5	108	842
8/10/24 9:30	8.4	91	7.9	143	19.5	104	685
8/10/24 9:45	8.4	91	7.9	142	19.5	94	643
8/10/24 10:00	8.4	92	7.9	142	19.5	88	690
8/10/24 10:15	8.4	92	7.9	142	19.6	84	633
8/10/24 10:30	8.4	92	7.9	141	19.7	84	840
8/10/24 10:45	8.4	91	8.0	143	19.7	188	801
8/10/24 11:00	8.3	91	8.1	144	19.8	286	606
8/10/24 11:15	8.3	91	8.0	144	19.9	246	838
8/10/24 11:30	8.3	92	8.0	144	20.0	210	680
8/10/24 11:45	8.3	92	8.0	143	20.2	176	660
8/10/24 12:00	8.3	92	8.0	143	20.3	184	797
8/10/24 12:15	8.3	92	8.1	143	20.5	191	690
8/10/24 12:30	8.3	93	8.1	143	20.6	198	732
8/10/24 12:45	8.3	93	8.1	143	20.8	209	819
8/10/24 13:00	8.3	93	8.0	142	20.9	180	881
8/10/24 13:15	8.3	93	8.0	141	21.1	139	920
8/10/24 13:30	8.3	93	7.9	140	21.2	111	611
8/10/24 13:45	8.3	94	7.9	141	21.4	100	974
8/10/24 14:00	8.2	94	7.9	140	21.6	93	2700
8/10/24 14:15	8.2	94	7.9	140	21.8	91	828
8/10/24 14:30	8.2	94	7.9	140	21.9	89	730
8/10/24 14:45	8.2	94	7.9	139	22.1	87	862
8/10/24 15:00	8.2	94	7.9	140	22.3	98	824
8/10/24 15:15	8.1	94	7.9	139	22.5	92	970
8/10/24 15:30	8.1	94	7.9	139	22.7	83	1040
8/10/24 15:45	8.1	94	7.9	138	22.8	76	885
8/10/24 16:00	8.1	94	7.9	139	22.9	83	1900
8/10/24 16:15	8.0	94	7.9	139	23.1	79	1140
8/10/24 16:30	8.0	94	7.9	138	23.3	83	837
8/10/24 16:45	8.0	94	7.9	138	23.4	78	1010
8/10/24 17:00	8.0	94	7.9	138	23.5	78	901
8/10/24 17:15	7.9	94	7.9	138	23.7	79	858
8/10/24 17:30	7.9	94	7.9	139	23.8	79	1440
8/10/24 17:45	7.9	93	7.9	138	23.9	76	2190
8/10/24 18:00	7.9	93	7.9	138	24.0	74	920
8/10/24 18:15	7.8	93	7.9	138	24.0	76	553
8/10/24 18:30	7.8	93	7.9	138	24.1	77	890
8/10/24 18:45	7.8	93	7.9	138	24.1	79	1030
8/10/24 19:00	7.8	93	7.9	139	24.1	76	1200
8/10/24 19:15	7.8	93	7.9	138	24.0	75	706
8/10/24 19:30	7.8	93	7.9	139	24.0	75	670
8/10/24 19:45	7.8	92	7.9	138	23.9	75	1000
8/10/24 20:00	7.8	92	7.9	139	23.8	76	878

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/10/24 20:15	7.8	92	7.9	139	23.7	74	792
8/10/24 20:30	7.8	92	7.9	139	23.7	77	803
8/10/24 20:45	7.8	92	7.9	139	23.6	76	997
8/10/24 21:00	7.8	91	7.9	139	23.5	76	720
8/10/24 21:15	7.8	91	7.9	139	23.5	79	840
8/10/24 21:30	7.8	91	7.9	139	23.4	83	1280
8/10/24 21:45	7.8	91	7.9	139	23.3	78	838
8/10/24 22:00	7.8	91	7.9	139	23.2	76	1120
8/10/24 22:15	7.8	91	7.9	139	23.1	76	796
8/10/24 22:30	7.8	91	7.9	140	23.1	77	1470
8/10/24 22:45	7.8	91	7.9	139	23.0	81	911
8/10/24 23:00	7.8	91	7.9	139	22.9	79	931
8/10/24 23:15	7.8	91	7.9	140	22.8	77	862
8/10/24 23:30	7.8	91	7.9	140	22.6	76	865
8/10/24 23:45	7.9	91	7.9	140	22.5	77	661
8/11/24 0:00	7.9	91	7.9	140	22.4	78	863
8/11/24 0:15	7.9	91	7.9	140	22.3	76	876
8/11/24 0:30	7.9	91	7.9	140	22.2	77	719
8/11/24 0:45	7.9	91	7.9	140	22.1	79	801
8/11/24 1:00	7.9	91	7.9	140	22.0	76	879
8/11/24 1:15	8.0	91	7.8	140	21.9	75	712
8/11/24 1:30	8.0	91	7.9	140	21.8	73	933
8/11/24 1:45	8.0	91	7.9	140	21.7	75	1030
8/11/24 2:00	8.0	91	7.9	140	21.6	72	727
8/11/24 2:15	8.0	91	7.9	140	21.5	74	867
8/11/24 2:30	8.0	91	7.8	140	21.4	72	715
8/11/24 2:45	8.1	91	7.9	140	21.3	70	719
8/11/24 3:00	8.1	91	7.9	140	21.2	69	729
8/11/24 3:15	8.1	91	7.9	140	21.1	68	899
8/11/24 3:30	8.1	91	7.9	140	21.0	70	792
8/11/24 3:45	8.1	91	7.9	140	20.9	69	614
8/11/24 4:00	8.2	91	7.9	140	20.8	71	913
8/11/24 4:15	8.2	91	7.9	140	20.7	69	878
8/11/24 4:30	8.2	91	7.9	140	20.6	67	705
8/11/24 4:45	8.2	91	7.9	140	20.5	67	530
8/11/24 5:00	8.2	91	7.9	140	20.4	66	737
8/11/24 5:15	8.2	91	7.9	141	20.3	66	548
8/11/24 5:30	8.2	91	7.9	141	20.3	65	856
8/11/24 5:45	8.2	91	7.9	140	20.2	67	894
8/11/24 6:00	8.2	91	7.9	140	20.2	67	685
8/11/24 6:15	8.3	91	7.8	140	20.2	65	842
8/11/24 6:30	8.3	91	7.9	140	20.1	66	626
8/11/24 6:45	8.3	91	7.9	140	20.0	67	692
8/11/24 7:00	8.3	91	7.9	140	19.9	65	792
8/11/24 7:15	8.3	91	7.9	140	19.9	67	535

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/11/24 7:30	8.3	91	7.9	140	19.8	66	730
8/11/24 7:45	8.3	91	7.9	139	19.8	66	707
8/11/24 8:00	8.3	91	7.9	140	19.7	64	867
8/11/24 8:15	8.4	91	7.9	140	19.6	67	587
8/11/24 8:30	8.4	91	7.9	139	19.6	64	1140
8/11/24 8:45	8.4	91	7.9	139	19.5	65	654
8/11/24 9:00	8.4	91	7.9	140	19.5	65	590
8/11/24 9:15	8.4	92	7.9	139	19.5	62	801
8/11/24 9:30	8.4	92	7.9	139	19.4	63	1270
8/11/24 9:45	8.4	92	7.9	139	19.4	64	675
8/11/24 10:00	8.4	92	7.9	139	19.5	63	676
8/11/24 10:15	8.4	92	7.9	139	19.5	61	737
8/11/24 10:30	8.4	92	7.9	139	19.6	62	842
8/11/24 10:45	8.4	92	7.9	139	19.6	61	1010
8/11/24 11:00	8.5	93	7.9	139	19.7	62	828
8/11/24 11:15	8.5	93	7.9	139	19.8	60	849
8/11/24 11:30	8.5	93	7.9	139	19.9	63	1440
8/11/24 11:45	8.5	93	7.9	139	20.0	68	890
8/11/24 12:00	8.4	93	7.9	139	20.2	61	1560
8/11/24 12:15	8.4	93	7.9	139	20.3	62	835
8/11/24 12:30	8.4	94	7.9	139	20.5	62	803
8/11/24 12:45	8.4	94	7.9	139	20.6	59	1030
8/11/24 13:00	8.4	94	7.9	138	20.8	61	745
8/11/24 13:15	8.4	94	7.9	138	20.9	63	840
8/11/24 13:30	8.4	94	7.9	138	21.1	60	945
8/11/24 13:45	8.3	94	7.9	138	21.2	60	846
8/11/24 14:00	8.3	94	7.9	138	21.4	62	1870
8/11/24 14:15	8.3	94	8.0	139	21.6	62	734
8/11/24 14:30	8.3	94	8.0	139	21.8	60	967
8/11/24 14:45	8.3	94	8.0	139	21.9	65	624
8/11/24 15:00	8.2	94	8.0	140	22.1	63	587
8/11/24 15:15	8.2	94	8.0	140	22.3	62	703
8/11/24 15:30	8.2	94	8.0	140	22.5	63	720
8/11/24 15:45	8.1	94	8.0	139	22.6	63	824
8/11/24 16:00	8.1	94	8.0	140	22.8	63	663
8/11/24 16:15	8.1	94	8.0	139	22.9	62	673
8/11/24 16:30	8.1	94	8.0	139	23.1	63	826
8/11/24 16:45	8.0	94	8.0	138	23.2	64	676
8/11/24 17:00	8.0	94	8.0	138	23.3	64	633
8/11/24 17:15	8.0	94	8.0	138	23.4	66	739
8/11/24 17:30	8.0	94	8.0	138	23.5	63	567
8/11/24 17:45	7.9	94	8.0	138	23.6	64	959
8/11/24 18:00	7.9	94	8.0	138	23.7	64	675
8/11/24 18:15	7.9	93	8.0	138	23.7	66	516
8/11/24 18:30	7.9	93	8.0	138	23.7	65	686

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/11/24 18:45	7.9	93	7.9	138	23.7	67	719
8/11/24 19:00	7.9	93	7.9	138	23.7	66	658
8/11/24 19:15	7.8	93	7.9	138	23.7	67	881
8/11/24 19:30	7.8	92	7.9	138	23.6	67	842
8/11/24 19:45	7.8	92	7.9	138	23.6	66	643
8/11/24 20:00	7.8	92	7.9	138	23.5	65	617
8/11/24 20:15	7.8	92	7.9	138	23.5	66	634
8/11/24 20:30	7.8	92	7.9	138	23.4	69	600
8/11/24 20:45	7.8	92	7.9	138	23.3	66	913
8/11/24 21:00	7.8	91	7.9	138	23.2	68	697
8/11/24 21:15	7.8	91	7.9	138	23.2	65	548
8/11/24 21:30	7.8	91	7.9	138	23.1	68	938
8/11/24 21:45	7.8	91	7.9	138	23.0	69	806
8/11/24 22:00	7.8	91	7.9	139	22.9	67	1110
8/11/24 22:15	7.8	91	7.9	139	22.8	74	668
8/11/24 22:30	7.8	91	7.9	139	22.7	67	803
8/11/24 22:45	7.8	91	7.9	139	22.6	67	634
8/11/24 23:00	7.9	91	7.9	140	22.6	67	568
8/11/24 23:15	7.9	91	7.9	140	22.5	68	745
8/11/24 23:30	7.9	91	7.9	140	22.4	69	1460
8/11/24 23:45	7.9	91	7.9	140	22.3	69	739
8/12/24 0:00	7.9	91	7.9	141	22.2	67	837
8/12/24 0:15	7.9	91	7.9	141	22.1	68	2420
8/12/24 0:30	8.0	91	7.9	141	22.0	67	2180
8/12/24 0:45	8.0	91	7.9	141	21.9	71	922
8/12/24 1:00	8.0	91	7.9	141	21.8	67	2170
8/12/24 1:15	8.0	91	7.9	142	21.7	67	2400
8/12/24 1:30	8.0	91	7.9	142	21.6	64	1920
8/12/24 1:45	8.0	91	7.9	142	21.5	67	747
8/12/24 2:00	8.0	91	7.9	143	21.4	67	803
8/12/24 2:15	8.1	91	7.9	143	21.2	63	813
8/12/24 2:30	8.1	91	7.9	142	21.1	60	837
8/12/24 2:45	8.1	91	7.9	142	21.0	62	697
8/12/24 3:00	8.1	91	7.9	143	20.9	64	702
8/12/24 3:15	8.1	91	7.9	143	20.8	59	740
8/12/24 3:30	8.2	91	7.9	143	20.7	59	867
8/12/24 3:45	8.2	91	7.9	142	20.6	61	888
8/12/24 4:00	8.2	91	7.9	142	20.5	57	740
8/12/24 4:15	8.2	91	7.9	143	20.4	59	824
8/12/24 4:30	8.2	91	7.9	143	20.3	59	849
8/12/24 4:45	8.2	91	7.9	143	20.2	57	872
8/12/24 5:00	8.3	91	7.9	142	20.1	61	658
8/12/24 5:15	8.3	91	7.9	142	20.0	59	622
8/12/24 5:30	8.3	91	7.9	142	20.0	59	695
8/12/24 5:45	8.3	91	7.9	142	19.9	54	722

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 6:00	8.3	91	7.9	142	19.9	59	835
8/12/24 6:15	8.3	91	7.9	142	19.8	57	1260
8/12/24 6:30	8.3	91	7.9	143	19.8	57	719
8/12/24 6:45	8.3	91	7.9	142	19.7	59	617
8/12/24 7:00	8.3	91	7.9	142	19.6	60	740
8/12/24 7:15	8.3	91	7.9	142	19.6	56	2200
8/12/24 7:30	8.3	91	7.9	142	19.6	57	587
8/12/24 7:45	8.4	91	7.9	142	19.5	53	838
8/12/24 8:00	8.3	91	7.9	142	19.5	69	967
8/12/24 8:15	8.3	91	7.8	142	19.4	72	949
8/12/24 8:30	8.4	91	7.9	142	19.3	57	835
8/12/24 8:45	8.4	91	7.9	142	19.3	58	870
8/12/24 9:00	8.4	91	7.9	142	19.2	51	1930
8/12/24 9:15	8.4	92	7.9	142	19.2	50	690
8/12/24 9:30	8.5	92	7.9	142	19.2	51	799
8/12/24 9:45	8.5	92	7.9	142	19.2	63	983
8/12/24 10:00	8.5	92	7.9	141	19.2	61	644
8/12/24 10:15	8.5	92	7.9	142	19.3	49	796
8/12/24 10:30	8.5	92	7.9	141	19.3	49	799
8/12/24 10:45	8.5	92	7.9	142	19.4	48	638
8/12/24 11:00	8.5	92	7.9	142	19.5	47	695
8/12/24 11:15	8.5	93	7.9	141	19.6	49	929
8/12/24 11:30	8.5	93	7.9	141	19.8	51	924
8/12/24 11:45	8.5	93	7.9	141	19.9	50	879
8/12/24 12:00	8.5	93	8.0	141	20.0	49	663
8/12/24 12:15	8.5	94	7.9	141	20.2	46	654
8/12/24 12:30	8.5	94	7.9	141	20.3	47	1110
8/12/24 12:45	8.5	94	7.9	141	20.3	47	658
8/12/24 13:00							2370
8/12/24 13:15	8.4	94		140	20.8	46	844
8/12/24 13:30				141	21.0		1040
8/12/24 13:45	8.4	95	8.0	140	21.1	46	1290
8/12/24 14:00	8.4	95	8.0	141	21.3	46	680
8/12/24 14:15	8.4	95	8.0	140	21.5	50	835
8/12/24 14:30	8.3	94	8.0	140	21.7	54	959
8/12/24 14:45	8.3	95	8.0	141	21.8	51	922
8/12/24 15:00	8.3	95	8.0	140	22.0	55	673
8/12/24 15:15	8.3	95	8.0	141	22.1	55	730
8/12/24 15:30	8.2	95	8.0	141	22.2	56	720
8/12/24 15:45	8.2	95	8.1	140	22.4	64	745
8/12/24 16:00	8.2	95	8.0	140	22.5	58	727
8/12/24 16:15	8.2	95	8.0	140	22.7	55	739
8/12/24 16:30	8.2	95	8.1	140	22.8	60	851
8/12/24 16:45	8.1	95	8.1	140	22.9	57	749
8/12/24 17:00	8.1	95	8.2	140	23.0	57	838

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 17:15	8.1	95	8.2	139	23.1	59	853
8/12/24 17:30	8.1	94	8.2	140	23.2	61	665
8/12/24 17:45	8.1	94	8.1	139	23.3	61	977
8/12/24 18:00	8.0	94	8.1	139	23.4	57	922
8/12/24 18:15	8.0	94	8.1	139	23.4	56	870
8/12/24 18:30	8.0	94	8.1	140	23.5	56	842
8/12/24 18:45	8.0	94	8.1	141	23.5	59	1140
8/12/24 19:00	8.0	94	8.1	140	23.5	59	590
8/12/24 19:15	8.0	94	8.1	140	23.4	56	830
8/12/24 19:30	8.0	94	8.1	140	23.4	55	954
8/12/24 19:45	7.9	93	8.1	141	23.3	56	2370
8/12/24 20:00	7.9	93	8.2	141	23.3	53	968
8/12/24 20:15	7.9	93	8.2	141	23.2	52	808
8/12/24 20:30	7.9	92	8.2	141	23.1	50	806
8/12/24 20:45	7.9	92	8.3	143	23.0	48	963
8/12/24 21:00	7.9	92	8.4	143	22.9	48	854
8/12/24 21:15	7.9	92	8.3	142	22.8	49	1290
8/12/24 21:30	7.9	92	8.2	142	22.7	46	919
8/12/24 21:45	7.9	92	8.2	141	22.6	48	1140
8/12/24 22:00	8.0	92	8.2	141	22.4	47	1140
8/12/24 22:15	8.0	92	8.1	141	22.3	48	812
8/12/24 22:30	8.0	92	8.1	141	22.1	49	794
8/12/24 22:45	8.0	91	8.1	141	22.0	48	865
8/12/24 23:00	8.0	92	8.1	141	21.9	48	894
8/12/24 23:15	8.0	91	8.1	141	21.8	49	1050
8/12/24 23:30	8.0	91	8.0	141	21.7	49	1190
8/12/24 23:45	8.1	91	8.0	141	21.7	46	2160
8/13/24 0:00	8.1	91	8.0	141	21.6	48	952
8/13/24 0:15	8.1	92	8.0	141	21.5	47	607
8/13/24 0:30	8.1	91	8.0	141	21.5	46	1140
8/13/24 0:45	8.1	91	8.0	141	21.4	46	607
8/13/24 1:00	8.1	91	8.0	140	21.3	46	680
8/13/24 1:15	8.1	92	8.0	141	21.2	47	819
8/13/24 1:30	8.1	91	8.0	141	21.1	48	1220
8/13/24 1:45	8.2	92	8.0	141	20.9	46	1250
8/13/24 2:00	8.2	92	8.0	141	20.8	48	917
8/13/24 2:15	8.2	92	8.0	141	20.7	47	1440
8/13/24 2:30	8.2	92	8.0	140	20.6	45	1320
8/13/24 2:45	8.2	92	8.0	141	20.4	46	1020
8/13/24 3:00	8.3	92	8.0	141	20.3	45	590
8/13/24 3:15	8.3	92	8.0	140	20.2	44	919
8/13/24 3:30	8.3	92	8.0	141	20.1	43	2040
8/13/24 3:45	8.3	92	8.0	140	20.0	44	901
8/13/24 4:00	8.3	92	8.0	141	19.9	44	1000
8/13/24 4:15	8.4	92	8.0	141	19.8	44	744

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/13/24 4:30	8.4	92	8.0	140	19.7	45	600
8/13/24 4:45	8.4	92	8.0	141	19.6	43	986
8/13/24 5:00	8.4	92	8.0	141	19.5	43	886
8/13/24 5:15	8.4	92	8.0	141	19.4	42	654
8/13/24 5:30	8.5	92	8.0	141	19.3	42	671
8/13/24 5:45	8.5	92	8.0	141	19.2	43	837
8/13/24 6:00	8.5	92	8.0	141	19.1	43	837
8/13/24 6:15	8.5	92	8.0	141	19.0	42	1330
8/13/24 6:30	8.5	92	8.0	141	19.0	43	808
8/13/24 6:45	8.5	92	8.0	141	18.9	43	614
8/13/24 7:00	8.6	92	8.0	141	18.8	44	607
8/13/24 7:15	8.6	92	8.0	141	18.7	42	794
8/13/24 7:30	8.6	92	8.0	141	18.7	42	730
8/13/24 7:45	8.6	92	8.0	141	18.6	43	735
8/13/24 8:00	8.6	92	7.9	141	18.6		747
8/13/24 8:15	8.6	92	8.0	142	18.5	45	702
8/13/24 8:30	8.6	92	8.0	141	18.5	41	651
8/13/24 8:45	8.6	92	8.0	142	18.5	42	947
8/13/24 9:00	8.6	92	8.0	141	18.5	41	897
8/13/24 9:15	8.7	92	8.0	141	18.5	41	594
8/13/24 9:30	8.7	92	8.0	141	18.4	40	856
8/13/24 9:45	8.7	92	8.0	141	18.5	42	801
8/13/24 10:00	8.7	92	8.0	141	18.5	45	1020
8/13/24 10:15	8.7	92	8.0	142	18.6	45	710
8/13/24 10:30	8.7	93	8.0	142	18.6	50	988
8/13/24 10:45	8.6	93	8.0	142	18.7	58	715
8/13/24 11:00	8.6	93	8.0	142	18.8	68	865
8/13/24 11:15	8.6	93	8.0	142	19.0	75	594
8/13/24 11:30	8.6	93	8.1	141	19.1	75	938
8/13/24 11:45	8.6	93	8.0	142	19.2	78	651
8/13/24 12:00	8.6	93	8.0	141	19.3	69	1230
8/13/24 12:15	8.6	94	8.0	141	19.5	67	956
8/13/24 12:30	8.6	94	8.0	141	19.6	83	1010
8/13/24 12:45	8.6	94	8.0	141	19.8	89	692
8/13/24 13:00	8.6	94	8.0	141	19.9	100	988
8/13/24 13:15	8.6	94	8.1	141	20.0	105	797
8/13/24 13:30	8.6	94	8.1	141	20.2	113	1830
8/13/24 13:45	8.5	94	8.1	141	20.3	118	744
8/13/24 14:00	8.5	95	8.1	141	20.4	108	697
8/13/24 14:15	8.5	95	8.1	140	20.6	85	838
8/13/24 14:30	8.5	95	8.1	140	20.8	80	931
8/13/24 14:45	8.5	95	8.1	140	20.9	84	2190
8/13/24 15:00	8.5	95	8.1	140	21.1	85	819
8/13/24 15:15	8.4	95	8.1	140	21.3	86	983
8/13/24 15:30	8.4	95	8.1	140	21.4	73	967

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/13/24 15:45	8.4	95	8.1	140	21.6	77	1450
8/13/24 16:00	8.4	95	8.1	140	21.7	73	1110
8/13/24 16:15	8.3	95	8.0	139	21.8	68	945
8/13/24 16:30	8.3	95	8.0	140	22.0	62	819
8/13/24 16:45	8.3	95	8.1	139	22.1	68	919
8/13/24 17:00	8.3	95	8.1	139	22.3	63	833
8/13/24 17:15	8.3	95	8.0	139	22.4	69	1110
8/13/24 17:30	8.2	95	8.1	139	22.5	67	995
8/13/24 17:45	8.2	95	8.1	139	22.5	59	744
8/13/24 18:00	8.2	95	8.1	139	22.6	58	675
8/13/24 18:15	8.2	95	8.1	139	22.7	54	812
8/13/24 18:30	8.2	95	8.1	139	22.7	54	922
8/13/24 18:45	8.2	95	8.1	139	22.7	52	1500
8/13/24 19:00	8.2	95	8.1	139	22.7	50	901
8/13/24 19:15	8.1	94	8.1	140	22.7	51	651
8/13/24 19:30	8.1	94	8.0	139	22.6	49	806
8/13/24 19:45	8.1	94	8.0	140	22.5	49	935
8/13/24 20:00	8.1	93	8.0	143	22.4	49	742
8/13/24 20:15	8.1	93	8.0	143	22.3	48	862
8/13/24 20:30	8.1	93	8.0	143	22.3	48	881
8/13/24 20:45	8.1	93	8.0	143	22.2	48	708
8/13/24 21:00	8.1	93	8.0	143	22.1	48	673
8/13/24 21:15	8.1	92	8.0	143	22.0	49	685
8/13/24 21:30	8.1	92	8.0	143	21.9	47	844
8/13/24 21:45	8.1	92	8.0	143	21.8	47	984
8/13/24 22:00	8.1	92	8.0	142	21.7	47	849
8/13/24 22:15	8.1	92	8.0	143	21.5	47	837
8/13/24 22:30	8.1	92	8.0	142	21.4	47	979
8/13/24 22:45	8.1	92	8.0	142	21.3	49	1200
8/13/24 23:00	8.2	92	8.0	142	21.2	47	830
8/13/24 23:15	8.2	92	8.0	143	21.2	46	993
8/13/24 23:30	8.2	92	8.0	143	21.1	43	967
8/13/24 23:45	8.2	92	8.0	142	21.0	46	801
8/14/24 0:00	8.2	92	8.0	143	20.9	45	1840
8/14/24 0:15	8.2	92	8.0	142	20.8	45	878
8/14/24 0:30	8.2	92	8.0	142	20.7	43	661
8/14/24 0:45	8.2	92	8.0	142	20.6	45	1120
8/14/24 1:00	8.2	92	8.0	141	20.6	43	924
8/14/24 1:15	8.3	92	8.0	142	20.5	43	1300
8/14/24 1:30	8.3	92	8.0	142	20.4	43	1040
8/14/24 1:45	8.3	92	8.0	142	20.3	42	526
8/14/24 2:00	8.3	92	8.0	141	20.2	48	1040
8/14/24 2:15	8.3	92	8.0	141	20.1	41	824
8/14/24 2:30	8.4	92	8.0	141	20.0	42	737
8/14/24 2:45	8.4	92	8.0	141	19.9	42	1140

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/14/24 3:00	8.4	92	8.0	141	19.8	42	2620
8/14/24 3:15	8.4	92	8.0	142	19.7	40	981
8/14/24 3:30	8.4	92	8.0	142	19.6	44	1200
8/14/24 3:45	8.5	92	8.0	142	19.5	41	869
8/14/24 4:00	8.5	92	8.0	142	19.4	41	986
8/14/24 4:15	8.5	92	8.0	142	19.3	40	1170
8/14/24 4:30	8.5	92	8.0	143	19.3	41	1010
8/14/24 4:45	8.5	92	8.0	143	19.2	42	1110
8/14/24 5:00	8.6	92	8.0	144	19.1	44	846
8/14/24 5:15	8.6	92	8.0	144	19.1	42	867
8/14/24 5:30	8.6	92	8.0	145	19.0	43	863
8/14/24 5:45	8.6	92	8.0	145	19.0	43	673
8/14/24 6:00	8.6	93	8.0	144	18.9	42	869
8/14/24 6:15	8.6	92	8.0	145	18.9	41	747
8/14/24 6:30	8.6	92	7.9	146	18.8	43	803
8/14/24 6:45	8.6	92	8.0	146	18.8	42	803
8/14/24 7:00	8.6	92	7.9	145	18.7	41	835
8/14/24 7:15	8.6	92	8.0	146	18.7	42	727
8/14/24 7:30	8.6	93	8.0	145	18.6	41	924
8/14/24 7:45	8.7	93	8.0	146	18.6	40	686
8/14/24 8:00	8.7	93	8.0	146	18.5	40	675
8/14/24 8:15	8.7	93	8.0	145	18.5	40	837
8/14/24 8:30	8.7	93	8.0	145	18.4	41	1170
8/14/24 8:45	8.7	93	7.9	145	18.4	40	1280
8/14/24 9:00	8.7	93	8.0	144	18.3	48	1700
8/14/24 9:15	8.7	93	8.0	144	18.3	43	806
8/14/24 9:30	8.8	93	8.0	145	18.2	41	725
8/14/24 9:45	8.8	93	8.0	144	18.2	44	860
8/14/24 10:00	8.8	93	8.0	144	18.2	50	1010
8/14/24 10:15	8.8	93	8.0	144	18.3	59	872
8/14/24 10:30	8.8	93	8.0	144	18.3	64	879
8/14/24 10:45	8.8	93	8.0	144	18.4	68	730
8/14/24 11:00	8.8	93	8.0	144	18.4	67	797
8/14/24 11:15	8.8	93	8.0	143	18.5	69	805
8/14/24 11:30	8.8	94	8.0	144	18.6	70	860
8/14/24 11:45	8.8	94	8.0	143	18.7	70	2060
8/14/24 12:00	8.7	94	8.0	143	18.9	76	1820
8/14/24 12:15	8.7	94	8.0	143	19.0	70	1170
8/14/24 12:30	8.7	94	8.0	143	19.2	67	862
8/14/24 12:45	8.7	95	8.0	142	19.4	67	1020
8/14/24 13:00	8.7	95	8.0	142	19.5	69	1840
8/14/24 13:15	8.7	95	8.0	143	19.7	72	2380
8/14/24 13:30	8.7	95	8.0	143	19.8	71	940
8/14/24 13:45	8.7	95	8.0	142	20.0	71	735
8/14/24 14:00	8.6	95	8.0	143	20.2	70	715

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/14/24 14:15	8.6	95	8.0	143	20.4	66	702
8/14/24 14:30	8.6	96	8.0	142	20.6	60	1050
8/14/24 14:45	8.6	96	8.0	141	20.8	57	3060
8/14/24 15:00	8.6	96	8.0	142	20.9	58	2430
8/14/24 15:15	8.5	96	8.0	142	21.1	57	2620
8/14/24 15:30	8.5	96	8.0	143	21.3	57	2330
8/14/24 15:45	8.5	96	8.0	142	21.4	58	1680
8/14/24 16:00	8.4	96	8.0	142	21.6	57	1880
8/14/24 16:15	8.4	96	8.0	143	21.7	57	1260
8/14/24 16:30	8.4	96	8.0	142	21.8	57	2360
8/14/24 16:45	8.4	96	8.0	143	21.9	57	1810
8/14/24 17:00	8.3	95	8.0	144	22.0	59	1180
8/14/24 17:15	8.3	95	8.0	143	22.1	58	2320
8/14/24 17:30	8.3	95	8.0	144	22.2	58	1480
8/14/24 17:45	8.3	95	8.0	143	22.2	61	810
8/14/24 18:00	8.2	95	8.0	144	22.3	58	1450
8/14/24 18:15	8.2	95	8.0	143	22.3	55	947
8/14/24 18:30	8.2	95	8.0	143	22.4	54	1840
8/14/24 18:45	8.2	95	8.0	143	22.4	53	1320
8/14/24 19:00	8.2	94	8.0	143	22.4	53	2200
8/14/24 19:15	8.2	94	8.0	142	22.3	52	1460
8/14/24 19:30	8.2	94	8.0	142	22.3	52	936
8/14/24 19:45	8.2	94	8.0	142	22.3	52	729
8/14/24 20:00	8.2	94	8.0	143	22.2	51	885
8/14/24 20:15	8.2	94	8.0	142	22.2	49	1250
8/14/24 20:30	8.2	94	8.0	142	22.1	50	1350
8/14/24 20:45	8.2	94	8.0	142	22.1	50	1210
8/14/24 21:00	8.2	94	8.0	142	22.0	49	1660
8/14/24 21:15	8.2	93	8.0	142	21.9	50	1940
8/14/24 21:30	8.2	93	8.0	142	21.9	50	2620
8/14/24 21:45	8.2	93	8.0	142	21.8	50	924
8/14/24 22:00	8.2	93	8.0	142	21.7	50	1260
8/14/24 22:15	8.2	93	8.0	142	21.6	49	1290
8/14/24 22:30	8.2	93	8.0	142	21.5	49	1290
8/14/24 22:45	8.2	93	8.0	142	21.4	49	1180
8/14/24 23:00	8.2	93	8.0	142	21.4	48	2350
8/14/24 23:15	8.2	93	8.0	142	21.3	49	1270
8/14/24 23:30	8.2	93	8.0	142	21.2	47	1610
8/14/24 23:45	8.3	93	8.0	142	21.1	49	2690
8/15/24 0:00	8.3	93	8.0	141	21.0	49	1500
8/15/24 0:15	8.3	93	8.0	141	20.9	49	1830
8/15/24 0:30	8.3	93	8.0	141	20.8	47	2180
8/15/24 0:45	8.3	93	8.0	142	20.7	52	1190
8/15/24 1:00	8.3	93	8.0	142	20.6	47	805
8/15/24 1:15	8.3	93	8.0	141	20.5	47	1650

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/15/24 1:30	8.4	93	8.0	141	20.4	47	1650
8/15/24 1:45	8.4	93	8.0	141	20.3	47	1310
8/15/24 2:00	8.4	93	7.9	141	20.2	47	2320
8/15/24 2:15	8.4	93	8.0	141	20.1	47	2050
8/15/24 2:30	8.4	93	8.0	141	20.0	45	876
8/15/24 2:45	8.4	93	8.0	141	20.0	45	1120
8/15/24 3:00	8.4	93	8.0	141	19.9	45	1710
8/15/24 3:15	8.5	93	8.0	140	19.8	46	1170
8/15/24 3:30	8.5	93	7.9	141	19.7	49	2210
8/15/24 3:45	8.5	93	7.9	141	19.7	46	1230
8/15/24 4:00	8.5	93	7.9	141	19.6	45	1200
8/15/24 4:15	8.5	93	7.9	141	19.5	46	1850
8/15/24 4:30	8.5	93	7.9	140	19.5	46	1840
8/15/24 4:45	8.5	93	7.9	140	19.4	47	1650
8/15/24 5:00	8.5	93	7.9	141	19.4	47	1600
8/15/24 5:15	8.5	93	7.9	141	19.3	48	1960
8/15/24 5:30	8.5	93	7.9	141	19.3	49	1340
8/15/24 5:45	8.5	93	7.9	140	19.2	50	1220
8/15/24 6:00	8.6	93	7.9	140	19.2	49	1320
8/15/24 6:15	8.6	93	7.9	140	19.1	48	1040
8/15/24 6:30	8.6	93	7.9	141	19.1	49	902
8/15/24 6:45	8.6	93	7.9	140	19.0	48	1320
8/15/24 7:00	8.6	93	7.9	140	19.0	48	1300
8/15/24 7:15	8.6	93	7.9	140	18.9	46	840
8/15/24 7:30	8.6	93	7.9	140	18.9	46	899
8/15/24 7:45	8.6	93	7.9	140	18.9	49	1010
8/15/24 8:00	8.6	93	7.9	140	18.8	45	967
8/15/24 8:15	8.6	93	7.9	141	18.8	48	1320
8/15/24 8:30	8.7	93	7.9	140	18.7	47	997
8/15/24 8:45	8.7	93	7.9	140	18.7	45	1180
8/15/24 9:00	8.7	93	7.9	140	18.7	44	1110
8/15/24 9:15	8.7	93	8.0	140	18.7	44	947
8/15/24 9:30	8.7	93	7.9	140	18.6	43	1050
8/15/24 9:45	8.7	93	7.9	139	18.6	43	1310
8/15/24 10:00	8.7	93	7.9	140	18.6	42	1990
8/15/24 10:15	8.7	93	7.9	139	18.6	42	1210
8/15/24 10:30	8.7	93	7.9	139	18.7	42	1240
8/15/24 10:45	8.7	94	8.0	139	18.7	42	1360
8/15/24 11:00	8.7	94	8.0	140	18.7	40	2000
8/15/24 11:15	8.7	94	8.0	139	18.8	41	1200
8/15/24 11:30	8.7	94	8.0	139	18.9	40	888
8/15/24 11:45	8.7	94	8.0	139	19.0	41	1220
8/15/24 12:00	8.7	94	8.0	139	19.2	42	1120
8/15/24 12:15	8.7	95	8.0	140	19.3	40	678
8/15/24 12:30	8.7	95	8.0	140	19.5	40	1120

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/15/24 12:45	8.7	95	8.0	140	19.7	41	1160
8/15/24 13:00	8.7	95	8.0	139	19.9	41	1120
8/15/24 13:15	8.7	96	8.0	139	20.1	41	749
8/15/24 13:30	8.7	96	8.0	139	20.2	42	1030
8/15/24 13:45	8.6	96	8.0	139	20.4	42	1020
8/15/24 14:00	8.6	96	8.0	139	20.6	42	1310
8/15/24 14:15	8.6	96	8.0	139	20.7	42	949
8/15/24 14:30	8.6	96	8.0	138	20.9	42	1170
8/15/24 14:45	8.6	96	8.0	138	21.1	41	1120
8/15/24 15:00	8.5	96	8.0	138	21.3	42	915
8/15/24 15:15	8.5	96	8.1	138	21.5	42	1200
8/15/24 15:30	8.5	96	8.1	138	21.6	42	1120
8/15/24 15:45	8.5	96	8.0	138	21.7	41	1310
8/15/24 16:00	8.5	96	8.1	138	21.8	42	965
8/15/24 16:15	8.4	97	8.1	138	22.0	42	1160
8/15/24 16:30	8.4	97	8.1	138	22.1	41	1130
8/15/24 16:45	8.4	97	8.1	138	22.3	41	1110
8/15/24 17:00	8.4	97	8.1	139	22.4	42	1290
8/15/24 17:15	8.3	96	8.1	139	22.4	41	1200
8/15/24 17:30	8.3	96	8.1	138	22.6	42	1250
8/15/24 17:45	8.3	96	8.1	139	22.7	41	951
8/15/24 18:00	8.3	96	8.1	139	22.7	41	951
8/15/24 18:15	8.3	96	8.1	139	22.8	41	1040
8/15/24 18:30	8.3	96	8.1	139	22.8	41	1180
8/15/24 18:45	8.2	96	8.1	139	22.8	41	1350
8/15/24 19:00	8.2	96	8.1	140	22.8	41	847
8/15/24 19:15	8.2	95	8.1	139	22.8	41	1050
8/15/24 19:30	8.2	95	8.1	140	22.7	42	986
8/15/24 19:45	8.2	95	8.1	139	22.7	41	1220
8/15/24 20:00	8.2	95	8.1	140	22.6	42	1180
8/15/24 20:15	8.2	94	8.0	139	22.5	47	1210
8/15/24 20:30	8.2	94	8.0	140	22.4	41	722
8/15/24 20:45	8.2	94	8.0	140	22.3	43	870
8/15/24 21:00	8.1	94	8.0	139	22.3	43	720
8/15/24 21:15	8.1	94	8.0	140	22.2	42	942
8/15/24 21:30	8.1	93	8.0	140	22.1	41	1150
8/15/24 21:45	8.1	93	8.0	140	22.0	42	1010
8/15/24 22:00	8.1	93	8.0	140	21.9	41	1170
8/15/24 22:15	8.2	93	8.0	140	21.8	41	1230
8/15/24 22:30	8.2	93	8.0	140	21.7	42	838
8/15/24 22:45	8.2	93	8.0	140	21.6	41	1010
8/15/24 23:00	8.2	93	8.0	140	21.5	41	963
8/15/24 23:15	8.2	93	8.0	140	21.4	41	1030
8/15/24 23:30	8.2	93	8.0	140	21.3	40	1170
8/15/24 23:45	8.2	93	8.0	140	21.2	41	1000

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/16/24 0:00	8.2	92	8.0	140	21.1	41	997
8/16/24 0:15	8.2	93	8.0	140	21.0	40	1050
8/16/24 0:30	8.3	93	8.0	140	20.9	41	1180
8/16/24 0:45	8.3	93	8.0	140	20.8	40	1230
8/16/24 1:00	8.3	93	8.0	140	20.7	41	724
8/16/24 1:15	8.3	93	8.0	140	20.6	42	1200
8/16/24 1:30	8.3	92	8.0	140	20.5	40	1030
8/16/24 1:45	8.3	93	8.0	139	20.4	40	959
8/16/24 2:00	8.3	92	8.0	139	20.3	41	1160
8/16/24 2:15	8.4	93	8.0	139	20.2	41	924
8/16/24 2:30	8.4	92	8.0	139	20.1	41	991
8/16/24 2:45	8.4	93	8.0	139	20.0	42	614
8/16/24 3:00	8.4	93	7.9	139	19.9	41	1180
8/16/24 3:15	8.4	92	7.9	139	19.8	49	949
8/16/24 3:30	8.4	92	7.9	139	19.7	41	826
8/16/24 3:45	8.5	92	7.9	139	19.6	40	1200
8/16/24 4:00	8.5	93	8.0	139	19.6	42	641
8/16/24 4:15	8.5	93	7.9	139	19.5	43	885
8/16/24 4:30	8.5	93	7.9	140	19.5	44	933
8/16/24 4:45	8.5	93	7.9	139	19.4	47	1030
8/16/24 5:00	8.5	93	7.9	139	19.4	46	1330
8/16/24 5:15	8.5	92	7.9	139	19.3	48	990
8/16/24 5:30	8.5	93	7.9	140	19.3	48	846
8/16/24 5:45	8.6	93	7.9	139	19.2	48	745
8/16/24 6:00	8.6	93	7.9	139	19.1	47	1260
8/16/24 6:15	8.6	92	7.9	140	19.0	46	895
8/16/24 6:30	8.6	93	8.0	139	19.0	45	952
8/16/24 6:45	8.6	93	7.9	139	18.9	45	1030
8/16/24 7:00	8.6	93	8.0	139	18.8	44	970
8/16/24 7:15	8.6	92	7.9	139	18.7	48	895
8/16/24 7:30	8.6	93	7.9	139	18.7	43	945
8/16/24 7:45	8.7	93	7.9	139	18.6	44	822
8/16/24 8:00	8.7	93	7.9	139	18.6	42	947
8/16/24 8:15	8.7	93	7.9	139	18.5	42	719
8/16/24 8:30	8.7	93	8.0	139	18.5	41	853
8/16/24 8:45	8.7	93	8.0	139	18.4	41	917
8/16/24 9:00	8.7	93	8.0	139	18.4	40	1020
8/16/24 9:15	8.7	93	8.0	138	18.3	40	856
8/16/24 9:30	8.8	93	8.0	138	18.3	40	860
8/16/24 9:45	8.8	93	8.0	139	18.3	39	981
8/16/24 10:00	8.8	93	8.0	138	18.3	39	1220
8/16/24 10:15	8.8	93	8.0	139	18.3	38	1020
8/16/24 10:30	8.8	93	8.0	138	18.4	38	927
8/16/24 10:45	8.8	94	8.0	139	18.4	38	1310
8/16/24 11:00	8.8	94	8.0	139	18.5	38	954

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 11:15	8.8	94	8.0	138	18.5	38	670
8/16/24 11:30	8.8	94	8.0	138	18.6	37	1120
8/16/24 11:45	8.8	94	8.0	138	18.7	37	813
8/16/24 12:00	8.8	95	8.0	138	18.9	37	739
8/16/24 12:15	8.8	95	8.0	138	19.0	37	840
8/16/24 12:30	8.8	95	8.0	138	19.2	36	977
8/16/24 12:45	8.8	95	8.0	138	19.3	37	826
8/16/24 13:00	8.8	95	8.0	138	19.5	37	931
8/16/24 13:15	8.7	95	8.0	138	19.6	37	1300
8/16/24 13:30	8.7	96	8.0	138	19.8	37	1280
8/16/24 13:45	8.7	96	8.0	138	19.9	38	1110
8/16/24 14:00	8.7	96	8.1	139	20.1	39	1290
8/16/24 14:15	8.7	96	8.1	138	20.3	36	1170
8/16/24 14:30	8.7	96	8.0	139	20.5	37	1500
8/16/24 14:45	8.6	96	8.1	138	20.6	38	1430
8/16/24 15:00	8.6	96	8.1	138	20.8	37	1320
8/16/24 15:15	8.6	96	8.1	138	21.0	37	1340
8/16/24 15:30	8.6	97	8.1	138	21.2	37	1160
8/16/24 15:45	8.6	97	8.1	138	21.4	37	1140
8/16/24 16:00	8.5	97	8.1	138	21.5	39	1270
8/16/24 16:15	8.5	96	8.1	137	21.7	41	1520
8/16/24 16:30	8.4	96	8.1	138	21.8	43	1480
8/16/24 16:45	8.4	96	8.1	139	22.0	41	1130
8/16/24 17:00	8.4	96	8.1	140	22.1	40	1030
8/16/24 17:15	8.4	96	8.1	139	22.2	38	1230
8/16/24 17:30	8.4	96	8.1	139	22.3	39	1050
8/16/24 17:45	8.3	96	8.1	140	22.5	39	1360
8/16/24 18:00	8.3	96	8.1	139	22.6	39	1180
8/16/24 18:15	8.3	96	8.1	140	22.6	38	1040
8/16/24 18:30	8.2	96	8.1	140	22.6	38	1540
8/16/24 18:45	8.2	95	8.1	139	22.7	38	936
8/16/24 19:00	8.2	95	8.1	139	22.7	39	1270
8/16/24 19:15	8.2	95	8.1	139	22.7	38	967
8/16/24 19:30	8.2	95	8.1	139	22.7	37	1510
8/16/24 19:45	8.2	94	8.1	139	22.6	37	1120
8/16/24 20:00	8.1	94	8.1	139	22.6	37	1240
8/16/24 20:15	8.1	94	8.1	140	22.5	38	631
8/16/24 20:30	8.1	94	8.1	140	22.4	38	1350
8/16/24 20:45	8.1	93	8.1	140	22.4	38	1530
8/16/24 21:00	8.1	93	8.0	140	22.3	37	1470
8/16/24 21:15	8.1	93	8.0	140	22.2	39	1320
8/16/24 21:30	8.1	93	8.0	140	22.1	38	1330
8/16/24 21:45	8.1	93	8.0	141	22.0	37	1460
8/16/24 22:00	8.1	93	8.0	141	21.9	38	1440
8/16/24 22:15	8.2	93	8.0	140	21.8	38	1980

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/16/24 22:30	8.2	93	8.0	140	21.6	39	1370
8/16/24 22:45	8.2	93	8.0	140	21.5	38	1480
8/16/24 23:00	8.2	93	8.0	140	21.4	39	1690
8/16/24 23:15	8.2	93	8.0	140	21.3	38	1660
8/16/24 23:30	8.2	92	8.0	140	21.2	38	1940
8/16/24 23:45	8.2	92	8.0	140	21.1	38	1500
8/17/24 0:00	8.2	92	8.0	140	21.0	37	1700
8/17/24 0:15	8.2	92	8.0	140	20.9	38	1470
8/17/24 0:30	8.2	92	8.0	140	20.9	38	1580
8/17/24 0:45	8.2	92	8.0	140	20.8	38	1280
8/17/24 1:00	8.3	92	8.0	139	20.7	37	1690
8/17/24 1:15	8.3	92	8.0	139	20.6	37	1290
8/17/24 1:30	8.3	92	8.0	139	20.5	36	1440
8/17/24 1:45	8.3	92	8.0	139	20.4	36	1020
8/17/24 2:00	8.3	92	8.0	139	20.3	36	1140
8/17/24 2:15	8.3	92	8.0	139	20.2	37	1050
8/17/24 2:30	8.4	92	8.0	139	20.1	36	1050
8/17/24 2:45	8.4	92	7.9	139	20.0	35	945
8/17/24 3:00	8.4	92	7.9	139	19.9	36	1150
8/17/24 3:15	8.4	92	7.9	139	19.8	36	1030
8/17/24 3:30	8.4	92	8.0	139	19.7	35	1190
8/17/24 3:45	8.4	92	7.9	140	19.6	35	1270
8/17/24 4:00	8.4	92	8.0	140	19.6	36	986
8/17/24 4:15	8.5	92	7.9	139	19.5	37	924
8/17/24 4:30	8.5	92	7.9	139	19.5	36	972
8/17/24 4:45	8.5	92	7.9	139	19.4	38	951
8/17/24 5:00	8.5	92	8.0	139	19.4	38	713
8/17/24 5:15	8.5	92	7.9	139	19.4	36	676
8/17/24 5:30	8.5	92	7.9	139	19.3	36	817
8/17/24 5:45	8.5	92	7.9	139	19.3	36	680
8/17/24 6:00	8.5	92	7.9	139	19.2	36	573
8/17/24 6:15	8.5	92	7.9	139	19.2	36	590
8/17/24 6:30	8.5	92	7.9	139	19.2	37	651
8/17/24 6:45	8.5	92	7.9	139	19.2	37	595
8/17/24 7:00	8.5	92	7.9	139	19.1	37	599
8/17/24 7:15	8.5	92	7.9	139	19.1	38	543
8/17/24 7:30	8.5	92	7.9	139	19.0	38	518
8/17/24 7:45	8.5	92	7.9	139	19.0	39	531
8/17/24 8:00	8.6	92	7.9	138	18.9	39	546
8/17/24 8:15	8.6	92	7.9	139	18.9	38	665
8/17/24 8:30	8.6	92	7.9	138	18.9	37	704
8/17/24 8:45	8.6	92	7.9	139	18.8	37	574
8/17/24 9:00	8.6	92	7.9	138	18.8	38	603
8/17/24 9:15	8.6	92	7.9	138	18.8	37	662
8/17/24 9:30	8.6	92	7.9	138	18.8	37	652

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 9:45	8.6	92	7.9	138	18.8	37	606
8/17/24 10:00	8.6	92	7.9	139	18.8	38	547
8/17/24 10:15	8.6	93	7.9	138	18.8	37	594
8/17/24 10:30	8.6	93	8.0	138	18.8	37	576
8/17/24 10:45	8.6	93	8.0	138	18.9	37	611
8/17/24 11:00	8.6	93	8.0	138	19.0	37	562
8/17/24 11:15	8.6	93	8.0	138	19.1	36	579
8/17/24 11:30	8.7	94	8.0	138	19.2	37	559
8/17/24 11:45	8.6	94	8.0	138	19.3	37	537
8/17/24 12:00	8.7	94	8.0	138	19.5	37	559
8/17/24 12:15	8.6	94	8.0	137	19.6	36	513
8/17/24 12:30	8.6	95	8.0	137	19.8	38	478
8/17/24 12:45	8.6	95	8.0	138	19.9	36	518
8/17/24 13:00	8.6	95	8.0	138	20.1	37	488
8/17/24 13:15	8.6	95	8.0	137	20.2	38	495
8/17/24 13:30	8.6	95	8.0	137	20.4	38	481
8/17/24 13:45	8.6	96	8.0	137	20.6	38	481
8/17/24 14:00	8.6	96	8.1	137	20.7	38	481
8/17/24 14:15	8.6	95	8.1	137	20.7	39	451
8/17/24 14:30	8.5	95	8.1	138	20.8	39	449
8/17/24 14:45	8.5	95	8.1	138	20.8	41	454
8/17/24 15:00	8.5	95	8.1	138	20.9	41	454
8/17/24 15:15	8.4	94	8.0	138	20.8	43	461
8/17/24 15:30	8.4	94	8.1	139	20.8	43	459
8/17/24 15:45	8.5	95	8.1	138	20.9	45	471
8/17/24 16:00	8.4	95	8.1	139	21.0	43	468
8/17/24 16:15	8.4	95	8.1	139	21.0	43	432
8/17/24 16:30	8.4	94	8.1	139	21.0	42	454
8/17/24 16:45	8.4	94	8.1	139	21.0	44	510
8/17/24 17:00	8.5	95	8.1	138	21.0	41	464
8/17/24 17:15	8.5	95	8.1	138	21.0	38	466
8/17/24 17:30	8.4	94	8.1	138	20.9	39	449
8/17/24 17:45	8.4	94	8.1	138	20.9	39	488
8/17/24 18:00	8.3	94	8.1	138	21.0	38	510
8/17/24 18:15	8.3	93	8.1	138	20.9	39	495
8/17/24 18:30	8.4	94	8.1	138	21.0	39	498
8/17/24 18:45	8.4	95	8.1	138	21.0	38	476
8/17/24 19:00	8.4	94	8.1	138	20.9	39	520
8/17/24 19:15	8.4	94	8.1	138	21.0	38	442
8/17/24 19:30	8.4	95	8.1	138	21.0	38	478
8/17/24 19:45	8.4	94	8.1	138	21.0	39	459
8/17/24 20:00	8.4	94	8.1	139	20.9	38	444
8/17/24 20:15	8.3	93	8.0	139	20.9	39	427
8/17/24 20:30	8.3	93	8.0	140	20.8	38	446
8/17/24 20:45	8.3	93	8.0	140	20.8	37	442

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/17/24 21:00	8.3	93	8.0	140	20.8	38	478
8/17/24 21:15	8.3	93	8.0	139	20.8	38	483
8/17/24 21:30	8.3	93	8.0	139	20.7	39	471
8/17/24 21:45	8.3	93	8.0	140	20.6	38	495
8/17/24 22:00	8.3	93	8.0	140	20.4	38	449
8/17/24 22:15	8.4	93	8.0	140	20.3	37	454
8/17/24 22:30	8.4	93	8.0	140	20.2	38	449
8/17/24 22:45	8.4	92	8.0	140	20.0	38	449
8/17/24 23:00	8.4	93	8.0	140	19.9	36	390
8/17/24 23:15	8.4	93	8.0	140	19.8	37	417
8/17/24 23:30	8.4	92	8.0	139	19.7	38	439
8/17/24 23:45	8.5	92	8.0	140	19.6	37	442
8/18/24 0:00	8.5	92	8.0	139	19.6	37	449
8/18/24 0:15	8.5	92	8.0	139	19.5	37	589
8/18/24 0:30	8.5	92	8.0	140	19.4	37	439
8/18/24 0:45	8.5	92	8.0	139	19.3	37	439
8/18/24 1:00	8.5	92	8.0	140	19.2	37	464
8/18/24 1:15	8.5	92	7.9	139	19.2	38	442
8/18/24 1:30	8.5	92	7.9	140	19.1	39	532
8/18/24 1:45	8.6	92	7.9	140	19.0	37	540
8/18/24 2:00	8.6	92	7.9	141	18.9	37	527
8/18/24 2:15	8.6	92	7.9	141	18.8	38	552
8/18/24 2:30	8.6	92	7.9	141	18.8	40	501
8/18/24 2:45	8.6	92	7.9	140	18.7	39	660
8/18/24 3:00	8.6	92	7.9	142	18.6	39	587
8/18/24 3:15	8.6	92	7.9	141	18.5	38	616
8/18/24 3:30	8.6	92	7.9	142	18.4	39	670
8/18/24 3:45	8.6	92	7.9	142	18.3	41	693
8/18/24 4:00	8.7	92	7.9	142	18.2	41	673
8/18/24 4:15	8.7	92	7.9	142	18.2	42	867
8/18/24 4:30	8.7	92	7.9	142	18.1	42	719
8/18/24 4:45	8.7	92	7.9	142	18.0	43	917
8/18/24 5:00	8.7	92	7.9	142	18.0	43	902
8/18/24 5:15	8.7	92	7.9	142	17.9	44	1480
8/18/24 5:30	8.7	92	7.9	142	17.8	44	1050
8/18/24 5:45	8.7	92	7.9	142	17.8	45	1490
8/18/24 6:00	8.7	92	7.9	142	17.7	44	1450
8/18/24 6:15	8.7	92	7.9	142	17.6	46	1580
8/18/24 6:30	8.7	92	7.9	142	17.6	50	1850
8/18/24 6:45	8.7	91	7.9	142	17.6	51	901
8/18/24 7:00	8.7	91	7.9	142	17.5	55	1820
8/18/24 7:15	8.7	91	7.9	142	17.5	56	1580
8/18/24 7:30	8.7	91	7.9	142	17.4	58	1880
8/18/24 7:45	8.7	91	7.8	142	17.4	59	1800
8/18/24 8:00	8.7	91	7.8	142	17.3	66	1620

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 8:15	8.7	91	7.8	141	17.3	65	1380
8/18/24 8:30	8.7	91	7.8	141	17.3	70	1510
8/18/24 8:45	8.7	91	7.8	141	17.2	74	1040
8/18/24 9:00	8.7	91	7.8	141	17.2	73	977
8/18/24 9:15	8.7	91	7.8	141	17.1	76	1330
8/18/24 9:30	8.7	91	7.8	141	17.1	78	1000
8/18/24 9:45	8.7	91	7.8	141	17.1	85	1250
8/18/24 10:00	8.7	91	7.8	141	17.2	81	1460
8/18/24 10:15	8.7	91	7.8	141	17.2	87	1190
8/18/24 10:30	8.7	91	7.8	141	17.2	94	821
8/18/24 10:45	8.7	91	7.8	141	17.3	90	1270
8/18/24 11:00	8.7	91	7.8	141	17.4	89	867
8/18/24 11:15	8.7	91	7.8	140	17.5	92	1160
8/18/24 11:30	8.7	91	7.8	141	17.7	93	2720
8/18/24 11:45	8.6	91	7.8	140	17.8	94	729
8/18/24 12:00	8.6	91	7.8	140	18.0	89	1320
8/18/24 12:15	8.6	91	7.8	140	18.1	91	886
8/18/24 12:30	8.6	91	7.8	141	18.3	92	1470
8/18/24 12:45	8.6	92	7.8	140	18.5	91	799
8/18/24 13:00	8.6	92	7.8	140	18.6	92	794
8/18/24 13:15	8.6	92	7.8	140	18.8	86	1350
8/18/24 13:30	8.6	92	7.9	140	19.0	87	698
8/18/24 13:45	8.6	93	7.9	141	19.1	84	617
8/18/24 14:00	8.6	93	7.9	140	19.2	83	872
8/18/24 14:15	8.6	93	7.9	140	19.4	83	940
8/18/24 14:30	8.5	93	7.9	140	19.5	83	904
8/18/24 14:45	8.5	93	7.9	140	19.7	83	846
8/18/24 15:00	8.5	93	7.9	141	19.8	82	806
8/18/24 15:15	8.5	93	7.9	141	19.9	82	815
8/18/24 15:30	8.4	93	7.9	141	19.9	81	563
8/18/24 15:45	8.4	93	7.9	141	20.1	79	796
8/18/24 16:00	8.4	93	7.9	142	20.4	79	735
8/18/24 16:15	8.4	93	7.9	141	20.6	78	739
8/18/24 16:30	8.3	93	7.9	141	20.7	80	862
8/18/24 16:45	8.3	93	7.9	141	20.9	79	722
8/18/24 17:00	8.3	93	7.9	141	21.0	80	722
8/18/24 17:15	8.3	93	7.9	141	21.0	79	681
8/18/24 17:30	8.3	93	7.9	140	21.0	77	737
8/18/24 17:45	8.3	93	7.9	140	21.0	76	705
8/18/24 18:00	8.3	93	7.9	140	21.0	77	577
8/18/24 18:15	8.2	93	7.9	140	21.0	77	648
8/18/24 18:30	8.2	93	7.9	140	21.0	78	597
8/18/24 18:45	8.2	92	7.9	140	20.9	84	560
8/18/24 19:00	8.2	92	7.9	140	20.9	79	703
8/18/24 19:15	8.2	92	7.9	140	20.9	82	888

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 19:30	8.2	92	7.9	140	20.8	81	609
8/18/24 19:45	8.2	91	7.9	140	20.8	82	592
8/18/24 20:00	8.2	91	7.9	140	20.8	85	693
8/18/24 20:15	8.1	91	7.9	139	20.7	85	742
8/18/24 20:30	8.1	91	7.9	139	20.6	90	570
8/18/24 20:45	8.1	91	7.9	139	20.5	91	670
8/18/24 21:00	8.1	90	7.9	140	20.4	89	927
8/18/24 21:15	8.1	90	7.8	140	20.4	88	846
8/18/24 21:30	8.1	90	7.8	140	20.3	94	660
8/18/24 21:45	8.1	90	7.8	140	20.2	98	643
8/18/24 22:00	8.1	90	7.8	140	20.2	95	584
8/18/24 22:15	8.1	89	7.8	140	20.1	90	675
8/18/24 22:30	8.1	89	7.8	140	20.1	97	745
8/18/24 22:45	8.1	89	7.8	141	20.0	93	627
8/18/24 23:00	8.1	89	7.8	141	19.9	95	870
8/18/24 23:15	8.1	89	7.8	141	19.8	92	639
8/18/24 23:30	8.1	89	7.8	141	19.8	96	616
8/18/24 23:45	8.1	89	7.8	141	19.7	93	732
8/19/24 0:00	8.2	89	7.8	141	19.7	91	543
8/19/24 0:15	8.2	89	7.8	141	19.6	87	675
8/19/24 0:30	8.2	89	7.8	141	19.5	87	644
8/19/24 0:45	8.2	89	7.8	141	19.4	86	700
8/19/24 1:00	8.2	89	7.8	141	19.3	83	602
8/19/24 1:15	8.2	89	7.8	142	19.2	82	799
8/19/24 1:30	8.3	89	7.8	142	19.1	79	519
8/19/24 1:45	8.3	89	7.8	142	19.0	86	550
8/19/24 2:00	8.3	89	7.8	142	18.9	80	606
8/19/24 2:15	8.3	89	7.8	142	18.8	84	558
8/19/24 2:30	8.3	89	7.8	142	18.7	88	792
8/19/24 2:45	8.3	89	7.8	142	18.6	85	604
8/19/24 3:00	8.3	89	7.8	142	18.5	85	634
8/19/24 3:15	8.4	89	7.8	142	18.4	83	641
8/19/24 3:30	8.4	89	7.8	142	18.3	86	806
8/19/24 3:45	8.4	89	7.8	142	18.2	89	531
8/19/24 4:00	8.4	89	7.8	142	18.1	85	568
8/19/24 4:15	8.5	89	7.8	142	18.0	82	661
8/19/24 4:30	8.5	89	7.8	142	17.9	96	665
8/19/24 4:45	8.5	89	7.8	142	17.8	84	812
8/19/24 5:00	8.5	89	7.8	142	17.8	88	683
8/19/24 5:15	8.5	89	7.8	142	17.7	90	658
8/19/24 5:30	8.5	89	7.8	142	17.6	95	619
8/19/24 5:45	8.5	89	7.8	142	17.5	98	681
8/19/24 6:00	8.5	89	7.8	142	17.4	97	513
8/19/24 6:15	8.5	89	7.8	142	17.4	101	619
8/19/24 6:30	8.5	89	7.8	142	17.3	96	560

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 6:45	8.5	89	7.8	142	17.3	97	641
8/19/24 7:00	8.6	89	7.8	142	17.3	94	701
8/19/24 7:15	8.6	89	7.8	142	17.2	91	592
8/19/24 7:30	8.6	89	7.8	142	17.2	92	662
8/19/24 7:45	8.6	89	7.8	142	17.1	94	638
8/19/24 8:00	8.6	89	7.8	142	17.1	96	739
8/19/24 8:15	8.6	90	7.8	142	17.0	87	590
8/19/24 8:30	8.7	90	7.8	142	17.0	80	528
8/19/24 8:45	8.7	90	7.8	142	17.0	79	503
8/19/24 9:00	8.7	90	7.8	142	17.0	78	607
8/19/24 9:15	8.7	90	7.8	142	16.9	76	633
8/19/24 9:30	8.7	90	7.8	142	16.9	71	587
8/19/24 9:45	8.7	90	7.8	142	16.9	80	693
8/19/24 10:00	8.7	90	7.8	142	17.0	92	666
8/19/24 10:15	8.8	91	7.8	142	17.0	72	600
8/19/24 10:30	8.8	91	7.8	142	17.1	71	660
8/19/24 10:45	8.8	91	7.8	142	17.1	72	622
8/19/24 11:00	8.8	91	7.8	142	17.2	72	661
8/19/24 11:15	8.8	92	7.8	141	17.3	73	651
8/19/24 11:30	8.8	92	7.9	141	17.5	74	600
8/19/24 11:45	8.8	92	7.9	141	17.6	73	545
8/19/24 12:00	8.8	92	7.9	141	17.8	70	602
8/19/24 12:15	8.8	92	7.9	141	18.0	73	700
8/19/24 12:30	8.8	93	7.9	141	18.1	71	634
8/19/24 12:45	8.8	93	7.9	141	18.3	71	665
8/19/24 13:00	8.8	93	7.9	141	18.4	72	592
8/19/24 13:15	8.7	93	7.9	141	18.6		652
8/19/24 13:30					18.9		573
8/19/24 13:45	8.7	94		141	19.0	74	722
8/19/24 14:00	8.7	94	7.9	140	19.1	72	589
8/19/24 14:15	8.7	94	7.9	140	19.2	73	584
8/19/24 14:30	8.7	94	7.9	140	19.4	75	592
8/19/24 14:45	8.6	94	7.9	140	19.5	73	562
8/19/24 15:00	8.6	94	7.9	140	19.7	75	627
8/19/24 15:15	8.6	94	7.9	140	19.8	75	584
8/19/24 15:30	8.6	94	7.9	140	20.0	76	653
8/19/24 15:45	8.5	94	7.9	139	20.1	79	648
8/19/24 16:00	8.5	94	7.9	139	20.2	77	622
8/19/24 16:15	8.5	94	7.9	140	20.3	75	644
8/19/24 16:30	8.4	94	7.9	139	20.4	80	536
8/19/24 16:45	8.4	94	7.9	139	20.5	77	506
8/19/24 17:00	8.4	93	8.0	140	20.6	74	550
8/19/24 17:15	8.4	93	7.9	139	20.6	79	523
8/19/24 17:30	8.3	92	7.9	139	20.7	98	714
8/19/24 17:45	8.3	93	7.9	139	20.7	86	714

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 18:00	8.3	92	7.9	139	20.8	97	568
8/19/24 18:15	8.3	93	7.9	138	20.8	87	616
8/19/24 18:30	8.3	93	8.0	139	20.9	79	600
8/19/24 18:45	8.3	93	7.9	138	20.9	78	656
8/19/24 19:00	8.2	92	7.9	138	20.9	75	724
8/19/24 19:15	8.2	92	7.9	138	20.9	78	575
8/19/24 19:30	8.2	92	7.9	138	20.8	72	595
8/19/24 19:45	8.2	92	7.9	138	20.8	82	530
8/19/24 20:00	8.2	92	7.9	138	20.8	76	582
8/19/24 20:15	8.2	92	7.9	139	20.7	75	638
8/19/24 20:30			7.9	139	20.7	73	568
8/19/24 20:45	8.2	91	7.9	139	20.6	75	715
8/19/24 21:00	8.2	91	7.9	139	20.6	75	1190
8/19/24 21:15	8.2	91	7.9	139	20.5	73	1280
8/19/24 21:30	8.2	91	7.9	139	20.4	75	2280
8/19/24 21:45	8.2	91	7.9	139	20.4	74	680
8/19/24 22:00	8.2	91	7.9	139	20.3	76	1050
8/19/24 22:15	8.2	91	7.9	140	20.3	75	710
8/19/24 22:30	8.2	90	7.9	140	20.2	75	1150
8/19/24 22:45	8.2	90	7.9	140	20.1	76	1010
8/19/24 23:00	8.2	90	7.8	140	20.0	75	913
8/19/24 23:15	8.2	90	7.8	141	19.9	73	858
8/19/24 23:30	8.2	90	7.8	141	19.8	72	860
8/19/24 23:45	8.2	90	7.8	141	19.8	72	813
8/20/24 0:00	8.2	90	7.8	141	19.7	75	870
8/20/24 0:15	8.2	90	7.8	141	19.6	70	853
8/20/24 0:30	8.3	90	7.8	141	19.5	74	961
8/20/24 0:45	8.3	90	7.8	141	19.4	77	924
8/20/24 1:00	8.3	90	7.8	141	19.3	86	812
8/20/24 1:15	8.3	90	7.8	142	19.2	71	995
8/20/24 1:30	8.3	90	7.8	142	19.1	67	1170
8/20/24 1:45	8.4	90	7.8	142	19.0	63	732
8/20/24 2:00	8.4	90	7.9	142	18.9	61	854
8/20/24 2:15	8.4	90	7.8	142	18.8	62	970
8/20/24 2:30	8.5	91	7.9	142	18.7	59	874
8/20/24 2:45	8.5	91	7.9	142	18.6	65	828
8/20/24 3:00	8.5	91	7.9	142	18.5	55	670
8/20/24 3:15	8.5	91	7.9	142	18.4	51	1120
8/20/24 3:30	8.6	91	7.9	142	18.3	51	661
8/20/24 3:45	8.6	91	7.9	142	18.2	48	922
8/20/24 4:00	8.6	91	7.9	142	18.0	47	854
8/20/24 4:15	8.7	91	7.9	142	17.9	49	729
8/20/24 4:30	8.7	91	7.9	142	17.8	48	835
8/20/24 4:45	8.7	91	7.9	142	17.7	46	1010
8/20/24 5:00	8.7	91	7.9	142	17.6	47	851

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 5:15	8.7	92	7.9	142	17.6	45	712
8/20/24 5:30	8.8	92	7.9	142	17.5	46	700
8/20/24 5:45	8.8	92	7.9	142	17.4	43	729
8/20/24 6:00	8.8	92	7.9	142	17.4	43	805
8/20/24 6:15	8.8	92	7.9	142	17.3	44	600
8/20/24 6:30	8.8	92	7.9	142	17.2	41	646
8/20/24 6:45	8.8	92	7.9	141	17.1	42	794
8/20/24 7:00	8.9	92	7.9	141	17.1	42	722
8/20/24 7:15	8.9	92	7.9	141	17.1	41	722
8/20/24 7:30	8.9	92	7.9	142	17.0	40	835
8/20/24 7:45	8.9	92	7.9	142	17.0	40	717
8/20/24 8:00	8.9	92	7.9	141	16.9	57	653
8/20/24 8:15	8.9	92	7.9	141	16.8	68	686
8/20/24 8:30	8.9	92	7.9	142	16.8	51	638
8/20/24 8:45	8.9	92	7.9	141	16.8	61	865
8/20/24 9:00	8.9	92	7.9	141	16.7	52	732
8/20/24 9:15	9.0	92	7.9	141	16.7	46	924
8/20/24 9:30	9.0	92	7.9	141	16.7	41	981
8/20/24 9:45	9.0	92	7.9	141	16.6	42	954
8/20/24 10:00	9.0	93	7.9	141	16.7	39	872
8/20/24 10:15	9.0	93	7.9	141	16.7	41	847
8/20/24 10:30	9.1	93	7.9	141	16.7	40	654
8/20/24 10:45	9.1	93	7.9	141	16.8	40	933
8/20/24 11:00	9.1	94	8.0	141	16.9	41	858
8/20/24 11:15	9.1	94	8.0	141	17.0	39	1000
8/20/24 11:30	9.1	94	8.0	141	17.1	40	747
8/20/24 11:45	9.1	95	8.0	141	17.2	38	838
8/20/24 12:00	9.1	95	8.0	141	17.4	39	725
8/20/24 12:15	9.1	95	8.0	141	17.5	42	993
8/20/24 12:30	9.1	96	8.0	140	17.7	41	665
8/20/24 12:45	9.1	96	8.0	140	17.8	42	1020
8/20/24 13:00	9.1	96	8.1	140	17.9	39	869
8/20/24 13:15	9.1	96	8.1	140	18.1	39	897
8/20/24 13:30	9.1	97	8.1	139	18.3	39	849
8/20/24 13:45	9.1	97	8.1	139	18.5	40	892
8/20/24 14:00	9.0	97	8.1	139	18.7	41	817
8/20/24 14:15	9.0	96	8.1	139	18.8	40	648
8/20/24 14:30	9.0	97	8.1	138	18.9	40	744
8/20/24 14:45	8.9	96	8.1	138	19.0	42	874
8/20/24 15:00	8.9	97	8.1	138	19.2	39	858
8/20/24 15:15	8.9	97	8.1	138	19.2	42	838
8/20/24 15:30	8.9	97	8.1	138	19.3	38	548
8/20/24 15:45	8.9	97	8.1	138	19.4	42	633
8/20/24 16:00	8.9	97	8.1	137	19.4	41	853
8/20/24 16:15	8.9	97	8.1	137	19.6	42	915

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 16:30	8.9	97	8.1	137	19.6	42	908
8/20/24 16:45	8.8	97	8.1	137	19.8	48	886
8/20/24 17:00	8.8	96	8.1	137	19.9	72	842
8/20/24 17:15	8.7	96	8.1	137	20.1	71	734
8/20/24 17:30	8.6	95	8.1	137	20.2	112	666
8/20/24 17:45	8.6	95	8.1	137	20.2	109	597
8/20/24 18:00	8.7	96	8.1	137	20.4	56	858
8/20/24 18:15	8.7	96	8.2	137	20.5	44	1030
8/20/24 18:30	8.7	97	8.2	137	20.6	43	913
8/20/24 18:45	8.7	97	8.2	137	20.7	43	668
8/20/24 19:00	8.6	96	8.2	137	20.8	42	1220
8/20/24 19:15	8.6	96	8.2	137	20.9	41	876
8/20/24 19:30	8.6	96	8.2	137	20.9	44	965
8/20/24 19:45	8.6	96	8.2	137	20.8	44	1360
8/20/24 20:00	8.5	95	8.2	137	20.8	43	1800
8/20/24 20:15	8.5	95	8.1	137	20.7	42	1160
8/20/24 20:30	8.5	95	8.1	138	20.6	42	849
8/20/24 20:45	8.5	94	8.1	138	20.6	43	1130
8/20/24 21:00	8.5	94	8.1	138	20.5	42	821
8/20/24 21:15	8.5	94	8.1	138	20.4	43	1020
8/20/24 21:30	8.4	93	8.1	138	20.3	42	1050
8/20/24 21:45	8.4	93	8.1	138	20.3	42	858
8/20/24 22:00	8.4	93	8.1	139	20.2	43	1330
8/20/24 22:15	8.4	93	8.0	139	20.2	43	1110
8/20/24 22:30	8.4	92	8.0	140	20.1	43	742
8/20/24 22:45	8.4	92	8.0	140	20.0	42	815
8/20/24 23:00	8.4	92	8.0	140	19.9	42	917
8/20/24 23:15	8.4	92	8.0	140	19.8	42	1120
8/20/24 23:30	8.4	92	8.0	140	19.7	42	1000
8/20/24 23:45	8.4	92	8.0	140	19.6	42	837
8/21/24 0:00	8.4	92	8.0	140	19.5	41	797
8/21/24 0:15	8.5	92	8.0	141	19.4	38	949
8/21/24 0:30	8.5	92	8.0	141	19.3	40	942
8/21/24 0:45	8.5	92	8.0	141	19.2	39	924
8/21/24 1:00	8.5	92	7.9	141	19.1	38	808
8/21/24 1:15	8.5	92	7.9	141	19.0	39	911
8/21/24 1:30	8.5	92	7.9	142	18.9	37	945
8/21/24 1:45	8.5	92	7.9	142	18.9	39	1310
8/21/24 2:00	8.6	92	7.9	141	18.8	38	1020
8/21/24 2:15	8.6	92	7.9	141	18.6	42	803
8/21/24 2:30	8.6	92	7.9	142	18.5	37	1020
8/21/24 2:45	8.6	92	7.9	142	18.4	38	796
8/21/24 3:00	8.6	92	7.9	142	18.4	37	740
8/21/24 3:15	8.6	92	7.9	142	18.3	37	1210
8/21/24 3:30	8.7	92	7.9	142	18.2	38	1200

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 3:45	8.7	92	7.9	142	18.1	36	1260
8/21/24 4:00	8.7	92	7.9	141	18.0	36	842
8/21/24 4:15	8.7	92	7.9	142	17.9		833
8/21/24 4:30	8.7	92	7.9	142	17.8	35	680
8/21/24 4:45	8.8	92	7.9	142	17.7	38	693
8/21/24 5:00	8.8	92	7.9	142	17.6	34	856
8/21/24 5:15	8.8	92	7.9	141	17.6	35	897
8/21/24 5:30	8.8	92	7.9	142	17.5	35	993
8/21/24 5:45	8.8	92	7.9	142	17.4	36	722
8/21/24 6:00	8.8	92	7.9	142	17.3	38	1030
8/21/24 6:15	8.8	92	7.9	142	17.3	34	799
8/21/24 6:30	8.9	92	7.9	142	17.2	33	683
8/21/24 6:45	8.9	92	7.9	142	17.1	34	796
8/21/24 7:00	8.9	92	7.9	142	17.1	37	917
8/21/24 7:15	8.9	92	7.9	142	17.0		703
8/21/24 7:30	8.9	92	7.9	141	17.0	35	796
8/21/24 7:45	8.9	92	7.9	142	16.9		874
8/21/24 8:00	8.9	92	7.9	142	16.9	38	984
8/21/24 8:15	8.9	92	7.9	142	16.8	35	901
8/21/24 8:30	9.0	92	7.9	142	16.8	36	924
8/21/24 8:45	9.0	92	7.9	142	16.8	36	904
8/21/24 9:00	9.0	93	7.9	142	16.7	35	837
8/21/24 9:15	9.0	93	7.9	142	16.7	35	1520
8/21/24 9:30	9.0	93	7.9	142	16.7	35	1250
8/21/24 9:45	9.0	93	7.9	142	16.7	36	901
8/21/24 10:00	9.1	93	8.0	142	16.7	36	749
8/21/24 10:15	9.1	93	8.0	142	16.7	34	915
8/21/24 10:30	9.1	94	8.0	142	16.8	37	913
8/21/24 10:45	9.1	94	8.0	141	16.9	36	747
8/21/24 11:00	9.1	94	8.0	141	17.0	37	668
8/21/24 11:15	9.2	95	8.0	141	17.0	35	974
8/21/24 11:30	9.2	95	8.0	141	17.2	35	911
8/21/24 11:45	9.2	96	8.0	141	17.3	35	876
8/21/24 12:00	9.2	96	8.1	141	17.4	36	947
8/21/24 12:15	9.2	96	8.1	141	17.6	35	991
8/21/24 12:30	9.2	97	8.1	141	17.8	36	854
8/21/24 12:45	9.2	97	8.1	141	17.9	34	1030
8/21/24 13:00	9.2	97	8.1	140	18.1	34	854
8/21/24 13:15	9.2	97	8.1	140	18.3	36	943
8/21/24 13:30	9.2	98	8.2	141	18.4	36	822
8/21/24 13:45	9.1	98	8.2	141	18.6	35	735
8/21/24 14:00	9.1	98	8.2	140	18.8	36	821
8/21/24 14:15	9.1	98	8.2	140	18.9	36	970
8/21/24 14:30	9.1	98	8.2	140	19.1	36	924
8/21/24 14:45	9.1	98	8.2	139	19.3	37	959

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/21/24 15:00	9.0	98	8.2	140	19.5	37	690
8/21/24 15:15	9.0	98	8.2	139	19.7	39	838
8/21/24 15:30	9.0	98	8.2	140	19.9	42	936
8/21/24 15:45	8.9	98	8.2	140	20.0	46	727
8/21/24 16:00	8.9	98	8.3	141	20.2	50	1000
8/21/24 16:15	8.8	97	8.5	145	20.3	62	883
8/21/24 16:30	8.7	97	8.6	150	20.5	77	974
8/21/24 16:45	8.7	97	8.7	151	20.7	78	975
8/21/24 17:00	8.6	96	8.6	149	20.8	70	616
8/21/24 17:15	8.7	97	8.6	146	21.0	58	806
8/21/24 17:30	8.7	97	8.4	143	21.1	62	990
8/21/24 17:45	8.6	97	8.4	142	21.1	48	729
8/21/24 18:00	8.6	97	8.3	140	21.1	50	831
8/21/24 18:15	8.6	97	8.3	139	21.1	50	729
8/21/24 18:30	8.6	97	8.3	139	21.1	40	826
8/21/24 18:45	8.6	97	8.3	138	21.1	39	813
8/21/24 19:00	8.6	97	8.3	139	21.1	39	661
8/21/24 19:15	8.6	96	8.3	140	21.2	44	810
8/21/24 19:30	8.5	96	8.4	142	21.2	47	945
8/21/24 19:45	8.5	96	8.4	142	21.2	45	1110
8/21/24 20:00	8.5	95	8.3	141	21.1	43	720
8/21/24 20:15	8.4	95	8.3	140	21.0	42	961
8/21/24 20:30	8.4	94	8.3	140	21.0	43	853
8/21/24 20:45	8.4	94	8.3	140	20.9	44	737
8/21/24 21:00	8.4	94	8.2	139	20.9	46	897
8/21/24 21:15	8.4	94	8.2	140	20.8	43	703
8/21/24 21:30	8.3	93	8.2	140	20.8	44	803
8/21/24 21:45	8.3	93	8.2	140	20.7	44	740
8/21/24 22:00	8.3	93	8.2	140	20.6	42	897
8/21/24 22:15	8.3	92	8.1	140	20.5	44	965
8/21/24 22:30	8.3	92	8.1	140	20.4	44	970
8/21/24 22:45	8.3	92	8.1	140	20.3	44	872
8/21/24 23:00	8.3	92	8.1	140	20.2	42	883
8/21/24 23:15	8.3	92	8.1	141	20.1	40	803
8/21/24 23:30	8.3	92	8.0	141	20.1	40	707
8/21/24 23:45	8.3	92	8.0	141	20.0	41	685
8/22/24 0:00	8.3	92	8.0	141	19.9	39	867
8/22/24 0:15	8.3	91	8.0	141	19.9	40	686
8/22/24 0:30	8.3	91	8.0	141	19.8	38	815
8/22/24 0:45	8.3	91	8.0	142	19.7	39	837
8/22/24 1:00	8.4	91	8.0	141	19.6	39	719
8/22/24 1:15	8.4	91	8.0	142	19.5	39	719
8/22/24 1:30	8.4	91	8.0	142	19.4	38	904
8/22/24 1:45	8.4	91	8.0	142	19.3	40	975
8/22/24 2:00	8.4	91	8.0	142	19.2	39	904

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 2:15	8.4	91	8.0	142	19.1	37	1110
8/22/24 2:30	8.5	91	8.0	141	19.0	38	911
8/22/24 2:45	8.5	91	8.0	141	18.9	38	1010
8/22/24 3:00	8.5	91	8.0	141	18.8	37	895
8/22/24 3:15	8.5	91	7.9	142	18.7	38	830
8/22/24 3:30	8.5	91	7.9	142	18.6	38	838
8/22/24 3:45	8.6	91	7.9	141	18.5	39	1110
8/22/24 4:00	8.6	91	7.9	142	18.4	38	1020
8/22/24 4:15	8.6	91	7.9	142	18.3	37	1300
8/22/24 4:30	8.6	91	7.9	141	18.2	38	844
8/22/24 4:45	8.6	91	7.9	142	18.1	37	858
8/22/24 5:00	8.7	91	7.9	142	18.0	37	803
8/22/24 5:15	8.7	92	7.9	142	18.0	35	842
8/22/24 5:30	8.7	91	7.9	142	17.9	35	862
8/22/24 5:45	8.7	92	7.9	142	17.8	36	883
8/22/24 6:00	8.7	91	7.9	142	17.8	44	1010
8/22/24 6:15	8.7	92	7.9	141	17.7	37	847
8/22/24 6:30	8.7	92	7.9	142	17.7	36	924
8/22/24 6:45	8.7	91	7.9	142	17.7	39	1110
8/22/24 7:00	8.7	91	7.9	141	17.6	41	968
8/22/24 7:15	8.7	91	7.9	141	17.6	39	938
8/22/24 7:30	8.7	91	7.9	142	17.6	37	956
8/22/24 7:45	8.7	92	7.9	142	17.6	37	892
8/22/24 8:00	8.8	92	7.9	141	17.6	37	799
8/22/24 8:15	8.8	92	7.9	141	17.5	38	897
8/22/24 8:30	8.8	92	7.9	141	17.5	38	1130
8/22/24 8:45	8.8	92	7.9	141	17.5	37	888
8/22/24 9:00	8.8	92	7.9	141	17.5	38	1150
8/22/24 9:15	8.8	92	7.9	141	17.4	36	917
8/22/24 9:30	8.8	92	7.9	141	17.4	37	1170
8/22/24 9:45	8.8	92	8.0	141	17.4	37	888
8/22/24 10:00	8.8	92	8.0	141	17.4	36	1130
8/22/24 10:15	8.8	92	8.0	141	17.4	38	922
8/22/24 10:30	8.9	93	8.0	141	17.4	37	878
8/22/24 10:45	8.9	93	8.0	141	17.4	37	904
8/22/24 11:00	8.9	93	8.0	140	17.5	36	675
8/22/24 11:15	8.9	94	8.0	141	17.5	37	972
8/22/24 11:30	9.0	94	8.0	140	17.7	37	722
8/22/24 11:45	9.0	94	8.0	140	17.8	36	851
8/22/24 12:00	9.0	95	8.1	141	17.9	36	936
8/22/24 12:15	9.0	95	8.1	140	18.0	36	894
8/22/24 12:30	9.0	96	8.1	140	18.2	36	983
8/22/24 12:45	9.0	96	8.1	140	18.3	37	908
8/22/24 13:00	9.0	96	8.1	139	18.5	38	666
8/22/24 13:15	9.0	97	8.2	139	18.7	35	853

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/22/24 13:30	9.0	97	8.2	139	18.9	36	876
8/22/24 13:45	9.0	97	8.2	139	19.0	36	883
8/22/24 14:00	9.0	97	8.2	138	19.2	35	856
8/22/24 14:15	9.0	97	8.2	138	19.3	37	1000
8/22/24 14:30	8.9	97	8.2	138	19.4	37	712
8/22/24 14:45	8.9	97	8.2	138	19.5	39	1050
8/22/24 15:00	8.9	97	8.2	138	19.6	43	885
8/22/24 15:15	8.8	96	8.2	139	19.6	48	974
8/22/24 15:30	8.8	96	8.2	139	19.7	55	919
8/22/24 15:45	8.8	96	8.2	139	19.7	59	1040
8/22/24 16:00	8.7	95	8.2	139	19.7	61	936
8/22/24 16:15	8.7	95	8.2	139	19.7	61	708
8/22/24 16:30	8.7	95	8.2	139	19.8	62	888
8/22/24 16:45	8.7	95	8.2	139	19.8	62	919
8/22/24 17:00	8.6	94	8.2	140	19.7	57	910
8/22/24 17:15	8.6	94	8.2	139	19.7	55	1040
8/22/24 17:30	8.6	94	8.2	140	19.7	53	908
8/22/24 17:45	8.6	94	8.2	140	19.6	51	1140
8/22/24 18:00	8.6	93	8.2	140	19.6	52	908
8/22/24 18:15	8.5	93	8.2	139	19.6	62	715
8/22/24 18:30	8.5	93	8.2	138	19.5	49	862
8/22/24 18:45	8.6	93	8.2	138	19.5	42	1250
8/22/24 19:00	8.5	93	8.1	138	19.5	42	1120
8/22/24 19:15	8.5	93	8.1	138	19.4	42	879
8/22/24 19:30	8.5	93	8.1	138	19.4	41	959
8/22/24 19:45	8.5	93	8.1	138	19.3	45	988
8/22/24 20:00	8.5	92	8.1	138	19.3	42	984
8/22/24 20:15	8.5	92	8.1	138	19.2	40	815
8/22/24 20:30	8.5	92	8.1	138	19.2	46	910
8/22/24 20:45	8.5	92	8.1	139	19.2	47	958
8/22/24 21:00	8.5	92	8.1	140	19.2	50	1510
8/22/24 21:15	8.5	92	8.1	140	19.2	57	1350
8/22/24 21:30	8.5	92	8.1	141	19.2	56	963
8/22/24 21:45	8.5	92	8.1	140	19.2	52	1150
8/22/24 22:00	8.5	92	8.1	140	19.2	45	853
8/22/24 22:15	8.4	91	8.0	139	19.2	43	883
8/22/24 22:30	8.4	91	8.0	139	19.1	39	874
8/22/24 22:45	8.4	91	8.0	139	19.1	40	838
8/22/24 23:00	8.4	91	8.0	139	19.1	38	808
8/22/24 23:15	8.4	91	8.0	139	19.0	38	1020
8/22/24 23:30	8.4	91	8.0	139	19.0	39	671
8/22/24 23:45	8.4	91	8.0	139	19.0	38	797
8/23/24 0:00	8.4	91	8.0	140	18.9	39	1040
8/23/24 0:15	8.5	91	8.0	140	18.8	38	710
8/23/24 0:30	8.5	91	8.0	140	18.7	38	863

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 0:45	8.5	91	8.0	141	18.7		922
8/23/24 1:00	8.5	91	8.0	141	18.6	41	910
8/23/24 1:15	8.5	91	7.9	141	18.5	40	703
8/23/24 1:30	8.5	91	7.9	141	18.4	40	708
8/23/24 1:45	8.5	91	7.9	141	18.4	39	710
8/23/24 2:00	8.5	91	7.9	141	18.3	42	945
8/23/24 2:15	8.5	91	7.9	141	18.3	43	847
8/23/24 2:30	8.6	91	7.9	141	18.2	44	854
8/23/24 2:45	8.6	91	7.9	142	18.1	45	899
8/23/24 3:00	8.6	91	7.9	141	18.1	45	1010
8/23/24 3:15	8.6	91	7.9	142	18.0	42	734
8/23/24 3:30	8.6	91	7.9	142	17.9	43	910
8/23/24 3:45	8.6	91	7.9	142	17.8	43	1040
8/23/24 4:00	8.7	91	7.9	142	17.8	41	938
8/23/24 4:15	8.7	91	7.9	142	17.7	42	815
8/23/24 4:30	8.7	91	7.9	142	17.6	41	999
8/23/24 4:45	8.7	91	7.9	142	17.5	38	890
8/23/24 5:00	8.7	91	7.9	142	17.4	42	919
8/23/24 5:15	8.7	91	7.9	141	17.3	42	1020
8/23/24 5:30	8.8	91	7.9	142	17.3	42	803
8/23/24 5:45	8.8	91	7.9	142	17.2	40	740
8/23/24 6:00	8.8	91	7.9	142	17.1	42	865
8/23/24 6:15	8.8	91	7.9	141	17.1	40	924
8/23/24 6:30	8.8	91	7.9	142	17.0	40	981
8/23/24 6:45	8.8	91	7.9	141	17.0	40	1280
8/23/24 7:00	8.8	91	7.9	142	16.9	42	749
8/23/24 7:15	8.8	91	7.9	141	16.8	41	935
8/23/24 7:30	8.8	91	7.9	141	16.8	42	881
8/23/24 7:45	8.8	91	7.9	141	16.7	42	815
8/23/24 8:00	8.9	91	7.9	141	16.7	42	910
8/23/24 8:15	8.9	91	7.9	141	16.7	40	1200
8/23/24 8:30	8.9	91	7.9	142	16.6	43	740
8/23/24 8:45	8.9	91	7.9	142	16.6	44	999
8/23/24 9:00	8.9	91	7.9	142	16.6	42	815
8/23/24 9:15	8.9	91	7.9	142	16.5	44	977
8/23/24 9:30	8.9	92	7.9	142	16.5	44	847
8/23/24 9:45	8.9	92	7.9	142	16.5	43	614
8/23/24 10:00	9.0	92	7.9	141	16.5	43	840
8/23/24 10:15	9.0	92	7.9	142	16.5	45	656
8/23/24 10:30	9.0	92	7.9	141	16.6	46	951
8/23/24 10:45	9.0	93	8.0	141	16.6	44	865
8/23/24 11:00	9.1	93	8.0	141	16.7	44	614
8/23/24 11:15	9.1	93	8.0	141	16.8	43	1120
8/23/24 11:30	9.1	94	8.0	141	16.9	45	936
8/23/24 11:45	9.1	94	8.0	141	17.0	43	965

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 12:00	9.1	94	8.0	141	16.9	44	874
8/23/24 12:15	9.1	94	8.0	141	17.0	47	1000
8/23/24 12:30	9.1	94	8.1	140	17.1	45	929
8/23/24 12:45	9.1	94	8.1	141	17.1	46	707
8/23/24 13:00	9.1	94	8.1	140	17.0	47	575
8/23/24 13:15	9.1	94	8.1	140	17.0	45	851
8/23/24 13:30	9.1	95	8.1	139	17.0	44	892
8/23/24 13:45	9.2	95	8.1	140	17.1	47	954
8/23/24 14:00	9.2	95	8.1	148	17.0	46	651
8/23/24 14:15	9.2	95	8.1	148	17.0	47	719
8/23/24 14:30	9.1	95	8.1	147	17.2	48	920
8/23/24 14:45	9.1	95	8.1	146	17.2	47	722
8/23/24 15:00	9.1	95	8.1	146	17.3	47	1020
8/23/24 15:15	9.1	95	8.1	146	17.4	47	806
8/23/24 15:30	9.1	95	8.1	144	17.5	48	904
8/23/24 15:45	9.1	95	8.1	144	17.6	47	881
8/23/24 16:00	9.1	96	8.2	146	17.8	49	813
8/23/24 16:15	9.1	95	8.2	147	17.9	46	792
8/23/24 16:30	9.1	95	8.2	155	17.9	49	991
8/23/24 16:45	9.0	95	8.2	160	17.9	48	821
8/23/24 17:00	9.0	95	8.2	169	17.9	47	970
8/23/24 17:15	9.0	95	8.2	174	17.9	46	979
8/23/24 17:30	9.0	95	8.2	174	17.9	48	831
8/23/24 17:45	8.9	94	8.2	173	18.0	52	824
8/23/24 18:00	8.9	94	8.2	170	18.0	58	1040
8/23/24 18:15	8.9	94	8.2	174	18.0	63	938
8/23/24 18:30	8.9	94	8.2	174	18.0	61	945
8/23/24 18:45	8.9	94	8.2	171	17.9	54	968
8/23/24 19:00	8.9	94	8.2	168	18.0	51	894
8/23/24 19:15	8.8	93	8.2	167	18.0	50	975
8/23/24 19:30	8.8	93	8.2	164	18.0	49	737
8/23/24 19:45	8.8	93	8.2	165	18.0	47	695
8/23/24 20:00	8.8	93	8.2	164	18.0	48	876
8/23/24 20:15	8.8	93	8.2	160	18.0	50	910
8/23/24 20:30	8.8	93	8.2	160	17.9	48	876
8/23/24 20:45	8.8	92	8.1	160	17.9	47	997
8/23/24 21:00	8.7	92	8.1	157	17.9	49	695
8/23/24 21:15	8.7	92	8.1	157	18.0	49	792
8/23/24 21:30	8.7	92	8.1	157	18.0	50	899
8/23/24 21:45	8.7	91	8.1	156	18.0	50	869
8/23/24 22:00	8.6	91	8.1	156	18.0	52	883
8/23/24 22:15	8.6	91	8.0	157	18.0	51	1000
8/23/24 22:30	8.6	91	8.0	156	17.9	51	967
8/23/24 22:45	8.6	91	8.0	154	17.9	52	901
8/23/24 23:00	8.6	91	8.0	155	17.8	51	902

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/23/24 23:15	8.6	91	8.0	155	17.7	51	940
8/23/24 23:30	8.6	90	8.0	155	17.7	49	938
8/23/24 23:45	8.6	91	8.0	152	17.6	51	981
8/24/24 0:00	8.6	91	8.0	153	17.6	46	970
8/24/24 0:15	8.7	91	8.0	154	17.5	49	959
8/24/24 0:30	8.7	91	8.0	154	17.5	47	1010
8/24/24 0:45	8.7	91	8.0	153	17.4	47	951
8/24/24 1:00	8.7	91	8.0	154	17.4	45	927
8/24/24 1:15	8.7	91	8.0	154	17.3	46	972
8/24/24 1:30	8.7	91	8.0	155	17.3	40	837
8/24/24 1:45	8.7	91	8.0	154	17.3	43	968
8/24/24 2:00	8.7	91	8.0	154	17.2	42	895
8/24/24 2:15	8.8	91	7.9	153	17.2	40	968
8/24/24 2:30	8.8	91	8.0	154	17.1	41	993
8/24/24 2:45	8.8	91	8.0	154	17.0	44	981
8/24/24 3:00	8.8	91	7.9	155	17.0	50	972
8/24/24 3:15	8.8	91	8.0	155	16.9	44	1140
8/24/24 3:30	8.8	91	7.9	154	16.8	38	1240
8/24/24 3:45	8.8	91	7.9	155	16.7	40	943
8/24/24 4:00	8.8	91	7.9	153	16.7	41	901
8/24/24 4:15	8.9	91	7.9	152	16.6	41	879
8/24/24 4:30	8.9	91	7.9	152	16.5	40	708
8/24/24 4:45	8.9	91	7.9	153	16.5	40	984
8/24/24 5:00	8.9	91	7.9	153	16.4	39	803
8/24/24 5:15	8.9	91	7.9	152	16.4	39	943
8/24/24 5:30	8.9	91	7.9	152	16.3	38	794
8/24/24 5:45	9.0	91	7.9	152	16.2	39	997
8/24/24 6:00	9.0	91	7.9	154	16.2	37	1040
8/24/24 6:15	9.0	91	7.9	154	16.1	37	967
8/24/24 6:30	9.0	92	7.9	155	16.1	35	988
8/24/24 6:45	9.0	91	8.0	156	16.0	35	938
8/24/24 7:00	9.0	92	7.9	154	16.0	37	1190
8/24/24 7:15	9.1	92	7.9	155	15.9	34	931
8/24/24 7:30	9.1	92	7.9	153	15.9	35	815
8/24/24 7:45	9.1	92	7.9	155	15.9	34	1040
8/24/24 8:00	9.1	92	8.0	155	15.8	34	1000
8/24/24 8:15	9.1	92	7.9	156	15.8	33	901
8/24/24 8:30	9.1	92	8.0	154	15.7	33	983
8/24/24 8:45	9.2	92	8.0	152	15.7	32	910
8/24/24 9:00	9.2	92	8.0	152	15.7	32	959
8/24/24 9:15	9.2	92	8.0	152	15.7	31	983
8/24/24 9:30	9.2	92	8.0	151	15.6	31	895
8/24/24 9:45	9.2	93	8.0	151	15.6	31	826
8/24/24 10:00	9.3	93	8.0	149	15.6	34	929
8/24/24 10:15	9.3	93	8.0	149	15.6	31	904

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/24/24 10:30	9.3	94	8.0	148	15.6	31	902
8/24/24 10:45	9.3	94	8.0	147	15.6	32	1040
8/24/24 11:00	9.4	94	8.0	146	15.6	30	879
8/24/24 11:15	9.4	94	8.0	146	15.7	32	700
8/24/24 11:30	9.4	95	8.1	145	15.7	31	817
8/24/24 11:45	9.4	95	8.1	145	15.8	30	851
8/24/24 12:00	9.4	95	8.1	145	15.9		799
8/24/24 12:15	9.4	96	8.1	145	16.0	30	967
8/24/24 12:30	9.5	96	8.1	145	16.2	30	803
8/24/24 12:45	9.5	97	8.2	145	16.3	31	938
8/24/24 13:00	9.4	97	8.2	145	16.5	30	885
8/24/24 13:15	9.4	97	8.2	145	16.7	32	737
8/24/24 13:30	9.4	98	8.2	145	16.9	30	897
8/24/24 13:45	9.4	98	8.2	146	17.0	31	1190
8/24/24 14:00	9.4	98	8.2	146	17.1	31	744
8/24/24 14:15	9.4	98	8.2	145	17.3	32	899
8/24/24 14:30	9.4	98	8.2	145	17.6	31	725
8/24/24 14:45	9.4	98	8.3	145	17.8	31	986
8/24/24 15:00	9.3	99	8.3	145	18.0	31	924
8/24/24 15:15	9.3	99	8.3	144	18.1	31	906
8/24/24 15:30	9.3	99	8.3	144	18.3	32	902
8/24/24 15:45	9.3	99	8.3	145	18.4	34	808
8/24/24 16:00	9.2	98	8.3	146	18.4	35	867
8/24/24 16:15	9.2	98	8.3	145	18.4	35	881
8/24/24 16:30	9.2	98	8.3	145	18.4	36	892
8/24/24 16:45	9.2	98	8.3	144	18.4	34	1120
8/24/24 17:00	9.2	98	8.3	145	18.4	36	977
8/24/24 17:15	9.1	97	8.3	146	18.4	38	1020
8/24/24 17:30	9.1	97	8.3	146	18.4	37	908
8/24/24 17:45	9.1	97	8.3	145	18.4	38	935
8/24/24 18:00	9.1	97	8.3	146	18.4	37	826
8/24/24 18:15	9.1	97	8.3	144	18.4	35	885
8/24/24 18:30	9.1	97	8.3	145	18.4	35	1020
8/24/24 18:45	9.1	97	8.3	145	18.4	36	815
8/24/24 19:00	9.1	97	8.3	145	18.5	35	945
8/24/24 19:15	9.1	97	8.3	145	18.4	35	1150
8/24/24 19:30	9.0	96	8.3	144	18.4	36	920
8/24/24 19:45	9.0	96	8.3	145	18.3	35	1040
8/24/24 20:00	9.0	96	8.3	146	18.2	35	1120
8/24/24 20:15	9.0	95	8.2	145	18.2	35	668
8/24/24 20:30	9.0	95	8.2	145	18.2	36	1120
8/24/24 20:45	8.9	95	8.2	146	18.1	35	956
8/24/24 21:00	8.9	94	8.2	145	18.1		801
8/24/24 21:15	8.9	94	8.2	146	18.1	39	863
8/24/24 21:30	8.8	93	8.2	146	18.0	39	929

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/24/24 21:45	8.8	93	8.2	147	18.0	38	1000
8/24/24 22:00	8.8	93	8.2	146	17.9	39	808
8/24/24 22:15	8.8	93	8.1	147	17.8	38	974
8/24/24 22:30	8.8	93	8.1	147	17.8	38	792
8/24/24 22:45	8.8	92	8.1	147	17.7	38	724
8/24/24 23:00	8.8	92	8.1	146	17.6	38	863
8/24/24 23:15	8.8	92	8.0	147	17.6	38	865
8/24/24 23:30	8.8	92	8.0	146	17.5	38	1150
8/24/24 23:45	8.8	92	8.0	147	17.4	38	883
8/25/24 0:00	8.8	92	8.0	146	17.3	33	643
8/25/24 0:15	8.8	92	8.0	148	17.2	37	575
8/25/24 0:30	8.8	92	8.0	148	17.1	37	695
8/25/24 0:45	8.9	92	8.0	147	17.0	42	995
8/25/24 1:00	8.9	92	8.0	147	17.0	38	977
8/25/24 1:15	8.9	92	8.0	148	16.9	36	715
8/25/24 1:30	8.9	92	8.0	148	16.8	37	1010
8/25/24 1:45	8.9	92	8.0	149	16.7	36	951
8/25/24 2:00	8.9	92	8.0	147	16.7	36	1020
8/25/24 2:15	8.9	92	8.0	148	16.6	36	705
8/25/24 2:30	9.0	92	8.0	148	16.5	36	870
8/25/24 2:45	9.0	92	7.9	148	16.4	37	961
8/25/24 3:00	9.0	92	8.0	148	16.4	37	1140
8/25/24 3:15	9.0	92	7.9	148	16.3	36	856
8/25/24 3:30	9.0	92	7.9	147	16.2	39	1120
8/25/24 3:45	9.1	92	7.9	148	16.1	37	947
8/25/24 4:00	9.1	92	7.9	147	16.0	37	870
8/25/24 4:15	9.1	92	7.9	147	15.9		833
8/25/24 4:30	9.1	92	7.9	147	15.8	38	717
8/25/24 4:45	9.1	92	7.9	147	15.8	36	732
8/25/24 5:00	9.1	92	7.9	147	15.7	38	831
8/25/24 5:15	9.2	92	7.9	147	15.6	37	860
8/25/24 5:30	9.2	92	7.9	147	15.5	39	959
8/25/24 5:45	9.2	92	7.9	147	15.4	39	902
8/25/24 6:00	9.2	92	7.9	147	15.4	37	592
8/25/24 6:15	9.2	92	7.9	147	15.3	38	745
8/25/24 6:30	9.3	92	7.9	146	15.2	36	846
8/25/24 6:45	9.2	92	7.9	146	15.2	38	830
8/25/24 7:00	9.3	92	7.9	146	15.1	37	883
8/25/24 7:15	9.3	92	7.9	145	15.0	38	830
8/25/24 7:30	9.3	92	7.9	146	15.0	38	824
8/25/24 7:45	9.3	93	7.9	146	14.9	38	715
8/25/24 8:00	9.3	92	7.9	147	14.9	39	680
8/25/24 8:15	9.4	93	7.9	146	14.8	37	819
8/25/24 8:30	9.4	92	7.9	146	14.7	38	663
8/25/24 8:45	9.4	93	7.9	146	14.7	36	810

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/25/24 9:00	9.4	93	7.9	146	14.6	37	970
8/25/24 9:15	9.4	93	7.9	146	14.6	36	874
8/25/24 9:30	9.5	93	7.9	146	14.6	37	965
8/25/24 9:45	9.5	93	8.0	146	14.5	36	951
8/25/24 10:00	9.5	93	8.0	145	14.5	37	846
8/25/24 10:15	9.6	94	8.0	146	14.5	35	749
8/25/24 10:30	9.6	94	8.0	145	14.5	36	1030
8/25/24 10:45	9.6	95	8.0	145	14.6	34	799
8/25/24 11:00	9.6	95	8.0	147	14.6	34	988
8/25/24 11:15	9.6	95	8.0	145	14.7	35	1190
8/25/24 11:30	9.7	96	8.1	144	14.8	34	1010
8/25/24 11:45	9.7	96	8.1	144	15.0	34	742
8/25/24 12:00	9.7	97	8.1	144	15.1	33	867
8/25/24 12:15	9.7	97	8.1	143	15.3	31	810
8/25/24 12:30	9.7	97	8.1	144	15.4	31	742
8/25/24 12:45	9.7	98	8.2	143	15.6	30	981
8/25/24 13:00	9.7	98	8.2	143	15.8	30	1010
8/25/24 13:15	9.7	98	8.2	143	16.0	29	856
8/25/24 13:30	9.7	98	8.2	143	16.1	29	747
8/25/24 13:45	9.7	99	8.2	143	16.3	30	947
8/25/24 14:00	9.6	99	8.2	143	16.5	28	881
8/25/24 14:15	9.6	99	8.2	141	16.7	30	943
8/25/24 14:30	9.6	99	8.2	141	16.9	29	854
8/25/24 14:45	9.6	99	8.3	141	17.1	28	1110
8/25/24 15:00	9.5	99	8.3	141	17.3	28	935
8/25/24 15:15	9.5	99	8.3	142	17.5	28	979
8/25/24 15:30	9.5	100	8.3	140	17.7	29	901
8/25/24 15:45	9.4	100	8.3	140	17.9	28	927
8/25/24 16:00	9.4	100	8.3	141	18.1	27	892
8/25/24 16:15	9.4	100	8.3	139	18.3	28	938
8/25/24 16:30	9.3	100	8.3	140	18.4	29	835
8/25/24 16:45	9.3	100	8.3	139	18.6	26	869
8/25/24 17:00	9.3	100	8.3	139	18.8	28	817
8/25/24 17:15	9.2	100	8.3	139	19.0	29	951
8/25/24 17:30	9.2	100	8.3	138	19.1	30	810
8/25/24 17:45	9.2	100	8.3	138	19.2	29	886
8/25/24 18:00	9.2	100	8.4	138	19.3	30	977
8/25/24 18:15	9.1	99	8.4	138	19.4	30	1000
8/25/24 18:30	9.1	99	8.4	138	19.5	33	715
8/25/24 18:45	9.1	99	8.4	138	19.5	33	719
8/25/24 19:00	9.0	99	8.4	138	19.6	34	847
8/25/24 19:15	9.0	98	8.4	138	19.6	35	799
8/25/24 19:30	9.0	98	8.4	138	19.5	35	1200
8/25/24 19:45	8.9	97	8.4	138	19.5	33	797
8/25/24 20:00	8.9	97	8.3	138	19.4	33	870

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/25/24 20:15	8.8	96	8.3	138	19.4	31	892
8/25/24 20:30	8.8	96	8.3	138	19.4	32	794
8/25/24 20:45	8.8	95	8.3	138	19.3	32	621
8/25/24 21:00	8.8	95	8.3	138	19.3	31	901
8/25/24 21:15	8.8	95	8.3	138	19.2	31	990
8/25/24 21:30	8.7	94	8.2	139	19.1	31	634
8/25/24 21:45	8.7	94	8.2	139	19.0	30	575
8/25/24 22:00	8.7	94	8.2	139	18.9	30	904
8/25/24 22:15	8.7	93	8.2	139	18.9	30	933
8/25/24 22:30	8.7	93	8.1	139	18.8	29	897
8/25/24 22:45	8.7	93	8.1	139	18.7	30	734
8/25/24 23:00	8.7	93	8.1	140	18.6	30	878
8/25/24 23:15	8.7	93	8.1	139	18.4	29	792
8/25/24 23:30	8.7	93	8.1	140	18.3	29	888
8/25/24 23:45	8.7	93	8.1	140	18.3	31	862
8/26/24 0:00	8.7	92	8.1	140	18.2	29	654
8/26/24 0:15	8.7	92	8.0	141	18.1	31	730
8/26/24 0:30	8.7	92	8.0	140	18.1	34	954
8/26/24 0:45	8.7	92	8.0	140	18.0	31	538
8/26/24 1:00	8.7	92	8.0	140	17.9	29	933
8/26/24 1:15	8.8	92	8.0	140	17.8	30	974
8/26/24 1:30	8.8	92	8.0	141	17.7		984
8/26/24 1:45	8.8	92	8.0	140	17.6	29	739
8/26/24 2:00	8.8	92	8.0	141	17.5	30	988
8/26/24 2:15	8.8	92	8.0	140	17.4	29	865
8/26/24 2:30	8.9	92	8.0	141	17.3	30	926
8/26/24 2:45	8.9	92	8.0	141	17.2	28	720
8/26/24 3:00	8.9	92	7.9	141	17.1	28	956
8/26/24 3:15	8.9	92	7.9	141	17.0	28	720
8/26/24 3:30	8.9	93	7.9	141	16.9	28	911
8/26/24 3:45	9.0	92	7.9	141	16.8	28	886
8/26/24 4:00	9.0	93	7.9	141	16.7	28	1120
8/26/24 4:15	9.0	93	7.9	141	16.6	28	844
8/26/24 4:30	9.0	93	7.9	141	16.6	29	922
8/26/24 4:45	9.1	93	7.9	141	16.5	28	703
8/26/24 5:00	9.1	93	7.9	141	16.4	28	849
8/26/24 5:15	9.1	93	7.9	141	16.3	27	824
8/26/24 5:30	9.1	93	7.9	140	16.2	28	1230
8/26/24 5:45	9.1	93	7.9	141	16.2	28	933
8/26/24 6:00	9.1	93	7.9	141	16.1	29	974
8/26/24 6:15	9.2	93	7.9	141	16.1	29	853
8/26/24 6:30	9.2	93	7.9	141	16.0	27	872
8/26/24 6:45	9.2	93	7.9	141	16.0	27	915
8/26/24 7:00	9.2	93	7.9	140	15.9	28	894
8/26/24 7:15	9.2	93	7.9	141	15.9	30	826

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/26/24 7:30	9.2	93	7.9	140	15.8	27	959
8/26/24 7:45	9.2	93	7.9	141	15.8	28	707
8/26/24 8:00	9.2	93	7.9	141	15.7	28	899
8/26/24 8:15	9.2	93	7.9	141	15.7	32	712
8/26/24 8:30	9.3	93	7.9	141	15.6	27	1250
8/26/24 8:45	9.3	93	7.9	141	15.6	28	931
8/26/24 9:00	9.3	93	7.9	141	15.6	27	970
8/26/24 9:15	9.3	93	7.9	141	15.6	26	910
8/26/24 9:30	9.3	94	8.0	141	15.6	27	813
8/26/24 9:45	9.3	94	8.0	141	15.6	27	913
8/26/24 10:00	9.4	94	8.0	141	15.6	27	984
8/26/24 10:15	9.4	95	8.0	141	15.7	26	729
8/26/24 10:30	9.4	95	8.0	140	15.7	27	874
8/26/24 10:45	9.4	95	8.0	141	15.8	29	846
8/26/24 11:00	9.5	96	8.1	141	15.9	26	963
8/26/24 11:15	9.5	96	8.1	140	16.0	26	851
8/26/24 11:30	9.5	97	8.1	140	16.1	27	817
8/26/24 11:45	9.5	97	8.1	140	16.3	26	1130
8/26/24 12:00	9.6	98	8.2	140	16.4	27	1000
8/26/24 12:15	9.5	98	8.2	140	16.6	26	720
8/26/24 12:30	9.6	98	8.2	140	16.8	27	888
8/26/24 12:45	9.6	99	8.2	139	16.9	27	692
8/26/24 13:00	9.5	99	8.2	140	17.1	28	1000
8/26/24 13:15	9.5	99	8.2	139	17.3	28	929
8/26/24 13:30	9.5	99	8.3	138	17.5	30	1160
8/26/24 13:45	9.5	99	8.2	139	17.7	31	975
8/26/24 14:00	9.4	100	8.3	138	17.9	29	901
8/26/24 14:15	9.4	100	8.3	138	18.0	29	876
8/26/24 14:30	9.4	100	8.3	139	18.2	29	951
8/26/24 14:45	9.3	100	8.3	138	18.4	33	819
8/26/24 15:00	9.3	100	8.3	138	18.6	34	929
8/26/24 15:15	9.3	100	8.3	138	18.8	30	879
8/26/24 15:30	9.3	100	8.3	138	19.0	30	1280
8/26/24 15:45	9.3	100	8.3	138	19.2	31	813
8/26/24 16:00	9.2	100	8.3	137	19.4	29	858
8/26/24 16:15	9.2	100	8.4	138	19.6	32	719
8/26/24 16:30	9.2	100	8.4	137	19.8	31	856
8/26/24 16:45	9.1	100	8.4	137	19.9	31	1010
8/26/24 17:00	9.1	101	8.4	137	20.1	31	671
8/26/24 17:15	9.1	101	8.4	137	20.3	30	897
8/26/24 17:30	9.1	101	8.4	136	20.4	30	840
8/26/24 17:45	9.0	101	8.4	136	20.5	30	902
8/26/24 18:00	9.0	100	8.4	136	20.6	32	997
8/26/24 18:15	9.0	100	8.4	136	20.7	31	1150
8/26/24 18:30	8.9	100	8.4	136	20.8	30	653

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/26/24 18:45	8.9	100	8.4	136	20.9	29	673
8/26/24 19:00	8.9	99	8.4	136	20.9	31	874
8/26/24 19:15	8.8	99	8.4	136	20.9	31	1260
8/26/24 19:30	8.8	98	8.4	136	20.9	34	1120
8/26/24 19:45	8.7	97	8.4	136	20.9	34	951
8/26/24 20:00	8.6	97	8.4	136	20.8	34	906
8/26/24 20:15	8.6	96	8.4	136	20.8	33	717
8/26/24 20:30	8.6	96	8.3	136	20.8	32	724
8/26/24 20:45	8.6	95	8.3	136	20.8	31	892
8/26/24 21:00	8.5	95	8.3	137	20.7	32	892
8/26/24 21:15	8.5	95	8.3	136	20.6	31	805
8/26/24 21:30	8.5	94	8.3	136	20.5	33	926
8/26/24 21:45	8.5	94	8.3	137	20.4	31	801
8/26/24 22:00	8.4	93	8.2	137	20.3	30	805
8/26/24 22:15	8.4	93	8.2	137	20.2	31	702
8/26/24 22:30	8.4	93	8.2	137	20.1	31	951
8/26/24 22:45	8.4	93	8.2	137	20.0	29	717
8/26/24 23:00	8.4	92	8.1	138	19.9	29	824
8/26/24 23:15	8.4	92	8.1	138	19.8	31	1300
8/26/24 23:30	8.4	92	8.1	138	19.7	30	849
8/26/24 23:45	8.4	92	8.1	139	19.6	29	828
8/27/24 0:00	8.4	92	8.1	139	19.6	30	732
8/27/24 0:15	8.4	92	8.1	139	19.5	29	935
8/27/24 0:30	8.5	92	8.0	139	19.4	29	853
8/27/24 0:45	8.5	92	8.0	139	19.3	28	853
8/27/24 1:00	8.5	92	8.0	140	19.2	30	737
8/27/24 1:15	8.5	92	8.0	140	19.1	29	1010
8/27/24 1:30	8.5	92	8.0	140	19.0	29	842
8/27/24 1:45	8.5	92	8.0	140	18.9	29	917
8/27/24 2:00	8.5	92	8.0	140	18.8	28	986
8/27/24 2:15	8.6	92	8.0	141	18.8	29	846
8/27/24 2:30	8.6	92	8.0	141	18.7	29	740
8/27/24 2:45	8.6	92	7.9	141	18.6	29	886
8/27/24 3:00	8.6	92	7.9	140	18.5	29	739
8/27/24 3:15	8.6	92	7.9	141	18.4	30	724
8/27/24 3:30	8.7	92	7.9	141	18.3	30	828
8/27/24 3:45	8.7	92	7.9	141	18.2	29	812
8/27/24 4:00	8.7	92	7.9	141	18.0	30	888
8/27/24 4:15	8.7	92	7.9	141	18.0	27	1040
8/27/24 4:30	8.7	92	7.9	141	17.9	28	844
8/27/24 4:45	8.8	92	7.9	142	17.8	28	997
8/27/24 5:00	8.8	92	7.9	142	17.7	27	986
8/27/24 5:15	8.8	92	7.9	143	17.6	28	840
8/27/24 5:30	8.8	92	7.9	142	17.5	29	849
8/27/24 5:45	8.8	92	7.9	142	17.5	28	830

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/27/24 6:00	8.8	92	7.9	143	17.4	28	1040
8/27/24 6:15	8.8	92	7.9	143	17.3	27	892
8/27/24 6:30	8.9	92	7.9	143	17.3	27	968
8/27/24 6:45	8.9	92	7.9	142	17.2	29	878
8/27/24 7:00	8.9	92	7.9	143	17.2	28	911
8/27/24 7:15	8.9	92	7.9	144	17.1	28	938
8/27/24 7:30	8.9	92	7.9	145	17.1	29	853
8/27/24 7:45	8.9	92	7.9	144	17.0	27	872
8/27/24 8:00	8.9	92	7.9	145	17.0	28	1210
8/27/24 8:15	8.9	93	7.9	145	16.9	27	979
8/27/24 8:30	9.0	93	7.9	145	16.9	27	1120
8/27/24 8:45	9.0	93	7.9	145	16.9	27	835
8/27/24 9:00	9.0	93	7.9	146	16.8	28	1000
8/27/24 9:15	9.0	93	7.9	146	16.8	28	920
8/27/24 9:30	9.1	93	8.0	147	16.8	27	835
8/27/24 9:45	9.1	93	8.0	147	16.8	28	1020
8/27/24 10:00	9.1	94	8.0	147	16.8	27	1120
8/27/24 10:15	9.1	94	8.0	146	16.8	28	885
8/27/24 10:30	9.2	94	8.0	148	16.9	27	983
8/27/24 10:45	9.2	95	8.0	147	16.9	26	1020
8/27/24 11:00	9.2	95	8.1	147	17.0	27	860
8/27/24 11:15	9.2	96	8.1	147	17.1	27	943
8/27/24 11:30	9.3	96	8.1	148	17.2	26	910
8/27/24 11:45	9.3	97	8.2	148	17.4	26	908
8/27/24 12:00	9.3	98	8.2	148	17.5	29	917
8/27/24 12:15	9.3	98	8.2	147	17.7	27	1040
8/27/24 12:30	9.3	98	8.2	148	17.9		915
8/27/24 12:45	9.3	99	8.2	148	18.0	26	977
8/27/24 13:00	9.3	99	8.3	147	18.2	26	895
8/27/24 13:15	9.3	99	8.3	147	18.4	27	867
8/27/24 13:30	9.3	100	8.3	148	18.5	26	935
8/27/24 13:45	9.3	100	8.3	148	18.7	27	819
8/27/24 14:00	9.3	100	8.3	149	18.9	27	958
8/27/24 14:15	9.3	100	8.4	146	19.1	28	927
8/27/24 14:30	9.2	100	8.4	146	19.2	28	1020
8/27/24 14:45	9.2	100	8.4	147	19.4	27	812
8/27/24 15:00	9.2	101	8.4	146	19.6	28	1230
8/27/24 15:15	9.2	101	8.4	145	19.8		924
8/27/24 15:30	9.2	101	8.4	147	20.0	28	908
8/27/24 15:45	9.2	101	8.4	146	20.2	27	724
8/27/24 16:00	9.1	101	8.4	146	20.4	28	831
8/27/24 16:15	9.1	101	8.4	145	20.5	29	1170
8/27/24 16:30	9.1	101	8.5	145	20.7	26	938
8/27/24 16:45	9.1	101	8.4	145	20.8	28	995
8/27/24 17:00	9.0	101	8.5	143	21.0	27	824

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/27/24 17:15	9.0	101	8.5	143	21.1	29	865
8/27/24 17:30	9.0	101	8.5	144	21.2	29	745
8/27/24 17:45	9.0	101	8.5	144	21.3	29	1200
8/27/24 18:00	8.9	101	8.5	144	21.4	29	1240
8/27/24 18:15	8.9	101	8.5	144	21.4	29	1030
8/27/24 18:30	8.8	100	8.5	144	21.5	33	1230
8/27/24 18:45	8.8	100	8.5	143	21.5	31	817
8/27/24 19:00	8.8	100	8.5	144	21.5	33	1290
8/27/24 19:15	8.8	99	8.5	143	21.4	31	1280
8/27/24 19:30	8.7	99	8.5	144	21.4	30	895
8/27/24 19:45	8.7	98	8.5	143	21.3	30	1170
8/27/24 20:00	8.6	97	8.4	143	21.3	30	1190
8/27/24 20:15	8.6	96	8.4	143	21.2	30	1170
8/27/24 20:30	8.5	96	8.4	144	21.2	30	885
8/27/24 20:45	8.5	96	8.4	143	21.2	30	737
8/27/24 21:00	8.5	95	8.4	143	21.1	31	1130
8/27/24 21:15	8.4	95	8.4	143	21.0	29	1310
8/27/24 21:30	8.4	94	8.3	143	20.9	29	999
8/27/24 21:45	8.4	94	8.3	143	20.8	30	1230
8/27/24 22:00	8.3	93	8.3	144	20.7	30	1110
8/27/24 22:15	8.3	93	8.2	143	20.6	32	924
8/27/24 22:30	8.3	93	8.2	143	20.5	31	1190
8/27/24 22:45	8.3	92	8.2	144	20.4	31	824
8/27/24 23:00	8.3	92	8.2	144	20.2	32	1000
8/27/24 23:15	8.3	92	8.2	144	20.2	31	926
8/27/24 23:30	8.3	92	8.1	145	20.1	31	879
8/27/24 23:45	8.3	92	8.1	145	19.9	31	812
8/28/24 0:00	8.3	92	8.1	145	19.9	32	951
8/28/24 0:15	8.4	92	8.1	145	19.8	31	1140
8/28/24 0:30	8.4	92	8.1	144	19.7	30	1110
8/28/24 0:45	8.4	92	8.1	145	19.6	28	894
8/28/24 1:00	8.4	92	8.1	145	19.5	30	858
8/28/24 1:15	8.4	91	8.0	146	19.4	30	1160
8/28/24 1:30	8.4	92	8.0	146	19.3	30	933
8/28/24 1:45	8.4	91	8.0	145	19.2	31	719
8/28/24 2:00	8.5	91	8.0	145	19.1	31	810
8/28/24 2:15	8.5	92	8.0	146	18.9	30	1030
8/28/24 2:30	8.5	92	8.0	146	18.8	30	979
8/28/24 2:45	8.6	92	8.0	146	18.6	30	959
8/28/24 3:00	8.6	92	8.0	146	18.5	30	997
8/28/24 3:15	8.6	92	8.0	146	18.4	29	924
8/28/24 3:30	8.6	91	7.9	146	18.3		1040
8/28/24 3:45	8.7	92	8.0	145	18.2	31	867
8/28/24 4:00	8.7	92	8.0	146	18.0	30	835
8/28/24 4:15	8.7	92	8.0	147	17.9	29	858

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/28/24 4:30	8.7	92	7.9	145	17.8	31	1000
8/28/24 4:45	8.8	92	8.0	145	17.6	29	1150
8/28/24 5:00	8.8	92	7.9	145	17.5	29	813
8/28/24 5:15	8.8	92	7.9	146	17.4	29	958
8/28/24 5:30	8.8	92	7.9	146	17.4	27	828
8/28/24 5:45	8.8	92	7.9	145	17.3	31	732
8/28/24 6:00	8.9	92	8.0	145	17.2		854
8/28/24 6:15	8.9	92	7.9	145	17.2	29	986
8/28/24 6:30	8.9	92	7.9	145	17.1	30	1040
8/28/24 6:45	8.9	92	7.9	146	17.1	29	949
8/28/24 7:00	8.9	92	7.9	146	17.0	29	730
8/28/24 7:15	8.9	92	7.9	145	17.0	29	881
8/28/24 7:30	8.9	92	7.9	145	17.0		951
8/28/24 7:45	8.9	92	7.9	144	16.9	29	981
8/28/24 8:00	8.9	92	7.9	146	16.9	29	803
8/28/24 8:15	9.0	92	7.9	145	16.8	29	886
8/28/24 8:30	9.0	93	7.9	145	16.8	30	961
8/28/24 8:45	9.0	93	7.9	145	16.7	28	1170
8/28/24 9:00	9.0	93	8.0	145	16.7	29	894
8/28/24 9:15	9.0	93	8.0	144	16.6	28	894
8/28/24 9:30	9.1	93	8.0	144	16.6	51	822
8/28/24 9:45	9.1	93	8.0	145	16.6	30	826
8/28/24 10:00	9.1	93	8.0	143	16.6	37	915
8/28/24 10:15	9.2	94	8.0	145	16.6	28	970
8/28/24 10:30	9.1	94	8.0	144	16.6	36	954
8/28/24 10:45	8.7	90	8.1	151	16.7	52	963
8/28/24 11:00	8.6	89	8.0	152	16.7	92	938
8/28/24 11:15	8.7	90	7.9	149	16.8	130	1020
8/28/24 11:30	8.8	90	7.9	145	16.9	148	824
8/28/24 11:45	8.4	87	7.8	145	17.0	219	870
8/28/24 12:00	8.0	83	7.7	146	17.1	292	911
8/28/24 12:15	8.1	84	7.7	145	17.2	278	913
8/28/24 12:30	8.2	86	7.7	144	17.4	287	979
8/28/24 12:45	8.1	84	7.6	145	17.5	330	975
8/28/24 13:00	7.5	79	7.5	146	17.6	399	822
8/28/24 13:15	7.5	79	7.5	145	17.8	376	991
8/28/24 13:30	7.4	79	7.5	145	17.9	359	1020
8/28/24 13:45	7.6	80	7.5	145	18.1	334	906
8/28/24 14:00	7.7	82	7.5	144	18.3	316	1020
8/28/24 14:15	7.8	83	7.5	144	18.4	293	972
8/28/24 14:30	7.8	84	7.5	142	18.6	284	913
8/28/24 14:45	7.8	84	7.5	141	18.8	267	1220
8/28/24 15:00	7.5	80	7.5	144	18.9	364	1160
8/28/24 15:15	6.7	72	7.4	148	19.1	476	844
8/28/24 15:30	6.1	66	7.3	149	19.2	501	959

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/28/24 15:45	4.7	52	7.2	153	19.4	548	974
8/28/24 16:00	4.9	54	7.2	148	19.6	550	692
8/28/24 16:15	5.4	59	7.3	148	19.8	551	958
8/28/24 16:30	5.3	58	7.3	149	20.0	568	853
8/28/24 16:45	5.2	57	7.2	150	20.1	583	1160
8/28/24 17:00	5.1	57	7.2	151	20.3	589	725
8/28/24 17:15	5.3	59	7.3	149	20.4	575	908
8/28/24 17:30	5.0	55	7.2	150	20.6	583	851
8/28/24 17:45	5.3	59	7.3	148	20.7	578	935
8/28/24 18:00	5.5	61	7.3	147	20.8	608	849
8/28/24 18:15	4.6	51	7.3	150	20.8	665	812
8/28/24 18:30	3.4	38	7.3	154	20.9	723	945
8/28/24 18:45	1.8	20	7.2	159	20.9	669	865
8/28/24 19:00	0.7	8	7.1	162	20.9	649	835
8/28/24 19:15	0.2	2	7.0	165	20.9	558	720
8/28/24 19:30	-0.1	-1	7.0	192	20.7	313	863
8/28/24 19:45	-0.1	-1	7.1	226	20.3	148	729
8/28/24 20:00	-0.1	-1	7.1	221	20.3	151	1030
8/28/24 20:15	-0.1	-1	7.0	211	20.3	227	600
8/28/24 20:30	-0.1	-1	7.0	209	20.2	233	876
8/28/24 20:45	-0.1	-1	7.0	202	20.2	252	899
8/28/24 21:00	-0.1				20.2	328	837
8/28/24 21:15	-0.1				20.2	385	693
8/28/24 21:30	-0.1				20.1	413	878
8/28/24 21:45	-0.1				20.1	429	931
8/28/24 22:00	-0.1				20.0	419	926
8/28/24 22:15	-0.1				19.9	438	1140
8/28/24 22:30	-0.1				19.9	431	922
8/28/24 22:45	-0.1				19.7	475	806
8/28/24 23:00	-0.1				19.6	500	803
8/28/24 23:15	-0.1				19.6	470	688
8/28/24 23:30	0.0				19.5	478	651
8/28/24 23:45	0.0				19.4	495	676
8/29/24 0:00	0.0				19.3	489	888
8/29/24 0:15	0.1				19.2	496	977
8/29/24 0:30	0.1				19.1	490	952
8/29/24 0:45	0.1				18.9	497	690
8/29/24 1:00	0.1				18.8	487	808
8/29/24 1:15	0.2				18.7	495	837
8/29/24 1:30	0.1				18.6	467	844
8/29/24 1:45	0.0				18.5	443	1130
8/29/24 2:00	0.0				18.4	423	965
8/29/24 2:15	-0.1				18.2	416	742
8/29/24 2:30	-0.1				18.1	421	1130
8/29/24 2:45	-0.1				18.0	421	862

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/29/24 3:00	-0.1				17.8	381	851
8/29/24 3:15	0.0				17.7	415	805
8/29/24 3:30	0.1				17.6	442	670
8/29/24 3:45	0.1				17.5	453	730
8/29/24 4:00	0.1				17.4	422	961
8/29/24 4:15	0.1				17.3	442	911
8/29/24 4:30	0.2				17.2	469	681
8/29/24 4:45	0.3				17.1	436	993
8/29/24 5:00	0.4				16.9	450	739
8/29/24 5:15	0.4				16.8	464	735
8/29/24 5:30	0.5				16.7	462	876
8/29/24 5:45	0.5				16.7	465	805
8/29/24 6:00	0.4				16.6	454	813
8/29/24 6:15	0.6				16.5	489	933
8/29/24 6:30	1.2				16.5	492	685
8/29/24 6:45	1.5				16.4	514	725
8/29/24 7:00	1.8				16.4	508	796
8/29/24 7:15	2.0				16.3	513	553
8/29/24 7:30	2.2				16.2	540	870
8/29/24 7:45	2.4				16.2	517	797
8/29/24 8:00	2.5				16.1	518	943
8/29/24 8:15	2.1				16.0	513	712
8/29/24 8:30	1.5				15.9	520	799
8/29/24 8:45	1.6				15.9	516	1160
8/29/24 9:00	1.9				15.8	513	940
8/29/24 9:15	2.4				15.8	512	715
8/29/24 9:30	2.3				15.7	488	730
8/29/24 9:45	2.1				15.7	491	665
8/29/24 10:00	1.7				15.7	505	990
8/29/24 10:15	2.0				15.8	507	622
8/29/24 10:30	2.2				15.8	496	872
8/29/24 10:45	2.5				15.9	497	879
8/29/24 11:00	2.4				16.0	511	710
8/29/24 11:15	3.0				16.1	502	683
8/29/24 11:30	3.3				16.3	508	707
8/29/24 11:45	3.4				16.5	505	713
8/29/24 12:00	3.6				16.6	508	749
8/29/24 12:15	3.8				16.8	504	794
8/29/24 12:30	4.0				17.0	523	678
8/29/24 12:45	4.4				17.1	549	931
8/29/24 13:00	4.3				17.3	555	1010
8/29/24 13:15	3.8				17.5	537	1040
8/29/24 13:30	4.0				17.7	525	981
8/29/24 13:45	3.7				17.9	531	663
8/29/24 14:00	4.2				18.1	523	840

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/29/24 14:15	4.4				18.3	522	846
8/29/24 14:30	4.4				18.5	526	883
8/29/24 14:45	4.5				18.7	531	744
8/29/24 15:00	4.3				18.9	558	876
8/29/24 15:15	4.2				19.0	540	710
8/29/24 15:30	4.2				19.2	534	991
8/29/24 15:45	4.1				19.4	534	870
8/29/24 16:00	3.6				19.6	561	858
8/29/24 16:15	3.8				19.8	549	926
8/29/24 16:30	3.7				20.0	527	881
8/29/24 16:45	3.6				20.2	539	712
8/29/24 17:00	3.3				20.3	560	867
8/29/24 17:15	3.2				20.5	552	952
8/29/24 17:30	2.8				20.6	570	722
8/29/24 17:45	2.5				20.7	579	670
8/29/24 18:00	2.1				20.8	571	821
8/29/24 18:15	2.2				20.8	553	876
8/29/24 18:30	2.0				20.9	582	1170
8/29/24 18:45	1.2				20.9	569	634
8/29/24 19:00	1.0				20.9	545	970
8/29/24 19:15	0.9				20.8	536	901
8/29/24 19:30	1.1				20.8	554	1040
8/29/24 19:45	1.2				20.8	551	892
8/29/24 20:00	1.3				20.7	542	1040
8/29/24 20:15	1.0				20.7	542	968
8/29/24 20:30	0.7				20.6	517	981
8/29/24 20:45	0.8				20.6	523	986
8/29/24 21:00	0.7				20.5	519	719
8/29/24 21:15	0.9				20.4	522	869
8/29/24 21:30	0.9				20.4	518	963
8/29/24 21:45	0.8				20.3	549	854
8/29/24 22:00	1.0				20.2	561	995
8/29/24 22:15	0.8				20.1	557	835
8/29/24 22:30	0.7				20.0	561	878
8/29/24 22:45	0.8				19.9	560	831
8/29/24 23:00	1.0				19.8	554	906
8/29/24 23:15	1.0				19.8	536	919
8/29/24 23:30	1.2				19.7	538	949
8/29/24 23:45	0.8				19.6	548	894
8/30/24 0:00	1.2				19.5	563	849
8/30/24 0:15	1.4				19.4	549	919
8/30/24 0:30	1.5				19.3	532	965
8/30/24 0:45	1.7				19.2	547	1130
8/30/24 1:00	1.8				19.1	529	988
8/30/24 1:15	2.0				19.0	556	1020

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	Specific			Water		Turbidity (FNU)	Turbidity (SBU)
	DO (mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/30/24 1:30	1.9				18.9	530	984
8/30/24 1:45	1.8				18.8	523	1020
8/30/24 2:00	2.0				18.7	526	991
8/30/24 2:15	2.1				18.6	550	984
8/30/24 2:30	2.1				18.5	533	931
8/30/24 2:45	2.2				18.3	521	819
8/30/24 3:00	2.1				18.2	512	990
8/30/24 3:15	2.1				18.1	530	1110
8/30/24 3:30	2.2				18.0	528	713
8/30/24 3:45	2.1				17.9	512	710
8/30/24 4:00	2.2				17.8	527	815
8/30/24 4:15	2.3				17.6	510	954
8/30/24 4:30	2.3				17.5	515	840
8/30/24 4:45	2.5				17.4	515	1130
8/30/24 5:00	2.4				17.3	508	1160
8/30/24 5:15	2.3				17.3	535	874
8/30/24 5:30	2.2				17.2	517	951
8/30/24 5:45	2.3				17.1	505	1210
8/30/24 6:00	2.5				17.1	504	1120
8/30/24 6:15	2.2				17.0	512	1110
8/30/24 6:30	2.1				17.0	532	901
8/30/24 6:45	2.5				16.9	511	1220
8/30/24 7:00	2.6				16.9	502	1210
8/30/24 7:15	2.6				16.8	537	899
8/30/24 7:30	2.9				16.8	505	917
8/30/24 7:45	2.9				16.7	517	1010
8/30/24 8:00	2.7				16.7	528	1020
8/30/24 8:15	2.8				16.6	532	1020
8/30/24 8:30					16.6	519	1210
8/30/24 8:45					16.5	534	846
8/30/24 9:00					16.5	511	1340
8/30/24 9:15					16.5	543	1200
8/30/24 9:30					16.5	533	1470
8/30/24 9:45					16.5	522	967
8/30/24 10:00					16.5	539	1140
8/30/24 10:15					16.5	533	947
8/30/24 10:30					16.6	518	1170
8/30/24 10:45					16.7	528	951
8/30/24 11:00					16.8	531	1150
8/30/24 11:15					16.9	527	963
8/30/24 11:30					17.0	532	961
8/30/24 11:45					17.2	535	1110
8/30/24 12:00					17.3	550	945
8/30/24 12:15					17.5	543	926
8/30/24 12:30					17.7	544	906

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/30/24 12:45					17.9	538	1160
8/30/24 13:00					18.0	536	824
8/30/24 13:15					18.2	539	1230
8/30/24 13:30					18.4	536	910
8/30/24 13:45					18.6	524	951
8/30/24 14:00					18.8	549	929
8/30/24 14:15					19.0	532	1010
8/30/24 14:30					19.2	540	929
8/30/24 14:45					19.4	529	1200
8/30/24 15:00					19.6	551	897
8/30/24 15:15					19.7	548	1020
8/30/24 15:30					19.9	548	1050
8/30/24 15:45					20.1	524	1130
8/30/24 16:00					20.3	552	988
8/30/24 16:15					20.5	525	997
8/30/24 16:30					20.7	550	1140
8/30/24 16:45					20.8	558	1130
8/30/24 17:00					21.0	547	908
8/30/24 17:15					21.2	543	1010
8/30/24 17:30					21.3	543	1040
8/30/24 17:45					21.4	561	881
8/30/24 18:00					21.5	568	1170
8/30/24 18:15					21.6	565	961
8/30/24 18:30					21.6	543	854
8/30/24 18:45					21.7	560	993
8/30/24 19:00					21.7	561	897
8/30/24 19:15					21.7	544	853
8/30/24 19:30					21.7	541	949
8/30/24 19:45					21.7	555	690
8/30/24 20:00					21.6	559	1040
8/30/24 20:15					21.6	547	665
8/30/24 20:30					21.6	548	1150
8/30/24 20:45					21.5	552	821
8/30/24 21:00					21.4	554	917
8/30/24 21:15					21.3	557	1230
8/30/24 21:30					21.3	543	1160
8/30/24 21:45					21.2	557	1120
8/30/24 22:00					21.1	547	929
8/30/24 22:15					21.0	535	1010
8/30/24 22:30					20.9	539	933
8/30/24 22:45					20.8	537	886
8/30/24 23:00					20.7	538	1020
8/30/24 23:15					20.6	540	739
8/30/24 23:30					20.5	537	833
8/30/24 23:45					20.4	512	920

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/31/24 0:00					20.3	532	824
8/31/24 0:15					20.2	519	749
8/31/24 0:30					20.1	516	993
8/31/24 0:45					20.0	526	890
8/31/24 1:00					19.9	519	922
8/31/24 1:15					19.8	507	974
8/31/24 1:30					19.7	507	1000
8/31/24 1:45					19.6	519	854
8/31/24 2:00					19.5	505	1020
8/31/24 2:15					19.3	515	830
8/31/24 2:30					19.2	522	1300
8/31/24 2:45					19.1	523	874
8/31/24 3:00					19.0	539	956
8/31/24 3:15					18.9	514	1280
8/31/24 3:30					18.8	533	675
8/31/24 3:45					18.7	512	1050
8/31/24 4:00					18.6	518	1030
8/31/24 4:15					18.6	531	1210
8/31/24 4:30					18.5	539	808
8/31/24 4:45					18.4	530	715
8/31/24 5:00					18.3	523	929
8/31/24 5:15					18.2	531	1320
8/31/24 5:30					18.1	544	908
8/31/24 5:45					18.1	534	1200
8/31/24 6:00					18.0	520	1050
8/31/24 6:15					17.9	532	959
8/31/24 6:30					17.9	535	984
8/31/24 6:45					17.8	517	1010
8/31/24 7:00					17.8	522	869
8/31/24 7:15					17.7	521	999
8/31/24 7:30					17.7	533	883
8/31/24 7:45					17.7	529	1000
8/31/24 8:00					17.6	519	929
8/31/24 8:15					17.6	532	1210
8/31/24 8:30					17.5	522	1230
8/31/24 8:45					17.5	521	1150
8/31/24 9:00					17.4	523	1240
8/31/24 9:15					17.4	528	952
8/31/24 9:30					17.4	523	872
8/31/24 9:45					17.4	525	824
8/31/24 10:00					17.4		943
8/31/24 10:15					17.4	520	1160
8/31/24 10:30					17.5		888
8/31/24 10:45					17.5		929
8/31/24 11:00					17.6		1310

**Klamath River below Iron Gate Dam, CA
(11516530)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/31/24 11:15					17.7		984
8/31/24 11:30					17.8		997
8/31/24 11:45					17.9		1280
8/31/24 12:00					18.1		965
8/31/24 12:15					18.2		1140
8/31/24 12:30					18.4		999
8/31/24 12:45					18.5		851
8/31/24 13:00					18.6		894
8/31/24 13:15					18.8		1010
8/31/24 13:30					18.9		979
8/31/24 13:45					19.1		1160
8/31/24 14:00					19.3		1170
8/31/24 14:15					19.4		974
8/31/24 14:30					19.6		929
8/31/24 14:45					19.8		981
8/31/24 15:00					19.9		997
8/31/24 15:15					20.1		963
8/31/24 15:30					20.2		1220
8/31/24 15:45					20.4		796
8/31/24 16:00					20.5		1140
8/31/24 16:15					20.6		1210
8/31/24 16:30					20.8		975
8/31/24 16:45					21.0		974
8/31/24 17:00					21.1		979
8/31/24 17:15					21.2		1020
8/31/24 17:30					21.4		922
8/31/24 17:45					21.4		797
8/31/24 18:00					21.5		1010
8/31/24 18:15					21.6		1180
8/31/24 18:30					21.6		1130
8/31/24 18:45					21.6		1190
8/31/24 19:00					21.6		1250
8/31/24 19:15					21.6		995
8/31/24 19:30					21.5		1340
8/31/24 19:45					21.5		1020
8/31/24 20:00					21.4		922
8/31/24 20:15					21.4		1180
8/31/24 20:30					21.3		981
8/31/24 20:45					21.2		1140
8/31/24 21:00					21.2		949
8/31/24 21:15					21.1		1230
8/31/24 21:30					21.1		965
8/31/24 21:45					21.0		1160
8/31/24 22:00					21.0		1160
8/31/24 22:15					20.9		1030



Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)

Klamath River above Fall Creek near Copco, CA, Daggett Bridge (11511990)



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 0:00	8.1	102	7.9	134	22.4	114	
8/1/24 0:15	8.1	102	7.9	134	22.4	114	
8/1/24 0:30	8.2	102	7.9	134	22.3	114	
8/1/24 0:45	8.2	102	7.9	134	22.2	113	
8/1/24 1:00	8.2	102	7.9	134	22.2	113	
8/1/24 1:15	8.2	102	7.9	134	22.1	113	
8/1/24 1:30	8.2	102	7.9	134	22.0	114	
8/1/24 1:45	8.2	102	7.9	133	22.0	114	
8/1/24 2:00	8.2	102	7.9	133	21.9	114	
8/1/24 2:15	8.2	102	7.9	133	21.8	114	
8/1/24 2:30	8.2	102	7.9	133	21.8	117	
8/1/24 2:45	8.2	102	7.9	133	21.8	118	
8/1/24 3:00	8.2	102	7.9	133	21.7	121	
8/1/24 3:15	8.2	102	7.9	133	21.7	124	
8/1/24 3:30	8.3	102	7.9	133	21.6	129	
8/1/24 3:45	8.3	102	7.9	133	21.5	134	
8/1/24 4:00	8.3	102	7.9	133	21.5	139	
8/1/24 4:15	8.3	102	7.9	133	21.4	144	
8/1/24 4:30	8.3	102	7.9	133	21.4	150	307
8/1/24 4:45	8.3	102	7.9	132	21.3	155	335
8/1/24 5:00	8.3	102	7.9	132	21.2	158	307
8/1/24 5:15	8.3	102	7.9	132	21.2	160	310
8/1/24 5:30	8.4	102	7.9	132	21.1	161	328
8/1/24 5:45	8.4	102	7.9	132	21.0	163	341
8/1/24 6:00	8.4	102	7.9	132	21.0	164	335
8/1/24 6:15	8.4	102	7.9	132	20.9	165	341
8/1/24 6:30	8.4	102	7.9	132	20.8	165	335
8/1/24 6:45	8.4	102	7.9	132	20.8	165	322
8/1/24 7:00	8.4	102	7.9	131	20.7	163	341
8/1/24 7:15	8.4	102	7.9	131	20.7	161	328
8/1/24 7:30	8.4	102	7.9	131	20.7	162	331
8/1/24 7:45	8.4	102	7.9	131	20.6	158	313
8/1/24 8:00	8.4	102	7.9	131	20.6	157	353
8/1/24 8:15	8.5	102	7.9	131	20.6	153	356
8/1/24 8:30	8.5	102	7.9	131	20.6	152	
8/1/24 8:45	8.5	102	7.9	131	20.6	150	307
8/1/24 9:00	8.5	103	7.9	131	20.6	147	356
8/1/24 9:15	8.4	102	7.9	130	20.6	147	
8/1/24 9:30	8.4	102	7.9	130	20.7	147	307
8/1/24 9:45	8.4	103	7.9	130	20.8	147	304
8/1/24 10:00	8.4	103	7.9	130	20.8	149	304
8/1/24 10:15	8.4	103	7.9	130	21.0	149	301
8/1/24 10:30	8.4	103	7.9	130	21.1	151	359
8/1/24 10:45	8.4	103	7.9	130	21.2	151	
8/1/24 11:00	8.3	103	7.9	130	21.4	156	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 11:15	8.3	103	7.9	130	21.5	152	
8/1/24 11:30	8.3	103	7.9	130	21.7	152	
8/1/24 11:45	8.2	102	7.9	130	21.9	151	
8/1/24 12:00	8.2	102	7.9	130	22.0	150	
8/1/24 12:15	8.2	102	7.9	130	22.0	150	
8/1/24 12:30	8.2	103	7.9	129	22.4	148	
8/1/24 12:45	8.1	103	7.9	129	22.6	147	
8/1/24 13:00	8.1	103	7.9	129	22.8	146	356
8/1/24 13:15	8.1	103	7.9	129	23.0	144	301
8/1/24 13:30	8.0	103	7.9	130	23.2	143	
8/1/24 13:45	8.0	103	7.9	130	23.4	141	
8/1/24 14:00	8.0	103	7.9	130	23.6	139	
8/1/24 14:15	8.0	103	7.9	130	23.8	137	
8/1/24 14:30	7.9	103	7.9	130	23.9	135	
8/1/24 14:45	7.9	103	7.9	130	24.1	133	
8/1/24 15:00	7.9	102	7.9	130	24.2	132	
8/1/24 15:15	7.9	103	7.9	131	24.3	129	
8/1/24 15:30	7.9	102	7.9	131	24.4	129	
8/1/24 15:45	7.8	102	7.9	131	24.4	126	569
8/1/24 16:00	7.8	102	7.9	131	24.5	125	709
8/1/24 16:15	7.8	102	7.9	131	24.6	124	709
8/1/24 16:30	7.8	102	7.9	132	24.6	123	714
8/1/24 16:45	7.8	102	7.9	132	24.6	121	
8/1/24 17:00	7.8	102	7.9	132	24.6	121	368
8/1/24 17:15	7.8	102	7.9	132	24.6	121	507
8/1/24 17:30	7.8	102	7.9	132	24.6	119	380
8/1/24 17:45	7.8	102	7.9	133	24.5	118	380
8/1/24 18:00	7.8	102	7.9	133	24.5	118	380
8/1/24 18:15	7.8	102	7.9	133	24.4	117	
8/1/24 18:30	7.8	102	7.9	133	24.4	116	
8/1/24 18:45	7.9	102	7.9	133	24.3	116	
8/1/24 19:00	7.9	102	7.9	133	24.2	115	
8/1/24 19:15	7.9	102	7.9	133	24.1	114	424
8/1/24 19:30	7.9	102	7.9	134	24.0	113	
8/1/24 19:45	7.9	102	7.9	134	23.9	112	471
8/1/24 20:00	7.9	102	7.9	134	23.8	112	
8/1/24 20:15	7.9	102	7.9	134	23.7	111	401
8/1/24 20:30	8.0	102	7.9	134	23.6	111	440
8/1/24 20:45	8.0	102	7.9	134	23.6	110	353
8/1/24 21:00	8.0	102	7.9	134	23.4	111	
8/1/24 21:15	8.0	102	7.9	134	23.3	112	
8/1/24 21:30	8.0	102	7.9	134	23.2	112	
8/1/24 21:45	8.0	102	7.9	134	23.1	112	
8/1/24 22:00	8.1	102	7.9	134	23.0	113	452
8/1/24 22:15	8.1	102	7.9	134	22.9	115	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/1/24 22:30	8.1	102	7.9	134	22.8	114	512
8/1/24 22:45	8.1	102	7.9	134	22.8	115	
8/1/24 23:00	8.1	102	7.9	134	22.7	115	344
8/1/24 23:15	8.1	102	7.9	134	22.6	114	380
8/1/24 23:30	8.1	102	7.9	134	22.6	113	426
8/1/24 23:45	8.2	102	7.9	134	22.4	112	456
8/2/24 0:00	8.2	103	7.9	134	22.3	111	693
8/2/24 0:15	8.2	102	7.9	133	22.2	109	572
8/2/24 0:30	8.2	103	7.9	133	22.1	108	373
8/2/24 0:45	8.2	102	7.9	133	22.0	108	
8/2/24 1:00	8.2	103	7.9	133	22.0	107	440
8/2/24 1:15	8.2	103	7.9	133	22.0	106	392
8/2/24 1:30	8.2	102	7.9	133	21.9	106	
8/2/24 1:45	8.3	103	7.9	133	21.9	105	
8/2/24 2:00	8.3	103	7.9	133	21.8	105	475
8/2/24 2:15	8.3	103	7.9	133	21.8	104	447
8/2/24 2:30	8.3	103	7.9	133	21.7	103	447
8/2/24 2:45	8.3	103	7.9	133	21.6	103	
8/2/24 3:00	8.3	103	7.9	133	21.6	103	
8/2/24 3:15	8.3	102	7.9	133	21.5	102	
8/2/24 3:30	8.3	102	7.9	133	21.4	102	395
8/2/24 3:45	8.3	103	7.9	133	21.3	101	383
8/2/24 4:00	8.4	103	7.9	133	21.3	101	
8/2/24 4:15	8.4	103	7.9	133	21.2	102	
8/2/24 4:30	8.4	103	7.9	133	21.2	101	
8/2/24 4:45	8.4	103	7.9	133	21.1	102	
8/2/24 5:00	8.4	103	7.9	133	21.0	102	
8/2/24 5:15	8.4	103	7.9	133	21.0	103	
8/2/24 5:30	8.4	103	7.9	133	20.9	104	
8/2/24 5:45	8.4	103	7.9	133	20.8	104	
8/2/24 6:00	8.4	103	7.9	133	20.8	104	
8/2/24 6:15	8.4	103	7.9	133	20.7	105	
8/2/24 6:30	8.5	103	7.9	133	20.6	106	
8/2/24 6:45	8.5	103	7.9	133	20.6	106	
8/2/24 7:00	8.5	103	7.9	133	20.5	107	
8/2/24 7:15	8.5	103	7.9	133	20.4	108	
8/2/24 7:30	8.5	103	7.9	132	20.4	109	
8/2/24 7:45	8.5	103	7.9	132	20.4	111	
8/2/24 8:00	8.5	103	7.9	132	20.3	110	
8/2/24 8:15	8.5	103	7.9	132	20.3	112	
8/2/24 8:30	8.5	103	7.9	132	20.3	111	
8/2/24 8:45	8.5	103	7.9	132	20.4	111	
8/2/24 9:00	8.5	103	7.9	131	20.4	110	
8/2/24 9:15	8.5	103	7.9	131	20.4	109	
8/2/24 9:30	8.5	103	7.9	131	20.5	109	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 9:45	8.5	103	7.9	131	20.6	109	
8/2/24 10:00	8.5	103	7.9	131	20.6	110	
8/2/24 10:15	8.5	103	7.9	130	20.8	111	
8/2/24 10:30	8.4	103	7.9	130	20.9	111	
8/2/24 10:45	8.4	103	7.9	130	21.0	110	
8/2/24 11:00	8.4	103	7.9	130	21.2	111	
8/2/24 11:15	8.4	103	7.9	130	21.3	114	
8/2/24 11:30	8.4	103	7.9	130	21.5	111	
8/2/24 11:45	8.3	103	7.9	130	21.6	112	
8/2/24 12:00	8.3	103	7.9	130	21.8	113	
8/2/24 12:15	8.3	103	7.9	129	22.0	113	
8/2/24 12:30	8.2	103	7.9	129	22.2	115	
8/2/24 12:45	8.2	103	7.9	129	22.4	114	
8/2/24 13:00	8.2	103	7.9	129	22.5	116	
8/2/24 13:15	8.2	103	7.9	130	22.7	118	
8/2/24 13:30	8.1	103	7.9	130	22.9	118	
8/2/24 13:45	8.1	103	7.9	130	23.1	121	
8/2/24 14:00	8.1	103	7.9	130	23.2	121	
8/2/24 14:15	8.0	103	7.9	130	23.4	124	
8/2/24 14:30	8.0	103	7.9	130	23.5	125	
8/2/24 14:45	8.0	103	7.9	130	23.6	126	
8/2/24 15:00	8.0	103	7.9	131	23.7	127	
8/2/24 15:15	8.0	103	7.9	131	23.8	128	
8/2/24 15:30	8.0	103	7.9	131	23.9	129	
8/2/24 15:45	7.9	103	7.9	131	24.0	128	
8/2/24 16:00	7.9	103	7.9	131	24.0	130	
8/2/24 16:15	7.9	103	7.9	131	24.1	129	
8/2/24 16:30	7.9	103	7.9	132	24.1	129	
8/2/24 16:45	7.9	102	7.9	132	24.1	128	
8/2/24 17:00	7.9	102	7.9	132	24.1	129	
8/2/24 17:15	7.9	102	7.9	132	24.1	129	
8/2/24 17:30	7.9	103	7.9	132	24.1	128	
8/2/24 17:45	7.9	102	7.9	132	24.0	130	
8/2/24 18:00	7.9	102	7.9	132	24.0	130	
8/2/24 18:15	7.9	102	7.9	132	23.9	130	
8/2/24 18:30	7.9	102	7.9	133	23.8	130	
8/2/24 18:45	8.0	102	7.9	133	23.7	130	
8/2/24 19:00	8.0	102	7.9	133	23.6	130	
8/2/24 19:15	8.0	102	7.9	133	23.6	130	
8/2/24 19:30	8.0	102	7.9	133	23.5	131	
8/2/24 19:45	8.0	102	7.9	133	23.4	130	
8/2/24 20:00	8.0	102	7.9	133	23.3	131	
8/2/24 20:15	8.0	102	7.9	133	23.2	131	
8/2/24 20:30	8.0	102	7.9	133	23.1	130	
8/2/24 20:45	8.0	102	7.9	134	23.0	131	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/2/24 21:00	8.1	102	7.9	134	22.9	132	
8/2/24 21:15	8.1	102	7.9	134	22.9	134	
8/2/24 21:30	8.1	102	7.9	134	22.8	137	
8/2/24 21:45	8.1	102	7.9	134	22.8	139	
8/2/24 22:00	8.1	102	7.9	134	22.7	143	
8/2/24 22:15	8.1	102	7.9	134	22.7	143	
8/2/24 22:30	8.1	102	7.9	134	22.6	145	
8/2/24 22:45	8.1	102	7.9	134	22.6	146	
8/2/24 23:00	8.1	102	7.9	134	22.5	146	
8/2/24 23:15	8.1	102	7.9	134	22.4	147	
8/2/24 23:30	8.2	102	7.9	134	22.3	145	
8/2/24 23:45	8.2	102	7.9	134	22.2	145	
8/3/24 0:00	8.2	102	7.9	133	22.2	145	
8/3/24 0:15	8.2	102	7.9	133	22.1	143	
8/3/24 0:30	8.2	102	7.9	133	22.0	142	
8/3/24 0:45	8.2	102	7.9	133	22.0	141	
8/3/24 1:00	8.2	102	7.9	133	21.9	141	
8/3/24 1:15	8.2	102	7.9	133	21.8	139	
8/3/24 1:30	8.2	102	7.9	133	21.8	139	
8/3/24 1:45	8.2	102	7.9	133	21.8	137	
8/3/24 2:00	8.2	102	7.9	133	21.7	136	
8/3/24 2:15	8.3	102	7.9	133	21.7	134	
8/3/24 2:30	8.3	102	7.9	133	21.6	134	
8/3/24 2:45	8.3	102	7.9	133	21.6	132	
8/3/24 3:00	8.3	102	7.9	133	21.6	131	
8/3/24 3:15	8.3	102	7.9	132	21.6	131	
8/3/24 3:30	8.3	102	7.9	132	21.6	130	
8/3/24 3:45	8.3	102	7.9	132	21.6	130	
8/3/24 4:00	8.3	102	7.9	132	21.5	128	
8/3/24 4:15	8.3	102	7.9	132	21.5	128	
8/3/24 4:30	8.3	102	7.9	132	21.5	127	
8/3/24 4:45	8.3	102	7.9	132	21.4	127	
8/3/24 5:00	8.3	102	7.9	132	21.4	126	
8/3/24 5:15	8.3	102	7.9	132	21.4	126	
8/3/24 5:30	8.3	102	7.9	132	21.4	127	
8/3/24 5:45	8.3	102	7.9	132	21.4	125	
8/3/24 6:00	8.3	102	7.9	131	21.3	121	
8/3/24 6:15	8.3	102	7.9	131	21.3	125	
8/3/24 6:30	8.3	102	7.9	131	21.3	125	
8/3/24 6:45	8.3	102	7.9	131	21.3	123	
8/3/24 7:00	8.3	102	7.9	131	21.2	127	
8/3/24 7:15	8.3	102	7.9	131	21.2	128	
8/3/24 7:30	8.3	102	7.9	131	21.2	128	
8/3/24 7:45	8.3	102	7.9	131	21.2	130	
8/3/24 8:00	8.3	102	7.9	130	21.2	130	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/3/24 8:15	8.4	102	7.9	130	21.2	130	
8/3/24 8:30	8.4	102	7.9	130	21.2	133	
8/3/24 8:45	8.4	102	7.9	130	21.2	133	
8/3/24 9:00	8.4	102	7.9	130	21.2	133	
8/3/24 9:15	8.3	102	7.9	130	21.2	132	
8/3/24 9:30	8.3	102	7.9	130	21.2	133	
8/3/24 9:45	8.3	102	7.9	130	21.3	133	
8/3/24 10:00	8.3	102	7.9	129	21.3	132	
8/3/24 10:15	8.3	102	7.9	129	21.3	132	
8/3/24 10:30	8.3	102	7.9	129	21.4	131	
8/3/24 10:45	8.3	102	7.9	129	21.4	132	
8/3/24 11:00	8.3	102	7.9	129	21.4	131	
8/3/24 11:15	8.3	102	7.9	129	21.4	130	
8/3/24 11:30	8.3	102	7.9	129	21.5	130	
8/3/24 11:45	8.3	102	7.9	129	21.5	130	
8/3/24 12:00	8.3	102	7.9	129	21.5	131	
8/3/24 12:15	8.3	102	7.9	129	21.6	130	
8/3/24 12:30	8.3	102	7.9	129	21.6	130	
8/3/24 12:45	8.3	102	7.9	129	21.6	129	
8/3/24 13:00	8.3	102	7.9	129	21.7	129	
8/3/24 13:15	8.3	102	7.9	129	21.8	129	
8/3/24 13:30	8.2	102	7.9	129	21.8	130	
8/3/24 13:45	8.2	102	7.9	129	21.9	129	
8/3/24 14:00	8.2	102	7.9	129	21.9	128	
8/3/24 14:15	8.2	102	7.9	129	22.0	131	
8/3/24 14:30	8.2	102	7.9	129	22.0	132	
8/3/24 14:45	8.2	102	7.9	129	22.0	135	
8/3/24 15:00	8.2	102	7.9	129	22.1	136	
8/3/24 15:15	8.2	102	7.9	130	22.2	139	
8/3/24 15:30	8.2	102	7.9	130	22.3	142	
8/3/24 15:45	8.2	102	7.9	130	22.3	144	
8/3/24 16:00	8.1	102	7.9	130	22.4	145	
8/3/24 16:15	8.1	102	7.9	130	22.4	143	
8/3/24 16:30	8.1	102	7.9	130	22.5	142	
8/3/24 16:45	8.1	102	7.9	130	22.6	140	
8/3/24 17:00	8.1	102	7.9	131	22.6	138	
8/3/24 17:15	8.1	102	7.9	131	22.6	136	
8/3/24 17:30	8.1	102	7.9	131	22.6	134	
8/3/24 17:45	8.1	102	7.9	131	22.6	131	
8/3/24 18:00	8.1	102	7.9	131	22.7	130	
8/3/24 18:15	8.1	102	7.9	131	22.7	129	
8/3/24 18:30	8.1	102	7.9	131	22.7	127	
8/3/24 18:45	8.1	102	7.9	131	22.7	126	
8/3/24 19:00	8.1	102	7.9	132	22.7	123	
8/3/24 19:15	8.1	102	7.9	132	22.7	124	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/3/24 19:30	8.1	102	7.9	132	22.7	123	
8/3/24 19:45	8.1	102	7.9	132	22.6	122	
8/3/24 20:00	8.1	102	7.9	132	22.6	121	
8/3/24 20:15	8.1	102	7.9	132	22.5	121	
8/3/24 20:30	8.1	102	7.9	132	22.4	122	
8/3/24 20:45	8.1	102	7.9	133	22.4	121	
8/3/24 21:00	8.1	102	7.9	133	22.3	121	
8/3/24 21:15	8.2	102	7.9	133	22.2	121	
8/3/24 21:30	8.2	102	7.9	133	22.2	120	
8/3/24 21:45	8.2	102	7.9	133	22.1	121	
8/3/24 22:00	8.2	102	7.9	133	22.0	120	
8/3/24 22:15	8.2	102	7.9	133	22.0	120	
8/3/24 22:30	8.2	102	7.9	133	21.9	121	
8/3/24 22:45	8.2	102	7.9	133	21.8	121	
8/3/24 23:00	8.2	102	7.9	133	21.8	120	
8/3/24 23:15	8.2	102	7.9	133	21.7	120	
8/3/24 23:30	8.2	102	7.9	132	21.7	119	
8/3/24 23:45	8.2	102	7.9	132	21.6	119	
8/4/24 0:00	8.2	102	7.9	132	21.6	119	
8/4/24 0:15	8.3	102	7.9	132	21.5	119	
8/4/24 0:30	8.3	102	7.9	132	21.5	119	
8/4/24 0:45	8.3	102	7.9	132	21.4	117	
8/4/24 1:00	8.3	102	7.9	132	21.4	118	
8/4/24 1:15	8.3	102	7.9	132	21.4	117	
8/4/24 1:30	8.3	102	7.9	132	21.3	116	
8/4/24 1:45	8.3	102	7.9	132	21.3	116	
8/4/24 2:00	8.3	102	7.9	132	21.2	115	
8/4/24 2:15	8.3	102	7.9	132	21.2	115	
8/4/24 2:30	8.3	102	7.9	132	21.2	114	
8/4/24 2:45	8.3	102	7.9	132	21.1	114	
8/4/24 3:00	8.4	102	7.9	132	21.1	114	
8/4/24 3:15	8.4	102	7.9	132	21.0	114	
8/4/24 3:30	8.4	102	7.9	132	21.0	114	
8/4/24 3:45	8.4	102	7.9	132	20.9	114	
8/4/24 4:00	8.4	102	7.9	132	20.9	114	
8/4/24 4:15	8.4	102	7.9	132	20.8	115	
8/4/24 4:30	8.4	102	7.9	132	20.8	115	
8/4/24 4:45	8.4	102	7.9	132	20.8	115	
8/4/24 5:00	8.4	102	7.9	132	20.7	115	
8/4/24 5:15	8.4	102	7.9	132	20.7	116	
8/4/24 5:30	8.4	102	7.9	132	20.6	115	
8/4/24 5:45	8.4	102	7.9	131	20.6	116	
8/4/24 6:00	8.4	102	7.9	131	20.6	116	
8/4/24 6:15	8.4	102	7.9	131	20.5	116	
8/4/24 6:30	8.4	102	7.9	131	20.5	116	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 6:45	8.5	102	7.9	131	20.4	115	
8/4/24 7:00	8.5	102	7.9	131	20.4	116	
8/4/24 7:15	8.5	102	7.9	131	20.4	115	
8/4/24 7:30	8.5	102	7.9	131	20.4	115	
8/4/24 7:45	8.5	102	7.9	131	20.3	115	
8/4/24 8:00	8.5	102	7.9	131	20.3	115	
8/4/24 8:15	8.5	102	7.9	131	20.3	114	
8/4/24 8:30	8.5	102	7.9	131	20.4	116	
8/4/24 8:45	8.5	102	7.9	130	20.4	114	
8/4/24 9:00	8.5	102	7.9	130	20.4	115	
8/4/24 9:15	8.5	102	7.9	130	20.5	115	
8/4/24 9:30	8.5	102	7.9	130	20.5	114	
8/4/24 9:45	8.4	102	7.9	130	20.6	115	
8/4/24 10:00	8.4	102	7.9	130	20.7	114	
8/4/24 10:15	8.4	102	7.9	130	20.8	114	
8/4/24 10:30	8.4	102	7.9	130	21.0	114	
8/4/24 10:45	8.4	102	7.9	130	21.1	116	
8/4/24 11:00	8.3	102	7.9	130	21.3	116	
8/4/24 11:15	8.3	102	7.9	130	21.4	116	
8/4/24 11:30	8.3	102	7.9	130	21.6	116	
8/4/24 11:45	8.2	102	7.9	130	21.8	115	
8/4/24 12:00	8.2	102	7.9	130	22.0	115	
8/4/24 12:15	8.2	102	7.9	130	22.2	114	
8/4/24 12:30	8.2	102	7.9	131	22.3	114	
8/4/24 12:45	8.1	102	7.9	131	22.5	114	
8/4/24 13:00	8.1	102	7.9	131	22.7	113	
8/4/24 13:15	8.1	102	7.9	131	22.9	114	
8/4/24 13:30	8.0	102	7.9	130	23.0	114	
8/4/24 13:45	8.0	102	7.9	131	23.2	114	
8/4/24 14:00	8.0	102	7.9	131	23.4	113	
8/4/24 14:15	8.0	102	7.9	131	23.5	112	
8/4/24 14:30	8.0	102	7.9	131	23.7	112	
8/4/24 14:45	7.9	102	7.9	132	23.8	112	
8/4/24 15:00	7.9	102	7.9	132	23.9	112	
8/4/24 15:15	7.9	102	7.9	132	24.1	112	
8/4/24 15:30	7.9	102	7.9	132	24.2	112	
8/4/24 15:45	7.8	102	7.9	132	24.3	112	
8/4/24 16:00	7.8	102	7.9	132	24.4	112	
8/4/24 16:15	7.8	102	7.9	132	24.4	112	
8/4/24 16:30	7.8	102	7.9	132	24.5	111	
8/4/24 16:45	7.8	102	7.9	132	24.5	111	
8/4/24 17:00	7.8	102	7.9	132	24.5	111	
8/4/24 17:15	7.8	102	7.9	133	24.5	111	
8/4/24 17:30	7.8	102	7.9	133	24.5	109	
8/4/24 17:45	7.8	102	7.9	133	24.5	109	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/4/24 18:00	7.8	102	7.9	133	24.4	109	
8/4/24 18:15	7.8	102	7.9	133	24.4	109	
8/4/24 18:30	7.8	102	7.9	133	24.3	109	
8/4/24 18:45	7.8	102	7.9	133	24.2	108	
8/4/24 19:00	7.8	102	7.9	133	24.1	110	
8/4/24 19:15	7.8	102	7.9	133	24.1	108	
8/4/24 19:30	7.8	102	7.9	133	24.1	107	
8/4/24 19:45	7.9	102	7.9	133	24.0	106	
8/4/24 20:00	7.9	102	7.9	133	24.0	106	
8/4/24 20:15	7.9	102	7.9	133	23.9	105	
8/4/24 20:30	7.9	102	7.9	133	23.8	105	
8/4/24 20:45	7.9	102	7.9	133	23.7	105	
8/4/24 21:00	7.9	102	7.9	133	23.7	105	
8/4/24 21:15	7.9	102	7.9	133	23.6	105	
8/4/24 21:30	8.0	102	7.9	133	23.5	104	
8/4/24 21:45	8.0	102	7.9	133	23.4	103	
8/4/24 22:00	8.0	102	7.9	133	23.3	104	
8/4/24 22:15	8.0	102	7.9	133	23.1	104	
8/4/24 22:30	8.0	102	7.9	133	23.0	104	
8/4/24 22:45	8.0	102	7.9	133	22.9	104	
8/4/24 23:00	8.0	102	7.9	133	22.8	102	
8/4/24 23:15	8.1	102	7.9	133	22.8	104	
8/4/24 23:30	8.1	102	7.9	133	22.7	104	
8/4/24 23:45	8.1	102	7.9	133	22.6	105	
8/5/24 0:00	8.1	102	7.9	133	22.5	104	
8/5/24 0:15	8.1	102	7.9	133	22.4	105	
8/5/24 0:30	8.1	102	7.9	133	22.4	105	
8/5/24 0:45	8.1	102	7.9	133	22.3	105	
8/5/24 1:00	8.1	102	7.9	133	22.3	106	
8/5/24 1:15	8.1	102	7.9	133	22.3	105	
8/5/24 1:30	8.2	102	7.9	133	22.2	104	
8/5/24 1:45	8.2	102	7.9	133	22.2	105	
8/5/24 2:00	8.2	102	7.9	133	22.2	103	
8/5/24 2:15	8.2	102	7.9	133	22.1	102	
8/5/24 2:30	8.2	102	7.9	133	22.1	102	
8/5/24 2:45	8.2	102	7.9	132	22.0	100	
8/5/24 3:00	8.2	102	7.9	132	21.9	100	
8/5/24 3:15	8.2	102	7.9	132	21.8	99	
8/5/24 3:30	8.2	102	7.9	132	21.8	99	
8/5/24 3:45	8.2	102	7.9	132	21.7	99	
8/5/24 4:00	8.2	102	7.9	132	21.7	99	
8/5/24 4:15	8.3	102	7.9	132	21.6	98	
8/5/24 4:30	8.3	102	7.9	132	21.6	98	
8/5/24 4:45	8.3	102	7.9	132	21.5	98	
8/5/24 5:00	8.3	102	7.9	132	21.4	98	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 5:15	8.3	102	7.9	132	21.4	98	
8/5/24 5:30	8.3	102	7.9	132	21.3	97	
8/5/24 5:45	8.3	102	7.9	132	21.3	98	
8/5/24 6:00	8.3	102	7.9	132	21.2	97	
8/5/24 6:15	8.3	102	7.9	131	21.1	97	
8/5/24 6:30	8.4	102	7.9	131	21.1	98	
8/5/24 6:45	8.4	102	7.9	131	21.0	98	
8/5/24 7:00	8.4	102	7.9	131	20.9	99	
8/5/24 7:15	8.4	102	7.9	131	20.8	98	
8/5/24 7:30	8.4	102	7.9	131	20.8	98	
8/5/24 7:45	8.4	102	7.9	131	20.7	98	
8/5/24 8:00	8.4	102	7.9	131	20.7	98	
8/5/24 8:15	8.4	102	7.9	131	20.7	98	
8/5/24 8:30	8.4	102	7.9	131	20.7	99	
8/5/24 8:45	8.4	102	7.9	130	20.7	99	
8/5/24 9:00	8.4	102	7.9	130	20.7	98	
8/5/24 9:15	8.4	102	7.9	130	20.8	98	
8/5/24 9:30	8.4	102	7.9	130	20.8	100	
8/5/24 9:45	8.4	102	7.9	130	20.9	100	
8/5/24 10:00	8.4	102	7.9	130	21.0	100	
8/5/24 10:15	8.4	102	7.9	130	21.1	100	
8/5/24 10:30	8.3	102	7.9	130	21.2	100	
8/5/24 10:45	8.3	102	7.9	130	21.4	101	
8/5/24 11:00	8.3	102	7.9	130	21.5	101	
8/5/24 11:15	8.3	102	7.9	130	21.7	101	
8/5/24 11:30	8.2	102	7.9	130	21.9	102	
8/5/24 11:45	8.2	102	7.9	130	22.0	101	
8/5/24 12:00	8.2	102	7.9	130	22.2	101	
8/5/24 12:15	8.2	102	7.9	130	22.4	101	
8/5/24 12:30	8.1	102	7.9	130	22.6	102	
8/5/24 12:45	8.1	102	7.9	130	22.8	101	
8/5/24 13:00	8.1	102	7.9	130	23.0	102	
8/5/24 13:15	8.0	102	7.9	130	23.1	101	
8/5/24 13:30	8.0	102	7.9	130	23.3	101	
8/5/24 13:45	8.0	102	7.9	131	23.5	103	
8/5/24 14:00	8.0	102	7.9	131	23.7	101	
8/5/24 14:15	7.9	102	7.9	131	23.8	102	
8/5/24 14:30	7.9	102	7.9	131	24.0	101	
8/5/24 14:45	7.9	102	7.9	131	24.1	101	
8/5/24 15:00	7.9	102	7.9	131	24.2	100	
8/5/24 15:15	7.9	102	7.9	131	24.4	101	
8/5/24 15:30	7.8	102	7.9	132	24.4	101	
8/5/24 15:45	7.8	102	7.9	132	24.5	100	
8/5/24 16:00	7.8	102	7.9	132	24.6	100	
8/5/24 16:15	7.8	102	7.9	132	24.6	99	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/5/24 16:30	7.8	102	8.0	132	24.7	99	
8/5/24 16:45	7.8	102	7.9	132	24.7	98	
8/5/24 17:00	7.8	102	7.9	132	24.7	98	
8/5/24 17:15	7.8	102	7.9	133	24.7	98	
8/5/24 17:30	7.8	102	7.9	133	24.7	98	
8/5/24 17:45	7.8	102	7.9	133	24.7	98	
8/5/24 18:00	7.8	102	7.9	133	24.6	97	
8/5/24 18:15	7.8	102	7.9	133	24.6	96	
8/5/24 18:30	7.8	102	8.0	133	24.5	96	
8/5/24 18:45	7.8	102	7.9	133	24.5	96	
8/5/24 19:00	7.8	102	8.0	133	24.4	95	
8/5/24 19:15	7.8	102	8.0	133	24.3	95	
8/5/24 19:30	7.8	102	8.0	133	24.2	95	
8/5/24 19:45	7.9	102	8.0	133	24.1	94	
8/5/24 20:00	7.9	102	8.0	134	24.0	94	
8/5/24 20:15	7.9	102	8.0	134	23.9	94	
8/5/24 20:30	7.9	102	7.9	134	23.8	94	
8/5/24 20:45	7.9	102	7.9	134	23.6	93	
8/5/24 21:00	8.0	102	7.9	134	23.5	92	
8/5/24 21:15	8.0	102	7.9	134	23.4	93	
8/5/24 21:30	8.0	102	7.9	134	23.2	92	
8/5/24 21:45	8.0	102	7.9	134	23.1	92	
8/5/24 22:00	8.0	102	7.9	133	23.0	91	
8/5/24 22:15	8.1	102	7.9	133	22.9	91	
8/5/24 22:30	8.1	102	7.9	133	22.8	91	
8/5/24 22:45	8.1	102	7.9	133	22.6	90	
8/5/24 23:00	8.1	102	7.9	133	22.5	90	
8/5/24 23:15	8.1	102	7.9	133	22.4	89	
8/5/24 23:30	8.2	102	7.9	133	22.4	90	
8/5/24 23:45	8.2	102	7.9	133	22.3	90	
8/6/24 0:00	8.2	102	7.9	133	22.2	89	
8/6/24 0:15	8.2	102	7.9	133	22.2	90	
8/6/24 0:30	8.2	102	7.9	133	22.1	89	
8/6/24 0:45	8.2	102	7.9	133	22.0	89	
8/6/24 1:00	8.2	102	7.9	133	22.0	90	
8/6/24 1:15	8.2	102	7.9	133	22.0	89	
8/6/24 1:30	8.2	102	7.9	133	21.9	89	
8/6/24 1:45	8.2	102	7.9	133	21.9	88	
8/6/24 2:00	8.2	102	7.9	133	21.8	87	
8/6/24 2:15	8.2	102	7.9	133	21.8	87	
8/6/24 2:30	8.2	102	7.9	133	21.7	86	
8/6/24 2:45	8.3	102	7.9	133	21.6	87	
8/6/24 3:00	8.3	102	7.9	133	21.6	86	
8/6/24 3:15	8.3	102	7.9	133	21.5	86	
8/6/24 3:30	8.3	102	7.9	133	21.4	85	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 3:45	8.3	102	7.9	133	21.4	85	
8/6/24 4:00	8.3	102	7.9	133	21.3	85	
8/6/24 4:15	8.4	103	7.9	133	21.2	85	
8/6/24 4:30	8.4	103	7.9	133	21.2	85	
8/6/24 4:45	8.4	103	7.9	133	21.1	85	
8/6/24 5:00	8.4	102	7.9	132	21.0	85	
8/6/24 5:15	8.4	102	7.9	132	21.0	85	
8/6/24 5:30	8.4	102	7.9	132	20.9	85	
8/6/24 5:45	8.4	103	7.9	132	20.8	85	
8/6/24 6:00	8.4	103	7.9	132	20.8	85	
8/6/24 6:15	8.4	103	7.9	132	20.7	85	
8/6/24 6:30	8.5	103	7.9	132	20.6	85	
8/6/24 6:45	8.5	103	7.9	132	20.6	85	
8/6/24 7:00	8.5	103	7.9	132	20.5	85	
8/6/24 7:15	8.5	103	7.9	131	20.4	86	
8/6/24 7:30	8.5	103	7.9	131	20.4	86	
8/6/24 7:45	8.5	103	7.9	131	20.3	86	
8/6/24 8:00	8.5	103	7.9	131	20.2	86	
8/6/24 8:15	8.6	103	7.9	131	20.2	86	
8/6/24 8:30	8.6	103	7.9	131	20.2	86	
8/6/24 8:45	8.6	103	7.9	131	20.2	87	
8/6/24 9:00	8.6	103	7.9	131	20.2	87	
8/6/24 9:15	8.5	103	7.9	131	20.3	86	
8/6/24 9:30	8.5	103	7.9	130	20.3	88	
8/6/24 9:45	8.5	103	7.9	130	20.4	87	
8/6/24 10:00	8.5	103	7.9	130	20.5	88	
8/6/24 10:15	8.5	103	7.9	130	20.6	88	
8/6/24 10:30	8.5	103	7.9	130	20.7	88	
8/6/24 10:45	8.4	103	7.9	130	20.9	89	
8/6/24 11:00	8.4	103	7.9	130	21.0	90	
8/6/24 11:15	8.4	103	7.9	130	21.2	89	
8/6/24 11:30	8.4	103	7.9	130	21.4	90	
8/6/24 11:45	8.3	103	7.9	130	21.6	90	
8/6/24 12:00	8.3	103	7.9	130	21.8	90	
8/6/24 12:15	8.2	103	8.0	132	22.0	98	
8/6/24 12:30	8.2	103	8.0	131	22.2	92	
8/6/24 12:45	8.2	103	8.0	132	22.4	93	
8/6/24 13:00	8.2	103	8.2	136	22.5	99	
8/6/24 13:15	8.1	103	8.2	137	22.7	98	
8/6/24 13:30	8.1	103	8.1	134	22.9	93	
8/6/24 13:45	8.1	103	8.1	134	23.1	92	
8/6/24 14:00	8.0	103	8.1	134	23.2	92	
8/6/24 14:15	8.0	103	8.1	134	23.4	92	
8/6/24 14:30	8.0	103	8.1	134	23.6	91	
8/6/24 14:45	8.0	103	8.1	134	23.7	91	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/6/24 15:00	8.0	103	8.1	134	23.8	91	
8/6/24 15:15	7.9	103	8.1	135	23.9	91	
8/6/24 15:30	7.9	103	8.1	134	24.0	91	
8/6/24 15:45	7.9	103	8.1	135	24.1	92	
8/6/24 16:00	7.9	103	8.1	135	24.2	91	
8/6/24 16:15	7.9	102	8.1	136	24.3	93	
8/6/24 16:30	7.9	102	8.1	135	24.3	91	
8/6/24 16:45	7.9	102	8.0	135	24.3	90	
8/6/24 17:00	7.9	102	8.0	135	24.3	89	
8/6/24 17:15	7.9	102	8.0	135	24.3	90	
8/6/24 17:30	7.9	102	8.1	136	24.2	90	
8/6/24 17:45	7.9	102	8.0	135	24.2	90	
8/6/24 18:00	7.9	102	8.0	134	24.1	89	
8/6/24 18:15	7.9	102	8.0	134	24.0	89	
8/6/24 18:30	7.9	102	8.0	134	23.9	88	
8/6/24 18:45	7.9	102	8.0	134	23.8	88	
8/6/24 19:00	7.9	102	8.0	134	23.8	88	
8/6/24 19:15	8.0	102	8.0	134	23.7	87	
8/6/24 19:30	8.0	102	8.0	134	23.6	87	
8/6/24 19:45	8.0	102	8.0	134	23.5	87	
8/6/24 20:00	8.0	102	8.0	134	23.4	86	
8/6/24 20:15	8.0	102	8.0	134	23.2	86	
8/6/24 20:30	8.0	102	8.0	134	23.1	85	
8/6/24 20:45	8.0	102	8.0	134	23.0	87	
8/6/24 21:00	8.1	102	8.0	134	22.9	84	
8/6/24 21:15	8.1	102	8.0	134	22.8	83	
8/6/24 21:30	8.1	102	8.0	134	22.7	83	
8/6/24 21:45	8.1	102	8.0	134	22.5	83	
8/6/24 22:00	8.2	102	7.9	134	22.4	83	
8/6/24 22:15	8.2	102	7.9	134	22.3	82	
8/6/24 22:30	8.2	102	7.9	134	22.2	82	
8/6/24 22:45	8.2	102	7.9	134	22.0	82	
8/6/24 23:00	8.2	102	7.9	134	21.9	80	
8/6/24 23:15	8.2	102	7.9	134	21.8	80	
8/6/24 23:30	8.3	102	7.9	134	21.8	80	
8/6/24 23:45	8.3	102	7.9	134	21.7	80	
8/7/24 0:00	8.3	102	7.9	134	21.7	80	
8/7/24 0:15	8.3	102	7.9	134	21.6	80	
8/7/24 0:30	8.3	102	7.9	134	21.5	78	
8/7/24 0:45	8.3	102	7.9	133	21.4	78	
8/7/24 1:00	8.3	102	7.9	133	21.4	78	
8/7/24 1:15	8.4	103	7.9	133	21.3	77	
8/7/24 1:30	8.4	103	7.9	133	21.2	77	
8/7/24 1:45	8.4	103	7.9	133	21.1	77	
8/7/24 2:00	8.4	103	7.9	133	21.0	77	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/7/24 2:15	8.4	103	7.9	133	20.9	76	
8/7/24 2:30	8.4	103	7.9	133	20.9	76	
8/7/24 2:45	8.4	103	7.9	133	20.8	76	
8/7/24 3:00	8.4	103	7.9	133	20.7	75	
8/7/24 3:15	8.5	103	7.9	133	20.7	75	
8/7/24 3:30	8.5	103	7.9	133	20.6	75	
8/7/24 3:45	8.5	103	7.9	133	20.5	76	
8/7/24 4:00	8.5	103	7.9	133	20.5	75	
8/7/24 4:15	8.5	103	7.9	133	20.4	75	
8/7/24 4:30	8.5	103	7.9	133	20.3	75	
8/7/24 4:45	8.5	103	7.9	133	20.2	75	
8/7/24 5:00	8.5	103	7.9	133	20.2	76	
8/7/24 5:15	8.6	103	7.9	133	20.1	76	
8/7/24 5:30	8.6	103	7.9	133	20.0	76	
8/7/24 5:45	8.6	103	7.9	133	20.0	77	
8/7/24 6:00	8.6	103	7.9	132	19.9	76	
8/7/24 6:15	8.6	103	7.9	132	19.8	77	
8/7/24 6:30	8.6	103	7.9	132	19.8	77	
8/7/24 6:45	8.6	103	7.9	132	19.7	77	
8/7/24 7:00	8.6	103	7.9	132	19.6	77	
8/7/24 7:15	8.7	103	7.9	132	19.6	77	
8/7/24 7:30	8.7	103	7.9	132	19.5	77	
8/7/24 7:45	8.7	103	7.9	132	19.5	77	
8/7/24 8:00	8.7	103	7.9	131	19.5	77	
8/7/24 8:15	8.7	103	7.9	131	19.4	77	
8/7/24 8:30	8.7	103	7.9	131	19.4	77	
8/7/24 8:45	8.7	103	7.9	132	19.4	77	
8/7/24 9:00	8.7	103	8.0	132	19.5	77	
8/7/24 9:15	8.7	103	8.0	132	19.5	77	
8/7/24 9:30	8.7	103	8.0	132	19.6	77	
8/7/24 9:45	8.7	103	8.0	132	19.6	78	
8/7/24 10:00	8.6	103	8.0	132	19.7	78	
8/7/24 10:15	8.6	103	8.0	132	19.8	78	
8/7/24 10:30	8.6	103	8.0	132	19.9	78	
8/7/24 10:45	8.6	103	8.0	132	20.0	79	
8/7/24 11:00	8.6	103	8.0	132	20.2	79	
8/7/24 11:15	8.5	103	8.0	132	20.4	79	
8/7/24 11:30	8.5	103	8.0	132	20.5	79	
8/7/24 11:45	8.5	103	8.0	132	20.7	79	
8/7/24 12:00	8.4	103	8.0	132	20.9	79	
8/7/24 12:15	8.4	103	8.0	132	21.0	79	
8/7/24 12:30	8.4	103	8.0	132	21.2	80	
8/7/24 12:45	8.3	103	8.0	132	21.5	80	
8/7/24 13:00	8.3	103	8.0	132	21.6	81	
8/7/24 13:15	8.3	103	8.0	133	21.8	80	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/7/24 13:30	8.2	103	8.0	133	22.0	80	
8/7/24 13:45	8.2	103	8.0	133	22.2	80	
8/7/24 14:00	8.2	103	8.0	133	22.4	80	
8/7/24 14:15	8.2	103	8.0	133	22.5	80	
8/7/24 14:30	8.1	103	8.0	133	22.7	80	
8/7/24 14:45	8.1	103	8.0	133	22.8	80	
8/7/24 15:00	8.1	103	8.0	133	23.0	81	
8/7/24 15:15	8.1	102	8.0	133	23.1	80	
8/7/24 15:30	8.0	102	8.0	133	23.1	80	
8/7/24 15:45	8.0	102	8.0	134	23.2	80	
8/7/24 16:00	8.0	102	8.1	136	23.2	82	
8/7/24 16:15	8.0	102	8.2	137	23.2	82	
8/7/24 16:30	8.0	102	8.1	135	23.2	80	
8/7/24 16:45	8.0	102	8.0	134	23.2	80	
8/7/24 17:00	8.0	102	8.0	134	23.2	79	
8/7/24 17:15	8.0	102	8.0	134	23.2	79	
8/7/24 17:30	8.0	102	8.0	135	23.3	80	
8/7/24 17:45	8.0	102	8.0	135	23.3	79	
8/7/24 18:00	8.0	102	8.0	135	23.3	79	
8/7/24 18:15	8.0	102	8.0	135	23.2	79	
8/7/24 18:30	8.0	102	8.0	135	23.2	79	
8/7/24 18:45	8.0	102	8.0	135	23.1	79	
8/7/24 19:00	8.0	102	8.0	135	23.0	78	
8/7/24 19:15	8.0	102	8.0	135	22.9	78	
8/7/24 19:30	8.1	102	8.0	135	22.7	78	
8/7/24 19:45	8.1	102	8.0	134	22.6	78	
8/7/24 20:00	8.1	102	8.0	134	22.4	78	
8/7/24 20:15	8.1	102	8.0	134	22.3	78	
8/7/24 20:30	8.2	102	8.0	134	22.2	78	
8/7/24 20:45	8.2	102	8.0	134	22.1	78	
8/7/24 21:00	8.2	102	8.0	134	22.0	78	
8/7/24 21:15	8.2	102	8.0	134	21.9	77	
8/7/24 21:30	8.2	102	7.9	134	21.8	76	
8/7/24 21:45	8.2	102	7.9	134	21.7	76	
8/7/24 22:00	8.3	102	7.9	134	21.6	76	
8/7/24 22:15	8.3	102	7.9	134	21.4	75	
8/7/24 22:30	8.3	102	7.9	134	21.4	75	
8/7/24 22:45	8.3	102	7.9	134	21.3	74	
8/7/24 23:00	8.3	102	7.9	134	21.2	73	
8/7/24 23:15	8.4	102	7.9	134	21.2	73	
8/7/24 23:30	8.4	102	7.9	134	21.1	72	
8/7/24 23:45	8.4	102	7.9	134	21.0	73	
8/8/24 0:00	8.4	102	7.9	134	20.9	73	
8/8/24 0:15	8.4	102	7.9	133	20.9	72	
8/8/24 0:30	8.4	102	7.9	133	20.8	72	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 0:45	8.4	102	7.9	133	20.7	72	
8/8/24 1:00	8.4	102	7.9	133	20.6	72	
8/8/24 1:15	8.4	102	7.9	133	20.6	72	
8/8/24 1:30	8.5	102	7.9	133	20.5	71	
8/8/24 1:45	8.5	102	7.9	133	20.4	71	
8/8/24 2:00	8.5	102	7.9	133	20.4	70	
8/8/24 2:15	8.5	102	7.9	133	20.3	71	
8/8/24 2:30	8.5	102	7.9	133	20.3	70	
8/8/24 2:45	8.5	102	7.9	133	20.2	70	
8/8/24 3:00	8.5	102	7.9	133	20.2	70	
8/8/24 3:15	8.5	102	7.9	133	20.1	70	
8/8/24 3:30	8.5	102	7.9	133	20.1	69	
8/8/24 3:45	8.6	102	7.9	133	20.0	68	
8/8/24 4:00	8.6	102	7.9	133	19.9	68	
8/8/24 4:15	8.6	102	7.9	133	19.9	68	
8/8/24 4:30	8.6	102	7.9	133	19.8	68	
8/8/24 4:45	8.6	102	7.9	133	19.8	68	
8/8/24 5:00	8.6	102	7.9	133	19.7	67	
8/8/24 5:15	8.6	102	7.9	132	19.7	67	
8/8/24 5:30	8.6	102	7.9	132	19.6	67	
8/8/24 5:45	8.6	102	7.9	132	19.6	68	
8/8/24 6:00	8.6	102	7.9	132	19.5	67	
8/8/24 6:15	8.6	102	7.9	132	19.4	67	
8/8/24 6:30	8.7	102	7.9	132	19.4	67	
8/8/24 6:45	8.7	103	7.9	132	19.3	67	
8/8/24 7:00	8.7	103	7.9	132	19.2	68	
8/8/24 7:15	8.7	103	7.9	132	19.2	68	
8/8/24 7:30	8.7	103	7.9	132	19.2	68	
8/8/24 7:45	8.7	103	7.9	132	19.1	69	
8/8/24 8:00	8.7	103	7.9	131	19.1	68	
8/8/24 8:15	8.7	103	7.9	131	19.1	69	
8/8/24 8:30	8.7	103	7.9	131	19.1	69	
8/8/24 8:45	8.7	103	7.9	132	19.1	69	
8/8/24 9:00	8.7	103	7.9	132	19.1	70	
8/8/24 9:15	8.7	103	7.9	132	19.2	70	
8/8/24 9:30	8.7	103	7.9	131	19.3	70	
8/8/24 9:45	8.7	103	7.9	131	19.4	70	
8/8/24 10:00	8.7	103	7.9	131	19.5	70	
8/8/24 10:15	8.6	103	7.9	131	19.6	71	
8/8/24 10:30	8.6	103	8.1	135	19.7	86	
8/8/24 10:45	8.6	103	8.1	135	19.9	90	
8/8/24 11:00	8.6	103	8.1	135	20.1	95	
8/8/24 11:15	8.5	103	8.0	133	20.2	82	
8/8/24 11:30	8.5	103	8.0	131	20.4	74	
8/8/24 11:45	8.5	103	8.0	131	20.6	74	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 12:00	8.4	103	7.9	131	20.8	76	
8/8/24 12:15	8.4	102	8.0	131	21.0	80	
8/8/24 12:30	8.4	103	8.0	131	21.2	75	
8/8/24 12:45	8.3	102	8.0	131	21.4	76	
8/8/24 13:00	8.3	102	8.0	132	21.6	82	
8/8/24 13:15	8.3	103	8.0	132	21.8	76	
8/8/24 13:30	8.2	102	8.0	133	22.0	97	
8/8/24 13:45	8.2	102	8.0	132	22.2	81	
8/8/24 14:00	8.2	102	8.0	132	22.4	77	
8/8/24 14:15	8.1	102	8.0	132	22.6	76	
8/8/24 14:30	8.1	102	8.0	132	22.7	76	
8/8/24 14:45	8.1	102	8.0	132	22.9	75	
8/8/24 15:00	8.1	102	8.0	132	23.0	75	
8/8/24 15:15	8.0	102	8.0	132	23.1	75	
8/8/24 15:30	8.0	102	8.0	132	23.2	74	
8/8/24 15:45	8.0	102	8.0	132	23.3	75	
8/8/24 16:00	8.0	102	8.0	133	23.2	74	
8/8/24 16:15	8.0	102	8.0	133	23.3	74	
8/8/24 16:30	8.0	102	8.0	133	23.3	74	
8/8/24 16:45	8.0	102	8.0	133	23.3	74	
8/8/24 17:00	8.0	102	8.0	133	23.4	73	
8/8/24 17:15	8.0	102	8.0	133	23.4	73	
8/8/24 17:30	8.0	102	8.0	133	23.5	73	
8/8/24 17:45	8.0	102	8.0	133	23.4	73	
8/8/24 18:00	8.0	102	8.0	134	23.4	73	
8/8/24 18:15	8.0	102	8.0	134	23.3	74	
8/8/24 18:30	8.0	102	8.0	134	23.3	72	
8/8/24 18:45	8.0	102	8.0	134	23.2	73	
8/8/24 19:00	8.0	102	8.0	134	23.2	73	
8/8/24 19:15	8.0	102	8.0	134	23.1	73	
8/8/24 19:30	8.0	102	8.0	134	23.0	72	
8/8/24 19:45	8.0	102	8.0	134	22.9	72	
8/8/24 20:00	8.1	102	8.0	134	22.8	72	
8/8/24 20:15	8.1	102	8.0	134	22.6	72	
8/8/24 20:30	8.1	102	8.0	134	22.6	72	
8/8/24 20:45	8.1	102	8.0	134	22.5	72	
8/8/24 21:00	8.1	102	8.0	134	22.4	72	
8/8/24 21:15	8.1	102	8.0	134	22.4	71	
8/8/24 21:30	8.1	102	8.0	134	22.3	71	
8/8/24 21:45	8.2	102	8.0	134	22.2	71	
8/8/24 22:00	8.2	102	7.9	134	22.1	70	
8/8/24 22:15	8.2	102	7.9	134	22.0	70	
8/8/24 22:30	8.2	102	7.9	134	21.9	70	
8/8/24 22:45	8.2	102	7.9	134	21.8	69	
8/8/24 23:00	8.2	102	7.9	134	21.7	69	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/8/24 23:15	8.2	102	7.9	134	21.6	69	
8/8/24 23:30	8.3	102	7.9	134	21.6	68	
8/8/24 23:45	8.3	102	7.9	134	21.5	68	
8/9/24 0:00	8.3	102	7.9	134	21.4	68	
8/9/24 0:15	8.3	102	7.9	134	21.4	67	
8/9/24 0:30	8.3	102	7.9	134	21.3	67	
8/9/24 0:45	8.3	102	7.9	134	21.2	67	
8/9/24 1:00	8.3	102	7.9	134	21.2	67	
8/9/24 1:15	8.3	102	7.9	134	21.1	66	
8/9/24 1:30	8.4	102	7.9	134	21.1	66	
8/9/24 1:45	8.4	102	7.9	134	21.0	66	
8/9/24 2:00	8.4	102	7.9	134	21.0	66	
8/9/24 2:15	8.4	102	7.9	133	20.9	65	
8/9/24 2:30	8.4	102	7.9	133	20.8	65	
8/9/24 2:45	8.4	102	7.9	133	20.8	64	
8/9/24 3:00	8.4	102	7.9	133	20.8	64	
8/9/24 3:15	8.4	102	7.9	133	20.7	64	
8/9/24 3:30	8.4	102	7.9	133	20.6	64	
8/9/24 3:45	8.4	102	7.9	133	20.6	63	
8/9/24 4:00	8.4	102	7.9	133	20.5	63	
8/9/24 4:15	8.4	102	7.9	133	20.5	63	
8/9/24 4:30	8.5	102	7.9	133	20.4	63	
8/9/24 4:45	8.5	102	7.9	133	20.4	65	
8/9/24 5:00	8.5	102	7.9	133	20.3	63	
8/9/24 5:15	8.5	102	7.9	133	20.2	63	
8/9/24 5:30	8.5	102	7.9	133	20.2	63	
8/9/24 5:45	8.5	102	7.9	133	20.1	63	
8/9/24 6:00	8.5	102	7.9	133	20.1	63	
8/9/24 6:15	8.5	102	7.9	133	20.0	63	
8/9/24 6:30	8.6	102	7.9	132	20.0	63	
8/9/24 6:45	8.6	102	7.9	132	19.9	64	
8/9/24 7:00	8.6	102	7.9	132	19.8	61	
8/9/24 7:15	8.6	102	7.9	132	19.8	64	
8/9/24 7:30	8.6	102	7.9	132	19.7	64	
8/9/24 7:45	8.6	102	7.9	132	19.7	65	
8/9/24 8:00	8.6	103	7.9	132	19.6	64	
8/9/24 8:15	8.6	103	7.9	132	19.6	65	
8/9/24 8:30	8.6	103	7.9	131	19.6	65	
8/9/24 8:45	8.6	103	7.9	131	19.6	65	
8/9/24 9:00	8.6	103	7.9	131	19.6	65	
8/9/24 9:15	8.6	103	7.9	131	19.6	64	
8/9/24 9:30	8.6	103	7.9	131	19.7	64	
8/9/24 9:45	8.6	103	7.9	131	19.8	64	
8/9/24 10:00	8.6	103	7.9	131	19.8	64	
8/9/24 10:15	8.6	103	7.9	131	19.9	65	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/9/24 10:30	8.6	103	7.9	131	20.1	64	
8/9/24 10:45	8.5	103	7.9	131	20.2	64	
8/9/24 11:00	8.5	103	7.9	131	20.4	65	
8/9/24 11:15	8.5	102	7.9	131	20.5	65	
8/9/24 11:30	8.4	102	7.9	131	20.7	65	
8/9/24 11:45	8.4	102	7.9	131	20.9	65	
8/9/24 12:00	8.4	103	7.9	131	21.1	65	
8/9/24 12:15	8.4	103	7.9	131	21.2	65	
8/9/24 12:30	8.3	102	7.9	131	21.4	65	
8/9/24 12:45	8.3	102	8.0	131	21.6	65	
8/9/24 13:00	8.2	102	8.0	131	21.8	65	
8/9/24 13:15	8.2	102	8.0	131	22.0	65	
8/9/24 13:30	8.2	102	8.0	131	22.2	64	
8/9/24 13:45	8.2	102	8.0	131	22.4	64	
8/9/24 14:00	8.1	102	8.0	131	22.5	64	
8/9/24 14:15	8.1	102	8.0	132	22.7	64	
8/9/24 14:30	8.1	102	8.0	132	22.8	64	
8/9/24 14:45	8.1	102	8.0	132	23.0	63	
8/9/24 15:00	8.0	102	8.0	132	23.1	64	
8/9/24 15:15	8.0	102	8.0	132	23.2	64	
8/9/24 15:30	8.0	102	8.0	132	23.3	63	
8/9/24 15:45	8.0	102	8.0	133	23.4	63	
8/9/24 16:00	8.0	102	8.0	133	23.5	63	
8/9/24 16:15	8.0	102	8.0	133	23.6	62	
8/9/24 16:30	8.0	102	8.0	133	23.6	63	
8/9/24 16:45	8.0	102	8.0	133	23.6	63	
8/9/24 17:00	7.9	102	8.0	133	23.7	62	
8/9/24 17:15	7.9	102	8.0	133	23.7	63	
8/9/24 17:30	7.9	102	8.0	134	23.7	63	
8/9/24 17:45	7.9	102	8.0	134	23.7	63	
8/9/24 18:00	7.9	102	8.0	134	23.6	63	
8/9/24 18:15	8.0	102	8.0	134	23.6	63	
8/9/24 18:30	8.0	102	8.0	134	23.5	62	
8/9/24 18:45	8.0	102	8.0	134	23.4	62	
8/9/24 19:00	8.0	102	8.0	134	23.3	62	
8/9/24 19:15	8.0	102	8.0	134	23.3	62	
8/9/24 19:30	8.0	102	8.0	134	23.2	62	
8/9/24 19:45	8.0	102	8.0	134	23.0	61	
8/9/24 20:00	8.0	102	8.0	134	22.9	62	
8/9/24 20:15	8.0	102	8.0	134	22.8	61	
8/9/24 20:30	8.1	102	8.0	134	22.7	61	
8/9/24 20:45	8.1	102	8.0	134	22.6	61	
8/9/24 21:00	8.1	102	8.0	134	22.5	61	
8/9/24 21:15	8.1	102	8.0	134	22.4	60	
8/9/24 21:30	8.2	102	8.0	134	22.2	60	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/9/24 21:45	8.2	102	8.0	134	22.2	59	
8/9/24 22:00	8.2	102	8.0	134	22.0	59	
8/9/24 22:15	8.2	102	8.0	134	21.9	59	
8/9/24 22:30	8.2	102	8.0	134	21.8	58	
8/9/24 22:45	8.2	102	8.0	134	21.7	58	
8/9/24 23:00	8.3	102	8.0	134	21.6	58	
8/9/24 23:15	8.3	102	8.0	134	21.5	57	
8/9/24 23:30	8.3	102	7.9	134	21.4	57	
8/9/24 23:45	8.3	102	7.9	134	21.3	57	
8/10/24 0:00	8.3	102	7.9	134	21.2	56	
8/10/24 0:15	8.3	102	7.9	134	21.2	57	
8/10/24 0:30	8.4	102	7.9	134	21.1	56	
8/10/24 0:45	8.4	102	7.9	134	21.1	57	
8/10/24 1:00	8.4	102	7.9	134	21.0	56	
8/10/24 1:15	8.4	102	7.9	134	21.0	56	
8/10/24 1:30	8.4	102	7.9	134	21.0	56	
8/10/24 1:45	8.4	102	7.9	134	20.9	56	
8/10/24 2:00	8.4	102	7.9	134	20.9	56	
8/10/24 2:15	8.4	102	7.9	134	20.8	55	
8/10/24 2:30	8.4	102	7.9	134	20.8	55	
8/10/24 2:45	8.4	102	7.9	134	20.7	54	
8/10/24 3:00	8.4	102	7.9	134	20.7	54	
8/10/24 3:15	8.4	102	7.9	133	20.6	54	
8/10/24 3:30	8.4	102	7.9	133	20.6	54	
8/10/24 3:45	8.5	102	7.9	133	20.5	52	
8/10/24 4:00	8.5	102	7.9	133	20.4	53	
8/10/24 4:15	8.5	102	7.9	133	20.4	53	
8/10/24 4:30	8.5	102	7.9	133	20.3	53	
8/10/24 4:45	8.5	102	7.9	133	20.3	52	
8/10/24 5:00	8.5	102	7.9	133	20.2	52	
8/10/24 5:15	8.5	102	7.9	133	20.1	52	
8/10/24 5:30	8.5	102	7.9	133	20.1	53	
8/10/24 5:45	8.6	102	7.9	133	20.0	52	
8/10/24 6:00	8.6	102	7.9	133	20.0	52	
8/10/24 6:15	8.6	102	7.9	133	19.9	52	
8/10/24 6:30	8.6	103	7.9	133	19.8	52	
8/10/24 6:45	8.6	103	7.9	133	19.8	52	
8/10/24 7:00	8.6	103	7.9	132	19.7	52	
8/10/24 7:15	8.6	103	7.9	132	19.7	53	
8/10/24 7:30	8.6	103	7.9	132	19.6	53	
8/10/24 7:45	8.6	103	7.9	132	19.6	53	
8/10/24 8:00	8.7	103	7.9	132	19.5	52	
8/10/24 8:15	8.7	103	7.9	132	19.5	53	
8/10/24 8:30	8.7	103	7.9	132	19.5	52	
8/10/24 8:45	8.7	103	7.9	132	19.5	53	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/10/24 9:00	8.7	103	7.9	131	19.5	53	
8/10/24 9:15	8.7	103	7.9	131	19.5	53	
8/10/24 9:30	8.7	103	7.9	131	19.6	53	
8/10/24 9:45	8.6	103	7.9	131	19.6	53	
8/10/24 10:00	8.6	103	7.9	131	19.7	53	
8/10/24 10:15	8.6	103	7.9	131	19.8	53	
8/10/24 10:30	8.6	103	7.9	131	20.0	54	
8/10/24 10:45	8.6	103	7.9	131	20.1	53	
8/10/24 11:00	8.5	103	7.9	131	20.3	53	
8/10/24 11:15	8.5	103	7.9	131	20.4	53	
8/10/24 11:30	8.5	103	8.0	131	20.6	54	
8/10/24 11:45	8.4	103	8.0	131	20.8	54	
8/10/24 12:00	8.4	103	8.0	131	21.0	54	
8/10/24 12:15	8.4	103	8.0	131	21.2	54	
8/10/24 12:30	8.3	103	8.0	131	21.4	54	
8/10/24 12:45	8.3	103	8.0	131	21.6	54	
8/10/24 13:00	8.3	103	8.0	131	21.8	54	
8/10/24 13:15	8.2	103	8.0	131	22.0	53	
8/10/24 13:30	8.2	103	8.0	131	22.2	53	
8/10/24 13:45	8.2	103	8.0	131	22.4	53	
8/10/24 14:00	8.2	103	8.0	131	22.6	53	
8/10/24 14:15	8.1	103	8.0	132	22.7	53	
8/10/24 14:30	8.1	103	8.0	132	22.9	53	
8/10/24 14:45	8.1	103	8.0	132	23.0	52	
8/10/24 15:00	8.1	103	8.0	132	23.2	52	
8/10/24 15:15	8.0	103	8.0	132	23.3	52	
8/10/24 15:30	8.0	103	8.0	132	23.4	52	
8/10/24 15:45	8.0	103	8.0	133	23.5	52	
8/10/24 16:00	8.0	103	8.0	133	23.6	52	
8/10/24 16:15	8.0	103	8.0	133	23.7	52	
8/10/24 16:30	8.0	103	8.0	133	23.7	52	
8/10/24 16:45	8.0	103	8.0	133	23.8	52	
8/10/24 17:00	8.0	102	8.0	133	23.8	52	
8/10/24 17:15	8.0	102	8.0	134	23.8	52	
8/10/24 17:30	8.0	102	8.0	134	23.7	51	
8/10/24 17:45	8.0	102	8.0	134	23.7	52	
8/10/24 18:00	8.0	102	8.0	134	23.6	52	
8/10/24 18:15	8.0	102	8.0	134	23.6	52	
8/10/24 18:30	8.0	102	8.0	134	23.5	52	
8/10/24 18:45	8.0	102	8.0	134	23.4	52	
8/10/24 19:00	8.0	102	8.0	135	23.3	54	
8/10/24 19:15	8.0	102	8.0	135	23.2	52	
8/10/24 19:30	8.0	102	8.0	135	23.1	51	
8/10/24 19:45	8.0	102	8.0	135	23.0	51	
8/10/24 20:00	8.0	102	8.0	135	22.9	52	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/10/24 20:15	8.1	102	8.0	135	22.8	51	
8/10/24 20:30	8.1	102	8.0	135	22.7	51	
8/10/24 20:45	8.1	102	8.0	135	22.6	50	
8/10/24 21:00	8.1	102	8.0	135	22.5	50	
8/10/24 21:15	8.1	102	8.0	135	22.4	50	
8/10/24 21:30	8.2	102	8.0	135	22.3	50	
8/10/24 21:45	8.2	102	8.0	135	22.2	49	
8/10/24 22:00	8.2	102	8.0	135	22.0	48	
8/10/24 22:15	8.2	102	8.0	135	21.9	49	
8/10/24 22:30	8.2	102	8.0	134	21.8	48	
8/10/24 22:45	8.2	102	8.0	134	21.7	47	
8/10/24 23:00	8.2	102	8.0	134	21.7	48	
8/10/24 23:15	8.3	102	8.0	134	21.6	46	
8/10/24 23:30	8.3	102	8.0	134	21.5	47	
8/10/24 23:45	8.3	102	8.0	134	21.4	46	
8/11/24 0:00	8.3	102	8.0	134	21.3	46	
8/11/24 0:15	8.3	102	8.0	134	21.2	46	
8/11/24 0:30	8.3	102	8.0	134	21.2	46	
8/11/24 0:45	8.4	102	8.0	134	21.2	46	
8/11/24 1:00	8.4	102	8.0	134	21.1	46	
8/11/24 1:15	8.4	102	8.0	134	21.0	45	
8/11/24 1:30	8.4	102	8.0	134	21.0	45	
8/11/24 1:45	8.4	102	8.0	134	20.9	45	
8/11/24 2:00	8.4	102	8.0	134	20.8	45	
8/11/24 2:15	8.4	102	7.9	134	20.8	44	
8/11/24 2:30	8.4	102	7.9	134	20.8	44	
8/11/24 2:45	8.4	102	7.9	134	20.8	44	
8/11/24 3:00	8.4	102	7.9	134	20.6	44	
8/11/24 3:15	8.4	102	7.9	134	20.6	44	
8/11/24 3:30	8.5	102	7.9	134	20.5	46	
8/11/24 3:45	8.5	102	7.9	133	20.4	44	
8/11/24 4:00	8.5	102	7.9	133	20.4	43	
8/11/24 4:15	8.5	102	7.9	133	20.3	43	
8/11/24 4:30	8.5	102	7.9	133	20.2	43	
8/11/24 4:45	8.5	102	7.9	133	20.2	43	
8/11/24 5:00	8.5	102	7.9	133	20.1	43	
8/11/24 5:15	8.5	102	7.9	133	20.1	42	
8/11/24 5:30	8.6	102	7.9	133	20.0	43	
8/11/24 5:45	8.6	102	7.9	133	20.0	43	
8/11/24 6:00	8.6	102	7.9	133	19.9	42	
8/11/24 6:15	8.6	102	7.9	133	19.8	43	
8/11/24 6:30	8.6	102	7.9	133	19.8	43	
8/11/24 6:45	8.6	102	7.9	133	19.7	43	
8/11/24 7:00	8.6	102	7.9	132	19.6	43	
8/11/24 7:15	8.6	103	7.9	132	19.6	43	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/11/24 7:30	8.6	103	7.9	132	19.5	43	
8/11/24 7:45	8.6	103	7.9	132	19.5	43	
8/11/24 8:00	8.7	103	7.9	132	19.4	44	
8/11/24 8:15	8.7	103	7.9	132	19.4	43	
8/11/24 8:30	8.7	103	7.9	132	19.4	43	
8/11/24 8:45	8.7	103	7.9	132	19.4	43	407
8/11/24 9:00	8.7	103	7.9	132	19.4	43	
8/11/24 9:15	8.7	103	7.9	131	19.4	44	
8/11/24 9:30	8.7	103	7.9	131	19.5	44	
8/11/24 9:45	8.6	103	7.9	131	19.6	44	
8/11/24 10:00	8.6	103	7.9	131	19.6	44	
8/11/24 10:15	8.6	103	7.9	131	19.7	44	
8/11/24 10:30	8.6	103	7.9	131	19.9	44	
8/11/24 10:45	8.6	103	8.0	131	20.0	45	
8/11/24 11:00	8.6	103	8.0	131	20.1	45	
8/11/24 11:15	8.5	103	8.0	131	20.3	45	
8/11/24 11:30	8.5	103	8.0	131	20.4	46	
8/11/24 11:45	8.4	103	8.0	131	20.6	45	
8/11/24 12:00	8.4	103	8.0	131	20.8	45	
8/11/24 12:15	8.4	103	8.0	131	21.0	46	
8/11/24 12:30	8.4	103	8.0	131	21.2	46	
8/11/24 12:45	8.3	103	8.0	131	21.4	45	
8/11/24 13:00	8.3	103	8.0	131	21.6	47	
8/11/24 13:15	8.3	103	8.0	131	21.8	46	
8/11/24 13:30	8.2	103	8.0	131	22.0	46	
8/11/24 13:45	8.2	102	8.0	131	22.2	45	
8/11/24 14:00	8.2	102	8.0	131	22.3	46	
8/11/24 14:15	8.2	103	8.0	132	22.5	46	
8/11/24 14:30	8.1	102	8.0	132	22.6	45	
8/11/24 14:45	8.1	102	8.0	132	22.8	45	
8/11/24 15:00	8.1	102	8.0	132	22.9	46	
8/11/24 15:15	8.1	102	8.0	132	23.0	45	
8/11/24 15:30	8.0	102	8.0	132	23.1	45	
8/11/24 15:45	8.0	102	8.0	132	23.1	45	
8/11/24 16:00	8.0	102	8.0	133	23.3	46	
8/11/24 16:15	8.0	102	8.0	133	23.4	46	
8/11/24 16:30	8.0	102	8.0	133	23.4	45	
8/11/24 16:45	8.0	102	8.0	133	23.5	44	
8/11/24 17:00	8.0	102	8.0	133	23.5	45	
8/11/24 17:15	8.0	102	8.0	134	23.5	45	
8/11/24 17:30	7.9	102	8.0	134	23.5	45	
8/11/24 17:45	7.9	102	8.0	134	23.4	45	
8/11/24 18:00	7.9	101	8.0	134	23.4	46	
8/11/24 18:15	8.0	102	8.0	134	23.3	46	
8/11/24 18:30	8.0	102	8.0	134	23.2	46	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/11/24 18:45	8.0	102	8.0	134	23.1	47	
8/11/24 19:00	8.0	102	8.0	134	23.0	46	
8/11/24 19:15	8.0	102	8.0	135	22.9	46	
8/11/24 19:30	8.0	102	8.0	135	22.8	45	
8/11/24 19:45	8.1	102	8.0	135	22.7	45	
8/11/24 20:00	8.1	102	8.0	135	22.6	44	
8/11/24 20:15	8.1	102	8.0	135	22.6	44	
8/11/24 20:30	8.1	102	8.0	135	22.4	44	
8/11/24 20:45	8.1	102	8.0	135	22.3	44	
8/11/24 21:00	8.2	102	8.0	135	22.2	44	
8/11/24 21:15	8.2	102	8.0	135	22.0	42	
8/11/24 21:30	8.2	102	8.0	135	21.9	42	
8/11/24 21:45	8.2	102	8.0	135	21.8	42	
8/11/24 22:00	8.2	102	8.0	134	21.7	42	
8/11/24 22:15	8.2	102	8.0	134	21.6	41	344
8/11/24 22:30	8.3	102	8.0	134	21.5	41	344
8/11/24 22:45	8.3	102	8.0	134	21.4	41	335
8/11/24 23:00	8.3	102	8.0	134	21.3	42	
8/11/24 23:15	8.3	102	8.0	134	21.2	40	
8/11/24 23:30	8.3	102	8.0	134	21.2	40	307
8/11/24 23:45	8.3	102	8.0	134	21.2	40	
8/12/24 0:00	8.4	102	8.0	134	21.0	40	
8/12/24 0:15	8.4	102	8.0	134	20.9	41	
8/12/24 0:30	8.4	102	8.0	134	20.9	40	
8/12/24 0:45	8.4	102	7.9	134	20.8	39	
8/12/24 1:00	8.4	102	7.9	134	20.8	39	
8/12/24 1:15	8.4	102	7.9	134	20.7	39	
8/12/24 1:30	8.4	102	7.9	134	20.7	39	
8/12/24 1:45	8.4	102	7.9	134	20.6	39	301
8/12/24 2:00	8.4	102	7.9	134	20.6	39	371
8/12/24 2:15	8.4	102	7.9	134	20.6	39	
8/12/24 2:30	8.4	102	7.9	134	20.5	38	
8/12/24 2:45	8.4	102	7.9	134	20.5	38	
8/12/24 3:00	8.4	102	7.9	134	20.4	38	
8/12/24 3:15	8.5	102	7.9	133	20.4	38	
8/12/24 3:30	8.5	102	7.9	133	20.3	39	
8/12/24 3:45	8.5	102	7.9	133	20.3	38	
8/12/24 4:00	8.5	102	7.9	133	20.2	37	
8/12/24 4:15	8.5	102	7.9	133	20.2	37	
8/12/24 4:30	8.5	102	7.9	133	20.1	37	
8/12/24 4:45	8.5	102	7.9	133	20.0	37	
8/12/24 5:00	8.5	102	7.9	133	20.0	37	
8/12/24 5:15	8.5	102	7.9	133	19.9	36	
8/12/24 5:30	8.6	102	7.9	133	19.8	38	
8/12/24 5:45	8.6	102	7.9	133	19.8	38	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 6:00	8.6	102	7.9	133	19.7	37	
8/12/24 6:15	8.6	102	7.9	133	19.7	37	
8/12/24 6:30	8.6	102	7.9	133	19.6	37	
8/12/24 6:45	8.6	102	7.9	133	19.5	37	
8/12/24 7:00	8.6	102	7.9	133	19.5	38	
8/12/24 7:15	8.6	102	7.9	132	19.4	37	325
8/12/24 7:30	8.6	102	7.9	132	19.4	38	
8/12/24 7:45	8.7	102	7.9	132	19.3	38	
8/12/24 8:00	8.7	102	7.9	132	19.3	37	
8/12/24 8:15	8.7	102	7.9	132	19.3	37	
8/12/24 8:30	8.7	102	7.9	132	19.3	37	
8/12/24 8:45	8.7	103	7.9	132	19.3	37	
8/12/24 9:00	8.7	103	7.9	132	19.3	37	
8/12/24 9:15	8.7	103	7.9	132	19.4	37	
8/12/24 9:30	8.7	103	7.9	131	19.4	38	
8/12/24 9:45	8.6	103	7.9	131	19.5	38	
8/12/24 10:00	8.6	103	7.9	131	19.6	38	
8/12/24 10:15	8.6	103	7.9	131	19.7	38	
8/12/24 10:30	8.6	103	7.9	131	19.8	38	
8/12/24 10:45	8.6	103	7.9	131	19.9	38	
8/12/24 11:00	8.6	103	8.0	131	20.1	38	
8/12/24 11:15	8.5	103	8.0	131	20.2	39	
8/12/24 11:30	8.5	102	8.0	131	20.4	39	
8/12/24 11:45	8.5	102	8.0	131	20.6	40	
8/12/24 12:00	8.4	102	8.0	131	20.7	40	
8/12/24 12:15	8.4	102	8.0	131	20.9	40	
8/12/24 12:30	8.4	102	8.0	131	21.1	40	
8/12/24 12:45	8.4	103	8.0	131	21.3	40	
8/12/24 13:00	8.3	102	8.0	131	21.4	40	
8/12/24 13:15	8.3	102	8.0	131	21.6	40	
8/12/24 13:30	8.3	102	8.0	131	21.8	40	335
8/12/24 13:45	8.2	103	8.0	131	21.9	40	
8/12/24 14:00	8.2	102	8.0	132	22.1	39	
8/12/24 14:15	8.2	102	8.0	132	22.2	40	
8/12/24 14:30	8.2	103	8.0	132	22.4	40	
8/12/24 14:45	8.1	102	8.0	132	22.5	41	
8/12/24 15:00	8.1	102	8.0	132	22.6	39	
8/12/24 15:15	8.1	102	8.0	132	22.7	39	
8/12/24 15:30	8.1	102	8.0	133	22.8	39	
8/12/24 15:45	8.1	102	8.0	133	22.9	39	
8/12/24 16:00	8.1	102	8.0	133	23.0	39	
8/12/24 16:15	8.0	102	8.0	133	23.0	39	
8/12/24 16:30	8.0	102	8.0	133	23.1	40	
8/12/24 16:45	8.0	102	8.0	133	23.1	39	
8/12/24 17:00	8.0	102	8.0	134	23.1	40	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/12/24 17:15	8.0	102	8.0	134	23.1	40	
8/12/24 17:30	8.0	102	8.0	134	23.1	39	
8/12/24 17:45	8.0	102	8.0	134	23.1	39	
8/12/24 18:00	8.0	102	8.0	134	23.0	40	
8/12/24 18:15	8.0	102	8.0	134	23.0	39	
8/12/24 18:30	8.0	102	8.0	134	22.9	39	
8/12/24 18:45	8.0	102	8.0	135	22.9	38	
8/12/24 19:00	8.0	102	8.0	135	22.8	39	
8/12/24 19:15	8.1	102	8.0	135	22.7	38	
8/12/24 19:30	8.1	102	8.0	135	22.6	38	
8/12/24 19:45	8.1	102	8.0	135	22.5	38	338
8/12/24 20:00	8.1	102	8.0	135	22.3	39	338
8/12/24 20:15	8.2	102	8.0	135	22.2	38	
8/12/24 20:30	8.2	102	8.0	135	22.1	38	
8/12/24 20:45	8.2	102	8.0	135	21.9	37	
8/12/24 21:00	8.2	102	8.0	135	21.8	38	
8/12/24 21:15	8.2	102	8.0	135	21.6	38	
8/12/24 21:30	8.3	102	8.0	135	21.5	37	
8/12/24 21:45	8.3	102	8.0	135	21.4	37	
8/12/24 22:00	8.3	102	8.0	135	21.3	37	
8/12/24 22:15	8.3	102	8.0	135	21.1	36	
8/12/24 22:30	8.4	102	8.0	135	21.0	36	
8/12/24 22:45	8.4	102	8.0	135	20.9	35	
8/12/24 23:00	8.4	102	8.0	135	20.8	35	
8/12/24 23:15	8.4	102	8.0	135	20.7	35	
8/12/24 23:30	8.4	102	8.0	134	20.6	35	
8/12/24 23:45	8.4	102	8.0	134	20.4	34	
8/13/24 0:00	8.5	102	8.0	134	20.4	36	371
8/13/24 0:15	8.5	102	8.0	134	20.2	36	392
8/13/24 0:30	8.5	102	8.0	134	20.2	35	
8/13/24 0:45	8.5	102	8.0	134	20.1	34	
8/13/24 1:00	8.5	102	8.0	134	20.0	35	356
8/13/24 1:15	8.6	102	8.0	134	20.0	34	392
8/13/24 1:30	8.6	102	8.0	134	19.9	35	401
8/13/24 1:45	8.6	102	8.0	134	19.8	36	
8/13/24 2:00	8.6	102	8.0	134	19.8	35	
8/13/24 2:15	8.6	102	8.0	134	19.8	34	
8/13/24 2:30	8.6	102	8.0	134	19.7	36	
8/13/24 2:45	8.6	102	8.0	134	19.7	34	331
8/13/24 3:00	8.6	102	8.0	134	19.7	33	
8/13/24 3:15	8.6	102	8.0	134	19.7	33	
8/13/24 3:30	8.6	102	8.0	134	19.7	33	
8/13/24 3:45	8.6	102	8.0	134	19.7	33	331
8/13/24 4:00	8.6	102	8.0	134	19.6	34	331
8/13/24 4:15	8.6	102	8.0	134	19.6	34	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/13/24 4:30	8.6	102	7.9	134	19.6	33	420
8/13/24 4:45	8.6	102	7.9	134	19.5	33	
8/13/24 5:00	8.6	102	7.9	134	19.5	33	362
8/13/24 5:15	8.6	102	7.9	134	19.4	33	
8/13/24 5:30	8.6	102	7.9	133	19.4	32	
8/13/24 5:45	8.7	102	7.9	133	19.3	32	
8/13/24 6:00	8.7	102	7.9	133	19.3	32	414
8/13/24 6:15	8.7	103	7.9	133	19.2	32	
8/13/24 6:30	8.7	103	7.9	133	19.1	33	
8/13/24 6:45	8.7	103	7.9	133	19.0	32	
8/13/24 7:00	8.7	103	7.9	133	18.9	32	
8/13/24 7:15	8.8	103	7.9	133	18.9	32	
8/13/24 7:30	8.8	103	7.9	133	18.8	32	
8/13/24 7:45	8.8	103	7.9	133	18.7	33	386
8/13/24 8:00	8.8	103	7.9	132	18.7	32	
8/13/24 8:15	8.8	103	7.9	132	18.6	34	
8/13/24 8:30	8.8	103	7.9	132	18.6	32	
8/13/24 8:45	8.8	103	7.9	132	18.6	34	
8/13/24 9:00	8.8	103	7.9	132	18.6	33	
8/13/24 9:15	8.8	103	7.9	132	18.6	33	
8/13/24 9:30	8.8	103	8.0	132	18.7	34	456
8/13/24 9:45	8.8	103	8.0	132	18.8	33	456
8/13/24 10:00	8.8	103	8.0	132	18.8	35	
8/13/24 10:15	8.8	103	8.0	131	18.9	34	313
8/13/24 10:30	8.8	103	8.0	131	19.0	34	
8/13/24 10:45	8.8	103	8.0	131	19.1	34	
8/13/24 11:00	8.7	103	8.0	131	19.3	33	
8/13/24 11:15	8.7	103	8.0	131	19.4	34	
8/13/24 11:30	8.7	103	8.0	131	19.6	34	
8/13/24 11:45	8.6	103	8.0	131	19.7	34	
8/13/24 12:00	8.6	103	8.0	131	19.9	33	459
8/13/24 12:15	8.6	103	8.0	131	20.1	33	
8/13/24 12:30	8.5	103	8.0	131	20.3	34	
8/13/24 12:45	8.5	103	8.0	131	20.5	34	
8/13/24 13:00	8.5	103	8.0	131	20.6	34	338
8/13/24 13:15	8.4	103	8.0	131	20.8	34	301
8/13/24 13:30	8.4	103	8.0	131	21.0	33	
8/13/24 13:45	8.4	103	8.0	132	21.2	34	
8/13/24 14:00	8.4	103	8.0	132	21.3	33	
8/13/24 14:15	8.4	103	8.0	132	21.4	33	453
8/13/24 14:30	8.3	103	8.0	132	21.6	34	
8/13/24 14:45	8.3	103	8.0	132	21.7	33	
8/13/24 15:00	8.3	103	8.0	133	21.8	33	
8/13/24 15:15	8.3	103	8.0	133	21.9	34	
8/13/24 15:30	8.2	103	8.0	134	22.0	34	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/13/24 15:45	8.2	103	8.0	134	22.1	34	
8/13/24 16:00	8.2	103	8.0	134	22.2	34	
8/13/24 16:15	8.2	103	8.1	135	22.2	36	
8/13/24 16:30	8.2	103	8.1	134	22.3	35	
8/13/24 16:45	8.2	103	8.1	135	22.3	34	
8/13/24 17:00	8.2	103	8.1	135	22.3	35	
8/13/24 17:15	8.2	103	8.0	135	22.3	34	
8/13/24 17:30	8.2	103	8.0	135	22.3	34	
8/13/24 17:45	8.2	102	8.0	135	22.2	33	
8/13/24 18:00	8.2	102	8.0	135	22.2	33	
8/13/24 18:15	8.2	102	8.0	135	22.1	33	
8/13/24 18:30	8.2	102	8.0	135	22.1	33	
8/13/24 18:45	8.2	102	8.0	135	22.0	33	
8/13/24 19:00	8.2	102	8.0	135	21.9	33	
8/13/24 19:15	8.2	102	8.0	135	21.8	33	
8/13/24 19:30	8.2	102	8.0	135	21.7	33	
8/13/24 19:45	8.3	102	8.0	135	21.6	32	
8/13/24 20:00	8.3	102	8.0	135	21.5	32	
8/13/24 20:15	8.3	102	8.0	135	21.4	33	
8/13/24 20:30	8.3	102	8.0	135	21.3	32	
8/13/24 20:45	8.3	102	8.0	135	21.2	32	
8/13/24 21:00	8.4	102	8.0	135	21.1	31	
8/13/24 21:15	8.4	102	8.0	135	21.0	32	
8/13/24 21:30	8.4	102	8.0	135	20.8	31	
8/13/24 21:45	8.4	102	8.0	135	20.7	31	
8/13/24 22:00	8.4	102	8.0	135	20.6	32	
8/13/24 22:15	8.5	102	8.0	135	20.5	33	
8/13/24 22:30	8.5	102	8.0	135	20.4	33	
8/13/24 22:45	8.5	102	8.0	135	20.3	35	
8/13/24 23:00	8.5	102	8.0	135	20.2	35	
8/13/24 23:15	8.5	102	8.0	135	20.1	37	
8/13/24 23:30	8.6	103	7.9	135	20.0	36	
8/13/24 23:45	8.6	102	7.9	135	20.0	38	
8/14/24 0:00	8.6	103	7.9	135	19.9	39	
8/14/24 0:15	8.6	103	7.9	135	19.9	38	
8/14/24 0:30	8.6	103	7.9	134	19.8	38	
8/14/24 0:45	8.6	103	7.9	134	19.8	40	
8/14/24 1:00	8.6	102	7.9	134	19.7	40	
8/14/24 1:15	8.6	103	7.9	134	19.7	40	
8/14/24 1:30	8.6	103	7.9	134	19.6	40	
8/14/24 1:45	8.6	103	7.9	134	19.6	40	
8/14/24 2:00	8.6	103	7.9	134	19.6	39	
8/14/24 2:15	8.6	103	7.9	134	19.5	41	
8/14/24 2:30	8.7	103	7.9	134	19.5	40	
8/14/24 2:45	8.7	103	7.9	134	19.4	40	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/14/24 3:00	8.7	103	7.9	133	19.4	40	
8/14/24 3:15	8.7	103	7.9	133	19.3	40	
8/14/24 3:30	8.7	103	7.9	133	19.2	40	
8/14/24 3:45	8.7	103	7.9	133	19.2	40	
8/14/24 4:00	8.7	103	7.9	133	19.1	41	
8/14/24 4:15	8.7	103	7.9	133	19.1	38	
8/14/24 4:30	8.8	103	7.9	133	19.0	40	
8/14/24 4:45	8.8	103	7.9	133	19.0	40	
8/14/24 5:00	8.8	103	7.9	133	18.9	40	
8/14/24 5:15	8.8	103	7.9	133	18.8	41	
8/14/24 5:30	8.8	103	7.9	133	18.8	42	
8/14/24 5:45	8.8	103	7.9	132	18.7	41	
8/14/24 6:00	8.8	103	7.9	132	18.6	41	
8/14/24 6:15	8.8	103	7.9	132	18.6	41	
8/14/24 6:30	8.8	103	7.8	132	18.5	42	
8/14/24 6:45	8.8	103	7.9	132	18.5	42	
8/14/24 7:00	8.9	103	7.9	132	18.4	44	
8/14/24 7:15	8.9	103	7.9	131	18.4	44	
8/14/24 7:30	8.9	103	7.9	131	18.3	46	
8/14/24 7:45	8.9	103	7.9	131	18.3	48	
8/14/24 8:00	8.9	103	7.9	131	18.3	48	
8/14/24 8:15	8.9	103	7.9	131	18.3	50	
8/14/24 8:30	8.9	103	7.9	131	18.3	50	
8/14/24 8:45	8.9	103	7.9	130	18.3	51	
8/14/24 9:00	8.9	103	7.9	130	18.4	52	
8/14/24 9:15	8.9	103	7.9	130	18.5	52	
8/14/24 9:30	8.8	103	7.9	130	18.6	52	
8/14/24 9:45	8.8	103	7.9	130	18.6	53	
8/14/24 10:00	8.8	103	7.9	130	18.8	54	
8/14/24 10:15	8.8	103	7.9	130	18.9	53	
8/14/24 10:30	8.8	103	7.9	130	19.0	54	
8/14/24 10:45	8.7	103	7.9	130	19.2	54	
8/14/24 11:00	8.7	103	7.9	130	19.3	54	
8/14/24 11:15	8.7	103	7.9	131	19.5	54	
8/14/24 11:30	8.6	103	7.9	131	19.7	54	
8/14/24 11:45	8.6	103	8.0	132	19.9	55	
8/14/24 12:00	8.6	103	8.0	132	20.0	54	
8/14/24 12:15	8.6	103	8.0	132	20.2	55	
8/14/24 12:30	8.5	103	8.0	132	20.4	54	
8/14/24 12:45	8.5	103	8.0	132	20.6	54	
8/14/24 13:00	8.5	103	8.0	132	20.8	54	
8/14/24 13:15	8.4	103	8.0	132	20.9	54	
8/14/24 13:30	8.4	103	8.0	132	21.1	53	
8/14/24 13:45	8.4	103	8.0	132	21.2	53	
8/14/24 14:00	8.4	103	8.0	132	21.3	53	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/14/24 14:15	8.3	103	8.0	132	21.4	53	
8/14/24 14:30	8.3	103	8.0	132	21.6	52	
8/14/24 14:45	8.3	103	8.0	132	21.7	52	
8/14/24 15:00	8.3	103	8.0	132	21.7	52	
8/14/24 15:15	8.3	103	8.0	133	21.8	52	
8/14/24 15:30	8.3	103	8.0	133	21.9	51	
8/14/24 15:45	8.2	103	8.0	133	21.9	51	
8/14/24 16:00	8.2	103	8.0	134	22.0	52	
8/14/24 16:15	8.2	103	8.0	134	22.0	52	
8/14/24 16:30	8.2	103	8.0	134	22.0	52	
8/14/24 16:45	8.2	102	8.0	133	22.0	51	
8/14/24 17:00	8.2	102	8.0	133	22.0	50	
8/14/24 17:15	8.2	103	8.0	133	21.9	50	
8/14/24 17:30	8.2	102	8.0	133	21.9	50	
8/14/24 17:45	8.2	102	8.0	134	21.8	50	
8/14/24 18:00	8.2	102	8.0	133	21.8	50	
8/14/24 18:15	8.3	102	8.0	133	21.7	49	
8/14/24 18:30	8.3	102	8.0	133	21.6	50	
8/14/24 18:45	8.3	102	8.0	133	21.6	49	
8/14/24 19:00	8.3	102	8.0	133	21.5	50	
8/14/24 19:15	8.3	102	8.0	133	21.4	50	
8/14/24 19:30	8.3	102	8.0	133	21.4	48	
8/14/24 19:45	8.3	102	8.0	133	21.3	49	
8/14/24 20:00	8.4	102	8.0	133	21.2	49	
8/14/24 20:15	8.4	102	8.0	133	21.1	48	
8/14/24 20:30	8.4	102	8.0	133	21.0	48	
8/14/24 20:45	8.4	102	8.0	133	20.9	48	
8/14/24 21:00	8.4	102	8.0	133	20.8	48	
8/14/24 21:15	8.4	102	7.9	133	20.8	47	
8/14/24 21:30	8.4	102	7.9	133	20.7	47	
8/14/24 21:45	8.4	102	7.9	133	20.6	48	
8/14/24 22:00	8.5	102	7.9	133	20.5	47	
8/14/24 22:15	8.5	102	7.9	133	20.4	47	
8/14/24 22:30	8.5	102	7.9	132	20.4	47	
8/14/24 22:45	8.5	102	7.9	132	20.3	47	
8/14/24 23:00	8.5	102	7.9	132	20.3	48	
8/14/24 23:15	8.5	102	7.9	132	20.2	48	
8/14/24 23:30	8.5	102	7.9	132	20.2	49	
8/14/24 23:45	8.5	102	7.9	132	20.1	50	
8/15/24 0:00	8.5	102	7.9	132	20.1	51	
8/15/24 0:15	8.5	102	7.9	132	20.0	52	
8/15/24 0:30	8.5	102	7.9	132	20.0	52	
8/15/24 0:45	8.6	102	7.9	132	20.0	52	
8/15/24 1:00	8.6	102	7.9	131	19.9	51	
8/15/24 1:15	8.6	102	7.9	131	19.9	51	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/15/24 1:30	8.6	102	7.9	131	19.8	50	
8/15/24 1:45	8.6	102	7.9	132	19.8	50	
8/15/24 2:00	8.6	102	7.9	132	19.8	49	
8/15/24 2:15	8.6	102	7.9	132	19.7	49	
8/15/24 2:30	8.6	102	7.9	132	19.7	49	
8/15/24 2:45	8.6	102	7.9	132	19.7	49	
8/15/24 3:00	8.6	103	7.9	132	19.6	48	
8/15/24 3:15	8.6	102	7.9	132	19.6	48	
8/15/24 3:30	8.6	102	7.9	132	19.6	47	
8/15/24 3:45	8.6	103	7.9	132	19.5	46	
8/15/24 4:00	8.6	103	7.9	132	19.5	45	
8/15/24 4:15	8.6	102	7.9	132	19.4	45	
8/15/24 4:30	8.7	103	7.9	132	19.4	45	
8/15/24 4:45	8.7	103	7.9	132	19.4	45	
8/15/24 5:00	8.7	103	7.9	131	19.3	45	
8/15/24 5:15	8.7	103	7.9	131	19.3	44	
8/15/24 5:30	8.7	103	7.9	131	19.2	45	
8/15/24 5:45	8.7	103	7.9	131	19.2	44	
8/15/24 6:00	8.7	102	7.9	131	19.2	44	
8/15/24 6:15	8.7	102	7.9	131	19.1	44	
8/15/24 6:30	8.7	102	7.9	131	19.1	44	
8/15/24 6:45	8.7	103	7.9	131	19.1	45	
8/15/24 7:00	8.7	103	7.9	131	19.1	44	
8/15/24 7:15	8.7	103	7.9	130	19.1	45	
8/15/24 7:30	8.7	102	7.9	130	19.0	45	
8/15/24 7:45	8.7	103	7.9	130	19.0	45	
8/15/24 8:00	8.7	103	7.9	130	19.0	45	
8/15/24 8:15	8.7	103	7.9	130	19.1	46	
8/15/24 8:30	8.7	103	7.9	130	19.1	46	
8/15/24 8:45	8.7	103	7.9	130	19.1	46	
8/15/24 9:00	8.7	103	7.9	130	19.2	46	
8/15/24 9:15	8.7	103	7.9	130	19.2	46	
8/15/24 9:30	8.7	103	7.9	130	19.2	46	
8/15/24 9:45	8.7	103	7.9	130	19.3	44	
8/15/24 10:00	8.7	103	7.9	130	19.5	45	
8/15/24 10:15	8.6	103	7.9	130	19.6	44	
8/15/24 10:30	8.6	103	8.0	130	19.7	44	
8/15/24 10:45	8.6	103	8.0	130	19.8	44	
8/15/24 11:00	8.6	103	8.0	130	19.9	44	
8/15/24 11:15	8.6	103	8.0	130	20.1	44	
8/15/24 11:30	8.5	103	8.0	130	20.2	44	
8/15/24 11:45	8.5	103	8.0	130	20.4	44	
8/15/24 12:00	8.5	103	8.0	130	20.5	44	
8/15/24 12:15	8.5	103	8.0	131	20.7	44	
8/15/24 12:30	8.4	103	8.0	131	20.8	44	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/15/24 12:45	8.4	103	8.0	131	21.0	44	
8/15/24 13:00	8.4	103	8.0	131	21.1	44	
8/15/24 13:15	8.4	103	8.0	131	21.3	44	
8/15/24 13:30	8.4	103	8.0	131	21.4	43	
8/15/24 13:45	8.3	103	8.0	131	21.6	44	
8/15/24 14:00	8.3	103	8.0	132	21.7	44	
8/15/24 14:15	8.3	103	8.0	132	21.8	43	
8/15/24 14:30	8.3	103	8.0	132	21.8	43	
8/15/24 14:45	8.3	103	8.0	132	21.9	43	
8/15/24 15:00	8.2	103	8.0	132	22.0	43	
8/15/24 15:15	8.2	103	8.0	132	22.1	43	
8/15/24 15:30	8.2	103	8.0	132	22.1	42	
8/15/24 15:45	8.2	103	8.0	133	22.2	42	
8/15/24 16:00	8.2	103	8.0	133	22.2	42	
8/15/24 16:15	8.2	103	8.0	133	22.3	42	
8/15/24 16:30	8.2	103	8.0	133	22.3	42	
8/15/24 16:45	8.2	103	8.0	133	22.3	42	
8/15/24 17:00	8.2	103	8.0	133	22.3	42	
8/15/24 17:15	8.2	102	8.0	133	22.3	42	
8/15/24 17:30	8.2	102	8.0	133	22.2	42	
8/15/24 17:45	8.2	103	8.0	134	22.2	41	
8/15/24 18:00	8.2	102	8.0	134	22.1	42	
8/15/24 18:15	8.2	102	8.0	134	22.0	41	
8/15/24 18:30	8.2	102	8.0	134	22.0	42	
8/15/24 18:45	8.2	102	8.0	134	21.9	42	
8/15/24 19:00	8.2	102	8.0	134	21.8	41	
8/15/24 19:15	8.2	102	8.0	134	21.8	42	
8/15/24 19:30	8.2	102	8.0	134	21.7	41	
8/15/24 19:45	8.3	102	8.0	134	21.6	41	
8/15/24 20:00	8.3	102	8.0	134	21.5	43	
8/15/24 20:15	8.3	102	8.0	134	21.4	43	
8/15/24 20:30	8.3	102	8.0	134	21.3	40	
8/15/24 20:45	8.3	102	8.0	134	21.2	41	
8/15/24 21:00	8.3	102	8.0	133	21.1	42	
8/15/24 21:15	8.3	102	8.0	133	21.0	42	
8/15/24 21:30	8.4	102	8.0	133	20.9	43	
8/15/24 21:45	8.4	102	8.0	133	20.8	42	
8/15/24 22:00	8.4	102	8.0	133	20.7	42	
8/15/24 22:15	8.4	102	8.0	133	20.6	42	
8/15/24 22:30	8.4	102	7.9	133	20.6	42	
8/15/24 22:45	8.4	102	7.9	133	20.5	42	
8/15/24 23:00	8.4	102	7.9	133	20.4	43	
8/15/24 23:15	8.4	102	7.9	133	20.4	45	
8/15/24 23:30	8.4	102	7.9	133	20.3	47	
8/15/24 23:45	8.5	102	7.9	133	20.2	48	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 0:00	8.5	102	7.9	133	20.2	49	
8/16/24 0:15	8.5	102	7.9	133	20.2	49	
8/16/24 0:30	8.5	102	7.9	133	20.1	49	
8/16/24 0:45	8.5	102	7.9	133	20.1	49	
8/16/24 1:00	8.5	102	7.9	133	19.9	49	
8/16/24 1:15	8.5	102	7.9	133	19.9	48	
8/16/24 1:30	8.6	102	7.9	133	19.8	46	
8/16/24 1:45	8.6	102	7.9	133	19.7	46	
8/16/24 2:00	8.6	102	7.9	132	19.6	44	
8/16/24 2:15	8.6	102	7.9	132	19.6	44	
8/16/24 2:30	8.6	102	7.9	132	19.5	43	
8/16/24 2:45	8.6	102	7.9	132	19.5	43	
8/16/24 3:00	8.6	102	7.9	132	19.4	42	
8/16/24 3:15	8.6	102	7.9	132	19.4	41	
8/16/24 3:30	8.6	102	7.9	132	19.3	42	
8/16/24 3:45	8.6	102	7.9	132	19.3	41	
8/16/24 4:00	8.6	102	7.9	132	19.2	41	
8/16/24 4:15	8.7	102	7.9	132	19.2	40	
8/16/24 4:30	8.7	102	7.9	132	19.1	40	
8/16/24 4:45	8.7	102	7.9	132	19.0	40	
8/16/24 5:00	8.7	102	7.9	132	19.0	40	
8/16/24 5:15	8.7	102	7.9	132	18.9	39	
8/16/24 5:30	8.7	102	7.9	132	18.9	40	
8/16/24 5:45	8.7	102	7.9	132	18.8	44	
8/16/24 6:00	8.7	102	7.9	132	18.8	39	
8/16/24 6:15	8.8	102	7.9	131	18.7	39	
8/16/24 6:30	8.8	102	7.9	131	18.6	37	
8/16/24 6:45	8.8	102	7.9	131	18.6	38	
8/16/24 7:00	8.8	102	7.9	131	18.5	39	
8/16/24 7:15	8.8	102	7.9	131	18.5	39	
8/16/24 7:30	8.8	102	7.8	131	18.4	39	
8/16/24 7:45	8.8	102	7.9	131	18.4	39	
8/16/24 8:00	8.8	102	7.9	131	18.4	39	
8/16/24 8:15	8.8	102	7.9	131	18.3	40	
8/16/24 8:30	8.8	102	7.9	131	18.3	40	
8/16/24 8:45	8.8	102	7.9	131	18.4	40	
8/16/24 9:00	8.8	102	7.9	131	18.4	40	
8/16/24 9:15	8.8	102	7.9	131	18.4	40	
8/16/24 9:30	8.8	102	7.9	131	18.5	39	
8/16/24 9:45	8.8	102	7.9	131	18.6	40	
8/16/24 10:00	8.8	102	7.9	131	18.7	40	
8/16/24 10:15	8.8	102	7.9	131	18.8	40	
8/16/24 10:30	8.7	102	7.9	131	18.9	40	
8/16/24 10:45	8.7	102	7.9	131	19.1	40	
8/16/24 11:00	8.7	102	7.9	131	19.2	40	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 11:15	8.6	102	7.9	131	19.4	40	
8/16/24 11:30	8.6	102	7.9	131	19.5	40	
8/16/24 11:45	8.6	102	7.9	131	19.7	40	
8/16/24 12:00	8.6	102	7.9	131	19.9	40	
8/16/24 12:15	8.5	102	7.9	131	20.0	39	
8/16/24 12:30	8.5	102	8.0	132	20.2	43	
8/16/24 12:45	8.5	102	8.0	132	20.4	42	
8/16/24 13:00	8.4	102	8.0	132	20.6	40	
8/16/24 13:15	8.4	102	8.0	132	20.7	40	
8/16/24 13:30	8.4	102	8.0	132	20.9	40	
8/16/24 13:45	8.4	102	8.0	132	21.0	39	
8/16/24 14:00	8.3	102	8.0	132	21.2	39	
8/16/24 14:15	8.3	102	8.0	132	21.3	39	
8/16/24 14:30	8.3	102	8.0	132	21.4	39	
8/16/24 14:45	8.3	102	8.0	133	21.5	39	
8/16/24 15:00	8.3	102	8.0	133	21.6	38	
8/16/24 15:15	8.2	102	8.0	133	21.7	38	
8/16/24 15:30	8.2	102	8.0	133	21.8	40	
8/16/24 15:45	8.2	102	8.0	134	21.9	39	
8/16/24 16:00	8.2	102	8.0	134	21.9	39	
8/16/24 16:15	8.2	102	8.0	134	22.0	37	
8/16/24 16:30	8.2	102	8.0	134	22.0	40	
8/16/24 16:45	8.2	102	8.0	135	22.0	39	
8/16/24 17:00	8.2	102	8.0	135	22.0	39	
8/16/24 17:15	8.2	102	8.0	135	21.9	38	
8/16/24 17:30	8.2	102	8.0	134	21.9	38	
8/16/24 17:45	8.2	102	8.0	134	21.9	40	
8/16/24 18:00	8.2	102	8.0	134	21.8	38	
8/16/24 18:15	8.2	102	8.0	134	21.7	38	
8/16/24 18:30	8.2	102	8.0	134	21.7	38	
8/16/24 18:45	8.2	101	8.0	134	21.7	38	
8/16/24 19:00	8.2	101	8.0	134	21.6	37	
8/16/24 19:15	8.2	102	8.0	134	21.6	37	
8/16/24 19:30	8.2	101	8.0	134	21.5	38	
8/16/24 19:45	8.2	101	8.0	134	21.4	37	
8/16/24 20:00	8.3	101	8.0	134	21.3	37	
8/16/24 20:15	8.3	101	8.0	134	21.2	37	
8/16/24 20:30	8.3	101	8.0	134	21.0	37	
8/16/24 20:45	8.3	102	8.0	134	20.9	36	
8/16/24 21:00	8.3	101	7.9	134	20.8	36	
8/16/24 21:15	8.4	101	7.9	134	20.7	35	
8/16/24 21:30	8.4	101	7.9	134	20.6	35	
8/16/24 21:45	8.4	102	7.9	134	20.6	36	
8/16/24 22:00	8.4	101	7.9	134	20.5	35	
8/16/24 22:15	8.4	101	7.9	134	20.4	36	

Klamath River above Fall Creek near Copco, CA, Daggett Bridge (11511990)



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/16/24 22:30	8.4	102	7.9	134	20.4	36	
8/16/24 22:45	8.4	101	7.9	134	20.3	36	
8/16/24 23:00	8.4	101	7.9	133	20.2	36	
8/16/24 23:15	8.4	102	7.9	133	20.2	37	
8/16/24 23:30	8.4	101	7.9	133	20.2	37	
8/16/24 23:45	8.4	101	7.9	133	20.1	37	
8/17/24 0:00	8.4	101	7.9	133	20.1	37	
8/17/24 0:15	8.5	101	7.9	133	20.1	37	
8/17/24 0:30	8.5	101	7.9	133	20.0	36	
8/17/24 0:45	8.5	102	7.9	133	20.0	36	
8/17/24 1:00	8.5	102	7.9	133	20.0	36	
8/17/24 1:15	8.5	101	7.9	133	20.0	37	
8/17/24 1:30	8.5	101	7.9	133	20.0	37	
8/17/24 1:45	8.5	101	7.9	133	20.0	38	
8/17/24 2:00	8.5	102	7.9	133	19.9	38	
8/17/24 2:15	8.5	101	7.9	133	19.9	37	
8/17/24 2:30	8.5	101	7.9	133	19.8	38	
8/17/24 2:45	8.5	101	7.9	133	19.8	38	
8/17/24 3:00	8.5	102	7.9	133	19.7	38	
8/17/24 3:15	8.5	101	7.9	133	19.7	38	
8/17/24 3:30	8.5	101	7.9	133	19.7	38	
8/17/24 3:45	8.5	101	7.9	133	19.6	39	
8/17/24 4:00	8.5	101	7.9	133	19.6	38	
8/17/24 4:15	8.5	101	7.9	132	19.5	39	
8/17/24 4:30	8.6	101	7.9	133	19.5	39	
8/17/24 4:45	8.6	101	7.9	132	19.4	39	
8/17/24 5:00	8.6	101	7.9	132	19.4	38	
8/17/24 5:15	8.6	101	7.9	132	19.3	38	
8/17/24 5:30	8.6	101	7.9	132	19.3	37	
8/17/24 5:45	8.6	101	7.9	132	19.2	37	
8/17/24 6:00	8.6	101	7.9	132	19.2	38	
8/17/24 6:15	8.6	102	7.9	132	19.2	38	
8/17/24 6:30	8.6	101	7.9	132	19.1	38	
8/17/24 6:45	8.6	101	7.9	132	19.1	39	
8/17/24 7:00	8.6	101	7.9	131	19.0	39	
8/17/24 7:15	8.6	102	7.9	131	19.0	39	
8/17/24 7:30	8.6	101	7.9	131	19.0	39	
8/17/24 7:45	8.6	101	7.9	131	18.9	39	
8/17/24 8:00	8.6	101	7.8	131	18.9	40	
8/17/24 8:15	8.6	101	7.9	131	18.9	41	
8/17/24 8:30	8.6	101	7.9	131	18.9	40	
8/17/24 8:45	8.6	102	7.9	131	19.0	40	
8/17/24 9:00	8.6	102	7.9	131	19.0	40	
8/17/24 9:15	8.6	102	7.9	131	19.1	40	
8/17/24 9:30	8.6	102	7.9	132	19.2	42	

Klamath River above Fall Creek near Copco, CA, Daggett Bridge (11511990)



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 9:45	8.6	101	7.9	131	19.2	42	
8/17/24 10:00	8.6	102	7.9	131	19.4	39	
8/17/24 10:15	8.6	101	7.9	131	19.5	41	
8/17/24 10:30	8.5	101	7.9	131	19.6	42	
8/17/24 10:45	8.5	102	7.9	131	19.8	42	
8/17/24 11:00	8.5	101	7.9	131	19.9	42	
8/17/24 11:15	8.5	101	7.9	132	20.1	42	
8/17/24 11:30	8.4	101	7.9	132	20.2	42	
8/17/24 11:45	8.4	102	8.0	132	20.4	41	
8/17/24 12:00	8.4	102	8.0	132	20.5	41	
8/17/24 12:15	8.4	102	8.0	132	20.6	40	
8/17/24 12:30	8.4	102	8.0	132	20.8	41	
8/17/24 12:45	8.3	102	8.0	132	20.9	40	
8/17/24 13:00	8.3	102	8.0	132	21.0	41	
8/17/24 13:15	8.3	102	8.0	133	21.1	40	
8/17/24 13:30	8.3	102	8.0	133	21.0	40	
8/17/24 13:45	8.3	101	8.0	133	21.0	40	
8/17/24 14:00	8.3	101	8.0	133	21.0	38	
8/17/24 14:15	8.3	101	8.0	133	20.9	40	
8/17/24 14:30	8.3	101	8.0	133	20.9	42	
8/17/24 14:45	8.3	102	8.0	133	20.9	40	
8/17/24 15:00	8.3	102	8.0	133	21.0	40	
8/17/24 15:15	8.3	102	8.0	134	21.0	40	
8/17/24 15:30	8.3	102	8.0	134	21.0	39	
8/17/24 15:45	8.3	102	8.0	134	21.1	40	
8/17/24 16:00							
8/17/24 16:15							
8/17/24 16:30							
8/17/24 16:45							
8/17/24 17:00							
8/17/24 17:15	8.4	101	8.0	135	20.6	40	
8/17/24 17:30	8.4	101	8.0	134	20.4	41	
8/17/24 17:45	8.4	102	8.0	134	20.4	38	
8/17/24 18:00	8.4	102	8.0	134	20.3	38	
8/17/24 18:15	8.4	102	8.0	134	20.2	36	
8/17/24 18:30	8.5	102	8.0	134	20.2	39	
8/17/24 18:45	8.4	101	8.0	134	20.1	39	
8/17/24 19:00	8.5	102	7.9	134	20.1	38	
8/17/24 19:15	8.5	102	7.9	134	20.0	39	
8/17/24 19:30	8.5	101	7.9	134	19.9	43	
8/17/24 19:45	8.5	101	7.9	134	19.9	38	
8/17/24 20:00	8.5	102	7.9	134	19.8	38	
8/17/24 20:15	8.5	102	7.9	134	19.8	38	
8/17/24 20:30	8.5	101	7.9	134	19.7	38	
8/17/24 20:45	8.5	101	7.9	134	19.6	38	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/17/24 21:00	8.5	101	7.9	134	19.5	38	
8/17/24 21:15	8.6	101	7.9	134	19.4	38	
8/17/24 21:30	8.6	101	7.9	134	19.4	37	
8/17/24 21:45	8.6	101	7.9	134	19.3	38	
8/17/24 22:00	8.6	101	7.9	134	19.2	38	
8/17/24 22:15	8.6	101	7.9	134	19.1	38	
8/17/24 22:30	8.6	101	7.9	134	19.1	38	
8/17/24 22:45	8.6	101	7.9	134	19.0	41	
8/17/24 23:00	8.6	101	7.9	134	19.0	39	
8/17/24 23:15	8.6	101	7.9	134	18.9	39	
8/17/24 23:30	8.6	101	7.9	134	18.9	40	
8/17/24 23:45	8.7	101	7.9	134	18.8	38	
8/18/24 0:00	8.7	101	7.9	134	18.8	38	
8/18/24 0:15	8.7	101	7.9	135	18.8	37	
8/18/24 0:30	8.7	101	7.9	134	18.7	37	
8/18/24 0:45	8.7	101	7.9	134	18.7	36	
8/18/24 1:00	8.7	101	7.9	134	18.6	36	
8/18/24 1:15	8.7	101	7.9	134	18.6	36	
8/18/24 1:30	8.7	101	7.9	134	18.6	36	
8/18/24 1:45	8.7	101	7.8	134	18.5	37	
8/18/24 2:00	8.7	101	7.9	135	18.5	36	
8/18/24 2:15	8.7	101	7.9	134	18.4	35	
8/18/24 2:30	8.7	101	7.9	134	18.4	35	
8/18/24 2:45	8.8	101	7.9	134	18.4	35	
8/18/24 3:00	8.8	102	7.9	134	18.3	34	
8/18/24 3:15	8.8	102	7.8	134	18.3	34	
8/18/24 3:30	8.8	101	7.8	134	18.2	33	
8/18/24 3:45	8.8	102	7.8	134	18.2	33	
8/18/24 4:00	8.8	102	7.8	134	18.1	31	
8/18/24 4:15	8.8	102	7.8	134	18.1	33	
8/18/24 4:30	8.8	102	7.8	134	18.0	33	
8/18/24 4:45	8.8	102	7.8	134	18.0	32	
8/18/24 5:00	8.8	102	7.8	134	17.9	33	
8/18/24 5:15	8.9	102	7.8	134	17.9	33	
8/18/24 5:30	8.9	102	7.8	134	17.8	32	
8/18/24 5:45	8.9	102	7.8	134	17.8	32	
8/18/24 6:00	8.9	102	7.8	134	17.7	32	
8/18/24 6:15	8.9	102	7.8	134	17.7	32	
8/18/24 6:30	8.9	102	7.8	134	17.6	32	
8/18/24 6:45	8.9	102	7.8	133	17.6	32	
8/18/24 7:00	8.9	102	7.8	133	17.5	32	
8/18/24 7:15	9.0	102	7.8	133	17.5	32	
8/18/24 7:30	9.0	102	7.8	133	17.4	31	
8/18/24 7:45	9.0	102	7.8	133	17.4	32	
8/18/24 8:00	9.0	102	7.8	133	17.3	32	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/18/24 8:15	9.0	102	7.8	133	17.3	31	
8/18/24 8:30	9.0	102	7.8	133	17.3	32	
8/18/24 8:45	9.0	102	7.9	133	17.3	31	
8/18/24 9:00	9.0	102	7.9	133	17.3	31	
8/18/24 9:15	9.0	102	7.9	133	17.3	31	
8/18/24 9:30	9.0	102	7.9	134	17.4	31	
8/18/24 9:45	9.0	102	7.9	134	17.4	32	
8/18/24 10:00	9.0	102	7.9	134	17.5	31	
8/18/24 10:15	9.0	102	7.9	134	17.6	31	
8/18/24 10:30	9.0	102	7.9	134	17.7	31	
8/18/24 10:45	8.9	102	7.9	134	17.8	30	
8/18/24 11:00	8.9	102	7.9	134	18.0	30	
8/18/24 11:15	8.9	102	8.0	134	18.1	31	
8/18/24 11:30	8.8	102	8.0	134	18.3	31	
8/18/24 11:45	8.8	102	8.0	134	18.4	31	
8/18/24 12:00	8.8	103	8.0	134	18.6	30	
8/18/24 12:15	8.8	103	8.0	134	18.8	30	
8/18/24 12:30	8.7	102	8.0	134	18.9	29	
8/18/24 12:45	8.7	102	8.0	134	19.0	29	
8/18/24 13:00	8.7	103	8.0	134	19.2	29	
8/18/24 13:15	8.7	103	8.0	134	19.4	29	
8/18/24 13:30	8.6	102	8.0	134	19.5	29	
8/18/24 13:45	8.6	102	8.0	134	19.5	29	
8/18/24 14:00	8.6	102	8.0	134	19.9	29	
8/18/24 14:15	8.6	102	8.0	134	20.0	29	
8/18/24 14:30	8.5	102	8.0	134	20.2	28	
8/18/24 14:45	8.5	102	8.0	134	20.3	29	
8/18/24 15:00	8.5	102	8.0	134	20.4	28	
8/18/24 15:15	8.5	102	8.0	134	20.5	28	
8/18/24 15:30	8.4	102	8.0	134	20.6	28	
8/18/24 15:45	8.4	102	8.0	134	20.7	27	
8/18/24 16:00	8.4	102	8.0	135	20.7	27	
8/18/24 16:15	8.4	102	8.0	135	20.7	27	
8/18/24 16:30	8.4	102	8.0	135	20.7	28	
8/18/24 16:45	8.4	102	8.0	135	20.7	27	
8/18/24 17:00	8.4	102	8.0	135	20.7	27	
8/18/24 17:15	8.4	102	8.0	135	20.7	27	
8/18/24 17:30	8.4	102	8.0	135	20.7	27	
8/18/24 17:45	8.4	102	8.0	136	20.7	26	
8/18/24 18:00	8.4	102	8.0	136	20.7	27	
8/18/24 18:15	8.4	102	8.0	136	20.8	27	
8/18/24 18:30	8.4	102	8.0	136	20.8	26	
8/18/24 18:45	8.4	102	8.0	136	20.8	26	
8/18/24 19:00	8.4	102	8.0	136	20.7	26	
8/18/24 19:15	8.4	102	8.0	136	20.7	26	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/18/24 19:30	8.4	102	8.0	136	20.6	26	
8/18/24 19:45	8.4	101	8.0	136	20.5	28	
8/18/24 20:00	8.4	101	8.0	136	20.4	28	
8/18/24 20:15	8.4	101	8.0	136	20.2	26	
8/18/24 20:30	8.4	101	8.0	136	20.2	26	
8/18/24 20:45	8.5	101	8.0	136	20.1	26	
8/18/24 21:00	8.5	101	8.0	136	19.9	26	
8/18/24 21:15	8.5	102	8.0	137	19.8	25	
8/18/24 21:30	8.5	102	8.0	137	19.7	25	
8/18/24 21:45	8.5	101	8.0	137	19.6	26	
8/18/24 22:00	8.6	102	8.0	137	19.5	25	
8/18/24 22:15	8.6	102	8.0	136	19.4	25	
8/18/24 22:30	8.6	102	7.9	137	19.3	25	
8/18/24 22:45	8.6	102	7.9	137	19.2	25	
8/18/24 23:00	8.6	102	7.9	136	19.0	25	
8/18/24 23:15	8.7	102	7.9	136	19.0	25	
8/18/24 23:30	8.7	102	7.9	136	18.9	24	
8/18/24 23:45	8.7	102	7.9	136	18.8	24	
8/19/24 0:00	8.7	102	7.9	136	18.7	24	
8/19/24 0:15	8.7	102	7.9	136	18.7	24	
8/19/24 0:30	8.7	102	7.9	136	18.6	24	
8/19/24 0:45	8.7	102	7.9	136	18.6	24	
8/19/24 1:00	8.8	102	7.9	136	18.5	24	
8/19/24 1:15	8.8	102	7.9	136	18.5	24	
8/19/24 1:30	8.8	102	7.9	136	18.4	25	
8/19/24 1:45	8.8	102	7.9	136	18.4	24	
8/19/24 2:00	8.8	102	7.9	136	18.4	24	
8/19/24 2:15	8.8	102	7.9	136	18.4	25	
8/19/24 2:30	8.8	102	7.9	136	18.3	24	
8/19/24 2:45	8.8	102	7.9	136	18.3	24	
8/19/24 3:00	8.8	102	7.9	136	18.3	25	
8/19/24 3:15	8.8	102	7.9	136	18.2	25	
8/19/24 3:30	8.8	102	7.9	136	18.2	24	
8/19/24 3:45	8.8	102	7.9	136	18.2	25	
8/19/24 4:00	8.8	102	7.9	136	18.1	25	
8/19/24 4:15	8.8	102	7.9	136	18.1	24	
8/19/24 4:30	8.8	102	7.9	136	18.0	24	
8/19/24 4:45	8.9	102	7.9	136	18.0	25	
8/19/24 5:00	8.9	102	7.9	136	17.9	24	
8/19/24 5:15	8.9	102	7.9	136	17.8	24	
8/19/24 5:30	8.9	102	7.9	136	17.8	24	
8/19/24 5:45	8.9	102	7.9	136	17.7	24	
8/19/24 6:00	8.9	102	7.9	136	17.6	24	
8/19/24 6:15	9.0	102	7.9	136	17.6	24	
8/19/24 6:30	9.0	102	7.9	136	17.5	24	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 6:45	9.0	102	7.9	135	17.4	24	
8/19/24 7:00	9.0	102	7.9	135	17.3	24	
8/19/24 7:15	9.0	102	7.9	135	17.3	24	
8/19/24 7:30	9.0	102	7.9	135	17.2	24	
8/19/24 7:45	9.0	102	7.9	135	17.1	24	
8/19/24 8:00	9.1	102	7.9	135	17.1	23	
8/19/24 8:15	9.1	102	7.9	135	17.0	24	
8/19/24 8:30	9.1	102	7.9	135	17.0	24	
8/19/24 8:45	9.1	102	7.9	135	17.0	24	
8/19/24 9:00	9.1	102	7.9	135	17.0	24	
8/19/24 9:15	9.1	103	7.9	134	17.1	24	
8/19/24 9:30	9.1	103	7.9	134	17.1	24	
8/19/24 9:45	9.1	103	7.9	134	17.1	24	
8/19/24 10:00	9.1	103	7.9	134	17.2	24	
8/19/24 10:15	9.1	103	7.9	134	17.3	24	
8/19/24 10:30	9.0	103	7.9	134	17.4	24	
8/19/24 10:45	9.0	103	7.9	134	17.5	24	
8/19/24 11:00	9.0	103	7.9	134	17.6	24	
8/19/24 11:15	9.0	103	8.0	133	17.8	25	
8/19/24 11:30	8.9	103	8.0	133	18.0	25	
8/19/24 11:45	8.9	103	8.0	133	18.1	24	
8/19/24 12:00	8.9	103	8.0	133	18.3	24	
8/19/24 12:15	8.9	103	8.0	133	18.5	24	
8/19/24 12:30	8.8	103	8.0	133	18.7	24	
8/19/24 12:45	8.8	103	8.0	133	18.8	24	
8/19/24 13:00	8.8	103	8.0	133	19.0	24	
8/19/24 13:15	8.7	103	8.0	133	19.2	24	
8/19/24 13:30	8.7	103	8.0	133	19.3	24	
8/19/24 13:45	8.7	103	8.0	133	19.5	24	
8/19/24 14:00	8.6	103	8.0	133	19.7	25	
8/19/24 14:15	8.6	103	8.0	133	19.9	26	
8/19/24 14:30	8.6	103	8.0	133	20.0	26	
8/19/24 14:45	8.6	103	8.0	133	20.2	26	
8/19/24 15:00	8.5	103	8.0	133	20.3	26	
8/19/24 15:15	8.5	103	8.0	133	20.4	26	
8/19/24 15:30	8.5	102	8.0	134	20.4	26	
8/19/24 15:45	8.5	103	8.0	134	20.5	26	
8/19/24 16:00	8.5	103	8.0	134	20.6	26	
8/19/24 16:15	8.4	102	8.0	134	20.7	26	
8/19/24 16:30	8.4	102	8.0	134	20.7	26	
8/19/24 16:45	8.4	102	8.1	134	20.8	27	
8/19/24 17:00	8.4	102	8.0	135	20.8	28	
8/19/24 17:15	8.4	102	8.0	135	20.8	28	
8/19/24 17:30	8.4	102	8.0	135	20.8	29	
8/19/24 17:45	8.4	102	8.0	135	20.8	28	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/19/24 18:00	8.4	102	8.0	135	20.8	26	
8/19/24 18:15	8.4	102	8.1	135	20.7	26	
8/19/24 18:30	8.4	102	8.0	136	20.6	25	
8/19/24 18:45	8.4	102	8.0	136	20.6	25	
8/19/24 19:00	8.4	102	8.0	136	20.5	25	
8/19/24 19:15	8.4	102	8.1	136	20.4	24	
8/19/24 19:30	8.4	102	8.1	136	20.4	24	
8/19/24 19:45	8.5	102	8.0	136	20.3	24	
8/19/24 20:00	8.5	102	8.0	136	20.2	24	
8/19/24 20:15	8.5	102	8.0	136	20.1	24	
8/19/24 20:30	8.5	102	8.0	137	20.0	23	
8/19/24 20:45	8.5	102	8.0	137	19.9	23	
8/19/24 21:00	8.6	102	8.0	137	19.8	22	
8/19/24 21:15	8.6	102	8.0	137	19.6	22	
8/19/24 21:30	8.6	102	8.0	137	19.6	23	
8/19/24 21:45	8.6	102	8.0	137	19.5	23	
8/19/24 22:00	8.6	102	8.0	137	19.4	23	
8/19/24 22:15	8.6	102	8.0	137	19.3	23	
8/19/24 22:30	8.6	102	8.0	137	19.2	23	
8/19/24 22:45	8.6	102	8.0	137	19.1	24	
8/19/24 23:00	8.7	102	8.0	137	19.0	24	
8/19/24 23:15	8.7	102	8.0	137	18.9	23	
8/19/24 23:30	8.7	102	7.9	137	18.8	24	
8/19/24 23:45	8.7	102	7.9	136	18.8	23	
8/20/24 0:00	8.7	102	7.9	136	18.7	23	
8/20/24 0:15	8.8	102	7.9	136	18.6	24	
8/20/24 0:30	8.8	102	7.9	136	18.5	30	
8/20/24 0:45	8.8	102	7.9	136	18.5	23	
8/20/24 1:00	8.8	102	7.9	136	18.4	23	
8/20/24 1:15	8.8	102	7.9	136	18.4	24	
8/20/24 1:30	8.8	102	7.9	136	18.3	22	
8/20/24 1:45	8.8	102	7.9	136	18.3	24	
8/20/24 2:00	8.8	102	7.9	136	18.3	24	
8/20/24 2:15	8.8	102	7.9	136	18.2	24	
8/20/24 2:30	8.8	102	7.9	136	18.2	24	
8/20/24 2:45	8.8	102	7.9	136	18.1	24	
8/20/24 3:00	8.8	102	7.9	135	18.1	24	
8/20/24 3:15	8.9	102	7.9	135	18.0	24	
8/20/24 3:30	8.9	102	7.9	135	18.0	24	
8/20/24 3:45	8.9	102	7.9	135	18.0	24	
8/20/24 4:00	8.9	102	7.9	135	17.9	24	
8/20/24 4:15	8.9	102	7.9	135	17.8	24	
8/20/24 4:30	8.9	102	7.9	135	17.8	23	
8/20/24 4:45	8.9	102	7.9	135	17.7	23	
8/20/24 5:00	8.9	102	7.9	135	17.6	23	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 5:15	9.0	102	7.9	135	17.6	24	
8/20/24 5:30	9.0	102	7.9	135	17.5	23	
8/20/24 5:45	9.0	102	7.9	135	17.4	23	
8/20/24 6:00	9.0	102	7.9	135	17.4	23	
8/20/24 6:15	9.0	102	7.9	135	17.3	23	
8/20/24 6:30	9.0	102	7.9	135	17.2	23	
8/20/24 6:45	9.0	102	7.9	134	17.2	23	
8/20/24 7:00	9.0	102	7.9	134	17.1	23	
8/20/24 7:15	9.0	102	7.9	134	17.0	23	
8/20/24 7:30	9.1	102	7.9	134	17.0	23	
8/20/24 7:45	9.1	102	7.9	134	16.9	23	
8/20/24 8:00	9.1	102	7.9	134	16.9	23	
8/20/24 8:15	9.1	102	7.9	134	16.8	23	
8/20/24 8:30	9.1	102	7.9	133	16.8	23	
8/20/24 8:45	9.1	103	7.9	133	16.8	23	
8/20/24 9:00	9.1	103	7.9	133	16.9	24	
8/20/24 9:15	9.1	103	7.9	133	16.9	24	
8/20/24 9:30	9.1	103	7.9	133	17.0	24	
8/20/24 9:45	9.1	103	7.9	133	17.0	24	
8/20/24 10:00	9.1	103	7.9	133	17.1	24	
8/20/24 10:15	9.1	103	7.9	132	17.2	24	
8/20/24 10:30	9.1	103	7.9	132	17.3	24	
8/20/24 10:45	9.1	103	7.9	132	17.4	24	
8/20/24 11:00	9.1	103	8.0	132	17.5	24	
8/20/24 11:15	9.0	103	8.0	132	17.6	24	
8/20/24 11:30	9.0	103	8.0	132	17.7	24	
8/20/24 11:45	9.0	103	8.0	131	17.8	24	
8/20/24 12:00	9.0	103	8.0	131	18.0	24	
8/20/24 12:15	9.0	103	8.0	131	18.2	24	
8/20/24 12:30	8.9	104	8.0	131	18.4	24	
8/20/24 12:45	8.9	103	8.0	131	18.6	24	
8/20/24 13:00	8.9	104	8.0	131	18.8	24	
8/20/24 13:15	8.8	103	8.0	131	19.0	24	
8/20/24 13:30	8.8	103	8.0	131	19.1	24	
8/20/24 13:45	8.7	103	8.0	132	19.3	24	
8/20/24 14:00	8.7	103	8.0	132	19.4	24	
8/20/24 14:15	8.7	103	8.1	132	19.6	24	
8/20/24 14:30	8.7	103	8.1	132	19.7	25	
8/20/24 14:45	8.7	103	8.1	132	19.8	26	
8/20/24 15:00	8.6	103	8.1	132	19.9	25	
8/20/24 15:15	8.6	104	8.1	133	20.0	26	
8/20/24 15:30	8.6	104	8.1	133	20.1	25	
8/20/24 15:45	8.6	103	8.1	133	20.3	26	
8/20/24 16:00	8.6	103	8.1	133	20.4	26	
8/20/24 16:15	8.6	103	8.1	133	20.4	26	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/20/24 16:30	8.5	103	8.1	133	20.5	26	
8/20/24 16:45	8.5	103	8.1	134	20.5	25	
8/20/24 17:00	8.5	103	8.1	134	20.5	25	
8/20/24 17:15	8.5	103	8.1	134	20.6	25	
8/20/24 17:30	8.5	103	8.2	134	20.6	25	
8/20/24 17:45	8.5	103	8.1	134	20.5	25	
8/20/24 18:00	8.5	103	8.1	134	20.4	24	
8/20/24 18:15	8.5	103	8.1	135	20.4	25	
8/20/24 18:30	8.5	103	8.1	135	20.3	24	
8/20/24 18:45	8.5	102	8.1	135	20.2	24	
8/20/24 19:00	8.5	102	8.1	135	20.2	23	
8/20/24 19:15	8.5	102	8.1	135	20.1	23	
8/20/24 19:30	8.5	102	8.1	135	20.0	23	
8/20/24 19:45	8.6	102	8.1	135	19.9	22	
8/20/24 20:00	8.6	102	8.1	135	19.8	22	
8/20/24 20:15	8.6	102	8.1	135	19.8	22	
8/20/24 20:30	8.6	102	8.1	136	19.7	22	
8/20/24 20:45	8.6	102	8.1	136	19.6	23	
8/20/24 21:00	8.6	102	8.0	136	19.5	22	
8/20/24 21:15	8.6	102	8.0	136	19.4	22	
8/20/24 21:30	8.6	102	8.0	136	19.3	22	
8/20/24 21:45	8.7	102	8.0	136	19.2	22	
8/20/24 22:00	8.7	102	8.0	136	19.1	22	
8/20/24 22:15	8.7	102	8.0	136	19.0	22	
8/20/24 22:30	8.7	102	8.0	136	18.9	22	
8/20/24 22:45	8.7	102	8.0	136	18.8	21	
8/20/24 23:00	8.7	102	8.0	136	18.7	22	
8/20/24 23:15	8.8	102	8.0	136	18.6	22	
8/20/24 23:30	8.8	102	8.0	136	18.6	22	
8/20/24 23:45	8.8	102	7.9	135	18.5	24	
8/21/24 0:00	8.8	102	7.9	135	18.4	22	
8/21/24 0:15	8.8	102	7.9	135	18.3	21	
8/21/24 0:30	8.8	102	7.9	135	18.3	22	
8/21/24 0:45	8.8	102	7.9	135	18.2	22	
8/21/24 1:00	8.8	102	7.9	135	18.2	22	
8/21/24 1:15	8.9	102	7.9	135	18.1	22	
8/21/24 1:30	8.9	102	7.9	135	18.1	22	
8/21/24 1:45	8.9	102	7.9	135	18.0	20	
8/21/24 2:00	8.9	102	7.9	135	18.0	22	
8/21/24 2:15	8.9	102	7.9	135	17.9	22	
8/21/24 2:30	8.9	102	7.9	135	17.9	22	
8/21/24 2:45	8.9	102	7.9	135	17.8	22	
8/21/24 3:00	8.9	102	7.9	135	17.8	22	
8/21/24 3:15	8.9	102	7.9	135	17.7	22	
8/21/24 3:30	9.0	102	7.9	135	17.7	22	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 3:45	9.0	102	7.9	134	17.6	22	
8/21/24 4:00	9.0	102	7.9	134	17.6	22	
8/21/24 4:15	9.0	102	7.9	134	17.5	22	
8/21/24 4:30	9.0	102	7.9	134	17.5	22	
8/21/24 4:45	9.0	102	7.9	134	17.4	22	
8/21/24 5:00	9.0	102	7.9	134	17.4	22	
8/21/24 5:15	9.0	102	7.9	134	17.3	22	
8/21/24 5:30	9.0	102	7.9	134	17.3	22	
8/21/24 5:45	9.0	102	7.9	134	17.2	23	
8/21/24 6:00	9.0	102	7.9	134	17.2	23	
8/21/24 6:15	9.1	102	7.9	134	17.1	23	
8/21/24 6:30	9.1	102	7.9	134	17.0	22	
8/21/24 6:45	9.1	102	7.9	134	17.0	22	
8/21/24 7:00	9.1	102	7.9	134	16.9	23	
8/21/24 7:15	9.1	102	7.9	133	16.9	23	
8/21/24 7:30	9.1	102	7.9	133	16.8	23	
8/21/24 7:45	9.1	102	7.8	133	16.8	22	
8/21/24 8:00	9.2	103	7.9	133	16.7	23	
8/21/24 8:15	9.2	103	7.9	133	16.7	22	
8/21/24 8:30	9.2	103	7.9	133	16.7	23	
8/21/24 8:45	9.2	103	7.9	133	16.7	23	
8/21/24 9:00	9.2	103	7.9	133	16.7	24	
8/21/24 9:15	9.2	103	7.9	132	16.8	24	
8/21/24 9:30	9.2	103	7.9	132	16.8	24	
8/21/24 9:45	9.2	103	7.9	132	16.9	24	
8/21/24 10:00	9.2	103	7.9	133	17.0	25	
8/21/24 10:15	9.1	103	7.9	132	17.1	25	
8/21/24 10:30	9.1	103	8.0	133	17.2	28	
8/21/24 10:45	9.1	103	8.0	133	17.3	38	
8/21/24 11:00	9.1	103	8.0	133	17.5	41	
8/21/24 11:15	9.0	103	8.2	136	17.6	47	
8/21/24 11:30	9.0	103	8.8	146	17.8	92	
8/21/24 11:45	8.9	103	8.9	149	18.0	97	
8/21/24 12:00	8.9	103	8.7	142	18.2	57	
8/21/24 12:15	8.9	103	8.4	137	18.4	38	
8/21/24 12:30	8.9	103	8.2	134	18.6	29	
8/21/24 12:45	8.9	104	8.2	132	18.8	28	
8/21/24 13:00	8.8	104	8.1	132	19.0	26	
8/21/24 13:15	8.8	104	8.2	132	19.2	25	
8/21/24 13:30	8.8	104	8.1	132	19.4	25	
8/21/24 13:45	8.7	104	8.2	132	19.5	24	
8/21/24 14:00	8.7	104	8.2	132	19.7	24	
8/21/24 14:15	8.7	104	8.2	133	19.9	31	
8/21/24 14:30	8.6	103	8.5	138	20.0	52	
8/21/24 14:45	8.6	103	8.4	134	20.2	33	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/21/24 15:00	8.6	103	8.3	134	20.3	30	
8/21/24 15:15	8.6	104	8.3	133	20.5	29	
8/21/24 15:30	8.5	104	8.2	133	20.6	26	
8/21/24 15:45	8.5	103	8.3	134	20.7	34	
8/21/24 16:00	8.5	103	8.2	133	20.7	26	
8/21/24 16:15	8.5	103	8.3	133	20.8	28	
8/21/24 16:30	8.4	103	8.3	134	20.9	34	
8/21/24 16:45	8.4	103	8.3	134	20.9	30	
8/21/24 17:00	8.4	103	8.2	133	21.0	26	
8/21/24 17:15	8.4	103	8.2	133	21.0	24	
8/21/24 17:30	8.4	103	8.2	134	20.9	39	
8/21/24 17:45	8.4	103	8.2	134	20.9	28	
8/21/24 18:00	8.4	103	8.2	134	20.8	25	
8/21/24 18:15	8.4	103	8.2	134	20.8	24	
8/21/24 18:30	8.4	102	8.2	134	20.8	24	
8/21/24 18:45	8.4	102	8.2	134	20.8	24	
8/21/24 19:00	8.4	102	8.2	134	20.7	23	
8/21/24 19:15	8.4	102	8.2	134	20.6	23	
8/21/24 19:30	8.4	102	8.2	135	20.5	22	
8/21/24 19:45	8.4	102	8.2	135	20.5	22	
8/21/24 20:00	8.4	102	8.2	135	20.4	23	
8/21/24 20:15	8.5	102	8.2	135	20.3	23	
8/21/24 20:30	8.5	102	8.2	135	20.2	22	
8/21/24 20:45	8.5	102	8.1	135	20.1	22	
8/21/24 21:00	8.5	102	8.1	135	20.0	22	
8/21/24 21:15	8.5	102	8.1	135	19.9	24	
8/21/24 21:30	8.5	102	8.1	135	19.8	21	
8/21/24 21:45	8.6	102	8.0	135	19.7	22	
8/21/24 22:00	8.6	102	8.0	135	19.6	22	
8/21/24 22:15	8.6	102	8.0	135	19.4	22	
8/21/24 22:30	8.6	102	8.0	135	19.4	23	
8/21/24 22:45	8.6	102	8.0	135	19.2	22	
8/21/24 23:00	8.6	102	8.0	135	19.1	22	
8/21/24 23:15	8.6	102	8.0	135	19.0	22	
8/21/24 23:30	8.7	102	8.0	135	19.0	23	
8/21/24 23:45	8.7	102	8.0	135	18.9	23	
8/22/24 0:00	8.7	102	8.0	135	18.8	22	
8/22/24 0:15	8.7	102	7.9	135	18.7	22	
8/22/24 0:30	8.7	102	7.9	135	18.6	22	
8/22/24 0:45	8.7	102	7.9	135	18.6	22	
8/22/24 1:00	8.7	102	7.9	135	18.6	22	
8/22/24 1:15	8.7	102	7.9	135	18.5	22	
8/22/24 1:30	8.8	102	7.9	135	18.5	22	
8/22/24 1:45	8.8	102	7.9	135	18.4	23	
8/22/24 2:00	8.8	102	7.9	135	18.4	22	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 2:15	8.8	102	7.9	135	18.4	22	
8/22/24 2:30	8.8	102	7.9	135	18.4	21	
8/22/24 2:45	8.8	102	7.9	134	18.4	23	
8/22/24 3:00	8.8	102	7.9	134	18.4	23	
8/22/24 3:15	8.8	101	7.9	134	18.3	23	
8/22/24 3:30	8.8	102	7.9	134	18.3	23	
8/22/24 3:45	8.8	101	7.9	134	18.2	23	
8/22/24 4:00	8.8	101	7.9	134	18.2	24	
8/22/24 4:15	8.8	101	7.9	134	18.2	24	
8/22/24 4:30	8.8	101	7.9	134	18.1	23	
8/22/24 4:45	8.8	101	7.9	134	18.1	23	
8/22/24 5:00	8.8	101	7.9	134	18.0	23	
8/22/24 5:15	8.8	101	7.9	134	18.0	23	
8/22/24 5:30	8.8	101	7.9	134	17.9	23	
8/22/24 5:45	8.8	101	7.9	134	17.9	23	
8/22/24 6:00	8.8	101	7.9	134	17.8	23	
8/22/24 6:15	8.8	101	7.9	134	17.8	24	
8/22/24 6:30	8.9	101	7.9	134	17.7	23	
8/22/24 6:45	8.9	101	7.9	134	17.7	23	
8/22/24 7:00	8.9	101	7.9	134	17.6	23	
8/22/24 7:15	8.9	101	7.9	134	17.6	23	
8/22/24 7:30	8.9	101	7.9	134	17.5	23	
8/22/24 7:45	8.9	101	7.9	133	17.5	23	
8/22/24 8:00	8.9	101	7.9	133	17.5	23	
8/22/24 8:15	8.9	102	7.9	133	17.4	23	
8/22/24 8:30	9.0	102	7.9	133	17.4	23	
8/22/24 8:45	9.0	102	7.9	133	17.4	23	
8/22/24 9:00	9.0	102	7.9	133	17.5	22	
8/22/24 9:15	9.0	102	7.9	132	17.5	23	
8/22/24 9:30	8.9	102	7.9	132	17.5	23	
8/22/24 9:45	8.9	102	7.9	132	17.5	23	
8/22/24 10:00	8.9	102	7.9	132	17.6	28	
8/22/24 10:15	8.9	102	8.0	133	17.7	42	
8/22/24 10:30	8.9	102	8.0	133	17.7	41	
8/22/24 10:45	8.9	102	8.0	134	17.9	59	
8/22/24 11:00	8.9	102	8.0	133	18.0	56	
8/22/24 11:15	8.9	102	8.0	133	18.1	52	
8/22/24 11:30	8.8	102	8.0	133	18.3	52	
8/22/24 11:45	8.8	103	8.1	134	18.5	56	
8/22/24 12:00	8.8	103	8.1	133	18.7	51	
8/22/24 12:15	8.8	103	8.2	133	18.8	40	
8/22/24 12:30	8.8	103	8.2	133	19.0	39	
8/22/24 12:45	8.7	103	8.2	133	19.2	38	
8/22/24 13:00	8.7	103	8.2	133	19.4	40	
8/22/24 13:15	8.6	103	8.2	133	19.6	40	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/22/24 13:30	8.6	103	8.2	132	19.7	32	
8/22/24 13:45	8.6	103	8.2	131	19.8	26	
8/22/24 14:00	8.6	103	8.2	131	19.9	26	
8/22/24 14:15	8.6	102	8.2	132	19.9	30	
8/22/24 14:30	8.6	102	8.2	132	19.9	29	
8/22/24 14:45	8.6	102	8.2	132	19.9	27	
8/22/24 15:00	8.6	102	8.2	132	19.8	29	
8/22/24 15:15	8.6	102	8.2	132	19.8	31	
8/22/24 15:30	8.5	102	8.2	132	19.8	28	
8/22/24 15:45	8.5	102	8.3	134	19.9	37	
8/22/24 16:00	8.5	102	8.3	134	19.9	40	
8/22/24 16:15	8.5	101	8.3	135	19.9	53	
8/22/24 16:30	8.5	102	8.3	135	19.9	50	
8/22/24 16:45	8.5	102	8.2	134	19.9	36	
8/22/24 17:00	8.5	102	8.2	134	20.0	33	
8/22/24 17:15	8.5	102	8.2	133	20.0	26	
8/22/24 17:30	8.5	102	8.2	133	20.0	25	
8/22/24 17:45	8.5	102	8.2	134	20.1	25	
8/22/24 18:00	8.5	102	8.2	134	20.0	25	
8/22/24 18:15	8.5	102	8.2	134	20.0	24	
8/22/24 18:30	8.5	102	8.2	134	20.0	24	
8/22/24 18:45	8.5	102	8.2	134	20.0	23	
8/22/24 19:00	8.5	102	8.2	134	19.9	24	
8/22/24 19:15	8.5	101	8.2	134	19.8	24	
8/22/24 19:30	8.5	101	8.1	134	19.8	24	
8/22/24 19:45	8.5	101	8.1	135	19.7	24	
8/22/24 20:00	8.5	101	8.1	135	19.6	24	
8/22/24 20:15	8.5	101	8.1	135	19.5	23	
8/22/24 20:30	8.6	101	8.1	135	19.4	23	
8/22/24 20:45	8.6	101	8.1	135	19.4	22	
8/22/24 21:00	8.6	101	8.0	135	19.3	23	
8/22/24 21:15	8.6	101	8.0	135	19.2	22	
8/22/24 21:30	8.6	101	8.0	135	19.1	23	
8/22/24 21:45	8.6	101	8.0	135	19.0	23	
8/22/24 22:00	8.6	101	8.0	135	18.9	24	
8/22/24 22:15	8.6	101	8.0	135	18.8	23	
8/22/24 22:30	8.7	101	8.0	135	18.7	22	
8/22/24 22:45	8.7	101	8.0	135	18.6	22	
8/22/24 23:00	8.7	101	7.9	135	18.5	22	
8/22/24 23:15	8.7	101	7.9	135	18.4	22	
8/22/24 23:30	8.7	101	7.9	135	18.3	21	
8/22/24 23:45	8.7	101	7.9	134	18.2	22	
8/23/24 0:00	8.7	101	7.9	134	18.2	22	
8/23/24 0:15	8.8	101	7.9	134	18.1	22	
8/23/24 0:30	8.8	101	7.9	134	18.0	22	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 0:45	8.8	101	7.9	134	18.0	23	
8/23/24 1:00	8.8	101	7.9	134	17.9	22	
8/23/24 1:15	8.8	101	7.9	134	17.8	22	
8/23/24 1:30	8.8	101	7.9	134	17.8	23	
8/23/24 1:45	8.8	101	7.9	134	17.8	22	
8/23/24 2:00	8.8	101	7.9	134	17.7	22	
8/23/24 2:15	8.8	101	7.9	134	17.6	22	
8/23/24 2:30	8.9	101	7.9	134	17.6	23	
8/23/24 2:45	8.9	101	7.9	134	17.6	22	
8/23/24 3:00	8.9	101	7.9	134	17.5	23	
8/23/24 3:15	8.9	101	7.9	134	17.5	22	
8/23/24 3:30	8.9	101	7.9	134	17.5	22	
8/23/24 3:45	8.9	101	7.9	134	17.4	22	
8/23/24 4:00	8.9	101	7.9	134	17.4	22	
8/23/24 4:15	8.9	101	7.9	134	17.4	22	
8/23/24 4:30	8.9	101	7.9	134	17.4	22	
8/23/24 4:45	8.9	101	7.9	134	17.3	22	
8/23/24 5:00	8.9	101	7.9	134	17.3	22	
8/23/24 5:15	8.9	101	7.9	134	17.3	22	
8/23/24 5:30	8.9	101	7.9	134	17.2	22	
8/23/24 5:45	8.9	101	7.9	133	17.2	22	
8/23/24 6:00	8.9	101	7.9	133	17.2	22	
8/23/24 6:15	9.0	101	7.9	133	17.1	22	
8/23/24 6:30	9.0	101	7.9	133	17.1	22	
8/23/24 6:45	9.0	101	7.9	133	17.1	22	
8/23/24 7:00	9.0	101	7.9	133	17.0	22	
8/23/24 7:15	9.0	101	7.9	133	17.0	22	
8/23/24 7:30	9.0	101	7.9	133	16.9	21	
8/23/24 7:45	9.0	101	7.9	133	16.9	22	
8/23/24 8:00	9.0	102	7.9	133	16.9	21	
8/23/24 8:15	9.0	102	7.9	133	16.9	22	
8/23/24 8:30	9.0	102	7.9	133	16.8	22	
8/23/24 8:45	9.1	102	7.9	132	16.8	22	
8/23/24 9:00	9.1	102	7.9	132	16.8	22	
8/23/24 9:15	9.1	102	7.9	132	16.9	22	
8/23/24 9:30	9.1	102	7.9	132	16.9	21	
8/23/24 9:45	9.1	103	7.9	132	17.0	22	
8/23/24 10:00	9.1	103	8.0	132	17.0	22	
8/23/24 10:15	9.1	103	8.0	132	17.1	22	
8/23/24 10:30	9.1	103	8.0	131	17.1	21	
8/23/24 10:45	9.1	103	8.0	131	17.2	21	
8/23/24 11:00	9.1	103	8.0	131	17.3	22	
8/23/24 11:15	9.0	103	8.0	131	17.3	21	
8/23/24 11:30	9.0	103	8.0	131	17.4	21	
8/23/24 11:45	9.0	103	8.0	131	17.4	21	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 12:00	9.0	103	8.0	131	17.5	21	
8/23/24 12:15	9.0	103	8.0	131	17.6	21	
8/23/24 12:30	9.0	103	8.0	130	17.7	21	
8/23/24 12:45	9.0	103	8.1	130	17.8	22	
8/23/24 13:00	9.0	103	8.1	131	18.0	33	
8/23/24 13:15	8.9	103	8.1	131	18.1	52	
8/23/24 13:30	8.9	103	8.1	131	18.2	38	
8/23/24 13:45	8.9	103	8.1	131	18.4	25	
8/23/24 14:00	8.9	103	8.1	131	18.4	23	
8/23/24 14:15	8.9	103	8.1	131	18.4	23	
8/23/24 14:30	8.9	103	8.2	131	18.6	22	
8/23/24 14:45	8.8	103	8.2	131	18.7	22	
8/23/24 15:00	8.8	103	8.2	131	18.8	21	
8/23/24 15:15	8.8	103	8.2	131	18.8	20	
8/23/24 15:30	8.8	103	8.2	131	18.8	22	
8/23/24 15:45	8.8	102	8.2	131	18.8	22	
8/23/24 16:00	8.8	103	8.2	132	18.9	21	
8/23/24 16:15	8.8	103	8.2	132	19.0	21	
8/23/24 16:30	8.8	103	8.2	132	19.0	21	
8/23/24 16:45	8.7	103	8.2	132	19.0	21	
8/23/24 17:00	8.7	103	8.2	132	19.0	21	
8/23/24 17:15	8.8	103	8.2	132	18.9	21	
8/23/24 17:30	8.8	103	8.2	132	18.8	21	
8/23/24 17:45	8.8	103	8.2	132	18.8	21	
8/23/24 18:00	8.8	102	8.2	133	18.7	21	
8/23/24 18:15	8.8	102	8.2	133	18.6	20	
8/23/24 18:30	8.8	102	8.2	133	18.5	20	
8/23/24 18:45	8.8	102	8.2	133	18.4	20	
8/23/24 19:00	8.8	102	8.2	133	18.4	20	
8/23/24 19:15	8.8	102	8.2	133	18.3	21	
8/23/24 19:30	8.8	102	8.2	133	18.2	20	
8/23/24 19:45	8.8	102	8.2	134	18.2	21	
8/23/24 20:00	8.8	102	8.1	134	18.1	20	
8/23/24 20:15	8.8	102	8.1	134	18.1	20	
8/23/24 20:30	8.8	102	8.1	134	18.1	20	
8/23/24 20:45	8.8	102	8.1	134	18.0	20	
8/23/24 21:00	8.8	102	8.1	134	18.0	20	
8/23/24 21:15	8.9	102	8.1	134	17.9	20	
8/23/24 21:30	8.9	102	8.0	134	17.8	20	
8/23/24 21:45	8.9	102	8.0	134	17.8	19	
8/23/24 22:00	8.9	102	8.0	134	17.7	19	
8/23/24 22:15	8.9	102	8.0	134	17.6	20	
8/23/24 22:30	8.9	102	8.0	134	17.5	19	
8/23/24 22:45	8.9	102	8.0	134	17.5	19	
8/23/24 23:00	8.9	102	8.0	134	17.4	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/23/24 23:15	8.9	101	8.0	134	17.4	19	
8/23/24 23:30	9.0	102	7.9	134	17.3	19	
8/23/24 23:45	9.0	101	7.9	134	17.2	17	
8/24/24 0:00	9.0	101	7.9	134	17.2	19	
8/24/24 0:15	9.0	101	7.9	134	17.1	19	
8/24/24 0:30	9.0	101	7.9	134	17.1	19	
8/24/24 0:45	9.0	101	7.9	134	17.0	19	
8/24/24 1:00	9.0	101	7.9	134	17.0	19	
8/24/24 1:15	9.0	101	7.9	134	16.9	19	
8/24/24 1:30	9.0	101	7.9	133	16.9	19	
8/24/24 1:45	9.0	101	7.9	133	16.8	19	
8/24/24 2:00	9.0	101	7.9	133	16.8	19	
8/24/24 2:15	9.0	101	7.9	133	16.8	20	
8/24/24 2:30	9.0	101	7.9	133	16.8	20	
8/24/24 2:45	9.0	101	7.9	133	16.7	20	
8/24/24 3:00	9.1	101	7.9	133	16.7	20	
8/24/24 3:15	9.1	101	7.9	133	16.6	20	
8/24/24 3:30	9.1	101	7.9	133	16.6	20	
8/24/24 3:45	9.1	101	7.9	134	16.6	20	
8/24/24 4:00	9.1	101	7.9	134	16.6	20	
8/24/24 4:15	9.1	101	7.9	134	16.5	20	
8/24/24 4:30	9.1	101	7.9	134	16.5	19	
8/24/24 4:45	9.1	101	7.9	134	16.5	20	
8/24/24 5:00	9.1	101	7.9	134	16.4	20	
8/24/24 5:15	9.1	101	7.9	133	16.4	20	
8/24/24 5:30	9.1	101	7.8	133	16.4	21	
8/24/24 5:45	9.1	101	7.8	133	16.3	22	
8/24/24 6:00	9.1	101	7.8	133	16.3	20	
8/24/24 6:15	9.1	101	7.8	133	16.2	20	
8/24/24 6:30	9.2	101	7.8	133	16.2	20	
8/24/24 6:45	9.2	101	7.8	133	16.1	21	
8/24/24 7:00	9.2	101	7.8	133	16.1	21	
8/24/24 7:15	9.2	101	7.8	133	16.0	20	
8/24/24 7:30	9.2	101	7.8	133	16.0	21	
8/24/24 7:45	9.2	102	7.8	133	15.9	20	
8/24/24 8:00	9.2	102	7.8	133	15.9	20	
8/24/24 8:15	9.3	102	7.9	133	15.9	20	
8/24/24 8:30	9.3	102	7.9	133	15.9	20	
8/24/24 8:45	9.3	102	7.9	133	15.8	22	
8/24/24 9:00	9.3	102	7.9	133	15.8	22	
8/24/24 9:15	9.3	102	7.9	133	15.9	22	
8/24/24 9:30	9.3	102	7.9	133	15.9	21	
8/24/24 9:45	9.3	103	7.9	133	15.9	21	
8/24/24 10:00	9.3	103	7.9	132	16.0	20	
8/24/24 10:15	9.3	103	7.9	132	16.0	20	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/24/24 10:30	9.3	103	8.0	132	16.1	20	
8/24/24 10:45	9.3	103	8.0	132	16.1	22	
8/24/24 11:00	9.3	103	8.0	132	16.2	28	
8/24/24 11:15	9.3	103	8.0	132	16.3	26	
8/24/24 11:30	9.2	103	8.0	132	16.5	23	
8/24/24 11:45	9.2	103	8.0	132	16.5	23	
8/24/24 12:00	9.2	103	8.0	131	16.5	24	
8/24/24 12:15	9.2	103	8.0	132	16.8	27	
8/24/24 12:30	9.2	103	8.0	131	17.1	26	
8/24/24 12:45	9.1	103	8.0	131	17.2	25	
8/24/24 13:00	9.1	103	8.1	131	17.3	22	
8/24/24 13:15	9.1	104	8.1	131	17.4	20	
8/24/24 13:30	9.1	104	8.1	131	17.6	20	
8/24/24 13:45	9.0	104	8.1	131	17.8	19	
8/24/24 14:00	9.0	104	8.1	131	18.0	19	
8/24/24 14:15	9.0	104	8.1	131	18.2	19	
8/24/24 14:30	9.0	104	8.2	131	18.3	19	
8/24/24 14:45	8.9	103	8.2	131	18.4	19	
8/24/24 15:00	8.9	104	8.2	131	18.4	19	
8/24/24 15:15	8.9	104	8.2	131	18.4	19	
8/24/24 15:30	8.9	104	8.2	131	18.5	19	
8/24/24 15:45	8.9	104	8.2	131	18.6	19	
8/24/24 16:00	8.9	104	8.2	131	18.6	19	
8/24/24 16:15	8.9	104	8.2	131	18.6	19	
8/24/24 16:30	8.9	104	8.2	131	18.6	20	
8/24/24 16:45	8.9	104	8.2	131	18.7	21	
8/24/24 17:00	8.9	104	8.2	131	18.7	19	
8/24/24 17:15	8.9	104	8.2	131	18.7	19	
8/24/24 17:30	8.9	104	8.2	131	18.7	19	
8/24/24 17:45	8.9	104	8.2	132	18.6	18	
8/24/24 18:00	8.9	104	8.2	132	18.6	18	
8/24/24 18:15	8.9	103	8.2	132	18.5	19	
8/24/24 18:30	8.9	103	8.2	132	18.4	18	
8/24/24 18:45	8.9	104	8.2	132	18.4	18	
8/24/24 19:00	8.9	103	8.2	132	18.3	18	
8/24/24 19:15	8.9	103	8.2	132	18.2	18	
8/24/24 19:30	8.9	103	8.2	132	18.1	18	
8/24/24 19:45	8.9	103	8.2	133	18.1	18	
8/24/24 20:00	8.9	103	8.2	133	18.1	18	
8/24/24 20:15	9.0	103	8.2	133	18.0	18	
8/24/24 20:30	9.0	103	8.1	133	17.9	18	
8/24/24 20:45	9.0	103	8.1	133	17.9	19	
8/24/24 21:00	9.0	103	8.1	133	17.8	18	
8/24/24 21:15	9.0	103	8.1	133	17.8	18	
8/24/24 21:30	9.0	103	8.0	133	17.7	18	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/24/24 21:45	9.0	103	8.0	133	17.6	18	
8/24/24 22:00	9.0	103	8.0	133	17.5	18	
8/24/24 22:15	9.0	103	8.0	133	17.4	18	
8/24/24 22:30	9.0	103	8.0	133	17.3	18	
8/24/24 22:45	9.1	103	8.0	133	17.2	18	
8/24/24 23:00	9.1	103	8.0	133	17.1	18	
8/24/24 23:15	9.1	103	7.9	133	17.0	18	
8/24/24 23:30	9.1	103	7.9	133	17.0	18	
8/24/24 23:45	9.1	103	7.9	133	16.9	18	
8/25/24 0:00	9.1	103	7.9	133	16.8	18	
8/25/24 0:15	9.2	103	7.9	133	16.8	18	
8/25/24 0:30	9.2	103	7.9	133	16.7	18	
8/25/24 0:45	9.2	103	7.9	133	16.6	18	
8/25/24 1:00	9.2	103	7.9	133	16.6	18	
8/25/24 1:15	9.2	103	7.9	133	16.5	17	
8/25/24 1:30	9.2	103	7.9	133	16.5	18	
8/25/24 1:45	9.2	103	7.9	133	16.4	18	
8/25/24 2:00	9.2	103	7.9	133	16.4	18	
8/25/24 2:15	9.2	103	7.9	133	16.4	18	
8/25/24 2:30	9.2	103	7.9	133	16.3	18	
8/25/24 2:45	9.2	103	7.9	133	16.3	18	
8/25/24 3:00	9.3	103	7.9	133	16.2	18	
8/25/24 3:15	9.3	103	7.9	133	16.2	18	
8/25/24 3:30	9.3	103	7.9	133	16.1	18	
8/25/24 3:45	9.3	103	7.9	133	16.0	18	
8/25/24 4:00	9.3	103	7.9	133	16.0	18	
8/25/24 4:15	9.3	103	7.8	133	15.9	18	
8/25/24 4:30	9.3	103	7.8	133	15.8	18	
8/25/24 4:45	9.4	103	7.8	133	15.7	18	
8/25/24 5:00	9.4	103	7.8	133	15.7	18	
8/25/24 5:15	9.4	103	7.8	133	15.6	18	
8/25/24 5:30	9.4	103	7.8	132	15.5	18	
8/25/24 5:45	9.4	103	7.8	132	15.4	18	
8/25/24 6:00	9.4	103	7.8	132	15.3	17	
8/25/24 6:15	9.4	103	7.8	132	15.3	18	
8/25/24 6:30	9.5	103	7.8	132	15.2	18	
8/25/24 6:45	9.5	103	7.8	132	15.2	18	
8/25/24 7:00	9.5	103	7.8	132	15.1	18	
8/25/24 7:15	9.5	103	7.8	132	15.0	18	
8/25/24 7:30	9.5	103	7.8	132	15.0	18	
8/25/24 7:45	9.6	103	7.8	132	14.9	18	
8/25/24 8:00	9.6	103	7.8	132	14.9	18	
8/25/24 8:15	9.6	103	7.8	132	14.9	19	
8/25/24 8:30	9.6	103	7.8	132	14.8	18	
8/25/24 8:45	9.6	103	7.9	131	14.8	18	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/25/24 9:00	9.6	104	7.9	131	14.9	19	
8/25/24 9:15	9.6	104	7.9	131	14.9	18	
8/25/24 9:30	9.6	104	7.9	131	15.0	19	
8/25/24 9:45	9.6	104	7.9	131	15.0	18	
8/25/24 10:00	9.6	104	7.9	131	15.1	19	
8/25/24 10:15	9.6	104	7.9	131	15.2	19	
8/25/24 10:30	9.6	104	8.0	130	15.3	19	
8/25/24 10:45	9.6	104	8.0	130	15.4	19	
8/25/24 11:00	9.5	104	8.0	130	15.6	19	
8/25/24 11:15	9.5	104	8.0	130	15.8	19	
8/25/24 11:30	9.5	105	8.0	130	15.9	19	
8/25/24 11:45	9.5	105	8.0	130	16.1	19	
8/25/24 12:00	9.4	105	8.0	130	16.2	19	
8/25/24 12:15	9.4	105	8.0	130	16.4	19	
8/25/24 12:30	9.4	105	8.1	130	16.6	19	
8/25/24 12:45	9.3	105	8.1	130	16.8	19	
8/25/24 13:00	9.3	105	8.1	130	17.0	20	
8/25/24 13:15	9.3	105	8.1	129	17.2	19	
8/25/24 13:30	9.2	105	8.1	129	17.4	19	
8/25/24 13:45	9.2	105	8.1	130	17.5	19	
8/25/24 14:00	9.2	105	8.1	130	17.7	19	
8/25/24 14:15	9.1	105	8.2	130	17.9	19	
8/25/24 14:30	9.1	105	8.2	130	18.0	19	
8/25/24 14:45	9.1	105	8.2	130	18.2	19	
8/25/24 15:00	9.0	105	8.2	130	18.4	19	
8/25/24 15:15	9.0	105	8.2	130	18.5	19	
8/25/24 15:30	9.0	105	8.2	130	18.6	19	
8/25/24 15:45	9.0	105	8.2	130	18.8	19	
8/25/24 16:00	8.9	105	8.2	130	18.9	19	
8/25/24 16:15	8.9	105	8.2	130	19.0	19	
8/25/24 16:30	8.9	105	8.2	131	19.1	19	
8/25/24 16:45	8.9	105	8.3	131	19.1	19	
8/25/24 17:00	8.9	104	8.3	131	19.2	19	
8/25/24 17:15	8.8	104	8.3	131	19.2	19	
8/25/24 17:30	8.8	104	8.3	131	19.2	19	
8/25/24 17:45	8.8	104	8.3	131	19.2	19	
8/25/24 18:00	8.8	104	8.3	131	19.2	19	
8/25/24 18:15	8.8	104	8.3	131	19.2	19	
8/25/24 18:30	8.8	104	8.3	132	19.1	18	
8/25/24 18:45	8.8	104	8.3	132	19.1	19	
8/25/24 19:00	8.8	103	8.3	132	19.0	19	
8/25/24 19:15	8.8	103	8.2	132	19.0	19	
8/25/24 19:30	8.8	103	8.2	132	18.9	19	
8/25/24 19:45	8.8	103	8.2	132	18.8	19	
8/25/24 20:00	8.8	103	8.2	132	18.7	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/25/24 20:15	8.8	103	8.2	132	18.6	19	
8/25/24 20:30	8.9	103	8.2	132	18.5	19	
8/25/24 20:45	8.9	103	8.2	132	18.4	19	
8/25/24 21:00	8.9	103	8.1	132	18.3	18	
8/25/24 21:15	8.9	103	8.1	132	18.2	18	
8/25/24 21:30	8.9	103	8.1	133	18.1	18	
8/25/24 21:45	8.9	103	8.0	133	18.0	18	
8/25/24 22:00	9.0	103	8.0	133	17.9	18	
8/25/24 22:15	9.0	103	8.0	133	17.8	19	
8/25/24 22:30	9.0	103	8.0	133	17.8	18	
8/25/24 22:45	9.0	103	8.0	133	17.6	18	
8/25/24 23:00	9.0	103	8.0	133	17.5	19	
8/25/24 23:15	9.0	103	7.9	132	17.4	18	
8/25/24 23:30	9.0	103	7.9	132	17.4	18	
8/25/24 23:45	9.0	103	7.9	132	17.3	18	
8/26/24 0:00	9.1	103	7.9	132	17.2	18	
8/26/24 0:15	9.1	103	7.9	132	17.2	18	
8/26/24 0:30	9.1	103	7.9	132	17.1	18	
8/26/24 0:45	9.1	103	7.9	132	17.0	18	
8/26/24 1:00	9.1	103	7.9	132	17.0	19	
8/26/24 1:15	9.1	103	7.9	132	17.0		
8/26/24 1:30	9.1	103	7.9	132	16.9	19	
8/26/24 1:45	9.1	103	7.9	132	16.9	19	
8/26/24 2:00	9.1	103	7.9	132	16.9	19	
8/26/24 2:15	9.1	103	7.9	132	16.9	19	
8/26/24 2:30	9.2	103	7.9	132	16.8	19	
8/26/24 2:45	9.2	103	7.8	132	16.8	19	
8/26/24 3:00	9.2	103	7.8	132	16.8	19	
8/26/24 3:15	9.2	103	7.8	132	16.7	19	
8/26/24 3:30	9.2	103	7.8	132	16.7	19	
8/26/24 3:45	9.2	103	7.8	132	16.7	19	
8/26/24 4:00	9.2	103	7.8	132	16.6	19	
8/26/24 4:15	9.2	103	7.8	132	16.6	20	
8/26/24 4:30	9.2	103	7.8	132	16.6	19	
8/26/24 4:45	9.2	103	7.8	132	16.6	19	
8/26/24 5:00	9.2	103	7.8	131	16.5	19	
8/26/24 5:15	9.2	103	7.8	131	16.5	19	
8/26/24 5:30	9.2	103	7.8	131	16.4	19	
8/26/24 5:45	9.2	103	7.8	131	16.4	19	
8/26/24 6:00	9.2	103	7.8	131	16.3	19	
8/26/24 6:15	9.2	103	7.8	131	16.3	19	
8/26/24 6:30	9.2	103	7.8	131	16.2	19	
8/26/24 6:45	9.3	103	7.8	131	16.2	19	
8/26/24 7:00	9.3	103	7.8	131	16.1	19	
8/26/24 7:15	9.3	103	7.8	131	16.1	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/26/24 7:30	9.3	103	7.8	131	16.0	19	
8/26/24 7:45	9.3	103	7.8	131	16.0	19	
8/26/24 8:00	9.3	103	7.8	131	16.0	19	
8/26/24 8:15	9.4	103	7.8	131	15.9	20	
8/26/24 8:30	9.4	103	7.8	131	15.9	23	
8/26/24 8:45	9.4	103	7.8	131	15.9	24	
8/26/24 9:00	9.4	103	7.8	130	15.9	21	
8/26/24 9:15	9.4	104	7.9	130	16.0	22	
8/26/24 9:30	9.4	104	7.9	130	16.0	22	
8/26/24 9:45	9.4	104	7.9	130	16.1	23	
8/26/24 10:00	9.4	104	7.9	130	16.2	21	
8/26/24 10:15	9.4	104	7.9	130	16.3	21	
8/26/24 10:30	9.4	104	7.9	130	16.4	20	
8/26/24 10:45	9.4	104	8.0	129	16.5	21	
8/26/24 11:00	9.3	104	8.0	129	16.7	21	
8/26/24 11:15	9.3	105	8.0	129	16.9	21	
8/26/24 11:30	9.3	105	8.0	129	17.0	20	
8/26/24 11:45	9.2	105	8.0	129	17.2	20	
8/26/24 12:00	9.2	105	8.0	129	17.4	20	
8/26/24 12:15	9.2	105	8.1	129	17.6	21	
8/26/24 12:30	9.1	105	8.1	129	17.9	22	
8/26/24 12:45	9.1	105	8.1	129	18.1	23	
8/26/24 13:00	9.1	105	8.1	129	18.3	22	
8/26/24 13:15	9.0	105	8.1	129	18.5	21	
8/26/24 13:30	9.0	105	8.2	129	18.7	20	
8/26/24 13:45	9.0	105	8.2	129	18.9	20	
8/26/24 14:00	8.9	105	8.2	129	19.1	21	
8/26/24 14:15	8.9	105	8.2	129	19.2	20	
8/26/24 14:30	8.9	105	8.2	129	19.4	23	
8/26/24 14:45	8.8	105	8.2	130	19.6	23	
8/26/24 15:00	8.8	105	8.2	130	19.7	21	
8/26/24 15:15	8.8	105	8.3	130	19.9	21	
8/26/24 15:30	8.7	105	8.3	130	20.0	21	
8/26/24 15:45	8.7	105	8.3	130	20.1	20	
8/26/24 16:00	8.7	105	8.3	130	20.2	21	
8/26/24 16:15	8.7	105	8.3	130	20.3	22	
8/26/24 16:30	8.7	105	8.3	131	20.4	20	
8/26/24 16:45	8.6	105	8.4	131	20.4	20	
8/26/24 17:00	8.6	104	8.4	131	20.5	20	
8/26/24 17:15	8.6	104	8.4	131	20.5	20	
8/26/24 17:30	8.6	104	8.4	131	20.5	20	
8/26/24 17:45	8.6	104	8.4	131	20.5	20	
8/26/24 18:00	8.6	104	8.4	131	20.5	20	
8/26/24 18:15	8.6	104	8.4	132	20.5	20	
8/26/24 18:30	8.6	104	8.4	132	20.4	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/26/24 18:45	8.6	103	8.4	132	20.4	20	
8/26/24 19:00	8.6	103	8.3	132	20.3	20	
8/26/24 19:15	8.6	103	8.3	132	20.3	20	
8/26/24 19:30	8.6	103	8.3	132	20.2	19	
8/26/24 19:45	8.6	103	8.3	132	20.1	20	
8/26/24 20:00	8.6	103	8.3	132	20.0	20	
8/26/24 20:15	8.6	103	8.2	132	19.9	19	
8/26/24 20:30	8.6	103	8.2	132	19.8	19	
8/26/24 20:45	8.6	103	8.2	132	19.7	19	
8/26/24 21:00	8.7	103	8.2	132	19.6	19	
8/26/24 21:15	8.7	103	8.1	132	19.4	20	
8/26/24 21:30	8.7	103	8.1	133	19.3	19	
8/26/24 21:45	8.7	103	8.1	133	19.2	19	
8/26/24 22:00	8.7	103	8.0	133	19.1	19	
8/26/24 22:15	8.8	103	8.0	133	19.0	19	
8/26/24 22:30	8.8	103	8.0	133	18.9	19	
8/26/24 22:45	8.8	103	8.0	132	18.8	19	
8/26/24 23:00	8.8	103	8.0	132	18.7	18	
8/26/24 23:15	8.8	103	8.0	132	18.6	19	
8/26/24 23:30	8.9	103	7.9	132	18.5	19	
8/26/24 23:45	8.9	103	7.9	132	18.4	19	
8/27/24 0:00	8.9	103	7.9	132	18.3	19	
8/27/24 0:15	8.9	103	7.9	132	18.3	19	
8/27/24 0:30	8.9	103	7.9	132	18.2	19	
8/27/24 0:45	8.9	103	7.9	132	18.1	19	
8/27/24 1:00	8.9	103	7.9	132	18.1	20	
8/27/24 1:15	8.9	103	7.9	132	18.0	19	
8/27/24 1:30	8.9	103	7.9	132	18.0	19	
8/27/24 1:45	8.9	103	7.9	132	18.0	19	
8/27/24 2:00	9.0	103	7.8	132	17.9	19	
8/27/24 2:15	9.0	103	7.8	132	17.9	20	
8/27/24 2:30	9.0	103	7.8	132	17.8	20	
8/27/24 2:45	9.0	103	7.8	132	17.8	20	
8/27/24 3:00	9.0	103	7.8	132	17.8	20	
8/27/24 3:15	9.0	103	7.8	132	17.7	20	
8/27/24 3:30	9.0	103	7.8	132	17.7	20	
8/27/24 3:45	9.0	103	7.8	132	17.6	20	
8/27/24 4:00	9.0	103	7.8	132	17.6	20	
8/27/24 4:15	9.0	103	7.8	132	17.6	20	
8/27/24 4:30	9.0	103	7.8	132	17.5	20	
8/27/24 4:45	9.0	103	7.8	132	17.5	20	
8/27/24 5:00	9.0	103	7.8	132	17.4	20	
8/27/24 5:15	9.0	103	7.8	132	17.4	20	
8/27/24 5:30	9.0	103	7.8	132	17.3	20	
8/27/24 5:45	9.1	103	7.8	132	17.3	20	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/27/24 6:00	9.1	103	7.8	132	17.2	20	
8/27/24 6:15	9.1	103	7.8	132	17.2	20	
8/27/24 6:30	9.1	103	7.8	132	17.1	20	
8/27/24 6:45	9.1	103	7.8	132	17.1	20	
8/27/24 7:00	9.1	103	7.8	132	17.0	20	
8/27/24 7:15	9.1	103	7.8	132	17.0	20	
8/27/24 7:30	9.1	103	7.8	132	16.9	20	
8/27/24 7:45	9.2	103	7.8	132	16.9	19	
8/27/24 8:00	9.2	103	7.8	132	16.8	20	
8/27/24 8:15	9.2	103	7.8	131	16.8	19	
8/27/24 8:30	9.2	103	7.8	131	16.8	20	
8/27/24 8:45	9.2	103	7.9	131	16.8	19	
8/27/24 9:00	9.2	104	7.9	131	16.8	20	
8/27/24 9:15	9.2	104	7.9	131	16.8	20	
8/27/24 9:30	9.2	104	7.9	131	16.8	20	
8/27/24 9:45	9.2	104	7.9	130	16.9	20	
8/27/24 10:00	9.2	104	7.9	130	17.0	20	
8/27/24 10:15	9.2	104	7.9	130	17.1	20	
8/27/24 10:30	9.2	104	8.0	130	17.2	20	
8/27/24 10:45	9.2	104	8.0	130	17.4	20	
8/27/24 11:00	9.2	104	8.0	130	17.5	20	
8/27/24 11:15	9.1	104	8.0	130	17.7	20	
8/27/24 11:30	9.1	105	8.0	129	17.9	20	
8/27/24 11:45	9.1	105	8.0	129	18.1	20	
8/27/24 12:00	9.0	105	8.1	129	18.3	20	
8/27/24 12:15	9.0	105	8.1	129	18.5	19	
8/27/24 12:30	9.0	105	8.1	129	18.7	20	322
8/27/24 12:45	8.9	105	8.1	129	18.9	19	
8/27/24 13:00	8.9	105	8.1	129	19.1	23	
8/27/24 13:15	8.9	105	8.2	129	19.3	22	
8/27/24 13:30	8.8	105	8.2	129	19.5	20	
8/27/24 13:45	8.8	105	8.2	129	19.7	22	
8/27/24 14:00	8.8	105	8.2	130	19.9	24	
8/27/24 14:15	8.7	105	8.2	130	20.1	24	
8/27/24 14:30	8.7	105	8.3	130	20.2	21	
8/27/24 14:45	8.7	105	8.3	130	20.4	20	
8/27/24 15:00	8.6	105	8.3	130	20.6	19	
8/27/24 15:15	8.6	105	8.3	130	20.7	20	
8/27/24 15:30	8.6	105	8.3	130	20.8	20	
8/27/24 15:45	8.6	105	8.4	130	20.9	20	
8/27/24 16:00	8.6	105	8.4	130	21.0	20	
8/27/24 16:15	8.6	105	8.4	130	21.1	19	
8/27/24 16:30	8.5	104	8.4	131	21.1	19	
8/27/24 16:45	8.5	104	8.4	131	21.2	19	
8/27/24 17:00	8.5	104	8.4	131	21.2	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)		Conductance (µS/cm)	Temperature (°C)		
8/27/24 17:15	8.5	104	8.4	131	21.2	19	
8/27/24 17:30	8.5	104	8.4	131	21.1	19	
8/27/24 17:45	8.5	104	8.4	131	21.1	20	
8/27/24 18:00	8.5	104	8.4	131	21.0	19	
8/27/24 18:15	8.5	104	8.4	132	21.0	19	
8/27/24 18:30	8.5	103	8.4	131	20.9	19	
8/27/24 18:45	8.5	103	8.4	132	20.8	19	
8/27/24 19:00	8.5	103	8.4	132	20.8	18	
8/27/24 19:15	8.5	103	8.4	132	20.7	19	
8/27/24 19:30	8.5	103	8.4	132	20.6	19	
8/27/24 19:45	8.5	103	8.4	132	20.5	19	
8/27/24 20:00	8.5	103	8.3	132	20.4	19	
8/27/24 20:15	8.5	103	8.3	132	20.3	19	
8/27/24 20:30	8.6	103	8.3	132	20.1	19	
8/27/24 20:45	8.6	103	8.2	132	20.0	19	
8/27/24 21:00	8.6	103	8.2	132	19.9	19	
8/27/24 21:15	8.6	103	8.2	132	19.8	19	
8/27/24 21:30	8.7	103	8.2	133	19.6	19	
8/27/24 21:45	8.7	103	8.1	133	19.5	19	
8/27/24 22:00	8.7	103	8.1	133	19.3	19	
8/27/24 22:15	8.7	103	8.1	133	19.2	19	
8/27/24 22:30	8.8	103	8.0	133	19.1	19	
8/27/24 22:45	8.8	103	8.0	133	19.0	19	
8/27/24 23:00	8.8	103	8.0	133	18.8	19	
8/27/24 23:15	8.8	103	8.0	133	18.7	19	
8/27/24 23:30	8.8	103	8.0	133	18.6	19	
8/27/24 23:45	8.8	103	8.0	133	18.5	19	
8/28/24 0:00	8.9	103	7.9	133	18.4	19	
8/28/24 0:15	8.9	103	7.9	132	18.4	18	
8/28/24 0:30	8.9	103	7.9	132	18.3	19	
8/28/24 0:45	8.9	103	7.9	132	18.2	18	
8/28/24 1:00	8.9	103	7.9	132	18.2	19	
8/28/24 1:15	8.9	103	7.9	132	18.2	19	
8/28/24 1:30	8.9	103	7.9	132	18.1	19	
8/28/24 1:45	8.9	103	7.9	132	18.1	19	
8/28/24 2:00	8.9	103	7.9	132	18.1	19	
8/28/24 2:15	8.9	103	7.9	132	18.0	19	
8/28/24 2:30	8.9	103	7.9	132	18.0	19	
8/28/24 2:45	8.9	103	7.9	132	18.0	19	
8/28/24 3:00	8.9	103	7.9	132	17.9	18	
8/28/24 3:15	9.0	103	7.9	132	17.8	19	
8/28/24 3:30	9.0	103	7.9	132	17.8	18	
8/28/24 3:45	9.0	103	7.9	132	17.8	19	
8/28/24 4:00	9.0	103	7.9	132	17.7	19	
8/28/24 4:15	9.0	103	7.9	132	17.6	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 4:30	9.0	103	7.9	132	17.6	20	
8/28/24 4:45	9.0	103	7.9	132	17.5	19	
8/28/24 5:00	9.0	103	7.8	132	17.5	19	
8/28/24 5:15	9.0	103	7.9	132	17.4	19	
8/28/24 5:30	9.0	103	7.9	132	17.3	19	
8/28/24 5:45	9.1	103	7.9	132	17.3	19	
8/28/24 6:00	9.1	103	7.9	132	17.2	19	
8/28/24 6:15	9.1	103	7.9	132	17.1	19	
8/28/24 6:30	9.1	103	7.9	132	17.0	19	
8/28/24 6:45	9.1	103	7.9	132	17.0	19	
8/28/24 7:00	9.1	103	7.9	132	17.0	19	
8/28/24 7:15	9.2	103	7.9	132	16.8	19	
8/28/24 7:30	9.2	103	7.9	132	16.7	18	
8/28/24 7:45	9.2	103	7.9	132	16.6	19	
8/28/24 8:00	9.2	103	7.9	131	16.5	19	
8/28/24 8:15	9.2	103	7.8	131	16.4	20	
8/28/24 8:30	9.2	103	7.8	131	16.4	37	
8/28/24 8:45	9.2	102	7.8	131	16.4	57	
8/28/24 9:00	9.2	102	7.8	131	16.3	48	
8/28/24 9:15	9.3	103	7.9	131	16.4	31	
8/28/24 9:30	9.3	103	7.9	131	16.4	42	
8/28/24 9:45	9.3	103	7.9	130	16.4	30	
8/28/24 10:00	9.3	104	7.9	130	16.5	26	
8/28/24 10:15	9.3	104	7.9	130	16.6	38	
8/28/24 10:30	9.2	104	7.9	130	16.7	38	
8/28/24 10:45	9.2	104	7.9	130	16.8	45	
8/28/24 11:00	9.2	103	7.9	130	17.0	58	
8/28/24 11:15	9.1	103	7.9	130	17.2	71	
8/28/24 11:30	9.1	103	7.9	130	17.3	59	
8/28/24 11:45	9.1	104	8.0	130	17.5	36	
8/28/24 12:00	9.0	103	8.0	131	17.7	96	
8/28/24 12:15	9.0	103	8.0	131	17.9	72	
8/28/24 12:30	9.0	104	8.0	130	18.1	45	
8/28/24 12:45	9.0	104	8.0	130	18.3	44	
8/28/24 13:00	9.0	104	8.1	130	18.5	34	
8/28/24 13:15	9.0	104	8.1	130	18.7	28	
8/28/24 13:30	8.9	104	8.2	130	18.9	26	
8/28/24 13:45	8.9	104	8.2	130	19.1	25	
8/28/24 14:00	8.8	104	8.2	130	19.2	40	
8/28/24 14:15	8.8	104	8.1	130	19.4	66	
8/28/24 14:30	8.7	103	8.1	131	19.6	84	
8/28/24 14:45	8.7	104	8.2	131	19.8	66	
8/28/24 15:00	8.6	103	8.2	132	19.9	98	
8/28/24 15:15	8.6	103	8.2	132	20.1	109	
8/28/24 15:30	8.6	104	8.2	132	20.2	60	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/28/24 15:45	8.6	104	8.3	131	20.3	38	
8/28/24 16:00	8.6	104	8.3	131	20.4	45	
8/28/24 16:15	8.6	103	8.3	131	20.5	56	
8/28/24 16:30	8.6	104	8.3	131	20.6	34	
8/28/24 16:45	8.6	104	8.4	131	20.6	28	
8/28/24 17:00	8.6	104	8.4	131	20.6	25	
8/28/24 17:15	8.6	104	8.4	131	20.7	25	
8/28/24 17:30	8.5	104	8.4	132	20.7	23	
8/28/24 17:45	8.5	104	8.4	132	20.7	23	
8/28/24 18:00	8.5	103	8.4	132	20.7	22	
8/28/24 18:15	8.5	103	8.4	132	20.6	22	
8/28/24 18:30	8.5	103	8.4	132	20.6	22	
8/28/24 18:45	8.5	103	8.4	132	20.5	21	
8/28/24 19:00	8.5	103	8.4	132	20.5	21	
8/28/24 19:15	8.5	103	8.4	132	20.4	21	
8/28/24 19:30	8.5	103	8.4	132	20.3	21	
8/28/24 19:45	8.5	103	8.3	133	20.2	21	
8/28/24 20:00	8.5	102	8.3	133	20.1	21	
8/28/24 20:15	8.6	102	8.3	133	20.0	20	
8/28/24 20:30	8.6	102	8.3	133	19.8	19	
8/28/24 20:45	8.6	103	8.2	133	19.7	20	
8/28/24 21:00	8.6	103	8.2	133	19.6	19	
8/28/24 21:15	8.7	103	8.2	133	19.4	19	
8/28/24 21:30	8.7	103	8.1	133	19.3	19	
8/28/24 21:45	8.7	103	8.1	133	19.2	19	
8/28/24 22:00	8.7	103	8.1	133	19.1	18	
8/28/24 22:15	8.8	103	8.0	133	18.9	19	
8/28/24 22:30	8.8	103	8.0	133	18.8	19	
8/28/24 22:45	8.8	103	8.0	133	18.7	19	
8/28/24 23:00	8.8	102	8.0	133	18.5	21	
8/28/24 23:15	8.8	102	8.0	133	18.4	19	
8/28/24 23:30	8.8	102	8.0	133	18.3	19	
8/28/24 23:45	8.9	102	7.9	133	18.2	19	
8/29/24 0:00	8.9	102	7.9	133	18.1	19	
8/29/24 0:15	8.9	102	7.9	133	18.0	19	
8/29/24 0:30	8.9	102	7.9	133	17.9	18	
8/29/24 0:45	8.9	102	7.9	133	17.8	19	
8/29/24 1:00	9.0	102	7.9	133	17.7	19	
8/29/24 1:15	9.0	102	7.9	133	17.6	19	
8/29/24 1:30	9.0	102	7.9	133	17.6	19	
8/29/24 1:45	9.0	102	7.9	133	17.5	19	
8/29/24 2:00	9.0	102	7.9	133	17.5	19	
8/29/24 2:15	9.0	102	7.9	132	17.4	19	
8/29/24 2:30	9.0	102	7.9	132	17.4	19	
8/29/24 2:45	9.0	102	7.9	132	17.3	19	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/29/24 3:00	9.0	103	7.9	132	17.2	19	
8/29/24 3:15	9.0	102	7.9	132	17.2	18	
8/29/24 3:30	9.1	102	7.9	132	17.1	19	
8/29/24 3:45	9.1	102	7.9	132	17.0	19	
8/29/24 4:00	9.1	102	7.9	132	17.0	19	
8/29/24 4:15	9.1	102	7.9	132	16.9	19	
8/29/24 4:30	9.1	102	7.9	132	16.8	19	
8/29/24 4:45	9.1	102	7.9	132	16.8	19	
8/29/24 5:00	9.2	102	7.9	132	16.7	19	
8/29/24 5:15	9.2	102	7.8	132	16.6	18	
8/29/24 5:30	9.2	102	7.8	132	16.6	19	
8/29/24 5:45	9.2	102	7.8	132	16.5	19	
8/29/24 6:00	9.2	102	7.8	132	16.4	18	
8/29/24 6:15	9.2	102	7.8	132	16.4	19	
8/29/24 6:30	9.2	102	7.8	132	16.3	19	
8/29/24 6:45	9.2	103	7.8	132	16.3	19	
8/29/24 7:00	9.2	103	7.8	131	16.2	19	
8/29/24 7:15	9.3	103	7.8	131	16.2	19	
8/29/24 7:30	9.3	103	7.8	131	16.1	19	
8/29/24 7:45	9.3	103	7.8	131	16.1	19	
8/29/24 8:00	9.3	103	7.8	131	16.0	19	
8/29/24 8:15	9.3	103	7.9	131	16.0	20	
8/29/24 8:30	9.3	103	7.9	131	16.0	21	
8/29/24 8:45	9.4	103	7.9	131	16.0	19	
8/29/24 9:00	9.4	103	7.9	130	16.0	21	
8/29/24 9:15	9.4	103	7.9	130	16.0	21	
8/29/24 9:30	9.4	104	7.9	130	16.1	28	
8/29/24 9:45	9.3	103	7.9	131	16.1	66	
8/29/24 10:00	9.2	103	7.9	131	16.2	68	
8/29/24 10:15	9.2	102	7.8	131	16.3	77	
8/29/24 10:30	9.1	102	7.8	131	16.4	90	
8/29/24 10:45	9.1	101	7.8	131	16.5	78	
8/29/24 11:00	9.1	102	7.8	131	16.6	68	
8/29/24 11:15	9.0	101	7.8	131	16.8	70	
8/29/24 11:30	9.0	101	7.8	131	17.0	91	
8/29/24 11:45	9.0	101	7.8	130	17.2	75	
8/29/24 12:00	8.9	101	7.8	130	17.4	74	
8/29/24 12:15	8.9	101	7.8	130	17.6	75	
8/29/24 12:30	8.8	101	7.8	130	17.8	83	
8/29/24 12:45	8.8	101	7.8	130	18.0	83	
8/29/24 13:00	8.7	101	7.8	130	18.2	108	
8/29/24 13:15	8.7	101	7.8	130	18.4	93	
8/29/24 13:30	8.6	101	7.8	130	18.6	94	
8/29/24 13:45	8.6	101	7.8	130	18.8	97	
8/29/24 14:00	8.6	101	7.8	130	19.0	98	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/29/24 14:15	8.5	101	7.9	131	19.2	103	
8/29/24 14:30	8.5	101	7.9	131	19.4	93	
8/29/24 14:45	8.5	101	7.9	131	19.6	89	
8/29/24 15:00	8.4	101	7.9	131	19.7	83	
8/29/24 15:15	8.4	101	8.0	130	19.9	72	
8/29/24 15:30	8.4	101	8.0	131	20.0	68	
8/29/24 15:45	8.4	101	8.0	131	20.2	66	
8/29/24 16:00	8.4	101	8.0	131	20.3	62	
8/29/24 16:15	8.3	101	8.1	131	20.4	61	
8/29/24 16:30	8.3	101	8.1	131	20.5	61	
8/29/24 16:45	8.3	101	8.1	131	20.5	59	
8/29/24 17:00	8.3	101	8.1	131	20.6	56	
8/29/24 17:15	8.3	100	8.2	131	20.6	55	
8/29/24 17:30	8.3	101	8.2	131	20.6	52	
8/29/24 17:45	8.3	101	8.2	131	20.6	50	
8/29/24 18:00	8.3	100	8.2	131	20.6	50	
8/29/24 18:15	8.3	101	8.2	131	20.6	49	
8/29/24 18:30	8.3	101	8.2	132	20.5	48	
8/29/24 18:45	8.3	100	8.2	132	20.5	48	
8/29/24 19:00	8.3	100	8.2	132	20.4	46	
8/29/24 19:15	8.3	100	8.2	132	20.3	47	
8/29/24 19:30	8.3	100	8.2	132	20.3	47	
8/29/24 19:45	8.3	100	8.2	132	20.2	48	
8/29/24 20:00	8.3	100	8.1	132	20.1	47	
8/29/24 20:15	8.4	100	8.1	132	20.0	46	
8/29/24 20:30	8.4	100	8.1	132	19.9	44	
8/29/24 20:45	8.4	100	8.0	133	19.7	43	
8/29/24 21:00	8.4	100	8.0	133	19.6	44	
8/29/24 21:15	8.4	100	8.0	133	19.5	45	
8/29/24 21:30	8.5	100	8.0	133	19.4	44	
8/29/24 21:45	8.5	100	7.9	133	19.3	43	
8/29/24 22:00	8.5	100	7.9	133	19.2	43	
8/29/24 22:15	8.5	100	7.9	133	19.0	43	
8/29/24 22:30	8.6	100	7.9	133	18.9	43	
8/29/24 22:45	8.6	100	7.8	133	18.8	43	
8/29/24 23:00	8.6	100	7.8	133	18.7	42	
8/29/24 23:15	8.6	100	7.8	133	18.6	41	
8/29/24 23:30	8.6	101	7.8	133	18.5	41	
8/29/24 23:45	8.7	101	7.8	133	18.4	42	
8/30/24 0:00	8.7	100	7.8	133	18.3	42	
8/30/24 0:15	8.7	101	7.8	133	18.2	43	
8/30/24 0:30	8.7	100	7.8	133	18.1	43	
8/30/24 0:45	8.7	100	7.8	133	18.1	44	
8/30/24 1:00	8.7	100	7.8	133	18.0	44	
8/30/24 1:15	8.7	100	7.8	133	18.0	45	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/30/24 1:30	8.8	101	7.8	133	17.9	46	
8/30/24 1:45	8.8	100	7.7	133	17.9	45	
8/30/24 2:00	8.8	101	7.7	133	17.8	46	
8/30/24 2:15	8.8	100	7.7	133	17.8	45	
8/30/24 2:30	8.8	100	7.7	133	17.7	48	
8/30/24 2:45	8.8	100	7.7	133	17.7	49	
8/30/24 3:00	8.8	100	7.7	133	17.6	48	
8/30/24 3:15	8.8	100	7.7	133	17.6	48	
8/30/24 3:30	8.8	100	7.7	133	17.6	46	
8/30/24 3:45	8.8	101	7.7	133	17.5	44	
8/30/24 4:00	8.8	100	7.7	133	17.5	46	
8/30/24 4:15	8.8	100	7.7	133	17.4	46	
8/30/24 4:30	8.8	100	7.7	133	17.4	47	
8/30/24 4:45	8.8	100	7.7	133	17.4	48	
8/30/24 5:00	8.8	100	7.7	133	17.3	49	
8/30/24 5:15	8.8	100	7.7	133	17.3	48	
8/30/24 5:30	8.9	100	7.7	133	17.2	48	
8/30/24 5:45	8.9	100	7.7	133	17.1	47	
8/30/24 6:00	8.9	100	7.7	133	17.1	49	
8/30/24 6:15	8.9	100	7.7	133	17.0	51	
8/30/24 6:30	8.9	100	7.7	132	17.0	50	
8/30/24 6:45	8.9	100	7.7	132	16.9	48	
8/30/24 7:00	8.9	100	7.7	132	16.8	47	
8/30/24 7:15	9.0	101	7.7	132	16.8	46	
8/30/24 7:30	9.0	101	7.7	132	16.7	44	
8/30/24 7:45	9.0	101	7.7	132	16.7	46	
8/30/24 8:00	9.0	101	7.7	132	16.6	46	
8/30/24 8:15	9.0	101	7.7	132	16.6	45	
8/30/24 8:30	9.0	101	7.7	132	16.6	44	
8/30/24 8:45	9.0	101	7.7	131	16.6	44	
8/30/24 9:00	9.0	101	7.7	131	16.6	47	
8/30/24 9:15	9.0	101	7.7	131	16.6	45	
8/30/24 9:30	9.0	101	7.7	131	16.7	45	
8/30/24 9:45	9.0	101	7.8	131	16.8	44	
8/30/24 10:00	9.0	101	7.8	131	16.8	42	
8/30/24 10:15	9.0	101	7.8	130	17.0	42	
8/30/24 10:30	9.0	101	7.8	130	17.1	44	
8/30/24 10:45	9.0	102	7.8	130	17.2	43	
8/30/24 11:00	8.9	102	7.8	130	17.4	42	
8/30/24 11:15	8.9	101	7.8	130	17.6	44	
8/30/24 11:30	8.8	101	7.8	130	17.8	44	
8/30/24 11:45	8.8	101	7.8	129	18.0	41	
8/30/24 12:00	8.8	101	7.8	129	18.2	42	
8/30/24 12:15	8.7	101	7.9	129	18.4	45	408
8/30/24 12:30	8.7	101	7.9	129	18.6	47	408

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/30/24 12:45	8.6	101	7.9	129	18.8	45	
8/30/24 13:00	8.6	101	7.9	129	19.0	45	
8/30/24 13:15	8.6	101	7.9	129	19.2	46	
8/30/24 13:30	8.5	101	7.9	129	19.5	46	338
8/30/24 13:45	8.5	101	8.0	129	19.7	42	338
8/30/24 14:00	8.4	101	8.0	129	19.9	41	
8/30/24 14:15	8.4	101	8.0	129	20.1	39	
8/30/24 14:30	8.4	100	8.0	129	20.2	39	
8/30/24 14:45	8.4	101	8.1	129	20.4	40	
8/30/24 15:00	8.4	101	8.1	129	20.6	40	417
8/30/24 15:15	8.3	101	8.1	130	20.7	40	
8/30/24 15:30	8.3	101	8.1	130	20.8	38	
8/30/24 15:45	8.2	100	8.2	130	20.9	38	
8/30/24 16:00	8.3	101	8.2	130	21.0	37	
8/30/24 16:15	8.3	102	8.2	130	21.1	36	
8/30/24 16:30	8.2	101	8.2	130	21.2	36	
8/30/24 16:45	8.2	101	8.2	130	21.2	37	
8/30/24 17:00	8.2	101	8.2	131	21.2	36	
8/30/24 17:15	8.2	101	8.3	131	21.3	36	
8/30/24 17:30	8.2	100	8.3	131	21.3	36	
8/30/24 17:45	8.1	100	8.3	131	21.3	37	
8/30/24 18:00	8.2	100	8.3	131	21.3	37	
8/30/24 18:15	8.2	100	8.3	131	21.3	36	
8/30/24 18:30	8.1	100	8.3	132	21.2	36	
8/30/24 18:45	8.1	100	8.3	132	21.2	36	
8/30/24 19:00	8.2	100	8.3	132	21.2	35	
8/30/24 19:15	8.2	100	8.3	132	21.1	35	
8/30/24 19:30	8.2	100	8.3	132	21.0	35	
8/30/24 19:45	8.2	100	8.2	132	21.0	36	
8/30/24 20:00	8.2	100	8.2	132	20.8	36	
8/30/24 20:15	8.2	100	8.2	132	20.7	35	
8/30/24 20:30	8.2	100	8.2	132	20.6	35	
8/30/24 20:45	8.3	100	8.1	133	20.5	34	
8/30/24 21:00	8.3	100	8.1	133	20.4	34	
8/30/24 21:15	8.3	100	8.1	133	20.2	34	
8/30/24 21:30	8.4	100	8.0	133	20.1	34	
8/30/24 21:45	8.4	100	8.0	133	20.0	34	
8/30/24 22:00	8.4	100	7.9	133	19.9	34	
8/30/24 22:15	8.3	99	7.9	133	19.7	33	
8/30/24 22:30	8.4	100	7.9	133	19.6	33	
8/30/24 22:45	8.4	99	7.9	133	19.5	33	
8/30/24 23:00	8.4	99	7.8	133	19.4	33	
8/30/24 23:15	8.5	100	7.8	133	19.3	32	
8/30/24 23:30	8.5	100	7.8	133	19.2	32	
8/30/24 23:45	8.5	100	7.8	133	19.1	32	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 0:00	8.5	100	7.8	133	19.0	32	
8/31/24 0:15	8.4	99	7.8	133	19.0	33	
8/31/24 0:30	8.5	100	7.8	133	18.9	33	
8/31/24 0:45	8.5	99	7.8	133	18.8	32	
8/31/24 1:00	8.5	100	7.8	133	18.8	36	
8/31/24 1:15	8.5	99	7.8	133	18.8	33	
8/31/24 1:30	8.6	100	7.8	133	18.7	42	
8/31/24 1:45	8.6	101	7.8	133	18.6	33	
8/31/24 2:00	8.7	101	7.8	133	18.6	33	
8/31/24 2:15	8.6	101	7.8	133	18.6	34	
8/31/24 2:30	8.6	100	7.8	133	18.6	34	
8/31/24 2:45	8.6	100	7.8	133	18.5	33	
8/31/24 3:00	8.6	100	7.8	133	18.5	34	
8/31/24 3:15	8.6	100	7.8	133	18.4	34	
8/31/24 3:30	8.6	100	7.8	133	18.4	34	
8/31/24 3:45	8.7	100	7.8	133	18.3	34	
8/31/24 4:00	8.7	101	7.7	133	18.3	34	
8/31/24 4:15	8.7	100	7.8	133	18.2	34	
8/31/24 4:30	8.7	101	7.8	133	18.2	34	
8/31/24 4:45	8.7	101	7.8	133	18.1	33	
8/31/24 5:00	8.8	101	7.8	133	18.1	33	
8/31/24 5:15	8.8	101	7.7	133	18.0	33	
8/31/24 5:30	8.8	101	7.7	133	18.0	33	
8/31/24 5:45	8.8	101	7.7	133	17.9	33	
8/31/24 6:00	8.8	101	7.7	133	17.8	33	
8/31/24 6:15	8.8	101	7.7	133	17.8	33	
8/31/24 6:30	8.8	101	7.7	133	17.7	33	
8/31/24 6:45	8.8	101	7.7	133	17.7	32	
8/31/24 7:00	8.8	101	7.7	133	17.6	32	
8/31/24 7:15	8.8	101	7.7	132	17.5	31	
8/31/24 7:30	8.9	101	7.7	132	17.5	32	
8/31/24 7:45	8.9	101	7.7	132	17.4	32	
8/31/24 8:00	8.9	101	7.7	132	17.4	31	
8/31/24 8:15	8.9	101	7.8	132	17.3	32	
8/31/24 8:30	8.9	101	7.7	132	17.3	32	
8/31/24 8:45	8.9	101	7.8	132	17.3	32	
8/31/24 9:00	8.9	101	7.8	132	17.3	32	
8/31/24 9:15	8.9	101	7.8	131	17.3	34	
8/31/24 9:30	9.0	102	7.8	131	17.4	36	
8/31/24 9:45	9.0	102	7.8	131	17.4	33	
8/31/24 10:00	8.9	102	7.8	131	17.5	33	
8/31/24 10:15	9.0	102	7.8	131	17.6	33	
8/31/24 10:30	9.0	102	7.8	130	17.7	32	
8/31/24 10:45	8.9	102	7.8	130	17.8	32	
8/31/24 11:00	8.9	103	7.8	130	18.0	32	

**Klamath River above Fall Creek near Copco, CA, Daggett Bridge
(11511990)**



Datetime	DO			Specific	Water	Turbidity (FNU)	Turbidity (SBU)
	(mg/L)	DO (%)	pH	Conductance (µS/cm)	Temperature (°C)		
8/31/24 11:15	8.9	103	7.9	130	18.2	32	
8/31/24 11:30	8.8	103	7.9	130	18.4	32	
8/31/24 11:45	8.8	102	7.9	130	18.6	32	
8/31/24 12:00	8.8	103	7.9	130	18.7	32	
8/31/24 12:15	8.7	102	8.0	130	18.9	32	
8/31/24 12:30	8.7	103	8.0	130	19.1	32	
8/31/24 12:45	8.7	103	8.0	129	19.4	31	
8/31/24 13:00	8.7	103	8.0	129	19.6	32	
8/31/24 13:15	8.6	103	8.0	129	19.8	32	
8/31/24 13:30	8.6	103	8.0	129	20.0	32	
8/31/24 13:45	8.6	103	8.0	129	20.2	32	
8/31/24 14:00	8.5	102	8.1	130	20.3	33	
8/31/24 14:15	8.5	102	8.1	130	20.5	33	
8/31/24 14:30	8.4	102	8.1	130	20.7	33	
8/31/24 14:45	8.4	102	8.1	130	20.8	32	
8/31/24 15:00	8.4	103	8.2	130	21.0	34	
8/31/24 15:15	8.3	102	8.2	130	21.1	33	
8/31/24 15:30	8.3	101	8.2	130	21.2	33	
8/31/24 15:45	8.3	102	8.2	130	21.4	34	
8/31/24 16:00	8.2	102	8.2	130	21.5	34	
8/31/24 16:15	8.2	101	8.2	130	21.6	34	
8/31/24 16:30	8.2	102	8.2	131	21.6	33	
8/31/24 16:45	8.2	102	8.3	131	21.7	33	
8/31/24 17:00	8.2	102	8.3	131	21.8	33	
8/31/24 17:15	8.2	101	8.3	131	21.8	33	
8/31/24 17:30	8.2	101	8.3	131	21.8	33	
8/31/24 17:45	8.1	101	8.3	131	21.7	33	
8/31/24 18:00	8.2	101	8.3	131	21.7	33	
8/31/24 18:15	8.2	101	8.3	132	21.7	33	
8/31/24 18:30	8.2	101	8.3	132	21.6	33	
8/31/24 18:45	8.1	101	8.3	132	21.6	33	
8/31/24 19:00	8.2	101	8.3	132	21.5	34	
8/31/24 19:15	8.2	100	8.3	132	21.4	34	
8/31/24 19:30	8.1	100	8.2	132	21.3	34	
8/31/24 19:45	8.1	100	8.2	132	21.2	33	
8/31/24 20:00	8.2	100	8.2	132	21.1	32	
8/31/24 20:15	8.2	100	8.2	133	20.9	32	
8/31/24 20:30	8.2	100	8.1	133	20.8	32	
8/31/24 20:45	8.3	100	8.1	133	20.6	32	
8/31/24 21:00	8.2	100	8.1	133	20.5	31	
8/31/24 21:15	8.3	100	8.0	133	20.4	31	
8/31/24 21:30	8.3	100	8.0	133	20.2	28	
8/31/24 21:45	8.4	100	8.0	133	20.1	29	
8/31/24 22:00	8.3	100	7.9	133	20.0	31	
8/31/24 22:15	8.4	100	7.9	133	19.9	30	



Klamath River below J.C. Boyle Powerplant near Keno, OR (USGS 11510700)

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/1/24 0:00	874	7.7	100	8.0	122	22.1	168	721
8/1/24 0:15	867	7.7	100	7.9	122	22.0	168	521
8/1/24 0:30	874	7.7	100	7.9	122	22.0	166	516
8/1/24 0:45	874	7.8	100	8.0	123	21.8	164	610
8/1/24 1:00	867	7.8	100	7.9	123	21.8	162	686
8/1/24 1:15	867	7.8	100	7.9	123	21.7	160	501
8/1/24 1:30	867	7.8	100	8.0	123	21.6	161	545
8/1/24 1:45	860	7.8	100	8.0	124	21.5	159	596
8/1/24 2:00	860	7.8	100	7.9	124	21.4	158	622
8/1/24 2:15	867	7.8	100	8.0	124	21.3	157	700
8/1/24 2:30	874	7.9	100	7.9	124	21.2	155	508
8/1/24 2:45	881	7.9	100	7.9	125	21.1	151	555
8/1/24 3:00	874	7.9	100	7.9	125	21.0	151	550
8/1/24 3:15	874	7.9	100	7.9	125	20.9	150	348
8/1/24 3:30	874	7.9	100	7.9	125	20.8	149	273
8/1/24 3:45	881	8.0	100	7.9	125	20.7	149	276
8/1/24 4:00	867	8.0	100	7.9	125	20.6	149	273
8/1/24 4:15	874	8.0	100	7.9	125	20.5	147	279
8/1/24 4:30	867	8.0	100	7.9	125	20.4	148	276
8/1/24 4:45	853	8.0	100	7.9	126	20.3	146	282
8/1/24 5:00	860	8.0	100	8.0	126	20.2	146	279
8/1/24 5:15	867	8.1	100	7.9	126	20.1	146	282
8/1/24 5:30	867	8.1	100	7.9	126	20.0	143	276
8/1/24 5:45	860	8.1	100	7.9	126	19.9	143	273
8/1/24 6:00	867	8.1	100	7.9	126	19.8	145	279
8/1/24 6:15	860	8.1	100	8.0	126	19.7	148	289
8/1/24 6:30	860	8.1	100	8.0	126	19.7	153	301
8/1/24 6:45	867	8.1	100	7.9	126	19.6	160	310
8/1/24 7:00	874	8.2	100	7.9	126	19.5	163	307
8/1/24 7:15	867	8.2	100	7.9	126	19.5	160	307
8/1/24 7:30	874	8.2	100	7.9	125	19.4	156	295
8/1/24 7:45	874	8.2	100	7.9	125	19.4	150	447
8/1/24 8:00	874	8.2	101	7.9	125	19.3	145	282
8/1/24 8:15	874	8.2	101	7.9	125	19.2	142	279
8/1/24 8:30	881	8.2	101	7.9	125	19.2	139	270
8/1/24 8:45	874	8.2	101	7.9	125	19.2	139	267
8/1/24 9:00	874	8.3	101	7.9	125	19.2	136	258
8/1/24 9:15	860	8.3	101	8.0	125	19.2	135	264
8/1/24 9:30	867	8.3	101	7.9	125	19.2	135	258
8/1/24 9:45	860	8.3	101	7.9	125	19.3	133	254
8/1/24 10:00	867	8.2	101	7.9	125	19.3	134	258
8/1/24 10:15	867	8.2	101	8.0	125	19.4	133	254
8/1/24 10:30	867	8.2	101	8.0	125	19.4	132	261
8/1/24 10:45	860	8.2	101	8.0	125	19.5	131	245
8/1/24 11:00	860	8.2	101	7.9	125	19.5	131	251

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific		Water	
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/1/24 11:15	860	8.2	101	8.0	125	19.6	130	248
8/1/24 11:30	860	8.2	101	8.0	125	19.7	129	248
8/1/24 11:45	860	8.2	101	8.0	124	19.8	130	242
8/1/24 12:00	853	8.2	101	8.0	124	19.9	129	245
8/1/24 12:15	853	8.1	101	8.0	124	20.0	130	248
8/1/24 12:30	846	8.1	101	7.9	124	20.1	129	248
8/1/24 12:45	860	8.1	101	8.0	124	20.2	130	254
8/1/24 13:00	860	8.1	101	8.0	124	20.3	132	254
8/1/24 13:15	860	8.1	101	8.0	124	20.4	131	251
8/1/24 13:30	853	8.0	101	8.0	124	20.5	133	264
8/1/24 13:45	853	8.0	101	8.0	124	20.7	132	251
8/1/24 14:00	853	8.0	101	7.9	124	20.8	134	267
8/1/24 14:15	853	8.0	100	8.0	124	20.9	134	261
8/1/24 14:30	860	7.9	100	8.0	124	21.0	135	261
8/1/24 14:45	853	7.9	100	8.0	123	21.1	139	258
8/1/24 15:00	853	7.9	100	7.9	123	21.2	140	261
8/1/24 15:15	853	7.9	100	7.9	123	21.3	147	273
8/1/24 15:30	853	7.9	100	8.0	123	21.4	155	285
8/1/24 15:45	853	7.8	100	8.0	123	21.4	156	292
8/1/24 16:00	846	7.8	100	8.0	123	21.5	156	295
8/1/24 16:15	846	7.8	100	7.9	123	21.6	155	301
8/1/24 16:30	846	7.8	100	8.0	123	21.6	157	304
8/1/24 16:45	839	7.8	100	8.0	122	21.7	156	320
8/1/24 17:00	846	7.8	100	8.0	122	21.7	154	323
8/1/24 17:15	846	7.8	100	8.0	122	21.7	153	307
8/1/24 17:30	846	7.8	100	8.0	122	21.7	148	295
8/1/24 17:45	839	7.8	100	8.0	122	21.8	146	295
8/1/24 18:00	846	7.8	100	8.0	121	21.8	145	289
8/1/24 18:15	853	7.8	100	8.0	121	21.8	145	273
8/1/24 18:30	846	7.8	100	8.0	121	21.8	144	285
8/1/24 18:45	846	7.8	100	8.0	121	21.9	145	285
8/1/24 19:00	846	7.8	100	8.0	121	21.9	145	289
8/1/24 19:15	839	7.7	100	8.0	121	22.0	148	298
8/1/24 19:30	833	7.7	100	8.0	121	22.0	148	394
8/1/24 19:45	833	7.7	100	8.0	121	22.0	148	301
8/1/24 20:00	819	7.7	100	8.0	121	22.1	147	301
8/1/24 20:15	813	7.7	100	8.0	121	22.1	149	307
8/1/24 20:30	799	7.7	100	8.0	121	22.1	151	301
8/1/24 20:45	793	7.7	100	8.0	121	22.1	150	310
8/1/24 21:00	786	7.7	100	8.0	121	22.0	153	301
8/1/24 21:15	773	7.7	100	7.9	121	22.0	155	310
8/1/24 21:30	767	7.7	100	7.9	121	22.0	162	310
8/1/24 21:45	754	7.7	100	7.9	121	22.0	163	313
8/1/24 22:00	748	7.8	100	8.0	121	21.9	163	307
8/1/24 22:15	741	7.8	100	8.0	122	21.8	169	323

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/1/24 22:30	723	7.8	100	7.9	122	21.8	171	335
8/1/24 22:45	716	7.8	100	8.0	122	21.7	177	338
8/1/24 23:00	723	7.8	100	8.0	122	21.7	176	329
8/1/24 23:15	729	7.8	100	7.9	122	21.6	176	332
8/1/24 23:30	748	7.8	100	8.0	123	21.5	173	323
8/1/24 23:45	754	7.8	100	7.9	123	21.4	172	313
8/2/24 0:00	767	7.9	100	7.9	123	21.4	170	320
8/2/24 0:15	773	7.9	100	7.9	123	21.4	169	317
8/2/24 0:30	780	7.9	100	7.9	123	21.2	168	317
8/2/24 0:45	780	7.9	100	7.9	124	21.1	169	310
8/2/24 1:00	780	7.9	100	7.9	124	21.1	170	320
8/2/24 1:15	786	7.9	100	7.9	124	21.0	169	320
8/2/24 1:30	786	7.9	100	7.9	124	21.0	169	323
8/2/24 1:45	780	7.9	100	8.0	124	20.9	170	323
8/2/24 2:00	793	7.9	100	8.0	124	20.9	167	310
8/2/24 2:15	793	7.9	100	8.0	124	20.9	171	317
8/2/24 2:30	826	8.0	100	8.0	124	20.7	171	320
8/2/24 2:45	839	8.0	100	7.9	124	20.7	172	323
8/2/24 3:00	853	8.0	100	8.0	125	20.6	172	329
8/2/24 3:15	860	8.0	100	7.9	125	20.5	173	326
8/2/24 3:30	867	8.0	101	7.9	125	20.4	176	323
8/2/24 3:45	867	8.0	100	7.9	125	20.3	174	320
8/2/24 4:00	867	8.0	100	7.9	126	20.3	174	335
8/2/24 4:15	874	8.1	100	7.9	126	20.2	174	329
8/2/24 4:30	874	8.1	100	7.9	126	20.1	176	332
8/2/24 4:45	867	8.1	101	8.0	126	20.0	176	326
8/2/24 5:00	867	8.1	101	7.9	126	19.9	177	338
8/2/24 5:15	860	8.1	101	7.9	126	19.8	179	335
8/2/24 5:30	860	8.2	101	7.9	126	19.8	178	332
8/2/24 5:45	867	8.2	101	7.9	126	19.7	177	335
8/2/24 6:00	853	8.2	101	7.9	126	19.7	179	348
8/2/24 6:15	853	8.2	101	7.9	126	19.5	195	369
8/2/24 6:30	846	8.2	100	7.9	127	19.4	216	410
8/2/24 6:45	846	8.2	100	7.9	127	19.3	226	422
8/2/24 7:00	839	8.2	101	7.9	127	19.3	221	400
8/2/24 7:15	853	8.2	101	7.9	127	19.2	211	382
8/2/24 7:30	846	8.3	101	7.9	126	19.1	202	375
8/2/24 7:45	853	8.3	101	7.9	126	19.0	195	366
8/2/24 8:00	846	8.3	100	7.9	126	19.0	190	366
8/2/24 8:15	846	8.3	101	7.9	126	19.0	188	357
8/2/24 8:30	860	8.3	101	7.9	126	18.9	182	351
8/2/24 8:45	860	8.3	101	7.9	125	18.9	181	354
8/2/24 9:00	874	8.3	101	7.9	125	18.9	187	360
8/2/24 9:15	881	8.3	101	7.9	125	18.9	193	360
8/2/24 9:30	881	8.3	101	7.9	125	18.9	192	351

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/2/24 9:45	881	8.3	101	7.9	125	19.0	188	344
8/2/24 10:00	874	8.3	101	7.9	125	19.0	186	341
8/2/24 10:15	874	8.3	101	7.9	125	19.1	182	348
8/2/24 10:30	874	8.3	101	7.9	125	19.1	178	338
8/2/24 10:45	881	8.3	101	7.9	125	19.2	176	332
8/2/24 11:00	860	8.3	101	7.9	125	19.3	174	323
8/2/24 11:15	874	8.2	101	8.0	125	19.4	169	313
8/2/24 11:30	867	8.2	101	7.9	125	19.5	170	320
8/2/24 11:45	867	8.2	101	7.9	124	19.6	168	317
8/2/24 12:00	867	8.2	101	7.9	124	19.7	166	320
8/2/24 12:15	867	8.2	101	8.0	124	19.8	164	307
8/2/24 12:30	860	8.2	101	7.9	124	19.9	163	307
8/2/24 12:45	860	8.1	101	8.0	124	20.0	164	317
8/2/24 13:00	867	8.1	101	8.0	124	20.1	167	313
8/2/24 13:15	867	8.1	101	7.9	124	20.2	167	320
8/2/24 13:30	867	8.1	101	8.0	124	20.4	163	307
8/2/24 13:45	867	8.0	101	7.9	124	20.5	163	298
8/2/24 14:00	860	8.0	101	7.9	124	20.6	163	304
8/2/24 14:15	860	8.0	100	7.9	124	20.7	163	304
8/2/24 14:30	846	8.0	100	8.0	124	20.7	163	301
8/2/24 14:45	860	8.0	100	8.0	123	20.8	165	338
8/2/24 15:00	860	8.0	100	8.0	123	20.9	168	307
8/2/24 15:15	853	7.9	100	8.0	123	21.0	166	323
8/2/24 15:30	853	7.9	100	8.0	123	21.2	166	307
8/2/24 15:45	846	7.9	100	8.0	123	21.2	164	307
8/2/24 16:00	846	7.9	100	8.0	123	21.3	163	317
8/2/24 16:15	853	7.8	100	7.9	123	21.4	173	323
8/2/24 16:30	846	7.8	100	8.0	123	21.4	178	332
8/2/24 16:45	846	7.8	100	7.9	122	21.4	180	329
8/2/24 17:00	853	7.8	100	7.9	122	21.5	178	338
8/2/24 17:15	839	7.8	100	7.9	122	21.5	181	344
8/2/24 17:30	833	7.8	100	7.9	122	21.5	181	326
8/2/24 17:45	839	7.8	100	7.9	122	21.6	176	329
8/2/24 18:00	833	7.8	100	7.9	122	21.6	171	313
8/2/24 18:15	833	7.8	100	8.0	121	21.7	166	310
8/2/24 18:30	839	7.8	100	8.0	121	21.8	167	307
8/2/24 18:45	839	7.8	100	7.9	121	21.8	164	301
8/2/24 19:00	833	7.8	100	8.0	121	21.8	163	295
8/2/24 19:15	846	7.8	100	8.0	121	21.9	162	307
8/2/24 19:30	867	7.8	100	8.0	121	21.9	163	301
8/2/24 19:45	860	7.8	100	8.0	121	22.0	162	301
8/2/24 20:00	867	7.7	100	7.9	121	22.0	166	313
8/2/24 20:15	867	7.7	100	7.9	121	22.0	166	304
8/2/24 20:30	867	7.7	100	8.0	121	22.1	165	307
8/2/24 20:45	867	7.7	100	8.0	121	22.1	165	310

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/2/24 21:00	874	7.7	100	8.0	121	22.1	165	307
8/2/24 21:15	874	7.7	100	7.9	121	22.2	165	313
8/2/24 21:30	874	7.7	100	7.9	121	22.2	164	304
8/2/24 21:45	839	7.7	100	8.0	121	22.2	161	304
8/2/24 22:00	833	7.7	100	7.9	121	22.2	160	292
8/2/24 22:15	853	7.7	100	7.9	121	22.1	156	292
8/2/24 22:30	846	7.7	100	7.9	121	22.1	157	282
8/2/24 22:45	846	7.7	100	7.9	121	22.1	156	295
8/2/24 23:00	846	7.7	100	7.9	122	22.1	162	298
8/2/24 23:15	846	7.7	100	7.9	122	22.0	173	329
8/2/24 23:30	839	7.7	100	7.9	122	22.0	192	357
8/2/24 23:45	846	7.7	100	7.9	123	22.0	216	400
8/3/24 0:00	846	7.7	100	7.9	123	22.0	221	410
8/3/24 0:15	839	7.8	100	7.9	123	21.9	217	385
8/3/24 0:30	846	7.8	100	7.9	123	21.9	204	375
8/3/24 0:45	846	7.8	100	7.9	123	21.8	192	351
8/3/24 1:00	846	7.8	100	7.9	123	21.8	185	332
8/3/24 1:15	846	7.8	100	7.9	123	21.7	176	326
8/3/24 1:30	846	7.8	100	7.9	123	21.7	171	307
8/3/24 1:45	839	7.8	100	7.9	123	21.6	168	304
8/3/24 2:00	853	7.8	100	7.9	123	21.6	163	298
8/3/24 2:15	846	7.8	100	7.9	124	21.5	160	295
8/3/24 2:30	867	7.8	100	7.9	124	21.4	159	292
8/3/24 2:45	867	7.8	100	7.9	124	21.4	153	282
8/3/24 3:00	874	7.8	100	7.9	124	21.4	152	282
8/3/24 3:15	833	7.9	100	7.9	124	21.2	152	285
8/3/24 3:30	826	7.9	100	7.9	125	21.2	151	295
8/3/24 3:45	833	7.9	100	7.9	125	21.1	150	282
8/3/24 4:00	833	7.9	100	7.9	125	21.1	149	276
8/3/24 4:15	819	7.9	100	7.9	125	21.0	148	267
8/3/24 4:30	819	7.9	100	7.9	125	20.9	147	276
8/3/24 4:45	826	7.9	100	7.9	125	20.9	149	276
8/3/24 5:00	819	7.9	100	7.9	125	20.9	151	279
8/3/24 5:15	819	8.0	100	7.9	125	20.8	151	273
8/3/24 5:30	819	8.0	100	7.9	126	20.7	150	279
8/3/24 5:45	819	8.0	100	7.9	126	20.6	149	276
8/3/24 6:00	819	8.0	100	7.9	126	20.6	150	273
8/3/24 6:15	813	8.0	100	7.9	126	20.6	148	273
8/3/24 6:30	813	8.0	100	7.9	126	20.5	151	276
8/3/24 6:45	813	8.0	100	7.9	125	20.4	153	282
8/3/24 7:00	813	8.0	100	7.9	125	20.4	149	282
8/3/24 7:15	819	8.0	100	7.9	125	20.4	149	279
8/3/24 7:30	819	8.0	100	7.9	125	20.3	150	276
8/3/24 7:45	819	8.0	100	7.9	125	20.3	147	279
8/3/24 8:00	819	8.0	100	7.9	125	20.3	145	276

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/3/24 8:15	806	8.0	100	7.9	125	20.3	147	270
8/3/24 8:30	813	8.0	100	7.9	125	20.3	147	276
8/3/24 8:45	813	8.0	100	7.9	125	20.2	147	276
8/3/24 9:00	819	8.0	100	7.9	125	20.2	147	279
8/3/24 9:15	813	8.0	100	7.9	125	20.3	148	273
8/3/24 9:30	813	8.0	100	8.0	125	20.3	145	267
8/3/24 9:45	819	8.0	100	7.9	125	20.3	145	267
8/3/24 10:00	819	8.0	100	7.9	125	20.3	145	261
8/3/24 10:15	813	8.0	100	7.9	125	20.3	143	261
8/3/24 10:30	813	8.0	100	8.0	125	20.4	142	258
8/3/24 10:45	813	8.0	100	7.9	125	20.4	143	258
8/3/24 11:00	806	8.0	100	7.9	125	20.4	144	261
8/3/24 11:15	819	8.0	100	7.9	125	20.5	142	264
8/3/24 11:30	799	8.0	100	7.9	125	20.5	145	264
8/3/24 11:45	793	8.0	100	8.0	125	20.5	145	264
8/3/24 12:00	793	8.0	100	7.9	125	20.6	144	264
8/3/24 12:15	786	8.0	100	7.9	124	20.6	148	267
8/3/24 12:30	786	8.0	100	7.9	124	20.6	146	264
8/3/24 12:45	780	8.0	100	8.0	124	20.6	145	264
8/3/24 13:00	780	8.0	100	7.9	124	20.6	147	270
8/3/24 13:15	780	8.0	100	7.9	124	20.6	145	270
8/3/24 13:30	780	8.0	100	8.0	124	20.7	147	267
8/3/24 13:45	780	8.0	100	7.9	124	20.7	146	279
8/3/24 14:00	780	8.0	100	8.0	124	20.7	144	267
8/3/24 14:15	780	8.0	100	7.9	124	20.7	145	264
8/3/24 14:30	780	8.0	100	8.0	124	20.8	143	267
8/3/24 14:45	786	8.0	100	8.0	124	20.8	145	261
8/3/24 15:00	786	7.9	100	7.9	124	20.8	141	258
8/3/24 15:15	780	7.9	100	8.0	124	20.8	141	261
8/3/24 15:30	773	7.9	100	7.9	123	20.8	143	261
8/3/24 15:45	780	7.9	100	8.0	123	20.8	142	261
8/3/24 16:00	780	7.9	100	7.9	123	20.9	142	261
8/3/24 16:15	786	7.9	100	8.0	123	20.9	141	258
8/3/24 16:30	780	7.9	100	7.9	123	20.9	138	258
8/3/24 16:45	780	7.9	100	8.0	123	21.0	140	258
8/3/24 17:00	786	7.9	100	8.0	123	21.0	140	254
8/3/24 17:15	786	7.9	100	8.0	123	21.0	139	258
8/3/24 17:30	786	7.9	100	8.0	123	21.0	138	254
8/3/24 17:45	780	7.9	100	8.0	123	21.0	140	258
8/3/24 18:00	786	7.9	100	8.0	123	21.0	142	258
8/3/24 18:15	786	7.9	100	8.0	123	21.0	141	261
8/3/24 18:30	786	7.9	100	8.0	123	21.1	142	261
8/3/24 18:45	786	7.9	100	7.9	123	21.1	140	258
8/3/24 19:00	793	7.9	100	7.9	123	21.1	139	258
8/3/24 19:15	780	7.9	100	7.9	123	21.1	140	254

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/3/24 19:30	780	7.9	100	8.0	123	21.0	138	261
8/3/24 19:45	786	7.9	100	8.0	123	21.0	140	258
8/3/24 20:00	780	7.9	100	8.0	123	21.0	139	258
8/3/24 20:15	780	7.9	100	8.0	123	21.0	138	261
8/3/24 20:30	780	7.9	100	8.0	123	21.0	138	258
8/3/24 20:45	793	7.9	100	7.9	123	21.0	137	254
8/3/24 21:00	786	7.9	100	7.9	123	21.0	138	261
8/3/24 21:15	793	7.9	100	7.9	123	21.0	138	254
8/3/24 21:30	793	7.9	100	7.9	123	21.0	138	261
8/3/24 21:45	793	7.9	100	7.9	123	21.0	137	251
8/3/24 22:00	786	7.9	100	7.9	123	21.0	134	248
8/3/24 22:15	786	7.9	100	7.9	123	21.0	135	248
8/3/24 22:30	793	7.9	100	7.9	123	20.9	134	245
8/3/24 22:45	786	7.9	100	7.9	123	20.9	134	245
8/3/24 23:00	793	7.9	100	7.9	124	20.9	133	251
8/3/24 23:15	793	7.9	100	7.9	124	20.9	134	245
8/3/24 23:30	793	7.9	100	7.9	124	20.8	134	251
8/3/24 23:45	786	7.9	100	7.9	124	20.8	136	245
8/4/24 0:00	786	8.0	100	7.9	124	20.8	133	254
8/4/24 0:15	786	8.0	100	7.9	124	20.8	134	245
8/4/24 0:30	786	8.0	100	7.9	124	20.6	133	248
8/4/24 0:45	786	8.0	100	7.9	124	20.6	134	245
8/4/24 1:00	793	8.0	100	7.9	124	20.6	132	258
8/4/24 1:15	786	8.0	100	7.9	124	20.5	131	254
8/4/24 1:30	786	8.0	100	7.9	124	20.5	130	251
8/4/24 1:45	786	8.0	100	7.9	124	20.4	132	248
8/4/24 2:00	786	8.0	100	7.9	124	20.4	131	242
8/4/24 2:15	786	8.0	100	7.9	125	20.3	131	245
8/4/24 2:30	786	8.0	100	7.9	125	20.3	130	261
8/4/24 2:45	799	8.0	100	7.9	125	20.2	130	248
8/4/24 3:00	806	8.0	100	7.9	125	20.2	128	239
8/4/24 3:15	806	8.0	100	7.9	125	20.1	129	236
8/4/24 3:30	799	8.0	100	7.9	125	20.1	128	233
8/4/24 3:45	799	8.1	100	7.9	125	20.0	126	236
8/4/24 4:00	793	8.1	100	7.9	125	20.0	125	233
8/4/24 4:15	799	8.1	100	7.9	125	19.9	124	230
8/4/24 4:30	799	8.1	100	7.9	125	19.9	125	227
8/4/24 4:45	806	8.1	100	7.9	125	19.8	125	233
8/4/24 5:00	793	8.1	100	7.9	125	19.8	123	227
8/4/24 5:15	806	8.1	100	7.9	125	19.7	122	227
8/4/24 5:30	813	8.1	100	7.9	125	19.7	121	227
8/4/24 5:45	799	8.1	100	7.9	125	19.6	121	230
8/4/24 6:00	806	8.1	100	7.9	125	19.6	121	227
8/4/24 6:15	806	8.1	100	7.9	125	19.6	121	230
8/4/24 6:30	806	8.2	100	7.9	125	19.5	120	227

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/4/24 6:45	806	8.2	100	7.9	125	19.4	120	227
8/4/24 7:00	806	8.2	100	7.9	125	19.4	120	223
8/4/24 7:15	806	8.2	100	7.9	125	19.3	118	223
8/4/24 7:30	806	8.2	100	7.9	125	19.3	121	223
8/4/24 7:45	806	8.2	100	7.9	125	19.2	117	230
8/4/24 8:00	806	8.2	100	8.0	125	19.2	120	233
8/4/24 8:15	806	8.2	100	7.9	125	19.2	121	230
8/4/24 8:30	813	8.2	100	7.9	125	19.1	125	233
8/4/24 8:45	799	8.2	100	7.9	125	19.2	124	236
8/4/24 9:00	799	8.2	100	7.9	125	19.2	128	242
8/4/24 9:15	799	8.2	101	7.9	125	19.2	129	242
8/4/24 9:30	806	8.2	100	8.0	125	19.2	128	239
8/4/24 9:45	813	8.2	100	8.0	125	19.3	124	233
8/4/24 10:00	806	8.2	100	8.0	125	19.4	125	233
8/4/24 10:15	793	8.2	100	8.0	125	19.4	122	230
8/4/24 10:30	799	8.2	100	8.0	125	19.5	121	227
8/4/24 10:45	806	8.2	100	7.9	125	19.6	119	223
8/4/24 11:00	806	8.2	100	8.0	125	19.6	118	223
8/4/24 11:15	799	8.2	100	7.9	125	19.7	115	220
8/4/24 11:30	799	8.1	101	7.9	125	19.8	116	214
8/4/24 11:45	806	8.1	100	8.0	125	19.9	114	217
8/4/24 12:00	806	8.1	100	7.9	125	20.0	113	220
8/4/24 12:15	799	8.1	100	7.9	125	20.0	115	217
8/4/24 12:30	813	8.1	100	8.0	124	20.1	115	214
8/4/24 12:45	813	8.0	100	8.0	124	20.3	115	217
8/4/24 13:00	813	8.0	100	8.0	124	20.5	114	267
8/4/24 13:15	813	8.0	100	8.0	124	20.6	113	351
8/4/24 13:30	813	8.0	100	8.0	124	20.7	113	227
8/4/24 13:45	806	8.0	100	8.0	124	20.7	115	214
8/4/24 14:00	806	8.0	100	7.9	124	20.8	114	220
8/4/24 14:15	799	7.9	100	8.0	124	20.9	115	217
8/4/24 14:30	799	7.9	100	8.0	124	21.0	114	214
8/4/24 14:45	793	7.9	100	8.0	124	21.1	114	217
8/4/24 15:00	799	7.9	100	8.0	124	21.2	114	211
8/4/24 15:15	793	7.9	100	7.9	124	21.2	115	217
8/4/24 15:30	799	7.8	100	8.0	123	21.2	116	217
8/4/24 15:45	799	7.8	100	8.0	123	21.3	115	217
8/4/24 16:00	806	7.8	100	8.0	123	21.3	116	211
8/4/24 16:15	799	7.8	100	8.0	123	21.5	116	214
8/4/24 16:30	799	7.8	100	8.0	123	21.6	116	211
8/4/24 16:45	806	7.8	100	8.0	123	21.6	116	214
8/4/24 17:00	806	7.8	99	7.9	123	21.7	115	214
8/4/24 17:15	819	7.8	99	8.0	123	21.7	116	211
8/4/24 17:30	806	7.7	99	8.0	123	21.8	116	217
8/4/24 17:45	813	7.7	99	8.0	123	21.8	114	220

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/4/24 18:00	806	7.7	99	8.0	123	21.8	116	220
8/4/24 18:15	813	7.7	99	8.0	122	21.8	117	220
8/4/24 18:30	799	7.7	99	8.0	122	21.9	117	214
8/4/24 18:45	799	7.7	99	8.0	122	21.9	117	217
8/4/24 19:00	799	7.7	99	8.0	122	22.0	118	223
8/4/24 19:15	813	7.7	99	8.0	122	22.0	115	217
8/4/24 19:30	799	7.7	99	7.9	122	22.0	115	220
8/4/24 19:45	806	7.7	99	8.0	122	22.1	115	223
8/4/24 20:00	806	7.7	99	8.0	122	22.1	114	223
8/4/24 20:15	806	7.7	99	7.9	122	22.2	116	217
8/4/24 20:30	799	7.7	99	8.0	122	22.2	116	217
8/4/24 20:45	806	7.6	99	8.0	122	22.2	115	220
8/4/24 21:00	799	7.6	99	8.0	122	22.2	117	230
8/4/24 21:15	793	7.6	99	8.0	122	22.2	118	223
8/4/24 21:30	799	7.7	99	8.0	122	22.2	117	227
8/4/24 21:45	799	7.7	99	7.9	122	22.2	118	223
8/4/24 22:00	813	7.7	99	7.9	123	22.2	118	217
8/4/24 22:15	806	7.7	99	8.0	123	22.2	116	223
8/4/24 22:30	806	7.7	99	7.9	123	22.2	117	223
8/4/24 22:45	799	7.7	99	7.9	123	22.2	115	214
8/4/24 23:00	799	7.7	99	7.9	123	22.1	115	211
8/4/24 23:15	806	7.7	99	7.9	123	22.0	116	217
8/4/24 23:30	799	7.7	99	8.0	123	22.0	115	227
8/4/24 23:45	799	7.7	100	7.9	123	21.9	116	217
8/5/24 0:00	793	7.7	100	7.9	124	21.9	114	217
8/5/24 0:15	793	7.8	100	8.0	124	21.8	113	217
8/5/24 0:30	799	7.8	100	7.9	124	21.7	111	217
8/5/24 0:45	819	7.8	100	7.9	124	21.6	112	208
8/5/24 1:00	799	7.8	99	7.9	124	21.6	109	214
8/5/24 1:15	813	7.8	100	7.9	124	21.5	108	208
8/5/24 1:30	813	7.8	100	8.0	124	21.4	106	211
8/5/24 1:45	806	7.8	100	7.9	124	21.3	109	208
8/5/24 2:00	806	7.9	100	8.0	124	21.2	112	214
8/5/24 2:15	793	7.9	100	8.0	125	21.1	107	208
8/5/24 2:30	793	7.9	100	8.0	125	21.0	107	208
8/5/24 2:45	799	7.9	100	8.0	125	20.9	107	208
8/5/24 3:00	819	7.9	100	8.0	125	20.8	105	205
8/5/24 3:15	819	7.9	100	8.0	125	20.7	104	208
8/5/24 3:30	819	8.0	100	7.9	125	20.6	104	208
8/5/24 3:45	813	8.0	100	8.0	125	20.5	102	
8/5/24 4:00	819	8.0	100	8.0	125	20.4	102	202
8/5/24 4:15	813	8.0	100	7.9	125	20.4	100	
8/5/24 4:30	819	8.0	100	7.9	126	20.3	100	
8/5/24 4:45	813	8.0	100	7.9	126	20.2	100	
8/5/24 5:00	806	8.0	100	7.9	126	20.1	99	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/5/24 5:15	819	8.1	100	8.0	126	20.0	98	
8/5/24 5:30	826	8.1	100	7.9	126	19.9	97	
8/5/24 5:45	860	8.1	100	8.0	126	19.9	99	
8/5/24 6:00	874	8.1	100	8.0	126	19.8	96	
8/5/24 6:15	806	8.1	100	8.0	126	19.7	98	
8/5/24 6:30	826	8.1	100	7.9	125	19.6	97	
8/5/24 6:45	860	8.1	100	7.9	125	19.6	97	
8/5/24 7:00	888	8.1	100	8.0	125	19.5	96	
8/5/24 7:15	853	8.2	100	8.0	125	19.4	95	
8/5/24 7:30	874	8.2	100	8.0	125	19.4	95	
8/5/24 7:45	867	8.2	100	7.9	125	19.3	95	
8/5/24 8:00	867	8.2	100	7.9	125	19.3	95	
8/5/24 8:15	867	8.2	100	7.9	125	19.2	95	
8/5/24 8:30	867	8.2	100	7.9	125	19.2	95	
8/5/24 8:45	867	8.2	100	8.0	125	19.2	97	
8/5/24 9:00	860	8.2	100	8.0	125	19.2	97	
8/5/24 9:15	860	8.2	101	8.0	125	19.3	96	
8/5/24 9:30	874	8.2	101	7.9	125	19.3	95	
8/5/24 9:45	860	8.2	101	7.9	125	19.4	97	
8/5/24 10:00	853	8.2	101	7.9	125	19.4	95	
8/5/24 10:15	853	8.2	101	7.9	125	19.5	95	
8/5/24 10:30	874	8.2	101	8.0	125	19.6	92	
8/5/24 10:45	853	8.2	101	8.0	125	19.6	93	
8/5/24 11:00	860	8.2	101	8.0	125	19.7	91	
8/5/24 11:15	853	8.2	101	8.0	125	19.8	92	
8/5/24 11:30	874	8.2	101	8.0	125	19.9	92	
8/5/24 11:45	860	8.1	101	8.0	125	20.0	92	
8/5/24 12:00	867	8.1	101	7.9	125	20.1	91	
8/5/24 12:15	853	8.1	101	8.0	125	20.2	92	
8/5/24 12:30	839	8.1	101	8.0	125	20.3	92	
8/5/24 12:45	826	8.0	101	8.0	125	20.4	93	
8/5/24 13:00	846	8.0	101	7.9	125	20.5	92	
8/5/24 13:15	860	8.0	101	8.0	125	20.6	92	
8/5/24 13:30	860	8.0	100	8.0	124	20.7	94	
8/5/24 13:45	853	8.0	100	7.9	124	20.8	92	
8/5/24 14:00	846	7.9	100	8.0	124	21.0	92	
8/5/24 14:15	853	7.9	100	7.9	124	21.1	93	
8/5/24 14:30	853	7.9	100	8.0	124	21.2	94	
8/5/24 14:45	853	7.9	100	8.0	124	21.3	94	
8/5/24 15:00	853	7.9	100	8.0	124	21.4	93	
8/5/24 15:15	833	7.8	100	8.0	124	21.4	94	
8/5/24 15:30	846	7.8	100	8.0	124	21.5	95	
8/5/24 15:45	853	7.8	100	8.0	124	21.6	94	
8/5/24 16:00	826	7.8	100	8.0	123	21.6	95	
8/5/24 16:15	826	7.8	100	8.0	123	21.7	96	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/5/24 16:30	853	7.8	100	8.0	123	21.7	95	
8/5/24 16:45	839	7.8	100	8.0	123	21.7	95	
8/5/24 17:00	839	7.8	100	8.0	123	21.8	95	
8/5/24 17:15	833	7.8	100	7.9	123	21.8	94	
8/5/24 17:30	813	7.8	100	8.0	123	21.8	94	
8/5/24 17:45	819	7.8	100	8.0	123	21.8	92	
8/5/24 18:00	826	7.8	99	8.0	123	21.8	95	
8/5/24 18:15	819	7.8	100	8.0	123	21.8	96	
8/5/24 18:30	813	7.8	100	8.0	122	21.8	98	
8/5/24 18:45	806	7.7	99	8.0	122	21.8	99	
8/5/24 19:00	813	7.7	99	8.0	122	21.9	100	
8/5/24 19:15	813	7.7	100	7.9	122	22.0	99	
8/5/24 19:30	813	7.7	100	7.9	122	22.0	102	
8/5/24 19:45	799	7.7	99	8.0	122	22.0	102	
8/5/24 20:00	813	7.7	100	8.0	122	22.1	104	
8/5/24 20:15	819	7.7	100	8.0	122	22.1	101	
8/5/24 20:30	813	7.7	100	7.9	122	22.1	102	
8/5/24 20:45	819	7.7	100	8.0	122	22.2	102	
8/5/24 21:00	813	7.7	100	8.0	122	22.2	101	
8/5/24 21:15	813	7.7	100	8.0	122	22.2	101	
8/5/24 21:30	813	7.7	100	8.0	122	22.2	101	
8/5/24 21:45	813	7.7	100	8.0	123	22.2	101	
8/5/24 22:00	813	7.7	100	7.9	123	22.1	100	
8/5/24 22:15	813	7.7	100	8.0	123	22.1	98	
8/5/24 22:30	813	7.7	100	8.0	123	22.1	99	
8/5/24 22:45	813	7.7	100	8.0	123	22.0	98	
8/5/24 23:00	813	7.8	100	8.0	123	22.0	99	
8/5/24 23:15	813	7.8	100	7.9	123	21.9	99	
8/5/24 23:30	813	7.8	100	8.0	123	21.9	99	
8/5/24 23:45	819	7.8	100	7.9	123	21.8	101	
8/6/24 0:00	813	7.8	100	7.9	124	21.8	102	202
8/6/24 0:15	819	7.8	100	7.9	124	21.8	99	
8/6/24 0:30	813	7.8	100	8.0	124	21.6	98	
8/6/24 0:45	826	7.8	100	8.0	124	21.5	98	
8/6/24 1:00	813	7.8	100	8.0	124	21.4	97	
8/6/24 1:15	819	7.9	100	8.0	124	21.3	95	
8/6/24 1:30	819	7.9	100	8.0	124	21.2	95	
8/6/24 1:45	819	7.9	100	8.0	125	21.1	94	
8/6/24 2:00	826	7.9	100	8.0	125	21.0	94	
8/6/24 2:15	826	7.9	100	8.0	125	20.9	94	
8/6/24 2:30	819	7.9	100	8.0	125	20.8	93	
8/6/24 2:45	819	8.0	100	7.9	125	20.7	94	
8/6/24 3:00	833	8.0	100	8.0	125	20.6	92	
8/6/24 3:15	860	8.0	100	8.0	126	20.5	93	
8/6/24 3:30	839	8.0	100	8.0	126	20.4	91	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/6/24 3:45	846	8.0	100	7.9	126	20.3	89	
8/6/24 4:00	839	8.1	100	7.9	126	20.2	89	
8/6/24 4:15	833	8.1	100	8.0	126	20.1	89	
8/6/24 4:30	839	8.1	100	7.9	126	20.0	88	
8/6/24 4:45	826	8.1	100	8.0	126	19.9	85	
8/6/24 5:00	819	8.1	100	7.9	126	19.8	85	
8/6/24 5:15	819	8.1	100	8.0	126	19.7	84	
8/6/24 5:30	799	8.2	101	8.0	126	19.6	84	
8/6/24 5:45	819	8.2	100	7.9	126	19.5	84	
8/6/24 6:00	813	8.2	100	8.0	126	19.4	82	
8/6/24 6:15	813	8.2	100	7.9	126	19.4	84	
8/6/24 6:30	813	8.2	101	8.0	126	19.3	82	
8/6/24 6:45	826	8.2	101	8.0	126	19.2	82	
8/6/24 7:00	826	8.3	101	7.9	125	19.1	81	
8/6/24 7:15	819	8.3	101	8.0	125	19.1	82	
8/6/24 7:30	826	8.3	100	8.0	125	19.0	81	
8/6/24 7:45	819	8.3	100	8.0	125	18.9	80	
8/6/24 8:00	819	8.3	101	7.9	125	18.9	80	
8/6/24 8:15	813	8.3	101	7.9	125	18.8	79	
8/6/24 8:30	846	8.3	101	8.0	125	18.8	79	
8/6/24 8:45	833	8.3	101	7.9	125	18.8	79	
8/6/24 9:00	839	8.3	101	8.0	125	18.8	79	
8/6/24 9:15	826	8.3	101	8.0	125	18.8	80	
8/6/24 9:30	826	8.3	101	7.9	125	18.9	80	
8/6/24 9:45	826	8.3	101	7.9	125	18.9	79	
8/6/24 10:00	833	8.3	101	7.9	125	19.0	79	
8/6/24 10:15	826	8.3	101	8.0	125	19.0	78	
8/6/24 10:30	806	8.3	101	8.0	125	19.1	77	
8/6/24 10:45	806	8.3	101	8.0	125	19.2	76	
8/6/24 11:00	793	8.3	101	8.0	125	19.2	78	
8/6/24 11:15	793	8.3	101	8.0	125	19.3	77	
8/6/24 11:30	799	8.2	101	8.0	125	19.4	78	
8/6/24 11:45	793	8.2	101	8.0	125	19.5	77	
8/6/24 12:00	819	8.2	101	7.9	125	19.6	77	
8/6/24 12:15	813	8.2	101	8.0	125	19.7	77	
8/6/24 12:30	806	8.2	101	8.0	125	19.8	76	
8/6/24 12:45	806	8.2	101	8.0	125	19.9	77	
8/6/24 13:00	806	8.2	101	8.0	125	20.0	77	
8/6/24 13:15	793	8.1	101	8.0	125	20.1	78	
8/6/24 13:30	786	8.1	101	8.0	124	20.3	78	
8/6/24 13:45	780	8.1	101	8.0	124	20.4	78	
8/6/24 14:00	780	8.1	101	8.0	124	20.5	80	
8/6/24 14:15	786	8.0	101	7.9	124	20.6	80	
8/6/24 14:30	773	8.0	101	8.0	124	20.7	81	
8/6/24 14:45	793	8.0	101	8.0	124	20.8	81	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/6/24 15:00	786	8.0	101	8.0	124	20.9	80
8/6/24 15:15	780	8.0	101	8.0	124	21.0	81
8/6/24 15:30	780	7.9	101	8.0	124	21.1	79
8/6/24 15:45	780	7.9	100	8.0	124	21.2	79
8/6/24 16:00	773	7.9	100	8.0	124	21.2	80
8/6/24 16:15	780	7.9	100	8.0	123	21.3	79
8/6/24 16:30	786	7.9	100	8.0	123	21.4	80
8/6/24 16:45	773	7.9	100	8.0	123	21.4	81
8/6/24 17:00	780	7.9	100	8.0	123	21.4	80
8/6/24 17:15	773	7.8	100	8.0	123	21.5	80
8/6/24 17:30	773	7.8	100	8.0	123	21.5	80
8/6/24 17:45	780	7.8	100	8.0	123	21.5	81
8/6/24 18:00	780	7.8	100	8.0	123	21.6	81
8/6/24 18:15	773	7.8	100	8.0	123	21.6	82
8/6/24 18:30	773	7.8	100	8.0	122	21.6	82
8/6/24 18:45	767	7.8	100	8.0	122	21.7	82
8/6/24 19:00	773	7.8	100	8.0	122	21.7	82
8/6/24 19:15	773	7.8	100	8.0	122	21.8	84
8/6/24 19:30	780	7.8	100	8.0	122	21.8	83
8/6/24 19:45	767	7.8	100	8.0	122	21.8	83
8/6/24 20:00	773	7.8	100	8.0	122	21.9	84
8/6/24 20:15	773	7.8	100	8.0	122	21.9	82
8/6/24 20:30	780	7.8	100	8.0	122	21.9	84
8/6/24 20:45	767	7.8	100	8.0	122	22.0	85
8/6/24 21:00	773	7.7	99	8.0	122	22.0	86
8/6/24 21:15	773	7.8	100	8.0	122	22.0	86
8/6/24 21:30	773	7.8	100	8.0	122	22.0	86
8/6/24 21:45	780	7.8	100	8.0	122	22.0	86
8/6/24 22:00	773	7.8	100	8.0	123	21.9	84
8/6/24 22:15	773	7.8	100	7.9	123	21.9	84
8/6/24 22:30	780	7.8	100	8.0	123	21.9	83
8/6/24 22:45	773	7.8	100	7.9	123	21.8	84
8/6/24 23:00	780	7.8	100	7.9	123	21.8	81
8/6/24 23:15	780	7.8	100	7.9	123	21.7	82
8/6/24 23:30	786	7.8	100	8.0	123	21.6	83
8/6/24 23:45	780	7.8	100	8.0	123	21.5	81
8/7/24 0:00	786	7.9	100	7.9	124	21.4	83
8/7/24 0:15	773	7.9	100	8.0	124	21.4	81
8/7/24 0:30	773	7.9	100	8.0	124	21.3	81
8/7/24 0:45	780	7.9	100	7.9	124	21.2	81
8/7/24 1:00	780	7.9	100	7.9	124	21.1	82
8/7/24 1:15	786	7.9	100	8.0	124	21.0	82
8/7/24 1:30	780	8.0	100	8.0	125	20.9	82
8/7/24 1:45	780	8.0	100	8.0	125	20.8	82
8/7/24 2:00	780	8.0	100	7.9	125	20.7	84

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/7/24 2:15	773	8.0	100	7.9	125	20.5	84	
8/7/24 2:30	786	8.0	100	8.0	125	20.4	82	
8/7/24 2:45	773	8.0	100	7.9	125	20.3	82	
8/7/24 3:00	819	8.1	100	8.0	125	20.2	83	
8/7/24 3:15	786	8.1	100	8.0	126	20.0	80	
8/7/24 3:30	786	8.1	101	8.0	126	19.9	81	
8/7/24 3:45	793	8.2	101	8.0	126	19.8	79	
8/7/24 4:00	780	8.2	100	8.0	126	19.7	78	
8/7/24 4:15	786	8.2	100	8.0	126	19.6	79	
8/7/24 4:30	786	8.2	101	8.0	126	19.4	77	
8/7/24 4:45	793	8.2	101	7.9	126	19.3	76	
8/7/24 5:00	793	8.2	101	8.0	126	19.2	75	
8/7/24 5:15	786	8.3	101	7.9	126	19.1	76	
8/7/24 5:30	793	8.3	100	8.0	126	19.0	76	
8/7/24 5:45	786	8.3	100	7.9	126	18.9	76	
8/7/24 6:00	786	8.3	100	8.0	126	18.8	77	
8/7/24 6:15	799	8.3	101	7.9	126	18.7	76	
8/7/24 6:30	793	8.4	101	7.9	126	18.6	75	
8/7/24 6:45	793	8.4	101	8.0	126	18.5	74	
8/7/24 7:00	786	8.4	101	8.0	126	18.4	73	
8/7/24 7:15	793	8.4	101	8.0	126	18.4	72	
8/7/24 7:30	793	8.4	101	8.0	125	18.3	72	
8/7/24 7:45	799	8.4	101	8.0	125	18.2	70	
8/7/24 8:00	793	8.4	101	8.0	125	18.2	70	
8/7/24 8:15	780	8.4	101	8.0	125	18.1	72	
8/7/24 8:30	773	8.5	101	8.0	125	18.1	70	
8/7/24 8:45	773	8.5	101	7.9	125	18.0	69	
8/7/24 9:00	780	8.5	101	8.0	125	18.0	70	
8/7/24 9:15	773	8.5	101	8.0	125	18.1	70	
8/7/24 9:30	773	8.5	101	7.9	125	18.1	70	
8/7/24 9:45	773	8.5	101	7.9	125	18.1	69	
8/7/24 10:00	773	8.5	101	8.0	125	18.2	70	
8/7/24 10:15	780	8.5	101	8.0	125	18.2	69	
8/7/24 10:30	773	8.5	101	8.0	125	18.3	68	
8/7/24 10:45	780	8.4	101	8.0	125	18.3	70	
8/7/24 11:00	780	8.4	101	8.0	125	18.4	70	
8/7/24 11:15	773	8.4	101	8.0	125	18.5	69	
8/7/24 11:30	780	8.4	101	8.0	125	18.6	69	
8/7/24 11:45	780	8.4	101	8.0	125	18.7	70	
8/7/24 12:00	780	8.4	101	8.0	125	18.8	68	
8/7/24 12:15	780	8.4	101	8.0	125	18.8	67	
8/7/24 12:30	773	8.3	101	8.0	125	18.9	68	
8/7/24 12:45	773	8.3	101	8.0	125	19.0	66	
8/7/24 13:00	780	8.3	101	8.0	124	19.2	66	
8/7/24 13:15	773	8.3	101	8.0	124	19.3	66	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/7/24 13:30	773	8.2	101	8.0	124	19.4	67	
8/7/24 13:45	773	8.2	101	8.0	124	19.5	67	
8/7/24 14:00	773	8.2	101	8.0	124	19.7	67	
8/7/24 14:15	773	8.2	101	8.0	124	19.8	68	
8/7/24 14:30	767	8.2	101	8.0	124	19.9	69	
8/7/24 14:45	773	8.1	101	8.0	124	20.0	69	
8/7/24 15:00	773	8.1	101	8.0	124	20.1	70	
8/7/24 15:15	773	8.1	100	8.0	124	20.2	69	
8/7/24 15:30	767	8.1	100	8.0	124	20.2	69	
8/7/24 15:45	773	8.0	100	8.0	124	20.4	70	
8/7/24 16:00	773	8.0	100	8.0	123	20.4	70	
8/7/24 16:15	767	8.0	100	8.0	123	20.5	70	
8/7/24 16:30	761	8.0	100	8.0	123	20.6	71	
8/7/24 16:45	767	8.0	100	8.0	123	20.6	70	
8/7/24 17:00	767	8.0	100	8.0	123	20.7	71	
8/7/24 17:15	761	8.0	100	8.0	123	20.8	70	
8/7/24 17:30	767	7.9	100	8.0	123	20.8	71	
8/7/24 17:45	780	7.9	100	8.0	123	20.9	71	
8/7/24 18:00	773	7.9	100	8.0	123	21.0	71	
8/7/24 18:15	773	7.9	100	8.0	123	21.1	74	
8/7/24 18:30	773	7.9	100	8.0	122	21.1	71	
8/7/24 18:45	773	7.9	100	8.0	122	21.2	74	
8/7/24 19:00	773	7.9	100	8.0	122	21.2	74	
8/7/24 19:15	767	7.8	100	8.0	122	21.3	76	
8/7/24 19:30	767	7.8	100	8.0	122	21.3	77	
8/7/24 19:45	767	7.8	100	7.9	122	21.4	76	
8/7/24 20:00	780	7.8	100	8.0	122	21.4	77	
8/7/24 20:15	767	7.8	100	7.9	122	21.4	77	
8/7/24 20:30	780	7.8	100	8.0	122	21.4	76	
8/7/24 20:45	780	7.8	100	8.0	122	21.5	76	
8/7/24 21:00	773	7.8	100	8.0	122	21.5	78	
8/7/24 21:15	773	7.8	100	8.0	122	21.5	78	
8/7/24 21:30	780	7.8	100	8.0	123	21.5	78	
8/7/24 21:45	780	7.8	100	8.0	123	21.5	76	
8/7/24 22:00	780	7.8	100	8.0	123	21.5	79	
8/7/24 22:15	773	7.8	100	7.9	123	21.5	78	
8/7/24 22:30	767	7.8	100	8.0	123	21.5	77	
8/7/24 22:45	780	7.8	100	8.0	123	21.4	77	
8/7/24 23:00	773	7.8	100	8.0	123	21.4	78	
8/7/24 23:15	786	7.8	100	7.9	123	21.3	77	
8/7/24 23:30	780	7.9	100	7.9	123	21.3	76	
8/7/24 23:45	786	7.9	100	8.0	124	21.2	76	
8/8/24 0:00	786	7.9	100	8.0	124	21.2	75	
8/8/24 0:15	786	7.9	100	8.0	124	21.1	74	
8/8/24 0:30	793	7.9	100	7.9	124	21.0	74	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/8/24 0:45	773	7.9	100	8.0	124	20.9	74	
8/8/24 1:00	773	7.9	100	8.0	124	20.8	73	
8/8/24 1:15	773	8.0	100	8.0	124	20.8	74	
8/8/24 1:30	773	8.0	100	8.0	124	20.8	74	
8/8/24 1:45	767	8.0	100	7.9	125	20.6	74	
8/8/24 2:00	773	8.0	100	8.0	125	20.5	73	
8/8/24 2:15	773	8.0	100	7.9	125	20.4	74	
8/8/24 2:30	773	8.0	100	8.0	125	20.3	73	
8/8/24 2:45	767	8.0	100	7.9	125	20.2	74	
8/8/24 3:00	773	8.1	100	8.0	125	20.1	72	
8/8/24 3:15	806	8.1	100	8.0	125	20.0	72	
8/8/24 3:30	793	8.1	100	7.9	125	19.8	72	
8/8/24 3:45	799	8.1	100	8.0	125	19.8	73	
8/8/24 4:00	793	8.1	100	7.9	125	19.7	72	
8/8/24 4:15	793	8.1	100	8.0	126	19.6	72	
8/8/24 4:30	793	8.2	100	8.0	126	19.5	72	227
8/8/24 4:45	793	8.2	100	7.9	126	19.4	71	
8/8/24 5:00	793	8.2	100	7.9	126	19.3	70	
8/8/24 5:15	786	8.2	100	8.0	126	19.2	70	
8/8/24 5:30	786	8.2	100	8.0	126	19.2	70	
8/8/24 5:45	786	8.2	100	8.0	126	19.2	70	
8/8/24 6:00	793	8.2	100	8.0	126	19.0	70	
8/8/24 6:15	786	8.3	100	8.0	126	18.9	69	
8/8/24 6:30	786	8.3	100	8.0	125	18.8	68	
8/8/24 6:45	786	8.3	100	8.0	125	18.8	67	
8/8/24 7:00	799	8.3	100	7.9	125	18.7	68	
8/8/24 7:15	786	8.3	100	7.9	125	18.6	65	
8/8/24 7:30	786	8.3	100	7.9	125	18.6	66	
8/8/24 7:45	793	8.4	101	7.9	125	18.5	66	
8/8/24 8:00	786	8.4	100	8.0	125	18.5	66	
8/8/24 8:15	793	8.4	101	8.0	125	18.5	65	
8/8/24 8:30	793	8.4	101	8.0	125	18.5	64	
8/8/24 8:45	793	8.4	100	8.0	125	18.4	64	
8/8/24 9:00	793	8.4	101	7.9	125	18.4	64	
8/8/24 9:15	799	8.4	101	7.9	125	18.4	64	
8/8/24 9:30	793	8.4	101	8.0	125	18.4	64	
8/8/24 9:45	793	8.4	101	8.0	125	18.5	64	
8/8/24 10:00	799	8.4	101	8.0	125	18.5	63	
8/8/24 10:15	793	8.4	101	8.0	125	18.6	63	
8/8/24 10:30	799	8.4	101	8.0	125	18.7	63	
8/8/24 10:45	799	8.4	101	8.0	125	18.7	62	
8/8/24 11:00	786	8.3	101	8.0	125	18.8	63	
8/8/24 11:15	799	8.3	101	7.9	125	18.9	62	
8/8/24 11:30	813	8.3	101	8.0	125	19.0	62	
8/8/24 11:45	813	8.3	101	8.0	125	19.1	62	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/8/24 12:00	806	8.3	101	8.0	125	19.2	60	
8/8/24 12:15	813	8.3	101	8.0	125	19.3	60	
8/8/24 12:30	826	8.2	101	8.0	125	19.4	62	
8/8/24 12:45	826	8.2	101	8.0	125	19.5	62	
8/8/24 13:00	826	8.2	101	8.0	125	19.6	62	
8/8/24 13:15	806	8.2	101	8.0	124	19.7	62	
8/8/24 13:30	799	8.2	101	8.0	124	19.8	62	
8/8/24 13:45	793	8.1	101	8.0	124	20.0	62	
8/8/24 14:00	813	8.1	101	8.0	124	20.1	62	
8/8/24 14:15	799	8.1	101	8.0	124	20.2	62	
8/8/24 14:30	826	8.1	101	8.0	124	20.3	63	
8/8/24 14:45	826	8.0	100	8.0	124	20.4	63	
8/8/24 15:00	819	8.0	101	8.0	124	20.5	63	
8/8/24 15:15	813	8.0	100	8.0	124	20.6	64	
8/8/24 15:30	813	8.0	100	8.0	124	20.7	64	
8/8/24 15:45	806	8.0	100	8.0	124	20.8	64	
8/8/24 16:00	813	8.0	100	8.0	123	20.9	65	
8/8/24 16:15	793	7.9	100	8.0	123	20.9	66	
8/8/24 16:30	799	7.9	100	8.0	123	21.0	66	
8/8/24 16:45	793	7.9	100	8.0	123	21.0	65	
8/8/24 17:00	793	7.9	100	8.0	123	21.0	65	
8/8/24 17:15	793	7.9	100	8.0	123	21.0	64	
8/8/24 17:30	799	7.9	100	8.0	123	21.1	64	
8/8/24 17:45	793	7.9	100	8.0	123	21.1	64	
8/8/24 18:00	799	7.9	100	8.0	123	21.1	63	
8/8/24 18:15	799	7.9	100	8.0	122	21.1	63	
8/8/24 18:30	786	7.9	100	8.0	122	21.2	62	
8/8/24 18:45	799	7.9	100	8.0	122	21.2	64	
8/8/24 19:00	786	7.9	100	8.0	122	21.2	64	
8/8/24 19:15	773	7.9	100	8.0	122	21.3	64	
8/8/24 19:30	780	7.8	100	8.0	122	21.3	64	
8/8/24 19:45	786	7.8	100	8.0	122	21.4	64	
8/8/24 20:00	786	7.8	100	8.0	122	21.4	65	
8/8/24 20:15	767	7.8	100	8.0	122	21.4	64	
8/8/24 20:30	754	7.8	100	8.0	122	21.5	65	
8/8/24 20:45	767	7.8	100	8.0	122	21.5	64	
8/8/24 21:00	761	7.8	100	8.0	122	21.6	64	
8/8/24 21:15	773	7.8	100	8.0	122	21.6	63	
8/8/24 21:30	767	7.8	100	8.0	122	21.6	63	
8/8/24 21:45	761	7.8	100	8.0	123	21.6	62	
8/8/24 22:00	767	7.8	100	8.0	123	21.6	61	
8/8/24 22:15	780	7.8	100	7.9	123	21.6	62	
8/8/24 22:30	780	7.8	100	8.0	123	21.5	62	
8/8/24 22:45	780	7.8	100	8.0	123	21.5	62	
8/8/24 23:00	786	7.8	100	8.0	123	21.4	62	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/8/24 23:15	780	7.9	100	8.0	123	21.4	61	
8/8/24 23:30	793	7.9	100	7.9	124	21.3	62	
8/8/24 23:45	773	7.9	100	8.0	124	21.2	62	
8/9/24 0:00	786	7.9	100	8.0	124	21.2	62	
8/9/24 0:15	793	7.9	100	7.9	124	21.1	63	
8/9/24 0:30	793	7.9	100	8.0	124	21.0	62	
8/9/24 0:45	786	7.9	100	8.0	124	21.0	63	
8/9/24 1:00	780	7.9	100	8.0	124	20.8	61	
8/9/24 1:15	773	8.0	100	7.9	124	20.8	60	
8/9/24 1:30	786	8.0	100	8.0	124	20.7	59	
8/9/24 1:45	773	8.0	100	7.9	125	20.6	59	
8/9/24 2:00	780	8.0	100	7.9	125	20.5	58	
8/9/24 2:15	780	8.0	100	8.0	125	20.4	58	
8/9/24 2:30	773	8.0	100	7.9	125	20.3	57	
8/9/24 2:45	773	8.0	100	8.0	125	20.2	58	
8/9/24 3:00	773	8.1	100	8.0	125	20.1	57	
8/9/24 3:15	773	8.1	100	7.9	125	20.0	57	
8/9/24 3:30	819	8.1	100	8.0	126	19.9	57	
8/9/24 3:45	806	8.1	100	8.0	126	19.8	57	
8/9/24 4:00	813	8.1	100	7.9	126	19.7	56	
8/9/24 4:15	813	8.1	100	7.9	126	19.6	56	
8/9/24 4:30	799	8.2	100	7.9	126	19.5	56	
8/9/24 4:45	799	8.2	100	8.0	126	19.4	56	
8/9/24 5:00	806	8.2	100	8.0	126	19.3	55	
8/9/24 5:15	786	8.2	100	8.0	126	19.2	54	
8/9/24 5:30	806	8.2	100	8.0	126	19.1	52	
8/9/24 5:45	793	8.2	100	7.9	126	19.0	54	
8/9/24 6:00	799	8.3	100	8.0	126	19.0	53	
8/9/24 6:15	799	8.3	100	8.0	126	18.9	54	
8/9/24 6:30	793	8.3	100	8.0	126	18.8	53	
8/9/24 6:45	799	8.3	100	7.9	126	18.7	53	
8/9/24 7:00	813	8.3	100	7.9	126	18.7	53	
8/9/24 7:15	799	8.3	101	7.9	126	18.6	51	
8/9/24 7:30	806	8.4	101	8.0	126	18.5	52	
8/9/24 7:45	799	8.4	101	8.0	125	18.5	52	
8/9/24 8:00	799	8.4	101	8.0	125	18.5	51	
8/9/24 8:15	813	8.4	101	7.9	125	18.4	50	
8/9/24 8:30	806	8.4	101	7.9	125	18.4	51	
8/9/24 8:45	806	8.4	101	7.9	125	18.4	52	
8/9/24 9:00	806	8.4	101	8.0	125	18.4	51	
8/9/24 9:15	806	8.4	101	7.9	125	18.4	51	
8/9/24 9:30	799	8.4	101	8.0	125	18.4	51	
8/9/24 9:45	793	8.4	101	8.0	125	18.4	50	
8/9/24 10:00	799	8.4	101	8.0	125	18.4	50	
8/9/24 10:15	799	8.4	101	8.0	125	18.5	50	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/9/24 10:30	793	8.4	101	8.0	125	18.5	50	
8/9/24 10:45	799	8.4	101	8.0	125	18.6	49	
8/9/24 11:00	799	8.4	101	8.0	125	18.7	48	
8/9/24 11:15	799	8.4	101	8.0	125	18.8	49	
8/9/24 11:30	793	8.4	101	8.0	125	18.9	48	
8/9/24 11:45	806	8.3	101	8.0	125	19.0	48	
8/9/24 12:00	793	8.3	101	8.0	125	19.1	46	
8/9/24 12:15	793	8.3	101	8.0	125	19.2	49	
8/9/24 12:30	793	8.3	101	8.0	125	19.3	47	
8/9/24 12:45	799	8.3	101	8.0	125	19.4	47	
8/9/24 13:00	799	8.2	101	8.0	124	19.5	46	
8/9/24 13:15	799	8.2	101	8.0	124	19.6	47	
8/9/24 13:30	799	8.2	101	8.0	124	19.7	46	
8/9/24 13:45	799	8.2	101	8.0	124	19.7	48	
8/9/24 14:00	793	8.2	101	8.0	124	19.9	48	
8/9/24 14:15	793	8.1	101	8.0	124	20.0	47	
8/9/24 14:30	799	8.1	101	8.0	124	20.1	48	
8/9/24 14:45	799	8.1	101	8.0	124	20.2	48	
8/9/24 15:00	793	8.1	101	8.0	124	20.3	48	
8/9/24 15:15	793	8.1	101	8.0	124	20.3		
8/9/24 15:30	793	8.0	101	8.0	124	20.5	48	
8/9/24 15:45	799	8.0	101	8.0	124	20.6	48	
8/9/24 16:00	793	8.0	100	8.0	124	20.6	49	
8/9/24 16:15	806	8.0	100	8.0	123	20.7	48	
8/9/24 16:30	806	8.0	100	8.0	123	20.8	49	
8/9/24 16:45	799	8.0	100	8.0	123	20.8	50	
8/9/24 17:00	786	8.0	100	8.0	123	20.8	48	
8/9/24 17:15	799	8.0	100	8.0	123	20.9	49	
8/9/24 17:30	786	7.9	100	8.0	123	20.9	48	
8/9/24 17:45	793	7.9	100	8.0	123	20.9	49	
8/9/24 18:00	786	7.9	100	8.0	123	20.9	50	
8/9/24 18:15	786	7.9	100	8.0	123	21.0	49	
8/9/24 18:30	780	7.9	100	8.0	122	21.0	49	
8/9/24 18:45	786	7.9	100	8.0	122	21.0	49	
8/9/24 19:00	786	7.9	100	8.0	122	21.1	49	
8/9/24 19:15	786	7.9	100	8.0	122	21.2	49	
8/9/24 19:30	786	7.9	100	8.0	122	21.2	48	
8/9/24 19:45	793	7.9	100	8.0	122	21.3	49	
8/9/24 20:00	786	7.9	100	8.0	122	21.3	49	
8/9/24 20:15	793	7.9	100	8.0	122	21.4	48	
8/9/24 20:30	780	7.8	100	8.0	122	21.4	48	
8/9/24 20:45	793	7.8	100	8.0	122	21.4	48	
8/9/24 21:00	786	7.8	100	8.0	122	21.4	48	
8/9/24 21:15	786	7.8	100	8.0	122	21.5	48	
8/9/24 21:30	780	7.8	100	8.0	122	21.5	48	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/9/24 21:45	780	7.8	100	8.0	122	21.5	48	
8/9/24 22:00	799	7.8	100	8.0	123	21.5	48	
8/9/24 22:15	786	7.8	100	8.0	123	21.4	48	
8/9/24 22:30	786	7.8	100	8.0	123	21.4	47	
8/9/24 22:45	786	7.9	100	8.0	123	21.4	47	
8/9/24 23:00	786	7.9	100	8.0	123	21.4	46	
8/9/24 23:15	793	7.9	100	8.0	123	21.3	46	
8/9/24 23:30	793	7.9	100	8.0	124	21.3	46	
8/9/24 23:45	793	7.9	100	8.0	124	21.2	46	
8/10/24 0:00	799	7.9	100	8.0	124	21.1	45	
8/10/24 0:15	793	7.9	100	8.0	124	21.1	45	
8/10/24 0:30	793	7.9	100	8.0	124	21.0	44	
8/10/24 0:45	793	7.9	100	8.0	124	20.9	44	
8/10/24 1:00	793	8.0	100	8.0	124	20.9	45	
8/10/24 1:15	799	8.0	100	8.0	125	20.8	45	
8/10/24 1:30	793	8.0	100	8.0	125	20.7	45	
8/10/24 1:45	799	8.0	100	8.0	125	20.6	44	
8/10/24 2:00	799	8.0	101	8.0	125	20.5	44	
8/10/24 2:15	793	8.0	101	8.0	125	20.4	44	
8/10/24 2:30	793	8.0	100	8.0	126	20.3	44	
8/10/24 2:45	799	8.0	100	8.0	126	20.2	44	
8/10/24 3:00	793	8.1	100	8.0	126	20.1	43	
8/10/24 3:15	799	8.1	101	8.0	126	20.0	43	
8/10/24 3:30	799	8.1	100	8.0	126	19.9	43	
8/10/24 3:45	806	8.2	101	8.0	126	19.8	42	
8/10/24 4:00	799	8.2	100	8.0	126	19.7	42	
8/10/24 4:15	806	8.2	100	8.0	126	19.6	41	
8/10/24 4:30	799	8.2	100	8.0	126	19.5	41	
8/10/24 4:45	786	8.2	101	8.0	126	19.4	40	
8/10/24 5:00	799	8.2	101	8.0	126	19.3	40	
8/10/24 5:15	799	8.3	101	8.0	126	19.2	39	
8/10/24 5:30	799	8.3	101	8.0	126	19.1	39	
8/10/24 5:45	793	8.3	101	8.0	126	19.0	38	
8/10/24 6:00	806	8.3	101	7.9	126	19.0	39	
8/10/24 6:15	799	8.3	101	8.0	126	18.9	39	
8/10/24 6:30	799	8.3	101	8.0	126	18.8	38	
8/10/24 6:45	793	8.3	101	8.0	126	18.7	38	
8/10/24 7:00	813	8.4	101	8.0	126	18.6	38	
8/10/24 7:15	833	8.4	101	8.0	126	18.6	38	
8/10/24 7:30	813	8.4	101	8.0	126	18.5	38	
8/10/24 7:45	813	8.4	101	8.0	125	18.4	38	
8/10/24 8:00	813	8.4	101	8.0	125	18.4	38	
8/10/24 8:15	813	8.4	101	7.9	125	18.4	38	
8/10/24 8:30	813	8.4	101	8.0	125	18.3	36	
8/10/24 8:45	819	8.4	101	8.0	125	18.3	36	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/10/24 9:00	813	8.4	101	8.0	125	18.3	36	
8/10/24 9:15	819	8.4	101	8.0	125	18.3	36	
8/10/24 9:30	819	8.4	101	8.0	125	18.4	37	
8/10/24 9:45	813	8.4	101	8.0	125	18.4	36	
8/10/24 10:00	813	8.4	102	8.0	125	18.5	35	
8/10/24 10:15	806	8.4	102	8.0	125	18.5	35	
8/10/24 10:30	819	8.4	102	8.0	125	18.6	35	
8/10/24 10:45	813	8.4	102	8.0	125	18.7	35	
8/10/24 11:00	819	8.4	102	8.0	125	18.7	35	
8/10/24 11:15	813	8.4	102	8.0	125	18.8	34	
8/10/24 11:30	819	8.4	102	8.0	125	18.9	34	
8/10/24 11:45	826	8.4	102	8.0	125	19.0	34	
8/10/24 12:00	819	8.4	102	8.0	125	19.1	34	
8/10/24 12:15	819	8.3	102	8.0	125	19.2	34	
8/10/24 12:30	819	8.3	102	8.0	125	19.3	34	
8/10/24 12:45	819	8.3	102	8.0	125	19.3	34	
8/10/24 13:00	819	8.3	102	8.0	124	19.5	35	
8/10/24 13:15	819	8.3	102	8.0	124	19.6	34	
8/10/24 13:30	806	8.2	101	8.0	124	19.8	35	
8/10/24 13:45	826	8.2	101	8.0	124	19.9	35	
8/10/24 14:00	833	8.2	102	8.0	124	20.0	35	
8/10/24 14:15	833	8.2	102	8.0	124	20.0	35	
8/10/24 14:30	813	8.1	101	8.0	124	20.2	36	
8/10/24 14:45	826	8.1	101	8.0	124	20.3	35	
8/10/24 15:00	833	8.1	101	8.0	124	20.4	39	
8/10/24 15:15	819	8.1	101	8.0	124	20.5	35	
8/10/24 15:30	826	8.1	101	8.0	124	20.6	36	
8/10/24 15:45	819	8.0	101	8.0	124	20.7	35	
8/10/24 16:00	819	8.0	101	8.0	124	20.7	36	
8/10/24 16:15	813	8.0	101	8.0	123	20.8	36	
8/10/24 16:30	826	8.0	101	8.0	123	20.8	36	
8/10/24 16:45	813	8.0	101	8.0	123	20.9	36	
8/10/24 17:00	819	8.0	101	8.0	123	21.0	37	
8/10/24 17:15	819	8.0	100	8.0	123	21.0	37	
8/10/24 17:30	826	7.9	100	8.0	123	21.0	36	
8/10/24 17:45	826	7.9	100	8.0	123	21.0	37	
8/10/24 18:00	819	7.9	100	8.0	123	21.0	37	
8/10/24 18:15	826	7.9	100	8.0	123	21.1	38	
8/10/24 18:30	819	7.9	100	8.0	122	21.1	38	
8/10/24 18:45	833	7.9	100	8.0	122	21.2	37	
8/10/24 19:00	833	7.9	100	8.0	122	21.2	38	
8/10/24 19:15	819	7.9	100	8.0	122	21.2	38	
8/10/24 19:30	826	7.9	100	8.0	122	21.2	38	
8/10/24 19:45	826	7.9	100	8.0	122	21.3	38	
8/10/24 20:00	839	7.9	100	8.0	122	21.4	38	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/10/24 20:15	826	7.9	100	8.0	122	21.4	38	
8/10/24 20:30	813	7.9	100	8.0	122	21.4	39	
8/10/24 20:45	813	7.8	100	8.0	122	21.4	38	
8/10/24 21:00	806	7.8	100	8.0	122	21.5	39	
8/10/24 21:15	799	7.8	100	8.0	122	21.5	38	
8/10/24 21:30	806	7.8	100	8.0	122	21.5	39	
8/10/24 21:45	806	7.8	100	8.0	123	21.5	39	
8/10/24 22:00	806	7.8	100	8.0	123	21.5	39	
8/10/24 22:15	806	7.9	100	8.0	123	21.5	39	
8/10/24 22:30	806	7.9	100	8.0	123	21.4	38	
8/10/24 22:45	799	7.9	100	8.0	123	21.4	38	
8/10/24 23:00	806	7.9	100	8.0	123	21.3	38	
8/10/24 23:15	806	7.9	100	8.0	123	21.3	37	
8/10/24 23:30	806	7.9	100	8.0	124	21.2	37	
8/10/24 23:45	806	7.9	100	8.0	124	21.2	37	
8/11/24 0:00	813	7.9	100	8.0	124	21.1	37	
8/11/24 0:15	813	8.0	101	8.0	124	21.0	38	
8/11/24 0:30	826	7.9	100	8.0	124	21.0	38	
8/11/24 0:45	826	8.0	100	8.0	124	20.9	37	
8/11/24 1:00	813	8.0	100	8.0	125	20.8	37	
8/11/24 1:15	806	8.0	101	8.0	125	20.7	37	
8/11/24 1:30	813	8.0	101	8.0	125	20.6	37	
8/11/24 1:45	813	8.0	101	8.0	125	20.6	37	
8/11/24 2:00	819	8.0	101	8.0	125	20.4	37	
8/11/24 2:15	806	8.1	101	8.0	125	20.3	36	
8/11/24 2:30	806	8.1	100	8.0	126	20.2	36	
8/11/24 2:45	799	8.1	101	8.0	126	20.1	35	
8/11/24 3:00	806	8.1	101	7.9	126	20.0	35	
8/11/24 3:15	806	8.1	101	7.9	126	19.9	35	
8/11/24 3:30	799	8.2	101	7.9	126	19.8	34	
8/11/24 3:45	793	8.2	100	8.0	126	19.7	33	
8/11/24 4:00	799	8.2	100	8.0	126	19.6	33	
8/11/24 4:15	780	8.2	101	8.0	126	19.5	33	
8/11/24 4:30	793	8.2	101	8.0	126	19.4	33	
8/11/24 4:45	799	8.3	101	8.0	126	19.2	33	
8/11/24 5:00	793	8.2	101	8.0	126	19.2	33	
8/11/24 5:15	799	8.3	101	8.0	126	19.1	32	
8/11/24 5:30	793	8.3	101	8.0	126	19.1	32	
8/11/24 5:45	793	8.3	101	8.0	126	18.9	32	
8/11/24 6:00	793	8.3	101	7.9	126	18.8	32	
8/11/24 6:15	793	8.3	101	8.0	126	18.7	31	
8/11/24 6:30	799	8.4	101	7.9	126	18.6	31	
8/11/24 6:45	793	8.4	101	8.0	126	18.6	31	
8/11/24 7:00	799	8.4	101	8.0	126	18.5	31	
8/11/24 7:15	806	8.4	101	8.0	126	18.4	30	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			pH	Water		
		(mg/L)	DO (%)	Specific conductance (μ S/cm)		Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/11/24 7:30	813	8.4	101	8.0	126	18.4	31	
8/11/24 7:45	813	8.4	101	8.0	126	18.3	31	
8/11/24 8:00	799	8.4	101	7.9	126	18.3	30	
8/11/24 8:15	813	8.4	101	7.9	125	18.2	30	
8/11/24 8:30	813	8.4	101	8.0	125	18.2	30	
8/11/24 8:45	799	8.5	101	8.0	125	18.2	30	
8/11/24 9:00	806	8.5	101	8.0	125	18.2	30	
8/11/24 9:15	806	8.5	101	8.0	125	18.2	30	
8/11/24 9:30	813	8.5	101	8.0	125	18.2	29	
8/11/24 9:45	813	8.5	101	8.0	125	18.2	30	
8/11/24 10:00	806	8.5	101	8.0	125	18.3	29	
8/11/24 10:15	806	8.5	102	8.0	125	18.4	29	
8/11/24 10:30	799	8.5	102	8.0	125	18.4	29	
8/11/24 10:45	806	8.5	102	8.0	125	18.5	29	
8/11/24 11:00	813	8.4	102	8.0	125	18.6	29	
8/11/24 11:15	806	8.4	102	8.0	125	18.6	29	
8/11/24 11:30	806	8.4	102	8.0	125	18.8	28	
8/11/24 11:45	806	8.4	102	8.0	125	18.8	28	
8/11/24 12:00	813	8.4	102	8.0	125	19.0	28	
8/11/24 12:15	806	8.4	102	8.0	125	19.0	28	
8/11/24 12:30	819	8.4	102	8.0	125	19.1	28	
8/11/24 12:45	806	8.4	102	8.0	125	19.2	27	
8/11/24 13:00	793	8.3	102	8.1	125	19.4	27	
8/11/24 13:15	813	8.3	102	8.0	125	19.5	27	
8/11/24 13:30	806	8.3	102	8.1	124	19.6	28	
8/11/24 13:45	806	8.2	102	8.0	124	19.7	27	
8/11/24 14:00	806	8.2	102	8.0	124	19.8	28	
8/11/24 14:15	813	8.2	102	8.0	124	19.8	28	
8/11/24 14:30	806	8.2	102	8.1	124	20.0	28	
8/11/24 14:45	819	8.2	102	8.1	124	20.0	28	
8/11/24 15:00	813	8.1	101	8.1	124	20.2	28	
8/11/24 15:15	813	8.1	101	8.1	124	20.3	28	
8/11/24 15:30	806	8.1	101	8.0	124	20.4	29	
8/11/24 15:45	806	8.1	101	8.0	124	20.5	28	
8/11/24 16:00	806	8.1	101	8.0	124	20.6	29	
8/11/24 16:15	806	8.0	101	8.1	124	20.6	29	
8/11/24 16:30	799	8.0	101	8.1	123	20.7	28	
8/11/24 16:45	806	8.0	101	8.0	123	20.7	29	
8/11/24 17:00	813	8.0	101	8.0	123	20.8	29	
8/11/24 17:15	806	8.0	101	8.0	123	20.8	29	
8/11/24 17:30	806	8.0	100	8.1	123	20.8	29	
8/11/24 17:45	813	8.0	100	8.0	123	20.9	29	
8/11/24 18:00	806	8.0	100	8.0	123	20.9	30	
8/11/24 18:15	799	7.9	100	8.0	123	20.9	29	
8/11/24 18:30	813	7.9	100	8.0	123	21.0	29	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/11/24 18:45	806	7.9	100	8.0	122	21.0	30	
8/11/24 19:00	806	7.9	100	8.0	122	21.1	30	
8/11/24 19:15	799	7.9	100	8.0	122	21.1	30	
8/11/24 19:30	806	7.9	100	8.1	122	21.1	31	
8/11/24 19:45	799	7.9	100	8.0	122	21.2	31	
8/11/24 20:00	806	7.9	100	8.0	122	21.2	31	
8/11/24 20:15	806	7.9	100	8.0	122	21.2	31	
8/11/24 20:30	806	7.9	100	8.0	122	21.3	31	
8/11/24 20:45	793	7.9	100	8.0	122	21.3	31	
8/11/24 21:00	799	7.9	100	8.0	122	21.3	32	
8/11/24 21:15	793	7.9	100	8.0	123	21.4	32	
8/11/24 21:30	793	7.9	100	8.0	123	21.4	32	
8/11/24 21:45	793	7.9	100	8.0	123	21.4	32	
8/11/24 22:00	806	7.9	100	8.0	123	21.4	32	
8/11/24 22:15	806	7.9	100	8.0	123	21.3	32	
8/11/24 22:30	806	7.9	100	8.0	123	21.3	31	
8/11/24 22:45	806	7.9	100	8.0	123	21.3	32	
8/11/24 23:00	833	7.9	100	8.0	124	21.2	31	
8/11/24 23:15	813	7.9	100	8.0	124	21.2	30	
8/11/24 23:30	819	7.9	100	8.0	124	21.1	31	
8/11/24 23:45	833	7.9	100	8.0	124	21.0	31	
8/12/24 0:00	833	7.9	100	8.0	124	21.0	30	
8/12/24 0:15	826	7.9	100	8.0	124	20.9	30	
8/12/24 0:30	806	8.0	100	8.0	125	20.8	30	
8/12/24 0:45	793	8.0	100	8.0	125	20.7	30	
8/12/24 1:00	806	8.0	100	8.0	125	20.7	29	
8/12/24 1:15	799	8.0	100	8.0	125	20.6	30	
8/12/24 1:30	799	8.0	100	8.0	125	20.5	29	
8/12/24 1:45	819	8.0	100	8.0	125	20.4	29	
8/12/24 2:00	806	8.0	100	8.0	125	20.3	29	
8/12/24 2:15	806	8.0	100	8.0	126	20.2	28	
8/12/24 2:30	813	8.1	100	8.0	126	20.1	28	
8/12/24 2:45	826	8.1	100	8.0	126	20.0	28	
8/12/24 3:00	813	8.1	100	8.0	126	20.0	28	
8/12/24 3:15	793	8.1	101	8.0	126	19.9	28	
8/12/24 3:30	793	8.1	100	8.0	126	19.8	27	
8/12/24 3:45	806	8.1	100	8.0	126	19.8	27	
8/12/24 4:00	780	8.2	100	8.0	126	19.6	27	
8/12/24 4:15	780	8.2	100	8.0	126	19.5	27	
8/12/24 4:30	773	8.2	100	8.0	126	19.4	28	
8/12/24 4:45	786	8.2	100	8.0	126	19.3	28	
8/12/24 5:00	819	8.2	101	8.0	126	19.2	26	
8/12/24 5:15	813	8.2	100	8.0	126	19.1	27	
8/12/24 5:30	793	8.3	100	8.0	126	19.0	26	
8/12/24 5:45	819	8.3	100	8.0	126	18.9	26	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/12/24 6:00	826	8.3	100	8.0	126	18.8	26
8/12/24 6:15	806	8.3	101	8.0	126	18.7	26
8/12/24 6:30	819	8.3	101	8.0	126	18.6	26
8/12/24 6:45	813	8.3	100	8.0	126	18.6	26
8/12/24 7:00	813	8.4	101	8.0	126	18.5	26
8/12/24 7:15	826	8.4	101	8.0	126	18.4	25
8/12/24 7:30	813	8.4	101	8.0	126	18.4	25
8/12/24 7:45	819	8.4	101	8.0	126	18.3	25
8/12/24 8:00	813	8.4	101	8.0	126	18.3	25
8/12/24 8:15	819	8.4	101	8.0	126	18.2	25
8/12/24 8:30	819	8.4	101	8.0	126	18.2	25
8/12/24 8:45	813	8.4	101	8.0	126	18.2	24
8/12/24 9:00	819	8.4	101	8.0	126	18.2	24
8/12/24 9:15	819	8.5	101	8.0	126	18.2	24
8/12/24 9:30	819	8.4	101	8.0	126	18.2	24
8/12/24 9:45	819	8.5	101	8.0	126	18.3	24
8/12/24 10:00	819	8.5	102	8.0	126	18.4	24
8/12/24 10:15	819	8.5	102	8.0	126	18.4	23
8/12/24 10:30	819	8.5	102	8.0	126	18.5	24
8/12/24 10:45	819	8.5	102	8.0	126	18.5	23
8/12/24 11:00	813	8.4	102	8.1	126	18.6	23
8/12/24 11:15	813	8.4	102	8.1	126	18.6	23
8/12/24 11:30	813	8.4	102	8.1	125	18.8	23
8/12/24 11:45	799	8.4	102	8.0	125	18.8	23
8/12/24 12:00	813	8.4	102	8.1	125	18.9	23
8/12/24 12:15	799	8.4	102	8.1	125	19.0	23
8/12/24 12:30	813	8.4	102	8.0	125	19.1	24
8/12/24 12:45	799	8.4	102	8.1	125	19.2	24
8/12/24 13:00	813	8.3	102	8.1	125	19.3	24
8/12/24 13:15	813	8.3	102	8.1	125	19.4	23
8/12/24 13:30	806	8.3	102	8.1	125	19.5	24
8/12/24 13:45	813	8.3	102	8.1	125	19.6	23
8/12/24 14:00	813	8.2	102	8.1	125	19.8	23
8/12/24 14:15	806	8.2	102	8.1	125	19.8	23
8/12/24 14:30	806	8.2	102	8.0	125	19.9	23
8/12/24 14:45	786	8.2	101	8.1	125	20.0	23
8/12/24 15:00	799	8.2	101	8.1	125	20.1	23
8/12/24 15:15	799	8.1	101	8.0	124	20.2	23
8/12/24 15:30	793	8.1	101	8.1	124	20.2	23
8/12/24 15:45	793	8.1	101	8.1	124	20.3	23
8/12/24 16:00	786	8.1	101	8.1	124	20.4	24
8/12/24 16:15	793	8.1	101	8.1	124	20.4	23
8/12/24 16:30	799	8.0	101	8.1	124	20.5	23
8/12/24 16:45	799	8.0	101	8.0	124	20.5	24
8/12/24 17:00	799	8.0	100	8.1	124	20.5	24

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/12/24 17:15	819	8.0	101	8.0	124	20.6	24	
8/12/24 17:30	839	8.0	100	8.1	123	20.6	24	
8/12/24 17:45	819	8.0	100	8.0	123	20.6	22	
8/12/24 18:00	826	8.0	100	8.1	123	20.6	24	
8/12/24 18:15	819	8.0	100	8.1	123	20.6	24	
8/12/24 18:30	819	8.0	100	8.1	123	20.6	24	
8/12/24 18:45	819	8.0	100	8.1	123	20.7	24	
8/12/24 19:00	819	8.0	100	8.0	123	20.7	24	
8/12/24 19:15	819	8.0	100	8.1	123	20.8	24	
8/12/24 19:30	819	7.9	100	8.1	123	20.8	25	
8/12/24 19:45	813	7.9	100	8.1	123	20.8	24	
8/12/24 20:00	813	7.9	100	8.1	123	20.8	25	
8/12/24 20:15	813	7.9	100	8.1	123	20.9	24	
8/12/24 20:30	813	7.9	100	8.0	123	20.9	25	
8/12/24 20:45	826	7.9	100	8.1	123	20.9	26	
8/12/24 21:00	819	7.9	100	8.0	123	20.9	25	
8/12/24 21:15	813	7.9	100	8.1	123	20.9	25	
8/12/24 21:30	813	7.9	100	8.1	123	20.9	25	
8/12/24 21:45	826	7.9	100	8.1	123	20.9	25	
8/12/24 22:00	819	7.9	100	8.0	123	20.9	25	
8/12/24 22:15	813	7.9	100	8.1	123	20.9	25	
8/12/24 22:30	806	8.0	100	8.0	124	20.8	26	
8/12/24 22:45	819	8.0	100	8.1	124	20.8	25	
8/12/24 23:00	806	8.0	100	8.0	124	20.8	26	
8/12/24 23:15	813	8.0	100	8.0	124	20.7	26	
8/12/24 23:30	813	8.0	100	8.0	124	20.7	26	
8/12/24 23:45	813	8.0	100	8.0	124	20.6	26	
8/13/24 0:00	819	8.0	100	8.0	125	20.5	26	
8/13/24 0:15	826	8.0	100	8.0	125	20.4	25	
8/13/24 0:30	819	8.0	101	8.0	125	20.4	25	
8/13/24 0:45	819	8.0	100	8.0	125	20.3	25	
8/13/24 1:00	806	8.0	100	8.0	125	20.2	25	
8/13/24 1:15	813	8.1	100	8.0	125	20.2	26	
8/13/24 1:30	826	8.1	100	8.0	126	20.1	25	
8/13/24 1:45	799	8.1	100	8.0	126	20.0	25	
8/13/24 2:00	819	8.1	101	8.0	126	19.9	25	
8/13/24 2:15	813	8.2	101	8.0	126	19.8	24	
8/13/24 2:30	806	8.2	100	8.0	126	19.7	24	
8/13/24 2:45	806	8.2	101	8.0	126	19.6	24	
8/13/24 3:00	819	8.2	101	8.0	126	19.6	23	
8/13/24 3:15	813	8.2	100	8.0	127	19.4	23	
8/13/24 3:30	813	8.2	100	8.0	127	19.2	23	
8/13/24 3:45	813	8.2	101	8.0	127	19.1	23	
8/13/24 4:00	826	8.3	101	8.0	127	19.0	22	
8/13/24 4:15	826	8.3	100	8.0	127	18.9	22	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/13/24 4:30	819	8.3	101	8.0	127	18.8	22	
8/13/24 4:45	826	8.3	101	8.0	127	18.7	19	
8/13/24 5:00	833	8.4	101	8.0	127	18.6	23	
8/13/24 5:15	819	8.4	101	8.0	127	18.6	21	
8/13/24 5:30	813	8.4	101	8.0	127	18.4	21	
8/13/24 5:45	819	8.4	101	8.0	127	18.4	21	
8/13/24 6:00	813	8.4	101	8.0	127	18.3	21	
8/13/24 6:15	813	8.4	101	8.0	127	18.2	21	
8/13/24 6:30	819	8.4	101	8.0	126	18.1	21	
8/13/24 6:45	819	8.5	101	8.0	126	18.0	21	
8/13/24 7:00	806	8.5	101	8.0	126	18.0	22	
8/13/24 7:15	819	8.5	101	8.0	126	17.9	22	
8/13/24 7:30	813	8.5	101	8.0	126	17.8	20	
8/13/24 7:45	813	8.5	101	8.0	126	17.8	20	
8/13/24 8:00	813	8.5	101	8.0	126	17.7	20	
8/13/24 8:15	806	8.5	101	8.0	126	17.7	21	
8/13/24 8:30	813	8.6	101	8.0	126	17.6	20	
8/13/24 8:45	813	8.6	101	8.0	126	17.6	21	
8/13/24 9:00	826	8.6	101	8.0	126	17.6	21	
8/13/24 9:15	826	8.6	102	8.0	126	17.6	20	
8/13/24 9:30	839	8.6	102	8.0	126	17.6	20	
8/13/24 9:45	813	8.6	102	8.1	126	17.7	20	
8/13/24 10:00	826	8.6	102	8.1	126	17.7	20	
8/13/24 10:15	826	8.6	102	8.0	126	17.8	20	
8/13/24 10:30	826	8.6	102	8.1	126	17.8	20	
8/13/24 10:45	826	8.6	102	8.1	126	17.9	20	
8/13/24 11:00	826	8.6	102	8.1	126	18.0	20	
8/13/24 11:15	826	8.6	102	8.0	125	18.1	20	
8/13/24 11:30	826	8.6	102	8.1	125	18.1	19	
8/13/24 11:45	826	8.6	102	8.1	125	18.1	19	
8/13/24 12:00	826	8.6	102	8.1	125	18.3	19	
8/13/24 12:15	826	8.5	103	8.1	125	18.4	20	
8/13/24 12:30	826	8.5	103	8.1	125	18.5	19	
8/13/24 12:45	833	8.5	103	8.1	125	18.6	20	
8/13/24 13:00	819	8.5	103	8.1	125	18.8	19	
8/13/24 13:15	806	8.5	102	8.1	125	18.8	19	
8/13/24 13:30	806	8.4	102	8.1	125	19.0	19	
8/13/24 13:45	813	8.4	102	8.1	125	19.1	19	
8/13/24 14:00	819	8.4	102	8.1	125	19.2	19	
8/13/24 14:15	813	8.4	102	8.1	125	19.2	19	
8/13/24 14:30	813	8.4	102	8.1	125	19.4	20	
8/13/24 14:45	839	8.3	102	8.1	125	19.5	20	
8/13/24 15:00	846	8.3	102	8.1	124	19.6	21	
8/13/24 15:15	874	8.3	102	8.1	124	19.6	22	
8/13/24 15:30	888	8.2	102	8.1	124	19.7	23	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/13/24 15:45	895	8.2	102	8.0	124	19.8	25	
8/13/24 16:00	909	8.2	102	8.0	124	19.9	26	
8/13/24 16:15	909	8.2	101	8.1	124	20.0	27	
8/13/24 16:30	923	8.2	101	8.0	124	20.1	30	
8/13/24 16:45	930	8.1	101	8.1	124	20.1	32	
8/13/24 17:00	923	8.1	101	8.0	123	20.2	35	
8/13/24 17:15	923	8.1	101	8.0	123	20.3	38	
8/13/24 17:30	923	8.1	101	8.0	123	20.3	40	
8/13/24 17:45	930	8.1	101	8.0	123	20.3	43	
8/13/24 18:00	937	8.0	101	8.0	123	20.4	47	
8/13/24 18:15	930	8.0	101	8.0	123	20.4	48	
8/13/24 18:30	944	8.0	101	8.0	123	20.4	49	
8/13/24 18:45	930	8.0	100	8.0	123	20.5	48	
8/13/24 19:00	923	8.0	100	8.0	123	20.5	47	
8/13/24 19:15	923	8.0	100	8.0	123	20.6	47	
8/13/24 19:30	923	8.0	100	8.0	123	20.6	47	
8/13/24 19:45	923	8.0	100	8.0	123	20.7	46	
8/13/24 20:00	923	8.0	100	8.0	123	20.7	47	
8/13/24 20:15	937	8.0	101	8.0	123	20.7	47	
8/13/24 20:30	930	8.0	101	8.0	123	20.7	48	
8/13/24 20:45	937	8.0	101	8.0	123	20.7	47	
8/13/24 21:00	930	8.0	101	8.0	123	20.7	47	
8/13/24 21:15	937	8.0	101	8.0	123	20.7	48	
8/13/24 21:30	930	8.0	101	8.0	123	20.7	48	
8/13/24 21:45	923	8.0	101	8.0	123	20.7	47	
8/13/24 22:00	930	8.0	101	8.0	123	20.7	48	
8/13/24 22:15	930	8.0	101	8.0	123	20.6	47	
8/13/24 22:30	959	8.0	101	8.0	123	20.6	47	
8/13/24 22:45	944	8.0	101	8.0	124	20.5	46	
8/13/24 23:00	944	8.0	101	8.0	124	20.4	46	
8/13/24 23:15	951	8.1	101	8.0	124	20.4	46	
8/13/24 23:30	959	8.1	101	8.0	124	20.3	45	
8/13/24 23:45	944	8.1	101	8.0	124	20.2	44	
8/14/24 0:00	930	8.1	101	8.0	124	20.2	44	
8/14/24 0:15	930	8.1	101	8.0	125	20.1	43	
8/14/24 0:30	930	8.1	101	8.0	125	20.0	41	
8/14/24 0:45	944	8.2	101	8.0	125	19.9	40	
8/14/24 1:00	937	8.2	101	8.0	125	19.8	40	
8/14/24 1:15	937	8.2	101	8.0	125	19.7	40	
8/14/24 1:30	923	8.2	101	8.0	125	19.6	40	
8/14/24 1:45	923	8.2	101	8.0	125	19.5	40	
8/14/24 2:00	923	8.2	101	8.0	126	19.4	40	
8/14/24 2:15	937	8.3	101	8.0	126	19.3	41	
8/14/24 2:30	930	8.3	101	8.0	126	19.2	40	
8/14/24 2:45	930	8.3	101	8.0	126	19.1	40	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/14/24 3:00	930	8.3	101	8.0	126	19.0	39
8/14/24 3:15	937	8.3	101	8.0	126	18.9	38
8/14/24 3:30	937	8.3	101	8.0	126	18.8	38
8/14/24 3:45	937	8.4	101	8.0	126	18.7	38
8/14/24 4:00	930	8.4	101	8.0	126	18.6	38
8/14/24 4:15	966	8.4	101	8.0	126	18.5	38
8/14/24 4:30	944	8.4	101	8.0	126	18.5	38
8/14/24 4:45	944	8.4	101	8.0	126	18.4	38
8/14/24 5:00	944	8.4	101	8.0	126	18.3	38
8/14/24 5:15	944	8.4	101	8.0	126	18.2	37
8/14/24 5:30	951	8.4	101	8.0	126	18.2	36
8/14/24 5:45	944	8.5	101	8.0	125	18.1	37
8/14/24 6:00	951	8.5	101	8.0	125	18.0	37
8/14/24 6:15	944	8.5	101	8.0	125	18.0	37
8/14/24 6:30	937	8.5	101	8.0	125	17.9	37
8/14/24 6:45	944	8.5	101	8.0	125	17.9	36
8/14/24 7:00	959	8.5	101	8.0	125	17.8	36
8/14/24 7:15	951	8.5	101	8.0	125	17.8	36
8/14/24 7:30	944	8.5	101	8.0	125	17.8	36
8/14/24 7:45	951	8.5	101	8.0	125	17.8	35
8/14/24 8:00	944	8.6	101	8.0	125	17.7	36
8/14/24 8:15	951	8.6	101	8.0	125	17.7	35
8/14/24 8:30	951	8.6	101	8.0	125	17.6	35
8/14/24 8:45	951	8.6	101	8.0	125	17.6	34
8/14/24 9:00	951	8.6	101	8.0	125	17.7	35
8/14/24 9:15	944	8.6	102	8.0	125	17.7	38
8/14/24 9:30	951	8.6	102	8.0	125	17.8	47
8/14/24 9:45	944	8.6	102	8.0	124	17.8	52
8/14/24 10:00	944	8.6	102	8.0	124	17.9	51
8/14/24 10:15	951	8.6	102	8.0	124	18.0	47
8/14/24 10:30	944	8.5	102	8.0	124	18.1	42
8/14/24 10:45	951	8.5	102	8.0	124	18.2	38
8/14/24 11:00	944	8.5	102	8.0	124	18.3	36
8/14/24 11:15	944	8.5	102	8.0	124	18.4	33
8/14/24 11:30	937	8.5	102	8.0	124	18.5	33
8/14/24 11:45	937	8.5	102	8.0	124	18.6	33
8/14/24 12:00	951	8.4	102	8.0	124	18.7	35
8/14/24 12:15	944	8.4	102	8.0	124	18.8	37
8/14/24 12:30	951	8.4	102	8.0	124	19.0	36
8/14/24 12:45	959	8.4	102	8.0	124	19.0	34
8/14/24 13:00	951	8.4	102	8.0	124	19.2	34
8/14/24 13:15	951	8.3	102	8.0	124	19.3	33
8/14/24 13:30	951	8.3	102	8.0	124	19.5	33
8/14/24 13:45	973	8.3	102	8.0	124	19.6	32
8/14/24 14:00	973	8.3	102	8.1	124	19.8	32

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/14/24 14:15	973	8.2	102	8.1	124	19.9	32	
8/14/24 14:30	981	8.2	102	8.1	124	19.9	32	
8/14/24 14:45	988	8.2	102	8.0	124	20.0	32	
8/14/24 15:00	988	8.2	102	8.1	124	20.1	31	
8/14/24 15:15	981	8.2	102	8.1	123	20.2	32	
8/14/24 15:30	981	8.1	102	8.1	123	20.3	32	
8/14/24 15:45	988	8.1	102	8.1	123	20.4	32	
8/14/24 16:00	988	8.1	102	8.1	123	20.4	32	
8/14/24 16:15	981	8.1	101	8.1	123	20.5	32	
8/14/24 16:30	981	8.1	101	8.1	123	20.5	33	
8/14/24 16:45	981	8.1	101	8.1	123	20.6	32	
8/14/24 17:00	988	8.1	101	8.1	123	20.7	32	
8/14/24 17:15	981	8.0	101	8.1	123	20.7	32	
8/14/24 17:30	988	8.0	101	8.1	123	20.7	32	338
8/14/24 17:45	988	8.0	101	8.1	123	20.8	32	
8/14/24 18:00	996	8.0	101	8.0	122	20.8	32	
8/14/24 18:15	996	8.0	101	8.1	122	20.9	33	
8/14/24 18:30	996	8.0	101	8.1	122	20.9	32	
8/14/24 18:45	996	8.0	101	8.1	122	20.9	32	
8/14/24 19:00	988	8.0	101	8.1	122	21.0	32	
8/14/24 19:15	996	8.0	101	8.1	122	21.0	31	
8/14/24 19:30	996	8.0	101	8.1	122	21.0	32	
8/14/24 19:45	988	8.0	101	8.1	122	21.0	32	
8/14/24 20:00	996	8.0	101	8.1	123	21.0	31	
8/14/24 20:15	988	8.0	101	8.1	123	21.0	32	
8/14/24 20:30	988	8.0	101	8.1	123	21.0	31	
8/14/24 20:45	988	8.0	101	8.1	123	21.0	31	
8/14/24 21:00	996	8.0	101	8.1	123	21.0	31	
8/14/24 21:15	996	8.0	101	8.1	123	21.0	32	
8/14/24 21:30	988	8.0	101	8.1	123	21.0	31	
8/14/24 21:45	988	8.0	101	8.1	123	21.0	31	
8/14/24 22:00	996	8.0	101	8.1	123	20.9	32	
8/14/24 22:15	996	8.0	101	8.1	123	20.8	31	
8/14/24 22:30	988	8.0	101	8.1	124	20.8	31	
8/14/24 22:45	996	8.0	101	8.1	124	20.8	30	
8/14/24 23:00	988	8.0	101	8.1	124	20.7	31	
8/14/24 23:15	988	8.0	101	8.1	124	20.6	31	
8/14/24 23:30	988	8.1	101	8.1	124	20.5	31	
8/14/24 23:45	996	8.1	101	8.1	124	20.5	31	
8/15/24 0:00	988	8.1	101	8.0	124	20.4	30	
8/15/24 0:15	996	8.1	101	8.0	124	20.4	31	
8/15/24 0:30	988	8.1	101	8.1	125	20.2	31	
8/15/24 0:45	988	8.1	101	8.1	125	20.2	30	
8/15/24 1:00	988	8.1	101	8.1	125	20.1	30	
8/15/24 1:15	988	8.2	101	8.0	125	20.0	29	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/15/24 1:30	996	8.2	101	8.0	125	19.9	30
8/15/24 1:45	996	8.2	101	8.0	125	19.8	29
8/15/24 2:00	988	8.2	101	8.1	126	19.8	29
8/15/24 2:15	988	8.2	101	8.0	126	19.7	29
8/15/24 2:30	996	8.2	101	8.0	126	19.6	29
8/15/24 2:45	988	8.2	101	8.0	126	19.5	29
8/15/24 3:00	996	8.2	101	8.0	126	19.5	29
8/15/24 3:15	996	8.3	101	8.1	126	19.4	29
8/15/24 3:30	996	8.3	101	8.0	126	19.3	29
8/15/24 3:45	996	8.3	101	8.0	126	19.2	29
8/15/24 4:00	988	8.3	101	8.0	126	19.1	29
8/15/24 4:15	988	8.3	101	8.0	126	19.0	29
8/15/24 4:30	981	8.3	101	8.0	126	19.0	28
8/15/24 4:45	988	8.3	101	8.1	126	18.9	27
8/15/24 5:00	981	8.4	101	8.0	126	18.8	28
8/15/24 5:15	981	8.4	101	8.0	126	18.8	26
8/15/24 5:30	988	8.4	101	8.1	126	18.7	27
8/15/24 5:45	981	8.4	101	8.0	126	18.7	26
8/15/24 6:00	981	8.4	101	8.1	126	18.6	27
8/15/24 6:15	973	8.4	101	8.0	126	18.6	27
8/15/24 6:30	973	8.4	101	8.1	126	18.5	26
8/15/24 6:45	973	8.4	102	8.0	126	18.4	26
8/15/24 7:00	988	8.4	101	8.0	126	18.4	26
8/15/24 7:15	981	8.5	101	8.0	126	18.4	26
8/15/24 7:30	981	8.5	101	8.0	126	18.3	25
8/15/24 7:45	988	8.5	102	8.0	126	18.3	26
8/15/24 8:00	996	8.5	102	8.1	126	18.3	25
8/15/24 8:15	981	8.5	102	8.1	126	18.2	25
8/15/24 8:30	988	8.5	102	8.1	126	18.2	24
8/15/24 8:45	981	8.5	102	8.1	126	18.2	24
8/15/24 9:00	988	8.5	102	8.0	125	18.2	32
8/15/24 9:15	988	8.5	102	8.1	125	18.2	44
8/15/24 9:30	988	8.5	102	8.0	125	18.3	52
8/15/24 9:45	988	8.5	102	8.1	125	18.3	52
8/15/24 10:00	988	8.5	102	8.0	125	18.3	48
8/15/24 10:15	988	8.5	102	8.0	125	18.4	41
8/15/24 10:30	988	8.5	102	8.0	125	18.4	35
8/15/24 10:45	988	8.5	102	8.0	125	18.5	32
8/15/24 11:00	988	8.5	102	8.1	125	18.5	30
8/15/24 11:15	996	8.5	103	8.1	125	18.6	28
8/15/24 11:30	988	8.5	102	8.1	125	18.6	27
8/15/24 11:45	988	8.5	102	8.1	125	18.8	26
8/15/24 12:00	988	8.5	102	8.1	125	18.8	26
8/15/24 12:15	996	8.4	102	8.1	125	18.9	26
8/15/24 12:30	988	8.4	102	8.1	125	19.0	26

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/15/24 12:45	988	8.4	103	8.1	125	19.1	25	
8/15/24 13:00	988	8.4	102	8.1	125	19.2	26	
8/15/24 13:15	996	8.4	103	8.1	125	19.3	25	
8/15/24 13:30	988	8.4	102	8.1	125	19.3	24	
8/15/24 13:45	988	8.4	102	8.1	124	19.5	24	
8/15/24 14:00	988	8.3	102	8.1	124	19.6	24	
8/15/24 14:15	988	8.3	102	8.1	124	19.6	25	
8/15/24 14:30	988	8.3	102	8.1	124	19.6	24	
8/15/24 14:45	981	8.3	102	8.1	124	19.8	25	
8/15/24 15:00	981	8.3	102	8.1	124	19.8	25	
8/15/24 15:15	981	8.3	102	8.1	124	19.9	25	
8/15/24 15:30	981	8.2	102	8.1	124	20.0	25	
8/15/24 15:45	981	8.2	102	8.1	124	20.1	26	
8/15/24 16:00	981	8.2	102	8.1	124	20.1	25	
8/15/24 16:15	981	8.2	102	8.1	124	20.2	26	
8/15/24 16:30	981	8.2	102	8.1	124	20.2	25	
8/15/24 16:45	988	8.2	102	8.1	123	20.3	25	
8/15/24 17:00	981	8.1	101	8.1	123	20.3	25	
8/15/24 17:15	981	8.1	101	8.1	123	20.3	25	
8/15/24 17:30	981	8.1	101	8.1	123	20.3	25	
8/15/24 17:45	996	8.1	101	8.1	123	20.3	25	
8/15/24 18:00	988	8.1	101	8.1	123	20.4	25	
8/15/24 18:15	988	8.1	101	8.1	123	20.4	25	
8/15/24 18:30	988	8.1	101	8.1	123	20.4	25	
8/15/24 18:45	988	8.1	101	8.1	123	20.4	25	
8/15/24 19:00	988	8.1	101	8.1	123	20.5	26	
8/15/24 19:15	988	8.1	101	8.1	123	20.5	25	
8/15/24 19:30	996	8.1	101	8.1	123	20.5	25	
8/15/24 19:45	996	8.1	101	8.1	123	20.6	26	
8/15/24 20:00	996	8.1	101	8.1	123	20.6	25	
8/15/24 20:15	981	8.1	101	8.1	123	20.6	25	
8/15/24 20:30	988	8.1	101	8.1	123	20.6	23	
8/15/24 20:45	988	8.1	101	8.1	123	20.6	26	
8/15/24 21:00	988	8.1	101	8.1	123	20.6	26	
8/15/24 21:15	988	8.1	101	8.1	123	20.6	26	
8/15/24 21:30	988	8.1	101	8.1	123	20.5	25	
8/15/24 21:45	988	8.1	101	8.1	123	20.5	26	
8/15/24 22:00	996	8.1	101	8.1	123	20.5	25	
8/15/24 22:15	1000	8.1	101	8.1	123	20.4	26	
8/15/24 22:30	1000	8.1	101	8.1	124	20.4	27	
8/15/24 22:45	996	8.1	101	8.1	124	20.4	28	
8/15/24 23:00	996	8.1	101	8.1	124	20.4	26	
8/15/24 23:15	996	8.1	101	8.1	124	20.2	26	
8/15/24 23:30	996	8.1	101	8.1	124	20.2	26	
8/15/24 23:45	996	8.1	101	8.1	124	20.1	25	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/16/24 0:00	1000	8.2	101	8.1	125	20.0	25
8/16/24 0:15	996	8.2	101	8.1	125	19.9	25
8/16/24 0:30	988	8.2	101	8.1	125	19.8	24
8/16/24 0:45	996	8.2	101	8.0	125	19.8	25
8/16/24 1:00	988	8.2	101	8.1	125	19.7	24
8/16/24 1:15	996	8.2	101	8.1	126	19.6	24
8/16/24 1:30	996	8.3	101	8.1	126	19.5	24
8/16/24 1:45	996	8.3	101	8.0	126	19.4	24
8/16/24 2:00	996	8.3	101	8.0	126	19.2	24
8/16/24 2:15	996	8.3	101	8.0	126	19.1	23
8/16/24 2:30	1000	8.3	101	8.0	126	19.1	23
8/16/24 2:45	988	8.3	101	8.0	126	18.9	23
8/16/24 3:00	996	8.4	101	8.0	126	18.8	23
8/16/24 3:15	988	8.4	101	8.0	126	18.7	22
8/16/24 3:30	996	8.4	101	8.0	126	18.6	23
8/16/24 3:45	996	8.4	101	8.0	127	18.6	22
8/16/24 4:00	996	8.4	101	8.0	127	18.4	22
8/16/24 4:15	1000	8.4	101	8.0	126	18.4	22
8/16/24 4:30	996	8.4	101	8.0	126	18.4	22
8/16/24 4:45	996	8.5	101	8.0	126	18.2	22
8/16/24 5:00	996	8.5	101	8.0	126	18.1	22
8/16/24 5:15	1000	8.5	101	8.0	126	18.0	22
8/16/24 5:30	1000	8.5	101	8.0	126	18.0	22
8/16/24 5:45	1000	8.5	101	8.0	126	17.9	21
8/16/24 6:00	996	8.6	101	8.0	126	17.8	23
8/16/24 6:15	1000	8.6	102	8.0	126	17.8	21
8/16/24 6:30	996	8.6	101	8.0	126	17.7	21
8/16/24 6:45	996	8.6	101	8.0	126	17.6	21
8/16/24 7:00	1000	8.6	101	8.0	126	17.6	21
8/16/24 7:15	1000	8.6	101	8.0	126	17.6	22
8/16/24 7:30	996	8.6	102	8.0	126	17.5	21
8/16/24 7:45	996	8.6	102	8.0	126	17.4	21
8/16/24 8:00	996	8.6	102	8.0	126	17.4	21
8/16/24 8:15	1000	8.7	102	8.0	126	17.4	21
8/16/24 8:30	1020	8.7	102	8.0	126	17.3	21
8/16/24 8:45	996	8.7	102	8.0	126	17.3	20
8/16/24 9:00	996	8.7	102	8.0	126	17.3	20
8/16/24 9:15	1000	8.7	102	8.1	126	17.4	21
8/16/24 9:30	1010	8.7	102	8.1	126	17.4	21
8/16/24 9:45	1000	8.7	102	8.1	126	17.4	21
8/16/24 10:00	1000	8.7	102	8.0	126	17.5	21
8/16/24 10:15	1000	8.7	102	8.1	125	17.6	20
8/16/24 10:30	1000	8.7	103	8.1	125	17.7	21
8/16/24 10:45	1000	8.7	103	8.1	125	17.8	21
8/16/24 11:00	1000	8.6	103	8.1	125	17.9	20

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/16/24 11:15	1000	8.6	103	8.1	125	18.0	20	
8/16/24 11:30	1000	8.6	103	8.1	125	18.1	20	
8/16/24 11:45	1000	8.6	103	8.1	125	18.2	21	
8/16/24 12:00	988	8.6	103	8.1	125	18.3	21	
8/16/24 12:15	1000	8.6	103	8.1	125	18.4	21	
8/16/24 12:30	1010	8.5	103	8.1	125	18.6	20	
8/16/24 12:45	1000	8.5	103	8.1	125	18.7	21	
8/16/24 13:00	1000	8.5	103	8.1	125	18.8	21	
8/16/24 13:15	1000	8.4	102	8.1	125	18.9	21	
8/16/24 13:30	996	8.4	102	8.1	125	19.0	21	
8/16/24 13:45	1000	8.4	102	8.1	125	19.2	21	
8/16/24 14:00	996	8.4	102	8.1	125	19.3	21	
8/16/24 14:15	996	8.3	102	8.1	124	19.4	21	
8/16/24 14:30	988	8.3	102	8.1	124	19.5	21	
8/16/24 14:45	981	8.3	102	8.1	124	19.6	22	
8/16/24 15:00	973	8.3	102	8.1	124	19.8	22	
8/16/24 15:15	988	8.3	102	8.1	124	19.8	22	
8/16/24 15:30	981	8.2	102	8.1	124	19.9	22	
8/16/24 15:45	988	8.2	102	8.1	124	20.0	23	
8/16/24 16:00	981	8.2	102	8.1	124	20.1	23	
8/16/24 16:15	981	8.2	101	8.1	124	20.2	23	
8/16/24 16:30	981	8.1	101	8.1	123	20.2	23	
8/16/24 16:45	988	8.1	101	8.1	123	20.3	23	
8/16/24 17:00	988	8.1	101	8.1	123	20.4	24	
8/16/24 17:15	981	8.1	101	8.1	123	20.4	24	
8/16/24 17:30	988	8.1	101	8.1	123	20.5	24	
8/16/24 17:45	981	8.1	101	8.1	123	20.5	24	
8/16/24 18:00	981	8.0	101	8.1	123	20.6	23	
8/16/24 18:15	988	8.0	101	8.1	123	20.6	23	
8/16/24 18:30	988	8.0	101	8.1	123	20.7	24	
8/16/24 18:45	988	8.0	101	8.1	123	20.7	23	
8/16/24 19:00	988	8.0	101	8.1	123	20.8	24	
8/16/24 19:15	996	8.0	101	8.1	123	20.8	23	
8/16/24 19:30	996	8.0	101	8.1	123	20.9	24	
8/16/24 19:45	996	8.0	100	8.1	123	20.9	24	
8/16/24 20:00	996	8.0	100	8.1	123	21.0	24	
8/16/24 20:15	988	8.0	100	8.1	123	21.0	24	
8/16/24 20:30	996	7.9	100	8.1	123	21.0	24	
8/16/24 20:45	988	7.9	100	8.1	123	21.0	24	
8/16/24 21:00	996	7.9	100	8.1	123	21.0	25	
8/16/24 21:15	996	8.0	100	8.1	123	21.0	25	
8/16/24 21:30	996	7.9	100	8.1	123	21.0	24	
8/16/24 21:45	996	8.0	101	8.1	123	20.9	24	
8/16/24 22:00	988	8.0	100	8.1	124	20.9	24	
8/16/24 22:15	996	8.0	100	8.1	124	20.9	24	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)
8/16/24 22:30	996	8.0	100	8.1	124	20.8	24
8/16/24 22:45	996	8.0	100	8.1	124	20.8	23
8/16/24 23:00	996	8.0	101	8.1	124	20.7	24
8/16/24 23:15	996	8.0	101	8.0	124	20.7	23
8/16/24 23:30	996	8.0	101	8.0	125	20.6	24
8/16/24 23:45	996	8.0	101	8.0	125	20.5	23
8/17/24 0:00	1000	8.1	101	8.0	125	20.4	22
8/17/24 0:15	1000	8.1	101	8.1	125	20.3	23
8/17/24 0:30	996	8.1	100	8.1	125	20.3	24
8/17/24 0:45	996	8.1	101	8.1	126	20.2	23
8/17/24 1:00	1000	8.1	101	8.1	126	20.1	23
8/17/24 1:15	996	8.1	101	8.1	126	20.0	23
8/17/24 1:30	1000	8.1	101	8.0	126	19.9	23
8/17/24 1:45	996	8.2	101	8.0	126	19.8	23
8/17/24 2:00	996	8.2	101	8.0	126	19.7	23
8/17/24 2:15	1000	8.2	101	8.0	126	19.6	23
8/17/24 2:30	996	8.2	101	8.0	126	19.5	23
8/17/24 2:45	996	8.2	101	8.0	126	19.4	23
8/17/24 3:00	996	8.2	101	8.0	127	19.3	22
8/17/24 3:15	1000	8.2	101	8.0	127	19.2	22
8/17/24 3:30	996	8.3	101	8.0	127	19.2	23
8/17/24 3:45	996	8.3	101	8.0	127	19.1	21
8/17/24 4:00	996	8.3	101	8.0	127	19.0	22
8/17/24 4:15	1000	8.3	101	8.0	127	18.9	22
8/17/24 4:30	1000	8.3	101	8.0	127	18.9	22
8/17/24 4:45	996	8.3	101	8.0	127	18.8	22
8/17/24 5:00	1000	8.4	101	8.0	127	18.7	22
8/17/24 5:15	996	8.4	101	8.0	127	18.6	23
8/17/24 5:30	996	8.4	101	8.0	127	18.5	21
8/17/24 5:45	1000	8.4	101	8.0	126	18.4	21
8/17/24 6:00	996	8.4	101	8.0	126	18.4	21
8/17/24 6:15	996	8.4	101	8.0	126	18.3	21
8/17/24 6:30	996	8.4	101	8.0	126	18.2	21
8/17/24 6:45	996	8.4	101	8.0	126	18.1	21
8/17/24 7:00	1000	8.5	101	8.0	126	18.1	21
8/17/24 7:15	1000	8.5	101	8.0	126	18.0	21
8/17/24 7:30	996	8.5	101	8.0	126	18.0	21
8/17/24 7:45	996	8.5	101	8.0	126	17.9	21
8/17/24 8:00	996	8.5	101	8.0	126	17.8	22
8/17/24 8:15	996	8.5	101	8.0	126	17.8	21
8/17/24 8:30	1000	8.5	101	8.0	126	17.8	21
8/17/24 8:45	996	8.5	101	8.0	126	17.8	21
8/17/24 9:00	1000	8.6	101	8.1	126	17.8	21
8/17/24 9:15	1000	8.6	101	8.0	126	17.8	22
8/17/24 9:30	996	8.6	102	8.0	126	17.8	21

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/17/24 9:45	996	8.6	102	8.1	126	17.9	21	
8/17/24 10:00	1000	8.6	102	8.1	126	18.0	21	
8/17/24 10:15	1000	8.6	102	8.1	125	18.0	20	
8/17/24 10:30	996	8.5	102	8.1	125	18.1	20	
8/17/24 10:45	996	8.5	102	8.1	125	18.2	20	
8/17/24 11:00	996	8.5	102	8.1	125	18.3	20	
8/17/24 11:15	996	8.5	102	8.1	125	18.4	20	
8/17/24 11:30	996	8.5	102	8.1	125	18.4	20	
8/17/24 11:45	1000	8.5	102	8.1	125	18.5	17	
8/17/24 12:00	996	8.5	102	8.1	125	18.6	20	
8/17/24 12:15	1000	8.4	102	8.1	125	18.6	20	
8/17/24 12:30	996	8.4	102	8.1	125	18.6	21	
8/17/24 12:45	996	8.4	102	8.1	125	18.7	21	
8/17/24 13:00	996	8.4	101	8.1	125	18.9	21	
8/17/24 13:15	1000	8.3	101	8.1	125	19.0	22	
8/17/24 13:30	1000	8.3	101	8.1	125	19.1	22	
8/17/24 13:45	988	8.3	101	8.1	125	19.1	22	
8/17/24 14:00	988	8.3	102	8.1	124	19.2	22	
8/17/24 14:15	981	8.3	102	8.1	124	19.3	22	
8/17/24 14:30	966	8.3	101	8.1	124	19.3	22	
8/17/24 14:45	944	8.3	101	8.1	124	19.3	25	
8/17/24 15:00	902	8.3	101	8.1	124	19.3	19	
8/17/24 15:15	881	8.3	101	8.1	124	19.4	22	
8/17/24 15:30	853	8.2	101	8.1	124	19.4	22	
8/17/24 15:45	846	8.2	101	8.1	124	19.4	22	
8/17/24 16:00	833	8.2	101	8.1	124	19.4	22	
8/17/24 16:15	826	8.2	101	8.1	124	19.4	22	
8/17/24 16:30	826	8.2	101	8.1	124	19.4	21	
8/17/24 16:45	826	8.2	101	8.1	124	19.4	21	
8/17/24 17:00	826	8.2	101	8.1	124	19.4	20	
8/17/24 17:15	826	8.2	100	8.1	124	19.3	20	
8/17/24 17:30	826	8.2	101	8.1	124	19.3	20	
8/17/24 17:45	826	8.2	100	8.1	124	19.3	20	
8/17/24 18:00	826	8.2	100	8.1	124	19.2	19	
8/17/24 18:15	826	8.2	100	8.1	124	19.2	19	
8/17/24 18:30	826	8.2	100	8.1	124	19.2	19	
8/17/24 18:45	819	8.2	100	8.1	124	19.2	18	
8/17/24 19:00	813	8.2	100	8.1	124	19.2	18	
8/17/24 19:15	813	8.2	100	8.1	124	19.2	18	
8/17/24 19:30	813	8.2	100	8.1	124	19.2	17	
8/17/24 19:45	813	8.2	100	8.1	124	19.2	17	
8/17/24 20:00	813	8.2	100	8.1	124	19.2	17	
8/17/24 20:15	813	8.2	100	8.1	124	19.2	17	
8/17/24 20:30	819	8.2	100	8.1	124	19.2	18	
8/17/24 20:45	813	8.2	100	8.1	124	19.2	17	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/17/24 21:00	819	8.2	100	8.1	124	19.2	17
8/17/24 21:15	819	8.2	100	8.1	124	19.2	17
8/17/24 21:30	819	8.2	100	8.1	124	19.2	16
8/17/24 21:45	819	8.2	100	8.1	124	19.1	16
8/17/24 22:00	826	8.2	100	8.1	124	19.1	16
8/17/24 22:15	819	8.2	100	8.1	124	19.1	16
8/17/24 22:30	826	8.2	100	8.1	124	19.0	16
8/17/24 22:45	819	8.2	100	8.0	124	19.0	16
8/17/24 23:00	819	8.2	100	8.1	125	19.0	16
8/17/24 23:15	813	8.2	100	8.1	125	18.9	16
8/17/24 23:30	813	8.2	100	8.0	125	18.9	16
8/17/24 23:45	813	8.3	100	8.1	125	18.8	15
8/18/24 0:00	819	8.3	100	8.1	125	18.8	15
8/18/24 0:15	813	8.3	100	8.0	126	18.7	15
8/18/24 0:30	813	8.3	101	8.1	126	18.6	16
8/18/24 0:45	813	8.3	100	8.1	126	18.6	16
8/18/24 1:00	813	8.4	100	8.0	126	18.5	15
8/18/24 1:15	813	8.4	101	8.1	126	18.4	15
8/18/24 1:30	813	8.4	100	8.1	126	18.4	15
8/18/24 1:45	806	8.4	100	8.1	127	18.3	14
8/18/24 2:00	806	8.4	101	8.0	127	18.2	15
8/18/24 2:15	813	8.4	101	8.0	127	18.1	14
8/18/24 2:30	806	8.4	101	8.1	127	18.1	14
8/18/24 2:45	806	8.5	101	8.0	127	18.0	14
8/18/24 3:00	813	8.5	101	8.0	127	17.9	14
8/18/24 3:15	806	8.5	101	8.1	128	17.8	14
8/18/24 3:30	806	8.5	101	8.1	128	17.8	14
8/18/24 3:45	806	8.5	101	8.1	128	17.7	14
8/18/24 4:00	806	8.5	101	8.1	128	17.6	14
8/18/24 4:15	806	8.5	101	8.1	128	17.6	13
8/18/24 4:30	813	8.5	101	8.1	128	17.6	14
8/18/24 4:45	813	8.6	101	8.0	128	17.4	13
8/18/24 5:00	806	8.6	101	8.0	128	17.4	14
8/18/24 5:15	806	8.6	101	8.0	128	17.3	13
8/18/24 5:30	806	8.6	101	8.0	128	17.3	14
8/18/24 5:45	806	8.6	101	8.1	128	17.2	13
8/18/24 6:00	806	8.6	101	8.0	128	17.2	13
8/18/24 6:15	806	8.6	101	8.0	128	17.1	13
8/18/24 6:30	806	8.6	101	8.1	128	17.1	13
8/18/24 6:45	806	8.6	101	8.0	128	17.0	13
8/18/24 7:00	806	8.7	101	8.0	128	17.0	13
8/18/24 7:15	806	8.7	101	8.1	128	16.9	13
8/18/24 7:30	799	8.7	101	8.1	128	16.9	13
8/18/24 7:45	806	8.7	101	8.0	128	16.8	13
8/18/24 8:00	806	8.7	101	8.1	128	16.8	13

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/18/24 8:15	806	8.7	101	8.1	128	16.8	13	
8/18/24 8:30	799	8.7	101	8.0	128	16.7	13	
8/18/24 8:45	806	8.8	102	8.1	128	16.7	12	
8/18/24 9:00	799	8.8	102	8.1	128	16.8	12	
8/18/24 9:15	799	8.8	102	8.0	128	16.8	13	
8/18/24 9:30	799	8.8	102	8.1	127	16.8	12	
8/18/24 9:45	799	8.8	103	8.1	127	16.9	12	
8/18/24 10:00	799	8.8	103	8.1	127	17.0	12	
8/18/24 10:15	799	8.8	103	8.1	127	17.0	12	
8/18/24 10:30	799	8.8	103	8.1	127	17.0	12	
8/18/24 10:45	806	8.8	103	8.2	127	17.2	12	
8/18/24 11:00	806	8.8	103	8.1	127	17.3	12	
8/18/24 11:15	799	8.8	103	8.1	127	17.3	12	
8/18/24 11:30	806	8.8	103	8.1	127	17.4	13	
8/18/24 11:45	806	8.8	103	8.2	127	17.5	12	
8/18/24 12:00	806	8.8	103	8.2	127	17.6	12	
8/18/24 12:15	806	8.7	103	8.2	127	17.6	12	
8/18/24 12:30	806	8.7	103	8.2	127	17.7	12	
8/18/24 12:45	806	8.7	103	8.2	127	17.8	12	
8/18/24 13:00	806	8.7	104	8.2	127	17.9	13	
8/18/24 13:15	806	8.7	103	8.2	127	18.0	13	
8/18/24 13:30	806	8.6	103	8.2	126	18.0	12	
8/18/24 13:45	806	8.6	103	8.2	126	18.2	12	
8/18/24 14:00	813	8.6	103	8.2	126	18.2	12	
8/18/24 14:15	806	8.6	103	8.2	126	18.4	12	
8/18/24 14:30	806	8.6	103	8.2	126	18.5	12	
8/18/24 14:45	806	8.5	103	8.2	126	18.6	12	
8/18/24 15:00	806	8.5	103	8.2	126	18.7	13	
8/18/24 15:15	799	8.5	103	8.2	126	18.8	13	
8/18/24 15:30	806	8.5	103	8.2	126	18.8	12	
8/18/24 15:45	806	8.4	102	8.2	126	18.9	12	
8/18/24 16:00	806	8.4	102	8.2	126	18.9	12	
8/18/24 16:15	806	8.4	102	8.2	125	18.9	12	
8/18/24 16:30	806	8.4	102	8.2	125	19.0	13	
8/18/24 16:45	806	8.4	102	8.2	125	19.0	12	
8/18/24 17:00	799	8.4	101	8.2	125	19.0	12	
8/18/24 17:15	799	8.3	101	8.2	125	19.0	13	
8/18/24 17:30	799	8.3	101	8.2	125	19.0	12	
8/18/24 17:45	793	8.3	101	8.1	125	19.0	12	
8/18/24 18:00	793	8.3	101	8.2	124	19.0	12	
8/18/24 18:15	786	8.3	101	8.2	124	19.0	13	
8/18/24 18:30	780	8.3	101	8.1	124	19.0	13	
8/18/24 18:45	780	8.3	101	8.1	124	19.1	13	
8/18/24 19:00	780	8.3	101	8.2	124	19.1	13	
8/18/24 19:15	780	8.3	101	8.2	124	19.2	13	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/18/24 19:30	786	8.2	101	8.2	124	19.2	14	
8/18/24 19:45	793	8.2	101	8.2	124	19.2	13	
8/18/24 20:00	793	8.2	101	8.2	124	19.2	13	
8/18/24 20:15	793	8.2	101	8.2	124	19.2	14	
8/18/24 20:30	799	8.2	101	8.1	124	19.2	14	
8/18/24 20:45	799	8.2	101	8.1	124	19.3	14	
8/18/24 21:00	799	8.2	100	8.1	124	19.3	14	
8/18/24 21:15	799	8.2	101	8.2	124	19.3	14	
8/18/24 21:30	799	8.2	101	8.2	124	19.3	14	
8/18/24 21:45	799	8.2	101	8.1	124	19.3	13	
8/18/24 22:00	799	8.2	101	8.2	124	19.3	13	
8/18/24 22:15	799	8.2	101	8.1	124	19.2	14	
8/18/24 22:30	799	8.2	101	8.1	124	19.2	13	
8/18/24 22:45	799	8.2	101	8.1	124	19.2	13	
8/18/24 23:00	799	8.3	101	8.1	125	19.2	14	
8/18/24 23:15	799	8.3	101	8.1	125	19.1	12	
8/18/24 23:30	799	8.3	101	8.1	125	19.1	13	
8/18/24 23:45	799	8.3	101	8.1	125	19.0	13	
8/19/24 0:00	799	8.3	101	8.1	125	19.0	13	
8/19/24 0:15	799	8.3	101	8.1	125	18.9	13	
8/19/24 0:30	799	8.3	100	8.0	126	18.9	14	
8/19/24 0:45	806	8.3	101	8.1	126	18.8	12	
8/19/24 1:00	806	8.3	101	8.1	126	18.7	13	
8/19/24 1:15	806	8.4	101	8.1	126	18.7	13	
8/19/24 1:30	806	8.4	101	8.1	126	18.6	13	
8/19/24 1:45	806	8.4	101	8.1	127	18.5	13	
8/19/24 2:00	806	8.4	101	8.1	127	18.4	13	
8/19/24 2:15	799	8.4	101	8.0	127	18.3	13	
8/19/24 2:30	799	8.4	101	8.1	127	18.2	13	
8/19/24 2:45	806	8.5	101	8.1	128	18.1	12	
8/19/24 3:00	806	8.5	101	8.0	128	18.0	13	
8/19/24 3:15	806	8.5	101	8.1	128	17.9	13	
8/19/24 3:30	806	8.5	101	8.0	128	17.8	13	
8/19/24 3:45	799	8.5	101	8.1	128	17.7	12	
8/19/24 4:00	799	8.5	101	8.1	128	17.7	12	
8/19/24 4:15	799	8.6	101	8.0	128	17.5	12	
8/19/24 4:30	806	8.6	101	8.0	128	17.5	12	
8/19/24 4:45	806	8.6	101	8.1	129	17.2	13	
8/19/24 5:00	806	8.7	101	8.1	129	17.2	12	
8/19/24 5:15	799	8.7	101	8.1	129	17.0	12	
8/19/24 5:30	799	8.7	101	8.1	129	16.9	12	
8/19/24 5:45	799	8.7	101	8.0	129	16.8	12	
8/19/24 6:00	799	8.7	101	8.1	129	16.7	12	
8/19/24 6:15	799	8.8	101	8.1	128	16.6	12	
8/19/24 6:30	799	8.8	101	8.0	128	16.6	11	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/19/24 6:45	806	8.8	102	8.1	128	16.5	11	
8/19/24 7:00	799	8.8	101	8.1	128	16.4	11	
8/19/24 7:15	799	8.8	102	8.1	128	16.3	11	
8/19/24 7:30	799	8.9	102	8.1	128	16.2	12	
8/19/24 7:45	799	8.9	102	8.1	128	16.2	11	
8/19/24 8:00	799	8.9	102	8.0	128	16.1	11	
8/19/24 8:15	799	8.9	102	8.0	128	16.0	11	
8/19/24 8:30	799	8.9	102	8.0	128	16.0	11	
8/19/24 8:45	806	8.9	102	8.0	128	16.0	11	
8/19/24 9:00	799	9.0	102	8.1	128	16.0	11	
8/19/24 9:15	799	9.0	103	8.0	128	16.0	10	
8/19/24 9:30	799	9.0	103	8.1	128	16.0	11	
8/19/24 9:45	799	9.0	103	8.1	128	16.1	11	
8/19/24 10:00	799	9.0	104	8.1	128	16.2	11	
8/19/24 10:15	799	9.0	104	8.2	128	16.3	11	
8/19/24 10:30	806	9.0	104	8.1	127	16.3	11	
8/19/24 10:45	799	9.0	104	8.1	127	16.4	11	
8/19/24 11:00	799	9.0	104	8.2	127	16.5	11	
8/19/24 11:15	799	9.0	104	8.1	127	16.6	10	
8/19/24 11:30	799	9.0	104	8.2	127	16.7	11	
8/19/24 11:45	799	9.0	104	8.2	127	16.8	10	
8/19/24 12:00	799	8.9	104	8.2	127	16.9	10	
8/19/24 12:15	806	8.9	104	8.2	127	17.0	10	
8/19/24 12:30	806	8.9	104	8.2	127	17.1	10	
8/19/24 12:45	806	8.9	104	8.2	127	17.2	10	
8/19/24 13:00	806	8.9	104	8.2	127	17.3	10	
8/19/24 13:15	799	8.8	104	8.2	126	17.4	10	
8/19/24 13:30	806	8.8	104	8.2	126	17.6	10	
8/19/24 13:45	806	8.8	104	8.2	126	17.7	10	
8/19/24 14:00	799	8.8	104	8.2	126	17.8	10	
8/19/24 14:15	806	8.7	104	8.2	126	17.9	10	
8/19/24 14:30	806	8.7	104	8.2	126	18.0	11	
8/19/24 14:45	819	8.7	103	8.2	126	18.1	11	
8/19/24 15:00	826	8.7	103	8.2	126	18.2	11	
8/19/24 15:15	826	8.6	103	8.2	125	18.2	11	
8/19/24 15:30	833	8.6	103	8.2	125	18.3	11	
8/19/24 15:45	833	8.6	103	8.2	125	18.4	11	
8/19/24 16:00	833	8.6	103	8.2	125	18.5	12	
8/19/24 16:15	833	8.5	103	8.2	125	18.5	12	
8/19/24 16:30	839	8.5	102	8.2	125	18.6	12	
8/19/24 16:45	833	8.5	102	8.2	124	18.6	12	
8/19/24 17:00	839	8.4	102	8.2	124	18.6	12	
8/19/24 17:15	839	8.4	102	8.2	124	18.7	12	
8/19/24 17:30	833	8.4	102	8.2	124	18.7	13	
8/19/24 17:45	839	8.4	101	8.2	124	18.8	13	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/19/24 18:00	833	8.4	101	8.2	124	18.8	14	
8/19/24 18:15	833	8.4	101	8.2	123	18.8	13	
8/19/24 18:30	839	8.3	101	8.2	123	18.9	13	
8/19/24 18:45	839	8.3	101	8.2	123	19.0	14	
8/19/24 19:00	839	8.3	101	8.2	123	19.0	13	
8/19/24 19:15	833	8.3	101	8.2	123	19.1	13	
8/19/24 19:30	839	8.3	101	8.2	123	19.1	13	
8/19/24 19:45	839	8.3	101	8.2	123	19.2	13	
8/19/24 20:00	839	8.3	101	8.2	123	19.2	13	
8/19/24 20:15	839	8.2	101	8.2	123	19.3	13	
8/19/24 20:30	839	8.2	101	8.2	123	19.3	13	
8/19/24 20:45	839	8.2	101	8.2	123	19.3	14	
8/19/24 21:00	833	8.2	101	8.2	123	19.4	13	
8/19/24 21:15	833	8.2	101	8.2	123	19.4	14	
8/19/24 21:30	833	8.2	101	8.2	123	19.4	14	
8/19/24 21:45	839	8.2	101	8.2	123	19.4	14	
8/19/24 22:00	833	8.2	101	8.2	123	19.4	14	
8/19/24 22:15	839	8.2	101	8.2	123	19.4	13	
8/19/24 22:30	833	8.2	101	8.2	123	19.4	14	
8/19/24 22:45	833	8.2	101	8.2	123	19.3	14	
8/19/24 23:00	839	8.2	101	8.1	124	19.3	14	
8/19/24 23:15	839	8.3	101	8.1	124	19.3	16	
8/19/24 23:30	839	8.3	101	8.1	124	19.2	14	
8/19/24 23:45	839	8.3	101	8.1	124	19.2	13	
8/20/24 0:00	839	8.3	101	8.1	124	19.2	13	
8/20/24 0:15	833	8.3	101	8.1	125	19.0	13	
8/20/24 0:30	833	8.3	101	8.1	125	19.0	13	
8/20/24 0:45	839	8.3	101	8.1	125	18.9	13	
8/20/24 1:00	839	8.3	101	8.1	125	18.8	13	
8/20/24 1:15	839	8.4	101	8.1	125	18.7	13	
8/20/24 1:30	839	8.4	101	8.1	126	18.6	14	
8/20/24 1:45	839	8.4	101	8.0	126	18.5	14	
8/20/24 2:00	839	8.4	101	8.0	126	18.4	13	
8/20/24 2:15	839	8.4	101	8.1	126	18.3	13	
8/20/24 2:30	839	8.4	101	8.0	127	18.2	13	
8/20/24 2:45	839	8.5	101	8.1	127	18.1	13	
8/20/24 3:00	839	8.5	101	8.0	127	18.0	13	
8/20/24 3:15	839	8.5	101	8.1	127	17.9	13	
8/20/24 3:30	839	8.5	101	8.0	127	17.8	12	
8/20/24 3:45	839	8.5	101	8.0	128	17.7	13	
8/20/24 4:00	839	8.6	101	8.0	128	17.6	12	
8/20/24 4:15	839	8.6	101	8.1	128	17.5	12	
8/20/24 4:30	839	8.6	101	8.1	128	17.4	12	
8/20/24 4:45	839	8.6	101	8.0	128	17.3	12	
8/20/24 5:00	839	8.6	101	8.1	128	17.2	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/20/24 5:15	839	8.7	101	8.0	128	17.1	12	
8/20/24 5:30	839	8.7	101	8.1	128	17.0	12	
8/20/24 5:45	839	8.7	101	8.1	128	16.9	12	
8/20/24 6:00	839	8.7	101	8.0	128	16.8	12	
8/20/24 6:15	839	8.7	101	8.1	128	16.7	12	
8/20/24 6:30	839	8.8	102	8.1	128	16.6	12	
8/20/24 6:45	846	8.8	102	8.1	128	16.6	12	
8/20/24 7:00	839	8.8	102	8.1	128	16.6	12	
8/20/24 7:15	846	8.8	102	8.1	128	16.4	12	
8/20/24 7:30	839	8.9	102	8.0	128	16.3	12	
8/20/24 7:45	846	8.9	102	8.0	128	16.2	12	
8/20/24 8:00	839	8.9	102	8.0	128	16.2	12	
8/20/24 8:15	839	8.9	102	8.0	128	16.1	11	
8/20/24 8:30	839	8.9	102	8.1	128	16.1	11	
8/20/24 8:45	839	8.9	102	8.0	128	16.0	11	
8/20/24 9:00	846	9.0	103	8.1	128	16.1	11	
8/20/24 9:15	846	9.0	103	8.1	127	16.1	11	
8/20/24 9:30	839	9.0	103	8.1	127	16.1	11	
8/20/24 9:45	839	9.0	103	8.1	127	16.1	11	
8/20/24 10:00	846	9.1	104	8.2	127	16.2	12	
8/20/24 10:15	839	9.0	104	8.1	127	16.2	11	
8/20/24 10:30	839	9.0	104	8.1	127	16.2	11	
8/20/24 10:45	846	9.0	104	8.2	127	16.3	11	
8/20/24 11:00	839	9.0	104	8.2	127	16.3	11	
8/20/24 11:15	839	9.0	104	8.2	127	16.4	11	
8/20/24 11:30	839	9.0	104	8.2	126	16.4	11	
8/20/24 11:45	839	9.0	104	8.2	126	16.5	11	
8/20/24 12:00	846	9.0	104	8.2	126	16.6	11	
8/20/24 12:15	839	9.0	104	8.2	126	16.6	11	
8/20/24 12:30	839	9.0	104	8.2	126	16.7	11	
8/20/24 12:45	839	9.0	104	8.2	126	16.8	11	
8/20/24 13:00	839	9.0	105	8.3	126	17.0	11	
8/20/24 13:15	839	9.0	105	8.2	126	17.2	11	
8/20/24 13:30	846	8.9	104	8.2	125	17.3	10	
8/20/24 13:45	839	8.9	104	8.2	125	17.5	10	
8/20/24 14:00	839	8.8	104	8.2	125	17.5	11	
8/20/24 14:15	839	8.8	103	8.2	125	17.5	11	
8/20/24 14:30	839	8.8	103	8.2	125	17.6	11	
8/20/24 14:45	839	8.8	103	8.2	125	17.6	11	
8/20/24 15:00	839	8.7	103	8.2	125	17.7	11	
8/20/24 15:15	846	8.7	103	8.2	125	17.7	11	
8/20/24 15:30	839	8.7	103	8.2	124	17.8	11	
8/20/24 15:45	839	8.7	103	8.2	124	17.8	11	
8/20/24 16:00	839	8.7	103	8.2	124	17.8	11	
8/20/24 16:15	839	8.7	103	8.2	124	17.9	11	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/20/24 16:30	839	8.6	103	8.2	124	18.0	11	
8/20/24 16:45	839	8.6	103	8.2	124	18.0	12	
8/20/24 17:00	839	8.6	102	8.2	124	18.1	12	
8/20/24 17:15	839	8.6	102	8.2	124	18.1	12	
8/20/24 17:30	839	8.5	102	8.2	123	18.2	12	
8/20/24 17:45	839	8.5	102	8.2	123	18.2	12	
8/20/24 18:00	839	8.5	101	8.2	123	18.3	12	
8/20/24 18:15	839	8.4	101	8.2	123	18.3	12	
8/20/24 18:30	839	8.4	101	8.2	123	18.4	12	
8/20/24 18:45	839	8.4	101	8.2	123	18.4	12	
8/20/24 19:00	839	8.4	101	8.2	123	18.4	13	
8/20/24 19:15	839	8.4	101	8.2	123	18.5	12	
8/20/24 19:30	839	8.4	101	8.2	123	18.5	12	
8/20/24 19:45	839	8.4	101	8.2	122	18.6	12	
8/20/24 20:00	846	8.4	101	8.2	122	18.6	12	
8/20/24 20:15	839	8.4	101	8.2	122	18.7	12	
8/20/24 20:30	839	8.4	101	8.2	122	18.7	13	
8/20/24 20:45	839	8.4	101	8.2	122	18.7	13	
8/20/24 21:00	839	8.4	101	8.2	122	18.7	13	
8/20/24 21:15	839	8.4	101	8.2	122	18.7	13	
8/20/24 21:30	839	8.4	101	8.2	122	18.7	12	
8/20/24 21:45	839	8.4	101	8.1	123	18.7	13	
8/20/24 22:00	839	8.4	101	8.2	123	18.7	12	
8/20/24 22:15	839	8.4	101	8.2	123	18.7	12	
8/20/24 22:30	839	8.4	101	8.1	123	18.7	12	
8/20/24 22:45	839	8.4	101	8.2	123	18.6	13	
8/20/24 23:00	839	8.4	101	8.1	123	18.6	12	
8/20/24 23:15	839	8.4	101	8.1	124	18.6	12	
8/20/24 23:30	839	8.4	101	8.1	124	18.5	12	
8/20/24 23:45	846	8.4	101	8.1	124	18.4	12	
8/21/24 0:00	846	8.4	101	8.1	124	18.4	12	
8/21/24 0:15	846	8.4	101	8.1	124	18.3	13	
8/21/24 0:30	846	8.4	101	8.1	125	18.3	13	
8/21/24 0:45	839	8.5	101	8.0	125	18.2	13	
8/21/24 1:00	839	8.5	101	8.1	125	18.1	13	
8/21/24 1:15	839	8.5	101	8.0	125	18.1	13	
8/21/24 1:30	846	8.5	101	8.0	125	18.0	13	
8/21/24 1:45	839	8.5	101	8.0	126	17.9	12	
8/21/24 2:00	839	8.6	101	8.0	126	17.8	13	
8/21/24 2:15	839	8.6	101	8.0	126	17.8	13	
8/21/24 2:30	839	8.6	101	8.0	126	17.7	12	
8/21/24 2:45	846	8.6	101	8.0	127	17.6	13	
8/21/24 3:00	839	8.6	101	8.0	127	17.5	12	
8/21/24 3:15	839	8.6	101	8.0	127	17.4	12	
8/21/24 3:30	839	8.6	101	8.0	127	17.3	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	Turbidity (FNU)	Turbidity (SBU)
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)		
8/21/24 3:45	846	8.7	102	8.0	127	17.2	12	
8/21/24 4:00	846	8.7	102	8.0	127	17.2	12	
8/21/24 4:15	846	8.7	102	8.0	128	17.1	12	
8/21/24 4:30	846	8.7	102	8.0	128	17.0	12	
8/21/24 4:45	846	8.7	101	8.0	128	16.9	12	
8/21/24 5:00	839	8.7	102	8.1	128	16.8	12	
8/21/24 5:15	839	8.8	102	8.0	128	16.7	12	
8/21/24 5:30	839	8.8	102	8.0	128	16.6	12	
8/21/24 5:45	846	8.8	102	8.1	128	16.6	12	
8/21/24 6:00	839	8.8	102	8.0	128	16.5	12	
8/21/24 6:15	846	8.8	102	8.0	128	16.4	11	
8/21/24 6:30	846	8.9	102	8.0	128	16.3	11	
8/21/24 6:45	846	8.9	102	8.0	128	16.3	11	
8/21/24 7:00	839	8.9	102	8.0	128	16.2	11	
8/21/24 7:15	839	8.9	102	8.0	128	16.1	11	
8/21/24 7:30	839	8.9	102	8.0	127	16.1	11	
8/21/24 7:45	846	9.0	102	8.1	127	16.0	11	
8/21/24 8:00	839	9.0	102	8.1	127	16.0	11	
8/21/24 8:15	839	9.0	102	8.0	127	15.9	11	
8/21/24 8:30	846	9.0	102	8.0	127	15.9	11	
8/21/24 8:45	839	9.0	103	8.0	127	15.8	11	
8/21/24 9:00	839	9.1	103	8.1	127	15.8	11	
8/21/24 9:15	846	9.1	103	8.1	127	15.9	11	
8/21/24 9:30	846	9.1	104	8.1	127	15.9	11	
8/21/24 9:45	839	9.1	104	8.1	127	16.0	11	
8/21/24 10:00	839	9.1	104	8.1	127	16.0	10	
8/21/24 10:15	846	9.1	104	8.2	127	16.1	11	
8/21/24 10:30	846	9.1	104	8.2	127	16.2	11	
8/21/24 10:45	853	9.1	105	8.2	127	16.3	11	
8/21/24 11:00	846	9.1	105	8.2	126	16.4	11	
8/21/24 11:15	846	9.1	105	8.2	126	16.5	11	
8/21/24 11:30	846	9.1	105	8.2	126	16.6	11	
8/21/24 11:45	846	9.0	105	8.2	126	16.7	11	
8/21/24 12:00	846	9.0	105	8.2	126	16.8	11	
8/21/24 12:15	846	9.0	105	8.2	126	16.9	11	
8/21/24 12:30	853	9.0	105	8.2	126	17.0	11	
8/21/24 12:45	846	9.0	105	8.2	126	17.1	11	
8/21/24 13:00	846	8.9	105	8.3	125	17.2	11	
8/21/24 13:15	853	8.9	105	8.3	125	17.2	11	
8/21/24 13:30	853	8.9	104	8.3	125	17.4	11	
8/21/24 13:45	846	8.8	104	8.2	125	17.6	11	
8/21/24 14:00	846	8.8	104	8.2	125	17.7	11	
8/21/24 14:15	846	8.8	104	8.3	125	17.8	11	
8/21/24 14:30	846	8.8	104	8.2	125	17.9	11	
8/21/24 14:45	846	8.7	104	8.3	125	18.0	11	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/21/24 15:00	846	8.7	104	8.3	125	18.0	11	
8/21/24 15:15	853	8.6	103	8.3	124	18.3	11	
8/21/24 15:30	846	8.6	103	8.3	124	18.4	11	
8/21/24 15:45	839	8.6	103	8.2	124	18.4	11	
8/21/24 16:00	839	8.6	103	8.2	124	18.5	11	
8/21/24 16:15	839	8.5	103	8.2	124	18.5	12	
8/21/24 16:30	839	8.5	103	8.3	124	18.6	12	
8/21/24 16:45	839	8.5	102	8.2	124	18.6	12	
8/21/24 17:00	839	8.5	102	8.2	124	18.6	12	
8/21/24 17:15	833	8.4	102	8.3	123	18.6	12	
8/21/24 17:30	839	8.4	102	8.2	123	18.7	12	
8/21/24 17:45	839	8.4	101	8.2	123	18.7	12	
8/21/24 18:00	839	8.4	101	8.2	123	18.7	12	
8/21/24 18:15	839	8.4	101	8.2	123	18.8	12	
8/21/24 18:30	839	8.3	101	8.2	123	18.8	12	
8/21/24 18:45	839	8.3	101	8.2	122	18.9	12	
8/21/24 19:00	839	8.3	101	8.3	122	19.0	12	
8/21/24 19:15	839	8.3	101	8.2	122	19.0	12	
8/21/24 19:30	839	8.3	101	8.3	122	19.0	12	
8/21/24 19:45	839	8.3	101	8.2	122	19.1	12	
8/21/24 20:00	839	8.2	101	8.3	122	19.1	13	
8/21/24 20:15	839	8.2	101	8.3	122	19.2	12	
8/21/24 20:30	839	8.2	101	8.2	122	19.2	12	
8/21/24 20:45	839	8.2	100	8.3	122	19.2	13	
8/21/24 21:00	846	8.2	101	8.3	122	19.2	13	
8/21/24 21:15	839	8.2	100	8.3	122	19.3	13	
8/21/24 21:30	839	8.2	100	8.2	122	19.3	13	
8/21/24 21:45	839	8.2	100	8.3	122	19.3	13	
8/21/24 22:00	839	8.2	101	8.3	122	19.3	13	
8/21/24 22:15	839	8.2	100	8.2	123	19.3	13	
8/21/24 22:30	839	8.2	101	8.2	123	19.2	13	
8/21/24 22:45	839	8.2	101	8.2	123	19.2	13	
8/21/24 23:00	839	8.2	101	8.2	123	19.2	13	
8/21/24 23:15	839	8.2	101	8.2	123	19.2	13	
8/21/24 23:30	839	8.2	100	8.1	124	19.1	13	
8/21/24 23:45	846	8.3	100	8.2	124	19.1	12	
8/22/24 0:00	839	8.3	100	8.1	124	19.0	13	
8/22/24 0:15	839	8.3	100	8.1	124	19.0	12	
8/22/24 0:30	839	8.3	100	8.1	124	18.9	13	
8/22/24 0:45	833	8.3	100	8.1	125	18.8	13	
8/22/24 1:00	833	8.3	100	8.1	125	18.8	13	
8/22/24 1:15	839	8.3	101	8.1	125	18.6	13	
8/22/24 1:30	833	8.3	101	8.1	125	18.6	12	
8/22/24 1:45	839	8.4	101	8.1	126	18.5	13	
8/22/24 2:00	839	8.4	101	8.1	126	18.5	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/22/24 2:15	833	8.4	100	8.1	126	18.3	12	
8/22/24 2:30	833	8.4	101	8.1	126	18.2	12	
8/22/24 2:45	839	8.4	101	8.0	127	18.1	12	
8/22/24 3:00	839	8.5	101	8.0	127	18.0	12	
8/22/24 3:15	839	8.5	101	8.1	127	17.9	12	
8/22/24 3:30	839	8.5	101	8.0	127	17.8	12	
8/22/24 3:45	839	8.5	101	8.0	127	17.7	12	
8/22/24 4:00	839	8.5	101	8.1	128	17.6	12	
8/22/24 4:15	839	8.6	101	8.0	128	17.5	12	
8/22/24 4:30	839	8.6	101	8.0	128	17.4	12	
8/22/24 4:45	839	8.6	101	8.1	128	17.2	12	
8/22/24 5:00	839	8.6	101	8.1	128	17.1	12	
8/22/24 5:15	839	8.6	101	8.1	128	17.0	12	
8/22/24 5:30	839	8.7	101	8.0	128	16.9	12	
8/22/24 5:45	839	8.7	101	8.1	128	16.8	12	
8/22/24 6:00	839	8.7	101	8.0	128	16.7	12	
8/22/24 6:15	839	8.7	101	8.0	128	16.6	12	
8/22/24 6:30	839	8.7	101	8.0	128	16.6	12	
8/22/24 6:45	839	8.8	101	8.1	128	16.5	12	
8/22/24 7:00	839	8.8	101	8.1	127	16.4	12	
8/22/24 7:15	839	8.8	101	8.1	127	16.4	12	
8/22/24 7:30	839	8.8	102	8.1	127	16.3	12	
8/22/24 7:45	839	8.9	102	8.1	127	16.2	11	
8/22/24 8:00	839	8.9	102	8.0	127	16.2	11	
8/22/24 8:15	839	8.9	102	8.0	127	16.2	11	
8/22/24 8:30	839	8.9	102	8.1	127	16.1	11	
8/22/24 8:45	839	8.9	102	8.1	127	16.1	11	
8/22/24 9:00	839	9.0	102	8.1	127	16.1	11	
8/22/24 9:15	839	9.0	103	8.1	127	16.1	11	
8/22/24 9:30	839	9.0	103	8.1	127	16.2	12	
8/22/24 9:45	839	9.0	103	8.2	127	16.2	12	
8/22/24 10:00	839	9.0	104	8.1	126	16.2	12	
8/22/24 10:15	846	9.0	104	8.2	126	16.3	12	
8/22/24 10:30	839	9.0	104	8.2	126	16.4	11	
8/22/24 10:45	839	9.0	104	8.2	126	16.5	12	
8/22/24 11:00	846	9.0	104	8.2	126	16.6	11	
8/22/24 11:15	839	9.0	104	8.2	126	16.7	12	
8/22/24 11:30	839	8.9	104	8.2	126	16.7	11	
8/22/24 11:45	839	8.9	104	8.2	126	16.7	12	
8/22/24 12:00	839	8.9	104	8.2	126	16.8	11	
8/22/24 12:15	839	8.9	104	8.2	125	16.9	12	
8/22/24 12:30	839	8.9	104	8.2	125	17.0	12	
8/22/24 12:45	833	8.9	104	8.2	125	17.1	11	
8/22/24 13:00	819	8.9	104	8.3	125	17.2	11	
8/22/24 13:15	813	8.9	104	8.2	125	17.3	11	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Water			
		(mg/L)	DO (%)		Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/22/24 13:30	813	8.8	104	8.2	125	17.4	12	
8/22/24 13:45	799	8.7	103	8.2	125	17.5	11	
8/22/24 14:00	799	8.7	103	8.3	125	17.6	12	
8/22/24 14:15	799	8.7	103	8.3	125	17.7	12	
8/22/24 14:30	799	8.7	103	8.3	124	17.8	12	
8/22/24 14:45	793	8.7	103	8.2	124	17.9	12	
8/22/24 15:00	793	8.6	103	8.2	124	17.9	12	
8/22/24 15:15	793	8.6	103	8.3	124	18.0	12	
8/22/24 15:30	799	8.6	103	8.3	124	18.0	12	
8/22/24 15:45	793	8.6	103	8.3	124	18.2	12	
8/22/24 16:00	786	8.6	103	8.3	124	18.3	12	
8/22/24 16:15	786	8.6	103	8.3	124	18.4	12	
8/22/24 16:30	786	8.6	103	8.3	124	18.4	12	
8/22/24 16:45	786	8.5	102	8.3	124	18.4	12	
8/22/24 17:00	786	8.5	102	8.3	123	18.5	12	
8/22/24 17:15	786	8.5	102	8.3	123	18.5	12	
8/22/24 17:30	786	8.5	102	8.3	123	18.5	12	
8/22/24 17:45	786	8.4	101	8.3	123	18.5	12	
8/22/24 18:00	793	8.4	101	8.3	123	18.6	12	
8/22/24 18:15	793	8.4	101	8.3	123	18.6	12	
8/22/24 18:30	793	8.4	101	8.3	123	18.6	12	
8/22/24 18:45	793	8.4	101	8.3	122	18.6	12	
8/22/24 19:00	793	8.3	100	8.3	122	18.6	12	
8/22/24 19:15	793	8.3	100	8.3	122	18.6	12	
8/22/24 19:30	793	8.3	100	8.2	122	18.6	12	
8/22/24 19:45	793	8.3	100	8.2	122	18.6	12	
8/22/24 20:00	793	8.3	100	8.2	122	18.7	12	
8/22/24 20:15	799	8.3	100	8.2	122	18.7	13	
8/22/24 20:30	799	8.3	100	8.2	122	18.7	13	
8/22/24 20:45	799	8.3	100	8.2	122	18.7	13	
8/22/24 21:00	793	8.3	100	8.2	122	18.7	13	
8/22/24 21:15	799	8.3	100	8.2	122	18.7	12	
8/22/24 21:30	793	8.3	100	8.2	122	18.7	14	
8/22/24 21:45	793	8.3	100	8.2	122	18.7	13	
8/22/24 22:00	793	8.3	100	8.2	122	18.7	12	
8/22/24 22:15	793	8.3	100	8.2	122	18.6	13	
8/22/24 22:30	799	8.3	100	8.2	123	18.6	13	
8/22/24 22:45	799	8.3	100	8.2	123	18.6	12	
8/22/24 23:00	799	8.3	100	8.2	123	18.5	12	
8/22/24 23:15	799	8.3	100	8.2	123	18.4	12	
8/22/24 23:30	799	8.3	100	8.1	123	18.4	13	
8/22/24 23:45	799	8.3	100	8.1	124	18.3	13	
8/23/24 0:00	799	8.4	100	8.1	124	18.3	12	
8/23/24 0:15	799	8.4	100	8.1	124	18.2	12	
8/23/24 0:30	799	8.4	100	8.1	124	18.1	13	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			pH	Water		
		(mg/L)	DO (%)	Specific conductance (µS/cm)		Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/23/24 0:45	806	8.4	100	8.1	124	18.1	12	
8/23/24 1:00	799	8.4	100	8.1	124	18.0	12	
8/23/24 1:15	806	8.4	100	8.1	124	17.9	12	
8/23/24 1:30	806	8.4	100	8.1	124	17.8	12	
8/23/24 1:45	799	8.5	100	8.1	125	17.8	12	
8/23/24 2:00	806	8.5	100	8.1	125	17.7	12	
8/23/24 2:15	799	8.5	100	8.1	125	17.6	12	
8/23/24 2:30	793	8.5	100	8.1	125	17.5	12	
8/23/24 2:45	799	8.5	100	8.1	125	17.5	12	
8/23/24 3:00	799	8.5	100	8.0	126	17.4	12	
8/23/24 3:15	799	8.6	100	8.1	126	17.3	12	
8/23/24 3:30	799	8.6	100	8.1	126	17.2	12	
8/23/24 3:45	799	8.6	100	8.0	126	17.1	12	
8/23/24 4:00	799	8.6	100	8.1	126	17.0	12	
8/23/24 4:15	793	8.6	100	8.0	126	17.0	12	
8/23/24 4:30	793	8.6	100	8.0	127	16.9	12	
8/23/24 4:45	799	8.6	100	8.1	127	16.8	11	
8/23/24 5:00	799	8.7	100	8.1	127	16.7	11	
8/23/24 5:15	799	8.7	101	8.1	127	16.6	11	
8/23/24 5:30	799	8.7	101	8.1	127	16.6	12	
8/23/24 5:45	799	8.7	101	8.1	127	16.5	11	
8/23/24 6:00	799	8.7	101	8.0	127	16.4	11	
8/23/24 6:15	799	8.7	101	8.0	127	16.4	11	
8/23/24 6:30	799	8.8	101	8.0	127	16.2	11	
8/23/24 6:45	799	8.8	101	8.1	127	16.2	11	
8/23/24 7:00	799	8.8	101	8.1	127	16.1	11	
8/23/24 7:15	799	8.8	101	8.1	127	16.0	11	
8/23/24 7:30	793	8.9	101	8.0	127	16.0	11	
8/23/24 7:45	799	8.9	101	8.1	127	15.9	11	
8/23/24 8:00	799	8.9	101	8.1	127	15.9	11	
8/23/24 8:15	793	8.9	102	8.1	127	15.8	11	
8/23/24 8:30	799	9.0	102	8.1	127	15.8	11	
8/23/24 8:45	806	9.0	102	8.1	127	15.8	11	
8/23/24 9:00	806	9.0	103	8.1	126	15.8	11	
8/23/24 9:15	806	9.1	103	8.2	126	15.8	11	
8/23/24 9:30	813	9.1	103	8.2	126	15.8	11	
8/23/24 9:45	806	9.1	104	8.2	126	15.9	11	
8/23/24 10:00	806	9.1	104	8.2	126	15.9	11	
8/23/24 10:15	799	9.1	103	8.2	126	15.9	11	
8/23/24 10:30	799	9.0	103	8.2	126	15.8	11	
8/23/24 10:45	793	9.1	104	8.2	126	16.0	10	
8/23/24 11:00	799	9.1	104	8.2	126	16.0	10	
8/23/24 11:15	799	9.1	104	8.2	126	16.2	11	
8/23/24 11:30	793	9.1	104	8.3	126	16.2	10	
8/23/24 11:45	799	9.0	104	8.2	126	16.2	10	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/23/24 12:00	799	9.0	104	8.2	125	16.2	10	
8/23/24 12:15	799	9.1	104	8.3	125	16.3	10	
8/23/24 12:30	793	9.0	103	8.2	125	16.2	11	
8/23/24 12:45	799	9.0	103	8.2	125	16.3	11	
8/23/24 13:00	799	9.0	103	8.2	125	16.3	11	
8/23/24 13:15	799	9.0	103	8.2	125	16.4	11	
8/23/24 13:30	799	9.0	104	8.2	125	16.5	11	
8/23/24 13:45	793	9.0	104	8.2	125	16.5	10	
8/23/24 14:00	799	9.0	104	8.3	125	16.6	11	
8/23/24 14:15	793	9.0	104	8.2	125	16.6	11	
8/23/24 14:30	793	9.0	104	8.3	125	16.7	11	
8/23/24 14:45	799	8.9	103	8.2	124	16.7	11	
8/23/24 15:00	793	8.9	103	8.3	124	16.7	11	
8/23/24 15:15	793	8.9	103	8.3	124	16.8	11	
8/23/24 15:30	793	8.9	103	8.3	124	16.8	11	
8/23/24 15:45	793	8.8	102	8.2	124	16.7	11	
8/23/24 16:00	786	8.8	103	8.3	124	16.8	11	
8/23/24 16:15	799	8.8	103	8.3	124	16.8	11	
8/23/24 16:30	793	8.8	103	8.3	123	16.8	11	
8/23/24 16:45	793	8.8	102	8.3	123	16.9	11	
8/23/24 17:00	793	8.8	102	8.2	123	16.9	11	
8/23/24 17:15	793	8.8	102	8.2	123	16.9	11	
8/23/24 17:30	793	8.7	102	8.3	123	17.0	11	
8/23/24 17:45	793	8.7	102	8.2	123	17.0	11	
8/23/24 18:00	793	8.7	102	8.2	123	17.0	11	
8/23/24 18:15	793	8.7	101	8.2	123	17.0	12	
8/23/24 18:30	793	8.6	101	8.2	122	17.0	11	
8/23/24 18:45	793	8.6	101	8.2	122	17.0	11	
8/23/24 19:00	793	8.6	101	8.2	122	17.0	12	
8/23/24 19:15	793	8.6	101	8.2	122	17.0	12	
8/23/24 19:30	793	8.6	101	8.2	122	17.0	12	
8/23/24 19:45	793	8.6	100	8.2	122	17.0	12	
8/23/24 20:00	793	8.6	100	8.2	122	17.0	12	
8/23/24 20:15	799	8.6	100	8.2	122	17.0	12	
8/23/24 20:30	799	8.6	100	8.1	122	17.0	12	
8/23/24 20:45	799	8.6	100	8.2	122	17.0	12	
8/23/24 21:00	793	8.6	100	8.2	122	17.0	12	
8/23/24 21:15	793	8.6	100	8.2	122	16.9	12	
8/23/24 21:30	793	8.6	100	8.2	122	16.9	12	
8/23/24 21:45	793	8.6	100	8.2	122	16.9	12	
8/23/24 22:00	793	8.6	100	8.1	122	16.9	12	
8/23/24 22:15	793	8.6	100	8.2	122	16.9	12	
8/23/24 22:30	793	8.6	100	8.1	122	16.9	12	
8/23/24 22:45	799	8.6	100	8.1	123	16.9	12	
8/23/24 23:00	799	8.6	100	8.1	123	16.8	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/23/24 23:15	799	8.6	100	8.1	123	16.8	12	
8/23/24 23:30	799	8.6	100	8.1	123	16.8	12	
8/23/24 23:45	799	8.6	100	8.1	123	16.8	12	
8/24/24 0:00	799	8.6	100	8.1	123	16.8	12	
8/24/24 0:15	799	8.6	100	8.1	123	16.7	12	
8/24/24 0:30	799	8.7	100	8.1	124	16.7	12	
8/24/24 0:45	806	8.7	100	8.1	124	16.7	12	
8/24/24 1:00	806	8.7	100	8.1	124	16.6	12	
8/24/24 1:15	799	8.7	100	8.0	124	16.6	12	
8/24/24 1:30	806	8.7	101	8.1	124	16.6	12	
8/24/24 1:45	806	8.7	100	8.1	124	16.5	12	
8/24/24 2:00	813	8.7	101	8.1	124	16.5	11	
8/24/24 2:15	806	8.7	101	8.1	124	16.4	12	
8/24/24 2:30	806	8.7	101	8.0	125	16.4	12	
8/24/24 2:45	813	8.7	101	8.1	125	16.3	12	
8/24/24 3:00	813	8.8	101	8.1	125	16.3	12	
8/24/24 3:15	806	8.8	101	8.0	125	16.2	11	
8/24/24 3:30	813	8.8	101	8.1	125	16.2	11	
8/24/24 3:45	813	8.8	101	8.1	125	16.1	12	
8/24/24 4:00	813	8.8	101	8.0	126	16.0	11	
8/24/24 4:15	813	8.8	101	8.1	126	16.0	11	
8/24/24 4:30	813	8.8	101	8.1	126	15.9	11	
8/24/24 4:45	806	8.9	101	8.0	126	15.9	11	
8/24/24 5:00	813	8.9	101	8.0	126	15.8	11	
8/24/24 5:15	806	8.9	101	8.1	126	15.8	11	
8/24/24 5:30	813	8.9	101	8.0	126	15.7	11	
8/24/24 5:45	806	8.9	101	8.0	126	15.6	11	
8/24/24 6:00	806	8.9	101	8.0	126	15.6	11	
8/24/24 6:15	806	8.9	101	8.0	126	15.6	11	
8/24/24 6:30	813	9.0	101	8.1	126	15.5	11	
8/24/24 6:45	806	9.0	101	8.0	126	15.4	11	
8/24/24 7:00	806	9.0	101	8.0	126	15.4	11	
8/24/24 7:15	806	9.0	101	8.1	126	15.4	11	
8/24/24 7:30	806	9.0	101	8.1	126	15.4	11	
8/24/24 7:45	806	9.0	102	8.0	126	15.3	11	
8/24/24 8:00	806	9.1	102	8.1	126	15.3	11	
8/24/24 8:15	806	9.1	102	8.1	126	15.2	11	
8/24/24 8:30	799	9.1	102	8.1	126	15.2	11	
8/24/24 8:45	799	9.1	103	8.1	126	15.2	11	
8/24/24 9:00	799	9.1	103	8.1	126	15.2	11	
8/24/24 9:15	799	9.2	103	8.1	126	15.2	11	
8/24/24 9:30	799	9.2	103	8.1	125	15.2	10	
8/24/24 9:45	799	9.2	103	8.2	125	15.2	10	
8/24/24 10:00	799	9.2	104	8.1	125	15.2	11	
8/24/24 10:15	799	9.2	104	8.1	125	15.3	10	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/24/24 10:30	799	9.2	103	8.2	125	15.3	10	
8/24/24 10:45	793	9.2	104	8.2	125	15.3	11	
8/24/24 11:00	799	9.2	103	8.2	125	15.3	10	
8/24/24 11:15	799	9.3	105	8.2	125	15.5	10	
8/24/24 11:30	793	9.3	105	8.2	125	15.5	10	
8/24/24 11:45	793	9.2	105	8.2	125	15.6	10	
8/24/24 12:00	799	9.3	105	8.3	125	15.7	10	
8/24/24 12:15	793	9.2	105	8.3	125	15.9	10	
8/24/24 12:30	799	9.2	105	8.2	124	15.9	10	
8/24/24 12:45	799	9.2	105	8.3	124	16.1	10	
8/24/24 13:00	799	9.1	105	8.2	124	16.2	10	
8/24/24 13:15	799	9.1	104	8.3	124	16.1	11	
8/24/24 13:30	799	9.1	104	8.2	124	16.1	10	
8/24/24 13:45	799	9.0	104	8.3	124	16.2	10	
8/24/24 14:00	799	9.1	104	8.3	124	16.3	10	
8/24/24 14:15	793	9.1	104	8.3	124	16.4	10	
8/24/24 14:30	799	9.0	104	8.3	124	16.4	10	
8/24/24 14:45	799	9.0	104	8.3	124	16.3	10	
8/24/24 15:00	799	9.1	104	8.3	124	16.3	10	
8/24/24 15:15	793	9.0	104	8.3	124	16.4	11	
8/24/24 15:30	799	9.0	104	8.2	124	16.5	10	
8/24/24 15:45	799	9.0	104	8.3	124	16.5	11	
8/24/24 16:00	793	9.0	104	8.3	123	16.5	11	
8/24/24 16:15	793	9.0	103	8.3	123	16.5	11	
8/24/24 16:30	793	8.9	103	8.2	123	16.5	11	
8/24/24 16:45	793	8.9	103	8.3	123	16.5	11	
8/24/24 17:00	799	8.9	103	8.3	123	16.5	11	
8/24/24 17:15	799	8.9	103	8.2	123	16.6	11	
8/24/24 17:30	793	8.9	103	8.2	123	16.6	11	
8/24/24 17:45	799	8.9	103	8.2	123	16.6	11	
8/24/24 18:00	793	8.9	103	8.2	123	16.6	11	
8/24/24 18:15	793	8.8	102	8.2	122	16.7	11	
8/24/24 18:30	793	8.8	102	8.2	122	16.7	11	
8/24/24 18:45	793	8.8	102	8.2	122	16.8	11	
8/24/24 19:00	793	8.7	101	8.2	122	16.8	11	
8/24/24 19:15	793	8.7	101	8.2	122	16.9	11	
8/24/24 19:30	793	8.7	101	8.2	122	16.9	12	
8/24/24 19:45	793	8.7	101	8.2	122	17.0	11	
8/24/24 20:00	793	8.7	101	8.2	121	17.0	12	
8/24/24 20:15	793	8.6	101	8.2	121	17.1	12	
8/24/24 20:30	799	8.6	101	8.2	121	17.1	12	
8/24/24 20:45	793	8.6	101	8.1	121	17.1	12	
8/24/24 21:00	793	8.6	101	8.2	121	17.1	12	
8/24/24 21:15	793	8.6	101	8.2	121	17.2	12	
8/24/24 21:30	793	8.6	101	8.1	121	17.2	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/24/24 21:45	793	8.6	101	8.1	121	17.1	12	
8/24/24 22:00	793	8.6	101	8.2	121	17.1	12	
8/24/24 22:15	793	8.6	101	8.2	122	17.1	12	
8/24/24 22:30	793	8.7	101	8.2	122	17.1	12	
8/24/24 22:45	793	8.7	101	8.1	122	17.0	12	
8/24/24 23:00	799	8.7	101	8.1	122	17.0	12	
8/24/24 23:15	793	8.7	101	8.1	122	16.9	12	
8/24/24 23:30	793	8.7	101	8.1	122	16.8	12	
8/24/24 23:45	793	8.7	101	8.1	123	16.8	12	
8/25/24 0:00	793	8.7	101	8.1	123	16.7	12	
8/25/24 0:15	799	8.8	101	8.1	123	16.6	11	
8/25/24 0:30	799	8.8	101	8.0	123	16.5	12	
8/25/24 0:45	806	8.8	101	8.1	123	16.4	12	
8/25/24 1:00	819	8.8	102	8.1	124	16.4	11	
8/25/24 1:15	826	8.8	102	8.1	124	16.3	12	
8/25/24 1:30	833	8.8	101	8.0	124	16.2	12	
8/25/24 1:45	839	8.8	101	8.0	124	16.2	12	
8/25/24 2:00	839	8.8	101	8.1	124	16.1	12	
8/25/24 2:15	839	8.9	102	8.0	125	15.9	12	
8/25/24 2:30	839	9.0	102	8.0	125	15.8	12	
8/25/24 2:45	839	9.0	102	8.0	125	15.6	12	
8/25/24 3:00	846	9.0	102	8.1	125	15.6	12	
8/25/24 3:15	839	9.0	102	8.0	125	15.4	12	
8/25/24 3:30	839	9.0	102	8.0	125	15.4	12	
8/25/24 3:45	846	9.1	102	8.0	126	15.3	12	
8/25/24 4:00	846	9.1	102	8.0	126	15.2	12	
8/25/24 4:15	846	9.1	102	8.0	126	15.1	12	
8/25/24 4:30	846	9.1	102	8.0	126	15.0	12	
8/25/24 4:45	846	9.2	102	8.0	126	14.9	12	
8/25/24 5:00	846	9.2	102	8.0	126	14.8	12	
8/25/24 5:15	846	9.2	102	8.0	126	14.7	12	
8/25/24 5:30	846	9.2	102	8.0	126	14.6	12	
8/25/24 5:45	846	9.2	102	8.0	126	14.6	11	
8/25/24 6:00	846	9.2	102	8.0	126	14.5	12	
8/25/24 6:15	846	9.2	102	8.0	126	14.5	12	
8/25/24 6:30	846	9.3	102	8.0	126	14.4	11	
8/25/24 6:45	846	9.3	102	8.0	126	14.4	12	
8/25/24 7:00	839	9.3	103	8.0	126	14.4	11	
8/25/24 7:15	839	9.3	103	8.0	126	14.3	11	
8/25/24 7:30	846	9.3	103	8.0	126	14.3	12	
8/25/24 7:45	846	9.4	103	8.0	125	14.2	11	
8/25/24 8:00	846	9.4	103	8.0	125	14.2	11	
8/25/24 8:15	846	9.3	103	8.1	125	14.2	11	
8/25/24 8:30	846	9.4	103	8.1	125	14.2	11	
8/25/24 8:45	846	9.4	103	8.1	125	14.2	11	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/25/24 9:00	846	9.4	104	8.0	125	14.2	11	
8/25/24 9:15	846	9.5	104	8.1	125	14.2	11	
8/25/24 9:30	839	9.5	104	8.1	125	14.2	11	
8/25/24 9:45	846	9.5	105	8.1	125	14.2	11	
8/25/24 10:00	846	9.5	105	8.1	125	14.3	11	
8/25/24 10:15	846	9.6	105	8.1	125	14.4	11	
8/25/24 10:30	846	9.5	105	8.2	125	14.4	11	
8/25/24 10:45	846	9.5	105	8.2	125	14.5	11	
8/25/24 11:00	846	9.5	106	8.2	125	14.6	11	
8/25/24 11:15	846	9.5	106	8.2	125	14.7	11	
8/25/24 11:30	846	9.5	106	8.2	124	14.8	11	
8/25/24 11:45	846	9.5	106	8.2	124	14.9	11	
8/25/24 12:00	846	9.5	106	8.2	124	15.0	11	
8/25/24 12:15	846	9.4	106	8.2	124	15.1	11	
8/25/24 12:30	846	9.4	106	8.2	124	15.2	11	
8/25/24 12:45	853	9.4	106	8.3	124	15.3	11	
8/25/24 13:00	846	9.3	105	8.3	124	15.5	11	
8/25/24 13:15	846	9.3	106	8.2	124	15.6	11	
8/25/24 13:30	846	9.3	105	8.3	124	15.7	11	
8/25/24 13:45	853	9.2	105	8.3	123	15.9	11	
8/25/24 14:00	846	9.2	105	8.2	123	16.0	11	
8/25/24 14:15	846	9.1	105	8.3	123	16.2	11	
8/25/24 14:30	846	9.1	105	8.3	123	16.3	11	
8/25/24 14:45	846	9.1	105	8.3	123	16.4	11	
8/25/24 15:00	846	9.0	105	8.3	123	16.6	11	
8/25/24 15:15	839	9.0	104	8.3	123	16.7	11	
8/25/24 15:30	846	9.0	104	8.3	122	16.8	11	
8/25/24 15:45	846	8.9	104	8.3	122	16.9	12	
8/25/24 16:00	846	8.9	104	8.3	122	17.0	12	
8/25/24 16:15	839	8.9	103	8.3	122	17.1	12	
8/25/24 16:30	839	8.8	103	8.3	122	17.1	12	
8/25/24 16:45	839	8.8	103	8.2	122	17.2	12	
8/25/24 17:00	839	8.8	103	8.2	122	17.2	12	
8/25/24 17:15	839	8.7	102	8.2	122	17.2	12	
8/25/24 17:30	839	8.7	102	8.2	121	17.3	12	
8/25/24 17:45	839	8.7	102	8.2	121	17.3	12	
8/25/24 18:00	839	8.6	102	8.2	121	17.4	12	
8/25/24 18:15	839	8.6	101	8.2	121	17.4	12	
8/25/24 18:30	839	8.6	101	8.2	121	17.5	12	
8/25/24 18:45	839	8.6	101	8.2	121	17.6	12	
8/25/24 19:00	839	8.6	101	8.2	121	17.7	12	
8/25/24 19:15	846	8.6	101	8.2	121	17.7	12	
8/25/24 19:30	846	8.5	101	8.2	121	17.8	12	
8/25/24 19:45	846	8.5	101	8.2	120	17.8	13	
8/25/24 20:00	846	8.5	101	8.2	120	17.9	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/25/24 20:15	846	8.5	101	8.2	120	17.9	13	
8/25/24 20:30	846	8.5	101	8.2	120	18.0	13	
8/25/24 20:45	846	8.5	101	8.2	120	18.0	13	
8/25/24 21:00	846	8.5	101	8.2	120	18.0	13	
8/25/24 21:15	846	8.5	101	8.2	121	18.1	13	
8/25/24 21:30	846	8.5	101	8.2	121	18.1	13	
8/25/24 21:45	846	8.5	101	8.1	121	18.1	13	
8/25/24 22:00	846	8.5	101	8.1	121	18.1	13	
8/25/24 22:15	846	8.5	101	8.2	121	18.1	13	
8/25/24 22:30	846	8.5	101	8.1	121	18.0	13	
8/25/24 22:45	846	8.5	101	8.1	121	18.0	13	
8/25/24 23:00	846	8.5	101	8.1	122	18.0	13	
8/25/24 23:15	846	8.5	101	8.1	122	17.9	13	
8/25/24 23:30	846	8.5	101	8.1	122	17.9	13	
8/25/24 23:45	846	8.5	101	8.1	122	17.8	13	
8/26/24 0:00	846	8.5	101	8.1	123	17.8	13	
8/26/24 0:15	846	8.6	101	8.0	123	17.7	13	
8/26/24 0:30	846	8.6	101	8.0	123	17.6	13	
8/26/24 0:45	846	8.6	101	8.0	123	17.5	13	
8/26/24 1:00	846	8.6	101	8.0	123	17.4	13	
8/26/24 1:15	846	8.6	101	8.0	124	17.4	13	
8/26/24 1:30	846	8.6	101	8.0	124	17.4	13	
8/26/24 1:45	846	8.7	101	8.0	124	17.2	13	
8/26/24 2:00	846	8.7	102	8.0	124	17.0	13	
8/26/24 2:15	846	8.7	102	8.0	124	16.9	13	
8/26/24 2:30	839	8.7	102	8.0	125	16.8	12	
8/26/24 2:45	839	8.8	102	8.0	125	16.7	12	
8/26/24 3:00	846	8.8	102	8.0	125	16.6	12	
8/26/24 3:15	839	8.8	102	8.0	125	16.5	12	
8/26/24 3:30	846	8.8	102	8.0	125	16.4	12	
8/26/24 3:45	846	8.8	102	8.0	125	16.4	12	
8/26/24 4:00	846	8.9	102	8.0	126	16.1	12	
8/26/24 4:15	846	8.9	102	8.0	126	16.0	12	
8/26/24 4:30	846	8.9	102	8.0	126	15.9	12	
8/26/24 4:45	846	9.0	102	8.0	126	15.8	12	
8/26/24 5:00	839	9.0	102	8.0	126	15.7	12	
8/26/24 5:15	839	9.0	102	8.0	126	15.6	12	
8/26/24 5:30	846	9.0	102	8.0	126	15.5	12	
8/26/24 5:45	846	9.0	102	8.0	126	15.5	12	
8/26/24 6:00	846	9.1	102	8.0	126	15.3	11	
8/26/24 6:15	846	9.1	102	8.0	126	15.2	11	
8/26/24 6:30	846	9.1	102	8.0	126	15.2	12	
8/26/24 6:45	839	9.2	102	8.0	126	15.1	11	
8/26/24 7:00	846	9.2	103	8.0	126	15.0	12	
8/26/24 7:15	839	9.2	103	8.0	126	14.9	11	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/26/24 7:30	839	9.2	103	8.0	126	14.8	11	
8/26/24 7:45	846	9.2	103	8.0	125	14.8	11	
8/26/24 8:00	846	9.2	103	8.0	125	14.8	11	
8/26/24 8:15	846	9.2	103	8.0	125	14.7	11	
8/26/24 8:30	846	9.3	103	8.0	125	14.7	11	
8/26/24 8:45	846	9.3	103	8.0	125	14.6	11	
8/26/24 9:00	846	9.3	104	8.1	125	14.7	11	
8/26/24 9:15	846	9.4	104	8.1	125	14.7	11	
8/26/24 9:30	839	9.4	104	8.0	125	14.7	11	
8/26/24 9:45	839	9.4	105	8.1	125	14.8	11	
8/26/24 10:00	846	9.4	105	8.1	125	14.8	11	
8/26/24 10:15	846	9.4	105	8.1	125	14.9	11	
8/26/24 10:30	846	9.5	106	8.2	125	15.0	11	
8/26/24 10:45	846	9.4	106	8.1	125	15.1	11	
8/26/24 11:00	839	9.4	106	8.2	125	15.2	11	
8/26/24 11:15	846	9.4	106	8.2	125	15.3	11	
8/26/24 11:30	846	9.4	106	8.2	124	15.4	11	
8/26/24 11:45	846	9.4	106	8.2	124	15.4	11	
8/26/24 12:00	846	9.3	106	8.2	124	15.6	11	
8/26/24 12:15	846	9.3	106	8.2	124	15.7	11	
8/26/24 12:30	846	9.3	106	8.2	124	15.8	11	
8/26/24 12:45	846	9.2	106	8.3	124	16.0	11	
8/26/24 13:00	846	9.2	105	8.2	124	16.1	11	
8/26/24 13:15	846	9.2	106	8.3	124	16.2	11	
8/26/24 13:30	846	9.2	105	8.3	124	16.4	11	
8/26/24 13:45	846	9.1	105	8.3	124	16.5	11	
8/26/24 14:00	846	9.1	105	8.2	123	16.7	11	
8/26/24 14:15	846	9.0	105	8.3	123	16.8	11	
8/26/24 14:30	846	9.0	105	8.3	123	16.9	11	
8/26/24 14:45	846	9.0	104	8.2	123	17.0	11	
8/26/24 15:00	846	8.9	105	8.2	123	17.2	12	
8/26/24 15:15	839	8.9	104	8.2	123	17.3	12	
8/26/24 15:30	846	8.8	104	8.2	123	17.4	12	
8/26/24 15:45	846	8.8	104	8.3	123	17.5	12	
8/26/24 16:00	846	8.8	103	8.3	122	17.6	12	
8/26/24 16:15	846	8.7	103	8.3	122	17.6	12	
8/26/24 16:30	839	8.7	103	8.3	122	17.7	12	
8/26/24 16:45	839	8.7	103	8.2	122	17.8	12	
8/26/24 17:00	839	8.6	102	8.2	122	17.8	12	
8/26/24 17:15	833	8.6	102	8.2	122	17.8	12	
8/26/24 17:30	839	8.6	102	8.2	122	17.9	12	
8/26/24 17:45	839	8.6	102	8.2	122	17.9	12	
8/26/24 18:00	839	8.6	102	8.2	122	17.9	12	
8/26/24 18:15	846	8.5	101	8.2	121	18.0	12	
8/26/24 18:30	839	8.5	101	8.2	121	18.1	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/26/24 18:45	839	8.5	101	8.2	121	18.1	13	
8/26/24 19:00	839	8.5	101	8.2	121	18.2	12	
8/26/24 19:15	839	8.4	101	8.2	121	18.3	12	
8/26/24 19:30	839	8.4	101	8.2	121	18.3	13	
8/26/24 19:45	839	8.4	101	8.2	121	18.4	13	
8/26/24 20:00	846	8.4	101	8.2	121	18.4	13	
8/26/24 20:15	839	8.4	101	8.2	121	18.5	13	
8/26/24 20:30	846	8.4	101	8.2	121	18.5	13	
8/26/24 20:45	846	8.4	101	8.2	121	18.6	13	
8/26/24 21:00	839	8.4	101	8.2	121	18.6	13	
8/26/24 21:15	839	8.4	101	8.2	121	18.6	13	
8/26/24 21:30	839	8.4	101	8.2	121	18.6	13	
8/26/24 21:45	839	8.4	101	8.1	121	18.6	13	
8/26/24 22:00	839	8.4	101	8.1	121	18.6	13	
8/26/24 22:15	846	8.4	101	8.1	121	18.6	13	
8/26/24 22:30	846	8.4	101	8.1	121	18.6	13	
8/26/24 22:45	839	8.4	101	8.1	122	18.6	13	
8/26/24 23:00	839	8.4	101	8.1	122	18.5	13	
8/26/24 23:15	846	8.4	101	8.0	122	18.5	13	
8/26/24 23:30	839	8.4	101	8.1	122	18.5	13	
8/26/24 23:45	839	8.4	101	8.1	122	18.4	13	
8/27/24 0:00	839	8.4	101	8.1	122	18.4	13	
8/27/24 0:15	839	8.4	101	8.0	123	18.3	13	
8/27/24 0:30	846	8.4	101	8.0	123	18.2	13	
8/27/24 0:45	846	8.4	101	8.0	123	18.2	12	
8/27/24 1:00	846	8.5	101	8.0	123	18.1	12	
8/27/24 1:15	846	8.5	101	8.0	123	18.0	13	
8/27/24 1:30	846	8.5	101	8.0	124	17.9	13	
8/27/24 1:45	839	8.5	101	8.0	124	17.8	12	
8/27/24 2:00	839	8.6	101	8.0	124	17.7	12	
8/27/24 2:15	839	8.6	101	8.0	124	17.6	12	
8/27/24 2:30	846	8.6	101	8.0	124	17.5	12	
8/27/24 2:45	846	8.6	101	8.0	125	17.4	12	
8/27/24 3:00	846	8.6	101	8.0	125	17.3	12	
8/27/24 3:15	846	8.7	101	8.0	125	17.2	12	
8/27/24 3:30	839	8.7	101	8.0	125	17.0	12	
8/27/24 3:45	846	8.7	101	8.0	125	16.9	12	
8/27/24 4:00	846	8.7	101	8.0	125	16.8	12	
8/27/24 4:15	846	8.8	101	8.0	125	16.7	12	
8/27/24 4:30	846	8.8	102	8.0	125	16.6	12	
8/27/24 4:45	839	8.8	102	8.0	126	16.5	12	
8/27/24 5:00	846	8.8	102	8.0	126	16.4	12	
8/27/24 5:15	846	8.8	102	8.0	126	16.2	12	
8/27/24 5:30	846	8.9	102	8.0	126	16.2	12	
8/27/24 5:45	839	8.9	102	8.0	126	16.0	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/27/24 6:00	839	8.9	102	8.0	126	16.0	12
8/27/24 6:15	846	8.9	102	8.0	126	15.9	12
8/27/24 6:30	839	9.0	102	8.0	126	15.8	12
8/27/24 6:45	846	9.0	102	8.0	126	15.7	11
8/27/24 7:00	839	9.0	102	8.0	126	15.6	12
8/27/24 7:15	839	9.0	102	8.0	126	15.6	12
8/27/24 7:30	846	9.0	102	8.0	126	15.5	11
8/27/24 7:45	846	9.0	102	8.0	125	15.4	12
8/27/24 8:00	839	9.1	102	8.0	125	15.4	11
8/27/24 8:15	846	9.1	102	8.0	125	15.4	12
8/27/24 8:30	846	9.1	102	8.0	125	15.3	11
8/27/24 8:45	846	9.1	103	8.0	125	15.2	11
8/27/24 9:00	846	9.2	103	8.0	125	15.2	11
8/27/24 9:15	839	9.2	104	8.1	125	15.3	11
8/27/24 9:30	846	9.2	104	8.1	125	15.3	11
8/27/24 9:45	846	9.2	104	8.1	125	15.3	11
8/27/24 10:00	846	9.3	105	8.1	125	15.4	11
8/27/24 10:15	846	9.3	105	8.1	125	15.5	11
8/27/24 10:30	846	9.3	105	8.1	125	15.6	11
8/27/24 10:45	846	9.3	105	8.2	125	15.6	11
8/27/24 11:00	846	9.3	105	8.2	125	15.7	11
8/27/24 11:15	846	9.3	105	8.2	125	15.8	11
8/27/24 11:30	846	9.3	105	8.2	125	15.8	11
8/27/24 11:45	846	9.2	105	8.2	125	16.0	11
8/27/24 12:00	839	9.2	105	8.2	124	16.1	11
8/27/24 12:15	846	9.2	105	8.2	124	16.2	11
8/27/24 12:30	846	9.2	105	8.3	124	16.3	12
8/27/24 12:45	846	9.2	105	8.3	124	16.3	12
8/27/24 13:00	846	9.1	105	8.2	124	16.6	12
8/27/24 13:15	846	9.1	105	8.3	124	16.7	12
8/27/24 13:30	846	9.0	105	8.3	124	16.8	12
8/27/24 13:45	846	9.0	105	8.2	124	16.9	12
8/27/24 14:00	846	9.0	105	8.3	124	17.1	12
8/27/24 14:15	846	8.9	104	8.3	123	17.2	12
8/27/24 14:30	846	8.9	104	8.2	123	17.3	12
8/27/24 14:45	846	8.8	104	8.3	123	17.4	12
8/27/24 15:00	846	8.8	104	8.3	123	17.5	12
8/27/24 15:15	839	8.8	104	8.2	123	17.6	12
8/27/24 15:30	853	8.8	104	8.2	123	17.7	12
8/27/24 15:45	846	8.7	103	8.3	123	17.8	12
8/27/24 16:00	839	8.7	103	8.3	123	17.9	12
8/27/24 16:15	839	8.7	103	8.2	122	17.9	12
8/27/24 16:30	839	8.6	103	8.3	122	18.0	12
8/27/24 16:45	839	8.6	102	8.2	122	18.0	12
8/27/24 17:00	839	8.6	102	8.2	122	18.0	12

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/27/24 17:15	839	8.5	102	8.2	122	18.0	13	
8/27/24 17:30	839	8.5	102	8.2	122	18.1	12	
8/27/24 17:45	839	8.5	101	8.2	122	18.1	12	
8/27/24 18:00	839	8.5	101	8.2	122	18.1	12	
8/27/24 18:15	839	8.5	101	8.2	122	18.2	13	
8/27/24 18:30	839	8.4	101	8.2	121	18.2	13	
8/27/24 18:45	839	8.4	101	8.2	121	18.3	13	
8/27/24 19:00	839	8.4	101	8.2	121	18.3	13	
8/27/24 19:15	839	8.4	101	8.2	121	18.4	13	
8/27/24 19:30	839	8.4	101	8.2	121	18.4	13	
8/27/24 19:45	833	8.4	101	8.2	121	18.5	13	
8/27/24 20:00	839	8.4	101	8.2	121	18.5	13	
8/27/24 20:15	839	8.4	101	8.2	121	18.6	13	
8/27/24 20:30	839	8.4	101	8.2	121	18.6	13	
8/27/24 20:45	839	8.3	101	8.2	121	18.6	13	
8/27/24 21:00	839	8.3	101	8.2	121	18.6	14	
8/27/24 21:15	839	8.3	101	8.2	121	18.6	13	
8/27/24 21:30	839	8.4	101	8.2	121	18.6	13	
8/27/24 21:45	833	8.3	101	8.2	121	18.6	14	
8/27/24 22:00	839	8.4	101	8.2	121	18.6	13	
8/27/24 22:15	839	8.4	101	8.2	121	18.6	13	
8/27/24 22:30	839	8.4	101	8.1	121	18.6	13	
8/27/24 22:45	839	8.4	101	8.1	122	18.5	14	
8/27/24 23:00	839	8.4	101	8.1	122	18.4	13	
8/27/24 23:15	839	8.4	101	8.1	122	18.4	13	
8/27/24 23:30	839	8.4	101	8.1	122	18.3	14	
8/27/24 23:45	839	8.4	101	8.0	122	18.3	14	
8/28/24 0:00	839	8.4	101	8.0	122	18.2	14	
8/28/24 0:15	839	8.4	101	8.1	123	18.1	13	
8/28/24 0:30	839	8.5	101	8.1	123	18.0	13	
8/28/24 0:45	839	8.5	101	8.0	123	17.9	14	
8/28/24 1:00	839	8.5	101	8.0	123	17.9	13	
8/28/24 1:15	839	8.5	101	8.0	123	17.7	13	
8/28/24 1:30	839	8.5	101	8.0	123	17.7	13	
8/28/24 1:45	839	8.6	101	8.0	124	17.5	13	
8/28/24 2:00	839	8.6	101	8.0	124	17.4	13	
8/28/24 2:15	839	8.6	101	8.0	124	17.3	13	
8/28/24 2:30	846	8.7	101	8.0	125	17.2	13	
8/28/24 2:45	839	8.7	101	8.0	125	17.0	13	
8/28/24 3:00	839	8.7	101	8.0	125	16.9	13	
8/28/24 3:15	839	8.7	101	8.0	125	16.7	13	
8/28/24 3:30	839	8.8	102	8.0	125	16.6	13	
8/28/24 3:45	839	8.8	102	8.0	126	16.4	13	
8/28/24 4:00	846	8.8	102	8.0	126	16.3	12	
8/28/24 4:15	846	8.8	101	8.0	126	16.2	12	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water		
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/28/24 4:30	846	8.9	102	8.0	126	16.0	12	
8/28/24 4:45	839	8.9	102	8.0	126	15.9	12	
8/28/24 5:00	839	9.0	102	8.0	126	15.8	12	
8/28/24 5:15	846	9.0	102	8.0	126	15.6	12	
8/28/24 5:30	846	9.0	102	8.0	126	15.6	12	
8/28/24 5:45	846	9.0	102	8.0	126	15.4	12	
8/28/24 6:00	839	9.0	102	8.0	126	15.3	12	
8/28/24 6:15	846	9.0	102	8.0	126	15.3	12	
8/28/24 6:30	846	9.1	102	8.0	126	15.1	12	
8/28/24 6:45	839	9.1	102	8.0	126	15.0	12	
8/28/24 7:00	846	9.2	102	8.0	126	14.9	12	
8/28/24 7:15	839	9.2	102	8.0	126	14.8	12	
8/28/24 7:30	839	9.2	102	8.0	126	14.7	12	
8/28/24 7:45	846	9.2	102	8.0	126	14.7	12	
8/28/24 8:00	846	9.2	102	8.0	126	14.6	12	
8/28/24 8:15	839	9.3	103	8.0	126	14.6	12	
8/28/24 8:30	846	9.3	103	8.0	126	14.5	12	
8/28/24 8:45	846	9.3	103	8.0	126	14.5	12	
8/28/24 9:00	839	9.4	103	8.0	125	14.5	12	
8/28/24 9:15	839	9.4	104	8.1	125	14.4	12	
8/28/24 9:30	846	9.4	104	8.1	125	14.4	12	
8/28/24 9:45	846	9.4	104	8.1	125	14.5	12	
8/28/24 10:00	839	9.5	105	8.2	125	14.5	12	
8/28/24 10:15	839	9.5	105	8.2	125	14.6	12	
8/28/24 10:30	846	9.5	105	8.2	125	14.6	12	
8/28/24 10:45	839	9.5	105	8.2	125	14.6	12	
8/28/24 11:00	839	9.5	105	8.2	125	14.7	12	
8/28/24 11:15	839	9.5	105	8.2	125	14.8	12	
8/28/24 11:30	846	9.4	105	8.2	124	14.8	12	
8/28/24 11:45	846	9.4	105	8.2	124	14.9	12	
8/28/24 12:00	839	9.4	106	8.2	124	15.0	12	
8/28/24 12:15	846	9.4	105	8.2	124	15.1	12	
8/28/24 12:30	846	9.4	105	8.2	124	15.3	12	
8/28/24 12:45	846	9.3	105	8.3	124	15.4	12	
8/28/24 13:00	846	9.3	105	8.2	124	15.5	12	
8/28/24 13:15	846	9.3	105	8.3	124	15.7	12	
8/28/24 13:30	846	9.2	105	8.2	123	15.8	12	
8/28/24 13:45	839	9.2	105	8.3	123	16.0	12	
8/28/24 14:00	839	9.1	104	8.3	123	16.1	12	
8/28/24 14:15	839	9.1	105	8.2	123	16.3	12	
8/28/24 14:30	839	9.1	104	8.2	123	16.4	12	
8/28/24 14:45	839	9.0	104	8.3	123	16.6	12	
8/28/24 15:00	846	9.0	104	8.3	123	16.7	12	
8/28/24 15:15	839	8.9	104	8.3	122	16.8	12	
8/28/24 15:30	839	8.9	103	8.3	122	16.9	13	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/28/24 15:45	839	8.8	103	8.2	122	17.0	12	
8/28/24 16:00	839	8.8	103	8.3	122	17.1	12	
8/28/24 16:15	839	8.8	103	8.3	122	17.2	13	
8/28/24 16:30	839	8.7	102	8.2	122	17.3	13	
8/28/24 16:45	839	8.7	102	8.2	122	17.3	13	
8/28/24 17:00	833	8.6	102	8.2	122	17.4	13	
8/28/24 17:15	833	8.6	101	8.2	121	17.4	13	
8/28/24 17:30	839	8.6	101	8.2	121	17.4	13	
8/28/24 17:45	833	8.6	101	8.2	121	17.4	13	
8/28/24 18:00	839	8.5	101	8.2	121	17.6	13	
8/28/24 18:15	839	8.5	101	8.2	121	17.6	13	
8/28/24 18:30	839	8.5	101	8.2	121	17.7	13	
8/28/24 18:45	839	8.5	101	8.2	121	17.8	14	
8/28/24 19:00	839	8.5	101	8.2	121	17.8	13	
8/28/24 19:15	833	8.5	101	8.2	120	17.9	13	
8/28/24 19:30	839	8.5	101	8.2	120	18.0	13	
8/28/24 19:45	839	8.4	101	8.2	120	18.0	14	
8/28/24 20:00	839	8.4	100	8.2	120	18.1	14	
8/28/24 20:15	839	8.4	100	8.2	120	18.1	14	
8/28/24 20:30	839	8.4	100	8.2	120	18.2	14	
8/28/24 20:45	839	8.4	100	8.2	120	18.2	14	
8/28/24 21:00	839	8.4	100	8.2	120	18.2	14	
8/28/24 21:15	839	8.4	100	8.2	120	18.2	14	
8/28/24 21:30	839	8.4	100	8.2	120	18.2	14	
8/28/24 21:45	839	8.4	100	8.2	120	18.2	14	
8/28/24 22:00	839	8.4	100	8.2	121	18.2	14	
8/28/24 22:15	839	8.4	100	8.2	121	18.2	14	
8/28/24 22:30	839	8.4	100	8.1	121	18.2	14	
8/28/24 22:45	846	8.4	101	8.1	121	18.1	14	
8/28/24 23:00	846	8.4	101	8.1	121	18.1	14	
8/28/24 23:15	839	8.4	100	8.1	122	18.1	14	
8/28/24 23:30	839	8.4	101	8.1	122	18.0	14	
8/28/24 23:45	839	8.5	101	8.1	122	18.0	14	
8/29/24 0:00	846	8.5	101	8.1	122	17.9	14	
8/29/24 0:15	839	8.5	101	8.1	123	17.8	13	
8/29/24 0:30	839	8.5	101	8.0	123	17.7	14	
8/29/24 0:45	839	8.5	101	8.0	123	17.6	13	
8/29/24 1:00	839	8.5	101	8.0	123	17.6	13	
8/29/24 1:15	839	8.6	101	8.0	123	17.5	14	
8/29/24 1:30	839	8.6	101	8.0	124	17.4	13	
8/29/24 1:45	846	8.6	101	8.0	124	17.2	13	
8/29/24 2:00	846	8.6	101	8.0	124	17.1	13	
8/29/24 2:15	839	8.7	101	8.0	124	17.0	13	
8/29/24 2:30	846	8.7	101	8.0	124	16.9	13	
8/29/24 2:45	846	8.7	101	8.0	124	16.9	13	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/29/24 3:00	839	8.8	101	8.0	125	16.6	13
8/29/24 3:15	846	8.8	101	8.0	125	16.5	13
8/29/24 3:30	846	8.8	101	8.0	125	16.4	13
8/29/24 3:45	846	8.8	101	8.0	125	16.2	13
8/29/24 4:00	846	8.8	101	8.0	125	16.1	13
8/29/24 4:15	846	8.8	101	8.0	125	16.1	12
8/29/24 4:30	839	8.9	102	8.0	126	15.8	12
8/29/24 4:45	846	9.0	102	8.0	126	15.7	12
8/29/24 5:00	839	9.0	102	8.0	126	15.6	12
8/29/24 5:15	839	9.0	102	8.0	126	15.5	12
8/29/24 5:30	846	9.0	102	8.0	126	15.4	12
8/29/24 5:45	846	9.0	102	8.0	126	15.3	12
8/29/24 6:00	846	9.0	102	8.0	126	15.3	12
8/29/24 6:15	839	9.1	102	8.0	126	15.1	12
8/29/24 6:30	846	9.1	102	8.0	126	15.0	12
8/29/24 6:45	846	9.1	102	8.0	126	14.9	12
8/29/24 7:00	846	9.1	102	8.0	126	14.8	12
8/29/24 7:15	839	9.1	102	8.0	126	14.8	12
8/29/24 7:30	846	9.2	102	8.0	125	14.7	12
8/29/24 7:45	853	9.2	102	8.0	125	14.7	12
8/29/24 8:00	846	9.2	102	8.0	125	14.6	12
8/29/24 8:15	846	9.2	102	8.0	125	14.6	12
8/29/24 8:30	846	9.3	102	8.0	125	14.5	12
8/29/24 8:45	846	9.3	103	8.0	125	14.5	12
8/29/24 9:00	846	9.3	103	8.1	125	14.5	12
8/29/24 9:15	846	9.4	104	8.0	125	14.5	12
8/29/24 9:30	846	9.4	104	8.1	125	14.6	12
8/29/24 9:45	846	9.4	104	8.1	125	14.6	12
8/29/24 10:00	846	9.4	105	8.1	125	14.7	12
8/29/24 10:15	839	9.5	105	8.2	125	14.7	12
8/29/24 10:30	846	9.4	105	8.2	125	14.8	11
8/29/24 10:45	853	9.4	105	8.2	125	14.9	12
8/29/24 11:00	846	9.4	105	8.2	125	15.0	12
8/29/24 11:15	846	9.4	105	8.2	125	15.0	12
8/29/24 11:30	846	9.4	105	8.2	125	15.1	12
8/29/24 11:45	846	9.4	105	8.2	124	15.2	12
8/29/24 12:00	846	9.4	105	8.2	124	15.3	12
8/29/24 12:15	846	9.3	105	8.2	124	15.4	12
8/29/24 12:30	846	9.3	105	8.3	124	15.5	12
8/29/24 12:45	846	9.3	105	8.2	124	15.7	12
8/29/24 13:00	846	9.3	105	8.3	124	15.8	12
8/29/24 13:15	839	9.2	105	8.3	124	15.9	12
8/29/24 13:30	846	9.2	105	8.3	124	16.1	12
8/29/24 13:45	839	9.2	105	8.3	124	16.2	12
8/29/24 14:00	846	9.1	105	8.2	123	16.4	12

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/29/24 14:15	846	9.1	105	8.3	123	16.5	12	
8/29/24 14:30	846	9.0	105	8.2	123	16.6	13	
8/29/24 14:45	846	9.0	104	8.2	123	16.8	13	
8/29/24 15:00	846	8.9	104	8.3	123	16.9	13	
8/29/24 15:15	846	8.9	104	8.3	123	16.9	13	
8/29/24 15:30	846	8.9	104	8.3	123	17.1	13	
8/29/24 15:45	846	8.8	103	8.3	122	17.2	13	
8/29/24 16:00	853	8.8	103	8.3	122	17.3	13	
8/29/24 16:15	853	8.8	103	8.3	122	17.3	13	
8/29/24 16:30	853	8.7	103	8.2	122	17.5	13	
8/29/24 16:45	833	8.7	103	8.2	122	17.5	13	
8/29/24 17:00	833	8.6	102	8.2	122	17.6	13	
8/29/24 17:15	839	8.6	102	8.2	122	17.6	13	
8/29/24 17:30	833	8.6	101	8.2	122	17.7	13	
8/29/24 17:45	839	8.5	101	8.2	121	17.7	13	
8/29/24 18:00	833	8.5	101	8.2	121	17.8	13	
8/29/24 18:15	839	8.5	101	8.2	121	17.9	14	
8/29/24 18:30	839	8.5	101	8.2	121	18.0	13	
8/29/24 18:45	833	8.5	101	8.2	121	18.0	13	
8/29/24 19:00	839	8.4	101	8.2	121	18.1	14	
8/29/24 19:15	839	8.4	101	8.2	120	18.2	14	
8/29/24 19:30	839	8.4	100	8.2	120	18.3	14	
8/29/24 19:45	839	8.4	100	8.2	120	18.3	14	
8/29/24 20:00	839	8.4	100	8.2	120	18.4	14	
8/29/24 20:15	839	8.4	100	8.2	120	18.5	14	
8/29/24 20:30	839	8.4	100	8.2	120	18.5	14	
8/29/24 20:45	839	8.3	100	8.2	120	18.6	14	
8/29/24 21:00	839	8.3	100	8.2	120	18.6	14	
8/29/24 21:15	839	8.3	100	8.2	120	18.6	14	
8/29/24 21:30	833	8.3	100	8.2	120	18.7	14	
8/29/24 21:45	839	8.3	100	8.2	121	18.7	14	
8/29/24 22:00	839	8.3	100	8.1	121	18.7	14	
8/29/24 22:15	839	8.3	101	8.2	121	18.7	14	
8/29/24 22:30	839	8.3	101	8.1	121	18.6	14	
8/29/24 22:45	839	8.4	101	8.1	121	18.6	14	
8/29/24 23:00	839	8.4	101	8.1	121	18.6	14	
8/29/24 23:15	839	8.4	101	8.1	122	18.6	14	
8/29/24 23:30	839	8.4	101	8.1	122	18.5	14	
8/29/24 23:45	839	8.4	101	8.1	122	18.5	14	
8/30/24 0:00	839	8.4	101	8.1	122	18.4	14	
8/30/24 0:15	839	8.4	101	8.0	123	18.3	14	
8/30/24 0:30	839	8.4	101	8.0	123	18.3	14	
8/30/24 0:45	839	8.4	101	8.0	123	18.2	14	
8/30/24 1:00	839	8.4	101	8.0	123	18.1	14	
8/30/24 1:15	839	8.5	101	8.0	123	18.0	14	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/30/24 1:30	839	8.5	101	8.0	124	17.9	14
8/30/24 1:45	846	8.5	101	8.0	124	17.8	14
8/30/24 2:00	839	8.5	101	8.0	124	17.7	13
8/30/24 2:15	839	8.5	101	8.0	124	17.6	14
8/30/24 2:30	839	8.6	101	8.0	124	17.5	13
8/30/24 2:45	846	8.6	101	8.0	125	17.4	13
8/30/24 3:00	839	8.6	101	8.0	125	17.2	13
8/30/24 3:15	839	8.6	101	8.0	125	17.2	13
8/30/24 3:30	839	8.7	101	8.0	125	17.0	13
8/30/24 3:45	839	8.7	101	8.0	125	16.9	13
8/30/24 4:00	839	8.7	101	8.0	125	16.8	13
8/30/24 4:15	839	8.8	101	8.0	125	16.6	13
8/30/24 4:30	839	8.8	101	8.0	125	16.5	13
8/30/24 4:45	839	8.8	102	8.0	125	16.4	13
8/30/24 5:00	846	8.8	101	8.0	126	16.3	13
8/30/24 5:15	839	8.8	101	8.0	126	16.3	13
8/30/24 5:30	839	8.9	101	8.0	126	16.1	12
8/30/24 5:45	839	8.9	102	8.0	126	16.0	13
8/30/24 6:00	846	8.9	102	8.0	126	15.9	13
8/30/24 6:15	839	9.0	102	8.0	126	15.8	13
8/30/24 6:30	839	9.0	102	8.0	126	15.7	13
8/30/24 6:45	839	9.0	102	8.0	126	15.6	12
8/30/24 7:00	839	9.0	102	8.0	125	15.5	12
8/30/24 7:15	839	9.0	102	8.0	125	15.4	12
8/30/24 7:30	839	9.1	102	8.0	125	15.4	12
8/30/24 7:45	839	9.1	102	8.0	125	15.4	12
8/30/24 8:00	839	9.1	102	8.0	125	15.2	12
8/30/24 8:15	839	9.1	102	8.0	125	15.2	12
8/30/24 8:30	839	9.1	102	8.0	125	15.2	12
8/30/24 8:45	839	9.2	103	8.0	125	15.1	12
8/30/24 9:00	846	9.2	103	8.0	125	15.1	13
8/30/24 9:15	846	9.2	104	8.0	125	15.1	12
8/30/24 9:30	839	9.3	104	8.1	125	15.1	12
8/30/24 9:45	839	9.3	104	8.0	125	15.2	12
8/30/24 10:00	846	9.3	104	8.1	125	15.2	12
8/30/24 10:15	839	9.3	105	8.1	125	15.3	12
8/30/24 10:30	839	9.3	105	8.2	125	15.4	12
8/30/24 10:45	839	9.3	105	8.1	125	15.5	13
8/30/24 11:00	846	9.3	105	8.2	125	15.6	12
8/30/24 11:15	839	9.3	105	8.2	125	15.6	12
8/30/24 11:30	846	9.3	105	8.2	125	15.8	12
8/30/24 11:45	839	9.3	105	8.2	125	15.8	12
8/30/24 12:00	846	9.2	105	8.2	124	16.0	12
8/30/24 12:15	839	9.2	105	8.2	124	16.1	12
8/30/24 12:30	839	9.2	105	8.2	124	16.1	12

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Specific Water			
		(mg/L)	DO (%)	pH	conductance (µS/cm)	Temperature (°C)	Turbidity (FNU)	Turbidity (SBU)
8/30/24 12:45	839	9.2	105	8.2	124	16.3	12	
8/30/24 13:00	839	9.1	105	8.2	124	16.4	12	
8/30/24 13:15	839	9.1	105	8.3	124	16.5	12	
8/30/24 13:30	839	9.1	105	8.3	124	16.5	12	
8/30/24 13:45	839	9.0	105	8.3	124	16.8	12	
8/30/24 14:00	839	9.0	105	8.3	124	16.9	12	
8/30/24 14:15	839	9.0	105	8.3	124	16.9	12	
8/30/24 14:30	839	8.9	104	8.2	123	17.2	12	
8/30/24 14:45	839	8.9	104	8.3	123	17.3	12	
8/30/24 15:00	839	8.8	104	8.2	123	17.4	12	
8/30/24 15:15	839	8.8	104	8.3	123	17.6	13	
8/30/24 15:30	839	8.8	104	8.2	123	17.6	13	
8/30/24 15:45	839	8.7	103	8.3	123	17.7	13	
8/30/24 16:00	839	8.7	103	8.3	123	17.8	13	
8/30/24 16:15	839	8.7	103	8.2	122	17.9	13	
8/30/24 16:30	839	8.6	103	8.2	122	17.9	13	
8/30/24 16:45	839	8.6	102	8.2	122	18.0	13	
8/30/24 17:00	833	8.6	102	8.2	122	18.0	13	
8/30/24 17:15	833	8.5	102	8.2	122	18.0	13	
8/30/24 17:30	833	8.5	102	8.2	122	18.0	13	
8/30/24 17:45	833	8.5	101	8.2	122	18.1	13	
8/30/24 18:00	833	8.5	101	8.2	122	18.2	13	
8/30/24 18:15	839	8.4	101	8.2	121	18.3	13	
8/30/24 18:30	833	8.4	101	8.2	121	18.4	13	
8/30/24 18:45	833	8.4	101	8.1	121	18.4	13	
8/30/24 19:00	839	8.4	101	8.2	121	18.5	13	
8/30/24 19:15	833	8.4	101	8.1	121	18.6	14	
8/30/24 19:30	833	8.4	101	8.2	121	18.6	14	
8/30/24 19:45	833	8.3	100	8.2	121	18.7	14	
8/30/24 20:00	833	8.3	100	8.2	121	18.8	14	
8/30/24 20:15	833	8.3	100	8.2	121	18.8	14	
8/30/24 20:30	839	8.3	100	8.2	121	18.8	14	
8/30/24 20:45	833	8.3	100	8.1	121	18.9	14	
8/30/24 21:00	833	8.3	100	8.2	121	18.9	14	
8/30/24 21:15	833	8.3	100	8.1	121	18.9	14	
8/30/24 21:30	833	8.3	100	8.1	121	19.0	14	
8/30/24 21:45	833	8.3	100	8.1	121	19.0	14	
8/30/24 22:00	833	8.3	100	8.1	121	19.0	14	
8/30/24 22:15	839	8.3	100	8.1	121	19.0	14	
8/30/24 22:30	833	8.3	100	8.1	121	19.0	14	
8/30/24 22:45	833	8.3	100	8.1	122	19.0	14	
8/30/24 23:00	839	8.3	100	8.0	122	18.9	14	
8/30/24 23:15	833	8.3	100	8.0	122	18.9	14	
8/30/24 23:30	833	8.3	100	8.0	122	18.8	14	
8/30/24 23:45	839	8.3	100	8.0	122	18.8	14	

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO		pH	Specific	Water	
		(mg/L)	DO (%)		conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
8/31/24 0:00	839	8.3	100	8.0	122	18.8	14
8/31/24 0:15	839	8.3	101	8.0	123	18.7	14
8/31/24 0:30	833	8.4	101	8.0	123	18.6	14
8/31/24 0:45	839	8.4	101	8.0	123	18.6	14
8/31/24 1:00	833	8.4	101	8.0	123	18.5	14
8/31/24 1:15	833	8.4	101	8.0	124	18.4	14
8/31/24 1:30	833	8.4	101	8.0	124	18.3	13
8/31/24 1:45	833	8.4	101	8.0	124	18.2	13
8/31/24 2:00	839	8.4	101	8.0	124	18.1	13
8/31/24 2:15	839	8.5	101	8.0	124	18.0	13
8/31/24 2:30	839	8.5	101	8.0	124	17.9	13
8/31/24 2:45	839	8.5	101	8.0	125	17.8	13
8/31/24 3:00	839	8.5	101	8.0	125	17.7	13
8/31/24 3:15	839	8.5	101	8.0	125	17.6	13
8/31/24 3:30	839	8.5	101	8.0	125	17.6	13
8/31/24 3:45	846	8.6	101	8.0	125	17.4	13
8/31/24 4:00	839	8.6	101	8.0	125	17.2	13
8/31/24 4:15	839	8.6	101	8.0	125	17.1	13
8/31/24 4:30	839	8.7	101	8.0	125	17.0	13
8/31/24 4:45	846	8.7	101	8.0	125	16.9	13
8/31/24 5:00	846	8.7	101	8.0	125	16.8	13
8/31/24 5:15	846	8.7	101	8.0	125	16.7	13
8/31/24 5:30	846	8.8	101	8.0	125	16.6	13
8/31/24 5:45	846	8.8	101	8.0	125	16.5	13
8/31/24 6:00	846	8.8	101	7.9	125	16.4	13
8/31/24 6:15	846	8.8	101	8.0	125	16.3	13
8/31/24 6:30	846	8.8	101	8.0	125	16.2	13
8/31/24 6:45	846	8.8	101	8.0	125	16.2	12
8/31/24 7:00	846	8.9	101	8.0	125	16.1	12
8/31/24 7:15	846	8.9	102	8.0	125	16.0	12
8/31/24 7:30	839	8.9	102	8.0	125	15.9	12
8/31/24 7:45	846	8.9	102	8.0	125	15.9	12
8/31/24 8:00	846	8.9	102	8.0	125	15.9	12
8/31/24 8:15	846	9.0	102	8.0	125	15.8	14
8/31/24 8:30	846	9.0	102	8.0	125	15.7	12
8/31/24 8:45	846	9.0	102	8.0	125	15.7	12
8/31/24 9:00	846	9.1	103	8.0	125	15.7	12
8/31/24 9:15	846	9.1	103	8.0	125	15.7	12
8/31/24 9:30	846	9.1	104	8.1	125	15.7	12
8/31/24 9:45	853	9.2	104	8.1	125	15.8	12
8/31/24 10:00	846	9.2	104	8.1	125	15.8	12
8/31/24 10:15	846	9.2	104	8.1	125	15.9	12
8/31/24 10:30	853	9.2	105	8.1	125	16.0	12
8/31/24 10:45	853	9.2	105	8.1	125	16.0	12
8/31/24 11:00	846	9.1	105	8.2	125	16.1	12

**Klamath River below J. C. Boyle Powerplant near Keno, OR
(11510700)**



Datetime	Discharge (cfs)	DO			Water			
		(mg/L)	DO (%)	pH	Specific conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)	Turbidity (SBU)
8/31/24 11:15	846	9.1	105	8.2	125	16.2	12	
8/31/24 11:30	853	9.1	105	8.2	125	16.3	12	
8/31/24 11:45	853	9.1	105	8.2	125	16.4	12	
8/31/24 12:00	846	9.1	105	8.2	124	16.5	12	
8/31/24 12:15	839	9.1	105	8.2	124	16.6	12	
8/31/24 12:30	846	9.1	105	8.2	124	16.7	12	
8/31/24 12:45	853	9.0	105	8.2	124	16.8	12	
8/31/24 13:00	853	9.0	105	8.2	124	17.0	12	
8/31/24 13:15	846	9.0	105	8.2	124	17.1	12	
8/31/24 13:30	846	8.9	105	8.2	124	17.2	12	
8/31/24 13:45	853	8.9	104	8.3	124	17.3	12	
8/31/24 14:00	853	8.9	104	8.3	124	17.4	12	
8/31/24 14:15	846	8.8	104	8.3	124	17.6	12	
8/31/24 14:30	846	8.8	104	8.2	124	17.7	12	
8/31/24 14:45	853	8.8	104	8.2	123	17.8	12	
8/31/24 15:00	846	8.7	104	8.3	123	17.9	12	
8/31/24 15:15	846	8.7	104	8.3	123	18.0	12	
8/31/24 15:30	853	8.7	103	8.2	123	18.1	13	
8/31/24 15:45	853	8.6	103	8.3	123	18.2	13	
8/31/24 16:00	846	8.6	103	8.2	123	18.2	13	
8/31/24 16:15	846	8.6	103	8.2	123	18.3	13	
8/31/24 16:30	846	8.6	103	8.3	123	18.4	13	
8/31/24 16:45	846	8.5	103	8.2	122	18.4	13	
8/31/24 17:00	833	8.5	102	8.2	122	18.5	13	
8/31/24 17:15	833	8.5	102	8.2	122	18.6	13	
8/31/24 17:30	833	8.5	102	8.2	122	18.6	13	
8/31/24 17:45	833	8.4	102	8.2	122	18.6	13	
8/31/24 18:00	833	8.4	101	8.2	122	18.7	13	
8/31/24 18:15	833	8.4	101	8.2	122	18.8	14	
8/31/24 18:30	833	8.3	101	8.2	122	18.8	14	
8/31/24 18:45	833	8.3	101	8.2	122	18.9	14	
8/31/24 19:00	833	8.3	101	8.2	121	18.9	13	
8/31/24 19:15	839	8.3	101	8.2	121	19.0	14	
8/31/24 19:30	839	8.2	100	8.2	121	19.0	14	
8/31/24 19:45	839	8.2	100	8.2	121	19.0	14	
8/31/24 20:00	833	8.2	100	8.2	121	19.1	14	
8/31/24 20:15	833	8.2	100	8.1	121	19.1	14	
8/31/24 20:30	839	8.2	100	8.1	121	19.1	14	
8/31/24 20:45	839	8.2	100	8.1	121	19.1	14	
8/31/24 21:00	839	8.2	100	8.1	121	19.1	14	
8/31/24 21:15	839	8.2	100	8.1	122	19.2	14	
8/31/24 21:30	839	8.2	100	8.1	122	19.2	14	
8/31/24 21:45	839	8.2	100	8.1	122	19.2	14	
8/31/24 22:00	846	8.2	100	8.1	122	19.2	14	
8/31/24 22:15	846	8.2	100	8.1	122	19.2	14	



Klamath River at Keno, OR (USGS 11509500)

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/1/24 0:00	616	6.6	89	8.7	118	23.2	4
8/1/24 0:15	616	6.4	86	8.7	118	23.1	4
8/1/24 0:30	616	6.7	90	8.7	118	23.1	4
8/1/24 0:45	616	6.7	91	8.8	118	23.1	4
8/1/24 1:00	616	6.7	90	8.7	118	23.1	4
8/1/24 1:15	616	6.7	90	8.8	118	23.1	4
8/1/24 1:30	620	6.6	90	8.8	118	23.1	4
8/1/24 1:45	616	6.6	88	8.8	118	23.0	4
8/1/24 2:00	620	6.6	89	8.7	118	23.0	4
8/1/24 2:15	616	6.6	89	8.8	118	23.0	4
8/1/24 2:30	616	6.6	90	8.7	118	23.0	4
8/1/24 2:45	620	6.8	91	8.8	118	23.0	4
8/1/24 3:00	620	6.6	90	8.7	118	23.0	4
8/1/24 3:15	616	6.8	91	8.7	118	23.0	4
8/1/24 3:30	616	6.8	91	8.7	118	23.0	4
8/1/24 3:45	620	6.6	89	8.7	118	23.0	4
8/1/24 4:00	620	6.6	89	8.7	118	23.0	4
8/1/24 4:15	616	6.7	90	8.7	118	23.0	4
8/1/24 4:30	616	6.7	91	8.7	118	22.9	4
8/1/24 4:45	620	6.7	91	8.7	118	22.9	4
8/1/24 5:00	616	6.5	87	8.6	118	22.9	4
8/1/24 5:15	616	6.7	90	8.7	118	22.9	4
8/1/24 5:30	620	6.8	91	8.7	118	22.9	4
8/1/24 5:45	616	6.5	87	8.7	118	22.9	4
8/1/24 6:00	620	6.7	91	8.7	118	22.9	4
8/1/24 6:15	616	6.6	88	8.7	118	22.9	4
8/1/24 6:30	616	6.7	90	8.7	118	22.9	4
8/1/24 6:45	616	6.6	89	8.7	118	22.9	4
8/1/24 7:00	616	6.7	91	8.7	118	22.9	4
8/1/24 7:15	616	6.7	90	8.7	118	22.9	4
8/1/24 7:30	616	6.7	90	8.7	118	22.9	4
8/1/24 7:45	616	6.8	91	8.7	118	22.9	4
8/1/24 8:00	616	6.7	90	8.7	118	23.0	4
8/1/24 8:15	616	6.8	92	8.7	118	23.0	4
8/1/24 8:30	616	6.9	93	8.7	118	23.1	4
8/1/24 8:45	616	6.9	94	8.8	118	23.1	4
8/1/24 9:00	620	6.8	91	8.8	118	23.2	4
8/1/24 9:15	616	6.8	93	8.8	118	23.3	4
8/1/24 9:30	616	7.0	95	8.8	118	23.4	4
8/1/24 9:45	616	6.8	93	8.8	118	23.4	4
8/1/24 10:00	616	6.9	94	8.8	118	23.5	4
8/1/24 10:15	616	6.9	94	8.9	118	23.6	4
8/1/24 10:30	620	6.9	94	8.9	118	23.6	4
8/1/24 10:45	616	6.7	92	8.9	118	23.7	4
8/1/24 11:00	616	7.0	95	8.9	118	23.7	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/1/24 11:15	620	7.0	96	8.9	118	23.8	4
8/1/24 11:30	616	6.9	95	8.9	118	23.8	4
8/1/24 11:45	620	7.0	96	8.9	118	23.9	4
8/1/24 12:00	620	6.7	92	8.9	118	23.9	4
8/1/24 12:15	616	7.0	96	9.0	118	24.0	4
8/1/24 12:30	611	7.0	97	9.0	118	24.0	4
8/1/24 12:45	616	7.0	96	9.0	118	24.1	4
8/1/24 13:00	616	6.9	95	9.0	118	24.1	4
8/1/24 13:15	616	6.9	95	9.0	118	24.2	4
8/1/24 13:30	616	6.7	93	9.0	118	24.2	4
8/1/24 13:45	616	6.8	94	9.0	118	24.3	4
8/1/24 14:00	616	6.9	95	9.0	118	24.4	4
8/1/24 14:15	616	6.8	94	9.0	118	24.4	4
8/1/24 14:30	616	6.9	96	9.0	118	24.5	4
8/1/24 14:45	616	6.8	95	9.1	118	24.5	4
8/1/24 15:00	611	6.8	95	9.1	118	24.6	4
8/1/24 15:15	566	6.4	89	9.0	119	24.5	4
8/1/24 15:30	557	6.8	94	9.0	119	24.5	4
8/1/24 15:45	557	6.8	94	9.0	119	24.6	4
8/1/24 16:00	557	6.6	92	9.0	119	24.6	4
8/1/24 16:15	557	6.8	94	9.1	119	24.6	4
8/1/24 16:30	526	6.7	94	9.1	119	24.6	4
8/1/24 16:45	510	6.5	91	9.0	119	24.6	4
8/1/24 17:00	506	6.5	90	9.0	119	24.6	4
8/1/24 17:15	506	6.2	87	9.0	118	24.6	4
8/1/24 17:30	495	6.6	91	9.0	119	24.5	4
8/1/24 17:45	468	6.6	91	9.0	119	24.5	4
8/1/24 18:00	468	6.3	87	9.0	119	24.4	4
8/1/24 18:15	468	6.4	89	9.0	119	24.3	4
8/1/24 18:30	480	6.4	88	8.9	119	24.2	4
8/1/24 18:45	557	6.4	88	8.9	119	24.1	4
8/1/24 19:00	561	6.4	87	8.9	118	24.0	4
8/1/24 19:15	566	6.3	87	8.9	119	23.9	4
8/1/24 19:30	566	6.6	90	8.9	118	23.9	4
8/1/24 19:45	566	6.4	88	8.9	119	23.9	4
8/1/24 20:00	561	6.5	89	8.9	119	23.8	4
8/1/24 20:15	561	6.4	88	8.9	118	23.8	4
8/1/24 20:30	561	6.6	90	8.9	119	23.8	4
8/1/24 20:45	561	6.5	89	8.9	119	23.8	4
8/1/24 21:00	561	6.4	87	8.9	119	23.8	4
8/1/24 21:15	566	6.5	88	8.8	119	23.7	4
8/1/24 21:30	566	6.4	87	8.8	119	23.6	4
8/1/24 21:45	566	6.7	91	8.8	119	23.6	4
8/1/24 22:00	578	6.6	90	8.8	119	23.5	4
8/1/24 22:15	624	6.6	90	8.8	119	23.5	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (µS/cm)	Temperatur e (°C)	
8/1/24 22:30	620	6.4	87	8.8	119	23.4	4
8/1/24 22:45	616	6.5	89	8.8	119	23.4	4
8/1/24 23:00	616	6.5	89	8.8	119	23.5	4
8/1/24 23:15	616	6.4	88	8.7	119	23.5	4
8/1/24 23:30	620	6.4	87	8.7	118	23.5	4
8/1/24 23:45	616	6.7	91	8.8	118	23.5	4
8/2/24 0:00	616	6.6	90	8.8	118	23.5	4
8/2/24 0:15	616	6.6	90	8.8	118	23.5	4
8/2/24 0:30	620	6.6	90	8.8	118	23.6	4
8/2/24 0:45	620	6.4	87	8.8	118	23.6	4
8/2/24 1:00	620	6.6	89	8.8	118	23.6	4
8/2/24 1:15	620	6.6	89	8.8	118	23.6	4
8/2/24 1:30	620	6.6	90	8.8	118	23.6	4
8/2/24 1:45	620	6.6	90	8.8	118	23.6	4
8/2/24 2:00	616	6.5	89	8.8	118	23.6	4
8/2/24 2:15	620	6.6	91	8.8	118	23.6	4
8/2/24 2:30	620	6.6	90	8.8	118	23.6	4
8/2/24 2:45	620	6.7	91	8.8	118	23.5	4
8/2/24 3:00	620	6.6	90	8.8	118	23.5	4
8/2/24 3:15	616	6.6	90	8.8	118	23.4	4
8/2/24 3:30	620	6.6	89	8.7	118	23.4	4
8/2/24 3:45	620	6.6	90	8.7	118	23.4	4
8/2/24 4:00	620	6.6	90	8.7	118	23.3	4
8/2/24 4:15	616	6.7	91	8.7	118	23.3	4
8/2/24 4:30	620	6.6	90	8.7	118	23.3	4
8/2/24 4:45	620	6.4	87	8.7	118	23.3	4
8/2/24 5:00	616	6.6	90	8.7	118	23.3	4
8/2/24 5:15	616	6.4	87	8.7	118	23.3	4
8/2/24 5:30	616	6.7	90	8.7	118	23.3	4
8/2/24 5:45	620	6.7	90	8.7	118	23.3	4
8/2/24 6:00	620	6.6	89	8.7	118	23.2	4
8/2/24 6:15	616	6.6	90	8.7	118	23.2	4
8/2/24 6:30	624	6.7	91	8.7	118	23.2	4
8/2/24 6:45	620	6.2	84	8.6	118	23.2	4
8/2/24 7:00	616	6.8	91	8.7	118	23.2	4
8/2/24 7:15	616	6.7	91	8.7	118	23.2	4
8/2/24 7:30	620	6.7	91	8.7	118	23.2	4
8/2/24 7:45	616	6.7	91	8.7	118	23.2	4
8/2/24 8:00	616	6.7	91	8.8	118	23.2	4
8/2/24 8:15	616	6.7	91	8.7	118	23.3	4
8/2/24 8:30	616	6.9	93	8.8	118	23.3	4
8/2/24 8:45	616	6.8	92	8.8	118	23.4	4
8/2/24 9:00	616	6.6	90	8.8	118	23.4	4
8/2/24 9:15	620	6.6	89	8.8	118	23.5	4
8/2/24 9:30	616	6.6	89	8.8	118	23.6	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/2/24 9:45	616	6.7	91	8.9	118	23.7	4
8/2/24 10:00	620	6.9	94	8.9	118	23.8	5
8/2/24 10:15	616	6.9	94	8.9	118	23.8	4
8/2/24 10:30	616	7.0	96	9.0	118	23.9	4
8/2/24 10:45	616	6.9	94	9.0	118	24.0	4
8/2/24 11:00	616	6.9	95	9.0	118	24.0	4
8/2/24 11:15	620	6.7	92	9.0	118	24.1	4
8/2/24 11:30	616	6.9	95	9.0	118	24.1	4
8/2/24 11:45	616	6.9	95	9.0	118	24.2	4
8/2/24 12:00	616	6.9	95	9.0	118	24.2	4
8/2/24 12:15	616	6.8	93	9.0	119	24.2	4
8/2/24 12:30	616	6.7	92	9.0	118	24.3	4
8/2/24 12:45	616	6.8	94	9.0	118	24.3	4
8/2/24 13:00	611	6.9	96	9.0	118	24.4	4
8/2/24 13:15	611	6.9	96	9.0	118	24.4	4
8/2/24 13:30	607	6.8	95	9.1	119	24.5	4
8/2/24 13:45	607	6.8	95	9.1	119	24.5	4
8/2/24 14:00	607	6.7	93	9.1	118	24.6	4
8/2/24 14:15	607	6.8	95	9.1	118	24.6	4
8/2/24 14:30	607	6.6	92	9.1	119	24.7	4
8/2/24 14:45	607	6.5	91	9.1	119	24.8	4
8/2/24 15:00	611	6.7	94	9.2	118	24.8	4
8/2/24 15:15	607	6.8	95	9.2	119	24.8	4
8/2/24 15:30	607	6.8	95	9.1	119	24.8	4
8/2/24 15:45	611	6.5	91	9.1	119	24.7	4
8/2/24 16:00	611	6.7	93	9.1	119	24.7	4
8/2/24 16:15	611	6.7	94	9.1	119	24.8	4
8/2/24 16:30	611	6.7	94	9.2	119	24.8	4
8/2/24 16:45	607	6.6	92	9.2	119	24.8	4
8/2/24 17:00	611	6.2	87	9.2	119	24.8	4
8/2/24 17:15	611	6.4	89	9.2	119	24.8	4
8/2/24 17:30	607	6.5	91	9.2	119	24.8	4
8/2/24 17:45	607	6.5	90	9.2	119	24.7	4
8/2/24 18:00	611	6.5	90	9.2	119	24.6	4
8/2/24 18:15	607	6.6	92	9.2	119	24.5	4
8/2/24 18:30	607	6.3	87	9.1	119	24.4	4
8/2/24 18:45	607	6.5	89	9.1	119	24.3	4
8/2/24 19:00	607	6.3	87	9.1	119	24.2	4
8/2/24 19:15	603	6.2	86	9.0	119	24.2	4
8/2/24 19:30	603	6.4	88	9.1	119	24.2	5
8/2/24 19:45	607	6.4	88	9.1	119	24.2	4
8/2/24 20:00	607	6.4	89	9.1	119	24.3	4
8/2/24 20:15	607	6.4	88	9.1	119	24.3	5
8/2/24 20:30	611	6.2	86	9.1	119	24.4	4
8/2/24 20:45	616	6.3	87	9.1	119	24.5	5

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/2/24 21:00	607	6.2	85	9.1	119	24.5	4
8/2/24 21:15	611	6.3	88	9.1	119	24.6	5
8/2/24 21:30	607	6.2	86	9.1	119	24.6	4
8/2/24 21:45	607	6.3	88	9.1	119	24.6	4
8/2/24 22:00	607	6.4	89	9.1	119	24.6	4
8/2/24 22:15	607	6.3	88	9.1	119	24.5	4
8/2/24 22:30	611	6.2	86	9.1	119	24.5	4
8/2/24 22:45	607	6.3	88	9.1	119	24.5	4
8/2/24 23:00	607	6.4	88	9.1	119	24.5	5
8/2/24 23:15	603	6.1	85	9.0	119	24.5	5
8/2/24 23:30	607	6.1	84	9.0	119	24.5	4
8/2/24 23:45	607	6.3	87	9.1	118	24.5	4
8/3/24 0:00	607	6.3	88	9.1	119	24.5	4
8/3/24 0:15	611	6.5	90	9.1	119	24.4	5
8/3/24 0:30	607	6.3	87	9.0	119	24.4	4
8/3/24 0:45	611	5.9	82	9.0	119	24.4	5
8/3/24 1:00	611	6.3	87	9.0	119	24.4	4
8/3/24 1:15	611	6.5	90	9.0	119	24.4	5
8/3/24 1:30	611	6.2	86	9.0	119	24.3	4
8/3/24 1:45	607	6.2	85	9.0	119	24.3	5
8/3/24 2:00	607	6.4	89	9.0	119	24.3	5
8/3/24 2:15	611	6.1	85	9.0	119	24.2	4
8/3/24 2:30	607	6.3	87	9.0	119	24.2	4
8/3/24 2:45	607	6.3	87	9.0	119	24.2	4
8/3/24 3:00	607	6.2	86	9.0	119	24.2	4
8/3/24 3:15	607	6.0	82	8.9	119	24.2	4
8/3/24 3:30	616	6.4	89	9.0	119	24.2	4
8/3/24 3:45	611	6.3	87	9.0	119	24.2	4
8/3/24 4:00	611	6.5	89	9.0	119	24.2	4
8/3/24 4:15	607	6.5	89	9.0	119	24.2	4
8/3/24 4:30	607	6.4	89	9.0	118	24.2	4
8/3/24 4:45	607	6.5	90	9.0	119	24.1	5
8/3/24 5:00	607	6.3	86	8.9	119	24.1	4
8/3/24 5:15	607	6.5	89	8.9	119	24.0	4
8/3/24 5:30	607	6.3	86	8.8	119	24.0	4
8/3/24 5:45	607	6.5	89	8.8	119	23.9	5
8/3/24 6:00	607	6.4	88	8.8	119	23.9	5
8/3/24 6:15	611	6.4	88	8.8	119	23.9	4
8/3/24 6:30	607	6.3	87	8.8	119	23.8	4
8/3/24 6:45	611	6.4	88	8.7	119	23.8	4
8/3/24 7:00	607	6.2	85	8.8	119	23.8	4
8/3/24 7:15	607	6.5	89	8.8	119	23.8	4
8/3/24 7:30	611	6.4	87	8.8	119	23.8	4
8/3/24 7:45	607	6.2	84	8.7	119	23.8	4
8/3/24 8:00	607	6.5	89	8.8	119	23.8	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/3/24 8:15	611	6.2	84	8.8	118	23.8	4
8/3/24 8:30	611	6.4	88	8.8	119	23.9	4
8/3/24 8:45	607	6.4	88	8.8	119	23.9	4
8/3/24 9:00	607	6.7	92	8.8	118	23.9	4
8/3/24 9:15	607	6.6	91	8.8	119	24.0	4
8/3/24 9:30	611	6.8	93	8.9	118	24.0	4
8/3/24 9:45	607	6.6	91	8.9	119	24.0	4
8/3/24 10:00	607	6.7	92	8.9	119	24.0	4
8/3/24 10:15	611	6.6	91	8.8	119	24.0	4
8/3/24 10:30	603	6.8	93	8.8	118	24.0	4
8/3/24 10:45	607	6.7	92	8.8	118	24.0	4
8/3/24 11:00	603	6.8	93	8.8	119	24.0	4
8/3/24 11:15	607	6.3	87	8.8	118	24.1	4
8/3/24 11:30	611	6.8	94	8.9	119	24.1	4
8/3/24 11:45	607	6.4	89	8.9	119	24.2	4
8/3/24 12:00	611	6.8	93	8.9	119	24.2	4
8/3/24 12:15	607	6.6	92	8.9	119	24.2	4
8/3/24 12:30	611	6.0	83	8.7	119	24.1	4
8/3/24 12:45	611	6.0	83	8.8	119	24.1	4
8/3/24 13:00	611	6.5	89	8.8	118	24.0	4
8/3/24 13:15	611	6.4	88	8.8	119	24.0	4
8/3/24 13:30	611	6.5	89	8.8	119	23.9	4
8/3/24 13:45	607	6.4	88	8.8	119	23.9	4
8/3/24 14:00	611	6.5	89	8.8	119	23.9	4
8/3/24 14:15	607	6.5	89	8.8	119	23.9	4
8/3/24 14:30	611	6.7	92	8.9	119	23.9	4
8/3/24 14:45	607	6.6	90	8.8	119	23.9	4
8/3/24 15:00	607	6.6	90	8.9	119	23.9	4
8/3/24 15:15	611	6.6	91	8.8	119	23.8	4
8/3/24 15:30	607	6.4	88	8.8	119	23.8	4
8/3/24 15:45	607	6.3	86	8.8	119	23.8	4
8/3/24 16:00	607	6.4	87	8.8	119	23.8	4
8/3/24 16:15	607	6.6	90	8.8	119	23.8	4
8/3/24 16:30	607	6.4	87	8.8	119	23.8	4
8/3/24 16:45	607	6.6	90	8.8	119	23.8	4
8/3/24 17:00	607	6.6	91	8.7	119	23.8	4
8/3/24 17:15	611	6.5	88	8.7	119	23.8	4
8/3/24 17:30	611	6.7	91	8.7	119	23.8	4
8/3/24 17:45	611	6.6	91	8.7	119	23.7	4
8/3/24 18:00	611	6.5	88	8.7	119	23.7	4
8/3/24 18:15	611	6.6	90	8.7	119	23.8	4
8/3/24 18:30	607	6.7	91	8.7	119	23.8	4
8/3/24 18:45	607	6.7	91	8.7	119	23.8	4
8/3/24 19:00	611	6.6	91	8.7	119	23.7	4
8/3/24 19:15	607	6.5	89	8.7	119	23.7	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/3/24 19:30	611	6.6	91	8.6	119	23.7	4
8/3/24 19:45	611	6.7	91	8.6	119	23.7	4
8/3/24 20:00	611	6.6	89	8.6	119	23.6	4
8/3/24 20:15	607	6.6	90	8.6	119	23.6	4
8/3/24 20:30	611	6.6	90	8.6	119	23.6	4
8/3/24 20:45	611	6.4	87	8.6	119	23.6	4
8/3/24 21:00	607	6.5	89	8.6	119	23.6	4
8/3/24 21:15	607	6.6	89	8.6	119	23.6	4
8/3/24 21:30	607	6.4	88	8.6	119	23.6	4
8/3/24 21:45	607	6.6	90	8.6	119	23.6	4
8/3/24 22:00	607	6.6	90	8.6	119	23.6	4
8/3/24 22:15	611	6.1	84	8.5	119	23.6	4
8/3/24 22:30	611	6.5	89	8.6	119	23.5	4
8/3/24 22:45	611	6.2	84	8.5	119	23.5	4
8/3/24 23:00	611	6.6	90	8.6	119	23.5	4
8/3/24 23:15	607	6.6	90	8.6	119	23.5	4
8/3/24 23:30	607	6.6	90	8.6	119	23.5	4
8/3/24 23:45	607	6.5	89	8.5	119	23.5	4
8/4/24 0:00	607	6.6	89	8.6	119	23.5	4
8/4/24 0:15	611	6.6	90	8.6	119	23.4	4
8/4/24 0:30	611	6.6	90	8.6	119	23.4	4
8/4/24 0:45	607	6.4	87	8.5	119	23.4	4
8/4/24 1:00	607	6.6	90	8.6	119	23.4	4
8/4/24 1:15	611	6.6	90	8.5	119	23.4	4
8/4/24 1:30	607	6.4	87	8.5	119	23.4	4
8/4/24 1:45	611	6.6	89	8.5	119	23.4	4
8/4/24 2:00	607	6.6	89	8.5	119	23.4	4
8/4/24 2:15	611	6.5	89	8.5	119	23.3	4
8/4/24 2:30	611	6.6	90	8.5	119	23.3	4
8/4/24 2:45	607	6.6	89	8.5	119	23.3	4
8/4/24 3:00	611	6.4	87	8.5	119	23.3	4
8/4/24 3:15	607	6.7	90	8.5	119	23.3	4
8/4/24 3:30	611	6.6	90	8.5	119	23.3	4
8/4/24 3:45	611	6.6	89	8.5	119	23.2	4
8/4/24 4:00	607	6.6	90	8.5	119	23.2	4
8/4/24 4:15	607	6.5	88	8.5	119	23.2	4
8/4/24 4:30	611	6.5	88	8.5	119	23.2	4
8/4/24 4:45	611	6.6	90	8.4	119	23.2	4
8/4/24 5:00	611	6.6	89	8.4	119	23.2	4
8/4/24 5:15	611	6.6	89	8.4	119	23.1	4
8/4/24 5:30	607	6.4	86	8.4	119	23.1	4
8/4/24 5:45	607	6.6	90	8.4	119	23.1	4
8/4/24 6:00	607	6.7	90	8.4	119	23.1	4
8/4/24 6:15	607	6.7	90	8.3	119	23.1	4
8/4/24 6:30	607	6.7	91	8.3	119	23.1	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/4/24 6:45	611	6.7	91	8.3	119	23.0	4
8/4/24 7:00	611	6.7	91	8.3	119	23.0	4
8/4/24 7:15	607	6.6	89	8.3	119	23.1	4
8/4/24 7:30	607	6.7	91	8.4	119	23.1	4
8/4/24 7:45	607	6.8	92	8.4	119	23.1	4
8/4/24 8:00	611	6.6	89	8.3	119	23.1	4
8/4/24 8:15	611	6.5	88	8.4	119	23.1	4
8/4/24 8:30	607	6.7	90	8.4	119	23.2	4
8/4/24 8:45	611	6.8	92	8.4	119	23.2	4
8/4/24 9:00	607	6.7	91	8.4	119	23.3	4
8/4/24 9:15	611	6.8	93	8.5	119	23.4	4
8/4/24 9:30	607	6.9	93	8.5	119	23.4	4
8/4/24 9:45	611	6.9	94	8.6	119	23.5	4
8/4/24 10:00	611	6.8	93	8.6	119	23.5	4
8/4/24 10:15	611	6.8	93	8.6	119	23.6	4
8/4/24 10:30	611	6.7	91	8.6	119	23.7	4
8/4/24 10:45	611	6.6	91	8.6	119	23.7	4
8/4/24 11:00	611	6.8	92	8.6	119	23.8	4
8/4/24 11:15	611	6.8	93	8.6	119	23.8	4
8/4/24 11:30	611	6.8	94	8.7	119	23.9	4
8/4/24 11:45	611	7.0	96	8.7	119	23.9	4
8/4/24 12:00	611	6.7	93	8.7	119	24.0	4
8/4/24 12:15	616	6.5	89	8.7	119	24.0	4
8/4/24 12:30	607	6.8	94	8.7	119	24.0	4
8/4/24 12:45	607	6.6	91	8.7	119	24.0	4
8/4/24 13:00	611	6.6	91	8.7	119	24.0	4
8/4/24 13:15	611	6.6	90	8.7	119	23.9	4
8/4/24 13:30	611	6.8	93	8.7	119	23.9	4
8/4/24 13:45	616	6.7	92	8.7	119	24.0	4
8/4/24 14:00	611	6.6	90	8.7	119	24.1	4
8/4/24 14:15	611	6.7	93	8.8	119	24.0	4
8/4/24 14:30	607	6.7	92	8.7	119	24.0	4
8/4/24 14:45	611	6.7	92	8.7	119	24.0	4
8/4/24 15:00	611	6.7	93	8.7	119	24.1	4
8/4/24 15:15	607	6.7	93	8.8	119	24.2	4
8/4/24 15:30	611	6.6	90	8.7	119	24.2	4
8/4/24 15:45	611	6.4	88	8.7	120	24.2	4
8/4/24 16:00	611	6.7	92	8.7	119	24.3	4
8/4/24 16:15	607	6.4	88	8.7	119	24.3	4
8/4/24 16:30	611	6.6	91	8.7	119	24.3	4
8/4/24 16:45	611	6.2	86	8.7	119	24.4	4
8/4/24 17:00	611	6.5	90	8.7	119	24.3	4
8/4/24 17:15	611	6.4	88	8.7	120	24.3	4
8/4/24 17:30	611	6.5	90	8.7	120	24.2	4
8/4/24 17:45	611	6.5	90	8.7	119	24.2	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/4/24 18:00	611	6.5	89	8.7	119	24.2	4
8/4/24 18:15	611	6.6	90	8.7	119	24.2	4
8/4/24 18:30	607	6.5	90	8.7	120	24.1	4
8/4/24 18:45	611	6.6	90	8.7	119	24.1	4
8/4/24 19:00	611	6.4	89	8.6	120	24.0	4
8/4/24 19:15	611	6.0	83	8.6	119	24.0	4
8/4/24 19:30	611	6.4	88	8.6	120	23.9	4
8/4/24 19:45	611	6.4	87	8.6	119	23.9	4
8/4/24 20:00	607	6.3	87	8.6	119	23.9	4
8/4/24 20:15	611	6.4	88	8.6	119	23.9	4
8/4/24 20:30	616	6.3	86	8.6	120	23.9	4
8/4/24 20:45	611	6.4	88	8.6	120	23.9	4
8/4/24 21:00	611	6.5	89	8.6	119	23.9	4
8/4/24 21:15	611	6.3	87	8.5	119	23.9	4
8/4/24 21:30	611	6.4	88	8.5	119	23.8	4
8/4/24 21:45	611	6.3	86	8.4	119	23.8	4
8/4/24 22:00	616	6.4	88	8.4	120	23.8	4
8/4/24 22:15	611	6.5	89	8.4	119	23.8	4
8/4/24 22:30	611	6.4	87	8.4	120	23.8	4
8/4/24 22:45	607	6.5	88	8.4	119	23.8	4
8/4/24 23:00	611	6.5	89	8.4	119	23.8	4
8/4/24 23:15	611	6.5	89	8.4	120	23.8	4
8/4/24 23:30	611	6.2	85	8.3	120	23.7	4
8/4/24 23:45	611	6.2	85	8.3	120	23.7	4
8/5/24 0:00	611	6.5	89	8.4	119	23.7	4
8/5/24 0:15	611	6.5	89	8.3	120	23.6	4
8/5/24 0:30	611	6.5	89	8.3	120	23.6	4
8/5/24 0:45	611	6.6	89	8.3	120	23.6	4
8/5/24 1:00	611	6.5	89	8.2	120	23.6	4
8/5/24 1:15	616	6.5	88	8.3	120	23.6	4
8/5/24 1:30	611	6.4	87	8.3	119	23.5	4
8/5/24 1:45	611	6.6	90	8.3	120	23.5	4
8/5/24 2:00	611	6.2	85	8.3	120	23.5	4
8/5/24 2:15	611	6.6	90	8.3	120	23.5	4
8/5/24 2:30	607	6.5	88	8.2	120	23.5	4
8/5/24 2:45	611	6.4	87	8.2	120	23.5	4
8/5/24 3:00	611	6.6	90	8.3	119	23.5	4
8/5/24 3:15	616	6.6	90	8.3	120	23.4	4
8/5/24 3:30	611	6.4	87	8.3	120	23.4	4
8/5/24 3:45	611	6.6	90	8.3	120	23.4	4
8/5/24 4:00	611	6.6	90	8.2	120	23.4	4
8/5/24 4:15	611	6.1	83	8.2	119	23.4	4
8/5/24 4:30	611	6.4	87	8.2	120	23.4	4
8/5/24 4:45	611	6.6	90	8.2	120	23.4	4
8/5/24 5:00	616	6.6	89	8.2	120	23.3	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/5/24 5:15	611	6.6	89	8.2	120	23.3	4
8/5/24 5:30	611	6.6	90	8.2	120	23.3	4
8/5/24 5:45	616	6.6	89	8.2	119	23.3	4
8/5/24 6:00	611	6.6	90	8.2	120	23.3	4
8/5/24 6:15	611	6.5	88	8.2	119	23.2	4
8/5/24 6:30	611	6.7	90	8.2	120	23.2	4
8/5/24 6:45	611	6.6	89	8.2	119	23.2	4
8/5/24 7:00	611	6.6	89	8.2	120	23.2	4
8/5/24 7:15	616	6.7	91	8.2	120	23.2	4
8/5/24 7:30	611	6.6	90	8.2	119	23.2	4
8/5/24 7:45	616	6.7	91	8.2	120	23.2	4
8/5/24 8:00	611	6.5	88	8.1	119	23.2	4
8/5/24 8:15	611	6.7	91	8.2	120	23.2	4
8/5/24 8:30	611	6.8	91	8.2	119	23.3	4
8/5/24 8:45	611	6.5	88	8.2	120	23.3	4
8/5/24 9:00	611	6.8	92	8.2	120	23.4	4
8/5/24 9:15	611	6.5	88	8.2	120	23.5	4
8/5/24 9:30	607	6.8	92	8.3	120	23.5	4
8/5/24 9:45	607	6.9	94	8.3	120	23.6	4
8/5/24 10:00	611	6.8	93	8.4	120	23.6	4
8/5/24 10:15	607	6.8	93	8.4	119	23.7	4
8/5/24 10:30	611	6.8	93	8.4	119	23.8	4
8/5/24 10:45	607	6.7	92	8.4	120	23.8	4
8/5/24 11:00	611	6.8	93	8.4	119	23.9	4
8/5/24 11:15	611	6.9	95	8.5	120	23.9	4
8/5/24 11:30	611	6.8	93	8.4	120	24.0	4
8/5/24 11:45	607	6.8	94	8.5	120	24.1	4
8/5/24 12:00	611	6.9	95	8.5	119	24.1	4
8/5/24 12:15	607	6.6	91	8.4	120	24.2	4
8/5/24 12:30	611	6.6	90	8.5	120	24.2	4
8/5/24 12:45	611	6.5	90	8.6	120	24.2	4
8/5/24 13:00	611	6.9	95	8.6	119	24.3	4
8/5/24 13:15	611	6.8	94	8.7	120	24.3	4
8/5/24 13:30	607	6.6	92	8.7	119	24.4	4
8/5/24 13:45	611	6.7	93	8.7	120	24.4	4
8/5/24 14:00	607	6.8	94	8.7	119	24.5	4
8/5/24 14:15	611	6.7	93	8.7	119	24.5	4
8/5/24 14:30	611	6.4	89	8.7	120	24.6	4
8/5/24 14:45	611	6.8	94	8.7	119	24.6	4
8/5/24 15:00	607	6.6	92	8.7	120	24.6	4
8/5/24 15:15	611	6.4	89	8.7	120	24.7	4
8/5/24 15:30	611	6.7	94	8.7	120	24.7	4
8/5/24 15:45	611	6.3	88	8.7	120	24.7	4
8/5/24 16:00	611	6.6	91	8.7	120	24.7	4
8/5/24 16:15	611	6.4	89	8.7	120	24.6	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/5/24 16:30	611	6.5	90	8.7	120	24.6	4
8/5/24 16:45	611	6.3	88	8.7	119	24.6	4
8/5/24 17:00	607	6.6	91	8.8	120	24.6	4
8/5/24 17:15	611	6.6	91	8.8	120	24.6	4
8/5/24 17:30	616	6.5	90	8.8	120	24.6	4
8/5/24 17:45	611	6.6	92	8.8	120	24.5	4
8/5/24 18:00	611	5.8	80	8.6	120	24.4	4
8/5/24 18:15	611	6.0	83	8.6	120	24.3	4
8/5/24 18:30	611	6.4	88	8.7	120	24.2	4
8/5/24 18:45	611	6.3	87	8.6	120	24.1	4
8/5/24 19:00	611	6.5	90	8.7	120	24.1	4
8/5/24 19:15	611	6.4	88	8.6	120	24.0	4
8/5/24 19:30	611	6.5	89	8.6	120	24.0	4
8/5/24 19:45	611	6.1	83	8.5	120	24.0	4
8/5/24 20:00	616	6.4	88	8.6	120	24.0	4
8/5/24 20:15	611	6.5	89	8.6	120	24.0	4
8/5/24 20:30	611	6.4	89	8.6	119	24.0	4
8/5/24 20:45	611	6.4	88	8.6	120	24.0	4
8/5/24 21:00	611	6.4	88	8.6	120	24.0	4
8/5/24 21:15	611	6.5	89	8.6	120	23.9	4
8/5/24 21:30	611	6.3	86	8.4	120	23.9	4
8/5/24 21:45	607	6.4	88	8.4	120	23.8	4
8/5/24 22:00	611	6.2	86	8.4	120	23.8	4
8/5/24 22:15	611	6.3	87	8.4	120	23.8	4
8/5/24 22:30	611	6.4	87	8.3	120	23.7	4
8/5/24 22:45	607	6.5	89	8.3	120	23.7	4
8/5/24 23:00	611	6.5	89	8.3	120	23.7	4
8/5/24 23:15	611	6.6	89	8.3	120	23.6	4
8/5/24 23:30	611	6.1	84	8.2	120	23.6	4
8/5/24 23:45	611	6.4	88	8.3	120	23.5	4
8/6/24 0:00	611	6.4	88	8.2	120	23.5	4
8/6/24 0:15	616	6.6	89	8.2	120	23.5	4
8/6/24 0:30	607	6.4	87	8.2	120	23.4	4
8/6/24 0:45	611	6.3	86	8.1	120	23.4	4
8/6/24 1:00	611	6.6	89	8.2	120	23.4	4
8/6/24 1:15	611	6.3	85	8.1	120	23.4	4
8/6/24 1:30	607	6.3	86	8.2	120	23.4	4
8/6/24 1:45	611	6.5	88	8.1	120	23.4	4
8/6/24 2:00	611	6.6	89	8.2	120	23.4	4
8/6/24 2:15	607	6.4	87	8.2	120	23.4	4
8/6/24 2:30	616	6.4	87	8.1	120	23.4	4
8/6/24 2:45	607	6.3	86	8.2	120	23.4	4
8/6/24 3:00	607	6.6	89	8.2	120	23.4	4
8/6/24 3:15	611	6.2	85	8.2	120	23.4	4
8/6/24 3:30	611	6.5	88	8.2	120	23.4	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/6/24 3:45	607	6.5	89	8.2	120	23.4	4
8/6/24 4:00	611	6.5	88	8.2	120	23.4	4
8/6/24 4:15	611	6.3	86	8.2	120	23.4	4
8/6/24 4:30	611	6.1	83	8.2	120	23.4	4
8/6/24 4:45	611	6.3	85	8.2	120	23.4	4
8/6/24 5:00	607	6.5	88	8.2	120	23.4	4
8/6/24 5:15	611	6.4	87	8.2	120	23.3	4
8/6/24 5:30	611	6.6	90	8.3	120	23.3	4
8/6/24 5:45	611	6.6	89	8.2	120	23.3	4
8/6/24 6:00	611	6.6	89	8.2	120	23.3	4
8/6/24 6:15	611	6.6	90	8.2	120	23.3	4
8/6/24 6:30	611	6.4	86	8.2	120	23.3	4
8/6/24 6:45	611	6.5	89	8.2	120	23.2	4
8/6/24 7:00	611	6.5	88	8.2	120	23.2	4
8/6/24 7:15	611	6.7	90	8.2	120	23.2	4
8/6/24 7:30	611	6.6	89	8.2	120	23.2	4
8/6/24 7:45	611	6.5	89	8.2	120	23.2	4
8/6/24 8:00	611	6.5	87	8.2	119	23.2	4
8/6/24 8:15	611	6.5	88	8.2	120	23.3	4
8/6/24 8:30	611	6.7	90	8.3	120	23.3	4
8/6/24 8:45	611	6.5	88	8.2	120	23.4	3
8/6/24 9:00	607	6.8	92	8.3	120	23.4	4
8/6/24 9:15	611	6.5	89	8.3	120	23.5	4
8/6/24 9:30	611	6.6	90	8.4	120	23.6	4
8/6/24 9:45	611	6.7	92	8.4	119	23.7	4
8/6/24 10:00	611	6.7	92	8.4	120	23.8	4
8/6/24 10:15	607	6.5	89	8.3	120	23.8	4
8/6/24 10:30	607	6.6	91	8.4	120	23.9	4
8/6/24 10:45	607	6.8	93	8.4	120	24.0	4
8/6/24 11:00	607	6.7	92	8.4	120	24.0	4
8/6/24 11:15	611	6.8	94	8.5	120	24.1	4
8/6/24 11:30	607	6.7	93	8.5	120	24.2	4
8/6/24 11:45	611	6.8	94	8.5	120	24.2	4
8/6/24 12:00	611	6.8	94	8.5	120	24.3	4
8/6/24 12:15	611	6.6	91	8.5	120	24.3	4
8/6/24 12:30	607	6.5	90	8.6	120	24.3	3
8/6/24 12:45	603	6.7	93	8.6	119	24.4	4
8/6/24 13:00	607	6.2	86	8.6	120	24.4	4
8/6/24 13:15	611	6.1	84	8.5	120	24.5	4
8/6/24 13:30	611	6.7	93	8.6	120	24.5	4
8/6/24 13:45	611	6.7	93	8.6	120	24.5	3
8/6/24 14:00	607	6.7	93	8.6	120	24.5	4
8/6/24 14:15	611	6.7	93	8.7	120	24.5	4
8/6/24 14:30	607	6.3	87	8.6	120	24.5	3
8/6/24 14:45	611	6.5	90	8.6	120	24.5	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/6/24 15:00	611	6.4	89	8.5	120	24.5	3
8/6/24 15:15	611	6.7	92	8.6	120	24.4	4
8/6/24 15:30	611	6.6	91	8.5	120	24.4	4
8/6/24 15:45	611	6.6	91	8.5	120	24.4	4
8/6/24 16:00	616	6.3	87	8.5	120	24.5	3
8/6/24 16:15	607	6.7	93	8.6	120	24.4	4
8/6/24 16:30	611	6.4	89	8.5	120	24.4	4
8/6/24 16:45	611	6.3	87	8.4	120	24.3	3
8/6/24 17:00	616	6.6	91	8.6	120	24.3	4
8/6/24 17:15	616	6.5	89	8.6	120	24.2	4
8/6/24 17:30	611	6.1	84	8.6	120	24.2	3
8/6/24 17:45	616	6.5	90	8.6	120	24.1	3
8/6/24 18:00	616	6.1	84	8.5	120	24.0	3
8/6/24 18:15	616	6.6	90	8.5	120	23.9	4
8/6/24 18:30	616	6.4	87	8.4	120	23.8	4
8/6/24 18:45	616	6.6	89	8.5	120	23.7	4
8/6/24 19:00	616	6.5	88	8.4	120	23.7	4
8/6/24 19:15	611	6.5	89	8.5	120	23.6	4
8/6/24 19:30	616	6.3	86	8.4	120	23.6	4
8/6/24 19:45	611	6.5	88	8.4	119	23.5	4
8/6/24 20:00	611	6.5	89	8.4	120	23.5	4
8/6/24 20:15	611	6.3	85	8.3	120	23.4	4
8/6/24 20:30	611	6.2	85	8.3	120	23.4	4
8/6/24 20:45	611	6.6	89	8.3	120	23.4	4
8/6/24 21:00	611	6.1	82	8.2	120	23.3	4
8/6/24 21:15	616	6.6	90	8.2	120	23.3	4
8/6/24 21:30	616	6.5	87	8.2	120	23.2	4
8/6/24 21:45	611	6.4	87	8.1	120	23.2	4
8/6/24 22:00	607	6.5	88	8.1	120	23.2	4
8/6/24 22:15	611	6.6	90	8.1	120	23.1	4
8/6/24 22:30	611	6.7	90	8.0	120	23.1	4
8/6/24 22:45	611	6.2	84	7.9	120	23.1	3
8/6/24 23:00	616	6.6	89	8.0	120	23.0	4
8/6/24 23:15	611	6.3	85	7.9	120	23.0	4
8/6/24 23:30	611	6.5	88	7.9	120	23.0	4
8/6/24 23:45	611	6.4	86	7.9	120	23.0	4
8/7/24 0:00	611	6.7	90	7.9	120	22.9	4
8/7/24 0:15	611	6.6	88	7.9	120	22.9	4
8/7/24 0:30	607	6.7	90	7.9	120	22.9	4
8/7/24 0:45	611	6.6	89	7.9	120	22.9	4
8/7/24 1:00	611	6.6	88	7.9	120	22.9	4
8/7/24 1:15	616	6.4	86	7.8	120	22.9	3
8/7/24 1:30	611	6.6	89	7.9	120	22.9	3
8/7/24 1:45	616	6.7	90	8.0	120	22.9	4
8/7/24 2:00	611	6.7	90	8.0	120	22.9	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/7/24 2:15	611	6.6	89	8.0	120	22.9	4
8/7/24 2:30	611	6.4	87	8.0	120	22.9	4
8/7/24 2:45	611	6.6	88	8.0	120	22.9	4
8/7/24 3:00	611	6.6	89	8.1	120	22.9	3
8/7/24 3:15	611	6.7	90	8.1	120	22.9	4
8/7/24 3:30	611	6.4	86	8.0	120	22.9	4
8/7/24 3:45	611	6.4	87	8.0	120	22.9	4
8/7/24 4:00	611	6.6	88	8.0	120	22.9	4
8/7/24 4:15	611	6.7	91	8.0	120	22.9	4
8/7/24 4:30	611	6.7	90	8.0	120	22.9	4
8/7/24 4:45	611	6.5	87	7.9	120	22.8	3
8/7/24 5:00	616	6.6	89	8.0	120	22.8	4
8/7/24 5:15	611	6.5	87	7.9	120	22.8	4
8/7/24 5:30	611	6.7	90	7.9	120	22.8	4
8/7/24 5:45	611	6.5	88	7.9	120	22.8	4
8/7/24 6:00	611	6.7	90	7.9	120	22.8	4
8/7/24 6:15	611	6.2	84	7.8	120	22.8	4
8/7/24 6:30	607	6.6	88	7.9	120	22.8	4
8/7/24 6:45	616	6.8	91	7.9	120	22.7	4
8/7/24 7:00	611	6.6	89	7.9	120	22.7	4
8/7/24 7:15	611	6.7	90	7.9	120	22.7	4
8/7/24 7:30	611	6.6	89	7.9	120	22.7	4
8/7/24 7:45	611	6.8	91	7.9	120	22.7	4
8/7/24 8:00	611	6.5	87	7.9	120	22.8	4
8/7/24 8:15	616	6.6	88	7.9	120	22.8	4
8/7/24 8:30	611	6.8	92	8.0	120	22.8	4
8/7/24 8:45	611	6.7	91	7.9	120	22.8	4
8/7/24 9:00	611	6.8	91	8.0	119	22.9	3
8/7/24 9:15	611	6.8	92	8.0	120	23.0	4
8/7/24 9:30	616	6.9	93	8.0	120	23.0	4
8/7/24 9:45	616	6.8	91	8.0	120	23.1	4
8/7/24 10:00	611	6.8	91	8.0	120	23.2	4
8/7/24 10:15	611	7.0	94	8.1	120	23.3	4
8/7/24 10:30	611	6.6	89	8.0	120	23.3	4
8/7/24 10:45	607	6.7	91	8.1	120	23.4	4
8/7/24 11:00	607	6.9	93	8.2	120	23.4	3
8/7/24 11:15	611	6.9	94	8.2	120	23.5	4
8/7/24 11:30	611	6.9	94	8.3	120	23.5	4
8/7/24 11:45	611	6.7	92	8.3	120	23.6	4
8/7/24 12:00	611	6.8	93	8.3	120	23.6	4
8/7/24 12:15	611	6.8	93	8.3	120	23.6	4
8/7/24 12:30	611	6.6	90	8.2	120	23.6	3
8/7/24 12:45	611	6.6	90	8.3	120	23.6	4
8/7/24 13:00	611	6.9	94	8.3	120	23.7	4
8/7/24 13:15	611	6.9	94	8.4	120	23.7	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/7/24 13:30	607	6.9	95	8.4	120	23.7	4
8/7/24 13:45	611	6.8	93	8.4	120	23.8	4
8/7/24 14:00	611	6.9	95	8.4	120	23.8	4
8/7/24 14:15	611	6.7	92	8.4	120	23.9	4
8/7/24 14:30	607	6.8	94	8.5	120	23.8	4
8/7/24 14:45	611	6.7	91	8.4	120	23.8	4
8/7/24 15:00	607	6.6	91	8.5	120	23.9	4
8/7/24 15:15	611	6.6	90	8.5	120	23.9	4
8/7/24 15:30	611	6.7	92	8.5	120	23.9	4
8/7/24 15:45	611	6.6	91	8.5	120	23.9	3
8/7/24 16:00	611	6.6	91	8.5	120	24.0	4
8/7/24 16:15	611	6.6	91	8.5	120	23.9	4
8/7/24 16:30	611	6.5	89	8.5	120	23.9	4
8/7/24 16:45	611	6.6	90	8.5	120	23.9	3
8/7/24 17:00	611	6.5	89	8.5	120	23.9	4
8/7/24 17:15	611	6.3	86	8.5	120	23.8	4
8/7/24 17:30	611	6.7	92	8.5	120	23.8	4
8/7/24 17:45	611	6.6	90	8.5	120	23.8	4
8/7/24 18:00	611	6.5	89	8.5	120	23.8	4
8/7/24 18:15	611	6.6	91	8.6	120	23.8	4
8/7/24 18:30	611	6.4	88	8.5	120	23.9	4
8/7/24 18:45	611	6.6	90	8.6	120	23.9	4
8/7/24 19:00	611	6.4	88	8.6	120	23.9	4
8/7/24 19:15	616	6.3	86	8.5	120	23.8	4
8/7/24 19:30	611	6.4	88	8.4	120	23.8	4
8/7/24 19:45	611	6.4	88	8.4	120	23.7	4
8/7/24 20:00	611	6.5	89	8.4	120	23.7	4
8/7/24 20:15	611	6.2	85	8.3	120	23.6	3
8/7/24 20:30	616	6.5	89	8.4	120	23.6	4
8/7/24 20:45	611	5.8	79	8.2	120	23.6	4
8/7/24 21:00	611	6.4	87	8.2	120	23.6	4
8/7/24 21:15	616	6.2	85	8.2	120	23.5	4
8/7/24 21:30	611	6.4	86	8.2	120	23.5	4
8/7/24 21:45	611	6.4	88	8.2	120	23.4	4
8/7/24 22:00	611	6.0	82	8.2	120	23.4	4
8/7/24 22:15	611	6.4	87	8.1	120	23.4	4
8/7/24 22:30	611	6.3	85	8.1	120	23.3	4
8/7/24 22:45	611	6.0	82	8.0	120	23.3	3
8/7/24 23:00	611	6.6	89	8.1	120	23.3	4
8/7/24 23:15	611	6.4	87	8.0	120	23.2	4
8/7/24 23:30	611	6.4	87	8.0	120	23.2	4
8/7/24 23:45	611	6.5	88	8.0	120	23.2	4
8/8/24 0:00	611	6.3	86	8.0	120	23.1	4
8/8/24 0:15	607	6.6	89	8.0	120	23.1	4
8/8/24 0:30	611	6.3	85	7.9	120	23.1	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/8/24 0:45	616	6.5	88	7.9	120	23.0	4
8/8/24 1:00	611	6.6	89	8.0	120	23.0	3
8/8/24 1:15	611	6.6	88	7.9	120	23.0	4
8/8/24 1:30	611	6.4	86	7.9	120	23.0	3
8/8/24 1:45	611	6.4	86	7.9	120	23.0	4
8/8/24 2:00	611	6.6	88	7.9	120	23.0	4
8/8/24 2:15	611	6.6	88	7.9	120	23.0	4
8/8/24 2:30	611	6.6	90	8.0	120	22.9	4
8/8/24 2:45	607	6.6	88	7.9	120	22.9	3
8/8/24 3:00	611	6.5	88	7.9	120	22.9	4
8/8/24 3:15	611	6.6	89	7.9	120	22.9	4
8/8/24 3:30	611	6.5	87	7.9	120	22.9	4
8/8/24 3:45	611	6.6	89	7.9	120	22.9	4
8/8/24 4:00	611	6.7	90	7.9	120	22.9	4
8/8/24 4:15	611	6.4	86	7.9	120	22.9	3
8/8/24 4:30	607	6.4	86	7.9	120	22.8	4
8/8/24 4:45	611	6.5	87	7.9	120	22.8	4
8/8/24 5:00	611	6.6	89	7.9	120	22.8	4
8/8/24 5:15	611	6.6	89	8.0	120	22.8	4
8/8/24 5:30	611	6.6	89	7.9	120	22.8	4
8/8/24 5:45	611	6.7	90	8.0	120	22.8	4
8/8/24 6:00	611	6.3	84	7.9	120	22.8	3
8/8/24 6:15	611	6.6	89	7.9	120	22.7	4
8/8/24 6:30	611	6.6	88	7.9	120	22.7	4
8/8/24 6:45	611	6.7	90	8.0	120	22.7	4
8/8/24 7:00	616	6.7	90	8.0	120	22.7	4
8/8/24 7:15	611	6.8	90	7.9	120	22.7	4
8/8/24 7:30	611	6.7	90	7.9	120	22.7	4
8/8/24 7:45	611	6.7	89	7.9	120	22.7	3
8/8/24 8:00	607	6.7	90	8.0	120	22.7	4
8/8/24 8:15	611	6.2	84	8.0	120	22.8	4
8/8/24 8:30	611	6.8	91	8.0	120	22.8	4
8/8/24 8:45	611	6.8	91	8.0	120	22.8	4
8/8/24 9:00	611	6.7	90	8.0	120	22.9	4
8/8/24 9:15	611	6.9	93	8.1	119	23.0	4
8/8/24 9:30	607	6.8	92	8.1	120	23.0	4
8/8/24 9:45	616	6.9	93	8.1	120	23.1	4
8/8/24 10:00	680	6.9	93	8.1	120	23.2	3
8/8/24 10:15	628	6.8	93	8.1	120	23.2	4
8/8/24 10:30	607	6.8	92	8.1	120	23.3	4
8/8/24 10:45	611	6.8	93	8.1	120	23.4	4
8/8/24 11:00	607	6.8	92	8.2	120	23.4	4
8/8/24 11:15	611	6.8	93	8.2	120	23.5	4
8/8/24 11:30	607	6.6	90	8.2	120	23.5	4
8/8/24 11:45	607	6.9	94	8.2	120	23.6	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/8/24 12:00	607	6.9	94	8.2	120	23.6	4
8/8/24 12:15	607	6.8	93	8.3	120	23.7	4
8/8/24 12:30	607	6.7	91	8.2	120	23.8	3
8/8/24 12:45	611	6.6	90	8.4	119	23.8	4
8/8/24 13:00	611	6.8	93	8.4	119	23.9	4
8/8/24 13:15	611	6.6	90	8.5	120	24.0	3
8/8/24 13:30	611	6.8	93	8.5	120	24.0	4
8/8/24 13:45	611	6.8	94	8.6	120	24.0	3
8/8/24 14:00	611	6.8	93	8.6	120	24.1	3
8/8/24 14:15	607	6.8	93	8.6	120	24.1	4
8/8/24 14:30	607	6.8	93	8.6	120	24.1	4
8/8/24 14:45	607	6.7	93	8.6	120	24.2	4
8/8/24 15:00	611	6.5	90	8.6	120	24.2	4
8/8/24 15:15	607	6.4	89	8.6	120	24.2	4
8/8/24 15:30	611	6.5	89	8.6	119	24.1	3
8/8/24 15:45	616	6.1	84	8.5	120	24.1	3
8/8/24 16:00	611	6.6	91	8.6	120	24.0	4
8/8/24 16:15	611	6.5	89	8.5	120	24.0	3
8/8/24 16:30	611	5.9	81	8.3	120	24.0	3
8/8/24 16:45	607	6.3	87	8.4	120	23.9	4
8/8/24 17:00	611	6.7	92	8.5	120	23.8	4
8/8/24 17:15	607	6.7	91	8.4	120	23.8	4
8/8/24 17:30	611	6.4	88	8.4	120	23.8	4
8/8/24 17:45	607	6.2	84	8.3	120	23.7	3
8/8/24 18:00	607	6.2	85	8.4	120	23.7	3
8/8/24 18:15	611	6.3	86	8.3	120	23.6	4
8/8/24 18:30	611	6.6	90	8.4	120	23.6	4
8/8/24 18:45	611	6.4	87	8.3	120	23.5	3
8/8/24 19:00	611	6.2	84	8.2	120	23.4	3
8/8/24 19:15	611	6.4	87	8.3	120	23.4	3
8/8/24 19:30	611	6.2	84	8.2	120	23.4	3
8/8/24 19:45	611	6.5	89	8.3	120	23.3	4
8/8/24 20:00	611	6.5	88	8.2	120	23.3	4
8/8/24 20:15	611	6.1	83	8.1	120	23.2	4
8/8/24 20:30	611	6.6	89	8.2	120	23.2	4
8/8/24 20:45	611	6.5	87	8.1	120	23.2	3
8/8/24 21:00	611	6.2	84	8.1	120	23.1	4
8/8/24 21:15	611	6.5	88	8.1	120	23.1	4
8/8/24 21:30	607	6.1	82	8.0	120	23.1	3
8/8/24 21:45	611	6.4	86	8.0	120	23.1	3
8/8/24 22:00	607	6.5	88	8.0	120	23.0	3
8/8/24 22:15	611	6.2	83	8.0	120	23.0	4
8/8/24 22:30	611	6.5	88	8.0	120	23.0	4
8/8/24 22:45	607	6.3	85	8.0	120	23.0	3
8/8/24 23:00	611	6.6	89	8.0	120	23.0	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/8/24 23:15	611	6.5	88	8.0	120	23.0	4
8/8/24 23:30	611	6.7	90	8.0	120	22.9	4
8/8/24 23:45	611	6.6	88	8.0	120	22.9	4
8/9/24 0:00	611	6.5	88	8.0	120	22.9	4
8/9/24 0:15	611	6.6	89	8.0	120	22.9	4
8/9/24 0:30	616	6.5	88	8.0	120	22.9	4
8/9/24 0:45	611	6.4	86	8.0	120	22.9	4
8/9/24 1:00	611	6.6	89	8.0	120	22.9	4
8/9/24 1:15	607	6.3	85	7.9	120	22.9	3
8/9/24 1:30	607	6.6	89	8.0	120	23.0	4
8/9/24 1:45	611	6.4	87	8.0	120	23.0	4
8/9/24 2:00	611	6.4	86	8.0	120	22.9	3
8/9/24 2:15	611	6.6	89	8.1	120	22.9	4
8/9/24 2:30	611	6.5	87	8.1	120	22.9	4
8/9/24 2:45	611	6.6	89	8.0	120	22.9	4
8/9/24 3:00	611	6.6	89	8.1	119	22.9	3
8/9/24 3:15	611	6.5	87	8.1	120	22.9	4
8/9/24 3:30	607	6.6	89	8.1	120	22.9	4
8/9/24 3:45	611	6.6	89	8.1	120	22.9	4
8/9/24 4:00	611	6.4	86	8.0	120	22.9	4
8/9/24 4:15	611	6.5	88	8.0	120	22.9	4
8/9/24 4:30	611	6.4	86	8.0	120	22.9	4
8/9/24 4:45	611	6.2	83	8.0	120	22.8	4
8/9/24 5:00	611	6.6	89	8.0	120	22.8	4
8/9/24 5:15	607	6.6	88	8.0	120	22.8	3
8/9/24 5:30	611	6.5	88	8.0	120	22.8	4
8/9/24 5:45	611	6.6	89	8.0	120	22.8	4
8/9/24 6:00	611	6.5	87	7.9	120	22.8	4
8/9/24 6:15	611	6.6	88	7.9	120	22.8	4
8/9/24 6:30	607	6.4	85	7.9	120	22.7	3
8/9/24 6:45	611	6.6	89	7.9	120	22.7	4
8/9/24 7:00	611	6.7	90	7.9	120	22.7	4
8/9/24 7:15	611	6.7	90	7.9	120	22.7	4
8/9/24 7:30	607	6.3	84	7.8	120	22.7	3
8/9/24 7:45	611	6.6	89	7.9	120	22.7	4
8/9/24 8:00	611	6.3	85	7.8	120	22.7	3
8/9/24 8:15	611	6.8	91	8.0	120	22.8	3
8/9/24 8:30	616	6.6	88	7.9	120	22.8	3
8/9/24 8:45	611	6.4	86	7.9	120	22.8	3
8/9/24 9:00	611	6.6	89	8.0	120	22.9	4
8/9/24 9:15	611	6.6	89	8.0	120	22.9	4
8/9/24 9:30	611	6.8	92	8.1	120	23.0	4
8/9/24 9:45	607	6.6	88	8.0	120	23.0	3
8/9/24 10:00	611	6.7	91	8.0	120	23.1	4
8/9/24 10:15	611	6.7	90	8.1	120	23.2	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/9/24 10:30	611	6.8	92	8.1	120	23.3	4
8/9/24 10:45	611	6.8	92	8.2	119	23.3	4
8/9/24 11:00	607	6.5	88	8.1	120	23.4	4
8/9/24 11:15	611	6.6	90	8.1	120	23.4	3
8/9/24 11:30	611	6.7	91	8.2	120	23.5	4
8/9/24 11:45	611	6.8	93	8.2	120	23.5	3
8/9/24 12:00	607	6.5	88	8.2	120	23.6	3
8/9/24 12:15	611	6.7	92	8.2	120	23.6	4
8/9/24 12:30	611	6.8	93	8.3	119	23.7	4
8/9/24 12:45	603	6.7	91	8.3	120	23.7	4
8/9/24 13:00	607	6.9	94	8.3	120	23.8	4
8/9/24 13:15	607	6.9	94	8.4	120	23.8	4
8/9/24 13:30	607	6.9	94	8.4	120	23.8	4
8/9/24 13:45	607	6.4	88	8.3	120	23.9	4
8/9/24 14:00	607	6.5	89	8.3	120	23.9	4
8/9/24 14:15	607	6.7	92	8.4	120	24.0	3
8/9/24 14:30	607	6.4	88	8.4	120	24.0	4
8/9/24 14:45	607	6.7	92	8.4	120	24.0	3
8/9/24 15:00	607	6.5	89	8.3	120	24.0	3
8/9/24 15:15	611	6.4	88	8.3	120	24.0	3
8/9/24 15:30	607	6.6	91	8.4	120	23.9	4
8/9/24 15:45	607	6.3	86	8.3	120	23.9	3
8/9/24 16:00	607	6.7	91	8.3	120	23.8	4
8/9/24 16:15	611	6.6	91	8.3	120	23.8	4
8/9/24 16:30	611	6.5	89	8.3	120	23.8	4
8/9/24 16:45	611	6.4	87	8.2	120	23.7	3
8/9/24 17:00	611	6.7	91	8.3	120	23.6	3
8/9/24 17:15	607	6.0	82	8.2	121	23.6	3
8/9/24 17:30	611	6.4	87	8.3	120	23.5	4
8/9/24 17:45	611	6.7	91	8.4	120	23.5	4
8/9/24 18:00	611	6.2	85	8.2	120	23.6	3
8/9/24 18:15	611	6.5	88	8.3	120	23.5	4
8/9/24 18:30	607	6.4	87	8.3	120	23.5	4
8/9/24 18:45	616	6.0	82	8.2	120	23.4	3
8/9/24 19:00	616	5.6	76	8.1	121	23.4	3
8/9/24 19:15	611	6.4	87	8.2	120	23.3	4
8/9/24 19:30	611	6.4	87	8.2	120	23.3	4
8/9/24 19:45	611	6.4	87	8.2	120	23.2	3
8/9/24 20:00	611	6.2	84	8.1	120	23.2	4
8/9/24 20:15	607	6.4	87	8.1	120	23.1	4
8/9/24 20:30	611	6.3	85	8.0	120	23.1	3
8/9/24 20:45	607	6.4	87	8.1	120	23.0	4
8/9/24 21:00	607	6.6	89	8.1	120	23.0	4
8/9/24 21:15	607	6.5	87	8.0	120	23.0	4
8/9/24 21:30	607	6.5	87	8.0	120	22.9	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/9/24 21:45	611	6.5	87	8.0	120	22.9	4
8/9/24 22:00	607	6.4	86	7.9	120	22.9	3
8/9/24 22:15	611	6.6	89	8.0	120	22.9	4
8/9/24 22:30	607	6.6	89	7.9	120	22.9	4
8/9/24 22:45	607	6.6	89	7.9	120	22.9	4
8/9/24 23:00	611	6.5	88	7.9	119	22.8	4
8/9/24 23:15	607	6.2	83	7.9	120	22.8	4
8/9/24 23:30	607	6.6	88	7.9	120	22.8	4
8/9/24 23:45	607	6.4	86	7.8	120	22.8	4
8/10/24 0:00	611	6.7	90	7.9	120	22.8	4
8/10/24 0:15	611	6.7	90	7.9	120	22.8	4
8/10/24 0:30	611	6.5	88	7.9	120	22.8	4
8/10/24 0:45	611	6.7	90	7.9	120	22.8	4
8/10/24 1:00	611	6.2	84	7.8	120	22.8	4
8/10/24 1:15	611	6.6	89	7.9	120	22.8	4
8/10/24 1:30	611	6.5	88	7.8	120	22.8	4
8/10/24 1:45	611	6.7	89	7.9	120	22.8	4
8/10/24 2:00	611	6.5	87	7.9	120	22.8	4
8/10/24 2:15	607	6.7	90	8.0	120	22.8	4
8/10/24 2:30	611	6.6	89	8.0	120	22.8	4
8/10/24 2:45	611	6.6	88	8.0	120	22.8	4
8/10/24 3:00	607	6.7	90	8.0	120	22.8	4
8/10/24 3:15	611	6.5	87	8.0	120	22.8	4
8/10/24 3:30	607	6.6	89	8.0	120	22.8	4
8/10/24 3:45	607	6.7	90	8.0	120	22.8	4
8/10/24 4:00	607	6.2	83	7.9	119	22.8	3
8/10/24 4:15	611	6.3	84	7.9	120	22.8	3
8/10/24 4:30	607	6.7	90	8.0	120	22.8	4
8/10/24 4:45	607	6.0	80	7.8	120	22.8	4
8/10/24 5:00	607	6.5	87	7.9	120	22.8	4
8/10/24 5:15	607	6.7	89	7.9	120	22.7	4
8/10/24 5:30	607	6.6	89	7.9	120	22.7	4
8/10/24 5:45	611	6.7	90	7.9	120	22.7	4
8/10/24 6:00	607	6.6	89	7.9	120	22.7	4
8/10/24 6:15	607	6.4	85	7.9	120	22.7	4
8/10/24 6:30	611	6.3	84	7.9	120	22.7	4
8/10/24 6:45	611	6.6	89	7.9	120	22.7	4
8/10/24 7:00	611	6.6	88	7.8	120	22.7	4
8/10/24 7:15	607	6.6	88	7.9	120	22.6	4
8/10/24 7:30	607	6.8	90	7.9	120	22.6	4
8/10/24 7:45	611	6.8	90	7.9	120	22.6	4
8/10/24 8:00	611	6.6	88	7.9	120	22.7	4
8/10/24 8:15	611	6.6	88	7.9	120	22.7	3
8/10/24 8:30	611	6.5	88	7.9	120	22.7	3
8/10/24 8:45	611	6.8	92	7.9	120	22.8	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/10/24 9:00	611	6.8	92	8.0	120	22.9	4
8/10/24 9:15	611	6.7	90	7.9	120	22.9	4
8/10/24 9:30	607	6.8	92	8.0	120	23.0	4
8/10/24 9:45	611	6.8	91	8.0	120	23.1	3
8/10/24 10:00	611	6.8	92	8.0	120	23.2	4
8/10/24 10:15	607	6.3	86	8.0	120	23.2	3
8/10/24 10:30	607	6.8	92	8.1	120	23.3	4
8/10/24 10:45	611	6.8	93	8.1	120	23.4	3
8/10/24 11:00	607	6.6	89	8.0	120	23.4	4
8/10/24 11:15	611	6.9	94	8.1	120	23.5	4
8/10/24 11:30	611	6.8	93	8.1	120	23.6	4
8/10/24 11:45	607	6.4	87	8.0	120	23.6	3
8/10/24 12:00	611	6.9	94	8.2	120	23.6	4
8/10/24 12:15	611	6.5	89	8.1	120	23.7	4
8/10/24 12:30	611	6.7	91	8.2	120	23.7	3
8/10/24 12:45	607	6.7	92	8.2	120	23.7	3
8/10/24 13:00	611	6.6	90	8.2	120	23.8	4
8/10/24 13:15	607	6.8	93	8.3	120	23.8	4
8/10/24 13:30	611	6.4	88	8.2	120	23.9	3
8/10/24 13:45	611	6.7	92	8.3	120	23.9	4
8/10/24 14:00	607	6.5	89	8.3	120	24.0	4
8/10/24 14:15	607	6.7	92	8.3	120	23.9	4
8/10/24 14:30	611	6.6	91	8.3	120	23.9	3
8/10/24 14:45	607	6.8	93	8.4	120	23.9	4
8/10/24 15:00	607	6.6	90	8.3	120	23.9	4
8/10/24 15:15	607	6.6	91	8.3	120	23.9	3
8/10/24 15:30	607	6.8	93	8.4	120	23.9	4
8/10/24 15:45	607	6.6	90	8.3	120	23.9	3
8/10/24 16:00	611	6.8	93	8.4	120	23.9	4
8/10/24 16:15	607	6.7	91	8.4	120	23.9	3
8/10/24 16:30	607	6.5	89	8.3	120	23.9	4
8/10/24 16:45	607	6.2	84	8.3	120	23.8	4
8/10/24 17:00	607	6.6	90	8.3	120	23.8	3
8/10/24 17:15	611	6.5	89	8.3	120	23.7	3
8/10/24 17:30	607	6.5	89	8.3	120	23.7	3
8/10/24 17:45	611	5.7	78	8.1	120	23.7	4
8/10/24 18:00	611	6.4	87	8.2	120	23.6	3
8/10/24 18:15	611	6.5	88	8.2	120	23.5	4
8/10/24 18:30	611	6.4	87	8.2	120	23.4	4
8/10/24 18:45	611	6.5	88	8.1	120	23.3	3
8/10/24 19:00	611	6.2	85	8.1	120	23.3	3
8/10/24 19:15	611	6.5	88	8.1	120	23.2	3
8/10/24 19:30	611	6.6	89	8.1	120	23.1	3
8/10/24 19:45	616	6.5	88	8.1	120	23.1	4
8/10/24 20:00	611	6.4	86	8.1	120	23.1	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/10/24 20:15	611	6.6	89	8.0	120	23.0	3
8/10/24 20:30	611	6.5	88	8.0	120	23.0	3
8/10/24 20:45	611	6.7	90	8.0	120	23.0	4
8/10/24 21:00	607	6.6	89	8.0	120	23.0	4
8/10/24 21:15	611	6.5	88	7.9	120	22.9	4
8/10/24 21:30	607	6.1	82	7.9	120	22.9	4
8/10/24 21:45	611	6.6	89	7.9	120	22.9	4
8/10/24 22:00	607	6.5	87	7.8	120	22.9	3
8/10/24 22:15	611	6.4	85	7.8	120	22.9	4
8/10/24 22:30	607	6.6	89	7.8	120	22.8	4
8/10/24 22:45	611	6.6	88	7.8	120	22.8	3
8/10/24 23:00	611	6.6	89	7.8	120	22.8	4
8/10/24 23:15	607	6.7	90	7.8	120	22.8	4
8/10/24 23:30	607	6.5	88	7.8	120	22.8	4
8/10/24 23:45	607	6.7	90	7.8	120	22.8	4
8/11/24 0:00	607	6.5	87	7.8	120	22.8	3
8/11/24 0:15	607	6.6	88	7.8	120	22.8	3
8/11/24 0:30	611	6.7	90	7.9	120	22.8	4
8/11/24 0:45	607	6.6	89	7.8	120	22.8	4
8/11/24 1:00	607	6.6	89	7.9	120	22.9	3
8/11/24 1:15	607	6.4	86	7.8	120	22.9	4
8/11/24 1:30	607	6.3	84	7.9	120	22.9	3
8/11/24 1:45	607	6.7	90	8.0	120	22.9	3
8/11/24 2:00	611	6.6	89	8.0	120	22.9	3
8/11/24 2:15	607	6.6	89	7.9	120	22.9	3
8/11/24 2:30	611	6.5	88	7.9	120	22.9	4
8/11/24 2:45	607	6.7	90	8.0	120	22.9	4
8/11/24 3:00	607	6.0	81	7.8	120	22.9	3
8/11/24 3:15	607	6.7	90	7.9	120	22.9	4
8/11/24 3:30	607	6.6	89	7.9	120	22.8	3
8/11/24 3:45	607	6.4	87	7.9	120	22.8	4
8/11/24 4:00	607	6.6	88	8.0	120	22.8	3
8/11/24 4:15	611	6.3	85	7.8	120	22.8	3
8/11/24 4:30	611	6.6	89	7.9	120	22.8	4
8/11/24 4:45	611	6.7	90	7.9	120	22.8	4
8/11/24 5:00	611	6.6	89	7.9	120	22.8	3
8/11/24 5:15	611	6.2	83	7.8	120	22.8	3
8/11/24 5:30	611	6.6	88	7.9	120	22.8	3
8/11/24 5:45	611	6.3	85	7.8	120	22.8	3
8/11/24 6:00	611	6.6	89	7.9	120	22.8	4
8/11/24 6:15	607	6.4	86	7.8	120	22.7	3
8/11/24 6:30	607	6.7	90	7.8	120	22.7	4
8/11/24 6:45	611	6.7	89	7.8	120	22.7	4
8/11/24 7:00	611	6.6	89	7.8	120	22.7	3
8/11/24 7:15	607	6.5	87	7.8	120	22.7	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/11/24 7:30	611	6.7	89	7.8	120	22.7	4
8/11/24 7:45	611	6.6	89	7.8	120	22.7	3
8/11/24 8:00	611	6.8	91	7.8	120	22.7	3
8/11/24 8:15	611	6.8	90	7.8	120	22.7	4
8/11/24 8:30	611	6.3	85	7.8	120	22.7	3
8/11/24 8:45	611	6.7	90	7.8	120	22.8	3
8/11/24 9:00	611	6.7	90	7.9	120	22.8	3
8/11/24 9:15	607	6.4	86	7.8	120	22.9	3
8/11/24 9:30	611	6.7	91	7.9	120	23.0	3
8/11/24 9:45	611	6.8	92	7.9	120	23.0	4
8/11/24 10:00	611	6.8	92	7.9	120	23.1	3
8/11/24 10:15	611	6.9	93	8.0	120	23.2	4
8/11/24 10:30	607	6.9	93	8.0	120	23.2	3
8/11/24 10:45	607	6.9	93	8.0	120	23.3	4
8/11/24 11:00	611	6.8	93	8.0	120	23.4	4
8/11/24 11:15	607	6.9	94	8.0	120	23.4	3
8/11/24 11:30	607	6.9	94	8.0	120	23.4	4
8/11/24 11:45	611	6.8	93	8.0	120	23.5	3
8/11/24 12:00	607	6.8	93	8.1	120	23.6	3
8/11/24 12:15	607	7.0	95	8.2	120	23.6	4
8/11/24 12:30	607	6.9	94	8.2	120	23.6	3
8/11/24 12:45	611	6.8	93	8.2	120	23.7	3
8/11/24 13:00	607	6.7	91	8.2	120	23.7	3
8/11/24 13:15	611	6.8	94	8.2	120	23.7	3
8/11/24 13:30	607	6.7	91	8.2	120	23.8	3
8/11/24 13:45	611	6.4	87	8.1	120	23.8	3
8/11/24 14:00	611	6.4	87	8.1	120	23.8	3
8/11/24 14:15	611	6.4	88	8.2	120	23.9	3
8/11/24 14:30	611	6.7	92	8.3	120	23.9	3
8/11/24 14:45	611	6.8	93	8.3	120	23.9	4
8/11/24 15:00	611	6.7	92	8.3	120	23.9	3
8/11/24 15:15	611	6.6	91	8.3	120	24.0	3
8/11/24 15:30	611	6.8	93	8.3	120	24.0	3
8/11/24 15:45	611	6.4	88	8.2	120	24.0	4
8/11/24 16:00	611	6.7	92	8.3	120	23.9	3
8/11/24 16:15	611	6.7	92	8.2	120	23.9	3
8/11/24 16:30	616	6.7	92	8.2	120	23.8	3
8/11/24 16:45	607	6.7	91	8.2	120	23.8	3
8/11/24 17:00	616	6.6	90	8.2	120	23.8	4
8/11/24 17:15	611	6.0	83	8.0	121	23.7	3
8/11/24 17:30	611	6.3	86	8.1	121	23.7	3
8/11/24 17:45	611	6.2	84	8.1	121	23.6	4
8/11/24 18:00	611	5.9	80	8.0	121	23.6	3
8/11/24 18:15	611	5.9	80	7.9	121	23.5	3
8/11/24 18:30	611	6.1	83	8.0	121	23.4	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/11/24 18:45	611	6.6	90	8.1	120	23.4	3
8/11/24 19:00	611	6.4	86	8.0	120	23.3	3
8/11/24 19:15	611	6.5	87	8.0	121	23.2	3
8/11/24 19:30	611	5.5	75	7.8	121	23.2	3
8/11/24 19:45	611	6.2	83	7.9	120	23.1	3
8/11/24 20:00	611	5.9	80	7.8	121	23.1	3
8/11/24 20:15	611	6.5	87	7.9	120	23.0	3
8/11/24 20:30	611	6.6	89	7.9	121	23.0	3
8/11/24 20:45	611	6.5	88	7.9	121	23.0	3
8/11/24 21:00	611	6.2	84	7.8	121	23.0	3
8/11/24 21:15	611	6.6	89	7.9	121	23.0	3
8/11/24 21:30	611	6.5	88	7.9	121	23.0	3
8/11/24 21:45	611	6.4	87	7.8	121	22.9	3
8/11/24 22:00	611	6.5	88	7.8	121	22.9	3
8/11/24 22:15	607	6.4	87	7.8	121	22.9	3
8/11/24 22:30	611	6.5	88	7.8	121	22.9	3
8/11/24 22:45	611	6.3	84	7.7	121	22.9	3
8/11/24 23:00	607	6.6	88	7.8	121	22.9	3
8/11/24 23:15	607	6.7	90	7.8	121	22.9	3
8/11/24 23:30	607	6.6	88	7.8	121	22.8	3
8/11/24 23:45	611	6.5	87	7.8	120	22.8	3
8/12/24 0:00	611	6.6	89	7.8	121	22.8	3
8/12/24 0:15	611	6.7	89	7.8	121	22.8	3
8/12/24 0:30	607	6.6	89	7.8	121	22.8	4
8/12/24 0:45	611	6.6	89	7.8	121	22.8	3
8/12/24 1:00	616	6.6	89	7.8	121	22.8	3
8/12/24 1:15	607	6.6	89	7.8	121	22.8	3
8/12/24 1:30	611	6.6	89	7.8	121	22.8	3
8/12/24 1:45	607	6.5	87	7.8	121	22.8	3
8/12/24 2:00	611	6.7	89	7.8	121	22.8	3
8/12/24 2:15	611	6.4	86	7.8	121	22.8	3
8/12/24 2:30	607	6.6	89	7.8	121	22.8	3
8/12/24 2:45	611	6.7	89	7.8	121	22.7	3
8/12/24 3:00	616	6.2	83	7.7	121	22.7	3
8/12/24 3:15	611	6.7	90	7.8	121	22.7	3
8/12/24 3:30	611	6.7	89	7.8	120	22.7	3
8/12/24 3:45	611	6.2	84	7.7	121	22.7	3
8/12/24 4:00	611	6.6	88	7.8	121	22.7	3
8/12/24 4:15	607	6.7	90	7.8	121	22.6	3
8/12/24 4:30	607	6.6	88	7.8	121	22.6	3
8/12/24 4:45	616	6.6	88	7.8	121	22.6	3
8/12/24 5:00	611	6.7	89	7.8	121	22.6	3
8/12/24 5:15	611	6.7	90	7.8	121	22.6	3
8/12/24 5:30	611	6.6	89	7.7	121	22.6	3
8/12/24 5:45	611	6.4	86	7.7	121	22.6	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge (cfs)	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
					conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/12/24 6:00	607	6.5	87	7.7	121	22.6	3
8/12/24 6:15	607	6.3	84	7.7	121	22.5	3
8/12/24 6:30	611	6.6	89	7.7	121	22.5	3
8/12/24 6:45	611	6.6	89	7.7	120	22.5	3
8/12/24 7:00	611	6.7	90	7.8	121	22.5	4
8/12/24 7:15	611	6.6	88	7.7	121	22.5	3
8/12/24 7:30	611	6.6	89	7.8	121	22.5	3
8/12/24 7:45	611	6.6	89	7.8	121	22.5	3
8/12/24 8:00	611	6.6	89	7.7	121	22.5	3
8/12/24 8:15	611	6.4	86	7.8	121	22.5	3
8/12/24 8:30	607	6.7	89	7.8	121	22.6	3
8/12/24 8:45	611	6.8	91	7.8	121	22.6	3
8/12/24 9:00	607	6.7	89	7.8	121	22.7	3
8/12/24 9:15	611	6.9	93	7.8	121	22.8	3
8/12/24 9:30	611	6.9	92	7.8	121	22.8	3
8/12/24 9:45	611	6.8	92	7.8	121	22.9	3
8/12/24 10:00	611	6.5	87	7.8	121	22.9	4
8/12/24 10:15	607	6.8	91	7.9	120	23.0	3
8/12/24 10:30	607	6.9	93	7.9	121	23.0	3
8/12/24 10:45	607	6.7	91	7.9	121	23.1	3
8/12/24 11:00	607	6.4	87	7.9	120	23.1	3
8/12/24 11:15	607	6.8	92	8.0	120	23.2	3
8/12/24 11:30	607	6.4	87	7.9	121	23.2	3
8/12/24 11:45	611	6.6	89	7.9	121	23.2	3
8/12/24 12:00	607	6.9	94	8.0	120	23.3	3
8/12/24 12:15	611	6.8	92	8.0	121	23.3	3
8/12/24 12:30	607	6.9	93	8.1	121	23.4	3
8/12/24 12:45	611	6.8	92	8.1	120	23.4	3
8/12/24 13:00	611	6.9	93	8.1	121	23.4	3
8/12/24 13:15	607	6.7	91	8.1	121	23.5	3
8/12/24 13:30	607	6.8	92	8.1	121	23.5	3
8/12/24 13:45	607	6.5	89	8.1	121	23.5	3
8/12/24 14:00	607	6.8	92	8.1	121	23.5	3
8/12/24 14:15	607	6.8	93	8.1	121	23.5	3
8/12/24 14:30	611	6.8	93	8.1	121	23.5	3
8/12/24 14:45	607	6.6	90	8.1	121	23.5	3
8/12/24 15:00	607	6.9	94	8.2	120	23.5	3
8/12/24 15:15	607	6.7	91	8.2	121	23.6	3
8/12/24 15:30	611	6.8	93	8.2	121	23.6	3
8/12/24 15:45	611	6.8	93	8.2	120	23.6	3
8/12/24 16:00	607	6.8	92	8.2	121	23.6	3
8/12/24 16:15	611	6.8	92	8.1	121	23.6	2
8/12/24 16:30	611	6.5	89	8.1	121	23.5	3
8/12/24 16:45	611	6.7	91	8.1	121	23.4	3
8/12/24 17:00	611	6.6	89	8.0	121	23.4	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/12/24 17:15	611	6.4	86	8.0	121	23.3	2
8/12/24 17:30	611	6.7	91	8.0	121	23.2	3
8/12/24 17:45	607	6.6	89	8.0	121	23.2	3
8/12/24 18:00	611	6.2	84	7.9	121	23.1	3
8/12/24 18:15	611	6.5	88	7.9	121	23.1	3
8/12/24 18:30	611	6.2	84	7.9	121	23.0	3
8/12/24 18:45	611	6.4	86	7.9	121	23.0	3
8/12/24 19:00	611	6.0	81	7.8	121	23.0	2
8/12/24 19:15	611	6.6	89	8.0	121	23.0	3
8/12/24 19:30	611	6.6	89	8.0	121	22.9	3
8/12/24 19:45	611	6.3	85	7.9	121	22.9	3
8/12/24 20:00	611	6.5	87	7.9	121	22.9	3
8/12/24 20:15	611	6.6	89	8.0	121	22.8	3
8/12/24 20:30	611	6.1	82	7.8	121	22.8	3
8/12/24 20:45	611	6.4	87	7.9	121	22.8	3
8/12/24 21:00	611	6.5	87	7.9	121	22.7	3
8/12/24 21:15	611	6.5	87	7.9	121	22.7	3
8/12/24 21:30	611	6.4	86	7.9	121	22.7	3
8/12/24 21:45	611	6.6	89	7.9	120	22.6	3
8/12/24 22:00	611	6.7	90	7.9	121	22.6	3
8/12/24 22:15	611	6.6	89	7.9	121	22.6	3
8/12/24 22:30	607	6.3	84	7.8	121	22.6	3
8/12/24 22:45	616	6.5	87	7.9	120	22.6	3
8/12/24 23:00	616	6.5	87	7.8	121	22.5	3
8/12/24 23:15	611	6.7	90	7.9	121	22.5	3
8/12/24 23:30	611	6.4	86	7.8	121	22.5	3
8/12/24 23:45	607	6.5	86	7.8	121	22.5	3
8/13/24 0:00	611	6.7	90	7.9	121	22.5	3
8/13/24 0:15	611	6.5	87	7.8	121	22.5	3
8/13/24 0:30	611	6.6	89	7.8	121	22.5	3
8/13/24 0:45	607	6.7	89	7.8	121	22.5	3
8/13/24 1:00	611	6.7	90	7.8	121	22.5	3
8/13/24 1:15	611	6.7	90	7.8	121	22.5	3
8/13/24 1:30	607	6.7	90	7.8	121	22.5	3
8/13/24 1:45	611	6.6	88	7.8	121	22.5	3
8/13/24 2:00	607	6.7	89	7.8	121	22.5	3
8/13/24 2:15	607	6.6	89	7.8	121	22.5	3
8/13/24 2:30	607	6.4	85	7.8	121	22.5	3
8/13/24 2:45	611	6.6	88	7.8	120	22.5	3
8/13/24 3:00	611	6.7	90	7.8	121	22.4	3
8/13/24 3:15	611	6.7	89	7.8	121	22.4	3
8/13/24 3:30	611	6.6	88	7.8	121	22.4	3
8/13/24 3:45	611	6.6	88	7.8	121	22.4	3
8/13/24 4:00	611	6.6	88	7.8	121	22.4	3
8/13/24 4:15	611	6.0	80	7.8	121	22.4	3

Klamath River at Keno, OR (11509500)



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/13/24 4:30	607	6.7	89	7.8	120	22.3	3
8/13/24 4:45	607	6.8	90	7.9	121	22.3	4
8/13/24 5:00	611	6.7	89	7.9	121	22.3	4
8/13/24 5:15	607	6.7	89	7.8	120	22.2	4
8/13/24 5:30	611	6.8	90	7.9	121	22.2	3
8/13/24 5:45	607	6.7	89	7.8	120	22.2	4
8/13/24 6:00	607	6.8	91	7.9	121	22.1	4
8/13/24 6:15	607	6.7	89	7.8	120	22.1	4
8/13/24 6:30	607	6.7	89	7.8	121	22.1	4
8/13/24 6:45	607	6.8	90	7.8	121	22.0	4
8/13/24 7:00	611	6.6	87	7.8	120	22.0	3
8/13/24 7:15	611	6.7	89	7.8	121	22.0	3
8/13/24 7:30	611	6.8	90	7.8	121	22.0	4
8/13/24 7:45	611	6.7	88	7.8	121	21.9	4
8/13/24 8:00	611	6.8	89	7.8	121	21.9	4
8/13/24 8:15	611	6.6	87	7.7	121	21.9	4
8/13/24 8:30	611	6.7	88	7.8	121	22.0	3
8/13/24 8:45	611	6.6	87	7.8	121	22.0	3
8/13/24 9:00	611	7.0	92	7.9	120	22.0	3
8/13/24 9:15	611	7.0	93	7.9	120	22.1	4
8/13/24 9:30	611	6.8	90	7.9	121	22.1	4
8/13/24 9:45	611	7.0	93	7.9	120	22.2	4
8/13/24 10:00	611	7.1	94	8.0	120	22.2	4
8/13/24 10:15	611	7.0	93	8.0	120	22.2	4
8/13/24 10:30	707	6.4	85	7.8	120	22.3	3
8/13/24 10:45	724	7.0	93	8.0	121	22.3	6
8/13/24 11:00	729	7.2	96	8.1	121	22.4	4
8/13/24 11:15	724	7.0	93	8.0	121	22.4	4
8/13/24 11:30	733	6.9	92	8.1	120	22.5	4
8/13/24 11:45	738	7.1	95	8.1	120	22.5	4
8/13/24 12:00	738	7.0	94	8.1	120	22.6	4
8/13/24 12:15	733	7.2	96	8.2	120	22.6	4
8/13/24 12:30	738	7.2	97	8.2	120	22.6	4
8/13/24 12:45	738	6.6	88	8.1	120	22.7	4
8/13/24 13:00	738	7.1	95	8.2	121	22.7	4
8/13/24 13:15	738	7.0	94	8.2	120	22.7	4
8/13/24 13:30	733	6.8	92	8.1	120	22.8	3
8/13/24 13:45	733	7.0	94	8.2	121	22.8	4
8/13/24 14:00	738	7.1	95	8.2	120	22.8	4
8/13/24 14:15	738	7.0	95	8.2	120	22.9	4
8/13/24 14:30	738	6.5	88	8.2	120	22.9	4
8/13/24 14:45	738	6.5	87	8.1	121	22.9	3
8/13/24 15:00	742	7.0	94	8.2	121	22.9	4
8/13/24 15:15	738	6.6	89	8.2	120	22.9	3
8/13/24 15:30	738	6.7	90	8.2	120	22.9	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/13/24 15:45	738	7.0	94	8.3	120	22.9	4
8/13/24 16:00	738	7.1	95	8.4	121	22.9	3
8/13/24 16:15	742	7.0	94	8.3	120	22.9	4
8/13/24 16:30	738	6.6	88	8.3	121	22.9	3
8/13/24 16:45	742	6.9	93	8.3	121	22.9	3
8/13/24 17:00	738	7.0	95	8.3	121	22.9	4
8/13/24 17:15	742	7.0	94	8.3	121	22.8	4
8/13/24 17:30	742	6.7	90	8.2	121	22.8	3
8/13/24 17:45	742	6.9	92	8.3	121	22.7	4
8/13/24 18:00	742	6.8	92	8.2	121	22.7	3
8/13/24 18:15	742	7.0	93	8.3	121	22.6	4
8/13/24 18:30	738	6.9	92	8.2	120	22.6	4
8/13/24 18:45	738	6.3	84	8.0	121	22.6	3
8/13/24 19:00	738	6.2	83	8.1	121	22.5	3
8/13/24 19:15	738	6.4	86	8.0	121	22.5	3
8/13/24 19:30	742	6.5	87	8.1	121	22.4	3
8/13/24 19:45	738	6.9	91	8.1	121	22.4	4
8/13/24 20:00	738	6.5	87	8.1	121	22.4	3
8/13/24 20:15	738	6.9	92	8.1	120	22.4	4
8/13/24 20:30	738	6.7	89	8.1	120	22.4	3
8/13/24 20:45	733	6.9	91	8.1	121	22.3	4
8/13/24 21:00	738	6.9	92	8.1	121	22.3	3
8/13/24 21:15	738	6.8	90	8.0	121	22.3	4
8/13/24 21:30	738	6.8	91	8.1	121	22.3	4
8/13/24 21:45	738	6.7	89	8.0	120	22.3	4
8/13/24 22:00	738	6.9	92	8.0	120	22.3	4
8/13/24 22:15	738	6.6	87	7.9	121	22.3	3
8/13/24 22:30	738	6.6	87	7.9	121	22.3	3
8/13/24 22:45	738	6.8	91	8.0	121	22.3	4
8/13/24 23:00	738	6.8	90	7.9	121	22.3	4
8/13/24 23:15	738	6.6	87	7.9	121	22.3	4
8/13/24 23:30	738	6.9	91	8.0	121	22.3	4
8/13/24 23:45	738	6.7	89	8.0	121	22.4	4
8/14/24 0:00	738	6.9	91	8.0	120	22.4	3
8/14/24 0:15	738	6.9	91	8.0	121	22.4	4
8/14/24 0:30	738	6.7	89	8.0	121	22.3	4
8/14/24 0:45	742	6.6	88	8.0	121	22.3	4
8/14/24 1:00	738	6.8	91	8.1	120	22.3	4
8/14/24 1:15	738	6.8	90	8.0	121	22.3	4
8/14/24 1:30	738	6.8	90	8.0	121	22.3	4
8/14/24 1:45	742	6.6	88	8.0	121	22.3	3
8/14/24 2:00	738	6.5	86	7.9	121	22.3	4
8/14/24 2:15	738	6.9	92	8.0	121	22.3	4
8/14/24 2:30	738	6.7	89	8.0	121	22.2	4
8/14/24 2:45	738	6.9	92	8.0	121	22.2	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/14/24 3:00	738	6.9	91	8.0	120	22.2	4
8/14/24 3:15	738	6.8	91	8.0	121	22.2	3
8/14/24 3:30	738	6.9	91	8.0	121	22.2	4
8/14/24 3:45	738	6.7	89	8.0	120	22.2	4
8/14/24 4:00	738	6.8	90	8.0	121	22.2	4
8/14/24 4:15	738	6.9	91	8.0	121	22.1	4
8/14/24 4:30	738	6.7	89	8.0	121	22.1	4
8/14/24 4:45	738	6.2	82	7.9	121	22.1	3
8/14/24 5:00	738	7.0	93	8.0	120	22.1	4
8/14/24 5:15	738	6.8	89	8.0	121	22.1	4
8/14/24 5:30	738	6.9	91	8.0	121	22.0	4
8/14/24 5:45	738	6.7	89	8.0	121	22.0	4
8/14/24 6:00	738	6.9	91	7.9	121	22.0	4
8/14/24 6:15	742	6.8	89	7.9	121	22.0	4
8/14/24 6:30	738	6.7	89	7.9	121	22.0	4
8/14/24 6:45	738	7.0	93	8.0	121	21.9	4
8/14/24 7:00	738	6.6	87	7.9	121	21.9	4
8/14/24 7:15	733	6.6	88	7.9	121	21.9	4
8/14/24 7:30	733	6.9	91	7.9	121	21.9	4
8/14/24 7:45	738	6.9	90	7.9	121	21.9	4
8/14/24 8:00	742	6.9	91	7.9	121	21.9	4
8/14/24 8:15	738	7.0	92	7.9	121	21.9	4
8/14/24 8:30	738	7.1	94	8.0	120	21.9	4
8/14/24 8:45	738	7.1	93	8.0	121	22.0	4
8/14/24 9:00	733	7.1	94	8.0	121	22.0	4
8/14/24 9:15	738	7.3	96	8.1	121	22.1	4
8/14/24 9:30	738	7.3	97	8.2	121	22.1	4
8/14/24 9:45	733	7.3	97	8.2	121	22.1	4
8/14/24 10:00	738	7.3	97	8.2	121	22.2	4
8/14/24 10:15	738	7.4	98	8.2	121	22.2	4
8/14/24 10:30	738	7.3	97	8.2	121	22.2	3
8/14/24 10:45	733	7.4	98	8.2	121	22.3	4
8/14/24 11:00	738	7.4	98	8.2	121	22.3	4
8/14/24 11:15	738	7.4	98	8.2	121	22.4	3
8/14/24 11:30	733	7.4	98	8.3	121	22.4	3
8/14/24 11:45	733	7.4	98	8.3	121	22.5	4
8/14/24 12:00	738	7.4	98	8.3	121	22.5	3
8/14/24 12:15	738	7.4	99	8.4	121	22.6	3
8/14/24 12:30	738	7.4	99	8.4	121	22.6	3
8/14/24 12:45	742	7.3	98	8.4	121	22.7	3
8/14/24 13:00	738	7.3	98	8.4	121	22.8	3
8/14/24 13:15	738	7.3	98	8.4	121	22.8	3
8/14/24 13:30	733	7.3	97	8.4	121	22.8	3
8/14/24 13:45	733	7.3	98	8.5	121	22.8	4
8/14/24 14:00	738	7.2	97	8.5	121	22.8	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/14/24 14:15	733	7.2	97	8.5	121	22.8	3
8/14/24 14:30	738	7.3	98	8.5	121	22.8	3
8/14/24 14:45	738	7.2	97	8.5	121	22.9	3
8/14/24 15:00	738	7.2	97	8.5	121	22.9	3
8/14/24 15:15	738	7.2	97	8.6	121	22.9	3
8/14/24 15:30	733	7.3	98	8.6	121	23.0	3
8/14/24 15:45	738	7.2	97	8.6	121	22.9	3
8/14/24 16:00	738	7.2	97	8.6	121	22.9	3
8/14/24 16:15	738	7.2	97	8.6	121	22.9	3
8/14/24 16:30	738	7.2	96	8.6	121	22.8	3
8/14/24 16:45	738	7.1	96	8.5	121	22.8	3
8/14/24 17:00	733	7.2	96	8.5	121	22.8	3
8/14/24 17:15	733	7.2	96	8.5	121	22.8	3
8/14/24 17:30	738	7.1	96	8.5	121	22.7	3
8/14/24 17:45	738	7.1	95	8.5	121	22.7	3
8/14/24 18:00	738	7.2	96	8.5	121	22.6	3
8/14/24 18:15	738	7.2	96	8.5	121	22.6	3
8/14/24 18:30	738	7.1	95	8.5	121	22.5	3
8/14/24 18:45	738	7.1	95	8.5	121	22.5	3
8/14/24 19:00	738	7.1	95	8.4	121	22.4	3
8/14/24 19:15	733	7.1	94	8.4	121	22.4	3
8/14/24 19:30	733	7.0	94	8.3	122	22.4	3
8/14/24 19:45	738	7.0	93	8.3	122	22.4	3
8/14/24 20:00	742	7.0	94	8.3	121	22.3	3
8/14/24 20:15	742	7.0	93	8.2	121	22.3	4
8/14/24 20:30	738	7.0	93	8.2	122	22.3	3
8/14/24 20:45	738	7.0	93	8.2	122	22.2	3
8/14/24 21:00	738	7.0	93	8.2	122	22.2	3
8/14/24 21:15	738	7.0	93	8.1	122	22.2	3
8/14/24 21:30	738	7.0	93	8.1	122	22.2	3
8/14/24 21:45	733	7.0	93	8.1	122	22.1	3
8/14/24 22:00	738	7.0	93	8.0	122	22.1	3
8/14/24 22:15	738	7.0	93	8.0	122	22.1	3
8/14/24 22:30	738	7.0	93	8.0	122	22.1	3
8/14/24 22:45	738	7.0	93	8.1	122	22.1	4
8/14/24 23:00	738	7.0	93	8.1	122	22.1	3
8/14/24 23:15	733	7.0	93	8.1	121	22.1	3
8/14/24 23:30	733	7.0	93	8.1	121	22.1	3
8/14/24 23:45	738	7.0	93	8.2	121	22.1	3
8/15/24 0:00	733	7.0	94	8.2	121	22.2	4
8/15/24 0:15	733	7.0	93	8.2	121	22.2	3
8/15/24 0:30	738	7.0	94	8.3	121	22.2	3
8/15/24 0:45	733	7.0	94	8.3	121	22.2	3
8/15/24 1:00	733	7.1	94	8.3	121	22.2	3
8/15/24 1:15	733	7.1	94	8.2	121	22.2	3

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/15/24 1:30	738	7.0	93	8.2	121	22.1	3
8/15/24 1:45	738	7.0	93	8.2	121	22.1	3
8/15/24 2:00	733	7.0	93	8.2	121	22.1	4
8/15/24 2:15	733	7.0	93	8.2	121	22.1	3
8/15/24 2:30	733	7.1	93	8.2	121	22.1	4
8/15/24 2:45	738	7.0	93	8.1	121	22.0	3
8/15/24 3:00	733	7.0	93	8.1	121	22.0	3
8/15/24 3:15	729	7.1	93	8.1	121	22.0	4
8/15/24 3:30	738	7.1	93	8.1	121	22.0	3
8/15/24 3:45	733	7.1	93	8.1	121	22.0	4
8/15/24 4:00	733	7.0	93	8.1	122	22.0	4
8/15/24 4:15	733	7.1	93	8.1	121	22.0	4
8/15/24 4:30	738	7.1	93	8.1	121	21.9	3
8/15/24 4:45	733	7.1	93	8.1	122	21.9	4
8/15/24 5:00	733	7.1	93	8.1	122	21.9	4
8/15/24 5:15	733	7.1	94	8.0	122	21.9	4
8/15/24 5:30	733	7.1	93	8.0	122	21.9	4
8/15/24 5:45	733	7.1	94	8.0	122	21.9	4
8/15/24 6:00	733	7.1	93	8.0	122	21.9	4
8/15/24 6:15	738	7.1	93	8.0	121	21.8	4
8/15/24 6:30	733	7.1	94	8.1	121	21.8	4
8/15/24 6:45	738	7.1	94	8.1	121	21.8	4
8/15/24 7:00	733	7.1	94	8.1	121	21.8	4
8/15/24 7:15	733	7.1	94	8.1	121	21.8	4
8/15/24 7:30	738	7.1	94	8.1	121	21.8	4
8/15/24 7:45	738	7.2	94	8.1	121	21.8	3
8/15/24 8:00	738	7.2	95	8.1	121	21.8	3
8/15/24 8:15	733	7.2	95	8.2	121	21.8	4
8/15/24 8:30	733	7.2	95	8.2	121	21.8	4
8/15/24 8:45	733	7.2	96	8.2	121	21.9	4
8/15/24 9:00	733	7.3	96	8.2	121	21.9	4
8/15/24 9:15	733	7.3	96	8.2	121	22.0	4
8/15/24 9:30	733	7.3	97	8.3	121	22.0	4
8/15/24 9:45	738	7.3	97	8.3	121	22.1	4
8/15/24 10:00	733	7.4	97	8.3	121	22.1	4
8/15/24 10:15	738	7.3	97	8.3	121	22.1	4
8/15/24 10:30	738	7.4	98	8.4	121	22.2	4
8/15/24 10:45	733	7.4	98	8.4	121	22.2	4
8/15/24 11:00	733	7.4	98	8.4	121	22.2	4
8/15/24 11:15	733	7.4	98	8.4	121	22.2	4
8/15/24 11:30	733	7.4	98	8.4	121	22.3	4
8/15/24 11:45	733	7.4	98	8.4	121	22.4	4
8/15/24 12:00	733	7.3	98	8.4	121	22.4	3
8/15/24 12:15	738	7.4	99	8.4	121	22.4	4
8/15/24 12:30	738	7.4	98	8.4	121	22.5	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/15/24 12:45	729	7.4	99	8.4	121	22.5	4
8/15/24 13:00	738	7.4	98	8.4	121	22.5	4
8/15/24 13:15	733	7.4	98	8.4	121	22.5	4
8/15/24 13:30	733	7.4	98	8.4	121	22.5	4
8/15/24 13:45	733	7.4	98	8.4	122	22.4	3
8/15/24 14:00	733	7.4	98	8.4	122	22.5	3
8/15/24 14:15	729	7.4	99	8.5	122	22.5	4
8/15/24 14:30	733	7.4	98	8.5	122	22.5	4
8/15/24 14:45	738	7.4	98	8.5	122	22.4	4
8/15/24 15:00	733	7.4	98	8.5	122	22.4	4
8/15/24 15:15	733	7.3	97	8.5	122	22.4	4
8/15/24 15:30	738	7.3	98	8.5	122	22.4	4
8/15/24 15:45	729	7.4	98	8.5	121	22.4	4
8/15/24 16:00	738	7.3	97	8.5	121	22.4	4
8/15/24 16:15	733	7.3	98	8.5	122	22.3	4
8/15/24 16:30	738	7.3	97	8.5	122	22.3	4
8/15/24 16:45	738	7.3	97	8.5	122	22.2	4
8/15/24 17:00	733	7.3	97	8.5	122	22.2	4
8/15/24 17:15	733	7.2	96	8.5	122	22.2	4
8/15/24 17:30	733	7.3	96	8.5	122	22.2	4
8/15/24 17:45	733	7.2	95	8.4	122	22.2	3
8/15/24 18:00	738	7.2	96	8.4	122	22.1	4
8/15/24 18:15	738	7.2	95	8.4	122	22.1	4
8/15/24 18:30	738	7.2	95	8.4	122	22.0	4
8/15/24 18:45	738	7.2	95	8.4	122	22.0	4
8/15/24 19:00	742	7.2	94	8.3	122	21.9	4
8/15/24 19:15	733	7.2	94	8.3	122	21.8	4
8/15/24 19:30	733	7.2	94	8.3	122	21.8	4
8/15/24 19:45	738	7.2	94	8.2	122	21.8	4
8/15/24 20:00	738	7.1	94	8.2	122	21.8	4
8/15/24 20:15	738	7.1	93	8.2	122	21.8	4
8/15/24 20:30	733	7.1	93	8.2	122	21.8	4
8/15/24 20:45	738	7.1	93	8.2	122	21.8	4
8/15/24 21:00	733	7.1	93	8.2	122	21.8	4
8/15/24 21:15	738	7.1	94	8.2	122	21.8	4
8/15/24 21:30	738	7.1	94	8.2	122	21.8	4
8/15/24 21:45	738	7.1	94	8.2	122	21.8	4
8/15/24 22:00	738	7.1	94	8.2	122	21.7	4
8/15/24 22:15	738	7.1	93	8.2	122	21.7	4
8/15/24 22:30	742	7.1	94	8.2	122	21.7	4
8/15/24 22:45	738	7.0	93	8.1	122	21.7	4
8/15/24 23:00	733	7.0	93	8.2	122	21.7	4
8/15/24 23:15	738	7.1	93	8.2	122	21.7	4
8/15/24 23:30	733	7.1	93	8.2	122	21.7	4
8/15/24 23:45	738	7.1	93	8.2	122	21.7	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/16/24 0:00	733	7.1	94	8.2	122	21.7	4
8/16/24 0:15	733	7.1	94	8.2	122	21.7	4
8/16/24 0:30	733	7.1	93	8.2	122	21.7	4
8/16/24 0:45	738	7.1	94	8.2	122	21.7	4
8/16/24 1:00	738	7.1	94	8.3	122	21.7	4
8/16/24 1:15	733	7.1	94	8.2	122	21.7	4
8/16/24 1:30	742	7.1	93	8.2	122	21.7	4
8/16/24 1:45	738	7.1	94	8.3	122	21.6	4
8/16/24 2:00	733	7.2	94	8.3	122	21.6	4
8/16/24 2:15	733	7.2	94	8.3	122	21.6	4
8/16/24 2:30	733	7.1	93	8.2	122	21.6	4
8/16/24 2:45	733	7.1	94	8.2	122	21.6	4
8/16/24 3:00	733	7.2	94	8.2	122	21.6	4
8/16/24 3:15	738	7.1	94	8.2	122	21.6	4
8/16/24 3:30	742	7.2	94	8.2	122	21.6	4
8/16/24 3:45	738	7.1	94	8.2	122	21.6	4
8/16/24 4:00	733	7.1	93	8.2	122	21.5	4
8/16/24 4:15	738	7.1	94	8.2	122	21.5	4
8/16/24 4:30	733	7.1	93	8.2	122	21.5	4
8/16/24 4:45	738	7.1	93	8.2	122	21.5	4
8/16/24 5:00	738	7.1	93	8.2	122	21.5	4
8/16/24 5:15	733	7.2	94	8.2	121	21.5	4
8/16/24 5:30	733	7.2	94	8.2	121	21.4	4
8/16/24 5:45	738	7.1	93	8.2	121	21.4	4
8/16/24 6:00	733	7.2	94	8.2	121	21.4	4
8/16/24 6:15	738	7.2	94	8.2	121	21.4	4
8/16/24 6:30	733	7.2	94	8.2	121	21.3	4
8/16/24 6:45	738	7.2	94	8.2	121	21.3	4
8/16/24 7:00	733	7.2	94	8.2	121	21.3	4
8/16/24 7:15	738	7.2	94	8.2	121	21.3	4
8/16/24 7:30	729	7.2	94	8.2	121	21.3	4
8/16/24 7:45	733	7.1	93	8.2	121	21.3	4
8/16/24 8:00	733	7.3	95	8.2	121	21.3	4
8/16/24 8:15	738	7.3	95	8.2	121	21.3	4
8/16/24 8:30	742	7.3	95	8.2	121	21.3	4
8/16/24 8:45	738	7.4	96	8.2	121	21.3	4
8/16/24 9:00	733	7.4	97	8.2	121	21.4	4
8/16/24 9:15	733	7.4	97	8.3	121	21.4	4
8/16/24 9:30	738	7.4	97	8.3	121	21.5	4
8/16/24 9:45	733	7.4	97	8.3	121	21.6	4
8/16/24 10:00	729	7.4	98	8.3	121	21.6	4
8/16/24 10:15	729	7.4	98	8.3	121	21.7	4
8/16/24 10:30	733	7.4	97	8.3	121	21.7	4
8/16/24 10:45	738	7.5	98	8.4	121	21.8	4
8/16/24 11:00	733	7.4	98	8.4	121	21.8	4

Klamath River at Keno, OR (11509500)



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/16/24 11:15	733	7.5	99	8.4	121	21.8	4
8/16/24 11:30	733	7.4	98	8.4	121	21.9	4
8/16/24 11:45	733	7.5	98	8.4	121	21.9	4
8/16/24 12:00	733	7.5	99	8.4	121	21.9	4
8/16/24 12:15	738	7.5	99	8.5	121	22.0	4
8/16/24 12:30	738	7.5	99	8.5	121	22.0	4
8/16/24 12:45	733	7.5	99	8.5	121	22.1	4
8/16/24 13:00	733	7.4	99	8.5	121	22.1	4
8/16/24 13:15	738	7.4	99	8.5	121	22.2	4
8/16/24 13:30	733	7.5	99	8.6	121	22.2	4
8/16/24 13:45	733	7.4	99	8.6	121	22.2	4
8/16/24 14:00	733	7.4	99	8.6	121	22.3	4
8/16/24 14:15	733	7.3	98	8.6	122	22.3	4
8/16/24 14:30	738	7.3	97	8.6	122	22.2	4
8/16/24 14:45	733	7.3	97	8.6	122	22.2	4
8/16/24 15:00	733	7.3	97	8.6	122	22.2	4
8/16/24 15:15	738	7.4	98	8.6	122	22.2	4
8/16/24 15:30	733	7.4	98	8.6	122	22.3	4
8/16/24 15:45	738	7.4	98	8.7	122	22.3	4
8/16/24 16:00	738	7.2	97	8.7	122	22.4	4
8/16/24 16:15	738	7.3	97	8.7	122	22.4	4
8/16/24 16:30	729	7.3	97	8.7	122	22.4	4
8/16/24 16:45	733	7.1	94	8.7	122	22.4	4
8/16/24 17:00	742	7.2	96	8.7	122	22.4	4
8/16/24 17:15	738	7.1	95	8.7	122	22.4	4
8/16/24 17:30	738	7.2	96	8.7	122	22.3	4
8/16/24 17:45	738	7.2	96	8.7	122	22.3	4
8/16/24 18:00	738	7.2	96	8.7	122	22.2	4
8/16/24 18:15	738	7.2	95	8.6	122	22.2	4
8/16/24 18:30	738	7.1	94	8.6	122	22.1	4
8/16/24 18:45	738	7.0	92	8.6	122	22.1	4
8/16/24 19:00	738	7.2	95	8.5	122	22.0	4
8/16/24 19:15	733	7.2	94	8.5	122	22.0	4
8/16/24 19:30	742	7.1	94	8.5	122	21.9	4
8/16/24 19:45	738	7.1	94	8.5	122	21.9	4
8/16/24 20:00	738	7.1	94	8.4	122	21.8	4
8/16/24 20:15	738	7.1	94	8.4	122	21.8	4
8/16/24 20:30	738	7.0	93	8.4	122	21.8	4
8/16/24 20:45	738	7.1	93	8.3	122	21.7	4
8/16/24 21:00	738	7.1	93	8.3	122	21.7	5
8/16/24 21:15	733	7.1	93	8.3	122	21.7	5
8/16/24 21:30	738	7.1	93	8.3	122	21.6	4
8/16/24 21:45	738	7.1	93	8.3	122	21.6	4
8/16/24 22:00	733	7.0	93	8.3	122	21.6	4
8/16/24 22:15	738	7.1	93	8.3	122	21.6	5

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/16/24 22:30	733	7.0	92	8.2	122	21.6	4
8/16/24 22:45	742	7.1	93	8.2	122	21.6	4
8/16/24 23:00	738	7.1	93	8.2	122	21.6	4
8/16/24 23:15	733	7.1	93	8.3	122	21.6	4
8/16/24 23:30	738	7.1	93	8.3	122	21.6	4
8/16/24 23:45	733	7.1	93	8.3	122	21.6	4
8/17/24 0:00	742	7.1	94	8.3	122	21.6	4
8/17/24 0:15	733	7.1	93	8.3	122	21.6	4
8/17/24 0:30	738	7.1	93	8.4	122	21.6	4
8/17/24 0:45	738	7.1	93	8.4	122	21.6	4
8/17/24 1:00	733	7.0	92	8.4	122	21.6	4
8/17/24 1:15	733	7.1	93	8.4	122	21.6	4
8/17/24 1:30	738	7.0	92	8.4	121	21.6	4
8/17/24 1:45	738	7.1	93	8.4	121	21.6	4
8/17/24 2:00	738	7.1	93	8.4	121	21.6	4
8/17/24 2:15	733	7.1	93	8.4	121	21.6	4
8/17/24 2:30	738	7.1	93	8.4	122	21.6	4
8/17/24 2:45	733	7.1	93	8.4	122	21.6	4
8/17/24 3:00	733	7.1	93	8.4	121	21.6	4
8/17/24 3:15	733	7.1	93	8.4	122	21.6	4
8/17/24 3:30	733	7.1	93	8.4	121	21.6	4
8/17/24 3:45	738	7.1	93	8.4	122	21.6	4
8/17/24 4:00	733	7.0	92	8.4	122	21.6	4
8/17/24 4:15	733	6.9	91	8.4	122	21.6	4
8/17/24 4:30	738	7.1	93	8.4	122	21.5	4
8/17/24 4:45	733	7.1	93	8.4	122	21.5	4
8/17/24 5:00	738	7.1	93	8.4	122	21.5	5
8/17/24 5:15	733	7.1	93	8.3	122	21.5	4
8/17/24 5:30	738	7.1	93	8.3	122	21.5	4
8/17/24 5:45	733	7.1	93	8.3	122	21.5	4
8/17/24 6:00	738	7.1	93	8.3	122	21.5	4
8/17/24 6:15	733	7.0	92	8.3	122	21.5	4
8/17/24 6:30	738	7.1	93	8.3	122	21.4	4
8/17/24 6:45	733	7.1	93	8.3	122	21.4	4
8/17/24 7:00	738	7.1	93	8.3	122	21.4	4
8/17/24 7:15	738	7.2	94	8.3	122	21.4	5
8/17/24 7:30	738	7.1	93	8.3	122	21.4	4
8/17/24 7:45	733	7.2	94	8.3	122	21.4	4
8/17/24 8:00	733	7.1	93	8.3	122	21.4	4
8/17/24 8:15	738	7.2	94	8.3	122	21.4	4
8/17/24 8:30	729	7.2	94	8.3	121	21.5	4
8/17/24 8:45	738	7.3	95	8.4	121	21.5	5
8/17/24 9:00	733	7.3	96	8.4	121	21.6	4
8/17/24 9:15	733	7.3	96	8.4	121	21.6	4
8/17/24 9:30	733	7.4	97	8.4	121	21.7	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/17/24 9:45	738	7.4	97	8.5	121	21.7	4
8/17/24 10:00	733	7.4	97	8.5	121	21.8	4
8/17/24 10:15	733	7.4	97	8.5	121	21.8	4
8/17/24 10:30	607	7.3	96	8.5	121	21.9	4
8/17/24 10:45	574	7.3	97	8.6	121	22.0	4
8/17/24 11:00	578	7.3	97	8.6	122	22.0	4
8/17/24 11:15	574	7.4	97	8.6	122	22.1	4
8/17/24 11:30	574	7.3	97	8.6	122	22.2	4
8/17/24 11:45	570	7.2	96	8.6	122	22.2	4
8/17/24 12:00	574	7.2	96	8.6	122	22.1	4
8/17/24 12:15	578	7.2	96	8.6	122	22.1	4
8/17/24 12:30	574	7.3	96	8.6	122	22.2	4
8/17/24 12:45	574	7.3	97	8.6	122	22.3	4
8/17/24 13:00	570	7.4	98	8.7	122	22.3	4
8/17/24 13:15	570	7.2	96	8.7	122	22.3	4
8/17/24 13:30	570	7.2	96	8.7	122	22.2	4
8/17/24 13:45	570	7.2	96	8.7	122	22.2	4
8/17/24 14:00	570	7.3	97	8.6	122	22.1	4
8/17/24 14:15	570	7.3	97	8.6	122	22.1	4
8/17/24 14:30	566	7.3	96	8.6	122	22.1	4
8/17/24 14:45	561	7.2	95	8.6	122	22.0	4
8/17/24 15:00	561	7.3	97	8.6	122	22.0	4
8/17/24 15:15	561	7.3	96	8.6	122	22.0	4
8/17/24 15:30	561	7.2	95	8.6	122	22.0	4
8/17/24 15:45	566	7.2	95	8.6	122	21.9	4
8/17/24 16:00	561	7.2	95	8.6	122	21.9	4
8/17/24 16:15	561	7.2	96	8.6	122	21.9	4
8/17/24 16:30	561	7.3	96	8.6	122	21.9	4
8/17/24 16:45	561	7.2	95	8.6	122	21.9	4
8/17/24 17:00	566	7.1	94	8.6	122	21.9	4
8/17/24 17:15	561	7.0	93	8.6	122	21.9	4
8/17/24 17:30	566	6.9	91	8.6	122	21.9	4
8/17/24 17:45	566	7.1	93	8.6	122	21.9	4
8/17/24 18:00	570	7.0	93	8.6	122	21.8	4
8/17/24 18:15	574	7.0	93	8.6	122	21.8	4
8/17/24 18:30	566	7.0	93	8.6	122	21.8	4
8/17/24 18:45	570	7.0	92	8.6	122	21.7	4
8/17/24 19:00	566	7.0	92	8.5	122	21.7	4
8/17/24 19:15	566	7.0	92	8.5	122	21.7	4
8/17/24 19:30	561	7.0	92	8.5	122	21.7	4
8/17/24 19:45	566	7.0	92	8.5	122	21.7	4
8/17/24 20:00	566	7.0	92	8.5	122	21.7	4
8/17/24 20:15	566	6.9	91	8.4	122	21.7	5
8/17/24 20:30	566	6.9	91	8.4	122	21.7	4
8/17/24 20:45	566	6.9	90	8.4	122	21.6	4

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/17/24 21:00	566	7.0	91	8.4	122	21.6	5
8/17/24 21:15	570	7.0	91	8.3	122	21.6	5
8/17/24 21:30	566	7.0	91	8.3	122	21.5	5
8/17/24 21:45	566	7.0	91	8.3	122	21.5	5
8/17/24 22:00	566	7.0	91	8.3	122	21.5	5
8/17/24 22:15	566	7.0	91	8.4	122	21.4	5
8/17/24 22:30	566	6.9	90	8.3	122	21.4	5
8/17/24 22:45	561	7.0	92	8.3	122	21.4	5
8/17/24 23:00	566	7.1	92	8.3	122	21.4	5
8/17/24 23:15	561	7.0	91	8.3	122	21.4	4
8/17/24 23:30	561	7.0	91	8.3	122	21.3	4
8/17/24 23:45	561	7.0	91	8.3	122	21.3	5
8/18/24 0:00	566	6.9	91	8.3	122	21.3	5
8/18/24 0:15	566	6.9	90	8.2	122	21.3	5
8/18/24 0:30	566	7.0	92	8.3	122	21.2	4
8/18/24 0:45	566	7.0	91	8.2	122	21.2	5
8/18/24 1:00	561	6.9	90	8.2	122	21.2	5
8/18/24 1:15	566	6.9	90	8.2	122	21.2	5
8/18/24 1:30	566	6.9	90	8.2	122	21.1	5
8/18/24 1:45	566	7.0	91	8.2	122	21.1	5
8/18/24 2:00	566	7.1	92	8.2	122	21.1	5
8/18/24 2:15	566	7.1	92	8.2	122	21.0	5
8/18/24 2:30	566	7.1	92	8.2	122	21.0	5
8/18/24 2:45	566	7.1	92	8.1	122	21.0	5
8/18/24 3:00	566	7.0	91	8.1	122	21.0	5
8/18/24 3:15	566	7.0	91	8.1	122	20.9	5
8/18/24 3:30	561	7.1	92	8.1	122	20.9	4
8/18/24 3:45	561	7.1	92	8.1	122	20.9	5
8/18/24 4:00	566	7.1	92	8.1	122	20.9	5
8/18/24 4:15	561	7.2	92	8.0	122	20.8	5
8/18/24 4:30	566	7.0	91	8.0	122	20.8	5
8/18/24 4:45	561	7.1	92	8.0	122	20.8	5
8/18/24 5:00	561	7.2	92	8.0	122	20.8	5
8/18/24 5:15	561	7.1	91	8.0	122	20.8	5
8/18/24 5:30	561	7.1	92	8.0	122	20.7	5
8/18/24 5:45	561	7.1	92	8.0	122	20.7	5
8/18/24 6:00	561	7.2	92	8.0	122	20.7	5
8/18/24 6:15	566	7.2	93	8.0	122	20.7	5
8/18/24 6:30	557	7.1	92	8.0	122	20.7	5
8/18/24 6:45	566	7.2	92	8.0	122	20.7	5
8/18/24 7:00	561	7.2	92	8.0	122	20.6	5
8/18/24 7:15	561	7.2	93	8.0	122	20.6	5
8/18/24 7:30	566	7.2	93	8.0	122	20.6	5
8/18/24 7:45	561	7.1	91	8.0	122	20.6	5
8/18/24 8:00	561	7.3	94	8.0	122	20.6	5

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/18/24 8:15	566	7.3	94	8.0	122	20.6	5
8/18/24 8:30	561	7.3	94	8.0	122	20.6	5
8/18/24 8:45	561	7.4	95	8.0	122	20.6	5
8/18/24 9:00	561	7.2	93	8.0	122	20.7	5
8/18/24 9:15	561	7.4	96	8.1	122	20.8	5
8/18/24 9:30	561	7.5	96	8.2	122	20.8	5
8/18/24 9:45	561	7.5	97	8.2	122	20.9	5
8/18/24 10:00	561	7.5	97	8.2	122	21.0	5
8/18/24 10:15	561	7.4	96	8.2	122	21.1	5
8/18/24 10:30	566	7.3	95	8.2	122	21.0	5
8/18/24 10:45	561	7.3	94	8.2	122	21.1	5
8/18/24 11:00	561	7.4	97	8.3	122	21.2	5
8/18/24 11:15	561	7.5	97	8.3	122	21.3	5
8/18/24 11:30	561	7.4	97	8.3	122	21.3	5
8/18/24 11:45	561	7.4	97	8.3	122	21.3	4
8/18/24 12:00	557	7.5	98	8.4	122	21.4	5
8/18/24 12:15	561	7.5	98	8.4	122	21.5	5
8/18/24 12:30	557	7.5	98	8.4	122	21.4	5
8/18/24 12:45	557	7.5	98	8.4	122	21.4	5
8/18/24 13:00	557	7.5	98	8.4	122	21.4	5
8/18/24 13:15	537	7.5	99	8.4	122	21.4	5
8/18/24 13:30	533	7.5	98	8.4	122	21.5	5
8/18/24 13:45	529	7.3	95	8.4	122	21.5	5
8/18/24 14:00	533	7.5	98	8.4	122	21.6	5
8/18/24 14:15	529	7.5	98	8.4	122	21.6	5
8/18/24 14:30	533	7.5	98	8.4	122	21.6	5
8/18/24 14:45	541	7.5	99	8.4	122	21.6	5
8/18/24 15:00	557	7.5	98	8.4	122	21.6	5
8/18/24 15:15	557	7.4	97	8.4	122	21.6	5
8/18/24 15:30	561	7.5	98	8.5	122	21.6	5
8/18/24 15:45	561	7.4	98	8.6	122	21.7	5
8/18/24 16:00	557	7.2	95	8.5	122	21.7	4
8/18/24 16:15	561	7.4	97	8.6	122	21.6	5
8/18/24 16:30	561	7.3	96	8.6	122	21.6	5
8/18/24 16:45	557	7.4	97	8.6	122	21.6	5
8/18/24 17:00	557	7.3	96	8.6	122	21.6	5
8/18/24 17:15	557	7.3	96	8.6	122	21.6	5
8/18/24 17:30	557	7.3	95	8.6	122	21.6	5
8/18/24 17:45	557	7.1	94	8.7	122	21.6	5
8/18/24 18:00	557	7.2	94	8.7	122	21.6	5
8/18/24 18:15	561	7.2	94	8.7	122	21.6	5
8/18/24 18:30	561	7.0	92	8.6	122	21.5	5
8/18/24 18:45	561	7.1	93	8.6	122	21.5	5
8/18/24 19:00	557	7.1	93	8.6	122	21.5	5
8/18/24 19:15	557	7.1	93	8.6	122	21.5	5

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/18/24 19:30	561	6.8	89	8.5	122	21.4	5
8/18/24 19:45	557	7.1	92	8.5	122	21.4	5
8/18/24 20:00	557	7.0	91	8.5	122	21.4	5
8/18/24 20:15	561	7.0	92	8.5	122	21.4	5
8/18/24 20:30	561	7.0	91	8.5	122	21.4	5
8/18/24 20:45	561	7.0	92	8.4	122	21.4	5
8/18/24 21:00	561	7.0	92	8.4	122	21.3	5
8/18/24 21:15	561	6.9	90	8.4	122	21.3	5
8/18/24 21:30	557	7.0	92	8.4	122	21.3	5
8/18/24 21:45	557	7.0	91	8.4	122	21.2	5
8/18/24 22:00	557	7.1	92	8.4	122	21.2	5
8/18/24 22:15	561	7.0	92	8.3	122	21.2	5
8/18/24 22:30	557	7.0	92	8.3	122	21.2	5
8/18/24 22:45	557	7.0	91	8.3	122	21.1	5
8/18/24 23:00	557	7.1	92	8.3	122	21.1	5
8/18/24 23:15	557	7.0	91	8.3	122	21.1	5
8/18/24 23:30	561	6.9	90	8.3	122	21.0	5
8/18/24 23:45	557	7.1	93	8.3	122	21.0	5
8/19/24 0:00	557	7.1	92	8.3	122	21.0	5
8/19/24 0:15	557	7.0	91	8.3	122	21.0	5
8/19/24 0:30	557	7.1	92	8.3	122	21.0	5
8/19/24 0:45	557	7.1	92	8.3	122	20.9	5
8/19/24 1:00	557	7.1	92	8.3	122	20.9	5
8/19/24 1:15	557	7.2	93	8.3	122	20.9	5
8/19/24 1:30	561	7.0	91	8.3	122	20.9	5
8/19/24 1:45	561	7.2	93	8.3	122	20.9	5
8/19/24 2:00	557	7.1	92	8.4	122	20.8	5
8/19/24 2:15	557	7.1	91	8.4	122	20.8	5
8/19/24 2:30	557	7.2	93	8.4	122	20.8	5
8/19/24 2:45	557	7.2	93	8.4	122	20.8	5
8/19/24 3:00	557	7.2	92	8.4	122	20.8	5
8/19/24 3:15	557	7.1	92	8.3	122	20.7	5
8/19/24 3:30	557	7.2	93	8.4	122	20.7	5
8/19/24 3:45	557	7.1	91	8.3	122	20.7	5
8/19/24 4:00	557	7.2	93	8.4	122	20.6	5
8/19/24 4:15	557	7.2	92	8.4	122	20.6	5
8/19/24 4:30	561	7.2	92	8.3	122	20.6	5
8/19/24 4:45	557	7.1	92	8.3	122	20.6	6
8/19/24 5:00	557	7.2	93	8.3	122	20.5	5
8/19/24 5:15	557	7.2	92	8.3	122	20.5	5
8/19/24 5:30	557	7.2	93	8.3	122	20.5	5
8/19/24 5:45	561	7.2	93	8.3	122	20.5	6
8/19/24 6:00	557	7.1	91	8.3	122	20.5	6
8/19/24 6:15	557	7.2	93	8.3	121	20.4	6
8/19/24 6:30	561	7.2	93	8.3	122	20.4	5

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/19/24 6:45	561	7.2	92	8.3	122	20.4	5
8/19/24 7:00	553	7.1	91	8.2	122	20.4	5
8/19/24 7:15	557	7.2	93	8.2	122	20.3	5
8/19/24 7:30	557	7.3	93	8.2	122	20.3	6
8/19/24 7:45	557	7.3	93	8.2	121	20.3	6
8/19/24 8:00	557	7.3	94	8.3	121	20.3	6
8/19/24 8:15	557	7.4	94	8.3	121	20.3	6
8/19/24 8:30	557	7.3	94	8.3	121	20.4	5
8/19/24 8:45	561	7.4	95	8.3	121	20.4	6
8/19/24 9:00	557	7.5	96	8.4	121	20.4	5
8/19/24 9:15	557	7.5	96	8.4	121	20.5	6
8/19/24 9:30	557	7.6	97	8.4	121	20.6	6
8/19/24 9:45	557	7.5	97	8.5	121	20.7	6
8/19/24 10:00	557	7.6	98	8.5	121	20.8	6
8/19/24 10:15	586	7.5	97	8.5	121	20.8	6
8/19/24 10:30	603	7.6	98	8.6	121	20.9	6
8/19/24 10:45	599	7.5	97	8.6	121	20.9	6
8/19/24 11:00	599	7.6	98	8.6	121	20.9	6
8/19/24 11:15	594	7.6	99	8.6	121	21.0	6
8/19/24 11:30	594	7.6	99	8.6	121	21.0	6
8/19/24 11:45	599	7.6	98	8.6	121	21.1	6
8/19/24 12:00	599	7.6	99	8.7	121	21.1	6
8/19/24 12:15	599	7.6	98	8.7	121	21.2	6
8/19/24 12:30	599	7.6	99	8.7	121	21.2	6
8/19/24 12:45	603	7.6	99	8.7	121	21.2	6
8/19/24 13:00	599	7.6	99	8.7	121	21.3	6
8/19/24 13:15	599	7.6	99	8.7	121	21.3	6
8/19/24 13:30	599	7.5	98	8.7	121	21.3	6
8/19/24 13:45	599	7.6	99	8.8	121	21.3	6
8/19/24 14:00	599	7.6	99	8.8	121	21.2	6
8/19/24 14:15	599	7.6	98	8.8	121	21.2	6
8/19/24 14:30	599	7.6	99	8.8	121	21.2	6
8/19/24 14:45	599	7.5	98	8.8	121	21.3	6
8/19/24 15:00	599	7.5	98	8.8	121	21.3	6
8/19/24 15:15	599	7.5	98	8.8	121	21.3	6
8/19/24 15:30	594	7.3	95	8.8	121	21.3	6
8/19/24 15:45	599	7.5	98	8.8	121	21.3	6
8/19/24 16:00	599	7.5	98	8.8	121	21.3	6
8/19/24 16:15	599	7.4	96	8.8	121	21.3	5
8/19/24 16:30	603	7.4	96	8.8	121	21.3	6
8/19/24 16:45	599	7.4	96	8.8	121	21.3	6
8/19/24 17:00	599	7.2	93	8.8	121	21.2	6
8/19/24 17:15	599	7.1	93	8.7	121	21.2	6
8/19/24 17:30	603	7.4	96	8.7	121	21.1	6
8/19/24 17:45	599	7.4	97	8.7	121	21.1	6

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/19/24 18:00	603	7.2	94	8.7	121	21.0	5
8/19/24 18:15	599	7.2	93	8.6	121	21.0	6
8/19/24 18:30	599	6.9	89	8.6	122	21.0	5
8/19/24 18:45	599	7.3	95	8.6	121	20.9	6
8/19/24 19:00	599	7.4	95	8.6	121	20.8	6
8/19/24 19:15	599	7.3	95	8.6	121	20.8	6
8/19/24 19:30	599	7.1	91	8.5	121	20.8	6
8/19/24 19:45	594	7.2	92	8.5	121	20.7	6
8/19/24 20:00	599	7.2	93	8.5	121	20.7	6
8/19/24 20:15	599	7.0	91	8.4	121	20.7	6
8/19/24 20:30	603	7.2	93	8.4	121	20.7	6
8/19/24 20:45	599	7.1	92	8.4	121	20.6	6
8/19/24 21:00	599	7.2	92	8.4	121	20.6	6
8/19/24 21:15	599	7.3	93	8.4	121	20.6	6
8/19/24 21:30	603	7.2	93	8.3	121	20.5	6
8/19/24 21:45	599	7.2	92	8.3	121	20.5	6
8/19/24 22:00	599	7.3	93	8.3	121	20.5	6
8/19/24 22:15	599	7.3	94	8.3	121	20.5	6
8/19/24 22:30	599	7.3	93	8.3	121	20.5	6
8/19/24 22:45	594	7.3	93	8.3	121	20.5	6
8/19/24 23:00	599	7.2	92	8.3	121	20.5	6
8/19/24 23:15	599	7.3	93	8.3	121	20.5	6
8/19/24 23:30	599	7.2	93	8.4	121	20.5	6
8/19/24 23:45	599	7.3	93	8.4	121	20.5	6
8/20/24 0:00	599	7.3	93	8.4	121	20.6	6
8/20/24 0:15	599	7.2	93	8.4	121	20.6	6
8/20/24 0:30	599	7.2	93	8.4	121	20.5	6
8/20/24 0:45	599	7.2	93	8.5	121	20.5	6
8/20/24 1:00	599	7.3	94	8.5	121	20.5	6
8/20/24 1:15	594	7.2	93	8.5	121	20.5	6
8/20/24 1:30	603	7.3	94	8.5	121	20.5	6
8/20/24 1:45	599	7.2	93	8.5	121	20.4	6
8/20/24 2:00	599	7.3	94	8.5	121	20.4	6
8/20/24 2:15	599	7.3	93	8.5	121	20.4	6
8/20/24 2:30	594	7.2	93	8.5	121	20.4	6
8/20/24 2:45	599	7.3	93	8.5	121	20.4	6
8/20/24 3:00	603	7.2	92	8.5	121	20.4	6
8/20/24 3:15	599	7.3	93	8.5	121	20.4	6
8/20/24 3:30	599	7.3	93	8.5	121	20.4	6
8/20/24 3:45	594	7.3	94	8.5	121	20.3	6
8/20/24 4:00	599	7.3	93	8.4	121	20.3	6
8/20/24 4:15	599	7.3	93	8.4	121	20.3	6
8/20/24 4:30	599	7.3	93	8.4	121	20.3	6
8/20/24 4:45	599	7.4	94	8.4	121	20.2	6
8/20/24 5:00	599	7.3	94	8.4	121	20.2	6

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/20/24 5:15	599	7.3	93	8.4	121	20.2	6
8/20/24 5:30	599	7.3	93	8.4	121	20.2	6
8/20/24 5:45	594	7.3	93	8.4	121	20.2	6
8/20/24 6:00	594	7.3	93	8.4	121	20.1	6
8/20/24 6:15	594	7.4	94	8.4	121	20.1	7
8/20/24 6:30	594	7.4	94	8.4	121	20.1	6
8/20/24 6:45	599	7.4	94	8.4	121	20.1	6
8/20/24 7:00	599	7.4	94	8.4	121	20.1	7
8/20/24 7:15	594	7.4	94	8.4	121	20.0	6
8/20/24 7:30	599	7.3	93	8.4	121	20.0	7
8/20/24 7:45	599	7.5	95	8.5	120	20.0	7
8/20/24 8:00	599	7.2	91	8.4	121	20.0	6
8/20/24 8:15	599	7.5	95	8.5	120	20.0	6
8/20/24 8:30	599	7.4	95	8.5	120	20.1	7
8/20/24 8:45	594	7.5	96	8.5	120	20.1	6
8/20/24 9:00	594	7.6	96	8.5	120	20.2	7
8/20/24 9:15	599	7.6	97	8.6	120	20.2	6
8/20/24 9:30	599	7.7	98	8.7	120	20.3	6
8/20/24 9:45	594	7.6	98	8.7	120	20.3	6
8/20/24 10:00	599	7.7	98	8.7	120	20.4	6
8/20/24 10:15	594	7.7	99	8.7	120	20.4	6
8/20/24 10:30	603	7.6	98	8.7	120	20.4	6
8/20/24 10:45	599	7.7	99	8.7	120	20.4	6
8/20/24 11:00	603	7.7	99	8.7	120	20.5	6
8/20/24 11:15	599	7.8	100	8.8	120	20.6	6
8/20/24 11:30	599	7.7	100	8.8	120	20.6	6
8/20/24 11:45	603	7.8	100	8.8	120	20.6	6
8/20/24 12:00	599	7.8	100	8.8	120	20.6	6
8/20/24 12:15	603	7.7	99	8.8	120	20.6	6
8/20/24 12:30	603	7.7	99	8.8	120	20.6	6
8/20/24 12:45	603	7.8	100	8.8	120	20.6	6
8/20/24 13:00	603	7.8	100	8.8	120	20.7	6
8/20/24 13:15	599	7.8	100	8.8	120	20.8	6
8/20/24 13:30	603	7.8	100	8.8	120	20.9	6
8/20/24 13:45	599	7.8	100	8.8	120	20.9	6
8/20/24 14:00	603	7.8	101	8.8	120	21.0	6
8/20/24 14:15	603	7.6	99	8.8	120	21.0	6
8/20/24 14:30	603	7.6	99	8.8	120	20.9	6
8/20/24 14:45	603	7.6	99	8.8	121	20.8	6
8/20/24 15:00	599	7.6	99	8.8	121	20.8	6
8/20/24 15:15	599	7.6	99	8.8	121	20.7	6
8/20/24 15:30	603	7.6	98	8.8	121	20.7	6
8/20/24 15:45	603	7.7	99	8.8	121	20.7	6
8/20/24 16:00	603	7.6	99	8.8	121	20.7	6
8/20/24 16:15	599	7.6	98	8.8	121	20.7	6

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/20/24 16:30	599	7.6	99	8.8	121	20.8	6
8/20/24 16:45	599	7.6	99	8.8	121	20.8	6
8/20/24 17:00	599	7.6	98	8.8	121	20.8	6
8/20/24 17:15	603	7.6	98	8.8	121	20.7	6
8/20/24 17:30	603	7.5	97	8.8	121	20.6	6
8/20/24 17:45	599	7.5	97	8.8	121	20.6	6
8/20/24 18:00	599	7.4	95	8.7	121	20.6	6
8/20/24 18:15	603	7.3	94	8.7	121	20.6	6
8/20/24 18:30	603	7.4	96	8.7	121	20.5	6
8/20/24 18:45	603	7.4	96	8.7	121	20.5	6
8/20/24 19:00	603	7.3	94	8.6	121	20.4	6
8/20/24 19:15	603	7.4	95	8.6	121	20.4	6
8/20/24 19:30	607	7.4	95	8.6	121	20.4	6
8/20/24 19:45	603	7.4	95	8.6	121	20.4	6
8/20/24 20:00	603	7.4	95	8.6	121	20.4	6
8/20/24 20:15	603	7.4	94	8.5	121	20.3	6
8/20/24 20:30	603	7.3	94	8.5	121	20.3	6
8/20/24 20:45	603	7.4	94	8.5	121	20.3	6
8/20/24 21:00	599	7.4	94	8.5	121	20.3	6
8/20/24 21:15	599	7.3	94	8.4	121	20.3	6
8/20/24 21:30	603	7.4	94	8.4	121	20.2	7
8/20/24 21:45	599	7.4	94	8.4	121	20.2	7
8/20/24 22:00	603	7.4	94	8.4	121	20.2	7
8/20/24 22:15	603	7.4	94	8.4	121	20.2	7
8/20/24 22:30	599	7.4	94	8.4	121	20.2	7
8/20/24 22:45	603	7.4	94	8.4	121	20.2	7
8/20/24 23:00	599	7.4	94	8.4	121	20.2	7
8/20/24 23:15	603	7.4	94	8.4	121	20.2	6
8/20/24 23:30	599	7.4	94	8.4	121	20.1	7
8/20/24 23:45	603	7.4	95	8.4	121	20.1	7
8/21/24 0:00	603	7.4	94	8.4	121	20.1	6
8/21/24 0:15	603	7.4	94	8.4	121	20.1	7
8/21/24 0:30	603	7.3	93	8.4	121	20.1	6
8/21/24 0:45	603	7.4	95	8.4	121	20.1	7
8/21/24 1:00	599	7.4	95	8.4	121	20.1	6
8/21/24 1:15	599	7.4	94	8.4	121	20.1	6
8/21/24 1:30	603	7.4	94	8.5	121	20.1	6
8/21/24 1:45	603	7.4	95	8.5	121	20.1	6
8/21/24 2:00	603	7.4	94	8.5	121	20.0	7
8/21/24 2:15	603	7.4	95	8.5	121	20.0	7
8/21/24 2:30	603	7.4	95	8.5	121	20.0	6
8/21/24 2:45	603	7.4	94	8.5	121	20.0	7
8/21/24 3:00	599	7.4	94	8.5	121	20.0	6
8/21/24 3:15	603	7.4	94	8.4	121	20.0	7
8/21/24 3:30	603	7.4	94	8.5	121	20.0	6

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/21/24 3:45	603	7.4	94	8.4	121	19.9	6
8/21/24 4:00	603	7.5	95	8.4	121	19.9	7
8/21/24 4:15	603	7.5	95	8.4	121	19.9	7
8/21/24 4:30	603	7.5	95	8.4	121	19.9	7
8/21/24 4:45	603	7.4	94	8.4	121	19.9	7
8/21/24 5:00	603	7.5	95	8.4	121	19.9	7
8/21/24 5:15	603	7.4	94	8.4	121	19.8	7
8/21/24 5:30	603	7.5	95	8.4	121	19.8	7
8/21/24 5:45	603	7.5	95	8.3	121	19.8	7
8/21/24 6:00	603	7.4	94	8.3	121	19.8	7
8/21/24 6:15	603	7.5	94	8.4	121	19.8	7
8/21/24 6:30	603	7.5	95	8.4	121	19.8	7
8/21/24 6:45	603	7.5	95	8.4	120	19.8	7
8/21/24 7:00	599	7.5	95	8.4	120	19.7	7
8/21/24 7:15	603	7.5	95	8.4	120	19.7	7
8/21/24 7:30	603	7.4	94	8.4	120	19.7	6
8/21/24 7:45	603	7.5	95	8.4	120	19.7	7
8/21/24 8:00	603	7.6	96	8.4	120	19.7	7
8/21/24 8:15	603	7.6	96	8.4	120	19.8	7
8/21/24 8:30	603	7.6	97	8.4	120	19.8	7
8/21/24 8:45	603	7.6	97	8.4	120	19.8	7
8/21/24 9:00	603	7.7	97	8.4	120	19.9	7
8/21/24 9:15	599	7.7	98	8.5	120	20.0	7
8/21/24 9:30	599	7.8	99	8.5	120	20.0	7
8/21/24 9:45	599	7.7	98	8.5	120	20.1	7
8/21/24 10:00	603	7.7	99	8.6	120	20.2	8
8/21/24 10:15	603	7.8	99	8.6	120	20.2	7
8/21/24 10:30	599	7.8	99	8.6	120	20.3	7
8/21/24 10:45	599	7.8	100	8.6	120	20.4	7
8/21/24 11:00	599	7.8	100	8.6	120	20.4	7
8/21/24 11:15	599	7.8	100	8.6	120	20.5	7
8/21/24 11:30	599	7.8	100	8.7	120	20.5	7
8/21/24 11:45	599	7.8	100	8.7	120	20.6	7
8/21/24 12:00	599	7.8	100	8.7	120	20.6	7
8/21/24 12:15	599	7.7	99	8.7	120	20.6	7
8/21/24 12:30	599	7.8	100	8.7	120	20.6	7
8/21/24 12:45	599	7.8	100	8.7	120	20.6	7
8/21/24 13:00	599	7.8	100	8.7	120	20.6	7
8/21/24 13:15	599	7.8	100	8.7	120	20.6	7
8/21/24 13:30	599	7.8	100	8.7	120	20.6	7
8/21/24 13:45	603	7.7	100	8.8	120	20.7	7
8/21/24 14:00	603	7.8	100	8.8	120	20.7	7
8/21/24 14:15	599	7.7	99	8.8	120	20.7	7
8/21/24 14:30	599	7.8	100	8.8	120	20.8	7
8/21/24 14:45	599	7.7	99	8.8	120	20.8	7

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/21/24 15:00	599	7.7	100	8.8	120	20.8	7
8/21/24 15:15	599	7.7	99	8.8	120	20.9	7
8/21/24 15:30	599	7.7	99	8.8	120	20.9	7
8/21/24 15:45	599	7.6	99	8.8	120	20.8	7
8/21/24 16:00	603	7.7	99	8.8	120	20.8	7
8/21/24 16:15	603	7.7	99	8.7	120	20.7	7
8/21/24 16:30	603	7.6	99	8.7	120	20.7	7
8/21/24 16:45	599	7.6	98	8.7	120	20.6	8
8/21/24 17:00	599	7.5	96	8.6	120	20.6	7
8/21/24 17:15	603	7.6	97	8.6	120	20.5	7
8/21/24 17:30	603	7.6	97	8.6	120	20.4	7
8/21/24 17:45	603	7.5	96	8.6	120	20.3	8
8/21/24 18:00	603	7.5	96	8.6	120	20.3	7
8/21/24 18:15	599	7.6	97	8.6	120	20.2	7
8/21/24 18:30	603	7.4	94	8.5	120	20.2	7
8/21/24 18:45	603	7.5	95	8.5	120	20.2	7
8/21/24 19:00	599	7.5	95	8.5	120	20.1	8
8/21/24 19:15	599	7.5	95	8.4	120	20.1	8
8/21/24 19:30	603	7.4	94	8.4	120	20.0	8
8/21/24 19:45	599	7.4	95	8.4	120	20.0	8
8/21/24 20:00	603	7.4	94	8.3	120	19.9	8
8/21/24 20:15	603	7.4	94	8.3	120	19.9	8
8/21/24 20:30	603	7.4	94	8.3	120	19.9	8
8/21/24 20:45	599	7.4	94	8.3	120	19.9	8
8/21/24 21:00	599	7.3	93	8.2	120	19.9	8
8/21/24 21:15	599	7.4	93	8.2	120	19.9	8
8/21/24 21:30	603	7.4	94	8.2	120	19.9	8
8/21/24 21:45	599	7.4	94	8.2	120	19.9	8
8/21/24 22:00	603	7.4	94	8.2	120	19.9	8
8/21/24 22:15	603	7.4	94	8.2	120	19.9	8
8/21/24 22:30	603	7.4	94	8.2	120	19.9	8
8/21/24 22:45	599	7.4	93	8.2	120	19.9	8
8/21/24 23:00	599	7.4	94	8.2	120	19.9	8
8/21/24 23:15	599	7.4	94	8.2	120	19.9	8
8/21/24 23:30	603	7.4	94	8.2	120	19.9	8
8/21/24 23:45	599	7.4	94	8.2	120	19.9	8
8/22/24 0:00	599	7.4	93	8.2	120	19.9	8
8/22/24 0:15	599	7.3	93	8.2	120	19.9	8
8/22/24 0:30	603	7.4	94	8.3	120	19.9	8
8/22/24 0:45	599	7.4	94	8.3	120	19.9	8
8/22/24 1:00	599	7.4	94	8.3	120	19.9	8
8/22/24 1:15	599	7.4	94	8.3	120	19.9	8
8/22/24 1:30	599	7.4	94	8.4	120	19.9	8
8/22/24 1:45	599	7.4	94	8.4	120	19.9	8
8/22/24 2:00	599	7.4	94	8.4	120	20.0	8

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/22/24 2:15	603	7.4	94	8.4	120	20.0	8
8/22/24 2:30	603	7.4	94	8.4	120	20.0	8
8/22/24 2:45	599	7.4	94	8.4	120	20.0	8
8/22/24 3:00	599	7.4	94	8.4	120	20.0	8
8/22/24 3:15	599	7.4	94	8.4	120	20.0	8
8/22/24 3:30	603	7.4	94	8.5	120	20.0	8
8/22/24 3:45	603	7.4	94	8.5	120	20.0	8
8/22/24 4:00	599	7.4	94	8.5	120	19.9	8
8/22/24 4:15	603	7.4	94	8.5	120	19.9	8
8/22/24 4:30	599	7.4	93	8.5	120	19.9	8
8/22/24 4:45	603	7.4	94	8.5	120	19.9	8
8/22/24 5:00	603	7.4	94	8.5	120	19.9	8
8/22/24 5:15	603	7.4	94	8.5	120	19.9	8
8/22/24 5:30	599	7.4	94	8.5	120	19.9	8
8/22/24 5:45	599	7.4	94	8.5	120	19.9	8
8/22/24 6:00	599	7.4	94	8.5	120	19.9	8
8/22/24 6:15	599	7.4	94	8.4	120	19.9	8
8/22/24 6:30	599	7.4	94	8.4	120	19.9	8
8/22/24 6:45	599	7.4	94	8.4	120	19.9	8
8/22/24 7:00	603	7.4	94	8.4	120	19.9	8
8/22/24 7:15	599	7.4	94	8.4	120	19.9	8
8/22/24 7:30	603	7.5	95	8.5	120	19.9	8
8/22/24 7:45	603	7.5	95	8.5	119	19.9	8
8/22/24 8:00	603	7.5	95	8.5	119	19.9	8
8/22/24 8:15	599	7.6	96	8.5	119	19.9	8
8/22/24 8:30	557	7.6	96	8.5	119	20.0	8
8/22/24 8:45	553	7.6	96	8.6	119	20.0	8
8/22/24 9:00	553	7.6	96	8.6	119	20.0	8
8/22/24 9:15	553	7.6	97	8.6	119	20.1	8
8/22/24 9:30	549	7.7	98	8.6	119	20.2	8
8/22/24 9:45	549	7.7	98	8.6	119	20.2	8
8/22/24 10:00	549	7.7	98	8.7	119	20.3	8
8/22/24 10:15	553	7.7	98	8.7	119	20.3	8
8/22/24 10:30	553	7.6	98	8.7	119	20.4	8
8/22/24 10:45	553	7.6	98	8.7	119	20.4	8
8/22/24 11:00	553	7.6	98	8.7	119	20.4	8
8/22/24 11:15	557	7.6	97	8.7	119	20.4	8
8/22/24 11:30	553	7.6	97	8.7	119	20.4	8
8/22/24 11:45	549	7.6	97	8.7	119	20.3	9
8/22/24 12:00	553	7.6	97	8.7	119	20.3	8
8/22/24 12:15	557	7.6	97	8.7	119	20.3	8
8/22/24 12:30	553	7.6	97	8.7	119	20.3	8
8/22/24 12:45	549	7.6	97	8.7	119	20.4	8
8/22/24 13:00	553	7.7	99	8.8	119	20.6	8
8/22/24 13:15	553	7.7	99	8.8	119	20.7	8

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/22/24 13:30	549	7.6	98	8.8	119	20.7	9
8/22/24 13:45	553	7.6	97	8.8	119	20.6	8
8/22/24 14:00	553	7.5	97	8.8	119	20.6	8
8/22/24 14:15	553	7.6	98	8.8	119	20.6	8
8/22/24 14:30	553	7.6	98	8.8	119	20.6	8
8/22/24 14:45	553	7.6	98	8.8	119	20.6	8
8/22/24 15:00	553	7.6	98	8.9	119	20.7	8
8/22/24 15:15	557	7.6	99	8.9	119	20.7	8
8/22/24 15:30	549	7.6	98	8.8	119	20.7	9
8/22/24 15:45	553	7.5	97	8.8	119	20.6	8
8/22/24 16:00	553	7.6	97	8.8	119	20.4	8
8/22/24 16:15	553	7.6	97	8.7	119	20.4	8
8/22/24 16:30	553	7.6	97	8.7	119	20.3	8
8/22/24 16:45	553	7.6	97	8.7	119	20.3	8
8/22/24 17:00	553	7.6	97	8.7	119	20.2	9
8/22/24 17:15	549	7.5	96	8.6	119	20.2	9
8/22/24 17:30	553	7.5	96	8.6	119	20.2	9
8/22/24 17:45	553	7.4	95	8.6	119	20.1	8
8/22/24 18:00	557	7.6	96	8.6	119	20.1	9
8/22/24 18:15	553	7.5	96	8.6	119	20.1	8
8/22/24 18:30	553	7.3	93	8.6	119	20.0	8
8/22/24 18:45	557	7.3	93	8.6	119	20.0	8
8/22/24 19:00	553	7.5	95	8.6	119	20.0	8
8/22/24 19:15	553	7.4	95	8.6	119	20.0	8
8/22/24 19:30	553	7.2	92	8.6	119	20.0	8
8/22/24 19:45	553	7.4	93	8.7	119	20.0	9
8/22/24 20:00	553	7.4	93	8.7	119	20.0	9
8/22/24 20:15	557	7.2	91	8.6	119	20.0	8
8/22/24 20:30	557	7.3	92	8.6	119	20.0	9
8/22/24 20:45	557	7.3	93	8.6	119	20.0	9
8/22/24 21:00	557	7.3	93	8.5	119	20.0	9
8/22/24 21:15	557	7.3	93	8.5	119	20.0	9
8/22/24 21:30	557	7.4	93	8.5	119	20.0	8
8/22/24 21:45	553	7.3	93	8.5	119	19.9	9
8/22/24 22:00	553	7.3	93	8.5	119	19.9	9
8/22/24 22:15	557	7.3	93	8.5	119	19.9	9
8/22/24 22:30	553	7.3	92	8.5	119	19.9	9
8/22/24 22:45	557	7.4	93	8.5	119	19.9	9
8/22/24 23:00	557	7.3	93	8.5	119	19.8	9
8/22/24 23:15	557	7.4	93	8.5	119	19.8	9
8/22/24 23:30	557	7.3	93	8.5	119	19.8	9
8/22/24 23:45	553	7.3	92	8.6	119	19.8	8
8/23/24 0:00	553	7.4	93	8.6	119	19.8	9
8/23/24 0:15	557	7.3	93	8.6	119	19.8	8
8/23/24 0:30	557	7.4	93	8.5	119	19.7	9

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/23/24 0:45	557	7.4	93	8.5	119	19.7	8
8/23/24 1:00	553	7.3	93	8.5	119	19.7	9
8/23/24 1:15	557	7.3	93	8.5	119	19.7	8
8/23/24 1:30	557	7.4	94	8.5	119	19.7	9
8/23/24 1:45	553	7.4	93	8.5	119	19.7	9
8/23/24 2:00	553	7.3	92	8.4	119	19.6	9
8/23/24 2:15	553	7.3	92	8.4	119	19.6	9
8/23/24 2:30	553	7.3	92	8.4	119	19.6	9
8/23/24 2:45	553	7.4	93	8.4	119	19.6	9
8/23/24 3:00	557	7.2	90	8.4	119	19.6	9
8/23/24 3:15	553	7.4	93	8.5	119	19.6	9
8/23/24 3:30	557	7.4	93	8.5	119	19.5	9
8/23/24 3:45	553	7.4	93	8.5	119	19.5	9
8/23/24 4:00	557	7.4	93	8.5	119	19.5	9
8/23/24 4:15	557	7.4	93	8.5	119	19.5	9
8/23/24 4:30	553	7.4	94	8.5	119	19.5	9
8/23/24 4:45	553	7.4	94	8.5	119	19.5	9
8/23/24 5:00	553	7.4	93	8.5	119	19.5	9
8/23/24 5:15	553	7.4	94	8.5	119	19.4	9
8/23/24 5:30	557	7.4	94	8.5	119	19.4	9
8/23/24 5:45	553	7.4	93	8.5	119	19.4	9
8/23/24 6:00	557	7.4	93	8.5	119	19.4	9
8/23/24 6:15	557	7.4	93	8.5	119	19.4	9
8/23/24 6:30	553	7.5	94	8.5	118	19.3	9
8/23/24 6:45	553	7.4	93	8.5	119	19.3	9
8/23/24 7:00	557	7.5	94	8.5	118	19.3	9
8/23/24 7:15	553	7.5	94	8.5	118	19.3	9
8/23/24 7:30	557	7.6	95	8.5	118	19.3	9
8/23/24 7:45	553	7.6	95	8.5	118	19.3	9
8/23/24 8:00	553	7.6	95	8.5	118	19.3	10
8/23/24 8:15	553	7.6	95	8.5	118	19.2	9
8/23/24 8:30	553	7.6	95	8.5	118	19.3	9
8/23/24 8:45	553	7.6	95	8.5	118	19.3	10
8/23/24 9:00	553	7.6	95	8.5	118	19.3	9
8/23/24 9:15	557	7.7	97	8.6	118	19.3	9
8/23/24 9:30	553	7.7	97	8.6	118	19.4	9
8/23/24 9:45	553	7.7	97	8.6	118	19.3	9
8/23/24 10:00	553	7.7	97	8.6	118	19.3	9
8/23/24 10:15	553	7.8	98	8.6	118	19.4	10
8/23/24 10:30	553	7.9	99	8.7	118	19.5	9
8/23/24 10:45	553	7.8	99	8.7	118	19.5	10
8/23/24 11:00	553	7.8	99	8.7	118	19.6	9
8/23/24 11:15	549	7.8	99	8.7	118	19.6	9
8/23/24 11:30	553	7.8	98	8.7	118	19.6	9
8/23/24 11:45	553	7.9	99	8.7	118	19.7	9

Klamath River at Keno, OR (11509500)



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/23/24 12:00	557	7.9	99	8.7	118	19.7	9
8/23/24 12:15	553	7.7	98	8.7	118	19.7	10
8/23/24 12:30	557	7.8	99	8.7	118	19.7	10
8/23/24 12:45	553	7.9	99	8.7	118	19.7	10
8/23/24 13:00	553	7.8	98	8.7	118	19.7	10
8/23/24 13:15	549	7.8	99	8.7	118	19.7	10
8/23/24 13:30	549	7.8	99	8.7	118	19.7	10
8/23/24 13:45	553	7.8	98	8.7	118	19.7	10
8/23/24 14:00	557	7.8	99	8.7	118	19.7	10
8/23/24 14:15	553	7.9	100	8.7	118	19.8	10
8/23/24 14:30	553	7.8	99	8.7	118	19.8	10
8/23/24 14:45	549	7.8	98	8.7	118	19.8	10
8/23/24 15:00	557	7.9	99	8.7	118	19.7	10
8/23/24 15:15	553	7.8	99	8.7	118	19.6	10
8/23/24 15:30	553	7.8	99	8.7	118	19.6	10
8/23/24 15:45	549	7.8	98	8.7	118	19.6	10
8/23/24 16:00	553	7.8	98	8.7	118	19.5	10
8/23/24 16:15	549	7.8	98	8.6	118	19.4	10
8/23/24 16:30	549	7.7	97	8.6	118	19.4	10
8/23/24 16:45	553	7.8	98	8.6	118	19.3	10
8/23/24 17:00	553	7.8	98	8.6	118	19.3	10
8/23/24 17:15	549	7.8	97	8.6	118	19.3	10
8/23/24 17:30	553	7.7	97	8.6	118	19.3	10
8/23/24 17:45	553	7.6	96	8.6	118	19.3	10
8/23/24 18:00	549	7.7	96	8.6	118	19.2	10
8/23/24 18:15	553	7.6	96	8.5	118	19.2	10
8/23/24 18:30	553	7.6	95	8.5	119	19.1	10
8/23/24 18:45	553	7.6	95	8.4	119	19.1	10
8/23/24 19:00	553	7.6	95	8.4	119	19.1	10
8/23/24 19:15	553	7.6	95	8.4	119	19.0	10
8/23/24 19:30	553	7.5	94	8.3	119	19.0	10
8/23/24 19:45	553	7.6	95	8.3	119	19.0	10
8/23/24 20:00	553	7.6	94	8.3	119	19.0	10
8/23/24 20:15	553	7.6	94	8.3	119	19.0	10
8/23/24 20:30	553	7.5	94	8.2	119	19.0	10
8/23/24 20:45	553	7.6	94	8.2	119	19.0	10
8/23/24 21:00	557	7.6	94	8.3	119	19.0	10
8/23/24 21:15	553	7.5	94	8.3	119	19.0	10
8/23/24 21:30	553	7.5	93	8.3	118	19.0	10
8/23/24 21:45	557	7.6	94	8.4	118	19.0	10
8/23/24 22:00	557	7.5	93	8.4	118	19.1	10
8/23/24 22:15	553	7.6	94	8.4	118	19.1	10
8/23/24 22:30	553	7.6	94	8.4	118	19.1	10
8/23/24 22:45	557	7.5	94	8.4	118	19.1	10
8/23/24 23:00	553	7.5	94	8.4	118	19.1	10

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/23/24 23:15	553	7.5	94	8.4	118	19.1	10
8/23/24 23:30	553	7.4	92	8.4	118	19.1	10
8/23/24 23:45	553	7.6	94	8.4	118	19.1	10
8/24/24 0:00	553	7.6	94	8.4	118	19.1	10
8/24/24 0:15	553	7.5	94	8.4	118	19.1	10
8/24/24 0:30	553	7.5	93	8.4	118	19.1	10
8/24/24 0:45	553	7.6	94	8.4	118	19.1	10
8/24/24 1:00	553	7.6	95	8.5	118	19.0	10
8/24/24 1:15	553	7.5	94	8.5	118	19.0	10
8/24/24 1:30	557	7.5	93	8.4	118	19.0	9
8/24/24 1:45	557	7.6	94	8.5	118	19.0	10
8/24/24 2:00	557	7.6	95	8.5	118	19.0	10
8/24/24 2:15	557	7.6	94	8.5	118	19.0	10
8/24/24 2:30	557	7.5	93	8.4	118	19.0	10
8/24/24 2:45	557	7.6	94	8.5	118	19.0	10
8/24/24 3:00	561	7.5	94	8.4	118	19.0	10
8/24/24 3:15	557	7.5	93	8.4	118	18.9	10
8/24/24 3:30	553	7.6	95	8.5	118	18.9	10
8/24/24 3:45	557	7.6	94	8.4	118	18.9	9
8/24/24 4:00	557	7.6	95	8.4	118	18.9	9
8/24/24 4:15	557	7.5	94	8.4	118	18.9	10
8/24/24 4:30	557	7.6	95	8.5	118	18.9	10
8/24/24 4:45	553	7.6	94	8.4	118	18.8	10
8/24/24 5:00	553	7.6	94	8.4	118	18.8	9
8/24/24 5:15	557	7.6	94	8.5	118	18.8	10
8/24/24 5:30	557	7.6	94	8.4	118	18.8	10
8/24/24 5:45	557	7.6	95	8.5	118	18.8	10
8/24/24 6:00	557	7.6	94	8.4	118	18.8	10
8/24/24 6:15	553	7.5	93	8.4	118	18.8	9
8/24/24 6:30	553	7.6	94	8.4	118	18.7	10
8/24/24 6:45	553	7.6	95	8.5	118	18.7	10
8/24/24 7:00	557	7.6	94	8.5	118	18.7	10
8/24/24 7:15	557	7.6	94	8.5	118	18.7	10
8/24/24 7:30	557	7.8	96	8.5	118	18.7	10
8/24/24 7:45	557	7.7	96	8.5	118	18.7	10
8/24/24 8:00	557	7.7	96	8.6	118	18.8	9
8/24/24 8:15	553	7.9	98	8.6	118	18.8	10
8/24/24 8:30	557	7.8	97	8.6	118	18.8	10
8/24/24 8:45	553	7.9	98	8.6	118	18.8	10
8/24/24 9:00	557	7.9	98	8.7	118	18.8	9
8/24/24 9:15	553	7.8	97	8.7	117	18.8	10
8/24/24 9:30	553	7.8	97	8.7	118	18.8	10
8/24/24 9:45	557	7.9	98	8.7	117	18.8	10
8/24/24 10:00	553	7.9	98	8.7	117	18.8	10
8/24/24 10:15	553	8.0	99	8.7	117	18.9	10

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/24/24 10:30	553	7.8	97	8.7	117	18.9	10
8/24/24 10:45	553	8.0	99	8.8	117	18.9	10
8/24/24 11:00	557	7.9	99	8.8	117	18.9	10
8/24/24 11:15	553	8.0	99	8.8	117	18.9	10
8/24/24 11:30	553	7.9	99	8.8	117	19.0	10
8/24/24 11:45	553	8.0	100	8.8	117	19.1	10
8/24/24 12:00	553	7.9	99	8.8	117	19.2	10
8/24/24 12:15	553	7.9	99	8.8	117	19.3	10
8/24/24 12:30	553	7.9	99	8.8	117	19.4	10
8/24/24 12:45	557	8.0	101	8.9	117	19.4	10
8/24/24 13:00	553	7.9	100	8.8	117	19.4	10
8/24/24 13:15	557	7.9	99	8.9	117	19.4	10
8/24/24 13:30	557	7.9	100	8.9	117	19.4	10
8/24/24 13:45	557	7.9	100	8.9	117	19.4	11
8/24/24 14:00	557	7.9	100	8.8	117	19.3	10
8/24/24 14:15	553	8.0	101	8.9	117	19.4	10
8/24/24 14:30	553	7.9	99	8.8	117	19.3	10
8/24/24 14:45	553	7.8	98	8.8	118	19.2	10
8/24/24 15:00	553	7.9	99	8.8	117	19.2	10
8/24/24 15:15	553	7.9	98	8.8	118	19.2	10
8/24/24 15:30	557	7.8	98	8.8	118	19.1	10
8/24/24 15:45	557	7.9	99	8.8	118	19.0	10
8/24/24 16:00	557	8.0	99	8.8	117	19.0	10
8/24/24 16:15	553	7.7	96	8.8	118	19.0	10
8/24/24 16:30	557	7.9	98	8.8	117	18.9	10
8/24/24 16:45	553	7.9	99	8.8	117	18.9	10
8/24/24 17:00	557	7.8	97	8.8	118	18.8	10
8/24/24 17:15	557	7.9	98	8.8	117	18.8	11
8/24/24 17:30	553	7.9	98	8.7	117	18.7	10
8/24/24 17:45	553	7.8	96	8.7	117	18.7	10
8/24/24 18:00	557	7.8	96	8.7	118	18.7	10
8/24/24 18:15	553	7.9	98	8.7	117	18.6	10
8/24/24 18:30	553	7.9	98	8.7	117	18.6	10
8/24/24 18:45	553	7.8	96	8.7	118	18.6	10
8/24/24 19:00	553	7.8	96	8.7	118	18.6	10
8/24/24 19:15	553	7.6	94	8.6	118	18.6	10
8/24/24 19:30	553	7.7	95	8.6	118	18.5	10
8/24/24 19:45	553	7.8	96	8.6	118	18.5	10
8/24/24 20:00	553	7.7	95	8.6	118	18.5	10
8/24/24 20:15	582	7.7	94	8.6	118	18.5	10
8/24/24 20:30	599	7.8	96	8.6	118	18.5	11
8/24/24 20:45	607	7.8	96	8.6	118	18.5	11
8/24/24 21:00	603	7.8	96	8.6	118	18.5	11
8/24/24 21:15	603	7.8	96	8.6	118	18.5	10
8/24/24 21:30	599	7.8	96	8.6	118	18.5	11

Klamath River at Keno, OR (11509500)



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/24/24 21:45	599	7.8	96	8.6	117	18.5	10
8/24/24 22:00	599	7.8	96	8.6	118	18.4	10
8/24/24 22:15	599	7.8	96	8.6	118	18.4	10
8/24/24 22:30	603	7.8	96	8.6	118	18.4	10
8/24/24 22:45	599	7.8	97	8.6	117	18.4	11
8/24/24 23:00	599	7.8	96	8.6	117	18.4	11
8/24/24 23:15	603	7.8	96	8.6	117	18.4	10
8/24/24 23:30	599	7.8	96	8.6	117	18.4	11
8/24/24 23:45	599	7.8	95	8.6	118	18.4	10
8/25/24 0:00	603	7.8	96	8.6	118	18.3	10
8/25/24 0:15	599	7.9	97	8.6	117	18.3	10
8/25/24 0:30	599	7.8	96	8.6	117	18.3	11
8/25/24 0:45	599	7.8	96	8.6	117	18.3	10
8/25/24 1:00	599	7.9	97	8.6	117	18.3	10
8/25/24 1:15	599	7.9	97	8.6	117	18.3	10
8/25/24 1:30	599	7.8	96	8.6	117	18.3	10
8/25/24 1:45	603	7.8	96	8.6	117	18.3	10
8/25/24 2:00	603	7.8	95	8.6	117	18.2	11
8/25/24 2:15	603	7.8	96	8.7	117	18.2	10
8/25/24 2:30	599	7.9	97	8.7	117	18.2	10
8/25/24 2:45	599	7.9	96	8.7	117	18.2	10
8/25/24 3:00	599	7.9	97	8.7	117	18.2	10
8/25/24 3:15	599	7.9	97	8.7	117	18.1	10
8/25/24 3:30	599	7.9	97	8.7	117	18.1	10
8/25/24 3:45	599	7.8	96	8.7	117	18.1	10
8/25/24 4:00	599	7.9	96	8.7	117	18.1	10
8/25/24 4:15	603	7.9	97	8.7	117	18.0	10
8/25/24 4:30	599	7.9	96	8.7	117	18.0	10
8/25/24 4:45	603	7.9	97	8.7	117	18.0	10
8/25/24 5:00	603	7.9	97	8.7	117	18.0	11
8/25/24 5:15	599	7.7	94	8.6	118	18.0	10
8/25/24 5:30	599	7.9	96	8.6	117	18.0	10
8/25/24 5:45	603	8.0	97	8.6	117	18.0	11
8/25/24 6:00	603	7.9	97	8.6	117	17.9	10
8/25/24 6:15	599	7.9	96	8.6	117	17.9	10
8/25/24 6:30	599	7.9	97	8.6	117	17.9	11
8/25/24 6:45	603	7.8	95	8.6	117	17.9	10
8/25/24 7:00	599	7.9	97	8.6	117	17.9	10
8/25/24 7:15	599	8.0	97	8.6	117	17.9	10
8/25/24 7:30	599	8.0	97	8.6	117	17.8	11
8/25/24 7:45	603	7.9	96	8.6	117	17.8	10
8/25/24 8:00	603	8.0	98	8.6	117	17.8	10
8/25/24 8:15	603	8.1	98	8.7	117	17.8	10
8/25/24 8:30	599	8.0	97	8.7	117	17.8	11
8/25/24 8:45	599	8.1	98	8.7	117	17.9	10

Klamath River at Keno, OR (11509500)



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/25/24 9:00	603	8.1	98	8.7	117	17.9	10
8/25/24 9:15	603	8.2	100	8.7	117	18.0	11
8/25/24 9:30	603	8.1	99	8.7	117	18.0	10
8/25/24 9:45	599	8.2	101	8.8	117	18.1	11
8/25/24 10:00	599	8.2	101	8.8	117	18.2	10
8/25/24 10:15	599	8.3	102	8.8	117	18.2	11
8/25/24 10:30	599	8.2	101	8.8	117	18.3	10
8/25/24 10:45	599	8.3	102	8.8	117	18.3	11
8/25/24 11:00	599	8.2	102	8.8	117	18.4	11
8/25/24 11:15	599	8.3	102	8.8	117	18.4	11
8/25/24 11:30	599	8.2	101	8.8	117	18.5	11
8/25/24 11:45	599	8.3	102	8.8	117	18.5	10
8/25/24 12:00	599	8.3	102	8.8	117	18.6	11
8/25/24 12:15	599	8.3	102	8.8	117	18.6	10
8/25/24 12:30	599	8.3	102	8.8	117	18.6	11
8/25/24 12:45	599	8.2	102	8.8	117	18.6	10
8/25/24 13:00	599	8.2	102	8.8	117	18.7	11
8/25/24 13:15	603	8.2	102	8.8	117	18.7	12
8/25/24 13:30	599	8.2	101	8.8	117	18.7	10
8/25/24 13:45	599	8.3	102	8.9	117	18.7	11
8/25/24 14:00	599	8.2	102	8.9	117	18.7	11
8/25/24 14:15	603	8.2	102	8.9	117	18.8	11
8/25/24 14:30	599	8.2	102	8.9	117	18.8	11
8/25/24 14:45	599	8.1	101	8.9	117	18.9	10
8/25/24 15:00	599	8.2	102	8.9	117	18.9	10
8/25/24 15:15	599	8.1	101	9.0	117	18.9	11
8/25/24 15:30	599	8.2	102	9.0	117	18.9	11
8/25/24 15:45	603	8.2	101	9.0	117	18.9	11
8/25/24 16:00	599	8.2	101	9.0	117	18.9	11
8/25/24 16:15	603	8.1	101	9.0	117	18.9	11
8/25/24 16:30	599	8.1	101	9.0	117	18.9	11
8/25/24 16:45	603	8.0	100	9.0	117	18.9	10
8/25/24 17:00	599	8.0	100	9.0	117	18.9	11
8/25/24 17:15	599	8.0	99	9.0	118	18.9	10
8/25/24 17:30	599	8.0	99	9.0	118	18.8	11
8/25/24 17:45	599	7.9	98	9.0	118	18.8	11
8/25/24 18:00	599	7.9	98	9.0	118	18.8	11
8/25/24 18:15	603	7.9	99	9.0	118	18.8	11
8/25/24 18:30	599	7.9	98	9.0	118	18.8	11
8/25/24 18:45	603	7.8	97	8.9	118	18.7	10
8/25/24 19:00	603	7.9	97	8.9	118	18.7	11
8/25/24 19:15	603	7.8	97	8.9	118	18.7	11
8/25/24 19:30	599	7.9	97	8.9	118	18.7	11
8/25/24 19:45	599	7.9	97	8.9	118	18.7	11
8/25/24 20:00	599	7.8	97	8.9	118	18.7	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/25/24 20:15	603	7.8	97	8.9	118	18.7	11
8/25/24 20:30	603	7.8	96	8.9	118	18.7	11
8/25/24 20:45	599	7.8	96	8.9	118	18.7	11
8/25/24 21:00	603	7.8	96	8.9	118	18.7	10
8/25/24 21:15	599	7.7	95	8.9	118	18.7	10
8/25/24 21:30	603	7.4	92	8.9	118	18.7	11
8/25/24 21:45	603	7.6	94	8.9	118	18.7	11
8/25/24 22:00	603	7.8	96	8.9	118	18.7	11
8/25/24 22:15	603	7.5	93	8.9	118	18.7	11
8/25/24 22:30	599	7.8	97	8.9	118	18.6	11
8/25/24 22:45	599	7.8	97	8.9	118	18.6	11
8/25/24 23:00	599	7.7	96	8.9	118	18.6	11
8/25/24 23:15	599	7.8	96	8.9	118	18.6	11
8/25/24 23:30	599	7.8	96	8.8	118	18.5	11
8/25/24 23:45	603	7.8	97	8.9	118	18.5	11
8/26/24 0:00	599	7.7	95	8.8	118	18.5	10
8/26/24 0:15	603	7.8	96	8.8	118	18.5	11
8/26/24 0:30	599	7.8	96	8.8	118	18.5	11
8/26/24 0:45	603	7.8	97	8.8	118	18.4	11
8/26/24 1:00	599	7.8	97	8.8	118	18.4	11
8/26/24 1:15	599	7.8	96	8.8	118	18.4	10
8/26/24 1:30	599	7.8	96	8.8	118	18.4	11
8/26/24 1:45	603	7.9	97	8.8	118	18.3	11
8/26/24 2:00	603	7.8	96	8.8	118	18.3	11
8/26/24 2:15	599	7.9	97	8.8	118	18.3	11
8/26/24 2:30	603	7.8	96	8.8	118	18.3	10
8/26/24 2:45	603	7.8	96	8.8	118	18.3	11
8/26/24 3:00	599	7.8	96	8.8	118	18.2	10
8/26/24 3:15	599	7.9	97	8.8	118	18.2	10
8/26/24 3:30	599	7.8	95	8.8	118	18.2	10
8/26/24 3:45	599	7.9	97	8.8	118	18.2	10
8/26/24 4:00	599	7.8	96	8.8	118	18.2	11
8/26/24 4:15	599	7.8	96	8.8	118	18.2	10
8/26/24 4:30	603	7.9	97	8.8	118	18.1	10
8/26/24 4:45	599	7.9	97	8.8	118	18.1	11
8/26/24 5:00	599	7.9	97	8.8	118	18.1	11
8/26/24 5:15	599	7.9	96	8.8	118	18.1	10
8/26/24 5:30	603	7.8	96	8.8	118	18.1	10
8/26/24 5:45	599	7.9	97	8.8	118	18.1	11
8/26/24 6:00	603	7.9	97	8.8	118	18.0	11
8/26/24 6:15	603	7.8	95	8.8	118	18.0	11
8/26/24 6:30	599	7.9	96	8.8	118	18.0	10
8/26/24 6:45	603	7.8	96	8.8	118	18.0	10
8/26/24 7:00	599	8.0	98	8.8	118	18.0	11
8/26/24 7:15	603	8.0	97	8.8	118	18.0	10

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/26/24 7:30	599	7.9	96	8.8	118	17.9	10
8/26/24 7:45	603	8.0	98	8.8	118	17.9	11
8/26/24 8:00	603	7.9	96	8.8	118	17.9	10
8/26/24 8:15	599	8.1	99	8.8	118	17.9	11
8/26/24 8:30	599	8.1	98	8.8	118	18.0	11
8/26/24 8:45	599	8.0	98	8.8	118	18.0	11
8/26/24 9:00	599	8.2	100	8.8	118	18.0	11
8/26/24 9:15	599	8.2	100	8.9	118	18.1	11
8/26/24 9:30	603	8.2	101	8.9	118	18.2	11
8/26/24 9:45	599	8.2	101	8.9	118	18.2	11
8/26/24 10:00	599	8.3	101	8.9	117	18.3	11
8/26/24 10:15	599	8.1	100	8.9	118	18.3	11
8/26/24 10:30	599	8.2	101	8.9	118	18.4	11
8/26/24 10:45	599	8.2	102	8.9	118	18.4	11
8/26/24 11:00	599	8.2	102	8.9	118	18.5	11
8/26/24 11:15	594	8.2	102	9.0	118	18.5	10
8/26/24 11:30	599	8.1	100	9.0	118	18.6	11
8/26/24 11:45	599	8.2	101	9.0	118	18.6	11
8/26/24 12:00	599	8.1	101	9.0	118	18.7	11
8/26/24 12:15	603	8.2	102	9.0	118	18.7	11
8/26/24 12:30	599	8.2	102	9.0	118	18.8	11
8/26/24 12:45	594	8.2	101	9.0	118	18.8	11
8/26/24 13:00	599	8.1	101	9.0	118	18.8	10
8/26/24 13:15	599	8.2	102	9.0	118	18.9	11
8/26/24 13:30	599	8.1	101	9.0	118	18.9	10
8/26/24 13:45	594	8.2	102	9.1	118	18.9	10
8/26/24 14:00	599	8.2	102	9.1	118	19.0	10
8/26/24 14:15	603	8.2	102	9.1	118	19.0	11
8/26/24 14:30	603	8.1	102	9.1	118	19.0	10
8/26/24 14:45	603	8.1	102	9.1	118	19.0	10
8/26/24 15:00	603	8.1	101	9.1	118	19.1	10
8/26/24 15:15	599	8.1	101	9.1	118	19.1	10
8/26/24 15:30	599	8.0	100	9.1	118	19.1	10
8/26/24 15:45	599	8.1	101	9.1	118	19.2	11
8/26/24 16:00	599	7.9	99	9.1	118	19.2	10
8/26/24 16:15	594	8.0	100	9.1	118	19.2	11
8/26/24 16:30	599	8.1	101	9.1	118	19.2	11
8/26/24 16:45	599	8.0	100	9.1	118	19.1	10
8/26/24 17:00	599	8.0	99	9.1	118	19.1	11
8/26/24 17:15	599	7.9	98	9.1	118	19.0	11
8/26/24 17:30	599	7.9	98	9.1	118	19.0	10
8/26/24 17:45	599	7.9	98	9.1	118	19.0	10
8/26/24 18:00	599	7.8	97	9.0	118	18.9	10
8/26/24 18:15	599	7.8	97	9.1	118	18.9	12
8/26/24 18:30	599	7.9	98	9.1	118	18.9	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/26/24 18:45	599	7.9	98	9.0	118	18.9	11
8/26/24 19:00	599	7.7	96	9.0	118	18.8	10
8/26/24 19:15	599	7.8	97	9.0	118	18.8	11
8/26/24 19:30	594	7.8	97	9.0	118	18.8	10
8/26/24 19:45	599	7.8	97	9.0	118	18.8	11
8/26/24 20:00	599	7.7	96	9.0	118	18.8	11
8/26/24 20:15	599	7.8	96	9.0	118	18.8	10
8/26/24 20:30	599	7.8	97	9.0	118	18.9	11
8/26/24 20:45	603	7.8	97	9.0	118	18.9	10
8/26/24 21:00	599	7.8	97	9.0	118	18.8	11
8/26/24 21:15	599	7.8	97	9.0	118	18.8	11
8/26/24 21:30	594	7.8	96	8.9	118	18.8	11
8/26/24 21:45	599	7.7	95	8.9	118	18.8	11
8/26/24 22:00	599	7.8	97	8.9	118	18.8	11
8/26/24 22:15	594	7.8	96	8.9	118	18.8	11
8/26/24 22:30	599	7.8	97	8.9	118	18.7	10
8/26/24 22:45	594	7.8	96	8.9	118	18.7	10
8/26/24 23:00	599	7.7	96	8.9	118	18.7	11
8/26/24 23:15	594	7.8	97	8.9	118	18.6	11
8/26/24 23:30	594	7.8	96	8.8	118	18.6	10
8/26/24 23:45	599	7.8	96	8.8	118	18.6	10
8/27/24 0:00	599	7.7	95	8.8	118	18.5	10
8/27/24 0:15	599	7.8	97	8.8	118	18.5	10
8/27/24 0:30	599	7.8	96	8.8	118	18.5	11
8/27/24 0:45	599	7.8	97	8.8	118	18.5	11
8/27/24 1:00	599	7.8	96	8.8	118	18.4	11
8/27/24 1:15	594	7.8	97	8.8	118	18.4	11
8/27/24 1:30	599	7.7	95	8.8	118	18.4	10
8/27/24 1:45	594	7.8	97	8.8	118	18.4	11
8/27/24 2:00	594	7.8	96	8.8	118	18.4	10
8/27/24 2:15	599	7.8	96	8.8	118	18.4	11
8/27/24 2:30	594	7.8	96	8.8	118	18.4	11
8/27/24 2:45	599	7.8	96	8.8	118	18.4	10
8/27/24 3:00	594	7.7	94	8.8	118	18.3	10
8/27/24 3:15	599	7.8	96	8.8	118	18.3	10
8/27/24 3:30	594	7.8	96	8.8	118	18.3	11
8/27/24 3:45	599	7.8	96	8.8	118	18.3	10
8/27/24 4:00	599	7.8	96	8.8	118	18.3	10
8/27/24 4:15	594	7.8	96	8.8	118	18.3	10
8/27/24 4:30	594	7.8	96	8.8	118	18.3	10
8/27/24 4:45	594	7.8	95	8.7	118	18.2	10
8/27/24 5:00	594	7.8	96	8.7	118	18.2	10
8/27/24 5:15	599	7.8	96	8.7	118	18.2	10
8/27/24 5:30	599	7.9	96	8.7	118	18.2	10
8/27/24 5:45	599	7.9	97	8.7	118	18.2	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/27/24 6:00	594	7.8	96	8.7	118	18.2	10
8/27/24 6:15	594	7.9	97	8.7	118	18.1	11
8/27/24 6:30	599	7.9	97	8.7	118	18.1	10
8/27/24 6:45	594	7.9	96	8.7	118	18.1	11
8/27/24 7:00	599	7.8	96	8.7	118	18.0	10
8/27/24 7:15	599	8.0	97	8.7	118	18.0	11
8/27/24 7:30	599	7.9	96	8.7	118	18.0	10
8/27/24 7:45	599	7.9	97	8.7	118	18.0	10
8/27/24 8:00	594	7.8	95	8.7	118	18.0	10
8/27/24 8:15	594	7.9	97	8.7	118	18.0	10
8/27/24 8:30	599	8.0	98	8.7	118	18.0	11
8/27/24 8:45	594	8.0	98	8.7	117	18.1	10
8/27/24 9:00	599	8.1	99	8.8	117	18.1	10
8/27/24 9:15	594	8.1	99	8.8	117	18.2	10
8/27/24 9:30	599	8.1	100	8.8	117	18.3	11
8/27/24 9:45	599	8.1	100	8.8	117	18.4	10
8/27/24 10:00	594	8.2	101	8.9	117	18.4	10
8/27/24 10:15	594	8.2	101	8.9	117	18.5	11
8/27/24 10:30	594	8.2	101	8.9	117	18.6	11
8/27/24 10:45	599	8.2	101	8.9	117	18.7	11
8/27/24 11:00	599	8.1	100	8.9	117	18.7	10
8/27/24 11:15	599	8.1	101	8.9	117	18.8	10
8/27/24 11:30	599	8.1	101	8.9	117	18.8	10
8/27/24 11:45	599	8.2	102	9.0	117	18.8	10
8/27/24 12:00	599	8.2	101	9.0	117	18.9	11
8/27/24 12:15	599	8.1	100	9.0	117	18.9	10
8/27/24 12:30	599	8.1	101	9.0	117	19.0	11
8/27/24 12:45	594	8.2	102	9.0	117	19.0	11
8/27/24 13:00	594	8.2	102	9.0	117	19.0	11
8/27/24 13:15	594	8.1	101	9.0	117	19.1	10
8/27/24 13:30	599	8.1	101	9.0	117	19.1	11
8/27/24 13:45	594	8.1	101	9.0	117	19.1	10
8/27/24 14:00	599	8.2	102	9.0	117	19.0	11
8/27/24 14:15	594	8.0	100	9.0	117	19.0	11
8/27/24 14:30	599	8.1	101	9.0	117	19.0	11
8/27/24 14:45	594	8.1	101	9.0	117	19.0	11
8/27/24 15:00	599	8.0	99	9.0	118	19.0	10
8/27/24 15:15	599	8.0	100	9.0	117	19.0	13
8/27/24 15:30	599	8.0	100	9.0	117	19.0	11
8/27/24 15:45	599	7.8	97	9.0	118	19.0	10
8/27/24 16:00	594	8.1	100	9.0	117	18.9	11
8/27/24 16:15	599	8.1	100	9.0	117	18.8	11
8/27/24 16:30	599	8.0	99	9.0	117	18.8	11
8/27/24 16:45	599	7.9	98	8.9	118	18.7	10
8/27/24 17:00	599	8.0	99	8.9	117	18.7	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/27/24 17:15	599	8.0	99	8.9	117	18.6	11
8/27/24 17:30	599	8.0	99	8.9	118	18.5	11
8/27/24 17:45	599	8.0	98	8.8	118	18.4	11
8/27/24 18:00	599	7.9	97	8.8	118	18.3	11
8/27/24 18:15	599	8.0	98	8.8	117	18.2	11
8/27/24 18:30	599	8.0	98	8.8	117	18.2	11
8/27/24 18:45	599	7.9	96	8.7	118	18.1	11
8/27/24 19:00	599	7.8	95	8.7	118	18.1	11
8/27/24 19:15	599	7.8	95	8.7	118	18.0	11
8/27/24 19:30	599	7.9	96	8.6	118	18.0	11
8/27/24 19:45	599	7.9	96	8.6	118	17.9	11
8/27/24 20:00	599	8.0	97	8.6	118	17.9	11
8/27/24 20:15	599	8.0	97	8.5	118	17.8	11
8/27/24 20:30	594	7.9	96	8.5	118	17.8	11
8/27/24 20:45	599	8.0	97	8.5	118	17.8	11
8/27/24 21:00	603	7.8	95	8.4	118	17.8	11
8/27/24 21:15	603	7.9	96	8.4	118	17.7	11
8/27/24 21:30	599	7.8	95	8.4	118	17.7	11
8/27/24 21:45	599	8.0	97	8.4	118	17.7	11
8/27/24 22:00	599	8.0	97	8.4	118	17.7	11
8/27/24 22:15	599	8.0	97	8.4	118	17.7	11
8/27/24 22:30	599	8.0	97	8.4	118	17.7	11
8/27/24 22:45	603	8.0	97	8.4	117	17.8	11
8/27/24 23:00	599	7.9	96	8.5	117	17.8	11
8/27/24 23:15	599	7.9	96	8.5	117	17.8	11
8/27/24 23:30	594	8.0	97	8.5	117	17.9	11
8/27/24 23:45	599	8.0	97	8.6	117	17.9	11
8/28/24 0:00	599	8.0	97	8.6	117	17.9	11
8/28/24 0:15	594	7.8	96	8.6	117	17.9	11
8/28/24 0:30	599	7.8	96	8.6	117	18.0	11
8/28/24 0:45	599	8.0	97	8.6	117	18.0	11
8/28/24 1:00	599	7.9	97	8.7	117	18.0	11
8/28/24 1:15	594	7.9	96	8.7	117	18.0	11
8/28/24 1:30	599	7.7	94	8.7	117	18.0	11
8/28/24 1:45	599	7.8	95	8.7	117	18.0	11
8/28/24 2:00	599	7.9	97	8.7	117	18.0	11
8/28/24 2:15	599	7.9	96	8.7	117	18.0	11
8/28/24 2:30	599	7.9	96	8.7	117	18.0	11
8/28/24 2:45	599	7.9	97	8.7	117	18.0	11
8/28/24 3:00	603	7.8	96	8.8	117	18.0	11
8/28/24 3:15	599	7.9	97	8.8	117	18.1	11
8/28/24 3:30	599	7.9	96	8.8	117	18.1	11
8/28/24 3:45	599	7.8	95	8.8	117	18.1	11
8/28/24 4:00	603	7.9	97	8.8	117	18.1	11
8/28/24 4:15	599	7.9	97	8.8	117	18.1	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/28/24 4:30	594	7.7	95	8.8	117	18.1	11
8/28/24 4:45	599	7.9	97	8.8	117	18.1	11
8/28/24 5:00	599	7.8	95	8.8	117	18.1	11
8/28/24 5:15	599	7.9	97	8.8	117	18.0	10
8/28/24 5:30	594	7.9	97	8.8	117	18.0	11
8/28/24 5:45	599	7.9	96	8.8	117	18.0	11
8/28/24 6:00	594	7.9	97	8.8	117	18.0	11
8/28/24 6:15	599	8.0	97	8.8	117	18.0	11
8/28/24 6:30	599	7.9	97	8.8	117	18.0	11
8/28/24 6:45	599	7.9	96	8.7	117	18.0	10
8/28/24 7:00	599	7.9	97	8.7	117	17.9	11
8/28/24 7:15	599	7.9	97	8.8	117	17.9	11
8/28/24 7:30	599	7.9	97	8.8	117	17.9	11
8/28/24 7:45	594	8.0	98	8.8	117	17.9	11
8/28/24 8:00	599	8.0	98	8.8	117	17.9	11
8/28/24 8:15	599	8.0	97	8.8	117	17.9	11
8/28/24 8:30	599	8.1	99	8.8	117	17.9	11
8/28/24 8:45	599	8.1	99	8.8	117	18.0	11
8/28/24 9:00	599	8.1	99	8.8	117	18.0	11
8/28/24 9:15	594	8.0	98	8.8	117	18.1	11
8/28/24 9:30	599	8.2	100	8.9	117	18.1	11
8/28/24 9:45	594	8.2	100	8.9	117	18.2	11
8/28/24 10:00	599	8.2	101	8.9	117	18.2	11
8/28/24 10:15	599	8.2	101	8.9	117	18.3	11
8/28/24 10:30	599	8.3	102	8.9	117	18.4	11
8/28/24 10:45	594	8.2	101	8.9	117	18.4	11
8/28/24 11:00	599	8.3	102	8.9	117	18.5	11
8/28/24 11:15	594	8.3	102	9.0	117	18.5	11
8/28/24 11:30	594	8.1	100	8.9	117	18.6	11
8/28/24 11:45	594	8.2	101	8.9	117	18.6	11
8/28/24 12:00	594	8.2	101	8.9	117	18.6	11
8/28/24 12:15	594	7.9	97	8.9	117	18.7	11
8/28/24 12:30	594	8.2	101	8.9	117	18.7	11
8/28/24 12:45	594	8.2	102	8.9	117	18.8	11
8/28/24 13:00	599	8.2	102	8.9	117	18.8	11
8/28/24 13:15	599	8.2	102	8.9	117	18.8	11
8/28/24 13:30	599	8.2	102	8.9	117	18.8	11
8/28/24 13:45	594	8.2	102	8.9	117	18.8	11
8/28/24 14:00	599	8.2	102	8.9	117	18.8	11
8/28/24 14:15	599	8.2	102	8.9	117	18.8	11
8/28/24 14:30	594	8.2	102	9.0	117	18.9	11
8/28/24 14:45	599	8.2	102	9.0	117	18.9	11
8/28/24 15:00	599	8.2	102	9.0	117	18.9	11
8/28/24 15:15	594	8.1	101	9.0	117	18.9	11
8/28/24 15:30	594	8.1	101	9.0	117	18.9	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/28/24 15:45	594	8.1	100	9.0	117	19.0	11
8/28/24 16:00	594	8.1	100	9.0	117	19.0	11
8/28/24 16:15	594	8.1	100	9.0	117	18.9	11
8/28/24 16:30	599	8.0	100	9.0	117	18.9	11
8/28/24 16:45	594	8.0	99	9.0	117	18.9	11
8/28/24 17:00	599	8.0	100	9.0	117	18.9	11
8/28/24 17:15	599	7.9	98	9.0	117	18.9	11
8/28/24 17:30	599	8.0	99	9.0	117	18.8	11
8/28/24 17:45	603	8.0	99	8.9	117	18.8	11
8/28/24 18:00	603	7.9	98	8.9	117	18.8	11
8/28/24 18:15	599	7.9	98	8.9	117	18.8	11
8/28/24 18:30	599	7.9	98	8.9	117	18.8	11
8/28/24 18:45	599	7.8	97	8.9	117	18.7	11
8/28/24 19:00	599	7.8	97	8.9	117	18.8	11
8/28/24 19:15	594	7.7	96	8.9	117	18.8	11
8/28/24 19:30	594	7.6	95	8.9	117	18.8	11
8/28/24 19:45	594	7.8	96	8.9	117	18.8	11
8/28/24 20:00	599	7.7	96	8.9	117	18.7	11
8/28/24 20:15	599	7.8	97	8.9	117	18.7	11
8/28/24 20:30	594	7.8	97	8.9	117	18.7	11
8/28/24 20:45	594	7.8	96	8.9	117	18.7	11
8/28/24 21:00	599	7.8	96	8.9	117	18.7	11
8/28/24 21:15	599	7.4	92	8.8	117	18.6	12
8/28/24 21:30	599	7.8	96	8.8	117	18.6	12
8/28/24 21:45	599	7.8	97	8.8	117	18.6	11
8/28/24 22:00	599	7.8	96	8.8	117	18.6	11
8/28/24 22:15	599	7.8	96	8.8	117	18.5	11
8/28/24 22:30	599	7.8	97	8.8	117	18.5	11
8/28/24 22:45	594	7.8	97	8.8	117	18.5	11
8/28/24 23:00	599	7.8	97	8.8	117	18.5	11
8/28/24 23:15	594	7.8	96	8.8	117	18.4	11
8/28/24 23:30	599	7.8	96	8.8	117	18.4	11
8/28/24 23:45	599	7.8	96	8.8	117	18.4	11
8/29/24 0:00	594	7.7	95	8.8	117	18.4	11
8/29/24 0:15	599	7.9	97	8.8	117	18.3	11
8/29/24 0:30	599	7.8	96	8.8	117	18.3	11
8/29/24 0:45	594	7.9	97	8.8	117	18.3	11
8/29/24 1:00	594	7.7	95	8.8	117	18.3	11
8/29/24 1:15	594	7.8	96	8.7	117	18.2	11
8/29/24 1:30	594	7.9	96	8.8	117	18.2	11
8/29/24 1:45	594	7.9	97	8.7	117	18.2	11
8/29/24 2:00	590	7.8	96	8.7	117	18.2	11
8/29/24 2:15	594	7.9	97	8.7	117	18.2	11
8/29/24 2:30	594	7.9	97	8.7	117	18.2	11
8/29/24 2:45	594	7.9	97	8.7	117	18.2	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/29/24 3:00	599	7.9	97	8.7	117	18.1	11
8/29/24 3:15	594	7.8	96	8.7	117	18.1	11
8/29/24 3:30	599	7.8	96	8.7	117	18.1	11
8/29/24 3:45	599	7.9	97	8.7	117	18.1	11
8/29/24 4:00	594	7.9	97	8.7	117	18.1	11
8/29/24 4:15	594	7.9	96	8.7	117	18.1	11
8/29/24 4:30	599	7.7	95	8.7	117	18.0	11
8/29/24 4:45	594	7.9	97	8.7	117	18.0	11
8/29/24 5:00	594	7.9	97	8.7	117	18.0	11
8/29/24 5:15	594	7.9	96	8.7	117	18.0	11
8/29/24 5:30	594	7.9	97	8.7	117	18.0	11
8/29/24 5:45	594	7.9	97	8.7	117	18.0	11
8/29/24 6:00	594	7.9	97	8.8	117	18.0	11
8/29/24 6:15	599	7.8	96	8.8	117	18.0	11
8/29/24 6:30	594	7.9	96	8.8	117	18.0	11
8/29/24 6:45	599	7.9	96	8.8	117	18.0	11
8/29/24 7:00	594	7.9	96	8.8	117	18.0	11
8/29/24 7:15	594	8.0	97	8.8	117	18.0	11
8/29/24 7:30	594	8.0	97	8.8	117	18.0	11
8/29/24 7:45	594	8.0	97	8.8	117	18.0	11
8/29/24 8:00	594	8.0	98	8.8	117	18.0	11
8/29/24 8:15	594	7.9	97	8.8	117	18.0	11
8/29/24 8:30	599	8.1	99	8.8	117	18.0	11
8/29/24 8:45	594	8.0	98	8.8	117	18.0	11
8/29/24 9:00	599	8.1	99	8.9	117	18.1	11
8/29/24 9:15	599	8.2	100	8.9	117	18.2	11
8/29/24 9:30	594	8.2	100	8.9	117	18.3	11
8/29/24 9:45	594	8.1	100	8.9	117	18.4	11
8/29/24 10:00	594	8.2	101	9.0	117	18.4	11
8/29/24 10:15	594	8.2	101	9.0	117	18.5	11
8/29/24 10:30	594	8.1	100	9.0	117	18.5	11
8/29/24 10:45	594	8.2	102	9.0	117	18.6	11
8/29/24 11:00	594	8.2	101	9.0	117	18.6	11
8/29/24 11:15	594	8.2	102	9.0	117	18.7	11
8/29/24 11:30	594	8.2	102	9.0	117	18.7	11
8/29/24 11:45	594	8.2	102	9.0	117	18.8	11
8/29/24 12:00	594	8.2	102	9.0	117	18.8	11
8/29/24 12:15	594	8.2	102	9.0	117	18.8	11
8/29/24 12:30	599	8.2	102	9.0	117	18.9	11
8/29/24 12:45	594	8.2	102	9.0	117	18.9	11
8/29/24 13:00	594	8.1	101	9.0	117	18.9	11
8/29/24 13:15	594	8.2	102	9.0	117	19.0	11
8/29/24 13:30	594	8.1	101	9.0	117	19.0	11
8/29/24 13:45	594	8.2	102	9.0	117	19.0	11
8/29/24 14:00	594	8.1	101	9.0	117	19.1	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/29/24 14:15	594	8.2	102	9.0	117	19.1	11
8/29/24 14:30	594	8.1	102	9.0	117	19.1	11
8/29/24 14:45	599	8.1	101	9.0	117	19.2	11
8/29/24 15:00	594	8.1	102	9.1	117	19.2	11
8/29/24 15:15	599	8.0	100	9.1	117	19.2	11
8/29/24 15:30	594	8.1	101	9.1	117	19.2	11
8/29/24 15:45	594	8.1	101	9.1	117	19.2	11
8/29/24 16:00	594	8.1	101	9.1	118	19.2	11
8/29/24 16:15	594	8.0	100	9.0	118	19.2	11
8/29/24 16:30	594	8.0	100	9.1	118	19.2	11
8/29/24 16:45	594	8.0	99	9.0	118	19.2	11
8/29/24 17:00	594	7.9	98	9.0	118	19.1	11
8/29/24 17:15	594	7.9	99	9.1	118	19.1	11
8/29/24 17:30	594	7.9	99	9.1	117	19.1	11
8/29/24 17:45	594	7.9	98	9.1	117	19.1	11
8/29/24 18:00	599	7.9	98	9.1	118	19.1	11
8/29/24 18:15	594	7.8	98	9.0	118	19.0	11
8/29/24 18:30	594	7.9	98	9.0	118	19.0	11
8/29/24 18:45	599	7.8	97	9.0	118	19.0	11
8/29/24 19:00	599	7.8	97	9.0	118	19.0	11
8/29/24 19:15	594	7.8	97	9.0	118	19.0	11
8/29/24 19:30	599	7.8	97	9.0	118	19.0	11
8/29/24 19:45	594	7.7	96	9.0	118	19.0	11
8/29/24 20:00	594	7.8	97	9.0	118	19.1	11
8/29/24 20:15	599	7.6	95	9.0	118	19.0	11
8/29/24 20:30	594	7.7	96	9.0	118	19.0	11
8/29/24 20:45	599	7.7	96	9.0	118	19.0	11
8/29/24 21:00	594	7.7	96	9.0	118	19.0	11
8/29/24 21:15	599	7.7	96	9.0	118	19.0	11
8/29/24 21:30	594	7.6	94	9.0	118	19.0	11
8/29/24 21:45	594	7.8	96	8.9	118	18.9	11
8/29/24 22:00	599	7.7	96	8.9	118	18.9	11
8/29/24 22:15	594	7.7	96	8.9	118	18.9	11
8/29/24 22:30	594	7.7	96	8.9	118	18.9	11
8/29/24 22:45	599	7.8	97	8.9	118	18.8	11
8/29/24 23:00	594	7.7	96	8.9	118	18.8	11
8/29/24 23:15	594	7.8	97	8.9	118	18.8	11
8/29/24 23:30	594	7.8	97	8.9	118	18.8	11
8/29/24 23:45	594	7.8	96	8.9	118	18.8	10
8/30/24 0:00	594	7.8	96	8.9	118	18.7	11
8/30/24 0:15	594	7.8	97	8.9	118	18.7	11
8/30/24 0:30	594	7.8	97	8.9	118	18.7	11
8/30/24 0:45	599	7.8	96	8.8	118	18.7	11
8/30/24 1:00	599	7.7	96	8.8	118	18.6	11
8/30/24 1:15	594	7.8	96	8.8	118	18.6	11

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/30/24 1:30	599	7.8	96	8.8	118	18.6	11
8/30/24 1:45	594	7.8	97	8.8	118	18.6	11
8/30/24 2:00	599	7.8	97	8.8	118	18.6	11
8/30/24 2:15	599	7.8	96	8.8	118	18.5	11
8/30/24 2:30	599	7.8	97	8.8	118	18.5	11
8/30/24 2:45	603	7.8	96	8.8	118	18.5	11
8/30/24 3:00	594	7.8	97	8.8	118	18.5	11
8/30/24 3:15	599	7.8	96	8.7	118	18.4	11
8/30/24 3:30	599	7.8	96	8.7	118	18.4	11
8/30/24 3:45	594	7.8	97	8.7	118	18.4	11
8/30/24 4:00	599	7.8	96	8.7	118	18.4	11
8/30/24 4:15	594	7.8	96	8.7	118	18.4	11
8/30/24 4:30	599	7.8	96	8.7	118	18.3	11
8/30/24 4:45	594	7.9	97	8.7	118	18.3	11
8/30/24 5:00	594	7.8	96	8.7	118	18.3	11
8/30/24 5:15	594	7.8	96	8.7	118	18.3	11
8/30/24 5:30	594	7.9	97	8.7	118	18.3	11
8/30/24 5:45	599	7.9	97	8.7	118	18.2	11
8/30/24 6:00	594	7.8	96	8.7	118	18.2	11
8/30/24 6:15	599	7.8	96	8.7	118	18.2	11
8/30/24 6:30	594	7.9	97	8.7	118	18.2	11
8/30/24 6:45	594	7.9	97	8.7	118	18.2	11
8/30/24 7:00	594	7.9	96	8.7	118	18.2	10
8/30/24 7:15	594	7.9	97	8.7	117	18.2	10
8/30/24 7:30	594	7.9	97	8.7	118	18.2	10
8/30/24 7:45	594	7.9	97	8.7	117	18.2	11
8/30/24 8:00	590	8.0	98	8.7	117	18.2	11
8/30/24 8:15	590	8.0	98	8.7	117	18.2	11
8/30/24 8:30	594	8.0	98	8.7	117	18.2	11
8/30/24 8:45	594	8.1	99	8.8	117	18.3	11
8/30/24 9:00	590	8.1	99	8.8	117	18.4	11
8/30/24 9:15	594	8.1	100	8.8	117	18.4	11
8/30/24 9:30	594	8.1	100	8.8	117	18.5	11
8/30/24 9:45	594	8.1	100	8.8	117	18.6	11
8/30/24 10:00	594	8.1	101	8.9	117	18.7	10
8/30/24 10:15	590	8.2	101	8.9	117	18.8	11
8/30/24 10:30	594	8.1	101	8.9	117	18.9	11
8/30/24 10:45	594	8.1	101	8.9	117	19.0	11
8/30/24 11:00	590	8.0	100	8.9	117	19.0	11
8/30/24 11:15	594	8.1	101	8.9	117	19.1	11
8/30/24 11:30	594	8.2	102	9.0	117	19.1	10
8/30/24 11:45	594	8.2	102	9.0	117	19.2	11
8/30/24 12:00	594	8.1	102	9.0	117	19.2	11
8/30/24 12:15	590	8.1	102	9.0	117	19.2	11
8/30/24 12:30	594	8.1	101	9.0	117	19.3	10

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (µS/cm)	Temperatur e (°C)	
8/30/24 12:45	594	8.1	102	9.0	117	19.3	10
8/30/24 13:00	594	8.1	102	9.0	117	19.4	11
8/30/24 13:15	594	8.1	102	9.0	117	19.4	11
8/30/24 13:30	594	8.0	101	9.0	118	19.4	11
8/30/24 13:45	594	8.0	101	9.0	118	19.5	11
8/30/24 14:00	594	8.1	102	9.0	117	19.5	11
8/30/24 14:15	594	8.1	102	9.0	117	19.6	11
8/30/24 14:30	594	8.1	102	9.0	118	19.6	11
8/30/24 14:45	594	8.0	101	9.0	118	19.6	10
8/30/24 15:00	594	8.0	101	9.0	118	19.6	10
8/30/24 15:15	594	8.0	101	9.0	118	19.6	11
8/30/24 15:30	594	8.0	101	9.1	118	19.7	10
8/30/24 15:45	594	7.9	100	9.1	118	19.7	11
8/30/24 16:00	594	7.8	99	9.1	118	19.7	10
8/30/24 16:15	594	7.9	100	9.1	118	19.7	11
8/30/24 16:30	594	7.9	100	9.1	118	19.7	11
8/30/24 16:45	594	7.9	99	9.1	118	19.7	11
8/30/24 17:00	594	7.8	99	9.1	118	19.7	10
8/30/24 17:15	594	7.8	99	9.1	118	19.7	10
8/30/24 17:30	594	7.8	99	9.1	118	19.7	11
8/30/24 17:45	594	7.8	99	9.1	118	19.6	11
8/30/24 18:00	594	7.8	98	9.1	118	19.6	11
8/30/24 18:15	594	7.7	98	9.1	118	19.6	11
8/30/24 18:30	599	7.7	97	9.1	118	19.6	10
8/30/24 18:45	594	7.7	97	9.1	118	19.6	10
8/30/24 19:00	594	7.6	96	9.1	118	19.6	10
8/30/24 19:15	594	7.7	97	9.0	118	19.6	11
8/30/24 19:30	594	7.6	96	9.0	118	19.6	10
8/30/24 19:45	594	7.7	97	9.0	118	19.5	10
8/30/24 20:00	594	7.6	95	9.0	118	19.5	10
8/30/24 20:15	594	7.7	97	9.0	118	19.5	11
8/30/24 20:30	594	7.6	96	9.0	118	19.5	10
8/30/24 20:45	594	7.6	96	9.0	118	19.5	11
8/30/24 21:00	590	7.6	96	9.0	118	19.5	11
8/30/24 21:15	599	7.6	96	9.0	118	19.5	11
8/30/24 21:30	594	7.6	96	9.0	118	19.5	11
8/30/24 21:45	594	7.6	96	8.9	118	19.5	10
8/30/24 22:00	594	7.6	96	8.9	118	19.4	11
8/30/24 22:15	594	7.7	96	8.9	118	19.4	11
8/30/24 22:30	594	7.7	96	8.9	118	19.4	11
8/30/24 22:45	594	7.5	95	8.9	118	19.4	11
8/30/24 23:00	594	7.6	96	8.9	118	19.4	11
8/30/24 23:15	590	7.7	96	8.9	118	19.4	10
8/30/24 23:30	599	7.7	96	8.9	118	19.3	11
8/30/24 23:45	599	7.6	95	8.8	118	19.3	10

Klamath River at Keno, OR (11509500)




Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/31/24 0:00	594	7.7	96	8.8	118	19.3	11
8/31/24 0:15	594	7.5	94	8.8	118	19.2	10
8/31/24 0:30	594	7.7	96	8.8	118	19.2	11
8/31/24 0:45	594	7.6	95	8.8	118	19.2	10
8/31/24 1:00	594	7.7	96	8.8	118	19.2	10
8/31/24 1:15	594	7.6	95	8.8	118	19.1	11
8/31/24 1:30	594	7.7	97	8.8	118	19.1	11
8/31/24 1:45	594	7.4	92	8.8	118	19.1	10
8/31/24 2:00	594	7.7	96	8.8	118	19.0	10
8/31/24 2:15	594	7.7	97	8.8	118	19.0	11
8/31/24 2:30	594	7.6	95	8.7	118	19.0	11
8/31/24 2:45	599	7.8	97	8.7	118	19.0	11
8/31/24 3:00	599	7.7	96	8.7	118	18.9	11
8/31/24 3:15	594	7.7	96	8.7	118	18.9	10
8/31/24 3:30	594	7.7	96	8.7	118	18.9	11
8/31/24 3:45	594	7.8	96	8.7	118	18.9	10
8/31/24 4:00	594	7.8	97	8.7	118	18.8	10
8/31/24 4:15	594	7.8	97	8.7	118	18.8	11
8/31/24 4:30	594	7.8	96	8.7	118	18.8	10
8/31/24 4:45	594	7.8	96	8.7	118	18.8	10
8/31/24 5:00	594	7.8	96	8.7	118	18.8	10
8/31/24 5:15	599	7.8	96	8.7	118	18.8	10
8/31/24 5:30	594	7.8	96	8.6	118	18.7	10
8/31/24 5:45	594	7.7	96	8.6	118	18.7	15
8/31/24 6:00	594	7.8	96	8.6	118	18.7	10
8/31/24 6:15	594	7.8	96	8.6	118	18.7	11
8/31/24 6:30	594	7.7	96	8.6	118	18.7	11
8/31/24 6:45	599	7.8	97	8.6	118	18.7	11
8/31/24 7:00	594	7.8	97	8.6	118	18.6	11
8/31/24 7:15	594	7.8	96	8.6	118	18.6	11
8/31/24 7:30	594	7.8	97	8.6	118	18.6	11
8/31/24 7:45	594	7.8	97	8.6	118	18.6	11
8/31/24 8:00	594	7.9	98	8.6	118	18.6	11
8/31/24 8:15	594	7.8	96	8.6	118	18.7	11
8/31/24 8:30	594	7.9	98	8.7	118	18.7	10
8/31/24 8:45	594	7.9	98	8.7	118	18.8	10
8/31/24 9:00	594	8.0	99	8.7	118	18.8	11
8/31/24 9:15	590	8.0	99	8.7	118	18.9	11
8/31/24 9:30	594	8.0	100	8.8	118	19.0	10
8/31/24 9:45	594	8.0	100	8.8	118	19.1	11
8/31/24 10:00	590	8.0	100	8.8	118	19.2	10
8/31/24 10:15	590	8.0	100	8.8	118	19.2	10
8/31/24 10:30	594	8.0	100	8.8	118	19.3	10
8/31/24 10:45	590	8.0	101	8.8	118	19.3	10
8/31/24 11:00	590	8.0	101	8.8	118	19.4	10

**Klamath River at Keno, OR
(11509500)**



Datetime	Discharge			pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	DO (%)		conductance (μ S/cm)	Temperatur e ($^{\circ}$ C)	
8/31/24 11:15	594	8.0	101	8.8	118	19.4	11
8/31/24 11:30	590	8.0	101	8.9	118	19.5	11
8/31/24 11:45	594	8.0	101	8.9	118	19.6	10
8/31/24 12:00	594	8.0	101	8.9	118	19.6	10
8/31/24 12:15	594	8.0	101	8.9	118	19.7	10
8/31/24 12:30	594	8.0	101	8.9	118	19.8	10
8/31/24 12:45	594	8.0	102	8.9	118	19.8	11
8/31/24 13:00	594	8.0	102	8.9	118	19.8	10
8/31/24 13:15	594	7.9	101	8.9	118	19.9	10
8/31/24 13:30	594	8.0	101	8.9	118	19.9	11
8/31/24 13:45	590	7.9	100	8.9	118	20.0	10
8/31/24 14:00	594	8.0	101	8.9	118	20.0	11
8/31/24 14:15	594	8.0	101	9.0	118	20.0	11
8/31/24 14:30	594	7.9	101	8.9	118	20.0	10
8/31/24 14:45	594	7.9	101	8.9	118	20.0	10
8/31/24 15:00	594	7.8	99	9.0	118	20.1	10
8/31/24 15:15	590	7.9	100	9.0	118	20.1	11
8/31/24 15:30	599	7.8	100	9.0	118	20.0	11
8/31/24 15:45	594	7.8	99	9.0	118	20.0	11
8/31/24 16:00	594	7.8	99	9.0	118	20.0	10
8/31/24 16:15	594	7.8	99	9.0	118	20.0	10
8/31/24 16:30	594	7.7	98	9.0	118	19.9	10
8/31/24 16:45	599	7.7	98	9.0	118	19.9	10
8/31/24 17:00	599	7.7	97	9.0	118	19.9	10
8/31/24 17:15	594	7.8	99	9.0	118	20.0	10
8/31/24 17:30	594	7.7	98	9.0	118	20.0	10
8/31/24 17:45	599	7.7	98	9.0	118	20.0	10
8/31/24 18:00	599	7.7	98	8.9	118	20.0	10
8/31/24 18:15	594	7.6	97	8.9	118	20.0	10
8/31/24 18:30	594	7.7	97	8.9	118	19.9	10
8/31/24 18:45	594	7.6	97	8.9	118	19.9	10
8/31/24 19:00	594	7.6	97	8.9	118	19.9	10
8/31/24 19:15	594	7.6	96	8.8	118	19.9	10
8/31/24 19:30	594	7.6	96	8.8	118	19.9	10
8/31/24 19:45	594	7.6	96	8.8	118	19.8	10
8/31/24 20:00	594	7.6	96	8.8	118	19.8	10
8/31/24 20:15	594	7.6	96	8.8	118	19.8	10
8/31/24 20:30	594	7.6	96	8.7	118	19.7	10
8/31/24 20:45	594	7.5	95	8.7	119	19.7	10
8/31/24 21:00	599	7.6	95	8.7	119	19.7	10
8/31/24 21:15	590	7.5	95	8.6	119	19.6	10
8/31/24 21:30	599	7.6	96	8.6	119	19.6	10
8/31/24 21:45	594	7.6	96	8.6	119	19.6	10
8/31/24 22:00	594	7.6	96	8.6	119	19.6	10
8/31/24 22:15	599	7.6	96	8.6	119	19.5	10



Appendix C / Figures


Figure C1
Water Quality Monitoring Locations

Lower Klamath Project
Del Norte Humboldt, and Siskiyou Counties, CA
123.3829°W 41.5215°N

WQ monitoring locations by type

- Continuous, Grab Water
- Continuous

Klamath River



Reference: Project limits are approximate. The property boundaries depicted on this map have not been surveyed and are for prospect assessment purposes only. This information is not to be used as final legal boundaries.
Data Source: Site locations via USGS and Karuk Tribe
Spatial Reference:
WGS 1984 UTM Zone 10N
Date: 10/3/2023
Project Number: PR107489





Figure C2
Water Quality Monitoring Locations

Lower Klamath Project
Siskiyou County, CA and Klamath County, OR
122.1241°W 42.0264°N

WQ monitoring locations by type


 Continuous, Grab Water



 Grab Water

 Klamath River



Reference: Project limits are approximate. The property boundaries depicted on this map have not been surveyed and are for prospect assessment purposes only. This information is not to be used as final legal boundaries.
Data Source: Site locations via USGS and Karuk Tribe
Spatial Reference: WGS 1984 UTM Zone 10N
Date: 3/8/2023
Project Number: PR107489





Appendix D / Grab Sample Location Photos



Figure D1a. Klamath River at Klamath Estuary, CA; downstream view. Taken August 6, 2024.



Figure D1b. Klamath River at Klamath Estuary, CA; upstream view. Taken August 6, 2024



Figure D2a. Klamath River near Klamath, CA; downstream view. Taken August 6, 2024



Figure D2b. Klamath River near Klamath, CA; upstream view. Taken August 6, 2024.



Figure D3a. Klamath River at Orleans, CA (USGS 11523000); downstream view. Taken August 6, 2024.



Figure D3b. Klamath River at Orleans, CA (USGS 11523000); upstream view. Taken August 6, 2024.



Figure D4a. Klamath River near Seiad Valley, CA (USGS 11520500); downstream view. Taken August 6, 2024.



Figure D4b. Klamath River near Seiad Valley, CA (USGS 11520500); upstream view. Taken August 6, 2024.



Figure D5a. Klamath River below Iron Gate Dam, CA (USGS 11516530); downstream view. Taken August 6, 2024.



Figure D5b. Klamath River below Iron Gate Dam, CA (USGS 11516530); upstream view. Taken August 6, 2024.



**Figure D6a. Klamath River above Fall Creek near Copco, CA (USGS 11511990) - Daggett Bridge; downstream view.
Taken August 6, 2024.**



**Figure D6b. Klamath River above Fall Creek near Copco, CA (USGS 11511990) - Daggett Bridge; upstream view.
Taken August 6, 2024.**



Figure D7a. Klamath River below Shovel Creek above Copco Lake, CA; downstream view. Taken August 6, 2024.



Figure D7b. Klamath River below Shovel Creek above Copco Lake, CA; upstream view. Taken August 6, 2024.



Figure D8a. Klamath River below J.C. Boyle Powerplant near Keno, OR (USGS 11510700); downstream view. Taken August 7, 2024.



Figure D8b. Klamath River below J.C. Boyle Powerplant near Keno, OR (USGS 11510700); upstream view. Taken August 7, 2024.



Figure D9a. Klamath River at Keno, OR (USGS 11509500); downstream view. Taken August 7, 2024.



Figure D9b. Klamath River at Keno, OR (USGS 11509500); upstream view. Taken August 7, 2024.